DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
W. M. STEUART, DIRECTOR

MORTALITY STATISTICS

1920

TWENTY-FIRST ANNUAL REPORT

WASHINGTON
GOVERNMENT PRINTING OFFICE
1922

CONTENTS.

TEXT.

	Page.
Introduction	9
Deaths and Crude Death Rates	9
Growth of the registration area: 1880 to 1920	9
Extent of the registration area in 1920	10
Deaths, by color, nativity, parent nativity, age, and sex of decedent	10
Death rates of the registration states	12
Death rates of large cities	12
Deaths by month of occurrence	13
Deaths of Negroes	13
Deaths of colored populations other than Negro	13
Deaths of nonresidents	14
Death rates of foreign countries	15
Causes of Death	17
Detailed and abridged International Lists	17
Changes in the detailed International List	17
Death rates from certain important causes of death in the registration area and in the original registration states for the years 1900 and 1910 to 1920	18
Typhoid fever	20
Malaria	22
Smallpox	23
Measles	24
Scarlet fever	25
Whooping cough	27
Diphtheria and croup	28
Influenza and pneumonia (all forms)	29
Influenza	31
All other epidemic diseases	32
Glanders	33
Anthrax	33
Rabies	34
Pellagra	34
Tuberculosis (all forms)	36
Tuberculosis of the lungs	37
Syphilis	39
Cancer	40
Lethargic encephalitis	45
Acute anterior poliomyelitis	48
Organic diseases of the heart	49
Pneumonia (all forms)	51
Diarrhea and enteritis (under 2 years)	52
Acute nephritis and Bright's disease	54
Puerperal causes	55
Suicide	61
Accidental or undefined causes	61
Automobile accidents and injuries	61
Homicide	64
Unknown or ill-defined diseases	65
Deaths of Children Under 1 Year of Age	67
Accuracy of Statistics of Causes of Death	68
Autopsies and tests	70

CONTENTS.

SUMMARY AND RATE TABLES.

Page.

TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 estimated population, in the registration area (exclusive of Hawaii), its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1920 74

TABLE IB.—Population, deaths (exclusive of stillbirths) of nonresidents in relation to total deaths, and death rates per 1,000 estimated population in each city and each rural unit in the registration area (exclusive of Hawaii): 1920 77

TABLE II.—Death rates per 100,000 population, from each cause and class of causes, for the registration area (exclusive of Hawaii) and its main subdivisions: 1910 and 1920 110

GENERAL TABLES.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by month of death: 1920 116

TABLE 2.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color, general nativity, and parent nativity of decedent: 1920 127

TABLE 3.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color and age of decedent: 1920 140

TABLE 4.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and each registration state, by age, sex, color, general nativity, and parent nativity of decedent: 1920 174

TABLE 5.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii) and certain subdivisions, by color of decedent and cause of death: 1920 214

TABLE 6.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1920 248

TABLE 7.—Deaths (exclusive of stillbirths) in the registration states, from each cause and class of causes, by sex and age of decedent: 1920 272

TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration states, from each cause and class of causes, by sex and age of decedent: 1920 284

TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration states, from each cause and class of causes, by sex and age of decedent: 1920 296

TABLE 8.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1920 308

TABLE 9.—Deaths (exclusive of stillbirths) in each registration city of 100,000 population or more in 1920, by cause of death and by age of decedent: 1920 479

TABLE 10.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and registration cities of 100,000 population or more in 1920, from important causes, by month of death: 1920 540

TABLE 11.—Deaths (exclusive of stillbirths) in the registration area (exclusive of Hawaii), registration states, and registration cities of 100,000 population or more in 1920, from important causes, for certain subdivisions of the first year of life: 1920 586

MAPS.

Growth of the registration area for deaths: 1880 to 1920 8

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1920, inclusive 10

Per cent of deaths in the registration area (exclusive of Hawaii) by color, by nativity of white persons, and by parent nativity of the native white: 1920 11

Number of deaths in the registration area (exclusive of Hawaii) at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1920 11

Per cent of deaths in the registration area (exclusive of Hawaii) under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1920 11

General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1919 16

Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1920 20

SUPPLEMENT.

HAWAII 648

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., March 6, 1922.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1920, which is the twenty-first annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts of death certificates received from the registration area for deaths, which, in 1920, had an estimated population of 87,745,921 or 82.3 per cent of the total estimated population of the United States and the territory of Hawaii.

The total number of deaths returned from this death registration area for the calendar year 1920 was 1,147,158, corresponding to a death rate of 13.1 per 1,000 population. The state of Nebraska was added to the death registration area in 1920.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by Mr. John B. Mitchell, expert chief of division.

Acknowledgment is made of the efficient services rendered in the preparation of this report by Mr. Clyde D. Williams and Mr. John O. Spain.

Respectfully,

WILLIAM M. STEUART,
Director of the Census.

Hon. HERBERT C. HOOVER,
Secretary of Commerce.

MORTALITY STATISTICS

1920

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1920.

NOTE.—In addition to the registration states (shaded in the maps) the registration area included certain cities in nonregistration states.









MORTALITY STATISTICS: 1920.

INTRODUCTION.

The present report presents mortality statistics for the death registration area of the United States. This area for 1920 includes, besides the 1919 area, one additional state—Nebraska.

Because of the distant location of Hawaii and the peculiar constitution of its population, deaths from this part of the registration area are not included in the general tables but are shown in special tables. Deaths of soldiers, sailors, and marines are included in both the text and general tables, but are no longer shown in special tables as in 1917, 1918, and 1919. Data presented in the general tables are based on all deaths in the registration area of the United States, exclusive of Hawaii, a total of 1,142,558 for the year.

New estimates of population for the years 1910 to 1920 for the registration area, the registration states, and registration cities of 100,000 population or more in 1920, have been made by the arithmetical method, based on the Federal censuses of 1910 and 1920.

All death rates are based on total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines. Caution should always be exercised in drawing deductions from crude death rates, for due allowance must first be made for deaths of nonresidents, for the peculiar composition of the population as regards age and sex distribution, color, and nativity, as well as for other factors which may have had marked influence on the general mortality.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States, exclusive of Hawaii, for the calendar year 1920 is 1,142,558, as reported to the Census Bureau by the state and municipal registration offices. The death rate is 13.1 per 1,000 population, based on an estimated midyear population of 87,486,713, or 82.2 per cent of the total estimated population of the United States. Except for 1919, the rate for 1920 is lower than that for any year since the publication of the annual reports beginning in 1900.

The following table shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1920:

CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]		CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.[2]	
	Number.	Rate per 1,000 population.[3]		Number.	Rate per 1,000 population.[3]
1920	1,142,558	13.1	1908	691,574	14.8
1919	1,096,436	12.9	1907	687,034	16.0
1918	1,471,367	18.1	1906	658,105	15.7
1917	1,068,032	14.3	1905	545,533	16.0
1916	1,001,921	14.0	1904	551,354	16.5
1915	909,155	13.6	1903	524,415	16.0
1914	898,059	13.6	1902	508,640	15.9
1913	890,848	14.1	1901	518,207	16.5
1912	838,251	13.9	1900	539,939	17.6
1911	839,284	14.2	1900 [4]	512,669	17.8
1910	805,412	15.0	1890 [4]	386,212	19.6
1909	732,538	14.4	1880 [4]	169,453	19.8

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Estimates of population, based on the Federal censuses of 1910 and 1920, have been made for the years 1910 to 1920.
[4] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1920.

The first mortality statistics published by the Federal Government related to 1850 and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of death certificates were received from the states and cities included in the registration area.

The annual collection of mortality statistics for that part of the United States known as the registration area began with the calendar year 1900.

The following table shows the states which were included in the registration area of the United States from 1880 to 1920, with year when each was added; in each year the registration area also included qualified cities in nonregistration states.

STATE.	Year.	STATE.	Year.	STATE.	Year.
Massachusetts	1880 [1]	Colorado	1906	Virginia	1913
New Jersey		Maryland		Kansas	1914
Dist. of Columbia [2]		Pennsylvania		North Carolina [6]	1916
Connecticut	1890 [1]	South Dakota [4]		South Carolina	
Delaware [3]		Washington	1908	Tennessee	1917
New Hampshire		Wisconsin		Hawaii	
New York		Ohio	1909	Illinois	1918
Rhode Island		Minnesota	1910	Louisiana	
Vermont		Montana		Oregon	
Maine	1900 [1]	North Carolina [5]		Delaware	
Michigan		Utah		Florida	1919
Indiana	1900	Kentucky	1911	Mississippi	
California	1906	Missouri		Nebraska	1920

[1] Census year ending May 31.
[2] Included in registration states.
[3] Dropped from the registration area in the census year 1900.
[4] Dropped from the registration area in 1910.
[5] Included only municipalities having a population of 1,000 or more in 1900.
[6] The remainder of the state of North Carolina was added to the registration area in 1916. (See note 5.)

The following table shows the growth of the registration area in both population and land area from 1880 to 1920, inclusive:

CALENDAR YEAR.	CONTINENTAL UNITED STATES.		REGISTRATION AREA.[1]			
	Estimated population, July 1.[2]	Land area (square miles).	Estimated population, July 1.[2]		Land area.	
			Number.	Per cent of total.	Square miles.	Per cent of total.
1920	106,418,175	[3] 2,973,774	87,486,713	82.2	1,726,012	58.0
1919	105,003,065	2,973,890	85,166,043	81.1	1,649,281	55.5
1918	103,587,955	2,973,890	81,333,675	78.5	1,546,166	52.0
1917	102,172,845	2,973,890	74,984,498	73.4	1,349,629	45.4
1916	100,757,735	2,973,890	71,349,162	70.8	1,307,819	44.0
1915	99,342,625	2,973,890	67,095,681	67.5	1,228,704	41.3
1914	97,927,516	2,973,890	65,813,315	67.2	1,228,644	41.3
1913	96,512,407	2,973,890	63,200,625	65.5	1,147,039	38.6
1912	95,097,298	2,973,890	60,359,974	63.5	1,106,777	37.2
1911	93,682,189	2,973,890	59,183,071	63 2	1,106,734	37.2
1910	92,267,080	[4] 2,973,890	53,831,742	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52 5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40 4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	[5] 2,974,159	30,765,618	40 5	212,621	7.1
1900 [5]			28,807,269	37.9	176,378	5.9
1890 [5]	62,947,714	2,973,965	19,659,440	31.2	90,695	3.0
1880 [5]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Exclusive of Hawaii.
[2] New estimates of population, based on the Federal censuses of 1910 and 1920, have been made for the years 1910 to 1920.
[3] The net reduction of 116 square miles as compared with area stated by census of 1910 was due to irrigation projects.
[4] The net reduction of 269 square miles as compared with area stated by census of 1900 was due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[5] Census year ending May 31.
[6] The increase of 194 square miles as compared with area stated by census of 1890 was due to the reclamation of part of Potomac River Flats in the District of Columbia and of part of Lake Tulare in California.

The percentages which the population and land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1920, inclusive, are presented in the following diagram.

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1920, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1920.

The registration area in 1920 includes 34 states, the District of Columbia, and 16 cities in nonregistration states. These states and cities were added to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under state law, or, for cities, under municipal ordinances.

The states included in the registration area for 1920 are:

California.	Massachusetts.	Ohio.
Colorado.	Michigan.	Oregon.
Connecticut.	Minnesota.	Pennsylvania.
Delaware.	Mississippi.	Rhode Island.
Florida.	Missouri.	South Carolina.
Illinois.	Montana.	Tennessee.
Indiana.	Nebraska.	Utah.
Kansas.	New Hampshire.	Vermont.
Kentucky.	New Jersey.	Virginia.
Louisiana.	New York.	Washington.
Maine.	North Carolina.	Wisconsin.
Maryland.		

The entire registration area comprises not only the states named but also the District of Columbia, territory of Hawaii, and the following cities in nonregistration states:

Birmingham, Ala.	Savannah, Ga.	El Paso, Tex.
Mobile, Ala.	Fargo, N. Dak.	Galveston, Tex.
Montgomery, Ala.	Oklahoma City, Okla.	Houston, Tex.
Atlanta, Ga.	Beaumont, Tex.	San Antonio, Tex.
Augusta, Ga.	Dallas, Tex.	Wheeling, W. Va.
Brunswick, Ga.		

DEATHS, BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area, exclusive of Hawaii, the deaths in 1920, classified according to sex, color, nativity, and parent nativity of decedent:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES [1] REGISTRATION AREA: [2] 1920.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	1,142,558	598,994	543,564	1,000.0	1,000.0	1,000.0
White	1,007,117	530,173	476,944	881.5	885.1	877.4
Native	769,822	398,446	371,376	673.8	665.2	683.2
Both parents native	454,243	232,194	222,049	397.6	387.6	408.5
One or both parents foreign born	222,705	115,517	107,188	194.9	192.9	197.2
Parentage unknown	92,874	50,735	42,139	81.3	84.7	77.5
Foreign born	223,913	122,204	101,709	196.0	204.0	187.1
Unknown	13,382	9,523	3,859	11.7	15.9	7.1
Colored	135,441	68,821	66,620	118.5	114.9	122.6
Negro	130,147	65,426	64,721	113.9	109.2	119.1
Indian	2,300	1,132	1,168	2.0	1.9	2.1
Chinese	1,348	1,226	122	1.2	2.0	0.2
Japanese	1,511	926	585	1.3	1.5	1.1
Other colored	135	111	24	0.1	0.2	[3]

[1] Exclusive of stillbirths.
[2] Exclusive of Hawaii.
[3] Less than one-tenth of 1 per 1,000.

The 1,142,558 deaths in the registration area, exclusive of Hawaii, are distributed between the sexes and between the two groups as follows: Males, 52.4 per cent; females, 47.6 per cent; white, 88.2 per cent; colored, 11.9 per cent. Of the colored, the great majority, 96.1 per cent (equivalent to 11.4 per cent of the total for all races), are Negroes.

PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1920.



The age distribution of decedents is shown in the following table.

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA:[2] 1920					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	1,142,558	598,994	543,564	1,000.0	1,000.0	1,000.0
Under 1 year	174,710	99,239	75,471	152.9	165.7	138.8
1 year	36,986	19,698	17,288	32.4	32.9	31.8
2 years	16,892	8,921	7,971	14.8	14.9	14.7
3 years	11,369	5,815	5,554	10.0	9.7	10.2
4 years	8,475	4,401	4,074	7.4	7.3	7.5
Under 5 years	248,432	138,074	110,358	217.4	230.5	203.0
5 to 9 years	27,051	14,461	12,590	23.7	24.1	23.2
10 to 14 years	19,450	10,413	9,037	17.0	17.4	16.6
15 to 19 years	31,259	15,910	15,349	27.4	26.6	28.2
20 to 24 years	43,892	20,296	23,596	38.4	33.9	43.4
25 to 29 years	49,753	23,024	26,729	43.5	38.4	49.2
30 to 34 years	50,050	24,678	25,372	43.8	41.2	46.7
35 to 39 years	52,093	27,381	24,712	45.6	45.7	45.5
40 to 44 years	47,609	25,477	22,132	41.7	42.5	40.7
45 to 49 years	51,959	28,569	23,390	45.5	47.7	43.0
50 to 54 years	58,072	32,071	26,001	50.8	53.5	47.8
55 to 59 years	61,678	33,869	27,809	54.0	56.5	51.2
60 to 64 years	72,780	39,745	33,035	63.7	66.4	60.8
65 to 69 years	76,564	41,060	35,504	67.0	68.5	65.3
70 to 74 years	79,584	41,466	38,118	69.7	69.2	70.1
75 to 79 years	73,995	37,238	36,757	64.8	62.2	67.6
80 to 84 years	53,474	25,362	28,112	46.8	42.3	51.7
85 to 89 years	29,403	13,321	16,082	25.7	22.2	29.6
90 to 94 years	10,376	4,284	6,092	9.1	7.2	11.2
95 to 99 years	2,459	954	1,505	2.2	1.6	2.8
100 years and over	961	351	610	0.8	0.6	1.1
Unknown	1,664	990	674	1.5	1.7	1.2

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

The following table and diagrams show, for each of the years 1900 to 1920, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total:

CALENDAR YEAR.	DEATHS[1] FROM ALL CAUSES IN THE REGISTRATION AREA.				
	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1920	1,142,558	174,710	15.3	248,432	21.7
1919	1,096,436	161,621	14.7	229,813	21.0
1918	1,471,367	193,855	13.2	306,143	20.8
1917	1,068,932	171,024	16.0	243,708	22.8
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	*24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,040	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of stillbirths. [2] Exclusive of Hawaii.

DIAGRAM A.—NUMBER OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1920.



DIAGRAM B.—PER CENT OF DEATHS IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1920.



In 1900 the deaths under 1 year of age formed 20.7 per cent and those under 5 years 30.4 per cent of the total deaths at all ages, but for 1920 the corresponding percentages are 15.3 and 21.7. The big decreases in these percentages are undoubtedly due, in large part, to the better care which children now receive.

DEATH RATES OF THE REGISTRATION STATES.

Death rates of the registration states for 1920 and the preceding nine years, are shown in the following table.

STATE.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Registration states[2]	13.0	12.8	18.0	14.1	13.9	13.3	13.5	13.9	13.6	13.9
California	13.6	13.7	17.7	13.3	13.1	13.3	13.3	14.2	14.0	13.6
Colorado	14.5	12.9	19.3	11.9	11.2	12.1	11.8	12.1	12.0	13.2
Connecticut	13.6	13.3	20.4	15.9	15.8	14.5	14.8	14.7	14.7	15.3
Delaware	14.6	15.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	13.0	12.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	11.7	11.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	15.5	14.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	12.6	12.0	16.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	13.4	12.7	16.0	13.8	13.4	12.5	12.8	13.2	13.0	12.9
Kansas	11.4	10.8	15.1	11.9	11.5	10.5	10.1	(3)	(3)	(3)
Kentucky	11.8	12.8	17.0	13.8	12.7	12.3	12.9	13.1	12.9	13.2
Louisiana (total)	11.9	12.9	18.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	9.8	10.6	14.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	15.3	16.4	23.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	15.4	14.6	19.1	15.4	16.0	15.9	15.8	15.4	15.6	16.1
Maryland (total)	14.7	15.3	23.6	16.7	16.1	15.5	15.6	16.0	15.4	15.7
White	13.3	13.8	21.7	14.7	14.4	13.8	14.0	14.2	13.8	14.0
Colored	21.2	22.3	33.0	25.9	24.6	23.3	23.3	24.2	22.6	23.7
Massachusetts	13.8	13.6	20.9	15.2	15.3	14.6	14.8	15.1	15.0	15.5
Michigan	13.9	12.6	15.4	13.7	13.7	12.4	12.5	13.2	12.9	13.0
Minnesota	10.7	10.5	13.4	10.4	10.7	10.2	10.6	10.5	9.5	10.4
Mississippi (total)	12.3	12.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	9.2	9.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	15.1	15.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	12.5	11.8	15.9	13.5	13.1	12.2	12.4	12.5	12.7	13.1
Montana	9.5	10.7	17.3	13.1	11.9	10.8	10.7	11.6	9.8	10.1
Nebraska	10.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	15.2	14.7	21.8	17.0	16.3	16.2	16.4	17.2	16.5	17.1
New Jersey	13.0	13.1	20.6	14.6	15.1	13.9	14.2	14.4	14.1	14.8
New York	13.8	13.9	19.0	15.3	15.3	15.0	15.1	15.3	15.2	15.7
North Carolina (total)	12.7	12.2	17.1	13.8	12.9	[4]17.3	[4]19.0	[5]16.5	[5]17.1	[5]18.2
White	11.2	10.6	14.6	12.0	11.2	13.6	15.4	13.5	14.3	14.4
Colored	16.0	15.9	23.0	17.8	16.8	24.3	25.7	22.1	22.3	25.2
Ohio	12.8	12.7	16.8	14.0	13.8	12.5	12.5	13.4	13.1	13.0
Oregon	11.7	11.4	12.8	(3)	(3)	(3)	(3)	[4](3)	(3)	(3)
Pennsylvania	13.8	13.4	22.1	15.2	14.9	14.0	14.1	14.7	14.1	14.3
Rhode Island	14.3	14.2	20.9	16.3	16.3	15.5	15.3	15.4	15.5	15.8
South Carolina (total)	14.0	13.8	19.5	14.5	13.9	(3)	(3)	(3)	(3)	(3)
White	11.4	10.6	15.6	11.5	10.7	(3)	(3)	(3)	(3)	(3)
Colored	16.5	16.7	23.2	17.2	16.7	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	12.1	12.2	16.1	13.4	(3)	(3)	(3)	(3)	(3)	(3)
White	10.7	10.8	14.0	11.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	18.1	18.4	24.6	20.6	(3)	(3)	(3)	(3)	(3)	(3)
Utah	11.5	11.0	14.2	10.8	10.7	10.1	10.3	11.2	10.0	10.3
Vermont	15.7	14.4	19.4	15.5	16.1	15.0	15.3	16.0	15.3	15.9
Virginia (total)	13.1	13.7	19.3	14.1	14.5	14.0	13.9	13.8	(3)	(3)
White	11.3	11.5	16.9	11.6	12.0	11.4	11.4	11.6	(3)	(3)
Colored	17.6	18.8	24.9	19.8	20.1	19.7	19.4	18.7	(3)	(3)
Washington	11.1	10.7	13.3	9.4	9.2	9.5	9.3	9.4	8.6	9.3
Wisconsin	11.2	10.7	13.6	11.4	11.7	10.7	11.0	11.4	11.2	11.4

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

The rate (13) in 1920 for the registration states as a whole is 0.2 higher than the 1919 rate (12.8). Of the 33 states which are comparable for the two years, 22 show slight increases, and 11 show decreases from 1919. The states having the highest rates in 1920 are Vermont (15.7), Maine (15.4), New Hampshire (15.2), Maryland (14.7), and Delaware (14.6). Those having the lowest rates are Montana (9.5), Nebraska (10), Minnesota (10.7), Washington (11.1), and Wisconsin (11.2).

It should be remembered that the rates given are crude rates and that no allowance is made for differences in sex, age, and race distribution of the population nor for deaths of nonresidents, so that inferences as to the relative healthfulness of the states should not be drawn from these figures alone.

DEATH RATES OF LARGE CITIES.

The following table shows for the years 1911 to 1920, inclusive, death rates for registration cities which in 1920 had 100,000 or more population:

CITY.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Birmingham, Ala. (total)	16.5	16.6	25.2	22.9	17.7	17.2	19.0	18.5	18.2	17.9
White	12.4	12.7	19.7	14.1	11.5	12.8	14.2	13.1	13.9	14.0
Colored	22.8	22.7	33.8	36.5	22.2	23.8	26.3	26.9	24.8	24.0
Los Angeles, Calif.	14.1	13.6	17.4	13.0	12.7	12.6	13.1	15.2	14.7	14.4
Oakland, Calif.	11.8	12.5	15.6	11.0	10.9	11.7	11.9	12.8	13.0	12.5
San Francisco, Calif.	14.2	16.0	20.4	14.8	15.1	15.6	15.2	15.7	15.5	15.2
Denver, Colo.	17.3	14.7	20.9	13.1	12.5	14.2	14.0	14.3	14.7	15.7
Bridgeport, Conn.	12.8	14.0	21.8	17.1	18.3	14.7	14.4	14.4	13.6	13.7
Hartford, Conn.	16.4	15.7	23.6	20.2	18.3	16.0	16.2	17.1	17.3	17.8
New Haven, Conn.	14.5	13.0	21.2	16.8	16.7	15.5	15.9	15.7	16.4	16.6
Wilmington, Del.	14.0	14.4	24.9	18.3	17.9	15.5	15.1	15.0	16.1	16.1
Washington, D. C. (total)	14.6	14.7	22.7	16.3	16.3	16.8	15.5	16.4	17.6	18.3
White	12.6	12.7	19.9	13.4	13.4	13.7	12.7	13.4	14.1	15.1
Colored	20.6	20.6	30.7	24.6	24.2	25.1	23.2	24.3	26.9	26.5
Atlanta, Ga. (total)	17.2	15.8	19.1	16.8	15.8	15.5	16.9	17.7	18.2	19.8
White	14.5	13.3	15.6	13.6	12.0	11.8	13.3	13.6	14.6	15.7
Colored	23.0	21.2	26.8	23.6	23.9	23.3	24.4	26.4	27.4	28.1
Chicago, Ill.	12.8	12.5	16.9	14.8	14.4	14.2	14.1	15.0	14.8	14.5
Indianapolis, Ind. (total)	14.6	13.4	17.5	15.6	15.1	14.3	15.5	15.4	14.8	14.6
White	13.8	12.8	16.6	14.7	14.3	13.7	14.9	14.6	14.0	13.8
Colored	20.9	18.5	24.5	22.8	21.9	19.5	20.9	22.3	21.6	21.4
Kansas City, Kans. (total)	14.5	14.0	21.2	15.2	14.4	14.5	13.6	15.7	16.1	16.4
White	13.5	12.8	20.7	13.8	13.3	13.4	12.3	14.5	14.6	15.2
Colored	20.6	21.1	24.4	24.0	22.0	21.6	22.0	24.2	27.2	25.8
Louisville, Ky. (total)	15.2	17.3	26.8	17.0	15.4	15.3	16.8	16.5	16.6	16.2
White	13.8	15.6	25.4	15.1	13.5	13.3	15.0	14.5	14.4	14.0
Colored	22.2	25.9	33.5	26.4	24.7	24.9	25.0	25.7	25.7	26.2
New Orleans, La. (total)	17.6	18.9	26.1	20.1	18.5	21.2	20.6	20.0	20.2	20.4
White	14.5	16.2	22.0	15.8	14.4	16.5	16.6	15.6	16.1	16.6
Colored	26.4	26.7	37.5	32.0	30.0	34.5	31.9	32.1	31.5	31.2
Baltimore, Md. (total)	15.4	15.7	25.7	18.5	17.6	16.7	17.7	18.2	18.0	18.3
White	13.9	14.3	23.6	16.2	15.6	14.9	15.8	16.1	16.1	16.1
Colored	23.5	23.5	36.5	30.1	27.8	25.9	27.9	29.6	28.3	30.3
Boston, Mass.	15.4	15.7	23.6	17.4	17.6	16.7	16.6	16.8	16.6	17.3
Cambridge, Mass.	14.9	13.4	20.9	14.8	14.1	13.6	13.6	13.8	13.3	15.3
Fall River, Mass.	14.7	14.4	23.8	17.6	18.1	16.8	18.1	17.8	16.6	17.9
Lowell, Mass.	15.7	15.2	22.1	17.5	17.7	16.6	16.2	16.1	17.5	18.0
New Bedford, Mass.	14.2	13.5	24.7	15.6	16.1	15.7	16.4	16.0	16.2	17.5
Springfield, Mass.	13.0	13.7	20.7	15.8	15.1	13.7	14.3	14.3	14.7	15.1
Worcester, Mass.	14.7	14.8	21.6	16.3	17.3	15.0	15.5	16.1	16.1	15.7
Detroit, Mich.	13.4	11.7	14.1	13.6	13.9	11.9	12.3	14.3	13.4	13.5
Grand Rapids, Mich.	13.2	11.5	14.1	13.2	12.3	12.6	13.0	13.3	13.1	13.7
Minneapolis, Minn.	12.3	11.7	14.7	12.3	12.8	11.8	12.3	11.8	10.6	11.5
St. Paul, Minn.	12.5	11.9	15.9	11.9	12.2	11.5	12.0	11.6	10.5	11.0
Kansas City, Mo.	16.1	15.3	21.3	16.4	14.5	14.7	14.0	14.8	15.2	15.4
St. Louis, Mo.	14.1	13.3	18.1	15.4	15.2	14.0	15.3	15.0	15.1	15.4
Omaha, Nebr.	14.3	12.8	17.5	12.7	13.7	11.7	13.2	13.4	12.9	14.1
Camden, N. J.	14.7	14.8	27.2	17.3	16.2	15.1	16.9	16.5	15.3	16.7
Jersey City, N. J.	14.1	14.7	20.8	15.6	15.6	15.3	14.4	15.1	14.4	16.1
Newark, N. J.	12.9	12.9	20.2	15.0	15.7	13.7	15.0	14.8	14.6	15.2
Paterson, N. J.	12.8	13.3	20.1	14.8	15.2	13.7	13.9	13.8	14.2	14.9
Trenton, N. J.	15.7	15.6	25.3	16.8	17.7	16.2	13.2	18.5	16.8	18.5
Albany, N. Y.	15.7	16.4	23.0	18.5	18.7	19.5	18.9	19.5	19.0	20.3
Buffalo, N. Y.	14.6	14.9	20.5	15.8	15.8	14.6	15.3	15.6	14.7	14.5
New York, N. Y.	13.0	13.3	17.9	14.6	14.7	14.6	14.6	14.7	14.8	15.5
Bronx borough	10.6	11.5	15.9	12.9	12.4	12.8	12.7	13.2	12.8	13.3
Brooklyn borough	12.6	12.9	17.6	14.1	14.4	14.2	14.0	14.1	14.4	15.0
Manhattan borough	14.3	14.4	18.8	15.6	15.6	15.7	15.7	15.7	15.7	16.4
Queens borough	11.5	11.6	16.0	13.3	14.0	12.8	13.5	13.1	12.8	13.6
Richmond borough	15.1	15.9	22.8	16.2	16.2	14.8	15.3	16.2	16.3	16.6
Rochester, N. Y.	12.6	12.5	17.5	15.1	14.1	13.7	14.2	14.5	14.5	14.5
Syracuse, N. Y.	15.2	12.9	20.8	15.0	14.8	12.9	14.5	15.5	15.0	14.3
Yonkers, N. Y.	11.4	10.7	16.3	12.6	13.2	12.4	12.5	14.8	12.8	14.6
Akron, Ohio	11.3	10.9	12.9	12.3	10.6	8.3	8.5	10.2	11.1	11.2
Cincinnati, Ohio	15.1	15.9	21.6	17.2	17.0	16.1	16.4	17.2	16.8	16.6

(See foot notes at end of table.)

CITY.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Cleveland, Ohio	12.4	12.6	17.2	14.7	14.0	12.8	12.3	13.7	13.3	13.6
Columbus, Ohio	14.8	14.1	18.6	15.2	15.4	13.9	14.6	15.2	14.3	14.2
Dayton, Ohio	12.2	11.7	17.4	14.3	13.9	12.6	12.9	15.2	14.6	13.4
Toledo, Ohio	13.8	13.4	17.4	15.9	16.4	14.1	14.4	15.3	15.2	14.6
Youngstown, Ohio	12.9	14.5	22.5	17.9	16.5	12.7	13.0	15.6	15.4	14.2
Portland, Oreg.	12.1	13.1	15.0	9.7	9.7	9.8	10.4	10.6	10.2	11.2
Philadelphia, Pa.	14.4	14.3	24.1	16.9	16.1	15.5	16.0	15.6	15.2	16.6
Pittsburgh, Pa.	16.4	16.1	26.8	18.6	17.7	15.5	15.9	17.3	16.0	15.0
Reading, Pa.	14.5	13.2	20.9	15.1	15.6	14.1	14.6	15.5	14.0	14.5
Scranton, Pa.	14.9	13.8	22.7	16.6	15.7	15.8	16.7	15.5	15.1	15.1
Providence, R. I.	15.5	14.9	22.2	17.1	17.3	15.8	16.2	15.9	16.4	15.9
Memphis, Tenn. (total)	19.9	21.4	24.6	20.7	(2)	20.4	21.3	21.2	22.0	21.2
White	15.6	16.2	20.2	15.6	(2)	14.6	14.8	15.8	16.6	16.5
Colored	27.0	30.6	32.1	29.4	(2)	30.0	31.7	29.8	30.3	28.5
Nashville, Tenn. (total)	18.1	18.5	27.0	16.7	(2)	17.4	18.6	17.9	19.4	20.5
White	15.5	16.0	23.9	14.2	(2)	14.2	14.5	14.6	14.7	15.9
Colored	24.0	24.3	34.1	22.4	(2)	24.4	27.5	24.9	29.0	30.8
Dallas, Tex. (total)	13.4	11.5	18.1	13.0	12.9	(3)	(3)	(3)	(3)	(3)
White	12.1	10.4	16.6	11.6	11.4	(3)	(3)	(3)	(3)	(3)
Colored	20.8	17.1	25.7	20.7	20.3	(3)	(2)	(3)	(3)	(3)
Houston, Tex. (total)	13.9	13.5	19.4	14.0	(3)	(3)	(3)	(3)	(2)	(3)
White	12.3	12.3	17.7	11.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	18.6	17.1	24.6	20.7	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	16.2	14.8	27.3	22.4	17.4	19.6	19.8	19.4	22.0	20.5
Salt Lake City, Utah	14.3	13.6	16.0	12.5	12.4	11.2	10.9	12.3	12.0	12.0
Norfolk, Va. (total)	15.2	16.6	24.7	14.6	16.2	16.6	17.7	18.1	19.0	20.7
White	11.8	12.6	21.1	10.3	11.2	12.0	12.3	12.9	13.7	14.3
Colored	20.7	23.3	30.8	21.7	24.2	23.8	26.0	26.0	27.0	30.3
Richmond, Va. (total)	16.5	15.7	22.8	17.8	19.1	18.3	19.1	20.0	20.3	20.8
White	13.3	13.4	19.6	14.1	15.0	14.8	14.2	15.9	15.9	16.4
Colored	23.3	20.6	29.6	25.5	27.4	25.4	28.5	27.5	28.4	28.6
Seattle, Wash.	10.7	11.0	13.7	8.6	8.5	8.8	9.3	9.4	8.8	9.0
Spokane, Wash.	14.2	11.4	14.6	11.1	10.1	11.2	11.2	10.9	9.8	12.4
Milwaukee, Wis.	11.7	11.0	14.7	12.5	12.9	11.6	11.9	12.8	13.1	12.1

[1] Exclusive of stillbirths.
[2] Transcripts for deaths not received.
[3] Not added to registration area until a later date.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

A majority of the 66 cities shown in the table have higher rates in 1920 than in 1919, whereas 16 of the cities show lower rates in 1920 than in any other year of the series. The lowest rate in 1920 is for Seattle (10.7) and the highest is for Memphis (19.9), but here, again, a word of caution is in order against drawing inferences from crude death rates.

DEATHS BY MONTH OF OCCURRENCE.

The following table shows for the registration area and for the original registration states 1900, 1910, and 1920, the per cent of deaths from all causes by month of occurrence:

MONTH OF DEATH.	PER CENT OF DEATHS FROM ALL CAUSES.[1]					
	Registration area.			Original registration states,[2]		
	1920 [3]	1910	1900	1920	1910	1900
Total	100.0	100.0	100.0	100.0	100.0	100.0
January	9.8	8.8	8.6	10.2	8.8	8.4
February	14.6	8.2	8.4	14.8	8.2	8.2
March	10.2	9.5	10.3	9.8	9.6	10.4
April	8.2	8.4	9.9	8.4	8.6	9.9
May	8.0	8.0	8.5	8.2	8.0	8.4
June	7.0	7.6	7.0	6.8	7.5	6.9
July	6.8	8.7	8.8	6.5	8.9	8.9
August	6.8	8.7	8.6	6.8	8.6	8.9
September	6.7	7.9	7.8	6.7	7.9	8.2
October	7.0	7.8	7.4	6.9	7.7	7.6
November	7.2	7.8	7.0	7.0	7.6	6.9
December	7.7	8.7	7.6	7.7	8.7	7.5

[1] Exclusive of stillbirths.
[2] Includes Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and District of Columbia.
[3] Exclusive of Hawaii.

The per cent of deaths from all causes in the registration area for the month of February was 6.4 higher in 1920 than in 1910, due to the high rates from influenza and pneumonia (all forms) in this month, and the comparatively low per cents shown for the months of July, August, and September reflect the great reduction in infant mortality.

DEATHS OF NEGROES.

The deaths of Negroes in the registration states in 1920 numbered 121,956, corresponding to a rate of 17.7 per 1,000 population. The distribution of these deaths, by states, is shown in the following table.

STATE.	DEATHS [1] OF NEGROES IN 1920.		STATE.	DEATHS [1] OF NEGROES IN 1920.	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
Registration states [2]	121,956	17.7	Montana	41	24.9
			Nebraska	228	16.9
California	779	19.6	New Hampshire	11	17.6
Colorado	303	26.8	New Jersey	2,460	20.8
Connecticut	491	23.0	New York	3,938	19.5
Delaware	668	22.1	North Carolina	12,315	16.1
Florida	5,134	15.5	Ohio	4,010	21.1
Illinois	3,925	21.1	Oregon	33	15.2
Indiana	1,802	22.0	Pennsylvania	6,065	21.0
Kansas	1,189	20.5	Rhode Island	270	26.8
Kentucky	4,560	19.4	South Carolina	14,338	16.6
Louisiana	10,722	15.3	Tennessee	8,169	18.1
Maine	31	23.7	Utah	29	19.8
Maryland	5,198	21.2	Vermont	6	11.6
Massachusetts	993	21.7	Virginia	12,130	17.6
Michigan	1,529	24.5	Washington	143	20.6
Minnesota	188	21.1	Wisconsin	116	21.8
Mississippi	14,092	15.1	Dist. of Columbia	2,289	20.7
Missouri	3,761	21.0			

[1] Exclusive of stillbirths. [2] Including the District of Columbia.

DEATHS OF COLORED POPULATIONS OTHER THAN NEGRO.

Deaths of colored, other than Negro, in the registration states, numbered 5,255 in 1920, and constituted 4.1 per cent of the deaths of the total colored in the same area. The distribution is shown in the following table.

AREA.	DEATHS FROM ALL CAUSES [1] IN 1920.			
	Indian.	Chinese.	Japanese.	Other colored.
Registration states [2]	2,289	1,324	1,508	134
Cities in registration states [2]	141	1,054	922	75
Rural part of registration states	2,148	270	586	59
California:				
Cities	22	581	593	26
Rural districts	321	208	408	30
Colorado:				
Cities	8	3	18	.....
Rural districts	35	.....	28	7
Connecticut:				
Cities	1	4	1	.....
Rural districts	2	2	1	.....
Delaware:				
Rural districts	.....	.....	1	.....
Florida:				3
Cities	.....	3	.....	
Rural districts	2	.....	.....	.....
Illinois:				
Cities	4	58	2	.....
Rural districts	.....	6	2	.....
Indiana:				
Cities	.....	3	1	.....
Kansas:				1
Cities	5	.....	1	.....
Rural districts	19	.....	.....	11
Louisiana:				4
Cities	1	7	2	
Rural districts	11	2	2	1

(See footnotes at end of table.)

AREA.	DEATHS FROM ALL CAUSES[1] IN 1920.			
	Indian.	Chinese.	Japanese.	Other colored.
Maine:				
Cities	.....	.....	1	.....
Rural districts	5	.....	.....	.....
Maryland:				2
Cities	1	7	3	
Rural districts	.....	1	.....	.....
Massachusetts:				.....
Cities	6	46	.....	
Rural districts	10	3	1	1
Michigan:				.....
Cities	12	13	.....	
Rural districts	154	3	1	.....
Minnesota:				.....
Cities	7	2	1	
Rural districts	215	.....	.....	.....
Mississippi:				.....
Rural districts	23	2	.....	
Missouri:				.....
Cities	5	6	2	
Rural districts	1	.....	.....	.....
Montana:				1
Cities	9	16	2	
Rural districts	232	11	7	2
Nebraska:				1
Cities	3	2	3	
Rural districts	150	.....	9	2
New Jersey:				.....
Cities	.....	10	.....	
Rural districts	.....	3	2	.....
New York:				.....
Cities	12	126	32	
Rural districts	64	2	.....	10
North Carolina:				.....
Cities	.....	1	.....	
Rural districts	149	.....	.....	.....
Ohio:				.....
Cities	2	14	1	
Oregon:				1
Cities	4	53	36	
Rural districts	160	15	22	.....
Pennsylvania:				.....
Cities	1	27	3	
Rural districts	3	1	.....	2
Rhode Island:				.....
Cities	1	3	.....	
South Carolina:				.....
Cities	1	1	.....	
Rural districts	2	.....	.....	.....
Tennessee:				.....
Cities	.....	1	.....	
Utah:				.....
Cities	2	4	18	
Rural districts	53	1	24	2
Virginia:				.....
Cities	1	3	7	
Rural districts	16	1	1	1
Washington:				1
Cities	23	52	189	
Rural districts	319	9	77	13
Wisconsin:				9
Cities	10	.....	.....	
Rural districts	199	.....	.....	.....
Washington, D. C	.....	8	1	1
				2
CITIES IN REGISTRATION STATES.[3]				
Bakersfield, Calif	1	14	4	3
Fresno, Calif	.....	21	59	.....
Los Angeles, Calif	4	45	198	8
Oakland, Calif	.....	64	27	.....
Sacramento, Calif	2	32	96	5
San Diego, Calif	4	10	9	.....
San Francisco, Calif	1	307	83	2
San Jose, Calif	.....	9	12	.....
Stockton, Calif	.....	64	70	3
Denver, Colo	4	3	15	.....
Chicago, Ill	3	55	1	.....
Boston, Mass	2	36	.....	1
Detroit, Mich	5	11	.....	.....
New York, N. Y	3	116	31	8
Portland, Oreg	1	45	29	.....
Philadelphia, Pa	1	17	1	1
Salt Lake City, Utah	.....	3	11	2
Seattle, Wash	6	37	141	10
Tacoma, Wash	5	11	35	2
Walla Walla, Wash	.....	11	.....	.....

[1] Exclusive of stillbirths.
[2] Including the District of Columbia.
[3] The only cities shown are those from which 10 or more deaths of either Indians, Chinese, Japanese, or other colored were reported.

DEATHS OF NONRESIDENTS.

Deaths of nonresidents have long been known to be an important factor in the crude death rates of certain places. In health resorts, for example, the number of deaths of nonresidents may be very large, and the same may be true of a city which offers hospital accommodations to an entire state or other large area. Some idea of the relative importance of this factor in the various cities and rural units in the registration area in 1920 may be obtained from Table I B.

Residence has been determined in each case exactly as it was done by the census enumerators in taking the population census in 1920.

Briefly stated, the principal points are as follows:

Residence refers to "usual place of abode." As a rule the "usual place of abode" is the place where a person regularly sleeps.

Nonresidents therefore include—

Persons visiting a town.

Transient boarders or lodgers who have some other usual or permanent place of abode.

Students and children living or boarding in towns in order to attend some school or college, but not regarding the place as their home.

Servants or other persons working in town, but not sleeping there.

Decisions for special cases—

(*a*) Civilian employees of the United States are treated as resident at the place where they regularly sleep. For example, employees in the Government offices in Washington who regularly sleep in Washington are treated as resident at Washington, even though they may have "legal residence" elsewhere.

(*b*) Any person who was formerly a resident of the town, but has since become an inmate of an *out of town* asylum, almshouse, home for the aged, reformatory or prison, is treated as resident at the town in which the asylum or prison is located.

(*c*) Persons having an unknown residence should be treated exactly as those having no permanent home or usual place of abode and should be counted as residents of the place in which they die.

(*d*) Inmates of medical or surgical hospitals are usually there only for temporary treatment and are therefore treated as resident at their home towns.

In Table I B (p. 78) the term *transferable nonresidents* refers to deaths of nonresidents which can be transferred to place of residence, i. e., to places within the registration area.

The term *nontransferable nonresidents* refers to deaths of nonresidents which can not be transferred to places of residence because the place of residence was outside the registration area.

In the second column are given total deaths including deaths of nonresidents. The figures of the fourth column have been obtained by deducting from the figures of the second column deaths of persons who resided outside the registration unit in which they died, but whose residence was still within the registration area. The figures of the fifth column have been obtained by adding to those in the fourth column deaths of residents who died elsewhere in the registration area. The figures in column 6 represent those who resided outside the registration unit in which they died and also outside the registration area.

It is a very simple matter to determine from the figures shown what per cent of the total number of deaths in 1920 in any place was due to deaths of nonresidents and how much this nonresident percentage would be reduced if deaths of persons residing in that place but dying elsewhere in the registration area were credited to that place.

For example, in Long Branch, N. J., there were 119 deaths of transferable nonresidents, or 40 per cent of the total number of deaths, which is reduced to 38 per cent by crediting to Long Branch 7 deaths of Long Branch residents who died in registration territory outside. It is apparent, however, that this per cent probably would have been reduced somewhat more were it possible to credit to Long Branch deaths of residents dying in nonregistration territory. In Englewood, N. J., there were 67 deaths of transferable nonresidents, or 33 per cent of the total number. This is reduced to 24 per cent if Englewood is credited with 18 deaths of residents who died in registration territory outside. On the other hand in East Orange, N. J., there were 19 deaths of transferable nonresidents, but 144 residents died in registration territory outside, which, if credited to East Orange, would increase the original total 27 per cent. In Everett, Mass., 26, or 6 per cent of the total number of deaths, were those of transferable nonresidents, but the number of Everett residents who died in registration territory outside was 96, which, if credited to Everett, makes the net total 15 per cent higher than the original total.

If desired, still other calculations can be made by deducting also the deaths given in column 6, and percentages are shown in the last column based upon such more complete corrections.

The last column of the table shows the per cent of the original death rate which must be added or deducted, as the case may be, to obtain the death rate in the registration area of residents only. It is, of course, perfectly evident that such a correction is not complete, for there is no way of including the number of deaths occurring outside the registration area of residents of the registration area. It is also apparent that most of these deaths outside the registration area probably belong to neighboring parts of the registration area, so that extreme caution should be used in interpreting the figures of the table for places bordering on or near territory which is not included in the registration area.

Taking the figures as they stand, it is interesting to note that to correct partially the original rate in this way a reduction of 69 per cent is needed for Rochester, Minn., 39 per cent for St. Petersburg, Fla., and a reduction of 30 per cent or more for such places as Long Branch, N. J., Billings and Missoula, Mont., and Ann Arbor, Mich.

On the other hand, to correct partially the original rate of Douglas County, Nebr., an addition of 51 per cent is needed; and an addition of over 30 per cent is needed for Ramsey County, Minn., Curry, Sherman, and Wheeler Counties, Oreg., Wahkiakum County, Wash., West Orange and Montclair, N. J., and Lake County, Ind.

Corrections for deaths of nonresidents are needed, not only for the white population, but for the colored as well. For example, for Livingston Parish, La., an addition of 64 per cent is needed, and for Adams County, Miss., a reduction of 22 per cent, to correct partially the original rate for the colored.

DEATH RATES OF FOREIGN COUNTRIES.

The following table presents the latest available death rates per 1,000 population for the principal European countries and for certain other countries for each of the six five-year periods from 1881 to 1910 and for 1918 and 1919, together with the rates for the registration area of the United States for the two five-year periods 1901 to 1905 and 1906 to 1910 and the calendar years 1918 and 1919.

COUNTRY.	ANNUAL CRUDE DEATH RATE [1] PER 1,000 POPULATION.								Decrease per cent between 1881 to 1885 and 1906 to 1910.
	1919	1918	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
United States (registration area)	12.9	13.1	15.1	16.2	[2]	[2]	[2]	[2]	[2]
Australian Commonwealth	12.8	10.1	10.7	11.7	12.7	13.3	14.8	15.7	31.8
Austria	[2]	[2]	22.3	24.2	25.6	27.9	28.9	30.1	25.9
Belgium	[3] 14.7	[3] 21.0	15.9	17.0	18.1	20.1	20.2	20.6	22.8
Ceylon	35.6	31.9	30.8	26.7	27.0	28.3	25.1	[2]	[2]
Chile	[2]	27.5	31.3	30.2	28.8	32.6	35.2	26.9	[4] 16.4
Denmark	13.1	13.1	13.7	14.8	16.4	18.6	18.7	18.4	25.5
England and Wales	13.7	[5] 17.6	14.7	16.0	17.7	18.7	18.9	19.4	24.2
Finland	[2]	28.5	17.4	18.6	19.0	20.5	20.0	22.2	21.6
France	[6] 19.1	[6] 24.0	19.2	19.6	20.7	22.3	22.0	22.2	13.5
Germany	[2]	[2]	17.5	19.9	21.2	23.3	24.4	25.3	30.8
Hungary	[2]	[2]	25.0	26.4	27.9	31.8	32.1	33.1	24.5
Ireland	17.6	17.9	17.3	17.6	18.1	18.5	17.9	18.0	3.9
Italy	19.0	32.3	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Jamaica	22.2	33.0	24.4	22.6	22.1	22.0	23.5	[2]	[2]
Japan	[2]	[2]	21.0	20.9	20.7	21.1	20.6	[2]	[2]
Netherlands	13.2	17.1	14.3	16.0	17.2	19.6	20.5	21.4	33.2
New Zealand	9.5	14.8	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Norway	17.1	16.3	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Ontario, Province of	11.9	15.3	14.0	13.0	11.6	10.6	11.0	11.4	[4] 22.8
Rumania	[2]	41.2	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Scotland	15.4	16.0	16.1	17.0	18.0	19.0	18.8	19.6	17.9
Spain	23.3	33.1	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Sweden	14.4	17.9	14.3	15.5	16.1	16.6	16.4	17.5	18.3
Switzerland	14.0	19.0	16.0	17.5	18.1	19.8	20.4	21.3	24.9

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Excluding West Flanders.
[4] Increase.
[5] Civilian population only.
[6] Figures relate to 77 "*departements*" not invaded.

NOTE.—The rates for Australian Commonwealth, 1918 and 1919, are taken from Commonwealth Demography, Australia, 1919; those for Ceylon, 1918 and 1919, from the report of the Registrar-General of Ceylon, 1919; the rate for Chile, 1918, from Anuario Estadistico, Chile, Vol. 1, Demografia, 1918; the rates for Jamaica, 1918 and 1919, from the report of the Registrar-General of Jamaica, 1919; those for Netherlands, 1918 and 1919, from Statistiek van den loop der bevolking, Netherlands, 1919; the rate for New Zealand, 1918, from Statistics of the Dominion of New Zealand, Vol. 1, 1918; the rates for the Province of Ontario, 1918 and 1919, from the Report Births, Marriages, and Deaths, Ontario, 1919; those for England and Wales, Ireland, and Scotland, 1918 and 1919, from the report of the Registrar-General of England and Wales, 1919; and the rates for Belgium, Denmark, France, Italy, Norway, Spain, Sweden, and Switzerland, 1918 and 1919, Finland and Rumania, 1918, and New Zealand, 1919, from Statistique Annuelle du Mouvement de la Population, France, 1920.

COUNTRY.	DEATH RATE [1] PER 1,000 POPULATION.																			
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.6	14.0	14.3	18.1	12.0
Australia	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8	10.5	10.7	11.0	9.8	10.1	12.8
Austria	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	20.2	[2]	[2]	[2]	[2]	[2]	[2]
Chile	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	26.0	26.3	27.7	27.5	[2]
England and Wales	18.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[3] 15.7	[3] 14.4	[3] 14.4	[3] 17.6	13.7
France	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	[4] 17.7	[4] 19.6	[4] 19.1	[4] 18.1	[4] 18.6	[4] 24.0	[4] 19.1
Germany	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	15.5	[5] 15.1	[5] 14.3	[5] 16.1	[2]	[2]
Hungary	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3	23.5	[5] 23.5	[5] 25.6	[5] 19.0	[5] 18.5	[2]	[2]
Ireland	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6	16.3	16.6	17.9	17.6
Italy	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	20.4	19.7	19.2	32.3	10.0
Japan	20.4	20.4	20.9	20.0	21.2	21.9	20.0	21.0	20.9	21.9	21.1	20.4	20.0	19.5	20.6	20.2	21.6	21.6	[2]	[2]
New Zealand	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5	9.3	9.1	9.6	9.6	14.8	9.5
Spain	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	[5] 23.8	[5] 24.0	[5] 23.3	[5] 23.2	[5] 21.8	[5] 22.1	[5] 22.1	22.1	21.3	22.3	33.1	23.3
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.6	[5] 13.8	[5] 14.6	13.6	13.4	17.9	14.4

[1] Exclusive of stillbirths. [2] Figures not available. [3] Civilian population only.
[4] Figures relate to 77 "*departements*," not invaded. [5] The figures are provisional.

NOTE.—The rates for Australian Commonwealth, 1916 to 1919, are taken from Commonwealth Demography, Australia, 1919; those for Chile, 1915 to 1918, from Anuario Estadistico, Chile, Vol. 1, Demografia, 1918; those for Japan, 1914 to 1917, from Résumé Statistique, Empire of Japan, 1920; those for New Zealand, 1916 to 1918, from Statistics of the Dominion of New Zealand, Vol. 1, 1918; the rate for Austria, 1913, from Annuaire Statistique, France, for 1919 and 1920; the rates for England and Wales and Ireland, from the report of the Registrar-General of England and Wales, 1919; those for France, 1913 to 1919, Germany, 1914 to 1917, Hungary, 1913 to 1917, Italy, 1915 to 1919, New Zealand, 1919, Spain, 1915 to 1919, and Sweden, 1916 to 1919, from Statistique Annuelle du Mouvement de la Population, France, 1920; and all other rates are taken from the 1915 report of the Registrar-General of England and Wales.

The preceding table presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for each year from 1900 to 1919. These rates are shown in the diagram below.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1919.



CAUSES OF DEATH.

Rate Tables I and II and General Tables 5 to 11 present statistics of causes of death, the data covering the principal factors of area, age, sex, color, and month of death.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the specific presentation of deaths, from disease and violence, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used in this report for all the tables except the one in the opposite column.

In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when the same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

The distribution of the 1920 deaths by the causes of the abridged list is shown in the opposite table, together with corresponding rates and percentages. In parentheses, after the name of each abridged title, appears the number, or numbers, corresponding to the title or titles of the detailed Internatoinal List which it includes.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

The title numbers of the second revision (1910) of the International List are given in the first column of the first table on page 18, while the second and third columns, respectively, show the numbers of the second and first revisions under which the terms would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the numbers of the titles of the second revision differ from the numbers of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class, "Diseases of the nervous system" instead of in "General diseases," as at present.

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA:[2] 1920. Number.	Rate per 100,000 population.	Per cent.
	All causes[3]	1,142,558	1,306.0	100.0
1	Typhoid fever (1)	6,805	7.8	0.5
2	Typhus fever (2)	5	(4)	(5)
3	Malaria (4)	3,136	3.6	0.3
4	Smallpox (5)	508	0.6	(5)
5	Measles (6)	7,712	8.8	0.7
6	Scarlet fever (7)	4,004	4.6	0.4
7	Whooping cough (8)	10,968	12.5	1.0
8	Diphtheria and croup (9)	13,395	15.3	1.2
9	Influenza (10)	62,097	71.0	5.4
10	Asiatic cholera (12)			
11	Cholera nostras (13)	175	0.2	(5)
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	6,689	7.6	0.6
13	Tuberculosis of the lungs (28, 29)	88,195	100.8	7.7
14	Tuberculous meningitis (30)	4,895	5.6	0.4
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	6,826	7.8	0.6
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	72,931	83.4	6.4
17	Simple meningitis (61)	5,281	6.0	0.5
18	Cerebral hemorrhage and softening (64, 65)	71,618	81.9	6.3
19	Organic diseases of the heart (79)	124,143	141.9	10.9
20	Acute bronchitis (89)	6,805	7.8	0.6
21	Chronic bronchitis (90)	4,804	5.5	0.4
22	Pneumonia (92)	72,362	82.7	6.3
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	57,866	66.1	5.1
24	Diseases of the stomach (cancer excepted) (102, 103)	10,416	11.9	0.9
25	Diarrhea and enteritis (under 2 years) (104)	38,514	44.0	3.4
26	Appendicitis and typhlitis (108)	11,702	13.4	1.0
27	Hernia, intestinal obstruction (109)	9,314	10.6	0.8
28	Cirrhosis of the liver (113)	6,241	7.1	0.5
29	Acute nephritis and Bright's disease (119, 120)	78,192	89.4	6.8
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	4,941	5.6	0.4
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	5,800	6.6	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	10,976	12.5	1.0
33	Congenital debility and malformations (150, 151)	61,080	69.8	5.3
34	Senility (154)	12,459	14.2	1.1
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	68,697	78.5	6.0
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	8,959	10.2	0.8
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	168,542	192.6	14.8
38	Unknown or ill-defined diseases (187, 188, 189)	15,805	17.7	1.4

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.
[2] Exclusive of Hawaii.
[3] Exclusive of stillbirths.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Less than one-tenth of 1 per cent.

CAUSE OF DEATH. [Titles in roman; terms in *italics*.]	TITLE OF CLASS NUMBER (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1920	1900 to 1909	Title number of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] 1	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] 1	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura hæmorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta prævia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179

CAUSE OF DEATH. [Titles in roman; terms in *italics*.]	TITLE OF CLASS NUMBER (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1920	1900 to 1909	Title number of first revision under which formerly included.
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (under 1 year)	[5] 151	.....	.....
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (under 3 months)	.....	151	151
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (3 months and over)	.....	189	179
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (1 to 69 years)	189	189	179
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (70 years and over)	[5] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	[6]	176
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (70 years and over)	[5] 154	189	179
Poisoning by food (new title)	164	165	175
Conflagration (new title; compiled separately by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	[7]	166
Traumatism by fall (new title)	172	[7]	166
Traumatism by other crushing (new title)	175	[7]	166
Injuries by animals (new title)	176	[7]	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	[6]	176
Homicide by cutting or piercing instruments (new title)	183	[6]	176
Homicide by other means (new title)	184	[6]	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
[2] Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.
[3] Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE ORIGINAL REGISTRATION STATES FOR THE YEARS 1900 AND 1910 TO 1920.

Rates from 13 important causes or groups of causes of death in the registration area, exclusive of Hawaii, for the years 1900 and 1910 to 1920 are shown in the following table.

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA.[1] 1900	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920
	All causes[2]	1,755.0	1,496.2	1,418.1	1,388.8	1,409.6	1,364.6	1,355.0	1,404.3	1,425.5	1,809.1	1,287.4	1,306.0
1	Typhoid fever	35.9	23.5	21.0	16.5	17.9	15.5	12.4	13.3	13.5	12.6	9.2	7.8
6	Measles	12.5	12.3	10.0	7.0	12.8	6.8	5.4	11.1	14.3	10.8	3.9	8.8
7	Scarlet fever	10.2	11.6	8.9	6.7	8.7	6.6	3.6	3.3	4.2	3.0	2.8	4.6
8	Whooping cough	12.1	11.4	11.3	9.3	10.0	10.4	8.1	10.2	10.5	16.9	5.5	12.5
9	Diphtheria and croup	43.3	21.4	18.9	18.2	18.9	17.9	15.7	14.5	16.6	13.9	14.7	15.3
10	Influenza	22.9	14.4	15.7	10.3	12.2	9.1	10.0	26.5	17.3	300.8	93.8	71.0
28–35	Tuberculosis (all forms)[3]	201.9	160.3	159.1	149.7	147.9	147.2	146.4	142.1	147.0	150.0	125.7	114.2
39–45	Cancer and other malignant tumors	63.0	76.2	74.4	77.1	79.0	79.6	81.4	82.1	82.0	80.3	80.5	83.4
64	Cerebral hemorrhage, apoplexy	67.5	73.8	74.8	75.8	74.7	77.9	79.6	81.6	83.3	79.8	77.4	80.9
78, 79	Acute endocarditis and organic diseases of the heart	123.1	150.4	148.7	151.4	147.4	151.2	156.8	160.0	162.7	161.5	138.0	149.7
91, 92	Pneumonia (all forms)	180.5	147.7	133.9	132.4	132.6	127.3	133.1	137.8	150.5	286.2	123.5	137.3
104	Diarrhea and enteritis (under 2 years)	108.8	100.8	77.5	70.4	75.3	66.1	59.8	65.8	64.3	58.7	44.2	44.0
119, 120	Acute nephritis and Bright's disease	89.0	99.1	97.7	103.2	103.0	102.6	105.1	105.6	107.9	97.6	88.1	89.4

[1] Exclusive of Hawaii.
[2] Exclusive of stillbirths.
[3] Tuberculosis (all forms) did not include "scrofula" in 1900; in the second revision of Causes of Death in 1910 scrofula was included with "tuberculosis of other organs," and is included here for 1900 in order that the rates may be comparable.

In the next table are presented for the original registration states (Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont) and the District of Columbia, which represent about one-third of the entire population of the registration area, exclusive of Hawaii, data corresponding to those shown in the preceding table for the registration area.

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE ORIGINAL REGISTRATION STATES.											
		1900	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920
	All causes [1]	1,719.5	1,562.4	1,500.2	1,458.0	1,471.3	1,442.5	1,428.8	1,497.3	1,496.4	1,887.3	1,348.7	1,379.0
1	Typhoid fever	31.3	18.0	15.3	13.2	12.6	10.8	9.2	8.8	8.1	7.0	4.8	5.0
6	Measles	13.4	12.6	9.3	9.0	11.5	7.4	6.6	10.6	10.4	12.1	3.7	10.4
7	Scarlet fever	9.6	12.2	8.9	6.2	8.3	6.6	4.0	2.9	3.8	3.2	3.0	5.2
8	Whooping cough	12.2	10.7	10.6	8.0	9.0	8.8	8.9	9.1	8.8	15.3	4.9	11.9
9	Diphtheria and croup	40.4	22.5	18.5	16.8	19.2	18.4	15.8	15.1	18.2	16.4	17.7	17.4
10	Influenza	26.7	15.5	15.8	9.6	12.0	8.9	14.4	25.6	17.0	266.2	78.3	55.0
28–35	Tuberculosis (all forms) [2]	195.2	164.7	159.0	149.8	148.7	148.6	146.7	143.8	147.1	151.0	124.9	112.0
39–45	Cancer and other malignant tumors	64.0	83.0	83.9	86.0	88.8	89.2	92.0	93.9	95.0	94.7	95.8	98.9
64	Cerebral hemorrhage, apoplexy	72.5	86.2	88.9	88.0	87.5	92.5	91.7	95.8	100.1	97.0	93.5	95.8
78, 79	Acute endocarditis and organic diseases of the heart	128.1	171.7	172.5	170.8	171.5	179.7	183.5	195.1	198.8	199.7	172.4	186.2
91, 92	Pneumonia (all forms)	175.5	159.0	149.1	146.4	146.8	140.8	148.5	155.4	165.2	336.5	142.9	154.6
104	Diarrhea and enteritis (under 2 years)	115.9	103.1	81.2	74.2	75.5	68.4	64.7	63.9	61.8	58.6	43.8	46.5
119, 120	Acute nephritis and Bright's disease	88.7	107.3	109.8	113.9	113.1	114.5	113.1	117.7	118.8	107.1	96.3	97.6

[1] Exclusive of stillbirths.
[2] Tuberculosis (all forms) did not include "scrofula" in 1900; in the second revision of Causes of Death in 1910 scrofula was included with "tuberculosis of other organs," and is included here for 1900 in order that the rates may be comparable.

For the registration area, exclusive of Hawaii, 3 of the 13 titles used in the above table have in 1920 record low rates, that is, lower for 1920 than for any year since the publication of the annual reports. These three are typhoid fever (7.8 per 100,000 population), tuberculosis (all forms) (114.2), and diarrhea and enteritis (under 2 years) (44). On the other hand, the trend of mortality from cancer is upward, and the rate from diphtheria and croup (15.3) is higher than for 1919 and 1918 but lower than for 1917. For the year 1919 record low rates appear for five other titles, measles, scarlet fever, whooping cough, pneumonia (all forms), and acute nephritis and Bright's disease.

For the original registration states tuberculosis (all forms) is the only title having a record low rate (112 per 100,000 population) in 1920.

In these tables the highest rates in 1920, as in 1900, are from acute endocarditis and organic diseases of the heart, pneumonia (all forms), and tuberculosis (all forms).

When comparisons of the rates for the earlier years of the series are made with those of recent years, marked decreases are shown in both tables from typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), and diarrhea and enteritis (under 2 years).

From cancer, cerebral hemorrhage and apoplexy, and acute endocarditis and organic diseases of the heart, the death rates are higher in each year for the original registration states than for the registration area, and for each year shown, except 1900, the original registration states also show higher rates from pneumonia (all forms) and from acute nephritis and Bright's disease.

The following diagram presents the fluctuations from year to year, 1900 to 1920, in the death rates from the several diseases included in the preceding table for the registration area.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1920.



TYPHOID FEVER.

The number of deaths from typhoid fever in 1920 is 6,805, corresponding to a death rate of 7.8 per 100,000 population, which is lower than the rate for 1919 (9.2) and is the record low rate in the period of 21 years from 1900 to 1920, inclusive.

In the following table, which shows the rates per 100,000 population for the years 1911 to 1920, rates of 40 and higher are printed in bold-faced type.

AREA.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	7.8	9.2	12.6	13.5	13.3	12.4	15.5	17.9	16.5	21.0
Registration states [2]	7.6	9.1	12.2	13.4	13.3	12.1	15.2	17.8	16.3	20.4
Cities in registration states [2]	5.5	6.1	8.7	10.2	10.8	10.9	13.4	16.1	15.6	18.7
Rural part of registration states	9.6	11.8	15.4	16.2	15.6	13.4	16.9	19.6	17.0	22.2
Registration cities in non-registration states	15.5	13.6	26.9	15.0	14.0	15.8	19.2	18.7	19.6	27.7
All registration cities [2]	5.9	6.4	9.6	10.9	11.2	11.6	14.2	16.5	16.2	20.1
REGISTRATION STATES.										
California	4.8	5.4	6.0	6.9	6.9	9.4	13.1	15.6	16.9	17.1
Colorado	9.2	8.5	15.4	10.3	13.2	13.6	18.0	17.7	15.9	30.9
Connecticut	4.1	4.0	5.4	9.0	7.2	12.1	9.0	11.1	10.7	13.4
Delaware	11.2	17.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	14.6	18.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	13.3	17.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	17.2	19.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	5.8	5.9	8.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	9.7	11.4	13.8	17.2	21.2	14.7	21.0	25.0	23.4	26.7
Kansas	8.0	7.3	16.6	18.8	14.9	10.7	19.6	(3)	(3)	(3)
Kentucky	20.2	26.9	27.2	35.1	31.1	30.5	41.8	42.8	34.2	46.4
ouisiana (total)	15.5	22.8	39.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	11.7	20.3	35.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	21.5	26.6	46.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	9.0	5.7	7.7	10.8	11.3	13.6	16.2	12.1	13.8	18.1
Maryland (total)	6.9	11.8	17.0	18.2	19.0	23.2	23.6	32.9	27.6	37.4
White	5.6	9.4	13.3	15.8	16.1	18.2	21.1	26.2	24.2	33.4
Colored	13.0	23.7	35.0	29.4	32.8	47.2	35.3	64.2	43.3	55.5
Massachusetts	2.5	2.7	4.1	4.9	4.7	6.8	7.7	7.9	7.7	9.1
Michigan	7.9	7.6	9.4	11.3	12.8	10.8	12.4	17.4	17.9	18.8
Minnesota	3.0	3.3	3.7	4.3	5.5	6.8	10.1	10.8	10.6	13.4
Mississippi (total)	18.6	20.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	11.5	15.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	25.1	24.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	10.0	12.5	19.6	20.8	19.5	15.6	24.1	24.6	23.2	32.0
Montana	4.8	7.2	10.1	15.7	10.9	12.2	14.6	21.9	13.7	20.1
Nebraska	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	6.8	3.4	4.5	6.1	5.0	7.8	8.7	12.0	8.8	14.6
New Jersey	3.3	3.2	5.5	6.7	7.1	6.7	8.2	9.7	11.5	12.0
New York	3.6	3.6	5.7	5.9	6.2	7.8	9.1	10.5	11.8	14.2
North Carolina (total)	12.5	17.5	22.8	29.5	28.9	[4]40.8	[4]56.5	[4]56.4	[4]39.7	[4]69.6
White	9.3	14.4	17.6	23.0	22.1	31.3	44.6	49.6	34.0	66.8
Colored	19.9	24.5	34.4	44.2	44.0	58.6	78.8	68.9	50.2	74.7
Ohio	7.5	8.0	13.6	12.6	14.2	13.5	17.5	23.4	17.9	22.5
Oregon	4.9	4.9	9.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	5.7	7.1	10.9	10.7	13.9	12.6	13.2	18.3	16.6	22.0
Rhode Island	2.8	3.3	5.7	5.8	7.2	10.6	8.4	8.5	7.9	9.6
South Carolina (total)	22.4	26.3	35.5	31.9	34.2	(3)	(3)	(3)	(3)	(3)
White	15.9	16.0	26.0	22.6	27.6	(3)	(3)	(3)	(3)	(3)
Colored	28.6	35.9	44.3	40.3	40.1	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	18.5	28.0	30.2	38.3	(3)	(3)	(3)	(3)	(3)	(3)
White	16.4	24.6	26.8	35.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	27.3	42.2	43.9	51.4	(3)	(3)	(3)	(3)	(3)	(3)
Utah	6.8	9.4	9.4	13.7	10.7	9.7	16.2	22.6	14.6	19.3
Vermont	10.5	3.1	8.5	7.1	6.5	13.3	11.9	7.9	11.3	12.4
Virginia (total)	11.2	15.5	17.9	20.8	24.8	23.4	27.0	33.1	(3)	(3)
White	9.6	13.1	15.7	15.2	20.6	19.2	22.6	28.7	(3)	(3)
Colored	14.9	21.3	23.0	33.4	34.2	32.7	36.6	42.5	(3)	(3)
Washington	5.6	4.2	7.4	9.4	6.2	9.5	12.2	11.5	13.4	19.1
Wisconsin	2.5	3.1	3.8	5.2	7.9	4.8	6.5	8.9	12.9	13.1
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	14.9	18.6	35.9	60.9	48.6	39.8	43.1	38.4	39.0	44.7
White	4.5	12.1	22.0	23.6	39.5	31.3	38.7	30.0	37.9	41.7
Colored	30.9	28.7	57.5	118.4	62.5	53.0	49.7	51.4	40.7	49.4
Los Angeles, Calif	2.5	4.8	3.9	6.0	2.7	5.8	7.9	12.2	15.0	11.5
Oakland, Calif	5.9	3.3	5.3	2.5	4.2	7.0	6.7	12.2	13.9	13.9
San Francisco, Calif	2.9	3.0	4.3	4.5	3.4	8.8	12.5	15.9	13.5	15.2
Denver, Colo	5.4	3.5	9.2	5.7	7.9	6.8	9.5	14.1	15.7	18.3
Bridgeport, Conn	2.1	3.5	4.4	7.5	8.6	4.8	3.3	6.0	8.1	3.7
Hartford, Conn	7.1	4.4	10.6	17.2	15.3	17.5	24.2	21.5	12.1	19.3
New Haven, Conn	6.7	5.6	4.4	10.3	8.5	19.4	15.1	12.6	24.3	24.8
Wilmington, Del	14.4	14.9	35.2	35.0	27.8	17.2	23.8	22.3	29.3	27.8
Washington, D. C. (total)	6.5	3.7	11.6	12.2	11.8	11.1	11.1	15.6	22.2	21.8
White	5.4	3.4	7.7	4.9	8.5	7.7	5.8	13.2	19.1	19.0
Colored	9.9	4.5	23.1	32.8	20.9	20.3	25.5	22.0	30.4	28.9
Atlanta, Ga. (total)	13.8	10.6	15.0	21.7	22.8	16.1	47.4	22.3	42.4	66.1
White	16.5	6.6	14.3	19.4	21.5	18.0	46.5	18.3	34.4	57.9
Colored	7.9	19.3	16.3	26.6	25.4	12.1	49.3	30.5	58.9	82.6
Chicago, Ill	1.1	1.3	1.5	1.9	5.2	5.3	6.6	10.3	7.4	10.9
Indianapolis, Ind. (total)	5.7	4.5	6.6	10.5	25.2	13.9	25.1	23.9	17.6	25.6
White	4.2	4.0	7.4	10.2	23.1	11.8	22.2	22.3	17.7	25.1
Colored	16.9	8.8	.....	12.7	43.1	31.3	51.0	38.3	16.1	29.9

AREA.	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Kansas City, Kans. (total)	6.9	9.0	22.4	14.5	14.8	16.2	23.1	30.3	26.3	59.6
White	5.7	5.8	20.1	13.2	14.6	14.9	18.9	32.0	22.2	55.7
Colored	13.6	28.2	36.5	22.8	15.8	24.7	51.6	18.0	56.7	89.4
Louisville, Ky. (total)	5.5	10.7	16.3	16.3	13.8	14.3	26.5	23.5	22.0	23.9
White	5.1	9.8	13.4	14.5	11.5	12.6	24.2	19.6	16.6	17.8
Colored	7.5	14.9	29.8	24.8	24.7	22.2	36.9	41.7	46.9	51.7
New Orleans, La. (total)	6.9	13.3	20.0	23.5	23.3	20.6	21.9	16.9	14.0	31.0
White	6.6	12.3	17.8	20.3	20.5	19.7	18.9	14.5	11.6	23.2
Colored	7.9	15.9	26.1	32.6	30.9	22.9	30.6	23.5	20.6	52.7
Baltimore, Md. (total)	4.7	8.2	12.0	15.1	17.6	20.2	22.1	23.5	24.3	27.5
White	3.7	8.1	9.8	14.1	17.6	16.7	21.9	18.9	23.4	25.8
Colored	11.0	9.3	23.6	20.1	17.4	38.7	23.5	48.1	29.0	36.6
Boston, Mass	1.5	2.4	2.6	3.1	3.6	5.4	9.3	8.4	8.1	8.8
Cambridge, Mass	2.7	1.8	3.7	4.6	1.9	1.9	1.9	9.4	3.8	2.8
Fall River, Mass	5.0	3.3	15.0	18.3	11.7	15.8	10.0	9.2	18.4	15.1
Lowell, Mass	2.7	4.4	1.8	6.3	11.8	16.4	11.0	10.1	10.2	7.5
New Bedford, Mass	6.5	2.5	9.4	7.8	7.1	21.9	12.1	10.5	18.6	23.1
Springfield, Mass	4.6	4.7	3.2	5.9	5.2	9.9	20.6	19.5	16.3	18.1
Worcester, Mass	1.7	2.8	3.4	5.8	3.6	5.5	3.7	5.7	3.3	6.0
Detroit, Mich	5.4	5.2	7.9	12.7	10.8	10.2	11.2	24.3	15.2	14.8
Grand Rapids, Mich	2.2	5.1	7.5	12.9	16.5	28.0	27.7	18.3	34.0	26.9
Minneapolis, Minn	2.6	3.2	8.4	6.7	5.7	7.9	12.8	12.2	11.9	11.9
St. Paul, Minn	2.1	3.4	3.5	2.6	6.2	7.5	11.6	9.5	10.9	10.6
Kansas City, Mo	7.9	10.9	15.0	12.1	11.4	9.7	16.4	21.9	12.0	29.9
St. Louis, Mo	2.6	6.6	7.9	8.4	9.6	7.0	12.2	17.1	10.8	16.1
Omaha, Nebr	7.8	5.3	5.9	4.4	2.9	5.9	4.3	7.4	13.6	17.9
Camden, N. J	7.7	9.5	9.7	16.3	20.3	9.4	14.4	18.7	11.1	9.3
Jersey City, N. J	4.0	2.4	5.5	3.8	7.7	6.0	7.8	11.2	8.0	7.4
Newark, N. J	1.9	2.2	4.5	4.3	6.4	2.9	7.7	8.9	8.3	10.7
Paterson, N. J	0.7	3.7	4.5	12.8	4.5	4.6	4.6	8.5	5.5	7.1
Trenton, N. J	8.3	7.6	10.4	13.2	6.3	13.8	17.8	21.1	39.2	44.2
Albany, N. Y	4.4	8.0	10.8	11.8	7.3	12.2	17.1	26.9	17.5	18.7
Buffalo, N. Y	4.9	6.6	7.7	9.9	10.7	9.8	16.1	15.3	11.7	25.1
New York, N. Y	2.5	2.2	3.6	4.2	4.1	6.3	6.6	7.2	9.8	11.0
Bronx borough	1.5	1.7	2.5	4.4	3.7	4.4	5.0	5.8	5.2	7.9
Brooklyn borough	2.6	2.2	4.0	4.0	4.1	7.9	7.0	6.9	13.0	13.0
Manhattan borough	2.5	2.3	3.8	4.2	3.8	5.6	6.8	7.8	7.8	10.6
Queens borough	3.1	2.2	2.0	4.0	5.2	5.0	5.8	7.0	15.6	8.8
Richmond borough	6.8	5.2	4.5	6.4	8.5	7.8	6.0	7.3	5.4	10.0
Rochester, N. Y	1.0	3.4	1.8	3.0	4.9	5.9	10.1	8.8	11.6	10.6
Syracuse, N. Y	4.0	7.1	9.0	6.1	11.9	5.8	9.9	12.8	16.6	16.3
Yonkers, N. Y	.....	1.0	2.1	6.3	2.2	8.8	4.5	12.7	9.5	9.7
Akron, Ohio	3.7	8.4	17.6	19.0	13.8	17.7	19.6	14.1	20.1	36.1
Cincinnati, Ohio	3.2	3.0	4.8	4.0	3.3	7.6	6.4	6.9	7.8	11.4
Cleveland, Ohio	3.0	2.7	5.4	7.2	5.1	7.5	7.8	13.7	6.7	13.9
Columbus, Ohio	2.9	3.0	3.7	7.6	12.9	13.2	13.1	18.9	19.5	13.8
Dayton, Ohio	7.1	6.0	8.2	13.3	17.9	16.2	10.6	17.1	18.4	18.2
Toledo, Ohio	7.7	4.2	11.2	8.0	20.1	21.0	34.3	39.3	30.4	22.6
Youngstown, Ohio	11.1	17.7	39.1	29.2	32.9	29.8	37.8	45.6	30.2	43.7
Portland, Oreg	3.5	5.1	6.0	6.9	5.8	6.0	7.9	7.2	17.9	19.7
Philadelphia, Pa	3.4	4.3	4.9	6.3	7.5	6.7	7.6	15.7	12.7	14.5
Pittsburgh, Pa	5.6	6.5	10.7	12.2	9.1	10.5	15.2	19.7	13.2	25.7
Reading, Pa	6.5	7.5	11.3	7.6	20.1	19.4	33.1	60.6	28.6	23.7
Scranton, Pa	1.4	1.5	6.6	6.6	6.7	13.4	9.8	9.8	10.6	14.5
Providence, R. I	3.8	3.8	5.1	6.8	5.6	8.6	11.7	11.8	10.6	12.4
Memphis, Tenn. (total)	8.6	62.8	16.2	26.1	(5)	27.5	43.7	34.9	59.7	65.1
White	3.0	48.3	16.1	25.1	(5)	25.0	36.0	33.2	41.2	53.2
Colored	16.3	88.0	16.6	27.7	(5)	31.7	56.1	37.6	88.7	83.4
Nashville, Tenn. (total)	10.1	16.1	38.5	23.3	(5)	37.6	51.9	37.2	33.0	53.9
White	7.2	14.6	41.9	22.4	(5)	25.5	43.8	39.1	22.4	50.7
Colored	16.9	19.6	30.8	25.1	(5)	63.8	69.2	33.1	55.1	60.4
Dallas, Tex. (total)	14.3	10.8	13.0	19.8	28.0	(6)	(6)	(6)	(6)	(6)
White	11.0	9.0	13.6	16.1	25.6	(6)	(6)	(6)	(6)	(6)
Colored	33.1	20.9	9.7	39.4	39.9	(6)	(6)	(6)	(6)	(6)
Houston, Tex. (total)	13.5	17.6	9.8	22.0	(6)	(6)	(6)	(6)	(6)	(6)
White	10.4	16.6	8.8	22.8	(6)	(6)	(6)	(6)	(6)	(6)
Colored	23.3	20.8	12.8	19.6	(6)	(6)	(6)	(6)	(6)	(6)
San Antonio, Tex	9.7	11.4	46.9	26.3	15.9	19.8	21.7	19.5	39.5	51.6
Salt Lake City, Utah	7.5	6.0	7.9	19.8	10.2	7.6	10.6	16.8	20.4	24.1
Norfolk, Va. (total)	14.5	13.2	11.8	13.1	27.2	24.2	32.4	28.3	21.5	51.9
White	12.2	16.9	10.2	10.6	26.9	24.7	27.5	25.2	13.2	49.5
Colored	18.1	7.0	14.3	17.2	27.7	23.3	40.0	33.0	34.0	55.6
Richmond, Va. (total)	6.4	3.5	7.2	6.7	22.8	11.9	13.7	19.8	16.5	17.6
White	5.9	4.3	6.1	3.6	15.6	5.6	8.8	20.3	18.5	19.1
Colored	7.4	1.9	9.3	13.1	37.5	24.5	23.1	19.0	12.7	14.9
Seattle, Wash	2.2	3.2	4.0	6.1	3.8	2.9	8.1	5.3	8.2	10.5
Spokane, Wash	6.7	.....	13.4	11.5	2.9	13.4	16.3	8.6	20.1	38.3
Milwaukee, Wis	2.2	3.7	6.3	6.2	15.5	5.2	8.2	11.3	25.9	19.2

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcript for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

In 1920 no state shows a rate even approaching 40. South Carolina shows the highest rate (22.4), followed by Kentucky (20.2), Mississippi (18.6), and Tennessee (18.5). The states showing the lowest rates are Massachusetts and Wisconsin (each 2.5), Minnesota (3), and New Jersey (3.3).

Among the registration cities of 100,000 population or more in 1920 none shows a rate as high as 15 for typhoid fever. Those showing the highest rates are Birmingham (14.9), Norfolk (14.5), Wilmington (14.4), and Dallas (14.3). Cities showing low rates are Paterson (0.7), Rochester (1), Chicago (1.1), Scranton (1.4), and Boston (1.5). Yonkers is the banner city, having no deaths from typhoid fever in 1920. For cities shown by color Birmingham has for colored the very high rate of 30.9.

MALARIA.

The number of deaths from malaria in 1920 is 3,136, corresponding to a rate of 3.6 per 100,000 population against a rate of 3.8 in 1919. The death rate from this cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2; from 1910 to 1919 the rate ranged between 2.2 and 3.8.

The following table shows the rates per 100,000 population for the years 1911 to 1920, rates of 10 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. [Rates of 10 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	3.6	3.8	3.1	3.2	3.0	2.3	2.2	2.5	3.1	3.0
Registration states [2]	3.4	3.7	2.9	3.0	2.9	1.7	1.9	2.1	2.6	2.4
Cities in registration states [2]	0.9	0.9	0.9	1.0	0.7	0.7	0.8	1.0	1.1	1.2
Rural part of registration states	5.9	6.2	4.8	4.9	4.8	2.8	2.9	3.2	4.1	3.7
Registration cities in non-registration states	12.2	9.7	11.2	5.0	5.6	8.9	6.6	7.1	8.5	9.8
All registration cities [2]	1.2	1.3	1.3	1.5	1.4	1.9	1.6	1.9	2.2	2.5
REGISTRATION STATES.										
California	0.7	0.7	1.3	1.3	1.3	1.8	1.8	2.1	3.1	4.0
Colorado	0.2	0.5	.....	0.2	0.6	0.2	.....	.....	0.1	0.4
Connecticut	0.4	0.2	0.2	0.7	0.6	1.4	1.0	1.3	2.0	1.9
Delaware	0.4	1.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	35.1	43.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	30.1	38.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	45.0	53.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	1.2	1.4	1.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	0.7	0.8	1.2	1.2	1.4	2.1	2.5	2.6	2.8	4.0
Kansas	0.7	1.1	1.2	2.3	2.1	1.6	2.3	(3)	(3)	(3)
Kentucky	2.5	3.0	4.7	5.7	6.5	6.4	7.0	8.1	9.6	10.3
Louisiana (total)	32.5	26.6	29.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	28.4	21.0	22.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	38.8	35.2	40.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	0.3	0.1	0.3	.....	0.1	0.1	0.9	0.7	0.4	0.4
Maryland (total)	0.3	0.7	0.4	0.9	1.2	1.1	1.0	1.7	1.8	1.1
White	0.1	0.7	0.4	0.3	0.7	0.6	0.7	1.3	1.4	0.6
Colored	1.2	0.8	0.4	3.3	3.7	3.3	2.5	3.8	3.8	3.4
Massachusetts	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.4	0.2	0.4
Michigan	0.2	0.1	0.2	0.2	0.2	0.4	0.7	0.5	.08	1.0
Minnesota	.....	0.1	(4)	0.1	(4)	.....	0.1	(4)	0.1	0.1
Mississippi (total)	38.2	36.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	22.2	24.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	52.9	47.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	4.0	6.4	8.2	10.5	11.1	11.6	10.9	12.8	19.2	15.4
Montana	.....	.....	0.4	.....	0.2	.....	.....	0.2	.....	.....
Nebraska	0.1	(5)	(3)	(3)	(5)	(3)	(3)	(3)	(3)	(3)
New Hampshire	.....	.....	0.5	.....	0.2	0.5	0.9	.....	0.2	.....
New Jersey	0.2	0.1	0.4	0.2	0.3	0.5	0.3	0.5	1.2	1.0
New York	0.2	0.2	0.3	0.3	0.3	0.4	0.5	0.4	0.5	0.7
North Carolina (total)	8.1	7.9	7.6	10.9	13.9	6 13.9	6 21.8	6 18.6	6 34.1	6 23.1
White	4.7	4.6	4.4	6.8	9.0	7.5	12.6	11.1	24.1	16.0
Colored	16.2	15.5	14.9	19.9	24.7	26.1	39.1	32.3	52.4	36.2
Ohio	0.2	0.3	0.4	0.3	0.4	0.5	0.6	0.9	0.7	0.9
Oregon	0.1	0.5	0.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	0.2	0.1	0.2	0.2	0.2	0.4	0.2	0.4	0.5	0.5
Rhode Island	0.3	0.2	0.2	0.5	0.7	0.2	0.9	0.7	0.4	1.1
South Carolina (total)	28.8	31.7	31.9	34.3	39.1	(3)	(3)	(3)	(3)	(3)
White	11.7	13.3	12.2	12.4	16.0	(3)	(3)	(3)	(3)	(3)
Colored	45.0	49.0	50.1	54.3	59.8	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	7.8	10.3	14.0	19.2	(3)	(3)	(3)	(3)	(3)	(3)
White	5.5	7.2	9.1	14.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	17.5	23.2	34.1	37.4	(3)	(3)	(3)	(3)	(3)	(3)
Utah	.....	.....	.....	.....	0.2	.....	0.2	1.0	.....	.....
Vermont	.....	0.3	0.3	.....	.....	0.8	0.3	0.6	0.3	1.4
Virginia (total)	2.2	3.0	3.7	5.5	6.5	7.0	7.8	7.1	(3)	(3)
White	1.0	1.3	2.0	2.7	3.6	2.8	3.6	4.2	(3)	(3)
Colored	5.1	7.0	7.6	11.8	13.0	16.3	16.9	13.3	(3)	(3)
Washington	0.1	0.2	0.2	0.3	0.1	0.3	0.1	0.1	0.1	0.3
Wisconsin	.....	(4)	.....	(4)	(4)	(4)	0.1	0.3	0.4	0.2
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala (total)	2.8	6.2	12.2	13.1	11.1	17.1	10.4	18.9	34.9	23.1
White	.....	3.7	3.8	5.9	5.1	3.1	2.2	5.6	19.5	10.7
Colored	7.0	10.0	25.1	24.3	20.3	38.6	23.2	39.4	58.4	42.1
Los Angeles, Calif	.....	.....	0.6	0.8	0.2	0.2	0.2	0.2	1.3	1.2
Oakland, Calif	0.9	.....	0.5	0.5	.....	0.5	1.1	0.6	.....	1.3
San Francisco, Calif	0.8	0.6	0.6	0.4	0.8	0.4	0.9	1.1	2.1	1.2
Denver, Colo	0.4	0.8	.....	.....	0.4	.....	.....	.....	0.4	0.5
Bridgeport, Conn	.....	.....	0.7	.....	.....	1.6	1.7	0.9	0.9	0.9
Hartford, Conn	.....	.....	.....	.....	.....	0.8	.....	0.9	.....	.....
New Haven, Conn	.....	.....	.....	1.3	1.3	3.4	1.4	0.7	3.6	2.9
Wilmington, Del	.....	0.9	.....	1.0	.....	2.0	.....	.....	.....	.....
Washington, D. C. (total)	0.2	1.4	.....	1.2	1.3	0.5	1.3	2.2	1.7	1.2
White	.....	1.6	.....	0.3	1.4	.....	1.5	1.9	1.6	.....
Colored	0 9	0.9	.....	3.8	1.0	1.9	1.0	3.0	2.0	4.1
Atlanta, Ga. (total)	3.0	2.0	2.6	1.6	2.2	3.3	5.7	7.0	6.7	5.6
White	3.6	1.5	1.5	1.5	1.6	2.5	4.2	6.1	3.6	1.9
Colored	1.6	3.2	4.9	1.7	3.4	5.2	8.8	9.0	12.9	13.1
Chicago, Ill	0.2	0.3	0.2	0.2	0.2	0.4	0.4	0.3	0.2	0.4
Indianapolis, Ind. (total)	0.3	1.0	1.0	0.7	1.1	.....	1.1	1.5	1.6	2.9
White	.....	1.1	0.7	0.8	1.2	.....	0.8	0.4	0.9	3.2
Colored	2.8	.....	3.0	.....	.....	.....	3.5	11.5	8.1	.....
Kansas City, Kans. (total)	.....	1.0	.....	3.1	.....	2.2	3.3	1.1	4.6	2.3
White	.....	.....	.....	2.4	.....	2.5	2.5	.....	1.3	1.3
Colored	.....	7.0	.....	7.6	.....	.....	8.6	9.0	28.4	9.9
Louisville, Ky. (total)	1.3	2.1	2.1	2.6	1.3	3.0	3.9	3.5	4.4	5.3
White	0.5	1.5	1.6	1.6	.....	1.0	.....	.....	1.6	2.7
Colored	5.0	5.0	5.0	7.4	7.4	12.3	22.1	19.6	17.3	17.2
New Orleans, La. (total)	1.0	4.4	4.5	3.5	7.0	9.9	8.9	6.8	8.0	10.7
White	1.4	2.8	3.2	1.8	4.0	5.9	6.0	3.8	4.7	6.7
Colored	.....	8.9	8.0	8.1	15.4	20.9	16.9	15.0	17.3	21.9
Baltimore, Md. (total)	0.1	0.7	0.2	0.6	0.3	0.2	0.7	1.5	1.6	0.5
White	0.2	0.6	0.2	.....	0.2	0.2	0.6	1.0	1.4	0.6
Colored	.....	0.9	.....	4.0	1.0	.....	1.1	4.4	2.2	.....
Boston, Mass	.....	.....	.....	.....	0.1	.....	.....	.....	0.1	0.4
Cambridge, Mass	.....	.....	.....	.....	.....	.....	.....	.....	0.9	0.9
Fall River, Mass	.....	.....	.....	.....	1.7	0.8	.....	.....	.....	.....
Lowell, Mass	0.9	0.9	.....	.....	.....	.....	.....	0.9	.....	.....
New Bedford, Mass	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Springfield, Mass	.....	.....	0.8	.....	.....	.....	0.9	1.0	.....	2.1
Worcester, Mass	.....	.....	.....	.....	.....	.....	.....	0.6	0.7	.....
Detroit, Mich	0.2	0.1	0.1	0.1	0.1	0.3	0.1	0.3	0.3	0.6
Grand Rapids, Mich	.....	0.7	.....	.....	.....	0.8	1.6	0.8	0.8	1.7
Minneapolis, Minn	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.3
St. Paul, Minn	.....	.....	.....	0.4	.....	.....	.....	.....	0.5	.....
Kansas City, Mo	0.3	1.6	2.2	2.3	1.7	2.1	2.8	1.1	1.1	1.6
St. Louis, Mo	1.7	2.3	2.0	1.6	1.6	2.6	3.0	4.1	5.5	5.4
Omaha, Nebr	.....	.....	.....	.....	.....	1.8	.....	.....	0.8	.....
Camden, N. J	.....	.....	.....	.....	.....	.....	.....	.....	3.0	1.0
Jersey City, N. J	0.7	.....	.....	0.3	0.7	0.4	.....	0.4	0.4	1.1
Newark, N. J	.....	.....	.....	.....	.....	0.3	.....	0.3	0.3	0.6
Paterson, N. J	.....	.....	.....	.....	0.8	0.8	.....	.....	.....	0.8
Trenton, N. J	.....	0.8	0.9	.....	.....	.....	.....	.....	.....	.....
Albany, N. Y	.....	.....	.....	1.8	.....	0.9	1.9	.....	.....	.....
Buffalo, N. Y	.....	.....	.....	.....	.....	0.2	0.7	0.2	.....	0.2
New York, N. Y	0.2	0.2	0.3	2.0	0.3	0.3	0.4	0.3	05	0.7
Bronx borough	.....	0.1	0.1	0.3	0.2	0.3	.....	0.6	.....	0.4
Brooklyn borough	0.2	0.2	0.5	0.1	0.4	0.4	0.6	0.3	0.8	1.0
Manhattan borough	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	0.3	0.5
Queens borough	.....	0.2	0.5	0.7	0.7	0.8	0.3	0.9	1.5	1.0
Richmond borough	0.8	.....	0.9	.....	0.9	.....	2.0	.....	.....	.....
Rochester, N. Y	0.3	0.3	.....	0.4	.....	.....	0.4	.....	.....	.....
Syracuse, N. Y	0.6	.....	0.6	.....	.....	.....	.....	.....	0.7	.....
Yonkers, N. Y	1.0	.....	1.0	.....	1.1	1.1	1.1	2.3	1.2	.....
Akron, Ohio	.....	0.5	0.5	0.6	.....	0.7	0.8	.....	1.0	1.2
Cincinnati, Ohio	0.2	0.5	1.5	0.5	0.5	0.3	0.8	0.8	0.3	0.5

(See footnotes at end of table.)

AREA.	DEATH RATE FROM MALARIA PER 100,000 POPULATION. (Rates of 10 or more in bold-faced type.)									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Cleveland, Ohio	.....	0.1	0.3	.....	.....	.....	0.2	0.2	0.2	0.5
Columbus, Ohio	0.4	0.4	.....	.....	0.5	.....	.....	.....	0.5	1.1
Dayton, Ohio	.....	.....	0.7	.....	0.7	2.2	.....	0.8	0.8	.....
Toledo, Ohio	.....	.....	.....	.....	.....	1.0	0.5	1.6	.....	0.6
Youngstown, Ohio	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Portland, Oreg	0.4	0.4	.....	.....	0.4	2.2	.....	0.5	.....	.....
Philadelphia, Pa	0.1	0.1	0.3	0.3	0.2	0.2	0.5	0.4	0.4	0.7
Pittsburgh, Pa	0.2	0.2	0.2	.....	0.4	0.5	.....	0.4	0.4	.....
Reading, Pa	.....	.....	.....	0.9	.....	1.0	.....	.....	.....	.....
Scranton, Pa	.....	.....	.....	0.7	.....	.....	.....	.....	0.8	.....
Providence, R. I	0.4	.....	.....	.....	0.4	.....	1.3	1.3	.....	0.4
Memphis, Tenn. (total)	22.0	31.4	37.2	38.4	(7)	76.2	56.6	79.2	82.6	83.9
White	6.9	12.6	11.8	21.8	(7)	38.6	23.2	32.2	47.2	32.2
Colored	47.2	64.2	81.0	66.5	(7)	137.9	110.4	152.2	137.7	162.9
Nashville, Tenn. (total)	0.8	2.5	6.0	6.0	(7)	6.1	11.4	12.4	13.4	13.5
White	.....	1.2	4.9	6.2	(7)	2.5	7.7	3.9	1.3	6.7
Colored	2.8	5.6	8.4	5.6	(7)	13.9	19.4	30.4	38.5	27.5
Dallas, Tex. (total)	13.7	5.7	6.9	6.3	12.3	(3)	(3)	(3)	(3)	(3)
White	13.9	3.0	4.5	4.7	9.8	(3)	(3)	(3)	(3)	(3)
Colored	12.4	20.9	19.4	14.8	25.0	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	22.8	18.3	15.5	13.5	(3)	(3)	(3)	(3)	(3)	(3)
White	15.1	10.7	6.6	4.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	46.6	41.6	41.7	39.3	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex	12.1	10.1	10.6	14.5	19.6	14.5	13.6	9.3	9.0	17.2
Salt Lake City, Utah	.....	.....	.....	.....	.....	.....	.....	1.0	.....	.....
Norfolk, Va. (total)	3.4	3.5	3.6	11.3	11.7	10.1	14.6	21.7	17.0	27.2
White	4.1	.....	.....	7.6	6.3	4.9	3.4	18.0	9.4	9.9
Colored	2.3	9.3	9.5	17.2	20.2	18.1	32.0	27.5	28.3	52.7
Richmond, Va. (total)	1.7	0.6	1.2	2.4	0.6	.....	0.7	.....	2.2	1.5
White	1.7	0.9	1.8	2.7	0.9	.....	.....	.....	3.5	1.2
Colored	1.8	.....	.....	1.9	.....	.....	2.1	.....	.....	2.1
Seattle, Wash	.....	.....	.....	0.3	.....	.....	0.4	0.4	.....	0.4
Spokane, Wash	.....	1.0	.....	.....	.....	.....	.....	.....	.....	.....
Milwaukee, Wis	.....	.....	.....	.....	.....	.....	.....	0.5	0.3	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Less than one-tenth of 1 per 100,000 population.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

States having rates above 10 per 100,000 in 1920 are Mississippi (38.2), Florida (35.1), Louisiana (32.5), and South Carolina (28.8). Other states with rates well above the rate for the registration area as a whole (3.6 per 100,000) are North Carolina (8.1) and Tennessee (7.8). Six states (Minnesota, Montana, New Hampshire, Utah, Vermont, and Wisconsin) do not show any rates for malaria. One half of the 66 cities show no rate for 1920. Of those showing rates, the highest are for Houston (22.8), Memphis (22), Dallas (13.7), and San Antonio (12.1). Although Memphis has one of the highest rates shown, special attention is called to the remarkable, almost steady, decline in its rate since 1904, when it was 149.8. The rate for the colored in 1920 is very high in Mississippi (52.9), Florida and South Carolina (each 45), and Louisiana (38.8), and the highest rates shown in registration cities of 100,000 population or more in 1920 are for Memphis (47.2) and Houston (46.6).

SMALLPOX.

Not for many years has smallpox been an important cause of death in this country.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population for the registration area. The highest rate from this cause in any year from 1900 to 1920 is 6.6 in 1902; in 1903 it is 4.2; in 1901, 3.5; 2.1 in 1904; and 1.9 in 1900. With the exception of these five years the rate for the registration area has never reached 1 per 100,000 population.

The danger of smallpox, however, among an unvaccinated population must not be lost sight of, and the high rate (87.3) in 1920 for the colored of New Orleans should serve as a warning.

The following table shows the rates per 100,000 population for 1911 to 1920:

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	0.6	0.4	0.4	0.3	0.2	0.3	0.3	0.2	0.3	0.2
Registration states [2]	0.6	0.4	0.4	0.2	0.1	0.1	0.2	0.2	0.2	0.2
Cities in registration states [2]	0.6	0.2	0.2	0.2	(3)	0.1	0.1	0.1	0.3	0.2
Rural part of registration states	0.6	0.6	0.5	0.3	0.2	0.2	0.3	0.3	0.2	0.2
Registration cities in non-registration states	0.7	0.6	1.9	0.8	0.9	1.6	1.5	0.2	0.7	0.7
All registration cities [2]	0.6	0.2	0.3	0.3	0.1	0.3	0.3	0.1	0.3	0.3
REGISTRATION STATES.										
California	0.3	0.2	0.1	0.5	0.4	0.1	(3)	0.6	0.6	0.4
Colorado	1.1	0.5	1.4	0.1	0.2	.....	0.1	.....	0.1	.....
Connecticut	.....	.....	.....	0.2	.....	.....	.....	0.1	.....	.....
Delaware	0.9	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Florida (total)	0.2	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	0.6	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois	0.2	0.1	0.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Indiana	0.6	0.5	0.8	0.5	(3)	0.4	0.3	0.4	0.4	0.1
Kansas	0.2	0.1	1.5	0.4	0.2	0.6	0.5	(4)	(4)	(4)
Kentucky	0.9	0.7	0.5	0.1	0.2	(3)	0.8	0.2	0.1	0.2
Louisiana (total)	9.2	9.8	1.0	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	5.3	2.4	0.7	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	15.4	21.2	1.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Maine	.....	0.3	.....	.....	.....	.....	0.3	0.3	0.5	.....
Maryland (total)	.....	.....	.....	0.1	.....	.....	0.6	0.1	0.1	.....
White	.....	.....	.....	0.1	.....	.....	0.1	0.1	0.1	.....
Colored	.....	.....	.....	.....	.....	.....	2.9	0.4	.....	.....
Massachusetts	0.1	0.1	(3)	0.3	.....	0.3	(3)	.....	0.1	0.1
Michigan	0.3	0.3	0.5	0.3	0.1	0.2	(3)	0.1	0.1	0.2
Minnesota	0.7	0.4	0.4	0.9	(3)	0.3	0.3	0.6	0.2	0.3
Mississippi (total)	2.5	0.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	2.8	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	2.3	0.9	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri	0.8	0.5	2.5	0.9	0.3	0.4	0.5	0.3	0.4	0.9
Montana	0.4	1.7	1.1	1.2	0.4	0.2	1.1	0.7	0.5	.....
Nebraska	1.7	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	.....	.....	.....	.....	0.2	.....	.....	0.5	0.5	.....
New Jersey	.....	.....	(3)	.....	.....	(3)	(3)	.....	0.1	(3)
New York	(3)	.....	(3)	(3)	(3)	.....	(3)	(3)	0.1	0.1
North Carolina (total)	1.1	0.4	0.1	0.5	0.5	[5] 1.2	[5] 2.1	[6] 2.5	[6] 1.0	[6] 1.1
White	1.2	0.3	0.1	0.4	0.3	1.3	1.0	3.1	0.8	1.2
Colored	0.9	0.4	0.1	0.9	1.1	1.2	4.3	1.4	1.5	0.8
Ohio	0.3	0.2	0.4	0.2	0.1	0.1	0.3	0.1	(3)	0.1
Oregon	1.3	0.3	.....	.....	.....	.....	.....	.....	.....	.....
Pennsylvania	(3)	(3)	(3)	.....	.....	.....	(3)	0.1	0.5	0.1
Rhode Island	.....	.....	0.2	.....	0.2	.....	.....	.....	.....	.....
South Carolina (total)	0.1	0.2	0.1	.....	0.2	(4)	(4)	(4)	(4)	(4)
White	0.1	0.2	.....	.....	.....	(4)	(4)	(4)	(4)	(4)
Colored	0.1	0.2	0.2	.....	0.5	(4)	(4)	(4)	(4)	(4)
Tennessee (total)	0.5	0.6	0.7	0.2	(4)	(4)	(4)	(4)	(4)	(4)
White	0.5	0.6	0.6	0.2	(4)	(4)	(4)	(4)	(4)	(4)
Colored	0.7	0.9	1.1	0.2	(4)	(4)	(4)	(4)	(4)	(4)
Utah	2.9	0.9	2.3	0.9	.....	.....	0.5	1.5	1.8	2.4
Vermont	.....	.....	.....	.....	0.3	0.3	.....	.....	0.3	.....
Virginia (total)	0.5	0.4	0.2	0.1	(3)	0.2	0.8	0.4	(4)	(4)
White	0.6	0.3	0.1	0.1	0.1	0.1	0.4	0.1	(4)	(4)
Colored	0.4	0.6	0.6	.....	.....	0.4	1.8	1.0	(4)	(4)
Washington	1.3	0.6	0.3	0.1	0.1	0.1	0.2	0.2	0.1	0.3
Wisconsin	0.4	0.2	0.5	0.1	0.1	0.2	0.2	0.1	0.2	0.1

(See footnotes at end of table.)

AREA.	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	1.7	.....	1.2	.....	.....	0.6	0.7	.....	.....	0.7
White	2.7	.....	1.0	.....	.....	1.0	.....	.....	.....	1.2
Colored	.....	.....	1.5	.....	.....	.....	1.7	.....	.....	.....
Los Angeles, Calif.	.....	.....	.....	.....	0.4	.....	.....	.....	2.6	1.7
Oakland, Calif.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
San Francisco, Calif.	.....	0.2	.....	1.7	.....	.....	.....	.....	0.2	.....
Denver, Colo.	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Bridgeport, Conn.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Hartford, Conn.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Haven, Conn.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Wilmington, Del.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Washington, D. C (total)	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Atlanta, Ga. (total)	0.5	1.5	0.5	.....	.....	.....	0.6	0.6	.....	.....
White	0.7	0.7	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	3.2	1.6	.....	.....	.....	1.8	1.8	.....	.....
Chicago, Ill.	(1)	.....	0.2	0.1	.....	.....	(1)	.....	0.3	0.1
Indianapolis, Ind. (total)	.....	.....	1.3	0.7	.....	.....	.....	.....	.....	.....
White	.....	.....	1.1	0.4	.....	.....	.....	.....	.....	.....
Colored	.....	.....	3.0	3.2	.....	.....	.....	.....	.....	.....
Kansas City, Kans. (total)	.....	.....	4.1	1.0	.....	.....	1.1	.....	.....	2.3
White	.....	.....	4.7	1.2	.....	.....	.....	.....	.....	1.3
Colored	.....	.....	.....	.....	.....	.....	8.6	.....	.....	9.9
Louisville, Ky. (total)	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	0.5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Orleans, La. (total)	34.4	1.6	.....	.....	1.1	1.4	.....	0.6	.....	0.6
White	15.6	1.1	.....	.....	0.4	0.7	.....	0.8	.....	.....
Colored	87.3	3.0	.....	.....	3.1	3.1	.....	.....	.....	2.2
Baltimore, Md. (total)	.....	.....	.....	.....	.....	.....	0.5	.....	0.2	.....
White	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....
Colored	.....	.....	.....	.....	.....	.....	3.2	.....	.....	.....
Boston, Mass.	0.1	.....	.....	.....	.....	.....	.....	.....	.....	0.1
Cambridge, Mass.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Fall River, Mass.	.....	1.7	.....	.....	.....	.....	.....	.....	.....	.....
Lowell, Mass.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New Bedford, Mass.	.....	.....	.....	.....	.....	9.1	.....	.....	.....	.....
Springfield, Mass.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Worcester, Mass.	.....	.....	.....	5.3	.....	.....	.....	.....	.....	.....
Detroit, Mich.	0.4	0.2	0.7	0.1	0.1	0.1	0.1	0.2	.....	.....
Grand Rapids, Mich.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Minneapolis, Minn.	0.3	0.8	1.1	0.3	.....	0.3	.....	.....	.....	0.3
St. Paul, Minn.	.....	0.4	.....	.....	.....	0.4	.....	.....	0.5	0.9
Kansas City, Mo.	0.9	0.9	5.4	0.7	.....	0.3	1.8	0.4	0.4	3.1
St. Louis, Mo.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Omaha, Nebr.	2.1	0.5	.....	.....	.....	.....	0.7	.....	.....	.....
Camden, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Jersey City, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Newark, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Paterson, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Trenton, N. J.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Albany, N. Y.	.....	.....	.....	0.9	.....	.....	.....	1.0	.....	.....
Buffalo, N. Y.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
New York, N. Y.	.....	.....	(2)	.....	.....	.....	.....	.....	0.1	0.1
Bronx borough	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2
Brooklyn borough	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1
Manhattan borough	.....	.....	(2)	.....	.....	.....	.....	.....	.....	0.1
Queens borough	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3
Richmond borough	.....	.....	.....	.....	.....	.....	.....	.....	2.2	.....
Rochester, N. Y.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Syracuse, N. Y.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Yonkers, N. Y.	.....	.....	.....	.....	.....	.....	1.1	.....	.....	.....
Akron, Ohio	0.5	.....	0.5	0.6	.....	.....	.....	.....	.....	.....
Cincinnati, Ohio	.....	.....	0.3	.....	.....	.....	0.5	.....	.....	0.3
Cleveland, Ohio	.....	0.1	.....	0.3	.....	.....	.....	.....	0.2	.....
Columbus, Ohio	.....	0.4	0.4	.....	.....	.....	.....	.....	.....	.....
Dayton, Ohio	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Toledo, Ohio	0.4	.....	0.4	0.4	.....	.....	.....	.....	.....	.....
Youngstown, Ohio	0.7	1.5	.....	.....	.....	1.8	.....	.....	.....	.....
Portland, Oreg.	0.8	.....	.....	.....	.....	0.4	.....	0.9	0.5	.....
Philadelphia, Pa.	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1
Pittsburgh, Pa.	.....	.....	.....	.....	.....	.....	0.2	.....	6.2	.....
Reading, Pa.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scranton, Pa.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Providence, R. I.	.....	.....	0.4	.....	.....	.....	.....	.....	.....	.....
Memphis, Tenn. (total)	.....	.....	.....	.....	(7)	.....	.....	.....	.....	0.7
White	.....	.....	.....	.....	(7)	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	(7)	.....	.....	.....	.....	1.9
Nashville, Tenn. (total)	.....	.....	.....	.....	(7)	.....	.....	.....	.....	.....
White	.....	.....	.....	.....	(7)	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	(7)	.....	.....	.....	.....	.....
Dallas, Tex. (total)	.....	.....	.....	0.8	.....	(4)	(4)	(4)	(4)	(4)
White	.....	.....	.....	.....	.....	(4)	(4)	(4)	(4)	(4)
Colored	.....	.....	.....	4.9	.....	(4)	(4)	(4)	(4)	(4)
Houston, Tex. (total)	0.7	0.7	1.6	5.9	(4)	(4)	(4)	(4)	(4)	(4)
White	.....	.....	2.2	3.4	(4)	(4)	(4)	(4)	(4)	(4)
Colored	2.9	3.0	.....	13.1	(4)	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex.	.....	.....	.....	15.9	12.3	9.1	.....	.....	3.6	1.0
Salt Lake City, Utah	4.2	0.9	1.8	.....	.....	.....	.....	.....	1.0	.....
Norfolk, Va. (total)	.....	.....	.....	.....	.....	.....	4.2	.....	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	10.7	.....	.....	.....
Richmond, Va. (total)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
White	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Seattle, Wash.	0.6	0.3	.....	.....	.....	.....	0.4	.....	.....	0.4
Spokane, Wash.	3.8	.....	.....	.....	.....	.....	.....	.....	.....	1.0
Milwaukee, Wis.	.....	.....	0.4	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Only 18 of the 66 cities presented show rates for 1920 and only 5 of these—New Orleans (34.4), Salt Lake City (4.2), Spokane (3.8), Omaha (2.1), and Birmingham (1.7) have rates of 1 or more.

MEASLES.

The number of deaths from measles in 1920 is 7,712, or 8.8 per 100,000 population. This is more than twice as high as the rate for 1919, which was the lowest rate from this cause on record in the annual mortality reports, the first of which was published in 1900.

The following table shows the rates per 100,000 population for the years 1911 to 1920, with rates of 20 and higher in bold-faced type:

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	8.8	3.9	10.8	14.3	11.1	5.4	6.8	12.8	7.0	10.6
Registration states [2]	8.8	3.9	10.7	14.2	11.5	5.3	6.9	13.0	7.3	9.9
Cities in registration states [2]	10.3	4.3	10.7	10.4	12.9	7.1	7.7	13.6	9.5	10.1
Rural part of registration states	7.4	3.6	10.8	17.6	10.3	3.4	6.1	12.3	5.0	9.7
Registration cities in nonregistration states	7.8	2.9	14.5	15.7	5.7	7.7	5.4	11.2	4.3	10.8
All registration cities [2]	10.2	4.2	10.9	11.1	11.9	7.2	7.4	13.2	8.7	10.2
REGISTRATION STATES.										
California	6.3	0.7	6.0	7.2	2.2	5.3	5.9	5.7	5.4	3.2
Colorado	10.3	0.6	5.8	15.9	4.2	2.4	9.9	4.1	1.9	15.3
Connecticut	9.7	7.6	6.6	9.8	11.7	4.9	11.7	8.3	10.0	8.2
Delaware	16.1	0.9	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Florida (total)	1.3	5.4	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
White	1.7	6.5	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colored	0.6	3.3	(5)	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Illinois	7.6	4.8	5.6	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Indiana	11.8	2.7	5.0	19.9	7.2	2.4	5.4	16.0	2.5	9.6
Kansas	4.5	0.8	18.3	16.8	9.0	4.2	4.4	(5)	(5)	(5)
Kentucky	11.1	9.8	17.2	40.3	8.0	3.6	11.6	17.0	2.3	19.7
Louisiana (total)	2.4	2.2	19.7	(5)	(5)	(5)	(5)	(5)	(5)	(5)
White	3.1	2.5	21.5	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Colored	1.3	1.7	16.9	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Maine	3.9	0.5	13.2	20.0	2.0	2.4	5.7	8.3	7.8	4.2
Maryland (total)	6.4	3.3	11.1	8.5	7.7	2.5	1.8	14.9	2.6	9.9
White	6.8	3.5	10.6	8.0	7.9	2.2	1.3	14.0	2.9	9.9
Colored	4.9	2.0	13.6	10.8	7.1	3.8	3.8	19.4	1.3	9.8
Massachusetts	9.2	4.9	13.8	10.1	12.9	7.5	5.6	14.1	11.3	8.9
Michigan	11.8	5.2	7.6	8.0	10.4	3.2	5.6	8.2	3.8	6.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—con.										
Minnesota	6.6	4.0	4.3	5.6	12.7	3.9	3.6	9.5	1.0	5.2
Mississippi (total)	1.0	2.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	0.6	3.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.4	1.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Missouri	8.4	3.6	11.2	25.4	15.8	4.6	12.4	13.2	1.7	18.8
Montana	4.8	3.0	3.4	9.1	7.4	1.5	6.0	12.5	1.4	12.3
Nebraska	9.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	9.0	0.7	10.4	11.6	10.7	2.1	8.5	12.4	4.4	9.3
New Jersey	9.6	2.1	19.0	4.8	13.2	7.8	8.2	7.8	11.1	10.8
New York	11.3	3.6	13.4	9.3	10.3	9.1	8.8	11.7	10.9	10.7
North Carolina (total)	2.4	4.9	14.4	42.3	7.0	[4] 0.6	[4] 10.8	[5] 26.5	[5] 10.8	[5] 15.4
White	2.8	6.6	17.6	45.9	6.8	0.9	12.9	31.7	11.5	14.3
Colored	1.4	1.2	6.9	33.9	7.6	.....	6.7	16.9	9.5	17.4
Ohio	12.9	3.5	4.8	10.4	15.1	4.1	4.6	13.3	8.1	6.4
Oregon	3.8	0.4	7.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	13.1	5.8	9.8	6.2	18.5	6.9	6.8	19.7	10.7	10.3
Rhode Island	11.4	2.7	21.0	12.6	24.7	10.4	10.0	12.6	21.0	4.2
South Carolina (total)	3.3	3.2	21.3	40.3	4.6	(3)	(3)	(3)	(3)	(3)
White	4.2	3.2	22.1	53.2	4.8	(3)	(3)	(3)	(3)	(3)
Colored	2.4	3.2	20.6	28.6	4.4	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	10.7	7.1	17.6	34.0	(3)	(3)	(3)	(3)	(3)	(3)
White	12.3	8.0	19.8	35.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	3.5	3.3	8.3	29.3	(3)	(3)	(3)	(3)	(3)	(3)
Utah	3.5	0.4	7.8	24.4	8.8	1.0	3.0	32.1	3.8	11.0
Vermont	5.1	4.5	4.5	22.1	6.8	0.8	1.1	20.6	7.3	10.7
Virginia (total)	4.0	3.2	13.9	15.9	18.3	2.6	5.3	16.9	(3)	(3)
White	4.2	3.8	15.8	17.3	16.2	2.5	5.8	17.3	(3)	(3)
Colored	3.6	1.9	9.6	12.8	23.1	2.9	4.3	16.2	(3)	(3)
Washington	5.5	1.4	6.8	15.4	6.6	1.4	4.1	8.9	1.3	5.8
Wisconsin	8.8	2.7	6.5	2.9	11.6	2.1	5.9	7.6	5.2	10.7
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	0.6	3.9	16.2	52.5	.....	7.0	9.8	7.4	11.8	21.6
White	0.9	4.6	19.1	31.5	.....	6.3	12.9	7.8	13.3	23.8
Colored	.....	2.9	11.8	85.0	.....	8.0	5.0	6.8	8.8	18.3
Los Angeles, Calif.	6.1	0.4	2.8	6.4	2.0	4.1	1.4	13.4	0.3	2.3
Oakland, Calif.	10.0	0.9	1.5	8.5	.....	2.7	15.7	.....	3.0	11.4
San Francisco, Calif.	5.9	2.0	3.2	7.4	1.3	4.7	10.3	1.8	11.2	7.7
Denver, Colo.	9.7	0.4	0.8	9.8	2.1	1.3	4.3	4.4	0.4	21.5
Bridgeport, Conn.	7.6	9.9	11.7	12.0	14.8	6.4	27.5	13.0	6.3	17.7
Hartford, Conn.	4.3	12.5	7.6	6.3	33.1	1.7	4.3	19.7	9.3	2.9
New Haven, Conn.	20.7	7.5	5.7	21.9	5.3	12.1	21.2	1.4	18.5	2.2
Wilmington, Del.	12.6	1.9	15.2	4.9	25.8	3.0	15.5	14.8	2.2	13.3
Washington, D. C. (total)	0.7	0.5	11.9	4.4	2.0	1.8	0.3	7.4	2.0	6.4
White	0.9	0.6	14.4	5.3	1.7	2.1	.....	7.1	1.6	6.5
Colored	.....	.....	4.6	1.9	2.9	1.0	1.0	8.0	3.0	6.2
Atlanta, Ga. (total)	9.4	2.0	8.8	23.8	1.6	1.1	14.3	5.3	7.3	24.9
White	8.6	2.9	9.8	20.9	0.8	1.6	10.1	6.1	9.9	25.2
Colored	11.0	.....	6.5	29.9	3.4	.....	22.9	3.6	1.8	24.4
Chicago, Ill.	3.5	7.7	2.3	9.7	5.4	10.7	3.2	11.8	5.3	5.8
Indianapolis, Ind. (total)	8.8	1.9	3.3	19.0	9.5	.....	7.9	6.2	6.4	1.2
White	8.8	2.2	2.6	19.4	9.0	.....	6.7	6.4	7.1	1.4
Colored	8.5	.....	9.1	15.9	13.3	.....	18.2	3.8	.....	.....
Kansas City, Kans. (total)	15.7	.....	33.6	29.0	5.3	3.2	5.5	19.1	1.1	4.7
White	14.9	.....	39.0	20.4	4.9	3.7	6.3	20.5	1.3	5.3
Colored	20.4	.....	.....	83.5	7.9	.....	.....	9.0	.....	.....
Louisville, Ky. (total)	3.0	6.0	34.7	42.9	2.2	.....	8.7	6.1	0.4	25.6
White	3.1	6.2	41.4	39.0	2.6	.....	8.4	5.8	0.5	18.9
Colored	2.5	5.0	2.5	61.9	.....	.....	9.8	7.4	.....	56.6
New Orleans, La. (total)	3.6	1.0	5.8	16.5	3.5	0.8	2.2	9.9	0.6	11.3
White	4.9	0.7	5.7	16.6	3.3	1.1	3.0	10.3	0.8	13.8
Colored	.....	2.0	6.0	16.3	4.1	.....	.....	8.6	.....	4.4
Baltimore, Md. (total)	6.5	1.0	12.3	8.8	5.3	3.3	1.0	19.7	1.2	14.3
White	6.7	1.1	11.9	8.1	5.3	3.2	1.2	18.3	1.4	13.9
Colored	5.5	.....	14.8	12.1	5.1	4.2	.....	27.3	.....	16.0
Boston, Mass.	9.5	3.9	15.7	14.8	15.2	5.7	8.4	10.9	16.1	10.5
Cambridge, Mass.	12.7	1.8	26.6	13.8	7.4	5.6	11.2	9.4	8.5	9.5
Fall River, Mass.	14.9	47.3	5.8	59.1	32.5	15.0	2.5	61.0	1.7	38.5
Lowell, Mass.	38.9	6.2	14.3	8.1	26.3	0.9	11.0	19.4	53.8	12.1
New Bedford, Mass.	18.8	12.5	21.3	23.5	15.1	37.3	3.7	34.4	5.9	12.0
Springfield, Mass.	8.4	1.6	10.5	4.2	13.9	3.6	8.4	10.8	7.1	12.8
Worcester, Mass.	1.7	13.5	4.0	7.6	33.4	1.2	11.2	10.2	9.8	3.3
Detroit, Mich.	8.6	8.4	14.1	6.9	13.2	6.8	6.0	16.8	8.8	8.7
Grand Rapids, Mich.	17.3	2.2	0.7	26.6	2.4	.....	4.1	9.2	.....	15.6
Minneapolis, Minn.	5.7	2.1	7.1	3.1	21.0	3.8	2.7	6.1	3.4	1.3
St. Paul, Minn.	7.2	7.7	1.7	5.7	7.9	5.3	1.3	8.1	0.5	.....
Kansas City, Mo.	9.1	9.7	18.2	18.7	14.1	2.1	1.1	22.3	0.4	3.1
St. Louis, Mo.	11.8	4.9	3.3	18.6	9.0	7.5	9.7	15.9	2.5	16.3
Omaha, Nebr.	7.8	5.3	5.9	14.2	1.7	7.6	1.4	0.7	0.8	3.9
Camden, N. J.	15.3	3.5	18.6	10.8	.....	19.8	5.8	18.7	.....	13.4
Jersey City, N. J.	16.0	3.0	13.6	9.3	6.3	18.7	4.6	10.8	5.5	15.5
Newark, N. J.	13.4	1.9	29.2	1.8	26.9	5.2	18.9	4.9	14.9	7.0

AREA.	DEATH RATE FROM MEASLES PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Paterson, N. J.	11.7	0.7	15.6	5.3	18.9	0.8	10.0	0.8	21.1	1.6
Trenton, N. J.	1.7	8.5	5.2	4.4	17.1	18.4	2.8	13.4	9.8	31.1
Albany, N. Y.	1.8	5.3	2.7	29.0	23.8	1.9	1.9	6.7	5.8	.....
Buffalo, N. Y.	8.4	7.0	8.5	2.1	15.5	10.7	2.2	15.7	15.1	1.8
New York, N. Y.	14.2	4.1	15.5	10.8	10.5	12.7	11.2	14.3	14.2	13.4
Bronx borough	8.8	1.1	9.0	5.7	5.8	7.1	6.6	13.2	8.6	11.5
Brooklyn borough	12.5	2.9	17.7	5.4	5.2	7.1	6.9	8.0	11.3	7.7
Manhattan borough	19.4	6.3	16.5	17.5	17.6	19.4	16.7	20.0	17.8	18.7
Queens borough	6.1	2.0	11.1	7.4	3.7	5.7	6.3	8.4	13.2	3.6
Richmond borough	11.9	6.1	13.4	7.4	1.9	20.5	4.0	17.7	14.0	27.8
Rochester, N. Y.	10.0	3.1	10.1	14.8	8.0	3.1	5.2	3.4	11.2	5.8
Syracuse, N. Y.	13.2	1.2	32.4	9.2	.....	6.4	2.6	15.5	4.1	11.3
Yonkers, N. Y.	8.9	.....	13.3	1.1	8.6	.....	18.1	17.3	2.4	8.5
Akron, Ohio	16.7	4.5	2.7	28.8	26.9	1.4	6.3	3.5	7.0	1.2
Cincinnati, Ohio	18.9	2.5	4.5	6.0	15.9	3.8	.....	18.4	8.9	3.5
Cleveland, Ohio	9.9	6.0	2.2	7.1	8.4	10.4	4.4	15.9	5.6	6.8
Columbus, Ohio	12.1	.....	4.4	30.0	15.6	6.6	11.6	4.5	11.8	11.2
Dayton, Ohio	12.3	4.0	1.4	11.2	1.4	2.2	5.3	3.9	12.0	0.8
Toledo, Ohio	14.6	5.0	2.1	3.5	30.7	4.4	3.5	7.3	13.6	.....
Youngstown, Ohio	3.7	12.3	6.4	5.8	38.1	1.8	12.3	46.7	23.5	7.1
Portland, Oreg.	5.0	.....	9.9	7.3	3.3	1.7	9.2	2.7	0.5	8.9
Philadelphia, Pa.	9.6	2.3	7.7	4.7	6.5	11.2	4.4	12.4	3.3	18.3
Pittsburgh, Pa.	17.8	2.1	17.6	11.5	24.1	13.1	9.5	27.7	27.1	9.4
Reading, Pa.	0.9	14.9	4.7	.....	23.9	6.8	.....	18.2	6.1	14.4
Scranton, Pa.	15.9	1.5	1.5	8.8	3.7	6.0	7.5	3.0	15.9	2.3
Providence, R. I.	10.9	1.7	23.4	14.9	27.5	9.9	16.1	16.6	34.7	4.4
Memphis, Tenn. (total)	0.6	7.3	12.9	32.9	(6)	2.8	5.7	11.6	3.0	27.7
White	1.0	8.4	18.2	40.4	(6)	3.4	4.6	10.7	3.6	28.5
Colored	.....	5.5	3.7	20.3	(6)	1.9	7.5	13.2	1.9	26.5
Nashville, Tenn. (total)	4.2	11.9	18.0	21.5	(6)	0.9	7.0	22.1	0.9	53.0
White	6.0	14.6	20.9	26.2	(6)	1.3	6.4	27.4	.....	57.4
Colored	.....	5.6	11.2	11.2	(6)	.....	8.3	11.0	2.8	43.9
Dallas, Tex. (total)	2.5	0.6	9.2	10.3	0.8	(3)	(3)	(3)	(3)	(3)
White	2.9	.....	10.0	9.4	1.0	(3)	(3)	(3)	(3)	(3)
Colored	.....	4.2	4.9	14.8	.....	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	5.0	2.2	12.3	5.9	(3)	(3)	(3)	(3)	(3)	(3)
White	6.6	2.9	13.2	8.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	9.6	.....	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	1.2	1.9	45.6	42.8	2.9	6.9	6.4	2.5	12.6	19.1
Salt Lake City, Utah	5.0	.....	6.2	11.7	12.0	.....	4.8	12.9	4.1	27.2
Norfolk, Va. (total)	4.3	0.9	10.9	5.6	10.7	12.1	5.2	12.0	1.1	7.1
White	2.7	1.4	13.2	3.0	14.2	13.2	5.2	18.0	.....	9.9
Colored	6.8	.....	7.2	9.8	5.0	10.4	5.3	2.7	2.8	2.9
Richmond, Va. (total)	5.8	2.3	4.8	3.6	25.3	.....	0.7	19.1	0.7	8.4
White	5.9	2.6	4.4	0.9	14.7	.....	1.1	18 0	1.2	8 3
Colored	5.5	1.9	5.6	9.3	48.9	.....	.....	21.1	.....	8.5
Seattle, Wash.	5.3	2.2	4.9	5.8	4.2	.....	0.4	12.5	0.4	5.2
Spokane, Wash.	12.4	1.0	1.9	10.5	15.3	.....	8.6	1.0	6.7	5.7
Milwaukee, Wis.	11.9	0.2	12.8	3.2	28.1	4.3	9.1	6.4	11.3	7.2

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Comparing the states for 1920 and 1919, increases are shown for 1920 by all but three—Florida, Mississippi, and North Carolina.

Among the registration cities of 100,000 population or more in 1920, only two, Lowell (38.9) and New Haven (20.7), show rates in excess of 20. Those showing the lowest rates are Birmingham and Memphis (each 0.6), Washington, D. C. (0.7), and Reading (0.9).

SCARLET FEVER.

The number of deaths from scarlet fever in 1920 is 4,004, corresponding to a rate of 4.6 per 100,000 population, which is the highest rate since 1914.

The following table shows the rates per 100,000 population for 1911 to 1920, rates of 20 and higher being in bold-faced type:

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	4.6	2.8	3.0	4.2	3.3	3.6	6.6	8.7	6.7	8.9
Registration states [2]	4.6	2.8	3.1	3.5	3.2	3.6	6.6	7.7	6.0	8.6
Cities in registration states [2]	5.4	3.2	3.2	4.1	3.5	4.1	8.3	9.7	7.5	11.0
Rural part of registration states	3.9	2.4	2.9	3.0	2.8	3.1	4.9	5.6	4.5	6.0
Registration cities in non-registration states	1.9	2.8	1.8	12.9	5.2	3.7	6.5	20.7	13.8	12.2
All registration cities [2]	5.2	3.2	3.2	5.4	3.8	4.0	8.1	11.3	8.5	11.2
REGISTRATION STATES.										
California	2.6	1.7	1.8	1.9	1.4	2.2	3.4	3.3	1.6	3.5
Colorado	4.4	4.2	5.0	2.0	4.2	6.6	11.0	18.0	10.3	10.0
Connecticut	5.4	3.5	2.8	1.7	2.6	3.0	6.7	9.6	7.2	9.0
Delaware	14.7	1.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	0.9	0.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.4	0.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	5.7	3.5	2.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	7.2	3.0	4.5	4.9	3.6	3.6	4.1	7.2	4.1	6.6
Kansas	6.3	3.1	4.6	3.3	3.6	1.9	1.9	(3)	(3)	(3)
Kentucky	2.6	2.2	2.0	2.1	2.4	2.3	2.6	2.4	2.8	3.7
Louisiana (total)	0.8	0.3	0.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.3	0.4	0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.1	0.1	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	3.0	1.4	1.7	0.8	0.5	1.7	2.3	2.3	2.1	2.1
Maryland (total)	2.5	4.0	1.7	1.7	3.7	5.2	5.6	5.1	2.6	5.0
White	3.0	4.6	1.9	1.9	4.2	5.7	6.0	5.9	3.0	5.8
Colored	.....	0.8	0.8	0.8	1.7	2.5	3.4	1.3	0.8	1.3
Massachusetts	5.6	3.2	2.0	3.1	3.5	5.5	7.1	8.8	3.8	5.7
Michigan	8.2	5.0	5.1	10.0	5.2	3.4	5.6	9.1	6.1	7.0
Minnesota	4.8	3.9	6.8	4.0	5.3	6.5	15.1	8.5	4.8	8.9
Mississippi (total)	1.3	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.9	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.9	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	4.6	3.4	3.2	4.9	5.4	2.2	6.3	4.3	4.4	9.7
Montana	3.9	10.6	13.8	17.1	3.9	3.4	7.3	27.5	6.3	9.3
Nebraska	4.6	(2)	(3)	(2)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.0	2.5	1.8	1.8	1.4	1.6	5.7	3.0	2.3	3.7
New Jersey	3.5	2.5	2.2	1.9	2.5	3.5	8.7	8.4	5.4	8.5
New York	4.5	2.7	3.2	2.8	2.1	4.4	7.5	9.3	8.6	12.7
North Carolina (total)	1.5	0.9	1.0	1.7	2.5	[4] 1.6	[4] 0.6	[5] 2.7	[5] 2.6	[5] 2.1
White	2.1	1.2	1.3	2.2	3.4	2.5	0.6	3.4	3.2	2.9
Colored	0.3	0.4	0.4	0.5	0.5	.....	0.6	1.4	1.5	0.8
Ohio	6.6	2.4	3.1	3.6	3.9	4.2	4.5	6.3	7.9	10.2
Oregon	1.8	2.3	2.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	5.7	2.8	2.0	2.7	2.8	3.7	10.6	11.4	7.0	9.6
Rhode Island	4.4	2.5	4.2	4.9	5.3	4.7	8.1	3.7	7.5	10.5
South Carolina (total)	0.6	0.6	0.5	1.3	2.4	(3)	(3)	(3)	(3)	(3)
White	0.8	0.7	1.0	1.7	3.9	(3)	(3)	(3)	(3)	(3)
Colored	0.5	0.5	.....	0.9	1.1	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	2.3	2.4	1.9	2.1	(3)	(3)	(3)	(3)	(3)	(3)
White	2.5	2.8	2.4	2.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.3	0.7	.....	0.7	(3)	(3)	(3)	(3)	(3)	(3)
Utah	1.5	2.5	11.4	8.8	5.9	2.9	3.4	3.8	4.6	14.6
Vermont	4.3	2.3	3.1	5.4	3.7	1.1	3.4	5.1	2.5	1.4
Virginia (total)	1.4	1.5	1.1	0.8	1.3	1.1	1.8	2.6	(3)	(3)
White	1.7	1.9	1.4	1.0	1.8	1.4	2.6	3.5	(3)	(3)
Colored	0.7	0.4	0.3	0.3	0.3	0.4	.....	0.4	(3)	(3)
Washington	4.3	2.9	5.7	1.6	1.0	0.6	2.0	2.6	1.7	4.8
Wisconsin	9.7	5.8	7.8	9.8	5.0	3.6	8.8	8.1	11.8	9.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	3.3	2.3	1.7	1.2	1.2	13.9	4.6	0.7	1.4	1.4
White	5.5	3.7	2.9	2.0	2.0	22.9	6.5	1.1	2.3	2.4
Colored	.....	.....	.....	.....	.....	.....	1.7	.....	.....	.....
Los Angeles, Calif	0.8	1.4	0.9	1.9	1.4	2.1	1.2	3.2	2.1	2.6
Oakland, Calif	2.7	1.9	1.0	0.5	.....	0.5	2.8	1.2	.....	1.3
San Francisco, Calif	1.8	2.4	2.2	3.3	1.7	1.9	1.1	4.0	0.7	3.0
Denver, Colo	2.7	1.6	2.8	1.6	1.2	3.8	11.2	23.3	7.6	5.0
Bridgeport, Conn	4.8	2.8	2.2	3.8	3.1	7.2	15.8	25.9	17.0	2.8
Hartford, Conn	2.9	11.0	1.5	3.1	1.6	0.8	4.3	12.5	23.8	22.2
New Haven, Conn	4.3	3.1	1.9	0.6	6.6	3.4	4.8	8.4	5.7	10.2
Wilmington, Del	24.3	1.9	1.9	3.9	1.0	2.0	2.1	13.8	.....	7.8
Washington, D. C. (total)	2.0	0.9	4.3	2.4	1.5	2.3	0.3	3.8	1.1	1.2
White	2.4	1.2	5.8	3.3	1.7	2.8	0.4	4.9	1.6	1.6
Colored	0.9	.....	.....	.....	1.0	1.0	.....	1.0	.....	.....
Atlanta, Ga. (total)	3.0	4.5	4.1	1.1	1.6	0.6	1.1	.....	1.2	4.4
White	4.3	5.9	6.0	1.5	1.6	0.8	0.8	.....	1.8	5.6
Colored	.....	1.6	.....	.....	1.7	.....	1.8	.....	.....	1.9
Chicago, Ill	7.0	4.6	2.2	24.6	6.4	3.4	10.0	39.9	27.1	21.9
Indianapolis, Ind. (total)	4.1	1.0	7.3	3.7	4.6	2.9	6.4	5.0	4.0	3.7
White	4.6	1.1	7.8	3.8	3.9	3.3	6.7	5.2	4.0	4.1
Colored	.....	.....	3.0	3.2	9.9	.....	3.5	3.8	4.0	.....
Kansas City, Kans. (total)	3.9	4.0	10.2	9.3	14.8	5.4	7.7	3.4	.....	4.7
White	4.6	4.7	11.8	10.8	14.6	5.0	8.8	3.8	.....	5.3
Colored	.....	.....	.....	.....	15.8	8.2	.....	.....	.....	.....

AREA.	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Louisville, Ky. (total)	2.1	2.6	1.7	1.3	0.4	0.9	5.2	3.5	4.0	3.5
White	2.6	2.6	2.1	1.6	0.5	0.5	5.8	4.2	4.3	4.3
Colored	.....	2.5	.....	.....	.....	.....	2.5	2.5	.....	2.5	.....
New Orleans, La. (total)	2.1	0.8	.....	0.5	0.3	0.5	0.6	0.6	2.6	1.2
White	2.4	1.1	.....	0.7	0.4	0.7	0.8	0.4	3.5	1.6
Colored	1.0	.....	.....	.....	.....	.....	.....	1.1	.....	.....
Baltimore, Md. (total)	1.9	4.8	1.4	1.8	5.1	5.5	5.4	7.5	3.8	7.7
White	2.2	5.3	1.3	2.1	6.1	5.9	5.0	8.5	4.3	8.5
Colored	.....	1.9	2.0	.....	.....	3.1	7.5	2.2	1.1	3.4
Boston, Mass	9.5	4.0	3.2	6.1	5.4	11.5	9.3	10.8	4.6	11.4
Cambridge, Mass	3.6	.....	.....	2.8	1.9	3.7	1.9	.....	1.9	2.8
Fall River, Mass	3.3	2.5	.....	2.5	1.7	5.0	10.0	22.6	7.5	1.7
Lowell, Mass	1.8	6.2	3.6	2.7	5.4	.....	1.8	3.7	5.6	4.7
New Bedford, Mass	2.4	3.3	2.6	.....	1.8	8.2	28.0	2.9	.....	1.0
Springfield, Mass	16.7	2.4	2.4	5.9	3.5	0.9	0.9	2.9	2.0	3.2
Worcester, Mass	12.1	2.2	1.1	4.1	1.8	1.8	4.4	7.6	7.2	8.7
Detroit, Mich	10.1	7.4	5.0	17.1	6.7	3.5	7.6	17.6	10.2	12.1
Grand Rapids, Mich	2.9	0.7	1.5	1.5	1.6	0.8	17.9	18.3	0.8	5.2
Minneapolis, Minn	6.8	6.6	9.0	3.1	4.5	3.2	26.8	19.2	4.7	6.1
St. Paul, Minn	6.4	6.4	18.6	3.5	3.5	13.3	20.6	8.1	4.1	16.1
Kansas City, Mo	5.2	4.7	4.2	11.2	27.6	1.4	1.4	2.2	5.3	5.4
St. Louis, Mo	3.2	2.6	2.8	7.5	6.5	3.0	19.3	6.2	6.5	27.8
Omaha, Nebr	6.2	3.7	4.3	5.5	32.2	13.5	12.2	10.3	3.8	6.2
Camden, N. J	1.7	1.7	0.9	1.8	0.9	1.9	1.9	10.8	3.0	4.1
Jersey City, N. J	2.7	3.7	3.4	3.1	4.2	5.3	7.8	14.8	9.5	11.8
Newark, N. J	2.6	2.9	1.7	0.5	1.3	0.5	7.2	5.7	1.9	6.7
Paterson, N. J	2.2	.....	0.7	0.8	2.3	.....	0.8	3.1	7.0	10.2
Trenton, N. J	2.5	0.8	0.9	.....	2.7	3.7	26.3	26.9	2.0	7.0
Albany, N. Y	1.8	.....	0.9	.....	.....	2.8	7.6	1.9	.....	1.0
Buffalo, N. Y	4.3	5.2	3.4	6.2	6.1	5.3	5.7	3.3	5.4	18.0
New York, N. Y	4.3	2.6	3.6	2.6	2.3	5.9	9.5	11.3	12.7	15.3
Bronx borough	2.1	3.1	1.9	2.6	1.3	4.2	7.1	8.9	12.2	12.6
Brooklyn borough	3.5	2.2	3.2	1.7	1.6	6.1	6.6	11.3	12.9	17.3
Manhattan borough	5.8	2.8	4.4	2.8	3.0	6.2	12.2	11.6	13.6	15.2
Queens borough	3.3	2.6	4.1	6.2	3.2	7.0	11.3	12.7	6.7	10.4
Richmond borough	4.2	0.9	1.8	.....	1.9	2.9	3.0	13.5	10.8	12.3
Rochester, N. Y	9.4	3.4	3.3	13.7	0.8	2.7	10.9	8.8	12.1	22.1
Syracuse, N. Y	9.2	4.7	3.0	7.4	0.6	.....	7.9	12.8	6.9	26.2
Yonkers, N. Y	3.0	2.0	8.2	6.3	6.5	2.2	4.5	4.6	5.9	21.9
Akron, Ohio	26.9	3.5	2.7	2.9	2.5	5.7	5.5	7.1	20.1	31.5
Cincinnati, Ohio	7.7	3.5	0.8	3.8	0.5	1.0	4.8	5.4	10.7	21.0
Cleveland, Ohio	8.5	0.9	1.4	2.0	5.8	10.6	7.7	18.8	17.0	32.5
Columbus, Ohio	5.8	2.1	1.7	3.6	2.3	1.4	1.5	4.5	3.1	4.3
Dayton, Ohio	6.5	0.7	2.7	4.2	10.0	6.6	6.8	3.9	1.6	6.8
Toledo, Ohio	9.7	7.5	6.9	12.4	3.7	3.9	1.0	6.3	9.2	5.1
Youngstown, Ohio	16.3	0.8	.....	1.7	6.1	4.5	3.8	10.6	33.0	4.7
Portland, Oreg	1.2	1.6	1.6	2.0	0.8	0.4	2.2	4.5	3.2	6.1
Philadelphia, Pa	6.6	3.4	2.7	2.0	2.5	1.6	8.1	10.5	7.6	12.3
Pittsburgh, Pa	3.6	1.5	1.9	2.3	3.7	9.8	33.7	26.6	10.8	10.7
Reading, Pa	.....	2.8	0.9	1.9	9.6	5.8	6.0	9.1	.....	15.4
Scranton, Pa	9.4	2.2	5.1	6.6	2.2	3.0	3.0	10.6	6.8	6.9
Providence, R. I	5.9	5.5	7.2	6.8	6.9	8.2	8.7	5.7	12.3	14.0
Memphis, Tenn. (total)	1.8	2.0	2.0	4.1	(6)	4.9	2.1	8.7	0.7	2.2
White	2.0	3.2	3.2	6.5	(6)	6.8	3.5	11.9	1.2	3.7
Colored	1.6	.....	.....	.....	(6)	1.9	.....	3.8	.....	.....
Nashville, Tenn. (total)	0.8	2.5	2.6	0.9	(6)	1.7	.....	.....	.....	3.6
White	1.2	3.6	3.7	1.2	(6)	2.5	.....	.....	.....	4.0
Colored	.....	.....	.....	.....	(6)	.....	.....	.....	.....	2.7
Dallas, Tex. (total)	1.2	2.5	0.8	.....	0.8	(3)	(3)	(3)	(3)	(3)
White	1.5	3.0	0.9	.....	.....	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	.....	.....	5.0	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	.....	0.7	.....	0.8	(3)	(3)	(3)	(3)	(3)	(3)
White	.....	1.0	.....	1.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex	0.6	.....	0.7	.....	.....	.....	0.8	1.7	5.4	1.0
Salt Lake City, Utah	1.7	1.7	15.9	9.0	6.5	1.9	2.9	.....	2.0	12.6
Norfolk, Va. (total)	.....	0.9	1.8	.....	.....	1.0	2.1	.....	.....	.....
White	.....	1.4	2.9	.....	.....	1.6	3.4	.....	.....	.....
Colored	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Richmond, Va. (total)	.....	1.8	.....	0.6	1.8	0.6	1.4	3.7	0.7	2.3
White	.....	1.7	.....	0.9	2.8	0.9	2.2	4.5	.....	2.4
Colored	.....	1.9	.....	.....	.....	.....	.....	2.1	2.1	2.1
Seattle, Wash	4.1	1.9	5.3	0.3	.....	0.4	1.1	2.3	0.8	2.8
Spokane, Wash	2.9	8.6	2.9	1.9	1.0	2.9	1.9	7.7	1.9	6.7
Milwaukee, Wis	6.3	5.1	11.2	17.6	11.1	7.1	22.8	15.8	16.3	15.9

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Twenty-five of the 33 states for which comparisons can be made have higher rates in 1920 than in 1919. The states showing the highest death rates from scarlet fever in 1920 are Delaware (14.7), Wisconsin (9.7), Michigan (8.2), Indiana (7.2), and Ohio (6.6). The states showing the lowest rates are South Carolina (0.6), Louisiana (0.8), Florida (0.9), Mississippi (1.3), and Virginia (1.4).

Among the registration cities of 100,000 population or more in 1920 the highest rates are for Akron (26.9), Wilmington (24.3), Springfield (16.7), Youngstown (16.3), and Worcester (12.1). The lowest rates are for San Antonio (0.6) and Los Angeles and Nashville (each 0.8). Of the 14 cities showing deaths by color 11 show deaths among the white in 1920 while only 3 show deaths among the colored.

WHOOPING COUGH.

The number of deaths from whooping cough in 1920 is 10,968, with a death rate of 12.5 per 100,000 population, as against a rate of 5.5 in 1919. With the exception of 16.9 for 1918 the rate for 1920 is the highest for any year in the annual mortality reports.

The following table shows the rates per 100,000 population for 1911 to 1920, rates of 20 and higher being in bold-faced type:

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	12.5	5.5	16.9	10.5	10.2	8.1	10.4	10.0	9.3	11.3
Registration states [2]	12.5	5.5	16.9	10.6	10.6	8.3	10.3	10.3	9.3	11.2
Cities in registration states [2]	11.7	4.8	15.1	9.4	9.8	8.0	9.2	9.4	8.2	10.7
Rural part of registration states	13.2	6.2	18.5	11.5	11.4	8.6	11.4	11.3	10.4	11.8
Registration cities in non-registration states	15.7	6.2	14.7	9.1	4.4	5.7	10.8	6.4	9.7	11.8
All registration cities [2]	11.8	4.8	15.1	9.4	9.1	7.7	9.4	8.9	8.4	10.9
REGISTRATION STATES.										
California	11.8	2.4	9.4	6.4	6.9	4.5	10.3	4.3	6.8	6.3
Colorado	26.4	5.0	15.9	6.4	5.1	10.1	9.1	7.8	12.0	6.9
Connecticut	15.6	4.3	20.1	7.9	12.1	11.4	11.2	7.5	9.9	13.9
Delaware	13.4	6.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	7.0	5.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.8	4.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	7.5	6.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	8.5	4.2	11.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	10.6	2.6	17.4	9.5	9.2	5.8	10.1	11.6	8.4	10.0
Kansas	12.0	2.9	12.5	7.3	5.3	10.4	8.8	(3)	(3)	(3)
Kentucky	15.9	9.0	37.2	20.8	13.4	8.4	14.9	23.3	15.0	19.0
Louisiana (total)	10.2	6.5	20.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	8.4	4.9	14.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	13.0	9.1	28.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	16.4	13.6	7.7	5.9	16.5	10.6	12.6	5.2	7.2	9.8
Maryland (total)	9.9	5.2	32.5	9.6	12.4	6.7	14.3	15.2	10.9	14.6
White	6.9	4.0	22.2	6.9	7.5	4.7	9.1	9.9	7.2	10.0
Colored	24.8	11.1	82.7	22.7	35.8	16.3	39.1	40.1	28.0	35.9
Massachusetts	13.8	8.5	18.3	6.3	10.9	12.9	8.4	8.6	9.7	14.8
Michigan	13.8	5.2	13.9	10.6	6.8	7.2	9.1	8.9	8.2	8.4
Minnesota	12.4	4.1	13.3	4.1	9.7	7.4	8.7	6.6	9.8	8.1
Mississippi (total)	8.8	8.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	5.8	6.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	11.5	10.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	9.0	5.8	15.4	9.7	11.2	8.2	12.8	9.3	12.5	13.0
Montana	9.1	2.4	12.3	8.5	16.2	7.7	4.0	10.6	13.5	6.8
Nebraska	18.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	8.1	14.7	22.7	12.5	12.1	11.0	11.9	9.4	9.7	12.3
New Jersey	13.0	3.0	18.5	9.8	9.3	8.7	9.5	12.9	7.2	12.7
New York	10.2	3.0	12.3	9.0	8.0	7.9	7.3	8.0	6.6	8.5
North Carolina (total)	13.9	8.6	28.1	22.8	16.5	[4] 14.3	[4] 16.5	[5] 28.2	[5] 24.3	[5] 45.9
White	11.4	7.6	20.4	17.6	10.5	10.0	12.3	22.9	17.4	21.7
Colored	19.5	10.9	45.8	34.5	30.0	22.5	24.4	38.0	37.1	90.5
Ohio	14.5	4.4	12.0	10.8	12.6	6.7	7.2	13.3	8.7	11.3
Oregon	6.0	0.8	6.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	13.6	5.8	17.8	10.5	12.4	7.0	11.6	11.2	10.2	12.8
Rhode Island	15.1	15.6	26.4	8.3	8.1	19.6	14.4	7.1	9.7	22.0
South Carolina (total)	22.0	13.3	45.5	12.4	17.2	(3)	(3)	(3)	(3)	(3)
White	18.0	9.1	25.6	3.7	9.8	(3)	(3)	(3)	(3)	(3)
Colored	25.8	17.1	63.9	20.3	23.9	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	12.6	8.4	24.1	17.8	(3)	(3)	(3)	(3)	(3)	(3)
White	11.5	8.0	21.7	15.9	(3)	(3)	(3)	(3)	(3)	(3)
Colored	17.3	9.9	33.6	25.6	(3)	(3)	(3)	(3)	(3)	(3)
Utah	24.7	2.5	13.5	3.7	7.6	20.8	12.1	10.0	17.9	6.8
Vermont	7.7	8.5	13.3	8.8	12.7	6.5	10.2	11.3	6.8	7.6
Virginia (total)	19.9	12.7	31.7	22.0	19.8	14.5	31.4	13.2	(3)	(3)
White	16.3	8.0	21.4	13.7	13.5	9.3	18.2	12.3	(3)	(3)
Colored	28.6	23.5	55.4	41.1	34.1	28.1	60.1	15.0	(3)	(3)
Washington	7.5	3.7	5.4	8.7	5.9	3.4	4.5	8.5	5.9	6.0
Wisconsin	11.3	4.8	7.6	8.2	7.0	7.7	5.7	7.4	8.3	8.7
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	16.0	10.7	30.1	33.4	4.3	8.2	28.1	16.2	27.2	20.2
White	10.9	4.6	29.6	9.8	2.0	1.0	21.5	17.8	10.3	23.8
Colored	23.9	20.1	31.0	69.8	7.8	19.3	38.1	13.7	53.1	14.6
Los Angeles, Calif.	9.0	2.5	5.5	3.7	10.0	2.6	2.5	6.8	10.1	5.5
Oakland, Calif.	5.0	3.3	13.1	3.5	2.6	10.2	15.7	1.2	9.7	3.8
San Francisco, Calif.	5.9	2.2	7.1	5.8	3.8	4.5	12.1	3.6	5.0	6.8
Denver, Colo.	19.7	4.3	11.6	0.8	1.2	6.8	3.9	5.7	11.6	5.5
Bridgeport, Conn.	16.5	.....	29.2	3.0	11.7	18.5	17.5	6.9	9.0	7.5
Hartford, Conn.	8.6	8.1	18.2	10.2	17.8	9.2	7.8	7.2	9.3	16.4
New Haven, Conn.	18.3	1.2	25.9	9.7	12.5	6.7	4.8	7.7	12.8	13.1
Wilmington, Del.	5.4	6.5	7.6	15.5	8.9	7.1	16.6	7.4	17.4	8.9
Washington, D. C. (total)	4.1	4.6	10.2	4.1	9.3	4.9	5.0	4.6	17.7	7.3
White	3.6	0.9	4.8	2.6	4.4	2.8	2.2	1.1	8.2	5.3
Colored	5.4	15.5	25.9	8.4	22.9	10.6	12.8	14.0	42.6	12.4
Atlanta, Ga. (total)	28.6	3.0	16.0	11.1	2.7	17.8	18.3	18.2	13.9	24.3
White	32.3	2.2	12.8	7.0	2.4	9.0	8.4	10.4	4.5	16.8
Colored	20.5	4.8	22.9	20.0	3.4	36.3	38.7	34.1	33.1	39.4
Chicago, Ill.	5.8	5.4	6.9	7.8	4.0	2.7	9.2	4.0	6.0	2.3
Indianapolis, Ind. (total)	8.8	1.0	15.2	7.1	8.8	6.2	6.0	13.9	1.2	7.4
White	7.8	1.1	14.4	4.6	5.9	5.7	3.8	13.7	0.9	5.5
Colored	16.9	.....	21.3	28.6	33.2	10.4	25.5	15.3	4.0	25.6
Kansas City, Kans. (total)	23.5	6.0	9.2	20.7	5.3	14.0	13.2	11.2	12.6	19.9
White	21.8	2.3	10.6	14.4	4.9	12.4	10.1	5.1	11.7	19.9
Colored	33.9	28.2	.....	60.7	7.9	24.7	34.4	54.0	18.9	19.9
Louisville, Ky. (total)	10.2	6.4	17.1	12.0	11.2	4.8	7.4	17.4	12.3	7.5
White	7.2	3.6	12.9	9.3	8.9	4.2	7.4	10.1	12.9	4.9
Colored	25.0	19.9	37.2	24.8	22.2	7.4	7.4	51.5	9.9	19.7
New Orleans, La. (total)	5.4	3.1	18.4	5.9	3.8	4.9	5.3	3.1	2.0	28.1
White	4.9	2.1	18.6	4.3	3.3	3.3	4.9	1.9	0.8	28.7
Colored	6.9	6.0	18.1	10.2	5.1	9.4	6.3	6.4	5.4	26.3
Baltimore, Md. (total)	7.6	2.9	38.0	5.8	9.9	3.5	14.0	6.7	7.5	8.1
White	5.2	2.3	28.2	5.2	7.3	2.6	8.2	4.9	4.9	5.8
Colored	21.0	6.5	88.6	9.0	23.6	8.4	44.9	16.4	21.2	20.6
Boston, Mass.	20.1	8.3	24.4	5.2	10.1	15.4	6.6	13.7	10.9	15.0
Cambridge, Mass.	21.8	11.0	29.4	3.7	10.2	12.1	9.4	9.4	6.6	22.8
Fall River, Mass.	11.6	9.1	24.1	18.3	14.2	22.5	18.4	11.7	5.0	18.4
Lowell, Mass.	18.6	3.6	17.9	6.3	10.0	17.3	8.2	4.6	13.0	15.9
New Bedford, Mass.	10.6	15.8	25.5	11.3	15.1	18.2	21.4	6.7	7.8	33.1
Springfield, Mass.	13.7	2.4	25.9	5.9	2.6	18.0	1.9	2.9	13.2	11.7
Worcester, Mass.	8.1	17.4	3.4	18.1	5.4	12.8	8.1	5.7	10.4	7.3
Detroit, Mich.	13.2	5.1	16.9	17.7	8.1	10.1	12.3	15.9	13.8	5.1
Grand Rapids, Mich.	17.3	4.4	6.7	9.1	4.7	1.6	4.9	0.8	1.7	5.2
Minneapolis, Minn.	12.5	2.9	21.4	5.0	7.7	4.9	13.1	4.6	2.8	15.4
St. Paul, Minn.	11.0	0.9	16.0	2.2	7.5	5.8	4.0	5.9	5.5	10.1
Kansas City, Mo.	11.6	2.2	12.8	16.1	2.7	3.8	11.7	8.8	4.5	10.1
St. Louis, Mo.	4.4	.....	22.4	4.3	10.0	3.4	12.2	3.8	9.1	4.0
Omaha, Nebr.	22.7	1.1	7.5	12.1	1.7	10.0	7.2	2.2	13.6	0.8
Camden, N. J.	11.9	4.3	32.8	9.0	16.6	6.6	19.2	25.6	4.0	14.4
Jersey City, N. J.	19.0	4.0	19.8	10.0	5.6	13.7	4.3	13.3	13.1	11.4
Newark, N. J.	14.1	1.5	12.9	14.3	6.7	9.1	6.1	11.6	5.2	12.4
Paterson, N. J.	3.7	0.7	14.1	7.5	2.3	6.9	5.4	8.5	2.3	12.6
Trenton, N. J.	7.5	8.5	14.7	10.6	11.7	2.8	21.6	7.7	2.9	21.1
Albany, N. Y.	7.0	4.4	14.3	1.8	11.9	14.1	4.8	9.6	16.5	.....
Buffalo, N. Y.	8.8	2.6	11.5	10.7	8.6	4.5	16.3	6.0	5.4	9.0
New York, N. Y.	11.4	3.0	12.1	9.3	7.3	7.6	5.1	7.9	5.4	7.6
Bronx borough	9.2	2.5	10.2	9.0	6.3	6.8	3.0	8.5	3.0	7.9
Brooklyn borough	9.8	3.3	8.8	8.8	4.9	4.6	4.2	7.3	4.9	5.1
Manhattan borough	13.5	3.0	13.7	10.2	9.5	10.1	6.3	7.8	6.3	8.8
Queens borough	10.9	2.8	20.7	7.8	6.5	8.4	4.7	10.1	6.4	2.3
Richmond borough	14.4	3.5	15.2	4.6	8.5	5.9	6.0	10.4	3.2	28.1

(See footnotes at end of table.)

AREA.	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION. [Rates of 20 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Rochester, N. Y.	7.4	1.7	20.3	7.0	9.1	9.4	2.4	11.7	4.7	8.9
Syracuse, N. Y.	5.8	2.9	16.2	5.5	14.4	5.8	12.5	4.7	11.0	12.0
Yonkers, N. Y.	13.9	2.0	15.5	7.4	10.8	13.2	6.8	13.9	2.4	13.4
Akron, Ohio	9.3	9.4	13.9	10.9	27.5	1.4	2.4	17.6	9.0	17.5
Cincinnati, Ohio	6.0	3.7	15.8	9.1	10.9	3.8	11.2	11.5	8.9	5.1
Cleveland, Ohio	9.7	3.9	7.1	16.7	6.0	10.9	6.6	9.7	5.2	14.4
Columbus, Ohio	11.3	0.9	17.1	2.2	13.3	4.7	6.8	12.5	2.1	11.7
Dayton, Ohio	16.2	8.6	6.1	10.5	5.0	6.6	11.3	2.3	12.8	9.1
Toledo, Ohio	10.5	8.8	6.4	10.2	5.5	11.7	6.6	4.2	14.1	14.7
Youngstown, Ohio	11.9	6.2	12.8	10.8	29.5	2.7	2.8	22.3	4.5	18.9
Portland, Oreg.	3.1	0.4	6.8	1.2	3.3	1.3	1.3	4.5	8.7	2.8
Philadelphia, Pa.	5.4	1.6	19.7	9.3	7.4	2.5	14.7	6.4	5.9	6.9
Pittsburgh, Pa.	14.2	8.7	24.5	10.5	19.2	8.0	9.1	15.6	10.4	18.9
Reading, Pa.	10.2	.....	16.9	9.5	7.7	5.8	13.0	9.1	3.1	8.2
Scranton, Pa.	12.3	1.5	19.0	5.9	3.7	3.7	15.8	8.3	9.1	4.6
Providence, R. I.	14.3	12.7	28.9	2.1	5.2	17.3	10.4	7.0	10.1	19.9
Memphis, Tenn. (total)	6.7	7.3	14.2	24.0	(6)	0.7	9.3	9.4	3.7	15.7
White	5.9	5.3	18.2	19.6	(6)	.....	4.6	7.1	3.6	12.4
Colored	8.1	11.0	7.4	31.4	(6)	1.9	16.8	13.2	3.8	20.8
Nashville, Tenn. (total)	26.1	5.9	9.4	6.9	(6)	2.6	21.1	8.9	33.9	33.2
White	22.9	7.3	9.9	3.7	(6)	3.8	14.2	7.8	21.1	28.0
Colored	33.7	2.8	8.4	14.0	(6)	.....	36.0	11.0	60.6	43.9
Dallas, Tex. (total)	5.0	5.7	12.3	.....	8.2	(3)	(3)	(3)	(3)	(3)
White	5.8	6.8	12.7	.....	8.9	(3)	(3)	(3)	(3)	(3)
Colored	.....	.....	9.7	.....	5.0	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	4.3	7.3	4.1	7.6	(3)	(3)	(3)	(3)	(3)	(3)
White	4.7	5.8	5.5	4.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	2.9	11.9	.....	16.4	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	11.5	5.1	5.3	13.1	5.8	19.0	5.6	2.5	18.9	2.9
Salt Lake City, Utah	13.4	0.9	14.1	2.7	1.8	.....	5.8	4.9	16.3	6.3
Norfolk, Va. (total)	6.0	7.0	53.5	8.4	16.5	8.1	37.6	9.8	7.9	50.8
White	4.1	4.2	17.5	4.6	11.1	6.6	24.1	1.8	3.8	13.9
Colored	9.1	11.6	112.2	14.7	25.2	10.4	58.7	22.0	14.2	105.3
Richmond, Va. (total)	23.1	11.2	13.1	26.7	29.0	6.3	49.7	11.0	3.7	31.3
White	6.7	9.5	7.0	12.6	12.9	.....	19.7	7.9	2.3	19.1
Colored	59.0	14.8	26.0	56.0	61.9	18.8	107.0	16.9	6.4	53.2
Seattle, Wash.	6.3	3.9	2.6	4.1	6.3	1.8	3.7	9.1	2.3	7.7
Spokane, Wash.	9.6	.....	3.8	2.9	4.8	14.4	.....	8.6	5.7	7.7
Milwaukee, Wis.	13.2	5.1	11.2	12.5	8.8	12.5	3.4	3.4	18.6	2.3

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Of the 33 states for which rates are shown for 1919 and 1920, 30 have higher rates in 1920. Colorado and Utah have the highest rates (26.4 and 24.7, respectively). The lowest rates are shown for Oregon (6), Florida (7), Washington (7.5), and Vermont (7.7). With the exception of ten, all the cities shown in the table have higher rates in 1920 than in 1919. Cities showing the highest rates in 1920 are Atlanta (28.6), Nashville (26.1), and Kansas City, Kans. (23.5). The lowest rates are for Paterson (3.7), Washington, D. C. (4.1), Houston (4.3), and St. Louis (4.4).

The rates for the colored are for the most part higher than for the white populations, the very high rate (59) appearing for the colored in Richmond.

DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title in the International List, but as deaths from "croup" are really deaths from diphtheria, the term croup is now seldom seen upon death certificates. As diphtheria is primarily a disease of childhood, the age constitution of populations must be considered in the study of the crude rates. Of the deaths from this cause in 1920, those of children under 5 years of age represent 57.1 per cent of the total.

The total number of deaths from diphtheria and croup in 1920 is 13,395, corresponding to a rate of 15.3 per 100,000 population. In 1900 the death rate from this cause in the registration area was 43.3. If we assume that these figures measure the reduction in the death rate from this cause in the United States since 1900, then in round numbers there is a saving of about 30,000 lives in 1920 to be credited to the advancement made in the treatment and prevention of this disease.

The following table shows the rates per 100,000 population for the years 1911 to 1920, rates of 40 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	15.3	14.7	13.9	16.6	14.5	15.7	17.9	18.9	18.2	18.9
Registration states [2]	15.4	14.8	13.9	15.7	14.0	15.3	17.3	18.2	17.6	18.3
Cities in registration states [2]	18.9	19.0	17.7	19.6	16.6	17.6	21.0	21.7	19.6	21.5
Rural part of registration states	12.1	11.2	10.5	12.3	11.7	12.9	13.8	14.7	15.5	15.1
Registration cities in non-registration states	12.8	10.5	10.9	28.1	21.0	21.2	25.1	26.5	25.2	24.8
All registration cities [2]	18.7	18.7	17.4	20.8	17.2	18.2	21.6	22.4	20.5	22.0
REGISTRATION STATES.										
California	13.2	7.9	7.1	6.6	9.5	10.7	9.3	6.6	5.8	6.5
Colorado	14.6	6.8	8.8	5.9	4.6	5.9	7.6	7.8	6.7	12.0
Connecticut	17.0	18.9	15.2	18.0	14.9	15.6	19.2	18.8	16.9	21.8
Delaware	12.0	17.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	7.1	5.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	8.3	7.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	4.8	2.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	17.3	16.2	18.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	12.3	11.3	14.9	15.6	13.7	10.8	13.9	18.5	19.1	14.1
Kansas	13.9	10.7	6.8	8.6	11.1	13.7	9.7	(3)	(3)	(3)
Kentucky	17.5	13.9	13.6	15.2	17.2	24.4	22.0	24.7	31.9	24.8
Louisiana (total)	6.1	6.4	5.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.7	6.9	6.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	5.3	5.7	4.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	8.3	6.5	8.0	9.6	7.6	11.2	11.4	11.7	13.2	10.1
Maryland (total)	13.2	15.6	9.6	9.7	12.2	13.3	13.0	15.1	15.2	12.8
White	14.9	17.3	10.6	10.7	13.5	14.6	14.2	15.7	16.8	13.0
Colored	4.5	7.4	4.9	5.0	5.8	7.1	7.1	12.2	7.6	12.0
Massachusetts	15.1	15.4	15.9	22.4	16.9	20.2	18.3	17.7	14.3	17.0
Michigan	23.8	20.8	19.4	24.9	14.9	11.0	10.1	21.9	15.5	16.2
Minnesota	10.3	12.9	12.3	10.9	7.5	8.6	16.2	10.1	7.8	14.9
Mississippi (total)	15.9	7.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	19.7	10.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	12.3	4.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	18.9	17.8	13.7	17.6	16.0	20.4	20.7	17.6	18.1	20.5
Montana	5.7	7.6	8.6	7.9	7.8	4.5	8.0	5.3	3.1	7.5
Nebraska	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	11.7	9.0	8.4	10.9	10.9	7.3	10.3	12.9	19.8	15.7
New Jersey	17.8	18.5	16.9	14.9	15.8	17.6	21.9	21.3	18.6	21.8
New York	18.5	20.0	17.5	17.4	15.4	17.9	21.1	19.9	17.5	21.1
North Carolina (total)	11.6	10.7	10.1	12.8	16.9	[4]11.7	[4]18.0	[5]12.6	[5]13.8	[5]10.4
White	13.6	12.2	11.7	14.6	19.6	15.4	20.4	11.8	15.0	10.7
Colored	6.9	7.1	6.5	8.7	10.7	4.7	13.4	14.1	11.6	9.8
Ohio	11.2	11.4	9.2	13.6	11.6	12.7	15.1	20.7	22.0	14.9
Oregon	5.7	6.6	4.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	19.8	21.4	20.9	23.9	19.8	19.8	23.7	26.2	25.8	27.1
Rhode Island	21.2	20.0	17.1	26.2	24.4	17.2	19.0	25.0	24.6	26.0
South Carolina (total)	11.9	9.7	8.4	9.6	8.5	(3)	(3)	(3)	(3)	(3)
White	15.6	13.4	11.4	12.0	11.6	(3)	(3)	(3)	(3)	(3)
Colored	8.3	6.1	5.6	7.5	5.7	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	16.6	13.8	12.0	14.7	(3)	(3)	(3)	(3)	(3)	(3)
White	18.2	14.7	13.3	16.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	9.8	9.9	6.6	8.5	(3)	(3)	(3)	(3)	(3)	(3)
Utah	7.3	9.0	16.5	10.0	14.9	11.8	9.6	8.3	5.9	22.2
Vermont	6.8	4.0	7.4	8.2	6.8	11.3	10.7	9.9	5.9	6.8
Virginia	14.4	12.1	9.6	9.8	14.2	17.0	15.7	14.1	(3)	(3)
White	17.2	13.6	10.7	11.4	16.7	18.9	17.8	16.4	(3)	(3)
Colored	7.7	8.5	7.0	6.3	8.8	12.9	11.0	9.1	(3)	(3)
Washington	9.2	9.7	6.5	3.8	2.9	3.2	3.8	3.5	6.0	8.5
Wisconsin	14.5	11.2	10.6	13.7	9.1	8.5	13.1	12.3	12.5	13.9

(See footnotes at end of table.)

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	6.6	9.6	5.2	7.8	5.5	11.4	9.8	2.0	10.5	9.4
White	10.0	11.1	6.7	9.8	4.1	10.4	10.8	2.2	12.6	10.7
Colored	1.4	7.2	2.9	4.6	7.8	12.9	8.3	1.7	7.1	7.3
Los Angeles, Calif.	12.2	5.1	10.2	7.6	3.9	8.4	6.9	10.0	6.2	6.3
Oakland, Calif.	11.8	9.4	5.3	2.5	13.0	9.7	13.4	14.0	9.1	6.9
San Francisco, Calif.	17.8	10.4	8.3	14.9	27.6	24.7	19.1	6.5	6.6	5.1
Denver, Colo.	23.2	10.6	11.2	8.6	1.7	3.4	4.3	8.3	5.8	16.9
Bridgeport, Conn.	30.2	29.7	25.5	18.8	17.9	24.9	36.7	19.9	14.4	14.0
Hartford, Conn.	20.0	17.6	12.9	29.7	18.6	16.7	15.5	26.8	39.0	41.4
New Haven, Conn.	11.6	9.9	17.1	16.8	15.8	22.8	19.2	16.1	12.1	18.9
Wilmington, Del.	14.4	24.2	18.1	12.6	9.9	11.1	18.7	8.5	10.8	22.2
Washington, D. C. (total)	14.2	27.8	9.7	8.5	8.8	7.0	7.7	7.4	4.2	5.5
White	14.8	28.2	11.8	8.9	9.2	7.0	8.3	8.6	5.8	6.5
Colored	12.6	26.4	3.7	7.5	7.6	6.8	5.9	4.0	.....	3.1
Atlanta, Ga. (total)	11.3	8.1	6.2	8.5	15.7	8.3	10.8	13.5	15.8	15.0
White	12.9	8.8	6.8	11.6	19.9	10.7	7.6	15.7	19.9	15.9
Colored	7.9	6.4	4.9	1.7	6.8	3.5	17.6	9.0	7.4	13.1
Chicago, Ill.	23.1	22.9	26.9	47.8	31.3	27.3	32.0	41.0	41.1	38.2
Indianapolis, Ind. (total)	8.5	17.1	29.7	38.0	19.3	7.7	10.9	18.5	14.4	16.9
White	9.6	17.0	32.2	37.2	20.0	8.2	11.7	19.8	15.1	15.1
Colored	.....	17.6	9.1	44.4	13.3	3.5	3.5	7.7	8.1	34.1
Kansas City, Kans. (total)	16.7	24.0	17.3	12.4	28.5	33.4	15.4	11.2	11.5	10.5
White	17.2	27.9	16.5	13.2	30.5	37.2	16.4	9.0	10.4	8.0
Colored	13.6	.....	21.9	7.6	15.8	8.2	8.6	27.0	18.9	29.8
Louisville, Ky. (total)	13.6	21.7	12.4	11.6	6.9	6.1	7.4	15.2	11.5	11.9
White	12.8	23.7	14.0	12.5	7.8	6.8	8.4	16.9	13.4	13.5
Colored	17.5	12.4	5.0	5.0	2.5	2.5	2.5	7.4	2.5	4.9
New Orleans, La. (total)	5.4	4.4	5.0	8.3	10.0	31.0	31.1	31.8	16.6	7.2
White	6.3	4.9	5.7	7.6	10.3	29.7	28.3	31.4	19.0	6.7
Colored	2.9	3.0	3.0	9.2	9.3	34.4	39.1	33.1	9.7	8.8
Baltimore, Md. (total)	13.7	19.9	10.6	9.4	10.0	12.8	14.5	14.7	15.6	12.0
White	15.4	22.4	12.5	11.0	10.8	14.9	15.7	16.4	17.3	13.1
Colored	3.7	5.6	1.0	1.0	6.2	2.1	8.6	5.5	6.7	5.7
Boston, Mass.	19.7	20.4	29.7	37.8	25.6	30.3	23.6	22.6	15.6	20.1
Cambridge, Mass.	6.4	4.6	11.0	14.8	14.8	26.1	15.9	13.2	24.5	39.8
Fall River, Mass.	32.4	20.8	22.4	30.8	16.7	27.5	21.7	28.4	26.8	22.6
Lowell, Mass.	18.6	22.2	16.1	24.3	39.8	23.7	23.8	32.3	15.8	15.9
New Bedford, Mass.	26.1	18.3	17.0	14.8	9.8	23.7	19.6	32.5	18.6	10.0
Springfield, Mass.	12.1	19.6	25.1	52.9	10.5	9.9	12.2	15.6	16.3	9.6
Worcester, Mass.	7.7	11.2	12.0	24.0	14.3	13.4	11.8	22.9	21.5	24.0
Detroit, Mich.	37.0	32.0	29.8	47.8	32.5	15.6	23.0	47.6	32.3	31.7
Grand Rapids, Mich.	28.1	8.1	23.9	26.6	7.1	12.0	26.9	44.1	12.7	10.4
Minneapolis, Minn.	11.4	18.1	23.9	18.9	19.6	18.3	43.2	17.1	14.1	23.8
St. Paul, Minn.	24.6	33.4	25.0	17.8	9.7	13.3	30.9	19.4	10.9	33.1
Kansas City, Mo.	14.0	12.2	19.5	28.9	28.6	24.6	24.2	12.8	10.2	12.4
St. Louis, Mo.	31.0	33.4	16.9	29.7	21.3	26.7	35.2	29.5	21.4	17.6
Omaha, Nebr.	25.3	10.5	27.4	9.9	20.1	21.7	40.9	15.5	8.3	14.8
Camden, N. J.	15.3	20.0	17.7	28.0	26.7	28.2	23.1	39.3	50.3	38.0
Jersey City, N. J.	23.7	33.7	20.8	21.0	15.0	20.8	32.4	26.6	15.7	21.4
Newark, N. J.	11.2	9.7	11.6	6.5	9.7	5.7	11.4	18.7	14.3	16.0
Paterson, N. J.	21.3	16.3	16.4	12.8	14.4	14.5	16.1	10.1	21.1	16.6
Trenton, N. J.	6.6	11.9	15.5	11.5	17.1	24.8	22.5	26.9	11.8	27.1
Albany, N. Y.	10.5	8.0	7.2	9.1	11.0	16.9	12.4	22.1	28.2	24.6
Buffalo, N. Y.	60.1	59.1	23.1	22.7	14.5	16.4	14.6	9.5	14.5	25.1
New York, N. Y.	18.8	22.2	22.6	21.5	19.6	24.3	29.3	26.9	22.8	26.1
Bronx borough	13.1	24.1	19.4	17.0	16.8	24.0	32.2	27.1	18.8	25.6
Brooklyn borough	18.7	21.1	20.5	19.0	19.6	23.3	25.7	26.2	22.9	23.2
Manhattan borough	19.4	22.9	25.8	25.4	21.0	26.2	33.2	28.3	24.3	28.9
Queens borough	23.2	21.3	21.3	18.8	16.7	20.1	23.6	24.6	18.4	21.2
Richmond borough	26.2	20.9	17.0	19.3	15.2	18.6	9.1	13.5	19.4	23.4
Rochester, N. Y.	27.8	16.1	14.1	19.3	9.1	7.1	11.7	17.2	27.1	41.2
Syracuse, N. Y.	17.3	14.7	14.4	20.9	13.2	10.3	10.5	14.1	17.2	25.4
Yonkers, N. Y.	22.7	12.1	16.5	25.3	16.2	9.9	30.5	39.3	34.3	21.9
Akron, Ohio	17.2	12.4	16.0	40.8	17.5	9.2	6.3	23.8	38.1	37.3
Cincinnati, Ohio	13.2	13.7	11.0	12.8	15.9	12.2	18.6	13.3	15.9	12.2
Cleveland, Ohio	16.2	24.1	14.0	20.9	17.8	23.6	24.5	35.2	26.7	21.9
Columbus, Ohio	7.1	3.0	3.1	10.8	8.7	10.9	8.7	10.5	20.5	12.8
Dayton, Ohio	10.4	5.3	8.2	9.8	15.0	14.0	16.6	33.5	40.1	9.1
Toledo, Ohio	20.7	11.3	12.0	16.4	15.6	15.1	16.7	22.0	32.1	24.3
Youngstown, Ohio	8.2	16.9	12.0	17.5	5.2	7.2	18.9	45.6	57.0	47.2
Portland, Oreg.	5.8	7.8	9.1	4.0	2.9	7.3	11.4	5.9	6.4	12.7
Philadelphia, Pa.	22.6	24.3	21.6	25.4	22.6	18.9	19.3	21.4	23.6	31.0
Pittsburgh, Pa.	20.1	17.6	21.3	24.4	22.2	27.4	28.3	36.9	31.5	23.5
Reading, Pa.	16.6	27.0	22.5	17.1	10.5	9.7	32.1	39.4	42.8	39.1
Scranton, Pa.	16.6	16.0	21.2	29.5	18.5	29.8	24.0	33.2	25.8	13.0
Providence, R. I.	29.0	32.5	24.6	34.2	32.6	23.8	25.6	31.0	33.9	25.2
Memphis, Tenn. (total)	12.2	15.4	8.8	17.2	(6)	13.4	15.8	10.2	10.3	16.5
White	11.8	12.6	10.7	21.8	(6)	17.0	12.8	8.3	7.3	16.1
Colored	13.0	20.2	5.5	9.2	(6)	7.5	20.6	13.2	15.1	17.1
Nashville, Tenn. (total)	10.1	11.0	6.8	2.6	(6)	8.7	9.7	7.1	7.1	8.1
White	13.2	15.8	7.4	3.7	(6)	8.9	11.6	9.1	9.2	10.7
Colored	2.8	.....	5.6	.....	(6)	8.3	5.5	2.8	2.8	2.7

AREA.	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Dallas, Tex. (total)	14.9	15.3	6.1	7.9	4.1	(3)	(3)	(3)	(3)	(3)
White	16.1	15.8	7.3	9.4	3.9	(3)	(3)	(3)	(3)	(3)
Colored	8.3	12.5	.....	.....	5.0	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	10.0	8.1	7.4	8.4	(3)	(3)	(3)	(3)	(3)	(3)
White	12.3	10.7	9.9	8.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	2.9	.....	.....	9.8	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	14.6	10.8	6.6	10.4	11.6	11.4	18.4	4.2	15.3	7.6
Salt Lake City, Utah	9.2	9.4	23.0	7.2	14.8	29.3	13.5	5.9	4.1	27.2
Norfolk, Va. (total)	7.7	7.9	3.6	3.8	1.0	3.0	8.4	4.3	7.9	7.1
White	10.9	11.3	5.8	3.0	1.6	3.3	10.3	5.4	9.4	9.9
Colored	2.3	2.3	.....	4.9	.....	2.6	5.3	2.7	5.7	2.9
Richmond, Va. (total)	11.6	8.8	7.8	5.5	3.1	3.8	2.9	5.9	6.0	9.9
White	13.5	11.2	7.9	7.2	4.6	4.7	3.3	9.0	7.0	14.3
Colored	7.4	3.7	7.4	1.9	.....	1.9	2.1	.....	4.2	2.1
Seattle, Wash.	10.6	13.8	7.9	2.4	2.4	0.7	2.6	4.9	4.7	8.9
Spokane, Wash.	12.4	1.9	4.8	5.7	1.0	7.7	4.8	1.0	5.7	8.6
Milwaukee, Wis.	26.9	22.5	11.4	23.3	18.1	23.4	33.7	35.7	24.8	20.5

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

A higher rate is shown for diphtheria and croup in 1920 than in 1919 for the registration area and for 19 of the 33 states which have comparable rates for these two years. The highest rates among the states are for Michigan (23.8), Rhode Island (21.2), Pennsylvania (19.8), Missouri (18.9), and New York (18.5). Very low rates are shown for Montana and Oregon (each 5.7), Louisiana (6.1), and Vermont (6.8).

Among the registration cities of 100,000 population or more in 1920, the highest rates in 1920 are for Buffalo (60.1), Detroit (37), Fall River (32.4), St. Louis (31), and Bridgeport (30.2). Of these cities the rates for Buffalo and Fall River are higher in 1920 than in any year of the series 1911 to 1920. The cities with low rates are New Orleans (5.4), Portland (5.8), Cambridge (6.4), and Birmingham and Trenton (each 6.6). Five cities, Worcester, Minneapolis, Camden, Trenton, and New York show lower rates in 1920 than in any year shown in the table.

Of the 8 states and 14 cities shown by color all but 2 of the cities have lower rates for the colored than for the white.

INFLUENZA AND PNEUMONIA (ALL FORMS).

The mortality rate from influenza and pneumonia (all forms) for the registration area in 1920 is 208.3 against 222.3 in 1919, and 587 in 1918.

An epidemic of considerable proportions marked the early months of 1920—an epidemic which caused 33 per cent as many deaths as the great pandemic of 1918–19. This statement is based on the number of deaths charged to influenza and pneumonia (all forms)

in the registration states of 1918 for the 12-month period July 1, 1918, to June 30, 1919, and the number of deaths from these causes in the same area in 1920.

For the states the highest rates are found for Colorado (287.1), Missouri (261.2), Utah (252.4), Pennsylvania (251.4), and South Carolina (247.3), and the lowest rates are for Nebraska (143.1), Minnesota (148.8), Montana (157.8), Louisiana (158.8), and Mississippi (161.3).

For the cities the highest rates appear for Pittsburgh (437.1), Kansas City, Mo. (353.6), Denver (348.3), Youngstown (329.6), and Akron (318.1), and the lowest rates are for Los Angeles (118.8), Grand Rapids (147), Seattle (157.6), Portland (162.8), and Yonkers (163).

AREA.	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	208.3	222.3	587.0	167.8	164.3	149.1	136.4	144.8	142.7	149.6
Registration states [2]	207.3	221.8	584.6	165.8	164.7	147.2	133.7	141.6	138.6	145.6
Cities in registration states [2]	229.7	234.7	667.6	192.1	185.6	168.7	157.2	165.3	160.1	164.6
Rural part of registration states	186.3	210.5	509.8	142.7	145.7	125.8	110.7	117.7	116.3	126.3
Registration cities in nonregistration states	261.0	250.1	696.0	192.4	158.4	173.4	170.8	182.8	187.0	193.0
All registration cities [3]	230.7	235.2	668.9	192.1	181.9	169.4	159.1	167.9	164.3	169.0
REGISTRATION STATES.										
California	164.5	214.7	537.8	115.7	112.7	102.4	95.9	116.2	117.7	109.0
Colorado	287.1	253.5	766.5	142.8	122.2	170.5	125.6	130.5	130.3	150.9
Connecticut	221.5	224.5	767.7	226.4	229.1	169.2	164.5	165.2	158.2	175.8
Delaware	207.1	289.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Florida (total)	164.4	164.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	153.5	146.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	185.9	200.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Illinois	213.2	187.9	498.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Indiana	211.7	213.7	408.1	146.2	147.1	126.1	113.5	111.0	118.8	117.7
Kansas	180.5	188.1	474.4	144.7	128.2	116.7	79.2	(2)	(2)	(2)
Kentucky	197.6	284.6	537.3	144.7	152.7	118.0	123.5	116.1	117.4	116.8
Louisiana (total)	158.8	229.7	537.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	137.8	210.4	444.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	192.1	259.6	678.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Maine	228.6	229.2	589.4	190.6	189.8	166.0	160.7	169.6	154.6	167.5
Maryland (total)	200.7	238.4	803.6	205.6	202.1	171.0	166.7	159.5	143.0	162.6
White	175.6	204.4	758.5	162.2	167.5	140.3	138.9	130.7	115.0	132.8
Colored	324.6	404.9	1023.3	415.3	367.5	316.8	297.9	294.8	272.6	300.1
Massachusetts	197.0	207.8	726.7	184.4	193.4	170.7	162.8	165.1	159.7	165.1
Michigan	233.6	192.2	389.3	139.5	133.6	111.9	95.9	104.5	100.3	106.9
Minnesota	148.8	166.9	390.5	105.6	104.2	100.3	102.3	89.7	75.3	103.8
Mississippi (total)	161.3	261.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	130.8	189.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	189.3	327.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Missouri	261.2	206.1	476.6	181.4	167.9	144.2	120.4	132.0	131.3	146.2
Montana	157.8	225.4	762.7	145.9	122.1	117.7	107.8	124.2	97.3	92.8
Nebraska	143.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
New Hampshire	199.0	231.6	751.6	193.7	177.1	153.2	145.9	164.1	145.8	172.4
New Jersey	191.9	226.5	769.4	189.7	203.5	163.4	161.6	160.2	152.5	163.9
New York	205.4	233.7	598.2	195.2	187.4	185.2	167.5	185.7	183.9	194.4
North Carolina (total)	218.1	234.4	503.1	122.1	129.6	[4]148.4	[4]168.5	[5]135.6	[5]150.1	[5]174.0
White	195.2	190.0	423.9	102.2	105.9	102.2	121.9	87.5	96.8	105.7
Colored	271.0	336.4	683.1	167.2	182.6	235.7	256.7	224.2	248.1	299.6
Ohio	201.4	222.0	494.3	160.3	161.9	135.2	114.5	122.5	121.2	122.4
Oregon	168.8	189.1	334.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Pennsylvania	251.4	236.5	883.1	211.1	202.2	168.9	157.6	167.0	156.8	155.3
Rhode Island	223.0	239.2	681.2	211.9	195.8	185.8	157.2	164.4	169.1	163.9
South Carolina (total)	247.3	291.5	632.6	137.4	131.9	(2)	(2)	(2)	(2)	(2)
White	197.4	215.8	528.0	106.4	104.5	(2)	(2)	(2)	(2)	(2)
Colored	294.8	362.6	729.5	165.8	156.5	(2)	(2)	(2)	(2)	(2)
Tennessee (total)	220.0	234.8	476.0	135.3	(2)	(2)	(2)	(2)	(2)	(2)
White	194.3	207.1	423.4	114.9	(2)	(2)	(2)	(2)	(2)	(2)
Colored	328.1	349.8	691.1	217.5	(2)	(2)	(2)	(2)	(2)	(2)
Utah	252.4	270.8	508.8	123.6	128.6	119.5	121.3	116.7	110.1	117.8
Vermont	236.8	228.9	597.2	205.2	205.0	150.0	134.8	177.9	164.4	173.9
REGISTRATION STATES—CON.										
Virginia (total)	202.9	267.2	621.1	145.4	157.5	131.1	117.0	103.1	(2)	(2)
White	169.6	210.8	581.2	110.6	117.6	102.0	88.5	80.4	(2)	(2)
Colored	281.7	398.4	712.8	224.4	246.7	195.7	179.5	152.3	(2)	(2)
Washington	175.7	187.9	411.5	76.5	81.2	78.4	62.1	72.7	59.2	76.9
Wisconsin	178.1	178.5	405.6	134.8	137.9	119.6	101.8	99.6	92.4	98.1
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	304.6	319.1	843.6	334.7	168.4	158.1	198.3	168.6	214.7	166.7
White	200.0	218.3	676.3	140.6	98.3	114.7	131.3	66.7	136.8	104.8
Colored	466.2	494.9	1101.8	634.3	276.6	225.0	301.8	325.2	331.5	261.8
Los Angeles, Calif.	118.8	186.8	484.5	93.3	90.0	87.4	80.5	119.0	117.2	103.3
Oakland, Calif.	182.1	238.2	496.9	96.3	86.7	98.6	91.2	126.7	119.8	109.9
San Francisco, Calif.	195.6	283.3	647.7	126.4	130.1	130.6	120.6	137.7	124.8	135.0
Denver, Colo.	348.3	228.5	727.7	134.4	143.6	184.8	147.8	116.8	134.9	161.4
Bridgeport, Conn.	240.9	272.3	825.4	304.0	357.7	206.0	189.9	185.7	166.9	153.9
Hartford, Conn.	272.0	319.8	876.5	337.6	289.7	211.9	194.2	224.4	177.1	245.7
New Haven, Conn.	270.6	212.3	768.0	236.0	258.4	207.9	197.1	197.7	231.1	232.5
Wilmington, Del.	235.5	282.3	1058.5	304.9	258.8	219.0	190.7	167.5	174.7	224.4
Washington, D. C. (total)	234.0	225.9	758.0	166.8	171.8	189.8	139.4	135.7	153.4	180.9
White	176.2	172.6	694.3	114.0	118.6	129.9	95.8	79.7	96.2	119.3
Colored	406.2	382.1	942.0	316.9	320.9	354.9	257.4	234.6	302.4	338.4
Atlanta, Ga. (total)	311.5	291.4	478.4	171.2	161.1	165.7	164.4	182.9	224.9	239.4
White	222.9	208.8	362.2	85.2	76.6	99.3	94.6	83.8	129.2	138.2
Colored	506.5	471.9	730.3	355.8	340.7	305.5	309.8	376.8	437.8	443.0
Chicago, Ill.	223.9	191.5	516.6	201.7	168.4	172.7	181.4	209.5	216.6	208.7
Indianapolis, Ind. (total)	240.9	240.6	459.4	156.6	153.7	146.7	142.8	127.5	136.9	118.4
White	218.0	218.5	440.6	136.3	140.9	132.9	133.7	117.7	117.3	101.3
Colored	423.2	419.0	615.2	326.8	261.9	264.5	222.4	214.4	314.9	277.4
Kansas City, Kans. (total)	289.0	246.7	750.6	205.1	163.8	246.6	150.5	182.7	161.5	177.7
White	277.0	242.0	758.5	180.0	142.7	216.9	134.7	169.0	138.1	169.6
Colored	359.8	274.7	701.6	364.4	300.5	445.2	258.2	279.2	331.0	203.6
Louisville, Ky. (total)	197.2	357.8	1012.9	209.5	185.2	156.5	172.7	163.7	145.0	139.3
White	161.3	310.9	1012.3	162.1	147.2	111.2	134.3	121.2	106.2	98.7
Colored	371.8	585.0	1015.5	435.9	365.7	369.6	351.5	360.5	323.2	324.9
New Orleans, La. (total)	221.9	333.7	768.6	178.5	144.9	245.8	219.2	185.1	170.0	183.7
White	159.2	296.8	679.7	116.8	88.8	165.1	148.6	115.9	112.6	126.0
Colored	399.4	437.9	1019.0	352.0	302.8	472.3	417.1	378.5	350.4	363.2
Baltimore, Md. (total)	228.7	230.6	836.5	251.9	249.6	207.1	216.6	210.8	187.8	210.1
White	197.5	202.5	787.8	188.5	203.3	169.3	177.2	166.1	145.5	164.2
Colored	408.3	392.0	1086.9	580.5	492.1	406.0	426.6	451.1	417.7	461.6
Boston, Mass.	247.1	256.3	844.7	228.0	231.5	214.6	199.6	205.9	210.2	215.1
Cambridge, Mass.	201.0	180.0	676.5	164.2	177.0	157.3	171.1	185.0	157.6	162.2
Fall River, Mass.	186.7	216.8	799.7	229.7	286.5	213.5	248.8	277.4	209.1	200.1
Lowell, Mass.	224.6	198.4	696.1	183.6	197.4	191.3	155.8	148.5	157.8	154.0
New Bedford, Mass.	244.1	222.6	895.1	228.0	211.8	195.7	193.0	216.7	174.1	191.5
Springfield, Mass.	172.4	235.3	751.5	185.5	195.7	163.3	150.9	161.2	127.3	163.9
Worcester, Mass.	241.8	248.9	727.1	192.3	239.3	188.9	171.2	182.0	193.3	170.5
Detroit, Mich.	316.7	242.4	413.4	194.7	179.6	148.1	137.7	175.5	160.5	135.3
Grand Rapids, Mich.	147.0	93.8	282.7	89.6	80.1	100.0	81.6	69.9	52.6	122.1
Minneapolis, Minn	191.4	169.4	387.7	126.3	124.1	121.6	128.7	109.6	94.9	115.6
St. Paul, Minn.	176.9	145.9	480.6	112.0	97.6	127.8	124.4	89.9	83.9	99.0
Kansas City, Mo.	353.6	301.1	718.1	205.0	138.7	176.1	125.1	125.4	118.2	171.0
St. Louis, Mo.	262.9	202.3	536.5	227.0	200.4	156.7	164.6	152.5	167.0	165.1
Omaha, Nebr.	225.9	191.8	660.8	207.1	182.7	160.9	131.3	120.8	149.1	177.5
Camden, N. J.	251.2	290.8	1259.0	283.2	261.8	245.7	245.2	202.5	173.0	197.5
Jersey City, N. J.	233.9	317.0	756.6	221.8	211.3	211.2	179.4	202.3	180.2	208.4
Newark, N. J.	214.4	213.3	680.4	184.0	187.0	146.6	197.3	151.2	165.7	168.1
Paterson, N. J.	188.5	235.7	683.6	192.2	226.3	159.4	157.6	172.1	170.8	149.7
Trenton, N. J.	230.8	224.3	1071.6	209.7	321.1	218.6	229.9	226.4	186.4	228.8
Albany, N. Y.	181.6	244.8	679.1	187.4	191.2	187.1	140.7	152.8	203.1	166.1
Buffalo, N. Y.	183.9	206.2	637.5	184.0	173.5	168.7	147.3	152.3	165.9	153.4
New York, N. Y.	224.9	265.8	582.5	204.5	200.0	212.1	191.4	205.7	202.8	220.2
Bronx borough	177.5	241.4	540.7	166.1	147.9	181.5	150.9	168.3	160.8	165.4
Brooklyn bor.	217.0	268.6	600.2	211.5	215.9	209.8	186.1	205.7	203.3	217.4
Manhattan bor.	257.4	278.3	580.1	214.4	205.9	231.6	213.0	220.9	217.8	241.7
Queens bor.	183.7	222.0	537.0	181.1	174.8	162.6	155.1	164.5	153.5	159.6
Richmond bor.	198.1	294.8	760.3	193.3	194.3	183.7	145.1	191.5	200.1	212.8
Rochester, N. Y.	126.1	152.8	522.7	151.7	128.3	121.8	143.0	156.9	152.5	122.7
Syracuse, N. Y.	246.3	155.9	704.6	155.2	141.8	120.5	141.5	187.2	144.8	121.4
Yonkers, N. Y.	163.0	191.7	542.1	172.7	187.4	159.8	119.6	178.0	165.8	172.4
Akron, Ohio	318.1	274.9	560.9	156.5	135.6	103.5	80.9	104.0	114.4	108.4
Cincinnati, Ohio	189.1	253.2	605.4	171.3	178.5	163.4	153.1	168.0	168.3	141.2
Cleveland, Ohio	203.1	260.5	590.9	198.5	187.8	155.1	112.6	127.8	111.8	105.0
Columbus, Ohio	243.1	213.5	451.9	168.1	187.2	136.5	121.2	121.6	124.8	134.9
Dayton, Ohio	176.2	154.6	525.2	157.8	150.5	142.7	102.1	130.0	123.4	133.0
Toledo, Ohio	166.6	181.9	401.0	152.4	159.6	126.8	107.5	94.7	113.6	125.4
Youngstown, Ohio	329.6	410.8	977.8	356.5	293.8	221.4	108.7	263.3	226.9	233.6

(See footnotes at end of table.)

AREA.	DEATH RATE FROM INFLUENZA AND PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Portland, Oreg.	162.8	246.4	448.2	72.4	77.4	69.6	74.5	90.6	65.7	88.2
Philadelphia, Pa.	239.2	222.9	932.5	228.0	194.4	189.2	176.4	153.7	140.8	170.3
Pittsburgh, Pa.	437.1	431.8	1243.6	380.4	364.3	260.1	249.8	295.1	273.0	219.8
Reading, Pa.	211.6	162.1	762.8	195.3	199.9	99.8	100.2	113.2	106.0	85.4
Scranton, Pa.	311.9	247.5	985.7	240.9	226.1	223.7	254.4	226.4	211.9	215.5
Providence, R. I.	252.2	253.3	737.4	221.7	219.0	191.4	179.1	176.7	179.4	177.0
Memphis, Tenn. (total)	311.4	340.6	666.1	219.0	(6)	179.3	178.3	192.6	210.9	223.1
White	216.6	261.5	608.0	124.5	(6)	111.4	91.6	112.6	134.4	130.0
Colored	469.2	478.6	766.0	379.0	(6)	290.7	318.2	319.4	330.2	365.6
Nashville, Tenn. (total)	304.9	301.0	910.2	188.6	(6)	179.9	197.0	170.0	213.1	258.7
White	238.1	223.7	844.0	147.0	(6)	130.0	127.6	114.7	121.3	154.9
Colored	460.8	479.1	1060.4	281.8	(6)	288.7	346.0	287.1	404.8	472.3
Dallas, Tex. (total)	199.3	170.8	615.8	119.6	81.4	(3)	(3)	(3)	(3)	(3)
White	172.4	145.9	572.8	97.3	67.9	(3)	(3)	(3)	(3)	(3)
Colored	351.1	308.7	845.8	236.3	149.8	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	194.6	204.0	519.7	109.9	(3)	(3)	(3)	(3)	(3)	(3)
White	143.5	185.2	485.8	98.0	(3)	(3)	(3)	(3)	(3)	(3)
Colored	352.5	261.2	618.5	143.9	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	194.3	168.3	735.9	216.2	112.3	127.1	139.6	140.6	169.7	138.6
Salt Lake City, Utah	270.8	256.6	522.9	119.0	146.1	109.6	108.2	99.0	128.6	113.0
Norfolk, Va. (total)	249.9	344.9	795.1	180.1	220.4	179.2	171.4	161.9	168.6	166.4
White	101.9	257.9	739.8	83.5	94.8	98.8	70.4	71.9	99.8	83.1
Colored	396.8	488.4	885.6	335.9	420.8	305.8	328.2	299.6	272.2	289.7
Richmond, Va. (total)	238.8	269.5	661.0	199.5	207.0	209.9	194.4	174.7	186.4	174.2
White	143.1	175.3	555.8	107.7	112.0	131.5	100.8	101.3	113.6	101.3
Colored	448.4	472.4	883.4	390.2	401.2	367.0	373.6	312.0	319.8	304.2
Seattle, Wash.	157.6	189.8	425.5	58.9	61.2	74.7	64.0	77.4	59.0	61.0
Spokane, Wash.	251.8	210.7	487.4	102.5	89.0	91.9	83.3	93.9	74.7	142.7
Milwaukee, Wis.	210.1	187.7	474.1	186.3	172.2	158.9	122.6	129.6	133.5	98.7

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

INFLUENZA.

The number of deaths from influenza in 1920 is 62,097, corresponding to a rate of 71 per 100,000 population, as against 84,113 deaths in 1919 and a rate of 98.8.

With the exception of Delaware and New Jersey, every state has a rate of 40 or more in 1920. However, only one state, Missouri, has a higher rate in 1920 than in 1919. Those showing very high rates in 1920 (all over 100) are South Carolina (137.2), Utah (126.4), North Carolina (116.2), Colorado (110.8), and Tennessee (102.8). The lowest rates are for Delaware (28.6) and New Jersey (37.7). Among the registration cities of 100,000 population or more in 1920, 16 have rates below 40 and 9 have rates above 100. Nashville (123) has the highest rate and Rochester (22.1) the lowest for 1920. The rate for the colored is higher than the rate for the white in every state and every city shown by color.

The following table shows the rates per 100,000 population for the years 1911 to 1920, rates of 40 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area[1]	71.0	98.8	300.8	17.3	26.5	16.0	9.1	12.2	10.3	15.7
Registration states[2]	70.5	98.5	299.8	17.5	27.2	15.9	9.0	12.4	10.1	15.8
Cities in registration states[2]	61.2	81.6	298.3	12.7	19.2	11.8	6.8	8.5	7.1	10.4
Rural part of registration states	79.3	113.2	301.1	21.9	34.5	19.9	11.1	16.2	13.1	21.3
Registration cities in nonregistration states	97.3	114.0	347.4	14.2	16.2	18.4	10.8	10.3	12.9	14.3
All registration cities[2]	62.4	82.8	300.5	12.9	18.8	12.7	7.4	8.8	8.0	11.0
REGISTRATION STATES.										
California	62.8	116.8	309.9	9.0	13.4	8.1	4.8	10.1	8.2	8.4
Colorado	110.8	129.2	455.6	15.8	14.2	14.9	5.6	5.7	7.2	12.5
Connecticut	65.8	90.3	423.5	24.4	37.5	18.0	13.6	16.4	14.5	23.3
Delaware	28.6	104.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	84.4	91.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	81.9	81.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	89.3	111.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	79.5	80.6	251.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	78.0	103.6	198.1	21.1	34.0	16.9	9.3	14.2	14.5	18.3
Kansas	83.1	101.1	251.3	31.0	41.3	26.7	9.8	(3)	(3)	(3)
Kentucky	75.9	160.2	322.7	24.5	41.6	19.7	14.8	16.9	16.7	17.8
Louisiana (total)	50.7	119.5	304.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	45.0	115.7	242.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	59.8	125.5	398.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	76.8	105.3	334.4	30.9	49.8	25.7	12.2	23.0	11.5	25.3
Maryland (total)	47.4	85.5	362.5	16.7	25.2	14.8	10.9	14.4	12.1	16.5
White	42.4	72.9	355.1	14.6	22.6	13.5	9.8	12.7	10.2	13.9
Colored	72.1	147.0	398.7	26.9	37.4	20.9	16.0	22.4	20.8	28.6
Massachusetts	40.9	73.9	341.9	12.6	18.5	8.6	6.0	9.3	7.0	10.1
Michigan	81.3	83.4	190.2	15.5	27.9	16.1	9.5	11.0	10.1	18.0
Minnesota	69.8	88.8	249.9	9.5	18.2	10.6	4.8	8.5	3.4	8.4
Mississippi (total)	58.5	168.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	49.3	118.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	66.9	213.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	97.1	77.5	211.3	24.1	35.5	21.5	10.4	17.1	15.2	26.0
Montana	54.5	127.2	513.6	8.5	11.9	8.7	4.9	6.9	4.1	3.8
Nebraska	57.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	68.3	111.4	457.4	33.0	35.3	29.0	17.2	16.6	13.8	26.6
New Jersey	37.7	67.8	303.0	13.9	23.4	11.0	7.3	8.9	7.2	11.3
New York	45.2	67.3	224.0	14.9	19.9	13.3	8.1	11.1	8.1	14.6
North Carolina (total)	116.2	149.6	320.4	16.3	26.1	[4]19.1	[4]18.6	[5]18.1	[5]20.5	[5]24.2
White	107.8	119.2	278.9	16.3	23.4	17.9	15.2	15.7	14.2	21.7
Colored	135.6	219.5	414.7	16.4	32.1	21.3	25.1	22.5	32.0	28.7
Ohio	65.5	99.3	258.8	17.5	30.2	18.5	10.0	13.9	11.4	21.6
Oregon	61.0	109.2	208.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	69.7	79.4	464.7	17.8	30.8	17.8	9.4	12.4	10.1	14.7
Rhode Island	59.9	94.5	368.5	21.4	28.0	13.2	8.6	13.3	8.1	9.6
South Carolina (total)	137.2	189.3	380.3	18.5	26.7	(3)	(3)	(3)	(3)	(3)
White	109.8	134.7	294.9	12.9	23.0	(3)	(3)	(3)	(3)	(3)
Colored	163.3	240.6	459.5	23.7	30.0	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	102.8	132.7	272.5	24.6	(3)	(3)	(3)	(3)	(3)	(3)
White	93.8	119.2	254.3	23.4	(3)	(3)	(3)	(3)	(3)	(3)
Colored	140.6	188.7	346.9	29.5	(3)	(3)	(3)	(3)	(3)	(3)
Utah	126.4	180.3	324.9	10.5	15.6	13.0	6.4	11.3	7.2	6.5
Vermont	84.3	103.8	395.5	43.0	78.9	32.5	20.0	35.8	23.9	44.2
Virginia (total)	99.5	168.0	417.1	20.7	32.9	18.7	12.0	13.3	(3)	(3)
White	87.9	135.0	422.7	18.9	29.6	17.1	10.9	12.4	(3)	(3)
Colored	127.0	244.7	404.2	24.8	40.2	22.4	14.4	15.5	(3)	(3)
Washington	82.0	101.4	240.7	9.1	17.1	11.6	4.4	7.3	5.0	9.4
Wisconsin	65.2	84.3	242.5	15.3	29.6	15.6	7.0	11.1	8.6	12.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	117.0	125.2	358.3	29.8	14.8	22.1	11.7	8.8	21.6	8.7
White	79.1	92.0	354.4	14.7	14.2	18.8	5.4	2.2	16.1	4.8
Colored	175.5	176.5	364.3	53.1	15.6	27.3	21.6	18.8	30.1	14.6
Los Angeles, Calif.	34.7	112.8	290.4	5.8	9.6	4.5	3.5	9.5	7.3	6.3
Oakland, Calif.	72.8	109.9	174.2	6.5	8.8	2.7	2.8	5.2	1.8	3.8
San Francisco, Calif.	75.7	152.0	373.4	2.7	4.0	2.2	2.4	4.7	2.5	2.8
Denver, Colo.	84.3	77.9	315.4	13.4	11.2	11.4	3.0	2.6	7.2	7.3
Bridgeport, Conn.	81.0	115.3	347.1	12.0	19.4	11.3	5.8	6.9	7.2	12.1
Hartford, Conn.	52.8	130.1	485.6	20.3	21.0	14.2	4.3	11.6	8.3	11.6
New Haven, Conn.	90.8	86.9	442.2	11.0	36.8	12.1	6.2	11.2	7.1	21.1
Wilmington, Del.	22.5	77.3	370.9	16.5	32.7	20.3	19.7	6.4	9.8	10.0
Washington, D. C. (total)	49.4	76.6	371.2	21.0	22.0	26.5	16.7	12.3	17.2	19.7
White	48.0	76.4	396.4	17.1	19.7	23.2	12.7	9.8	9.7	17.0
Colored	53.8	77.3	298.3	31.9	28.6	35.8	27.5	19.0	36.5	26.8
Atlanta, Ga. (total)	119.8	143.2	174.4	11.6	15.2	20.0	17.7	19.9	18.8	11.8
White	108.9	120.6	161.5	5.4	4.8	15.6	4.2	12.2	8.1	3.7
Colored	143.6	192.6	202.6	24.9	37.3	29.3	45.8	35.9	40.5	28.2
Chicago, Ill.	63.2	56.6	211.7	6.0	11.6	9.3	3.9	4.3	6.4	8.0
Indianapolis, Ind. (total)	62.3	89.2	135.2	12.5	16.8	8.8	5.6	9.3	6.8	9.5
White	60.2	86.1	140.2	13.3	17.6	8.6	5.4	10.3	6.6	8.7
Colored	79.0	114.3	94.4	6.3	9.9	10.4	7.3	.....	8.1	17.1
Kansas City, Kans. (total)	104.8	102.9	388.5	15.5	44.4	35.5	14.3	11.2	18.3	18.7
White	103.0	108.2	407.6	8.4	37.8	22.3	11.3	9.0	11.7	15.9
Colored	115.4	70.4	270.4	60.7	87.0	123.7	34.4	27.0	66.2	9.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION. [Rates of 40 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
Louisville, Ky. (total)	42.9	105.8	462.6	15.0	34.0	16.0	20.4	14.8	15.4	13.3
White	38.9	104.0	504.6	9.9	30.3	14.2	12.6	7.9	9.1	9.2
Colored	62.4	114.5	260.7	39.6	51.9	24.6	56.5	46.6	44.4	32.0
New Orleans, La. (total)	36.4	149.2	328.9	29.9	27.0	51.8	31.7	19.7	26.9	26.7
White	32.0	150.3	316.8	19.9	21.3	46.5	29.8	14.9	20.6	23.6
Colored	49.1	146.0	362.8	58.0	43.3	66.7	37.0	33.1	44.4	35.1
Baltimore, Md. (total)	43.8	56.3	281.7	17.4	20.9	12.0	8.6	9.9	11.6	12.9
White	37.5	52.6	280.0	15.3	19.8	11.1	6.8	7.7	8.4	10.2
Colored	80.4	77.8	290.4	28.1	26.7	16.7	18.2	21.8	29.0	27.4
Boston, Mass	49.3	94.8	350.4	4.9	11.7	4.4	3.4	5.4	4.0	4.7
Cambridge, Mass	31.8	49.3	280.9	7.4	10.2	5.6	5.6	10.3	4.7	7.6
Fall River, Mass	27.4	81.4	469.7	9.2	25.8	1.7	4.2	7.5	2.5	1.7
Lowell, Mass	31.8	62.3	258.6	2.7	14.5	3.6	2.7	3.7	5.6	3.7
New Bedford, Mass	55.5	79.2	498.2	8.7	10.7	3.6	7.5	4.8	5.9	7.0
Springfield, Mass	43.3	75.3	309.7	21.0	18.3	11.7	5.6	15.6	6.1	9.6
Worcester, Mass	46.8	75.3	263.0	7.0	14.9	6.7	2.5	4.5	5.9	6.0
Detroit, Mich	84.3	85.7	153.3	4.3	7.6	6.6	2.9	3.0	2.6	3.8
Grand Rapids, Mich	27.4	22.0	129.0	1.5	9.4	4.0	5.7	3.3	2.5	4.3
Minneapolis, Minn	85.3	77.8	213.1	5.8	9.1	6.7	4.2	5.2	2.2	2.2
St. Paul, Minn	70.8	59.9	297.5	8.3	10.1	8.9	4.9	5.0	4.1	5.5
Kansas City, Mo	106.3	93.9	283.4	12.1	15.8	19.4	7.1	9.9	7.5	22.5
St. Louis, Mo	50.9	39.6	177.8	22.1	23.8	12.1	9.5	12.6	14.7	16.2
Omaha, Nebr	58.9	49.5	348.7	9.3	17.8	13.5	7.9	5.2	6.1	7.8
Camden, N. J	34.9	78.1	503.2	14.5	31.3	17.9	6.7	5.9	6.0	6.2
Jersey City, N. J	41.4	94.8	219.1	11.7	14.6	6.7	3.9	4.3	2.5	5.9
Newark, N. J	37.6	45.5	185.8	10.8	18.2	6.3	5.8	7.0	9.4	9.3
Paterson, N. J	34.5	95.3	356.7	3.8	19.7	6.1	3.8	9.3	4.7	10.2
Trenton, N. J	41.5	58.4	386.0	7.9	18.0	7.3	9.4	6.7	3.9	11.0
Albany, N. Y	37.7	81.6	342.2	17.2	34.8	23.5	13.3	19.2	15.5	25.6
Buffalo, N. Y	36.4	61.7	259.5	7.6	10.1	6.4	2.4	4.7	3.8	5.5
New York, N. Y	40.5	66.0	157.2	8.4	10.3	7.5	4.4	5.6	4.1	7.0
Bronx bor	38.9	62.2	156.7	6.7	9.3	6.1	5.7	6.6	4.2	6.8
Brooklyn bor	36.0	67.9	156.5	9.5	12.7	9.2	4.8	7.0	5.2	9.1
Manhattan bor	46.9	68.1	154.9	8.8	8.6	6.5	3.8	4.3	3.5	5.5
Queens bor	32.0	51.8	163.7	5.5	10.7	8.9	4.4	4.6	2.5	5.9
Richmond bor	39.8	73.9	196.8	2.8	10.4	5.9	2.0	6.2	3.2	14.5
Rochester, N. Y	22.1	36.9	228.2	5.2	8.7	5.9	6.0	3.4	4.7	5.8
Syracuse, N. Y	29.9	22.9	267.9	4.9	10.7	3.8	4.6	4.7	4.8	4.2
Yonkers, N. Y	27.7	45.4	224.7	4.2	12.9	11.0	4.5	2.3	5.9	3.6
Akron, Ohio	85.0	93.8	221.7	16.7	10.6	5.7	6.3	1.8	9.0	4.7
Cincinnati, Ohio	58.0	131.1	311.7	18.1	27.8	19.0	16.3	13.8	13.3	14.6
Cleveland, Ohio	49.7	87.3	254.4	11.4	15.4	10.6	3.9	3.9	4.7	10.5
Columbus, Ohio	96.7	94.4	195.1	11.2	33.1	10.9	7.8	8.5	6.2	14.3
Dayton, Ohio	53.8	54.4	238.8	11.2	17.2	13.2	3.0	8.6	3.2	14.0
Toledo, Ohio	41.3	79.3	206.3	10.6	17.8	15.6	4.0	9.9	6.5	14.1
Youngstown, Ohio	64.6	186.2	530.0	6.7	8.7	7.2	1.9	2.1	4.5	9.4
Portland, Oreg	37.6	143.3	266.6	6.9	13.6	6.0	5.7	6.8	3.2	8.9
Philadelphia, Pa	47.5	46.6	406.7	14.2	23.8	20.4	9.7	9.0	7.9	11.6
Pittsburgh, Pa	95.8	100.9	345.1	16.2	27.1	10.7	6.3	8.5	10.1	11.8
Reading, Pa	61.9	48.4	388.9	14.2	31.6	12.6	6.0	5.1	12.2	8.2
Scranton, Pa	105.7	72.8	519.2	8.1	19.3	9.7	5.3	8.3	5.3	11.5
Providence, R. I	55.8	112.7	389.7	16.7	28.3	11.2	7.0	9.2	5.7	7.5
Memphis, Tenn. (total)	89.3	120.2	293.1	21.3	(6)	38.1	18.6	24.0	29.5	26.2
White	69.6	95.6	308.3	4.4	(6)	20.5	8.1	7.1	12.1	3.7
Colored	122.2	163.2	267.0	49.9	(6)	67.1	35.6	50.7	56.6	60.6
Nashville, Tenn. (total)	123.0	128.9	418.3	24.1	(6)	25.3	22.0	17.7	39.2	35.9
White	99.8	110.6	437.4	22.4	(6)	19.1	11.6	9.1	29.0	26.7
Colored	177.0	170.9	374.9	27.9	(6)	38.9	44.3	35.9	60.6	54.9
Dallas, Tex. (total)	80.1	86.7	299.5	16.6	18.9	(3)	(3)	(3)	(3)	(3)
White	70.1	75.2	295.5	15.1	11.8	(3)	(3)	(3)	(3)	(3)
Colored	136.3	150.2	320.8	24.6	54.9	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	77.0	121.1	309.7	22.0	(3)	(3)	(3)	(3)	(3)	(3)
White	51.0	118.9	300.5	19.4	(3)	(3)	(3)	(3)	(3)	(3)
Colored	157.3	127.6	336.5	29.4	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex	75.3	73.4	377.2	34.5	31.2	26.6	21.7	36.4	48.5	47.8
Salt Lake City, Utah	117.4	154.8	325.9	0.9	17.6	5.7	2.9	8.9	5.1	8.4
Norfolk, Va. (total)	112.2	184.3	398.9	12.2	30.1	13.1	6.3	7.6	13.6	15.3
White	77.5	170.5	470.8	12.1	25.3	9.9	10.3	3.6	7.5	15.8
Colored	170.1	207.0	281.7	12.3	37.8	18.1	.....	13.7	22.7	14.6
Richmond, Va. (total)	56.1	115.7	363.9	17.6	19.7	16.3	13.0	16.1	18.7	17.6
White	42.9	92.8	400.4	12.6	10.1	14.1	16.4	14.6	15.1	13.1
Colored	84.9	164.9	286.4	28.0	39.4	20.7	21.0	19.0	25.4	25.5
Seattle, Wash	60.8	98.3	252.1	4.7	12.5	7.5	1.8	5.3	3.1	6.9
Spokane, Wash	103.4	92.9	270.0	13.4	17.2	17.2	3.8	6.7	5.7	9.6
Milwaukee, Wis	45.1	45.2	211.5	9.8	16.0	16.5	3.6	6.2	4.8	3.3

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

ALL OTHER EPIDEMIC DISEASES.

In the detailed International List of Causes of Death, titles 1 to 19 are assigned to the epidemic diseases, of which 8 have been discussed. Of the others, no deaths are reported in 1920 for miliary fever and Asiatic cholera. Every effort has been made by the Census Bureau to authenticate the returns of rare diseases before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported.

Yellow fever is the cause of 1 death in 1920 in Marin County, Calif.; relapsing fever, 2 deaths, 1 each in Hamilton County, Fla., and Kane County, Utah; and plague, 27 deaths, distributed as follows: 11 in Galveston, Tex.; 6 in Pensacola, Fla.; 5 in Beaumont, Tex.; 3 in New Orleans, La.; and 1 each in Houston, Tex., and Alameda County, Calif. In 1919 relapsing fever caused 1 death in St. Francois County, Mo., and plague 19 deaths, distributed as follows: Three each in San Francisco and Iberville Parish, La., and 1 each in Los Angeles; New Orleans; Baltimore; Jersey City; Bronx, Brooklyn, and Manhattan boroughs, New York city; Philadelphia; Galveston; San Antonio; Berrien County, Mich.; St. Louis County, Mo.; and Dane County, Wis.

In 1920 the five deaths reported from typhus fever are distributed as follows: One each in Los Angeles and San Francisco, Calif.; Flint, Mich.; Paterson, N. J.; and Carter County, Tenn.

Twenty-four deaths are reported from leprosy in 1920: Nine in Iberville Parish, La.; 3 each in San Francisco, Calif., and Dukes County, Mass.; 2 in Galveston, Tex.; and 1 each in New Orleans, La.; Passaic, N. J.; Manhattan borough, New York city; Yakima, Wash.; Key West, Fla.; Milwaukee County, Wis.; and San Bernardino County, Calif.

Dysentery is the cause of 3,574 deaths in 1920, corresponding to a rate of 4.1 per 100,000 population; 2,721 deaths are due to erysipelas, with a rate of 3.1, and cholera nostras is the cause of 175 deaths, with a rate of 0.2.

Under the title "Other epidemic diseases" is included a miscellaneous collection of diseases, and in 1920 the number of deaths charged to these is 340, distributed as follows: Chicken pox, 139; mumps, 152; Rocky Mountain spotted fever, 12; German measles, 15; glandular fever, 7; dengue fever, 4; milk sickness, 3; filariasis and roseola each 2; and aerodynia, foot and mouth disease, gangra and rat bite fever (each 1). The 12 deaths from Rocky Mountain spotted fever occurred at the following places: Malheur County, Oreg., 2, and 1 each in Helena and Missoula, Mont.; Lassen County, Calif.; Garfield County, Colo.; Baker, Cook, Grant, and Jefferson Counties, Oreg.; and Beaver and Davis Counties, Utah. The 4 deaths from

dengue fever occurred at the following places: Savannah, Ga., 3; and San Diego, Calif., 1.

GLANDERS.

In 1920 the only death reported as due to glanders occurred in Beaver Falls, Pa. The distribution of deaths from this cause for each of the years 1911 to 1920, inclusive, is shown in the following table.

AREA.	NUMBER OF DEATHS FROM GLANDERS.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	1	1	4	4	4	4	10	8	12	11
Registration states [2]	1	1	4	3	4	4	10	7	12	11
Cities in registration states [2]	1	.....	3	2	4	4	5	6	9	7
Rural part of registration states	.....	1	1	1	.....	.....	5	1	3	4
Registration cities in nonregistration states	.....	.....	.....	1	.....	.....	.....	1	.....	.....
All registration cities [2]	1	.....	3	3	4	4	5	7	9	7
REGISTRATION STATES.										
California:										
Cities	.....	.....	1	.....	.....	.....	.....	1	.....	.....
Rural districts	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Colorado:										
Rural districts	.....	1	.....	.....	.....	.....	.....	.....	1	.....
Connecticut:										
Cities	.....	.....	.....	.....	.....	.....	.....	.....	1	1
Maine:										
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Massachusetts:										
Cities	.....	.....	.....	1	.....	1	3	1	.....	1
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
New Hampshire:										
Cities	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
New York:										
Cities	.....	.....	1	1	3	2	.....	1	6	5
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	1	.....
North Carolina:										
Rural districts	.....	.....	.....	1	.....	.....	.....	.....	.....	[3] 1
Ohio:										
Cities	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Pennsylvania:										
Cities	1	.....	.....	.....	1	.....	.....	2	1	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Rhode Island:										
Cities	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Vermont:										
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Virginia:										
Cities	.....	.....	1	.....	.....	.....	.....	.....	(4)	(4)
Washington:										
Cities	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Wisconsin:										
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
REGISTRATION CITIES IN NONREGISTRATION STATES. [5]										
Pensacola, Fla	(6)	(6)	.....	1	.....	.....	.....	.....	(7)	(7)
Chicago, Ill	(6)	(6)	(6)	.....	.....	.....	.....	1	.....	.....

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[4] Included with cities in nonregistration states.
[5] Includes cities which were in nonregistration states for at least one year of the series shown.
[6] Included with cities in registration states.
[7] Not added to registration area until a later date.

ANTHRAX.

The distribution of deaths from anthrax for each of the years 1911 to 1920, inclusive, is shown in the following table.

AREA.	NUMBER OF DEATHS FROM ANTHRAX.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	39	45	43	62	28	35	19	25	18	14
Registration states [2]	37	45	41	60	25	34	16	23	17	11
Cities in registration states [2]	21	28	19	41	15	19	11	10	10	6
Rural part of registration states	16	17	22	19	10	15	5	13	7	5
Registration cities in nonregistration states	2	.....	2	2	3	1	3	2	1	3
All registration cities [2]	23	28	21	43	18	20	14	12	11	9
REGISTRATION STATES.										
California:										
Cities	.....	1	2	3	.....	1	.....	.....	.....	1
Rural districts	.....	1	2	3	.....	1	1	1	.....	1
Colorado:										
Cities	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	1	1	2	.....	1	.....	.....	.....	.....
Connecticut:										
Cities	1	1	.....	1	1	2	.....	.....	.....	1
Rural districts	.....	.....	1	.....	.....	1	1	1	.....	1
Illinois:										
Cities	4	2	.....	(8)	(8)	(8)	(3)	(8)	(3)	(3)
Rural districts	.....	1	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Indiana:										
Cities	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	2	.....	.....	1	.....	.....	.....	1
Kansas:										
Cities	.....	1	.....	1	.....	.....	.....	(8)	(8)	(8)
Rural districts	.....	1	1	1	.....	.....	.....	(4)	(4)	(4)
Kentucky:										
Cities	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	2	.....	.....	.....	4	.....
Louisiana:										
Cities	.....	.....	2	(8)	(8)	(3)	(3)	(8)	(3)	(3)
Rural districts	5	3	4	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Maine:										
Cities	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Rural districts	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Maryland:										
Rural districts	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Massachusetts:										
Cities	3	2	5	11	5	4	.....	2	2	1
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Michigan:										
Cities	1	1	.....	.....	1	.....	.....	.....	.....	.....
Rural districts	4	1	.....	1	1	.....	.....	.....	.....	.....
Minnesota:										
Cities	1	.....	.....	.....	.....	1	.....	.....	1	.....
Rural districts	2	1	.....	.....	.....	1	.....	1	.....	.....
Missouri:										
Cities	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	1	1	.....	.....	1	1	.....
Montana:										
Cities	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Nebraska:										
Cities	1	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)	(8)
New Hampshire:										
Cities	.....	1	.....	1	.....	.....	.....	.....	.....	.....
New Jersey:										
Cities	.....	1	.....	5	.....	1	2	.....	1	.....
Rural districts	1	.....	2	1	.....	1	.....	.....	.....	.....
New York:										
Cities	3	10	5	10	3	8	1	2	1	.....
Rural districts	2	1	3	2	1	5	.....	2	.....	1
North Carolina:										
Cities	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	1	2	.....	.....	.....	.....	.....
Ohio:										
Cities	1	.....	1	.....	.....	.....	1	1	2	1
Rural districts	.....	2	1	.....	.....	.....	1	.....	1	.....
Oregon:										
Cities	.....	1	.....	(8)	(8)	(8)	(8)	(8)	(8)	(8)
Pennsylvania:										
Cities	4	4	1	5	5	2	5	4	3	2
Rural districts	.....	1	2	5	2	2	1	4	1	.....
South Carolina:										
Rural districts	.....	.....	2	.....	.....	(4)	(4)	(4)	(4)	(4)
Tennessee:										
Rural districts	1	1	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)
Utah:										
Rural districts	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Vermont:										
Rural districts	1	1	.....	1	.....	.....	.....	.....	.....	1
Virginia:										
Cities	.....	.....	.....	1	.....	.....	1	.....	(8)	(8)
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	(4)	(4)
Washington:										
Rural districts	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Wisconsin:										
Cities	.....	1	.....	2	.....	.....	.....	1	.....	.....
Rural districts	.....	1	.....	.....	.....	.....	1	.....	.....	.....

(See footnotes at end of table.)

AREA.	NUMBER OF DEATHS FROM ANTHRAX.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES IN NONREGISTRATION STATES.[5]										
Wilmington, Del	(6)	(6)	.....	.....	.....	.....	1	2	1	1
Tampa, Fla	(6)	(6)	1	.....	.....	.....	(4)	(4)	(4)	(4)
Savannah, Ga	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chicago, Ill	(6)	(6)	(6)	.....	1	.....	.....	.....	.....	.....
New Orleans, La	(6)	(6)	(6)	.....	.....	1	1	.....	.....	2
Shreveport, La	(6)	(6)	(6)	1	(4)	(4)	(4)	(4)	(4)	(4)
Lincoln, Nebr	(6)	.....	.....	.....	.....	.....	1	.....	.....	.....
Beaumont, Tex	.....	.....	.....	1	1	(4)	(4)	(4)	(4)	(4)
Dallas, Tex	.....	.....	1	.....	.....	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex	1	.....	.....	.....	1	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes cities which were in nonregistration states for at least one year of the series shown.
[6] Included with cities in registration states..

RABIES.

In 1920 there were 41 deaths from rabies. The distribution of deaths from rabies is shown for each of the years, 1911 to 1920, inclusive, in the following table.

AREA.	NUMBER OF DEATHS FROM RABIES.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	41	58	63	66	36	52	65	95	74	83
Registration states [2]	39	55	59	61	33	47	56	75	60	69
Cities in registration states [2]	18	30	35	36	16	32	34	47	39	45
Rural part of registration states	21	25	24	25	17	15	22	28	21	24
Registration cities in nonregistration states	2	3	4	5	3	5	9	20	14	14
All registration cities [2]	20	33	39	41	19	37	43	67	53	59
REGISTRATION STATES.										
California:										
Cities	2	.....	.....	.....	.....	6	1	5	7	2
Rural districts	2	.....	.....	.....	1	.....	2	3	1	1
Colorado:										
Cities	.....	1	1	1	1	.....	.....	.....	.....	.....
Rural districts	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Connecticut:										
Cities	.....	.....	.....	3	.....	.....	.....	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Delaware:										
Rural districts	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida:										
Cities	1	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	1	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois:										
Cities	1	1	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	.....	3	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana:										
Cities	.....	1	.....	.....	.....	.....	.....	4	1	3
Rural districts	1	.....	.....	2	.....	1	.....	1	2	1
Kansas:										
Cities	.....	.....	.....	.....	1	.....	1	(4)	(4)	(4)
Rural districts	.....	1	.....	.....	.....	3	1	(3)	(3)	(3)
Kentucky:										
Cities	.....	.....	2	1	1	2	1	.....	1	.....
Rural districts	1	1	1	.....	1	2	3	2	2	1
Louisiana:										
Cities	.....	2	3	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Rural districts	2	.....	2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maryland:										
Cities	.....	1	.....	.....	.....	.....	.....	.....	.....	2
Rural districts	.....	.....	.....	.....	2	.....	.....	1	.....	1
Massachusetts:										
Cities	.....	1	.....	.....	.....	5	3	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	1	2	2	.....	1
Michigan:										
Cities	.....	.....	1	1	2	.....	1	1	3	2
Rural districts	.....	1	1	1	.....	.....	.....	1	2	1
Minnesota:										
Cities	.....	.....	.....	1	.....	1	1	1	2	.....
Rural districts	.....	.....	.....	1	1	.....	1	2	1	.....

AREA.	NUMBER OF DEATHS FROM RABIES.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—CON.										
Mississippi:										
Rural districts	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri:										
Cities	2	4	4	11	2	1	2	5	4	3
Rural districts	4	1	1	1	1	1	3	4	3	3
Nebraska:										
Cities	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire:										
Cities	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Rural districts	.....	.....	.....	.....	.....	.....	.....	1	.....	1
New Jersey:										
Cities	1	.....	3	3	.....	1	1	6	4	9
Rural districts	.....	1	.....	.....	1	2	1	2	1	4
New York:										
Cities	3	6	.....	4	1	2	10	11	6	11
Rural districts	.....	1	.....	1	1	1	1	1	.....	2
North Carolina:										
Cities	1	.....	.....	.....	.....	1	.....	.....	.....	.....
Rural districts	2	1	4	4	1	.....	.....	.....	.....	.....
Ohio:										
Cities	1	7	7	2	1	6	3	4	3	4
Rural districts	1	2	1	3	3	1	.....	2	3	4
Pennsylvania:										
Cities	2	4	4	3	4	5	8	4	4	6
Rural districts	3	3	4	3	.....	1	6	1	5	4
Rhode Island:										
Cities	1	.....	.....	.....	.....	.....	.....	1	3	.....
South Carolina:										
Cities	.....	.....	1	1	1	(4)	(4)	(4)	(4)	(4)
Rural districts	2	1	2	4	3	(3)	(3)	(3)	(3)	(3)
Tennessee:										
Cities	2	.....	2	2	(5)	(4)	(4)	(4)	(4)	(4)
Rural districts	2	2	5	2	(3)	(3)	(3)	(3)	(3)	(3)
Utah:										
Cities	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Virginia:										
Cities	.....	.....	2	1	.....	1	.....	2	(4)	(4)
Rural districts	.....	2	2	.....	2	1	2	4	(3)	(3)
Washington:										
Cities	.....	1	1	.....	2	.....	.....	.....	1	.....
Rural districts	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Wisconsin:										
Cities	.....	.....	2	2	.....	.....	.....	1	.....	2
Rural districts	.....	.....	.....	1	.....	.....	.....	.....	1	.....
Washington, D. C	.....	.....	.....	.....	.....	1	1	2	.....	1
REGISTRATION CITIES IN NONREGISTRATION STATES.[5]										
Birmingham, Ala	.....	.....	1	.....	.....	.....	.....	1	.....	1
Mobile, Ala	.....	.....	.....	.....	1	.....	.....	.....	.....	1
Montgomery, Ala	.....	.....	.....	1	.....	1	.....	1	.....	1
Jacksonville, Fla	(7)	(7)	.....	1	1	.....	.....	5	.....	3
Atlanta, Ga	1	.....	.....	1	.....	.....	.....	2	.....	.....
Savannah, Ga	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
Aurora, Ill	(7)	(7)	(7)	.....	.....	.....	.....	1	1	.....
Chicago, Ill	(7)	(7)	(7)	2	.....	2	5	2	8	5
Springfield, Ill	(7)	(7)	(7)	.....	.....	.....	.....	.....	1	.....
Coffeyville, Kans	(7)	(7)	(7)	(7)	(7)	(7)	(7)	1	.....	(8)
Wichita, Kans	(7)	(7)	(7)	(7)	(7)	(7)	(7)	.....	1	.....
New Orleans, La	(7)	(7)	(7)	.....	1	1	1	1	1	2
Vicksburg, Miss	(7)	(7)	.....	.....	.....	1	(3)	(3)	(3)	(3)
Omaha, Nebr	(7)	1	.....	.....	.....	.....	1	1	.....	.....
Portland, Oreg	(7)	(7)	(7)	.....	.....	.....	.....	2	.....	.....
Charleston, S. C	(7)	(7)	(7)	(7)	(7)	.....	.....	1	.....	.....
Jackson, Tenn	(7)	(7)	(7)	(7)	(5)	.....	1	(3)	(3)	(3)
Memphis, Tenn	(7)	(7)	(7)	(7)	(5)	.....	1	1	.....	.....
Nashville, Tenn	(7)	(7)	(7)	(7)	(5)	.....	.....	.....	1	.....
Dallas, Tex	.....	.....	2	.....	.....	(3)	(3)	(3)	(3)	(3)
El Paso, Tex	.....	1	.....	.....	.....	.....	.....	1	1	.....
Galveston, Tex	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Houston, Tex	1	1	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Not added to registration area until a later date.
[4] Included with cities in nonregistration states.
[5] Transcripts for deaths not received.
[6] Includes cities which were in nonregistration states for at least one year of the series shown.
[7] Included with cities in registration states.

PELLAGRA.

The number of deaths caused by pellagra in 1920 is 2,322, corresponding to a death rate of 2.7 per 100,000 population, as against 3.3 in 1919. In fact, a decrease in 1920 is shown for most of the areas for which comparisons can be made for these two years, the principal exception being Mississippi, which had 558 deaths in 1920 against 495 in 1919.

AREA.	NUMBER OF DEATHS FROM PELLAGRA.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area[1]	2,322	2,806	3,741	3,666	2,390	2,843	1,550	1,015	674	659
Registration states[2]	2,122	2,568	3,126	2,843	1,807	1,058	847	573	326	322
Cities in registration states[2]	594	693	930	801	558	437	391	260	166	163
Rural part of registration states	1,528	1,875	2,196	2,042	1,249	621	456	313	160	159
Registration cities in nonregistration states	200	238	615	823	583	1,785	703	442	348	337
All registration cities[2]	794	931	1,545	1,624	1,141	2,222	1,094	702	514	500
REGISTRATION STATES.										
California:										
Cities	5	11	16	8	14	11	14	13	4	5
Rural districts	7	12	6	16	11	17	14	6	6	7
Colorado:										
Cities	.....	2	2	2	2	.....	5	1	.....	3
Rural districts	1	1	.....	2	1	2	4	2	5	3
Connecticut:										
Cities	1	4	4	4	1	1	4	3	.....	.....
Rural districts	.....	1	.....	1	.....	.....	2	1	.....	1
Delaware:										
Cities	.....	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	.....	.....	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Florida:										
Cities	30	30	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	84	95	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois:										
Cities	3	7	8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	8	10	18	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Indiana:										
Cities	1	1	3	4	1	3	1	1	.....	2
Rural districts	2	4	9	2	3	6	1	3	3	1
Kansas:										
Cities	2	3	8	12	3	6	11	(3)	(3)	(3)
Rural districts	6	16	14	16	7	22	7	(4)	(4)	(4)
Kentucky:										
Cities	10	17	27	37	8	14	18	16	32	19
Rural districts	55	94	120	160	116	135	131	88	84	46
Louisiana:										
Cities	61	73	100	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	142	154	163	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Maine:										
Cities	.....	2	10	10	5	4	4	3	4	.....
Rural districts	4	3	6	9	10	6	5	7	1	1
Maryland:										
Cities	4	4	5	5	2	9	4	11	6	3
Rural districts	4	5	13	11	1	7	3	3	2	8
Massachusetts:										
Cities	9	7	15	10	23	16	13	8	4	1
Rural districts	2	7	6	9	17	9	6	5	1	.....
Michigan:										
Cities	4	2	7	5	3	8	2	7	2	1
Rural districts	1	2	2	1	2	4	2	1	.....	2
Minnesota:										
Cities	.....	1	2	.....	.....	.....	2	1	.....	.....
Rural districts	1	1	2	.....	2	1	3	1	.....	.....
Mississippi:										
Cities	153	126	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	405	369	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri:										
Cities	11	9	11	19	11	12	14	9	3	8
Rural districts	14	16	45	40	30	22	10	14	12	10
Montana:										
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Nebraska:										
Rural districts	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire:										
Cities	.....	1	2	3	8	2	9	1	.....	.....
Rural districts	1	1	.....	2	3	3	1	1	1	.....
New Jersey:										
Cities	1	3	2	1	3	3	4	2	1	1
Rural districts	.....	1	.....	1	1	2	1	.....	1	1
New York:										
Cities	8	13	18	28	22	8	12	5	2	1
Rural districts	4	8	3	1	6	4	2	2	.....	1
North Carolina:										
Cities	76	77	143	128	97	195	147	96	93	105
Rural districts	242	323	553	492	388	[5]152	[5]101	[6]61	[6]36	[6]72
Ohio:										
Cities	2	2	3	2	4	2	1	.....	.....	.....
Rural districts	1	6	4	1	1	3	.....	.....	2	2
Oregon:										
Cities	.....	.....	1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Rural districts	.....	.....	1	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Pennsylvania:										
Cities	2	3	4	5	2	5	5	5	.....	4
Rural districts	2	3	3	.....	2	1	1	2	1	1
Rhode Island:										
Cities	3	4	7	6	8	9	13	9	9	7
Rural districts	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
South Carolina:										
Cities	102	126	273	241	257	(3)	(3)	(3)	(3)	(3)
Rural districts	204	275	468	473	472	(4)	(4)	(4)	(4)	(4)
Tennessee:										
Cities	62	95	144	153	(7)	(3)	(3)	(3)	(3)	(3)
Rural districts	240	340	532	597	(4)	(4)	(4)	(4)	(4)	(4)
Utah:										
Cities	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

AREA.	NUMBER OF DEATHS FROM PELLAGRA.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—con.										
Vermont:										
Cities	.....	1	1	2	.....	1	.....	.....	.....	.....
Rural districts	1	6	4	3	2	2	2	3	3	.....
Virginia:										
Cities	39	57	104	101	74	110	94	57	(3)	(3)
Rural districts	95	120	223	201	174	222	156	108	(4)	(4)
Washington:										
Cities	.....	1	.....	.....	.....	2	.....	.....	.....	.....
Rural districts	.....	.....	.....	2	.....	.....	.....	2	.....	.....
Wisconsin:										
Cities	.....	.....	1	1	1	.....	.....	2	.....	2
Rural districts	1	2	1	2	.....	1	2	3	2	3
Washington, D. C	5	10	9	14	9	16	14	10	6	1
REGISTRATION CITIES IN NONREGISTRATION STATES.[8]										
Birmingham, Ala	30	51	109	81	50	116	44	38	26	21
Mobile, Ala	7	24	35	57	45	55	23	22	7	16
Montgomery, Ala	32	19	37	52	37	54	38	31	33	25
Jacksonville, Fla	(9)	(9)	17	23	22	52	15	14	16	8
Key West, Fla	(9)	(9)	.....	.....	.....	.....	.....	1	.....	.....
Pensacola, Fla	(9)	(9)	12	15	9	25	9	4	(4)	(4)
Tampa, Fla	(9)	(9)	8	5	4	12	(4)	(4)	(4)	(4)
Atlanta, Ga	38	43	93	98	80	134	110	82	66	106
Brunswick, Ga	1	4	4	7	(4)	(4)	(4)	(4)	(4)	(4)
Augusta, Ga	20	13	(7)	38	36	56	46	23	(4)	(4)
Savannah, Ga	17	18	31	37	28	54	54	33	20	13
Chicago, Ill	(9)	(9)	(9)	6	6	9	7	4	7	9
Decatur, Ill	(9)	(9)	(9)	1	.....	.....	.....	.....	.....	1
Jacksonville, Ill	(9)	(9)	(9)	.....	4	1	1	.....	.....	.....
Quincy, Ill	(9)	(9)	(9)	.....	.....	.....	.....	1	.....	.....
Springfield, Ill	(9)	(9)	(9)	.....	1	.....	.....	.....	.....	.....
Coffeyville, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	1	.....	(4)
Kansas City, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	.....	1	.....
Parsons, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	.....	1	(4)
Topeka, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	2	1	(4)
Wichita, Kans	(9)	(9)	(9)	(9)	(9)	(9)	(9)	3	.....	.....
Alexandria, La	(9)	(9)	(9)	5	(4)	(4)	(4)	(4)	(4)	(4)
Baton Rouge, La	(9)	(9)	(9)	8	(4)	(4)	(4)	(4)	(4)	(4)
Lake Charles, La	(9)	(9)	(9)	1	(4)	(4)	(4)	(4)	(4)	(4)
Monroe, La	(9)	(9)	(9)	5	(4)	(4)	(4)	(4)	(4)	(4)
New Orleans, La	(9)	(9)	(9)	50	46	76	67	53	23	28
Shreveport, La	(9)	(9)	(9)	28	(4)	(4)	(4)	(4)	(4)	(4)
Hattiesburg, Miss	(9)	(9)	6	8	14	36	(4)	(4)	(4)	(4)
Jackson, Miss	(9)	(9)	82	108	90	122	(4)	(4)	(4)	(4)
Meridian, Miss	(9)	(9)	43	59	19	62	(4)	(4)	(4)	(4)
Natchez, Miss	(9)	(9)	9	16	17	18	(4)	(4)	(4)	(4)
Vicksburg, Miss	(9)	(9)	15	25	14	52	(4)	(4)	(4)	(4)
Lincoln, Nebr	(9)	.....	1	.....	1	.....	.....	.....	.....	.....
Omaha, Nebr	(9)	.....	1	.....	.....	.....	.....	.....	.....	.....
Portland, Oreg	(9)	(9)	(9)	.....	.....	1	1	.....	.....	.....
Oklahoma City, Okla	5	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Charleston, S. C	(9)	(9)	(9)	(9)	(9)	139	85	56	49	30
Columbia, S. C	(9)	(9)	(9)	(9)	(9)	384	(4)	(4)	(4)	(4)
Greenville, S. C	(9)	(9)	(9)	(9)	(9)	31	(4)	(4)	(4)	(4)
Spartanburg, S. C	(9)	(9)	(9)	(9)	(9)	19	(4)	(4)	(4)	(4)
Chattanooga, Tenn	(9)	(9)	(9)	(9)	(7)	52	21	(4)	(4)	(4)
Jackson, Tenn	(9)	(9)	(9)	(9)	(7)	7	9	(4)	(4)	(4)
Knoxville, Tenn	(9)	(9)	(9)	(9)	(7)	33	16	(7)	7	12
Memphis, Tenn	(9)	(9)	(9)	(9)	(7)	104	107	37	26	13
Nashville, Tenn	(9)	(9)	(9)	(9)	(7)	35	21	20	7	12
Beaumont, Tex	6	4	7	7	5	(4)	(4)	(4)	(4)	(4)
Cleburne, Tex	(7)	3	3	2	(4)	(4)	(4)	(4)	(4)	(4)
Dallas, Tex	18	19	36	24	30	(4)	(4)	(4)	(4)	(4)
El Paso, Tex	1	2	5	11	1	4	3	.....	.....	1
Galveston, Tex	3	6	7	3	8	11	9	4	6	6
Houston, Tex	10	21	25	25	(4)	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex	12	11	29	18	16	31	17	13	4	
Alexandria, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	1	.....
Danville, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	10	4
Lynchburg, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	6	3
Norfolk, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	11	5
Petersburg, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	5	3
Richmond, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	12	12
Roanoke, Va	(9)	(9)	(9)	(9)	(9)	(9)	(9)	(9)	3	2

[1] Exclusive of Hawaii.
[2] Including the District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having from 1,000 to 10,000 population in 1910.
[6] Includes only municipalities having from 1,000 to 10,000 population in 1900.
[7] Transcripts for deaths not received.
[8] Includes cities which were in nonregistration states for at least one year of the series shown.
[9] Included with cities in registration states.

TUBERCULOSIS (ALL FORMS).

Tuberculosis (all forms) includes eight titles of the detailed International List of Causes of Death. The number of deaths reported in 1920 from this cause is 99,916, corresponding to a rate of 114.2 per 100,000 population, and constituting 8.7 per cent of total deaths from all causes. The death rate for 1920 is by far the lowest rate recorded in the annual mortality reports, the first of which was published in 1900.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. States and cities which annually show high death rates from tuberculosis (all forms) are not always those which have conditions tending to the development of tuberculous diseases, but often are health resorts.

Of the 22 states for which rates appear for all the years from 1911 to 1920, Colorado alone has a higher rate than 175 for each year, and three states (California, Kentucky, and Maryland) have rates above 175 for every year except two. In fact, these 3 states have had rates above 175 every year but two since they were added to the registration area—California and Maryland in 1906 and Kentucky in 1911.

The following table shows the rates per 100,000 population for the years 1911 to 1920, with rates of 175 or more printed in bold-faced type:

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	114.2	125.6	150.0	147.1	142.1	146.3	147.2	147.8	149.7	159.2
Registration states [2]	113.2	125.0	148.8	144.7	139.6	142.0	143.6	144.8	146.1	155.9
Cities in registration states [2]	118.5	133.8	164.2	160.8	155.8	157.9	161.5	163.2	164.9	175.4
Rural part of registration states	108.1	117.3	134.9	130.5	125.0	126.1	126.1	126.4	126.8	136.0
Registration cities in non-registration states	176.7	160.9	206.2	177.9	174.9	198.4	192.7	182.8	187.7	195.6
All registration cities [3]	120.4	134.8	166.1	163.2	158.4	163.8	165.9	166.1	168.4	178.5
REGISTRATION STATES.										
California	159.6	175.3	186.7	177.2	174.6	190.0	189.9	199.1	196.9	205.0
Colorado	225.4	215.1	242.9	194.8	176.6	179.7	192.1	194.2	209.9	221.8
Connecticut	119.4	126.5	153.9	160.4	142.5	139.5	144.9	138.0	141.1	148.4
Delaware	146.0	163.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	104.1	104.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	67.1	74.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	176.8	161.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	100.6	114.9	135.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	108.8	114.1	140.2	139.5	134.6	142.5	146.4	149.0	147.3	154.6
Kansas	48.2	50.6	59.8	59.8	57.3	57.0	58.7	(3)	(3)	(3)
Kentucky	152.9	165.3	199.0	198.8	195.2	201.7	208.3	201.9	209.0	229.5
Louisiana (total)	141.2	143.9	185.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	80.9	80.8	109.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	236.2	241.7	302.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	103.8	103.4	121.4	117.1	118.2	126.5	122.1	128.2	134.4	142.7
Maryland (total)	146.8	165.8	207.6	195.9	195.6	187.7	198.9	192.2	191.0	202.3
White	110.4	129.4	163.1	150.8	148.6	142.6	154.1	146.1	149.2	151.3
Colored	326.6	344.2	423.4	413.6	420.8	402.1	410.5	408.0	385.7	438.0
Massachusetts	113.8	128.0	159.0	145.9	149.2	141.6	143.1	145.0	143.1	154.4
Michigan	83.6	85.7	101.5	96.6	92.7	90.6	87.3	87.0	90.9	94.6
Minnesota	89.6	94.7	104.6	102.1	104.8	101.8	107.7	107.5	108.5	118.3
Mississippi (total)	127.8	136.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	47.8	57.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	201.2	207.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	106.9	117.2	144.4	149.2	143.0	146.6	150.1	144.6	149.4	154.6
Montana	75.1	88.9	96.8	108.8	107.1	113.1	104.7	105.3	112.7	105.6
Nebraska	43.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	97.0	102.5	126.1	113.9	114.5	122.4	124.1	120.8	112.8	121.7
New Jersey	114.0	127.4	157.3	154.3	151.1	153.9	155.1	153.9	155.4	175.5
New York	120.9	140.9	167.9	166.3	160.6	168.8	172.1	170.3	169.9	173.6
North Carolina (total)	116.5	122.4	138.7	137.8	147.1	230.7	245.5	225.7	235.7	255.2
White	82.8	86.0	94.7	94.2	101.5	152.3	181.7	168.0	166.4	182.4
Colored	194.2	205.9	238.8	236.4	249.4	379.0	366.1	331.7	363.2	383.3
Ohio	102.8	114.6	136.2	134.8	126.4	125.3	126.1	123.8	135.4	146.3
Oregon	89.1	90.6	88.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	105.0	119.1	151.6	138.6	133.0	129.2	125.7	122.4	124.8	136.0
Rhode Island	131.3	138.8	181.5	172.9	175.9	164.2	164.3	167.5	163.9	173.3
South Carolina (total)	120.0	135.6	144.5	144.8	146.1	(3)	(3)	(3)	(3)	(3)
White	65.5	68.0	67.9	70.0	67.0	(3)	(3)	(3)	(3)	(3)
Colored	172.0	199.0	215.4	213.0	217.2	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	164.6	169.0	203.8	199.1	(3)	(3)	(3)	(3)	(3)	(3)
White	129.3	126.6	151.5	155.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	312.6	344.9	432.5	374.5	(3)	(3)	(3)	(3)	(3)	(3)
Utah	39.1	44.8	47.8	44.6	50.7	45.6	51.5	49.7	40.7	47.0
Vermont	81.8	91.0	104.5	93.4	110.8	93.2	103.8	109.6	101.4	119.2
Virginia (total)	142.9	150.1	183.6	169.8	174.9	182.4	180.5	167.5	(3)	(3)
White	94.8	97.5	126.1	109.2	118.4	116.8	122.4	117.2	(3)	(3)
Colored	256.2	272.0	315.9	307.6	301.7	323.0	307.6	276.5	(3)	(3)
Washington	98.4	103.0	103.6	100.2	97.5	101.4	101.0	102.4	98.6	111.1
Wisconsin	85.6	84.1	94.4	97.3	92.1	95.8	99.5	97.4	99.3	103.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	161.0	170.3	210.4	226.2	225.6	227.6	262.3	246.7	218.2	223.1
White	66.3	65.0	87.0	69.8	91.2	93.0	116.3	106.8	127.5	112.0
Colored	307.6	332.8	401.2	467.4	432.8	427.5	487.5	462.3	357.5	466.5
Los Angeles, Calif.	184.5	200.6	219.1	208.5	199.9	218.4	229.9	260.9	255.9	274.7
Oakland, Calif.	99.8	105.3	114.1	107.4	124.2	141.7	126.4	131.9	142.2	151.3
San Francisco, Calif.	133.4	183.6	194.7	178.3	189.1	206.8	210.4	193.0	196.7	189.0
Denver, Colo	318.1	280.8	331.8	270.6	234.9	265.1	276.6	281.2	309.1	297.2
Bridgeport, Conn.	105.0	113.1	166.3	179.9	136.9	129.4	122.5	100.2	105.0	122.2
Hartford, Conn.	100.6	99.2	147.8	156.4	114.6	86.8	120.0	117.1	118.8	137.0
New Haven, Conn	88.5	91.2	151.9	159.2	126.9	121.3	141.7	138.4	134.9	151.1
Wilmington, Del.	110.6	110.0	151.2	184.5	152.7	161.1	162.6	144.2	179.0	154.4
Washington, D. C. (total)	133.4	151.6	181.7	163.8	188.4	201.6	195.4	224.5	237.6	240.5
White	85.0	105.3	116.7	102.9	108.8	115.5	112.2	140.9	133.5	154.0
Colored	277.1	287.5	369.5	356.4	411.3	439.1	420.5	446.3	503.5	471.3
Atlanta, Ga. (total)	108.4	118.0	132.7	141.6	150.2	135.0	135.3	154.2	147.4	193.2
White	84.6	77.9	98.9	89.8	95.7	86.9	95.4	101.9	99.7	127.2
Colored	161.0	205.5	205.8	252.7	266.1	236.5	218.2	261.9	250.2	330.3
Chicago, Ill.	97.4	121.3	146.2	149.2	149.1	172.2	164.0	165.5	162.8	166.8
Indianapolis, Ind. (total)	130 4	141.7	174.4	179.3	183.1	198.6	212.6	217.8	182.8	186.8
White	101.9	120.1	141.3	152.9	152.3	161.9	175.2	184.7	151.9	158.8
Colored	353.3	316.4	447.7	399.9	444.3	494.1	539.5	513.1	464.2	448.0
Kansas City, Kans. (total)	108.7	129.8	137.4	137.7	137.4	148.6	151.6	187.1	175.2	209.2
White	88.1	87.3	113.5	116.4	107.4	117.7	120.9	156.1	143.3	169.6
Colored	230.8	387.4	285.0	273.4	332.1	354.4	361.5	405.3	406.6	506.9
Louisville, Ky. (total)	141.6	179.0	224.6	184.6	187.4	190.2	216.4	188.0	211.0	237.4
White	115.8	141.0	177.9	131.9	136.7	141.0	174 3	148.8	165.2	188.9
Colored	267.0	363.4	449.4	438.4	427.5	421.4	412.9	370.3	421.9	412.4
New Orleans, La. (total)	208.7	229.6	315.5	321.2	292.9	304.2	294.7	254.3	286.2	269.8
White	157.1	166.2	227.3	208.3	174.1	177.7	196.4	159.5	182.4	173.3
Colored	354.3	408.2	563.8	638.9	626.0	659.0	570.1	519.7	500.5	504.8
Baltimore, Md. (total)	149.5	170.0	238.2	226.6	217.4	214.5	223.0	230.9	241.9	245.4
White	113.3	128.7	180.3	165.7	159.2	158.2	170.9	172.5	167.0	183.0
Colored	357.1	407.8	536.6	542.4	521.7	511.8	500.3	545.1	510.6	588.4
Boston, Mass	129.1	156.9	191.5	180.8	181.8	169.8	176.5	177.4	181.8	185.2
Cambridge, Mass.	132.9	174.5	227.6	209.3	192.6	205.7	194.5	204.8	189.7	196.3
Fall River, Mass	104.5	137.9	203.5	181.4	200.7	149.3	176.2	150.3	143.8	154 9
Lowell, Mass	106.2	137.0	179.8	171.0	141.4	130.4	126.5	120.8	148.5	155.9
New Bedford, Mass	134.7	148.4	224.9	165.4	191.4	161.2	170.5	155.6	147.6	170.5
Springfield, Mass.	79.8	91.0	126.5	106.5	83.5	94.7	104.1	96.8	106.6	111.7
Worcester, Mass.	114.1	126.3	145.5	159.0	167.1	144.4	142.6	132.4	127.5	140.5
Detroit, Mich	99.7	96.2	121.5	114.7	119.8	102.7	96.2	95.0	100.0	106.5
Grand Rapids, Minn	72.0	74.0	104.5	96.4	82.5	96.8	79.1	73 2	97.6	110.9
Minneapolis, Minn.	107.9	122.1	129.8	139.6	144.3	148.1	139.4	133.0	141.2	154.2
St. Paul, Minn.	113.2	121.5	138.1	148.5	134.5	148.0	145.5	144.5	134.9	135.9
Kansas City, Mo.	112.4	126.9	161.5	168.3	159.6	174.2	152.1	155.8	169.7	167.9
St. Louis, Mo.	98.7	112.6	144.0	159.3	147.9	146.9	166.5	159.7	159.8	158 7
Omaha, Nebr.	85.3	88.1	113.9	103.6	114.9	98.0	117.6	102.3	100.7	116.2
Camden, N. J.	81.0	99.0	150.5	135.5	142.9	117.7	182.8	166.1	155.8	209.5
Jersey City, N. J.	114.8	122.7	154.4	161.9	179.7	174.2	168.7	160.5	164.6	193.0
Newark, N. J.	96.4	118.8	159.8	177.2	175.9	193.8	183.4	178.8	174.0	211.3

(See footnotes at end of table.)

AREA.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION. [Rates of 175 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Paterson, N. J.	118.7	106.4	154.2	145.7	146.1	139.5	127.6	151.9	132.1	186.0
Trenton, N. J.	127.0	134.5	169.2	156.0	152.0	176.3	176.4	194.7	224.7	224.7
Albany, N. Y.	142.2	169.4	207.9	220.9	231.5	282.0	271.9	244.2	226.4	267.3
Buffalo, N. Y.	111.7	126.9	171.0	165.8	159.4	154.6	163.8	154.5	143.3	142.1
New York, N. Y.	127.8	153.1	185.8	189.5	183.3	197.6	201.5	199.8	201.8	210.6
Bronx bor.	103.4	144.1	170.6	203.1	164.7	180.6	182.4	191.1	183.2	193.7
Brooklyn bor.	110.7	128.7	158.0	167.6	155.6	173.0	174.1	174.9	176.9	185.7
Manhattan bor.	150.4	181.3	215.3	210.8	214.1	229.8	235.5	229.9	232.9	239.6
Queens bor.	113.3	119.7	149.8	154.2	161.9	156.6	153 3	143.4	151.7	158.9
Richmond bor.	160.9	207.0	297.8	179.4	196.2	162.2	173.4	183.2	160.3	192.7
Rochester, N. Y.	80.0	94.4	115.9	117.6	110.5	116.7	111.6	117.4	111.6	132.4
Syracuse, N. Y.	71.9	74.8	111.1	115.4	107.8	97.4	129 6	119.2	107.0	113.8
Yonkers, N. Y.	141.3	124.1	145.3	151.7	134.7	119.0	146.7	183.8	143.3	143.3
Akron, Ohio	57.6	60.1	68.8	74.2	59.3	60.9	60.5	68.7	85.3	94.5
Cincinnati, Ohio	162.0	196.2	241.3	241.3	235.8	229.6	249.9	258.7	255.6	266.7
Cleveland, Ohio	109.2	127.0	157.7	163.6	144.5	126.5	130.9	127.6	131.0	145.2
Columbus, Ohio	116.3	128.5	176.8	166.4	151.8	157.1	164.8	159.4	169.5	189.1
Dayton, Ohio	93.3	103.8	151.7	145.9	126.0	162.0	126.3	158.7	149.0	166.8
Toledo, Ohio	135.8	143.1	175.4	182.7	176.1	177.5	165.6	177.9	171.7	182.5
Youngstown, Ohio	83.9	102.2	119.8	135.8	106.6	93.9	97.2	95.5	121.8	123.9
Portland, Oreg.	82.2	91.8	102.0	80.9	93.3	100.2	99.0	94.1	108.5	110.2
Philadelphia, Pa.	137.3	161.8	211.9	195.3	191.7	184.6	189.5	187.7	190.3	218.8
Pittsburgh, Pa.	120.0	132.7	163.4	164.9	139.0	135.1	135.6	129.2	125.4	131.4
Reading, Pa.	83.1	89.4	135.3	122.3	116.7	113.3	127.2	110.1	97.9	123 6
Scranton, Pa.	74.5	98.9	106.9	103.8	95.7	99.8	102.1	90.5	97.9	114.5
Providence, R. I.	113.8	140.2	183.0	185.7	180.8	170.2	160.4	170.1	155.7	157.0
Memphis, Tenn. (total)	206.8	235.6	304.6	282.7	(6)	300.1	307.2	271.7	257.4	240.4
White	103.8	110.3	152.0	145.1	(6)	142.0	124.1	157.7	160.1	144.8
Colored	369.8	454.8	567.1	515.8	(6)	559.1	602.6	452.9	407.5	386.5
Nashville, Tenn. (total)	208.8	198.4	250.7	206.7	(6)	241.8	237.4	217.8	242.6	241.7
White	131.0	131.3	146.6	145.8	(6)	138.9	139.2	144.7	161.0	164.2
Colored	300.5	353.0	486.8	343.2	(6)	466.2	448.4	372.6	413.0	400.9
Dallas, Tex. (total)	111.7	95.6	150.2	137.9	139.8	(3)	(3)	(3)	(3)	(3)
White	70.8	76.8	115.5	94.5	91.5	(3)	(3)	(3)	(3)	(3)
Colored	342.9	200.2	335.4	364.4	384.5	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	110.5	117.4	181.4	141.9	(3)	(3)	(3)	(3)	(3)	(3)
White	81.1	78.0	144.8	88.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	201.0	237.5	288.4	294.5	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	275.0	269.5	378.5	342.1	292.0	355.5	376.1	360 2	397.0	398.4
Salt Lake City, Utah	73.7	73.5	57.4	55.9	59.2	56.6	66.7	68.3	62.2	84.7
Norfolk, Va. (total)	171.8	144.8	196.8	166.0	184.5	194.3	201.8	226.0	252.4	251.5
White	93.9	64.8	116.9	74.4	88.5	93.9	122.0	136.6	133.8	130.7
Colored	301.5	276.8	327.0	313.8	337.7	352.4	325.5	362.8	430.9	430.2
Richmond, Va. (total)	156.6	170.9	201.0	183.7	215.7	204.8	213.1	200.4	241.9	247.6
White	114.5	121.3	145.8	122.1	134.2	129.6	127.0	123.8	172.6	158.6
Colored	249.1	277.9	318.1	311.8	382.4	355.7	377.8	343.7	368.5	406.3
Seattle, Wash.	90.2	95.3	90.3	94.4	91.5	76.2	102.3	108.2	110.3	123.4
Spokane, Wash.	70.8	67.0	75.7	93.8	79.5	85.2	92.9	109.1	80.4	117.8
Milwaukee, Wis.	87.0	83.4	106.0	100.8	97.2	97.2	106.2	105.0	98.1	107.7

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

The states which show the highest rates in 1920 from tuberculosis (all forms) are Colorado (225.4), Tennessee (164.6), California (159.6), Kentucky (152.9), and Maryland (146.8). The states with the lowest rates are Utah (39.1), Nebraska (43), Kansas (48.2), Montana (75.1), and Vermont (81.8).

Of the registration cities with populations of 100,000 or more in 1920, only 4 have rates higher than 175 for each year from 1911 to 1920, and 3 of these have rates of more than 200 during the same period. The cities having the highest rates in 1920 are Denver (318.1), San Antonio (275), Nashville (208.8), and New Orleans (208.7). The lowest rates appear for Akron (57.6), Spokane (70.8), Syracuse (71.9), and Grand Rapids (72).

For the states and cities that show by color, the rate for the colored is higher than 175 for all the states but South Carolina (172), and for all the cities but Atlanta (161).

TUBERCULOSIS OF THE LUNGS.

The number of deaths in 1920 from tuberculosis of the lungs, including acute miliary tuberculosis, is 88,195, and the death rate (100.8 per 100,000 population) is by far the lowest rate recorded in the annual mortality reports.

The following table shows the rates per 100,000 population for 1911 to 1920, rates of 150 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS [1] PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [2]	100.8	111.3	133.2	129.4	124.3	128.2	128.2	127.9	130.0	138.2
Registration states [3]	99.8	110.6	132.0	127.3	122.1	124.2	124.7	125.0	126.6	134.9
Cities in registration states [3]	102.0	115.8	143.2	139.5	134.1	136.8	139.1	139.7	141.8	150.8
Rural part of registration states	97.7	106.1	122.0	116.5	111.1	111.8	110.6	110.2	110.8	118.7
Registration cities in nonregistration states	161.4	145.3	186.5	157.6	153.6	174.8	171 8	161.9	166.6	174.7
All registration cities [3]	104.0	117.0	145.2	142.0	136.8	142.3	143.7	142.9	145.7	154.4
REGISTRATION STATES.										
California	141.8	156.3	167.6	157.1	154.4	166.8	165.9	172.2	171.4	179.3
Colorado	212.5	200.5	229.9	179.5	164.4	169.2	177.4	178.2	192.9	206.2
Connecticut	103.8	109.8	131.8	134.3	121.3	119.5	123.2	113.9	120.0	126.8
Delaware	131.7	153.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Florida (total)	95.1	93.8	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	59.7	69.7	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	164.4	154.3	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Illinois	89.1	102.2	121.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Indiana	92.9	97.7	120.5	119.9	114.3	121.8	124.0	124.3	123.9	131.1
Kansas	41.2	44.8	52.8	50.7	49.9	49.9	51.0	(4)	(4)	(4)
Kentucky	133.9	146.0	177.6	174.7	171.2	179.2	182.6	176.5	183.7	200.6
Louisiana (total)	132.7	135.3	173.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	74.4	74.7	100.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	224.5	229.2	285.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Maine	85.1	84.9	98.2	95.3	97.7	102.0	95.4	97.1	107.1	117.0
Maryland (total)	132.1	148.8	188 5	177.7	177.0	168.1	178.2	172.5	168.5	177.9
White	99.7	116.3	148.7	135 3	135.5	126.7	138.1	130.3	129.7	131.6
Colored	292.0	308.2	381.8	382.6	375.9	364.9	367.2	370.0	349.1	391.5
Massachusetts	96.9	109.3	138.1	125.3	125.0	119.3	119.8	121.5	126.1	130.3
Michigan	72.0	73.5	88.0	83.5	78.7	78.2	74.3	73.5	77.3	79.9
Minnesota	77.1	81.9	89.6	87.8	87.9	84.5	90.0	88.1	90.2	99.6
Mississippi (total)	121.2	130.2	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
White	44.7	54.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Colored	191.5	198.6	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Missouri	97.9	104.6	131.6	135.2	128.6	132.5	133.6	127.7	130.6	137.8
Montana	65.6	80.0	85.0	96.4	93.5	99.8	88.7	90.3	100.4	90.0
Nebraska	35.4	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)	(4)
New Hampshire	81.4	86.6	107.7	95.0	97.8	102.0	100.5	99.4	95.1	104.8
New Jersey	102.0	114.2	141.2	137.8	133.6	136.8	137.7	134.6	137.0	152.6
New York	106.1	124.6	148.6	147.6	142.0	148.6	151.9	148.7	148.8	156.6
North Carolina (total)	106.4	111.5	127.6	124.5	133.3	[5]207.6	[5] 221.4	[6] 200.2	[6] 209.3	[6] 228.1
White	75.3	78.1	86.4	84.1	90.2	134.7	160.4	147.0	145.5	162.3
Colored	178.2	188.3	221.3	215.7	229.8	345.3	336.7	298.0	326.8	349.3
Ohio	88.3	100.2	117.6	117.6	109.2	109.0	109.1	110.2	116.2	126.1
Oregon	73.2	74.1	73.3	(4)	(4)	(4)	(4)	(4)	(4)	(4)
Pennsylvania	91.5	103.5	133.5	119.9	114.8	112.6	108.8	105.8	109.1	118.4
Rhode Island	110.6	124.9	153.3	150.4	150.8	138.9	139.8	137.3	135.1	147.2
South Carolina (total)	111.9	126.7	136.3	136.2	136.7	(4)	(4)	(4)	(4)	(4)
White	58.9	61.7	63.1	63.0	61.0	(4)	(4)	(4)	(4)	(4)
Colored	162.5	187.8	204.1	203 0	204.7	(4)	(4)	(4)	(4)	(4)

(See footnotes at end of table.)

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS[1] PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—contd.										
Tennessee (total)	145.2	150.8	186.3	177.5	(4)	(4)	(4)	(4)	(4)	(4)
White	112.8	111.7	135.9	136.4	(4)	(4)	(4)	(4)	(4)	(4)
Colored	281.1	312.6	392.1	343.0	(4)	(4)	(4)	(4)	(4)	(4)
Utah	32.0	37.7	40.7	36.5	41.2	36.9	41.6	42.2	33.8	38.1
Vermont	67.0	75.4	88.7	76.7	93.0	76.5	82.1	89.6	81.4	97.6
Virginia (total)	128.9	136.4	167.4	151.5	154.8	164.4	160.4	148.5	(4)	(4)
White	84.1	87.8	113.8	94.5	102.7	102.2	105.8	101.4	(4)	(4)
Colored	234.6	249.3	290.6	281.1	271.7	302.4	279.8	250.5	(4)	(4)
Washington	81.5	83.8	86.8	82.8	79.8	87.3	79.7	83.0	79.3	87.9
Wisconsin	74.0	72.8	81.1	83.6	78.9	82.4	84.4	83.8	85.6	87.6
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	140.1	144.9	180.3	196.3	194.2	196.0	229.1	208.3	193.1	220.8
White	49.1	55.7	75.5	60.0	77.0	85.5	101.2	82.3	109.2	106.0
Colored	280.9	282.6	342.2	406.7	375.0	366.5	426.1	402.3	322.1	397.3
Los Angeles, Calif.	165.6	181.0	200.4	186.7	182.1	193.9	204.0	235.5	225.3	245.6
Oakland, Calif.	82.9	89.3	97.1	92.4	97.2	115.8	103.5	108.7	116.8	103.5
San Francisco, Calif.	113.2	156.4	171.7	158.2	165.5	176.3	177.3	160.8	160.5	157.7
Denver, Colo	296.1	256.4	311.0	243.7	215.4	252.0	255.5	255.7	280.0	274.3
Bridgeport, Conn.	85.1	93.3	137.8	144.5	112.0	115.0	94.1	81.2	84.3	107.3
Hartford, Conn.	77.1	70.6	111.4	118.8	92.8	65.1	82.9	96.6	86.3	114.7
New Haven, Conn	67.1	68.3	121.5	123.8	94.0	87.8	109.5	111.8	101.3	123.2
Wilmington, Del.	92.6	96.0	129.3	160.2	129.9	140.9	137.8	125.1	156.2	133.3
Washington, D. C. (total)	118.3	139.3	164.6	153.1	170.9	184.4	170.2	196.6	211.4	213.8
White	75.4	95.3	102.6	92.3	96.9	104.6	97.3	125.5	120.3	131.8
Colored	245.7	268.4	343.6	326.3	378.0	404.3	367.5	385.4	448.6	423.1
Atlanta, Ga. (total)	95.6	104.9	111.0	117.3	120.9	114.5	118.7	138.3	132.2	172.7
White	72.4	68.4	81.5	75.9	76.5	75.5	82.8	92.3	89.5	109.3
Colored	146.8	184.6	174.8	206.2	215.2	196.8	193.6	233.2	218.9	300.3
Chicago, Ill.	85.5	107.0	128.1	132.0	131.7	151.6	145.2	145.7	144.6	147.3
Indianapolis, Ind. (total)	109.7	119.2	148.4	152.9	154.0	168.6	171.0	178.4	151.3	152.6
White	83.9	101.3	119.5	129.8	128.4	137.4	140.9	149.5	125.8	129.6
Colored	315.9	263.7	386.8	345.9	371.4	435.0	433.8	436.5	383.5	366.9
Kansas City, Kans. (total)	95.0	120.8	123.1	116.0	114.1	137.9	134.0	163.6	160.3	174.2
White	79.0	80.3	98.1	97.2	87.8	106.6	108 3	131.4	132.9	143.1
Colored	190.1	366.3	277.7	235.4	284.7	346.2	309.9	369.3	359.3	407.5
Louisville, Ky. (total)	118.2	153.9	196.4	159.7	164.6	169.9	188.7	163.2	185.5	211.8
White	95.3	116.3	152.0	111.2	116.9	125.3	144.9	130.2	144.8	175.7
Colored	229.6	336.0	409.7	391.3	390.4	379.5	393.3	316.3	372.5	376.5
New Orleans, La. (total)	195.3	214.7	287.3	290.5	260.4	266.1	271.4	234.9	244.8	242.0
White	147.0	153.9	208.7	194.9	161.7	160.6	182.5	145.3	168.4	159.1
Colored	331.7	386.3	508.5	559.5	537.5	562.0	520.5	485.5	458.2	473.0
Baltimore, Md. (total)	133.5	150.2	214.7	204.3	194.5	190.9	199.0	204.5	212.1	210.9
White	101.9	112.7	162.1	145.9	143.9	139.4	151.9	150.7	162.4	155.9
Colored	315.1	366.1	485.4	507.2	459.2	462.6	450.1	493.8	482.5	513.0
Boston, Mass.	110.1	132.2	165.9	156.4	151.2	142.8	144.3	148.7	154.8	154.9
Cambridge, Mass.	121.0	159.9	205.6	190.9	180.6	189.9	173.0	188.8	179.3	168.8
Fall River, Mass.	89.6	117.1	189.5	155.6	172.4	120.1	153.6	132.8	128.8	139.8
Lowell, Mass.	75.2	97.0	143.2	135.9	106.0	103.9	97.2	91.3	118.8	116.7
New Bedford, Mass.	109.4	115.9	189.1	128.8	153.1	133.8	135.1	117.4	119.3	137.4
Springfield, Mass.	61.5	75.3	103.8	86.4	62.6	73.1	91.0	71.3	83.5	86.2
Worcester, Mass.	93.1	105.0	118.0	125.7	130.1	112.1	117.0	108.1	106.7	115.2
Detroit, Mich.	85.0	80.8	106.3	98.6	103.4	89.8	81.8	81.4	86.4	92.3
Grand Rapids, Mich.	63.4	56.4	86.5	79.7	65.2	85.6	68.5	54.8	77.2	87.5
Minneapolis, Minn.	94.6	106.2	115.7	123.5	121.6	127.7	116.2	118.1	118.7	133.6
St. Paul, Minn.	95.0	105.7	116.1	125.9	107.7	114.0	120.4	121.5	107.6	112.8
Kansas City, Mo.	100.5	109.8	147.1	150.9	141.1	157.3	136.8	134.2	146.8	149.7
St. Louis, Mo.	87.5	97.2	128.5	142.3	131.7	131.1	147.0	140.1	137.7	136.9
Omaha, Nebr.	67.2	71.7	91.0	87.7	96.6	89.2	96.8	86.9	87.8	96.5
Camden, N. J.	74.1	91.2	133.7	122.0	118.9	103.6	163.5	147.4	139.7	177.9
Jersey City, N. J.	101.8	107.9	136.3	145.4	153.2	152.8	146.0	138.2	146.0	169.4
Newark, N. J.	80.6	101.7	135.1	154.3	152.4	167.7	162.5	153.9	151.6	183.5
Paterson, N. J.	107.0	93.3	145.2	131.4	137.7	126.6	117.6	136.4	118.0	171.8
Trenton, N. J.	114.6	122.7	152.8	127.8	132.2	157.1	152.0	167.9	194.3	192.5
Albany, N. Y.	115.9	149.0	186.4	196.4	202.2	254.8	240.5	223.0	204.1	237.8
Buffalo, N. Y.	98.8	110.4	152.2	148.7	140.3	136.0	141.2	133.0	122.5	122.1
New York, N. Y.	112.0	135.9	164.4	169.6	163.4	175.0	179.2	175.1	177.0	184.0
Bronx bor.	95.4	130.9	150.4	184.1	148.7	163.2	164.7	171.5	160.2	169.3
Brooklyn bor.	97.3	114.0	140.0	149.4	138.8	153.0	153.6	151.9	155.4	161.9
Manhattan bor.	130.5	159.8	189.8	188.0	189.6	203.0	210.2	202.3	203.7	208.9
Queens bor.	101.8	106.4	133.7	138.8	146.7	138.3	137.8	123.7	136.1	142.3
Richmond bor.	150.7	189.6	277.3	169.3	181.0	144.6	155.2	150.9	144.2	171.5
Rochester, N. Y.	67.6	74.2	98.5	93.1	90.4	99.0	89.8	96.5	94.8	112.1
Syracuse, N. Y.	51.2	53.0	91.9	87.1	85.9	84.0	105.9	99.0	89.0	96.1
Yonkers, N. Y.	121.5	105.9	125.7	126.4	115.3	97.0	120.7	151.4	113.7	119.0
Akron, Ohio	48.3	51.1	60.2	63.3	48.1	55.3	49.5	62.6	74.3	78.1
Cincinnati, Ohio	139.8	175.5	216.5	220.6	215.8	206.5	225.2	233.7	226.8	238.3

AREA.	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS[1] PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
Cleveland, Ohio	95.1	111.8	138.1	142.4	125.1	109.4	111.8	110.7	112.7	127.7
Columbus, Ohio	94.2	106.3	140.0	136.3	123.7	130.7	136.2	136.5	144.8	153.3
Dayton, Ohio	75.1	92.9	127.9	129.1	111.0	140.6	113.5	140.1	128.2	140.4
Toledo, Ohio	124.0	132.7	159.1	162.7	152.3	157.0	148.5	151.8	147.8	161.6
Youngstown, Ohio	63.1	73.8	87.8	110.8	87.6	77.7	79.3	69.0	100.6	100.3
Portland, Oreg.	61.4	71.1	81.0	62.3	70.8	78.7	70.1	71.6	76.8	87.7
Philadelphia, Pa.	121.2	142.1	190.9	173.3	169.1	163.1	166.7	164.2	169.7	193.2
Pittsburgh, Pa.	98.0	110.3	138.0	131.2	112.8	110.1	110.6	107.6	101.1	106.4
Reading, Pa.	71.1	73.6	114.6	96.7	84.2	94.9	116.2	83.9	77.5	104.0
Scranton, Pa.	62.2	78.6	89.3	76.6	80.8	77.5	81.0	80.0	78.2	101.6
Providence, R. I.	89.8	111.9	143.9	155.4	146.9	135.7	129.5	135.5	119.2	134.5
Memphis, Tenn. (total)	178.6	200.3	275.5	253.9	(7)	270.4	280.0	247.8	227.9	210.4
White	91.1	86.1	132.7	123.3	(7)	119.3	113.7	136.3	139.3	127.5
Colored	324.2	399.8	521.0	475.1	(7)	518.1	548.3	424.7	368.0	360.0
Nashville, Tenn. (total)	174.3	159.4	204.5	180.0	(7)	204.3	204.0	175.3	194.4	203.0
White	108.2	102.1	119.5	122.1	(7)	113.4	118.6	117.4	125.3	134.8
Colored	328.7	291.4	397.3	309.7	(7)	402.4	387.5	298.1	338.6	343.2
Dallas, Tex. (total)	96.8	87.3	131.0	118.9	117.6	(4)	(4)	(4)	(4)	(4)
White	58.4	69.2	99.1	80.3	70.9	(4)	(4)	(4)	(4)	(4)
Colored	314.0	187.7	301.4	320.1	354.5	(4)	(4)	(4)	(4)	(4)
Houston, Tex. (total)	98.4	106.4	171.6	136.0	(4)	(4)	(4)	(4)	(4)	(4)
White	67.9	67.3	137.1	82.0	(4)	(4)	(4)	(4)	(4)	(4)
Colored	192.3	225.6	272.4	291.2	(4)	(4)	(4)	(4)	(4)	(4)
San Antonio, Tex.	264.1	255.6	358.7	320.0	276.8	334.2	352.9	343.2	378.1	372.6
Salt Lake City, Utah	63.7	62.4	47.7	44.2	40.7	42.5	51.2	55.4	50.0	68.0
Norfolk, Va. (total)	147.1	126.4	170.5	146.3	159.3	172.2	166.2	189.1	219.6	223.1
White	80.3	53.6	99.4	59.2	77.4	70.8	92.8	102.0	103.6	95.0
Colored	258.5	246.5	286.4	236.8	259 8	331.7	280.1	316.1	394.0	412.6
Richmond, Va. (total)	136.4	153.2	177.8	156.4	180.5	169.8	182.9	165.9	203.9	207.8
White	97.6	106.6	122.1	97.8	107.4	102.4	93.1	87.8	140.2	127.6
Colored	221.4	253.8	295.7	278.2	329.9	304.9	354.7	312.0	334.6	351.0
Seattle, Wash.	65.1	65.8	65.9	70.7	66.8	57.9	76.9	80.8	84.5	94.0
Spokane, Wash.	56.5	46.9	61.3	72.8	58.4	69.9	69.9	83.3	65.1	91.9
Milwaukee, Wis.	71.6	69.5	87.0	86.2	79.8	84.5	94.0	90.7	85.8	98.2

[1] Including acute miliary tuberculosis.
[2] Exclusive of Hawaii.
[3] Including District of Columbia.
[4] Not added to registration area until a later date.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals, and institutions, and deaths of soldiers, sailors, and marines.

Tuberculosis of the lungs, including acute miliary tuberculosis, represents 88.3 per cent of all forms of tuberculosis in 1920, and is slightly lower than the corresponding per cent (88.6) for 1919.

States with the highest rates in 1920 are Colorado (212.5), Tennessee (145.2), California (141.8), Kentucky (133.9), and Louisiana (132.7). States which have the lowest rates are Utah (32), Nebraska (35.4), Kansas (41.2), Montana (65.6), and Vermont (67).

Only one state—Colorado—has a rate of 150 or higher for every one of the 10 years shown.

Of the registration cities of 100,000 population or more in 1920, four have rates higher than 150 for each of the years shown. Very low rates in 1920 are shown for Akron (48.3), Syracuse (51.2), and Spokane (56.5).

Of the eight states shown by color in 1920, seven have rates nearly three times as high for the colored as for the white, and, with the exception of Atlanta, with a rate of 146.8, every city shown by color has for the colored a rate of 150 or more for the series of years shown.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for pulmonary tuberculosis. The mortality from this cause among Negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

SYPHILIS.

The number of deaths credited to syphilis in 1920 is 7,969, corresponding to a rate of 9.1 per 100,000 as against 7,347 deaths in 1919 and a rate of 8.6. Death rates from syphilis, locomotor ataxia, and general paralysis of the insane are given below.

DEATHS AND DEATH RATES PER 100,000 POPULATION FROM SYPHILIS, LOCOMOTOR ATAXIA, AND GENERAL PARALYSIS OF THE INSANE, IN THE REGISTRATION AREA AND IN THE REGISTRATION STATES AS OF 1900, FOR THE YEARS 1900 TO 1920, AND IN THE REGISTRATION STATES AS OF 1910, FOR THE YEARS 1910 TO 1920.

YEAR.	DEATHS.				DEATH RATE PER 100,000 ESTIMATED POPULATION.			
	Total.	Syphilis.	Locomotor ataxia.	General paralysis of the insane.	Total.	Syphilis.	Locomotor ataxia.	General paralysis of the insane.
THE REGISTRATION AREA.								
1920	14,610	7,969	1,611	5,030	16.7	9.1	1.8	5.7
1919	13,861	7,347	1,691	4,823	16.3	8.6	2.0	5.7
1918	15,351	7,604	1,857	5,890	18.9	9.3	2.3	7.2
1917	14,834	7,811	1,772	5,251	19.8	10.4	2.4	7.0
1916	13,769	6,902	1,717	5,150	19.3	9.7	2.4	7.2
1915	12,590	5,819	1,757	5,014	18.8	8.7	2.6	7.5
1914	11,584	5,195	1,699	4,690	17.6	7.9	2.6	7.1
1913	10,634	4,589	1,674	4,371	16.8	7.3	2.6	6.9
1912	9,532	3,941	1,588	4,053	15.9	6.5	2.6	6.7
1911	9,433	3,821	1,624	3,988	15.9	6.5	2.7	6.7
1910	7,600	3,221	1,435	2,944	14.1	6.0	2.7	5.5
1909	6,828	2,858	1,386	2,584	13.4	5.6	2.7	5.1
1908	6,017	2,432	1,198	2,387	12.9	5.2	2.6	5.1
1907	5,478	2,235	1,127	2,116	12.7	5.2	2.6	4.9
1906	6,012	2,006	1,097	2,909	14.3	4.8	2.6	6.9
1905	4,867	1,534	883	2,450	14.3	4.5	2.6	7.2
1904	4,590	1,507	820	2,263	13.8	4.5	2.5	6.8
1903	4,333	1,368	813	2,152	13.3	4.2	2.5	6.6
1902	4,060	1,131	691	2,238	12.7	3.5	2.2	7.0
1901	3,928	1,137	722	2,069	12.5	3.6	2.3	6.6
1900	3,577	1,029	593	1,955	11.6	3.3	1.9	6.3
THE REGISTRATION STATES AS OF 1900.								
1920	4,788	2,345	623	1,820	17.0	8.3	2.2	6.5
1919	4,705	2,165	664	1,876	16.9	7.8	2.4	6.8
1918	5,406	2,500	691	2,215	19.8	9.1	2.5	8.1
1917	5,592	2,598	699	2,297	20.7	9.6	2.6	8.5
1916	5,580	2,479	728	2,373	21.0	9.3	2.7	8.9
1915	5,125	2,130	741	2,254	19.6	8.1	2.8	8.6
1914	4,756	1,905	716	2,135	18.5	7.4	2.8	8.3
1913	4,508	1,665	766	2,077	17.8	6.6	3.0	8.2
1912	4,064	1,410	707	1,947	16.3	5.7	2.8	7.8
1911	4,068	1,394	734	1,940	16.6	5.7	3.0	7.9
1910	3,618	1,307	686	1,625	15.0	5.4	2.8	6.7
1909	3,241	1,232	612	1,397	13.7	5.2	2.6	5.9
1908	3,150	1,121	594	1,435	13.6	4.8	2.6	6.2
1907	2,976	1,069	612	1,295	13.1	4.7	2.7	5.7
1906	3,282	873	619	1,790	14.8	3.9	2.8	8.1
1905	3,012	711	550	1,751	13.9	3.3	2.5	8.1
1904	2,962	747	545	1,670	13.9	3.5	2.6	7.8
1903	2,768	715	511	1,542	13.2	3.4	2.4	7.3
1902	2,652	611	432	1,609	12.8	3.0	2.1	7.8
1901	2,532	599	456	1,477	12.5	2.9	2.2	7.3
1900	2,403	534	393	1,476	12.0	2.7	2.0	7.4
THE REGISTRATION STATES AS OF 1910.[1]								
1920	9,551	4,855	1,156	3,540	17.0	8.7	2.1	6.3
1919	9,195	4,473	1,218	3,504	16.7	8.1	2.2	6.3
1918	10,366	4,736	1,373	4,257	19.1	8.7	2.5	7.8
1917	10,726	4,994	1,386	4,346	20.1	9.3	2.6	8.1
1916	10,260	4,645	1,369	4,236	19.5	8.8	2.6	8.1
1915	9,455	3,976	1,415	4,064	18.3	7.7	2.7	7.9
1914	8,783	3,584	1,348	3,851	17.3	7.0	2.6	7.6
1913	8,217	3,190	1,347	3,680	16.4	6.4	2.7	7.4
1912	7,504	2,787	1,278	3,439	15.3	5.7	2.6	7.0
1911	7,426	2,719	1,322	3,385	15.4	5.6	2.7	7.0
1910	6,407	2,498	1,263	2,646	13.5	5.3	2.7	5.6

[1] Exclusive of North Carolina.

The data for syphilis in the preceding table are presented largely as a matter of record, for it is generally recognized that certification of syphilis has been and is still so incomplete that death rates from this cause are almost valueless.

Perhaps a comparison of the rates from locomotor ataxia and general paralysis of the insane in 1900 and in 1916 will throw a little light on the increase of syphilis in that period of 16 years antedating the entrance of the United States into the war and the influenza epidemic. The mortality from locomotor ataxia and general paralysis of the insane together increased in the registration states of 1900 from 9.4 per 100,000 population in 1900 to 11.6 in 1916. For the registration states of 1910 the corresponding rate in 1910 was 8.3 and in 1916, 10.7. On the other hand we find for 1920 rates from these two causes not only lower than the rate of recent years, but in most cases lower than in either 1900 or 1910. For comparison a few rates are given for England and Wales.

ENGLAND AND WALES.	DEATH RATE PER 100,000 ESTIMATED POPULATION.		
	Syphilis.	Locomotor ataxia.	General paralysis of the insane.
1919	5.0	1.8	4.4
1918	5.8	2.0	5.6
1917	6.1	2.2	6.5
1916	5.5	2.3	5.8
1915	5.3	2.1	6.2
1914	5.8	1.9	6.1
1913	5.7	2.0	5.8
1912	5.1	1.8	6.2
1911	5.1	1.8	6.0
1910	4.6	1.6	6.2

From Annual Report, Registrar-General, 1919.

An attempt has been made in the following tables to get nearer the truth regarding syphilis as a cause of mortality by following the plan used by the late Sir William Osler, M. D.[1] The figures given by him, as the estimated mortality due to syphilis in England and Wales in 1915, have been reduced to percentages which have been applied to the mortality figures for our own registration states as constituted in 1900, for the years 1900, 1910, and 1920. To meet the probability that Dr. Osler would not have assigned 22 per cent of all deaths under 1 year of age to syphilis for the years 1900 and 1910, as there was undoubtedly a considerable decrease in infant mortality between 1900 and 1915 from causes not syphilitic, due allowances have been made in the estimated deaths under 1 for the years 1900 and 1910.

The registration states of 1900 show an estimated rate for syphilis of 112.9 per 100,000 population for 1900, 129.9 for 1910, and 119.5 for 1920. The registration states of 1910 show an estimated rate of 124.1 for 1910 and 112.8 for 1920. If such estimates are reliable, syphilis stands fourth in importance as a cause of death, the only causes having higher mortality rates

[1] London Lancet, May 26, 1917.

being organic diseases of the heart, with a rate of 141.9 per 100,000 population in the registration area of 1920, pneumonia (all forms), with a rate of 137.3, and tuberculosis (all forms) with a rate of 114.2.

DEATHS AND DEATH RATES FROM SYPHILIS AND A CERTAIN PART OF OTHER SPECIFIED CAUSES DUE POSSIBLY TO SYPHILIS, PER 100,000 POPULATION, BY SEX, IN THE REGISTRATION STATES AS CONSTITUTED IN 1900, FOR THE YEARS 1900, 1910, AND 1920.

The causes used are those assigned to syphilis by Dr. Osler. Rates based on populations estimated as of July 1. Sex assumed to have same proportion as when enumerated.]

CAUSE OF DEATH.	DEATHS.									DEATH RATE PER 100,000 ESTIMATED POPULATION.								
	1920			1910			1900			1920			1910			1900		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Total	33,676	18,824	14,852	31,352	17,523	13,829	22,579	12,413	10,166	119.5	132.8	106.0	129.9	143.9	115.7	112.9	124.1	101.7
All causes (under 1 year), 22 per cent [1]	12,714	7,242	5,472	14,681	8,172	6,509	12,639	7,039	5,600	45.1	51.1	39.1	60.8	67.1	54.4	63.2	70.4	56.0
Syphilis (1 year and over), 100 per cent.	1,774	1,260	514	605	393	212	207	117	90	6.3	8.9	3.7	2.5	3.2	1.8	1.0	1.2	0.9
Locomotor ataxia (1 year and over), 100 per cent	623	472	151	686	516	170	389	282	107	2.2	3.3	1.1	2.8	4.2	1.4	1.9	2.8	1.1
Other diseases of the spinal cord (1 year and over), 53 per cent	935	490	445	931	512	419	480	257	223	3.3	3.5	3.2	3.9	4.2	3.5	2.4	2.6	2.2
Cerebral hemorrhage, apoplexy (25 to 54 years), 81 per cent	2,922	1,315	1,607	2,769	1,407	1,362	2,304	1,171	1,133	10.4	9.3	11.5	11.5	11.6	11.4	11.5	11.7	11.3
Softening of the brain (1 year and over), 35 per cent	85	45	40	149	74	75	283	148	135	0.3	0.3	0.3	0.6	0.6	0.6	1.4	1.5	1.4
Paralysis without specified cause (1 year and over), 17 per cent	227	98	129	536	257	279	884	420	464	0.8	0.7	0.9	2.2	2.1	2.3	4.4	4.2	4.6
General paralysis of the insane (1 year and over), 100 per cent	1,820	1,367	453	1,625	1,211	414	1,473	990	483	6.5	9.6	3.2	6.7	9.9	3.5	7.4	9.9	4.8
Organic diseases of the heart (30 to 59 years), 29 per cent	3,555	1,784	1,771	3,191	1,670	1,521	2,077	1,026	1,051	12.6	12.6	12.6	13.2	13.7	12.7	10.4	10.3	10.5
Diseases of the arteries, etc. (1 year and over), 54 per cent	4,756	2,627	2,129	3,364	1,951	1,413	553	347	206	16.9	18.5	15.2	13.9	16.0	11.8	2.8	3.5	2.1
Epilepsy, other diseases of the nervous system, and bronchopneumonia (1 year and over), 30 per cent	4,265	2,124	2,141	2,815	1,360	1,455	1,290	616	674	15.1	15.0	15.3	11.7	11.2	12.2	6.5	6.2	6.7

[1] For the years 1900 and 1910 the figures shown are 18 per cent and 20 per cent, respectively, due allowance having been made for decreases in infant mortality rates between 1900 and 1915 from nonsyphilitic causes.

DEATHS AND DEATH RATES FROM SYPHILIS AND A CERTAIN PART OF OTHER SPECIFIED CAUSES DUE POSSIBLY TO SYPHILIS, PER 100,000 POPULATION, BY SEX, IN THE REGISTRATION STATES AS CONSTITUTED IN 1910 [1], FOR THE YEARS 1910 AND 1920.

[Rates based on populations estimated as of July 1. Sex assumed to have same proportions as when enumerated.]

CAUSE OF DEATH.	DEATHS.						DEATH RATE PER 100,000 POPULATION.					
	1920			1910			1920			1910		
	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.	Total.	Male.	Female.
Total	63,255	35,767	27,488	58,862	33,295	25,567	112.8	125.1	100.0	124.1	136.5	111.0
All causes (under 1 year), 22 per cent	24,656	14,048	10,608	29,704	16,623	13,081	44.0	49.2	38.6	62.6	68.1	56.8
Syphilis (1 year and over), 100 per cent	3,715	2,678	1,037	1,152	769	383	6.6	9.4	3.8	2.4	3.2	1.7
Locomotor ataxia (1 year and over), 100 per cent	1,156	874	282	1,263	978	285	2.1	3.1	1.0	2.7	4.0	1.2
Other diseases of the spinal cord (1 year and over), 53 per cent	1,714	884	830	1,832	1,017	815	3.1	3.1	3.0	3.9	4.2	3.5
Cerebral hemorrhage, apoplexy (25 to 54 years), 81 per cent	5,626	2,623	3,003	4,878	2,563	2,315	10.0	9.2	10.9	10.3	10.5	10.1
Softening of the brain (1 year and over), 35 per cent	182	91	91	317	170	147	0.3	0.3	0.3	0.7	0.7	0.6
Paralysis without specified cause (1 year and over), 17 per cent	445	202	243	1,136	546	590	0.8	0.7	0.9	2.4	2.2	2.6
General paralysis of the insane (1 year and over), 100 per cent	3,540	2,680	860	2,646	1,998	648	6.3	9.4	3.1	5.6	8.2	2.8
Organic diseases of the heart (30 to 59 years), 29 per cent	6,286	3,225	3,071	5,555	2,969	2,586	11.2	11.3	11.2	11.7	12.2	11.2
Diseases of the arteries, etc. (1 year and over), 54 per cent	8,030	4,501	3,529	5,462	3,252	2,210	14.3	15.7	12.8	11.5	13.3	9.6
Epilepsy, other diseases of the nervous system, and bronchopneumonia (1 year and over), 30 per cent	7,895	3,961	3,934	4,917	2,410	2,507	14.1	13.9	14.3	10.4	9.9	10.9

[1] Exclusive of North Carolina.

CANCER.

The number of deaths in 1920 from cancer and other malignant tumors is 72,931, corresponding to a rate of 83.4 per 100,000 population, against 80.5 in 1919, and 80.3 in 1918. The rate for 1920 shows an increase of 32.4 per cent over the rate for 1900 (63), and the increase is continuous to 1917 if the years 1906 and 1911 are excepted.

The following table shows the rates per 100,000 population for 1911 to 1920, rates of 80 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	83.4	80.5	80.3	82.0	82.1	81.4	79.6	79.0	77.1	74.4
Registration states [2]	83.4	80.5	80.3	81.5	81.8	81.2	79.2	78.7	76.9	74.1
Cities in registration states [2]	99.8	96.8	94.9	95.3	93.6	90.3	89.0	88.1	85.2	82.2
Rural part of registration states	68.0	66.4	67.1	69.3	71.0	72.1	69.6	69.3	68.5	65.8
Registration cities in nonregistration states	81.4	78.7	83.0	87.8	87.0	83.6	85.4	82.5	78.6	77.5
All registration cities [2]	99.2	96.1	94.3	94.3	92.7	89.3	88.5	87.3	84.1	81.5
REGISTRATION STATES.										
California	109.2	105.3	101.3	100.8	95.9	95.1	95.4	95.5	89.4	81.9
Colorado	73.0	69.2	76.7	69.1	64.7	57.2	61.6	53.0	59.8	56.2
Connecticut	100.6	94.4	94.0	92.3	90.6	90.1	84.6	83.7	80.4	78.0
Delaware	88.4	86.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	52.1	48.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	59.2	59.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	38.0	28.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	91.8	87.6	82.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	89.9	87.4	88.7	86.7	84.3	82.1	78.5	80.6	73.7	71.2
Kansas	72.4	69.2	72.8	71.9	72.4	66.1	63.5	(3)	(3)	(3)
Kentucky	56.3	52.6	53.1	54.1	51.2	49.9	46.1	48.1	45.0	42.8
Louisiana (total)	49.2	49.6	49.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	52.3	54.7	52.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	44.2	41.7	43.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	122.4	116.2	110.1	108.1	115.2	108.2	109.0	108.5	110.8	99.0
Maryland (total)	94.1	87.6	84.1	87.7	85.7	88.0	80.2	81.9	78.3	72.6
White	99.0	92.4	89.9	92.8	91.8	94.9	84.2	85.4	82.6	77.6
Colored	70.0	63.9	56.0	62.9	56.5	55.2	60.9	65.0	58.6	50.0
Massachusetts	115.3	107.0	108.7	109.7	110.4	105.0	102.0	102.0	98.0	95.2
Michigan	83.5	81.9	81.9	79.9	80.4	78.1	75.3	77.3	75.7	73.3
Minnesota	95.4	89.1	83.2	83.9	86.3	79.4	76.9	75.2	69.8	67.3
Mississippi (total)	38.3	37.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	40.6	42.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	36.2	32.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	77.1	74.9	73.5	75.1	74.9	68.5	69.6	67.6	64.5	59.7
Montana	50.6	55.9	53.4	55.1	50.8	47.6	49.4	47.8	39.5	39.5
Nebraska	76.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	117.4	108.5	108.6	106.4	112.4	110.2	101.4	104.9	107.7	97.0
New Jersey	86.6	87.2	81.2	84.4	82.7	81.4	79.2	78.6	76.7	75.2
New York	101.0	98.7	97.3	97.3	95.2	94.7	92.2	89.5	87.3	87.3
North Carolina (total)	39.5	39.5	42.8	42.4	44.5	[4] 59.4	[4] 57.7	[5] 47.0	[5] 56.1	[5] 54.4
White	42.6	42.1	45.1	45.4	47.2	63.3	61.4	45.8	62.1	59.0
Colored	32.1	33.4	37.8	35.5	38.7	52.1	50.7	49.2	45.1	46.0
Ohio	89.0	85.7	85.6	87.0	86.9	81.6	80.4	79.7	78.8	75 6
Oregon	93.0	88.1	84.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	83.4	80.9	78.3	80.9	78.3	75.3	73.8	73.0	68.6	66.7
Rhode Island	99.7	96.5	95.8	101.4	97.7	96.4	94.7	96.1	91.6	89.2
South Carolina (total)	32.9	33.6	34.4	36.9	34.6	(3)	(3)	(3)	(3)	(3)
White	40.9	39.9	41.4	45.4	40.9	(3)	(3)	(3)	(3)	(3)
Colored	25.3	27.7	28.0	29.1	29.0	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	46.6	43.2	44.1	46.8	(3)	(3)	(3)	(3)	(3)	(3)
White	47.8	43.3	44.2	47.1	(3)	(3)	(3)	(3)	(3)	(3)
Colored	41.9	42.6	43.7	45.3	(3)	(3)	(3)	(3)	(3)	(3)
Utah	55.1	59.5	52.3	55.1	58.3	49.5	46.8	53.0	48.1	52.2
Vermont	126.0	113.2	103.4	111.2	118.2	106.5	112.0	113.3	111.5	101.5
Virginia (total)	55.9	52.3	53.9	52.6	56.3	53.1	48.5	48.1	(3)	(3)
White	58.2	56.0	57.1	54.6	62.2	57.7	51.5	51.3	(3)	(3)
Colored	50.7	43.9	46.5	47.9	43.0	42.9	41.7	41.1	(3)	(3)
Washington	82.1	77.7	75.3	71.9	74.4	66.9	70.5	59.4	57.0	48.1
Wisconsin	88.2	87.3	81.4	82.6	83.5	80.5	80.6	78.1	76.7	74.4
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	59.0	53.0	58.0	69.8	62.7	58.8	50.2	62.7	39.7	67.1
White	64.5	63.2	75.5	79.6	71.9	66.7	60.3	82.3	44.8	67.9
Colored	50.6	37.3	31.0	54.6	48.4	46.6	34.8	32.5	31.9	65.9
Los Angeles, Calif.	135.3	128.0	125.1	111.8	108.8	99.4	102.5	103.9	107.1	94.4
Oakland, Calif.	99.7	99.6	94.2	91.3	92.5	107.7	95.1	117.4	101.7	104.2
San Francisco, Calif.	151.2	151.4	143.1	148.1	130.1	127.3	126.4	129.4	115.7	110.0
Denver, Colo.	109.4	103.8	117.3	97.0	97.5	85.4	95.7	86.5	90.5	78.2
Bridgeport, Conn.	92.7	95.5	89.0	94.8	98.0	70.8	80.8	72.6	89.7	67.2
Hartford, Conn.	141.4	125.0	115.9	116.4	114.6	112.6	113.9	123.4	110.4	93.5
New Haven, Conn.	121.9	103.7	104.4	116.7	114.4	99.9	112.2	95.0	101.3	91.1
Wilmington, Del.	91.7	89.5	79.9	75.7	79.3	80.1	83.9	72.1	80.3	70.0
Washington, D. C. (total)	97.3	100.4	99.5	102.4	98.2	102.8	94.1	98.8	92.3	85.1
White	105.9	104.9	100.1	113.7	101.0	106.7	98.4	107.5	97.8	88.9
Colored	71.7	87.4	97.9	70.3	90.5	91.9	82.5	75.9	78.2	75.3
Atlanta, Ga. (total)	85.8	82.2	70.7	76.6	65.6	63.9	60.5	68.6	60.0	61.1
White	96.0	97.8	80.7	90.7	73.4	68.9	69.3	77.5	68.7	68.2
Colored	63.1	48.2	49.0	46.6	49.1	53.5	42.2	50.2	42.3	46.9
Chicago, Ill.	95.3	95.3	92.4	88.2	90.6	85.4	87.4	85.7	78.1	80.0
Indianapolis, Ind. (total)	98.1	86.3	91.7	88.8	95.9	91.2	99.4	89.6	87.4	81.6
White	101.2	88.3	91.7	91.8	97.4	95.4	104.5	91.5	87.2	84.0
Colored	73.3	70.3	91.4	63.5	82.9	55.7	54.7	72.8	88.8	59.7
Kansas City, Kans. (total)	79.3	66.9	88.5	96.4	82.4	91.6	67.0	69.5	84.8	83.0
White	80.1	74.5	92.2	102.0	90.3	94.2	69.3	69.1	83.4	90.1
Colored	74.7	21.1	65.8	60.7	31.6	74.2	51.6	72.1	94.6	29.8
Louisville, Ky. (total)	108.0	109.6	93.3	92.7	86.2	79.1	81.1	79.7	72.3	76.5
White	111.2	117.3	100.3	98.2	89.8	80.2	88.5	83.6	77.3	77.6
Colored	92.3	72.2	59.6	66.9	69.2	73.9	46.7	61.3	49.3	71.4
New Orleans, La. (total)	106.0	109.7	102.4	91.0	93.5	103.6	99.5	92.4	92.9	79.4
White	103.5	115.5	105.3	96.9	96.4	95.9	96.9	92.6	93.9	81.9
Colored	96.2	93.3	94.5	74.3	88.5	125.1	106.6	92.0	89.9	72.4
Baltimore, Md. (total)	111.4	103.0	102.5	104.4	103.5	105.0	93.5	102.9	96.4	93.3
White	114.6	106.6	108.6	110.2	107.0	112.2	102.3	103.6	100.9	98.4
Colored	93.2	82.5	70.9	74.3	85.1	67.0	84.5	99.4	71.5	65.1
Boston, Mass.	129.8	121.1	129.7	126.3	120.8	119.1	122.2	119.3	113.0	112.9
Cambridge, Mass.	164.6	131.6	128.5	142.0	117.7	113.5	103.8	83.6	85.0	105.3
Fall River, Mass.	102.9	80.5	87.3	87.4	98.3	83.4	58.4	77.7	71.1	76.2
Lowell, Mass.	88.4	93.4	98.4	76.5	87.8	81.1	89.8	75.6	89.1	76.6
New Bedford, Mass.	77.6	89.2	82.6	78.3	82.8	95.6	86.7	84.0	87.1	67.2
Springfield, Mass.	99.5	105.9	102.1	101.5	100.9	99.3	86.3	108.5	99.9	89.4
Worcester, Mass.	121.2	112.4	116.9	98.8	125.9	107.9	109.6	110.1	91.8	79.2
Detroit, Mich.	62.8	59.6	60.4	55.3	56.8	57.6	62.2	59.4	65.0	60.8
Grand Rapids, Mich.	100.1	101.9	84.3	93.4	88.8	115.3	97.9	114.8	94.2	85.8
Minneapolis, Minn	115.2	105.7	96.1	108.0	99.1	83.5	93.2	86.1	82.3	77.7
St. Paul, Minn.	121.8	118.1	102.8	101.5	94.5	85.2	74.3	83.6	76.2	76.0
Kansas City, Mo.	102.3	101.1	96.9	101.4	95.3	99.3	90.3	86.7	83.9	91.5
St. Louis, Mo.	103.6	104.5	100.6	104.6	97.3	96.2	96.8	99.2	92.0	84.8
Omaha, Nebr.	125.6	93.8	102.6	95.9	85.6	78.7	100.4	95.0	86.3	87.2
Camden, N. J.	88.6	83.3	77.0	97.6	70.1	64.0	71.2	84.5	78.4	79.2
Jersey City, N. J.	91.8	87.0	82.1	74.4	78.4	80.3	77.2	71.3	70.3	66.7
Newark, N. J.	90.2	92.2	85.6	92.9	89.7	95.5	90.3	84.1	83.5	79.8
Paterson, N. J.	103.4	102.7	100.5	99.1	84.0	96.1	95.3	81.4	90.7	89.1
Trenton, N. J.	76.3	99.9	87.2	97.8	75.5	94.6	91.9	94.0	79.5	73.3
Albany, N. Y.	144.0	133.0	137.1	144.8	117.1	138.2	143.5	132.6	137.0	121.9
Buffalo, N. Y.	97.3	103.7	99.6	95.8	99.0	93.5	94.6	101.5	91.1	95.8
New York, N. Y.	94.3	92.6	90.9	90.9	89.1	89.0	86.7	84.2	82.1	80.6
Bronx bor	91.5	93.0	88.7	94.0	87.9	86.2	91.9	85.2	75.7	78.8
Brooklyn bor.	85.2	86.1	86.2	86.8	82.4	82.9	79.9	78.2	77.9	76.7
Manhattan bor.	104.4	101.0	97.8	95.8	95.5	96.9	91.9	90.2	86.9	84.3
Queens bor.	87.3	79.4	77.4	78.3	85.5	77.5	76.0	69.5	71.1	70.7
Richmond bor.	98.2	90.5	100.2	91.1	89.1	80.1	96.8	94.7	113.0	100.3
Rochester, N. Y.	114.4	110.7	111.6	117.2	112.8	93.9	105.1	94.4	94.4	93.0
Syracuse, N. Y.	94.4	105.9	100.3	101.2	107.9	89.1	82.9	95.6	97.9	82.7
Yonkers, N. Y.	86.9	79.7	77.3	63.2	77.6	67.2	73.3	89.0	61.6	75.3
Akron, Ohio	40.9	52.6	31.4	41.4	53.1	41.8	48.7	52.9	59.2	52.5
Cincinnati, Ohio	132.6	118.1	133.6	124.2	120.4	102.1	106.7	102.8	95.5	98.4
Cleveland, Ohio	82.6	78.3	78.9	78.2	82.1	73.6	72.6	78.1	78.8	72.2
Columbus, Ohio	102.6	113.2	101.0	102.2	99.4	110.0	106.6	90.2	95.5	86.6
Dayton, Ohio	106.9	90.9	103.4	98.4	104.6	91.3	100.6	84.8	89.8	91.7
Toledo, Ohio	90.8	85.1	85.5	108.6	88.8	84.9	92.9	72.2	89.1	86.4
Youngstown, Ohio	60.9	55.4	69.4	55.8	63.3	60.6	62.3	48.8	52.5	43.7
Portland, Oreg.	122.9	113.6	118.4	107.1	100.4	93.3	100.4	85.1	82.7	78.3
Philadelphia, Pa.	98.5	98.1	100.7	98.6	100.2	91.3	92.4	95.3	88.9	87.1
Pittsburgh, Pa.	88.5	90.7	85.3	98.3	91.5	87.6	86.3	78.2	67.3	68.7
Reading, Pa.	100.7	79.2	78.9	73.0	89.0	83.3	86.1	68.7	70.4	79.3
Scranton, Pa.	94.1	97.5	81.3	81.0	83.7	97.7	63.8	72.5	59.2	71.8
Providence, R. I.	117.5	109.3	104.9	116.6	109.5	99.8	98.7	111.5	109.5	97.4
Memphis, Tenn. (total)	80.8	87.5	92.1	78.9	(6)	88.9	81.6	56.0	65.6	51.7
White	92.1	93.5	98.5	89.5	(6)	95.5	99.8	55.7	67.8	52.0
Colored	61.9	77.0	81.0	61.0	(6)	78.3	52.4	56.4	62.3	51.2

(See footnotes at end of table.)

AREA.	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION. [Rates of 80 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Con.										
Nashville, Tenn. (total)	100.2	94.1	76.1	90.4	(5)	78.6	86.2	77.0	66.9	75.5
White	109.4	102.1	76.4	100.9	(5)	82.8	87.6	96.5	72.6	85.4
Colored	78.7	75.7	75.5	67.0	(5)	69.4	83.0	35.9	55.1	54.9
Dallas, Tex. (total)	78.8	81.0	81.9	76.9	64.9	(3)	(3)	(3)	(3)	(3)
White	84.8	90.3	84.5	80.3	68.9	(3)	(3)	(3)	(3)	(3)
Colored	45.4	29.2	68.1	59.1	44.9	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	65.6	66.8	74.3	50.7	(3)	(3)	(3)	(3)	(3)	(3)
White	72.7	77.0	86.6	55.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	43.7	35.6	38.5	36.0	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	98.4	69.6	81.9	77.4	56.5	54.1	65.0	75.4	69.2	76.4
Salt Lake City, Utah	85.5	100.9	78.6	86.6	93.3	74.6	68.6	70.3	63.3	81.6
Norfolk, Va. (total)	71.4	72.8	74.3	69.4	64.1	62.4	48.1	68.5	72.4	64.9
White	85.7	74.7	90.6	80.5	83.7	64.2	56.7	66.5	94.2	81.1
Colored	47.6	69.8	47.7	51.5	32.8	59.6	34.7	71.5	39.7	41.0
Richmond, Va. (total)	82.7	77.5	78.1	68.5	93.7	79.6	91.4	84.4	90.6	86.3
White	80.0	90.3	87.8	73.6	110.1	94.9	97.5	92.4	103.1	95.4
Colored	88.6	50.0	57.7	57.9	60.0	48.9	79.7	69.6	67.8	70.2
Seattle, Wash.	106.8	94.8	94.9	80.2	85.2	72.6	81.4	76.6	62.2	58.5
Spokane, Wash.	120.6	111.1	112.0	119.7	107.3	86.2	97.7	85.2	85.2	72.8
Milwaukee, Wis.	93.9	87.3	83.2	81.7	94.0	83.6	70.0	76.4	77.6	75.2

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

The states which have the highest rates in 1920 are Vermont (126), Maine (122.4), New Hampshire (117.4), Massachusetts (115.3), and California (109.2). These states also have the highest rates for the series of years 1911 to 1920, although not in the same order. The lowest rates are shown for South Carolina (32.9), Mississippi (38.3), North Carolina (39.5), Tennessee (46.6), and Louisiana (49.2). In 1920 rates of 80 or more are shown for 20 states; of the 17 of these which show for the years 1911 to 1920, 7 have rates higher than 80 for the series.

In 1920 rates of 80 or more are shown for 56 of the registration cities of 100,000 population or more in 1920, and 25 of these 56 have such rates for each year shown. The cities with highest rates in 1920 are Cambridge (164.6), San Francisco (151.2), Albany (144), Hartford (141.4), and Los Angeles (135.3). The cities with lowest rates are Akron (40.9), Birmingham (59), Youngstown (60.9), Detroit (62.8), and Houston (65.6); the first 4 of these are the only ones in the whole group which do not show rates as high as 70 for any year presented in the table. There is an increase in the rates for 1920 over those for 1919 in 43 of the 66 cities shown.

The crude rates from cancer in different localities should not be compared without consideration of the age, sex, and race distribution of the population, and allowance should also be made for the fact that relatively high mortality for a given city may be caused by deaths of nonresidents who come to the city for hospital treatment.

How great a factor the age and sex distribution of the population may be can be readily seen from the following table which shows death rates adjusted to the standard million population by the side of crude rates.

CRUDE AND ADJUSTED DEATH RATES FROM CANCER AND OTHER MALIGNANT TUMORS IN EACH REGISTRATION STATE: 1920.

STATE.	1920		STATE.	1920	
	Crude death rate.	Adjusted death rate.		Crude death rate.	Adjusted death rate.
California	109.2	87.1	New York (total)	101.0	92.4
Colorado	73.0	71.1	White	101.8	92.5
Connecticut	100.6	92.9	Colored	64.6	78.2
Delaware	88.4	75.1	North Carolina (total)	30.5	40.7
Florida (total)	52.1	57.0	White	42.6	51.0
White	59.2	58.3	Colored	32.1	44.6
Colored	38.0	50.2			
			Ohio	89.0	77.7
Illinois	91.8	87.4	Oregon	93.0	79.3
Indiana	89.9	72.7	Pennsylvania (total)	83.4	82.6
Kansas	72.4	63.4	White	83.9	82.4
Kentucky	56.3	57.7	Colored	66.8	82.1
Louisiana (total)	49.2	62.3	Rhode Island	99.7	84.5
White	52.3	65.1			
Colored	44.2	58.0	South Carolina (total)	32.9	45.8
			White	46.9	51.9
Maine	122.4	85.1	Colored	25.3	38.4
Maryland (total)	94.1	86.7	Tennessee (total)	46.6	51.6
White	99.0	88.2	White	47.8	52.3
Colored	70.0	76.5	Colored	41.9	47.1
Massachusetts	115.3	97.9			
			Utah	55.1	67.7
Michigan	83.5	78.1	Vermont	126.6	85.7
Minnesota	95.4	92.1	Virginia (total)	55.9	61.9
Mississippi (total)	38.3	48.0	White	58.2	61.6
White	40.6	47.6	Colored	50.7	61.0
Colored	36.2	48.3	Washington	82.1	76.8
			Wisconsin	83.2	78.1
Missouri	77.1	67.5			
Montana	50.6	61.9			
Nebraska	76.7	74.3			
New Hampshire	117.4	78.9			
New Jersey	86.6	86.9			

NOTE.—The crude rates are computed on estimated populations of July 1, 1920, and the adjusted rates on the enumerated populations of Jan. 1, 1920.

The highest "adjusted" cancer rate for 1920 is 97.9 per 100,000 population for the state of Massachusetts, and the lowest is 45.8 for the state of South Carolina.

For a few states adjusted rates have been calculated separately for the white and colored population. In this group of states the highest adjusted cancer rate for the white population is 92.5 per 100,000 population for New York and the highest rate for the colored population is 82.1 for Pennsylvania. The lowest adjusted cancer rate for the white population is 47.6 for Mississippi and the lowest for the colored population is 38.4 for South Carolina.

Summarized briefly, the adjusted rates show that the Northern states have comparatively high, and the Southern states comparatively low cancer mortality, whereas there is little difference between the adjusted cancer rates of the white and colored races of the same states. In other words, the white and colored races seem equally susceptible to cancer, but both races seem less susceptible in the South than in the North.

Whether cancer is really increasing year after year or only apparently increasing has been a subject of controversy for years. Those who hold that the

In discussing the percentages of increase in deaths from cancer, on pages 43 and 44, the period in which the increase occurred should read 20 years instead of 21 years.

increase is only apparent maintain that improvement in diagnoses accounts for the increase in the recorded cancer rates, while the other side, admitting that improvement in diagnoses accounts for some of the recorded increase, still holds that there is an actual increase.

In the 1917 report of the Registrar-General of England and Wales, Dr. T. H. C. Stevenson presents some very convincing figures showing a recorded increase in the mortality from cancer of accessible sites, the argument being that here an actual increase can hardly be questioned as we have no reason to think the diagnoses of cancer of accessible sites, such as the skin, mouth, and breast, are any better to-day than they were 20 years or more ago.

The following tables substantiate the findings of Dr. Stevenson and show conclusively that cancer of certain parts is increasing very rapidly in this country.

CRUDE AND ADJUSTED DEATH RATES FROM CANCER OF THE BUCCAL CAVITY, BREAST, AND SKIN PER 100,000 POPULATION, BY SEX AND CERTAIN AGE GROUPS, IN THE REGISTRATION STATES OF 1900, FOR THE YEARS 1900, 1910, AND 1920.

[Enumerated population used in computing these rates.]

SEX AND AGE.	1920				1910				1900			
	Total.	Cancer.			Total.	Cancer.			Total.	Cancer.		
		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.[2]	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.
BOTH SEXES.												
All ages—Adjusted rate	44.5	2.9	9.2	2.5	13.1	2.7	7.9	2.5	8.4	1.4	5.0	1.9
Crude rate	16.3	3.5	9.9	2.9	14.0	3.1	8.2	2.8	8.8	1.6	5.1	2.1
Under 5 years	0.3	0.1	.....	0.2	0.3	.....	0.1	0.2	0.2	0.1	.....	0.1
5 to 9 years	0.2	(1)	(1)	0.1	0.2	0.2	.....	.....	0.2	0.1	0.1	0.1
10 to 14 years	0.2	0.1	(1)	(1)	(1)	(1)	.....	.....	.....	.....	.....	.....
15 to 19 years	0.1	(1)	.....	(1)	0.5	0.2	0.1	0.2	0.1	0.1	0.1	.....
20 to 24 years	0.5	0.1	0.2	0.2	0.4	.....	0.3	0.2	0.3	0.1	0.2	0.1
25 to 34 years	2.1	0.3	1.6	0.2	2.0	0.3	1.4	0.2	1.4	0.1	1.0	0.2
35 to 44 years	11.6	1.7	9.2	0.7	9.2	1.1	7.3	0.8	6.1	0.6	4.6	0.8
45 to 54 years	28.9	5.6	21.3	2.0	27.1	4.3	20.1	2.7	17.0	3.0	11.6	2.4
55 to 64 years	59.1	13.2	38.7	7.1	51.0	13.3	30.7	7.0	35.0	7.5	22.0	5.4
65 to 74 years	94.1	23.7	49.4	21.0	92.9	25.9	44.4	22.6	56.4	11.7	26.6	18.1
75 years and over	222.7	48.9	96.5	77.2	195.0	40.8	84.1	70.2	121.1	18.7	54.5	47.9
MALES.												
All ages—Adjusted rate	8.9	5.3	0.2	3.3	8.0	4.7	.....	3.3	5.1	2.2	0.2	2.7
Crude rate	9.8	5.9	0.2	3.6	8.5	5.0	.....	3.5	5.4	2.3	0.2	2.9
Under 5 years	0.5	0.3	.....	0.2	0.1	.....	.....	0.1	0.3	0.1	.....	0.2
5 to 9 years	0.2	.....	.....	0.2	0.1	0.1	.....	.....	0.3	0.1	0.1	0.1
10 to 14 years	0.2	0.1	0.1	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....
15 to 19 years	0.2	0.1	.....	0.1	0.4	0.1	.....	0.3	0.1	0.1	.....	.....
20 to 24 years	0.3	0.2	.....	0.1	0.3	.....	.....	0.3	0.2	0.1	0.1	.....
25 to 34 years	0.7	0.4	.....	0.2	0.8	0.4	.....	0.3	0.6	0.2	0.1	0.3
35 to 44 years	3.9	2.8	(1)	1.0	2.9	1.8	.....	1.0	2.1	0.9	.....	1.1
45 to 54 years	12.8	9.4	0.3	3.1	11.0	7.7	.....	3.3	7.9	4.3	0.2	3.4
55 to 64 years	34.2	23.2	0.9	10.0	33.2	22.8	.....	10.4	19.9	11.5	0.8	7.6
65 to 74 years	71.7	43.3	1.6	26.7	74.4	44.2	.....	30.2	42.1	16.7	1.2	24.3
75 years and over	190.4	86.0	4.6	99.8	152.1	66.5	.....	85.6	101.6	29.4	4.2	67.9
FEMALES.												
All ages—Adjusted rate	19.5	0.8	16.9	1.8	17.5	1.0	14.7	1.8	11.2	0.8	9.2	1.2
Crude rate	22.9	1.0	19.8	2.1	19.6	1.1	16.5	2.1	12.2	0.9	10.0	1.4
Under 5 years	0.1	.....	.....	0.1	0.6	.....	0.3	0.3	0.2	0.2	.....	.....
5 to 9 years	0.2	0.1	0.1	.....	0.3	0.3	.....	.....	.....	.....	.....	.....
10 to 14 years	0.1	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15 to 19 years	.....	.....	.....	.....	0.5	0.3	0.2	0.1	0.1	.....	0.1	.....
20 to 24 years	0.7	.....	0.5	0.2	0.6	.....	0.5	0.1	0.3	.....	0.2	0.1
25 to 34 years	3.5	0.2	3.2	0.2	3.2	0.2	3.0	.....	2.2	0.1	2.0	0.2
35 to 44 years	19.8	0.5	18.9	0.5	15.9	0.3	15.0	0.6	10.4	0.3	9.5	0.5
45 to 54 years	46.2	1.5	44.0	0.7	44.1	0.8	41.3	2.0	26.4	1.7	23.4	1.3
55 to 64 years	84.6	3.0	77.3	4.2	69.0	3.6	61.7	3.6	49.8	3.6	42.8	3.3
65 to 74 years	115.5	5.0	94.9	15.6	110.4	8.6	86.5	15.3	69.8	6.9	50.7	12.2
75 years and over	248.6	19.2	170.2	59.2	231.3	19.1	155.0	57.2	138.4	9.3	98.9	30.3

[1] Less than one-tenth of 1 per 100,000 population.
[2] Cancer of breast for males not tabulated separately, but included under cancer of other organs.

NOTE.—Populations and deaths at unknown age distributed in computing the adjusted rates, but not for the specific rates.

Particular attention is called to the rates adjusted to the standard million population. In the registration states of 1900, the death rate from cancer of the buccal cavity was 1.4 per 100,000 population in 1900, 2.7 in 1910, and 2.9 in 1920; the death rate from cancer of the breast was 5 in 1900, 7.9 in 1910 and 9.2 in 1920, and the death rate from cancer of the skin was 1.9 in 1900, 2.5 in 1910, and 1920, each. Considering these three accessible sites together, the adjusted rate of 8.4 in 1900 has increased to 14.5 in 1920, or 73 per cent in 21 years, an increase greater than that indicated by the adjusted rates from cancer of all sites, which in the same period for the same area increased from 60.7 to 87.8, or 44.6 per cent.

DEATH RATES FROM CANCER OF THE BUCCAL CAVITY, BREAST, AND SKIN PER 100,000 POPULATION IN THE TOTAL REGISTRATION STATES AND EACH REGISTRATION STATE AS OF 1900, FOR THE YEARS 1900, 1910, AND 1920.

AREA.	1920 Adjusted rate.				1920				1910				1900			
	Total.	Cancer.			Total.	Cancer.			Total.	Cancer.			Total.	Cancer.		
		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.		Of the buccal cavity.	Of the breast.	Of the skin.
Registration states[1]	14.5	2.9	9.2	2.5	16.2	3.5	9.9	2.9	14.0	3.1	8.1	2.8	8.8	1.6	5.1	2.1
Connecticut	15.8	2.7	10.1	3.0	16.9	3.1	10.5	3.3	15.0	3.3	9.3	2.4	12.2	1.9	7.0	3.3
District of Columbia	16.5	4.2	9.1	3.1	16.3	3.4	10.4	2.5	16.6	3.9	8.7	3.9	12.6	1.8	8.6	2.2
Indiana	12.6	2.2	6.4	4.0	15.9	3.0	7.4	5.6	12.8	2.7	6.5	3.5	5.0	0.9	2.4	1.7
Maine	13.4	2.0	8.6	2.8	19.4	3.5	11.2	4.7	18.6	3.8	10.5	4.3	10.5	2.2	5.5	2.9
Massachusetts	16.9	3.5	11.2	2.2	19.9	4.3	13.1	2.6	15.6	3.5	9.3	2.9	8.7	1.5	5.4	1.7
Michigan	11.3	2.4	6.8	2.1	12.9	3.1	7.3	2.5	12.4	3.0	6.6	2.8	10.2	2.0	5.5	2.6
New Hampshire	16.7	3.1	9.7	3.9	21.4	3.8	13.1	4.5	20.4	3.9	9.7	6.7	7.0	1.7	4.1	1.2
New Jersey	14.3	2.6	9.4	2.3	14.0	2.7	9.0	2.2	11.3	2.2	7.6	1.5	7.2	1.5	3.9	1.8
New York	17.2	3.3	11.2	2.6	15.9	3.6	10.1	2.2	13.6	3.0	8.2	2.4	9.1	1.6	5.4	2.1
Rhode Island	15.5	3.9	9.5	2.1	17.4	4.6	10.5	2.3	17.2	5.0	8.6	3.7	14.7	2.6	8.9	3.3
Vermont	14.4	3.0	8.9	2.4	21.9	5.1	12.5	4.3	20.8	3.6	12.1	5.1	9.6	1.5	5.2	2.9

[1] Includes the District of Columbia.

NOTE.—Enumerated populations of Jan. 1, 1920 were used computing the adjusted rates. Estimated populations of July 1 were used in computing crude rates for 1910 and 1920, and enumerated populations June 1, 1900 in computing crude rates for 1900.

Comparing the adjusted rates from cancer of these three accessible sites in 1920 for the registration states of 1900, it appears that New York has the highest rate (17.2 per 100,000 population) and Michigan the lowest 11.3).

Both cancer of the buccal cavity and cancer of the skin present higher rates for males than for females, and the highest specific rates in 1920 from the three forms of cancer appear for males aged 75 years and over, being 86 for cancer of the buccal cavity and 99.8 for cancer of the skin. From the specific rates it appears that the increase between 1900 and 1920 is almost entirely due to increased rates at age periods above 35. The greatest increase from cancer of the buccal cavity appears for males aged 75 years and over, the 1900 rate being 29.4 per 100,000 population and the 1920 rate, 86, an increase of 193 per cent in 21 years, while males between 65 and 74 show a rate of 16.7 in 1900 and a rate of 43.3 in 1920, or an increase of 159 per cent. The greatest increase from cancer of the breast appears for females aged 75 years and over, the 1900 rate being 98.9 and the 1920 rate 170.2, an increase of 72 per cent in 21 years, whereas females between 65 and 74 show a rate of 50.7 in 1900 and a rate of 94.9 in 1920, or an increase of 87 per cent, and those between 55 and 64 show a rate of 42.8 in 1900 and a rate of 77.3 in 1920, or an increase of 81 per cent. The greatest increase from cancer of the skin appears for females aged 75 years and over, the 1900 rate being 30.3 per 100,000 population and the 1920 rate 59.2, an increase of 95 per cent, while males 75 years of age and over show a rate of 67.9 in 1900 and a rate of 99.8 in 1920, or an increase of only 47 per cent.

Cancer and other malignant tumors include seven titles of the detailed International List of Causes of Death, to three of which are charged nearly two-thirds of all deaths from this cause in 1920. The total number of deaths is 72,931, and 27,489 of these, or 37.7 per cent, are due to cancer of the stomach and liver; 9,792, or 13.4 per cent, to cancer of the peritoneum, intestines, and rectum; and 10,797, or 14.8 per cent, to cancer of the female genital organs.

The classification, by seat of disease, of the deaths from cancer in 1920, with the rate per 100,000 population, is shown in the following table.

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA:[1] 1920.		
	Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate)	72,931	83.4	100.0
Cancer of the buccal cavity (total)	2,679	3.1	3.7
Cancer of the—			
Lip	437	0.5	0.6
Tongue	678	0.8	0.9
Mouth	237	0.3	0.3
Jaw	1,060	1.2	1.5
Others of this class	267	0.3	0.4
Cancer of the stomach, liver (total)	27,489	31.4	37.7
Cancer of the—			
Pharynx	118	0.1	0.2
Esophagus	1,103	1.3	1.5
Stomach	17,625	20.1	24.2
Liver and gall bladder	8,643	9.9	11.9
Cancer of the peritoneum, intestines, rectum (total)	9,792	11.2	13.4
Cancer of the—			
Mesentery and peritoneum	684	0.8	0.9
Intestines (except rectum)	6,238	7.1	8.6
Rectum and anus	2,816	3.2	3.9
Others of this class	54	0.1	0.1
Cancer of the female genital organs (total)	10,797	12.3	14.8
Cancer of the—			
Ovary and fallopian tube	652	0.7	0.9
Uterus	9,848	11.3	13.5
Vagina and vulva	247	0.3	0.3
Others of this class	50	0.1	0.1
Cancer of the breast	6,665	7.6	9.1
Cancer of the skin	2,367	2.7	3.2

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: [1] 1920. Number.	Rate per 100,000 population.	Per cent.
Cancer of other organs or of organs not specified (total).	13,142	15.0	18.0
Cancer of the—			
Larynx	499	0.6	0.7
Lung and pleura	956	1.1	1.3
Pancreas	1,180	1.3	1.6
Kidneys and suprarenals	819	0.9	1.1
Prostate	1,598	1.8	2.2
Bladder	2,144	2.5	2.9
Brain	184	0.2	0.3
Bones (except jaw)	749	0.9	1.0
Testes	143	0.2	0.2
Others of this class	4,870	5.6	6.7

[1] Exclusive of Hawaii.

Of the total deaths from cancer, 41,998, or 57.6 per cent, are of females and 30,933, or 42.4 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show a large excess of male deaths are cancer of the buccal cavity (2,245 males and 434 females), cancer of the skin (1,505 males and 862 females), and cancer of other organs or of organs not specified (8,612 males and 4,530 females). Cancer of the stomach and liver (14,283 males and 13,206 females) caused nearly half of all the deaths of males, but only about one-third of the deaths of females. Cancer of the breast and cancer of the female genital organs caused 41.4 per cent of all cancer deaths among females in 1920.

Classification, by age and sex, according to the nature of the malignant disease, whether carcinoma, sarcoma, or hypernephroma, is shown in the following table.

AGE OF DECEDENT.	DEATHS IN THE REGISTRATION AREA: [1] 1920. Carcinoma.		Sarcoma.		Hypernephroma.	
	Male.	Female.	Male.	Female.	Male.	Female.
All ages	28,748	40,192	2,051	1,714	134	92
Under 1 year	17	12	13	19	.....	.....
1 year	11	5	30	17	1	1
2 years	13	10	13	18	.....	.....
3 years	7	8	25	16	1	.....
4 years	9	9	18	15	.....	1
Under 5 years	57	44	99	85	2	2
5 to 9 years	34	24	49	33	1	2
10 to 14 years	25	25	38	44	1	.....
15 to 19 years	37	41	63	70	.....	.....
20 to 24 years	81	143	96	61	2	.....
25 to 29 years	139	369	111	70	4	4
30 to 34 years	336	934	122	75	1	1
35 to 39 years	664	1,786	109	95	3	6
40 to 44 years	1,063	2,861	133	118	13	5
45 to 49 years	1,861	3,729	167	155	19	9
50 to 54 years	2,851	4,687	191	176	21	5
55 to 59 years	3,703	5,018	184	152	22	13
60 to 64 years	4,472	5,409	207	159	22	13
65 to 69 years	4,331	4,782	156	137	13	17
70 to 74 years	4,030	4,270	155	131	7	7
75 to 79 years	2,911	3,190	101	77	1	5
80 to 84 years	1,418	1,845	46	43	1	2
85 to 89 years	551	778	14	29	1	.....
90 to 94 years	126	174	7	3	.....	1
95 to 99 years	29	40	1	1	.....	.....
100 years and over	6	9	.....	.....	.....	.....
Unknown age	23	34	2	.....	.....	.....

[1] Exclusive of Hawaii.

LETHARGIC ENCEPHALITIS.

The number of deaths in 1920 from lethargic encephalitis, this new disease about which so little is known, is 1,070 as against 375 in 1919. Besides these there are 435 deaths in 1920 in which lethargic encephalitis appears as a contributory cause against 214 in 1919. The large number under "contributory cause" is largely due to the practice in the Bureau of the Census of assigning to influenza the joint causes of influenza and lethargic encephalitis.

The table below gives for the registration area and its subdivisions, all deaths when lethargic encephalitis was given either as a primary or a contributory cause of death.

AREA.	NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH LETHARGIC ENCEPHALITIS: 1919 AND 1920. Total.		Primary cause.		Contributory cause.	
	1920	1919	1920	1919	1920	1919
SUMMARY.						
The registration area [1]	1,505	589	1,070	375	435	214
Registration states [2]	1,476	564	1,049	354	427	210
Cities in registration states [2]	1,100	323	811	212	289	111
Rural part of registration states	376	241	238	142	138	99
Registration cities in nonregistration states	29	25	21	21	8	4
All registration cities [2]	1,129	348	832	233	297	115
REGISTRATION STATES.						
California:						
Cities	39	28	22	18	17	10
Rural districts	18	21	10	11	8	10
Colorado:						
Cities	8	1	5	.....	3	1
Rural districts	6	.....	4	.....	2	.....
Connecticut:						
Cities	33	10	26	7	7	3
Rural districts	7	3	5	2	2	1
Delaware:						
Cities	.....	3	.....	1	.....	2
Florida:						
Cities	4	.....	3	.....	1	.....
Rural districts	10	2	7	1	3	1
Illinois:						
Cities	66	34	37	25	29	9
Rural districts	26	21	10	10	16	11
Indiana:						
Cities	22	10	16	2	6	8
Rural districts	13	13	6	8	7	5
Kansas:						
Cities	6	3	5	2	1	1
Rural districts	15	2	12	1	3	1
Kentucky:						
Cities	13	2	10	2	3	.....
Rural districts	7	8	5	6	2	2
Louisiana:						
Cities	11	4	10	2	1	2
Rural districts	3	12	2	9	1	3
Maine:						
Cities	4	.....	4	.....	.....	.....
Rural districts	5	1	3	.....	2	1
Maryland:						
Cities	26	3	19	2	7	1
Rural districts	10	2	8	2	2	.....
Massachusetts:						
Cities	47	18	34	13	13	5
Rural districts	6	7	4	5	2	2
Michigan:						
Cities	78	5	65	5	13	.....
Rural districts	16	13	9	9	7	4
Minnesota:						
Cities	25	11	14	9	11	2
Rural districts	18	14	13	8	5	6
Mississippi:						
Cities	2	.....	2	.....	.....	.....
Rural districts	6	4	6	4	.....	.....
Missouri:						
Cities	14	7	12	6	2	1
Rural districts	6	12	2	6	4	6
Montana:						
Cities	3	1	3	1	.....	.....
Rural districts	3	3	3	3	.....	.....
Nebraska:						
Cities	8	[3] 1	8	[3]	.....	[3]
Rural districts	6	[4]	4	[4]	2	[4]
New Hampshire:						
Cities	2	1	2	1	.....	.....
Rural districts	.....	1	.....	.....	.....	1

(See footnotes at end of table.)

AREA.	NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH LETHARGIC ENCEPHALITIS: 1919 AND 1920.					
	Total.		Primary cause.		Contributory cause.	
	1920	1919	1920	1919	1920	1919
REGISTRATION STATES—con.						
New Jersey:						
Cities	47	17	37	13	10	4
Rural districts	12	6	8	3	4	3
New York:						
Cities	324	65	241	37	83	28
Rural districts	40	16	25	5	15	11
North Carolina:						
Cities	5	1	4	1	1	
Rural districts	15	10	7	7	8	3
Ohio:						
Cities	72	20	42	5	30	15
Rural districts	25	15	10	7	15	8
Oregon:						
Cities	18	9	15	6	3	3
Rural districts	5	1	5	1		
Pennsylvania:						
Cities	103	21	75	19	28	2
Rural districts	39	8	31	6	8	2
Rhode Island:						
Cities	8	3	8	3		
South Carolina:						
Cities	9	2	7	1	2	1
Rural districts	9	4	7	2	2	2
Tennessee:						
Cities	9	5	6	4	3	1
Rural districts	8	7	5	3	3	4
Utah:						
Cities	2		2			
Rural districts	1				1	
Vermont:						
Cities	1		1			
Rural districts	2		2			
Virginia:						
Cities	12	13	9	6	3	7
Rural districts	12	21	6	13	6	8
Washington:						
Cities	52	18	44	15	8	3
Rural districts	16	6	10	4	6	2

AREA.	NUMBER OF DEATH CERTIFICATES GIVING AS CAUSE OF DEATH LETHARGIC ENCEPHALITIS: 1919 AND 1920.					
	Total.		Primary cause.		Contributory cause.	
	1920	1919	1920	1919	1920	1919
REGISTRATION STATES—con.						
Wisconsin:						
Cities	13	6	11	4	2	2
Rural districts	11	8	9	6	2	2
Washington, D. C	14	2	12	2	2	
REGISTRATION CITIES IN NON-REGISTRATION STATES.[5]						
Birmingham, Ala	3	1	2	1	1	
Montgomery, Ala	2		2			
Atlanta, Ga	3	2	3	2		
Augusta, Ga	3		2		1	
Savannah, Ga	1	5	1	5		
Omaha, Nebr	(6)	4	(6)	3	(6)	1
Oklahoma City, Okla	2	(4)	2	(4)		(4)
Beaumont, Tex	1		1			
Cleburne, Tex	(7)	2	(7)	2	(7)	
Dallas, Tex	7	1	4	1	3	
El Paso, Tex	1				1	
Galveston, Tex	1	3		2	1	1
Houston, Tex	2		2			
San Antonio, Tex	2	7	2	5		2
Wheeling, W. Va	1				1	

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Included with cities in nonregistration states.
[4] Not added to registration area until a later date.
[5] Includes cities which were in nonregistration states for either year.
[6] Included with cities in registration states.
[7] Transcripts for deaths not received.

The following table shows the distribution of deaths from lethargic encephalitis by age, sex, and color.

NUMBER OF DEATHS REPORTED AS DUE TO LETHARGIC ENCEPHALITIS, EITHER AS A PRIMARY OR A CONTRIBUTARY CAUSE, BY SEX, COLOR, AND AGE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) REGISTRATION STATES, AND EACH REGISTRATION STATE: 1920.

AREA, SEX, AND COLOR.	Total.	DEATHS FROM LETHARGIC ENCEPHALITIS AT AGE OF—															Deaths at unknown ages.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
The registration area (exclusive of Hawaii):																	
Total—Males	781	15	16	19	10	8	41	91	152	127	141	102	43	12	2			2
Total—Females	724	15	25	12	14	15	47	90	122	119	123	70	53	14	2	3		
White—Males	755	15	15	17	9	8	39	89	147	122	136	100	42	12	2			2
White—Females	698	11	24	12	13	15	45	89	118	115	116	69	53	14	2	2		
Colored—Males	26		1	2	1		2	2	5	5	5	2	1					
Colored—Females	26	4	1		1		2	1	4	4	7	1				1		
Registration states:[1]																	
Total—Males	765	14	16	16	10	8	41	91	148	125	139	100	42	11	2			2
Total—Females	711	14	25	12	14	14	47	89	120	114	122	69	52	14	2	3		
White—Males	743	14	15	14	9	8	39	89	144	120	136	99	41	11	2			2
White—Females	688	11	24	12	13	14	45	88	116	111	116	68	52	14	2	2		
Colored—Males	22		1	2	1		2	2	4	5	3	1	1					
Colored—Females	23	3	1		1		2	1	4	3	6	1				1		
REGISTRATION STATES.																	
California—M	37		2				2	3	7	5	9	3	1					
California—F	20				1		1	2	2	2	7	1	3	1				
Colorado—M	6						1	1	2	1		1						
Colorado—F	8						1		3	4								
Connecticut—M	23				2		1	1	6	6	2	2	2	1				
Connecticut—F	17				1	2	1		2	3	5	2	1					
Delaware—M																		
Delaware—F																		
District of Columbia:																		
Total—M	4						1		2			1						
Total—F	10						3		2			3	2					
White—M	2								1			1						
White—F	9						3		1			3	2					
Colored—M	2						1		1									
Colored—F	1								1									
Florida:																		
Total—M	6							1			2	1	2					
Total—F	8		1						3	1	2					1		
White—M	5										2	1	2					
White—F	5		1						2	1	1							
Colored—M	1							1										
Colored—F	3								1		1					1		
Illinois—M	40			2		1	4	4	5	6	9	5	4					
Illinois—F	52		2	1	1	2	5	8	8	7	7	7	3	1				
Indiana—M	15	1						2	1	4	4		2	1				
Indiana—F	20		2					1	6	2	3	3	1	1	1			

[1] Including District of Columbia.

NUMBER OF DEATHS REPORTED AS DUE TO LETHARGIC ENCEPHALITIS, EITHER AS A PRIMARY OR A CONTRIBUTARY CAUSE, BY SEX, COLOR, AND AGE, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) REGISTRATION STATES, AND EACH REGISTRATION STATE: 1920—Continued.

AREA, SEX, AND COLOR.	Total.	DEATHS FROM LETHARGIC ENCEPHALITIS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
REGISTRATION STATES—contd.																		
Kansas	M 8		1				1		1		2	1		1	1			
	F 13		1				1	2	1	2	3	1	1			1		
Kentucky	M 13	1		1		1	2				4	1	2	1				
	F 7	1		1						1	2	2						
Louisiana:																		
Total	M 10			1			1		2		2	2	1					1
	F 4		1					1		1	1							
White	M 9			1					2		2	2	1					1
	F 3							1		1	1							
Colored	M 1						1											
	F 1		1															
Maine	M 4						1		2		1							
	F 5				1			1	1	2								
Maryland:																		
Total	M 17	1			1			4	6	1	1	2	1					
	F 19	2	1		1		2	3	1	2	5		2					
White	M 16	1			1			4	6		1	2	1					
	F 13	1	1				1	3		2	3		2					
Colored	M 1									1								
	F 6	1			1		1		1		2							
Massachusetts	M 20				1		2	2	2	3	5	4	1					
	F 33		1		1	1	1	3	10	3	5	3	4	1				
Michigan	M 59	1				4	2	7	22	8	9	5	1					
	F 35		2			1		9	6	8	4	2	1	1	1			
Minnesota	M 24	1			1			2	4	3	7	5	1					
	F 19			1			1	4	3	2	5	1	2					
Mississippi:																		
Total	M 5							1		2	2							
	F 3								2	1								
White	M 2							1			1							
	F 1								1									
Colored	M 3									2	1							
	F 2								1	1								
Missouri	M 7								1		2	3	1					
	F 13	1	2		2			1	3	1	1	1	1					
Montana	M 2			1	1													
	F 4		1	1					2									
Nebraska	M 3										1	1						1
	F 11		1			1	1	1	3	2	1		1					
New Hampshire	M 1									1								
	F 1						1											
New Jersey	M 23		1	1			2	2	2	4	10	4	1	1				
	F 31	1	3			1	2	5	3	3	7	3	3					
New York	M 189	4	4	4	3	1	12	21	38	36	32	21	10	3				
	F 175	4	4	3	1	4	10	23	33	31	30	17	12	3				
North Carolina:																		
Total	M 7							1	4	1	1							
	F 13	1					2	1		4	1	3		1				
White	M 2								2									
	F 9						1	1		3	1	2		1				
Colored	M 5							1	2	1	1							
	F 4	1					1			1		1						
Ohio	M 48			1			1	10	11	11	7	5	1	1				
	F 49	3	1		1	2	3	4	9	9	4	7	4	2				
Oregon	M 12						1	1	2	2	1	4	1					
	F 11						3	3		2	2		1					
Pennsylvania	M 89	3	5	2		1	3	15	16	16	15	10	3					
	F 53		1	3	1		2	6	8	12	11	4	4	1				
Rhode Island	M 4						1		1			1	1					
	F 4								2		1		1					
South Carolina:																		
Total	M 9		1	2	1			1				2	1	1				
	F 9						1	1		4	2					1		
White	M 3							1				1		1				
	F 6						1			4						1		
Colored	M 6		1	2	1							1	1					
	F 3							1			2							
Tennessee:																		
Total	M 6							1			1	3		1				
	F 11	1		1			1	2			3	1	2					
White	M 6							1			1	3		1				
	F 10			1			1	2			3	1	2					
Colored	M																	
	F 1	1																
Utah	M 3						1			1		1						
	F																	
Vermont	M 2											2						
	F 1										1							
Virginia:																		
Total	M 14		2					1	6	3	2							
	F 10						1	1	2	2	3	1						
White	M 11		2					1	5	2	1							
	F 8						1	1	2	1	2	1						
Colored	M 3								1	1	1							
	F 2									1	1							
Washington	M 37	2					1	4	4	8	6	7	5					
	F 31		1		2		3	5	3	2	5	6	2	2				
Wisconsin	M 13			1			1	1	1	3	2	3			1			
	F 11			1	1		1	2	2	1	1	1	1					

The largest number of deaths appear for the age period 20 to 29, though the two succeeding periods 30 to 39 and 40 to 49 also show high mortality.

For males 781 deaths appear to 724 of females, and for white persons 1,453 to 52 colored.

The rapid increase in this new disease—lethargic encephalitis—not only in this country but also in Europe is cause for very serious concern. The figures in the table below for lethargic encephalitis undoubtedly understate the situation, as many more deaths are now recorded under Title 60, Encephalitis (excluding lethargic encephalitis), than were recorded a few years ago, and it is only reasonable to conclude that most of this sudden increase is due to other deaths from lethargic encephalitis certified simply as encephalitis. The recent increase in the deaths and death rates from encephalitis in the registration area is shown below.

CAUSE OF DEATH.	NUMBER OF DEATHS.				RATE PER 100,000 POPULATION.			
	1920	1919	1918	1917	1920	1919	1918	1917
Encephalitis (total)	2,167	1,278	697	622	2.5	1.5	0.9	0.8
Lethargic encephalitis	1,070	375	.....	.....	1.2	0.4	.....	.....

ACUTE ANTERIOR POLIOMYELITIS.

The number of deaths from acute anterior poliomyelitis in 1920 is 769, corresponding to a rate of 0.9 per 100,000 population. The rate for 1920 is identical with the rate for 1919 and the lowest since 1910. In striking contrast stands out the high rate (10) for 1916.

The following table shows the rates per 100,000 population for the years 1911 to 1920, rates of 2 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	0.9	0.9	1.2	1.6	10.0	1.0	1.1	1.4	2.0	1.8
Registration states [2]	0.9	0.9	1.2	1.4	10.6	1.1	1.1	1.4	2.0	1.9
Cities in registration states [2]	0.9	0.6	1.0	1.1	15.0	0.9	0.9	1.2	1.9	1.7
Rural part of registration states	0.9	1.1	1.4	1.7	6.5	1.2	1.3	1.6	2.1	2.0
Registration cities in non-registration states	0.5	1.2	0.8	4.1	2.2	0.7	0.9	0.6	1.1	1.1
All registration cities [2]	0.9	0.7	1.0	6.5	13.3	0.9	0.9	1.1	1.7	1.6
REGISTRATION STATES.										
California	0.8	0.3	0.6	0.7	0.9	0.8	1.2	1.1	4.5	1.2
Colorado	0.6	0.9	1.0	0.3	0.4	0.7	0.9	0.1	0.5	0.7
Connecticut	1.2	0.6	0.7	1.3	18.6	1.0	0.5	0.7	0.8	1.3
Delaware	.....	1.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	0.6	0.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	0.5	0.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.9	0.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	0.9	1.2	1.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	0.5	1.0	0.8	1.1	1.9	0.7	1.2	1.6	1.7	2.5
Kansas	0.6	1.1	0.6	1.0	1.4	1.2	0.8	(3)	(3)	(3)
Kentucky	0.8	1.0	2.2	1.7	2.1	1.0	1.2	2.2	1.6	2.6
Louisiana (total)	0.8	0.6	0.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	0.7	0.7	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.9	0.4	0.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	1.2	0.3	0.9	0.7	3.7	0.8	1.1	1.9	1.2	1.7
Maryland (total)	0.9	2.6	1.3	1.2	8.0	1.5	1.1	1.4	2.3	2.6
White	0.6	2.8	1.3	1.1	7.5	1.1	0.7	1.4	2.5	2.3
Colored	2.4	1.6	1.2	1.7	10.4	3.8	2.9	1.2	1.7	3.9
Massachusetts	3.9	0.4	1.0	1.3	12.6	1.1	1.4	1.9	1.4	1.6
Michigan	0.9	2.2	1.5	1.2	4.5	1.1	1.1	1.3	1.1	1.6
Minnesota	0.7	0.8	1.4	0.8	4.7	1.3	0.7	1.7	1.3	2.8
Mississippi (total)	0.9	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	1.4	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.5	1.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	0.9	1.1	0.9	1.5	1.4	1.2	1.1	1.4	2.3	1.8
Montana	0.9	0.6	1.3	1.6	4.9	0.2	0.9	1.8	2.6	1.3
Nebraska	0.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	2.5	0.7	1.8	2.0	5.7	2.1	2.1	4.8	1.8	2.5
New Jersey	0.6	0.5	0.5	1.4	41.2	0.8	0.7	1.1	1.0	1.8
New York	0.6	0.6	0.8	1.2	33.9	0.7	0.9	1.4	2.4	1.8
North Carolina (total)	0.9	0.7	0.8	1.4	2.0	[4] 1.2	[4] 2.5	[5] 1.7	[5] 0.8	[5] 4.0
White	1.1	0.9	0.6	1.5	2.1	0.3	1.9	1.5	1.2	4.5
Colored	0.4	0.3	1.3	1.2	1.7	3.0	3.7	2.1	.....	3.0
Ohio	0.8	0.7	1.2	2.3	2.4	1.8	1.1	1.2	3.5	2.8
Oregon	0.6	0.3	0.3	.....	.....	.....	.....	.....	.....	.....
Pennsylvania	0.6	0.6	1.2	1.7	8.0	1.0	0.8	1.2	1.5	1.2
Rhode Island	.....	0.2	0.8	1.2	7.4	1.2	1.6	2.3	1.3	2.5
South Carolina (total)	0.7	1.1	1.1	1.0	1.8	(3)	(3)	(3)	(3)	(3)
White	0.7	1.2	1.3	1.3	2.0	(3)	(3)	(3)	(3)	(3)
Colored	0.7	0.9	1.0	0.8	1.8	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	0.8	0.9	1.4	1.2	(3)	(3)	(3)	(3)	(3)	(3)
White	0.7	0.7	1.3	1.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	1.1	1.3	1.8	1.1	(3)	(3)	(3)	(3)	(3)	(3)
Utah	0.2	0.7	0.5	0.2	0.7	0.7	1.2	1.8	1.5	0.8
Vermont	0.9	.....	0.3	4.2	3.4	5.1	15.2	1.7	2.5	3.1
Virginia (total)	1.1	1.7	1.4	3.0	3.1	1.7	1.9	2.1	(3)	(3)
White	1.2	1.9	1.4	3.5	3.7	1.4	1.6	1.9	(3)	(3)
Colored	0.9	1.3	1.3	2.0	1.6	2.3	2.6	2.4	(3)	(3)
Washington	0.3	0.7	0.5	0.5	0.9	0.6	0.9	0.9	0.6	1.6
Wisconsin	0.7	1.9	3.8	1.0	2.7	0.5	0.8	1.2	1.3	1.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	0.6	2.8	0.6	0.6	1.2	1.3	2.6	2.7	1.4	5.8
White	.....	2.8	.....	.....	1.0	.....	1.1	1.1	1.1	7.1
Colored	1.4	2.9	1.5	1.5	1.6	3.2	5.0	5.1	1.8	3.7
Los Angeles, Calif.	0.8	0.5	0.2	1.4	1.0	1.3	0.5	1.0	13.7	0.9
Oakland, Calif.	.....	.....	0.5	0.5	.....	.....	1.1	0.6	2.4	2.5
San Francisco, Calif.	0.2	.....	0.6	0.2	0.8	0.2	1.3	0.7	0.9	0.5
Denver, Colo.	0.8	0.4	0.8	.....	0.4	0.4	0.9	.....	0.4	0.9
Bridgeport, Conn.	0.7	0.7	.....	0.8	17.9	1.6	1.7	2.6	1.8	.....
Hartford, Conn.	2.1	1.5	0.8	1.6	12.9	.....	.....	0.9	.....	1.9
New Haven, Conn.	0.6	0.6	1.3	0.6	27.0	1.3	0.7	.....	.....	2.2
Wilmington, Del.	.....	.....	.....	2.9	20.8	3.0	1.0	1.1	1.1	2.2
Washington, D. C. (total)	0.2	.....	2.4	0.7	1.5	1.0	0.3	0.5	1.1	1.5
White	0.3	.....	2.6	0.7	1.7	.....	.....	0.8	.....	.....
Colored	.....	.....	0.9	0.9	1.0	3.9	1.0	.....	4.1	5.2
Atlanta, Ga. (total)	.....	2.0	0.5	0.5	0.5	1.1	0.6	0.6	1.2	1.2
White	.....	1.5	0.8	0.8	.....	.....	0.8	0.9	0.9	.....
Colored	.....	3.2	.....	.....	1.7	3.5	.....	.....	1.8	3.8
Chicago, Ill.	0.7	0.8	1.1	7.5	2.0	0.6	0 9	0.3	1.0	0.6
Indianapolis, Ind. (total)	0.3	0.6	.....	0.3	2.1	0.4	1.1	1.2	1.2	1.0
White	0.4	0.7	.....	0.4	2.3	0.4	1.3	1.3	0.9	1.8
Colored	.....	.....	.....	.....	.....	.....	.....	.....	4.0	.....
Kansas City, Kans. (total)	.....	1.0	2.0	2.1	1.1	2.2	.....	1.1	1.1	4.7
White	.....	1.2	1.2	2.4	1.2	2.5	.....	1.3	.....	5.3
Colored	.....	.....	7.3	.....	.....	.....	.....	.....	9.5	.....
Louisville, Ky. (total)	1.3	0.4	0.4	1.3	0.4	.....	0.4	0.4	0.9	0.4
White	1.0	0.5	.....	1.6	0.5	.....	0.5	0.5	1.1	0.5
Colored	2.5	.....	2.5	.....	.....	.....	.....	.....	.....	.....
New Orleans, La. (total)	0.5	0.3	0.5	0.5	0.5	.....	0.3	.....	0.3	0.9
White	0.7	.....	0.7	0.7	0.4	.....	0.4	.....	.....	.....
Colored	.....	1.0	.....	.....	1.0	.....	.....	.....	1.1	3.3
Baltimore, Md. (total)	0.7	3.8	0.8	0.2	11.5	1.0	0.7	0.7	2.8	1.8
White	0.3	4.0	1.0	0.2	9.4	0.8	0.8	0.6	3.1	2.1
Colored	2.7	2.8	.....	.....	22.6	2.1	.....	1.1	1.1	.....
Boston, Mass.	6.5	0.5	1.4	0.5	23.3	0.7	1.4	1.3	1.3	0.3
Cambridge, Mass.	6.4	.....	1.8	0.9	3.7	.....	0.9	2.8	.....	2.8
Fall River, Mass.	.....	.....	0.8	0.8	1.7	.....	2.5	1.7	0.8	3.3
Lowell, Mass.	5.3	2.7	3.6	1.8	3.6	1.8	2.7	2.8	3.7	3.7
New Bedford, Mass.	.....	0.8	.....	.....	0.9	0.9	0.9	2.9	2.0	1.0
Springfield, Mass.	0.8	.....	0.8	6.7	20.0	2.7	1.9	1.0	10.2	3.2
Worcester, Mass.	.....	.....	0.6	1.2	2.4	0.6	0.6	3.2	0.7	1.3
Detroit, Mich.	0.6	0.4	0.7	0.6	2.0	0.1	0.6	1.3	0.2	1.1
Grand Rapids, Mich.	0.7	.....	2.2	0.8	5.5	.....	2.4	.....	1.7	2.6
Minneapolis, Minn.	0.8	0.5	0.5	0.6	3.1	0.6	0.9	0.6	1.6	1.3
St. Paul, Minn.	.....	0.4	0.9	0.4	3.5	0.4	.....	0.9	0.9	3.7
Kansas City, Mo.	0.9	0.9	0.6	2.6	.....	1.0	0.4	0.7	1.1	1.6

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS) PER 100,000 POPULATION. [Rates of 2 or more in bold-faced type.]									
	1920	1919	1198	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.										
St. Louis, Mo.	1.0	1.0	1.1	0.3	0.5	1.2	0.4	0.3	1.3	0.7
Omaha, Nebr.	0.5	.....	1.6	2.2	.....	.....	1.4	0.7	2.3	1.6
Camden, N. J.	.....	.....	.....	1.8	22.1	0.9	.....	2.0	1.0	.....
Jersey City, N. J.	0.7	0.3	0.7	0.7	12.2	0.4	.....	1.4	0.7	3.3
Newark, N. J.	1.4	0.7	1.0	2.5	87.4	0.3	.....	1.4	0.8	1.1
Paterson, N. J.	.....	.....	.....	0.8	17.4	0.8	1.5	.....	2.3	2.4
Trenton, N. J.	.....	0.8	.....	0.9	34.2	0.9	0.9	1.0	1.0	.....
Albany, N. Y.	.....	0.9	.....	0.9	3.7	0.9	1.9	1.9	.....	2.9
Buffalo, N. Y.	.....	0.2	1.0	0.2	1.0	1.1	0.7	0.7	10.2	0.5
New York, N. Y.	0.7	0.4	0.7	1.3	48.3	0.5	0.7	1.3	1.5	2.1
Bronx borough	0.8	0.3	0.6	2.4	28.4	0.8	2.1	2.6	1.4	2.8
Brooklyn borough	0.8	0.5	0.8	1.1	61.3	0.5	0.6	0.7	1.2	2.0
Manhattan borough	0.4	0.4	0.6	1.0	31.8	0.5	0.5	1.5	2.0	2.0
Queens borough	1.3	0.2	1.1	1.7	84.5	0.5	0.8	0.6	0.3	1.0
Richmond borough	0.8	.....	.....	.....	55.9	.....	.....	2.1	.....	4.5
Rochester, N. Y.	0.3	.....	1.1	.....	1.1	1.2	0.4	0.4	1.7	0.9
Syracuse, N. Y.	0.6	0.6	.....	0.6	40.8	.....	3.9	0.7	0.7	0.7
Yonkers, N. Y.	1.0	2.0	2.1	.....	46.3	.....	.....	.....	1.2	1.2
Akron, Ohio	.....	1.0	0.5	10.9	4.4	11.3	3.1	.....	2.0	1.2
Cincinnati, Ohio	0.5	0.2	1.0	1.5	1.3	0.5	0.3	0.8	1.8	10.9
Cleveland, Ohio	0.4	0.3	0.7	0.7	1.5	2.0	0.8	1.7	4.1	2.5
Columbus, Ohio	.....	0.4	2.6	0.9	1.8	0.5	0.5	1.0	1.5	2.1
Dayton, Ohio	0.6	1.3	.....	2.1	2.9	0.7	1.5	0.8	9.6	1.7
Toledo, Ohio	1.2	1.3	1.3	1.3	11.4	2.0	1.0	1.6	1.1	1.7
Youngstown, Ohio	.....	0.8	.....	0.8	3.5	2.7	0 9	.....	4.5	2.4
Portland, Oreg.	0.4	0.4	0.4	.....	1.2	.....	.....	0.9	1.4	.....
Philadelphia, Pa.	0.3	0.2	0.8	1.0	18.1	0.5	0.7	0.7	0.7	0.7
Pittsburgh, Pa.	0.2	0.3	1.2	1.0	2.5	0.7	0.4	1.3	0.5	1.1
Reading, Pa.	1.8	.....	.....	.....	.....	1.9	1.0	.....	1.0	.....
Scranton, Pa.	1.4	0.7	0.7	2.2	3.0	0.7	2.3	1.5	.....	1.5
Providence, R. I.	.....	.....	0.4	0.9	8.6	0.4	.....	1.3	0.9	0.9
Memphis, Tenn. (total)	0.6	.....	0.7	0.7	(6)	2.1	.....	0.7	0.7	1.5
White	.....	.....	.....	1.1	(6)	.....	.....	1.2	.....	.....
Colored	1.6	.....	1.8	.....	(6)	5.6	.....	.....	1.9	3.8
Nashville, Tenn. (total)	.....	.....	1.7	.....	(6)	1.7	.....	1.8	1.8	0.9
White	.....	.....	2.5	.....	(6)	1.3	.....	1.3	2.6	1.3
Colored	.....	.....	.....	.....	(6)	2.8	.....	2.8	.....	.....
Dallas, Tex. (total)	.....	0.6	1.5	0.8	2.5	(5)	(5)	(5)	(5)	(5)
White	.....	.....	1.8	.....	2.0	(5)	(5)	(5)	(5)	(5)
Colored	.....	4.2	.....	4.9	5.0	(5)	(5)	(5)	(5)	(5)
Houston, Tex. (total)	0.7	1.5	0.8	.....	.....	(5)	(5)	(5)	(5)	(5)
White	.....	1.9	.....	.....	.....	(5)	(5)	(5)	(5)	(5)
Colored	2.9	.....	3.2	.....	.....	(5)	(5)	(5)	(5)	(5)
San Antonio, Tex.	.....	1.3	1.3	.....	2.9	2.3	.....	0.8	.....	1.9
Salt Lake City, Utah	0.8	.....	.....	0.9	.....	.....	1.9	4.0	4.1	.....
Norfolk, Va. (total)	.....	1.8	.....	.....	.....	1.0	2.1	1.1	1.1	1.2
White	.....	1.4	.....	.....	.....	.....	1.7	1.8	.....	.....
Colored	.....	2.3	.....	.....	.....	2.6	2.7	.....	2.8	2.9
Richmond, Va. (total)	.....	0.6	1.8	0.6	1.8	0.6	0.7	1.5	.....	0.8
White	.....	0.9	0.9	0.9	2.8	.....	.....	2.3	.....	.....
Colored	.....	.....	3.7	.....	.....	1.9	2.1	.....	.....	2.1
Seattle, Wash.	.....	.....	.....	1.0	1.0	.....	0.4	1.1	.....	1.2
Spokane, Wash.	1.0	1.0	1.0	.....	.....	.....	.....	1.0	1.0	1.9
Milwaukee, Wis.	0.2	3.3	6.7	0.7	0.7	0.7	0.2	0.5	1.5	0.8

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Of the 12 states with higher rates in 1920 than in 1919, those showing the greatest increases are Massachusetts (3.9 against 0.4), New Hampshire (2.5 against 0.7), and Maine (1.2 against 0.3).

Of the 66 registration cities of 100,000 population or more in 1920, 26 have higher rates in 1920 than in 1919 and only 4 (Boston, Cambridge, Lowell and Hartford) have rates of 2 or more. Twenty-three of the 66 cities show no deaths from this cause in 1920 as against 19 with no deaths in 1919.

ORGANIC DISEASES OF THE HEART.

The number of deaths from organic diseases of the heart in 1920 is 124,143, corresponding to a rate of 141.9 per 100,000 population, and constituting 10.9 per cent of the deaths from all causes. More deaths are reported as due to organic heart disease in each of the six years from 1915 to 1920 than to tuberculosis (all forms), which previously held first place among causes of death.

In making comparisons it must not be forgotten that nearly all persons who die of heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

The greatest increases among the states in the ten-year period 1911 to 1920 are for Washington (from 86.3 to 115.8), Minnesota (from 89.4 to 113.7), New York (from 167.5 to 191), Utah (from 83.3 to 106.8), and Maryland (from 142.1 to 165.1).

The following table shows the rates per 100,000 population for 1911 to 1920, rates of 150 and higher being printed in bold-faced type.

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	141.9	131.0	153.3	153.8	150.6	147.6	142.2	138.9	142.8	141.1
Registration states [2]	142.3	131.5	153.7	153.6	150.7	147.1	142.1	138.5	141.7	140.8
Cities in registration states [2]	157.2	149.6	174.8	170.1	165.4	155.7	151.2	148.8	151.1	148.9
Rural part of registration states	128.2	115.7	134.6	138.9	137.4	138.6	133.2	128.1	132.1	132.5
Registration cities in nonregistration states	119.4	104.7	136.1	157.0	149.3	153.4	143.3	143.1	153.9	145.2
All registration cities [3]	155.9	147.8	173.0	168.3	163.2	155.4	150.1	148.0	151.5	148.3
REGISTRATION STATES.										
California	182.3	177.9	188.7	178.9	181.6	175.3	163.6	174.7	182.7	177.1
Colorado	105.0	89.2	108.0	91.7	86.5	101.0	84.0	90.0	96.4	91.0
Connecticut	149.5	136.7	162.4	171.9	169.8	149.6	152.4	152.0	149.2	158.5
Delaware	164.2	142.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	97.4	85.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	100.4	81.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	91.4	92.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	145.6	132.6	149.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	147.8	137.9	165.0	159.0	150.9	146.4	138.1	137.7	150.8	142.9
Kansas	114.0	93.6	113.4	119.9	115.9	109.3	100.1	(3)	(3)	(3)
Kentucky	87.6	85.4	98.8	109.1	93.5	95.1	85.8	87.5	92.7	86.5
Louisiana (total)	107.5	105.3	119.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	92.1	86.0	95.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	131.8	135.2	156.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	185.9	173.5	190.3	194.4	194.9	188.2	183.9	177.0	178.6	180.4
Maryland (total)	165.1	154.9	197.8	184.2	169.1	153.5	150.4	138.7	147.4	142.1
White	154.3	141.1	179.3	167.4	145.1	142.1	137.2	125.0	134.0	126.7
Colored	218.7	222.3	287.6	265.1	226.2	207.7	213.0	202.7	209.8	213.0
Massachusetts	195.2	181.0	216.2	205.5	197.7	182.5	186.8	184.2	187.7	184.9
Michigan	159.1	139.2	157.7	162.7	156.0	148.4	146.1	144.5	145.9	144.5
Minnesota	113.7	104.1	113.8	104.5	105.2	101.6	102.1	92.9	89.1	89.4
Mississippi (total)	85.3	68.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	66.0	55.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	103.0	79.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	119.0	100.3	117.6	112.2	109.7	104.7	96.0	96.6	104.5	102.9

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES—con.										
Montana	76.7	83.0	91.3	94.6	96.4	86.8	85.8	88.0	73.4	79.7
Nebraska	92.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)
NewHampshire	204.6	169.3	208.8	215.1	207.0	215.4	209.4	187.9	193.3	197.4
New Jersey	159.4	149.8	176.9	170.2	167.5	146.7	150.1	145.4	144.1	144.4
New York	191.0	180.1	203.0	202.3	199.5	190.0	179.9	163.9	156.2	167.5
North Carolina (total)	93.2	81.1	97.7	97.2	91.0	[4]128.1	[4]132.8	[5]124.2	[5]131.4	[5]135.2
White	86.1	72.0	87.7	87.9	82.7	99.9	93.8	95.5	99.6	95.5
Colored	109.8	102.0	120.6	118.2	109.6	181.2	206.6	177.1	189.9	208.2
Ohio	143.4	134.8	153.3	159.7	155.0	144.0	141.8	146.9	151.4	144.4
Oregon	144.3	128.6	128.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Pennsylvania	141.4	132.7	161.9	155.8	148.2	143.9	139.8	127.0	134.3	129.6
Rhode Island	160.5	149.7	176.2	172.0	178.5	167.6	169.1	163.8	172.3	160.3
South Carolina (total)	97.0	80.2	93.0	95.2	84.6	(2)	(2)	(2)	(2)	(2)
White	92.4	70.9	84.1	87.1	74.6	(2)	(2)	(2)	(2)	(2)
Colored	101.3	88.9	101.2	102.5	93.6	(2)	(2)	(2)	(2)	(2)
Tennessee (total)	86.0	82.6	91.6	97.1	(2)	(2)	(2)	(2)	(2)	(2)
White	72.6	71.0	76.5	81.7	(2)	(2)	(2)	(2)	(2)	(2)
Colored	142.6	130.7	152.9	158.9	(2)	(2)	(2)	(2)	(2)	(2)
Utah	106.8	87.8	107.6	105.9	99.8	100.4	97.0	101.1	101.1	83.3
Vermont	228.5	206.2	221.8	222.7	225.6	204.8	198.3	216.5	211.7	212.9
Virginia (total)	124.7	112.2	134.3	136.3	135.3	129.7	122.2	113.5	(2)	(2)
White	109.6	97.7	115.6	112.6	113.4	108.7	102.3	97.1	(2)	(2)
Colored	160.3	145.9	179.0	190.3	184.4	176.2	165.8	149.1	(2)	(2)
Washington	115.8	100.0	106.4	92.9	96.6	95.9	90.5	95.3	84.6	86.3
Wisconsin	115.3	101.3	105.4	115.9	117.8	113.4	111.4	107.5	112.6	110.1
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	124.1	116.7	158.3	155.1	94.6	111.3	129.9	136.8	110.1	129.9
White	97.2	77.1	108.9	104.2	76.0	71.9	95.8	86.7	73.6	83.4
Colored	165.7	177.9	234.5	233.7	123.4	172.0	182.4	214.0	166.3	201.4
Los Angeles, Calif.	184.3	161.5	175.8	159.2	165.9	157.0	143.2	165.8	173.7	181.4
Oakland, Calif.	198.5	192.1	223.2	196.2	195.4	189.1	177.8	192.4	198.5	191.9
San Francisco, Calif.	212.2	231.8	239.0	220.7	245.0	230.3	217.6	234.2	238.5	226.8
Denver, Colo.	138.0	120.7	146.9	115.7	110.0	127.3	108.2	116.9	127.2	123.4
Bridgeport, Conn.	117.4	145.0	150.2	154.3	136.1	119.0	91.6	121.8	141.7	119.4
Hartford, Conn.	170.7	125.0	172.7	179.7	176.7	139.3	153.6	164.5	154.9	172.5
New Haven, Conn.	160.3	154.6	190.4	194.7	172.2	180.4	154.6	173.9	159.8	164.0
Wilmington, Del.	130.3	121.1	171.2	175.8	166.6	155.1	140.9	141.0	144.3	134.4
Washington, D.C. (total)	176.7	171.5	225.4	225.5	210.2	207.1	190.9	208.6	225.7	210.3
White	173.1	161.1	207.8	202.6	200.2	195.2	177.9	185 3	192.8	175.8
Colored	187.4	202.0	276.2	290.7	238.0	239.8	270.6	226.0	311.6	298.2
Atlanta, Ga. (total)	119.3	108.9	146.6	129.0	113.9	134.0	111.9	106.7	108.5	101.6
White	101.1	82.3	100.3	91.4	80.5	87.8	77.7	82.7	85.9	80.3
Colored	159.4	167.0	246.7	209.5	184.7	231.3	183.0	156.1	154.5	144.5
Chicago, Ill.	158.5	142.5	168.7	162.1	158.7	152.9	140.1	141.7	151.6	140.3
Indianaoplis, Ind. (total)	170.1	139.4	181.7	186.8	169.4	181.4	165.0	151.8	181.6	174.0
White	163.2	128.1	162.8	166.2	153.0	168.4	153.8	139.6	170.1	159.3
Colored	225.7	231.4	338.0	358.6	308.4	292.3	262.4	260.4	286.6	311.5
KansasCity, Kans (total)	118.5	97.9	131.2	111.9	157.4	121.7	108.8	105.4	142.0	126.3
White	105.3	83.8	114.6	93.6	139.0	112.8	103.3	93.4	119.9	102.1
Colored	196.9	183.1	233.9	227.8	276.8	181.4	146.3	189.2	302.6	308.1
Louisville, Ky. (total)	156.8	180.0	205.4	198.8	149.9	160 0	161.8	145.4	161.3	151.7
White	135.7	149.8	169.6	169.3	120.0	131.6	133.8	122.8	134.1	115.9
Colored	259.5	326.1	377.4	339.3	291.5	293.3	292.5	250.1	286.2	315.0
New Orleans, La. (total)	196.6	206.9	245.4	235.8	208.5	232.7	216.1	222.8	231.7	202.9
White	176.2	184.1	195.5	190.9	167.6	186.3	187.8	169.8	179.7	165.0
Colored	254.2	271.1	385.9	362.1	323.3	362.8	295.6	371.1	377.0	308.4
Baltimore, Md. (total)	176.7	162.1	234.3	213.6	187.4	169.1	177.9	166.8	171.9	166.7
White	159.7	144.0	206.7	188.5	165.6	151.1	153.9	143.4	151.1	141.7
Colored	274.9	266.0	376.1	343.5	301.4	263.7	305.7	292.8	284.8	303.9
Boston, Mass.	233.7	227.7	266.2	230.7	229.7	201.0	225.1	216.1	208.2	192.8
Cambridge, Mass.	204.6	191.0	216.6	213.9	200.1	163.8	164.6	164.4	154.8	174.5
Fall River, Mass.	135.2	138.7	212.8	193.0	169.9	163.4	161.9	150.4	159.7	141.5
Lowell, Mass.	153.0	138.8	148.5	175.5	165.7	143.9	152.2	133.7	158.7	184.9
New Bedford, Mass.	122.5	105.9	128.6	137.5	144.2	134.8	111.8	125.0	132.0	143.4
Springfield, Mass.	150.3	108.2	165.4	170.3	144.4	141.7	125.6	122.2	135.5	147.9
Worcester, Mass.	227.6	219.7	289.9	239.7	245.3	219.4	214.2	199.8	195.9	229.0
Detroit, Mich.	111.9	102.8	107.2	119.4	120.6	99.0	109.1	110.5	103.0	105.9
Grand Rapids, Mich	155.6	152.4	197.7	172.4	135.9	134.5	128.9	125.6	140.0	123.0
Minneapolis, Minn.	130.2	117.7	131.4	111.9	123.9	117.8	109.9	103.7	101.1	95.1
St. Paul, Minn.	107.3	120.3	155.9	139.4	133.2	115.3	113.3	86.7	95.3	102.2
Kansas City, Mo.	163.9	135.7	158.3	145.7	138.7	148.0	132.6	136.4	136.6	133.8

AREA.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
St. Louis, Mo.	156.9	139.5	160.9	149.4	147.6	135.7	130.5	124.4	142.7	147.2
Omaha, Nebr.	129.3	103.3	109.6	112.9	89.1	78.1	104.0	108.3	119.6	114.0
Camden, N. J.	172.9	147.6	194.8	196.0	155.8	160.1	197.2	171.0	141.7	152.2
Jersey City, N. J.	166.9	151.1	185.1	177.4	176.9	128.5	131.7	136.4	128.5	149.4
Newark, N. J.	162.2	147.4	183.6	166.9	160.9	138.5	133.3	141.0	141.2	134.6
Paterson, N. J.	156.9	154.4	161.6	207.2	204.3	163.2	185.3	170.5	189.2	196.2
Trenton, N. J.	177.7	143.9	194.3	179.7	152.0	141.5	179.2	189.0	141.3	156.6
Albany, N. Y.	228.2	228.8	236.5	240.8	228.7	219.1	222.4	214.3	223.5	235.9
Buffalo, N. Y.	169.6	143.1	158.5	168.7	167.1	153.5	159.0	163.7	157.1	170.3
New York, N. Y.	167.8	164.1	183.9	177.2	177.7	167.8	151.4	148.8	146.2	142.5
Bronx bor.	139.0	129.5	153.3	151.3	145.6	130.3	130.7	137.0	137.1	134.5
Brooklyn bor.	181.4	184.5	208.2	194.8	202.6	203.9	165.3	161.8	163.6	163.6
Manhattan bor.	167.3	160.4	178.0	173.5	168.2	150.8	146.5	142.5	136.1	131.0
Queens bor.	145.6	147.3	160.1	151.2	160.4	153.5	151.2	141.9	130.9	127.3
Richmond bor.	213.4	164.4	198.6	204.3	199.0	175.8	129.0	153.0	175.4	119.2
Rochester, N. Y.	175.3	168.2	180.8	218.0	189.1	192.1	195.8	158.1	144.3	171.0
Syracuse, N. Y.	215.8	161.8	225.9	202.5	196.3	159.7	180.3	162.5	140.6	168.2
Yonkers, N. Y.	127.4	112.0	136.0	131.7	140.0	120.1	133.1	147.9	135.0	149.4
Akron, Ohio	91.5	78.4	97.0	87.4	88.8	74.4	63.6	81.1	89.3	97.9
Cincinnati, Ohio	194.8	216.5	208.2	213.5	210.0	206.0	196.4	211.7	213.0	186.7
Cleveland, Ohio	103.4	102.6	114.4	120.8	113.2	103.3	97.8	114.4	126.6	110.4
Columbus, Ohio	150.1	133.7	160.1	167.7	154.5	137.8	136.2	149.9	158.6	145.6
Dayton, Ohio	131.5	124.1	185.7	184.9	164.8	153.8	148.3	163.5	177.1	164.4
Toledo, Ohio	144.3	132.7	180.1	179.5	174.8	148.7	138.9	144.5	123.9	122.6
Youngstown, Ohio	80.9	92.3	107.0	124.1	110.1	94.0	78.4	96.6	92.8	87.3
Portland, Oreg.	144.0	152.7	143.4	107.1	124.3	104.1	120.5	134.7	117.7	121.9
Philadelphia, Pa.	182.0	180.7	224.5	210.1	195.6	199.4	195.4	169.6	181.5	180.8
Pittsburgh, Pa.	131.8	131.2	150.0	143.4	147.4	120.4	120.3	127.5	127.6	118.6
Reading, Pa.	153.4	142.5	171.0	147.9	179.8	170.5	193.3	144.5	153.0	123.7
Scranton, Pa.	110.0	151.4	154.5	161.3	129.7	137.9	156.0	117.8	120.8	95.5
Providence, R. I.	175.8	166.3	188.9	164.0	183.4	154.7	178.6	165.7	180.8	158.4
Memphis, Tenn. (total)	113.2	125.5	136.7	150.3	(6)	149.7	137.5	125.7	146.0	125.8
White	103.8	105.0	110.3	112.4	(6)	117.0	104.4	80.6	90.8	97.8
Colored	128.7	161.4	182.3	214.4	(6)	203.1	190.9	197.3	232.1	168.6
Nashville, Tenn. (total)	176.9	187.4	254.9	189.5	(6)	214.0	217.2	209.9	206.9	221.0
White	127.5	130.1	194.7	125.9	(6)	149.1	132.8	140.8	128.0	133.5
Colored	292.2	319.4	391.7	332.1	(6)	355.2	398.6	356.1	371.7	400.0
Dallas, Tex. (total)	93.1	72.0	80.4	102.2	88.8	(6)	(6)	(6)	(6)	(6)
White	84.8	53.4	71.8	75.6	76.8	(6)	(6)	(6)	(6)	(6)
Colored	140.5	175.2	126.4	241.3	149.8	(6)	(6)	(6)	(6)	(6)
Houston, Tex. (total)	99.1	77.1	102.1	99.7	(6)	(6)	(6)	(6)	(6)	(6)
White	92.5	66.3	83.3	86.6	(6)	(6)	(6)	(6)	(6)	(6)
Colored	119.4	109.8	157.0	137.5	(6)	(6)	(6)	(6)	(6)	(6)
San Antonio, Tex.	94.1	87.3	104.4	113.3	92.0	88.3	95.4	101.7	103.7	97.4
Salt Lake City, Utah	121.6	115.4	112.2	117.2	103.5	114.3	81.1	120.8	116.3	91.0
Norfolk, Va. (total)	138.6	165.0	221.2	186.6	171.9	148.0	166.2	156.5	201.4	193.6
White	118.4	108.5	182.8	129.1	118.5	103.7	115.1	116.8	135.6	138.5
Colored	172.3	258.1	284.0	279.5	257.0	209.9	245.5	217.2	300.5	275.1
Richmond, Va. (total)	159.5	141.5	178.4	203.7	183.0	183.6	175.7	201.9	208.9	168.9
White	159.1	133.2	164.2	178.6	162.5	161.5	135.9	181.3	183.0	150.3
Colored	160.5	159.3	208.3	255.8	225.0	227.8	251.8	240.3	255.2	202.1
Seattle, Wash.	120.0	105.0	121.6	97.1	104.0	103.7	102.3	93.2	93.1	94.9
Spokane, Wash.	138.8	84.3	97.7	85.2	99.6	110.1	94.8	114.9	89.1	107.3
Milwaukee, Wis.	114.6	89.1	81.6	102.6	104.2	99.2	93.3	97.1	99.1	96.7

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

Six states have rates above 150 per 100,000 population for the series of years 1911 to 1920. Of these, the following states show the highest rates in 1920: Vermont (228.5), New Hampshire (204.6), and Massachusetts (195.2). The states showing the lowest rates in 1920 are Montana (76.7), Mississippi (85.3), Tennessee (86), Kentucky (87.6), and Nebraska (92.7).

Of the 66 registration cities of 100,000 population or more in 1920, those showing the greatest increase in the ten-year period 1911 to 1920 are Syracuse (from 168.2 to 215.8), Boston (from 192.8 to 233.7), Minneapolis (from 95.1 to 130.2), and Grand Rapids (from 123 to 155.6). Fourteen cities have rates of 150 or more for the series of years 1911 to 1920; of these, the highest rates in 1920 are for Boston (233.7), Albany (228.2), Worcester (227.6), Syracuse (215.8), and San Francisco (212.2).

The highest rate (218.7) shown for the colored in any state is for Maryland, and the lowest (91.4) for Florida.

Of the cities shown by color Nashville has the highest rate (292.2) for the colored and Houston the lowest (119.4).

PNEUMONIA (ALL FORMS).

In 1920 the number of deaths due to pneumonia (all forms) is 120,108. Of these, 64,001 are due to lobar pneumonia, 47,746 to bronchopneumonia, and 8,361 to pneumonia (unqualified). The death rate from pneumonia (all forms) in 1920 is 137.3. This is 13.8 higher than that for 1919, which had the record low rate (123.5).

The following table shows the death rates per 100,000 population for the years 1911 to 1920, rates of 200 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	137.3	123.5	236.2	150.5	137.8	133.1	127.3	132.6	132.4	133.9
Registration states [2]	136.8	123.3	284.8	148.3	137.5	131.3	124.7	129.2	128.5	129.8
Cities in registration states [2]	168.5	153.1	369.3	179.4	166.4	156.9	150.4	156.8	153.0	154.2
Rural part of registration states	107.0	97.3	208.7	120.8	111.2	105.9	99.6	101.5	103.2	105.0
Registration cities in nonregistration states	163.7	136.1	348.6	178.2	142.2	155.0	160.0	172.5	174.1	178.7
All registration cities [2]	168.3	152.4	368.4	179.2	163.1	156.7	151.7	159.1	156.3	158.0
REGISTRATION STATES.										
California	101.7	97.9	227.9	106.7	99.3	94.3	91.1	106.1	109.5	100.6
Colorado	176.3	124.3	310.9	127.0	103.0	155.6	120.0	124.8	123.1	138.4
Connecticut	155.7	134.2	344.2	202.0	191.6	151.2	150.9	148.8	143.7	152.5
Delaware	178.5	185.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	80.0	72.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	71.6	64.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	96.6	88.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	133.7	107.3	247.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	133.7	110.1	210.0	125.1	113.1	109.2	104.2	96.8	104.3	99.4
Kansas	97.4	87.0	223.1	113.7	86.9	90.0	69.4	(3)	(3)	(3)
Kentucky	121.7	124.4	214.6	120.2	111.1	98.3	108.7	99.2	100.7	99.0
Louisiana (total)	108.1	110.2	232.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	92.8	94.7	202.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	132.3	134.1	279.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	151.8	123.9	255.0	159.7	140.0	140.3	148.5	146.6	143.1	142.2
Maryland (total)	153.3	152.9	441.1	188.9	176.9	156.2	155.8	145.1	130.9	146.1
White	133.2	131.5	403.4	147.6	144.9	126.8	129.1	118.0	104.8	118.9
Colored	252.5	257.9	624.6	388.4	330.1	295.9	281.9	272.4	251.8	271.5
Massachusetts	156.1	133.9	384.8	171.8	174.9	162.1	156.8	155.8	152.7	155.0
Michigan	152.3	108.8	199.1	124.0	105.7	95.8	86.4	93.5	90.2	88.9
Minnesota	79.0	78.1	140.6	96.1	86.0	89.7	97.5	81.2	71.9	95.4
Mississippi (total)	102.8	93.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	81.5	71.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	122.4	113.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	164.1	128.6	265.3	157.3	132.4	122.7	110.0	114.9	116.1	120.2
Montana	103.3	98.2	249.1	137.4	110.2	109.0	102.9	117.3	93.2	89.0
Nebraska	85.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	130.7	120.2	294.2	160.7	141.8	124.2	128.7	147.5	132.0	145.8
New Jersey	154.2	158.7	466.4	175.8	180.1	152.4	154.3	151.3	145.3	152.6
New York	160.2	166.4	374.2	180.3	167.5	171.9	159.4	174.6	175.8	179.8
North Carolina (total)	101.9	84.8	182.7	105.8	103.5	[4]129.3	[4]149.9	[5]117.5	[5]129.6	[5]149.8
White	87.4	70.8	145.0	85.9	82.5	84.3	106.7	71.8	82.6	84.0
Colored	135.4	116.9	268.4	150.8	150.5	214.4	231.6	201.7	216.1	270.9
Ohio	135.9	122.7	235.5	142.8	131.7	116.7	104.5	108.6	109.8	100.8
Oregon	107.8	79.9	125.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	181.7	157.1	418.4	193.3	171.4	151.1	148.2	154.6	146.7	140.6
Rhode Island	163.1	144.7	312.7	190.5	167.8	172.6	148.6	151.1	161.0	154.3
South Carolina (total)	110.1	102.2	252.3	118.9	105.2	(3)	(3)	(3)	(3)	(3)
White	87.6	81.1	233.1	93.5	81.5	(3)	(3)	(3)	(3)	(3)
Colored	131.5	122.0	270.0	142.1	126.5	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	117.2	102.1	203.5	110.7	(3)	(3)	(3)	(3)	(3)	(3)
White	100.5	87.9	169.1	91.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	187.5	161.1	344.2	188.0	(3)	(3)	(3)	(3)	(3)	(3)
Utah	126.0	90.5	183.9	113.1	113.0	106.5	114.9	105.4	102.9	111.3
Vermont	152.5	125.1	201.7	162.2	126.1	117.5	114.8	142.1	140.5	129.7
Virginia (total)	103.4	99.2	204.0	124.7	124.6	112.4	105.0	89.8	(3)	(3)
White	81.7	75.8	158.5	91.7	88.0	84.9	77.6	68.0	(3)	(3)
Colored	154.7	153.7	308.6	199.6	206.5	173.3	165.1	136.8	(3)	(3)
Washington	93.7	86.5	170.8	67.4	64.1	66.8	57.7	65.4	54.2	67.5
Wisconsin	112.9	94.2	163.1	119.5	108.3	104.0	94.8	88.5	83.8	85.3
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	187.6	193.9	485.3	304.9	153.6	136.0	186.6	159.8	193.1	158.0
White	120.9	126.3	321.9	125.9	84.1	95.9	125.9	64.5	120.7	100.0
Colored	290.7	298.4	737.5	581.2	261.0	197.7	280.2	306.4	304.4	247.2
Los Angeles, Calif.	84.1	74.0	194.1	87.5	80.4	82.9	77.0	109.5	109.9	97.0
Oakland, Calif.	109.3	128.3	322.7	89.8	77.9	95.9	88.4	121.5	118.0	106.1
San Francisco, Calif.	119.9	131.3	274.3	123.7	126.1	128.4	118.2	133.0	122.3	132.2
Denver, Colo.	264.0	150.6	412.3	121.0	132.4	173.4	144.8	114.2	127.7	154.1
Bridgeport, Conn.	159.9	157.0	478.3	292.0	338.3	194.7	184.1	178.8	159.7	141.8
Hartford, Conn.	219.2	189.7	390.9	317.3	268.7	197.7	189.9	212.8	168.8	234.1
New Haven, Conn	179.8	125.4	325.8	225.0	221.6	195.8	190.9	186.5	224.0	211.4
Wilmington, Del.	213.0	205.0	687.6	288.4	226.1	198.7	171.0	161.1	164.9	214.4
Washington, D. C. (total)	184.6	149.3	386.8	145.8	149.8	163.3	122.7	123.4	136.2	161.2
White	123.2	96.2	297.9	96.9	98.9	106.7	83.1	69.9	86.5	102.3
Colored	352.4	304.8	643.7	285.0	292.3	319.1	229.9	265.6	265.9	311.6
Atlanta, Ga. (total)	191.7	148.2	304.0	159.6	145.9	145.7	146.7	163.0	206.1	227.6
White	114.0	88.2	200.7	79.8	71.8	83.7	90.4	76.6	112.1	134.5
Colored	362.9	279.3	527.7	330.9	303.4	276.2	264.0	340.9	397.3	414.8
Chicago, Ill.	160.7	134.9	304.9	195.7	156.8	163.4	177.5	205.2	210.2	200.7
Indianapolis, Ind. (total)	178.6	151.4	324.2	144.1	136.9	137.9	137.2	118.2	130.1	108.9
White	157.8	132.4	300.4	123.0	123.3	124.3	128.3	107.4	110.7	92.6
Colored	344.2	304.7	520.8	320.5	252.0	254.1	215.1	214.4	306.8	260.3
Kansas City, Kans. (total)	184.2	143.8	362.1	189.6	119.4	211.1	136.2	171.5	143.2	159.0
White	174.0	133.8	350.9	171.6	104.9	194.6	123.4	160.0	126.4	153.7
Colored	244.4	204.3	431.2	303.7	213.5	321.5	223.8	252.2	264.8	198.8
Louisville, Ky. (total)	154.3	252.0	550.3	194.5	151.2	140.5	152.3	148.9	129.6	126.0
White	122.4	206.9	507.7	152.2	116.9	97.0	121.7	113.3	97.1	89.5
Colored	309.4	470.5	754.8	396.3	313.8	345.0	295.0	313.9	278.8	292.9
New Orleans, La. (total)	185.5	184.5	439.7	148.6	117.9	194.0	187.5	165.4	143.1	162.0
White	127.2	146.5	362.9	96.9	67.5	118.6	188.8	101.0	92.0	102.4
Colored	350.3	291.9	656.2	294.0	259.5	405.6	380.1	345.4	286.0	328.1
Baltimore, Md. (total)	184.9	174.3	554.8	234.5	228.7	195.1	208.0	200.9	176.2	197.2
White	160.0	149.9	507.8	173.2	183.5	158.2	170.4	158.4	137.1	154.0
Colored	327.9	314.2	796.5	552.4	465.4	389.3	408.4	429.3	388.7	434.2
Boston, Mass.	197.8	161.5	494.3	223.1	219.8	210.2	196.2	200.5	206.2	210.4
Cambridge, Mass.	169.2	130.7	395.6	156.8	166.8	151.7	165.5	174.7	152.9	154.6
Fall River, Mass.	159.3	135.4	330.0	220.5	260.7	211.8	244.6	269.9	206.6	198.4
Lowell, Mass.	192.8	136.1	437.5	180.9	182.9	187.7	153.1	144.8	152.2	150.3
New Bedford, Mass.	188.6	143.4	396.9	219.3	201.1	192.1	185.5	211.9	168.2	184.5
Springfield, Mass.	129.1	160.0	441.8	164.5	177.4	151.6	145.3	145.6	121.2	154.3
Worcester, Mass.	195.0	173.6	464.1	185.3	224.4	182.2	168.7	177.5	187.4	164.5
Detroit, Mich.	232.4	156.7	260.1	190.4	172.0	141.5	134.8	172.5	157.9	131.5
Grand Rapids, Mich.	119.6	71.8	153.7	88.1	70.7	96.0	75.9	66.6	50.1	117.8
Minneapolis, Minn	106.1	91.6	174.6	120.5	115.0	114.9	124.5	104.4	92.7	113.4
St. Paul, Minn.	106.1	86.0	183.1	103.7	87.5	118.9	119.5	84.9	79.8	93.5
Kansas City, Mo.	247.3	207.2	434.7	192.9	122.9	156.7	118.0	115.5	110.7	148.5

(See footnotes at end of table.)

AREA.	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION. [Rates of 200 or more in bold-faced type.]									
	1920	1919	1910	1910	1910	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
St. Louis, Mo.	212.0	162.7	358.7	204.9	177.1	144.6	155.1	139.9	152.3	148.9
Omaha, Nebr.	167.0	142.3	312.1	197.8	164.9	137.4	123.4	115.6	143.0	169.7
Camden, N. J.	216.3	212.7	750.8	273.7	230.5	227.8	238.5	196.6	167.9	191.3
Jersey City, N. J.	192.5	222.2	537.5	210.1	196.7	204.5	175.5	198.0	177.7	202.5
Newark, N. J.	176.8	167.8	494.6	173.2	168.8	140.3	191.5	144.2	156.3	158.8
Paterson, N. J.	154.0	140.4	326.9	188.4	206.6	153.3	153.8	162.8	175.1	139.5
Trenton, N. J.	189.3	165.9	685.6	201.8	303.1	211.3	220.5	219.7	182.5	217.8
Albany, N. Y.	143.9	163.2	336.9	170.2	156.4	163.6	127.4	133.6	187.6	140.5
Buffalo, N. Y.	147.5	144.5	378.0	176.4	163.4	162 3	144.9	147.6	152.1	147.9
New York, N. Y.	184.4	199.8	425.3	196.1	189.7	204.6	187.0	200.1	198.7	213.2
Bronx bor.	138.6	179.2	384.0	159.4	138.6	175.4	145.2	161.7	156.6	158.6
Brooklyn bor.	181.0	200.7	443.7	202.0	203.2	200.6	181.3	198.7	198.1	208.3
Manhattan bor.	210.5	210.2	425.2	205.6	197.3	225.1	209.2	216.6	214.3	236.2
Queens bor.	151.7	170.2	373.3	175.6	164.1	153.7	150.7	159.9	156.0	153.7
Richmond bor.	158.3	220.9	563.5	190.5	183.9	177 8	143.1	185.3	196.9	198.3
Rochester, N. Y.	104.0	115.9	294.5	146.5	119.6	115.9	137.0	153.5	147.8	116.9
Syracuse, N. Y.	216.4	133.0	436.7	150.3	131.1	116.7	136.9	182.5	140.0	120.2
Yonkers, N. Y.	135.3	146.3	317.4	168.5	174.5	148.8	115.1	175.7	159.9	168.8
Akron, Ohio	233.1	181.1	239.2	139.8	125.0	97.8	74.6	102.2	105.4	103.7
Cincinnati, Ohio	131.1	122.1	293.7	153.2	150.7	144.4	136.8	154.2	155.0	126.6
Cleveland, Ohio	153.4	173.2	336.5	187.1	172.4	144.5	108.7	123.9	107.1	94.5
Columbus, Ohio	146.4	119.1	256.8	156.9	154.1	125.6	113.4	113.1	118.6	120.6
Dayton, Ohio	122.4	100.2	286.4	146.6	133.3	129.5	99.1	121.4	120.2	119.0
Toledo, Ohio	125.3	102.6	194.7	141.8	141.8	111.2	103.5	84.8	107.1	111.3
Youngstown, Ohio	265.0	224.6	447.8	349.8	235.1	214.2	206.8	261.2	222.4	224.1
Portland, Oreg.	125.2	103.1	181.6	65.5	63.8	63.6	68.8	83.8	62.5	79.3
Philadelhpia, Pa.	191.7	176.3	525.8	213.8	170.6	163.8	166.7	144.7	132.9	153.7
Pittsburgh, Pa.	341.3	330.9	898.5	364.2	337.2	249.4	243.5	286.6	262.9	203.0
Reading, Pa.	149.7	113.7	373.9	181.1	168.3	87.2	94.2	108.1	93.8	77.2
Scranton, Pa.	206.2	174.7	466.5	232.8	206.8	214.0	249.1	218.1	203.6	204.0
Providence, R. I.	196.4	140.6	347.7	205.0	190.7	180.2	172.1	167.5	173.7	169.5
Memphis, Tenn. (total)	222.1	220.4	373.0	197.7	(6)	141.2	159.7	168.6	181.4	193.9
White	147.0	165.9	299.7	120.1	(6)	90.9	83.5	105.5	122.3	126.3
Colored	347.0	315.4	499.0	329.1	(6)	223.6	282.6	268.7	273.6	305.0
Nashville, Tenn. (total)	181.9	172.1	491.9	164.5	(6)	154.6	175.0	152.3	173.9	222.8
White	138.3	113.1	406.6	124.6	(6)	110.9	116.0	105.6	92.3	128.2
Colored	283.8	308.2	685.5	253.9	(6)	249.8	301.7	251.2	344.2	417.4
Dallas, Tex. (total)	119.2	84.1	316.3	103.0	62.5	(3)	(3)	(3)	(3)	(3)
White	102.3	70.7	277.3	82.2	56.1	(3)	(3)	(3)	(3)	(3)
Colored	214.8	158.5	525.0	211.7	94.9	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	117.6	82.9	210.0	87.9	(3)	(3)	(3)	(3)	(3)	(3)
White	92.5	66.3	185.3	78.6	(3)	(3)	(3)	(3)	(3)	(3)
Colored	195.2	133.6	282.0	114.5	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	119.0	94.9	358.7	181.7	81.1	100.5	117.9	104.2	121.2	90.8
Salt Lake City, Utah	153.4	101.8	197.0	118.1	128.5	103.9	105.3	90.1	123.5	104.6
Norfolk, Va. (total)	137.7	160.6	396.2	167.9	190.3	166.1	165.1	154.3	155.0	151.1
White	84.4	87.4	269.0	71.4	69.5	88.9	60.1	68.3	92.3	67.3
Colored	226.7	281.4	603.9	323.6	333.0	287.7	323.2	235.9	249.5	275.1
Richmond, Va. (total)	182.7	153.8	297.1	181.9	187 3	193.6	176.4	158.6	167.7	156.6
White	100.2	82.5	155.4	95.1	101.9	117.4	84.4	86.7	98.5	88.2
Colored	363.5	307.5	597.0	362.2	361.8	346.3	352.6	293.0	294.4	278.7
Seattle, Wash.	96.8	91.5	173.4	54.2	48.7	67.2	62.2	72.1	55.9	54.1
Spokane, Wash.	148.4	117.8	217.4	89.1	71.8	74.7	79.5	87.2	69.0	133.1
Milwaukee, Wis.	171.0	142.5	262.6	176.5	156.2	142.4	119.0	123.4	128.7	95.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors and marines.

Among the states the highest death rates in 1920 from pneumonia (all forms) are for Pennsylvania (181.7), Delaware (178.5), Colorado (176.3), Missouri (164.1), and Rhode Island (163.1), while the lowest are for Minnesota (79), Florida (80), Nebraska (85.7), Washington (93.7), and Kansas (97.4).

Among the registration cities of 100,000 population or more in 1920, the highest rates are for Pittsburgh (341.3), Youngstown (265), Denver (264), Kanass City, Mo. (247.3), and Akron (233.1); while the lowest are for Los Angeles (84.1), Seattle (96.8), Rochester (104), and Minneapolis and St. Paul (106.1).

The highest rate shown for the colored in any state is 252.5 for Maryland, and for the cities Richmond has the highest rate (363.5), and Houston the lowest (195.2).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

Diarrhea and enteritis in 1920 is the cause of death of 38,514 children under 2 years of age, corresponding to a rate of 44 per 100,000 population. This is the lowest rate for any year since 1900. This marked reduction from the rate of 1900 (108.8) is doubtless due in part to measures now employed to prevent loss of child life. The great difference, however, which still exists between the rates of the various states and cities certainly suggests that at least some of these rates are still too high.

The following table shows the death rates per 100,000 population for the years 1911 to 1920, rates of 100 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	44.0	44.2	58.7	64.3	65.8	59.8	66.1	75.3	70.4	77.6
Registration states [2]	43.4	43.8	57.9	61.0	62.4	56.7	62.8	72.3	66.7	73.7
Cities in registration states [2]	52.2	52.0	68.6	70.2	72.1	63.8	75.7	84.9	83.6	91.3
Rural part of registration states	35.1	36.7	48.2	52.8	53.7	44.7	50.2	59.6	49.3	55.8
Registration cities in non-registration states	81.1	63.7	95.6	107.9	110.8	96.3	107.7	111.0	109.5	119.4
All registration cities [2]	53.2	52.5	69.8	75.5	77.4	72.8	80.2	83.7	87.6	95.6
REGISTRATION STATES.										
California	34.4	26.2	32.6	32.9	27.7	27.0	29.8	47.7	33.1	36.0
Colorado	44.6	33.0	46.7	36.0	42.7	27.9	41.3	45.2	39.0	57.6
Connecticut	52.4	48.7	66.7	76.3	83.0	92.0	85.2	81.6	86.2	78.6
Delaware	69.6	60.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	41.3	41.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	39.2	39.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	45.6	45.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	54.1	58.9	67.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	39.6	38.3	46.4	53.3	61.9	41.1	57.4	67.1	58.4	61.4
Kansas	30.6	26.8	30.4	33.7	38.8	24.3	32.5	(3)	(3)	(3)
Kentucky	36.0	39.3	43.4	55.2	50.1	37.4	47.8	55.7	40.6	50.2
Louisiana (total)	38.3	42.2	71.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	35.0	37.9	67.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	43.5	48.8	76.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	52.6	32.1	40.0	34.5	61.4	51.4	52.6	61.9	43.3	63.4
Maryland (total)	81.2	78.8	112.4	94.5	93.0	83.2	91.2	99.9	86.5	93.0
White	73.3	71.4	99.2	81.3	80.2	75.9	84.9	90.7	78.5	90.4
Colored	120.5	115.0	176.9	158.6	154.2	117.9	121.0	143.2	123.6	132.8
Massachusetts	47.5	43.5	76.8	71.4	68.1	74.5	82.4	87.2	94.9	101.0
Michigan	47.4	46.6	48.7	50.3	62.3	33.1	52.5	53.3	45.6	56.0
Minnesota	21.0	19.5	22.3	24.6	28.0	26.4	33.9	41.3	29 2	39.8
Mississippi (total)	32.3	28.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	31.8	29.6	(3)	(3)	(3)	(3)	(3)	(3)	(4)	(3)
Colored	32.7	28.3	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	31.4	30.3	36.3	48.7	49.0	36.9	54.9	58.1	52.2	61.1
Montana	22.1	29.6	29.9	42.8	37.4	22.2	37.0	37.4	21.2	35.7
Nebraska	20.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	43.9	35.5	49.2	58.4	61.1	67.0	61.7	96.6	54.0	83.9
New Jersey	53.0	58.2	77.5	83.7	73.9	83.6	85.9	90.2	95.1	100.5
New York	45.8	42.0	53.7	60.1	59.3	69.3	67.0	76.0	77.5	78.2

(See footnotes at end of table.)

AREA.	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION. [Rates of 100 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION STATES.—con.										
North Carolina (total)	54.2	55.5	79.7	95.8	76.9	[4]118.0	[4]133.9	[5]112.3	[5]135.3	[5]149.1
White	51.0	54.7	71.6	88.4	73.1	89.9	111.9	95.8	120.2	129.9
Colored	61.8	57.3	98.2	112.4	85.6	171.2	175.4	142.7	163.0	184.8
Ohio	31.8	38.7	48.6	55.4	59.5	44.1	54.0	70.6	60.6	59.2
Oregon	10.6	14.0	16.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	63.0	66.6	98.4	97.2	103.9	92.4	96.9	107.5	94.5	104.6
Rhode Island	44.8	38.6	74.0	59.1	73.5	79.9	76.4	86.1	83.0	89.6
South Carolina (total)	66.8	56.2	75.3	79.6	72.0	(3)	(3)	(3)	(3)	(3)
White	59.2	43.8	61.1	74.4	69.4	(3)	(3)	(3)	(3)	(3)
Colored	74.0	68.0	88.4	84.3	74.3	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	30.7	35.9	41.1	48.6	(3)	(3)	(3)	(3)	(3)	(3)
White	29.9	36.9	39.8	46.7	(3)	(3)	(3)	(3)	(3)	(3)
Colored	33.9	31.6	45.1	56.2	(3)	(3)	(3)	(3)	(3)	(3)
Utah	26.0	22.0	24.0	40.5	26.8	22.9	31.5	43.7	28.2	37.6
Vermont	35.5	25.5	43.1	28.0	42.1	45.2	54.5	49.9	40.8	62.2
Virginia (total)	40.8	53.0	59.5	65.1	65.3	54.8	58.0	68.5	(3)	(3)
White	32.3	46.2	48.6	54.8	55.0	43.3	48.2	64.8	(3)	(3)
Colored	60.7	68.7	84.6	88.5	88.6	80.3	79.4	76.5	(3)	(3)
Washington	12.1	13.7	17.4	18.7	13.4	14.6	17.9	24.0	17.8	26 5
Wisconsin	23.2	26.8	28.0	29.9	38.4	29.6	36.1	45.4	46.1	51.0
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	47.4	55.3	80.0	195.1	79.3	72:1	80.3	94.4	77.4	133.5
White	43.6	52.0	74.5	137.7	84.1	70.9	79.6	87.8	81.6	129.8
Colored	53.4	60.3	88.5	283.8	71.9	73.9	81.2	104.4	70.8	139.2
Los Angeles, Calif.	44.4	24.8	32.5	28.7	30.0	27.7	31.2	43.0	29.3	34.0
Oakland, Calif.	19.6	14.1	22.3	19.6	11.4	22.1	19.6	35.5	32.7	34.7
San Francisco, Calif.	14.9	16.5	14.4	17.0	17.7	19.6	22.2	31.3	41.8	37.8
Denver, Colo	22.0	26.0	22.4	19.2	14.1	15.6	27.1	28.6	23.7	42.1
Bridgeport, Conn.	59.7	71.4	85.3	95.6	122.9	104.6	103.3	127.0	105.8	122.2
Hartford, Conn.	64.3	53.7	87.9	108.6	96.0	111.8	82.0	63.5	103.0	66.5
New Haven, Conn.	50.0	48.4	51.2	58.7	67.7	65.0	68.4	56.6	77.8	70.0
Wilmington, Del.	78.2	64.3	117.0	130.1	116.0	87.2	98.4	84.8	90.0	72.2
Washington, D. C. (total)	32.5	35.9	52.0	56.3	45.6	43.5	40.0	59.0	53.2	79.3
White	22.6	28.6	35.5	35.3	27.5	26.3	18.9	34.9	31.2	55.4
Colored	61.9	57.3	99.7	116.3	96.2	90.9	97.3	122.8	110.6	140.3
Atlanta, Ga. (total)	44.4	30.3	44.9	99.4	55.9	48.4	75.4	75.0	81.9	101.6
White	40.1	25.0	37.7	90.7	56.6	42.7	59.1	61.8	61.5	84.1
Colored	53.7	41.7	60.4	118.1	54.2	60.4	109.1	102.3	123.2	137.0
Chicago, Ill.	84.9	97.7	114.2	114.5	140.3	112.0	130.4	141.4	138.6	132.6
Indianapolis, Ind. (total)	52.8	38.6	49.1	48.8	54.6	29.9	53.9	47.9	49.1	56.1
White	51.3	38.0	45.5	48.2	52.1	28.5	55.6	48.1	45.6	51.1
Colored	64.9	43.9	79.2	53.9	76.3	41.8	87.5	45.9	80.7	102.4
Kansas City, Kans. (total)	62.7	57.9	57.0	64.2	57.1	48 5	43.9	68.4	58.4	101.7
White	57.2	59.4	55.5	66.0	54.9	45.8	45.3	62.7	54.7	96.8
Colored	95.0	49.3	65.8	53.2	71.2	65.9	34.4	108.1	85.1	139.1
Louisville, Ky. (total)	39.5	33.3	39.4	49.4	46.1	32.4	44.7	36.6	27.8	37.6
White	35.9	29.8	34.6	44.7	41.7	28.8	43.7	31.8	25.2	34.5
Colored	57.4	49.8	62.1	71.8	66.7	49.3	49.2	53.9	39.5	51.7
New Orleans, La. (total)	44.1	44.7	76.1	90.2	71.1	104.7	88.6	103.4	89.1	137.1
White	39.6	35.9	64.6	71.2	61.6	86.2	73.1	91.4	79.9	128.8
Colored	56.9	69.5	108.5	143.4	97.8	156.4	132.0	136.9	114.8	160.2
Baltimore, Md. (total)	89.4	84.3	127.5	103.3	93.4	80.9	99.3	99.8	90.4	103.5
White	84.0	80.3	117.6	93.8	85.5	80.5	95.9	95.2	83.0	97.6
Colored	120.6	107.5	178.2	152.7	153.8	82.7	117.6	124.5	130.7	136.0
Boston, Mass.	51.4	47.3	64.3	59.8	51.6	65.2	66.5	74.6	86.1	108.1
Cambridge, Mass.	60.0	29.2	55.1	55.3	59.3	52.1	63.6	87.4	76.5	87.3
Fall River, Mass.	152.6	125.4	256.0	227.2	228.2	239.3	309.7	232.3	253.4	327.4
Lowell, Mass.	123.8	115.6	162.8	171.0	177.5	158.5	143.0	167.9	178.2	205.4
New Bedford, Mass.	124.9	110.0	346.6	143.6	178.0	185.7	231.1	218.6	248.4	263.8
Springfield, Mass.	41.0	43.9	70.5	73.8	78.3	69.5	78.8	81.1	92.7	89.4
Worcester, Mass.	47.9	50.6	75.6	83.0	75.8	70 1	71.0	96.7	139.9	79.9
Detroit, Mich.	65.3	63.8	71.9	83.9	94.6	73.5	96.4	87.6	86.2	92.1
Grand Rapids, Mich.	64.1	41.8	49.2	42.5	55.0	26.4	42.4	67.4	49.2	62.4
Minneapolis, Minn.	13.8	13.3	17.4	22.5	31.0	27.3	42 0	35.4	34.8	44.0
St. Paul, Minn.	17.4	16.7	33.2	28.3	28.6	26.6	44.3	47.9	47.9	44.2
Kansas City, Mo.	63.5	47.1	39.7	42.6	47.1	42.9	53.3	82.3	67.8	55.8
St. Louis, Mo.	27.5	26.0	42.0	45.8	50.9	45.8	62.1	73.4	69.6	87.0
Omaha, Nebr.	32.6	25.3	37.1	22.5	39.7	21.1	33.0	42.0	37.1	47.5
Camden, N. J.	71.5	92.9	138.1	122.0	111.6	100.7	124.1	115.0	90.5	101.8
Jersey City, N. J.	87.8	77.2	90.0	101.6	85.3	115.1	89.7	90.7	92.1	111.6
Newark, N. J.	58.1	71.8	84.4	87.6	75.3	79.5	107.8	93.9	104.5	120.3
Paterson, N. J.	38 9	39.2	66.3	61.5	44.6	44.2	63.1	78.3	81.3	71.7
Trenton, N. J.	70.6	83.0	82.0	89.9	105.2	118.5	97.6	151.6	121.7	131.5
Albany, N. Y.	18.4	17.7	30.5	43.5	59.5	67.7	43.7	58.6	53.4	51.1
Buffalo, N. Y.	91.6	94.3	130.6	99.3	111.2	102.9	116.2	141.0	129.7	109.0
New York, N. Y.	47.6	44.8	50.1	65.1	61.3	75.6	69.7	75.7	84.1	94.2
Bronx bor.	25.7	23.0	27.0	41.4	35.6	48.3	47.2	54.3	61.7	75.1
Brooklyn bor.	49.8	45.6	52.6	66.1	56.9	77.0	71.1	75.3	91.4	100.2
Manhattan bor.	56.8	51.2	56.5	71.8	74.6	82.2	73.0	79.7	81.4	93.1
Queens bor.	28.2	35.5	40.0	60.8	47.7	71.8	78.2	80.5	93.5	97.4
Richmond bor.	45.7	75.7	55.5	65.3	55.9	75.2	63.5	85.4	104.4	98.0
Rochester, N. Y.	48.5	37.9	55.8	70.1	75.6	64.0	71.3	80.1	89.2	93.5
Syracuse, N. Y.	77.1	57.7	94.3	80.4	74.6	60.3	92.1	78.8	80.0	79.9
Yonkers, N. Y.	52.4	55.5	57.7	85.3	84.0	120.1	107.2	162.9	133.8	83.4
Akron, Ohio	21.4	41.7	59.1	79.4	84.4	43.9	74.6	100.5	94.3	68.8
Cincinnati, Ohio	31.6	37.7	43.4	41.0	51.0	44.3	61.6	65.7	68.6	64.6
Cleveland, Ohio	52.8	64.7	78.3	109.0	104.0	98.6	103.9	128.9	137.1	131.2
Columbus, Ohio	25.0	28.2	29.3	34.5	26.2	22.2	45.1	40.8	30.3	37.2
Dayton, Ohio	25.3	34.5	34.0	50.2	61.6	22.8	52.2	77.1	61.7	54.5
Toledo, Ohio	46.2	40.9	50.3	60.7	95.6	52.2	78.8	87.9	69.6	66.7
Youngstown, Ohio	66.8	80.8	134.1	190.7	135.2	107.6	128.4	187.9	200.0	119.2
Portland, Oreg.	9.2	15.6	19 5	17.0	9.1	6.9	10.5	13.1	19.8	29.1
Philadelphia, Pa.	61.1	62.6	88.4	93.2	87.6	89.3	106.7	100.1	93.1	117.7
Pittsburgh, Pa.	76.8	86.6	119.3	131.2	120.0	99.1	105.1	136.2	114.3	130.8
Reading, Pa.	74.8	71.7	112.9	79.7	85.1	74.6	63.1	97.0	69.4	95 7
Scranton, Pa.	70.2	70.6	114.2	142.9	154.2	146.9	172.5	144.9	158.7	176.5
Providence, R. I.	42.4	27.4	62.8	58.5	63.6	63.9	76.5	79.1	73.5	79.2
Memphis, Tenn. (total)	42.2	40.1	55.5	53.5	(5)	37.4	61.6	51.6	67.1	89.9
White	45.1	44.1	56.7	51.3	(5)	34.1	51.0	43.7	65.4	108.9
Colored	37.5	33.0	53.4	57.3	(5)	42.9	78.6	63.9	69.8	60.6
Nashville, Tenn. (total)	48.0	56.8	66.7	60.3	(5)	61.1	68.6	47.8	86.5	124.0
White	44.5	55.9	61.6	59.8	(5)	57.3	68.3	46.9	76.5	114.8
Colored	56.2	58.8	78.3	61.4	(5)	69.4	69.2	49.7	107.4	142.8
Dallas, Tex. (total)	39.1	37.6	34.5	29.3	40.3	(3)	(3)	(3)	(3)	(3)
White	35.8	33.9	38.2	31.2	39.4	(3)	(3)	(3)	(3)	(3)
Colored	57.8	58.4	14.6	19.7	44.9	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	34.2	28.6	65.4	44.8	(3)	(3)	(3)	(3)	(3)	(3)
White	34.9	29.2	55.9	39 9	(3)	(3)	(3)	(3)	(3)	(3)
Colored	32.0	26.7	92.9	58.9	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	160.3	136.0	263.6	333.1	241.3	255.0	238.2	192.3	294.6	214.0
Salt Lake City, Utah	35.2	21.4	19.4	37.0	25.0	14.2	33.8	49.5	27.5	50.2
Norfolk, Va. (total)	36.6	56.2	83.4	66.6	78.7	74.5	88.8	90.2	96.2	131.0
White	16.3	26.8	52.6	28.9	39.5	32.9	48.1	61.1	41.4	67.3
Colored	70.3	104.7	133.7	127.5	141.1	140.0	152.1	134.7	178.6	225.3
Richmond, Va. (total)	39.3	35.8	51.3	69.1	70.2	65.2	72.7	84.4	101.8	156.6
White	28.6	31.8	36.9	41.3	49.6	50.7	55.9	68.7	73.0	113.3
Colored	62.7	44.5	81.8	127.0	112.5	94.1	104.9	113.8	154.6	233.9
Seattle, Wash.	8.8	10.3	13.5	7.8	6.3	8.9	12.9	17.1	19.2	24.2
Spokane, Wash.	16.3	12.4	23.0	19.2	14.4	18.2	26.8	30.6	21.1	44.1
Milwaukee, Wis.	50.6	50.9	53.8	57.3	73.8	58.1	69.5	87.2	115.2	100.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

The five states having the highest rates in 1920 are Maryland (81.2), Delaware (69.6), South Carolina (66.8), Pennsylvania (63), and North Carolina (54.2). The states showing the lowest rates are Oregon (10.6), Washington (12.1), Nebraska (20.7), Minnesota (21), and Montana (22.1).

Among the registration cities of 100,000 population or more in 1920, the highest rates in 1920 are for San Antonio (160.3), Fall River (152.6), New Bedford (124.9), Lowell (123.8), and Buffalo (91.6), the first

four of which show rates of 100 or more for the series of years 1911 to 1920. Lowest rates appear for Seattle (8.8), Portland (9.2), Minneapolis (13.8), San Francisco (14.9), and Spokane (16.3). Of the 66 cities, 37 show higher rates in 1920 than in 1919. For the colored in states the only rate over 100 is that for Maryland (120.5), and Baltimore is the only city with a rate above 100 (120.1) for the colored.

ACUTE NEPHRITIS AND BRIGHT'S DISEASE.

In 1920 the number of deaths from acute nephritis and Bright's disease is 78,192, corresponding to a rate of 89.4 per 100,000 population, which, except for 1919, is the lowest rate for any year since 1900. Of these deaths, 5,704 are due to acute nephritis and 72,488 to Bright's disease, which includes chronic nephritis and nephritis unqualified.

The five states which have the highest rates in 1920 are Maryland (139.8), Delaware (125.9), Maine (111.7), Vermont (111), and New York (110.4). The states which have the lowest rates are Montana (48.9), Nebraska (52.1), Washington (61.7), and Wisconsin (61.8). In a comparison of the rates for 1919 and 1920, 20 states show increases in the later year, notably Florida (from 82.5 to 96.2), Mississippi (from 70.5 to 83.3), and Utah (from 54.8 to 66.8).

Twenty-nine of the registration cities of 100,000 population or more in 1920 show increases in the rate for 1920 as compared with the rate for 1919. The cities showing the highest rates in 1920 are New Orleans (172.4), Memphis (165.8), Albany (163.3), Atlanta (159.2), and Baltimore (144.3). Cities showing lowest rates are Akron (34.4), Youngstown (38.6), Detroit (50.6), and Boston and Omaha (each 61). Of the areas shown by color, Maryland is the only state to show for the colored a rate of 150 or more for the years 1911 to 1920, and nine of the cities have, for the colored, rates above 150 in 1920.

In making a comparison of crude rates from acute nephritis and Bright's disease, it should be borne in mind that about 80 per cent of the deaths from this cause occur among persons past 40 years of age.

The following table shows the death rates per 100,000 population for the years 1911 to 1920, rates of 150 and higher being printed in bold-faced type:

AREA.	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area [1]	89.4	88.1	97.6	107.9	105.6	105.1	102.6	103.0	103.2	97.7
Registration states [2]	88.8	87.7	96.8	105.8	104.1	102.5	100.2	100.3	99.8	94.2
Cities in registration states [3]	100.2	102.6	114.6	124.2	122.2	117.3	118.3	119.3	117.2	113.1
Rural part of registration states	78.1	74.7	80.8	89.5	87.5	87.8	82.5	81.2	81.8	75.0
Registration cities in nonregistration states	123.5	107.5	131.7	135.4	125.6	136.2	133.0	135.2	139.2	135.6
All registration cities [3]	101.0	102.8	115.3	125.8	122.7	120.0	120.4	121.6	120.6	116.5
REGISTRATION STATES.										
California	94.3	93.0	95.3	102.1	105.2	103.8	97.9	96.6	93.8	91.3
Colorado	76.6	69.2	76.2	77.4	73.0	82.8	79.8	78.9	85.6	81.3
Connecticut	88.1	93.2	99.4	118.8	119.0	111.4	113.9	110.1	105.0	116.7
Delaware	125.9	137.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	96.2	82.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	95.2	80.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	98.1	86.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	90.8	85.0	94.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	105.6	98.0	102.1	111.7	104.6	100.7	96.3	92.1	92.5	84.4
Kansas	82.2	75.1	81.0	84.6	79.5	72.5	67.7	(3)	(3)	(3)
Kentucky	78.9	78.7	87.7	96.7	83.1	83.9	79.9	80.5	75.5	66.0
Louisiana (total)	86.9	88.9	99.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	75.4	78.0	86.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	105.1	105.8	118.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	111.7	104.3	108.6	114.3	121.1	121.0	121.4	103.9	102.1	114.5
Maryland (total)	139.8	142.0	158.7	159.6	149.5	147.4	139.2	138.4	138.2	127.4
White	129.7	130.4	144.1	146.0	140.3	134.3	130.8	127.1	123.8	116.1
Colored	189.8	198.5	230.0	225.0	193.7	209.4	178.6	191.3	205.1	179.7
Massachusetts	75.5	79.9	89.0	97.6	98.1	94.7	95.1	91.5	90.7	87.4
Michigan	69.5	63.5	71.0	77.8	74.7	75.1	69.8	71.1	72.7	66.0
Minnesota	66.0	67.8	70.3	73.3	76.4	78.2	74.4	72.6	70.6	62.9
Mississippi (total)	83.3	70.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	69.6	65.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	95.8	75.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	98.4	105.9	112.8	118.1	112.8	110.4	100.6	95.9	98.9	85.5
Montana	48.9	49.1	61.7	71.0	73.8	72.3	55.2	57.0	59.2	51.3
Nebraska	52.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	100.7	94.0	118.3	123.4	115.6	114.8	118.3	119.4	122.1	111.1
New Jersey	105.4	106.0	124.8	132.8	131.7	125.3	126.6	122.2	117.3	117.4
New York	110.4	108.3	120.3	136.7	136.1	128.6	134.8	137.2	140.3	133.5
North Carolina (total)	74.7	68.7	81.8	83.0	71.8	[4] 114.3	[4] 121.0	[5] 103.2	[5] 104.8	[5] 91.4
White	69.0	63.6	72.6	76.9	67.9	95.2	99.6	85.9	93.7	74.2
Colored	88.1	80.2	102.7	96.8	80.4	150.4	161.3	135.0	125.2	123.0
Ohio	76.2	77.4	83.9	92.0	92.0	88.5	84.9	85.3	88.5	76.7
Oregon	65.4	62.2	61.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	98.8	97.7	106.3	119.1	109.5	105.6	101.8	104.2	95.2	92.3
Rhode Island	96.8	107.1	110.3	122.9	137.8	126.4	129.6	127.5	126.1	125.9
South Carolina (total)	83.8	78.1	91.0	96.7	96.6	(3)	(3)	(3)	(3)	(3)
White	78.6	73.1	86.8	88.5	80.7	(3)	(3)	(3)	(3)	(3)
Colored	88.7	82.9	94.9	104.1	110.9	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	65.6	62.6	71.4	74.8	(3)	(3)	(3)	(3)	(3)	(3)
White	54.6	54.2	58.9	62.8	(3)	(3)	(3)	(3)	(3)	(3)
Colored	112.0	97.6	122.6	123.1	(3)	(3)	(3)	(3)	(3)	(3)
Utah	66.8	54.8	58.3	73.5	72.5	70.3	66.7	65.7	70.4	60.1
Vermont	111.0	111.5	113.9	117.2	117.9	125.4	112.9	117.3	116.9	106.3
Virginia (total)	90.5	91.3	106.9	106.3	108.2	108.2	97.3	93.3	(3)	(3)
White	82.6	77.5	90.8	91.2	92.7	93.2	85.4	80.0	(3)	(3)
Colored	109.1	123.4	143.8	140.5	143.1	141.6	123.3	121.9	(3)	(3)
Washington	61.7	61.2	60.4	56.6	59.2	62.6	61.9	61.7	53.7	57.3
Wisconsin	61.8	61.0	58.8	68.8	69.0	63.9	62.0	63.1	66.9	63.9
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
Birmingham, Ala. (total)	97.1	104.9	109.6	124.7	95.9	106.2	129.2	118.0	115.7	101.7
White	77.2	92.9	89.8	80.6	79.0	94.9	107.6	92.3	113.8	91.7
Colored	127.8	123.4	140.1	192.7	121.9	123.8	162.5	157.5	118.6	117.2
Los Angeles, Calif.	103.7	102.2	114.6	110.6	114.7	104.8	106.6	109.3	103.2	92.4
Oakland, Calif.	89.2	97.7	90.8	84.8	92.0	94.8	97.9	97.7	76.3	81.4
San Francisco, Calif.	107.0	119.5	116.9	122.3	132.2	135.0	124.0	119.1	116.8	122.2
Denver, Colo.	95.5	99.5	102.1	102.3	103.3	120.5	108.6	122.6	114.3	123.9
Bridgeport, Conn.	77.6	99.7	103.5	146.8	154.0	150.4	145.8	153.6	120.2	136.2
Hartford, Conn.	135.0	131.6	116.7	153.2	132.3	112.6	123.4	122.5	118.7	140.7
New Haven, Conn.	89.6	88.8	112.6	116.1	120.3	133.4	143.7	127.8	124.8	134.1
Wilmington, Del.	107.9	128.6	112.2	153.4	168.6	150.0	135.7	123.0	139.9	115.5
Washington, D. C. (total)	109.7	116.4	160.1	162.4	153.3	167.7	161.4	134.6	150.3	154.2
White	91.4	95.0	128.5	127.2	129.9	137.3	131.4	110.1	125.0	135.0
Colored	164.1	179.3	251.2	262.5	218.9	251.5	242.7	199.7	216.2	203.3
Atlanta, Ga. (total)	159.2	139.7	161.5	164.9	163.8	164.6	177.0	178.8	213.4	197.7
White	147.6	134.5	144.9	156.5	141.9	129.6	160.5	149.7	189.9	179.3
Colored	184.6	150.9	197.7	182.9	210.1	238.2	211.2	238.6	261.2	234.6
Chicago, Ill.	96.9	92.3	108.2	111.4	106.4	110.8	103.7	114.5	111.3	109.4
Indianapolis, Ind. (total)	112.3	101.8	100.6	107.1	111.0	103.6	99.0	108.1	105.0	91.1
White	109.4	98.4	93.2	102.8	108.0	99.1	95.7	104.4	97.9	90.4
Colored	135.4	128.9	161.4	142.8	136.0	142.7	127.6	141.7	169.6	98.1
Kansas City, Kans. (total)	124.4	109.9	131.2	144.0	134.2	116.3	105.5	108.7	89.3	100.6
White	95.0	90.8	119.3	121.2	115.9	92.9	86.9	84.5	88.6	84.8
Colored	298.7	225.4	204.6	288.6	253.1	272.0	232.4	279.2	94.6	218.6
Louisville, Ky. (total)	129.2	148.4	190.4	171.7	158.5	164.3	164.0	153.7	142.3	122.9
White	121.4	123.5	174.7	149.1	135.7	155.2	143.3	135.5	130.4	119.7
Colored	167.2	268.8	265.7	279.9	266.8	207.0	260.6	237.9	197.4	137.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION. [Rates of 150 or more in bold-faced type.]									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—continued.										
New Orleans, La. (total)	172.4	191.8	225.7	268.1	232.2	240.1	268.4	271.0	268.3	243.4
White	140.6	165.5	180.2	217.3	175.3	200.7	213.4	221.3	208.8	190.6
Colored	245.3	266.1	353.8	411.0	392.3	350.3	422.3	408.5	434.4	390.7
Baltimore, Md. (total)	144.3	154.1	183.9	184.7	169.1	167.2	165.4	177.2	176.7	161.1
White	133.5	143.7	169.9	167.2	160.1	151.7	154.5	162.7	158.9	146.7
Colored	206.4	214.1	256.0	275.2	216.3	249.1	223.4	255.6	273.7	239.9
Boston, Mass.	61.0	73.6	87.3	107.8	107.0	101.1	102.4	94.0	94.4	100.4
Cambridge, Mass.	80.0	55.7	85.4	67.3	74.1	83.8	87.0	63.9	83.1	89.1
Fall River, Mass.	99.5	104.6	123.9	126.5	113.3	108.4	107.7	95.2	109.6	96.3
Lowell, Mass.	73.4	73.8	84.1	88.2	91.5	99.3	90.7	114.4	92.8	84.0
New Bedford, Mass.	67.8	52.5	56.2	74.9	73.0	76.5	93.2	84.0	66.5	64.2
Springfield, Mass.	131.4	137.2	158.1	155.2	140.9	139.0	168.8	152.5	168.1	158.6
Worcester, Mass.	61.2	63.5	63.0	92.4	102.6	71.3	78.4	75.7	72.9	72.6
Detroit, Mich.	50.6	46.3	49.7	60.0	62.3	61.9	57.0	66.8	60.6	60.8
Grand Rapids, Mich.	99.4	98.2	96.2	105.5	89.5	91.2	84.9	83.2	89.1	78.8
Minneapolis, Minn.	68.1	86.1	92.0	101.3	105.1	107.3	90.0	99.5	90.2	76.8
St. Paul, Minn.	106.5	103.1	87.2	76.2	100.7	82.9	85.5	93.0	86.6	62.6
Kansas City, Mo.	110.3	117.9	145.2	149.9	131.3	136.6	118.0	110.8	102.8	101.2
St. Louis, Mo.	135.7	168.8	174.3	174.1	180.5	172.0	174.2	169.4	173.0	147.8
Omaha, Nebr.	61.0	73.2	70.4	87.1	86.8	72.8	99.7	84.0	90.1	91.8
Camden, N. J.	135.4	118.9	160.3	166.2	165.0	180.8	152.0	144.5	141.7	144.0
Jersey City, N. J.	101.4	105.9	136.7	143.6	141.4	133.8	140.2	131.0	138.0	132.2
Newark, N. J.	102.2	107.3	127.7	154.1	147.6	129.4	145.3	145.8	121.6	138.3
Paterson, N. J.	92.4	133.0	153.4	157.6	144.5	163.2	126.9	135.7	122.7	134.0
Trenton, N. J.	137.0	160.0	148.5	143.6	144.8	112.1	168.0	109.4	109.9	149.6
Albany, N. Y.	163.3	162.3	180.1	148.5	191.2	184.3	174.9	205.7	213.8	192.6
Buffalo, N. Y.	113.7	103.7	136.3	127.7	124.8	118.9	124.2	114.4	115.0	95.1
New York, N. Y.	106.8	104.3	115.6	139.6	138.6	127.9	144.3	142.2	143.2	145.3
Bronx bor.	87.3	88.9	107.8	124.8	127.8	115.4	122.0	134.0	119.7	122.7
Brooklyn bor.	120.2	104.9	106.4	123.8	124.5	107.0	142.6	140.9	139.3	138.9
Manhattan bor.	98.7	106.6	122.0	154.6	149.3	145.5	146.5	145.9	151.4	152.4
Queens bor.	106.6	106.6	116.9	129.6	135.7	119.5	137.5	117.6	116.5	138.7
Richmond bor.	151.6	136.6	187.8	227.3	228.4	211.0	274.1	211.3	230.3	219.4
Rochester, N. Y.	121.4	108.7	111.6	137.9	134.4	134.7	126.5	138.4	133.1	118.3
Syracuse, N. Y.	97.3	91.8	102.7	116.0	109.7	103.9	100.0	103.7	126.9	97.5
Yonkers, N. Y.	83.0	84.7	105.1	106.4	121.7	132.3	85.7	97.1	94.7	131.2
Akron, Ohio	34.4	41.2	36.8	45.4	45.0	36.1	39.3	44.9	66.2	60.6
Cincinnati, Ohio	122.1	135.1	168.6	167.7	164.6	171.3	148.5	163.1	166.0	145.7
Cleveland, Ohio	73.0	72.6	83.8	82.3	86.1	87.5	81.2	93.9	101.7	92.1
Columbus, Ohio	73.8	74.3	66.1	81.1	89.2	90.6	82.9	93.6	79.1	77.6
Dayton, Ohio	73.8	92.2	107.5	86.5	108.9	94.9	101.4	98.9	110.6	69.4
Toledo, Ohio	78.2	71.8	79.1	82.9	81.0	77.0	91.4	82.7	97.3	87.0
Youngstown, Ohio	38.6	47.7	52.7	59.1	65.9	57.8	55.7	64.8	68.2	37.8
Portland, Oreg.	72.6	72.6	69.5	78.0	67.5	71.0	75.8	63.1	63.0	61.9
Philadelphia, Pa.	141.4	140.3	163.8	138.4	176.1	165.8	173.3	176.7	158.9	164.2
Pittsburgh, Pa.	80.4	93.2	103.4	101.1	93.8	93.4	89.8	83.1	80.3	74.0
Reading, Pa.	141.4	134.2	104.3	160.2	130.1	121.1	97.2	116.2	123.4	90.6
Scranton, Pa.	76.0	83.7	100.3	115.7	93.4	110.4	90.8	98.9	111.6	75.7
Providence, R. I.	104.1	120.3	115.1	132.8	155.9	138.7	142.1	130.7	132.0	140.3
Memphis, Tenn. (total)	165.8	176.3	184.1	172.9	(6)	176.5	182.6	183.1	197.7	156.5
White	135.2	148.1	157.4	125.5	(6)	136.4	141.5	163.5	176.8	138.7
Colored	216.7	225.6	230.1	253.3	(6)	242.3	248.9	214.2	230.2	183.8
Nashville, Tenn. (total)	131.4	102.6	142.0	121.4	(6)	134.5	127.5	103.6	115.9	80.8
White	96.2	82.7	113.4	112.1	(6)	112.1	96.7	90.0	97.6	68.1
Colored	213.5	148.5	207.1	142.3	(6)	183.2	193.8	132.5	154.2	107.1
Dallas, Tex. (total)	97.5	68.8	79.7	96.7	88.0	(3)	(3)	(3)	(3)	(3)
White	78.2	66.2	66.4	89.7	82.7	(3)	(3)	(3)	(3)	(3)
Colored	206.6	83.4	150.7	133.0	114.9	(3)	(3)	(3)	(3)	(3)
Houston, Tex. (total)	106.2	95.4	123.4	120.8	(3)	(3)	(3)	(3)	(3)	(3)
White	101.0	90.7	117.3	108.2	(3)	(3)	(3)	(3)	(3)	(3)
Colored	122.3	109.8	141.0	157.0	(3)	(3)	(3)	(3)	(3)	(3)
San Antonio, Tex.	81.4	63.3	100.4	120.9	104.3	110.4	113.1	118.6	131.1	140.4
Salt Lake City, Utah	92.2	88.1	90.1	97.4	109.1	97.3	100.4	88.1	93.9	85.8
Norfolk, Va. (total)	96.9	110.6	129.7	113.5	113.6	109.7	135.9	152.1	141.5	162.9
White	100.7	93.7	128.7	100.2	93.2	93.8	94.5	120.4	116.8	118.7
Colored	90.7	130.2	131.3	134.8	146.1	134.8	200.1	200.7	178.6	228.3
Richmond, Va. (total)	138.7	138.6	176.6	168.5	197.8	198.0	165.6	199.7	209.7	191.0
White	143.9	133.2	174.8	167.8	181.7	183.1	140.3	179.1	193.5	169.3
Colored	127.3	150.0	180.4	169.9	230.6	227.8	214.1	238.2	239.3	229.8
Seattle, Wash.	66.7	72.9	76.5	52.5	54.6	66.9	71.4	69.0	59.0	64.6
Spokane, Wash.	85.2	91.9	83.3	100.5	93.8	101.5	100.6	91.0	74.7	87.2
Milwaukee, Wis.	68.8	71.2	65.9	80.7	81.0	71.3	70.4	74.6	79.1	67.0

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

PUERPERAL CAUSES.

Are puerperal causes of death an increasing or a decreasing danger to the women of the United States?

If every state had had good birth and death registration since 1900 a satisfactory answer to this question would be possible, based on death rates from puerperal causes per 1,000 births, but as the birth registration area was not established until 1915, and then included but 10 states and the District of Columbia, it is possible to show only a few such rates for a few years, and it must be borne in mind that even then rates are too high whenever birth registration is incomplete. It is possible, however, to show death rates from puerperal causes per 100,000 female population 15 to 44 years of age and per 100,000 female population of all ages, for many more states than are in the birth registration area and so to fill, in some degree, the gap in our evidence.

How do the death rates from puerperal causes in the United States compare with the rates in foreign countries? Here again is a question of the greatest interest and importance which can not be answered satisfactorily both because of lack of data in this country and because there is no certainty that all deaths from these causes are classified in the same way in the various countries. This latter objection can always be raised whenever specific death rates of different countries are compared, but it is not believed to be usually a serious objection and is mentioned only in the interest of accuracy and as a caution against too positive deductions from such comparisons. The following tables throw considerable light on these questions and are well worth careful study.

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, EACH REGISTRATION STATE, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FOR THE YEARS 1915 TO 1920.

[Rates for deaths numbering less than 5 are shown in *italics*.]

AREA.	DEATH RATE PER 1,000 LIVE BIRTHS.																	
	All puerperal causes.						Puerperal septicemia.						Other puerperal causes.					
	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915
SUMMARY.																		
The birth registration area (total)	8.0	7.4	9.2	6.6	6.2	6.1	2.7	2.5	2.5	2.7	2.5	2.4	5.3	4.9	6.6	3.9	3.7	3.7
White	7.6	7.0	8.9	6.3	6.1	6.0	2.6	2.3	2.4	2.6	2.5	2.3	5.0	4.6	6.4	3.7	3.6	3.7
Colored	12.8	12.4	13.9	11.8	11.8	10.6	4.0	4.1	4.3	4.8	5.2	5.2	8.8	8.4	9.6	7.0	6.6	5.3
Cities in the registration area (total)	8.6	7.9	9.6	7.0	6.5	6.4	3.2	2.9	2.9	3.2	2.0	2.7	5.4	4.0	6.7	3.8	3.6	3.7
White	8.2	7.6	9.3	6.7	6.3	6.3	3.0	2.8	2.8	3.0	2.8	2.6	5.2	4.8	6.6	3.7	3.6	3.7
Colored	15.1	13.9	16.7	13.8	12.8	11.0	6.2	5.8	6.6	6.9	6.3	5.7	8.9	8.1	10.1	6.0	6.4	5.3
Rural part of the registration area (total)	7.4	6.9	8.7	6.2	5.7	5.5	2.2	2.0	2.2	2.3	1.9	1.9	5.2	4.9	6.5	3.9	3.8	3.6
White	6.9	6.3	8.4	5.9	5.7	5.5	2.1	1.8	2.1	2.2	1.9	1.9	4.8	4.5	6.3	3.7	3.7	3.6
Colored	11.7	11.8	12.5	10.8	9.7	8.3	2.9	3.3	3.1	3.7	2.8	2.9	8.8	8.5	9.4	7.0	6.9	5.4
REGISTRATION STATES.																		
California	7.7	8.0	(1)	(1)	(1)	(1)	2.6	2.5	(1)	(1)	(1)	(1)	5.1	5.5	(1)	(1)	(1)	(1)
Connecticut	6.8	6.2	7.5	5.1	4.9	5.6	2.2	2.0	1.5	2.1	2.1	1.9	4.6	4.2	6.0	3.0	2.8	3.7
Indiana	8.7	8.4	10.4	7.2	(1)	(1)	4.0	3.6	4.2	3.6	(1)	(1)	4.7	4.8	6.2	3.7	(1)	(1)
Kansas	8.4	8.2	11.4	7.6	(1)	(1)	3.5	3.1	4.3	3.4	(1)	(1)	5.0	5.1	7.1	4.2	(1)	(1)
Kentucky	6.4	6.3	8.0	6.0	(1)	(1)	2.8	2.3	2.7	2.7	(1)	(1)	3.7	4.0	5.3	3.3	(1)	(1)
Maine	8.5	8.6	8.6	6.7	7.8	6.8	1.6	1.9	1.3	1.8	1.9	2.1	6.9	6.6	7.3	4.9	5.9	4.7
Maryland (total)	7.6	8.4	9.5	6.8	6.4	(1)	2.4	2.7	2.5	2.6	2.7	(1)	5.2	5.7	7.0	4.2	3.7	(1)
White	6.6	7.6	8.6	6.1	5.6	(1)	1.8	2.4	2.0	2.2	2.4	(1)	4.8	5.2	6.6	3.9	3.2	(1)
Colored	11.8	11.5	13.8	9.8	9.8	(1)	5.0	4.0	4.9	4.5	4.3	(1)	6.8	7.5	8.9	5.3	5.5	(1)
Massachusetts	7.5	7.1	9.2	6.5	6.0	5.7	2.4	2.1	2.1	2.7	2.4	1.7	5.1	5.0	7.1	3.8	3.5	4.1
Michigan	9.3	7.7	8.6	7.4	6.8	6.7	3.4	3.0	2.6	3.3	3.1	2.5	5.9	4.8	6.0	4.2	3.7	4.1
Minnesota	7.9	6.7	7.8	5.6	5.5	5.2	2.9	2.0	2.1	2.4	2.1	1.8	5.0	4.8	5.7	3.1	3.3	3.4
Nebraska	7.1	(1)	(1)	(1)	(1)	(1)	2.5	(1)	(1)	(1)	(1)	(1)	4.7	(1)	(1)	(1)	(1)	(1)
New Hampshire	7.1	8.0	7.8	7.0	7.2	6.1	1.3	1.9	1.7	2.1	2.2	1.9	5.8	6.0	6.1	4.9	5.1	4.2
New York	6.9	6.2	8.0	5.7	5.4	5.9	2.3	2.1	2.1	2.3	2.2	2.6	4.6	4.1	5.9	3.4	3.2	3.3
North Carolina (total)	10.0	9.3	10.8	8.2	(1)	(1)	2.1	1.9	2.1	2.2	(1)	(1)	7.9	7.3	8.7	6.0	(1)	(1)
White	8.6	8.2	9.4	6.8	(1)	(1)	1.7	1.5	1.5	1.6	(1)	(1)	6.9	6.7	7.9	5.2	(1)	(1)
Colored	13.2	11.8	13.9	11.5	(1)	(1)	3.1	2.9	3.3	3.6	(1)	(1)	10.1	8.9	10.6	7.8	(1)	(1)
Ohio	8.0	7.4	9.7	7.1	(1)	(1)	3.4	2.0	3.2	3.5	(1)	(1)	4.5	4.5	6.5	3.6	(1)	(1)
Oregon	9.4	10.1	(1)	(1)	(1)	(1)	3.3	4.1	(1)	(1)	(1)	(1)	6.1	6.0	(1)	(1)	(1)	(1)
Pennsylvania	7.8	6.8	10.5	6.5	7.0	6.4	2.7	2.6	2.8	2.8	3.0	2.7	5.0	4.2	7.7	3.7	4.0	4.7
Rhode Island	(2)	(2)	9.8	6.3	5.8	6.6	(2)	(2)	2.1	2.4	1.4	1.9	(2)	(2)	7.7	4.0	4.4	4.7
South Carolina (total)	12.2	11.2	(1)	(1)	(1)	(1)	2.8	3.2	(1)	(1)	(1)	(1)	9.4	8.0	(1)	(1)	(1)	(1)
White	9.0	7.8	(1)	(1)	(1)	(1)	1.8	1.8	(1)	(1)	(1)	(1)	7.1	6.0	(1)	(1)	(1)	(1)
Colored	15.4	14.4	(1)	(1)	(1)	(1)	3.7	4.5	(1)	(1)	(1)	(1)	11.7	9.9	(1)	(1)	(1)	(1)
Utah	7.9	8.4	8.6	5.9	(1)	(1)	2.0	2.1	2.1	2.2	(1)	(1)	5.9	6.2	6.5	3.7	(1)	(1)
Vermont	7.0	8.0	8.0	6.3	7.8	6.1	1.9	1.7	1.3	2.0	0.6	1.5	5.1	6.3	6.7	4.4	7.2	4.6
Virginia (total)	8.6	8.2	10.7	8.2	(1)	(1)	2.3	2.1	2.6	3.1	(1)	(1)	6.4	6.2	8.1	5.0	(1)	(1)
White	7.5	6.6	9.6	6.4	(1)	(1)	1.9	1.5	2.1	2.3	(1)	(1)	5.6	5.1	7.5	4.2	(1)	(1)
Colored	11.1	11.9	13.2	12.1	(1)	(1)	3.1	3.3	3.8	5.0	(1)	(1)	8.0	8.6	9.4	7.0	(1)	(1)
Washington	9.2	8.6	9.9	7.4	(1)	(1)	2.3	2.8	3.3	3.4	(1)	(1)	6.9	5.8	6.6	4.0	(1)	(1)
Wisconsin	6.7	4.8	6.0	5.7	(1)	(1)	2.1	1.6	1.9	2.1	(1)	(1)	4.6	3.2	4.1	3.6	(1)	(1)
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																		
Los Angeles, Calif.	8.1	8.9	(1)	(1)	(1)	(1)	3.3	3.3	(1)	(1)	(1)	(1)	4.8	5.6	(1)	(1)	(1)	(1)
Oakland, Calif.	6.8	9.1	(1)	(1)	(1)	(1)	1.4	4.4	(1)	(1)	(1)	(1)	5.3	4.7	(1)	(1)	(1)	(1)
San Francisco, Calif.	9.3	7.4	(1)	(1)	(1)	(1)	3.0	1.4	(1)	(1)	(1)	(1)	6.3	6.0	(1)	(1)	(1)	(1)
Bridgeport, Conn.	7.2	5.5	8.3	6.1	5.4	6.4	2.4	1.8	1.6	2.0	3.7	2.6	4.8	3.8	6.7	4.1	1.7	3.8
Hartford, Conn.	10.4	10.1	7.2	7.1	5.4	7.5	3.8	4.0	3.0	3.1	3.3	3.6	6.6	6.1	4.2	4.0	2.0	3.9
New Haven, Conn.	5.2	4.1	6.0	4.5	5.9	6.5	2.6	1.8	*0.8*	2.1	2.4	1.6	2.6	2.3	5.1	2.3	3.5	5.0
Washington, D. C. (total)	8.8	8.5	9.1	8.5	10.1	7.0	2.8	2.7	3.1	3.7	4.0	3.8	6.0	5.9	6.0	4.8	6.1	3.1
White	6.6	6.8	7.8	5.9	7.6	5.6	1.9	1.7	2.3	1.5	2.6	2.7	4.7	5.1	5.5	4.4	5.0	2.9
Colored	14.4	13.2	12.6	14.8	15.8	9.9	5.2	5.3	5.1	8.9	7.2	6.3	9.2	7.9	7.5	5.8	8.6	3.6
Indianapolis, Ind. (total)	9.6	9.1	9.5	10.6	(1)	(1)	5.3	5.1	4.4	4.9	(1)	(1)	4.4	3.9	5.2	*5.7*	(1)	(1)
White	8.7	8.7	9.0	10.2	(1)	(1)	4.6	5.0	3.9	4.8	(1)	(1)	4.1	3.7	5.0	5.4	(1)	(1)
Colored	17.2	12.1	14.7	14.5	(1)	(1)	10.6	*6.0*	8.1	*5.4*	(1)	(1)	6.6	*6.0*	*6.5*	9.0	(1)	(1)
Kansas City, Kans. (total)	8.9	11.1	18.3	6.7	(1)	(1)	4.0	6.3	9.4	3.8	(1)	(1)	4.9	4.8	8.9	2.9	(1)	(1)
White	7.4	10.1	14.4	6.3	(1)	(1)	3.4	5.3	6.9	4.2	(1)	(1)	3.9	4.8	7.5	*2.1*	(1)	(1)
Colored	23.1	*21.1*	56.2	*10.8*	(1)	(1)	*9.8*	*15.8*	33.7	.....	(1)	(1)	*13.9*	*5.8*	*22.5*	*10.8*	(1)	(1)
Louisville, Ky. (total)	9.3	9.7	8.9	8.5	(1)	(1)	4.4	5.2	4.6	4.1	(1)	(1)	4.9	4.5	4.3	4.4	(1)	(1)
White	7.9	8.1	8.0	8.6	(1)	(1)	3.1	4.2	4.4	3.9	(1)	(1)	4.8	3.9	3.6	4.7	(1)	(1)
Colored	20.1	22.4	17.0	7.7	(1)	(1)	14.6	13.4	*6.4*	*5.8*	(1)	(1)	*5.6*	*8.9*	10.6	*1.9*	(1)	(1)
Baltimore, Md. (total)	7.6	8.9	8.9	6.9	7.6	(1)	2.8	2.9	3.0	3.1	3.6	(1)	4.8	6.0	5.9	3.9	4.1	(1)
White	6.8	8.2	8.3	6.6	6.6	(1)	2.1	2.5	2.2	2.5	2.9	(1)	4.7	5.7	6.1	4.1	3.7	(1)
Colored	11.5	12.8	12.5	8.8	13.3	(1)	6.3	5.1	7.7	6.3	7.1	(1)	5.2	7.7	4.7	2.5	6.2	(1)
Boston, Mass.	9.5	9.1	11.6	9.1	7.1	8.3	3.6	3.0	2.8	4.1	3.6	2.8	5.8	6.1	8.8	4.9	3.5	5.4
Cambridge, Mass.	7.4	6.5	11.6	6.5	5.2	5.0	2.1	2.2	3.4	3.3	1.9	1.5	5.3	4.4	8.2	3.3	3.3	3.4
Fall River, Mass.	7.4	4.1	5.5	6.0	6.2	3.6	1.7	1.5	1.9	2.9	1.9	*0.6*	5.7	2.6	3.6	3.2	4.3	3.1
Lowell, Mass.	8.2	7.2	7.6	7.0	3.9	6.8	1.6	2.0	*1.2*	2.1	1.8	2.7	6.7	5.2	6.4	4.9	2.1	4.1
New Bedford, Mass.	5.1	4.7	8.7	5.2	6.9	3.4	2.9	2.1	2.6	1.9	4.6	*1.1*	2.3	2.7	6.1	3.3	2.3	2.3
Springfield, Mass.	4.4	10.4	5.6	5.8	9.2	5.2	1.8	3.4	1.6	2.2	3.7	1.6	2.6	7.0	4.0	3.6	5.5	3.5
Worcester, Mass.	10.6	8.0	9.0	9.1	7.7	6.7	2.7	1.5	1.7	5.7	4.0	2.4	7.9	6.5	7.3	3.4	3.6	4.2
Detroit, Mich.	9.4	7.6	8.4	6.5	7.0	7.1	3.6	3.6	2.7	3.3	4.3	3.3	5.9	4.0	5.6	3.2	2.6	3.8
Grand Rapids, Mich.	8.0	8.5	11.6	7.2	5.7	6.7	2.2	4.3	3.9	1.6	3.2	1.9	5.8	4.3	7.8	5.6	2.6	4.8
Minneapolis, Minn.	8.1	7.3	6.9	5.2	5.7	5.6	3.7	2.8	1.6	1.6	3.5	2.0	4.4	4.4	5.3	3.6	2.2	3.6

[1] Not added to birth registration area until a later date.

[2] Excluded because all transcripts of birth certificates for the year were not received.

DEATH RATES FROM PUERPERAL CAUSES PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, EACH REGISTRATION STATE, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FOR THE YEARS 1915 TO 1920—Continued.

[Rates for deaths numbering less than 5 are shown in *italics*.]

AREA.	DEATH RATE PER 1,000 LIVE BIRTHS.																	
	All puerperal causes.						Puerperal septicemia.						Other puerperal causes.					
	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—contd.																		
St. Paul, Minn	8.7	4.7	9.5	5.0	7.6	4.7	2.7	2.3	4.3	2.9	4.2	1.7	6.0	2.5	5.2	2.1	3.4	3.0
Omaha, Nebr	9.3	(1)	(1)	(1)	(1)	(1)	2.9	(1)	(1)	(1)	(1)	(1)	6.4	(1)	(1)	(1)	(1)	(1)
Albany, N. Y	3.1	6.6	10.7	9.3	7.0	8.5	*0.4*	2.4	2.8	3.5	3.1	4.5	2.6	4.3	7.9	5.8	3.9	4.0
Buffalo, N. Y	7.1	7.8	7.6	4.9	5.4	6.0	2.3	3.3	1.8	2.0	2.2	2.9	4.8	4.5	5.9	2.9	3.2	3.1
New York, N. Y	6.5	5.7	7.3	5.1	5.3	5.6	2.3	2.2	2.0	2.1	2.3	2.6	4.2	3.6	5.4	3.0	3.0	3.0
Bronx borough	6.7	6.9	6.7	5.5	5.9	6.1	2.1	3.0	2.3	2.1	2.7	3.3	4.7	3.9	4.4	3.4	3.2	2.8
Brooklyn borough	6.6	5.6	7.1	5.3	5.3	5.7	2.2	2.1	1.8	2.1	2.3	2.3	4.5	3.5	5.3	3.2	3.0	3.4
Manhattan borough	6.1	5.5	7.5	4.6	5.0	5.3	2.5	1.9	2.0	2.0	2.1	2.6	3.6	3.6	5.5	2.6	2.8	2.7
Queens borough	8.0	6.8	8.7	6.1	5.5	6.0	2.2	3.0	1.6	2.5	2.0	2.8	5.7	3.8	7.1	3.6	3.5	3.2
Richmond borough	6.5	4.0	7.5	5.2	6.9	5.2	2.2	*1.2*	2.6	2.4	3.6	*1.7*	4.3	2.8	4.9	2.8	3.2	3.5
Rochester, N. Y	6.4	9.3	6.1	5.5	4.1	6.5	1.9	3.0	1.6	2.6	0.9	2.2	4.5	6.4	4.5	2.9	3.2	4.3
Syracuse, N. Y	9.3	8.5	8.0	6.9	5.7	5.1	1.7	3.8	3.2	3.1	3.1	1.7	7.6	4.8	4.8	3.8	2.6	3.4
Yonkers, N. Y	6.3	7.2	10.0	5.2	5.2	6.1	*0.8*	2.2	3.5	2.8	2.8	3.6	5.4	4.9	6.5	2.4	2.4	2.4
Akron, Ohio	12.6	9.9	12.9	10.4	(1)	(1)	7.0	4.6	6.0	6.8	(1)	(1)	5.6	5.3	6.9	3.5	(1)	(1)
Cincinnati, Ohio	9.6	9.5	11.5	9.7	(1)	(1)	4.4	4.8	5.2	6.4	(1)	(1)	5.2	4.8	6.3	3.3	(1)	(1)
Cleveland, Ohio	6.8	5.6	7.7	6.6	(1)	(1)	3.4	2.3	2.8	3.4	(1)	(1)	3.5	3.3	5.0	3.2	(1)	(1)
Columbus, Ohio	10.0	10.8	13.0	7.3	(1)	(1)	3.6	5.2	4.0	3.9	(1)	(1)	6.4	5.6	9.0	3.4	(1)	(1)
Dayton, Ohio	8.9	6.7	13.4	7.8	(1)	(1)	3.7	2.9	4.9	3.6	(1)	(1)	5.2	3.8	8.5	4.2	(1)	(1)
Toledo, Ohio	10.5	9.8	12.7	7.7	(1)	(1)	4.9	2.9	5.8	4.0	(1)	(1)	5.6	6.9	6.9	3.7	(1)	(1)
Youngstown, Ohio	9.4	9.3	12.3	8.1	(1)	(1)	5.6	2.3	3.6	4.9	(1)	(1)	3.8	6.9	8.7	3.2	(1)	(1)
Portland, Oreg	7.1	11.6	(1)	(1)	(1)	(1)	2.5	5.1	(1)	(1)	(1)	(1)	4.6	6.5	(1)	(1)	(1)	(1)
Philadelphia, Pa	7.6	7.3	9.7	6.4	7.5	6.8	2.7	2.7	2.9	2.7	3.3	2.8	4.9	4.5	6.7	3.8	4.2	4.0
Pittsburgh, Pa	12.0	8.4	10.1	10.0	9.2	7.9	5.9	3.7	3.5	5.0	4.1	4.4	6.1	4.8	6.6	5.0	5.1	3.5
Reading, Pa	9.3	10.1	13.6	6.2	7.8	8.3	3.5	4.6	4.0	3.1	5.4	*1.7*	5.8	5.4	9.6	3.1	2.3	6.7
Scranton, Pa	12.5	11.8	12.1	8.2	8.8	8.3	3.0	2.4	3.2	3.0	3.6	4.8	9.5	9.4	8.9	5.2	5.2	3.5
Providence, R. I	(2)	(2)	12.1	7.5	6.4	9.8	(2)	(2)	2.8	1.9	1.0	3.1	(2)	(2)	9.2	5.6	5.4	6.7
Salt Lake City, Utah	11.4	11.1	10.4	7.4	(1)	(1)	2.4	2.9	3.1	4.4	(1)	(1)	9.0	8.1	7.4	3.0	(1)	(1)
Norfolk, Va. (total)	10.8	10.4	18.0	13.2	(1)	(1)	3.1	2.9	3.3	6.1	(1)	(1)	7.7	7.6	14.7	7.1	(1)	(1)
White	7.6	9.1	14.7	10.0	(1)	(1)	*1.6*	*2.3*	*2.6*	4.6	(1)	(1)	6.0	6.8	12.2	5.4	(1)	(1)
Colored	16.6	12.7	23.9	18.5	(1)	(1)	5.8	*3.9*	*4.6*	8.6	(1)	(1)	10.7	8.8	19.3	9.8	(1)	(1)
Richmond, Va. (total)	13.3	8.7	13.5	10.0	(1)	(1)	4.8	1.3	3.9	4.5	(1)	(1)	8.6	7.4	9.6	5.5	(1)	(1)
White	10.0	6.0	10.3	6.8	(1)	(1)	3.6	*0.4*	2.3	2.8	(1)	(1)	6.4	5.6	8.0	4.0	(1)	(1)
Colored	20.0	14.4	20.6	16.3	(1)	(1)	7.2	*3.2*	7.4	7.8	(1)	(1)	12.9	11.2	13.2	8.5	(1)	(1)
Seattle, Wash	9.2	9.1	8.6	6.1	(1)	(1)	3.6	3.0	3.4	1.8	(1)	(1)	5.7	6.1	5.2	4.3	(1)	(1)
Spokane, Wash	11.9	10.7	9.1	11.9	(1)	(1)	3.3	5.1	3.2	7.1	(1)	(1)	8.6	5.6	5.9	4.8	(1)	(1)
Milwaukee, Wis	8.1	6.0	5.0	5.3	(1)	(1)	3.4	2.4	1.7	2.6	(1)	(1)	4.7	3.6	3.3	2.7	(1)	(1)

[1] Not added to birth registration area until a latter date. [2] Excluded because all transcripts of birth certificates for the year were not received.

CRUDE AND ADJUSTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN FOUR AGE GROUPS, FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS IN THE BIRTH REGISTRATION AREA, FOR THE YEARS 1917 TO 1920.

CAUSE OF DEATH AND YEAR.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—						CAUSE OF DEATH AND YEAR.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—					
	All ages.		10 to 19 years.	20 to 29 years.	30 to 39 years.	40 years and over.		All ages.		10 to 19 years.	20 to 29 years.	30 to 39 years.	40 years and over.
	Crude.	Adjusted.[1]						Crude.	Adjusted.[1]				
1920							**1918**						
All puerperal causes	8.0	8.0	7.7	6.4	9.9	14.8	All puerpal causes	9.2	9.1	9.4	7.9	10.7	14.1
Puerperal septicemia	2.7	2.7	2.8	2.3	3.1	4.2	Puerperal septicemia	2.5	2.6	2.8	2.2	3.0	3.7
Other puerperal causes	5.3	5.3	5.0	4.1	6.9	10.6	Other puerperal causes	6.6	6.6	6.7	5.7	7.7	10.3
1919							**1917**						
All puerperal causes	7.4	7.3	8.0	5.9	8.9	13.7	All puerperal causes	6.6	6.6	6.9	5.2	8.3	12.3
Puerperal septicemia	2.5	2.4	2.9	2.1	2.7	4.0	Puerperal septicemia	2.7	2.7	3.0	2.4	3.2	4.0
Other puerperal causes	4.9	4.9	5.1	3.8	6.2	9.7	Other puerperal causes	3.9	3.9	4.0	2.8	5.1	8.3

[1] Corrected on basis of standard million live births of 1917.

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages that would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

CRUDE AND ADJUSTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN EIGHT AGE GROUPS, FROM PUERPERAL CAUSES, PER 1,000 LIVE BIRTHS, BY COLOR, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE BIRTH REGISTRATION AREA, FOR THE YEARS 1919 AND 1920.

[Unknown age is distributed in each nationality. The rates for deaths numbering less than 5 are shown in *italics*.]

CAUSE OF DEATH, COLOR, AND COUNTRY OF BIRTH.	DEATH RATE PER 1,000 LIVE BIRTHS AT AGE OF—																			
	All ages.				Under 15 years.		15 to 19 years.		20 to 24 years.		25 to 29 years.		30 to 34 years.		35 to 39 years.		40 to 44 years.		45 years and over.	
	Crude.		Adjusted.[1]																	
	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919	1920	1919
The birth registration area:																				
All puerperal causes	8.0	7.4	8.0	7.3	21.1	18.9	7.6	7.9	5.9	5.6	6.9	6.1	*9.2*	8.0	11.1	10.4	14.1	13.0	21.3	19.7
Puerperal septicemia	2.7	2.5	2.7	2.4	5.3	*5.8*	2.8	2.9	2.2	2.1	2.4	2.1	2.8	2.6	3.5	3.0	3.9	3.7	6.9	6.0
Other puerperal causes	5.3	4.9	5.3	4.8	15.8	15.2	4.9	5.0	3.8	3.5	4.5	4.0	6.3	5.4	7.7	7.4	10.2	9.3	14.4	13.7
Total white:																				
All puerperal causes	7.6	7.0	7.6	6.9	*7.4*	13.5	6.6	6.7	5.6	5.2	6.7	5.9	8.8	7.5	10.7	9.9	13.5	12.5	20.8	18.2
Puerperal septicemia	2.6	2.3	2.6	2.3	.....	*2.3*	2.5	2.4	2.0	2.0	2.4	2.1	2.7	2.4	3.4	2.9	4.0	3.6	6.9	5.6
Other puerperal causes	5.0	4.6	5.0	4.6	*7.4*	11.3	4.1	4.3	3.6	3.3	4.3	3.8	6.1	5.1	7.3	7.0	9.6	8.9	13.9	12.6
United States:																				
All puerperal causes	7.9	7.4	8.0	7.4	*8.3*	12.5	6.7	7.1	6.0	5.7	7.2	6.6	9.4	8.2	11.2	10.7	13.8	12.9	21.4	18.8
Puerperal septicemia	2.6	2.5	2.7	2.5	.....	.....	2.5	2.5	2.2	2.1	2.5	2.3	2.9	2.6	3.4	3.1	3.9	3.7	7.7	6.6
Other puerperal causes	5.2	5.0	5.3	5.0	*8.3*	12.5	4.2	4.5	3.8	3.6	4.7	4.3	6.5	5.6	7.8	7.6	9.9	9.2	13.7	12.2
Total foreign:																				
All puerperal causes	6.7	5.6	6.1	5.2	.....	*25.0*	5.1	4.1	4.0	3.4	5.2	4.2	7.5	6.2	9.5	8.4	12.8	11.6	19.8	16.2
Puerperal septicemia	2.4	1.9	2.2	1.9	.....	*25.0*	2.4	1.7	1.5	1.5	2.0	1.6	2.5	2.0	3.2	2.5	4.1	3.4	5.7	3.6
Other puerperal causes	4.4	3.7	3.9	3.3	.....	.....	2.7	2.4	2.5	1.9	3.2	2.6	5.1	4.1	6.3	5.9	8.8	8.2	14.1	12.7
Austria (includes Austrian Poland)—																				
All puerperal causes	6.2	5.1	5.6	5.0	.....	.....	*3.3*	5.1	3.4	3.0	3.9	4.0	7.8	4.7	10.0	8.7	12.7	13.7	23.9	26.9
Puerperal septicemia	2.3	1.9	2.1	1.9	.....	.....	*0.8*	*2.6*	1.4	1.3	1.8	1.8	2.8	1.7	3.6	2.3	3.8	4.1	*4.0*	*11.5*
Other puerperal causes	3.9	3.2	3.5	3.1	.....	.....	*2.4*	*2.6*	1.9	1.7	2.2	2.2	5.0	3.1	6.3	6.4	8.9	9.6	19.9	*15.4*
Hungary—																				
All puerperal causes	6.6	4.7	6.1	4.4	.....	*250.0*	*3.5*	*1.5*	3.8	1.9	4.2	2.4	7.5	7.5	11.1	8.9	19.0	10.2	*15.4*	*20.4*
Puerperal septicemia	3.1	2.0	2.9	1.9	.....	*250.0*	*1.8*	.....	2.6	1.6	2.4	*0.8*	2.8	3.4	4.9	3.0	*4.8*	*3.4*	*15.4*	.....
Other puerperal causes	3.5	2.7	3.1	2.4	.....	.....	*1.8*	*1.5*	*1.2*	*0.2*	1.8	1.6	4.7	4.1	6.2	5.9	14.3	*6.8*	.....	*20.4*
Canada—																				
All puerperal causes	8.6	8.1	7.9	7.7	.....	.....	7.1	9.0	6.4	7.1	6.6	5.7	8.8	7.3	10.8	12.0	13.6	11.5	33.3	*6.6*
Puerperal septicemia	2.4	2.6	2.3	2.5	.....	.....	*4.1*	*1.3*	1.7	2.4	2.0	2.9	1.9	2.0	3.3	2.8	5.1	4.0	.....	.....
Other puerperal causes	6.1	5.6	5.6	5.2	.....	.....	*3.0*	7.7	4.7	4.7	4.6	2.8	6.9	5.4	7.5	9.2	8.5	7.4	33.3	*6.6*
Denmark, Norway, and Sweden—																				
All puerperal causes	7.4	7.5	6.2	6.6	.....	.....	*4.4*	*5.1*	3.5	6.5	6.2	5.4	8.3	5.2	10.9	10.5	5.7	13.9	*5.7*	*6.3*
Puerperal septicemia	1.8	2.9	1.6	2.4	.....	.....	*4.4*	.....	.....	3.0	*1.3*	*1.2*	3.5	2.0	1.9	5.4	.....	5.1	.....	.....
Other puerperal causes	5.7	4.5	4.6	4.2	.....	.....	.....	*5.1*	3.5	3.5	4.9	4.2	4.8	3.2	8.9	5.1	5.7	8.8	*5.7*	*6.3*
England, Scotland, and Wales—																				
All puerperal causes	8.9	7.8	7.9	5.9	.....	.....	*1.8*	*2.4*	6.0	3.5	8.1	3.2	9.8	8.0	11.0	14.5	11.9	14.1	*48.8*	.....
Puerperal septicemia	3.4	2.8	2.9	2.2	.....	.....	*1.8*	*2.4*	*1.3*	*0.9*	2.9	*1.3*	4.0	3.2	5.0	4.7	*3.7*	4.7	*24.4*	.....
Other puerperal causes	5.5	5.0	5.0	3.7	.....	.....	.....	.....	4.7	2.7	5.2	1.9	5.8	4.8	6.0	9.8	8.2	9.4	*24.4*	.....
Ireland—																				
All puerperal causes	9.8	7.7	8.0	7.4	.....	.....	.....	*18.5*	7.0	5.2	7.3	6.0	10.6	9.6	11.2	8.5	15.4	7.4	*11.0*	.....
Puerperal septicemia	3.0	2.5	2.5	3.5	.....	.....	.....	*13.5*	*1.8*	2.9	3.6	2.4	2.7	3.4	3.2	1.6	*2.9*	*1.5*	.....	.....
Other puerperal causes	6.8	5.2	5.5	3.9	.....	.....	.....	.....	5.3	*2.3*	3.8	3.7	7.9	6.2	8.0	6.9	12.5	6.0	*11.0*	.....
Germany (includes German Poland)—																				
All puerperal causes	8.8	7.6	6.6	5.7	.....	.....	*6.4*	*3.7*	3.6	4.2	5.1	3.2	9.2	9.1	10.0	9.4	16.3	10.6	*14.2*	*19.4*
Puerperal septicemia	3.3	2.6	2.2	2.1	.....	.....	.....	*3.7*	.....	*0.6*	3.1	1.6	3.1	3.2	3.8	4.0	6.4	2.7	*9.5*	.....
Other puerperal causes	5.5	4.9	4.4	3.6	.....	.....	*6.4*	.....	3.6	3.6	2.0	1.6	6.2	5.9	6.3	5.4	9.9	8.0	*4.7*	*19.4*
Italy—																				
All puerperal causes	5.6	4.4	5.0	4.0	.....	.....	3.7	3.3	3.1	2.8	4.2	3.0	5.9	4.8	8.3	6.4	12.3	9.5	17.9	16.4
Puerperal septicemia	1.9	1.3	1.7	1.3	.....	.....	1.5	*1.2*	1.0	1.5	1.4	0.9	2.0	1.0	2.8	1.8	4.0	1.8	*6.7*	*2.3*
Other puerperal causes	3.7	3.2	3.3	2.7	.....	.....	2.2	2.1	2.2	1.3	2.8	2.1	3.9	3.8	5.5	4.6	8.3	7.7	11.2	14.1
Poland (not specified)—																				
All puerperal causes	6.4	5.2	6.2	5.0	.....	.....	7.1	*4.2*	4.7	2.3	4.8	4.3	7.1	6.7	11.0	7.5	7.0	12.3	*4.8*	*29.1*
Puerperal septicemia	2.8	2.0	2.8	1.9	.....	.....	*4.2*	*2.1*	2.2	1.3	2.4	1.9	3.0	2.7	4.1	*1.3*	*1.4*	*4.1*	*4.8*	*9.7*
Other puerperal causes	3.6	3.2	3.4	3.0	.....	.....	*2.8*	*2.1*	2.5	1.0	2.4	2.4	4.1	4.1	6.9	6.3	5.6	8.2	.....	*19.4*
Russia (includes Russian Poland)—																				
All puerperal causes	5.8	4.6	5.7	4.5	.....	.....	6.0	*1.5*	3.6	3.3	5.1	4.2	5.8	5.0	8.3	5.9	13.5	13.3	46.0	26.5
Puerperal septicemia	2.0	1.4	2.2	1.4	.....	.....	4.3	*0.7*	1.4	1.2	2.0	1.3	1.7	1.5	2.2	1.6	6.1	3.3	*11.5*	*10.6*
Other puerperal causes	3.7	3.2	3.5	3.1	.....	.....	*1.7*	*0.7*	2.1	2.1	3.1	2.9	4.1	3.4	6.1	4.3	7.3	10.0	34.5	*15.9*
Other foreign countries—																				
All puerperal causes	7.1	6.4	6.8	6.1	.....	.....	7.7	5.7	4.0	3.5	6.8	6.1	8.8	7.5	6.9	8.0	16.1	13.5	*12.7*	*13.0*
Puerperal septicemia	2.3	2.4	2.3	2.3	.....	.....	3.0	2.6	1.9	1.6	2.1	2.1	2.2	2.8	2.5	2.9	5.4	5.6	.....	.....
Other puerperal causes	4.7	4.0	4.5	3.7	.....	.....	4.7	3.1	2.2	1.9	4.7	3.9	6.5	4.7	4.3	5.1	10.7	7.9	*12.7*	*13.0*
Country not stated—																				
All puerperal causes	26.8	27.9	26.1	27.1	.....	.....	36.2	*23.3*	20.7	23.5	29.9	15.6	*13.8*	34.7	31.4	40.4	*63.5*	*36.6*	.....	*333.3*
Puerperal septicemia	5.4	9.3	5.7	9.6	.....	.....	.....	*6.8*	*2.6*	*9.4*	*11.9*	*10.4*	*4.6*	*9.5*	*6.3*	*9.0*	.....	.....	.....	*166.7*
Other puerperal causes	21.4	18.6	20.4	17.5	.....	.....	36.2	*17.4*	18.1	14.1	17.9	*5.2*	*9.2*	25.2	*25.2*	31.4	*63.5*	*36.6*	.....	*166.7*
Total colored:																				
All puerperal causes	12.8	12.4	12.9	12.3	38.9	25.8	14.2	14.7	9.6	9.1	10.3	9.6	15.7	15.2	17.7	16.6	23.1	21.3	25.8	32.7
Puerperal septicemia	4.0	4.1	3.9	4.0	12.2	*5.7*	4.4	5.5	3.5	3.4	3.4	2.7	4.6	5.2	4.9	4.5	3.7	6.0	*6.5*	9.3
Other puerperal causes	8.8	8.4	8.9	8.3	26.8	20.1	9.7	9.2	6.0	5.7	6.9	6.9	11.1	10.0	12.8	12.1	19.4	15.4	19.4	23.4

[1] Corrected on basis of standard million live births of 1917.

NOTE.—The "specific" death rate is based on specified age groups. The "adjusted" death rate is the rate at all ages that would have resulted from the rates for the specified age groups if the age constitution of the mothers of live births had been identical with that of the standard million live births of 1917.

It was pointed out in a previous report that the very high death rate (9.2) in 1918 from all puerperal causes per 1,000 live births in the birth registration area was undoubtedly due to the influenza epidemic and that the same factor in 1919 accounted for the difference between the rate (7.4) for that year and the rate (6.2) for the more normal year—1916. Again in 1920, with another epidemic of influenza in the early months of the year, there is an increased rate (8), and again a large part of the increase should be charged to influenza. Curiously enough the mortality rate from the combined causes, influenza and pneumonia (all forms), is lower in 1920 than in 1919, although the mortality rate from puerperal causes is higher. This is to be explained by the fact that the 1919 figures included only the latter part of an epidemic, while the 1920 figures included the early part of an epidemic, and it is undoubtedly true that the increase in the mortality from puerperal causes is greater in the early months of an epidemic than in the later months.

Special attention is called to the fact that for both white and colored for each of the six years 1915 to 1920, rates from all puerperal causes and puerperal septicemia are, without exception, lower for the rural part of the birth registration area than for the urban.

For 1920 among the states in the birth registration area the highest rates from all puerperal causes per 1,000 live births appear for South Carolina (12.2) and for North Carolina (10). These excessively high rates are accounted for by the very high rates for the colored (15.4 and 13.2, respectively). The lowest rates appear for Kentucky (6.4) and Wisconsin (6.7).

Among the cities of 100,000 population or more in 1920 in the birth registration area the highest rates from all puerperal causes per 1,000 live births appear for Richmond (13.3), Akron (12.6), and Scranton (12.5), and the lowest rates for Albany (3.1), Springfield, Mass. (4.4), and New Bedford (5.1).

The rates for mothers under 20 years of age are considerably higher than the rates for mothers 20 to 29, and a partial explanation, at least, is the comparatively large number of illegitimate children involved and the lack of care so common in such cases.

For each of the four years 1917 to 1920 the rates from puerperal causes are higher for mothers aged 30 to 39 than for mothers aged 20 to 29, and higher for mothers aged 40 years and over, than for mothers aged 30 to 39 years. These figures certainly point to the conclusion that childbearing becomes more and more dangerous as women grow older.

The figures by color and by birthplace of mother are most interesting, but they must be used with caution. For example, rates for colored mothers are nearly double those for white mothers. Probably so great a difference in the rates does not actually exist, for it is extremely likely that births of colored children are not as completely reported as are the births of white children, and that, therefore, the rates for colored mothers are exaggerated.

Again the very high rates shown for mothers born in *country not stated* are probably to be accounted for, partly at least, by the better certification of the birthplace of mother on birth certificates than on death certificates of mothers. Other differences, such as comparatively high rates for mothers born in the the United States and the very much lower rates for mothers born in Italy appear to be actual differences, and may well serve as the starting point for intensive study.

The two following tables give for a series of 11 years rates for the death registration states of 1910, and for a series of 21 years rates for the registration states of 1900.

In the first table the rate from all puerperal causes for women aged 15 to 44 fluctuates somewhat between 1910 and 1916, but in 1916 is 62.5 per 100,000 women of those ages, or practically the same as in 1910, when it is 62.8. Since 1916 the rate is always higher, and in 1920 is 74.2.

DEATHS AND DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AT ALL AGES AND AT SPECIFIED AGE GROUP, IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1910 TO 1920.

YEAR.	ALL AGES.			15 TO 44 YEARS.		
	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
	DEATHS.					
1920	9,939	3,492	6,447	9,814	3,448	6,366
1919	8,478	2,936	5,542	8,375	2,904	5,471
1918	11,668	3,327	8,341	11,559	3,290	8,269
1917	8,295	3,522	4,773	8,212	3,488	4,724
1916	7,947	3,347	4,600	7,830	3,317	4,513
1915	7,585	3,078	4,507	7,517	3,050	4,467
1914	7,742	3,406	4,336	7,650	3,381	4,269
1913	7,585	3,407	4,178	7,485	3,370	4,115
1912	7,012	2,960	4,052	6,931	2,938	3,993
1911	7,401	3,396	4,005	7,320	3,365	3,955
1910	7,283	3,307	3,976	7,210	3,283	3,927
	RATE PER 100,000 FEMALE POPULATION.					
1920	36.1	12.7	23.4	74.2	26.1	48.1
1919	31.3	10.8	20.5	64.1	22.2	41.9
1918	43.8	12.5	31.3	89.7	25.5	64.2
1917	31.7	13.5	18.2	64.6	27.4	37.2
1916	30.9	13.0	17.9	62.5	26.5	36.0
1915	30.0	12.2	17.8	60.8	24.7	36.1
1914	31.2	13.7	17.5	62.8	27.7	35.0
1913	31.1	14.0	17.1	62.3	28.1	34.3
1912	29.3	12.4	16.9	58.6	24.8	33.7
1911	31.5	14.5	17.1	62.8	28.9	33.9
1910	31.6	14.4	17.3	62.8	28.6	34.2

DEATHS AND DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AT ALL AGES AND AT SPECIFIED AGE GROUP, IN THE REGISTRATION STATES AS OF 1900, FOR THE YEARS 1900 TO 1920.

YEAR.	ALL AGES.			15 TO 44 YEARS.		
	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
	DEATHS.					
1920	4,943	1,705	3,238	4,885	1,685	3,200
1919	4,241	1,439	2,802	4,195	1,427	2,768
1918	5,621	1,536	4,085	5,566	1,518	4,048
1917	4,167	1,719	2,448	4,126	1,705	2,421
1916	3,919	1,620	2,299	3,869	1,606	2,263
1915	3,859	1,547	2,312	3,836	1,540	2,296
1914	3,954	1,686	2,268	3,913	1,674	2,239
1913	3,789	1,661	2,128	3,751	1,647	2,104
1912	3,527	1,488	2,039	3,492	1,480	2,012
1911	3,806	1,748	2,058	3,767	1,733	2,034
1910	3,641	1,624	2,017	3,611	1,618	1,993
1909	3,422	1,453	1,969	3,389	1,446	1,943
1908	3,343	1,431	1,912	3,303	1,414	1,889
1907	3,448	1,476	1,972	3,409	1,465	1,944
1906	3,229	1,302	1,927	3,185	1,287	1,898
1905	3,219	1,401	1,818	3,180	1,383	1,797
1904	3,216	1,403	1,813	3,182	1,394	1,788
1903	2,778	1,153	1,625	2,731	1,138	1,593
1902	2,626	1,092	1,534	2,593	1,085	1,508
1901	2,704	1,124	1,580	2,657	1,108	1,549
1900	2,682	1,155	1,527	2,641	1,143	1,498
	RATE PER 100,000 FEMALE POPULATION.					
1920	35.3	12.2	23.1	72.0	24.8	47.1
1919	30.7	10.4	20.3	62.5	21.3	41.2
1918	41.3	11.3	30.0	83.9	22.9	61.0
1917	31.1	12.8	18.3	62.9	26.0	36.9
1916	29.7	12.3	17.4	59.7	24.8	34.9
1915	29.7	11.9	17.8	59.9	24.1	35.9
1914	30.9	13.2	17.7	61.9	26.5	35.4
1913	30.1	13.2	16.9	60.0	26.4	33.7
1912	28.5	12.0	16.5	56.6	24.0	32.6
1911	31.3	14.4	16.9	61.8	28.4	33.4
1910	30.5	13.6	16.9	60.0	26.9	33.1
1909	29.1	12.4	16.7	57.3	24.4	32.8
1908	28.9	12.4	16.5	56.8	24.3	32.5
1907	30.3	13.0	17.4	59.7	25.7	34.1
1906	28.9	11.7	17.3	56.8	23.0	33.9
1905	29.3	12.8	16.6	57.8	25.1	32.7
1904	29.8	13.0	16.8	59.0	25.8	33.1
1903	26.3	10.9	15.4	51.6	21.5	30.1
1902	25.3	10.5	14.8	50.0	20.9	29.1
1901	26.5	11.0	15.5	52.3	21.8	30.5
1900	26.8	11.6	15.3	53.0	23.0	30.1

In the second table the trend of the rates from all puerperal causes for women aged 15 to 44 is upward since 1902. For that year the rate shown is 50 per 100,000 women aged 15 to 44; in 1914 it reaches 61.9; and for 1920 is 72.

After making all allowances for the effects of the influenza pandemic one can only conclude from these tables that the trend of death rates from all puerperal causes is upward, that death rates from puerperal septicemia are slightly higher now than in 1900, and that death rates from other puerperal causes are fully 50 per cent higher than in 1900.

The following table shows death rates from all causes and from puerperal causes for several foreign countries and, for the United States, the birth registration area as constituted in 1915, and permits certain comparisons to be made.

DEATH RATES FROM PUERPERAL CAUSES PER 100,000 FEMALE POPULATION AND PER 1,000 LIVE BIRTHS IN THE UNITED STATES (BIRTH REGISTRATION AREA AS OF 1915) AND CERTAIN FOREIGN COUNTRIES.

		DEATH RATE.										
		Per 100,000 female population.				Per 100,000 female population 15 to 44 years.				Per 1,000 live births.		
		All causes, female 15 to 44 years.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	All causes, female 15 to 44 years.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.	Total puerperal causes.	Puerperal septicemia.	Other puerperal causes.
United States (birth registration area [1] as of 1915)	1920	297.4	36.5	12.3	24.2	617.8	74.9	25.2	49.7	7.6	2.6	5.1
	1919	306.6	31.3	10.7	20.7	634.8	64.0	21.8	42.2	6.8	2.3	4.5
	1918	588.2	44.4	11.5	32.9	1,213.6	90.9	23.5	67.4	8.9	2.3	6.6
	1917	267.7	31.9	13.2	18.7	550.6	64.9	26.9	38.0	6.3	2.6	3.7
	1916	268.5	31.5	12.8	18.7	550.1	63.7	26.1	37.5	6.2	2.5	3.7
	1915	263.5	30.9	12.2	18.7	538.0	62.6	24.8	37.9	6.1	2.4	3.7
England and Wales	1919	242.4	15.4	5.9	9.5	494.5	31.5	12.0	19.4	4.4	1.7	2.7
	1918	400.2	12.7	4.3	8.4	820.1	26.1	8.8	17.3	3.8	1.3	2.5
	1917	203.9	13.2	4.4	8.8	415.0	26.9	9.1	17.9	3.9	1.3	2.6
	1916	207.2	16.6	5.6	11.1	427.9	34.3	11.5	22.8	4.1	1.4	2.7
	1915	215.6	17.6	6.2	11.4	446.6	36.5	12.8	23.6	4.2	1.5	2.7
Australia	1920	177.7	25.8	9.4	16.3	(2)	(2)	(2)	(2)	5.0	1.8	3.2
	1919	306.9	21.9	6.4	15.6	(2)	(2)	(2)	(2)	4.7	1.4	3.3
	1918	173.8	23.2	7.2	16.0	(2)	(2)	(2)	(2)	4.7	1.5	3.3
	1917	173.3	29.1	9.9	19.2	(2)	(2)	(2)	(2)	5.6	1.9	3.7
	1916	195.8	28.0	11.4	16.6	(2)	(2)	(2)	(2)	5.3	2.1	3.1
	1915	188.1	23.6	7.5	16.2	(2)	(2)	(2)	(2)	4.3	1.3	2.9
Ireland	1919	381.3	18.9	6.1	12.8	(2)	(2)	(2)	(2)	4.7	1.5	3.2
	1918	445.2	19.0	6.3	12.7	(2)	(2)	(2)	(2)	4.8	1.6	3.2
	1917	299.5	19.3	5.9	13.4	(2)	(2)	(2)	(2)	4.9	1.5	3.4
	1916	300.5	22.9	7.7	15.2	(2)	(2)	(2)	(2)	5.5	1.9	3.7
	1915	298.0	23.4	7.8	15.6	(2)	(2)	(2)	(2)	5.4	1.8	3.6
Japan [3]	1917	443.6	22.9	9.0	13.9	(2)	(2)	(2)	(2)	3.5	1.4	2.1
	1916	491.6	23.1	9.0	14.1	(2)	(2)	(2)	(2)	3.5	1.4	2.1
	1915	415.5	23.9	9.8	14.0	(2)	(2)	(2)	(2)	3.6	1.5	2.1
Netherlands [4]	1919	276.0	16.1	5.9	10.2	(2)	(2)	(2)	(2)	3.4	1.2	2.1
	1916	258.8	13.5	5.0	8.5	(2)	(2)	(2)	(2)	2.6	1.0	1.6
	1915	233.3	13.1	4.1	9.0	(2)	(2)	(2)	(2)	2.5	0.8	1.7
New Zealand	1918	393.0	22.5	8.0	14.4	(2)	(2)	(2)	(2)	5.2	1.9	3.3
	1917	170.6	28.6	10.0	18.6	(2)	(2)	(2)	(2)	6.0	2.1	3.9
	1916	179.0	28.9	10.4	18.5	(2)	(2)	(2)	(2)	5.9	2.1	3.8
	1915	173.0	23.0	3.9	19.2	(2)	(2)	(2)	(2)	4.7	0.8	3.9
Scotland	1919	279.5	26.2	6.0	20.3	593.2	56.1	12.7	43.4	6.2	1.4	4.8
	1918	375.4	27.3	4.5	22.8	803.5	58.5	9.6	48.9	7.0	1.2	5.8
	1917	234.4	23.0	6.6	16.4	501.5	49.1	14.1	35.0	5.9	1.7	4.2
	1916	241.6	25.2	7.4	17.7	517.1	53.9	15.9	38.0	5.7	1.7	4.0
	1915	266.7	28.3	9.0	19.4	570.6	60.6	19.2	41.4	6.1	1.9	4.2
Sweden	1915	[5] 294.3	12.2	5.2	7.0	(2)	(2)	(2)	(2)	2.9	1.2	1.7

[1] Exclusive of Rhode Island.
[2] Female population 15 to 44 years not available.
[3] Figures relate to 47 districts.
[4] Reports for 1917 and 1918 not available.
[5] All causes, female 15 to 50 years.

NOTE.—The data for this table taken from annual reports on Vital Statistics for the several countries.

The figures here presented show that deaths from puerperal causes were classified very differently in different countries during the influenza epidemic, the United States and Scotland showing for 1918 rates from puerperal causes much higher than for 1917, while England and Wales, Australia, and New Zealand show much lower rates for 1918 than for 1917. Ireland shows a rate practically unchanged for the two years. Bearing this fact in mind it is interesting to note that Scotland and the United States birth registration area both had a death rate of 6.1 from all puerperal causes per 1,000 live births in 1915, the corresponding rate for 1919 having increased in Scotland to 6.2 while in the birth registration area it had increased to 6.8.

The fact that the rates from puerperal causes for the other countries shown are very much lower is not in itself conclusive evidence that the mortality from these causes is actually lower in these countries, but there is no getting away from the fact that England and Wales shows for each of the years 1915 to 1919 lower rates from all causes for females aged 15 to 44 than appear for our birth registration area of 1915, while Scotland, though starting out with a higher rate in 1915 than that shown for our birth registration area, has a lower rate for 1919 than we have.

SUICIDE.

The death rate from suicide in 1920 (10.2 per 100,000 population) is the lowest recorded since the publication of the first annual mortality report in 1900. The states which show the highest rates in 1920 are California (20.1), Washington (18), Colorado (15.7), Montana (15.4), and Oregon (13.8). California has had the highest rate of any of the registration states since it was added to the registration area in 1906. The states which have the lowest rates in 1920 are Mississippi (3.2), South Carolina (3.5), North Carolina (3.9) and Louisiana (4.7).

Among the registration cities of 100,000 population or more in 1920, the five which show the highest rates are San Francisco (25.6), Reading (23.1), Seattle (22.9), Spokane (22), and Omaha (21.7). The cities which have the lowest rates are Yonkers (2), Norfolk (5.1), Columbus (5.4), Worcester (6.6), and Birmingham (7.2).

The most pronounced decreases in the rates from suicide in 1920 as compared with 1919 are shown for Cincinnati (11.7 against 21.7), San Francisco (25.6 against 34.9), Hartford (11.4 against 19.1), and St. Paul (9.3 against 16.3).

Under the title "Suicide" are included nine headings, to four of which more than 81 per cent of all deaths from this cause are charged in 1920. The greatest number of deaths from suicide is due to firearms (3,169, with a rate of 3.6 per 100,000 population), followed by hanging or strangulation (1,616 with a rate of 1.8), poison (1,417, with a rate of 1.6), and asphyxia (1,124, with a rate of 1.3).

ACCIDENTAL OR UNDEFINED CAUSES.

In 1920 the number of deaths due to accidental or undefined causes is 62,492, which corresponds to a rate of 71.4 per 100,000 population, against a rate of 71.9 in 1919.

The greatest number of deaths under this title are due to traumatism by fall (10,323, with a rate of 11.8 per 100,000); next in order are deaths due to automobile accidents and injuries (9,103, with a rate of 10.4); burns (conflagration excepted) (6,645, with a rate of 7.6); railroad accidents and injuries (6,426, with a rate of 7.3); accidental drowning (4,977, with a rate of 5.7); and absorption of deleterious gases (conflagration excepted) (3,012, with a rate of 3.4).

The death rate in 1920 from street-car accidents and injuries (2) is lower than the rate in 1919 (2.2) and deaths from injuries by other vehicles also show a lower rate in 1920 (1.9, compared with 2.3). Aeroplane accidents and injuries show a total of 150 deaths, with a rate of 0.2 per 100,000 population. Deaths from the effects of heat show a rate of 0.3, which is lower than the 1919 rate (0.6).

Among the states, those showing the highest death rates in 1920 from accidents are Washington (91.4), California (87.4), Pennsylvania (86.6), Colorado (86), and Utah (85.2). Those showing the lowest rates are Wisconsin (52.7), Missouri (53), Tennessee (55.7), North Carolina (55.9), and Kentucky (56).

AUTOMOBILE ACCIDENTS AND INJURIES.

The death rate from automobile accidents and injuries again shows an increase over the figures for the preceding year (10.4 per 100,000 population against the 1919 rate of 9.4.) The five states showing the highest rates in 1920 are California (21.1), Connecticut (15.6), New York and Washington (each 13.5), and Rhode Island (12.8). The five states showing the lowest rates are Mississippi (2.2), Kentucky (3.5), Virginia (4.2), Louisiana (5), and North Carolina (5.2).

Of the 66 cities listed in the table on page 62, 36 show increases in the rate from automobile accidents and injuries for 1920 as compared with the rate for 1919. The cities showing the greatest increases are Reading (from 9.3 to 23.1), Memphis (from 17.4 to 26.3), Salt Lake City (from 11.1 to 19.3), and Buffalo (from 13.5 to 20.4); those showing the greatest decreases are Lowell (from 18.7 to 7.1), Albany (from 20.4 to 11.4), Yonkers (from 18.2 to 10.9), Paterson (from 19.9 to 13.2), and Boston (from 16.8 to 11.8). The highest death rates from automobile accidents and injuries in 1920 are shown for Youngstown (26.7), Hartford (25.7), Memphis (26.3), Los Angeles (24.1), and Reading (23.1). Of course, these rates, like all crude death rates, are simply rough indexes—not exact measures—of local conditions. Many deaths from automobile accidents charged against a city result from accidents outside city limits. On the other hand, some deaths from automobile accidents, charged to rural districts, result from accidents within city limits.

Recent figures for Paris show a much lower rate than is found in any of our large cities. In 1918 and 1919 the estimated population of Paris was 3,149,000, and deaths from automobiles, including all those caused by army trucks of the various countries, numbered only 53 in 1918 and 74 in 1919, giving rates of only 1.68 and 2.35 per 100,000.

So, also, in England and Wales, death rates from automobile accidents and injuries are very much lower than in the registration area of the United States. A death rate from this cause in England and Wales for 1919 has been calculated by the Bureau of the Census as 4 per 100,000 population, a rate which stands in marked contrast to the rate of 9.4 in the United States registration area for the same year.

In 1900, when an automobile was almost a curiosity, the mortality rate from "accidents and injuries by vehicles and horses" per 100,000 population in the registration area was 1.3 (including automobile accidents)—a rate which stands in striking contrast with the rate 10.4 from automobile accidents and injuries in 1920.

In the following table are given for 1915 to 1920 deaths and death rates from automobile accidents and injuries in the registration area (exclusive of Hawaii), registration states, and registration cities of 100,000 population or more in 1920.

DEATHS AND DEATH RATES PER 100,000 POPULATION FROM AUTOMOBILE ACCIDENTS AND INJURIES IN THE REGISTRATION AREA, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.

[Rates for deaths numbering less than 5 are shown in *italics*.]

AREA.	DEATHS FROM AUTOMOBILE ACCIDENTS AND INJURIES.											
	Number.						Rate per 100,000 population.					
	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915
SUMMARY.												
The registration area[1]	9,103	7,968	7,525	6,724	5,193	3,978	10.4	9.4	9.3	9.0	7.3	5.9
Registration states[2]	8,878	7,771	7,310	6,064	4,737	3,589	10.3	9.3	9.2	8.7	7.1	5.8
Cities in registration states[2]	6,121	5,263	4,942	3,890	3,053	2,363	14.7	13.5	13.1	11.9	9.7	7.7
Rural part of registration states	2,757	2,508	2,368	2,174	1,684	1,226	6.2	5.6	5.7	5.9	4.8	3.9
Registration cities in nonregistration states	225	197	215	660	456	389	15.6	12.7	12.0	12.4	9.2	7.5
All registration cities[2]	6,346	5,460	5,157	4,550	3,509	2,752	14.7	13.5	13.1	12.0	9.6	7.6
REGISTRATION STATES.												
California	734	647	545	558	478	411	21.1	19.2	16.7	17.7	15.7	14.0
Colorado	117	118	120	95	71	53	12.4	12.7	13.1	10.5	8.0	6.1
Connecticut	218	207	184	192	171	106	15.6	15.1	13.7	14.6	13.3	8.4
Delaware	22	23	(3)	(3)	(3)	(3)	9.8	10.4	(3)	(3)	(3)	(3)
Florida	104	58	(3)	(3)	(3)	(3)	10.6	6.1	(3)	(3)	(3)	(3)
Illinois	728	522	466	(3)	(3)	(3)	11.2	8.1	7.3	(3)	(3)	(3)
Indiana	248	187	177	201	169	125	8.4	6.4	6.1	7.0	5.9	4.4
Kansas	155	98	132	106	92	45	8.7	5.6	7.5	6.1	5.3	2.6
Kentucky	85	71	92	63	41	39	3.5	2.9	3.8	2.6	1.7	1.7
Louisiana	90	57	78	(3)	(3)	(3)	5.0	3.2	4.4	(3)	(3)	(3)
Maine	43	45	41	31	35	21	5.6	5.9	5.4	4.1	4.6	2.8
Maryland	142	153	167	138	76	60	9.7	10.6	11.7	9.8	5.5	4.4
Massachusetts	454	524	488	387	304	265	11.7	13.7	12.9	10.4	8.3	7.3
Michigan	419	318	257	328	255	188	11.3	8.8	7.3	9.5	7.6	5.7
Minnesota	178	171	185	161	143	85	7.4	7.2	7.9	7.0	6.3	3.8
Mississippi	39	41	(3)	(3)	(3)	(3)	2.2	2.3	(3)	(3)	(3)	(3)
Missouri	231	244	241	230	187	122	6.8	7.2	7.1	6.8	5.6	3.6
Montana	45	44	64	59	42	31	8.1	8.1	12.3	11.7	8.6	6.6
Nebraska	104	(3)	(3)	(3)	(3)	(3)	8.0	(3)	(3)	(3)	(3)	(3)
New Hampshire	50	38	22	35	30	26	11.3	8.6	5.0	8.0	6.8	5.9
New Jersey	405	424	393	345	245	192	12.7	13.6	12.8	11.5	8.4	6.7
New York	1,410	1,354	1,251	1,092	836	692	13.5	13.1	12.3	10.9	8.4	7.1
North Carolina	133	104	79	66	54	416	5.2	4.1	3.2	2.7	2.2	3.3
Ohio	717	631	661	608	438	316	12.3	11.1	11.8	11.0	8.1	6.0
Oregon	87	70	68	(3)	(3)	(3)	11.0	9.0	8.9	(3)	(3)	(3)
Pennsylvania	1,042	818	855	814	658	466	11.9	9.4	10.0	9.6	7.9	5.7
Rhode Island	78	87	70	58	53	57	12.8	14.5	11.8	9.9	9.1	9.9
South Carolina	91	73	62	32	27	(3)	5.4	4.4	3.7	2.0	1.7	(3)
Tennessee	130	100	82	69	(3)	(3)	5.5	4.3	3.5	3.0	(3)	(3)
Utah	51	37	46	32	31	23	11.3	8.3	10.5	7.4	7.3	5.6
Vermont	30	21	13	14	15	13	8.5	6.0	3.7	4.0	4.2	3.7
Virginia	97	116	103	54	62	45	4.2	5.1	4.5	2.4	2.8	2.1
Washington	184	148	158	118	82	105	13.5	11.0	11.9	9.1	6.4	8.4
Wisconsin	167	164	155	128	105	69	6.3	6.3	6.0	5.0	4.2	2.8
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.												
Birmingham, Ala	23	21	23	11	14	13	12.7	11.8	13.3	6.6	8.6	8.2
Los Angeles, Calif	142	119	91	102	91	74	24.1	21.1	16.8	19.8	18.6	15.9
Oakland, Calif	28	35	24	21	18	20	12.7	16.4	11.6	10.5	9.4	10.8
San Francisco, Calif	88	85	74	72	62	68	17.2	16.9	15.0	14.9	13.1	14.6
Denver, Colo	37	41	43	23	21	13	14.3	16.1	17.2	9.4	8.7	5.5
Bridgeport, Conn	30	33	22	30	26	18	20.6	23.3	16.0	22.6	20.2	14.5
Hartford, Conn	36	38	28	31	24	19	25.7	27.9	21.2	24.2	19.4	15.8
New Haven, Conn	29	24	28	22	23	12	17.7	14.9	17.7	14.2	15.1	8.0
Wilmington, Del	14	18	18	22	14	9	12.6	16.8	17.1	21.4	13.9	9.1
Washington, D. C	50	58	55	50	37	18	11.3	13.4	13.1	12.2	9.3	4.6
Atlanta, Ga	44	43	20	30	27	11	21.7	21.7	10.3	15.9	14.6	6.1
Chicago, Ill	472	328	308	310	243	212	17.3	12.3	11.7	12.1	9.7	8.6
Indianapolis, Ind	36	26	27	31	19	15	11.3	8.4	8.9	10.5	6.7	5.5
Kansas City, Kans	11	11	9	9	4	3	10.8	11.0	9.2	9.3	4.2	3.2
Louisville, Ky	28	19	28	22	9	17	11.9	8.1	12.0	9.4	3.9	7.3
New Orleans, La	50	36	29	45	20	17	12.8	9.4	7.6	12.0	5.4	4.7
Baltimore, Md	97	106	104	80	36	36	13.1	14.6	16.7	13.0	5.9	6.0
Boston, Mass	89	125	109	84	71	57	11.8	16.8	14.8	11.5	9.8	7.9
Cambridge, Mass	22	21	14	15	12	11	20.0	19.2	12.9	13.8	11.1	10.2
Fall River, Mass	12	9	14	12	6	9	10.0	7.5	11.6	10.0	5.0	7.5
New Bedford, Mass	11	15	16	12	9	12	9.0	12.5	13.6	10.4	8.0	10.9
Lowell, Mass	8	21	22	14	6	4	7.1	18.7	19.7	12.6	5.4	3.6
Springfield, Mass	17	22	23	18	21	14	12.9	17.3	18.6	15.1	18.3	12.6
Worcester, Mass	24	25	30	27	20	17	13.2	14.0	17.2	15.8	11.9	10.4
Detroit, Mich	175	139	125	157	127	89	17.2	14.4	13.7	18.2	16.1	12.2
Grand Rapids, Mich	16	16	9	14	9	11	11.5	11.7	6.7	10.6	7.1	8.8
Minneapolis, Minn	41	38	44	43	33	26	10.7	10.1	11.9	11.9	9.4	7.6
St. Paul, Minn	30	23	27	24	31	9	12.7	9.8	11.7	10.5	13.6	4.0
Kansas City, Mo	56	42	64	56	38	29	17.1	13.1	20.5	18.4	12.8	10.0
St. Louis, Mo	104	105	95	73	67	58	13.4	13.7	12.5	9.7	9.0	7.9

DEATHS AND DEATH RATES PER 100,000 POPULATION FROM AUTOMOBILE ACCIDENTS AND INJURIES IN THE REGISTRATION AREA, REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.

[Rates for deaths numbering less than 5 are shown in *italics*.]

AREA.	DEATHS FROM AUTOMOBILE ACCIDENTS AND INJURIES.											
	Number.						Rate per 100,000 population.					
	1920	1919	1918	1917	1916	1915	1920	1919	1918	1917	1916	1915
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.												
Omaha, Nebr.	41	28	26	23	14	9	21.2	14.8	14.0	12.6	8.0	5.3
Camden, N. J.	21	26	24	11	12	17	17.9	22.6	21.2	9.9	11.1	16.0
Jersey City, N. J.	43	40	30	23	19	19	14.3	13.5	10.2	7.9	6.6	6.7
Newark, N. J.	77	82	62	62	53	30	18.4	19.9	15.3	15.6	13.6	7.8
Paterson, N. J.	18	27	20	19	14	9	13.2	19.9	14.9	14.3	10.6	6.9
Trenton, N. J.	17	15	16	14	9	6	14.1	12.7	13.8	12.3	8.1	5.5
Albany, N. Y.	13	23	11	17	11	17	11.4	20.4	9.9	15.4	10.1	16.0
Buffalo, N. Y.	104	68	90	83	56	42	20.4	13.5	18.2	17.1	11.7	9.0
New York, N. Y.	773	780	699	551	432	354	13.6	14.0	12.7	10.2	8.1	6.8
Bronx borough	73	78	78	62	47	38	9.8	10.9	11.4	9.5	7.5	6.4
Brooklyn borough	251	266	198	167	118	93	12.3	13.3	10.1	8.7	6.3	5.1
Manhattan borough	385	368	367	272	228	197	16.9	16.1	16.0	11.8	9.9	8.5
Queens borough	47	44	47	34	26	22	9.8	9.6	10.7	8.1	6.5	5.7
Richmond borough	17	24	9	16	13	4	14.4	20.9	8.0	14.7	12.3	*3.9*
Rochester, N. Y.	34	32	25	21	29	18	11.4	10.9	9.1	7.8	11.0	7.1
Syracuse, N. Y.	25	23	22	20	12	12	14.4	13.5	13.2	12.3	7.5	7.7
Yonkers, N. Y.	11	18	15	10	18	5	10.9	18.2	15.5	10.5	19.4	5.5
Akron, Ohio	39	32	32	34	16	19	18.1	15.9	17.1	19.6	10.0	13.5
Cincinnati, Ohio	57	67	59	57	56	30	14.2	16.7	14.8	14.3	14.1	7.6
Cleveland, Ohio	155	126	168	137	98	73	19.2	16.0	22.0	18.6	13.8	10.6
Columbus, Ohio	31	40	40	30	26	16	12.9	17.1	17.5	13.4	12.0	7.6
Dayton, Ohio	25	16	23	19	8	7	16.2	10.6	15.6	13.3	5.7	5.2
Toledo, Ohio	44	34	32	26	19	15	17.8	14.2	13.8	11.5	8.7	7.3
Youngstown, Ohio	36	36	40	36	26	14	26.7	27.7	31.9	30.0	22.5	12.7
Portland, Oreg.	34	31	33	30	14	17	13.1	12.1	13.1	12.1	5.8	7.3
Philadelphia, Pa.	226	191	228	169	153	91	12.3	10.6	12.8	9.6	8.9	5.4
Pittsburgh, Pa.	98	94	105	100	64	51	16.6	16.1	18.1	17.4	11.3	9.1
Reading, Pa.	25	10	8	7	7	12	23.1	9.3	7.5	6.6	6.7	11.6
Scranton, Pa.	21	20	16	14	16	10	15.2	14.6	11.7	10.3	11.9	7.5
Providence, R. I.	35	46	40	27	25	35	14.7	19.4	17.0	11.5	10.7	15.1
Memphis, Tenn.	43	26	19	23	(5)	12	26.3	17.4	12.9	15.8	(5)	8.5
Nashville, Tenn.	19	18	14	13	(5)	4	16.0	15.3	12.0	11.2	(5)	*3.5*
Dallas, Tex.	29	19	13	21	15	(5)	18.0	12.1	10.0	16.6	12.3	(5)
Houston, Tex.	8	14	13	15	(5)	(5)	5.7	10.3	10.6	12.7	(5)	(5)
San Antonio, Tex.	21	14	23	26	10	10	12.7	8.9	15.2	18.0	7.2	7.6
Salt Lake City, Utah	23	13	19	16	12	13	19.3	11.1	16.8	14.4	11.1	12.3
Norfolk, Va.	20	24	14	4	8	4	17.0	21.1	12.7	*5.8*	7.8	*4.0*
Richmond, Va.	12	10	9	10	10	11	6.9	5.9	5.4	6.1	6.2	6.9
Seattle, Wash.	41	50	40	29	27	27	12.8	16.1	13.2	9.8	9.4	9.7
Spokane, Wash.	18	12	10	8	5	15	17.2	11.6	9.6	7.7	4.8	14.4
Milwaukee, Wis.	59	60	48	42	25	10	12.8	13.2	10.8	9.6	5.8	2.4

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

One phase, which is particularly distressing, is the large number of deaths from this cause among children. In 1920, 32.9 per cent of the total number of deaths from automobile accidents are of children under 15 years of age, as contrasted with 7.5 per cent below that age from railroad accidents, and 15.8 per cent from street-car accidents.

Each year the death rates from automobile accidents are higher than the rates of the previous year. Each year it becomes more and more dangerous for a person to walk the streets. The reason usually given, and probably the correct one, is that the number of automobiles in use is constantly increasing. How then shall this ever-increasing danger be lessened? The obvious remedy is to improve constantly the traffic regulations to keep pace with the ever increasing number of automobiles.

The tendency of some writers to exonerate automobile drivers and to place the blame of accidents upon pedestrians indicates lack of a full comprehension of the problems involved.

The teaching of caution is admirable and in time pedestrians will undoubtedly become more and more careful, but there will always be on our streets the person who misjudges the speed of an approaching automobile and becoming confused knows not which way to go; there will always be the child who has not yet acquired the ultracautious habit, and there will always be old persons who can not hear and see so well as they used to and who are not so keen and active as they once were. The preaching of more caution to these people will never be sufficient. They must be protected by additional safeguards, and city governments which will continue to make their traffic regulations more and more rigid till they can point to low death rates from automobile accidents will deserve the commendation of all thoughtful people.

The number of deaths charged by the Bureau of the Census to automobile accidents in any state or city may vary considerably from the number so charged by local officials. The rules of assignment in the Bureau of the Census are:

1. In collisions between automobiles and street cars assign the death to the heavier vehicle, i. e., the street car.
2. In collisions between automobiles and railroad trains assign the death to the heavier vehicle, i. e., the railroad train.
3. In collisions between automobiles and motorcycles, assign the death to the heavier vehicle, i. e., the automobile.

If local officials charge all of these deaths against the automobile, their totals will, of course, be greater than those of the Bureau of the Census. The contributory cause table on page 91 of the report on Mortality Statistics, 1918, clearly shows how greatly totals would be changed if other rules of assignment were followed.

Deaths from motorcycles are not included in deaths from automobiles, but if included would raise the grand total for the registration area from 9,103 to 9,421 and raise the rate per 100,000 from 10.4 to 10.8.

HOMICIDE.

The term "homicide," as here used, includes murder, manslaughter, justifiable homicide, and incendiarism, but not legal execution.

The following table shows the rates from homicide per 100,000 population for the years 1911 to 1920:

AREA.	DEATH RATE FROM HOMICIDE PER 100,000 POPULATION. Rates for deaths numbering less than 5 are shown *italics*.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
SUMMARY.										
The registration area—										
Total	7.1	7.5	6.8	7.7	7.1	7.0	7.4	7.2	6.6	6.6
White	5.0	5.3	4.8	5.7	5.3	5.3	5.6	5.4	5.0	5.1
Colored	29.6	30.5	30.5	32.8	31.3	37.5	40.5	41.3	40.9	40.2
Registration states [2]	6.8	7.1	6.4	7.0	6.4	6.0	6.4	6.2	5.5	5.6
Cities in registration states [2]	8.2	8.8	8.2	8.8	7.7	7.0	7.4	7.3	6.6	6.6
Rural part of registration states	5.4	5.7	4.8	5.4	5.2	5.0	5.3	5.1	4.3	4.6
Registration cities in non-registration states	27.0	26.6	22.0	17.2	16.3	18.6	19.9	19.3	18.2	17.7
All registration cities [2]	8.8	9.5	8.8	10.0	8.9	8.7	9.2	9.0	8.4	8.3
REGISTRATION STATES.										
California	8.2	9.4	9.4	12.2	11.6	12.2	13.2	11.6	13.4	10.1
Colorado	9.2	10.6	7.5	8.9	8.2	10.6	16.0	11.9	9.9	13.0
Connecticut	3.9	5.0	3.8	4.3	2.9	3.5	3.2	3.9	3.5	3.7
Delaware	4.0	7.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Florida (total)	20.2	17.8	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	8.8	8.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	42.5	35.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Illinois	7.4	8.5	6.6	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Indiana	4.7	4.7	4.1	6.6	5.0	5.2	6.5	5.6	4.8	4.5
Kansas	4.7	6.7	5.9	6.9	7.8	6.7	6.3	(3)	(3)	(3)
Kentucky	9.0	7.8	10.1	12.8	10.0	11.9	13.6	13.8	10.7	13.7
Louisiana (total)	14.1	17.0	19.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.9	7.2	10.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	25.4	32.2	32.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Maine	1.4	1.6	1.3	0.9	1.2	2.4	2.0	2.9	2.1	2.4
Maryland (total)	4.8	5.4	6.6	6.0	6.9	5.9	5.5	6.2	3.8	4.0
White	2.4	2.8	3.6	4.2	3.7	4.4	3.4	4.1	2.2	3.0
Colored	16.7	18.0	21.4	14.5	22.0	13.0	15.5	16.5	11.5	5.1
Massachusetts	2.1	2.8	2.3	2.9	3.2	3.3	3.3	3.1	3.0	2.9
Michigan	5.5	4.3	3.0	5.7	3.8	3.0	3.2	3.9	2.7	2.4
Minnesota	3.1	3.2	2.9	3.3	3.3	3.4	4.5	3.0	2.8	3.9
Mississippi (total)	19.8	19.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	6.8	6.7	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	31.7	30.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Missouri	7.9	9.7	10.1	12.3	10.0	9.3	9.3	9.9	7.8	9.2
Montana	8.2	8.0	11.1	18.2	17.7	11.3	12.9	10.2	14.2	12.8
Nebraska	4.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)	(3)
New Hampshire	1.8	1.1	*0.9*	2.3	1.4	2.3	3.2	3.2	1.4	1.6
New Jersey	4.2	4.6	4.8	6.1	3.9	4.3	4.0	4.3	4.2	3.7
New York	4.6	4.6	4.0	4.3	4.5	4.6	4.8	5.2	5.1	5.4
North Carolina (total)	9.8	8.5	7.6	7.3	8.3	[4]13.7	[4]21.1	[5]21.3	[6]18.7	[6]16.2
White	4.8	3.8	4.5	3.6	4.6	6.9	9.1	6.9	7.9	6.6
Colored	21.2	19.3	14.6	15.7	16.8	26.7	44.0	47.8	33.6	34.0
Ohio	6.9	7.3	8.5	9.3	7.9	5.9	5.8	5.8	5.6	5.4
Oregon	4.1	4.9	4.0	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Pennsylvania	5.6	6.0	6.5	6.7	6.4	4.9	4.9	5.4	4.5	4.5
Rhode Island	1.8	3.3	2.4	3.7	3.8	3.1	3.7	3.4	2.7	3.6
South Carolina (total)	15.2	13.7	10.4	11.3	13.3	(3)	(3)	(3)	(3)	(3)
White	9.4	8.3	5.5	4.2	5.9	(3)	(3)	(3)	(3)	(3)
Colored	20.8	18.9	14.9	17.7	20.0	(3)	(3)	(3)	(3)	(3)
Tennessee (total)	13.8	15.1	11.3	11.4	(3)	(3)	(3)	(3)	(3)	(3)
White	7.0	8.8	6.9	5.5	(3)	(3)	(3)	(3)	(3)	(3)
Colored	42.4	41.3	29.2	35.2	(3)	(3)	(3)	(3)	(3)	(3)
Utah	5.1	4.5	1.8	6.3	7.1	8.7	9.8	8.5	7.4	7.1
Vermont	2.3	2.0	2.0	1.7	2.5	2.0	2.0	2.5	*1.1*	5.3
Virginia (total)	11.2	9.8	11.4	8.3	11.8	12.8	11.8	10.8	(3)	(3)
White	7.5	5.7	6.3	5.1	6.3	6.3	6.0	5.5	(3)	(3)
Colored	19.9	19.4	23.0	15.4	24.1	27.1	24.4	22.3	(3)	(3)
Washington	5.1	7.5	4.2	5.5	5.5	8.9	10.0	6.5	7.2	7.5
Wisconsin	1.7	1.9	1.9	3.2	1.6	2.2	3.0	2.2	2.7	2.4
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.										
San Francisco, Calif.	7.6	12.1	12.6	11.4	15.4	16.1	15.6	14.8	13.5	11.2
Denver, Colo.	12.0	5.5	10.0	7.7	4.6	8.0	7.3	5.7	7.6	11.0
Bridgeport, Conn.	6.9	7.1	6.6	9.0	7.0	6.4	7.5	4.3	*1.8*	4.7
Hartford, Conn.	5.0	14.7	*2.3*	*2.3*	4.0	*2.5*	5.2	*1.8*	4.6	*3.9*
New Haven, Conn.	*2.4*	*1.2*	3.8	5.2	*2.6*	3.4	*1.4*	7.7	5.7	4.4
Wilmington, Del.	4.5	13.0	*2.9*	8.7	5.0	9.1	5.2	*3.2*	10.8	5.6
Washington, D. C. (total)	10.4	13.2	13.5	7.1	9.0	9.0	8.0	6.6	6.5	9.0
White	5.7	7.4	6.4	3.3	4.1	3.9	4.7	3.4	2.3	5.3
Colored	24.2	30.0	34.2	17.8	22.9	23.2	16.7	15.0	17.3	18.6
Atlanta, Ga. (total)	39.9	40.3	23.7	25.4	31.5	36.7	34.3	34.0	40.6	20.9
White	9.3	14.7	6.0	13.2	11.2	10.7	19.4	8.7	17.2	9.3
Colored	107.3	96.3	62.1	51.6	74.6	91.5	65.1	86.1	83.3	71.3
Chicago, Ill.	9.7	11.3	8.2	10.8	11.2	9.0	10.0	9.5	9.5	9.0
Indianapolis, Ind. (total)	5.7	7.4	6.3	15.6	8.4	8.4	12.7	14.3	7.6	8.2
White	2.8	4.7	4.8	10.2	4.7	5.3	10.0	11.2	4.9	5.5
Colored	28.2	29.3	18.3	60.3	39.8	34.8	36.5	42.1	32.3	34.1
Kansas City, Kans. (total)	10.8	28.0	22.4	26.9	12.7	20.5	13.2	20.2	22.9	10.9
White	*3.4*	18.6	17.7	18.0	*4.9*	16.1	*5.0*	15.4	9.1	14.6
Colored	54.3	84.5	51.2	83.5	63.3	49.5	68.9	54.0	122.9	59.6
Louisville, Ky. (total)	12.3	16.2	20.1	18.9	15.9	15.6	19.1	17.8	15.0	20.8
White	8.2	7.2	12.9	9.9	10.4	7.3	12.1	7.4	8.0	7.0
Colored	32.4	59.7	54.6	61.9	42.0	54.2	51.6	66.2	46.9	83.7
New Orleans, La. (total)	16.2	23.4	18.4	21.0	25.7	23.3	23.6	24.8	23.6	24.6
White	12.9	9.5	12.1	9.4	15.4	10.0	10.6	11.5	8.1	10.6
Colored	25.5	62.6	36.2	57.0	54.6	60.5	60.2	62.0	85.6	63.7
Baltimore, Md. (total)	6.4	6.5	10.1	8.4	8.1	6.7	7.3	7.2	4.2	4.9
White	3.3	2.9	4.6	6.0	3.5	4.4	4.2	4.7	*2.5*	*3.5*
Colored	23.7	26.9	38.4	21.1	31.8	18.8	23.5	20.8	13.4	12.6
Boston, Mass.	4.5	5.6	3.7	3.7	4.1	5.3	3.8	5.2	4.7	5.0
Cambridge, Mass.	*2.7*	*1.8*	.....	*1.8*	*1.9*	*1.9*	.....	*3.8*	.....	*1.9*
Fall River, Mass.	.....	.....	*0.8*	*0.8*	*1.7*	*3.3*	*1.7*	.....	*1.7*	*2.5*
Lowell, Mass.	*1.3*	*1.3*	*2.7*	*2.7*	*0.9*	*1.8*	4.6	.....	*0.9*	*1.9*
New Bedford, Mass.	*0.8*	*2.5*	*2.6*	*1.7*	*2.7*	.....	*3.7*	*2.9*	.....	*1.0*
Springfield, Mass.	6.8	3.9	*3.2*	5.0	6.1	*2.7*	*3.3*	5.9	7.1	5.3
Worcester, Mass.	*2.2*	*1.1*	3.4	7.6	3.0	3.7	6.2	4.5	3.9	*2.7*
Detroit, Mich.	13.7	8.6	6.2	14.1	9.0	5.1	5.9	7.6	*5.2*	3.2
Grand Rapids, Mich.	*2.2*	*1.5*	3.7	.....	*2.4*	*2.4*	*3.3*	5.8	4.2	*1.7*
Minneapolis, Minn.	6.5	5.3	4.9	2.2	8.2	6.7	5.1	4.9	4.4	*3.5*
St. Paul, Minn.	5.5	5.1	5.2	7.4	7.0	8.4	5.8	3.6	2.7	3.2
Kansas City, Mo.	27.1	35.6	37.1	36.1	22.6	23.2	25.6	27.1	21.8	24.0
St. Louis, Mo.	12.6	16.3	17.0	21.0	16.3	15.4	15.7	13.1	13.7	15.6
Omaha, Nebr.	11.4	12.6	5.9	7.7	10.9	12.9	14.3	8.8	7.6	10.9
Camden, N. J.	6.0	11.3	5.3	7.2	*3.7*	7.5	7.7	5.9	14.1	*4.1*
Jersey City, N. J.	3.3	5.7	7.8	4.8	3.5	5.3	4.3	4.0	*0.7*	3.3
Newark, N. J.	4.1	7.1	4.9	6.5	5.4	5.7	4.8	4.9	5.8	3.4
Paterson, N. J.	*2.9*	7.4	4.5	9.0	*3.0*	3.8	*1.5*	7.8	4.7	3.9
Trenton, N. J.	*2.5*	*0.8*	*3.5*	5.3	*3.6*	*2.8*	4.7	7.7	5.9	5.0
Albany, N. Y.	*0.9*	*2.7*	*2.7*	4.5	11.9	*3.8*	5.7	*1.0*	10.7	6.9
Buffalo, N. Y.	4.9	4.8	5.3	6.8	5.7	5.1	5.2	4.4	4.1	5.8

(See footnotes at end of table.)

AREA.	DEATH RATE FROM HOMICIDE PER 100,000 POPULATION. Rates for deaths numbering less than 5 are shown *italics*									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—con.										
New York, N. Y.	6.2	5.7	4.8	4.7	5.2	5.3	6.0	6.7	6.3	6.3
Bronx borough	1.9	3.5	2.2	3.7	3.4	3.4	3.0	3.8	4.2	3.8
Brooklyn borough	5.2	4.0	4.7	3.9	4.1	3.7	5.7	5.7	5.1	4.5
Manhattan borough	8.8	8.0	6.4	6.1	7.0	7.4	7.4	8.8	8.1	8.0
Queens borough	5.9	5.0	1.8	2.6	3.7	3.7	3.8	3.8	2.8	5.2
Richmond borough	*3.4*	4.3	*2.7*	*2.8*	*1.9*	*2.0*	*2.0*	*2.1*	5.4	11.1
Rochester, N. Y.	1.7	4.4	2.5	3.3	2.3	4.3	*1.6*	3.4	3.4	6.6
Syracuse, N. Y.	4.0	2.9	4.2	*2.5*	7.5	*0.6*	*2.6*	3.4	*1.4*	*2.1*
Yonkers, N. Y.	*3.0*	5.0	*2.1*	*4.2*	*1.1*	*2.2*	*1.1*	*3.5*	*4.7*	6.1
Akron, Ohio	19.5	14.9	13.9	15.0	13.8	7.1	3.9	*3.5*	8.0	5.8
Cincinnati, Ohio	6.0	7.2	11.8	17.4	14.6	13.7	12.7	11.2	11.0	15.2
Cleveland, Ohio	13.0	10.9	12.6	15.8	11.9	8.8	9.0	6.8	6.1	8.5
Columbus, Ohio	6.7	12.0	17.5	13.9	9.7	5.2	7.3	7.5	13.9	6.9
Dayton, Ohio	5.2	3.3	6.8	11.9	17.9	*2.2*	5.3	8.6	4.8	6.6
Toledo, Ohio	11.8	20.0	18.1	21.3	16.0	12.2	10.6	13.6	6.0	6.8
Youngstown, Ohio	18.6	19.2	29.5	20.0	18.2	9.9	15.1	13.8	19.0	22.4
Portland, Oreg.	4.2	8.2	4.8	7.3	2.5	4.7	5.7	9.5	6.9	5.2
Philadelphia, Pa.	6.4	6.6	7.4	6.7	6.4	4.8	4.9	5.5	4.0	4.2
Pittsburgh, Pa.	10.3	10.4	10.4	10.1	13.2	7.8	5.7	7.8	5.7	5.4
Reading, Pa.	*2.8*	5.6	*1.9*	*0.9*	*1.9*	*2.9*	*2.0*	*3.0*	.....	9.3
Scranton, Pa.	5.1	3.6	*2.2*	7.4	5.9	4.5	5.3	6.8	6.8	3.8
Providence, R. I.	2.9	6.3	3.4	6.0	3.9	3.0	5.7	6.1	2.6	7.1
Memphis, Tenn. (total)	63.0	62.1	47.4	50.8	(5)	38.2	73.8	69.0	64.9	63.6
White	20.6	24.2	22.5	12.0	(5)	38.6	25.5	28.4	30.3	18.6
Colored	133.6	128.4	90.2	116.5	(5)	169.6	151.6	133.4	118.9	132.6
Nashville, Tenn. (total)	13.5	24.6	24.8	18.1	(5)	29.7	32.5	42.5	36.6	35.9
White	*4.8*	17.0	14.8	12.5	(5)	19.1	12.9	19.6	19.8	14.7
Colored	33.7	42.0	47.6	30.7	(5)	52.7	74.7	91.1	71.6	79.6
Dallas, Tex. (total)	21.1	17.8	17.6	28.5	34.5	(5)	(5)	(5)	(5)	(5)
White	11.0	10.5	9.1	14.2	14.8	(5)	(5)	(5)	(5)	(5)
Colored	78.5	58.4	63.2	103.4	134.8	(5)	(5)	(5)	(5)	(5)
Houston, Tex. (total)	15.0	21.3	18.0	41.4	(5)	(5)	(5)	(5)	(5)	(5)
White	4.7	15.6	9.9	34.2	(5)	(5)	(5)	(5)	(5)	(5)
Colored	46.6	33.6	41.7	62.2	(5)	(5)	(5)	(5)	(5)	(5)
San Antonio, Tex.	9.7	10.1	12.6	27.0	20.3	21.3	18.4	21.2	24.2	31.5
Salt Lake City, Utah	4.2	7.7	4.4	11.7	8.3	10.4	18.3	11.9	15.3	12.6
Norfolk, Va. (total)	37.4	50.9	41.7	19.7	25.2	35.2	26.1	21.7	13.6	9.4
White	24.5	18.3	16.1	7.6	17.4	13.2	8.6	*5.4*	*5.7*	*2.0*
Colored	59.0	104.7	83.5	39.2	37.8	70.0	53.4	46.7	25.5	20.5
Richmond, Va. (total)	7.5	8.8	10.7	10.9	16.6	17.5	27.4	19.8	24.7	20.6
White	*2.5*	5.2	8.8	*3.6*	4.6	7.5	5.5	*4.5*	7.0	*1.2*
Colored	18.5	16.7	14.9	26.1	41.2	37.6	69.3	48.5	57.2	55.3
Seattle, Wash.	5.0	10.6	5.6	8.5	8.3	11.1	12.9	7.2	11.3	8.1
Spokane, Wash.	*2.9*	6.7	*3.8*	6.7	7.7	13.4	9.6	9.6	6.7	9.6
Milwaukee, Wis.	3.0	2.2	4.3	6.6	2.6	3.3	5.3	3.4	4.0	2.8

[1] Exclusive of Hawaii.
[2] Including District of Columbia.
[3] Not added to registration area until a later date.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Transcripts for deaths not received.

NOTE.—The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.

For 1920 the number of deaths from homicide in the registration area is 6,205, corresponding to a rate of 7.1 per 100,000 population, as against 7.5 in 1919. The higher rates in recent years are due to the addition of states with large colored populations.

80476—22——5

The rate in the registration area for the white population is 5 in 1920 against 5.1 in 1911, and the rate for the colored 29.6 in 1920 against 40.2 in 1911. The states with the highest rates in 1920 are Florida (20.2), Mississippi (19.8), and South Carolina (15.2). The states with the lowest rates are Maine (1.4), Wisconsin (1.7), New Hampshire and Rhode Island (each 1.8).

For the registration cities of 100,000 population or more in 1920, the highest rates in 1920 are for Memphis (63), Atlanta (39.9), and Norfolk (37.4). The extremely high rates for Memphis and Atlanta are due to the high rates for the colored population (133.6 for Memphis and 107.3 for Atlanta), while a special study of the high rate for Memphis in 1920 shows that 30 per cent of the homicides are of nonresidents. Fall River is the only city credited with no homicides in 1920, though very low rates are shown for New Bedford (0.8) and Albany (0.9).

For the most part, in both states and cities, the death rates from homicides in 1920 are lower than those in 1919, though notable exceptions among the cities are seen in the cases of Denver, with a rate of 12 against one of 5.5 in 1919, and Detroit, with a rate of 13.7 against one of 8.6 in 1919.

From the standpoint of prevention, it is interesting to note that 72 per cent of all homicides in the registration area in 1920 are caused by firearms as against 62 per cent in 1915 and 60 per cent in 1911.

UNKNOWN OR ILL-DEFINED DISEASES.

The marked improvement in the certification of causes of death is shown in the table below.

Although the per cent of total deaths classified as due to unknown or ill-defined diseases by no means tells the whole story in regard to certification, still it does serve as a very reliable index of the character of such certification. The per cent of certificates showing unknown or ill-defined diseases in the registration area fell steadily from 4.2 in 1900 to 0.8 in 1912. The slightly higher per cents (1.1 in 1916 and 1918, 1.3 in 1917, and 1.4 in 1919 and 1920) are largely accounted for by the addition of new territory to the registration area for those years.

AREA.	Year admitted to the registration area.	PER CENT OF TOTAL DEATHS DUE TO UNKNOWN OR ILL-DEFINED DISEASES.																							
		1900	1901	1902	1903	1904	1905	Annual average, 1900 to 1905	1906	1907	1908	1909	1910	Annual average, 1906 to 1910	1911	1912	1913	1914	1915	Annual average, 1911 to 1915	1916	1917	1918	1919	1920	Annual average, 1916 to 1920
Registration area [1]	.....	4.2	3.4	3.3	2.8	2.5	2.5	3.1	2.4	2.1	2.0	1.7	1.5	1.9	0.9	0.8	1.0	0.9	0.8	0.9	1.1	1.3	1.1	1.4	1.4	1.2
REGISTRATION STATES.																										
California	1906	.....	.....	.....	.....	.....	.....	.....	2.1	1.7	1.3	0.9	0.6	1.3	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1
Colorado	1906	.....	.....	.....	.....	.....	.....	.....	1.3	1.2	0.6	0.5	0.6	0.8	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.2
Connecticut	1890	1.5	1.5	1.6	1.5	1.5	1.5	1.5	1.3	1.5	1.5	1.5	1.5	1.4	0.6	0.5	0.6	0.5	0.5	0.6	0.4	0.4	0.3	0.4	0.3	0.4
Delaware	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.3	(2)
Florida	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5.5	5.1	(2)
Illinois	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.4	0.3	(2)
Indiana	1900	6.1	4.4	4.1	3.1	2.8	2.7	3.9	2.1	1.6	0.8	0.4	0.3	1.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1
Kansas	1914	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.8	1.7	(2)	1.5	1.3	1.1	1.1	0.9	1.2
Kentucky	1911	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.8	4.0	2.7	3.9	3.6	3.6	3.5	3.2	2.6	3.1	2.4	2.9
Louisiana	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.4	3.0	2.9	(2)
Maine	1900	5.5	5.3	4.7	4.7	4.6	3.6	4.7	4.4	3.6	2.7	2.8	3.0	3.3	1.6	1.8	1.5	1.6	1.3	1.6	1.7	1.6	1.2	1.3	1.1	1.4
Maryland	1906	.....	.....	.....	.....	.....	.....	.....	4.2	4.1	4.0	3.9	4.0	4.0	1.8	1.5	1.2	1.3	1.5	1.5	1.3	1.1	0.7	1.0	0.8	0.9
Massachusetts	1880	3.6	3.4	3.5	2.9	2.1	2.2	2.9	2.2	2.2	2.4	1.7	1.2	1.9	0.5	0.5	0.4	0.5	0.4	0.4	0.5	0.5	0.4	0.4	0.3	0.4
Michigan	1900	4.7	3.6	3.2	3.1	3.3	3.8	3.7	3.3	3.1	2.7	2.3	2.3	2.7	1.0	1.2	0.9	0.8	0.6	0.9	0.7	0.6	0.6	0.6	0.5	0.6
Minnesota	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.1	(2)	1.4	1.2	1.0	1.0	0.7	1.1	1.0	0.7	0.7	0.7	0.7	0.7
Mississippi	1919	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11.1	10.3	(2)
Missouri	1911	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.7	1.6	1.5	1.4	1.6	1.6	1.5	1.3	1.1	1.4	1.4	1.3
Montana	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.9	(2)	1.8	1.9	2.5	2.3	2.0	2.1	2.1	2.0	0.7	1.2	1.7	1.5
Nebraska	1920	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.3	(2)
New Hampshire	1890	6.0	5.5	4.7	3.2	3.1	3.2	4.3	2.6	2.7	2.4	2.0	1.8	2.3	0.7	0.5	0.7	0.5	0.4	0.6	0.5	0.4	0.2	0.5	0.3	0.4
New Jersey	1880	4.2	3.8	3.8	3.4	2.9	2.9	3.5	2.6	2.4	2.3	2.2	1.5	2.2	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.1	0.2	0.1	0.2	0.2
New York	1890	3.1	2.3	2.2	2.1	1.9	1.8	2.2	1.7	1.0	1.1	0.9	0.9	1.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
North Carolina	[3] 1916	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5.8	(2)	3.6	2.9	4.0	5.3	5.1	4.3	8.5	8.6	7.8	8.4	9.4	8.5
Ohio	1909	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1.1	0.9	(2)	0.5	0.5	0.5	0.6	0.6	0.5	0.7	0.7	0.6	0.7	0.7	0.7
Oregon	1918	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	0.7	0.5	(2)
Pennsylvania	1906	.....	.....	.....	.....	.....	.....	.....	2.8	2.6	2.4	2.3	2.3	2.5	1.0	1.0	0.9	0.7	0.6	0.8	0.5	0.5	0.4	0.4	0.4	0.4
Rhode Island	1890	2.0	1.8	1.3	1.4	1.3	1.4	1.5	1.3	1.3	1.3	1.8	1.3	1.4	0.7	0.5	0.5	0.5	0.5	0.5	0.4	0.6	0.5	0.5	0.5	0.5
South Carolina	1916	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4.8	4.7	3.2	3.8	3.7	4.0
South Dakota [4]	1906	.....	.....	.....	.....	.....	.....	.....	10.1	6.8	5.9	8.4	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tennessee	1917	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6.6	4.7	5.5	5.8	(2)
Utah	1910	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3.4	(2)	1.7	2.1	2.0	2.4	2.6	2.2	3.4	3.5	2.4	3.5	2.5	3.0
Vermont	1890	5.4	4.5	4.0	2.9	3.2	2.9	3.8	2.5	1.8	0.8	0.6	0.5	1.2	0.4	0.3	0.2	0.2	0.2	0.3	0.1	0.2	0.1	.....	0.2	0.1
Virginia	1913	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8.8	4.1	3.8	(2)	3.8	4.2	3.2	3.8	3.8	3.7
Washington	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.2	2.2	1.8	(2)	1.5	1.6	1.4	1.3	1.5	1.4	1.2	1.0	0.9	0.8	0.9	0.9
Wisconsin	1908	.....	.....	.....	.....	.....	.....	.....	.....	.....	2.9	2.7	2.2	(2)	0.9	0.7	0.9	0.5	0.3	0.7	0.3	0.8	0.6	0.7	0.4	0.5
CERTAIN REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.																										
New York	1880	2.2	2.1	1.8	1.9	1.5	1.6	1.8	1.4	0.9	1.0	0.8	0.9	1.0	0.1	0.1	0.1	0.1	0.1	0.1	(5)	(5)	(5)	(5)	(5)	(5)
Philadelphia	1880	4.6	4.2	4.5	2.6	2.0	2.4	3.4	1.8	1.7	1.8	1.6	1.0	1.6	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Chicago	1880	1.2	1.1	1.0	0.8	0.7	0.7	0.9	0.6	0.7	0.4	0.1	0.1	0.4	(5)	(5)	(5)	0.1	0.1	(5)	(5)	(5)	(5)	(5)	(5)	(5)
Boston	1880	2.5	2.4	2.7	2.3	2.0	2.2	2.3	2.2	2.4	2.5	1.1	1.0	1.8	0.3	0.2	0.2	0.3	0.3	0.3	0.4	0.2	0.3	0.3	0.1	0.3
Cleveland	1880	10.0	4.2	3.5	3.3	2.7	2.4	4.4	2.3	2.2	2.5	0.3	0.3	1.5	0.1	(5)	0.2	0.6	0.8	0.3	1.4	1.5	1.5	1.5	1.8	1.5
Washington, D. C.	1880	2.0	1.9	2.0	2.0	1.8	1.5	1.9	1.3	1.7	1.5	1.6	1.5	1.5	0.3	0.3	0.2	0.1	0.1	0.2	0.1	0.1	0.1	(5)	0.1	0.1
Baltimore	1880	4.1	3.4	3.5	3.3	2.6	3.1	3.3	3.1	2.7	3.1	3.0	2.7	2.9	1.1	0.8	0.3	0.2	0.3	0.6	0.1	0.1	0.1	(5)	0.1	0.1
St. Louis	1880	4.2	4.2	4.7	2.7	2.1	1.9	3.2	1.8	1.6	1.6	1.2	0.4	1.3	0.1	(5)	0.1	0.1	(5)	0.1	(5)	(5)	(5)	0.1	0.1	(5)
Cincinnati	1880	5.1	1.7	1.4	2.2	1.9	2.0	2.3	2.2	1.8	0.9	0.9	0.4	1.3	0.2	(5)	(5)	0.1	(5)	0.1	0.6	.....	0.1	0.1	0.2	0.2
New Orleans	1880	4.7	3.5	2.9	2.8	2.4	1.9	3.0	1.9	2.1	1.9	2.2	0.5	1.7	(5)	(5)	(5)	.....	(5)	(5)	.....	(5)	(5)	0.1	(5)	(5)

[1] Exclusive of Hawaii.
[2] Average not shown for less than 5 years.
[3] From 1910 to 1914 returns received only from municipalities of 1,000 population or more in 1900; for 1914 and 1915, returns received only from municipalities of 1,000 population or more in 1910; in 1916 the remainder of the state was added to the registration area.
[4] Dropped from the registration area in 1910.
[5] Less than one-tenth of 1 per cent.

NOTE.—Previous to 1900 the registration area comprised certain states and cities for which mortality figures were compiled only for the census years 1880 and 1890 from data collected by census enumerators.

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is known in but two-thirds of the 34 states of the death registration area, no consideration in the usual way of infant mortality for the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

The following tables indicate that in recent years infant deaths form a much smaller part of total deaths and that the decreases have occurred principally after the second week of life. Premature birth, malformations, injuries at birth, bronchopneumonia, and influenza form considerably larger per cents of the total in 1920 than in 1911.

PER CENT OF DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE, TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1911 TO 1920.

AGE.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
Deaths under 1 year of age to total deaths	15.0	14.4	13.0	15.7	16.1	16.6	17.3	17.9	17.7	17.9
Total deaths under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1 day	16.9	16.6	14.9	15.8	15.6	16.0	14.6	13.3	12.7	11.8
1 day	5.2	5.2	4.9	4.9	5.0	5.0	5.1	4.9	5.2	5.3
2 days	4.0	4.0	3.6	3.8	3.8	3.7	3.8	3.4	3.5	3.3
3 to 6 days	7.4	7.2	6.4	7.2	7.2	7.1	7.3	6.7	6.9	6.8
1 week	6.1	6.6	5.9	6.2	6.0	6.2	6.3	6.2	6.2	6.1
2 weeks	4.4	4.5	4.3	4.6	4.4	4.7	4.8	4.7	4.8	4.8
3 weeks but under 1 month	3.7	3.6	3.4	3.7	3.5	3.7	3.7	3.7	3.9	3.7
1 month	8.4	8.5	8.4	8.9	8.8	9.0	9.2	9.5	9.6	9.8
2 months	6.7	6.8	7.0	7.0	7.0	7.3	7.6	7.7	8.0	7.9
3 to 5 months	15.5	16.0	16.4	16.2	16.2	16.3	16.7	17.5	17.3	17.7
6 to 8 months	11.9	11.9	13.6	12.0	12.4	11.9	12.0	12.5	12.4	12.8
9 to 11 months	9.9	9.1	11.3	9.7	10.1	9.1	9.1	9.9	9.6	9.9

PER CENT OF DEATHS FROM CERTAIN IMPORTANT CAUSES TO TOTAL DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1911 TO 1920.

Det. Int. List No.	CAUSE OF DEATH.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
	All causes under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
6	Measles	1.3	0.5	1.0	1.0	1.4	0.7	0.7	1.3	0.8	0.9
7	Scarlet fever	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2
8	Whooping cough	3.5	1.4	3.0	2.2	2.4	2.1	2.3	2.1	2.1	2.4
9	Diphtheria and croup	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5
10	Influenza	2.5	4.0	6.3	0.8	0.9	0.6	0.3	0.4	0.3	0.4
14	Dysentery	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3
18	Erysipelas	0.5	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5
24	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
28, 29	Tuberculosis of the lungs	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	0.6	0.6
30	Tuberculous meningitis	0.6	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.8	0.8
31-35	Other forms of tuberculosis	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
37	Syphilis	1.0	1.1	1.0	1.3	1.3	1.3	1.2	1.2	1.1	1.2
61	Meningitis	0.7	0.8	0.8	0.9	0.8	0.9	1.0	1.0	1.1	1.4
71	Convulsions	1.1	1.1	1.1	1.1	1.2	1.6	2.0	2.1	2.4	2.6
79	Organic diseases of the heart	0.4	0.4	0.3	0.4	0.3	0.4	0.4	0.5	0.6	0.6
89	Acute bronchitis	2.3	2.5	2.3	2.6	2.3	2.4	2.4	2.5	2.7	2.6

PER CENT OF DEATHS FROM CERTAIN IMPORTANT CAUSES TO TOTAL DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES, AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1911 TO 1920—Continued.

Det. Int. List No.	CAUSE OF DEATH.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
92	Pneumonia	3.7	3.7	5.1	4.6	4.0	4.4	4.5	4.5	5.0	4.8
91	Bronchopneumonia	10.2	9.8	9.6	9.5	9.1	9.8	9.1	8.5	8.3	7.4
102, 103	Diseases of the stomach	1.2	1.5	1.4	1.2	1.4	1.5	1.7	1.9	2.0	2.0
104	Diarrhea and enteritis	18.7	19.4	20.0	22.5	22.9	21.9	22.8	24.2	23.3	25.0
150	Malformations	7.9	8.0	6.8	7.3	7.1	6.6	6.7	5.9	5.8	5.5
151a	Premature birth	21.9	21.8	20.0	20.5	20.1	19.6	18.5	17.2	17.0	15.8
151b, 152b, 153	Congenital debility, etc	8.8	9.6	9.1	9.2	9.8	11.5	12.3	13.3	13.4	12.6
152a	Injuries at birth	4.9	4.5	3.5	4.4	4.2	4.2	3.9	3.4	3.3	3.2
164-186	External causes	1.1	1.1	1.0	1.3	1.2	1.1	1.1	1.1	1.1	1.3
187-189	Unknown or ill-defined diseases	0.9	1.1	1.0	1.0	1.0	0.9	0.9	0.9	0.9	1.0
	All other causes	5.1	4.8	4.2	5.1	5.7	5.4	5.2	4.9	5.4	5.8

In default of data showing the number of births in the death registration states as of 1910 (exclusive of North Carolina) death rates per 1,000 estimated mid-year population under 1 year of age instead of per 1,000 live births, are shown by certain important causes for children under 1 year of age. The rate from all causes in 1920 is 100.8 against 94.4 in 1919, the increase being largely due to higher rates from whooping cough, premature birth, bronchopneumonia, measles, and injuries at birth.

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE, FROM CERTAIN IMPORTANT CAUSES, IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA), FOR THE YEARS 1911 TO 1920.

Det. Int. List No.	CAUSE OF DEATH.	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
	All causes under 1 year of age	100.8	94.4	119.3	110.0	111.7	108.6	113.2	119.7	114.7	117.4
6	Measles	1.3	0.5	1.2	1.2	1.5	0.7	0.8	1.5	0.9	1.0
7	Scarlet fever	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2
8	Whooping cough	3.5	1.3	3.6	2.5	2.7	2.2	2.5	2.5	2.4	2.8
9	Diphtheria and croup	0.5	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.5	0.6
10	Influenza	2.6	3.8	7.5	0.9	1.0	0.7	0.3	0.4	0.4	0.5
14	Dysentery	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.4	0.3	0.4
18	Erysipelas	0.5	0.4	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.6
24	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2
28, 29	Tuberculosis of the lungs	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6	0.7
30	Tuberculous meningitis	0.6	0.7	0.8	0.9	0.9	0.9	0.9	1.0	0.9	1.0
31-35	Other forms of tuberculosis	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.4
37	Syphilis	1.0	1.1	1.2	1.4	1.5	1.4	1.4	1.4	1.3	1.4
61	Meningitis	0.7	0.7	0.9	0.9	0.9	1.0	1.2	1.2	1.3	1.6
71	Convulsions	1.1	1.1	1.3	1.2	1.3	1.7	2.3	2.5	2.8	3.0
79	Organic diseases of the heart	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.7	0.7
89	Acute bronchitis	2.3	2.3	2.7	2.8	2.6	2.6	2.7	3.0	3.1	3.1
92	Pneumonia	3.7	3.5	6.1	5.1	4.5	4.8	5.0	5.4	5.8	5.7
91	Bronchopneumonia	10.3	9.3	11.5	10.5	10.1	10.6	10.3	10.2	9.5	8.7
102, 103	Diseases of the stomach	1.2	1.4	1.6	1.3	1.6	1.6	1.9	2.3	2.3	2.4
104	Diarrhea and enteritis	18.9	18.3	23.9	24.8	25.5	23.8	25.8	29.0	26.7	29.4
150	Congenital malformations	8.0	7.6	8.1	8.0	8.0	7.2	7.6	7.0	6.6	6.5
151a	Premature birth	22.1	20.6	23.8	22.6	22.4	21.3	20.9	20.6	19.6	18.6
151b, 152b, 153	Congenital debility, etc	8.9	9.0	10.8	10.1	11.0	12.5	13.9	15.9	15.4	14.8
152a	Injuries at birth	4.9	4.2	4.2	4.9	4.7	4.5	4.4	4.0	3.8	3.7
164-186	External causes	1.1	1.0	1.2	1.5	1.3	1.2	1.3	1.4	1.3	1.5
187-189	Unknown or ill-defined diseases	1.0	1.0	1.2	1.1	1.1	1.0	1.0	1.0	1.1	1.1
	All other causes	5.2	4.6	5.0	5.6	6.3	5.8	5.9	5.8	6.2	6.8

The following tables, giving mortality rates per 1,000 estimated population under 1 year of age, show the improvement which has taken place in the rates for the first year of life in the various states; for the birth registration area of 1915, specific rates are presented which should never be used as infant mortality rates (deaths of infants under 1 year of age per 1,000 live births), but which are valuable for purposes of comparison with the infant mortality rates given in the annual report Birth Statistics, published by the Bureau of the Census. For example, for the state of of Connecticut the 1920 infant mortality rate is given in the birth report as 92, while in the following table the specific rate for Connecticut is 103.1, a figure 12 per cent greater than the infant mortality rate.

AREA.	DEATH RATE FROM ALL CAUSES[1] FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE.		
	1920	1910	1900
Original registration states[2]	105.7	141.5	162.2
Registration states as of 1910 (exclusive of North Carolina)	100.8	132.0	.....
REGISTRATION STATES.			
California	91.5	91.6	[3]
Colorado	101.9	104.2	[3]
Connecticut	103.1	142.9	177.7
Indiana	95.8	106.9	114.1
Maine	119.9	140.5	154.4
Maryland	125.6	151.9	[3]
Massachusetts	111.0	160.6	189.6
Michigan	103.9	126.8	133.1
Minnesota	75.4	92.3	[3]
Montana	66.3	89.2	[3]

[1] Exclusive of stillbirths.
[2] States shown for 1900 and the District of Columbia.
[3] Not added to registration area until a later date.

AREA.	DEATH RATE FROM ALL CAUSES[1] FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE.		
	1920	1910	1900
New Hampshire	110.8	165.1	176.0
New Jersey	102.4	148.3	180.5
New York	104.7	143.5	167.4
Ohio	91.0	115.5	[3]
Pennsylvania	109.2	149.6	[3]
Rhode Island	103.3	181.2	215.7
Utah	83.4	82.1	[3]
Vermont	109.0	109.6	126.5
Washington	72.5	84.1	[3]
Wisconsin	84.5	103.0	[3]
District of Columbia	120.9	193.7	284.6

NOTE.—The deaths returned from North Carolina in 1910 included only those from municipalities having a population of 1,000 or more in 1900. (The population of these areas formed about 16 per cent of the total population of the state.)

AREA.	DEATH RATE FROM ALL CAUSES[1] FOR CHILDREN UNDER 1 YEAR OF AGE, PER 1,000 ESTIMATED POPULATION UNDER 1 YEAR OF AGE.					
	1920	1919	1918	1917	1916	1915
Registration states of the birth registration area of 1915	105.7	99.2	127.9	117.1	119.9	119.0
REGISTRATION STATES.						
Connecticut	103.1	98.3	135.8	123.0	128.0	127.7
Maine	119.9	95.4	115.3	105.1	117.1	115.0
Massachusetts	111.0	103.5	145.2	126.9	127.7	129.0
Michigan	103.9	98.4	108.2	107.4	116.2	98.7
Minnesota	75.4	71.1	81.6	76.4	80.5	81.1
New Hampshire	110.8	102.9	137.0	130.7	137.3	135.2
New York	104.7	97.5	121.2	116.3	117.7	124.6
Pennsylvania	109.2	106.2	145.2	127.2	128.3	124.1
Rhode Island	103.3	107.1	154.7	131.7	131.4	126.3
Vermont	109.0	91.0	104.6	95.2	106.1	97.4
District of Columbia	120.9	106.9	142.0	115.6	123.2	128.5

[1] Exclusive of stillbirths.

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

One of the principal difficulties in classifying deaths according to the International List is the fact that each year the Census Bureau receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with nothing to indicate which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. In many cases no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings, not only by physicians but by registration officers.

In its effort to improve the statement of cause of death, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mortality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends largely upon the precision and completeness with which the information is supplied by the medical profession. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

The following tables show the results obtained in 1920 by sending queries to physicians:

RESULTS OBTAINED BY SENDING QUERIES TO PHYSICIANS: 1920.

Detailed List No.	UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Per cent changed.	International titles and subtitles (detailed list) increased most by queries.
	Total [1]	23,925	11,501	48.1	6, 8, 10, 28, 30, 37, 38 61 (3), 63 (2), 64, 92 (1), 104, 137, 138, 151 (1).
9	Croup, membranous laryngitis.	88	36	40.9	87, 91.
20	Septicemia, sepsis, blood poisoning.	244	170	69.7	37, 100, 137, 144, 186.
55	Autointoxication, toxemia, ptomaine poisoning.	203	102	50.2	104, 105, 164.
60	Cerebral abscess	92	56	60.9	10, 37, 76, 146.
61	Meningitis, cerebral meningitis, cerebrospinal meningitis (undefined).	1,315	964	73.3	10, 30, 37, 61 (3), 76, 104, 146, 186.
64	Cerebral congestion	28	19	67.9	4, 172.
65	Cerebral softening	69	33	47.8	64, 81, 82.
66	Hemiplegia, paralysis, general paralysis.	2,057	1,461	71.0	37, 63 (2), 64, 67, 79, 81, 82, 120.
67	Paresis	377	194	51.5	37, 63 (2), 64, 65, 66, 120, 154.
70	Convulsions (5 years and over).	46	37	80.4	133.
71	Convulsions (under 5 years).	532	207	38.9	103, 104, 151 (1), 152 (1).
74	Cerebral tumor	8	3	37.5	30.
79	Acute cardiac dilatation, cardiac insufficiency.	921	247	26.8	10, 37, 47, 78, 81, 92 (1), 103, 120.
85	Hemorrhage	20	17	85.0	64, 134.
87	Edema of glottis	14	7	50.0	100.
91	Bronchopneumonia	7,497	1,833	24.4	6, 7, 8, 9, 10, 28, 37, 92 (1), 93, 104, 150 (2), 151 (1), 152 (1).
92	Pneumonia (undefined), typhoid pneumonia.	3,140	2,801	89.2	1, 6, 8, 10, 28, 91, 92 (1), 120.
94	Pulmonary congestion, edema of lungs.	236	178	75.4	10, 79, 91, 92 (1), 120.
98	Pulmonary abscess and hemorrhage.	271	166	61.3	10, 28, 92 (1), 100, 186
101	Stricture of esophagus	29	14	48.3	40, 150 (3), 165.
103	Gastritis, indigestion, acute indigestion.	1,433	579	40.4	58, 79, 102, 104, 105, 164.
104 105	Intestinal congestion	2	1	50.0	4.
115	Liver trouble, disease of liver.	3	2	66.7	150 (3).
117	Peritonitis, general and septic peritonitis.	337	243	72.1	38, 102, 104, 105, 108, 109 (2), 132, 137, 172.
119	Acute Bright's disease, acute nephritis.	1,502	452	30.1	4, 6, 7, 9, 10, 37, 79, 100, 120, 138.
120	Bright's disease, nephritis, uremia.	476	180	37.8	7, 10, 119, 138.
122	Renal congestion, disease of kidneys.	13	11	84.6	120.
132	Salpingitis, pyosalpinx, pus tubes.	414	281	67.9	37, 38, 137.
144	Abscess, cellulitis	5	4	80.0	152 (1).
150	Hydrocephalus	64	16	25.0	30, 74.
151	Inanition, debility, marasmus, etc. (under 1 year).	1,957	876	44.8	28, 36, 37, 89, 103, 104, 150 (2), 150 (3), 151 (1), 152 (1), 152 (2).
154	Senility, old age	28	13	46.4	120.
187	Anasarca, ascites, dropsy	119	92	77.3	79, 119, 120.
189	Natural causes, heart failure, fever, etc.	385	206	53.5	4, 28, 79, 104.

[1] Exclusive of 312 queries from which replies were received too late for correction.

The first test inquiry was made for 1911. Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification, and with each was inclosed a copy of the "Physicians' Pocket Reference to the International List of Causes of Death," the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), the results of this test may be found. It is sufficient to say that approximately 2,000 replies were received, and the additional information obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by replies.

TOTAL DEATHS, NUMBER OF CAUSES QUERIED, AND PER CENT OF CAUSES QUERIED TO TOTAL DEATHS IN THE REGISTRATION AREA: 1920.

AREA.	Total deaths.	CAUSES QUERIED.	
		Number.	Per cent.
The registration area [1]	1,142,558	42,549	3.7
Alabama [2]	4,979	354	7.1
California	47,196	1,220	2.6
Colorado	13,717	785	5.7
Connecticut	18,916	465	2.5
Delaware	3,265	294	9.0
District of Columbia	6,463	200	3.1
Florida	12,720	861	6.8
Georgia [2]	6,789	452	6.7
Illinois	82,296	691	0.8
Indiana	39,430	1,757	4.5
Kansas	20,267	1,454	7.2
Kentucky	28,564	2,378	8.3
Louisiana	21,553	1,098	5.1
Maine	11,872	463	3.9
Maryland	21,362	1,024	4.8
Massachusetts	53,498	845	1.6
Michigan	51,549	2,031	3.9
Minnesota	25,722	136	0.5
Mississippi	22,040	1,593	7.2
Missouri	42,638	1,564	3.7
Montana	5,289	295	5.6
Nebraska	12,976	990	7.6
New Hampshire	6,764	319	4.7
New Jersey	41,326	1,592	3.9
New York	144,558	4,569	3.2
North Carolina	32,654	1,415	4.3
North Dakota [2]	384	9	2.3
Ohio	74,341	466	0.6
Oklahoma [2]	1,135	192	16.9
Oregon	9,246	325	3.5
Pennsylvania	120,902	5,644	4.7
Rhode Island	8,696	285	3.3
South Carolina	23,767	1,169	4.9
Tennessee	28,396	1,275	4.5
Texas [2]	10,193	786	7.7
Utah	5,198	32	[3] 1.5
Vermont	5,536	187	3.4
Virginia	30,514	1,283	4.2
Washington	15,164	575	3.8
West Virginia [2]	1,008	79	7.8
Wisconsin	29,675	1,397	4.7

[1] Exclusive of Hawaii.
[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.
[3] Estimated, as certificates for part of the year were received too late to be queried.

TITLES PRINCIPALLY AFFECTED BY QUERIES SENT TO PHYSICIANS, NET CHANGE, AND PER CENT CHANGED BY QUERIES: 1920.

Detailed Int. List No.	CAUSE OF DEATH.	Total deaths (including net changes by queries).	Net change by queries.[1]	Per cent change by queries.
6	Measles	7,712	+ 301	+ 4.1
8	Whooping cough	10,968	+ 383	+ 3.6
10	Influenza	62,097	+1,343	+ 2.2
20	Purulent infection and septicemia[2]	1,227	— 165	—11.9
28	Tuberculosis of the lungs	84,966	+ 163	+ 0.2
30	Tuberculous meningitis	4,895	+ 120	+ 2.5
37	Syphilis	7,969	+ 300	+ 3.9
38	Gonococcus infection	706	+ 227	+47.4
55	Other general diseases[2]	1,830	— 95	— 4.9
60	Encephalitis[2]	2,167	— 46	— 2.1
61	Meningitis, cerebrospinal meningitis[2]	3,855	— 890	—18.8
61	Cerebrospinal fever	1,426	+ 603	+73.3
63	Other diseases of the spinal cord	4,964	+ 350	+ 7.6
64	Cerebral hemorrhage, apoplexy[2]	70,780	+ 942	+ 1.3
65	Softening of the brain[2]	838	— 23	— 2.7
66	Paralysis (without specified cause)[2]	5,828	—1,441	—19.8
67	General paralysis of the insane[2]	5,030	— 118	— 2.3
70	Convulsions (nonpuerperal)[2]	149	— 37	—19.9
71	Convulsions of infants[2]	2,211	— 207	— 8.6
91	Bronchopneumonia[2]	47,746	— 883	— 1.8
92	Pneumonia (undefined)[2]	8,361	—2,770	—24.9
92	Lobar pneumonia	64,001	+1,532	+ 2.5
94	Pulmonary congestion, pulmonary apoplexy[2]	1,317	— 170	—11.4
98	Other diseases of the respiratory system (tuberculosis excepted)[2]	1,041	— 162	—13.5
103	Other diseases of the stomach (cancer excepted)[2]	7,232	— 498	— 6.4
104	Diarrhea and enteritis (under 2 years)	38,514	+ 841	+ 2.2
117	Simple peritonitis (nonpuerperal)[2]	1,629	— 243	—13.0
119	Acute nephritis[2]	5,704	— 370	— 6.1
132	Salpingitis and other diseases of the female genital organs[2]	1,644	— 257	—13.5
137	Puerperal septicemia	5,800	+ 133	+ 2.3
138	Puerperal albuminuria, and convulsions	4,246	+ 146	+ 3.6
151	Premature birth	38,359	+ 331	+ 0.9
151	Congenital debility, atrophy, marasmus, etc.[2]	9,465	— 873	— 8.4
187	Ill-defined organic diseases[2]	681	— 92	—11.9
189	Not specified or ill-defined[2]	13,754	— 204	— 1.5

[1] A minus sign (—) denotes decrease, a plus sign (+) increase.
[2] Title under which one or more unsatisfactory terms were queried.

AUTOPSIES AND TESTS.

In this country comparatively few autopsies are performed. Of the 34 states in the death registration area in 1920, 21 use the new standard certificate of death, on which is the inquiry whether or not there was an autopsy or test.

The highest percentage of autopsies is in Minnesota, which reports 25,722 deaths and 1,078 autopsies, or 4.2 per cent of the total. The only other states which have more than 2 per cent of autopsies are Oregon and Washington, each showing 2.9 per cent.

The following tables show the percentage of autopsies and the percentage of tests other than autopsies in each of the 21 states which returned this information, and also the percentage of autopsies and tests by certain causes of death.

TOTAL DEATHS AND THE NUMBER AND PER CENT OF THOSE FOR WHICH AN AUTOPSY WAS HELD OR A TEST WAS MADE, FOR EACH REGISTRATION STATE MAKING SUCH A RETURN: 1920.

STATE.	Total deaths.	AUTOPSY. Number.	AUTOPSY. Per cent.	TEST BUT NO AUTOPSY. Number.	TEST BUT NO AUTOPSY. Per cent.
Total	775,253	7,902	1.0	30,643	4.0
California	47,196	10	(1)	136	0.3
Colorado	13,717	8	0.1	649	4.7
Florida	12,720	37	0.3	355	2.8
Illinois	82,296	563	0.7	1,319	1.6
Kansas	20,267	10	(1)	173	0.9
Louisiana	21,553	51	0.2	696	3.2
Massachusetts	53,498	1,023	1.9	4,722	8.8
Michigan	51,549	797	1.5	2,832	5.5
Minnesota	25,722	1,079	4.2	2,333	9.1
Mississippi	22,040	1	(1)	88	0.4
Missouri	42,638	134	0.3	614	1.4
Montana	5,289	99	1.9	446	8.4
New Jersey	41,326	468	1.1	2,455	5.9
New York	144,558	2,020	1.4	6,465	4.5
North Carolina	32,654	162	0.5	819	2.5
Ohio	74,341	460	0.6	2,624	3.5
Oregon	9,246	265	2.9	992	10.7
South Carolina	23,767	20	0.1	66	0.3
Utah	5,193	82	1.6	482	9.3
Virginia	30,514	167	0.5	1,110	3.6
Washington	15,161	446	2.9	1,237	8.2

[1] Less than one-tenth of 1 per cent.

TOTAL DEATHS AND THE NUMBER AND PER CENT OF THOSE FOR WHICH A TEST WAS MADE BY EACH CAUSE SHOWING AT LEAST 10 PER CENT OF TEST, IN THE REGISTRATION STATES MAKING SUCH A RETURN: 1920.

Detailed Int. List No.	CAUSE OF DEATH.	Total deaths.	TEST, BUT NO AUTOPSY. Number.	TEST, BUT NO AUTOPSY. Per cent.
31	Abdominal tuberculosis	2,183	335	15.3
33	White swellings	326	57	17.5
34	Tuberculosis of other organs	843	157	18.6
38	Gonococcus infection	502	120	23.9
39–45	Cancer and other malignant tumors (total)	50,087	8,259	16.5
39	Of the buccal cavity	1,888	257	13.6
40	Of the stomach, liver	18,688	2,164	11.6
41	Of the peritoneum, intestines, rectum	6,756	1,443	21.4
42	Of the female genital organs	7,267	1,520	20.9
43	Of the breast	4,658	1,128	24.2
45	Of other organs or of organs not specified	9,324	1,646	17.7
46	Other tumors (tumors of the female genital organs excepted)	190	35	18.4
51	Exophthalmic goiter	1,106	238	21.5
75	Diseases of the eyes and their annexa	63	13	20.6
76	Diseases of the ears	1,212	176	14.5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	315	35	11.1
88	Diseases of the thyroid body	459	151	32.9
93	Pleurisy	2,301	366	15.9
101	Diseases of the esophagus	95	14	14.7
102	Ulcer of the stomach	2,271	448	19.7
108	Appendicitis and typhlitis	8,143	3,629	44.6
109a	Hernia	2,343	964	41.1
109b	Intestinal obstruction	3,933	931	23.7
110	Other diseases of the intestines	1,199	306	25.5
112	Hydatid tumor of the liver	20	2	10.0
114	Biliary calculi	2,125	952	44.8
115	Other diseases of the liver	2,569	613	23.9
116	Diseases of the spleen	77	17	22.1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	357	96	26.9
122	Other diseases of the kidneys and annexa	1,482	231	15.6
123	Calculi of the urinary passages	369	132	35.8
125	Diseases of the urethra, urinary abscess, etc	246	68	27.6
126	Diseases of the prostate	2,558	856	33.5
127	Nonvenereal diseases of the male genital organs	67	14	20.9
128	Uterine hemorrhage (nonpuerperal)	32	6	18.8
129	Uterine tumor (noncancerous)	1,223	735	60.1
130	Other diseases of the uterus	544	252	46.3
131	Cysts and other tumors of the ovary	460	248	53.9
132	Salpingitis and other diseases of the female genital organs	1,131	542	47.9
141	Puerperal diseases of the breast	6	1	16.7
146	Diseases of the bones (tuberculosis excepted)	1,649	587	35.6
149	Other diseases of the organs of locomotion	48	5	10.4

TOTAL DEATHS AND THE NUMBER AND PER CENT OF THOSE FOR WHICH AN AUTOPSY WAS HELD, BY EACH CAUSE SHOWING AT LEAST [illegible] PER CENT OF AUTOPSY, IN THE REGISTRATION STATES MAKING SUCH A RETURN: 1920.

Detailed Int. List No.	CAUSE OF DEATH.	Total deaths.	AUTOPSY.	
			Number.	Per cent.
15	Plague	10	1	10.0
25	Mycoses	45	5	11.1
29	Acute miliary tuberculosis	2,058	56	2.7
30	Tuberculous meningitis	3,294	49	1.5
31	Abdominal tuberculosis	2,183	44	2.0
32	Pott's disease	691	14	2.0
34	Tuberculosis of other organs	843	22	2.6
35	Disseminated tuberculosis	264	3	1.1
38	Gonococcus infection	502	8	1.6
	Cancer and other malignant tumors—			
40	Of the stomach, liver	18,688	309	1.7
41	Of the peritoneum, intestines, rectum	6,756	171	2.5
45	Of other organs or of organs not specified	9,324	256	2.7
46	Other tumors (tumors of the female genital organs excepted)	190	2	1.1
51	Exophthalmic goiter	1,106	38	3.4
52	Addison's disease	225	8	3.6
53	Leukemia	1,211	31	2.6
54	Anemia, chlorosis	3,291	36	1.1
55	Other general diseases	1,268	17	1.3
56	Alcoholism (acute or chronic)	633	28	4.4
57	Chronic lead poisoning	91	2	2.2
59	Other chronic poisonings	154	7	4.5
60	Encephalitis	1,461	55	3.8
61a	Simple meningitis	1,628	27	1.7
61c	Cerebrospinal fever	940	18	1.9
63a	Acute anterior poliomyelitis	576	11	1.9
67	General paralysis of the insane	3,556	97	2.7
68	Other forms of mental alienation	1,086	12	1.1
69	Epilepsy	2,104	39	1.9
70	Convulsions (nonpuerperal) (5 years and over)	114	2	1.8
74	Other diseases of the nervous system	1,815	116	6.4
76	Diseases of the ears	1,212	40	3.3
77	Pericarditis	553	34	6.1
78	Acute endocarditis	4,516	55	1.2
81	Diseases of the arteries, atheroma, aneurism, etc.	13,912	134	1.0
82	Embolism and thrombosis	2,649	64	2.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	315	6	1.9
84	Diseases of the lymphatic system (lymphangitis, etc.)	400	37	9.3
87	Diseases of the larynx	523	7	1.3
88	Diseases of the thyroid body	459	14	3.1
93	Pleurisy	2,301	67	2.9
95	Gangrene of the lung	170	8	4.7
97	Pulmonary emphysema	97	1	1.0
98	Other diseases of the respiratory system (tuberculosis excepted)	665	10	1.5
100	Diseases of the pharynx	2,038	25	1.2
101	Diseases of the esophagus	95	8	8.4
102	Ulcer of the stomach	2,271	76	3.3
105	Diarrhea and enteritis (2 years and over)	5,936	126	2.1
106	Ankylostomiasis	19	1	5.3
108	Appendicitis and typhlitis	8,143	194	2.4
109a	Hernia	2,343	67	2.9
109b	Intestinal obstruction	3,933	104	2.6
110	Other diseases of the intestines	1,199	42	3.5
111	Acute yellow atrophy of the liver	231	12	5.2
112	Hydatid tumor of the liver	20	1	5.0
113	Cirrhosis of the liver	4,325	85	2.0
114	Biliary calculi	2,125	75	3.5
115	Other diseases of the liver	2,569	78	3.0
116	Diseases of the spleen	77	8	10.4
117	Simple peritonitis (nonpuerperal)	1,041	37	3.6
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	357	24	6.7
122	Other diseases of the kidneys and annexa	1,482	70	4.7
123	Calculi of the urinary passages	369	16	4.3
125	Diseases of the urethra, urinary abscess, etc.	246	4	1.6
126	Diseases of the prostate	2,558	56	2.2
127	Nonvenereal diseases of the male genital organs	67	1	1.5
129	Uterine tumor (noncancerous)	1,223	30	2.5
130	Other diseases of the uterus	544	15	2.8
131	Cysts and other tumors of the ovary	460	12	2.6
132	Salpingitis and other diseases of the female genital organs	1,131	35	3.1
133	Nonpuerperal diseases of the breast (cancer excepted)	33	1	3.0
134	Accidents of pregnancy	1,619	18	1.1
136	Other accidents of labor	1,661	17	1.0
137	Puerperal septicemia	3,907	55	1.4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	407	5	1.2
140	Following childbirth (not otherwise defined)	53	2	3.8
144	Acute abscess	466	16	3.4
145	Other diseases of the skin and annexa	493	7	1.4
146	Diseases of the bones (tuberculosis excepted)	1,649	49	3.0
147	Diseases of the joints (tuberculosis and rheumatism excepted)	202	2	1.0
149	Other diseases of the organs of locomotion	48	1	2.1
150a	Hydrocephalus	861	17	2.0
150c	Other congenital malformations	2,764	55	2.0
152b	Other causes peculiar to early infancy	3,673	39	1.1
153	Lack of care	99	3	3.0
155-163	Suicide	6,351	168	2.6
164-186	Accidental or undefined	42,550	916	2.2
182-184	Homicide	4,327	414	9.6

The causes of death which are credited with the largest percentages of autopsies are mycoses, diseases of the spleen, and plague, which show in each case at least 10 per cent of autopsies. The causes which are credited with the largest percentages of tests are uterine tumor (noncancerous) (60.1), cysts and other tumors of the ovary (53.9), salpingitis and other diseases of the female genital organs (47.9), other diseases of the uterus (46.3), biliary calculi (44.8), appendicitis and typhlitis (44.6), and hernia (41.1).

SUMMARY AND RATE TABLES.

SUMMARY AND RATE TABLES.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1920.

[The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines. Rates for deaths numbering less than 5 are shown in *Italics*. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920, smaller places being included in the "rural districts."]

AREA.	POPULATION.		DEATHS: 1920.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1920.	Number.	Rate per 1,000 estimated population.
SUMMARY.				
The registration area (exclusive of Hawaii) (total)	86,897,779	87,486,713	1,142,558	13.1
White	79,403,123	79,962,364	1,007,117	12.6
Colored	7,494,656	7,524,349	135,441	18.0
Registration states[1] (total)	85,473,571	86,043,627	1,118,070	13.0
White	78,332,501	78,875,902	990,859	12.6
Colored	7,141,070	7,167,725	127,211	17.7
Cities in registration states[1] (total)	41,303,067	41,733,567	589,020	14.1
White	38,941,881	39,340,989	534,759	13.6
Colored	2,361,186	2,392,578	54,261	22.7
Rural part of registration states (total)	44,170,504	44,310,060	529,050	11.9
White	39,390,620	39,534,913	456,100	11.5
Colored	4,779,884	4,775,147	72,950	15.3
Registration cities in nonregistration states (total)	1,424,208	1,443,086	24,488	17.0
White	1,070,622	1,086,462	16,258	15.0
Colored	353,586	356,624	8,230	23.1
All registration cities[1] (total)	42,727,275	43,176,653	613,508	14.2
White	40,012,503	40,427,451	551,017	13.6
Colored	2,714,772	2,749,202	62,491	22.7
ALABAMA.				
Registration cities[2] (total)	283,047	286,205	4,979	17.4
White	169,035	171,172	2,255	13.2
Colored	114,012	115,033	2,724	23.7
CALIFORNIA.				
Total	3,426,861	3,480,902	47,196	13.6
White	3,264,711	3,316,472	44,223	13.3
Colored	162,150	164,430	2,973	18.1
Cities (total)	1,957,108	1,992,502	28,157	14.1
White	1,875,999	1,910,024	26,364	13.8
Colored	81,109	82,478	1,793	21.7
Rural districts (total)	1,469,753	1,488,400	19,039	12.8
White	1,388,712	1,406,448	17,859	12.7
Colored	81,041	81,952	1,180	14.4
COLORADO.				
Total	939,629	946,870	13,717	14.5
White	924,103	931,348	13,315	14.3
Colored	15,526	15,522	402	25.9
Cities (total)	362,516	364,862	6,529	17.9
White	352,813	355,138	6,279	17.7
Colored	9,703	9,724	250	25.7
Rural districts (total)	577,113	582,008	7,188	12.4
White	571,290	576,210	7,036	12.2
Colored	5,823	5,798	152	26.2
CONNECTICUT.				
Total	1,380,631	1,394,324	18,916	13.6
White	1,358,732	1,372,113	18,414	13.4
Colored	21,899	22,211	502	22.6
Cities (total)	1,034,703	1,046,569	14,494	13.8
White	1,016,462	1,028,017	14,062	13.7
Colored	18,241	18,552	432	23.3
Rural districts (total)	345,928	347,755	4,422	12.7
White	342,270	344,096	4,352	12.6
Colored	3,658	3,659	70	19.1
DELAWARE.				
Total	223,003	224,068	3,265	14.6
White	192,615	193,722	2,593	13.4
Colored	30,388	30,346	672	22.1
Cities (total)	110,168	111,248	1,563	14.0
White	99,382	100,376	1,313	13.1
Colored	10,786	10,872	250	23.0
Rural districts (total)	112,835	112,820	1,702	15.1
White	93,233	93,346	1,280	13.7
Colored	19,602	19,474	422	21.7
FLORIDA.				
Total	968,470	979,586	12,720	13.0
White	638,153	648,170	7,591	11.7
Colored	330,317	331,416	5,129	15.5
Cities (total)	236,758	240,722	3,721	15.5
White	157,401	160,435	2,609	13.1
Colored	79,357	80,287	1,622	20.2
Rural districts (total)	731,712	738,864	8,999	12.2
White	480,752	487,735	5,482	11.2
Colored	250,960	251,129	3,517	14.0
GEORGIA.				
Registration cities[3] (total)	350,829	354,494	6,789	19.2
White	218,987	221,708	3,396	15.3
Colored	131,842	132,756	3,393	25.6
ILLINOIS.				
Total	6,485,280	6,528,886	82,296	12.6
White	6,299,333	6,339,112	78,299	12.4
Colored	185,947	189,774	3,997	21.1
Cities (total)	3,808,158	3,846,621	50,815	13.2
White	3,656,052	3,690,609	47,667	12.9
Colored	152,106	156,012	3,148	20.2
Rural districts (total)	2,677,122	2,682,265	31,481	11.7
White	2,643,281	2,648,503	30,632	11.6
Colored	33,841	33,762	849	25.1
INDIANA.				
Total	2,930,390	2,942,210	39,430	13.4
White	2,849,071	2,859,841	37,623	13.2
Colored	81,319	82,369	1,807	21.9
Cities (total)	1,171,825	1,186,732	16,674	14.1
White	1,104,630	1,118,234	15,201	13.6
Colored	67,195	68,498	1,473	21.5
Rural districts (total)	1,758,565	1,755,478	22,756	13.0
White	1,744,441	1,741,607	22,422	12.9
Colored	14,124	13,871	334	24.1
KANSAS.				
Total	1,769,257	1,773,289	20,267	11.4
White	1,708,906	1,712,746	19,033	11.1
Colored	60,351	60,543	1,229	20.3
Cities (total)	417,749	421,497	6,087	14.4
White	381,453	384,949	5,391	13.8
Colored	36,296	36,548	756	20.7
Rural districts (total)	1,351,508	1,351,792	14,180	10.5
White	1,327,453	1,327,797	13,707	10.3
Colored	24,055	23,995	473	19.7

[1] Includes District of Columbia.

[2] Includes Birmingham, Mobile, and Montgomery.

[3] Includes Atlanta, Augusta, Brunswick, and Savannah.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1920—Continued.

[See note at head of this table, p. 74.]

AREA.	POPULATION.		DEATHS: 1920.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1920.	Number.	Rate per 1,000 estimated population.
KENTUCKY.				
Total	2,416,630	2,423,156	28,564	11.8
White	2,180,560	2,188,420	24,004	11.0
Colored	236,070	234,736	4,560	19.4
Cities (total)	431,920	433,096	6,867	15.9
White	363,532	364,712	5,276	14.5
Colored	68,388	68,384	1,591	23.3
Rural districts (total)	1,984,710	1,990,060	21,697	10.9
White	1,817,028	1,823,708	18,728	10.3
Colored	167,682	166,352	2,969	17.8
LOUISIANA.				
Total	1,798,509	1,805,827	21,553	11.9
White	1,096,611	1,104,621	10,805	9.8
Colored	701,898	701,206	10,748	15.3
Cities (total)	496,148	500,296	9,094	18.2
White	350,886	354,119	5,143	14.5
Colored	145,262	146,177	3,951	27.0
Rural districts (total)	1,302,361	1,305,531	12,459	9.5
White	745,725	750,502	5,662	7.5
Colored	556,636	555,029	6,797	12.2
MAINE.				
Total	768,014	769,334	11,872	15.4
White	765,695	767,019	11,833	15.4
Colored	2,319	2,315	39	16.8
Cities (total)	214,921	216,471	3,667	16.9
White	214,079	215,625	3,650	16.9
Colored	842	846	17	20.1
Rural districts (total)	553,093	552,863	8,205	14.8
White	551,616	551,394	8,183	14.8
Colored	1,477	1,469	22	15.0
MARYLAND.				
Total	1,449,661	1,457,603	21,362	14.7
White	1,204,737	1,212,056	16,152	13.3
Colored	244,924	245,552	5,210	21.2
Cities (total)	814,007	820,430	12,522	15.3
White	698,163	703,813	9,796	13.9
Colored	115,844	116,617	2,726	23.4
Rural districts (total)	635,654	637,173	8,840	13.9
White	506,574	508,243	6,356	12.5
Colored	129,080	128,935	2,484	19.3
MASSACHUSETTS.				
Total	3,852,356	3,877,382	53,498	13.8
White	3,803,524	3,828,173	52,438	13.7
Colored	48,832	49,209	1,060	21.5
Cities (total)	3,144,077	3,166,418	43,422	13.7
White	3,100,946	3,122,870	42,507	13.6
Colored	43,131	43,548	915	21.0
Rural districts (total)	708,279	710,964	10,076	14.2
White	702,578	705,303	9,931	14.1
Colored	5,701	5,661	145	25.6
MICHIGAN.				
Total	3,668,412	3,712,613	51,549	13.9
White	3,601,627	3,643,672	49,834	13.7
Colored	66,785	68,941	1,715	24.9
Cities (total)	1,894,612	1,943,562	27,534	14.2
White	1,840,790	1,887,482	26,230	13.9
Colored	53,822	56,080	1,304	23.3
Rural districts (total)	1,773,800	1,769,051	24,015	13.6
White	1,760,837	1,756,190	23,604	13.4
Colored	12,963	12,861	411	32.0
MINNESOTA.				
Total	2,387,125	2,403,164	25,722	10.7
White	2,368,936	2,384,887	25,309	10.6
Colored	18,189	18,277	413	22.6
Cities (total)	825,722	833,253	10,975	13.2
White	817,138	824,566	10,795	13.1
Colored	8,584	8,687	180	20.7
MINNESOTA—continued.				
Rural districts (total)	1,561,403	1,569,911	14,747	9.4
White	1,551,798	1,560,321	14,514	9.3
Colored	9,605	9,590	233	24.3
MISSISSIPPI.				
Total	1,790,618	1,790,283	22,040	12.3
White	853,962	857,456	7,923	9.2
Colored	936,656	932,827	14,117	15.1
Cities (total)	136,201	136,906	3,369	24.6
White	77,832	78,467	1,374	17.5
Colored	58,369	58,439	1,995	34.1
Rural districts (total)	1,654,417	1,653,377	18,671	11.3
White	776,130	778,989	6,549	8.4
Colored	878,287	874,388	12,122	13.9
MISSOURI.				
Total	3,404,055	3,409,758	42,638	12.5
White	3,225,044	3,229,685	38,862	12.0
Colored	179,011	180,073	3,776	21.0
Cities (total)	1,354,925	1,364,067	20,481	15.0
White	1,236,420	1,243,927	17,878	14.4
Colored	118,505	120,140	2,603	21.7
Rural districts (total)	2,049,130	2,045,691	22,157	10.8
White	1,988,624	1,985,758	20,984	10.6
Colored	60,506	59,933	1,173	19.6
MONTANA.				
Total	548,889	557,791	5,289	9.5
White	534,260	543,205	4,968	9.1
Colored	14,629	14,586	321	22.0
Cities (total)	117,205	118,148	1,660	14.1
White	115,626	116,601	1,611	13.8
Colored	1,579	1,547	49	31.7
Rural districts (total)	431,684	439,643	3,629	8.3
White	418,634	426,604	3,357	7.9
Colored	13,050	13,039	272	20.9
NEBRASKA.				
Total	1,296,372	1,301,737	12,976	10.0
White	1,279,219	1,284,314	12,579	9.8
Colored	17,153	17,423	397	22.8
Cities (total)	282,609	285,539	4,062	14.2
White	270,648	273,296	3,854	14.1
Colored	11,961	12,243	208	17.0
Rural districts (total)	1,013,763	1,016,198	8,914	8.8
White	1,008,571	1,011,018	8,725	8.6
Colored	5,192	5,180	189	36.5
NEW HAMPSHIRE.				
Total	443,083	443,728	6,764	15.2
White	442,331	442,971	6,753	15.2
Colored	752	757	11	14.5
Cities (total)	193,739	194,751	2,929	15.0
White	193,304	194,311	2,920	15.0
Colored	435	440	9	20.5
Rural districts (total)	249,344	248,977	3,835	15.4
White	249,027	248,660	3,833	15.4
Colored	317	317	2	6.3
NEW JERSEY.				
Total	3,155,900	3,187,767	41,326	13.0
White	3,037,087	3,067,535	38,851	12.7
Colored	118,813	120,232	2,475	20.6
Cities (total)	2,070,129	2,089,203	27,240	13.0
White	1,990,595	2,008,526	25,529	12.7
Colored	79,534	80,677	1,711	21.2
Rural districts (total)	1,085,771	1,098,564	14,086	12.8
White	1,046,492	1,059,009	13,322	12.6
Colored	39,279	39,555	764	19.3

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 ESTIMATED POPULATION, IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1920—Continued.

[See note at head of this table, p. 74.]

AREA.	POPULATION.		DEATHS: 1920.	
	Census of Jan. 1, 1920.	Estimated as of July 1, 1920.	Number.	Rate per 1,000 estimated population.
NEW YORK.				
Total	10,385,227	10,450,718	144,558	13.8
White	10,172,027	10,234,096	140,374	13.7
Colored	213,200	216,622	4,184	19.3
Cities (total)	8,103,046	8,167,565	109,781	13.4
White	7,915,035	7,976,061	106,050	13.3
Colored	188,011	191,504	3,731	19.5
Rural districts (total)	2,282,181	2,283,153	34,777	15.2
White	2,256,992	2,258,035	34,324	15.2
Colored	25,189	25,118	453	18.0
NORTH CAROLINA.				
Total	2,559,123	2,577,296	32,654	12.7
White	1,783,779	1,798,368	20,189	11.2
Colored	775,344	778,928	12,465	16.0
Cities (total)	310,512	314,968	5,788	18.4
White	202,042	205,136	3,210	15.6
Colored	108,470	109,832	2,578	23.5
Rural districts (total)	2,248,611	2,262,328	26,866	11.9
White	1,581,737	1,593,232	16,979	10.7
Colored	666,874	669,096	9,887	14.8
OHIO.				
Total	5,759,394	5,810,498	74,341	12.8
White	5,571,893	5,619,121	70,313	12.5
Colored	187,501	191,377	4,028	21.0
Cities (total)	3,163,845	3,208,702	42,185	13.1
White	3,021,465	3,062,567	39,059	12.8
Colored	142,380	146,135	3,126	21.4
Rural districts (total)	2,595,549	2,601,796	32,156	12.4
White	2,550,428	2,556,554	31,254	12.2
Colored	45,121	45,242	902	19.9
OREGON.				
Total	783,389	789,087	9,246	11.7
White	769,146	775,020	8,923	11.5
Colored	14,243	14,067	323	23.0
Cities (total)	300,587	303,248	4,115	13.6
White	294,508	297,336	3,997	13.4
Colored	6,079	5,912	118	20.0
Rural districts (total)	482,802	485,839	5,131	10.6
White	474,638	477,684	4,926	10.3
Colored	8,164	8,155	205	25.1
PENNSYLVANIA.				
Total	8,720,017	8,774,347	120,902	13.8
White	8,432,726	8,482,426	114,800	13.5
Colored	287,291	291,921	6,102	20.9
Cities (total)	4,427,087	4,468,678	66,435	14.9
White	4,202,706	4,240,287	61,547	14.5
Colored	224,381	228,391	4,888	21.4
Rural districts (total	4,292,930	4,305,669	54,467	12.7
White	4,230,020	4,242,139	53,253	12.6
Colored	62,910	63,530	1,214	19.1
RHODE ISLAND.				
Total	604,397	607,580	8,696	14.3
White	593,980	597,146	8,422	14.1
Colored	10,417	10,434	274	26.3
Cities (total)	501,362	504,202	7,372	14.6
White	492,249	495,065	7,123	14.4
Colored	9,113	9,137	249	27.3
Rural districts (total)	103,035	103,378	1,324	12.8
White	101,731	102,081	1,299	12.7
Colored	1,304	1,297	25	19.3
SOUTH CAROLINA.				
Total	1,683,724	1,692,394	23,767	14.0
White	818,538	825,716	9,425	11.4
Colored	865,186	866,678	14,342	16.5
Cities (total)	172,784	174,458	4,219	24.2
White	102,016	103,441	1,970	19.0
Colored	70,768	71,017	2,249	31.7
SOUTH CAROLINA—continued.				
Rural districts (total)	1,510,940	1,517,936	19,548	12.9
White	716,522	722,275	7,455	10.3
Colored	794,418	795,661	12,093	15.2
TENNESSEE.				
Total	2,337,885	2,345,770	28,396	12.1
White	1,885,993	1,894,984	20,226	10.7
Colored	451,892	450,786	8,170	18.1
Cities (total)	447,708	450,964	8,519	18.9
White	312,735	315,673	5,057	16.0
Colored	134,973	135,291	3,462	25.6
Rural districts (total)	1,890,177	1,894,806	19,877	10.5
White	1,573,258	1,579,311	15,169	9.6
Colored	316,919	315,495	4,708	14.9
TEXAS.				
Registration cities [1] (total)	620,868	631,180	10,193	16.1
White	523,263	532,573	8,304	15.6
Colored	97,605	98,607	1,889	19.2
UTAH.				
Total	449,396	453,313	5,193	11.5
White	441,901	445,780	5,065	11.4
Colored	7,495	7,533	133	17.7
Cities (total)	161,217	162,819	2,312	14.2
White	159,194	160,797	2,265	14.1
Colored	2,023	2,022	47	23.2
Rural districts (total)	288,179	290,494	2,886	9.9
White	282,707	284,933	2,800	9.8
Colored	5,472	5,511	86	15.6
VERMONT.				
Total	352,428	352,246	5,536	15.7
White	351,817	351,689	5,530	15.7
Colored	611	557	6	10.8
Cities (total)	47,741	47,896	831	17.4
White	47,626	47,782	830	17.4
Colored	115	114	1	8.8
Rural districts (total)	304,687	304,350	4,705	15.5
White	304,191	303,907	4,700	15.5
Colored	496	443	5	11.3
VIRGINIA.				
Total	2,309,187	2,321,938	30,514	13.1
White	1,617,909	1,629,657	18,353	11.3
Colored	691,278	692,281	12,161	17.6
Cities (total)	550,261	556,245	9,024	16.2
White	369,380	373,843	4,966	13.3
Colored	180,881	182,402	4,058	22.2
Rural districts (total)	1,758,926	1,765,693	21,490	12.2
White	1,248,529	1,255,814	13,337	10.7
Colored	510,397	509,879	8,103	15.9
WASHINGTON.				
Total	1,356,621	1,367,675	15,164	11.1
White	1,319,777	1,330,627	14,330	10.8
Colored	36,844	37,048	834	22.5
Cities (total)	642,017	647,259	7,845	12.1
White	624,428	629,512	7,464	11.9
Colored	17,589	17,747	381	21.5
Rural districts (total)	714,604	720,416	7,319	10.2
White	695,349	701,115	6,866	9.8
Colored	19,255	19,301	453	23.5
WISCONSIN.				
Total	2,632,067	2,647,426	29,675	11.2
White	2,616,938	2,632,202	29,349	11.1
Colored	15,129	15,224	326	21.4
Cities (total)	962,129	970,614	12,269	12.6
White	957,486	965,860	12,170	12.6
Colored	4,643	4,754	99	18.9
Rural districts (total)	1,669,938	1,676,812	17,406	10.4
White	1,659,452	1,666,342	17,170	10.3
Colored	10,486	10,470	235	22.5

[1] Includes Beaumont, Dallas, El Paso, Galveston, Houston, and San Antonio.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920.

[The populations are estimated by the arithmetical method, based on the censuses of 1910 and 1920. Rates for deaths numbering less than 5 are shown in *italics*. Minor areas containing state insane asylums, state hospitals, etc., are designated by an asterisk (*). The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Figures for white and colored are shown separately for areas (except as indicated in the footnotes) only when the colored population of the area formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. A detailed explanation of this table will be found on p. 109.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES.									
ALABAMA.[1]									
Birmingham (total)	181,249	2,982	16.5	2,949	2,978	343	2,635	14.5	−12
White	110,042	1,361	12.4	1,332	1,354	224	1,130	10.3	−17
Colored	71,207	1,621	22.8	1,617	1,624	119	1,505	21.1	− 7
Mobile (total)	61,218	1,117	18.2	1,071	1,084	125	959	15.7	−14
White	37,250	553	14.8	518	526	83	443	11.9	−20
Colored	23,968	564	23.5	553	558	42	516	21.5	− 9
Montgomery (total)	43,738	880	20.1	876	883	77	806	18.4	− 8
White	23,880	341	14.3	338	342	58	284	11.9	−17
Colored	19,858	539	27.1	538	541	19	522	26.3	− 3
CALIFORNIA.									
Alameda	29,085	358	12.3	335	351	3	348	12.0	− 2
Bakersfield	18,943	347	18.3	344	358	1	357	18.8	+ 3
Berkeley	56,840	583	10.3	525	573	8	565	9.9	− 4
Eureka	12,978	217	16.7	216	218	....	218	16.8	+ 1
Fresno	49,718	661	13.3	657	672	1	671	13.5	+ 2
Glendale*	14,092	290	20.6	289	290	1	289	20.5	.....
Long Beach	57,539	758	13.2	673	687	40	647	11.2	−15
Los Angeles (total)	588,328	8,274	14.1	8,231	8,309	5	8,304	14.1	.....
White	557,765	7,735	13.9	7,693	7,768	5	7,763	13.9	.....
Colored	30,563	539	17.6	538	541	....	541	17.7	+ 1
Oakland (total)	219,665	2,585	11.8	2,540	2,644	9	2,635	12.0	+ 2
White	207,200	2,421	11.7	2,378	2,477	8	2,469	11.9	+ 2
Colored	12,465	164	13.2	162	167	1	166	13.3	+ 1
Pasadena	46,084	562	12.2	559	573	2	571	12.4	+ 2
Pomona	13,675	225	16.5	223	223	....	223	16.3	− 1
Richmond	17,360	155	8.9	155	161	....	161	9.3	+ 4
Riverside	19,554	302	15.4	302	307	....	307	15.7	+ 2
Sacramento	66,486	1,179	17.7	1,086	1,113	6	1,107	16.7	− 6
San Bernardino*	19,027	396	20.8	394	396	....	396	20.8	.....
San Diego	70,452	1,325	17.3	1,107	1,119	73	1,046	13.7	−21
San Francisco (total)	511,300	7,259	14.2	6,768	6,847	98	6,749	13.2	− 7
White	494,658	6,799	13.7	6,372	6,448	80	6,368	12.9	− 6
Colored	16,642	460	27.6	396	399	18	381	22.9	−17
San Jose	39,966	493	12.3	487	506	....	506	12.7	+ 3
Santa Ana	15,848	226	14.3	226	229	....	229	14.4	+ 1
Santa Barbara	19,842	257	13.0	248	252	1	251	12.6	− 3
Santa Cruz	[2] 10,917	209	19.1	207	211	....	211	19.3	+ 1
Santa Monica	15,633	251	16.1	248	249	....	249	15.9	− 1
Stockton*	40,812	839	20.6	839	860	1	859	21.0	+ 2
Vallejo	21,611	329	15.2	328	338	....	338	15.6	+ 3
Venice	10,759	77	7.2	77	77	....	77	7.2	.....
COLORADO.									
Boulder	11,082	209	18.9	209	214	1	213	19.2	+ 2
Colorado Springs	[2] 30,105	703	23.4	703	714	17	697	23.2	− 1
Denver	258,712	4,484	17.3	4,393	4,431	91	4,340	16.8	− 3
Greeley	11,101	190	17.1	190	196	7	189	17.0	− 1
Pueblo	43,117	727	16.9	717	720	9	711	16.5	− 2
Trinidad	10,916	216	19.8	210	212	1	211	19.3	− 3
CONNECTICUT.									
Ansonia	17,771	189	10.6	188	232	2	230	12.9	+22
Bridgeport	146,693	1,872	12.8	1,779	1,820	....	1,820	12.5	− 2
Bristol	20,987	249	11.9	245	289	....	289	13.8	+16
Danbury town	[2] 22,325	371	16.6	314	325	....	325	14.6	−12
Derby	11,354	203	17.9	154	167	....	167	14.7	−18
East Hartford town	11,829	119	10.1	116	126	....	126	10.7	+ 6
Enfield town	11,822	129	10.9	126	131	....	131	11.1	+ 2
Fairfield town	11,751	122	10.4	116	136	....	136	11.6	+12
Greenwich town	22,415	286	12.8	256	259	....	259	11.6	− 9
Hartford	140,051	2,296	16.4	1,873	1,934	2	1,932	13.8	−16
REGISTRATION CITIES—Con.									
CONNECTICUT—con.									
Manchester town	18,614	113	6.1	112	127	....	127	6.8	+11
Meriden town	34,903	500	14.3	473	500	....	500	14.3	.....
Middletown town*	22,201	531	23.9	475	483	....	483	21.8	− 9
Milford town	10,494	127	12.1	104	115	....	115	11.0	− 9
Naugatuck	15,171	130	8.6	126	152	....	152	10.0	+16
New Britain	60,109	659	11.0	633	663	....	663	11.0	.....
New Haven	164,027	2,375	14.5	2,193	2,265	4	2,261	13.8	− 5
New London	25,999	383	14.7	337	354	....	354	13.6	− 7
Norwalk	27,925	391	14.0	352	363	....	363	13.0	− 7
Norwich town*	29,760	574	19.3	524	547	1	546	18.3	− 5
Orange town	16,889	284	16.8	265	274	....	274	16.2	− 4
Stamford town	40,645	539	13.3	473	485	4	481	11.8	−11
Stonington town	10,292	105	10.2	99	104	2	102	9.9	− 3
Stratford town	12,689	140	11.0	136	152	....	152	12.0	+ 9
Torrington town	22,324	225	10.1	212	225	....	225	10.1	.....
Wallingford town	12,055	143	11.9	139	161	....	161	13.4	+13
Waterbury	92,672	1,238	13.4	1,163	1,200	....	1,200	12.9	− 4
Windham town	13,863	201	14.5	178	186	2	184	13.3	− 8
DELAWARE.									
Wilmington (total)	111,248	1,563	14.0	1,547	1,582	....	1,582	14.2	+ 1
White	100,376	1,313	13.1	1,297	1,330	....	1,330	13.3	+ 2
Colored[5]	10,872	250	23.0	250	252	....	252	23.2	+ 1
DISTRICT OF COLUMBIA.									
Washington (total)	443,056	6,463	14.6	6,103	6,248	20	6,228	14.1	− 3
White	331,532	4,163	12.6	3,926	4,054	17	4,037	12.2	− 3
Colored[5]	111,524	2,300	20.6	2,177	2,194	3	2,191	19.6	− 5
FLORIDA.									
Jacksonville (total)	92,771	1,563	16.8	1,412	1,441	37	1,404	15.1	−10
White	50,739	719	14.2	608	627	24	603	11.9	−16
Colored	42,032	844	20.1	804	814	13	801	19.1	− 5
Key West (total)	[2] 18,749	298	15.9	292	295	1	294	15.7	− 1
White	14,693	216	14.7	210	212	1	211	14.4	− 2
Colored	4,056	82	20.2	82	83	....	83	20.5	+ 1
Miami (total)	30,813	481	15.6	425	438	13	425	13.8	−12
White	21,148	282	13.3	229	239	7	232	11.0	−17
Colored	9,665	199	20.6	196	199	6	193	20.0	− 3
Pensacola (total)	31,450	455	14.5	439	449	6	443	14.1	− 3
White	21,029	254	12.1	244	252	3	249	11.8	− 2
Colored	10,421	201	19.3	195	197	3	194	18.6	− 4
St. Petersburg (total)	14,758	214	14.5	158	162	30	132	8.9	−39
White	12,250	165	13.5	112	115	30	85	6.9	−49
Colored	2,508	49	19.5	46	47	....	47	18.7	− 4
Tampa (total)	52,243	710	13.6	649	672	5	667	12.8	− 6
White	40,561	463	11.4	416	433	5	428	10.6	− 7
Colored	11,682	247	21.1	233	239	....	239	20.5	− 3
GEORGIA.[1]									
Atlanta (total)	202,902	3,485	17.2	3,446	3,470	278	3,192	15.7	− 9
White	139,530	2,028	14.5	1,991	2,008	248	1,760	12.6	−13
Colored	63,372	1,457	23.0	1,455	1,462	30	1,432	22.6	− 2
Augusta (total)*	52,793	1,122	21.3	1,067	1,071	74	997	18.9	−11
White	30,109	545	18.1	508	509	47	462	15.3	−15
Colored	22,684	577	25.4	559	562	27	535	23.6	− 7
Brunswick (total)	14,631	217	14.8	217	218	5	213	14.6	− 1
White	7,422	89	12.0	89	90	3	87	11.7	− 3
Colored	7,209	128	17.8	128	128	2	126	17.5	− 2
Savannah (total)*	84,138	1,965	23.4	1,940	1,950	105	1,845	21.9	− 6
White	44,647	734	16.4	715	722	86	636	14.2	−13
Colored	39,491	1,231	31.2	1,225	1,228	19	1,209	30.6	− 2

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
REGISTRATION CITIES—Con.										
ILLINOIS.										
Alton	24,875	351	14.1	331	336	1	335	13.5	− 4	
Aurora	36,698	576	15.7	516	537	2	535	14.6	− 7	
Belleville	25,014	321	12.8	277	281	3	278	11.1	−13	
Berwyn	14,578	56	(3)	56	64	....	64	(3)	(3)	
Bloomington	28,866	460	15.9	412	423	2	421	14.6	− 8	
Blue Island	11,575	204	17.6	166	168	....	168	14.5	−18	
Cairo (total)	15,237	321	21.1	284	292	2	290	19.0	−10	
White	10,246	193	18.8	163	171	....	171	16.7	−11	
Colored	4,991	128	25.6	121	121	2	119	23.8	− 7	
Canton	10,937	176	16.1	166	168	1	167	15.3	− 5	
Centralia	12,636	167	13.2	151	157	....	157	12.4	− 6	
Champaign	16,640	224	13.5	189	197	....	197	11.8	−13	
Chicago (total)	2,728,022	34,848	12.8	33,892	34,370	105	34,265	12.6	− 2	
White	2,612,077	32,549	12.5	31,637	32,093	101	31,992	12.2	− 2	
Colored	115,945	2,299	19.8	2,255	2,277	4	2,273	19.6	− 1	
Chicago Heights	19,877	268	13.5	252	265	....	265	13.3	− 1	
Cicero	46,563	331	7.1	329	373	....	373	8.0	+13	
Danville	33,981	583	17.2	521	534	2	532	15.7	− 9	
Decatur	44,359	649	14.6	569	581	1	580	13.1	−10	
East St. Louis (total)	67,191	827	12.3	784	804	1	803	12.0	− 2	
White	59,647	648	10.9	609	627	1	626	10.5	− 4	
Colored	7,544	179	23.7	175	177	....	177	23.5	− 1	
Elgin *	27,331	581	21.1	527	538	1	537	19.5	− 8	
Evanston	37,859	493	13.0	428	468	2	466	12.3	− 5	
Forest Park	10,983	94	8.6	94	101	....	101	9.2	+ 7	
Freeport	19,762	399	20.2	338	340	3	337	17.1	−15	
Galesburg	23,924	376	15.7	330	335	3	332	13.9	−11	
Granite	14,976	159	10.6	150	154	....	154	10.3	− 3	
Herrin	11,199	164	14.6	158	158	....	158	14.1	− 3	
Jacksonville*	15,733	540	34.3	466	473	2	471	29.9	−13	
Joliet	38,637	447	11.6	410	426	1	425	11.0	− 5	
Kankakee	17,046	224	13.1	199	203	2	201	11.8	−10	
Kewanee	16,166	270	16.7	248	256	2	254	15.7	− 6	
La Salle	13,128	196	14.9	165	167	1	166	12.6	−15	
Lincoln *	11,933	251	21.0	225	228	....	228	19.1	− 9	
Mattoon	13,660	197	14.4	182	188	....	188	13.8	− 4	
Maywood	12,270	104	8.5	99	114	....	114	9.3	+ 9	
Moline	31,023	371	12.0	345	358	7	351	11.3	− 6	
Murphysboro (total)	10,869	183	16.8	183	188	....	188	17.3	+ 3	
White	9,739	153	15.7	153	157	....	157	16.1	+ 3	
Colored	1,130	30	26.5	30	31	....	31	27.4	+ 3	
Oak Park	40,910	540	13.2	420	456	1	455	11.1	−16	
Ottawa	10,882	170	15.6	154	163	....	163	15.0	− 4	
Pekin	12,199	122	10.0	119	126	....	126	10.3	+ 3	
Peoria	76,593	1,174	15.3	1,050	1,073	5	1,068	13.9	− 9	
Quincy	2 35,978	554	15.4	480	489	....	489	13.6	−12	
Rock Island	35,623	407	11.4	384	394	9	385	10.8	− 5	
Rockford	66,618	831	12.5	801	821	2	819	12.3	− 2	
Springfield	59,562	1,002	16.8	823	835	1	834	14.0	−17	
Streator	14,806	248	16.7	226	229	2	227	15.3	− 8	
Urbana	10,345	120	11.6	118	125	....	125	12.1	+ 4	
Waukegan	19,389	236	12.2	226	236	1	235	12.1	− 1	
INDIANA.										
Anderson	30,139	401	13.3	396	407	....	407	13.5	+ 2	
Bloomington	11,685	175	15.0	173	176	....	176	15.1	+ 1	
Clinton	11,206	95	8.5	95	117	....	117	10.4	+22	
Crawfordsville	10,175	163	16.0	159	159	....	159	15.6	− 3	
East Chicago	36,841	505	13.7	503	542	....	542	14.7	+ 7	
Elkhart	24,534	351	14.3	342	351	....	351	14.3	....	
Elwood	2 10,790	152	14.1	152	155	....	155	14.4	+ 2	
Evansville	86,022	1,123	13.1	1,075	1,087	....	1,087	12.6	− 4	
REGISTRATION CITIES—Con.										
INDIANA—con.										
Fort Wayne	87,501	1,156	13.2	1,030	1,048	3	1,045	11.9	−10	
Frankfort	11,718	157	13.4	157	159	....	159	13.6	+ 1	
Gary	57,332	797	13.9	739	757	2	755	13.2	− 5	
Hammond	36,781	499	13.6	429	443	....	443	12.0	−12	
Huntington	14,174	196	13.8	196	201	....	201	14.2	+ 3	
Indianapolis (total)	318,007	4,636	14.6	4,441	4,491	4	4,487	14.1	− 3	
White	282,558	3,894	13.8	3,700	3,745	4	3,741	13.2	− 4	
Colored	35,449	742	20.9	741	746	....	746	21.0	.....	
Jeffersonville (total)	2 10,098	131	13.0	130	132	....	132	13.1	+ 1	
White	8,683	102	11.7	101	103	....	103	11.9	+ 2	
Colored	1,415	29	20.5	29	29	....	29	20.5	.....	
Kokomo	31,130	368	11.8	343	350	....	350	11.2	− 6	
Laporte	15,374	226	14.7	219	220	....	220	14.3	− 3	
La Fayette	22,605	469	20.7	378	384	1	383	16.9	−18	
Logansport	21,748	321	14.8	311	324	....	324	14.9	+ 1	
Marion	23,977	362	15.1	344	347	....	347	14.5	− 4	
Michigan City	19,479	266	13.7	252	258	....	258	13.2	− 4	
Mishawaka	15,329	218	14.2	204	206	....	206	13 4	− 6	
Muncie	1 37,169	564	15.2	555	565	....	565	15.2	.....	
New Albany	2 22,992	311	13.5	298	301	....	301	13.1	− 3	
New Castle	14,685	203	13.8	203	206	....	206	14.0	+ 1	
Peru	12,435	181	14.6	178	182	....	182	14.6	.....	
Richmond	26,994	339	12.6	339	345	....	345	12 8	+ 2	
South Bend	71,791	921	12.8	903	932	1	931	13.0	+ 2	
Terre Haute	66,492	997	15.0	921	935	1	934	14.0	− 7	
Vincennes	17,262	271	15.7	263	266	....	266	15.4	− 2	
Whiting	10,329	120	11.6	119	133	....	133	12 9	+11	
KANSAS.										
Arkansas City	11,446	173	15.1	165	167	10	157	13.7	− 9	
Atchison (total)	2 12,630	206	16.3	200	205	....	205	16.2	− 1	
White	11,131	164	14.7	158	162	....	162	14.6	− 1	
Colored	1,499	42	28.0	42	43	....	43	28.7	+ 3	
Chanute	10,338	170	16.4	170	173	....	173	16.7	+ 2	
Coffeyville (total)	13,491	210	15.6	207	208	5	203	15.0	− 4	
White	11,969	172	14.4	169	170	3	167	14.0	− 3	
Colored	1,522	38	25.0	38	38	2	36	23.7	− 5	
El Dorado	11,401	137	12.0	137	142	....	142	12.5	+ 4	
Emporia	11,384	184	16.2	176	181	1	180	15.8	− 2	
Fort Scott	10,705	179	16.7	179	182	....	182	17.0	+ 2	
Hutchinson	23,655	333	14.1	314	318	3	315	13.3	− 6	
Independence	11,979	166	13.9	159	163	7	156	13.0	− 6	
Kansas City (total)	102,080	1,478	14.5	1,385	1,393	8	1,385	13.6	− 6	
White	87,348	1,175	13.5	1,092	1,097	7	1,090	12.5	− 7	
Colored	14,732	303	20.6	293	296	1	295	20.0	− 3	
Lawrence (total)	12,460	176	14.1	170	179	....	179	14.4	+ 2	
White	10,271	140	13.6	135	144	....	144	14.0	+ 3	
Colored	2,189	36	16.4	35	35	....	35	16.0	− 2	
Leavenworth (total)	2 16,912	254	15.0	241	245	....	245	14.5	− 3	
White	14,921	212	14.2	200	204	....	204	13.7	− 4	
Colored	1,991	42	21.1	41	41	....	41	20 6	− 2	
Parsons	16,212	199	12.3	191	192	1	191	11.8	− 4	
Pittsburg	18,213	142	7.8	138	139	....	139	7.6	− 3	
Salina	15,356	208	13.5	183	186	1	185	12.0	−11	
Topeka	50,348	763	15.2	704	714	2	712	14.1	− 7	
Wichita	73,210	1,109	15.1	1,000	1,003	33	975	13.3	−12	
KENTUCKY.										
Ashland	14,932	195	13.1	195	195	....	195	13.1	.....	
Covington	57,229	868	15.2	868	887	....	887	15.5	+ 2	
Henderson (total)	12,206	177	14.5	177	179	....	179	14.7	+ 1	
White	9,240	113	12.2	113	114	....	114	12.3	+ 1	
Colored	2,966	64	21.6	64	65	....	65	21 9	+ 1	

For footnotes, see p. 109.

TABLE 1B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
KENTUCKY—con.									
Lexington* (total)	41,840	955	22.8	955	965	....	965	23.1	+ 1
White	29,315	607	20.7	607	615	....	615	21.0	+ 1
Colored	12,525	348	27.8	348	350	....	350	27.9	.....
Louisville (total)	235,289	3,582	15 2	3,582	3,601	....	3,601	15.3	+ 1
White	195,217	2,693	13.8	2,693	2,711	....	2,711	13.9	+ 1
Colored	40,072	889	22.2	889	890	....	890	22.2	.....
Newport	[2] 29,317	331	11.3	331	343	....	343	11.7	+ 4
Owensboro (total)	17,497	367	21.0	367	370	....	370	21.1	.....
White	14,675	299	20.4	299	302	....	302	20.6	+ 1
Colored	2,822	68	24.1	68	68	....	68	24.1	.....
Paducah (total)	24,837	392	15.8	392	395	....	395	15.9	+ 1
White	19,274	265	13.7	265	268	....	268	13.9	+ 1
Colored	5,563	127	22.8	127	127	....	127	22.8	.....
LOUISIANA.									
Alexandria (total)	17,793	269	15.1	243	253	1	252	14.2	− 6
White	9,840	128	13.0	110	115	1	114	11.6	−11
Colored	7,956	141	17.7	133	138	....	138	17.3	− 2
Baton Rouge (total)	22,137	333	15.0	331	354	....	354	16.0	+ 7
White	13,538	150	11.1	149	156	....	156	11.5	+ 4
Colored	8,599	183	21.3	182	198	....	198	23.0	+ 8
Lake Charles (total)	13,172	214	16.2	202	202	....	202	15.3	− 6
White	8,698	97	11.2	85	85	....	85	9.8	−13
Colored	4,474	117	26.2	117	117	....	117	26.2	.....
Monroe (total)	12,802	250	19.5	234	246	3	243	19 0	− 3
White	7,246	115	15 9	105	112	3	109	15.0	− 6
Colored	5,556	135	24.3	129	134	....	134	24.1	− 1
New Orleans (total)	389,698	6,869	17.6	6,060	6,106	28	6,078	15.6	−11
White	287,797	4,182	14.5	3,725	3,758	26	3,732	13.0	−10
Colored	101,901	2,687	26.4	2,335	2,348	2	2,346	23.0	−13
Shreveport (total)*	44,691	1,159	25.9	907	919	11	908	20.3	−22
White	27,000	471	17.4	363	372	6	366	13.6	−22
Colored	17,691	688	38.9	544	547	5	542	30.6	−21
MAINE.									
Auburn	17,084	182	10.7	182	202	....	202	11.8	+10
Augusta*	14,160	323	22.8	308	312	....	312	22.0	− 4
Bangor*	26,039	572	22.0	514	522	2	520	20.0	− 9
Bath	15,006	178	11.9	175	187	....	187	12.5	+ 5
Biddeford	18,056	280	15.5	260	262	....	262	14.5	− 6
Lewiston	32,077	598	18.6	535	546	1	545	17.0	− 9
Portland	69,824	1,214	17.4	1,094	1,111	2	1,109	15.9	− 9
Sanford town	10,776	128	11.9	128	128	....	128	11.9	.....
Waterville	13,449	192	14.3	186	186	....	186	13.8	− 3
MARYLAND.									
Annapolis (total)	11,343	154	13.6	150	162	3	159	14.0	+ 3
White	8,395	80	9.5	77	87	3	84	10.0	+ 5
Colored	2,948	74	25.1	73	75	....	75	25.4	+ 1
Baltimore (total)	739,506	11,356	15.4	10,666	10,734	154	10,580	14.3	− 7
White	630,022	8,782	13.9	8,218	8,275	112	8,163	13.0	− 6
Colored	109,484	2,574	23.5	2,448	2,459	42	2,417	22.1	− 6
Cumberland (total)	30,182	460	15.2	433	439	35	404	13.4	−12
White	28,731	439	15.3	412	416	35	381	13.3	−13
Colored[6]	1,451	21	14.5	21	23	....	23	15.9	+10
Frederick (total)	11,100	200	18.0	195	198	....	198	17.8	− 1
White	9,876	180	18.2	175	178	....	178	18.0	− 1
Colored	1,224	20	16.3	20	20	....	20	16.3	.....
Hagerstown (total)	28,299	352	12.4	350	360	....	360	12.7	+ 2
White	26,789	315	11.8	313	323	....	323	12.1	+ 3
Colored[5]	1,510	37	24.5	37	37	....	37	24.5	.....
MASSACHUSETTS.									
Adams town	[3] 12,967	122	9.4	119	125	....	125	9.6	+ 2
Amesbury town	10,044	103	10.3	99	113	....	113	11.3	+10
Arlington town	19,051	266	14.0	225	275	....	275	14.4	+ 3
Attleboro	19,913	287	14.4	279	307	1	306	15.4	+ 7
Belmont town	11,018	92	8.3	79	99	1	98	8.9	+ 7

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
MASSACHUSETTS—con.									
Beverly	22,762	284	12.5	254	283	....	283	12.4	− 1
Boston (total)	751,252	11,604	15.4	9,994	10,411	51	10,360	13.8	−10
White	733,543	11,156	15.2	9,582	9,986	48	9,938	13.5	−11
Colored	17,709	448	25.3	412	425	3	422	23.8	− 6
Braintree town	10,710	143	13.4	135	146	....	146	13.6	+ 1
Brocton	66,737	767	11.5	698	765	1	764	11.4	− 1
Brookline town	38,261	387	10.1	289	415	3	412	10.8	+ 7
Cambridge	109,944	1,636	14.9	1,425	1,655	2	1,653	15.0	+ 1
Chelsea	43,736	563	12.9	525	624	1	623	14.2	+10
Chicopee	36,771	390	10.6	385	441	....	441	12.0	+13
Clinton town	[2] 12,979	194	14.9	162	165	....	165	12.7	−15
Danvers town*	11,196	283	25.3	274	302	1	301	26.9	+ 6
Dedham town	10,870	109	10.0	105	126	....	126	11.6	+16
Easthampton town	11,402	132	11.6	132	154	....	154	13.5	+16
Everett	40,462	456	11.3	430	526	3	523	12.9	+14
Fall River	120,546	1,772	14.7	1,721	1,802	1	1,801	14.9	+ 1
Fitchburg	41,194	492	11.9	476	500	....	500	12.1	+ 2
Framingham town	17,243	262	15.2	213	230	....	230	13.3	−13
Gardner town	17,088	232	13.6	214	221	....	221	12.9	− 5
Gloucester	[2] 22,947	320	13.9	309	325	....	325	14.2	+ 2
Greenfield town	15,721	199	12.7	171	192	....	192	12.2	− 4
Haverhill	54,387	730	13.4	703	728	....	728	13.4	.....
Holyoke	60,330	863	14.3	786	808	....	808	13.4	− 6
Lawrence	94,701	1,283	13.5	1,226	1,286	1	1,285	13.6	+ 1
Leominster	19,856	194	9.8	193	211	....	211	10.6	+ 8
Lowell	113,092	1,771	15.7	1,726	1,778	....	1,778	15.7	.....
Lynn	99,653	1,276	12.8	1,218	1,283	....	1,283	12.9	+ 1
Malden	49,345	575	11.7	511	594	....	594	12.0	+ 3
Marlborough	15,051	180	12.0	170	185	....	185	12.3	+ 3
Medford	39,859	421	10.6	384	456	....	456	11.4	+ 8
Melrose	18,332	233	12.7	196	217	....	217	11.8	− 7
Methuen	15,382	213	13.8	185	226	....	226	14.7	+ 7
Milford town	13,492	200	14.8	172	182	1	181	13.4	− 9
Matick town	10,961	149	13.6	132	143	....	143	13.0	− 4
New Bedford	122,482	1,745	14.2	1,699	1,799	2	1,797	14.7	+ 3
Newburyport	15,652	277	17.7	256	269	....	269	17.2	− 3
Newton	46,376	567	12.2	523	575	5	570	12.3	+ 1
North Adams	22,296	302	13.5	280	288	....	288	12.9	− 4
Northampton*	22,081	451	20.4	409	420	....	420	19.0	− 7
Northbridge town	10,245	111	10.8	103	109	....	109	10.6	− 2
Norwood town	12,865	108	8.4	94	104	....	104	8.1	− 4
Peabody	19,749	242	12.3	229	257	....	257	13.0	+ 6
Pittsfield	42,260	583	13.8	503	527	1	526	12.4	−10
Plymouth town	13,092	204	15.6	179	196	....	196	15.0	− 4
Quincy	48,661	487	10.0	449	494	....	494	10.2	+ 2
Revere	29,369	210	7.2	206	283	....	283	9.6	+33
Salem	[2] 42,529	634	14.9	577	606	....	606	14.2	− 5
Saugus town	11,020	96	8.7	90	105	....	105	9.5	+ 9
Somerville	93,908	1,127	12.0	1,054	1,248	4	1,244	13.2	+10
Southbridge town	14,331	124	8.7	123	152	....	152	10.6	+22
Springfield	131,702	1,709	13.0	1,487	1,567	2	1,565	11.9	− 8
Taunton*	37,285	709	19.0	487	508	....	508	13.6	−28
Wakefield town	13,108	140	10.7	133	162	1	161	12.3	+15
Waltham	31,074	388	12.5	318	338	2	336	10.8	−14
Watertown town	21,899	171	7.8	161	218	1	217	9.9	+27
Webster town	13,349	124	9.3	121	142	....	142	10.6	+14
West Springfield town	13,661	122	8.9	118	153	....	153	11.2	+26
Westfield town*	18,736	281	15.0	268	281	....	281	15.0	.....
Weymouth town	15,168	166	10.9	163	182	....	182	12.0	+10
Winchester town	10,546	141	13.4	117	129	....	129	12.2	− 9
Winthrop town	15,730	148	9.4	132	165	....	165	10.5	+12
Woburn	16,640	204	12.3	195	213	1	212	12.7	+ 3
Worcester	181,494	2,668	14.7	2,422	2,487	2	2,485	13.7	− 7

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
MICHIGAN.									
Adrian	11,935	211	17.7	205	211	....	211	17.7	.....
Alpena	[3] 11,101	192	17.3	186	188	....	188	16.9	— 2
Ann Arbor*	19,758	630	31.9	416	423	2	421	21.3	—33
Battle Creek	36,725	605	16.5	563	586	9	577	15.7	— 5
Bay City	47,677	767	16.1	738	746	1	745	15.6	— 3
Benton Harbor	12,390	171	13.8	170	180	....	180	14.5	+ 5
Detroit (total)	1,019,269	13,700	13.4	13,453	13,785	39	13,746	13.5	+ 1
White	975,839	12,660	13.0	12,430	12,738	26	12,712	13.0	.....
Colored	43,430	1,040	23.9	1,023	1,047	13	1,034	23.8	.....
Escanaba	[3] 13,103	249	19.0	223	230	1	229	17.5	— 8
Flint	99,446	1,178	11.8	1,173	1,200	....	1,200	12.1	+ 3
Grand Rapids	138,822	1,826	13.2	1,756	1,791	1	1,790	12.9	— 2
Hamtramck	51,626	587	11.4	586	606	....	606	11.7	+ 3
Highland Park	48,844	399	8.2	396	413	....	413	8.5	+ 4
Holland	12,271	161	13.1	161	167	....	167	13.6	+ 4
Ironwood	15,890	200	12.6	190	197	....	197	12.4	— 2
Ishpeming	[3] 10,500	141	13.4	137	140	1	139	13.2	— 1
Jackson	49,247	724	14.7	693	705	....	705	14.3	— 3
Kalamazoo*	48,954	1,077	22.0	967	981	1	980	20.0	— 9
Lansing	58,548	749	12.8	737	754	....	754	12.9	+ 1
Marquette	12,781	187	14.6	187	190	....	190	14.9	+ 2
Monroe	11,814	170	14.4	168	178	....	178	15.1	+ 5
Muskegon	37,163	549	14.8	540	548	....	548	14.7	— 1
Owosso	12,726	213	16.7	211	218	....	218	17.1	+ 2
Pontiac*	35,290	664	18.8	643	665	....	665	18.8	.....
Port Huron	26,309	412	15.7	408	415	....	415	15.8	+ 1
Saginaw	64,490	1,020	15.8	998	1,016	....	1,016	15.8	.....
Sault Ste. Marie	[3] 12,096	186	15.4	174	178	....	178	14.7	— 5
Traverse City*	[3] 10,925	315	28.8	302	304	....	304	27.8	— 3
Wyandotte	14,138	251	17.8	245	253	....	253	17.9	+ 1
MINNESOTA.									
Austin	10,281	125	12.2	109	116	....	116	11.3	— 7
Duluth	99,970	1,007	10.1	882	914	5	909	9.1	—10
Faribault*	11,197	232	20.7	215	221	1	220	19.6	— 5
Hibbing	15,295	134	8.8	124	131	....	131	8.6	— 2
Mankato	12,577	213	16.9	156	164	7	157	12.5	—26
Minneapolis	384,660	4,713	12.3	4,073	4,184	179	4,005	10.4	—15
Rochester*	14,025	1,013	72.2	585	589	271	318	22.7	—69
St. Cloud	16,145	217	13.4	180	189	....	189	11.7	—13
St. Paul	235,726	2,958	12.5	2,557	2,654	74	2,580	10.9	—13
Virginia	14,205	120	8.4	108	119	3	116	8.2	— 2
Winona	19,172	243	12.7	214	218	2	216	11.3	—11
MISSISSIPPI.									
Biloxi (total)	11,086	134	12.1	124	129	1	128	11.5	— 5
White	9,459	115	12.2	107	112	1	111	11.7	— 4
Colored	1,627	19	11.7	17	17	....	17	10.4	—11
Columbus (total)	10,579	210	19.9	201	203	....	203	19.2	— 4
White	4,942	60	12.1	53	54	....	54	10.9	—10
Colored	5,637	150	26.6	148	149	....	149	26.4	— 1
Greenville (total)	11,661	311	26.7	293	296	....	296	25.4	— 5
White	4,656	96	20.6	84	86	....	86	18.5	—10
Colored	7,005	215	30.7	209	210	....	210	30.0	— 2
Hattiesburg (total)	13,344	208	15.6	207	214	....	214	16.0	+ 3
White	8,378	109	13.0	109	114	....	114	13.6	+ 5
Colored	4,966	99	19.9	98	100	....	100	20.1	+ 1
Jackson* (total)	22,898	799	34.9	759	766	....	766	33.5	— 4
White	12,992	300	23.1	282	287	....	287	22.1	— 4
Colored	9,906	499	50.4	477	479	....	479	48.4	— 4
Laurel (total)	13,263	240	18.1	205	206	2	204	15.4	—15
White	8,125	126	15.5	112	113	2	111	13.7	—12
Colored	5,138	114	22.2	93	93	....	93	18.1	—18
Meridian* (total)	23,482	639	27.2	588	592	11	581	24.7	— 9
White	15,145	338	22.3	295	297	11	286	18.9	—15
Colored	8,337	301	36.1	293	295	....	295	35.4	— 2
Natchez (total)	12,650	241	19.1	220	225	3	222	17.5	— 8
White	5,840	71	12.2	57	57	1	56	9.6	—21
Colored	6,810	170	25.0	163	168	2	166	24.4	— 2
REGISTRATION CITIES—Con.									
MISSISSIPPI—con.									
Vicksburg (total)*	[2] 18,072	587	32.5	557	562	....	562	31.1	— 4
White	8,920	159	17.8	154	158	....	158	17.7	— 1
Colored	9,152	428	46.8	403	404	....	404	44.1	— 6
MISSOURI.									
Cape Girardeau	10,344	204	19.7	204	208	....	208	20.1	+ 2
Carthage	10,099	147	14.6	147	148	....	148	14.7	+ 1
Columbia (total)	10,415	191	18.3	191	193	....	193	18.5	+ 1
White	8,511	141	16.6	141	143	....	143	16.8	+ 1
Colored	1,904	50	26.3	50	50	....	50	26.3	.....
Hannibal	19,356	316	16.3	316	321	....	321	16.6	+ 2
Independence	11,781	209	17.7	209	214	....	214	18.2	+ 3
Jefferson City (total)	14,613	200	13.7	200	201	....	201	13.8	+ 1
White	12,630	168	13.3	168	169	....	169	13.4	+ 1
Colored	1,983	32	16.1	32	32	....	32	16.1	.....
Joplin	[2]29,902	464	15.5	464	472	....	472	15.8	+ 2
Kansas City (total)	328,326	5,279	16.1	4,931	4,992	80	4,912	15.0	— 7
White	297,062	4,501	15.2	4,162	4,213	79	4,134	13.9	— 9
Colored	31,264	778	24.9	769	779	1	778	24.9	.....
Moberly	12,906	170	13.2	170	171	....	171	13.2	.....
St. Joseph*	77,967	1,343	17.2	1,313	1,323	2	1,321	16.9	— 2
St. Louis (total)	777,320	10,931	14.1	10,632	10,706	31	10,675	13.7	— 3
White	705,712	9,508	13.5	9,218	9,283	30	9,253	13.1	— 3
Colored	71,608	1,423	19.9	1,414	1,423	1	1,422	19.9	.....
Sedalia	21,290	341	16.0	341	347	....	347	16.3	+ 2
Springfield	39,860	686	17.2	682	692	....	692	17.4	+ 1
MONTANA.									
Anaconda	11,747	117	10.0	117	125	....	125	10.6	+ 6
Billings	15,361	217	14.1	148	150	12	138	9.0	—36
Butte	41,725	614	14.7	573	602	3	599	14.4	— 2
Great Falls	24,645	334	13.6	250	254	...	254	10.3	—24
Helena	[2]12,037	196	16.3	164	180	....	180	15.0	— 8
Missoula	[2]12,668	182	14.4	120	129	6	123	9.7	—33
NEBRASKA.									
Grand Island	14,098	227	16.1	222	226	....	226	16.0	— 1
Hastings	11,766	209	17.8	201	204	....	204	17.3	— 3
Lincoln	55,493	739	13.3	585	608	13	595	10.7	—20
North Platte	10,759	116	10.8	114	119	....	119	11.1	+ 3
Omaha (total)	193,423	2,771	14.3	2,413	2,449	134	2,315	12.0	—16
White	182,604	2,585	14.2	2,231	2,266	132	2,134	11.7	—18
Colored	10,819	186	17.2	182	183	2	181	16.7	— 3
NEW HAMPSHIRE.									
Berlin	16,327	195	11.9	185	187	3	184	11.3	— 5
Concord*	22,202	470	21.2	447	463	....	463	20.9	— 1
Dover	13,018	225	17.3	212	216	....	216	16.6	— 4
Keene	11,269	170	15.1	146	157	....	157	13.9	— 8
Laconia	10,934	198	18.1	188	195	....	195	17.8	— 2
Manchester	78,813	1,031	13.1	993	1,080	2	1,078	13.7	+ 5
Nashua	28,501	444	15.6	392	415	3	412	14.5	— 7
Portsmouth	13,687	196	14.3	185	188	....	188	13.7	— 4
NEW JERSEY.									
Asbury Park (total)	12,516	180	14.4	156	192	....	192	15.3	+ 6
White	9,628	125	13.0	102	130	....	130	13.5	+ 4
Colored	2,888	55	19.0	54	62	....	62	21.5	+13
Atlantic City (total)	50,942	875	17.2	711	736	2	734	14.4	—16
White	39,864	665	16.7	507	527	2	525	13.2	—21
Colored	11,078	210	19.0	204	209	....	209	18.9	— 1
Bayonne	77,846	783	10.1	765	802	1	801	10.3	+ 2
Belleville*	15,957	391	24.5	342	355	....	355	22.2	— 7
Bloomfield	22,377	170	7.6	167	221	....	221	9.9	+30
Bridgeton	14,329	262	18.3	233	233	....	233	16.3	—11
Camden	117,430	1,731	14.7	1,570	1,619	1	1,618	13.8	— 6

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
NEW JERSEY—con.									
Clifton	27,222	192	7.1	187	213	....	213	7.8	+10
East Orange	51,552	463	9.0	444	588	....	588	11.4	+27
Elizabeth	96,936	1,227	12.7	1,075	1,122	1	1,121	11.6	− 9
Englewood	11,715	203	17.3	136	154	....	154	13.1	−24
Garfield	19,354	189	9.5	186	202	2	200	10.1	+ 6
Gloucester	12,302	109	8.9	104	129	....	129	10.5	+18
Hackensack	17,854	311	17.4	220	243	....	243	13.6	−22
Harrison	15,784	205	13.0	199	229	....	229	14.5	+12
Hoboken	[2]68,166	882	12.9	771	891	4	887	13.0	+ 1
Irvington	26,181	244	9.3	235	250	....	250	9.5	+ 2
Jersey City	299,665	4,221	14.1	3,999	4,171	2	4,169	13.9	− 1
Kearny	27,139	305	11.2	278	296	....	296	10.9	− 3
Long Branch	13,532	298	22.0	179	186	....	186	13.7	−38
Millville	14,806	182	12.3	177	178	....	178	12.0	− 2
Montclair (total)	29,184	246	8.4	241	330	....	330	11.3	+35
White	25,633	209	8.2	204	277	....	277	10.8	+32
Colored	3,551	37	10.4	37	53	....	53	14.9	+43
Morristown	12,550	281	22.4	183	191	....	191	15.2	−32
New Brunswick	33,252	507	15.2	454	463	1	462	13.9	− 9
Newark (total)	417,978	5,372	12.9	5,137	5,381	3	5,378	12.9	.....
White	400,236	4,944	12.4	4,718	4,951	3	4,948	12.4	.....
Colored	17,692	428	24.2	419	430	....	430	24.3	.....
Orange (total)	33,456	556	16.6	384	425	1	424	12.7	−23
White	29,755	482	16.2	310	348	1	347	11.7	−28
Colored	3,701	74	20.0	74	77	....	77	20.8	+ 4
Passaic	64,309	819	12.7	754	786	....	786	12.2	− 4
Paterson	136,405	1,746	12.8	1,633	1,676	2	1,674	12.3	− 4
Perth Amboy	42,201	485	11.5	464	483	....	483	11.4	− 1
Phillipsburg	17,079	193	11.3	188	188	....	188	11.0	− 3
Plainfield	28,068	436	15.5	373	410	....	410	14.6	− 6
Rahway	11,130	159	14.3	147	164	....	164	14.7	+ 3
Roosevelt	11,318	110	9.7	101	101	....	101	8.9	− 8
Summit	10,312	153	14.8	104	111	....	111	10.8	−27
Trenton	120,446	1,886	15.7	1,672	1,726	2	1,724	14.3	− 9
Union	[2]20,651	173	8.4	171	213	....	213	10.3	+23
West Hoboken	40,315	350	8.7	347	449	....	449	11.1	+28
West New York	30,769	228	7.4	221	285	1	284	9.2	+24
West Orange	15,810	117	7.4	113	160	....	160	10.1	+36
NEW YORK.									
Albany	113,920	1,785	15.7	1,594	1,618	3	1,615	14.2	−10
Amsterdam	33,640	414	12.3	375	385	3	382	11.4	− 7
Auburn	36,271	588	16.2	560	571	1	570	15.7	− 3
Batavia	13,627	247	18.1	219	223	....	223	16.4	− 9
Beacon*	11,005	211	19.2	205	207	....	207	18.8	− 2
Binghamton*	67,745	1,146	16.9	1,080	1,109	1	1,108	16.4	− 3
Buffalo	511,053	7,475	14.6	7,309	7,411	15	7,396	14.5	− 1
Cohoes	[2]22,987	329	14.3	321	340	....	340	14.8	+ 3
Corning	15,928	242	15.2	226	236	1	235	14.8	− 3
Cortland	13,386	231	17.3	215	224	....	224	16.7	− 3
Dunkirk	19,445	249	12.8	233	233	....	233	12 0	− 6
Elmira	45,817	583	12.7	547	564	1	563	12.3	− 3
Fulton	13,175	176	13.4	169	178	....	178	13.5	+ 1
Geneva	14,761	235	15.9	212	217	....	217	14.7	− 8
Glens Falls	16,710	274	16.4	231	238	1	237	14.2	−13
Gloversville	22,149	397	17.9	377	386	1	385	17.4	− 3
Herkimer	10,605	143	13.5	142	143	....	143	13.5	.....
Hornell	15,098	221	14.6	206	211	....	211	14.0	− 4
Hudson	11,757	205	17.4	182	189	....	189	16.1	− 7
Ilion	10,354	124	12.0	120	126	....	126	12.2	+ 2
Ithaca	17,117	274	16.0	239	250	2	248	14.5	− 9
Jamestown	39,310	538	13.7	502	511	....	511	13.0	− 5
Johnstown	10,932	141	12.9	141	155	1	154	14.1	+ 9
Kingston	26,729	447	16.7	403	417	....	417	15.6	− 7
Lackawanna*	18,092	391	21.6	324	352	1	351	19.4	−10

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
NEW YORK—con.									
Little Falls	13,068	170	13.0	169	174	....	174	13.3	+ 2
Lockport	21,428	290	13.5	281	292	....	292	13.6	+ 1
Middletown*	18,580	411	22.1	380	391	....	391	21.0	− 5
Mount Vernon	43,334	524	12.1	503	541	1	540	12.5	+ 3
New Rochelle	36,592	403	11.0	384	416	....	416	11.4	+ 4
New York (total):									
Bronx bor	747,520	7,903	10.6	7,821	7,846	14	7,832	10.5	− 1
Brooklyn bor	2,038,118	25,613	12.6	25,399	25,676	65	25,611	12.6	.....
Manhattan bor	[2]2,284,103	32,595	14.3	31,599	32,316	367	31,949	14.0	− 2
Queens bor	478,585	5,501	11.5	5,380	5,428	2	5,426	11.3	− 2
Richmond bor	118,105	1,781	15.1	1,745	1,761	14	1,747	14.8	− 2
White—									
Bronx bor	742,459	7,799	10.5	7,720	7,745	14	7,731	10.4	− 1
Brooklyn bor	2,004,224	24,885	12.4	24,679	24,949	56	24,893	12.4	.....
Manhattan bor	[2]2,168,906	30,385	14.0	29,421	30,111	344	29,767	13.7	− 2
Queens bor	473,100	5,395	11.4	5,280	5,328	2	5,326	11.3	− 1
Richmond bor	116,508	1,743	15.0	1,707	1,723	13	1,710	14.7	− 2
Colored—									
Bronx bor	5,061	104	20.5	101	101	....	101	20.0	− 2
Brooklyn bor	33,894	728	21.5	720	727	9	718	21.2	− 1
Manhattan bor	[2]115,197	2,210	19.2	2,178	2,205	23	2,182	18.9	− 2
Queens bor	5,485	106	19.3	100	100	....	100	18.2	− 6
Richmond bor	1,597	38	23.8	38	38	1	37	23.2	− 3
Newburgh	30,498	497	16.3	469	478	....	478	15.7	− 4
Niagara Falls	51,806	651	12.6	624	643	10	633	12.2	− 3
North Tonawanda	15,664	190	12.1	172	177	....	177	11.3	− 7
Ogdensburg*	[2]14,609	467	32.0	405	413	5	408	27.9	−13
Olean	20,803	305	14.7	250	262	2	260	12.5	−15
Oneida	10,656	160	15.0	136	139	....	139	13.0	−13
Oneonta	11,690	187	16.0	180	186	....	186	15.9	− 1
Ossining	[2]10,739	154	14.3	148	156	....	156	14.5	+ 1
Oswego	23,639	284	12.0	279	292	....	292	12.4	+ 3
Peekskill	15,890	226	14.2	223	235	....	235	14.8	+ 4
Plattsburg	[2]10,909	234	21.5	211	214	1	213	19.5	− 9
Port Chester	16,767	204	12.2	204	223	....	223	13 3	+ 9
Port Jervis	10,202	202	19.8	192	195	....	195	19.1	− 4
Poughkeepsie	35,364	516	14.6	487	505	1	504	14.3	− 2
Rensselaer	10,829	113	10.4	113	144	....	144	13.3	+28
Rochester	298,910	3,765	12.6	3,604	3,645	8	3,637	12.2	− 3
Rome*	26,642	568	21.3	525	533	....	533	20.0	− 6
Saratoga Springs	[2]13,181	252	19.1	209	213	2	211	16.0	−16
Schenectady	89,516	956	10.7	893	920	1	919	10.3	− 4
Syracuse	173,767	2,640	15.2	2,473	2,502	3	2,499	14.4	− 5
Tonawanda	10,160	99	9.7	93	108	....	108	10.6	+ 9
Troy	[2]72,013	1,222	17.0	1,094	1,114	1	1,113	15.5	− 9
Utica*	95,035	1,385	14.6	1,348	1,389	....	1,389	14.6	.....
Watertown	31,520	616	19.5	588	597	....	597	18.9	− 3
Watervliet	16,124	211	13.1	211	242	....	242	15.0	+15
White Plains	21,234	267	12.6	260	286	....	286	13.5	+ 7
Yonkers	101,226	1,153	11.4	1,134	1,198	....	1,198	11.8	+ 4
NORTH CAROLINA.									
Asheville* (total	28,774	729	25.3	620	636	28	608	21.1	−17
White	21,541	551	25.6	471	478	12	466	21.6	−16
Colored	7,233	178	24.6	158	158	16	142	19.6	−20
Charlotte (total)	46,973	747	15.9	736	746	1	745	15.9	.....
White	32,179	459	14.3	449	457	1	456	14.2	− 1
Colored	14,794	288	19.5	287	289	....	289	19.5	.....
Durham (total)	21,898	378	17.3	376	379	....	379	17.3	.....
White	14,200	145	10.2	144	146	....	146	10.3	+ 1
Colored	7,698	233	30.3	232	233	....	233	30.3	.....
Gastonia (total)	13,238	233	17.6	233	233	....	233	17.6	.....
White	10,854	190	17.5	190	190	....	190	17.5	.....
Colored	2,384	43	18.0	43	43	....	43	18.0	.....

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
REGISTRATION CITIES—Con.									
NORTH CAROLINA—con.									
Goldsboro (total)	11,564	274	23.7	274	276	....	276	23.9	+ 1
White	6,557	114	17.4	114	116	....	116	17.7	+ 2
Colored	5,007	160	32.0	160	160	....	160	32.0	.....
Greensboro (total)	20,065	378	18.8	369	375	....	375	18.7	— 1
White	14,077	228	16.2	220	226	....	226	16.1	— 1
Colored	5,988	150	25.1	149	149	....	149	24.9	— 1
High Point (total)	14,548	199	13.7	198	198	....	198	13.6	— 1
White	11,605	144	12.4	143	143	....	143	12.3	— 1
Colored	2,943	55	18.7	55	55	....	55	18.7	.....
New Bern (total)	12,200	267	21.9	264	265	....	265	21.7	— 1
White	5,463	83	15.2	80	81	....	81	14.8	— 3
Colored	6,737	184	27.3	184	184	....	184	27.3	.....
Raleigh* (total)	24,686	568	23.0	552	563	2	551	22.7	— 1
White	16,080	334	20.8	331	339	2	337	21.0	+ 1
Colored	8,606	234	27.2	221	224	....	224	26.0	— 4
Rocky Mount (total)	12,958	233	18.0	222	223	1	222	17.1	— 5
White	8,264	132	16.0	123	123	....	123	14.9	— 7
Colored	4,694	101	21.5	99	100	1	99	21.1	— 2
Salisbury (total)	14,231	180	12.6	176	179	....	179	12.6	.....
White	10,598	111	10.5	108	109	....	109	10.3	— 2
Colored	3,633	69	19.0	68	70	....	70	19.3	+ 2
Wilmington (total)	33,708	654	19.4	637	644	1	643	19.1	— 2
White	20,191	313	15.5	301	306	1	305	15.1	— 3
Colored	13,517	341	25.2	336	338	....	338	25.0	— 1
Wilson (total)	10,813	186	17.2	184	184	....	184	17.0	— 1
White	5,434	86	15.7	85	85	....	85	15.5	— 1
Colored	5,329	100	18.8	99	99	....	99	18.6	— 1
Winston-Salem (total)	49,312	762	15.5	757	761	....	761	15.4	— 1
White	28,043	320	11.4	316	317	....	317	11.3	— 1
Colored	21,269	442	20.8	441	444	....	444	20.9	.....
NORTH DAKOTA.[1]									
Fargo (total)	22,351	384	17.2	330	384	68	316	14.1	—18
White	22,284	380	17.1	326	380	68	312	14.0	—18
Colored[6]	67	4	(6)	4	4	....	4	(6)	(6)
OHIO.									
Akron	215,355	2,443	11.3	2,404	2,449	3	2,446	11.4	+ 1
Alliance	21,910	301	13.7	276	284	....	284	13.0	— 5
Ashtabula	22,275	269	12.1	254	258	....	258	11.6	— 4
Barberton	19,218	239	12.4	233	239	....	239	12.4	.....
Bellaire	15,170	210	13.8	207	219	1	218	14.4	+ 4
Bucyrus	10,544	134	12.7	134	138	....	138	13.1	+ 3
Cambridge	13,188	178	13.5	178	183	....	183	13.9	+ 3
Canton	88,630	1,108	12.5	1,085	1,099	....	1,099	12.4	— 1
Chillicothe	15,899	219	13.8	212	220	....	220	13.8	.....
Cincinnati (total)	401,971	6,073	15.1	5,879	5,924	15	5,909	14.7	— 3
White	371,357	5,336	14.4	5,151	5,194	15	5,179	13.9	— 3
Colored	30,614	737	24.1	728	730	....	730	23.8	— 1
Cleveland (total)	808,273	9,985	12.4	9,790	9,926	5	9,921	12.3	— 1
White	772,122	9,216	11.9	9,027	9,154	5	9,149	11.8	— 1
Colored	36,151	769	21.3	763	772	....	772	21.4	.....
Cleveland Heights	15,869	109	6.9	109	111	....	111	7.0	+ 1
Columbus (total)	239,807	3,546	14 8	3,229	3,249	12	3,237	13.5	— 9
White	217,010	3,064	14.1	2,753	2,770	11	2,759	12.7	—10
Colored	22,797	482	21.1	476	479	1	478	21.0	.....
Coshocton	10,912	167	15.3	165	166	....	166	15.2	— 1
Cuyahoga Falls	10,519	123	11.7	106	113	....	113	10.7	— 9
Dayton	154,413	1,883	12.2	1,808	1,849	1	1,848	12.0	— 2
East Cleveland	28,225	265	9.4	263	264	1	263	9.3	— 1
East Liverpool	21,464	350	(7)	335	339	7	332	(7)	(7)
East Youngstown	11,560	183	15.8	183	186	....	186	16.1	+ 2
Elyria	20,752	273	13.2	265	271	....	271	13.1	— 1
REGISTRATION CITIES—Con.									
OHIO—con.									
Findlay	17,133	249	14.5	242	255	....	255	14.9	+ 3
Fremont	12,598	122	9.7	121	127	....	127	10.1	+ 4
Hamilton	39,901	560	14.0	538	548	....	548	13.7	— 2
Ironton	14,051	251	17.9	242	250	....	250	17.8	— 1
Kenmore	13,256	124	9.4	124	126	....	126	9.5	+ 1
Lakewood	43,100	334	7.7	332	340	....	340	7.9	+ 3
Lancaster	14,790	183	12.4	172	180	....	180	12.2	— 2
Lima	41,817	602	14.4	573	579	2	577	13.8	— 4
Lorain	37,729	438	11.6	424	435	1	434	11.5	— 1
Mansfield	28,187	349	12.4	341	346	2	344	12.2	— 2
Marietta	15,151	261	17.2	255	257	5	252	16.6	— 3
Marion	28,311	389	13.7	389	404	1	403	14.2	+ 4
Martins Ferry	11,763	202	17.2	186	192	....	192	16.3	— 5
Massillon	17,601	247	14.0	224	228	1	227	12.9	— 8
Middletown	24,714	269	10.9	261	276	....	276	11.2	+ 3
New Philadelphia	10,831	128	11.8	128	129	....	129	11.9	+ 1
Newark	26,785	405	15.1	392	402	....	402	15.0	— 1
Niles	14,074	123	8.7	122	141	....	141	10.0	+15
Norwood	25,418	201	7.9	200	205	....	205	8.1	+ 3
Piqua	15,129	262	17.3	244	249	....	249	16.5	— 5
Portsmouth	33,342	492	14.8	485	489	....	489	14.7	— 1
Salem	10,375	189	18.2	187	192	....	192	18.5	+ 2
Sandusky	23,047	275	11.9	268	273	1	272	11.8	— 1
Springfield (total)	61,557	822	13.4	800	829	1	823	13.5	+ 1
White	54,408	695	12.8	673	698	1	697	12.8	.....
Colored	7,149	127	17.8	127	131	....	131	18.3	+ 3
Steubenville	28,823	408	14.2	389	398	2	396	13.7	— 4
Tiffin	14,482	212	14.6	207	210	....	210	14.5	— 1
Toledo	246,675	3,413	13.8	3,237	3,303	18	3,285	13.3	— 4
Warren	27,744	429	15.5	407	415	1	414	14.9	— 4
Youngstown	134,716	1,738	12.9	1,650	1,675	9	1,666	12.4	— 4
Zanesville	29,648	450	15.2	428	436	....	436	14.7	— 3
OKLAHOMA.[1]									
Oklahoma City (total)	92,685	1,135	12.2	1,131	1,133	36	1,102	11.9	— 2
White	84,174	958	11.4	954	961	29	932	11.1	— 3
Colored[5]	8,511	177	20.8	177	177	7	170	20.0	— 4
OREGON.									
Astoria	14,255	203	14.2	183	196	2	194	13.6	— 4
Eugene	10,651	214	20.1	204	213	....	213	20.0	.....
Portland	260,478	3,164	12.1	2,737	2,848	29	2,819	10.8	—11
Salem (exclusive of)	17,864	242	$29.9	216	222	1	221	$28.7	— 4
State institutions		292		292	292	....	292		
PENNSYLVANIA.									
Allentown	79,980	1,233	15.4	1,154	1,170	....	1,170	14.6	— 5
Altoona	60,753	846	13.9	787	811	....	811	13.3	— 4
Ambridge	13,118	127	9.7	127	137	....	137	10.4	+ 7
Beaver Falls	12,833	217	16.9	207	210	....	210	16.4	— 3
Berwick	12,533	145	11.6	145	149	....	149	11.9	+ 3
Bethlehem	54,692	500	9.1	499	522	....	522	9.5	+ 4
Braddock	20,957	440	21.0	379	405	....	405	19.3	— 8
Bradford	15,550	285	18.3	284	293	....	293	18.8	+ 3
Bristol	10,326	144	13.9	144	156	....	156	15.1	+ 9
Butler	23,910	278	11.6	261	276	....	276	11.5	— 1
Canonsburg	10,979	124	11.3	124	131	....	131	11.9	+ 5
Carbondale	18,722	317	16.9	312	322	....	322	17.2	+ 2
Carlisle	10,948	199	18.2	199	201	....	201	18.4	+ 1
Carnegie	11,594	180	15.5	177	203	....	203	17.9	+15
Carrick	10,730	102	9.5	102	109	....	109	10.2	+ 7
Chambersburg	13,242	212	16.0	198	203	....	203	15.3	— 4

For footnotes, see p. 109.

TABLE 1B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Rate per 1,000 population.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Per cent of change.
REGISTRATION CITIES—Con.									
PENNSYLVANIA—con.									
Charleroi	11,614	123	10.6	122	127	....	127	10.9	+ 3
Chester (total)	58,982	937	15.9	916	938	1	937	15.9	.....
White	51,660	769	14.9	752	770	....	770	14.9	.....
Colored	7,322	168	22.9	164	168	1	167	22.8	.....
Coatesville (total)	14,692	184	12.5	183	190	....	190	12.9	+ 3
White	12,791	154	12.0	153	157	....	157	12.3	+ 3
Colored	1,901	30	15.8	30	33	....	33	17.4	+10
Columbia	[2] 10,836	163	15.0	158	161	....	161	14.9	— 1
Connellsville	13,853	168	12.1	167	176	....	176	12.7	+ 5
Dickson City	11,138	110	9.9	108	108	....	108	9.7	— 2
Donora	14,395	139	9.7	139	153	....	153	10.6	+ 9
DuBois	13,735	201	14.6	183	187	....	187	13.6	— 7
Dunmore	20,386	338	16.6	338	343	....	343	16.8	+ 1
Duquesne	19,180	236	12.3	236	263	....	263	13.7	+11
Easton	34,080	602	17.7	528	542	....	542	15.9	—10
Erie	94,721	1,404	14.8	1,374	1,393	....	1,393	14.7	— 1
Farrell	15,854	226	14.3	226	229	....	229	14.4	+ 1
Greensburg	15,120	278	18.4	229	240	....	240	15.9	—14
Harrisburg	76,491	1,107	14.5	1,012	1,021	....	1,021	13.3	— 8
Hazelton*	32,628	483	14.8	446	449	....	449	13.8	— 7
Homestead	20,542	228	11.1	228	254	....	254	12.4	+12
Jeannette	10,728	86	8.0	86	94	....	94	8.8	+10
Johnstown	67,704	1,140	16.8	1,012	1,032	1	1,031	15.2	—10
Lancaster	53,455	887	16.6	833	839	....	839	15.7	— 5
Lebanon	24,694	435	17.6	424	428	....	428	17.3	— 2
McKees Rocks	16,817	168	10.0	168	187	....	187	11.1	+11
McKeesport	46,992	704	15.0	612	626	2	624	13.3	—11
Mahanoy City	[2] 15,599	214	13.7	214	233	....	233	14.9	+ 9
Meadville	14,660	261	17.8	238	243	1	242	16.5	— 7
Monessen	18,455	205	11.1	204	230	....	230	12.5	+13
Mount Carmel	[2] 17,469	164	9.4	164	189	....	189	10.8	+15
Nanticoke	22,806	335	14.7	305	312	....	312	13.7	— 7
New Castle	45,334	625	13.8	620	628	....	628	13.8	.....
New Kensington	12,208	210	17.2	206	213	....	213	17.4	+ 1
Norristown*	32,548	719	22.1	665	674	....	674	20.7	— 6
North Braddock	15,088	166	11.0	165	170	....	170	11.3	+ 3
Oil City	21,455	285	13.3	264	268	....	268	12.5	— 6
Old Forge	12,234	165	13.4	165	168	....	168	13.7	+ 2
Olyphant	10,325	112	10.8	112	118	....	118	11.4	+ 6
Philadelphia (total)	1,837,924	26,511	14.4	25,986	26,324	27	26,297	14.3	— 1
White	1,699,751	23,584	13.9	23,086	23,404	25	23,379	13.8	— 1
Colored	138,173	2,927	21.2	2,900	2,920	2	2,918	21.1	.....
Phoenixville	[2] 10,484	159	15.2	151	152	....	152	14.5	— 5
Pittsburgh (total)	591,033	9,678	16.4	8,800	8,893	22	8,871	15.0	— 9
White	552,326	8,813	16.0	7,970	8,060	19	8,041	14.6	— 9
Colored	38,707	865	22.3	830	833	3	830	21.4	— 4
Pittston	18,612	334	17.9	332	345	....	345	18.5	+ 3
Plymouth	[2] 16,500	188	11.4	188	224	....	224	13.6	+19
Pottstown	17,525	267	15.2	262	263	....	263	15.0	— 1
Pottsville	21,960	412	18.8	368	390	....	390	17.8	— 5
Punxsutawney	10,376	162	15.6	128	131	....	131	12.6	—19
Reading	108,231	1,564	14.5	1,538	1,559	....	1,559	14.4	— 1
Scranton	138,191	2,057	14.9	1,983	2,024	1	2,023	14.6	— 2
Shamokin	21,254	251	11.8	250	263	....	263	12.4	+ 5
Sharon	22,039	345	15.7	338	347	....	347	15.7	.....
Shenandoah	[2] 24,726	339	13.7	339	372	....	372	15.0	+ 9
Steelton (total)	[2] 13,428	186	13.9	185	208	....	208	15.5	+12
White	11,447	155	13.5	154	172	....	172	15.0	+11
Colored	1,981	31	15.6	31	36	....	36	18.2	+17
Sunbury	15,822	221	14.0	217	218	....	218	13.8	— 1
Swissvale	11,090	124	11.2	123	133	....	133	12.0	+ 7
Tamaqua	12,512	138	11.0	138	142	....	142	11.3	+ 3
Uniontown	[2] 15,692	317	20.2	313	324	....	324	20.6	+ 2
Warren	14,349	174	12.1	165	170	....	170	11.8	— 2
Washington	21,619	411	19.0	400	409	1	408	18.9	— 1
West Chester (total)*	[2] 11,717	316	27.0	282	287	....	287	24.5	— 9
White	9,879	254	25.7	229	234	....	234	23.7	— 8
Colored	1,838	62	33.7	53	53	....	53	28.8	—15
Wilkes-Barre	74,180	1,236	16.7	1,086	1,103	1	1,102	14.9	—11
Wilkinsburg	24,675	383	15.5	334	350	2	348	14.1	— 9
Williamsport	36,421	618	17.0	563	574	....	574	15.8	— 7
Woodlawn	13,067	134	10.3	134	140	....	140	10.7	+ 4
York	47,655	753	15.8	723	738	1	737	15.5	— 2
RHODE ISLAND.									
Bristol town	11,520	168	14.6	168	187	....	187	16.2	+11
Central Falls	24,247	249	10.3	249	293	....	293	12.1	+17
Cranston (excl. of)	29,834	240	[3]22.3	240	304	....	304	[3]24.4	+ 9
State institutions		425		425	425	....	425		
Cumberland town	[2] 10,077	125	12.4	125	131	....	131	13.0	+ 5
East Providence town	22,101	258	11.7	258	301	....	301	13.6	+16
Newport	30,415	421	13.8	411	419	1	418	13.7	— 1
Pawtucket	64,893	841	13.0	841	896	....	896	13.8	+ 6
Providence	238,279	3,692	15.5	3,666	3,724	5	3,719	15.6	+ 1
Warwick town	29,061	221	[3]14.2	221	247	....	247	[3]16.0	+13
West Warwick town		192		192	217	....	217		
Woonsocket	43,772	540	12.3	518	544	1	543	12.4	+ 1
SOUTH CAROLINA.									
Anderson (total)	10,617	258	24.3	258	260	....	260	24.5	+ 1
White	7,604	154	20.3	154	156	....	156	20.5	+ 1
Colored	3,013	104	34.5	104	104	....	104	34.5	.....
Charleston (total)	68,427	1,607	23.5	1,607	1,620	....	1,620	23.7	+ 1
White	35,988	592	16.4	592	602	....	602	16.7	+ 2
Colored	32,439	1,015	31.3	1,015	1,018	....	1,018	31.4	.....
Columbia* (total)	37,834	1,288	34.0	1,288	1,292	....	1,292	34.1	.....
White	23,393	654	28.0	654	657	....	657	28.1	.....
Colored	14,441	634	43.9	634	635	....	635	44.0	.....
Florence (total)	11,170	360	32.2	360	365	....	365	32.7	+ 2
White	6,393	192	30.0	192	194	....	194	30.3	+ 1
Colored	4,777	168	35.2	168	171	....	171	35.8	+ 2
Greenville (total)	23,508	346	14.7	346	355	....	355	15.1	+ 3
White	15,224	184	12.1	184	189	....	189	12.4	+ 2
Colored	8,284	162	19.6	162	166	....	166	20.0	+ 2
Spartanburg (total)	22,902	360	15.7	360	362	....	362	15.8	+ 1
White	14,839	194	13.1	194	196	....	196	13.2	+ 1
Colored	8,063	166	20.6	166	166	....	166	20.6	.....
TENNESSEE.									
Chattanooga (total)	58,219	1,137	19.5	1,082	1,086	37	1,049	18.0	— 8
White	39,338	613	15.6	566	570	34	536	13.6	—13
Colored	18,881	524	27.8	516	516	3	513	27.2	— 2
Jackson (total)	18,957	288	15.2	278	283	....	283	14.9	— 2
White	12,558	164	13.1	156	160	....	160	12.7	— 3
Colored	6,399	124	19.4	122	123	....	123	19.2	— 1
Johnson City* (total)	12,617	344	27.3	344	346	....	346	27.4	.....
White	11,017	296	26.9	296	296	....	296	26.9	.....
Colored	1,600	48	30.0	48	50	....	50	51.3	+ 4
Knoxville (total)	78,978	1,348	17.1	1,238	1,250	3	1,247	15.8	— 8
White	67,538	1,097	16.2	996	1,008	3	1,005	14.9	— 8
Colored	11,440	251	21.9	242	242	....	242	21.2	— 3
Memphis (total)	163,453	3,255	19.9	2,989	3,007	212	2,795	17.1	—14
White	102,073	1,595	15.6	1,433	1,449	101	1,348	13.2	—15
Colored	61,380	1,660	27.0	1,556	1,558	111	1,447	23.6	—13
Nashville (total)	118,740	2,147	18.1	2,035	2,057	9	2,048	17.2	— 5
White	83,149	1,292	15.5	1,204	1,223	8	1,215	14.6	— 6
Colored	35,591	855	24.0	831	834	1	833	23.4	— 3

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Rate per 1,000 population.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Per cent of change.
REGISTRATION CITIES—Con.									
TEXAS.[1]									
Beaumont (total)	41,180	501	12.2	497	507	45	462	11.2	− 8
White	27,669	302	10.9	298	308	36	272	9.8	−10
Colored	13,511	199	14.7	199	199	9	190	14.1	− 4
Dallas (total)	161,078	2,166	13.4	2,141	2,161	290	1,871	11.6	−13
White	136,873	1,663	12.1	1,640	1,660	254	1,406	10.3	−15
Colored	24,205	503	20.8	501	501	36	465	19.2	− 8
El Paso (total)	79,280	2,208	27.9	2,206	2,211	4	2,207	27.8	.....
White	77,523	2,143	27.6	2,142	2,147	4	2,143	27.6	.....
Colored [5]	1,757	65	37.0	64	64	....	64	36.4	− 2
Galveston (total)	44,630	711	15.9	698	701	40	661	14.8	− 7
White	34,597	477	13.8	465	468	35	433	12.5	− 9
Colored	10,033	234	23.3	233	233	5	228	22.7	− 3
Houston (total)	140,298	1,944	13.9	1,943	1,967	31	1,936	13.8	− 1
White	105,970	1,304	12.3	1,303	1,326	29	1,297	12.2	− 1
Colored	34,328	640	18.6	640	641	2	639	18.6	.....
San Antonio (total)	164,714	2,663	16.2	2,632	2,642	165	2,477	15.0	− 7
White	149,941	2,415	16.1	2,384	2,393	161	2,232	14.9	− 7
Colored	14,773	248	16.8	248	249	4	245	16.6	− 1
UTAH.									
Ogden	33,173	433	13.1	384	398	28	370	11.2	−15
Provo	10,374	175	16.9	149	155	3	152	14.7	−13
Salt Lake City	119,272	1,704	14.3	1,276	1,311	40	1,271	10.7	−25
VERMONT.									
Barre	[2] 10,008	144	14.4	130	135	....	135	13.5	− 6
Burlington	22,898	444	19.4	379	397	....	397	17.3	−11
Rutland	15,027	243	16.2	223	231	....	231	15.4	− 5
VIRGINIA.									
Alexandria (total)	18,098	319	17.6	313	328	....	328	18.1	+ 3
White	14,003	200	14.3	195	202	....	202	14.4	+ 1
Colored	4,095	119	29.1	118	126	....	126	30.8	+ 6
Charlottesville (total)	10,736	160	14.9	155	162	....	162	15.1	+ 1
White	7,812	99	12.7	97	103	....	103	13.2	+ 4
Colored	2,924	61	20.9	58	59	....	59	20.2	− 3
Danville (total)	21,669	336	15.5	328	334	....	334	15.4	− 1
White	16,016	222	13.9	216	221	....	221	13.8	− 1
Colored	5,653	114	20.2	112	113	....	113	20.0	− 1
Lynchburg (total)	30,100	494	16.4	467	478	1	477	15.8	− 4
White	21,829	308	14.1	300	308	....	308	14.1	.....
Colored	8,271	186	22.5	167	170	1	169	20.4	− 9
Newport News (total)	36,786	527	14.3	523	531	....	531	14.4	+ 1
White	22,159	227	10.2	226	231	....	231	10.4	+ 2
Colored	14,627	300	20.5	297	300	....	300	20.5	.....
Norfolk (total)	117,605	1,782	15.2	1,756	1,786	3	1,783	15.2	.....
White	73,502	870	11.8	850	871	3	868	11.8	.....
Colored	44,103	912	20.7	906	915	....	915	20.7	.....
Petersburg (total)	31,367	600	19.1	583	594	....	594	18.9	− 1
White	17,618	248	14.1	232	239	....	239	13.6	− 4
Colored	13,749	352	25.6	351	355	....	355	25.8	+ 1
Portsmouth (total)	54,809	802	14.6	800	808	....	808	14.7	+ 1
White	31,187	320	10.3	318	324	....	324	10.4	+ 1
Colored	23,622	482	20.4	482	484	....	484	20.5	.....
Richmond (total)	173,007	2,847	16.5	2,702	2,729	10	2,719	15.7	− 5
White	118,807	1,586	13.3	1,474	1,494	9	1,485	12.5	− 6
Colored	54,200	1,261	23.3	1,228	1,235	1	1,234	22.8	− 2
Roanoke (total)	51,444	855	16.6	763	773	6	767	14.9	−10
White	42,030	616	14.7	537	547	3	544	12.9	−12
Colored	9,414	239	25.4	226	226	3	223	23.7	− 7
Staunton* (total)	10,624	302	28.4	288	291	1	290	27.3	− 4
White	8,880	270	30.4	256	258	1	257	28.9	− 5
Colored	1,744	32	18.3	32	33	....	33	18.9	+ 3

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Rate per 1,000 population.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Per cent of change.
REGISTRATION CITIES—Con.									
WASHINGTON.									
Aberdeen	15,413	178	11.5	160	177	3	174	11.3	− 2
Bellingham	25,644	321	12.5	280	291	2	289	11.3	−10
Everett	27,795	296	10.6	264	282	1	281	10.1	− 5
Hoquiam	10,156	99	9.7	96	103	....	103	10.1	+ 4
Seattle (total)	319,284	3,401	10.7	3,110	3,232	51	3,181	10.0	− 7
White	306,384	3,143	10.3	2,870	2,989	43	2,946	9.6	− 7
Colored	12,900	258	20.0	240	243	8	235	18.2	− 9
Spokane	104,439	1,481	14.2	1,247	1,292	81	1,211	11.6	−18
Tacoma	97,646	1,256	12.9	1,139	1,173	8	1,165	11.9	− 8
Vancouver	12,809	201	15.7	163	189	....	189	14.8	− 6
Walla Walla	[2] 15,503	255	16.4	223	232	7	225	14.5	−12
Yakima	18,769	357	19.0	289	302	1	301	16.0	−16
WEST VIRGINIA.[1]									
Wheeling (total)	56,201	1,008	17.9	913	931	62	869	15.5	−13
White	54,551	965	17.7	871	889	59	830	15.2	−14
Colored [5]	1,650	43	26.1	42	42	3	39	23.6	−10
WISCONSIN.									
Appleton	19,705	270	13.7	259	265	....	265	13.4	− 2
Ashland	[2] 11,334	202	17.8	174	179	....	179	15.8	−11
Beloit	21,601	311	14.4	299	310	....	310	14.4	.....
Eau Claire*	21,040	406	19.3	365	369	....	369	17.5	− 9
Fond du Lac	23,665	347	14.7	327	329	....	329	13.9	− 5
Green Bay	31,315	587	18.7	557	563	....	563	18.0	− 4
Janesville	18,520	266	14.4	258	265	....	265	14.3	− 1
Kenosha	41,250	410	9.9	405	416	....	416	10.1	+ 2
La Crosse	30,421	490	16.1	446	456	5	451	14.8	− 8
Madison	38,969	450	11.5	430	446	1	445	11.4	− 1
Manitowoc	17,797	247	13.9	239	241	....	241	13.5	− 3
Marinette	[2] 13,610	187	13.7	185	190	....	190	14.0	+ 2
Milwaukee	460,894	5,415	11.7	5,241	5,287	10	5,277	11.4	− 3
Oshkosh	33,167	440	13.3	430	441	....	441	13.3	.....
Racine	59,422	719	12.1	713	726	....	726	12.2	+ 1
Sheboygan	31,190	363	11.6	358	364	....	364	11.7	+ 1
Stevens Point	11,509	142	12.3	138	141	....	141	12.3	.....
Superior	[2] 39,671	463	11.7	437	457	....	457	11.5	− 2
Waukesha	12,755	158	12.4	147	147	....	147	11.5	− 7
Wausau	18,769	275	14.7	265	273	....	273	14.5	− 1
West Allis	14,111	121	8.6	121	122	....	122	8.6	.....
RURAL PART OF REGISTRATION STATES.[10]									
CALIFORNIA (counties).									
Alameda*	43,636	876	20.1	863	881	2	879	20.1	.....
Alpine (total)	[2] 243	4	*16.5*	4	4	....	4	*16.5*	.....
White	141	4	*28.4*	4	4	....	4	*28.4*	.....
Colored	102	.....	.....	.....	.....	.....	.....	.....	.....
Amador	[2] 7,793	90	11.5	90	103	....	103	13.2	+15
Butte	30,170	393	13.0	391	408	....	408	13.5	+ 4
Calaveras	[2] 6,183	86	13.9	86	88	....	88	14.2	+ 2
Colusa	9,369	83	8.9	83	86	....	86	9.2	+ 3
Contra Costa	37,673	334	8.9	332	351	....	351	9.3	+ 4
Del Norte (total)	2,776	42	15.1	42	43	....	43	15.5	+ 3
White	2,240	39	17.4	39	40	....	40	17.9	+ 3
Colored	536	3	*5.6*	3	3	....	3	*5.6*	.....
Eldorado	[2] 6,426	104	16.2	104	108	....	108	16.8	+ 4
Fresno	81,796	938	11.5	938	949	....	949	11.6	+ 1

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
CALIFORNIA—con.									
Glenn	12,094	85	7.0	84	89	....	89	7.4	+ 6
Humboldt	24,617	208	8.4	208	215	....	215	8.7	+ 4
Imperial (total)	44,990	503	11.2	503	512	....	512	11.4	+ 2
White	39,483	435	11.0	435	444	....	444	11.2	+ 2
Colored	5,507	68	12.3	68	68	....	68	12.3	.....
Inyo (total)	7,033	63	9.0	62	65	....	65	9.2	+ 2
White	6,278	46	7.3	45	48	....	48	7.6	+ 4
Colored	755	17	22.5	17	17	....	17	22.5	.....
Kern	36,782	252	6.9	251	258	1	257	7.0	+ 1
Kings	22,330	273	12.2	272	281	....	281	12.6	+ 3
Lake	[2] 5,402	69	12.8	68	68	....	68	12.6	− 2
Lassen	8,698	87	10.0	87	89	....	89	10.2	+ 2
Los Angeles	212,611	3,024	14.2	3,004	3,056	3	3,053	14.4	+ 1
Madera	12,401	141	11.4	140	140	....	140	11.3	− 1
Marin	27,457	298	10.9	297	318	....	318	11.6	+ 6
Mariposa	[2] 2,775	28	10.1	28	29	....	29	10.5	+ 4
Mendocino*	24,126	351	14.5	348	359	....	359	14.9	+ 3
Merced	25,065	204	8.1	203	214	....	214	8.5	+ 5
Modoc	[2] 5,425	86	15.9	86	87	....	87	16.0	+ 1
Mono (total)	[2] 960	7	7.3	7	7	....	7	7.3	.....
White	694	.....	.....	.....	.....	.....	.....	.....	.....
Colored	266	7	26.3	7	7	....	7	26.3	.....
Monterey	28,177	352	12.5	351	363	....	363	12.9	+ 3
Napa*	20,724	549	26.5	547	558	....	558	26.9	+ 2
Nevada	[2] 10,850	150	13.8	150	155	....	155	14.3	+ 4
Orange	46,915	665	14.2	665	671	....	671	14.3	+ 1
Placer (total)	18,602	302	16.2	300	309	....	309	16.6	+ 2
White	16,414	271	16.5	269	276	....	276	16.8	+ 2
Colored	2,188	31	14.2	31	33	....	33	15.1	+ 6
Plumas	5,703	68	11.9	68	72	....	72	12.6	+ 6
Riverside	31,546	320	10.1	318	322	....	322	10.2	+ 1
Sacramento (total)	25,740	210	8.2	209	253	....	253	9.8	+20
White	20,264	161	7.9	160	189	....	189	9.3	+18
Colored	5,476	49	8.9	49	64	....	64	11.7	+31
San Benito	9,045	108	11.9	108	111	....	111	12.3	+ 3
San Bernardino*	55,234	922	16.7	922	927	2	925	16.7	.....
San Diego	38,402	428	11.1	426	471	17	454	11.8	+ 6
San Joaquin (total)	40,596	541	13.3	540	548	....	548	13.5	+ 2
White	35,845	487	13.6	486	493	....	493	13.8	+ 1
Colored	4,751	54	11.4	54	55	....	55	11.6	+ 2
San Luis Obispo	22,023	259	11.8	258	262	....	262	11.9	+ 1
San Mateo	37,307	453	12.1	447	471	1	470	12.6	+ 4
Santa Barbara	21,944	219	10.0	218	223	....	223	10.2	+ 2
Santa Clara*	61,593	1,195	19.4	1,165	1,181	....	1,181	19.2	− 1
Santa Cruz	15,359	193	12.6	193	200	....	200	13.0	+ 3
Shasta	[2] 13,361	162	12.1	160	168	....	168	12.6	+ 4
Sierra	[2] 1,783	23	12.9	22	25	....	25	14.0	+ 9
Siskiyou	[2] 18,545	211	11.4	210	216	....	216	11.6	+ 2
Solano	19,663	163	8.3	162	177	....	177	9.0	+ 8
Sonoma	52,281	760	14.5	752	776	....	776	14.8	+ 2
Stanislaus	44,641	508	11.4	507	517	....	517	11.6	+ 2
Sutter	10,311	77	7.5	77	83	....	83	8.0	+ 7
Tehama	12,959	169	13.0	169	174	....	174	13.4	+ 3
Trinity	[2] 2,551	22	8.6	22	23	....	23	9.0	+ 5
Tulare	60,246	591	9.8	590	603	....	603	10.0	+ 2
Tuolumne	[2] 7,768	122	15.7	121	125	....	125	16.1	+ 3
Ventura	29,259	345	11.8	344	346	....	346	11.8	.....
Yolo	17,269	195	11.3	190	203	....	203	11.8	+ 4
Yuba	10,392	128	12.3	128	134	....	134	12.9	+ 5
COLORADO (counties).									
Adams*	14,714	262	17.8	262	269	....	269	18.3	+ 3
Alamosa	[8] [11] 5,148	117	22.7	117	117	....	117	22.7	.....
Arapahoe	13,945	230	16.5	230	236	4	232	16.6	+ 1
Archuleta	3,604	48	13.3	48	48	....	48	13.3	.....
Baca	9,040	.....	.....	.....	1	....	1	0.1	[12]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
COLORADO—con.									
Bent*	9,944	180	18.1	180	183	2	181	18.2	+ 1
Boulder	20,857	292	14.0	292	299	1	298	14.3	+ 2
Chaffee*	7,760	164	21.1	164	164	1	163	21.0	.....
Cheyenne	3,749	21	5.6	21	22	....	22	5.9	+ 5
Clear Creek	[2] 2,891	46	15.9	46	48	....	48	16.6	+ 4
Conejos	[13] 8,416	48	5.7	48	49	....	49	5.8	+ 2
Costilla	[13] 5,032	20	4.0	20	20	....	20	4.0	.....
Crowley	[11] 6,383	21	3.3	21	21	....	21	3.3	.....
Custer	2,184	18	8.2	18	19	....	19	8.7	+ 6
Delta	[2] 13,668	155	11.3	155	159	....	159	11.6	+ 3
Dolores	1,274	.....	.....	.....	.....	.....	.....	.....	.....
Douglas	3,534	27	7.6	27	30	....	30	8.5	+12
Eagle	3,406	22	6.5	22	23	....	23	6.8	+ 5
El Paso*	13,958	264	18.9	264	266	9	257	18.4	− 3
Elbert	7,065	63	8.9	63	69	....	69	9.8	+10
Fremont	[2] 17,883	273	15.3	273	277	3	274	15.3	.....
Garfield	[2] 9,304	140	15.0	140	142	....	142	15.3	+ 2
Gilpin	[2] 1,364	32	23.5	32	32	....	32	23.5	.....
Grand	2,701	16	5.9	16	18	....	18	6.7	+14
Gunnison	[2] 5,590	66	11.8	66	66	....	66	11.8	.....
Hinsdale	[2] 538	14	26.0	14	14	....	14	26.0	.....
Huerfano	17,062	225	13.2	225	228	....	228	13.4	+ 2
Jackson	1,357	1	0.7	1	1	....	1	0.7	[12]
Jefferson*	14,409	303	21.0	303	313	....	313	21.7	+ 3
Kiowa	3,800	15	3.9	15	17	....	17	4.5	+15
Kit Carson	8,989	102	11.3	102	108	....	108	12.0	+ 6
La Plata	11,239	183	16.3	183	184	....	184	16.4	+ 1
Lake	[2] 6,630	131	19.8	131	131	....	131	19.8	.....
Larimer	28,006	319	11.4	319	328	....	328	11.7	+ 3
Las Animas	28,334	295	10.4	295	299	....	299	10.6	+ 2
Lincoln	8,394	45	5.4	45	47	....	47	5.6	+ 4
Logan	18,884	157	8.3	157	162	1	161	8.5	+ 2
Mesa	22,285	247	11.1	247	249	....	249	11.2	+ 1
Mineral	[2] 779	9	11.6	9	9	....	9	11.6	.....
Moffat	[11] 5,129	57	11.1	57	57	....	57	11.1	.....
Montezuma	6,323	77	12.2	77	78	....	78	12.3	+ 1
Montrose	11,932	142	11.9	142	146	....	146	12.2	+ 3
Morgan	16,461	185	11.2	185	191	1	190	11.5	+ 3
Otero	[13] 22,623	390	17.2	390	391	1	390	17.2	.....
Ouray	[2] 2,620	37	14.1	37	37	....	37	14.1	.....
Park	[2] 1,977	23	11.6	23	25	....	25	12.6	+ 9
Phillips	5,618	62	11.0	62	62	....	62	11.0	.....
Pitkin	[2] 2,707	38	14.0	38	38	....	38	14.0	.....
Prowers	14,068	163	11.6	163	164	....	164	11.7	+ 1
Pueblo*	14,800	519	35.1	519	523	....	523	35.3	+ 1
Rio Blanco	3,176	27	8.5	27	27	....	27	8.5	.....
Rio Grande	7,922	60	7.6	60	61	....	61	7.7	+ 1
Routt	[13] 8,948	84	9.4	84	84	....	84	9.4	.....
Saguache	4,663	34	7.3	34	35	....	35	7.5	+ 3
San Juan	[2] 1,700	28	16.5	28	28	....	28	16.5	.....
San Miguel	5,311	64	12.1	64	67	....	67	12.6	+ 4
Sedgwick	4,266	23	5.4	23	25	....	25	5.9	+ 9
Summit	[2] 1,724	31	18.0	31	33	....	33	19.1	+ 6
Teller	[2] 6,696	96	14.3	96	96	....	96	14.3	.....
Washington	11,476	64	5.6	64	66	....	66	5.8	+ 4
Weld	43,724	300	6.9	300	321	....	321	7.3	+ 6
Yuma	14,175	113	8.0	113	117	....	117	8.3	+ 4
CONNECTICUT (counties).									
Fairfield	41,387	638	15.4	604	742	....	742	17.9	+16
Hartford	77,036	930	12.1	912	1,219	....	1,219	15.8	+31
Litchfield	54,247	676	12.5	621	713	....	713	13.1	+ 5
Middlesex	25,447	292	11.5	258	339	....	339	13.3	+16

For footnotes, see p. 109.

TABLE IB.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
CONNECTICUT—con.									
New Haven	43,892	465	10.6	440	553	----	553	12.6	+19
New London*	39,248	589	15.0	557	636	1	635	16.2	+ 8
Tolland	27,255	318	11.7	304	343	----	343	12.6	+ 8
Windham	39,182	514	13.1	498	540	----	540	13.8	+ 5
DELAWARE (counties).									
Kent (total)	[2] 31,023	478	15.4	478	487	----	487	15.7	+ 2
White	24,269	330	13.6	330	338	----	338	13.9	+ 2
Colored	6,754	148	21.9	148	149	----	149	22.1	+ 1
New Castle* (total)	38,282	686	17.9	682	690	----	690	18.0	+ 1
White	32,748	523	16.0	520	526	----	526	16.1	+ 1
Colored	5,534	163	29.5	162	164	----	164	29.6	.....
Sussex (total)	[2] 43,741	538	12.3	538	550	----	550	12.6	+ 2
White	36,479	427	11.7	427	437	----	437	12.0	+ 3
Colored	7,262	111	15.3	111	113	----	113	15.6	+ 2
FLORIDA (counties).									
Alachua (total)	[2] 31,689	381	12.0	367	394	1	393	12.4	+ 3
White	17,114	178	10.4	169	185	1	184	10.8	+ 4
Colored	14,575	203	13.9	198	209	----	209	14.3	+ 3
Baker (total)	5,664	55	9.7	55	57	1	56	9.9	+ 2
White	4,229	42	9.9	42	44	1	43	10.2	+ 3
Colored	1,435	13	9.1	13	13	----	13	9.1	.....
Bay (total)	[11] 11,407	162	14.2	156	158	3	155	13.6	− 4
White	8,650	122	14.1	118	120	3	117	13.5	− 4
Colored	2,757	40	14.5	38	38	----	38	13.8	− 5
Bradford (total)	[2] 12,503	135	10.8	129	140	1	139	11.1	+ 3
White	9,011	93	10.3	88	98	1	97	10.8	+ 5
Colored	3,492	42	12.0	41	42	----	42	12.0	.....
Brevard (total)	8,701	86	9.9	82	87	1	86	9.9	.....
White	6,145	58	9.4	54	59	1	58	9.4	.....
Colored	2,556	28	11.0	28	28	----	28	11.0	.....
Broward (total)	[11] 5,135	68	13.2	65	68	1	67	13.0	− 2
White	3,538	39	11.0	37	40	1	39	11.0	.....
Colored	1,597	29	18.2	28	28	----	28	17.5	− 4
Calhoun (total)	[18] 8,775	84	9.6	83	84	----	84	9.6	.....
White	6,367	52	8.2	51	52	----	52	8.2	.....
Colored	2,408	32	13.3	32	32	----	32	13.3	.....
Citrus (total)	[2] 5,220	88	16.9	88	92	----	92	17.6	+ 4
White	2,695	48	17.8	48	51	----	51	18.9	+ 6
Colored	2,525	40	15.8	40	41	----	41	16.2	+ 3
Clay (total)	[2] 5,621	72	12.8	70	78	1	77	13.7	+ 7
White	3,549	38	10.7	36	41	1	40	11.3	+ 6
Colored	2,072	34	16.4	34	37	----	37	17.9	+ 9
Columbia (total)	[2] 14,290	139	9.7	133	141	----	141	9.9	+ 2
White	7,291	78	10.7	74	79	----	79	10.8	+ 1
Colored	6,999	61	8.7	59	62	----	62	8.9	+ 2
Dade (total)	[13] 13,182	163	12.4	137	155	6	149	11.3	− 9
White	9,714	115	11.8	89	102	5	97	10.0	−15
Colored	3,468	48	13.8	48	53	1	52	15.0	+ 9
De Soto (total)	26,013	225	8.6	222	232	3	229	8.8	+ 2
White	21,555	183	8.5	180	187	3	184	8.5	.....
Colored	4,458	42	9.4	42	45	----	45	10.1	+ 7
Duval (total)	22,746	232	10.2	225	269	7	262	11.5	+13
White	16,138	151	9.4	145	170	4	166	10.3	+10
Colored	6,608	81	12.3	80	99	3	96	14.5	+18
Escambia (total)	18,521	134	7.2	127	137	6	131	7.1	− 1
White	13,686	101	7.4	97	103	6	97	7.1	− 4
Colored	4,835	33	6.8	30	34	----	34	7.0	+ 3
Flagler (total)	[11] 2,442	19	7.8	19	20	----	20	8.2	+ 5
White	1,481	8	5.4	8	9	----	9	6.1	+13
Colored	961	11	11.4	11	11	----	11	11.4	.....
Franklin (total)	5,324	53	10.0	53	55	----	55	10.3	+ 3
White	2,836	25	8.8	25	26	----	26	9.2	+ 5
Colored	2,488	28	11.3	28	29	----	29	11.7	+ 4
RURAL PART OF REGISTRATION STATES [10]—Con.									
FLORIDA—con.									
Gadsden * (total)	23,608	526	22.3	423	427	2	425	18.0	−19
White	8,804	230	26.1	174	176	2	174	19.8	−24
Colored	14,804	296	20.0	249	251	----	251	17.0	−15
Hamilton (total)	[2] 9,873	127	12.9	124	129	----	129	13.1	+ 2
White	5,610	64	11.4	62	63	----	63	11.2	− 2
Colored	4,263	63	14.8	62	66	----	66	15.5	+ 5
Hernando (total)	[2] 4,548	50	11.0	48	51	----	51	11.2	+ 2
White	2,723	19	7.0	18	20	----	20	7.3	+ 4
Colored	1,825	31	17.0	30	31	----	31	17.0	.....
Hillsborough (total)	[13] 36,649	419	11.4	401	419	6	413	11.3	− 1
White	31,584	317	10.0	300	313	6	307	9.7	− 3
Colored	5,065	102	20.1	101	106	----	106	20.9	+ 4
Holmes	12,917	88	6.8	88	93	----	93	7.2	+ 6
Jackson (total)	31,296	296	9.5	296	307	1	306	9.8	+ 3
White	18,022	181	10.0	181	192	1	191	10.6	+ 6
Colored	13,274	115	8.7	115	115	----	115	8.7	.....
Jefferson (total)	[2] 14,502	247	17.0	246	253	1	252	17.4	+ 2
White	3,981	56	14.1	56	60	----	60	15.1	+ 7
Colored	10,521	191	18.2	190	193	1	192	18.2	.....
Lafayette (total)	[2] 6,242	95	15.2	95	97	1	96	15.4	+ 1
White	5,129	82	16.0	82	83	1	82	16.0	.....
Colored	1,113	13	11.7	13	14	----	14	12.6	+ 8
Lake (total)	12,917	201	15.6	180	191	4	187	14.5	− 7
White	9,090	131	14.4	115	121	4	117	12.9	−10
Colored	3,827	70	18.3	65	70	----	70	18.3	.....
Lee (total)	9,707	87	9.0	82	87	1	86	8.9	− 1
White	8,164	62	7.6	59	63	1	62	7.6	.....
Colored	1,543	25	16.2	23	24	----	24	15.6	− 4
Leon (total)	[2] 18,059	238	13.2	236	249	2	247	13.7	+ 4
White	5,802	67	11.4	65	72	2	70	11.9	+ 4
Colored	12,167	171	14.1	171	177	----	177	14.5	+ 3
Levy (total)	[2] 9,921	115	11.6	114	124	----	124	12.5	+ 8
White	5,961	70	11.7	70	75	----	75	12.6	+ 8
Colored	3,960	45	11.4	44	49	----	49	12.4	+ 9
Liberty (total)	5,022	40	8.0	40	42	----	42	8.4	+ 5
White	2,773	14	5.0	14	15	----	15	5.4	+ 8
Colored	2,249	26	11.6	26	27	----	27	12.0	+ 3
Madison (total)	[2] 16,516	189	11.4	189	197	1	196	11.9	+ 4
White	8,021	97	12.1	97	100	1	99	12.3	+ 2
Colored	8,495	92	10.8	92	97	----	97	11.4	+ 6
Manatee (total)	19,184	158	8.2	147	165	4	161	8.4	+ 2
White	13,194	99	7.5	91	109	4	105	8.0	+ 7
Colored	5,990	59	9.8	56	56	----	56	9.3	− 5
Marion (total)	[2] 23,968	398	16.6	381	391	1	390	16.3	− 2
White	11,080	153	13.8	145	150	1	149	13.4	− 3
Colored	12,888	245	19.0	236	241	----	241	18.7	− 2
Monroe (total)	[2] 801	1	1.2	1	2	----	2	2.5	[12]
White	515	1	1.9	1	1	----	1	1.9	[12]
Colored	286	----	----	----	1	----	1	3.5	[12]
Nassau (total)	11,382	119	10.5	118	121	----	121	10.6	+ 1
White	6,379	53	8.3	53	55	----	55	8.6	+ 4
Colored	5,003	66	13.2	65	66	----	66	13.2	.....
Okaloosa (total)	[11] 9,360	64	6.8	61	63	----	63	6.7	− 1
White	7,520	54	7.2	51	52	----	52	6.9	− 4
Colored	1,840	10	5.4	10	11	----	11	6.0	+11
Okeechobee (total)	[11] 2,132	20	9.4	20	21	----	21	9.8	+ 4
White	1,887	19	10.1	19	20	----	20	10.6	+ 5
Colored	245	1	4.1	1	1	----	1	4.1	[12]
Orange (total)	[13] 19,890	338	17.0	286	298	15	283	14.2	−16
White	14,423	238	16.5	190	195	14	181	12.5	−24
Colored	5,467	100	18.3	96	103	1	102	18.7	+ 2
Osceola (total)	[13] 7,195	142	19.7	135	144	27	117	16.3	−17
White	6,072	119	19.6	113	121	27	94	15.5	−21
Colored	1,123	23	20.5	22	23	----	23	20.5	.....

For footnotes, see p. 109.

TABLE 1B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
FLORIDA—con.									
Palm Beach (total)	[13] 18,654	247	13.2	221	232	8	224	12.0	− 9
White	13,042	159	12.2	135	142	8	134	10.3	−16
Colored	5,612	88	15.7	86	90	----	90	16.0	+ 2
Pasco (total)	8,869	109	12.3	105	117	3	114	12.9	+ 5
White	6,790	71	10.5	68	75	3	72	10.6	+ 1
Colored	2,079	38	18.3	37	42	----	42	20.2	+10
Pinellas (total)	[11] 14,028	167	11.9	148	164	11	153	10.9	− 8
White	11,903	142	11.9	123	135	11	124	10.4	−13
Colored	2,125	25	11.8	25	29	----	29	13.6	+15
Polk (total)	39,408	530	13.4	504	521	14	507	12.9	− 4
White	29,951	376	12.6	350	365	14	351	11.7	− 7
Colored	9,457	154	16.3	154	156	----	156	16.5	+ 1
Putnam (total)	14,644	241	16.5	225	238	4	234	16.0	− 3
White	7,901	123	15.6	113	120	2	118	14.9	− 4
Colored	6,743	118	17.5	112	118	2	116	17.2	− 2
St. Johns (total)	[12] 13,061	227	17.4	194	203	5	198	15.2	−13
White	8,335	143	17.2	118	122	3	119	14.3	−17
Colored	4,726	84	17.8	76	81	2	79	16.7	− 6
St. Lucie (total)	[12] 7,886	79	10.0	73	83	3	80	10.1	+ 1
White	5,967	54	9.0	51	61	3	58	9.7	+ 8
Colored	1,919	25	13.0	22	22	----	22	11.5	−12
Santa Rosa (total)	[12] 13,670	145	10.6	144	154	1	153	11.2	+ 6
White	10,821	112	10.4	111	118	1	117	10.8	+ 4
Colored	2,849	33	11.6	33	36	----	36	12.6	+ 9
Seminole (total)	[11] 10,986	147	13.4	129	143	1	142	12.9	− 4
White	5,933	72	12.1	59	65	----	65	11.0	− 9
Colored	5,053	75	14.8	70	78	1	77	15.2	+ 3
Sumter (total)	7,910	77	9.7	76	79	----	79	10.0	+ 3
White	5,695	52	9.1	51	52	----	52	9.1	----
Colored	2,215	25	11.3	25	27	----	27	12.2	+ 8
Suwanee (total)	19,851	221	11.1	218	226	3	223	11.2	+ 1
White	11,897	120	10.1	117	124	2	122	10.3	+ 2
Colored	7,954	101	12.7	101	102	1	101	12.7	----
Taylor (total)	11,431	166	14.5	166	171	1	170	14.9	+ 3
White	6,787	100	14.7	100	104	1	103	15.2	+ 3
Colored	4,644	66	14.2	66	67	----	67	14.4	+ 1
Volusia (total)	[13] 23,374	320	13.7	284	299	24	275	11.8	−14
White	15,159	222	14.6	189	198	23	175	11.5	−21
Colored	8,215	98	11.9	95	101	1	100	12.2	+ 3
Wakulla (total)	5,146	50	9.7	50	51	----	51	9.9	+ 2
White	2,786	31	11.1	31	32	----	32	11.5	+ 4
Colored	2,360	19	8.1	19	19	----	19	8.1	----
Walton (total)	[12] 12,119	125	10.3	124	128	2	126	10.4	+ 1
White	9,688	105	10.8	104	107	1	106	10.9	+ 1
Colored	2,431	20	8.2	20	21	1	20	8.2	----
Washington (total)	[12] 11,828	94	7.9	92	98	1	97	8.2	+ 4
White	8,871	64	7.2	62	65	1	64	7.2	----
Colored	2,957	30	10.1	30	33	----	33	11.2	+11
ILLINOIS (counties).									
Adams	[2] 26,210	400	15.3	399	425	1	424	16.2	+ 6
Alexander (total)	8,808	109	12.4	107	110	----	110	12.5	+ 1
White	7,418	77	10.4	76	78	----	78	10.5	+ 1
Colored	1,390	32	23.0	31	32	----	32	23.0	----
Bond	[2] 16,045	148	9.2	148	158	1	157	9.8	+ 7
Boone	[2] 15,322	186	12.1	182	189	----	189	12.3	+ 2
Brown	[2] 9,336	107	11.5	106	114	----	114	12.2	+ 6
Bureau	[2] 42,648	448	10.5	444	459	----	459	10.8	+ 3
Calhoun	[2] 8,245	83	10.1	83	86	----	86	10.4	+ 3
Carroll	19,413	219	11.3	217	233	1	232	12.0	+ 6
Cass	17,923	184	10.3	183	210	----	210	11.7	+14
Champaign	30,239	294	9.7	293	316	----	316	10.5	+ 8
Christian	38,657	439	11.4	429	454	----	454	11.7	+ 3
Clark	[2] 21,165	258	12.2	256	267	----	267	12.6	+ 3
Clay	[2] 17,684	190	10.7	189	193	----	193	10.9	+ 2

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
ILLINOIS—con.									
Clinton	22,953	222	9.7	220	233	----	233	10.2	+ 5
Coles	21,479	277	12.9	276	282	----	282	13.1	+ 2
Cook *	163,489	2,931	17.9	2,824	3,090	2	3,088	18.9	+ 6
Crawford	[2] 22,771	268	11.8	265	266	----	266	11.7	− 1
Cumberland	[2] 12,858	137	10.7	137	143	----	143	11.1	+ 4
De Kalb	[2] 31,339	358	11.4	354	379	1	378	12.1	+ 6
De Witt	19,270	218	11.3	217	224	----	224	11.6	+ 3
Douglas	19,605	198	10.1	195	214	----	214	10.9	+ 8
Du Page	42,568	342	8.0	326	381	----	381	9.0	+13
Edgar	[2] 25,769	314	12.2	309	317	----	317	12.3	+ 1
Edwards	[2] 9,431	139	14.7	139	139	----	139	14.7	----
Effingham	[2] 19,556	228	11.7	223	225	----	225	11.5	− 2
Fayette	[2] 26,187	313	12.0	312	320	----	320	12.2	+ 2
Ford	[2] 16,466	201	12.2	201	215	1	214	13.0	+ 7
Franklin	58,908	680	11.5	678	690	----	690	11.7	+ 2
Fulton	[2] 37,226	422	11.3	416	450	1	449	12.1	+ 7
Gallatin	[2] 12,856	122	9.5	122	123	----	123	9.6	+ 1
Greene	22,910	272	11.9	271	289	----	289	12.6	+ 6
Grundy	[2] 18,580	195	10.5	191	201	----	201	10.8	+ 3
Hamilton	[2] 15,920	170	10.7	170	174	----	174	10.9	+ 2
Hancock	[2] 28,523	320	11.2	320	330	----	330	11.6	+ 4
Hardin	7,560	67	8.9	67	69	----	69	9.1	+ 2
Henderson	9,773	95	9.7	95	98	----	98	10.0	+ 3
Henry	29,173	344	11.8	339	355	1	354	12.1	+ 3
Iroquois	[2] 34,841	341	9.8	339	363	----	363	10.4	+ 6
Jackson	26,323	342	13.0	322	329	2	327	12.4	− 5
Jasper	[2] 16,064	152	9.5	152	159	----	159	9.9	+ 4
Jefferson	[2] 28,480	405	14.2	398	405	----	405	14.2	----
Jersey	[2] 12,682	118	9.3	118	131	----	131	10.3	+11
Jo Daviess	[2] 21,917	258	11.8	256	275	1	274	12.5	+ 6
Johnson	[2] 12,022	95	7.9	95	98	----	98	8.2	+ 4
Kane	35,918	307	8.5	296	349	----	349	9.7	+14
Kankakee *	28,110	552	19.6	548	563	1	562	20.0	+ 2
Kendall	[2] 10,074	104	10.3	100	116	----	116	11.5	+12
Knox	22,833	244	10.7	241	263	----	263	11.5	+ 7
La Salle	54,253	548	10.1	540	601	1	600	11.1	+10
Lake	55,887	667	11.9	637	683	1	682	12.2	+ 3
Lawrence	[2] 21,380	215	10.1	214	215	----	215	10.1	----
Lee	28,018	318	11.3	308	315	1	314	11.2	− 1
Livingston	[2] 39,070	408	10.4	403	424	----	424	10.9	+ 5
Logan	[2] 17,629	160	9.1	160	194	1	193	10.9	+20
McDonough	27,084	325	12.0	319	327	----	327	12.1	+ 1
McHenry	33,198	404	12.2	400	432	----	432	13.0	+ 7
McLean	41,350	471	11.4	459	492	----	492	11.9	+ 4
Macon	21,382	186	8.7	184	201	----	201	9.4	+ 8
Macoupin	57,614	509	8.8	504	561	----	561	9.7	+10
Madison *	67,922	832	12.2	816	868	----	868	12.8	+ 5
Marion	24,985	309	12.4	306	325	----	325	13.0	+ 5
Marshall	[2] 14,760	165	11.2	164	171	----	171	11.6	+ 4
Mason	[2] 16,634	172	10.3	172	192	----	192	11.5	+12
Massac (total)	[2] 13,559	200	14.8	199	203	1	202	14.9	+ 1
White	11,502	156	13.6	155	159	1	158	13.7	+ 1
Colored	2,057	44	21.4	44	44	----	44	21.4	----
Menard	[2] 11,694	123	10.5	122	137	----	137	11.7	+11
Mercer	[2] 18,800	183	9.7	183	195	----	195	10.4	+ 7
Monroe	[2] 12,839	101	7.9	101	111	----	111	8.6	+ 9
Montgomery	41,717	556	13.3	516	531	2	529	12.7	− 5
Morgan	[2] 17,834	184	10.3	179	202	----	202	11.3	+10
Moultrie	14,850	150	10.1	150	161	----	161	10.8	+ 7
Ogle	[2] 26,830	321	12.0	314	336	1	335	12.5	+ 4
Peoria *	35,707	569	15.9	565	600	----	600	16.8	+ 6
Perry	22,943	304	13.3	300	312	----	312	13.6	+ 2
Piatt	[2] 15,714	131	8.3	131	158	----	158	10.1	+22
Pike	[2] 26,866	292	10.9	292	311	----	311	11.6	+ 6
Pope	[2] 9,625	79	8.2	78	80	----	80	8.3	+ 1

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES,[10]—Con.									
ILLINOIS—con.									
Pulaski (total)	[2] 14,629	208	14.2	208	212	....	212	14.5	+ 2
White	9,659	110	11.4	110	114	....	114	11.8	+ 4
Colored	4,970	98	19.7	98	98	....	98	19.7	.....
Putnam	7,580	50	6.6	50	54	....	54	7.1	+ 8
Randolph	[2] 29,109	289	9.9	288	305	....	305	10.5	+ 6
Richland	[2] 14,044	191	13.6	186	188	....	188	13.4	− 1
Rock Island*	26,779	355	13.3	352	374	....	374	14.0	+ 5
St. Clair	45,173	385	8.5	375	414	....	414	9.2	+ 8
Saline	38,773	443	11.4	442	449	2	447	11.5	+ 1
Sangamon	41,176	430	10.4	428	520	....	520	12.6	+21
Schuyler	[2] 13,285	138	10.4	137	141	....	141	10.6	+ 2
Scott	[2] 9,489	97	10.2	97	106	....	106	11.2	+10
Shelby	[2] 29,601	303	10.2	303	315	....	315	10.6	+ 4
Stark	[2] 9,693	79	8.2	79	93	....	93	9.6	+17
Stephenson	18,029	168	9.3	165	188	....	188	10.4	+12
Tazewell	26,574	279	10.5	278	301	....	301	11.3	+ 8
Union*	[2] 20,249	458	22.6	458	466	....	466	23.0	+ 2
Vermilion (excl. of Nat. Military Home.)	52,602	516 / 201	[14]13.6	513 / 201	547 / 201	1	546 / 201	[14] 14.2	+ 4
Wabash	[2] 14,034	174	12.4	174	178	....	178	12.7	+ 2
Warren	[2] 21,488	285	13.3	281	292	....	292	13.6	+ 2
Washington	[2] 18,035	175	9.7	174	186	....	186	10.3	+ 6
Wayne	[2] 22,772	218	9.6	217	219	....	219	9.6	.....
White	[2] 20,081	254	12.6	254	262	....	262	13.0	+ 3
Whiteside	36,260	446	12.3	438	459	....	459	12.7	+ 3
Will	54,714	637	11.6	630	659	....	659	12.0	+ 3
Williamson	50,717	617	12.2	614	629	....	629	12.4	+ 2
Winnebago	25,742	214	8.3	205	220	2	218	8.5	+ 2
Woodford	[2] 19,340	173	8.9	170	189	....	189	9.8	+10
INDIANA (counties).									
Adams	[2] 20,503	219	10.7	218	225	....	225	11.0	+ 3
Allen	27,881	332	11.9	327	353	....	353	12.7	+ 7
Bartholomew	[2] 23,887	298	12.5	297	301	....	301	12.6	+ 1
Benton	[2] 12,206	118	9.7	118	138	....	138	11.3	+16
Blackford	[2] 14,084	164	11.6	164	171	....	171	12.1	+ 4
Boone	[2] 23,575	278	11.8	275	284	....	284	12.0	+ 2
Brown	[2] 7,019	80	11.4	80	83	....	83	11.8	+ 4
Carroll	[2] 16,315	206	12.6	206	215	....	215	13.2	+ 5
Cass*	16,688	266	15.9	260	273	....	273	16.4	+ 3
Clark	[2] 19,283	202	10.5	201	204	....	204	10.6	+ 1
Clay	[2] 29,447	344	11.7	342	351	....	351	11.9	+ 2
Clinton	16,075	210	13.1	210	225	....	225	14.0	+ 7
Crawford	[2] 11,201	168	15.0	168	168	....	168	15.0	.....
Daviess	[2] 26,856	314	11.7	313	319	....	319	11.9	+ 2
Dekalb	25,630	334	13.0	330	337	....	337	13.1	+ 1
Dearborn	[2] 20,033	284	14.2	284	289	....	289	14.4	+ 1
Decatur	[2] 17,813	250	14.0	250	261	....	261	14.7	+ 5
Delaware	19,465	268	13.8	268	273	....	273	14.0	+ 1
Dubois	19,920	226	11.3	226	229	....	229	11.5	+ 2
Elkhart	32,231	444	13.8	442	450	....	450	14.0	+ 1
Fayette	17,283	242	14.0	240	244	....	244	14.1	+ 1
Floyd	7,688	63	8.2	63	65	....	65	8.5	+ 4
Fountain	[2] 18,823	220	11.7	220	232	....	232	12.3	+ 5
Franklin	[2] 14,806	155	10.5	153	157	....	157	10.6	+ 1
Fulton	[2] 16,478	219	13.3	216	219	....	219	13.3	.....
Gibson	[2] 29,201	369	12.6	368	373	....	373	12.8	+ 2
Grant (excl. of Nat. Military Home.)	[2] 27,376	332 / 133	[14]17.0	332 / 133	344 / 133	....	344 / 133	[14] 17.4	+ 2
Greene	[2] 36,770	422	11.5	422	436	....	436	11.9	+ 3
Hamilton	[2] 24,222	310	12.8	308	313	....	313	12.9	+ 1
Hancock	[2] 17,210	216	12.6	216	227	....	227	13.2	+ 5
RURAL PART OF REGISTRATION STATES[10]—Con.									
INDIANA—con.									
Harrison	[2] 18,656	192	10.3	192	196	....	196	10.5	+ 2
Hendricks	[2] 20,291	261	12.9	261	280	....	280	13.8	+ 7
Henry*	20,251	330	16.3	330	336	....	336	16.6	+ 2
Howard	13,391	141	10.5	141	140	....	149	11.1	+ 6
Huntington	17,636	211	12.0	210	214	....	214	12.1	+ 1
Jackson	[2] 24,228	331	13.7	330	332	....	332	13.7	.....
Jasper	14,009	177	12.6	171	174	....	174	12.4	− 2
Jay	[2] 23,318	339	14.5	339	347	....	347	14.9	+ 3
Jefferson*	20,721	402	19.4	398	402	....	402	19.4	.....
Jennings	[2] 13,280	170	12.8	170	174	....	174	13.1	+ 2
Johnson	20,757	301	14.5	301	311	....	311	15.0	+ 3
Knox	29,295	338	11.5	338	343	....	343	11.7	+ 2
Kosciusko	[2] 27,120	374	13.8	373	387	....	387	14.3	+ 4
La Porte	15,830	187	11.8	180	185	....	185	11.7	− 1
Lagrange	[2] 14,009	188	13.4	188	191	....	191	13.6	+ 1
Lake	22,645	265	11.7	265	355	....	355	15.7	+34
Lawrence	[2] 28,228	418	14.8	417	421	....	421	14.9	+ 1
Madison	28,425	373	13.1	372	378	....	378	13.3	+ 2
Marion*	34,401	482	14.0	468	478	....	478	13.9	− 1
Marshall	[2] 23,744	291	12.3	291	305	....	305	12.8	+ 4
Martin	[2] 11,865	157	13.2	156	157	....	157	13.2	.....
Miami	[2] 16,233	213	13.1	213	223	....	223	13.7	+ 5
Monroe	12,891	151	11.7	151	153	....	153	11.9	+ 2
Montgomery	[2] 18,315	198	10.8	193	211	....	211	11.5	+ 6
Morgan	[2] 20,010	283	14.1	277	285	....	285	14.2	+ 1
Newton	[2] 10,144	110	10.8	110	120	....	120	11.8	+ 9
Noble	[2] 22,470	307	13.7	304	311	....	311	13.8	+ 1
Ohio	[2] 4,024	51	12.7	51	52	....	52	12.9	+ 2
Orange	[2] 16,974	233	13.7	231	232	....	232	13.7	.....
Owen	[2] 12,760	162	12.7	162	168	....	168	13.2	+ 4
Parke	[2] 18,875	264	14.0	263	268	....	268	14.2	+ 1
Perry	[2] 16,692	174	10.4	173	176	....	176	10.5	+ 1
Pike	[2] 18,684	234	12.5	234	238	1	237	12.7	+ 2
Porter	[2] 20,256	236	11.7	235	243	1	242	11.9	+ 2
Posey	[2] 19,334	225	11.6	224	228	....	228	11.8	+ 2
Pulaski	[2] 12,385	128	10.3	128	133	....	133	10.7	+ 4
Putnam	[2] 19,880	240	12.1	239	245	....	245	12.3	+ 2
Randolph	[2] 26,484	324	12.2	321	327	1	326	12.3	+ 1
Ripley	[2] 18,694	237	12.7	237	240	....	240	12.8	+ 1
Rush	[2] 19,241	240	12.5	239	244	....	244	12.7	+ 2
St. Joseph	17,163	238	13.9	238	248	....	248	14.4	+ 4
Scott	[2] 7,424	89	12.0	89	90	....	90	12.1	+ 1
Shelby	[2] 25,932	335	12.9	335	350	....	350	13.5	+ 5
Spencer	[2] 18,400	197	10.7	196	197	....	197	10.7	.....
Starke	[2] 10,278	137	13.3	137	148	....	148	14.4	+ 8
Steuben	[2] 13,360	162	12.1	162	172	....	172	12.9	+ 7
Sullivan	[2] 31,630	405	12.8	405	412	....	412	13.0	+ 2
Switzerland	[2] 9,311	121	13.0	121	121	....	121	13.0	.....
Tippecanoe*	20,350	312	15.3	309	335	....	335	16.5	+ 8
Tipton	[2] 16,152	176	10.9	175	184	....	184	11.4	+ 5
Union	[2] 6,021	77	12.8	77	82	....	82	13.6	+ 6
Vanderburg*	7,037	246	35.0	244	245	....	245	34.8	− 1
Vermilion	16,871	195	11.6	194	213	....	213	12.6	+ 9
Vigo	34,352	447	13.0	439	456	....	456	13.3	+ 2
Wabash	27,247	353	13.0	352	364	....	364	13.4	+ 3
Warren	9,699	104	10.7	101	111	....	111	11.4	+ 7
Warrick	[2] 19,862	240	12.1	240	243	....	243	12.2	+ 1
Washington	[2] 16,645	219	13.2	219	223	....	223	13.4	+ 2
Wayne*	21,368	396	18.5	390	398	....	398	18.6	+ 1
Wells	[2] 20,509	278	13.6	277	282	....	282	13.8	+ 1
White	[2] 17,351	207	11.9	207	226	....	226	13.0	+ 9
Whitley	[2] 15,660	198	12.6	197	203	....	203	13.1	+ 4

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
KANSAS (counties).									
Allen	[2] 23,509	294	12.5	294	300	....	300	12.8	+ 2
Anderson	[2] 12,986	149	11.5	149	154	....	154	11.9	+ 3
Atchison	[2] 10,781	104	9.6	104	111	....	111	10.3	+ 7
Barber	[2] 9,739	81	8.3	81	85	1	84	8.6	+ 4
Barton	18,452	203	11.0	198	203	....	203	11.0	.....
Bourbon	[2] 12,493	114	9.1	107	108	....	108	8.6	− 6
Brown	[2] 20,949	198	9.5	198	208	....	208	9.9	+ 4
Butler	33,511	212	6.3	208	231	....	231	6.9	+10
Chase	[2] 7,144	68	9.5	68	74	....	74	10.4	+ 9
Chautauqua	11,607	146	12.6	146	152	....	152	13.1	+ 4
Cherokee	[2] 33,609	455	13.5	453	456	....	456	13.6	+ 1
Cheyenne	5,656	46	8.1	46	47	....	47	8.3	+ 2
Clark	5,035	27	5.4	27	27	....	27	5.4	.....
Clay	[2] 14,365	134	9.3	133	135	....	135	9.4	+ 1
Cloud	[2] 17,714	227	12.8	208	210	....	210	11.9	− 7
Coffey	[2] 14,254	136	9.5	136	144	....	144	10.1	+ 6
Comanche	5,406	38	7.0	38	42	....	42	7.8	+11
Cowley	23,882	289	12.1	269	275	1	274	11.5	− 5
Crawford	44,135	484	11.0	481	490	....	490	11.1	+ 1
Decatur	[2] 8,121	74	9.1	74	76	....	76	9.4	+ 3
Dickinson	25,850	263	10.2	261	271	....	271	10.5	+ 3
Doniphan	[2] 13,438	130	9.7	130	133	....	133	9.9	+ 2
Douglas	[2] 11,538	100	8.7	97	101	....	101	8.8	+ 1
Edwards	7,059	76	10.8	76	80	....	80	11.3	+ 5
Elk	[2] 9,034	94	10.4	94	98	....	98	10.8	+ 4
Ellis	14,239	177	12.4	172	173	....	173	12.1	− 2
Ellsworth	[2] 10,379	110	10.6	110	111	....	111	10.7	+ 1
Finney	7,714	81	10.5	80	80	....	80	10.4	− 1
Ford	14,422	200	13.9	191	193	3	190	13.2	− 5
Franklin	22,001	278	12.6	272	279	2	277	12.6	.....
Geary	13,492	148	11.0	148	148	....	148	11.0	.....
Gove	[2] 4,748	44	9.3	44	46	....	46	9.7	+ 4
Graham	[2] 7,624	76	10.0	76	80	....	80	10.5	+ 5
Grant	1,087	6	5.5	6	7	....	7	6.4	+16
Gray	4,793	33	6.9	33	37	....	37	7.7	+12
Greeley	[2] 1,028	6	5.8	6	7	....	7	6.8	+17
Greenwood	[2] 14,715	116	7.9	116	130	1	129	8.8	+11
Hamilton	[2] 2,586	27	10.4	27	27	....	27	10.4	.....
Harper	[2] 13,656	140	10.3	140	151	....	151	11.1	+ 8
Harvey	20,824	324	15.6	279	287	5	282	13.5	−13
Haskell	1,479	10	6.8	10	12	....	12	8.1	+19
Hodgeman	3,776	26	6.9	25	26	....	26	6.9	.....
Jackson	[2] 15,495	151	9.7	151	155	....	155	10.0	+ 3
Jefferson	[2] 14,750	115	7.8	115	123	....	123	8.3	+ 6
Jewell	[2] 16,240	109	6.7	109	116	....	116	7.1	+ 6
Johnson	18,316	193	10.5	191	210	....	210	11.5	+10
Kearny	[2] 2,617	22	8.4	22	23	....	23	8.8	+ 5
Kingman	[2] 12,119	126	10.4	126	130	....	130	10.7	+ 3
Kiowa	[2] 6,164	54	8.8	54	56	....	56	9.1	+ 3
Labette	17,971	281	15.6	281	288	....	288	16.0	+ 3
Lane	2,861	25	8.7	25	25	....	25	8.7	.....
Leavenworth (excl. of) Nat. Military Home	[2] 21,490	158 / 303	[14]21.7	158 / 308	166 / 308	....	166 / 308	[14]22.1	+ 2
Lincoln	[2] 9,894	85	8.6	85	92	....	92	9.3	+ 8
Linn	[2] 13,815	166	12.0	166	172	....	172	12.5	+ 4
Logan	[2] 3,223	21	6.5	21	22	....	22	6.8	+ 5
Lyon	14,834	136	9.2	135	141	....	141	9.5	+ 3
McPherson	21,862	230	10.5	229	238	....	238	10.9	+ 4
Marion	22,950	267	11.6	267	285	....	285	12.4	+ 7
Marshall	[2] 22,730	209	9.2	209	215	....	215	9.5	+ 3
Meade	5,568	33	5.9	33	33	....	33	5.9	.....
Miami	[2] 19,809	355	17.9	355	364	....	364	18.4	+ 3
Mitchell	[2] 13,856	135	9.7	135	139	....	139	10.0	+ 3
Montgomery	24,184	294	12.2	293	301	....	301	12.4	+ 2
Morris	[2] 12,005	102	8.5	102	105	....	105	8.7	+ 2
Morton	3,273	25	7.6	25	25	....	25	7.6	.....
Nemaha	[2] 18,487	163	8.8	163	169	....	169	9.1	+ 3
Neosho	13,675	127	9.3	124	128	....	128	9.4	+ 1
Ness	7,573	50	6.6	50	52	....	52	6.9	+ 5
Norton	[2] 11,423	122	10.7	110	113	....	113	9.9	− 7
Osage	[2] 18,621	207	11.1	207	215	....	215	11.5	+ 4
Osborne	[2] 12,441	108	8.7	108	113	....	113	9.1	+ 5
Ottawa	[2] 10,714	89	8.3	89	91	....	91	8.5	+ 2
Pawnee	9,347	78	8.3	78	80	....	80	8.6	+ 4
Phillips	12,505	119	9.5	119	128	....	128	10.2	+ 7
Pottawatomie	[2] 16,154	170	10.5	170	176	....	176	10.9	+ 4
Pratt	13,000	125	9.6	125	130	....	130	10.0	+ 4
Rawlins	6,821	96	14.1	96	100	....	100	14.7	+ 4
Reno	21,106	176	8.3	176	182	....	182	8.6	+ 4
Republic	[2] 15,355	151	9.5	151	160	....	160	10.1	+ 6
Rice	[2] 14,382	159	10.7	159	161	....	161	10.9	+ 2
Riley	20,901	162	7.8	162	169	....	169	8.1	+ 4
Rooks	[2] 9,966	81	8.1	81	83	....	83	8.3	+ 2
Rush	8,388	65	7.7	65	68	....	68	8.1	+ 5
Russell	[2] 10,748	88	8.2	88	93	....	93	8.7	+ 6
Saline	9,993	78	7.8	77	82	....	82	8.2	+ 5
Scott	3,125	24	7.7	24	25	....	25	8.0	+ 4
Sedgwick	20,010	146	7.3	146	169	....	169	8.4	+15
Seward*	6,330	80	12.6	80	80	....	80	12.6	.....
Shawnee	19,187	289	15.1	289	296	....	296	15.4	+ 2
Sheridan	[2] 5,484	49	8.9	49	54	....	54	9.8	+10
Sherman	5,647	60	10.6	60	63	....	63	11.2	+ 6
Smith	[2] 14,985	111	7.4	111	117	....	117	7.8	+ 5
Stafford	[2] 11,559	137	11.9	137	141	....	141	12.2	+ 3
Stanton	[2] 908	5	5.5	5	5	....	5	5.5	.....
Stevens	4,021	23	5.7	23	24	....	24	6.0	+ 5
Sumner	[2] 29,213	326	11.2	321	336	5	331	11.3	+ 1
Thomas	5,521	36	6.5	36	39	....	39	7.1	+ 9
Trego	5,905	43	7.3	43	47	....	47	8.0	+10
Wabaunsee	[2] 11,424	84	7.4	83	90	....	90	7.9	+ 7
Wallace	[2] 2,424	19	7.8	19	19	....	19	7.8	.....
Washington	[2] 17,984	154	8.6	154	166	....	166	9.2	+ 7
Wichita	[2] 1,856	8	4.3	8	9	....	9	4.8	+12
Wilson	21,227	245	11.5	245	248	....	248	11.7	+ 2
Woodson	[2] 8,984	93	10.4	93	96	....	96	10.7	+ 3
Wyandotte (total)	21,280	290	13.6	281	309	....	309	14.5	+ 7
White	18,897	220	11.6	211	234	....	234	12.4	+ 7
Colored	2,383	70	29.4	70	75	....	75	31.5	+ 7
KENTUCKY (counties).									
Adair	17,330	159	9.2	159	159	....	159	9.2	.....
Allen	16,858	186	11.0	186	187	....	187	11.1	+ 1
Anderson	[2] 9,982	119	11.9	119	119	....	119	11.9	.....
Ballard (total)	[2] 12,045	119	9.9	119	122	....	122	10.1	+ 2
White	10,659	101	9.5	101	104	....	104	9.8	+ 3
Colored	1,386	18	13.0	18	18	....	18	13.0	.....
Barren (total)	25,360	329	13.0	329	330	....	330	13.0	.....
White	22,072	274	12.4	274	275	....	275	12.5	+ 1
Colored	3,288	55	16.7	55	55	....	55	16.7	.....
Bath	[2] 11,996	157	13.1	157	157	....	157	13.1	.....
Bell	34,273	296	8.6	296	297	....	297	8.7	+ 1
Boone	9,580	128	13.4	128	130	....	130	13.6	+ 1
Bourbon (total)	18,468	301	16.3	301	302	....	302	16.4	+ 1
White	13,606	181	13.3	181	182	....	182	13.4	+ 1
Colored	4,862	120	24.7	120	120	....	120	24.7	.....
Boyd	14,650	215	14.7	215	219	....	219	14.9	+ 1
Boyle (total)	15,015	225	15.0	225	228	....	228	15.2	+ 1
White	11,874	143	12.0	143	145	....	145	12.2	+ 2
Colored	3,141	82	26.1	82	83	....	83	26.4	+ 1
Bracken	[2] 10,210	131	12.8	131	133	....	133	13.0	+ 2
Breathitt	20,773	130	6.3	130	130	....	130	6.3	.....
Breckinridge	[2] 19,652	226	11.5	226	227	....	227	11.6	+ 1

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
KENTUCKY—con.									
Bullitt	[2] 9,328	119	12.8	119	119	----	119	12.8	.....
Butler	[2] 15,197	121	8.0	121	121	----	121	8.0	.....
Caldwell (total)	[2] 13,975	176	12.6	176	180	----	180	12.9	+ 2
White	12,067	145	12.0	145	149	----	149	12.3	+ 3
Colored	1,908	31	16.2	31	31	----	31	16.2	.....
Calloway	20,851	190	9.1	190	190	----	190	9.1	.....
Campbell	32,680	385	11.8	385	394	----	394	12.1	+ 3
Carlisle	[2] 8,231	96	11.7	96	96	----	96	11.7	.....
Carroll	8,359	114	13.6	114	114	----	114	13.6	.....
Carter	22,501	256	11.4	256	257	----	257	11.4	.....
Casey	17,302	144	8.3	144	146	----	146	8.4	+ 1
Christian * (total)	[2] 35,883	657	18.3	657	657	----	657	18.3	.....
White	22,971	379	16.5	379	379	----	379	16.5	.....
Colored	12,912	278	21.5	278	278	----	278	21.5	.....
Clark (total)	[2] 17,901	313	17.5	313	313	----	313	17.5	.....
White	14,209	234	16.5	234	234	----	234	16.5	.....
Colored	3,692	79	21.4	79	79	----	79	21.4	.....
Clay	19,899	115	5.8	115	115	----	115	5.8	.....
Clinton	8,611	61	7.1	61	61	----	61	7.1	.....
Crittenden	[2] 13,125	100	7.6	100	101	----	101	7.7	+ 1
Cumberland	10,690	78	7.3	78	78	----	78	7.3	.....
Daviess	[2] 23,236	214	9.2	214	215	----	215	9.3	+ 1
Edmonson	10,916	87	8.0	87	87	----	87	8.0	.....
Elliott	[2] 8,887	87	9.8	87	87	----	87	9.8	.....
Estill	15,739	95	6.0	95	95	----	95	6.0	.....
Fayette (total)	13,182	85	6.4	85	85	----	85	6.4	.....
White	10,048	56	5.6	56	56	----	56	5.6	.....
Colored	3,134	29	9.3	29	29	----	29	9.3	.....
Fleming	[2] 15,614	190	12.2	190	191	----	191	12.2	.....
Floyd	27,880	137	4.9	137	138	----	138	4.9	.....
Franklin (total)	[2] 19,357	259	13.4	259	261	----	261	13.5	+ 1
White	16,495	215	13.0	215	217	----	217	13.2	+ 2
Colored	2,862	44	15.4	44	44	----	44	15.4	.....
Fulton (total)	15,253	199	13.0	199	204	----	204	13.4	+ 3
White	12,040	149	12.4	149	153	----	153	12.7	+ 2
Colored	3,213	50	15.6	50	51	----	51	15.9	+ 2
Gallatin	[2] 4,664	60	12.9	60	61	----	61	13.1	+ 2
Garrard (total)	12,535	122	9.7	122	124	----	124	9.9	+ 2
White	10,640	85	8.0	85	87	----	87	8.2	+ 3
Colored	1,895	37	19.5	37	37	----	37	19.5	.....
Grant	[2] 10,435	120	11.5	120	120	----	120	11.5	.....
Graves	[2] 32,483	415	12.8	415	418	----	418	12.9	+ 1
Grayson	[2] 19,927	174	8.7	174	174	----	174	8.7	.....
Green	[2] 11,391	86	7.5	86	87	----	87	7.6	+ 1
Greenup	20,144	244	12.1	244	246	----	246	12.2	+ 1
Hancock	[2] 6,945	93	13.4	93	93	----	93	13.4	.....
Hardin	24,369	245	10.1	245	245	----	245	10.1	.....
Harlan	32,627	428	13.1	428	429	----	429	13.1	.....
Harrison	[2] 15,798	219	13.9	219	219	----	219	13.9	.....
Hart	18,564	149	8.0	149	149	----	149	8.0	.....
Henderson (total)	[2] 15,403	213	13.8	213	214	----	214	13.9	+ 1
White	12,676	155	12.2	155	156	----	156	12.3	+ 1
Colored	2,727	58	21.3	58	58	----	58	21.3	.....
Henry (total)	[2] 13,411	175	13.0	175	176	----	176	13.1	+ 1
White	11,923	140	11.7	140	141	----	141	11.8	+ 1
Colored	1,488	35	23.5	35	35	----	35	23.5	.....
Hickman (total)	[2] 10,244	141	13.8	141	144	----	144	14.1	+ 2
White	8,996	118	13.1	118	121	----	121	13.5	+ 3
Colored	1,248	23	18.4	23	23	----	23	18.4	.....
Hopkins (total)	[2] 34,133	454	13.3	454	455	----	455	13.3	.....
White	28,096	347	12.4	347	348	----	348	12.4	.....
Colored	6,037	107	17.7	107	107	----	107	17.7	.....
Jackson	11,737	67	5.7	67	68	----	68	5.8	+ 2
RURAL PART OF REGISTRATION STATES[10]—Con.									
KENTUCKY—con.									
Jefferson *	52,288	733	14.0	733	734	----	734	14.0	.....
Jessamine (total)	[2] 12,205	149	12.2	149	150	----	150	12.3	+ 1
White	9,928	104	10.5	104	104	----	104	10.5	.....
Colored	2,277	45	19.8	45	46	----	46	20.2	+ 2
Johnson	19,733	191	9.7	191	192	----	192	9.7	.....
Kenton	16,384	176	10.7	176	180	----	180	11.0	+ 3
Knott	11,700	89	7.6	89	89	----	89	7.6	.....
Knox	24,278	279	11.5	279	279	----	279	11.5	.....
Larue	[2] 10,004	123	12.3	123	123	----	123	12.6	+ 2
Laurel	[2] 19,814	175	8.8	175	175	----	175	8.8	.....
Lawrence	[2] 17,643	181	10.3	181	181	----	181	10.3	.....
Lee	12,041	60	5.0	60	61	----	61	5.1	+ 2
Leslie	10,155	87	8.6	87	87	----	87	8.6	.....
Letcher	25,180	159	6.3	159	160	----	160	6.4	+ 2
Lewis	[2] 15,829	227	14.3	227	232	----	232	14.7	+ 3
Lincoln (total)	[2] 16,481	262	15.9	262	263	----	263	16.0	+ 1
White	14,290	211	14.8	211	212	----	212	14.8	.....
Colored	2,191	51	23.3	51	51	----	51	23.3	.....
Livingston	[2] 9,732	103	10.6	103	103	----	103	10.6	.....
Logan (total)	[2] 23,633	270	11.4	270	270	----	270	11.4	.....
White	19,329	193	10.0	193	193	----	193	10.0	.....
Colored	4,304	77	17.9	77	77	----	77	17.9	.....
Lyon (total)	[2] 8,795	73	8.3	73	73	----	73	8.3	.....
White	7,611	55	7.2	55	55	----	55	7.2	.....
Colored	1,184	18	15.2	18	18	----	18	15.2	.....
McCracken (total)	12,522	116	9.3	116	116	----	116	9.3	.....
White	11,126	104	9.3	104	104	----	104	9.3	.....
Colored	1,396	12	8.6	12	12	----	12	8.6	.....
McCreary	[11] 11,676	93	8.0	93	93	----	93	8.0	.....
McLean	[2] 12,502	170	13.6	170	170	----	170	13.6	.....
Madison (total)	[2] 26,284	316	12.0	316	316	----	316	12.0	.....
White	21,373	240	11.2	240	240	----	240	11.2	.....
Colored	4,911	76	15.5	76	76	----	76	15.5	.....
Magoffin	13,870	85	6.1	85	87	----	87	6.3	+ 3
Marion (total)	[2] 15,527	209	13.5	209	210	----	210	13.5	.....
White	13,826	179	12.9	179	180	----	180	13.0	+ 1
Colored	1,701	30	17.6	30	30	----	30	17.6	.....
Marshall	[2] 15,215	158	10.4	158	158	----	158	10.4	.....
Martin	7,673	51	6.6	51	51	----	51	6.6	.....
Mason (total)	[2] 17,760	217	12.2	217	221	----	221	12.4	+ 2
White	15,207	180	11.8	180	183	----	183	12.0	+ 2
Colored	2,553	37	14.5	37	38	----	38	14.9	+ 3
Meade	[2] 9,442	124	13.1	124	124	----	124	13.1	.....
Menifee	[2] 5,779	50	8.7	50	50	----	50	8.7	.....
Mercer (total)	14,833	161	10.9	161	163	----	163	11.0	+ 1
White	13,020	125	9.6	125	127	----	127	9.8	+ 2
Colored	1,813	36	19.9	36	36	----	36	19.9	.....
Metcalfe	[2] 10,075	99	9.8	99	99	----	99	9.8	.....
Monroe	14,243	146	10.3	146	146	----	146	10.3	.....
Montgomery (total)	[2] 12,245	148	12.1	148	148	----	148	12.1	.....
White	9,728	130	13.4	130	130	----	130	13.4	.....
Colored	2,517	18	7.2	18	18	----	18	7.2	.....
Morgan	16,532	150	9.1	150	150	----	150	9.1	.....
Muhlenberg	33,598	351	10.4	351	352	----	352	10.5	+ 1
Nelson (total)	[2] 16,137	238	14.7	238	238	----	238	14.7	.....
White	14,068	192	13.6	192	192	----	192	13.6	.....
Colored	2,069	46	22.2	46	46	----	46	22.2	.....
Nicholas	[2] 9,894	112	11.3	112	112	----	112	11.3	.....
Ohio	[2] 26,473	272	10.3	272	275	----	275	10.4	+ 1
Oldham (total)	7,712	111	14.4	111	112	----	112	14.5	+ 1
White	6,691	83	12.4	83	84	----	84	12.6	+ 2
Colored	1,021	28	27.4	28	28	----	28	27.4	.....
Owen	[2] 12,554	210	16.7	210	210	----	210	16.7	.....

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
KENTUCKY—con.									
Owsley	[2] 7,320	83	10.6	83	83	....	83	10.6	.....
Pendleton	[2] 11,719	157	13.4	157	158	....	158	13.5	+ 1
Perry	26,804	280	10.4	280	280	....	280	10.4	.....
Pike	50,394	421	8.4	421	422	....	422	8.4	.....
Powell	6,770	58	8.6	58	58	....	58	8.6	.....
Pulaski	[13] 34,010	322	9.5	322	323	....	323	9.5	.....
Robertson	[2] 3,871	30	7.7	30	30	....	30	7.7	.....
Rockcastle	15,455	112	7.2	112	112	....	112	7.2	.....
Rowan	9,469	105	11.1	105	106	....	106	11.2	+ 1
Russell	11,906	76	6.4	76	78	....	78	6.6	+ 3
Scott (total)	[2] 15,318	177	11.6	177	178	....	178	11.6	.....
White	12,259	122	10.0	122	123	....	123	10.0	.....
Colored	3,059	55	18.0	55	55	....	55	18.0	.....
Shelby (total)	18,558	236	12.7	236	237	....	237	12.8	+ 1
White	15,329	173	11.3	173	174	....	174	11.4	+ 1
Colored	3,229	63	19.5	63	63	....	63	19.5	.....
Simpson (total)	[2] 11,150	151	13.5	151	152	....	152	13.6	+ 1
White	9,241	121	13.1	121	122	....	122	13.2	+ 1
Colored	1,909	30	15.7	30	30	....	30	15.7	.....
Spencer	7,797	71	9.1	71	71	....	71	9.1	.....
Taylor (total)	12,251	92	7.5	92	92	....	92	7.5	.....
White	10,966	80	7.3	80	80	....	80	7.3	.....
Colored	1,285	12	9.3	12	12	....	12	9.3	.....
Todd (total)	[2] 15,694	213	13.6	213	216	....	216	13.8	+ 1
White	11,214	126	11.2	126	128	....	128	11.4	+ 2
Colored	4,480	87	19.4	87	88	....	88	19.6	+ 1
Trigg (total)	[2] 14,208	171	12.0	171	171	....	171	12.0	.....
White	11,261	118	10.5	118	118	....	118	10.5	.....
Colored	2,947	53	18.0	53	53	....	53	18.0	.....
Trimble	[2] 6,011	52	8.7	52	52	....	52	8.7	.....
Union (total)	[2] 18,040	178	9.9	178	180	....	180	10.0	+ 1
White	15,847	149	9.4	149	151	....	151	9.5	+ 1
Colored	2,193	29	13.2	29	29	....	29	13.2	.....
Warren (total)	30,872	402	13.0	402	406	....	406	13.2	+ 2
White	25,974	310	11.9	310	313	....	313	12.1	+ 2
Colored	4,898	92	18.8	92	93	....	93	19.0	+ 1
Washington (total)	14,816	99	6.7	99	99	....	99	6.7	.....
White	13,102	80	6.1	80	80	....	80	6.1	.....
Colored	1,714	19	11.1	19	19	....	19	11.1	.....
Wayne	[13] 16,208	106	6.5	106	106	....	106	6.5	.....
Webster (total)	[2] 20,762	249	12.0	249	255	....	255	12.3	+ 3
White	17,839	202	11.3	202	206	....	206	11.5	+ 2
Colored	2,923	47	16.1	47	49	....	49	16.8	+ 4
Whitley	[13] 27,749	280	10.1	280	284	....	284	10.2	+ 1
Wolfe	[2] 8,783	82	9.3	82	83	....	83	9.5	+ 2
Woodford (total)	[2] 11,784	166	14.1	166	169	....	169	14.3	+ 1
White	8,751	107	12.2	107	109	....	109	12.5	+ 2
Colored	3,033	59	19.5	59	60	....	60	19.8	+ 2
LOUISIANA (parishes).									
Acadia (total)	34,973	336	9.6	336	344	....	344	9.8	+ 2
White	27,390	221	8.1	221	226	....	226	8.3	+ 2
Colored	7,583	115	15.2	115	118	....	118	15.6	+ 3
Allen (total)	[11] 18,382	154	8.4	153	158	....	158	8.6	+ 2
White	11,909	87	7.3	86	87	....	87	7.3	.....
Colored	6,473	67	10.4	67	71	....	71	11.0	+ 6
Ascension (total)	[2] 22,155	212	9.6	211	229	....	229	10.3	+ 7
White	12,684	75	5.9	74	85	....	85	6.7	+14
Colored	9,491	137	14.4	137	144	....	144	15.2	+ 6
Assumption (total)	[2] 17,912	163	9.1	162	176	....	176	9.8	+ 8
White	10,424	60	5.8	60	68	....	68	6.5	+12
Colored	7,488	103	13.8	102	108	....	108	14.4	+ 4
RURAL PART OF REGISTRATION STATES[10]—Con.									
LOUISIANA—con.									
Avoyelles (total)	35,361	257	7.3	257	273	....	273	7.7	+ 5
White	25,054	113	4.5	113	124	....	124	4.9	+ 9
Colored	10,307	144	14.0	144	149	....	149	14.5	+ 4
Beauregard (total)	[11] 20,767	194	9.3	194	220	1	219	10.5	+13
White	14,659	118	8.0	118	131	1	130	8.9	+11
Colored	6,108	76	12.4	76	89	....	89	14.6	+18
Bienville (total)	[2] 20,977	142	6.8	142	156	....	156	7.4	+ 9
White	12,358	68	5.5	68	76	....	76	6.1	+11
Colored	8,619	74	8.6	74	80	....	80	9.3	+ 8
Bossier (total)	22,292	87	3.9	87	105	1	104	4.7	+21
White	6,613	27	4.1	27	32	....	32	4.8	+17
Colored	15,679	60	3.8	60	73	1	72	4.6	+21
Caddo (total)	39,865	419	10.5	412	486	1	485	12.2	+16
White	19,646	150	7.6	146	180	1	179	9.1	+20
Colored	20,219	269	13.3	266	306	....	306	15.1	+14
Calcasieu (total)	[13] 19,719	130	6.6	121	143	....	143	7.3	+11
White	15,453	81	5.2	76	87	....	87	5.6	+ 8
Colored	4,266	49	11.5	45	56	....	56	13.1	+14
Caldwell (total)	9,562	104	10.9	103	108	....	108	11.3	+ 4
White	6,603	60	9.1	60	64	....	64	9.7	+ 7
Colored	2,959	44	14.9	43	44	....	44	14.9	.....
Cameron (total)	[2] 3,952	28	7.1	27	29	....	29	7.3	+ 3
White	3,366	24	7.1	23	24	....	24	7.1	.....
Colored	586	4	6.8	4	5	....	5	8.5	[12]
Catahoula (total)	11,108	110	9.9	110	118	....	118	10.6	+ 7
White	5,990	43	7.2	43	48	....	48	8.0	+11
Colored	5,118	67	13.1	67	70	....	70	13.7	+ 5
Caliborne (total)	28,031	217	7.7	216	229	....	229	8.2	+ 6
White	13,241	98	7.4	97	105	....	105	7.9	+ 7
Colored	14,790	119	8.0	119	124	....	124	8.4	+ 5
Concordia (total)	[2] 12,466	116	9.3	113	128	....	128	10.3	+11
White	2,643	17	6.4	17	21	....	21	7.9	+23
Colored	9,823	99	10.1	96	107	....	107	10.9	+ 8
De Soto (total)	29,463	311	10.6	310	328	....	328	11.1	+ 5
White	11,550	89	7.7	89	98	....	98	8.5	+10
Colored	17,913	222	12.4	221	230	....	230	12.8	+ 3
East Baton Rouge (total)	22,888	270	11.8	269	289	1	288	12.6	+ 7
White	8,294	55	6.6	55	66	....	66	8.0	+21
Colored	14,594	215	14.7	214	223	1	222	15.2	+ 3
East Carroll (total)	[2] 11,231	146	13.0	146	151	....	151	13.4	+ 3
White	1,527	9	5.9	9	10	....	10	6.5	+10
Colored	9,704	137	14.1	137	141	....	141	14.5	+ 3
East Feliciana*(total)	[2] 17,487	211	12.1	211	223	....	223	12.8	+ 6
White	5,481	89	16.2	89	92	....	92	16.8	+ 4
Colored	12,006	122	10.2	122	131	....	131	10.9	+ 7
Evangeline.(total)	[11] 23,485	61	2.6	61	68	....	68	2.9	+12
White	17,801	35	2.0	35	42	....	42	2.4	+20
Colored	5,684	26	4.6	26	26	....	26	4.6	.....
Franklin (total)	24,724	233	9.4	233	255	....	255	10.3	+10
White	13,723	118	8.6	118	129	....	129	9.4	+ 9
Colored	11,001	115	10.5	115	126	....	126	11.5	+10
Grant (total)	[2] 14,403	125	8.7	125	128	....	128	8.9	+ 2
White	10,356	76	7.3	76	78	....	78	7.5	+ 3
Colored	4,047	49	12.1	49	50	....	50	12.4	+ 2
Iberia (total)	[2] 26,855	317	11.8	317	332	....	332	12.4	+
White	15,943	151	9.5	151	161	....	161	10.1	+
Colored	10,912	166	15.2	166	171	....	171	15.7	+
Iberville (total)	[2] 26,806	374	14.0	373	403	....	403	15.0	+
White	11,425	130	11.4	129	144	....	144	12.6	+1
Colored	15,381	244	15.9	244	259	....	259	16.8	+

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
LOUISIANA—con.									
Jackson (total)	14,520	114	7.9	114	122	1	121	8.3	+ 5
White	10,514	90	8.6	90	96	1	95	9.0	+ 5
Colored	4,006	24	6.0	24	26	....	26	6.5	+ 8
Jefferson (total)	21,734	218	10.0	216	237	....	237	13.2	+32
White	15,795	117	7.4	116	158	....	158	10.0	+35
Colored	5,939	101	17.0	100	129	....	129	21.7	+28
Jefferson Davis (total)	[11] 18,999	144	7.6	144	151	....	151	7.9	+ 4
White	14,155	101	7.1	101	106	....	106	7.5	+ 6
Colored	4,844	43	8.9	43	45	....	45	9.3	+ 4
La Salle (total)	9,380	66	6.7	66	71	....	71	7.2	+ 7
White	8,354	54	6.5	54	56	....	56	6.7	+ 3
Colored	1,526	12	7.9	12	15	....	15	9.8	+24
Lafayette (total)	30,950	316	10.2	316	323	....	323	10.4	+ 2
White	20,127	173	8.6	173	175	....	175	8.7	+ 1
Colored	10,823	143	13.2	143	148	....	148	13.7	+ 4
Lafourche (total)	[2] 30,344	294	9.7	294	321	....	321	10.6	+ 9
White	24,450	187	7.6	187	207	....	207	8.5	+12
Colored	5,894	107	18.2	107	114	....	114	19.3	+ 6
Lincoln (total)	[2] 16,962	87	5.1	87	98	....	98	5.8	+14
White	10,651	47	4.4	47	53	....	53	5.0	+14
Colored	6,311	40	6.3	40	45	....	45	7.1	+13
Livingston (total)	11,696	49	4.2	49	65	....	65	5.6	+33
White	10,014	43	4.3	43	55	....	55	5.5	+28
Colored	1,682	6	3.6	6	10	....	10	5.9	+64
Madison (total)	10,837	58	5.4	58	67	....	67	6.2	+15
White	1,796	7	3.9	7	9	....	9	5.0	+28
Colored	9,041	51	5.6	51	58	....	58	6.4	+14
Morehouse (total)	19,339	272	14.1	272	280	....	280	14.5	+ 3
White	6,240	56	9.0	56	57	....	57	9.1	+ 1
Colored	13,099	216	16.5	216	223	....	223	17.0	+ 3
Natchitoches (total)	38,713	450	11.6	450	469	....	469	12.1	+ 4
White	17,992	176	9.8	176	186	....	186	10.3	+ 5
Colored	20,721	274	13.2	274	283	....	283	13.7	+ 4
Ouachita (total)	17,749	196	11.0	194	199	....	199	11.2	+ 2
White	9,416	91	9.7	91	91	....	91	9.7	....
Colored	8,333	105	12.6	103	108	....	108	13.0	+ 3
Plaquemines (total)	[2] 10,194	111	10.9	109	126	....	126	12.4	+14
White	4,789	39	8.1	38	47	....	47	9.8	+21
Colored	5,405	72	13.3	71	79	....	79	14.6	+10
Pointe Coupée (total)	[2] 24,697	232	9.4	231	254	....	254	10.3	+10
White	9,715	71	7.3	70	74	....	74	7.6	+ 4
Colored	14,982	161	10.7	161	180	....	180	12.0	+12
Rapides * (total)	42,416	563	13.3	560	587	2	585	13.8	+ 4
White	25,179	269	10.7	267	280	1	279	11.1	+ 4
Colored	17,237	294	17.1	293	307	1	306	17.8	+ 4
Red River (total)	15,502	65	4.2	65	79	....	79	5.1	+21
White	7,842	20	2.6	20	26	....	26	3.3	+27
Colored	7,660	45	5.9	45	53	....	53	6.9	+17
Richland (total)	21,123	174	8.2	174	186	....	186	8.8	+ 7
White	9,047	73	8.1	73	78	....	78	8.6	+ 6
Colored	12,076	101	8.4	101	108	....	108	8.9	+ 6
Sabine (total)	20,756	144	6.9	142	154	....	154	7.4	+ 7
White	16,383	113	6.9	113	121	....	121	7.4	+ 7
Colored	4,373	31	7.1	29	33	....	33	7.5	+ 6
St. Bernard (total)	[2] 4,968	61	12.3	61	74	....	74	14.9	+21
White	3,370	35	10.4	35	42	....	42	12.5	+20
Colored	1,598	26	16.3	26	32	....	32	20.0	+23
St. Charles (total)	[2] 8,586	104	12.1	103	115	....	115	13.4	+11
White	4,239	28	6.6	28	35	....	35	8.3	+26
Colored	4,347	76	17.5	75	80	....	80	18.4	+ 5
St. Helena (total)	[2] 8,427	64	7.6	63	68	....	68	8.1	+ 7
White	4,198	34	8.1	33	35	....	35	8.3	+ 2
Colored	4,229	30	7.1	30	33	....	33	7.8	+10
St. James (total)	[2] 21,228	293	13.8	292	317	....	317	14.9	+ 8
White	9,624	85	8.8	84	95	....	95	9.9	+13
Colored	11,604	208	17.9	208	222	....	222	19.1	+ 7
St. John the Baptist (total)	[2] 11,896	203	17.1	203	216	....	216	18.2	+ 6
White	5,478	66	12.0	66	73	....	73	13.3	+11
Colored	6,418	137	21.3	137	143	....	143	22.3	+ 5
St. Landry (total)	[13] 51,697	558	10.8	557	581	....	581	11.2	+ 4
White	25,136	195	7.8	195	205	....	205	8.2	+ 5
Colored	26,561	363	13.7	362	376	....	376	14.2	+ 4
St. Martin (total)	[2] 21,990	169	7.7	169	175	....	175	8.0	+ 4
White	14,088	72	5.1	72	75	....	75	5.3	+ 4
Colored	7,902	97	12.3	97	100	....	100	12.7	+ 3
St. Mary (total)	[2] 30,754	385	12.5	382	410	....	410	13.3	+ 6
White	15,493	135	8.7	133	147	....	147	9.5	+ 9
Colored	15,261	250	16.4	249	263	....	263	17.2	+ 5
St. Tammany (total)	20,734	210	10.1	202	253	....	253	12.2	+21
White	13,021	124	9.5	119	147	....	147	11.3	+19
Colored	7,713	86	11.2	83	106	....	106	13.9	+24
Tangipahoa (total)	31,558	266	8.4	266	323	1	322	10.2	+21
White	22,676	165	7.3	165	205	1	204	9.0	+23
Colored	8,882	101	11.4	101	118	....	118	13.3	+17
Tensas (total)	[2] 12,085	224	18.5	224	235	....	235	19.4	+ 5
White	1,769	21	11.9	21	23	....	23	13.0	+ 9
Colored	10,316	203	19.7	203	212	....	212	20.6	+ 5
Terrebonne (total)	[2] 26,974	280	10.4	279	310	....	310	11.5	+11
White	17,586	151	8.6	150	171	....	171	9.7	+13
Colored	9,388	129	13.7	129	139	....	139	14.8	+ 8
Union (total)	[2] 19,621	137	7.0	137	143	....	143	7.3	+ 4
White	13,507	97	7.2	97	101	....	101	7.5	+ 4
Colored	6,114	40	6.5	40	42	....	42	6.9	+ 6
Vermilion (total)	26,487	284	10.7	284	290	....	290	10.9	+ 2
White	21,914	224	10.2	224	229	....	229	10.4	+ 2
Colored	4,573	60	13.1	60	61	....	61	13.3	+ 2
Vernon (total)	20,654	185	9.0	184	194	2	192	9.3	+ 3
White	15,479	126	8.1	126	132	1	131	8.5	+ 5
Colored	5,175	59	11.4	58	62	1	61	11.8	+ 4
Washington (total)	24,436	206	8.4	203	220	....	220	9.0	+ 7
White	16,946	141	8.3	138	142	....	142	8.4	+ 1
Colored	7,490	65	8.7	65	78	....	78	10.4	+20
Webster (total)	24,992	206	8.2	206	223	....	223	8.9	+ 9
White	13,528	98	7.2	98	106	....	106	7.8	+ 8
Colored	11,464	108	9.4	108	117	....	117	10.2	+ 9
West Baton Rouge (total)	[2] 11,092	112	10.1	112	120	....	120	10.8	+ 7
White	3,607	31	8.6	31	32	....	32	8.9	+ 3
Colored	7,485	81	10.8	81	88	....	88	11.8	+ 9
West Carroll (total)	8,992	45	5.0	45	54	....	54	6.0	+20
White	6,636	33	5.0	33	37	....	37	5.6	+12
Colored	2,356	12	5.1	12	17	....	17	7.2	+41
West Feliciana (total)	[2] 12,303	110	8.9	110	116	....	116	9.4	+ 6
White	2,116	13	6.1	13	16	....	16	7.6	+25
Colored	10,187	97	9.5	97	100	....	100	9.8	+ 3
Winn (total)	[2] 16,119	87	5.4	87	99	....	99	6.1	+13
White	12,732	67	5.3	67	76	....	76	6.0	+13
Colored	3,387	20	5.9	20	23	....	23	6.8	+15
MAINE (counties).									
Androscoggin	16,942	227	13.4	226	241	1	240	14.2	+ 6
Aroostook	82,092	1,203	14.7	1,201	1,214	4	1,210	14.7	.....
Cumberland	55,189	806	14.6	804	866	....	866	15.7	+ 8
Franklin	19,862	267	13.4	267	277	....	277	13.9	+ 4
Hancock	[2] 30,361	418	13.8	418	436	....	436	14.4	+ 4
Kennebec (excl. of Nat. Military Home.)	36,285	565	[14]19.2	560	586	....	586	[14]19.7	+ 3
		130		130	130	....	130		
Knox	[2] 26,245	442	16.8	436	443	....	443	16.9	+ 1
Lincoln	[2] 15,976	278	17.4	278	296	....	296	18.5	+ 6

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
MAINE—con.									
Oxford	37,774	527	14.0	527	548	....	548	14.5	+ 4
Penobscot	61,769	830	13.4	828	865	....	865	14.0	+ 4
Piscataquis	20,589	271	13.2	266	277	....	277	13.5	+ 2
Sagadahoc	8,244	153	18.6	153	162	....	162	19.7	+ 6
Somerset	37,216	538	14.5	536	562	....	562	15.1	+ 4
Waldo	[2] 21,328	350	16.4	350	363	....	363	17.0	+ 4
Washington	[2] 41,709	531	12.7	526	542	4	538	12.9	+ 2
York	41,976	669	15.9	664	720	....	720	17.2	+ 8
MARYLAND (counties).									
Allegany	40,144	488	12.2	484	494	3	491	12.2	.....
Anne Arundel* (total)	32,572	517	15.9	510	538	2	536	16.5	+ 4
White	22,032	230	10.4	227	246	2	244	11.1	+ 7
Colored	10,540	287	27.2	283	292	....	292	27.7	+ 2
Baltimore* (total)	75,412	1,042	13.8	1,035	1,134	3	1,131	15.0	+ 9
White	66,162	898	13.6	891	968	3	965	14.6	+ 7
Colored	9,250	144	15.6	144	166	....	166	17.9	+15
Calvert (total)	[2] 9,744	119	12.2	119	128	....	128	13.1	+ 7
White	4,955	46	9.3	46	51	....	51	10.3	+11
Colored	4,789	73	15.2	73	77	....	77	16.1	+ 6
Caroline (total)	[2] 18,652	265	14.2	265	272	....	272	14.6	+ 3
White	14,207	160	11.3	160	167	....	167	11.8	+ 4
Colored	4,445	105	23.6	105	105	....	105	23.6	.....
Carroll*	34,261	477	13.9	462	492	....	492	14.4	+ 4
Cecil (total)	[2] 23,612	326	13.8	326	339	....	339	14.4	+ 4
White	20,703	264	12.8	264	274	....	274	13.2	+ 3
Colored	2,909	62	21.3	62	65	....	65	22.3	+ 5
Charles (total)	17,773	238	13.4	238	260	....	260	14.6	+ 9
White	9,582	94	9.8	94	107	....	107	11.2	+14
Colored	8,191	144	17.6	144	153	....	153	18.7	+ 6
Dorchester* (total)	[2] 27,895	527	18.9	526	536	....	536	19.2	+ 2
White	19,175	334	17.4	333	341	....	341	17.8	+ 2
Colored	8,720	193	22.1	193	195	....	195	22.4	+ 1
Frederick*	[2] 41,441	604	14.6	603	618	....	618	14.9	+ 2
Garrett	[2] 19,678	207	10.5	207	212	....	212	10.8	+ 3
Harford (total)	29,360	412	14.0	411	446	....	446	15.2	+ 9
White	24,782	333	13.4	332	363	....	363	14.6	+ 9
Colored	4,578	79	17.3	79	83	....	83	18.1	+ 5
Howard (total)	[2] 15,826	174	11.0	174	194	2	192	12.1	+10
White	12,316	127	10.3	127	143	....	143	11.6	+13
Colored	3,510	47	13.4	47	51	2	49	14.0	+ 4
Kent (total)	[2] 15,026	250	16.6	250	261	....	261	17.4	+ 5
White	9,780	130	13.3	130	136	....	136	13.9	+ 5
Colored	5,246	120	22.9	120	125	....	125	23.8	+ 4
Montgomery (total)	35,067	470	13.4	449	493	5	488	13.9	+ 4
White	26,828	338	12.6	320	352	5	347	12.9	+ 2
Colored	8,239	132	16.0	129	141	....	141	17.1	+ 7
Prince Georges (total)	43,718	482	11.0	475	551	1	550	12.6	+15
White	31,618	305	9.6	298	360	1	359	11.4	+19
Colored	12,100	177	14.6	177	191	....	191	15.8	+ 8
Queen Annes (total)	[2] 16,001	226	14.1	226	232	....	232	14.5	+ 3
White	10,846	121	11.2	121	126	....	126	11.6	+ 4
Colored	5,155	105	20.4	105	106	....	106	20.6	+ 1
St. Marys (total)	[2] 16,112	188	11.7	188	198	....	198	12.3	+ 5
White	9,674	72	7.4	72	79	....	79	8.2	+11
Colored	6,438	116	18.0	116	119	....	119	18.5	+ 3
Somerset (total)	[2] 24,602	369	15.0	369	385	1	384	15.6	+ 4
White	15,713	210	13.4	210	217	1	216	13.7	+ 2
Colored	8,889	159	17.9	159	168	....	168	18.9	+ 6
Talbot (total)	[2] 13,306	337	18.4	336	344	....	344	18.8	+ 2
White	12,138	195	16.1	195	200	....	200	16.5	+ 2
Colored	6,168	142	23.0	141	144	....	144	23.3	+ 1
Washington	31,914	365	11.4	365	370	....	370	11.6	+ 2
Wicomico (total)	28,235	456	16.2	422	427	13	414	14.7	— 9
White	21,819	310	14.2	289	293	5	288	13.2	— 7
Colored	6,416	146	22.8	133	134	8	126	19.6	—14
Worcester (total)	22,333	301	13.5	301	308	....	308	13.8	+ 2
White	15,099	173	11.5	173	177	....	177	11.7	+ 2
Colored	7,234	128	17.7	128	131	....	131	18.1	+ 2

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
MASSACHUSETTS (counties).									
Barnstable	[2] 26,670	478	17.9	444	509	1	508	19.0	+ 6
Berkshire	35,910	477	13.3	436	522	1	521	14.5	+ 9
Bristol	60,862	795	13.1	713	829	....	829	13.6	+ 4
Dukes	[2] 4,372	85	19.4	76	90	2	88	20.1	+ 4
Essex	64,486	886	13.7	848	962	1	961	14.9	+ 9
Franklin	33,937	487	14.4	455	503	....	503	14.8	+ 3
Hampden*	42,656	577	13.5	549	633	1	632	14.8	+10
Hampshire	36,439	454	12.5	430	485	....	485	13.3	+ 6
Middlesex*	106,028	1,709	16.1	1,622	1,884	2	1,882	17.8	+11
Nantucket	[2] 2,797	63	22.5	57	61	....	61	21.8	— 3
Norfolk*	84,970	1,101	13.0	1,025	1,230	1	1,229	14.5	+12
Plymouth*	77,789	1,203	15.5	1,149	1,335	1	1,334	17.1	+10
Worcester*	133,965	1,761	13.1	1,662	1,906	3	1,903	14.2	+ 8
MICHIGAN (counties).									
Alcona	5,924	60	10.1	58	64	....	64	10.8	+ 7
Alger	10,103	97	9.6	97	99	1	98	9.7	+ 1
Allegan	[2] 37,540	504	13.4	500	528	1	527	14.0	+ 4
Alpena	[2] 6,768	70	10.3	68	72	....	72	10.6	+ 3
Antrim	[2] 11,543	154	13.3	154	165	....	165	14.3	+ 8
Arenac	[2] 9,460	131	13.8	131	136	....	136	14.4	+ 4
Baraga	7,742	94	12.1	92	98	....	98	12.7	+ 5
Barry	[2] 21,383	276	12.9	274	284	....	284	13.3	+ 3
Bay	21,938	253	11.5	250	261	....	261	11.9	+ 3
Benzie	[2] 6,947	91	13.1	91	93	....	93	13.4	+ 2
Berrien	50,729	559	11.0	556	578	....	578	11.4	+ 4
Branch	[2] 23,997	348	14.5	345	361	....	361	15.0	+ 3
Calhoun	37,032	520	14.0	508	532	1	531	14.3	+ 2
Cass	[2] 20,395	344	16.9	343	349	....	349	17.1	+ 1
Charlevoix	[2] 15,788	196	12.4	193	201	1	200	12.7	+ 2
Cheboygan	[2] 13,991	196	14.0	194	204	....	204	14.6	+ 4
Chippewa	12,740	112	8.8	110	116	....	116	9.1	+ 3
Clare	[2] 8,250	142	17.2	141	144	....	144	17.5	+ 2
Clinton	[2] 23,110	308	13.3	308	318	....	318	13.8	+ 4
Crawford	4,055	76	18.7	74	75	....	75	18.5	— 1
Delta	17,848	156	8.7	147	166	....	166	9.3	+ 7
Dickinson	[2] 19,456	194	10.0	183	187	....	187	9.6	— 4
Eaton	[2] 29,377	440	15.0	438	454	....	454	15.5	+ 3
Emmet	[2] 15,639	288	18.4	265	271	....	271	17.3	— 6
Genesee	29,370	484	16.5	475	487	....	487	16.6	+ 1
Gladwin	8,848	86	9.7	85	91	....	91	10.3	+ 6
Gogebic	17,845	216	12.1	213	218	....	218	12.2	+ 1
Grand Traverse	[2] 8,593	86	10.0	85	90	....	90	10.5	+ 5
Gratiot	34,177	466	13.6	460	472	....	472	13.8	+ 1
Hillsdale	[2] 28,161	422	15.0	419	432	....	432	15.3	+ 2
Houghton	[2] 71,930	808	11.2	798	814	....	814	11.3	+ 1
Huron	[2] 32,786	388	11.8	385	390	....	390	11.9	+ 1
Ingham	24,461	374	15.3	373	376	....	376	15.4	+ 1
Ionia*	[2] 33,087	497	15.0	493	502	1	501	15.1	+ 1
Iosco	[2] 8,199	98	12.0	98	104	....	104	12.7	+ 6
Iron	22,465	204	9.1	204	206	....	206	9.2	+ 1
Isabella	[2] 22,610	295	13.0	293	298	....	298	13.2	+ 2
Jackson	24,277	348	14.3	340	357	....	357	14.7	+ 3
Kalamazoo	22,828	273	12.0	263	297	....	297	13.0	+ 8
Kalkaska	[2] 5,577	86	15.4	85	91	....	91	16.3	+ 6
Kent*	45,450	833	18.3	806	823	....	823	18.1	— 1
Keweenaw	[2] 6,322	56	8.9	56	59	....	59	9.3	+ 4
Lake	[2] 4,437	47	10.6	47	51	....	51	11.5	+ 8
Lapeer*	[2] 25,782	437	16.9	435	441	....	441	17.1	+ 1
Leelanau	[2] 9,061	92	10.2	92	94	....	94	10.4	+ 2
Lenawee	[2] 35,832	494	13.8	491	512	....	512	14.3	+ 4
Livingston*	[2] 17,522	295	16.8	295	306	....	306	17.5	+ 4
Luce*	6,260	128	20.4	126	131	....	131	20.9	+ 2
Mackinac	[2] 8,026	93	11.6	89	97	....	97	12.1	+ 2
Macomb	38,387	536	14.0	517	525	....	525	13.7	— 4

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Percent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
MICHIGAN—con.									
Manistee	[2] 20,899	237	11.3	237	241	....	241	11.5	+ 2
Marquette	[2] 22,505	245	10.9	235	243	....	243	10.8	− 1
Mason	[2] 19,831	256	12.9	256	264	....	264	13.3	+ 3
Mecosta	[2] 17,765	227	12.8	227	233	....	233	13.1	+ 2
Menominee	[2] 23,778	268	11.3	262	276	....	276	11.6	+ 3
Midland	17,404	223	12.8	223	228	....	228	13.1	+ 2
Missaukee	[2] 9,004	88	9.8	88	89	....	89	9.9	+ 1
Monroe	25,518	323	12.7	318	329	....	329	12.9	+ 2
Montcalm	[2] 30,441	461	15.1	459	477	....	477	15.7	+ 4
Montmorency	4,107	56	13.6	56	57	....	57	13.9	+ 2
Muskegon	26,321	323	12.3	321	325	....	325	12.3	.....
Newaygo	[2] 17,378	210	12.1	208	215	....	215	12.4	+ 2
Oakland	56,845	757	13.3	741	788	....	788	13.9	+ 5
Oceana	[2] 15,601	215	13.8	213	221	....	221	14.2	+ 3
Ogemaw	[2] 7,786	98	12.6	98	102	....	102	13.1	+ 4
Ontonagon	12,623	111	8.8	109	114	....	114	9.0	+ 2
Osceola	[2] 15,221	232	15.2	232	235	....	235	15.4	+ 1
Oscoda	[2] 1,783	16	9.0	16	18	....	18	10.1	+12
Otsego	[2] 6,043	89	14.7	88	97	....	97	16.1	+10
Ottawa	35,511	454	12.8	451	469	....	469	13.2	+ 3
Presque Isle	12,177	150	12.3	148	152	....	152	12.5	+ 2
Roscommon	[2] 2,032	21	10.3	21	21	....	21	10.3	.....
Saginaw	36,363	407	11.2	405	412	....	412	11.3	+ 1
St. Clair	31,992	444	13.9	441	454	....	454	14.2	+ 2
St. Joseph	26,886	374	13.9	371	390	....	390	14.5	+ 4
Sanilac	[2] 31,237	398	12.7	398	403	....	403	12.9	+ 2
Schoolcraft	10,044	129	12.8	128	132	....	132	13.1	+ 2
Shiawassee	23,336	345	14.8	343	350	....	350	15.0	+ 1
Tuscola*	[2] 33,320	529	15.9	529	540	....	540	16.2	+ 2
Van Buren	[2] 30,715	459	14.9	454	477	....	477	15.5	+ 4
Washtenaw	30,009	415	13.8	406	440	....	440	14.7	+ 7
Wayne*	77,042	1,427	18.5	1,237	1,294	2	1,292	16.8	− 9
Wexford	[2] 18,207	277	15.2	271	275	1	274	15.0	− 1
MINNESOTA (counties).									
Aitkin	15,283	122	8.0	118	140	1	139	9.1	+14
Anoka*	15,787	177	11.2	164	181	2	179	11.3	+ 1
Becker	23,057	249	10.8	242	255	4	251	10.9	+ 1
Beltrami	27,477	298	10.8	280	295	4	291	10.6	− 2
Benton	12,437	107	8.6	106	120	1	119	9.6	+12
Big Stone	9,785	91	9.3	85	96	....	96	9.8	+ 5
Blue Earth	19,010	169	8.9	165	197	3	194	10.2	+15
Brown	22,538	192	8.5	171	181	....	181	8.0	− 6
Carlton	19,485	164	8.4	158	184	1	183	9.4	+12
Carver	[2] 16,946	134	7.9	131	159	2	157	9.3	+18
Cass*	16,117	213	13.2	203	222	1	221	13.7	+ 4
Chippewa	15,836	168	10.6	158	174	....	174	11.0	+ 4
Chisago	14,491	133	9.2	129	150	1	149	10.3	+12
Clay	21,890	170	7.8	164	172	16	156	7.1	− 9
Clearwater	8,656	54	6.2	54	60	1	59	6.8	+10
Cook (total)	1,866	9	4.8	9	11	....	11	5.9	+23
White	1,666	8	4.8	8	10	....	10	6.0	+25
Colored	200	1	*5.0*	1	1	....	1	*5.0*	(12)
Cottonwood	14,668	151	10.3	149	153	7	146	10.0	− 3
Crow Wing	24,962	321	12.9	279	286	4	282	11.3	−12
Dakota*	29,161	301	10.3	290	328	1	327	11.2	+ 9
Dodge	12,575	133	10.6	132	146	1	145	11.5	+ 8
Douglas	19,109	191	10.0	191	203	....	203	10.6	+ 6
Faribault	21,051	175	8.3	175	195	....	195	9.3	+12
Fillmore	[2] 25,330	243	9.6	242	267	1	266	10.5	+ 9
Freeborn	24,816	264	10.6	255	267	6	261	10.5	− 1
Goodhue	[2] 30,799	364	11.8	339	372	5	367	11.9	+ 1
Grant	9,822	85	8.7	85	99	....	99	10.1	+16
Hennepin	34,978	302	8.6	285	363	....	363	10.4	+21
Houston	[2] 14,013	147	10.5	147	159	....	159	11.3	+ 8
Hubbard	10,152	81	8.0	81	90	1	89	8.8	+10
Isanti	13,313	116	8.7	110	136	....	136	10.2	+17
Itasca	24,220	221	9.1	212	236	1	235	9.7	+ 7
Jackson	16,031	128	8.0	127	138	....	138	8.6	+ 8
Kanabec	9,222	54	5.9	54	60	....	60	6.5	+10
Kandiyohi	22,220	226	10.2	217	227	2	225	10.1	− 1
Kittson	10,688	80	7.5	80	93	....	93	8.7	+16
Koochiching	13,886	102	7.3	97	109	4	105	7.6	+ 4
Lac qui Parle	15,561	130	8.4	129	140	1	139	8.9	+ 6
Lake	8,264	64	7.7	51	57	....	57	6.9	−10
Le Sueur	[2] 17,870	158	8.8	157	179	....	179	10.0	+14
Lincoln	11,340	80	7.1	80	85	....	85	7.5	+ 6
Lyon	18,998	145	7.6	139	154	2	152	8.0	+ 5
McLeod	20,535	162	7.9	162	179	....	179	8.7	+10
Mahnomen (total)	6,349	66	10.4	66	74	....	74	11.7	+13
White	4,961	22	4.4	22	29	....	29	5.8	+32
Colored	1,388	44	31.7	44	45	....	45	32.4	+ 2
Marshall	19,603	153	7.8	147	170	....	170	8.7	+12
Martin	21,269	175	8.2	172	182	....	182	8.6	+ 5
Meeker	18,159	179	9.9	176	187	....	187	10.3	+ 4
Mille Lacs	14,359	139	9.7	132	148	....	148	10.3	+ 6
Morrison	25,934	203	7.8	201	214	1	213	8.2	+ 5
Mower	15,885	130	8.2	130	145	2	143	9.0	+10
Murray	13,728	114	8.3	111	119	....	119	8.7	+ 5
Nicollet*	15,083	324	21.5	321	341	....	341	22.6	+ 5
Nobles	18,057	156	8.6	155	165	3	162	9.0	+ 5
Norman	14,954	135	9.0	134	148	1	147	9.8	+ 9
Olmsted	14,274	137	9.6	134	147	....	147	10.3	+ 7
Otter Tail*	51,065	622	12.2	604	625	13	612	12.0	− 2
Pennington	12,231	147	12.0	122	129	3	126	10.3	−14
Pine	21,387	173	8.1	172	189	5	184	8.6	+ 6
Pipestone	12,179	99	8.1	99	104	....	104	8.5	+ 5
Polk	37,147	400	10.8	370	385	2	383	10.3	− 5
Pope	13,677	119	8.7	116	123	1	122	8.9	+ 2
Ramsey	9,904	73	7.4	72	107	1	106	10.7	+45
Red Lake	7,299	81	11.1	80	90	....	90	12.3	+11
Redwood	21,036	141	6.7	139	155	....	155	7.4	+10
Renville	23,661	171	7.2	168	199	....	199	8.4	+17
Rice	17,234	163	9.5	157	182	1	181	10.5	+11
Rock	11,004	85	7.7	83	85	4	81	7.4	− 4
Rosean	13,407	101	7.5	99	107	....	107	8.0	+ 7
St. Louis	79,142	781	9.9	762	830	....	830	10.5	+ 6
Scott	[2] 14,245	122	8.6	120	137	1	136	9.5	+10
Sherburne	8,828	78	8.8	75	98	....	98	11.1	+26
Sibley	15,640	131	8.4	129	147	....	147	9.4	+12
Stearns	42,672	355	8.3	345	374	3	371	8.7	+ 5
Steele	18,160	165	9.1	160	168	2	166	9.1	.....
Stevens	9,855	91	9.2	90	100	....	100	10.1	+10
Swift	15,203	134	8.8	133	143	4	139	9.1	+ 3
Todd	26,196	197	7.5	194	214	1	213	8.1	+ 8
Traverse	[2] 7,943	57	7.2	55	62	2	60	7.6	+ 6
Wabasha	[2] 17,919	225	12.6	214	228	2	226	12.6	.....
Wadena	10,805	121	11.2	108	111	2	109	10.1	−10
Waseca	14,168	123	8.7	121	136	....	136	9.6	+10
Washington	[2] 23,761	254	10.7	240	281	1	280	11.8	+10
Watonwan	12,513	116	9.3	110	122	....	122	9.7	+ 4
Wilkin	10,245	85	8.3	82	89	9	80	7.8	− 6
Winona	[2] 14,481	116	8.0	115	129	1	128	8.8	+10
Wright	28,717	291	10.1	288	325	....	325	11.3	+12
Yellow Medicine	16,609	145	8.7	144	158	3	155	9.3	+ 7

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
MISSISSIPPI (counties).									
Adams (total)	[2] 9,533	244	25.6	170	177	....	177	18.6	−27
White	1,091	43	39.4	20	21	....	21	19.2	−51
Colored	8,442	201	23.8	150	156	....	156	18.5	−22
Alcorn (total)	21,536	240	11.1	240	244	....	244	11.3	+ 2
White	17,436	170	9.7	170	173	....	173	9.9	+ 2
Colored	4,100	70	17.1	70	71	....	71	17.3	+ 1
Amite (total)	[2] 18,960	183	9.7	183	195	....	195	10.3	+ 6
White	9,617	78	8.1	78	86	....	86	8.9	+10
Colored	9,343	105	11.2	105	109	....	109	11.7	+ 4
Attala (total)	[2] 24,831	202	8.1	202	207	....	207	8.3	+ 2
White	14,663	101	6.9	101	102	....	102	7.0	+ 1
Colored	10,168	101	9.9	101	105	....	105	10.3	+ 4
Benton (total)	[2] 9,851	104	10.6	104	104	....	104	10.6	.....
White	5,231	47	9.0	47	47	....	47	9.0	.....
Colored	4,620	57	12.3	57	57	....	57	12.3	.....
Bolivar (total)	58,121	808	13.9	807	833	....	833	14.3	+ 3
White	10,251	89	8.7	88	98	....	98	9.6	+10
Colored	47,870	719	15.0	719	735	....	735	15.4	+ 3
Calhoun (total)	[2] 16,823	101	6.0	101	104	....	104	6.2	+ 3
White	13,936	79	5.7	79	82	....	82	5.9	+ 4
Colored	2,887	22	7.6	22	22	....	22	7.6	.....
Carroll (total)	[2] 20,324	170	8.4	170	175	....	175	8.6	+ 2
White	8,970	69	7.7	69	74	....	74	8.2	+ 6
Colored	11,354	101	8.9	101	101	....	101	8.9	.....
Chickasaw (total)	[2] 22,212	228	10.3	227	229	....	229	10.3	.....
White	11,155	98	8.8	97	98	....	98	8.8	.....
Colored	11,057	130	11.8	130	131	....	131	11.8	.....
Choctaw (total)	[2] 12,491	94	7.5	94	95	....	95	7.6	+ 1
White	8,940	65	7.3	65	65	....	65	7.3	.....
Colored	3,551	29	8.2	29	30	....	30	8.4	+ 2
Claiborne (total)	[2] 13,019	168	12.9	168	176	....	176	13.5	+ 5
White	3,425	21	6.1	21	23	....	23	6.7	+10
Colored	9,594	147	15.3	147	153	....	153	15.9	+ 4
Clarke (total)	[2] 17,927	168	9.4	168	176	....	176	9.8	+ 4
White	10,700	82	7.7	82	86	....	86	8.0	+ 4
Colored	7,227	86	11.9	86	90	....	90	12.4	+ 4
Clay (total)	[2] 17,490	271	15.5	268	270	....	270	15.4	− 1
White	7,003	60	8.6	59	60	....	60	8.6	.....
Colored	10,487	211	20.1	209	210	....	210	20.0	.....
Coahoma (total)	41,887	716	17.1	712	731	....	731	17.5	+ 2
White	6,367	71	11.2	71	76	....	76	11.9	+ 6
Colored	35,520	645	18.2	641	655	....	655	18.4	+ 1
Copiah (total)	[2] 28,672	305	10.6	305	319	....	319	11.1	+ 5
White	13,567	128	9.4	128	133	....	133	9.8	+ 4
Colored	15,105	177	11.7	177	186	....	186	12.3	+ 5
Covington (total)	[2] 14,869	133	8.9	133	139	....	139	9.3	+ 4
White	10,593	79	7.5	79	84	....	84	7.9	+ 5
Colored	4,276	54	12.6	54	55	....	55	12.9	+ 2
De Soto (total)	24,423	363	14.9	363	373	....	373	15.3	+ 3
White	5,934	56	9.4	56	62	....	62	10.4	+11
Colored	18,489	307	16.6	307	311	....	311	16.8	+ 1
Forrest (total)	7,921	51	6.4	51	52	....	52	6.6	+ 3
White	5,659	28	4.9	28	29	....	29	5.1	+ 4
Colored	2,262	23	10.2	23	23	....	23	10.2	.....
Franklin (total)	[2] 14,156	136	9.6	136	144	....	144	10.2	+ 6
White	8,539	71	8.3	71	75	....	75	8.8	+ 6
Colored	5,617	65	11.6	65	69	....	69	12.3	+ 6
George (total)	[2] 5,564	48	8.6	48	50	....	50	9.0	+ 5
White	4,645	43	9.3	43	45	....	45	9.7	+ 4
Colored	919	5	5.4	5	5	....	5	5.4	.....
Greene (total)	10,656	103	9.7	103	109	....	109	10.2	+ 5
White	7,934	83	10.5	83	88	....	88	11.1	+ 6
Colored	2,722	20	7.3	20	21	....	21	7.7	+ 5
Grenada (total)	[2] 13,607	85	6.2	85	89	....	89	6.5	+ 5
White	5,160	29	5.6	29	31	....	31	6.0	+ 7
Colored	8,447	56	6.6	56	58	....	58	6.9	+ 5
Hancock (total)	[2] 10,380	121	11.7	121	128	....	128	12.3	+ 5
White	7,679	73	9.5	73	76	....	76	9.9	+ 4
Colored	2,701	48	17.8	48	52	....	52	19.3	+ 8
Harrison (total)	[13] 21,018	291	13.3	273	282	4	278	12.7	− 5
White	15,664	213	13.6	197	204	4	200	12.8	− 6
Colored	6,254	78	12.5	76	78	....	78	12.5	.....
Hinds (total)	[2] 34,212	423	12.4	302	306	1	305	8.9	−28
White	8,387	65	7.8	21	22	1	21	2.5	−68
Colored	25,825	358	13.9	281	284	....	284	11.0	−21
Holmes (total)	[13] 34,513	491	14.2	491	510	....	510	14.8	+ 4
White	7,879	72	9.1	72	78	....	78	9.9	+ 9
Colored	26,634	419	15.7	419	432	....	432	16.2	+ 3
Humphreys (total)	[11] 19,192	319	16.6	319	324	....	324	16.9	+ 2
White	3,410	57	16.7	57	61	....	61	17.9	+ 7
Colored	15,782	262	16.6	262	263	....	263	16.7	+ 1
Issaquena (total)	[2] 7,618	143	18.8	143	144	....	144	18.9	+ 1
White	702	8	11.4	8	9	....	9	12.8	+12
Colored	6,916	135	19.5	135	135	....	135	19.5	.....
Itawamba	15,705	105	6.7	105	105	....	105	6.7	.....
Jackson (total)	19,402	173	8.9	173	182	....	182	9.4	+ 6
White	14,576	116	8.0	116	122	....	122	8.4	+ 5
Colored	4,826	57	11.8	57	60	....	60	12.4	+ 5
Jasper (total)	18,509	177	9.6	176	184	1	183	9.9	+ 3
White	9,644	75	7.8	75	78	1	77	8.0	+ 3
Colored	8,865	102	11.5	101	106	....	106	12.0	+ 4
Jefferson (total)	[2] 15,946	180	11.3	180	195	....	195	12.2	+ 8
White	3,987	32	8.0	32	37	....	37	9.3	+16
Colored	11,959	148	12.4	148	158	....	158	13.2	+ 6
Jefferson Davis (total)	[2] 12,755	101	7.9	101	103	....	103	8.1	+ 3
White	6,004	44	7.3	44	46	....	46	7.7	+ 5
Colored	6,751	57	8.4	57	57	....	57	8.4	.....
Jones (total)	19,813	136	6.9	134	142	....	142	7.2	+ 4
White	15,778	94	6.0	93	99	....	99	6.3	+ 5
Colored	4,035	42	10.4	41	43	....	43	10.7	+ 3
Kemper (total)	[2] 19,619	196	10.0	196	200	....	200	10.2	+ 2
White	8,417	54	6.4	54	57	....	57	6.8	+ 6
Colored	11,202	142	12.7	142	143	....	143	12.8	+ 1
Lafayette (total)	[2] 19,243	225	11.7	225	227	....	227	11.8	+ 1
White	11,279	111	9.8	111	113	....	113	10.0	+ 2
Colored	7,964	114	14.3	114	114	....	114	14.3	.....
Lamar (total)	12,928	87	6.7	87	91	....	91	7.0	+ 4
White	9,656	64	6.6	64	68	....	68	7.0	+ 6
Colored	3,272	23	7.0	23	23	....	23	7.0	.....
Lauderdale (total)	[2] 22,415	178	7.9	177	190	....	190	8.5	+ 8
White	11,999	81	6.8	81	92	....	92	7.7	+13
Colored	10,416	97	9.3	96	98	....	98	9.4	+ 1
Lawrence (total)	[2] 12,663	104	8.2	104	111	....	111	8.8	+ 7
White	7,678	52	6.8	52	57	....	57	7.4	+ 9
Colored	4,985	52	10.4	52	54	....	54	10.8	+ 4
Leake (total)	[2] 16,973	155	9.1	155	157	....	157	9.2	+ 1
White	11,021	85	7.7	85	85	....	85	7.7	.....
Colored	5,952	70	11.8	70	72	....	72	12.1	+ 3
Lee (total)	29,656	323	10.9	323	326	....	326	11.0	+ 1
White	19,947	168	8.4	168	168	....	168	8.4	.....
Colored	9,709	155	16.0	155	158	....	158	16.3	+ 2
Leflore (total)	37,306	526	14.1	517	521	....	521	14.0	− 1
White	8,298	84	10.1	79	80	....	80	9.6	− 5
Colored	29,008	442	15.2	438	441	....	441	15.2	.....
Lincoln (total)	[2] 24,652	260	10.5	260	270	....	270	11.0	+ 5
White	15,677	130	8.3	130	136	....	136	8.7	+ 5
Colored	8,975	130	14.5	130	134	....	134	14.9	+ 3
Lowndes (total)	[2] 17,053	151	8.9	151	155	....	155	9.1	+ 2
White	4,742	27	5.7	27	31	....	31	6.5	+14
Colored	12,311	124	10.1	124	124	....	124	10.1	.....

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
MISSISSIPPI—con.									
Madison (total)	[2] 29,292	376	12.8	376	389	....	389	13.3	+ 4
White	6,446	69	10.7	69	74	....	74	11.5	+ 7
Colored	22,846	307	13.4	307	315	....	315	13.8	+ 3
Marion (total)	[13] 17,144	201	11.7	201	202	....	202	11.8	+ 1
White	11,025	111	10.1	111	112	....	112	10.2	+ 1
Colored	6,119	90	14.7	90	90	....	90	14.7	.....
Marshall (total)	[2] 26,105	385	14.7	385	393	....	393	15.1	+ 3
White	7,264	78	10.7	78	82	....	82	11.3	+ 6
Colored	18,841	307	16.3	307	311	....	311	16.5	+ 1
Monroe (total)	[2] 32,613	365	11.2	365	371	....	371	11.4	+ 2
White	17,260	183	10.6	183	187	....	187	10.8	+ 2
Colored	15,353	182	11.9	182	184	....	184	12.0	+ 1
Montgomery (total)	[2] 13,805	206	14.9	206	219	....	219	15.9	+ 7
White	8,072	98	12.1	98	104	....	104	12.9	+ 7
Colored	5,733	108	18.8	108	115	....	115	20.1	+ 7
Neshoba (total)	19,372	139	7.2	139	141	....	141	7.3	+ 1
White	15,946	110	6.9	110	112	....	112	7.0	+ 1
Colored	3,426	29	8.5	29	29	....	29	8.5	.....
Newton (total)	[2] 20,727	177	8.5	177	183	....	183	8.8	+ 4
White	13,663	99	7.2	99	102	....	102	7.5	+ 4
Colored	7,064	78	11.0	78	81	....	81	11.5	+ 5
Noxubee (total)	[2] 23,710	280	11.8	280	284	....	284	12.0	+ 2
White	4,906	38	7.7	38	41	....	41	8.4	+ 9
Colored	18,804	242	12.9	242	243	....	243	12.9	.....
Oktibbeha (total)	[2] 16,872	198	11.7	196	200	....	200	11.9	+ 2
White	6,820	56	8.2	54	58	....	58	8.5	+ 4
Colored	10,052	142	14.1	142	142	....	142	14.1	.....
Panola (total)	[2] 27,845	397	14.3	396	408	....	408	14.7	+ 3
White	10,093	89	8.8	88	95	....	95	9.4	+ 7
Colored	17,752	308	17.4	308	313	....	313	17.6	+ 1
Pearl River (total)	15,720	121	7.7	120	132	....	132	8.4	+ 9
White	11,377	77	6.8	76	86	....	86	7.6	+12
Colored	4,343	44	10.1	44	46	....	46	10.6	+ 5
Perry (total)	9,055	80	8.8	80	88	....	88	9.7	+10
White	6,065	49	8.1	49	51	....	51	8.4	+ 4
Colored	2,990	31	10.4	31	37	....	37	12.4	+19
Pike (total)	[13] 28,725	258	9.0	255	264	....	264	9.2	+ 2
White	15,279	128	8.4	125	129	....	129	8.4	.....
Colored	13,446	130	9.7	130	135	....	135	10.0	+ 3
Pontotoc (total)	19,977	188	9.4	188	190	....	190	9.5	+ 1
White	15,697	139	8.9	139	141	....	141	9.0	+ 1
Colored	4,280	49	11.4	49	49	....	49	11.4	.....
Prentiss (total)	17,641	159	9.0	159	160	....	160	9.1	+ 1
White	15,227	125	8.2	125	125	....	125	8.2	.....
Colored	2,414	34	14.1	34	35	....	35	14.5	+ 3
Quitman (total)	20,287	308	15.2	308	312	....	312	15.4	+ 1
White	4,907	44	9.0	44	45	....	45	9.2	+ 2
Colored	15,380	264	17.2	264	267	....	267	17.4	+ 1
Rankin (total)	[2] 20,272	207	10.2	206	219	....	219	10.8	+ 6
White	8,969	81	9.0	80	87	....	87	9.7	+ 8
Colored	11,303	126	11.1	126	132	....	132	11.7	+ 5
Scott (total)	[2] 16,420	168	10.2	168	183	....	183	11.1	+ 9
White	10,230	75	7.3	75	88	....	88	8.6	+18
Colored	6,190	93	15.0	93	95	....	95	15.3	+ 2
Sharkey (total)	[13] 14,190	176	12.4	176	183	....	183	12.9	+ 4
White	2,392	21	8.8	21	22	....	22	9.2	+ 5
Colored	11,798	155	13.1	155	161	....	161	13.6	+ 4
Simpson (total)	18,156	142	7.8	142	147	....	147	8.1	+ 4
White	12,150	68	5.6	68	71	....	71	5.8	+ 4
Colored	6,006	74	12.3	74	76	....	76	12.7	+ 3
Smith (total)	[2] 16,178	98	6.1	98	111	....	111	6.9	+13
White	13,584	77	5.7	77	88	....	88	6.5	+14
Colored	2,594	21	8.1	21	23	....	23	8.9	+10
Stone (total)	[11] 6,528	55	8.4	55	57	....	57	8.7	+ 4
White	4,206	25	5.9	25	26	....	26	6.2	+ 5
Colored	2,322	30	12.9	30	31	....	31	13.4	+ 4
Sunflower (total)	[13] 46,374	740	16.0	737	762	....	762	16.4	+ 3
White	11,917	121	10.2	121	128	....	128	10.7	+ 5
Colored	34,457	619	18.0	616	634	....	634	18.4	+ 2
Tallahatchie (total)	36,308	460	12.7	460	477	....	477	13.1	+ 3
White	10,688	96	9.0	96	103	....	103	9.6	+ 7
Colored	25,620	364	14.2	364	374	....	374	14.6	+ 3
Tate (total)	[2] 19,636	266	13.5	266	272	....	272	13.9	+ 3
White	8,066	73	9.1	73	78	....	78	9.7	+ 7
Colored	11,570	193	16.7	193	194	....	194	16.8	+ 1
Tippah (total)	15,460	146	9.4	146	149	....	149	9.6	+ 2
White	13,081	117	8.9	117	119	....	119	9.1	+ 2
Colored	2,379	29	12.2	29	30	....	30	12.6	+ 3
Tishomingo	15,196	150	9.9	150	151	....	151	9.9	.....
Tunica (total)	20,476	227	11.1	227	238	....	238	11.6	+ 5
White	2,173	10	4.6	10	12	....	12	5.5	+20
Colored	18,303	217	11.9	217	226	....	226	12.3	+ 3
Union (total)	20,098	228	11.3	228	232	....	232	11.5	+ 2
White	15,833	169	10.7	169	172	....	172	10.9	+ 2
Colored	4,265	59	13.8	59	60	....	60	14.1	+ 2
Walthall (total)	[11] 13,455	90	6.7	90	94	....	94	7.0	+ 4
White	7,789	49	6.3	49	50	....	50	6.4	+ 2
Colored	5,666	41	7.2	41	44	....	44	7.8	+ 8
Warren (total)	[2] 15,290	146	9.5	146	151	1	150	9.8	+ 3
White	3,125	9	2.9	9	10	....	10	3.2	+10
Colored	12,165	137	11.3	137	141	1	140	11.5	+ 2
Washington (total)	[13] 39,532	375	9.5	375	386	....	386	9.8	+ 3
White	4,802	31	6.5	31	32	....	32	6.7	+ 3
Colored	34,730	344	9.9	344	354	....	354	10.2	+ 3
Wayne (total)	15,507	127	8.2	127	141	....	141	9.1	+11
White	10,075	64	6.4	64	74	....	74	7.3	+14
Colored	5,432	63	11.6	63	67	....	67	12.3	+ 6
Webster (total)	[2] 12,644	131	10.4	131	132	....	132	10.4	.....
White	10,285	92	8.9	92	93	....	93	9.0	+ 1
Colored	2,359	39	16.5	39	39	....	39	16.5	.....
Wilkinson (total)	[2] 15,319	157	10.2	157	165	....	165	10.8	+ 6
White	4,005	37	9.2	37	42	....	42	10.5	+14
Colored	11,314	120	10.6	120	123	....	123	10.9	+ 3
Winston (total)	18,191	157	8.6	157	160	....	160	8.8	+ 2
White	11,740	102	8.7	102	104	....	104	8.9	+ 2
Colored	6,451	55	8.5	55	56	....	56	8.7	+ 2
Yalobusha (total)	[2] 18,738	257	13.7	257	269	....	269	14.4	+ 5
White	10,271	109	10.6	109	115	....	115	11.2	+ 6
Colored	8,467	148	17.5	148	154	....	154	18.2	+ 4
Yazoo (total)	[13] 37,149	544	14.6	543	555	....	555	14.9	+ 2
White	10,519	103	9.8	103	108	....	108	10.3	+ 5
Colored	26,630	441	16.6	440	447	....	447	16.8	+ 1
MISSOURI (counties).									
Adair	[2] 21,404	284	13.3	284	286	....	286	13.4	+ 1
Andrew	[2] 14,075	145	10.3	143	143	....	143	10.2	− 1
Atchison	[2] 13,008	96	7.4	96	99	....	99	7.6	+ 3
Audrain	[2] 20,589	253	12.3	253	257	....	257	12.5	+ 2
Barry	[2] 23,473	167	7.1	167	170	....	170	7.2	+ 1
Barton	16,886	175	10.4	175	182	....	182	10.8	+ 4
Bates	[2] 23,933	301	12.6	301	308	....	308	12.9	+ 2
Benton	[2] 12,989	145	11.2	145	148	....	148	11.4	+ 2
Bollinger	[2] 13,909	81	5.8	81	81	....	81	5.8	.....
Boone	[2] 19,257	218	11.3	218	221	....	221	11.5	+ 2
Buchanan	15,752	131	8.3	131	134	....	134	8.5	+ 2
Butler	24,286	346	14.2	346	351	1	350	14.4	+ 1
Caldwell	[2] 13,849	152	11.0	152	163	....	163	11.8	+ 7

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
MISSOURI—con.									
Callaway *(total)	[2] 23,007	364	15.8	364	367	....	367	16.0	+ 1
White	19,776	297	15.0	297	300	....	300	15.2	+ 1
Colored	3,231	67	20.7	67	67	....	67	20.7	.....
Camden	[2] 10,474	65	6.2	65	65	....	65	6.2	.....
Cape Girardeau	19,609	172	8.8	172	175	....	175	8.9	+ 1
Carroll	[2] 20,480	191	9.3	191	195	....	195	9.5	+ 2
Carter	7,583	81	10.7	81	81	....	81	10.7	.....
Cass	[2] 21,536	250	11.6	250	262	....	262	12.2	+ 5
Cedar	[2] 13,933	205	14.7	204	205	....	205	14.7	.....
Chariton	[2] 21,769	234	10.7	234	241	....	241	11.1	+ 4
Christian	[2] 15,252	137	9.0	136	136	....	136	8.9	− 1
Clark	[2] 11,874	109	9.2	109	110	....	110	9.3	+ 1
Clay	20,462	295	14.4	295	305	....	305	14.9	+ 3
Clinton	[2] 14,461	162	11.2	162	169	....	169	11.7	+ 4
Cole	10,207	82	8.0	82	82	....	82	8.0	.....
Cooper (total)	[2] 19,308	218	11.3	218	222	....	222	11.5	+ 2
White	16,904	170	10.1	170	174	....	174	10.3	+ 2
Colored	2,404	48	20.0	48	48	....	48	20.0	.....
Crawford	[2] 12,355	94	7.6	94	99	....	99	8.0	+ 5
Dade	[2] 14,173	135	9.5	135	135	....	135	9.5	.....
Dallas	[2] 12,033	50	4.2	50	50	....	50	4.2	.....
Daviess	[2] 16,641	138	8.3	138	139	....	139	8.4	+ 1
De Kalb	[2] 11,694	102	8.7	102	104	....	104	8.9	+ 2
Dent	[2] 12,318	135	11.0	135	140	....	140	11.4	+ 4
Douglas	[2] 15,436	54	3.5	54	55	....	55	3.6	+ 3
Dunklin	32,898	478	14.5	478	484	....	484	14.7	+ 1
Franklin	[2] 28,427	315	11.1	315	324	....	324	11.4	+ 3
Gasconade	[2] 12,381	132	10.7	132	138	....	138	11.1	+ 4
Gentry	[2] 15,634	119	7.6	119	120	....	120	7.7	+ 1
Greene	29,038	284	9.8	284	284	....	284	9.8	.....
Grundy	17,595	182	10.3	182	189	....	189	10.7	+ 4
Harrison	[2] 19,719	209	10.6	209	214	....	214	10.9	+ 3
Henry	[2] 25,116	267	10.6	267	273	....	273	10.9	+ 3
Hickory	[2] 7,033	62	8.8	62	64	....	64	9.1	+ 3
Holt	[2] 14,084	157	11.1	157	162	....	162	11.5	+ 4
Howard (total)	[2] 13,997	135	9.6	135	138	....	138	9.9	+ 3
White	11,831	97	8.2	97	100	....	100	8.5	+ 4
Colored	2,166	38	17.5	38	38	....	38	17.5	.....
Howell	21,104	185	8.8	185	189	....	189	9.0	+ 2
Iron	9,504	84	8.8	84	87	....	87	9.2	+ 5
Jackson	32,082	320	10.0	320	329	....	329	10.3	+ 3
Jasper	[2] 35,940	520	14.5	519	522	....	522	14.5	.....
Jefferson	[2] 26,555	342	12.9	341	355	....	355	13.4	+ 4
Johnson	[2] 24,899	310	12.5	310	319	....	319	12.8	+ 2
Knox	[2] 10,783	104	9.6	104	110	....	110	10.2	+.6
Laclede	[2] 16,857	135	8.0	135	135	....	135	8.0	.....
Lafayette	[2] 30,006	416	13.9	416	429	....	429	14.3	+ 3
Lawrence	[2] 24,211	302	12.5	302	305	....	305	12.6	+ 1
Lewis	[2] 13,465	161	12.0	161	180	....	180	13.4	+12
Lincoln	[2] 15,956	149	9.3	149	151	....	151	9.5	+ 2
Linn	[2] 24,778	308	12.4	308	314	....	314	12.7	+ 2
Livingston	[2] 18,857	235	12.5	235	239	....	239	12.7	+ 2
McDonald	14,749	78	5.3	78	79	....	79	5.4	+ 2
Macon	[2] 27,518	318	11.6	318	325	....	325	11.8	+ 2
Madison	[2] 10,721	105	9.8	105	106	....	106	9.9	+ 1
Maries	[2] 9,500	69	7.3	69	69	....	69	7.3	.....
Marion	[2] 10,870	124	11.4	124	126	....	126	11.6	+ 2
Mercer	[2] 11,281	102	9.0	102	102	....	102	9.0	.....
Miller	[2] 15,567	88	5.7	88	91	....	91	5.8	+ 2
Mississippi (total)	[2] 12,860	151	11.7	151	160	....	160	12.4	+ 6
White	11,549	134	11.6	134	143	....	143	12.4	+ 7
Colored	1,311	17	13.0	17	17	....	17	13.0	.....
Moniteau	[2] 13,532	154	11.4	154	156	....	156	11.5	+ 1
Monroe	[2] 16,414	181	11.0	181	189	....	189	11.5	+ 5
Montgomery	[2] 15,233	151	9.9	151	155	....	155	10.2	+ 3
Morgan	[2] 12,015	124	10.3	124	126	....	126	10.5	+ 2
New Madrid	25,474	204	8.0	203	208	....	208	8.2	+ 3
Newton	[2] 24,886	237	9.5	237	243	....	243	9.8	+ 3
Nodaway	[2] 27,744	296	10.7	296	305	....	305	11.0	+ 3
Oregon	[2] 12,889	64	5.0	64	68	....	68	5.3	+ 6
Osage	[2] 13,559	127	9.4	127	128	....	128	9.4	.....
Ozark	[2] 11,125	70	6.3	70	70	....	70	6.3	.....
Pemiscot (total)	26,998	215	8.0	215	223	....	223	8.3	+ 4
White	23,013	168	7.3	168	176	....	176	7.6	+ 4
Colored	3,985	47	11.8	47	47	....	47	11.8	.....
Perry	[2] 14,434	150	10.4	150	153	....	153	10.6	+ 2
Pettis	14,621	134	9.2	134	134	....	134	9.2	.....
Phelps	[2] 14,941	216	14.5	216	218	....	218	14.6	+ 1
Pike (total)	[2] 20,345	255	12.5	255	263	....	263	12.9	+ 3
White	17,739	209	11.8	209	217	....	217	12.2	+ 3
Colored	2,606	46	17.7	46	46	....	46	17.7	.....
Platte	[2] 13,996	148	10.6	148	155	....	155	11.1	+ 5
Polk	[2] 20,351	206	10.1	205	206	....	206	10.1	.....
Pulaski	[2] 10,490	134	12.8	134	134	....	134	12.8	.....
Putnam	[2] 13,115	118	9.0	118	118	....	118	9.0	.....
Ralls	[2] 10,412	104	10.0	104	107	....	107	10.3	+ 3
Randolph	14,801	157	10.6	156	156	....	156	10.5	− 1
Ray	[2] 20,508	265	12.9	265	269	....	269	13.1	+ 2
Reynolds	10,132	32	3.2	32	34	....	34	3.4	+ 6
Ripley	[2] 12,061	96	8.0	96	96	....	96	8.0	.....
St. Charles	[2] 22,828	301	13.2	301	306	....	306	13.4	+ 2
St. Clair	[2] 15,341	157	10.2	157	161	....	161	10.5	+ 3
St. Francois*	[2] 31,403	583	18.6	583	590	....	590	18.8	+ 1
St. Louis*	101,680	1,310	12.9	1,309	1,354	....	1,354	13.3	+ 3
Ste. Genevieve	[2] 9,809	86	8.8	86	89	....	89	9.1	+ 3
Saline * (total)	[2] 28,823	382	13.3	382	391	....	391	13.6	+ 2
White	25,699	310	12.1	310	319	....	319	12.4	+ 2
Colored	3,127	72	23.0	72	72	....	72	23.0	.....
Schuyler	[2] 8,383	65	7.8	65	67	....	67	8.0	+ 3
Scotland	[2] 10,700	135	12.6	135	136	....	136	12.7	+ 1
Scott	23,462	287	12.2	287	295	....	295	12.6	+ 3
Shannon	11,887	115	9.7	115	118	....	118	9.9	+ 2
Shelby	[2] 13,617	156	11.5	156	159	....	159	11.7	+ 2
Stoddard	29,855	305	10.2	305	308	....	308	10.3	+ 1
Stone	11,961	88	7.4	88	89	....	89	7.4	.....
Sullivan	[2] 17,781	160	9.0	160	164	....	164	9.2	+ 2
Taney	[2] 8,178	78	9.5	78	78	....	78	9.5	.....
Texas	[2] 20,548	235	11.4	234	236	....	236	11.5	+ 1
Vernon.*	[2] 26,069	461	17.7	456	460	....	460	17.6	− 1
Warren	[2] 8,490	61	7.2	61	63	....	63	7.4	+ 3
Washington	13,825	139	10.1	139	141	....	141	10.2	+ 1
Wayne	[2] 13,012	138	10.6	138	139	....	139	10.7	+ 1
Webster	[2] 16,609	196	11.8	196	198	....	198	11.9	+ 1
Worth	[2] 7,642	38	5.0	38	40	....	40	5.2	+ 4
Wright	[2] 17,733	130	7.3	130	131	....	131	7.4	+ 1
MONTANA (counties).									
Beaverhead	7,417	73	9.8	71	82	....	82	11.1	+13
Big Horn (total)	[11] 7,015	74	10.5	74	80	....	80	11.4	+ 9
White	4,859	35	7.2	35	41	....	41	8.4	+17
Colored	2,156	39	18.1	39	39	....	39	18.1	.....
Blaine (total)	[11] 9,057	74	8.2	74	83	....	83	9.2	+12
White	7,945	55	6.9	55	64	....	64	8.1	+17
Colored	1,112	19	17.1	19	19	....	19	17.1	.....
Broadwater	[2] 3,239	23	7.1	22	26	....	26	8.0	+13
Carbon	[13] 15,279	95	6.2	93	107	....	107	7.0	+13
Carter	[11] 3,972	17	4.3	17	17	....	17	4.3	.....
Cascade	[2] 14,715	84	5.7	81	137	....	137	9.3	+63
Chouteau	[13] 11,051	72	6.5	72	87	....	87	7.9	+22
Custer	[13] 12,194	173	14.2	146	150	6	144	11.8	−17
Dawson	[13] 9,239	76	8.2	63	69	1	68	7.4	−10

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Percent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
MONTANA—con.									
Deer Lodge*	3,696	183	49.5	183	184	....	184	49.8	+ 1
Fallon	[11] 4,548	22	4.8	22	25	....	25	5.5	+15
Fergus	[13] 28,344	203	7.2	196	204	....	204	7.2	....
Flathead	21,855	260	11.9	247	261	4	257	11.8	— 1
Gallatin	15,956	143	9.0	137	145	....	145	9.1	+ 1
Garfield	[11] 5,368	34	6.3	34	42	....	42	7.8	+24
Glacier (total)	[11] 4,178	86	20.6	84	94	....	94	22.5	+ 9
White	2,277	27	11.9	25	35	....	35	15.4	+29
Colored	1,901	59	31.0	59	59	....	59	31.0	.....
Granite	4,230	41	9.7	39	44	....	44	10.4	+ 7
Hill	[11] 13,958	136	9.7	127	132	....	132	9.5	— 2
Jefferson	[2] 5,203	46	8.8	42	58	....	58	11.1	+26
Lewis and Clark	[2] 6,623	40	6.0	37	53	....	53	8.0	+33
Liberty	[11] 2,416	11	4.6	11	12	....	12	5.0	+ 9
Lincoln	8,011	50	6.2	47	53	....	53	6.6	+ 6
McCone	[11] 4,747	13	2.7	13	23	....	23	4.8	+78
Madison	7,509	61	8.1	59	67	....	67	8.9	+10
Meagher	[13] 2,622	14	5.3	14	21	....	21	8.0	+ 51
Mineral	[11] 2,327	6	2.6	5	12	....	12	5.2	+100
Missoula (total)	[13] 11,373	98	8.6	94	116	....	116	10.2	+19
White	10,182	57	5.6	53	75	....	75	7.4	+32
Colored	1,191	41	34.4	41	41	....	41	34.4	....
Musselshell	[11] 12,030	108	9.0	103	113	1	112	9.3	+ 3
Park	11,361	101	8.9	87	95	....	95	8.4	— 6
Phillips	[11] 9,311	53	5.7	49	60	1	59	6.3	+11
Pondera	[11] 5,741	46	8.0	43	44	....	44	7.7	— 4
Powder River	[11] 3,357	6	1.8	6	8	....	8	2.4	+33
Powell	6,961	49	7.0	45	51	1	50	7.2	+ 3
Prairie	[11] 3,684	35	9.5	31	37	....	37	10.0	+ 5
Ravalli	[2] 10,098	82	8.1	79	91	....	91	9.0	+11
Richland	[11] 8,989	55	6.1	54	58	....	58	6.5	+7
Roosevelt (total)	[11] 10,347	86	8.3	82	92	....	92	8.9	+ 7
White	8,796	83	9.4	79	89	....	89	10.1	+ 7
Colored	1,551	3	1.9	3	3	....	3	1.9	.....
Rosebud	[13] 8,002	71	8.9	70	87	1	86	10.7	+20
Sanders	4,964	29	5.8	28	46	1	45	9.1	+57
Sheridan	[11] 13,847	65	4.7	64	76	1	75	5.4	+15
Silver Bow	18,766	255	13.6	247	254	2	252	13.4	— 1
Stillwater	[11] 7,630	54	7.1	53	61	....	61	8.0	+13
Sweet Grass	[13] 4,926	34	6.9	32	35	....	35	7.1	+ 3
Teton	[13] 5,870	31	5.3	31	43	....	43	7.3	+38
Toole	[11] 3,724	24	6.4	24	26	....	26	7.0	+ 9
Treasure	[11] 1,990	16	8.0	16	21	....	21	10.6	+33
Valley	[13] 11,542	76	6.6	66	72	2	70	6.1	— 8
Wheatland	[11] 5,619	51	9.1	50	59	1	58	10.3	+13
Wibaux	[11] 3,113	17	5.5	17	20	....	20	6.4	+16
Yellowstone	[13] 14,500	77	5.3	76	100	2	98	6.8	+28
NEBRASKA (counties).									
Adams*	10,943	164	15.0	164	167	....	167	15.3	+ 2
Antelope	15,306	128	8.4	128	132	....	132	8.6	+ 2
Arthur	[11] 1,412	6	4.2	6	7	....	7	5.0	+19
Banner	[2] 1,435	7	4.9	7	9	....	9	6.3	+29
Blaine	1,783	12	6.7	11	12	....	12	6.7	.....
Boone	14,198	95	6.7	94	101	....	101	7.1	+ 6
Box Butte	8,525	93	10.9	88	88	1	87	10.2	— 6
Boyd	[2] 8,243	68	8.2	68	74	1	73	8.9	+ 9
Brown	6,784	60	8.8	58	62	....	62	9.1	+ 3
Buffalo*	23,884	297	12.4	296	311	....	311	13.0	+ 5
Burt	[2] 12,559	123	9.8	123	134	....	134	10.7	+ 9
Butler	[2] 14,606	128	8.8	128	135	....	135	9.2	+ 5
Cass	[2] 18,029	160	8.9	160	192	....	192	10.6	+19
Cedar	16,279	114	7.0	113	118	....	118	7.2	+ 3
Chase	5,008	35	7.0	35	38	....	38	7.6	+ 9
Cherry	11,822	97	8.2	97	99	1	98	8.3	+ 1
Cheyenne	8,604	71	8.3	71	77	....	77	8.9	+ 7
Clay	[2] 14,486	106	7.3	106	112	....	112	7.7	+ 5
Colfax	11,625	89	7.7	89	96	....	96	8.3	+ 8
Cuming	[2] 13,769	113	8.2	112	123	....	123	8.9	+ 9

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Percent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
NEBRASKA—con.									
Custer	26,445	235	8.9	235	250	....	250	9.5	+ 7
Dakota	7,753	58	7.5	58	60	1	59	7.6	+ 1
Dawes	10,258	80	7.8	80	81	....	81	7.9	+ 1
Dawson	16,007	146	9.1	146	157	....	157	9.8	+ 8
Deuel	3,359	31	9.2	31	32	....	32	9.5	+ 3
Dixon	11,832	77	6.5	77	79	....	79	6.7	+ 3
Dodge	23,252	232	10.0	228	252	....	252	10.8	+ 8
Douglas	12,954	51	3.9	51	76	....	76	5.9	+51
Dundy	4,900	40	8.1	40	41	....	41	8.4	+ 4
Fillmore	[2] 13,671	113	8.3	113	121	....	121	8.9	+ 7
Franklin	[2] 10,067	80	7.9	80	82	....	82	8.1	+ 3
Frontier	[2] 8,540	64	7.5	64	67	....	67	7.8	+ 4
Furnas	[2] 11,657	117	10.0	117	123	....	123	10.6	+ 6
Gage	[2] 29,721	328	11.0	328	340	....	340	11.4	+ 4
Garden	[12] 4,572	30	6.6	29	30	....	30	6.6	.....
Garfield	3,501	22	6.3	21	23	....	23	6.6	+ 5
Gosper	[2] 4,669	28	6.0	28	29	....	29	6.2	+ 3
Grant	1,507	18	11.9	18	18	....	18	11.9	....
Greeley	8,718	59	6.8	59	62	....	62	7.1	+ 4
Hall	9,795	99	10.1	99	102	....	102	10.4	+ 3
Hamilton	[2] 13,237	106	8.0	105	108	....	108	8.2	+ 3
Harlan	[2] 9,220	69	7.5	68	72	....	72	7.8	+ 4
Hayes	3,343	20	6.0	20	21	....	21	6.3	+ 5
Hitchcock	6,078	44	7.2	44	47	....	47	7.7	+ 7
Holt	17,234	135	7.8	135	143	....	143	8.3	+ 6
Hooker	1,399	13	9.3	13	13	....	13	9.3	.....
Howard	[2] 10,739	78	7.3	78	83	....	83	7.7	+ 5
Jefferson	[2] 16,140	132	8.2	132	141	....	141	8.7	+ 6
Johnson	[2] 8,940	74	8.3	74	80	....	80	8.9	+ 7
Kearney	[2] 8,583	81	9.4	81	86	1	85	9.9	+ 5
Keith	5,376	44	8.2	44	49	....	49	9.1	+11
Keyapaha	3,602	7	1.9	7	8	....	8	2.2	+16
Kimball	4,630	42	9.1	42	42	....	42	9.1	.....
Knox	18,622	168	8.9	168	176	....	176	9.3	+ 4
Lancaster*	31,033	296	9.5	279	312	....	312	10.1	+ 6
Lincoln	13,059	57	4.4	57	60	....	60	4.6	+ 5
Logan	1,600	15	9.4	15	16	....	16	10.0	+ 6
Loup	[2] 1,946	17	8.7	17	18	....	18	9.2	+ 6
McPherson	[13] 1,692	8	4.7	8	9	....	9	5.3	+13
Madison*	22,687	302	13.3	295	305	1	304	13.4	+ 1
Merrick	10,783	105	9.7	105	118	....	118	10.9	+12
Morrill	9,386	69	7.4	69	71	....	71	7.6	+ 3
Nance	[2] 8,712	69	7.9	69	74	....	74	8.5	+ 8
Nemaha	[2] 12,547	105	8.4	104	112	....	112	8.9	+ 6
Nuckolls	13,247	102	7.7	100	106	....	106	8.0	+ 4
Otoe	19,503	191	9.8	191	203	1	202	10.4	+ 6
Pawnee	[2] 9,578	108	11.3	108	115	....	115	12.0	+ 6
Perkins	4,039	23	5.7	23	24	....	24	5.9	+ 4
Phelps	[2] 9,900	97	9.8	96	104	....	104	10.5	+ 7
Pierce	10,710	92	8.6	92	94	....	94	8.8	+ 2
Platte	19,488	199	10.2	198	203	....	203	10.4	+ 2
Polk	10,724	83	7.7	83	91	....	91	8.5	+10
Redwillow	11,453	118	10.3	117	120	....	120	10.5	+ 2
Richardson	19,047	189	9.9	189	193	....	193	10.2	+ 3
Rock	3,707	33	8.9	33	37	....	37	10.0	+12
Saline	[2] 16,514	143	8.7	143	164	....	164	9.9	+14
Sarpy	9,375	59	6.3	58	76	....	76	8.1	+29
Saunders	[2] 20,589	158	7.7	158	185	....	185	9.0	+17
Scotts Bluff	21,346	194	9.1	193	199	1	198	9.3	+ 2
Seward	[2] 15,867	157	9.9	157	163	....	163	10.3	+ 4
Sheridan	9,744	85	8.7	85	91	....	91	9.3	+ 7
Sherman	8,908	51	5.7	51	54	....	54	6.1	+ 7
Sioux	[2] 4,528	22	4.9	22	22	....	22	4.9	.....
Stanton	7,767	52	6.7	52	56	....	56	7.2	+ 7
Thayer	[2] 13,976	118	8.4	118	122	....	122	8.7	+ 4

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
NEBRASKA—con.									
Thomas	1,803	10	5.5	10	12	....	12	6.7	+22
Thurston (total)	9,635	167	17.3	167	168	....	168	17.4	+ 1
White	8,072	58	7.2	58	59	....	59	7.3	+ 1
Colored	1,563	109	69.7	109	109	....	109	69.7	.....
Valley	9,841	94	9.6	92	95	....	95	9.7	+ 1
Washington	[2] 12,180	82	6.7	82	91	....	91	7.5	+12
Wayne	[2] 9,725	75	7.7	75	77	....	77	7.9	+ 3
Webster	[2] 10,922	109	10.0	109	112	....	112	10.3	+ 3
Wheeler	2,513	12	4.7	12	12	....	12	4.7	.....
York	[2] 17,146	161	9.4	161	166	....	166	9.7	+ 3
NEW HAMPSHIRE (counties).									
Belknap	[2] 10,244	183	17.9	176	191	....	191	18.6	+ 4
Carroll	[2] 15,017	221	14.7	216	231	....	231	15.4	+ 5
Cheshire	19,723	270	13.7	246	270	....	270	13.7	.....
Coos	20,042	249	12.4	222	239	4	235	11.7	− 6
Grafton	[2] 40,572	628	15.5	577	603	3	600	14.8	− 5
Hillsborough	28,685	513	17.9	405	458	1	457	15.9	−11
Merrimack	[2] 29,568	466	15.8	447	478	....	478	16.2	+ 3
Rockingham	38,827	609	15.7	601	659	....	659	17.0	+ 8
Strafford	[2] 25,528	344	13.5	335	360	....	360	14.1	+ 4
Sullivan	21,004	352	16.8	312	330	3	327	15.6	− 7
NEW JERSEY (counties).									
Atlantic	33,591	451	13.4	434	475	....	475	14.1	+ 5
Bergen	165,023	1,525	9.2	1,437	1,776	1	1,775	10.8	+17
Burlington	82,553	1,029	12.5	1,004	1,076	2	1,074	13.0	+ 4
Camden	63,272	809	12.8	784	871	....	871	13.8	+ 8
Cape May	[2] 19,460	278	14.3	238	254	4	250	12.8	−10
Cumberland	32,532	545	16.8	515	545	4	541	16.6	− 1
Essex*	46,764	805	17.2	661	732	2	730	15.6	− 9
Gloucester	48,783	637	13.1	619	674	1	673	13.8	+ 5
Hudson*	53,554	1,047	19.6	872	983	1	982	18.3	− 7
Hunterdon*	[2] 32,885	470	14.3	461	505	....	505	15.4	+ 8
Mercer	41,198	576	14.0	514	598	....	598	14.5	+ 4
Middlesex	78,031	766	9.8	754	864	....	864	11.1	+13
Monmouth	79,402	1,107	13.9	986	1,136	2	1,134	14.3	+ 3
Morris*	70,556	1,078	15.3	1,043	1,144	2	1,142	16.2	+ 6
Ocean	22,198	310	14.0	276	304	....	304	13.7	− 2
Passaic	33,467	298	8.9	291	332	....	332	9.9	+11
Salem (total)	37,065	480	13.0	471	498	....	498	13.4	+ 3
White	33,060	407	12.3	398	422	....	422	12.8	+ 4
Colored	4,005	73	18.2	73	76	....	76	19.0	+ 4
Somerset*	48,464	547	11.3	536	584	....	584	12.1	+ 7
Sussex	[2] 24,905	364	14.6	360	375	....	375	15.1	+ 3
Union	56,800	592	10.4	562	708	....	708	12.5	+20
Warren	28,074	372	13.3	369	416	....	416	14.8	+11
NEW YORK (counties).									
Albany	33,717	453	13.4	449	489	2	487	14.4	+ 7
Allegany	[2] 36,842	584	15.9	574	612	2	610	16.6	+ 4
Broome	47,659	686	14.4	654	693	....	693	14.5	+ 1
Cattaraugus	50,800	718	14.1	703	735	2	733	14.4	+ 2
Cayuga	[2] 28,950	473	16.3	467	498	....	498	17.2	+ 6
Chautauqua	57,120	822	14.4	822	889	....	889	15.6	+ 8
Chemung	20,634	286	13.9	281	306	1	305	14.8	+ 6
Chenango	[2] 34,969	597	17.1	583	588	....	588	16.8	− 2
Clinton*	[2] 32,989	464	14.1	461	476	1	475	14.4	+ 2
Columbia	[2] 27,173	434	16.0	425	474	....	474	17.4	+ 9
Cortland	16,259	250	15.4	245	263	....	263	16.2	+ 5
Delaware	[2] 42,774	653	15.4	654	681	....	681	15.9	+ 3
Dutchess*	45,589	1,045	22.9	1,010	1,048	1	1,047	23.0	.....
Erie*	100,827	1,222	12.1	1,203	1,286	3	1,283	12.7	+ 5
Essex*	[2] 31,871	543	17.0	519	539	....	539	16.9	− 1
RURAL PART OF REGISTRATION STATES [10]—Con.									
NEW YORK—con.									
Franklin*	[2] 43,541	866	19.9	851	862	4	858	19.7	− 1
Fulton	24,368	317	13.0	311	342	....	342	14.0	+ 8
Genesee	[2] 25,796	448	17.4	438	472	....	472	18.3	+ 5
Greene	[2] 3,970	49	12.3	48	53	....	53	13.4	+ 9
Herkimer	31,379	421	13.4	405	426	....	426	13.6	+ 1
Jefferson	50,827	737	14.5	717	753	....	753	14.8	+ 2
Lewis	[2] 23,704	338	14.3	336	354	....	354	14.9	+ 4
Livingston*	[2] 36,830	596	16.2	590	623	1	622	16.9	+ 4
Madison	28,892	472	16.3	466	497	1	496	17.2	+ 6
Monroe	56,669	768	13.6	766	835	....	835	14.7	+ 8
Montgomery	24,307	379	15.6	376	408	....	408	16.8	+ 8
Nassau	128,298	1,345	10.5	1,316	1,475	....	1,475	11.5	+10
Niagara	31,180	431	13.8	424	459	....	459	14.7	+ 7
Oneida	62,583	884	14.1	871	933	....	933	14.9	+ 6
Onondaga	69,819	973	13.9	967	1,059	1	1,058	15.2	+ 9
Ontario	37,910	638	16.8	593	612	5	607	16.0	− 5
Orange	60,762	816	13.4	768	818	4	814	13.4	.....
Orleans	[2] 28,619	414	14.5	413	438	....	438	15.3	+ 6
Oswego	[2] 34,231	596	17.4	591	625	....	625	18.3	+ 5
Otsego	[2] 34,510	536	15.5	535	556	....	556	16.1	+ 4
Putnam	[2] 10,802	170	15.7	170	185	....	185	17.1	+ 9
Rensselaer	[2] 30,287	517	17.1	508	544	....	544	18.0	+ 5
Rockland	[2] 45,548	674	14.8	663	694	1	693	15.2	+ 3
St. Lawrence	[2] 73,512	1,035	14.1	1,031	1,107	1	1,106	15.0	+ 6
Saratoga	[2] 46,848	665	14.2	647	720	2	718	15.3	+ 8
Schenectady	20,936	242	11.6	227	240	3	237	11.3	− 3
Schoharie	[2] 21,303	349	16.4	347	365	....	365	17.1	+ 4
Schuyler	[2] 13,093	233	17.8	231	240	....	240	18.3	+ 3
Seneca*	[2] 24,735	636	25.7	629	650	1	649	26.2	+ 2
Steuben	[2] 49,601	973	19.6	956	985	1	984	19.8	+ 1
Suffolk*	110,968	2,239	20.2	2,144	2,194	5	2,189	19.7	− 2
Sullivan*	[2] 33,163	622	18.8	548	579	4	575	17.3	− 8
Tioga	[2] 24,212	392	16.2	389	429	....	429	17.7	+ 9
Tompkins	18,252	259	14.2	257	279	....	279	15.3	+ 8
Ulster	[2] 48,250	790	16.4	780	834	1	833	17.3	+ 5
Warren	[2] 14,963	228	15.2	221	242	2	240	16.0	+ 5
Washington	44,888	618	13.8	614	654	....	654	14.6	+ 6
Wayne	48,827	695	14.2	693	736	....	736	15.1	+ 6
Westchester	101,816	1,270	12.5	1,146	1,269	3	1,266	12.4	− 1
Wyoming	[2] 30,314	431	14.2	424	447	....	447	14.7	+ 4
Yates	[2] 16,641	269	16.2	269	290	....	90	17.4	+ 7
NORTH CAROLINA (counties).									
Alamance (total)	32,924	336	11.7	385	388	....	388	11.8	+ 1
White	25,401	286	11.3	285	288	....	288	11.3	.....
Colored	7,523	100	13.3	100	100	....	100	13.3	.....
Alexander	12,243	132	10.8	132	133	....	133	10.9	+ 1
Alleghany	[2] 7,403	85	11.5	85	85	....	85	11.5	.....
Anson (total)	28,481	325	11.4	323	324	....	324	11.4	.....
White	13,540	138	10.2	137	138	....	138	10.2	.....
Colored	14,941	187	12.5	186	186	....	186	12.4	− 1
Ashe	21,100	173	8.2	173	175	....	175	8.3	+ 1
Avery	[11] 10,335	72	7.0	72	72	....	72	7.0	.....
Beaufort (total)	31,031	471	15.2	471	474	....	474	15.3	+ 1
White	18,978	242	12.8	242	244	....	244	12.9	+ 1
Colored	12,053	229	19.0	229	230	....	230	19.1	+ 1
Bertie (total)	24,042	337	14.0	337	339	....	339	14.1	+ 1
White	10,390	135	13.0	135	136	....	136	13.1	+ 1
Colored	13,652	202	14.8	202	203	....	203	14.9	+ 1
Bladen (total)	19,851	206	10.4	206	208	....	208	10.5	+ 1
White	11,734	90	7.7	90	91	....	91	7.8	+ 1
Colored	8,117	116	14.3	116	117	....	117	14.4	+ 1
Brunswick (total)	14,898	215	14.4	215	219	....	219	14.7	+ 2
White	9,527	136	14.3	136	140	....	140	14.7	+ 3
Colored	5,371	79	14.7	79	79	....	78	14.7	.....

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
NORTH CAROLINA—con.									
Buncombe	36,113	482	13.3	469	477	3	474	13.1	− 2
Burke[1] (total)	23,394	318	13.6	311	314	....	314	13.4	− 1
White	20,729	286	13.8	279	280	....	280	13.5	− 2
Colored	2,665	32	12.0	32	34	....	34	12.8	+ 7
Cabarrus (total)	34,115	404	11.8	404	408	....	408	12.0	+ 2
White	27,754	293	10.6	293	295	....	295	10.6	.....
Colored	6,361	111	17.5	111	113	....	113	17.8	+ 2
Caldwell	[13] 19,984	212	10.6	212	213	....	213	10.7	+ 1
Camden (total)	[2] 5,382	78	14.5	78	78	....	78	14.5	.....
White	3,257	48	14.7	48	48	....	48	14.7	.....
Colored	2,125	30	14.1	30	30	....	30	14.1	.....
Carteret (total)	15,466	207	13.4	207	208	....	208	13.4	.....
White	13,075	158	12.1	158	159	....	159	12.2	+ 1
Colored	2,391	49	20.5	49	49	....	49	20.5	.....
Caswell (total)	15,805	147	9.3	147	149	....	149	9.4	+ 1
White	7,946	63	7.9	63	65	....	65	8.2	+ 4
Colored	7,859	84	10.7	84	84	....	84	10.7	.....
Catawba (total)	34,143	338	9.9	336	337	....	337	9.9	.....
White	30,565	283	9.3	281	282	....	282	9.2	− 1
Colored	3,578	55	15.4	55	55	....	55	15.4	.....
Chatham (total)	23,874	239	10.0	239	243	....	243	10.2	+ 2
White	16,049	134	8.3	134	136	....	136	8.5	+ 2
Colored	7,825	105	13.4	105	107	....	107	13.7	+ 2
Cherokee	15,298	146	9.5	145	148	....	148	9.7	+ 2
Chowan (total)	[2] 10,649	142	13.3	142	143	....	143	13.4	+ 1
White	5,350	56	10.5	56	56	....	56	10.5	.....
Colored	5,299	86	16.2	86	87	....	87	16.4	+ 1
Clay	4,683	36	7.7	36	37	....	37	7.9	+ 3
Cleveland (total)	34,518	383	11.1	383	386	....	386	11.2	+ 1
White	28,481	289	10.1	289	292	....	292	10.3	+ 2
Colored	6,037	94	15.6	94	94	....	94	15.6	.....
Columbus (total)	30,232	403	13.3	403	408	....	408	13.5	+ 2
White	20,539	254	12.4	254	258	....	258	12.6	+ 2
Colored	9,693	149	15.4	149	150	....	150	15.5	+ 1
Craven (total)	17,025	209	12.3	209	210	....	210	12.3	.....
White	8,516	76	8.9	76	77	....	77	9.0	+ 1
Colored	8,509	133	15.6	133	133	....	133	15.6	.....
Cumberland (total)	[13] 35,064	599	17.1	593	595	1	594	16.9	− 1
White	20,986	337	16.1	332	334	1	333	15.9	− 1
Colored	14,078	262	18.6	261	261	....	261	18.5	− 1
Currituck (total)	[2] 7,268	44	6.1	44	45	....	45	6.2	+ 2
White	4,630	26	5.6	26	27	....	27	5.8	+ 4
Colored	2,638	18	6.8	18	18	....	18	6.8	.....
Dare	5,129	59	11.5	59	59	....	59	11.5	.....
Davidson (total)	35,499	408	11.5	408	409	....	409	11.5	.....
White	31,915	339	10.6	339	340	....	340	10.7	+ 1
Colored	3,584	69	19.3	69	69	....	69	19.3	.....
Davie (total)	13,587	145	10.7	145	146	....	146	10.7	.....
White	11,565	100	8.6	100	101	....	101	8.7	+ 1
Colored	2,022	45	22.3	45	45	....	45	22.3	.....
Duplin (total)	30,469	346	11.4	346	354	....	354	11.6	+ 2
White	19,259	227	11.8	227	232	....	232	12.0	+ 2
Colored	11,210	119	10.6	119	122	....	122	10.9	+ 3
Durham (total)	20,678	341	16.5	341	341	....	341	16.5	.....
White	15,164	250	16.5	250	250	....	250	16.5	.....
Colored	5,514	91	16.5	91	91	....	91	16.5	.....
Edgecombe (total)	31,820	406	12.8	406	408	....	408	12.8	.....
White	12,094	140	11.6	140	142	....	142	11.7	+ 1
Colored	19,726	266	13.5	266	266	....	266	13.5	.....
Forsyth (total)	29,500	374	12.7	374	377	....	377	12.8	+ 1
White	24,010	259	10.8	259	261	....	261	10.8	.....
Colored	5,490	115	20.9	115	116	....	116	21.1	+ 1
Franklin (total)	26,769	304	11.4	304	306	....	306	11.4	.....
White	14,898	125	8.4	125	126	....	126	8.5	+ 1
Colored	11,871	179	15.1	179	180	....	180	15.2	+ 1
Gaston (total)	38,735	369	9.5	369	369	....	369	9.5	.....
White	31,853	288	9.0	288	288	....	288	9.0	.....
Colored	6,882	81	11.8	81	81	....	81	11.8	.....
Gates (total)	10,542	117	11.1	117	120	....	120	11.4	+ 3
White	5,439	51	9.4	51	51	....	51	9.4	.....
Colored	5,103	66	12.9	66	69	....	69	13.5	+ 5
Graham	4,879	31	6.4	31	31	....	31	6.4	.....
Granville (total)	26,936	262	9.7	261	263	....	263	9.8	+ 1
White	14,188	129	9.1	128	130	....	130	9.2	+ 1
Colored	12,748	133	10.4	133	133	....	133	10.4	.....
Greene (total)	16,374	176	10.7	176	176	....	176	10.7	.....
White	8,079	78	9.7	78	78	....	78	9.7	.....
Colored	8,295	98	11.8	98	98	....	98	11.8	.....
Guilford (total)	45,626	564	12.4	562	565	....	565	12.4	.....
White	37,090	429	11.6	427	430	....	430	11.6	.....
Colored	8,536	135	15.8	135	135	....	135	15.8	.....
Halifax (total)	44,082	632	14.3	631	641	....	641	14.5	+ 1
White	18,095	225	12.4	224	233	....	233	12.9	+ 4
Colored	25,987	407	15.7	407	408	....	408	15.7	.....
Harnett (total)	28,630	369	12.9	369	371	....	371	13.0	+ 1
White	20,682	243	11.7	243	245	....	245	11.8	+ 1
Colored	7,948	126	15.9	126	126	....	126	15.9	.....
Haywood	23,623	220	9.7	229	232	....	232	9.8	+ 1
Henderson	18,351	219	11.9	218	222	....	222	12.1	+ 2
Hertford (total)	16,338	216	13.2	216	220	....	220	13.5	+ 2
White	6,340	66	10.4	66	68	....	68	10.7	+ 3
Colored	9,998	150	15.0	150	152	....	152	15.2	+ 1
Hoke (total)	[11] 11,722	156	13.3	156	159	....	159	13.6	+ 2
White	5,019	67	13.3	67	70	....	70	13.9	+ 5
Colored	6,703	89	13.3	89	89	....	89	13.3	.....
Hyde (total)	[2] 8,386	63	7.5	63	63	....	63	7.5	.....
White	5,120	42	8.2	42	42	....	42	8.2	.....
Colored	3,266	21	6.4	21	21	....	21	6.4	.....
Iredell (total)	38,143	498	13.1	495	500	....	500	13.1	.....
White	30,779	379	12.3	379	384	....	384	12.5	+ 2
Colored	7,364	119	16.2	116	116	....	116	15.8	− 2
Jackson	13,417	141	10.5	141	142	....	142	10.6	+ 1
Johnston (total)	49,390	599	12.1	599	601	....	601	12.2	+ 1
White	37,818	443	11.7	443	444	....	444	11.7	.....
Colored	11,572	156	13.5	156	157	....	157	13.6	+ 1
Jones (total)	9,974	104	10.4	104	104	....	104	10.4	.....
White	5,499	55	10.0	55	55	....	55	10.0	.....
Colored	4,475	49	10.9	49	49	....	49	10.9	.....
Lee (total)	13,505	151	11.2	149	149	....	149	11.0	− 2
White	9,599	104	10.8	102	102	....	102	10.6	− 2
Colored	3,906	47	12.0	47	47	....	47	12.0	.....
Lenoir (total)	29,905	400	13.4	400	402	....	402	13.4	.....
White	16,695	184	11.0	184	186	....	186	11.1	+ 1
Colored	13,210	216	16.4	216	216	....	216	16.4	.....
Lincoln (total)	17,900	166	9.3	166	166	....	166	9.3	.....
White	15,697	146	9.3	146	146	....	146	9.3	.....
Colored	2,203	20	9.1	20	20	....	20	9.1	.....
McDowell (total)	16,930	185	10.9	185	189	....	189	11.2	+ 3
White	14,961	160	10.7	160	164	....	164	11.0	+ 3
Colored	1,969	25	12.7	25	25	....	25	12.7	.....
Macon	12,923	152	11.8	152	153	....	153	11.8	.....
Madison	[2] 20,083	187	9.3	187	190	....	190	9.5	+ 2

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Including nonresidents. Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Rate per 1,000 population.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
NORTH CAROLINA—con.									
Martin (total)	20,985	315	15.0	315	316	....	316	15.1	+ 1
White	11,170	147	13.2	147	148	....	148	13.2	.....
Colored	9,815	168	17.1	168	168	....	168	17.1	.....
Mecklenburg (total)	34,426	301	8.7	299	301	....	301	8.7	.....
White	22,498	172	7.6	170	172	....	172	7.6	.....
Colored	11,928	129	10.8	129	129	....	129	10.8	.....
Mitchell	[13] 11,278	125	11.1	125	125	....	125	11.1	.....
Montgomery (total)	[2] 14,607	133	9.1	133	134	....	134	9.2	+ 1
White	11,322	96	8.5	96	97	....	97	8.6	+ 1
Colored	3,285	37	11.3	37	37	....	37	11.3	.....
Moore (total)	21,614	183	8.5	179	182	....	182	8.4	− 1
White	15,187	130	8.6	126	129	....	129	8.5	− 1
Colored	6,427	53	8.2	53	53	....	53	8.2	.....
Nash (total)	34,964	368	10.5	368	369	....	369	10.6	+ 1
White	19,308	211	10.9	211	212	....	212	11.0	+ 1
Colored	15,656	157	10.0	157	157	....	157	10.0	.....
New Hanover (total)	7,354	109	14.8	101	102	....	102	13.9	− 6
White	4,307	51	11.8	44	45	....	45	10.4	−12
Colored	3,047	58	19.0	57	57	....	57	18.7	− 2
Northampton (total)	23,229	299	12.9	299	299	....	299	12.9	.....
White	9,364	93	9.9	93	93	....	93	9.9	.....
Colored	13,865	206	14.9	206	206	....	206	14.9	.....
Onslow (total)	14,733	168	11.4	168	168	....	168	11.4	.....
White	10,283	113	11.0	113	113	....	113	11.0	.....
Colored	4,450	55	12.4	55	55	....	55	12.4	.....
Orange (total)	18,041	217	12.0	217	221	....	221	12.2	+ 2
White	12,368	132	10.7	132	134	....	134	10.8	+ 1
Colored	5,673	85	15.0	85	87	....	87	15.3	+ 2
Pamlico (total)	[2] 9,060	101	11.1	101	101	....	101	11.1	.....
White	5,846	56	9.6	56	56	....	56	9.6	.....
Colored	3,214	45	14.0	45	45	....	45	14.0	.....
Pasquotank (total)	17,721	276	15.6	276	284	....	284	16.0	+ 3
White	9,908	120	12.1	120	124	....	124	12.5	+ 3
Colored	7,813	156	20.0	156	160	....	160	20.5	+ 3
Pender (total)	[2] 14,788	162	11.0	162	164	....	164	11.1	+ 1
White	7,470	55	7.4	55	56	....	56	7.5	+ 1
Colored	7,318	107	14.6	107	108	....	108	14.8	+ 1
Perquimans (total)	11,142	121	10.9	121	121	....	121	10.9	.....
White	5,683	46	8.1	46	46	....	46	8.1	.....
Colored	5,459	75	13.7	75	75	....	75	13.7	.....
Person (total)	19,057	239	12.5	239	239	....	239	12.5	.....
White	10,846	120	11.1	120	120	....	120	11.1	.....
Colored	8,211	119	14.5	119	119	....	119	14.5	.....
Pitt (total)	46,045	579	12.6	579	587	....	587	12.7	+ 1
White	22,761	262	11.5	262	267	....	267	11.7	+ 2
Colored	23,284	317	13.6	317	320	....	320	13.7	+ 1
Polk (total)	8,894	75	8.4	75	78	....	78	8.8	+ 5
White	7,376	60	8.1	60	62	....	62	8.4	+ 4
Colored	1,518	15	9.9	15	16	....	16	10.5	+ 6
Randolph (total)	30,927	367	11.9	366	366	....	366	11.8	− 1
White	27,366	309	11.3	308	308	....	308	11.3	.....
Colored	3,561	58	16.3	58	58	....	58	16.3	.....
Richmond (total)	25,871	323	12.5	323	326	....	326	12.6	+ 1
White	15,257	162	10.6	162	164	....	164	10.7	+ 1
Colored	10,614	161	15.2	161	162	....	162	15.3	+ 1
Robeson (total)	[13] 54,674	596	10.9	596	600	....	600	11.0	+ 1
White	25,449	253	9.9	253	254	....	254	10.0	+ 1
Colored	29,225	343	11.7	343	346	....	346	11.8	+ 1
Rockingham (total)	44,546	558	12.5	558	565	....	565	12.7	+ 2
White	33,879	383	11.3	383	389	....	389	11.5	+ 2
Colored	10,667	175	16.4	175	176	....	176	16.5	+ 1
Rowan (total)	30,168	305	10.1	305	307	....	307	10.2	+ 1
White	24,558	211	8.6	211	212	....	212	8.6	.....
Colored	5,610	94	16.8	94	95	....	95	16.9	+ 1
RURAL PART OF REGISTRATION STATES [10]—Con.									
NORTH CAROLINA—con.									
Rutherford (total)	31,583	367	11.6	366	368	....	368	11.7	+ 1
White	27,123	309	11.4	308	310	....	310	11.4	.....
Colored	4,460	58	13.0	58	58	....	58	13.0	.....
Sampson (total)	36,312	518	14.3	517	520	....	520	14.3	.....
White	23,825	314	13.2	313	316	....	316	13.3	+ 1
Colored	12,487	204	16.3	204	204	....	204	16.3	.....
Scotland (total)	15,612	268	17.2	268	269	....	269	17.2	.....
White	6,021	111	18.4	111	112	....	112	18.6	+ 1
Colored	9,591	157	16.4	157	157	....	157	16.4	.....
Stanly (total)	27,817	274	9.9	274	279	....	279	10.0	+ 1
White	24,181	217	9.0	217	222	....	222	9.2	+ 2
Colored	3,636	57	15.7	57	57	....	57	15.7	.....
Stokes (total)	20,597	171	8.3	171	172	....	172	8.4	+ 1
White	18,334	139	7.6	139	140	....	140	7.6	.....
Colored	2,263	32	14.1	32	32	....	32	14.1	.....
Surry	32,607	354	10.9	354	355	....	355	10.9	.....
Swain	13,370	94	7.0	94	96	....	96	7.2	+ 3
Transylvania	9,412	94	10.0	94	95	....	95	10.1	+ 1
Tyrrell (total)	[2] 4,849	52	10.7	52	53	....	53	10.9	+ 2
White	3,373	29	8.6	29	30	....	30	8.9	+ 3
Colored	1,476	23	15.6	23	23	....	23	15.6	.....
Union (total)	36,171	473	13.1	473	477	....	477	13.2	+ 1
White	27,535	331	12.0	331	333	....	333	12.1	+ 1
Colored	8,636	142	16.4	142	144	....	144	16.7	+ 2
Vance (total)	22,973	337	14.7	337	338	....	338	14.7	.....
White	12,790	143	11.2	143	143	....	143	11.2	.....
Colored	10,183	194	19.1	194	195	....	195	19.1	.....
Wake (total)	51,084	651	12.7	651	660	1	659	12.9	+ 2
White	30,305	367	12.1	367	369	1	368	12.1	.....
Colored	20,779	284	13.7	284	291	....	291	14.0	+ 2
Warren (total)	21,662	367	16.9	366	370	....	370	17.1	+ 1
White	7,810	83	10.6	83	86	....	86	11.0	+ 4
Colored	13,852	284	20.5	283	284	....	284	20.5	.....
Washington (total)	11,448	171	14.9	171	172	....	172	15.0	+ 1
White	5,875	78	13.3	78	79	....	79	13.4	+ 1
Colored	5,573	93	16.7	93	93	....	93	16.7	.....
Watauga	[13] 13,477	100	7.4	100	101	....	101	7.5	+ 1
Wayne (total) *	32,485	501	15.4	500	500	....	500	15.4	.....
White	18,318	210	11.5	210	210	....	210	11.5	.....
Colored	14,167	291	20.5	290	290	....	290	20.5	.....
Wilkes	32,766	312	9.5	312	313	....	313	9.6	+ 1
Wilson (total)	26,441	409	15.5	409	415	....	415	15.7	+ 1
White	15,301	218	14.2	218	222	....	222	14.5	+ 2
Colored	11,140	191	17.1	191	193	....	193	17.3	+ 1
Yadkin	16,441	163	9.9	163	164	....	164	10.0	+ 1
Yancey	15,249	112	7.3	112	114	....	114	7.5	+ 3
OHIO (counties).									
Adams	[2] 22,403	245	10.9	240	246	....	246	11.0	+ 1
Allen *	27,005	389	14.4	363	378	....	378	14.0	− 3
Ashland	24,712	308	12.5	308	314	....	314	12.7	+ 2
Ashtabula	43,579	576	13.2	562	576	....	576	13.2	.....
Athens *	50,566	639	12.6	636	665	....	665	13.2	+ 5
Auglaize	[2] 29,527	340	11.5	335	348	....	348	11.8	+ 3
Belmont	67,102	704	10.5	700	775	....	775	11.5	+10
Brown	[2] 22,621	292	12.9	292	299	....	299	13.2	+ 2
Butler	23,273	271	11.6	269	285	....	285	12.2	+ 5
Carroll	15,952	186	11.7	185	187	....	187	11.7	.....
Champaign	[2] 25,071	337	13.4	336	347	....	347	13.8	+ 3
Clark	19,908	292	14.7	289	298	....	298	15.0	+ 2
Clermont	[2] 28,291	424	15.0	423	449	....	449	15.9	+ 6
Clinton	[2] 23,036	305	13.2	305	314	....	314	13.6	+ 3
Columbiana	51,628	603	11.7	602	624	....	624	12.1	+ 3

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
RURAL PART OF REGISTRATION STATES [10]—Con.										
OHIO—con.										
Coshocton	[2] 18,683	231	12.4	231	233	....	233	12.5	+ 1	
Crawford	25,614	305	11.9	301	308	1	307	12.0	+ 1	
Cuyahoga	63,792	849	13.3	818	871	....	871	13.7	+ 3	
Darke	[2] 42,911	495	11.5	494	504	....	504	11.7	+ 2	
Defiance	24,552	304	12.4	301	315	....	315	12.8	+ 3	
Delaware	[2] 26,013	374	14.4	364	376	1	375	14.4	.....	
Erie*	16,818	369	21.9	367	380	....	380	22.6	+ 3	
Fairfield	25,761	257	10.0	253	274	....	274	10.6	+ 6	
Fayette	[2] 21,518	293	13.6	285	295	....	295	13.7	+ 1	
Franklin	47,357	644	13.6	605	653	2	651	13.7	+ 1	
Fulton	[2] 23,445	320	13.6	316	328	....	328	14.0	+ 3	
Gallia*	[2] 23,311	452	19.4	389	392	4	388	16.6	−14	
Geauga	15,055	180	12.0	180	187	....	187	12.4	+ 3	
Greene (total)	31,298	471	15.0	462	480	....	480	15.3	+ 2	
White	27,553	381	13.8	372	387	....	387	14.0	+ 1	
Colored	3,745	90	24.0	90	93	....	93	24.8	+ 3	
Guernsey	32,300	331	10.2	331	345	....	345	10.7	+ 5	
Hamilton	67,986	686	10.1	681	731	....	731	10.8	+ 7	
Hancock	21,289	188	8.8	187	194	....	194	9.1	+ 3	
Hardin	[2] 29,167	399	13.7	399	408	....	408	14.0	+ 2	
Harrison	19,654	257	13.1	257	268	....	268	13.6	+ 4	
Henry	[2] 23,362	229	9.8	229	238	....	238	10.2	+ 4	
Highland	[2] 27,610	366	13.3	364	377	....	377	13.7	+ 3	
Hocking	[2] 23,291	257	11.0	251	267	....	267	11.5	+ 5	
Holmes	[2] 16,965	231	13.6	230	236	....	236	13.9	+ 2	
Huron	[2] 32,424	445	13.7	432	456	....	456	14.1	+ 3	
Jackson	[2] 27,342	353	12.9	351	363	....	363	13.3	+ 3	
Jefferson	49,384	493	10.0	491	526	1	525	10.6	+ 6	
Knox	[2] 26,580	343	11.6	333	348	....	348	11.8	+ 2	
Lake	28,963	391	13.5	388	410	....	410	14.2	+ 5	
Lawrence	25,492	330	12.9	330	330	2	328	12.9	.....	
Licking	29,685	336	11.3	336	352	1	351	11.8	+ 4	
Logan	30,105	397	13.2	390	403	....	403	13.4	+ 2	
Lorain	32,882	373	11.3	368	388	....	388	11.8	+ 4	
Lucas	33,321	329	9.9	322	341	....	341	10.2	+ 3	
Madison	[2] 19,662	275	14.0	271	305	....	305	15.5	+11	
Mahoning	43,648	454	10.4	445	487	....	487	11.2	+ 8	
Marion	14,107	145	10.3	140	145	....	145	10.3	.....	
Medina	26,194	301	11.5	300	317	....	317	12.1	+ 5	
Meigs	26,220	296	11.3	296	299	....	299	11.4	+ 1	
Mercer	[2] 26,872	300	11.2	295	299	....	299	11.1	− 1	
Miami	33,474	393	11.7	389	412	....	412	12.3	+ 5	
Monroe	[2] 20,660	250	12.1	249	257	....	257	12.4	+ 2	
Montgomery* (excl. of Nat. Mil. Home)	57,477	741 / 359	[11]19.1	723 / 359	748 / 359	....	748 / 359	[11]19.3	+ 1	
Morgan	[2] 14,555	179	12.3	179	187	....	187	12.8	+ 4	
Morrow	[2] 15,570	225	14.5	223	231	....	231	14.8	+ 2	
Muskingum	28,358	323	11.4	323	331	....	331	11.7	+ 3	
Noble	[2] 17,849	182	10.2	180	193	....	193	10.8	+ 6	
Ottawa	[2] 22,193	275	12.4	271	287	....	287	12.9	+ 4	
Paulding	[2] 18,736	241	12.9	241	248	....	248	13.2	+ 2	
Perry	36,135	356	9.9	356	378	....	378	10.5	+ 6	
Pickaway	[2] 25,788	331	12.8	328	346	....	346	13.4	+ 5	
Pike	[2] 14,151	182	12.9	182	184	....	184	13.0	+ 1	
Portage	36,577	500	13.7	493	516	1	515	14.1	+ 3	
Preble	[2] 23,238	264	11.4	264	275	....	275	11.8	+ 4	
Putnam	[2] 27,751	261	9.4	261	271	....	271	9.8	+ 4	
Richland	27,378	321	11.7	321	336	....	336	12.3	+ 5	
Ross	25,734	304	11.8	304	317	....	317	12.3	+ 4	
Sandusky	24,611	257	10.4	253	261	....	261	10.6	+ 2	
Scioto	30,249	343	11.3	339	346	....	346	11.4	+ 1	
Seneca	28,733	378	13.2	376	385	....	385	13.4	+ 2	
Shelby	25,958	270	10.4	267	285	....	285	11.0	+ 6	
Stark*	51,870	767	14.8	755	788	....	788	15.2	+ 3	
Summit	36,875	438	11.9	422	441	....	441	12.0	+ 1	
Trumbull	43,707	520	11.9	512	552	....	552	12.6	+ 6	
RURAL PART OF REGISTRATION STATES [10]—Con.										
OHIO—con.										
Tuscarawas	53,084	607	11.4	606	623	....	623	11.7	+ 3	
Union	[2] 20,918	258	12.3	255	272	....	272	13.0	+ 6	
Van Wert	[2] 28,210	279	9.9	278	289	....	289	10.2	+ 3	
Vinton	[2] 12,075	139	11.5	139	144	....	144	11.9	+ 3	
Warren	25,779	335	13.0	330	349	....	349	13.5	+ 4	
Washington	[2] 27,898	344	12.3	343	353	....	353	12.7	+ 3	
Wayne	41,516	512	12.3	510	527	....	527	12.7	+ 3	
Williams	[2] 24,626	302	12.3	302	318	....	318	12.9	+ 4	
Wood	[2] 44,897	568	12.7	555	576	1	575	12.8	+ 1	
Wyandot	[2] 19,482	192	9.9	190	202	....	202	10.4	+ 5	
OREGON (counties).										
Baker	[2] 17,929	183	10.2	177	185	7	178	9.9	− 3	
Benton	13,902	146	10.5	134	140	....	140	10.7	+ 2	
Clackamas	38,097	382	10.0	366	424	1	423	11.1	+11	
Clatsop	9,132	60	6.6	56	65	....	65	7.1	+ 8	
Columbia	14,134	112	7.9	110	149	....	149	10.5	+33	
Coos	22,478	215	9.6	205	210	1	209	9.3	− 3	
Crook	[13] 3,424	29	8.4	29	30	....	30	8.8	+ 5	
Curry	3,075	6	2.0	6	9	....	9	2.9	+45	
Deschutes	[11] 9,622	108	11.2	101	108	....	108	11.2	.....	
Douglas	21,418	270	12.6	252	265	4	261	12.2	− 3	
Gilliam	3,974	23	5.8	21	24	....	24	6.0	+ 3	
Grant	[2] 5,496	46	8.4	45	47	....	47	8.6	+ 2	
Harney	[2] 3,992	28	7.0	26	28	....	28	7.0	.....	
Hood River	8,330	85	10.2	80	91	....	91	10.9	+ 7	
Jackson	[2] 20,405	260	12.7	244	252	....	252	12.3	− 3	
Jefferson (total)	[11] 3,211	41	12.8	41	45	....	45	14.0	+ 9	
White	2,883	16	5.5	16	20	....	20	6.9	+25	
Colored	328	25	76.2	25	25	....	25	6.2	.....	
Josephine	[2] 7,655	82	10.7	74	79	1	78	10.2	− 5	
Klamath	11,560	173	15.0	165	169	1	168	14.5	− 3	
Lake	[2] 3,991	42	10.5	40	43	....	43	10.8	+ 3	
Lane	25,638	213	8.3	209	228	....	226	8.8	+ 6	
Lincoln	6,110	49	8.0	45	50	1	49	8.0	.....	
Linn	24,648	235	12.0	275	297	3	291	11.9	− 1	
Malheur	11,026	92	8.3	87	93	7	86	7.8	− 6	
Marion*	29,705	275	9.3	232	263	3	260	8.8	− 5	
Morrow	5,682	39	6.9	39	42	....	42	7.4	+ 7	
Multnomah	17,976	286	15.9	271	311	1	310	17.2	+ 8	
Polk	14,218	160	11.3	150	173	1	172	12.1	+ 7	
Sherman	[2] 3,826	25	6.5	25	36	....	36	9.4	+45	
Tillamook	8,941	93	10.4	90	99	1	98	11.0	+ 6	
Umatilla*	26,237	331	12.6	324	348	2	346	13.2	+ 5	
Union	16,659	200	12.0	183	194	8	186	11.2	− 7	
Wallowa	9,851	94	9.5	93	98	....	98	9.9	+ 4	
Wasco	[2] 13,648	166	12.2	145	151	3	148	10.8	−11	
Washington	26,626	270	10.1	261	303	3	300	11.3	+12	
Wheeler	2,807	7	2.5	7	10	....	10	3.6	+44	
Yamhill	20,645	245	11.9	240	267	....	267	12.9	+ 8	
PENNSYLVANIA (counties).										
Adams	34,596	432	12.5	431	444	....	444	12.8	+ 2	
Allegheny	405,728	5,255	13.0	5,225	5,583	....	5,583	13.8	+ 6	
Armstrong	75,963	857	11.3	852	885	....	885	11.7	+ 3	
Beaver	74,315	956	12.9	949	990	....	990	13.3	+ 3	
Bedford	[2] 38,277	488	12.7	487	508	....	508	13.3	+ 5	
Berks*	93,532	1,355	14.5	1,312	1,349	....	1,346	14.4	− 1	
Blair	68,535	872	12.7	847	897	....	897	13.1	+ 3	
Bradford	[2] 53,166	878	16.5	822	833	2	831	15.7	− 5	
Bucks	72,457	1,024	14.1	1,017	1,079	....	1,079	14.9	+ 6	
Butler	53,596	607	11.3	607	638	....	638	11.9	+ 5	
Cambria	131,768	1,648	12.5	1,632	1,714	....	1,714	13.0	+ 4	
Cameron	[2] 6,297	70	11.1	70	77	....	77	12.2	+10	
Carbon	63,065	885	14.0	883	898	....	893	14.2	+ 1	
Centre	44,349	625	14.1	618	630	....	630	14.2	+ 1	
Chester	78,532	1,143	14.6	1,137	1,195	....	1,195	15.2	+ 4	

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
RURAL PART OF REGISTRATION STATES[10]—Con.										
PENNSYLVANIA—con.										
Clarion	[2] 36,170	391	10.8	391	407	----	407	11.3	+ 5	
Clearfield	89,989	970	10.8	970	994	1	993	11.0	+ 2	
Clinton	33,658	468	13.9	465	479	----	479	14.2	+ 2	
Columbia	[2] 35,816	431	12.0	426	438	----	438	12.2	+ 2	
Crawford	[2] 46,007	638	13.9	635	658	----	658	14.3	+ 3	
Cumberland	47,841	602	12.6	602	625	----	625	13.1	+ 4	
Dauphin*	64,070	860	13.4	860	893	1	892	13.9	+ 4	
Delaware	116,944	1,280	10.9	1,263	1,355	----	1,355	11.6	+ 6	
Elk	[2] 34,981	393	11.2	390	397	----	397	11.3	+ 1	
Erie	60,774	745	12.3	734	760	----	760	12.5	+ 2	
Fayette	159,623	1,870	11.7	1,867	1,939	----	1,939	12.1	+ 3	
Forest	[2] 7,477	52	7.0	52	63	----	63	8.4	+20	
Franklin*	49,162	601	12.2	601	623	----	623	12.7	+ 4	
Fulton	[2] 9,617	132	13.7	132	138	----	138	14.3	+ 4	
Greene	30,903	361	11.7	361	377	----	377	12.2	+ 4	
Huntingdon	39,927	455	11.4	454	465	----	465	11.6	+ 2	
Indiana	81,668	983	12.1	987	1,025	----	1,025	12.5	+ 3	
Jefferson	[2] 51,728	548	10.6	543	575	----	575	11.1	+ 5	
Juniata	[2] 14,464	184	12.7	184	190	----	190	13.1	+ 3	
Lackawanna	76,643	1,082	14.1	1,054	1,100	----	1,100	14.4	+ 2	
Lancaster	109,855	1,335	12.2	1,329	1,391	----	1,391	12.7	+ 4	
Lawrence	40,960	465	11.4	465	477	----	477	11.6	+ 2	
Lebanon	38,643	482	12.5	482	496	----	496	12.8	+ 2	
Lehigh*	60,112	976	16.2	942	986	----	986	16.4	+ 1	
Luzerne	228,728	2,738	12.0	2,734	2,878	----	2,878	12.6	+ 5	
Lycoming	46,797	572	12.2	571	611	1	610	13.0	+ 7	
McKean	33,439	370	11.1	369	387	----	387	11.6	+ 5	
Mercer	56,724	748	13.2	745	760	----	760	13.4	+ 2	
Mifflin	31,628	445	14.1	445	455	----	455	14.4	+ 2	
Monroe	24,365	345	14.2	342	354	----	354	14.5	+ 2	
Montgomery	150,775	1,820	12.1	1,794	1,934	1	1,933	12.8	+ 6	
Montour*	[2] 14,080	377	26.8	340	342	1	341	24.2	−10	
Northampton	75,576	907	12.0	905	947	----	947	12.5	+ 4	
Northumberland	68,083	818	12.0	807	849	----	849	12.5	+ 4	
Perry	[2] 22,875	279	12.2	279	293	----	293	12.8	+ 5	
Pike	[2] 6,818	114	16.7	114	125	----	125	18.3	+10	
Potter	[2] 21,089	285	13.5	285	287	----	287	13.6	+ 1	
Schuylkill*	143,465	1,956	13.6	1,848	1,926	----	1,926	13.4	− 1	
Snyder	17,146	205	12.0	205	210	----	210	12.2	+ 2	
Somerset	82,853	917	11.1	914	951	----	951	11.5	+ 4	
Sullivan	[2] 9,520	99	10.4	99	108	----	108	11.3	+ 9	
Susquehanna	[2] 34,763	492	14.2	492	520	----	520	15.0	+ 6	
Tioga	[2] 37,118	571	15.4	569	603	----	603	16.2	+ 5	
Union	[2] 15,850	204	12.9	204	213	----	213	13.4	+ 4	
Venango*	37,875	538	14.2	535	565	----	565	14.9	+ 5	
Warren*	25,699	484	18.8	470	480	----	480	18.7	− 1	
Washington	132,719	1,535	11.6	1,501	1,627	1	1,626	12.3	+ 6	
Wayne	[2] 27,435	412	15.0	411	425	----	425	15.5	+ 3	
Westmoreland	210,228	2,449	11.2	2,438	2,558	3	2,555	11.7	+ 4	
Wyoming	[2] 14,101	193	14.1	197	211	----	211	15.0	+ 6	
York	97,284	1,184	12.2	1,174	1,209	1	1,207	12.4	+ 2	
RHODE ISLAND (counties).										
Bristol	11,876	140	11.8	140	158	----	158	13.3	+13	
Kent	9,306	125	13.4	125	149	----	149	16.0	+19	
Newport	12,662	157	12.4	157	178	----	178	14.1	+14	
Providence	44,603	563	12.6	563	636	----	636	14.3	+13	
Washington	[2] 24,932	339	13.6	339	369	----	369	14.8	+ 9	

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
SOUTH CAROLINA (counties).									
Abbeville (total)	[13] 27,139	334	12.3	334	335	----	335	12.3	----
White	11,702	121	10.3	121	122	----	122	10.4	+ 1
Colored	15,437	213	13.8	213	213	----	213	13.8	----
Aiken (total)	45,765	582	12.7	582	609	----	609	13.3	+ 5
White	21,715	261	12.0	261	278	----	278	12.8	+ 7
Colored	24,050	321	13.3	321	331	----	331	13.8	+ 4
Allendale (total)	[11] 16,098	200	12.4	200	201	----	201	12.5	+ 1
White	3,601	38	10.6	38	38	----	38	10.6	----
Colored	12,497	162	13.0	162	163	----	163	13.0	----
Anderson (total)	66,081	639	9.7	639	641	----	641	9.7	----
White	42,773	348	8.1	348	349	----	349	8.2	+ 1
Colored	23,308	291	12.5	291	292	----	292	12.5	----
Bamberg (total)	21,086	300	14.2	300	300	----	300	14.2	----
White	6,653	75	11.3	75	75	----	75	11.3	----
Colored	14,433	225	15.6	225	225	----	225	15.6	----
Barnwell (total)	[13] 23,081	217	9.4	217	226	----	226	9.8	+ 4
White	7,496	58	7.7	58	63	----	63	8.4	+ 9
Colored	15,585	159	10.2	159	163	----	163	10.5	+ 3
Beaufort (total)	[13] 22,269	481	21.6	481	486	----	486	21.8	+ 1
White	4,801	50	10.4	50	53	----	53	11.0	+ 6
Colored	17,468	431	24.7	431	433	----	433	24.8	----
Berkeley (total)	[2] 22,558	446	19.8	446	448	----	448	19.9	+ 1
White	6,199	67	10.8	67	68	----	68	11.0	+ 2
Colored	16,359	379	23.2	379	380	----	380	23.2	----
Calhoun (total)	18,474	333	18.0	333	335	----	335	18.1	+ 1
White	5,876	41	7.0	41	43	----	43	7.3	+ 4
Colored	12,598	292	23.2	292	292	----	292	23.2	----
Charleston (total)	41,008	633	15.4	633	633	----	633	15.4	----
White	8,698	80	9.2	80	80	----	80	9.2	----
Colored	32,310	553	17.1	553	553	----	553	17.1	----
Cherokee (total)	27,641	337	12.2	337	337	----	337	12.2	----
White	19,042	188	9.9	188	188	----	188	9.9	----
Colored	8,599	149	17.3	149	149	----	149	17.3	----
Chester (total)	33,593	325	9.7	325	327	----	327	9.7	----
White	14,244	117	8.2	117	117	----	117	8.2	----
Colored	19,349	208	10.7	208	210	----	210	10.9	+ 2
Chesterfield (total)	32,260	376	11.7	376	378	----	378	11.7	----
White	19,521	188	9.6	188	189	----	189	9.7	+ 1
Colored	12,739	188	14.8	188	189	----	189	14.8	----
Clarendon (total)	35,016	549	15.7	549	549	----	549	15.7	----
White	9,822	96	9.8	96	96	----	96	9.8	----
Colored	25,194	453	18.0	453	453	----	453	18.0	----
Colleton (total)	[2] 29,897	260	8.7	260	260	----	260	8.7	----
White	12,529	73	5.8	73	73	----	73	5.8	----
Colored	17,368	187	10.8	187	187	----	187	10.8	----
Darlington (total)	39,286	579	14.7	579	581	----	581	14.8	+ 1
White	17,033	187	11.0	187	188	----	188	11.0	----
Colored	22,253	392	17.6	392	393	----	393	17.7	+ 1
Dillon (total)	25,416	272	10.7	272	274	----	274	10.8	+ 1
White	12,286	138	11.2	138	139	----	139	11.3	+ 1
Colored	13,130	134	10.2	134	135	----	135	10.3	+ 1
Dorchester (total)	19,540	230	11.8	230	230	----	230	11.8	----
White	8,076	72	8.9	72	72	----	72	8.9	----
Colored	11,464	158	13.8	158	158	----	158	13.8	----
Edgefield (total)	[13] 23,928	249	10.4	249	253	----	253	10.6	+ 2
White	7,286	64	8.8	64	67	----	67	9.2	+ 5
Colored	16,642	185	11.1	185	186	----	186	11.2	+ 1
Fairfield (total)	[2] 27,159	333	12.3	333	335	----	335	12.3	----
White	6,487	90	13.9	90	91	----	91	14.0	+ 1
Colored	20,672	243	11.8	243	244	----	244	11.8	----

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
RURAL PART OF REGISTRATION STATES[10]—Con.										
SOUTH CAROLINA—con.										
Florence (total)	39,995	562	14.1	562	563	....	563	14.1	.....	
White	19,610	221	11.3	221	222	....	222	11.3	.....	
Colored	20,385	341	16.7	341	341	....	341	16.7	.....	
Georgetown (total)	[2] 21,716	470	21.6	470	470	....	470	21.6	.....	
White	7,254	106	14.6	106	106	....	106	14.6	.....	
Colored	14,462	364	25.2	364	364	....	364	25.2	.....	
Greenville (total)	66,027	884	13.4	884	885	....	885	13.4	.....	
White	50,713	644	12.7	644	645	....	645	12.7	.....	
Colored	15,314	240	15.7	240	240	....	240	15.7	.....	
Greenwood (total)	[13] 35,791	444	12.4	444	445	....	445	12.4	.....	
White	16,878	187	11.1	187	187	....	187	11.1	.....	
Colored	18,913	257	13.6	257	258	....	258	13.6	.....	
Hampton (total)	[12] 19,550	354	18.1	354	361	....	361	18.5	+ 2	
White	7,702	103	13.4	103	106	....	106	13.8	+ 3	
Colored	11,848	251	21.2	251	255	....	255	21.5	+ 1	
Horry (total)	32,339	424	13.1	424	424	....	424	13.1	.....	
White	24,582	306	12.4	306	306	....	306	12.4	.....	
Colored	7,757	118	15.2	118	118	....	118	15.2	.....	
Jasper (total)	[11] 9,868	143	14.5	143	147	....	147	14.9	+ 3	
White	2,756	18	6.5	18	22	....	22	8.0	+23	
Colored	7,112	125	17.6	125	125	....	125	17.6	.....	
Kershaw (total)	29,517	315	10.7	315	315	....	315	10.7	.....	
White	12,420	106	8.5	106	106	....	106	8.5	.....	
Colored	17,097	209	12.2	209	209	....	209	12.2	.....	
Lancaster (total)	28,730	341	11.9	341	341	....	341	11.9	.....	
White	15,637	170	10.9	170	170	....	170	10.9	.....	
Colored	13,093	171	13.1	171	171	....	171	13.1	.....	
Laurens (total)	42,612	524	12.3	524	524	....	524	12.3	.....	
White	20,540	236	11.5	236	236	....	236	11.5	.....	
Colored	22,072	288	13.0	288	288	....	288	13.0	.....	
Lee (total)	26,905	336	12.5	336	336	....	336	12.5	.....	
White	8,814	77	8.7	77	77	....	77	8.7	.....	
Colored	18,091	259	14.3	259	259	....	259	14.3	.....	
Lexington (total)	35,864	451	12.6	451	453	....	453	12.6	.....	
White	24,130	258	10.7	258	259	....	259	10.7	.....	
Colored	11,734	193	16.4	193	194	....	194	16.5	+ 1	
McCormick (total)	[11] 16,444	192	11.7	192	194	....	194	11.8	+ 1	
White	5,176	59	11.4	59	61	....	61	11.8	+ 4	
Colored	11,268	133	11.8	133	133	....	133	11.8	.....	
Marion (total)	23,882	233	9.8	233	236	....	236	9.9	+ 1	
White	10,624	91	8.6	91	94	....	94	8.8	+ 2	
Colored	13,258	142	10.7	142	142	....	142	10.7	.....	
Marlboro (total)	33,283	546	16.4	546	548	....	548	16.5	+ 1	
White	13,582	197	14.5	197	198	....	198	14.6	+ 1	
Colored	19,701	349	17.7	349	350	....	350	17.8	+ 1	
Newberry (total)	35,602	405	11.4	405	408	....	408	11.5	+ 1	
White	15,032	132	8.8	132	132	....	132	8.8	.....	
Colored	20,570	273	13.3	273	276	....	276	13.4	+ 1	
Oconee (total)	30,261	382	12.6	382	384	....	384	12.7	+ 1	
White	23,886	273	11.4	273	274	....	274	11.5	+ 1	
Colored	6,375	109	17.1	109	110	....	110	17.3	+ 1	
Orangeburg (total)	65,372	1,034	15.8	1,034	1,039	....	1,039	15.9	+ 1	
White	22,321	215	9.6	215	218	....	218	9.8	+ 2	
Colored	43,051	819	19.0	819	821	....	821	19.1	+ 1	
Pickens (total)	28,479	297	10.4	297	297	....	297	10.4	.....	
White	23,574	215	9.1	215	215	....	215	9.1	.....	
Colored	4,905	82	16.7	82	82	....	82	16.7	.....	
Richland (total)	41,471	338	8.2	338	338	....	338	8.2	.....	
White	19,050	84	4.4	84	84	....	84	4.4	.....	
Colored	22,421	254	11.3	254	254	....	254	11.3	.....	
Saluda (total)	22,147	216	9.8	216	217	....	217	9.8	.....	
White	10,489	92	8.8	92	93	....	93	8.9	+ 1	
Colored	11,658	124	10.6	124	124	....	124	10.6	.....	
Spartanburg (total)	71,920	858	11.9	858	859	....	859	11.9	.....	
White	52,538	583	11.1	583	584	....	584	11.1	.....	
Colored	19,382	275	14.2	275	275	....	275	14.2	.....	

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.			
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.	
RURAL PART OF REGISTRATION STATES[10]—Con.										
SOUTH CAROLINA—con.										
Sumter (total)	43,276	692	16.0	692	692	....	692	16.0	.....	
White	12,639	159	12.6	159	159	....	159	12.6	.....	
Colored	30,637	533	17.4	533	533	....	533	17.4	.....	
Union (total)	30,396	263	8.7	263	263	....	263	8.7	.....	
White	16,382	144	8.8	144	144	....	144	8.8	.....	
Colored	14,014	119	8.5	119	119	....	119	8.5	.....	
Williamsburg (total)	38,587	525	13.6	525	526	....	526	13.6	.....	
White	13,015	138	10.6	138	139	....	139	10.7	+ 1	
Colored	25,572	387	15.1	387	387	....	387	15.1	.....	
York (total)	50,682	644	12.7	644	644	....	644	12.7	.....	
White	26,418	289	10.9	289	289	....	289	10.9	.....	
Colored	24,264	355	14.6	355	355	....	355	14.6	.....	
TENNESSEE (counties).										
Anderson	18,327	198	10.8	198	203	....	203	11.1	+ 3	
Bedford (total)	[2] 21,737	317	14.6	317	326	....	326	15.0	+ 3	
White	17,378	222	12.8	222	230	....	230	13.2	+ 3	
Colored	4,359	95	21.8	95	96	....	96	22.0	+ 1	
Benton	[2] 12,046	120	10.0	120	123	....	123	10.2	+ 2	
Bledsoe	7,263	37	5.1	37	38	....	38	5.2	+ 2	
Blount	29,211	360	12.3	360	370	....	370	12.7	+ 3	
Bradley	18,771	316	16.8	316	323	....	323	17.2	+ 2	
Campbell	28,310	130	4.6	130	139	....	139	4.9	+ 7	
Cannon	[2] 10,241	85	8.3	85	88	....	88	8.6	+ 4	
Carroll (total)	24,381	266	10.9	266	274	....	274	11.2	+ 3	
White	19,828	205	10.3	205	212	....	212	10.7	+ 4	
Colored	4,553	61	13.4	61	62	....	62	13.6	+ 1	
Carter	21,573	255	11.8	255	256	....	256	11.9	+ 1	
Cheatham (total)	[2] 10,039	75	7.5	75	76	....	76	7.6	+ 1	
White	8,912	65	7.3	65	66	....	66	7.4	+ 1	
Colored	1,127	10	8.9	10	10	....	10	8.9	.....	
Chester (total)	9,699	105	10.8	105	103	....	103	11.1	+ 3	
White	8,111	76	9.4	76	78	....	78	9.6	+ 2	
Colored	1,588	29	18.3	29	30	....	30	18.9	+ 3	
Claiborne	[2] 23,286	150	6.4	150	153	....	153	6.6	+ 3	
Clay	9,202	53	5.8	53	53	....	53	5.8	.....	
Cocke	20,353	243	11.7	243	244	....	244	11.7	.....	
Coffee	17,433	144	8.3	144	146	....	146	8.4	+ 1	
Crockett (total)	17,508	187	10.7	187	190	....	190	10.9	+ 2	
White	13,875	143	10.3	143	146	....	146	10.5	+ 2	
Colored	3,633	44	12.1	44	44	....	44	12.1	.....	
Cumberland	10,134	65	6.4	65	67	....	67	6.6	+ 3	
Davidson* (total)	50,020	713	14.3	702	715	....	715	14.3	.....	
White	41,187	516	12.5	505	515	....	515	12.5	.....	
Colored	8,833	197	22.3	197	200	....	200	22.6	+ 1	
De Kalb	[2] 15,370	209	13.6	209	209	....	209	13.6	.....	
Decatur	10,203	89	8.7	89	89	....	89	8.7	.....	
Dickson (total)	[2] 19,342	201	10.4	201	206	....	206	10.7	+ 3	
White	16,995	149	8.8	149	154	....	154	9.1	+ 3	
Colored	2,347	52	22.2	52	52	....	52	22.2	.....	
Dyer (total)	30,100	234	7.8	234	236	....	236	7.8	.....	
White	24,680	152	6.2	152	154	....	154	6.2	.....	
Colored	5,420	82	15.1	82	82	....	82	15.1	.....	
Fayette (total)	31,563	384	12.2	384	392	....	392	12.4	+ 2	
White	7,994	71	8.9	71	74	....	74	9.3	+ 4	
Colored	23,569	313	13.3	313	318	....	318	13.5	+ 2	
Fentress	10,589	36	3.4	36	38	....	38	3.6	+ 6	
Franklin (total)	20,649	180	8.7	180	185	....	185	9.0	+ 3	
White	17,978	142	7.9	142	146	....	146	8.1	+ 3	
Colored	2,671	38	14.2	38	39	....	39	14.6	+ 3	
Gibson (total)	43,479	540	12.4	540	554	....	554	12.7	+ 2	
White	33,793	374	11.1	374	388	....	388	11.5	+ 4	
Colored	9,686	166	17.1	166	166	....	166	17.1	.....	

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.								
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES[10]—Con.									
TENNESSEE—con.									
Giles (total)	[2] 30,948	350	11.3	350	362	....	362	11.7	+ 4
White	21,516	221	10.3	221	230	....	230	10.7	+ 4
Colored	9,432	129	13.7	129	132	....	132	14.0	+ 2
Grainger	[2] 13,369	185	13.8	185	189	....	189	14.1	+ 2
Greene	32,914	420	12.8	420	421	....	421	12.8	.....
Grundy	9,827	49	5.0	49	49	....	49	5.0	.....
Hamblen (total)	15,128	198	13.1	198	198	....	198	13.1	.....
White	13,507	177	13.1	177	177	....	177	13.1	.....
Colored	1,621	21	13.0	21	21	....	21	13.0	.....
Hamilton (total)	58,842	687	11.7	685	701	....	701	11.9	+ 2
White	50,566	552	10.9	551	565	....	565	11.2	+ 3
Colored	8,276	135	16.3	134	136	....	136	16.4	+ 1
Hancock	[2] 10,454	60	5.7	60	61	....	61	5.8	+ 2
Hardeman* (total)	[2] 22,278	217	9.7	217	226	....	226	10.1	+ 4
White	13,028	112	8.6	112	117	....	117	9.0	+ 5
Colored	9,250	105	11.4	105	109	....	109	11.8	+ 4
Hardin (total)	[2] 17,291	103	6.0	103	104	....	104	6.0	.....
White	15,359	84	5.5	84	85	....	85	5.5	.....
Colored	1,932	19	9.8	19	19	....	19	9.8	.....
Hawkins	[2] 22,918	240	10.5	239	240	....	240	10.5	.....
Haywood (total)	[2] 25,386	348	13.7	348	352	....	352	13.9	+ 1
White	8,427	78	9.3	78	79	....	79	9.4	+ 1
Colored	16,959	270	15.9	270	273	....	273	16.1	+ 1
Henderson	18,508	177	9.6	177	183	....	183	9.9	+ 3
Henry (total)	27,240	278	10.2	278	285	....	285	10.5	+ 3
White	21,700	226	10.4	226	227	....	227	10.5	+ 1
Colored	5,540	52	9.4	52	58	....	58	10.5	+12
Hickman (total)	[2] 16,216	132	8.1	132	133	....	133	8.2	+ 1
White	14,288	107	7.5	107	108	....	108	7.6	+ 1
Colored	1,928	25	13.0	25	25	....	25	13.0	.....
Houston (total)	[2] 6,212	53	8.5	53	54	....	54	8.7	+ 2
White	5,525	42	7.6	42	43	....	43	7.8	+ 3
Colored	687	11	16.0	11	11	....	11	16.0	.....
Humphreys	[2] 13,432	117	8.7	117	118	....	118	8.8	+ 1
Jackson	[2] 14,955	147	9.8	147	148	....	148	9.9	+ 1
Jefferson	[2] 17,677	146	8.3	146	159	....	159	9.0	+ 8
Johnson	[2] 12,230	144	11.8	144	145	....	145	11.9	+ 1
Knox*	34,913	339	9.7	339	350	....	350	10.0	+ 3
Lake (total)	9,094	45	4.9	45	48	....	48	5.3	+ 8
White	6,055	30	5.0	30	32	....	32	5.3	+ 6
Colored	3,039	15	4.9	15	16	....	16	5.3	+ 8
Lauderdale (total)	21,514	271	12.6	271	278	....	278	12.9	+ 2
White	12,617	134	10.6	134	138	....	138	10.9	+ 3
Colored	8,897	137	15.4	137	140	....	140	15.7	+ 2
Lawrence	23,903	171	7.2	171	176	....	176	7.4	+ 3
Lewis (total)	[2] 5,707	41	7.2	41	41	....	41	7.2	.....
White	5,021	29	5.8	29	29	....	29	5.8	.....
Colored	686	12	17.5	12	12	....	12	17.5	.....
Lincoln (total)	[2] 25,786	282	10.9	282	283	....	283	11.0	+ 1
White	20,928	214	10.2	214	215	....	215	10.3	+ 1
Colored	4,858	68	14.0	68	68	....	68	14.0	.....
Loudon	16,412	190	11.6	190	200	....	200	12.2	+ 5
McMinn	25,344	302	11.9	302	316	....	316	12.5	+ 5
McNairy	18,453	114	6.2	114	120	....	120	6.5	+ 5
Macon	14,941	125	8.4	125	127	....	127	8.5	+ 1
Madison (total)	25,097	272	10.8	272	275	....	275	11.0	+ 2
White	14,204	145	10.2	145	147	....	147	10.3	+ 1
Colored	10,893	127	11.7	127	128	....	128	11.8	+ 1
Marion	[2] 17,402	176	10.1	176	177	....	177	10.2	+ 1
Marshall (total)	17,401	202	11.6	202	203	....	203	11.7	+ 1
White	14,327	162	11.3	162	163	....	163	11.4	+ 1
Colored	3,074	40	13.0	40	40	....	40	13.0	.....
Maury (total)	[2] 35,403	454	12.8	453	460	....	460	13.0	+ 2
White	23,453	280	11.9	279	285	....	285	12.2	+ 3
Colored	11,950	174	14.6	174	175	....	175	14.6	.....
Meigs	[2] 6,077	32	5.3	32	32	....	32	5.3	.....
Monroe	22,130	218	9.9	218	227	....	227	10.3	+ 4
Montgomery (total)	[2] 32,265	412	12.8	406	411	....	411	12.7	— 1
White	20,333	222	10.9	219	223	....	223	11.0	+ 1
Colored	11,932	190	15.9	187	188	....	188	15.8	— 1
Moore	[2] 4,491	71	15.8	71	73	....	73	16.3	+ 3
Morgan	13,379	139	10.4	139	145	....	145	10.8	+ 4
Obion (total)	[2] 28,393	325	11.4	325	330	....	330	11.6	+ 2
White	24,289	251	10.3	251	256	....	256	10.5	+ 2
Colored	4,104	74	18.0	74	74	....	74	18.0	.....
Overton	17,708	125	7.1	125	126	....	126	7.1	.....
Perry	[2] 7,765	59	7.6	59	60	....	60	7.7	+ 1
Pickett	5,211	24	4.6	24	24	....	24	4.6	.....
Polk	14,250	170	11.9	170	173	....	173	12.1	+ 2
Putnam	22,345	163	7.3	163	165	....	165	7.4	+ 1
Rhea	[2] 13,812	140	10.1	140	142	....	142	10.3	+ 2
Roane	24,715	297	12.0	297	301	....	301	12.2	+ 2
Robertson (total)	25,629	297	11.6	297	303	....	303	11.8	+ 2
White	20,084	215	10.7	215	219	....	219	10.9	+ 2
Colored	5,545	82	14.8	82	84	....	84	15.1	+ 2
Rutherford (total)	[2] 33,059	369	11.2	369	376	....	376	11.4	+ 2
White	23,273	197	8.5	197	204	....	204	8.8	+ 4
Colored	9,786	172	17.6	172	172	....	172	17.6	.....
Scott	13,435	83	6.2	83	85	....	85	6.3	+ 2
Sequatchie	[2] 3,632	36	9.9	36	37	....	37	10.2	+ 3
Sevier	22,389	206	9.2	206	213	....	213	9.5	+ 3
Shelby (total)	61,400	862	14.0	854	878	5	873	14.2	+ 1
White	23,388	242	10.3	239	249	3	246	10.5	+ 2
Colored	38,012	620	16.3	615	629	2	627	16.5	+ 1
Smith	[2] 17,134	176	10 3	176	181	....	181	10.6	+ 3
Stewart	[2] 14,664	124	8.5	124	125	....	125	8.5	.....
Sullivan	36,678	342	9.3	340	343	1	342	9.3	.....
Sumner (total)	27,815	297	10.9	297	304	....	304	10.9	+ 2
White	23,115	238	10.3	238	245	....	245	10.6	+ 3
Colored	4,700	59	12.6	59	59	....	59	12.6	.....
Tipton (total)	30 299	300	9.9	300	308	....	308	10.2	+ 3
White	17,171	175	10.2	175	182	....	182	10.6	+ 4
Colored	13,128	125	9.5	125	126	....	126	9.6	+ 1
Trousdale (total)	6,003	53	8.8	53	53	....	53	8.8	.....
White	4,289	32	7.5	32	32	....	32	7.5	.....
Colored	1,714	21	12.3	21	21	....	21	12.3	.....
Unicoi	10,271	95	9.2	95	99	....	99	9.6	+ 4
Union	11,626	90	7.7	90	90	....	90	7.7	.....
Van Buren	[2] 2,624	29	11.1	29	29	....	29	11.1	.....
Warren	17,346	177	10.2	177	177	....	177	10.2	.....
Washington*	21,697	229	10.6	229	232	....	232	10.7	+ 1
Wayne	12,919	82	6.3	82	83	....	83	6.4	+ 2
Weakley	[2] 31,053	356	11.5	356	358	....	358	11.5	.....
White	15,715	149	9.5	149	149	....	149	9.5	.....
Williamson (total)	[2] 23,409	264	11.3	264	266	....	266	11.4	+ 1
White	16,863	161	9.5	161	163	....	163	9.7	+ 2
Colored	6,546	103	15.7	103	103	....	103	15.7	.....
Wilson (total)	26,285	359	13.7	359	368	....	368	14.0	+ 2
White	20,586	259	12.6	259	266	....	266	12.9	+ 2
Colored	5,699	100	17.5	100	102	....	102	17.9	+ 2
UTAH (counties).									
Beaver	5,160	57	11.0	56	66	....	66	12.8	+16
Box Elder	19,040	173	9.1	171	187	1	186	9.8	+ 8
Cache	27,194	283	10.4	279	287	8	279	10.3	— 1
Carbon	15,842	226	14.3	220	249	4	245	15.5	+ 8
Daggett	[11] 400	.....	.....	.....	.....	.....	.....	.....	.....

For footnotes, see p 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
UTAH—con.									
Davis	11,514	83	7.2	78	98	1	97	8.4	+17
Duchesne	[11] 9,093	69	7.6	64	67	1	66	7.3	− 4
Emery	7,444	74	9.9	71	84	1	83	11.1	+12
Garfield	4,825	33	6.8	33	38	....	38	7.9	+16
Grand	1,819	23	12.6	22	24	1	23	12.6	.....
Iron	5,883	64	10.9	63	66	1	65	11.0	+ 1
Juab	[2] 9,871	97	9.8	96	123	....	123	12.5	+28
Kane	2,075	22	10.6	22	23	....	23	11.1	+ 5
Millard	9,842	103	10.5	101	109	2	107	10.9	+ 4
Morgan	2,546	26	10.2	25	29	....	29	11.4	+12
Piute	2,824	16	5.7	14	14	....	14	5.0	−12
Rich	1,890	17	9.0	17	18	....	18	9.5	+ 6
Salt Lake	41,445	412	9.9	403	506	20	486	11.7	+18
San Juan (total)	3,431	16	4.7	16	17	....	17	5.0	+ 6
White	2,524	15	5.9	15	16	....	16	6.3	+ 7
Colored	907	1	*1.1*	1	1	....	1	*1.1*	[12]
Sanpete	17,547	171	9.7	168	197	....	197	11.2	+15
Sevier	11,359	135	11.9	120	127	3	124	10.9	− 8
Summit	[2] 7,862	87	11.1	84	98	5	93	11.8	+ 6
Tooele	7,968	73	9.2	70	79	3	76	9.5	+ 3
Uintah (total)	[13] 8,470	74	8.7	74	81	....	81	9.6	+10
White	7,333	49	6.7	49	*56*	....	56	7.6	+13
Colored	1,137	25	22.0	25	25	....	25	22.0	.....
Utah *	30,565	335	11.0	325	362	1	361	11.8	+ 7
Wasatch	[13] 4,625	52	11.2	52	56	....	56	12.1	+ 8
Washington	6,848	63	9.2	59	61	3	58	8.5	− 8
Wayne	2,115	13	6.1	12	18	....	18	8.5	+39
Weber	10,717	89	8.3	80	101	....	101	9.4	+13
VERMONT (counties).									
Addison	[2] 18,666	228	12.2	226	249	....	249	13.3	+ 9
Bennington	21,588	316	14.6	311	337	....	337	11.0	−25
Caledonia	[2] 25,762	438	17.0	432	447	1	446	17.3	+ 2
Chittenden	20,874	356	17.1	329	351	2	349	16.7	− 2
Essex	[2] 7,364	111	15.1	111	122	1	121	16.4	+ 9
Franklin	30,033	454	15.1	448	460	....	460	15.3	+ 1
Grand Isle	3,786	46	12.2	46	50	....	50	13.2	+ 8
Lamoille	[2] 11,858	185	15.6	180	192	....	192	16.2	+ 4
Orange	[2] 17,279	311	18.0	301	316	....	316	18.3	+ 2
Orleans	23,942	346	14.5	345	358	....	358	15.0	+ 3
Rutland	[2] 31,186	371	11.9	369	404	....	404	13.0	+ 9
Washington *	[2] 28,913	541	18.7	527	547	....	547	18.9	+ 1
Windham *	[2] 26,373	493	18.7	459	480	1	479	18.2	− 3
Windsor	37,154	509	13.7	507	565	....	565	15.2	+11
VIRGINIA (counties).									
Accomac (total)	[2] 34,795	523	15.0	522	545	1	544	15.6	+ 4
White	21,581	293	13.6	292	307	1	306	14.2	+ 4
Colored	13,214	230	17.4	230	238	....	238	18.0	+ 3
Albemarle (total)	[2] 26,005	362	13.9	333	340	1	339	13.0	− 6
White	18,436	231	12.5	218	223	1	222	12.0	− 4
Colored	7,569	131	17.3	115	117	....	117	15.5	−10
Alleghany (total)	15,391	175	11.4	175	177	....	177	11.5	+ 1
White	12,887	129	10.0	129	130	....	130	10.1	+ 1
Colored	2,504	46	18.4	46	47	....	47	18.8	+ 2
Amelia (total)	9,855	109	11.1	109	115	....	115	11.7	+ 5
White	4,388	28	6.4	28	32	....	32	7.3	+14
Colored	5,467	81	14.8	81	83	....	83	15.2	+ 3
Amherst * (total)	19,813	243	12.3	243	248	....	248	12.5	+ 2
White	12,688	173	13.6	173	176	....	176	13.9	+ 2
Colored	7,125	70	9.8	70	72	....	72	10.1	+ 3
Appomattox (total)	9,273	124	13.4	124	127	....	127	13.7	+ 2
White	6,449	76	11.8	76	78	....	78	12.1	+ 3
Colored	2,824	48	17.0	48	49	....	49	17.4	+ 2

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920. Including nonresidents. Number.	Rate per 1,000 population.	Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area. Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
VIRGINIA—con.									
Arlington (total)	16,400	166	10.1	166	197	....	197	12.0	+19
White	13,882	116	7.9	110	135	....	135	9.7	+23
Colored	2,518	56	22.2	56	62	....	62	24.6	+11
Augusta (total)	34,785	427	12.3	426	437	....	437	12.6	+ 2
White	30,612	355	11.6	354	361	....	361	11.8	+ 2
Colored	4,173	72	17.3	72	76	....	76	18.2	+ 5
Bath (total)	[2] 6,389	80	12.5	79	81	....	81	12.7	+ 2
White	5,458	67	12.3	66	66	....	66	12.1	− 2
Colored	931	13	14.0	13	15	....	15	16.1	+15
Bedford (total)	30,727	321	10.4	319	330	....	330	10.7	+ 3
White	22,760	200	8.8	198	205	....	205	9.0	+ 2
Colored	7,967	121	15.2	121	125	....	125	15.7	+ 3
Bland	5,616	61	10.9	61	61	....	61	10.9	.....
Botetourt (total)	[2] 16,557	206	12.4	206	216	....	216	13.0	+ 5
White	13,536	151	11.1	151	161	....	161	11.9	+ 7
Colored	2,971	55	18.5	55	55	....	55	18.5	.....
Bristol (city) (total)	6,754	106	15.7	106	109	....	109	16.1	+ 3
White	5,694	80	14.0	80	83	....	83	14.6	+ 4
Colored	1,060	26	24.5	26	26	....	26	24.5	.....
Brunswick (total)	21,117	235	11.1	235	242	....	242	11.5	+ 4
White	9,066	73	8.1	73	78	....	78	8.6	+ 6
Colored	12,051	162	13.4	162	164	....	164	13.6	+ 1
Buchanan	15,601	218	14.0	218	219	....	219	14.0	.....
Buckingham (total)	[2] 14,885	189	12.7	188	191	....	191	12.8	+ 1
White	8,038	89	11.1	88	90	....	90	11.2	+ 1
Colored	6,847	100	14.6	100	101	....	101	14.8	+ 1
Buena Vista (city)	3,945	50	12.7	50	52	....	52	13.2	+ 4
Campbell (total)	26,906	295	11.0	295	306	....	306	11.4	+ 4
White	18,329	176	9.6	176	183	....	183	10.0	+ 4
Colored	8,577	119	13.9	119	123	....	123	14.3	+ 3
Caroline (total)	[2] 15,954	167	10.5	167	173	....	173	10.8	+ 3
White	7,877	65	8.3	65	69	....	69	8.8	+ 6
Colored	8,077	102	12.6	102	104	....	104	12.9	+ 2
Carroll	21,292	163	7.7	163	165	....	165	7.7	.....
Charles City (total)	[2] 4,793	69	14.4	68	70	....	70	14.6	+ 1
White	1,086	12	11.0	11	11	....	11	10.1	− 8
Colored	3,707	57	15.4	57	59	....	59	15.9	+ 3
Charlotte (total)	17,630	179	10.2	179	182	....	182	10.3	+ 1
White	10,134	95	9.4	95	97	....	97	9.6	+ 2
Colored	7,496	84	11.2	84	85	....	85	11.3	+ 1
Chesterfield (total)	20,635	237	11.5	237	248	....	248	12.0	+ 4
White	13,502	146	10.8	146	156	....	156	11.6	+ 7
Colored	7,133	91	12.8	91	92	....	92	12.9	+ 1
Clarke (total)	[2] 7,165	126	17.6	126	129	....	129	18.0	+ 2
White	5,422	87	16.0	87	90	....	90	16.6	+ 4
Colored	1,743	39	22.4	39	39	....	39	22.4	.....
Clifton Forge * (city)	6,185	123	19.9	118	118	2	116	18.8	− 6
White	5,188	89	17.2	86	86	1	85	16.4	− 5
Colored	997	34	34.1	32	32	1	31	31.1	− 9
Craig	[2] 4,100	36	8.8	36	36	1	35	8.5	− 3
Culpeper (total)	[2] 13,292	100	7.5	100	104	....	104	7.8	+ 4
White	8,598	64	7.4	64	66	....	66	7.7	+ 4
Colored	4,694	36	7.7	36	38	....	38	8.1	+ 5
Cumberland (total)	[2] 9,111	96	10.5	96	97	....	97	10.6	+ 1
White	3,357	31	9.2	31	32	....	32	9.5	+ 3
Colored	5,754	65	11.3	65	65	....	65	11.3	.....
Dickenson	13,766	113	8.2	112	114	1	113	8.2	.....
Dinwiddie* (total)	18,078	478	26.4	478	482	....	482	26.7	+ 1
White	7,187	72	10.0	72	76	....	76	10.6	+ 6
Colored	10,891	406	37.3	406	406	....	406	37.3	.....
Elizabeth City*	25,457	435	17.1	435	440	....	440	17.3	+ 1
White	16,900	240	14.2	240	243	....	243	14.4	+ 1
Colored	8,557	195	22.8	195	197	....	197	23.0	+ 1
Essex (total)	[2] 8,542	91	10.7	91	91	....	91	10.7	.....
White	3,644	29	8.0	29	29	....	29	8.0	.....
Colored	4,898	62	12.7	62	62	....	62	12.7	.....

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [16]—Con.									
VIRGINIA—con.									
Fairfax (total)	22,057	254	11.5	254	285	....	285	12.9	+12
White	17,512	192	11.0	192	218	....	218	12.5	+13
Colored	4,545	62	13.6	62	67	....	67	14.7	+ 8
Fauquier (total)	[2] 21,869	207	9.5	205	222	....	222	10.2	+ 7
White	14,934	129	8.6	129	142	....	142	9.5	+10
Colored	6,935	78	11.2	76	80	....	80	11.5	+ 3
Floyd	[2] 13,115	119	9.1	119	122	....	122	9.3	+ 2
Fluvanna (total)	8,558	121	14.1	121	124	....	124	14.5	+ 3
White	5,129	57	11.1	57	60	....	60	11.7	+ 5
Colored	3,429	64	18.7	64	64	....	64	18.7	.....
Franklin (total)	[2] 26,283	198	7.5	198	209	....	209	8.0	+ 7
White	21,671	141	6.5	141	147	....	147	6.8	+ 5
Colored	4,612	57	12.4	57	62	....	62	13.4	+ 8
Frederick	[2] 12,461	119	9.5	119	120	....	120	9.6	+ 1
Fredericksburg (city) (total)	5,882	121	20.6	120	122	....	122	20.7	.....
White	4,703	88	18.7	87	87	....	87	18.5	— 1
Colored	1,179	33	28.0	33	35	....	35	29.7	+ 6
Giles	11,916	134	11.2	134	139	....	139	11.7	+ 4
Gloucester (total)	[2] 11,894	101	8.5	101	103	....	103	8.7	+ 2
White	6,313	47	7.4	47	48	....	48	7.6	+ 3
Colored	5,581	54	9.7	54	55	....	55	9.9	+ 2
Goochland (total)	[2] 8,863	108	12.2	108	116	....	116	13.1	+ 7
White	4,080	32	7.8	32	39	....	39	9.6	+23
Colored	4,783	76	15.9	76	77	....	77	16.1	+ 1
Grayson	[2] 19,816	209	10.5	209	211	....	211	10.6	+ 1
Greene (total)	[2] 6,369	56	8.8	56	58	....	58	9.1	+ 3
White	5,270	47	8.9	47	48	....	48	9.1	+ 2
Colored	1,099	9	8.2	9	10	....	10	9.1	+11
Greensville (total)	[2] 11,606	103	8.9	103	108	....	108	9.3	+ 4
White	4,779	40	8.4	40	43	....	43	9.0	+ 7
Colored	6,827	63	9.2	63	65	....	65	9.5	+ 3
Halifax (total)	41,443	506	12.2	506	511	....	511	12.3	+ 1
White	21,381	225	10.5	225	229	....	229	10.7	+ 2
Colored	20,062	281	14.0	281	282	....	282	14.1	+ 1
Hanover (total)	18,134	246	13.6	245	259	....	259	14.3	+ 5
White	10,943	133	12.2	133	140	....	140	12.8	+ 5
Colored	7,191	113	15.7	112	119	....	119	16.5	+ 5
Harrisonburg (city) (total)	5,926	103	17.4	103	103	....	103	17.4	.....
White	5,149	84	16.3	84	84	....	84	16.3	.....
Colored	777	19	24.5	19	19	....	19	24.5	.....
Henrico (total)	19,490	247	12.7	237	244	....	244	12.5	— 2
White	13,393	152	11.3	142	148	....	148	11.1	— 2
Colored	6,097	95	15.6	95	96	....	96	15.7	+ 1
Henry (total)	20,330	267	13.1	266	271	....	271	13.3	+ 2
White	12,915	154	11.9	153	157	....	157	12.2	+ 3
Colored	7,415	113	15.2	113	114	....	114	15.4	+ 1
Highland	[2] 4,031	39	7.9	39	39	....	39	7.9	.....
Hopewell (city) (total)	[15] 1,397	17	12.2	17	17	....	17	12.2	.....
White	1,161	11	9.5	11	11	....	11	9.5	.....
Colored	235	6	25.4	6	6	....	6	25.4	.....
Isle of Wight (total)	[2] 14,433	219	15.2	219	222	1	221	15.3	+ 1
White	7,283	105	14.4	105	107	1	106	14.6	+ 1
Colored	7,150	114	15.9	114	115	....	115	16.1	+ 1
James City [8] (total)	[2] 6,138	181	29.5	172	173	....	173	28.2	— 4
White	3,417	118	34.5	109	110	....	110	32.2	— 7
Colored	2,721	63	23.2	63	63	....	63	23.2	.....
King and Queen (total)	[2] 9,161	119	13.0	119	123	....	123	13.4	+ 3
White	4,105	42	10.2	42	44	....	44	10.7	+ 5
Colored	5,056	77	15.2	77	79	....	79	15.6	+ 3
King George (total)	[2] 5,762	75	13.0	75	77	....	77	13.4	+ 3
White	3,470	30	8.6	30	31	....	31	8.9	+ 3
Colored	2,292	45	19.6	45	46	....	46	20.1	+ 3
King William (total)	8,749	124	14.2	124	130	....	130	14.9	+ 5
White	3,923	43	11.0	43	44	....	44	11.2	+ 2
Colored	4,826	81	16.8	81	86	....	86	17.8	+ 6
Lancaster (total)	9,757	130	13.3	130	134	....	134	13.7	+ 3
White	4,761	55	11.6	55	58	....	58	12.2	+ 5
Colored	4,996	75	15.0	75	76	....	76	15.2	+ 1
Lee	25,368	237	9.3	236	238	....	238	9.4	+ 1
Loudoun (total)	[2] 20,577	241	11.7	241	256	....	256	12.4	+ 6
White	15,765	176	11.2	176	188	....	188	11.9	+ 6
Colored	4,812	65	13.5	65	68	....	68	14.1	+ 4
Louisa (total)	17,116	208	12.2	208	214	....	214	12.5	+ 2
White	9,316	84	9.0	84	90	....	90	9.7	+ 8
Colored	7,800	124	15.9	124	124	....	124	15.9	.....
Lunenburg (total)	15,388	198	12.9	198	201	....	201	13.1	+ 2
White	8,230	82	10.0	82	85	....	85	10.3	+ 3
Colored	7,158	116	16.2	116	116	....	116	16.2	.....
Madison (total)	[2] 9,595	104	10.8	104	107	....	107	11.2	+ 4
White	6,727	64	9.5	64	66	....	66	9.8	+ 3
Colored	2,868	40	13.9	40	41	....	41	14.3	+ 3
Mathews (total)	[2] 8,447	109	12.9	109	112	....	112	13.3	+ 3
White	6,084	69	11.3	69	71	....	71	11.7	+ 4
Colored	2,363	40	16.9	40	41	....	41	17.4	+ 3
Mecklenburg (total)	31,324	369	11.8	369	381	....	381	12.2	+ 3
White	14,728	141	9.6	141	149	....	149	10.1	+ 5
Colored	16,596	228	13.7	228	232	....	232	14.0	+ 2
Middlesex (total)	[2] 8,157	94	11.5	94	101	....	101	12.4	+ 8
White	4,040	41	10.1	41	45	....	45	11.1	+10
Colored	4,117	53	12.9	53	56	....	56	13.6	+ 5
Montgomery (total)	18,664	201	10.8	201	208	....	208	11.1	+ 3
White	16,598	162	9.8	162	167	....	167	10.1	+ 5
Colored	2,066	39	18.9	39	41	....	41	19.8	+ 2
Nansemond (total)	20,241	207	10.2	196	199	....	199	9.8	— 4
White	7,344	72	9.8	68	70	....	70	9.5	— 3
Colored	12,897	135	10.5	128	129	....	129	10.0	— 5
Nelson (total)	17,300	160	9.2	159	165	....	165	9.5	+ 3
White	12,287	113	9.2	112	117	....	117	9.5	+ 3
Colored	5,013	47	9.4	47	48	....	48	9.6	+ 2
New Kent (total)	[2] 4,541	46	10.1	46	46	....	46	10.1	.....
White	1,879	19	10.1	19	19	....	19	10.1	.....
Colored	2,662	27	10.1	27	27	....	27	10.1	.....
Norfolk (total)	58,927	776	13.2	760	763	4	759	12.9	— 2
White	35,878	337	9.4	326	328	1	327	9.1	— 3
Colored	23,049	439	19.0	434	435	3	432	18.7	— 2
Northampton (total)	17,913	215	12.0	215	219	....	219	12.2	+ 2
White	8,309	72	8.7	72	74	....	74	8.9	+ 2
Colored	9,604	143	14.9	143	145	....	145	15.1	+ 1
Northumberland (total)	11,556	143	12.4	143	147	....	147	12.7	+ 2
White	6,651	63	9.5	63	66	....	66	9.9	+ 4
Colored	4,905	80	16.3	80	81	....	81	16.5	+ 1
Nottoway (total)	14,197	225	15.8	219	226	....	226	15.9	+ 1
White	7,658	68	8.9	67	72	....	72	9.4	+ 6
Colored	6,539	157	24.0	152	154	....	154	23.6	— 2
Orange (total)	[2] 13,320	142	10.7	142	145	....	145	10.9	+ 2
White	8,455	79	9.3	79	82	....	82	9.9	+ 4
Colored	4,865	63	12.9	63	63	....	63	12.9	.....
Page	14,802	162	10.9	162	165	....	165	11.1	+ 2
Patrick	[2] 16,850	114	6.8	114	115	....	115	6.8	.....
Pittsylvania (total)	56,791	611	10.8	611	617	....	617	10.9	+ 1
White	36,794	357	9.7	357	360	....	360	9.8	+ 1
Colored	19,997	254	12.7	254	257	....	257	12.9	+ 2
Powhatan (total)	6,576	102	15.5	102	104	....	104	15.8	+ 2
White	2,618	27	10.3	27	27	....	27	10.3	.....
Colored	3,958	75	18.9	75	77	....	77	19.5	+ 3

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
VIRGINIA—con.									
Prince Edward (total)	14,793	170	11.5	169	174	....	174	11.8	+ 3
White	6,624	60	9.1	59	61	....	61	9.2	+ 1
Colored	8,169	110	13.5	110	113	....	113	13.8	+ 2
Prince George (total)	[13] 12,915	157	12.2	156	158	....	158	12.2	.....
White	7,780	62	8.0	61	63	....	63	8.1	+ 1
Colored	5,135	95	18.5	95	95	....	95	18.5	.....
Prince William (total)	13,745	163	11.9	162	176	....	176	12.8	+ 8
White	10,955	129	11.8	128	135	....	135	12.3	+ 4
Colored	2,790	34	12.2	34	41	....	41	14.7	+20
Princess Anne * (total)	13,735	243	18.1	244	245	....	245	17.8	− 2
White	7,277	98	13.5	94	95	....	95	13.1	− 3
Colored	6,458	150	23.2	150	150	....	150	23.2	.....
Pulaski (total)	[2] 17,111	239	14.0	235	241	....	241	14.1	+ 1
White	14,686	184	12.5	180	186	....	186	12.7	+ 2
Colored	2,425	55	22.7	55	55	....	55	22.7	.....
Radford (city) (total)	4,649	45	9.7	45	46	....	46	9.9	+ 2
White	4,130	41	9.9	41	42	....	42	10.2	+ 3
Colored	519	4	7.7	4	4	....	4	7.7	.....
Rappahannock (total)	8,071	87	10.8	87	89	....	89	11.0	+ 2
White	5,917	57	9.6	57	59	....	59	10.0	+ 4
Colored	2,154	30	13.9	30	30	....	30	13.9	.....
Richmond (total)	7,435	91	12.2	91	93	....	93	12.5	+ 2
White	4,484	44	9.8	44	46	....	46	10.3	+ 5
Colored	2,951	47	15.9	47	47	....	47	15.9	.....
Roanoke * (total)	22,758	327	14.4	321	337	1	336	14.8	+ 3
White	19,912	249	12.5	244	259	1	258	13.0	+ 4
Colored	2,846	78	27.4	77	78	....	78	27.4	.....
Rockbridge (total)	[2] 20,626	274	13.3	274	280	....	283	13.6	+ 2
White	17,954	219	12.2	219	224	....	224	12.5	+ 2
Colored	2,672	55	20.6	55	56	....	56	20.9	+ 1
Rockingham	30,049	320	10.6	320	323	....	323	10.7	+ 1
Russell	26,957	285	10.6	285	290	....	290	10.8	+ 2
Scott	24,826	235	9.5	235	236	....	236	9.5	.....
Shenandoah	[2] 20,808	235	11.3	235	239	....	239	11.5	+ 2
Smyth *:	22,218	345	15.5	345	350	....	350	15.8	+ 2
Southampton (total)	27,620	343	12.4	343	345	....	345	12.5	+ 1
White	10,657	119	11.2	119	121	....	121	11.4	+ 2
Colored	16,963	224	13.2	224	224	....	224	13.2	.....
Spotsylvania (total)	10,604	105	9.9	105	108	....	108	10.2	+ 3
White	7,162	66	9.2	66	66	....	66	9.2	.....
Colored	3,442	39	11.3	39	42	....	42	12.2	+ 8
Stafford (total)	8,106	88	10.9	88	90	....	90	11.1	+ 2
White	6,585	65	9.9	65	67	....	67	10.2	+ 3
Colored	1,521	23	15.1	23	23	....	23	15.1	.....
Suffolk (city) (total)	9,206	211	22.9	203	203	....	203	22.1	− 3
White	5,552	94	16.9	92	92	....	92	16.5	− 2
Colored	3,644	117	32.1	111	111	....	111	30.5	− 5
Surry (total)	[2] 9,305	161	17.3	161	161	....	161	17.3	.....
White	3,612	48	13.3	48	48	....	48	13.3	.....
Colored	5,693	113	19.8	113	113	....	113	19.8	.....
Sussex (total)	[2] 12,834	178	13.9	178	182	....	182	14.2	+ 2
White	4,405	37	8.4	37	39	....	39	8.9	+ 6
Colored	8,429	141	16.7	141	143	....	143	17.0	+ 1
Tazewell (total)	27,989	309	11.0	304	310	....	310	11.1	+ 1
White	25,092	264	10.5	259	265	....	265	10.6	+ 1
Colored	2,897	45	15.5	45	45	....	45	15.5	.....
Warren (total)	8,866	115	13.0	115	116	....	116	13.1	+ 1
White	7,736	86	11.1	86	87	....	87	11.2	+ 1
Colored	1,130	29	25.7	29	29	....	29	25.7	.....
Warwick (total)	11,297	55	4.9	55	58	....	58	5.1	+ 4
White	7,281	25	3.4	25	27	....	27	3.7	+ 9
Colored	4,016	30	7.5	30	31	....	31	7.7	+ 3
Washington	[2] 32,376	397	12.3	394	395	1	394	12.2	− 1
Westmoreland (total)	10,288	109	10.6	109	111	....	111	10.8	+ 2
White	5,227	54	10.3	54	55	....	55	10.5	+ 2
Colored	5,061	55	10.9	55	56	....	56	11.1	+ 2
Winchester (city) (total)	6,936	143	20.6	143	148	....	148	21.3	+ 3
White	6,007	114	19.0	114	119	....	119	19.8	+ 4
Colored	929	29	31.2	29	29	....	29	31.2	.....
Wise	47,136	624	13.2	622	623	....	623	13.3	+ 1
Wythe	[2] 20,217	240	11.9	238	245	....	245	12.1	+ 2
York (total)	8,061	101	12.5	101	101	....	101	12.5	.....
White	4,632	39	8.4	39	39	....	39	8.4	.....
Colored	3,429	62	18.1	62	62	....	62	18.1	.....
WASHINGTON (counties).									
Adams	[2] 9,623	44	4.6	44	55	....	55	5.7	+24
Asotin	6,575	65	9.9	65	68	1	67	10.2	+ 3
Benton	11,055	71	6.4	70	82	1	81	7.3	+14
Chelan	21,204	275	13.0	242	261	2	259	12.2	− 6
Clallam	11,605	145	12.5	144	158	....	158	13.6	+ 9
Clarke	20,339	174	8.6	169	205	....	205	10.1	+17
Columbia	[2] 6,093	72	11.8	72	78	....	78	12.8	+ 8
Cowlitz	[2] 11,791	113	9.6	111	130	....	130	11.0	+15
Douglas	9,401	65	6.9	63	73	1	72	7.7	+12
Ferry (total)	5,161	51	9.9	51	59	....	59	11.4	+15
White	4,352	30	6.9	30	38	....	38	8.7	+26
Colored	809	21	26.0	21	21	....	21	26.0	.....
Franklin	5,914	63	10.7	60	68	....	68	11.5	+ 7
Garfield	[2] 3,875	38	9.8	38	44	....	44	11.4	+16
Grant	[2] 7,771	71	9.1	67	88	....	88	11.3	+24
Grays Harbor	19,648	167	8.5	157	191	....	191	9.7	+14
Island	5,530	52	9.4	52	57	....	57	10.3	+10
Jefferson	[2] 6,557	78	11.9	75	89	1	88	13.4	+13
King	75,378	697	9.2	663	784	6	778	10.3	+12
Kitsap	33,962	302	8.9	290	330	6	324	9.5	+ 7
Kittitas	[2] 17,737	209	11.8	207	218	....	218	12.3	+ 4
Klickitat	[2] 9,268	84	9.1	82	101	....	101	10.9	+20
Lewis	37,083	386	10.4	368	394	1	393	10.6	+ 2
Lincoln	[2] 15,141	108	7.1	106	134	1	133	8.8	+24
Mason	[2] 4,919	63	12.8	61	69	....	69	14.0	+ 9
Okanogan	17,311	174	10.1	174	190	....	190	11.0	+ 9
Pacific	15,013	121	8.1	116	129	....	129	8.6	+ 6
Pend Oreille	[11] 6,363	65	10.2	63	70	....	70	11.0	+ 8
Pierce *	47,682	646	13.5	620	708	1	707	14.8	+10
San Juan	3,605	32	8.9	32	37	....	37	10.3	+16
Skagit *	33,586	463	13.8	452	476	....	476	14.2	+ 3
Skamania	[2] 2,357	21	8.9	21	25	....	25	10.6	+19
Snohomish	40,332	414	10.3	402	444	3	441	10.9	+ 6
Spokane *	36,948	475	12.9	465	545	1	544	14.7	+14
Stevens	[13] 21,605	214	9.9	208	223	....	223	10.3	+ 4
Thurston	22,612	227	10.0	211	225	1	224	9.9	− 1
Wahkiakum	3,482	22	6.3	21	30	....	30	8.6	+37
Walla Walla	[2] 12,036	93	7.7	88	106	....	106	8.8	+14
Whatcom	25,012	235	9.4	225	255	1	254	10.2	+ 9
Whitman	[2] 31,323	288	9.2	279	320	4	316	10.1	+10
Yakima	46,074	436	9.5	428	493	2	491	10.7	+13
WISCONSIN (counties).									
Adams	9,322	71	7.6	71	77	....	77	8.3	+ 9
Ashland	13,336	112	8.4	112	125	....	125	9.4	+12
Barron	34,547	348	10.1	345	351	....	351	10.2	+ 1
Bayfield	17,263	116	6.7	116	128	....	123	7.4	+10
Brown	30,975	262	8.5	262	272	....	272	8.8	+ 4

For footnotes, see p. 109.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NONRESIDENTS IN RELATION TO TOTAL DEATHS, AND DEATH RATES PER 1,000 ESTIMATED POPULATION IN EACH CITY AND EACH RURAL UNIT IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII): 1920—Continued.

[See note at head of this table, p. 77.]

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
WISCONSIN—con.									
Buffalo	[2] 15,615	132	8.5	132	148	....	148	9.5	+12
Burnett	10,822	89	8.2	89	99	....	99	9.1	+11
Calumet	17,255	150	8.7	150	154	....	154	8.9	+ 2
Chippewa*	36,707	475	12.9	475	486	....	486	13.2	+ 2
Clark	35,379	262	7.4	262	268	....	268	7.6	+ 3
Columbia	[2] 30,468	320	10.5	319	329	....	329	10.8	+ 3
Crawford	16,796	167	9.9	167	175	1	174	10.4	+ 5
Dane*	51,080	588	11.5	587	599	....	599	11.7	+ 2
Dodge	49,860	460	9.2	460	480	1	479	9.6	+ 4
Door	19,091	160	8.4	159	162	....	162	8.5	+ 1
Douglas	10,220	56	5.5	56	66	....	66	6.5	+18
Dunn	27,058	275	10.2	274	288	....	288	10.6	+ 4
Eau Claire	14,889	114	7.7	114	122	....	122	8.2	+ 6
Florence	3,614	27	7.5	27	32	....	32	8.9	+19
Fond du Lac	32,687	341	10.4	340	351	....	351	10.7	+ 3
Forest	10,008	68	6.8	68	69	....	69	6.9	+ 1
Grant	39,046	436	11.2	435	446	....	446	11.4	+ 2
Green	[2] 21,568	247	11.5	246	248	....	248	11.5	.....
Green Lake	[2] 14,875	152	10.2	152	159	....	159	10.7	+ 5
Iowa	[2] 21,504	242	11.3	242	248	....	248	11.5	+ 2
Iron	10,362	86	8.3	86	99	....	99	9.6	+16
Jackson	17,781	188	10.6	188	195	....	195	11.0	+ 4
Jefferson	35,059	372	10.6	371	382	....	382	10.9	+ 3
Juneau	[2] 19,209	176	9.2	173	180	....	180	9.4	+ 2
Kenosha	10,980	118	10.7	118	124	....	124	11.3	+ 6
Kewaunee	[2] 16,091	164	10.2	164	167	....	167	10.4	+ 2
La Crosse	13,953	126	9.0	126	132	....	132	9.5	+ 6
Lafayette	[2] 20,002	181	9.0	181	192	....	192	9.6	+ 7
Langlade	21,699	182	8.4	179	184	....	184	8.5	+ 1
Lincoln	21,189	191	9.0	189	194	....	194	9.2	+ 2
Manitowoc	34,191	335	9.8	334	338	....	338	9.9	+ 1
Marathon	47,016	356	7.6	349	360	....	360	7.7	+ 1
Marinette	20,780	156	7.5	155	163	....	163	7.8	+ 4
Marquette	[2] 10,443	71	6.8	71	72	....	72	6.9	+ 1
Milwaukee* (excl. of) Nat. Military Home	69,917	1,398 / 119	[14] 21.7	1,388 / 119	1,413 / 119	....	1,413 / 119	[14] 21.9	+ 1

AREA AND COLOR.	Population estimated as of July 1, 1920.	DEATHS IN 1920.							
		Including nonresidents.		Excluding transferable nonresidents.	Excl. transferable nonresidents and incl. residents who died elsewhere in reg. area.	Nonresidents not transferable.	Excl. all nonresidents and incl. residents who died elsewhere in reg. area.		
		Number.	Rate per 1,000 population.				Number.	Rate per 1,000 population.	Per cent of change.
RURAL PART OF REGISTRATION STATES [10]—Con.									
WISCONSIN—con.									
Monroe	[2] 28,666	286	10.0	283	289	....	289	10.1	+ 1
Oconto	27,179	254	9.3	253	266	....	266	9.8	+ 5
Oneida	14,128	131	9.3	131	135	....	135	9.6	+ 3
Outagamie	35,718	340	9.5	340	350	....	350	9.8	+ 3
Ozaukee	[2] 16,335	199	12.2	199	211	....	211	12.9	+ 6
Pepin	[2] 7,481	72	9.6	72	79	....	79	10.6	+10
Pierce	[2] 21,663	183	8.4	183	211	....	211	9.7	+15
Polk	27,154	233	8.6	233	252	....	252	9.3	+ 8
Portage	22,280	237	10.6	237	248	....	248	11.1	+ 5
Price	18,761	122	6.5	122	131	....	131	7.0	+ 8
Racine	20,649	232	11.2	232	245	....	245	11.9	+ 6
Richland	19,876	183	9.2	183	189	....	189	9.5	+ 3
Rock	26,576	328	12.3	328	335	....	335	12.6	+ 2
Rusk	16,673	143	8.6	143	147	....	147	8.8	+ 2
St. Croix	26,117	276	10.6	274	308	1	307	11.8	+11
Sauk	[2] 32,548	379	11.6	379	389	....	389	12.0	+ 3
Sawyer (total)	8,347	65	7.8	65	67	....	67	8.0	+ 3
White	7,477	51	6.8	51	53	....	53	7.1	+ 4
Colored	870	14	16.1	14	14	....	14	16.1	.....
Shawano	34,083	349	10.2	349	357	....	357	10.5	+ 3
Sheboygan	28,982	260	9.0	260	267	....	267	9.2	+ 2
Taylor	18,272	126	6.9	126	128	....	128	7.0	+ 1
Trempealeau	24,538	267	10.9	266	278	....	278	11.3	+ 4
Vernon	29,311	274	9.3	274	284	....	284	9.7	+ 4
Vilas	[2] 5,649	67	11.9	66	67	....	67	11.9	.....
Walworth	[2] 29,327	348	11.9	347	366	....	366	12.5	+ 5
Washburn	11,541	76	6.6	76	85	....	85	7.4	+12
Washington	25,813	285	11.0	285	298	....	298	11.5	+ 5
Waukesha*	30,141	415	13.8	413	435	....	435	14.4	+ 4
Waupaca	34,273	396	11.6	396	408	....	408	11.9	+ 3
Waushara	[2] 16,712	149	8.9	149	154	....	154	9.2	+ 3
Winnebago*	30,822	452	14.7	447	449	....	449	14.6	— 1
Wood	34,853	390	11.2	378	384	....	384	11.0	— 2

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.
[2] Population Jan. 1, 1920. Decrease since 1910; no estimate made.
[3] There were 36 transcripts for deaths received too late for compilation; no rate made.
[4] Excludes population of annexation, April, 1920.
[5] Colored population less than 10 per cent of the total in 1920.
[6] Rate not shown when the population is less than 100.
[7] There were 31 transcripts for deaths received too late for compilation; no rate made.
[8] Includes state institutions.
[9] Includes West Warwick town which was organized from part of Warwick town in 1913; separate estimated populations not available.
[10] Exclusive of municipalities having a population of 10,000 or more in 1920.
[11] Population Jan. 1, 1920. Estimated population not available; county organized since 1910. See Vol. I, Population, 1920.
[12] Per cent not shown when rate is based on deaths numbering less than 5.
[13] Population Jan. 1, 1920. Estimated population not available; part of county taken to form new counties since 1910. See Vol. I, Population, 1920.
[14] Includes National Military Home.
[15] Population Jan. 1, 1920. Estimated population not available; incorporated as an independent city since 1910.

TABLE II.—DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CLASS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND ITS MAIN SUBDIVISIONS: 1920 AND 1910.

[The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.]

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 ESTIMATED POPULATION.											
		Registration area.		Registration states.						Registration cities in nonregistration states.		All registration cities.	
				Total.		Cities.		Rural districts.					
		1920	1910	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910
	All causes [1]	1,306.0	1,496.2	1,299.4	1,472.2	1,411.4	1,590.4	1,194.0	1,340.6	1,696.9	1,686.0	1,420.9	1,608.9
	I.—General diseases	380.5	400.7	378.1	391.6	397.5	429.8	359.9	349.2	524.0	472.4	401.7	438.0
1	Typhoid fever	7.8	23.5	7.6	22.8	5.5	22.4	9.6	23.3	15.5	29.3	5.9	23.7
2	Typhus fever	(2)	(2)	(2)	(2)	(2)	(2)	(2)				(2)	(2)
3	Relapsing fever	(2)	(2)	(2)	(2)		(2)	(2)					(2)
4	Malaria	3.6	2.2	3.4	1.3	0.9	1.0	5.9	1.7	12.2	8.6	1.2	2.5
5	Smallpox	0.6	0.4	0.6	0.4	0.6	0.4	0.6	0.4	0.7	0.2	0.6	0.4
6	Measles	8.8	12.3	8.8	12.5	10.3	13.4	7.4	11.5	7.8	10.1	10.2	12.8
7	Scarlet fever	4.6	11.6	4.6	11.4	5.4	14.2	3.9	8.2	1.9	13.7	5.2	14.1
8	Whooping cough	12.5	11.4	12.5	11.7	11.7	11.4	13.2	11.9	15.7	9.4	11.8	11.0
9	Diphtheria and croup	15.3	21.4	15.4	21.1	18.9	25.8	12.1	15.9	12.8	23.7	18.7	25.4
10	Influenza	71.0	14.4	70.5	14.3	61.2	10.6	79.3	18.4	97.3	15.7	62.4	11.6
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	0.2	1.0	0.2	1.1	0.1	0.8	0.3	1.5		0.6	0.1	0.7
14	Dysentery	4.1	6.4	4.0	6.2	2.0	4.4	5.9	8.3	11.0	7.9	2.3	5.0
15	Plague	(2)	(2)	(2)	(2)	(2)		(2)	(2)	1.2		0.1	
16	Yellow fever	(2)		(2)				(2)					
17	Leprosy	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	0.1	0.1	(2)	(2)
18	Erysipelas	3.1	4.5	3.1	4.6	3.5	5.2	2.8	3.9	3.3	4.3	3.5	5.0
19	Other epidemic diseases	0.4	0.4	0.4	0.4	0.5	0.4	0.3	0.4	0.4	0.1	0.5	0.3
20	Purulent infection and septicemia	1.4	3.5	1.4	3.3	1.4	3.4	1.4	3.1	3.3	5.3	1.4	3.8
21	Glanders	(2)	(2)	(2)	(2)	(2)	(2)					(2)	(2)
22	Anthrax	(2)	(2)	(2)	(2)	0.1	0.1	(2)	(2)	0.1	(2)	0.1	0.1
23	Rabies	(2)	0.1	(2)	0.1	(2)	0.1	(2)	0.1	0.1	0.1	(2)	0.1
24	Tetanus	1.7	2.6	1.6	2.0	1.6	2.0	1.5	1.9	8.5	7.2	1.8	3.0
25	Mycoses	0.1	0.1	0.1	0.1	0.1	0.1	(2)	(2)		0.1	0.1	0.1
26	Pellagra	2.7	0.7	2.5	0.3	1.4	0.4	3.4	0.2	13.9	3.7	1.8	1.0
27	Beriberi	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)			(2)	(2)
	Tuberculosis (total)	114.2	160.3	113.2	154.9	118.5	179.5	108.1	127.4	176.7	203.7	120.4	184.2
28	Tuberculosis of the lungs	97.1	136.0	96.2	130.6	97.4	151.0	95.0	108.0	154.4	178.5	99.3	155.3
29	Acute miliary tuberculosis	3.7	3.7	3.6	3.6	4.6	4.6	2.7	2.5	7.0	4.4	4.7	4.6
30	Tuberculous meningitis	5.6	8.6	5.6	8.8	7.8	11.7	3.6	5.5	5.1	7.8	7.7	10.9
31	Abdominal tuberculosis	4.0	5.9	4.0	5.7	4.3	6.0	3.7	5.5	6.9	6.8	4.4	6.1
32	Pott's disease	1.1	1.4	1.1	1.4	1.5	1.6	0.8	1.2	0.6	1.5	1.4	1.6
33	White swellings	0.6	0.8	0.6	0.8	0.6	0.8	0.5	0.7	0.4	0.8	0.6	0.8
34	Tuberculosis of other organs	1.5	2.1	1.5	2.1	1.8	2.2	1.3	2.0	1.7	1.9	1.8	2.2
35	Disseminated tuberculosis	0.5	1.8	0.5	1.8	0.5	1.7	0.5	2.0	0.6	1.8	0.5	1.7
36	Rickets	0.6	0.8	0.6	0.8	0.7	1.0	0.4	0 5	0.7	1.4	0.7	1.1
37	Syphilis	9.1	6.0	8.9	5.3	11.9	7.3	6.0	3.0	23.1	11.5	12 3	8.1
38	Gonococcus infection	0.8	0.4	0.8	0.3	1.2	0.5	0.4	0.1	2.8	0.6	1.2	0.5
	Cancer and other malignant tumors (total)	83.4	76.2	83.4	76.1	99.8	81.5	68.0	70.1	81.4	77.4	99.2	80.7
39	Of the buccal cavity	3.1	2.9	3.1	2.9	3.5	3.0	2.6	2.7	3.2	3.2	3.5	3.1
40	Of the stomach, liver	31.4	30.6	31.5	30.7	36.0	31.8	27.3	29.5	24.3	29.8	35.6	31.4
41	Of the peritoneum, intestines, rectum	11.2	9.8	11.2	9.9	14.4	11.5	8.3	8.2	8.9	8.4	14.2	10.9
42	Of the female genital organs	12.3	11.4	12.2	11.0	15.4	13.0	9.2	8.8	19.0	14.8	15.6	13.3
43	Of the breast	7.6	6.9	7.6	7.1	9.2	7.3	6.1	6.8	6.6	5.8	9.1	7.0
44	Of the skin	2.7	2.7	2.7	2.7	2.2	2.0	3.2	3.5	2.3	2.5	2.2	2.1
45	Of other organs or of organs not specified	15.0	11.9	15.0	11.8	18.9	12.9	11.3	10.5	17.1	12.9	18.9	12.9
46	Other tumors (tumors of the female genital organs excepted)	0.3	1.0	0.3	1.0	0.3	1.0	0.3	1.0	0.6	1.2	0.3	1.0
47	Acute articular rheumatism	3.8	6.2	3.8	6.2	4.1	6.5	3.5	5.7	3.8	6.4	4.1	6.5
48	Chronic rheumatism and gout	1.1	1.3	1.1	1.3	1.0	1.1	1.3	1.4	1.2	1.1	1.0	1.1
49	Scurvy	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2
50	Diabetes	16.1	14.9	16.2	15.2	19.4	16.8	13.1	13.5	11.4	12.6	19.1	16.0
51	Exophthalmic goiter	1.9	1.3	1.8	1.2	2.4	1.3	1.3	1.1	2.2	1.5	2.4	1.4
52	Addison's disease	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.2	0.3	0.4	0.4
53	Leukemia	2.0	1.6	1.9	1.6	2.5	1.7	1.5	1.5	2.6	1.8	2.5	1.7
54	Anemia, chlorosis	5.5	4.9	5.5	5.0	6.0	4.9	5.0	5.1	5.1	3.9	6.0	4.7
55	Other general diseases	2.1	2.5	2.1	2.5	2.4	2.4	1.8	2.6	3.5	2.9	2.4	2.5
56	Alcoholism (acute or chronic)	1.0	5 4	1.0	5.5	1.3	6.7	0.7	4.1	1.9	4.7	1.4	6.3
57	Chronic lead poisoning	0.1	0 3	0.1	0.2	0.2	0.3	0.1	0.2	0.1	0.3	0.2	0.3
58	Other chronic occupation poisonings	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)		(2)	(2)	(2)
59	Other chronic poisonings	0.3	0.5	0.3	0.5	0.3	0.4	0.2	0.5	0.8	0.7	0.4	0.5

For footnotes, see p. 113.

TABLE II.—DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CLASS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND ITS MAIN SUBDIVISIONS: 1920 AND 1910—Continued.

[The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.]

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 ESTIMATED POPULATION.											
		Registration area.		Registration states.						Registration cities in nonregistration states.		All registration cities.	
				Total.		Cities.		Rural districts.					
		1920	1910	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910
	II.—Diseases of the nervous system and of the organs of special sense	124.0	144.9	124.0	147.5	121.6	137.4	126.2	158.6	127.4	124.3	121.7	134.9
60	Encephalitis	2.5	1.4	2.4	1.4	3.4	1.4	1.5	1.4	4.2	1.8	3.5	1.4
61	Meningitis (total)	6.0	14.2	6.0	13.9	6.5	15.6	5.5	12.0	9.0	15.9	6.6	15.7
	Simple meningitis	3.0	9.9	3.0	9.8	3.2	10.8	2.8	8.7	4.4	10.9	3.3	10.8
	Cerebrospinal meningitis (undefined)	1.4	3.8	1.4	3.8	1.4	4.4	1.3	3.1	2.3	4.0	1.4	4.4
	Cerebrospinal fever	1.6	0.4	1.6	0.3	1.9	0.4	1.3	0.3	2.3	0.9	1.9	0.5
62	Locomotor ataxia	1.8	2.7	1.8	2.7	2.1	2.7	1.6	2.6	1.9	2.8	2.0	2.7
63	Other diseases of the spinal cord (total)	5.7	7.6	5.7	7.8	5.7	6.8	5.6	9.0	6.5	5.8	5.7	6.6
	Acute anterior poliomyelitis	0.9	2.7	0.9	2.9	0.9	2.2	0.9	3.6	0.5	1.6	0.9	2.0
	Other diseases of the spinal cord	4.8	4.9	4.8	5.0	4.8	4.7	4.7	5.4	6.0	4.2	4.9	4.6
64	Cerebral hemorrhage, apoplexy	80.9	73.8	81.0	75.9	80.5	72.3	81.4	80.0	77.1	56.5	80.4	69.2
65	Softening of the brain	1.0	2.0	1.0	1.9	0.7	1.4	1.2	2.5	0.9	2.5	0.7	1.6
66	Paralysis without specified cause [3]	6.7	14.4	6.5	14.4	4.0	10.1	8.9	19.8	13.9	14.6	4.4	11.0
67	General paralysis of the insane [3]	5.7	5.5	5.8	5.5	5.3	5.1	6.3	6.1	1.9	4.8	5.2	4.9
68	Other forms of mental alienation	1.8	3.3	1.8	3.4	1.6	2.3	2.0	4.5	1.1	2.6	1.6	2.4
69	Epilepsy	3.5	4.2	3.5	4.4	2.5	3.2	4.5	5.7	2.3	2.9	2.5	3.2
70	Convulsions (nonpuerperal)	0.2	0.4	0.2	0.4	0.1	0.3	0.2	0.4	0.2	0.4	0.1	0.3
71	Convulsions of infants	2.5	8.9	2.5	9.2	2.3	9.3	2.7	9.0	2.3	7.1	2.3	8.8
72	Chorea	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.1	0.2	0.2	0.2
73	Neuralgia and neuritis	0.4	0.7	0.4	0.7	0.3	0.7	0.5	0.7	0.3	0.5	0.3	0.7
74	Other diseases of the nervous system	3.0	3.8	3.0	3.8	3.5	3.7	2.5	3.8	3.9	4.3	3.6	3.8
75	Diseases of the eyes and their annexa	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2)	0.1	0.1
76	Diseases of the ears	2.0	1.8	2.0	1.8	2.8	2.3	1.2	1.3	1.9	1.7	2.8	2.2
	III.—Diseases of the circulatory system	188.3	186.0	188.7	185.5	209.8	194.2	168.9	175.9	163.6	189.5	208.3	193.3
77	Pericarditis	1.0	1.2	0.9	1.1	1.0	1.1	0.9	1.2	1.6	1.8	1.0	1.2
78	Acute endocarditis	7.8	8.9	7.8	8.5	10.9	12.1	4.9	4.4	10.8	12.4	10.9	12.2
79	Organic diseases of the heart	141.9	141.5	142.3	141.8	157.2	145.5	128.2	137.7	119.4	139.1	155.9	144.2
80	Angina pectoris	8.7	7.2	8.6	7.4	8.8	6.6	8.5	8.2	9.3	5.5	8.8	6.4
81	Diseases of the arteries, atheroma, aneurism, etc	22.8	21.7	22.9	21.2	24.7	22.9	21.3	19.4	16.6	24.9	24.4	23.3
82	Embolism and thrombosis	4.5	3.7	4.5	3.7	5.4	4.0	3.7	3.3	3.9	3.9	5.3	4.0
83	Diseases of the veins, (varices, hemorrhoids, phlebitis, etc.)	0.6	0.6	0.6	0.7	0.7	0.8	0.4	0.5	0.6	0.5	0.7	0.7
84	Diseases of the lymphatic system (lymphangitis, etc.)	0.6	0.5	0.6	0.5	0.9	0.6	0.4	0.3	0.7	0.6	0.9	0.6
85	Hemorrhage; other diseases of the circulatory system	0.4	0.7	0.4	0.7	0.3	0.6	0.5	0.8	0.8	0.8	0.3	0.6
	IV.—Diseases of the respiratory system	162.1	187.3	161.5	181.8	196.7	215.2	128.5	144.5	196.9	231.2	196.7	218.3
86	Diseases of the nasal fossae	0.5	0.3	0.5	0.2	0.1	0.2	0.8	0.3	0.2	0.3	0.2	0.2
87	Diseases of the larynx	0.9	1.4	0.9	1.4	0.9	1.3	0.9	1.5	1.7	1.3	0.9	1.3
88	Diseases of the thyroid body	0.8	0.4	0.8	0.4	1.0	0.4	0.6	0.4	0.8	0.6	1.0	0.4
89	Acute bronchitis	7.8	13.4	7.8	13.9	9.7	16.8	5.9	10.7	9.2	9.7	9.7	15.4
90	Chronic bronchitis	5.5	10.0	5.5	10.0	5.7	10.6	5.3	9.3	5.9	10.0	5.7	10.5
91	Bronchopneumonia	54.6	47.1	54.6	45.8	69.9	61.0	40.2	28.9	53.5	56.7	69.4	60.2
92	Pneumonia (total)	82.7	109.7	82.3	96.2	98.6	110.2	66.8	80.6	110.2	136.3	99.0	115.2
	Lobar pneumonia	73.2	46.4	72.9	44.6	92.7	61.8	54.3	25.6	86.4	60.3	92.5	61.5
	Pneumonia (undefined)	9.6	54.3	9.3	51.5	5.9	48.4	12.6	55.0	23.8	76.0	6.5	53.7
93	Pleurisy	3.8	4.0	3.8	4.0	5.3	4.0	2.4	2.9	5.7	4.3	5.3	4.8
94	Pulmonary congestion, pulmonary apoplexy	1.5	4.6	1.5	4.6	1.6	4.7	1.4	4.4	2.2	5.3	1.6	4.8
95	Gangrene of the lung	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.8	0.2	0.3	0.3
96	Asthma	2.4	2.7	2.4	2.6	2.4	2.6	2.4	2.6	4.2	3.7	2.4	2.8
97	Pulmonary emphysema	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.3
98	Other diseases of the respiratory system (tuberculosis excepted)	1.2	2.2	1.2	2.2	1.1	1.9	1.3	2.4	2.4	2.5	1.1	2.0

For footnotes, see p. 113.

TABLE II.—DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CLASS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND ITS MAIN SUBDIVISIONS: 1920 AND 1910—Continued.

[The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.]

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 ESTIMATED POPULATION.											
		Registration area.		Registration states.						Registration cities in nonregistration states.		All registration cities.	
				Total.		Cities.		Rural districts.					
		1920	1910	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910
	V.—Diseases of the digestive system	114.9	194.7	113.2	189.8	134.1	213.6	93.6	163.4	215.9	233.0	136.8	217.4
99	Diseases of the mouth and annexa	0.9	0.8	0.9	0.8	0.9	0.7	0.9	0.8	1.0	1.0	0.9	0.8
100	Diseases of the pharynx	3.3	1.6	3.3	1.6	3.8	1.5	2.9	1.7	4.5	1.1	3.8	1.4
101	Diseases of the esophagus	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.6	0.3	0.2	0.2
102	Ulcer of the stomach	3.6	4.1	3.6	4.0	4.4	4.8	2.8	3.2	5.5	4.6	4.5	4.8
103	Other diseases of the stomach (cancer excepted)	8.3	15.6	8.1	15.7	6.0	13.6	10.0	17.9	18.2	15.1	6.5	13.9
104	Diarrhea and enteritis (under 2 years)	44.0	100.8	43.4	98.8	52.2	118.0	35.1	77.3	81.1	117.1	53.2	117.9
105	Diarrhea and enteritis (2 years and over)	10.4	16.6	10.2	16.1	9.8	14.6	10.5	17.7	23.8	20.5	10.3	15.8
106	Ankylostomiasis	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	0.1	0.1	(2)	(2)
107	Intestinal parasites	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.1
108	Appendicitis and typhlitis	13.4	11.4	13.2	10.8	19.2	14.0	7.5	7.2	26.4	16.1	19.4	14.4
109	Hernia, intestinal obstruction (total)	10.6	12.4	10.5	12.1	13.7	13.9	7.5	10.1	19.2	15.0	13.9	14.1
	Hernia	3.8	4.1	3.7	3.9	5.3	5.0	2.2	2.8	5.1	5.1	5.3	5.0
	Intestinal obstruction	6.9	8.3	6.8	8.1	8.4	8.9	5.3	7.3	14.1	9.8	8.6	9.1
110	Other diseases of the intestines	2.0	2.9	2.0	2.8	2.3	2.8	1.6	2.9	3.9	3.6	2.3	2.9
111	Acute yellow atrophy of the liver	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.8	0.6	0.4	0.4
112	Hydatid tumor of the liver	(2)	(2)	(2)	(2)	(2)	0.1	(2)	(2)	.....	0.1	(2)	0.1
113	Cirrhosis of the liver	7.1	13.9	7.1	13.3	8.1	16.1	6.1	10.2	9.6	18.8	8.2	16.6
114	Biliary calculi	3.6	2.8	3.5	2.7	4.8	2.8	2.3	2.5	6.0	3.7	4.8	3.0
115	Other diseases of the liver	4.3	5.7	4.2	5.5	5.1	5.1	3.4	5.9	8.2	7.7	5.2	5.6
116	Diseases of the spleen	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.5	0.2	0.2	0.2
117	Simple peritonitis (nonpuerperal)	1.9	4.5	1.8	4.2	1.9	3.8	1.7	4.6	5.2	6.6	2.0	4.4
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	0.6	0.6	0.6	0.6	0.9	0.8	0.3	0.4	1.1	0.7	0.9	0.8
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	104.3	116.2	103.4	111.4	119.6	129.8	88.2	91.0	153.5	154.2	120.7	134.5
119	Acute nephritis	6.5	10.5	6.3	10.2	7.2	12.8	5.5	7.3	17.6	12.9	7.5	12.8
120	Bright's disease	82.9	88.5	82.5	84.7	93.0	98.5	72.5	69.2	105.9	119.3	93.5	102.5
121	Chyluria	.....	(2)	.....	(2)	.....	.....	.....	(2)	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.4	2.6	2.4	2.5	3.0	2.7	1.8	2.4	4.2	2.9	3.0	2.7
123	Calculi of the urinary passages	0.6	0.6	0.6	0.6	0.8	0.7	0.4	0.5	2.3	0.8	0.8	0.7
124	Diseases of the bladder	1.5	2.9	1.5	3.0	1.2	2.4	1.7	3.7	1.7	2.1	1.2	2.3
125	Diseases of the urethra, urinary abscess, etc	0.4	0.4	0.4	0.4	0.5	0.5	0.2	0.2	2.5	1.0	0.6	0.6
126	Diseases of the prostate	4.2	3.8	4.2	3.7	4.9	3.4	3.4	4.1	6.0	4.0	5.0	3.5
127	Nonvenereal diseases of the male genital organs	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.2
128	Uterine hemorrhage (nonpuerperal)	0.1	0.2	0.1	0.2	0.1	0.1	(2)	0.2	0.4	0.1	0.1	0.1
129	Uterine tumor (noncancerous)	2.0	1.7	2.0	1.6	3.1	2.2	0.9	0.9	3.7	2.8	3.1	2.3
130	Other diseases of the uterus	0.9	1.4	0.9	1.3	1.3	1.7	0.5	0.9	2.6	2.4	1.4	1.8
131	Cysts and other tumors of the ovary	0.8	0.9	0.8	0.9	1.1	1.2	0.4	0.6	1.3	1.1	1.1	1.1
132	Salpingitis and other diseases of the female genital organs	1.9	2.4	1.8	2.2	3.0	3.3	0.7	0.8	5.2	4.5	3.1	3.5
133	Nonpuerperal diseases of the breast (cancer excepted)	(2)	0.1	(2)	(2)	0.1	0.1	(2)	(2)	.....	0.1	0.1	0.1
	VII.—The puerperal state	19.2	15.7	19.0	15.5	20.5	17.0	17.5	13.8	31.6	17.6	20.9	17.1
134	Accidents of pregnancy	2.7	1.6	2.7	1.6	2.8	1.8	2.6	1.4	3.3	1.9	2.8	1.8
135	Puerperal hemorrhage	1.6	1.4	1.6	1.4	1.8	1.5	1.5	1.4	1.9	1.2	1.8	1.4
136	Other accidents of labor	2.6	1.5	2.6	1.6	2.5	1.5	2.8	1.6	3.3	1.3	2.5	1.5
137	Puerperal scepticemia	6.6	7.2	6.5	7.0	7.8	8.1	5.4	5.8	12.8	9.2	7.9	8.3
138	Puerperal albuminuria and convulsions	4.9	3.4	4.8	3.4	4.9	3.5	4.6	3.2	9.5	3.5	5.1	3.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	0.7	0.4	0.7	0.4	0.8	0.5	0.6	0.4	0.8	0.3	0.8	0.5
140	Following childbirth (not otherwise defined)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	.....	0.1	0.1	0.1
141	Puerperal diseases of the breast	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	.....	(2)	(2)	(2)
	VIII.—Diseases of the skin and of the cellular tissue	3.9	5.6	3.9	5.6	4.1	5.3	3.8	6.0	4.6	5.3	4.1	5.3
142	Gangrene	1.7	3.2	1.7	3.3	1.4	2.8	1.9	4.0	1.5	2.5	1.4	2.7
143	Furuncle	0.7	0.5	0.7	0.5	0.9	0.6	0.4	0.4	0.7	0.6	0.9	0.6
144	Acute abscess	0.8	0.9	0.8	0.9	1.0	1.1	0.6	0.7	1.1	1.1	1.0	1.1
145	Other diseases of the skin and annexa	0.8	0.9	0.8	0.9	0.8	0.8	0.8	0.9	1.2	1.1	0.9	0.9
	IX.—Diseases of the bones and of the organs of locomotion	3.1	2.4	3.1	2.4	4.5	3.3	1.8	1.5	5.0	2.5	4.5	3.1
146	Diseases of the bones (tuberculosis excepted)	2.7	2.1	2.7	2.1	4.0	2.9	1.5	1.3	4.4	2.2	4.0	2.7
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.3	0.2	0.3	0.2	0.4	0.3	0.2	0.1	0.4	0.3	0.4	0.3
148	Amputations	(2)	(2)	(2)	(2)	.....	(2)	(2)	(2)	0.1	(2)	(2)	(2)
149	Other diseases of the organs of locomotion	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	(2)	0.1	0.1
	X.—Malformations	15.2	14.9	15.2	15.2	17.4	15.5	13.0	14.8	13.6	12.3	17.3	14.9
150	Congenital malformations (total)	15.2	14.9	15.2	15.2	17.4	15.5	13.0	14.8	13.6	12.3	17.3	14.9
	Hydrocephalus	1.4	1.3	1.4	1.2	1.7	1.3	1.2	1.1	1.4	1.6	1.7	1.4
	Congenital malformations of the heart	9.1	9.0	9.2	9.2	10.6	9.5	7.8	8.8	7.1	7.2	10.5	9.1
	Other congenital malformations	4.6	4.6	4.6	4.8	5.2	4.7	4.0	4.8	5.1	3.5	5.2	4.5

For footnotes, see p. 113.

TABLE II.—DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE AND CLASS OF CAUSES, FOR THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND ITS MAIN SUBDIVISIONS: 1920 AND 1910—Continued.

[The populations are estimated by the arithmetical method, based on the 1910 and 1920 censuses. The rates are based on the total deaths, including deaths of nonresidents, deaths in hospitals and institutions, and deaths of soldiers, sailors, and marines.]

Detailed Int. List No., 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 ESTIMATED POPULATION.											
		Registration area.		Registration states.						Registration cities in nonregistration states.		All registration cities.	
				Total.		Cities.		Rural districts.					
		1920	1910	1920	1910	1920	1910	1920	1910	1920	1910	1920	1910
	XI.—Early infancy	69.7	73.2	69.4	73.3	76.2	83.5	63.0	61.9	84.3	72.3	76.5	81.3
151	Congenital debility, icterus, and sclerema (total)	54.7	60.1	54.4	60.2	57.5	67.8	51.5	51.8	69.9	59.0	57.9	66.1
	Premature birth	43.8	37.7	43.7	37.7	47.0	42.5	40.5	32.4	55.1	37.0	47.2	41.5
	Congenital debility, "atrophy," "marasmus," etc.	10.8	22.4	10.8	22.5	10.5	25.3	11.0	19.4	14.8	21.9	10.7	24.6
152	Other causes peculiar to early infancy (total)	14.8	12.8	14.9	12.8	18.6	15.4	11.3	9.9	14.1	13.0	18.4	15.0
	Injuries at birth	8.5	6.9	8.5	6.9	11.2	8.5	6.0	5.2	7.3	6.8	11.0	8.2
	Other causes peculiar to early infancy	6.3	5.9	6.3	5.9	7.4	6.9	5.3	4.7	6.7	6.2	7.4	6.8
153	Lack of care	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.3	0.4	0.1	0.2
	XII.—Old age	14.2	25.3	14.2	25.6	7.5	18.5	20.5	33.4	15.5	23.0	7.8	19.4
154	Senility	14.2	25.3	14.2	25.6	7.5	18.5	20.5	33.4	15.5	23.0	7.8	19.4
	XIII.—External causes	88.8	106.2	88.0	104.3	97.2	107.7	79.3	100 6	132.9	121.6	98.4	110.3
	Suicide (total)	10.2	16.0	10.2	15.3	12.0	17.9	8.5	12.4	11.7	21.2	12.0	18.6
155	By poison	1.6	4.6	1.6	4.1	2.0	5.3	1.2	2.8	3.4	8.1	2.0	5.8
156	By asphyxia	1.3	1.7	1.3	1.6	2.5	2.9	0.2	0.2	0.6	2.6	2.4	2.8
157	By hanging or strangulation	1.8	2.3	1.9	2.4	1.7	2.1	2.0	2.8	0.3	1.7	1.6	2.0
158	By drowning	0.6	1.0	0.6	1.0	0.7	1.0	0.6	0.9	0.3	0.9	0.7	1.0
159	By firearms	3.6	4.8	3.6	4.6	3.6	4.8	3.5	4.3	6.3	6.3	3.7	5.1
160	By cutting or piercing instruments	0.7	1.0	0.7	1.0	0.9	1.1	0.6	0.8	0.3	1.1	0.8	1.1
161	By jumping from high places	0.3	0.3	0.3	0.2	0.5	0.4	0.1	0.1	0.1	0.3	0.5	0.4
162	By crushing	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.2	.....	0.1	0.1	0.2
163	Other suicides	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.3	0.1	0.1	0.1
	Accidental or undefined (total)	71.4	84.4	71.0	84.4	77.0	84.1	65.4	84.9	94.2	83.7	77.6	84.0
164	Poisoning by food	1.1	0.3	1.1	0.3	0.9	0.3	1.2	0.3	3.4	0.2	0.9	0.3
165	Other acute poisonings	2.1	2.3	2.1	2.3	2.3	2.2	1.9	2.4	5.4	2.4	2.4	2.2
166	Conflagration	1.2	1.4	1.2	1.3	1.1	1.4	1.3	1.2	0.8	2.0	1.0	1.5
167	Burns (conflagration excepted)	7.6	7.8	7.5	7.5	8.7	9.0	6.4	5.8	14.2	10.1	8.8	9.2
168	Absorption of deleterious gases (conflagration excepted)	3.4	2.6	3.5	2.3	5.2	3.7	1.8	0.7	2.9	4.7	5.1	3.9
169	Accidental drowning	5.7	9.0	5.7	9.3	4.5	8.1	6.8	10.6	3.6	6.2	4.5	7.8
170	Traumatism by firearms	2.6	2.2	2.5	2.1	1.7	1.3	3.3	3.0	6.5	2.7	1.9	1.6
171	Traumatism by cutting or piercing instruments	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.3	0.2	0.2	0.2
172	Traumatism by fall	11.8	15.4	11.8	15.5	13.8	17.7	9.9	13.1	10.3	14.6	13.7	17.1
173	Traumatism in mines and quarries (total)	2.6	4.6	2.6	5.1	1.3	2.2	3.8	8.3	2.5	0.9	1.4	2.0
	Traumatism in mines	2.5	4.4	2.5	4.9	1.3	2.1	3.6	7.9	2.5	0.8	1.3	1.8
	Traumatism in quarries	0.1	0.2	0.1	0.2	0.1	0.1	0.2	0.3	.....	0.1	0.1	0.1
174	Traumatism by machines	2.5	2.4	2.4	2.4	3.1	2.8	1.8	1.9	3.3	2.6	3.1	2.8
175	Traumatism by other crushing (total)	22.5	24.7	22.4	24.4	27.4	24.5	17.7	24.1	29.2	27.5	27.5	25.1
	Railroad accidents and injuries	7.3	14.6	7.3	14.7	7.0	13.1	7.6	16.4	8.5	14.3	7.0	13.4
	Street-car accidents and injuries	2.0	3.6	2.0	3.3	3.2	4.7	0.8	1.7	2.8	6.3	3.2	5.0
	Automobile accidents and injuries	10.4	1.8	10.3	1.7	14.7	2.3	6.2	1.1	15.6	2.4	14.7	2.3
	Injuries by other vehicles	1.9	3.6	1.9	3.6	1.8	3.6	2.0	3.6	1.7	3.4	1.8	3.6
	Aeroplane accidents and injuries	0.2	[4]	0.2	[4]	0.1	[1]	0.2	[4]	0.1	[4]	0.1	[4]
	Landslide, other crushing	0.6	1.0	0.6	1.0	0.6	0.8	0.7	1.3	0.6	1.0	0.6	0.8
176	Injuries by animals	0.7	0.9	0.7	1.0	0.4	0.7	1.0	1.3	0.7	0.6	0.4	0.7
177	Starvation	[2]	0.1	[2]	0.1	[2]	0.1	[2]	0.1	.....	0.1	[2]	0.1
178	Excessive cold	0.2	0.5	0.2	0.5	0.1	0.3	0.3	0.8	0.2	0.1	0.1	0.2
179	Effects of heat	0.3	1.5	0.3	1.5	0.3	1.8	0.4	1.2	0.3	1.5	0.3	1.8
180	Lightning	0.5	0.3	0.5	0.3	0.1	[2]	0.8	0.6	0.1	0.1	0.1	0.1
181	Electricity (lightning excepted)	0.9	0.9	0.9	0.9	0.9	0.9	0.9	0.9	1.2	0.9	0.9	0.9
185	Fractures (cause not specified)	0.6	1.2	0.6	1.2	0.6	1.1	0.6	1.3	2.4	0.9	0.6	1.1
186	Other external violence	4.9	6.3	4.9	6.4	4.4	5.7	5.4	7.2	6.9	5.4	4.5	5.7
	Homicide (total)	7.1	5.9	6.8	4.6	8.2	5.6	5.4	3.4	27.0	16.6	8.8	7.8
182	By firearms	5.1	3.4	4.9	2.5	5.7	3 0	4.1	1.9	20.7	11.0	6.2	4.5
183	By cutting or piercing instruments	0.7	0.8	0.7	0.6	0.9	0.7	0.5	0.5	4.0	2.6	1.0	1.1
184	By other means	1.2	1.6	1.2	1.5	1.6	1.9	0.8	1.0	2.3	3.0	1.7	2.1
	XIV.—Ill-defined diseases	17.7	23.1	17.5	22.7	4.7	19.8	29.6	25.9	28.3	27.0	5.5	21.2
187	Ill-defined organic disease	0.8	1.2	0.8	1.0	0.1	0.5	1.4	1.6	0.9	2.3	0.1	0.8
188	Sudden death	1.2	0.5	1.2	0.5	0.4	0.3	2.0	0.8	0.4	0.3	0.4	20.3
189	Not specified or ill-defined (total)	15.7	21.5	15.5	21.1	4.3	19.0	26.2	23.5	27.0	24.4	5.0	10.0
	Ill-defined	4.8	18.5	4.5	18.2	2.0	17.9	6.8	18.6	19.2	20.4	2.6	8.4
	Not specified or unknown	11.0	3.0	11.0	2.9	2.2	1.1	19.3	4.9	7.8	4.1	2.4	1.7

[1] Exclusive of stillbirths.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Paresis (unqualified) transferred from List No. 66 to No 67, beginning in 1911.
[4] Included in "Landslide, other crushing."

GENERAL TABLES

GENERAL TABLES.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY.													
The registration area (exclusive of Hawaii)	1,142,558	111,919	167,164	116,379	93,474	91,189	79,924	77,442	77,809	76,821	80,452	82,223	87,762
Registration states [1]	1,118,070	109,758	163,787	113,988	91,578	89,162	77,985	75,507	76,153	75,120	78,732	80,436	85,864
Cities in registration states [1]	589,020	62,059	87,785	57,048	48,651	47,225	40,708	38,560	39,587	38,843	40,489	42,209	45,856
Rural part of registration states	529,050	47,699	76,002	56,940	42,927	41,937	37,277	36,947	36,566	36,277	38,243	38,227	40,008
Registration cities in nonregistration states	24,488	2,161	3,377	2,391	1,896	2,027	1,939	1,935	1,656	1,701	1,720	1,787	1,898
All registration cities [1]	613,508	64,220	91,162	59,439	50,547	49,252	42,647	40,495	41,243	40,544	42,209	43,996	47,754
REGISTRATION STATES.													
California	47,196	4,609	5,881	4,550	3,660	3,744	3,477	3,509	3,441	3,161	3,458	3,639	4,067
Colorado	13,717	1,265	2,368	1,158	1,070	1,017	874	957	1,034	1,022	922	928	1,102
Connecticut	18,916	1,831	2,805	1,806	1,573	1,522	1,309	1,264	1,368	1,329	1,308	1,368	1,443
Delaware	3,265	325	381	339	251	283	257	222	244	254	224	245	240
Florida	12,720	1,240	1,449	1,598	971	907	909	872	886	866	948	1,024	1,050
Illinois	82,296	10,536	12,065	7,907	6,697	6,363	5,486	5,120	5,233	5,278	5,542	5,948	6,121
Indiana	39,430	3,922	5,751	4,154	3,259	3,284	2,725	2,681	2,540	2,614	2,753	2,756	2,986
Kansas	20,267	1,824	3,317	1,987	1,565	1,462	1,388	1,432	1,397	1,360	1,370	1,494	1,671
Kentucky	28,564	2,558	3,870	3,654	2,345	2,056	1,800	2,005	1,975	1,965	2,170	2,035	2,081
Louisiana	21,553	1,934	2,317	2,379	1,641	1,659	1,676	1,647	1,636	1,588	1,610	1,716	1,750
Maine	11,872	1,067	1,716	1,148	992	959	800	807	879	928	865	800	911
Maryland	21,362	1,940	3,091	2,045	1,686	1,625	1,389	1,570	1,628	1,585	1,549	1,604	1,650
Massachusetts	53,498	5,123	7,638	5,432	4,555	4,321	3,593	3,364	3,644	3,749	3,888	3,920	4,271
Michigan	51,549	5,306	8,986	4,927	4,379	4,365	3,519	3,213	3,202	3,292	3,438	3,388	3,534
Minnesota	25,722	2,520	3,883	2,423	2,129	2,247	1,849	1,785	1,679	1,666	1,791	1,854	1,896
Mississippi	22,040	1,745	2,079	2,525	1,918	1,794	1,975	1,750	1,714	1,582	1,700	1,634	1,624
Missouri	42,638	4,505	7,362	4,397	3,318	2,988	2,763	2,879	2,737	2,693	2,871	2,929	3,191
Montana	5,289	448	737	533	414	461	354	355	385	397	363	419	423
Nebraska	12,976	1,097	1,857	1,406	1,121	1,049	945	865	836	938	935	928	999
New Hampshire	6,764	606	866	729	555	584	441	467	485	532	468	514	517
New Jersey	41,326	4,184	5,854	3,868	3,457	3,377	2,842	2,904	2,961	2,738	2,842	3,013	3,236
New York	144,558	15,372	21,060	13,873	12,269	12,010	9,844	9,326	9,944	9,621	9,925	10,048	11,266
North Carolina	32,654	2,855	4,815	3,723	2,379	2,339	2,601	2,473	2,294	2,129	2,328	2,325	2,393
Ohio	74,341	6,940	11,502	7,498	6,288	6,283	5,213	4,796	4,801	4,882	5,133	5,364	5,641
Oregon	9,246	867	1,305	929	749	746	724	640	656	595	701	627	707
Pennsylvania	120,902	10,858	19,048	12,097	10,079	9,707	8,043	7,707	8,131	8,080	8,559	9,002	9,591
Rhode Island	8,696	816	1,347	891	700	612	630	583	607	589	597	621	703
South Carolina	23,767	1,886	2,820	2,782	1,827	1,907	2,019	1,796	1,608	1,860	1,875	1,721	1,666
Tennessee	28,396	2,512	3,795	3,655	2,211	2,086	1,979	2,133	1,998	1,861	2,136	1,953	2,077
Utah	5,198	490	1,059	469	421	372	316	346	334	310	349	317	415
Vermont	5,536	493	668	684	466	515	407	364	337	399	388	396	414
Virginia	30,514	2,828	4,405	3,351	2,368	2,259	2,087	2,227	2,260	2,038	2,176	2,144	2,371
Washington	15,164	1,361	2,370	1,608	1,302	1,237	1,123	1,064	1,045	987	992	1,043	1,032
Wisconsin	29,675	3,067	4,456	2,865	2,451	2,548	2,189	1,955	1,848	1,818	2,121	2,183	2,234
REGISTRATION CITIES.													
ALABAMA. [2]													
Registration cities	4,979	424	663	529	363	387	411	394	363	371	321	370	383
Birmingham	2,982	252	425	320	216	212	237	224	224	219	201	222	230
Mobile	1,117	104	147	104	74	99	86	78	74	84	79	93	95
Montgomery	880	68	91	105	73	76	88	92	65	68	41	55	58
CALIFORNIA.													
Registration cities	28,157	2,823	3,569	2,710	2,174	2,227	2,046	2,028	1,964	1,890	2,025	2,257	2,444
Alameda	358	53	50	33	34	21	25	28	17	24	23	22	28
Bakersfield	347	28	40	16	27	21	35	20	28	28	23	51	30
Berkeley	583	53	79	59	40	38	41	40	43	39	44	61	66
Eureka	217	22	24	20	21	11	14	13	27	17	17	15	16
Fresno	661	88	98	46	41	56	51	45	37	47	44	60	48
Glendale	290	33	31	27	20	19	21	22	19	19	36	18	25
Long Beach	758	82	84	76	65	51	47	51	72	47	56	61	66
Los Angeles	8,274	754	957	799	632	668	654	624	573	581	606	653	773
Oakland	2,585	253	396	273	189	205	185	171	171	167	179	184	212
Pasadena	562	56	62	59	47	53	42	31	29	33	40	52	58
Pomona	225	22	21	18	14	22	20	17	20	13	17	17	24
Richmond	155	17	27	17	12	5	14	9	7	9	14	15	9
Riverside	302	33	31	33	20	27	29	18	17	15	20	24	35
Sacramento	1,179	113	125	127	116	89	77	86	86	69	86	112	93
San Bernardino	396	33	28	35	29	33	28	38	35	27	28	40	42
San Diego	1,325	139	146	139	101	119	94	80	101	82	102	110	112
San Francisco	7,259	793	1,003	713	560	573	468	523	481	497	513	549	585
San Jose	493	65	47	37	32	42	29	44	34	35	32	48	48
Santa Ana	226	15	28	20	14	12	21	17	17	21	15	20	26
Santa Barbara	257	23	30	20	23	21	21	17	10	15	20	20	23

[1] Including District of Columbia.

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
CALIFORNIA—continued.													
Santa Cruz	209	13	16	18	15	17	18	12	29	13	17	20	21
Santa Monica	251	19	29	23	23	22	26	19	22	22	13	19	14
Stockton	839	69	105	64	68	80	61	84	65	51	56	66	70
Vallejo	329	43	103	30	24	17	16	12	16	17	19	12	20
Venice	77	4	9	8	7	5	9	7	8	2	5	9	4
COLORADO.													
Registration cities	6,529	617	1,060	522	526	513	397	451	469	497	434	461	582
Boulder	209	17	27	22	5	18	17	11	18	24	17	15	18
Colorado Springs	703	50	127	52	59	71	39	58	53	59	37	54	44
Denver	4,484	458	748	351	371	330	262	279	315	332	301	320	417
Greeley	190	12	19	17	13	23	17	11	14	11	19	14	20
Pueblo	727	65	113	63	62	51	50	70	52	53	44	43	61
Trinidad	216	15	26	17	16	20	12	22	17	18	16	15	22
CONNECTICUT.													
Registration cities	14,494	1,389	2,192	1,388	1,222	1,177	1,010	959	1,044	1,004	978	1,026	1,105
Ansonia	189	16	40	24	12	19	8	13	9	14	8	10	16
Bridgeport	1,872	180	304	165	153	153	124	119	132	110	144	138	150
Bristol	249	24	33	33	16	23	16	8	15	20	11	20	30
Danbury town	371	32	48	36	26	37	32	22	34	24	27	33	20
Derby	203	15	48	11	14	21	10	10	16	18	10	15	15
East Hartford town	119	10	25	12	8	6	8	12	7	8	8	4	11
Enfield town	129	7	19	19	11	16	7	10	9	6	12	8	5
Fairfield town	122	9	16	11	3	11	6	9	13	12	9	6	17
Greenwich town	286	26	42	34	26	21	11	23	25	22	15	20	21
Hartford	2,296	175	350	178	204	182	175	146	184	190	159	177	176
Manchester town	113	13	14	12	4	11	5	12	5	7	4	12	14
Meriden town	500	54	71	55	43	35	34	39	37	36	36	21	39
Middletown town	531	57	64	57	45	45	42	23	50	28	34	38	48
Milford town	127	12	16	7	10	8	7	16	14	13	9	7	8
Naugatuck	130	14	24	13	7	5	11	8	11	5	10	10	12
New Britain	659	48	94	67	56	49	51	41	43	50	45	51	64
New Haven	2,375	216	408	240	219	192	152	162	154	138	146	158	190
New London	383	31	55	33	44	37	33	22	21	31	36	19	21
Norwalk	391	40	61	35	33	34	26	38	25	23	25	31	20
Norwich town	574	62	83	62	44	42	44	39	47	31	48	33	39
Orange town	284	25	35	25	25	27	17	19	24	26	13	29	19
Stamford town	539	65	75	51	52	36	33	38	33	44	35	39	38
Stonington town	105	11	14	10	7	10	6	8	6	10	14	4	5
Stratford town	140	22	21	18	5	8	9	9	5	5	11	14	13
Torrington town	225	20	40	29	22	19	12	7	12	19	11	23	11
Wallingford town	143	14	19	19	11	16	6	13	9	5	11	7	13
Waterbury	1,238	171	144	113	104	95	107	85	88	89	73	86	83
Windham town	201	20	29	19	18	19	18	8	16	20	14	13	7
DELAWARE.													
Wilmington	1,563	150	202	148	128	136	108	109	118	113	104	120	127
DISTRICT OF COLUMBIA.													
Washington	6,463	883	864	598	512	474	439	429	386	409	432	496	541
FLORIDA.													
Registration cities	3,721	367	478	436	289	260	260	234	254	234	276	294	339
Jacksonville	1,563	145	199	186	111	106	105	106	113	122	118	121	131
Key West	298	36	36	24	29	20	25	19	18	11	22	23	35
Miami	481	45	83	47	28	28	31	30	34	25	34	42	54
Pensacola	455	42	48	51	34	49	41	30	38	21	38	32	31
St. Petersburg	214	28	44	30	18	11	10	6	3	11	8	13	32
Tampa	710	71	68	98	69	46	48	43	48	44	56	63	56
GEORGIA.[1]													
Registration cities	6,780	585	1,003	683	460	530	525	489	462	487	526	527	512
Atlanta	3,485	284	537	335	242	267	277	248	236	255	267	271	266
Augusta	1,122	121	156	111	64	110	98	84	63	78	76	84	77
Brunswick	217	8	24	34	23	18	16	15	14	18	20	11	16
Savannah	1,965	172	286	203	131	135	134	142	149	136	163	161	153
ILLINOIS.													
Registration cities	50,815	7,282	6,903	4,783	4,215	3,935	3,412	3,100	3,215	3,177	3,365	3,672	3,756
Alton	351	46	56	29	20	28	24	20	23	28	25	26	26
Aurora	576	89	102	37	57	34	45	35	34	34	38	33	38
Belleville	321	33	53	32	23	30	25	18	24	15	20	17	31
Berwyn[2]	56	12	7	16	3	6	6	6					
Bloomington	460	48	77	54	39	38	35	26	36	27	29	29	22
Blue Island	204	29	34	17	25	13	14	17	7	12	15	9	12
Cairo	321	33	49	38	26	26	16	31	16	21	23	15	27
Canton	176	18	35	19	20	12	7	12	7	8	12	10	16
Centralia	167	16	25	15	15	8	9	6	20	12	17	13	11
Champaign	224	19	37	19	14	18	24	11	18	13	21	16	14

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

[2] There were 36 transcripts for deaths received too late for compilation.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
ILLINOIS—continued.													
Chicago	34,848	5,435	4,471	3,264	2,884	2,749	2,320	2,081	2,188	2,182	2,251	2,474	2,549
Chicago Heights	268	35	33	24	19	23	15	15	22	17	21	23	21
Cicero	331	52	57	32	23	26	13	16	27	23	20	21	21
Danville	583	53	82	54	51	37	49	38	38	28	45	55	53
Decatur	649	63	118	46	49	46	57	49	34	41	46	55	45
East St. Louis	827	95	134	68	59	53	56	58	58	54	73	69	50
Elgin	581	63	65	74	60	55	39	39	36	31	36	49	34
Evanston	493	74	60	37	37	50	40	34	32	27	21	46	35
Forest Park	94	14	8	7	7	9	4	3	8	9	9	6	10
Freeport	399	61	60	39	37	26	20	27	21	25	32	29	22
Galesburg	376	40	66	42	34	29	20	24	20	23	20	28	30
Granite	159	17	22	19	8	13	8	8	16	20	11	11	6
Herrin	164	21	42	10	11	4	10	7	6	9	12	15	17
Jacksonville	540	47	82	58	54	49	40	36	31	25	35	37	46
Joliet	447	43	57	49	40	36	30	26	30	25	33	41	37
Kankakee	224	15	24	23	15	24	17	14	14	15	20	16	27
Kewanee	270	49	55	24	16	12	12	11	14	16	17	21	23
La Salle	196	19	29	19	16	11	17	11	16	9	17	14	18
Lincoln	251	17	46	36	23	18	12	13	16	14	18	18	20
Mattoon	197	14	23	21	22	19	14	8	12	10	13	21	20
Maywood	104	16	10	11	10	6	8	6	6	9	6	7	9
Moline	371	41	55	35	32	28	29	20	26	17	35	27	26
Murphysboro	183	14	39	17	15	10	9	15	14	13	13	12	12
Oak Park	540	79	54	60	44	26	41	35	33	47	35	43	43
Ottawa	170	19	17	18	12	10	8	14	10	15	14	16	17
Pekin	122	12	25	12	13	12	3	5	6	6	10	4	14
Peoria	1,174	121	178	97	93	97	89	70	80	70	89	101	89
Quincy	554	37	82	63	50	36	36	46	38	45	35	44	42
Rock Island	407	52	53	33	37	42	31	36	19	28	22	29	25
Rockford	831	132	116	76	64	41	45	51	61	55	61	57	72
Springfield	1,002	95	161	81	83	80	81	71	70	69	59	75	77
Streator	248	36	51	22	21	13	12	16	8	11	17	22	19
Urbana	120	18	19	11	13	12	7	4	5	8	8	7	8
Waukegan	236	40	34	25	21	20	15	11	15	11	11	11	22
INDIANA.													
Registration cities	16,674	1,794	2,415	1,654	1,339	1,384	1,193	1,109	1,088	1,140	1,170	1,125	1,263
Anderson	401	24	76	58	47	23	30	30	24	21	22	16	30
Bloomington	175	18	31	20	17	8	11	13	9	15	15	7	11
Clinton	95	7	13	6	8	7	6	5	6	5	17	7	8
Crawfordsville	163	13	20	18	6	13	11	11	11	18	19	9	14
East Chicago	505	82	61	48	41	38	33	24	40	32	37	32	37
Elkhart	351	43	52	34	21	34	25	26	21	18	25	26	26
Elwood	152	16	19	15	13	14	11	10	9	15	7	7	16
Evansville	1,123	109	151	99	90	75	80	87	95	66	77	92	102
Fort Wayne	1,156	108	195	136	89	87	91	70	80	74	82	63	81
Frankfort	157	13	28	15	18	10	17	10	7	12	10	4	13
Gary	797	142	102	64	63	70	55	43	42	51	47	53	65
Hammond	499	58	76	58	39	44	44	23	26	26	26	38	41
Huntington	196	22	23	19	17	15	20	14	11	9	18	18	10
Indianapolis	4,636	442	685	429	386	423	340	336	299	346	301	318	331
Jeffersonville	131	8	14	19	11	13	6	11	3	10	8	10	18
Kokomo	368	35	55	29	24	33	22	21	18	32	32	28	39
La Porte	226	28	37	14	18	16	13	13	13	20	20	18	16
Lafayette	469	46	70	61	34	39	29	34	30	28	39	23	31
Logansport	321	43	40	46	29	22	17	18	17	19	25	20	25
Marion	362	25	66	40	30	27	25	26	27	25	29	15	27
Michigan City	266	28	45	22	17	21	18	24	15	19	13	17	27
Mishawaka	218	35	27	17	12	14	14	19	12	11	14	24	19
Muncie	564	53	82	55	47	45	41	35	36	41	46	40	43
New Albany	311	36	34	34	17	25	23	20	24	27	24	22	25
New Castle	203	20	47	18	22	16	11	11	11	15	11	15	6
Peru	181	19	28	15	12	15	13	13	9	17	11	16	13
Richmond	339	36	51	32	28	35	18	16	28	15	30	28	22
South Bend	921	148	121	82	69	80	61	58	62	62	62	61	55
Terre Haute	997	92	126	120	83	79	85	62	71	63	76	61	79
Vincennes	271	23	29	20	23	28	19	19	23	21	23	23	20
Whiting	120	22	11	11	8	15	4	7	9	7	4	9	13
KANSAS.													
Registration cities	6,087	530	975	560	474	476	443	431	425	422	396	447	508
Arkansas City	173	18	17	16	13	8	8	16	12	15	16	17	17
Atchison	206	27	44	21	17	15	9	8	12	11	7	19	16
Chanute	170	9	28	18	8	10	13	10	19	19	13	10	13
Coffeyville	210	18	24	24	11	13	23	10	11	16	15	20	25
El Dorado	137	18	24	12	10	12	8	7	5	10	8	16	7

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
KANSAS—continued.													
Emporia	184	20	27	9	13	23	10	10	17	14	17	17	7
Fort Scott	179	12	34	15	5	13	10	16	13	9	16	21	17
Hutchinson	333	22	56	35	25	24	26	21	27	30	23	17	27
Independence	166	8	24	24	11	11	16	10	14	5	9	19	15
Kansas City	1,478	140	252	153	119	117	89	110	99	102	88	97	112
Lawrence	176	16	18	12	23	13	15	14	13	15	11	11	15
Leavenworth	254	20	63	20	17	10	20	15	18	22	12	13	24
Parsons	199	19	25	14	23	18	16	13	12	12	13	13	21
Pittsburg	142	9	28	13	14	13	12	6	6	5	5	11	20
Salina	208	12	37	14	15	13	13	14	16	16	18	19	21
Topeka	763	70	98	68	68	72	68	59	54	53	49	53	51
Wichita	1,109	92	176	94	82	91	87	92	77	68	76	74	100
KENTUCKY.													
Registration cities	6,867	632	935	748	554	520	489	474	460	465	536	493	561
Ashland	195	17	31	10	20	20	12	16	14	13	12	12	18
Covington	868	57	156	90	81	75	50	63	59	52	59	55	71
Henderson	177	21	19	21	17	12	19	8	10	21	16	12	1
Lexington	955	94	126	119	66	73	55	64	58	79	74	70	77
Louisville	3,582	336	482	377	290	261	280	238	237	221	288	274	298
Newport	331	34	54	44	24	20	16	27	15	21	18	26	33
Owensboro	367	30	26	47	24	28	29	30	35	30	37	26	25
Paducah	392	43	41	40	32	31	28	28	32	28	32	19	38
LOUISIANA.													
Registration cities	9,094	879	1,043	1,018	676	637	720	681	655	620	640	733	792
Alexandria	269	24	20	31	23	23	19	17	21	19	30	17	25
Baton Rouge	333	32	26	44	23	25	32	25	27	21	25	26	27
Lake Charles	214	25	20	15	17	15	24	6	20	17	14	21	20
Monroe	250	20	19	23	17	23	26	16	17	25	15	26	23
New Orleans	6,869	658	817	791	516	466	513	521	481	460	472	559	615
Shreveport	1,159	120	141	114	80	85	106	96	89	78	84	84	82
MAINE.													
Registration cities	3,667	326	585	329	295	306	239	251	281	289	267	226	278
Auburn	182	13	20	18	15	14	13	9	9	21	14	15	21
Augusta	323	27	42	37	34	34	19	15	29	28	22	15	21
Bangor	572	54	85	50	52	53	43	43	44	32	35	40	41
Bath	178	17	42	17	9	11	13	11	10	18	9	7	14
Biddeford	280	28	56	25	24	19	17	17	21	21	18	11	23
Lewiston	598	49	80	50	57	53	42	45	48	49	45	37	43
Portland	1,214	116	217	103	82	92	71	94	94	99	92	72	82
Sanford town	128	8	14	18	9	11	6	7	12	7	8	12	16
Waterville	192	14	29	11	13	19	15	10	14	14	24	17	12
MARYLAND.													
Registration cities	12,522	1,119	1,910	1,131	976	969	835	956	957	872	867	924	1,006
Annapolis	154	12	23	13	10	11	8	14	11	10	14	15	13
Baltimore	11,356	1,002	1,736	1,028	895	893	767	883	862	786	762	835	907
Cumberland	460	42	77	49	35	23	27	29	38	34	39	35	32
Frederick	200	23	26	11	16	18	12	12	17	10	20	17	18
Hagerstown	352	40	48	30	20	24	21	18	29	32	32	22	36
MASSACHUSETTS.													
Registration cities	43,422	4,198	6,356	4,443	3,725	3,493	2,912	2,660	2,938	2,938	3,127	3,183	3,449
Adams town	122	13	11	15	9	14	9	9	5	12	7	8	10
Amesbury town	103	10	7	15	11	10	10	6	2	.....	13	7	12
Arlington town	266	24	39	17	18	27	23	19	18	23	19	18	21
Attleboro	287	39	35	28	18	24	25	20	19	21	17	23	18
Belmont town	92	8	19	8	11	9	5	3	9	9	7	1	3
Beverly	284	27	49	30	20	22	19	18	14	25	20	19	21
Boston	11,604	1,177	1,808	1,095	999	930	781	692	818	780	796	832	896
Braintree town	143	10	12	19	15	14	13	11	5	7	10	14	13
Brockton	767	70	136	83	61	69	59	42	42	57	57	44	47
Brookline town	387	33	55	41	41	23	27	19	24	28	33	26	37
Cambridge	1,636	171	229	162	142	137	113	104	100	114	125	116	123
Chelsea	563	56	93	52	35	54	29	29	30	42	54	36	53
Chicopee	390	31	63	53	34	28	21	25	25	24	28	32	26
Clinton town	194	15	34	18	13	14	17	4	10	14	11	12	32
Danvers town	283	31	33	27	24	36	18	18	19	.....	23	24	30
Dedham town	109	12	24	10	10	5	11	3	6	6	9	7	6
Easthampton town	132	7	16	18	13	13	4	11	19	.....	6	10	15
Everett	456	43	75	49	45	33	32	26	23	28	28	38	36
Fall River	1,772	150	192	181	137	131	127	108	145	161	149	145	146
Fitchburg	492	50	70	41	40	47	36	26	33	38	34	33	44

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
MASSACHUSETTS—continued.													
Framingham town	262	21	45	31	27	21	21	16	12	19	18	17	14
Gardner town	232	23	38	24	20	14	15	22	18	14	9	13	22
Gloucester	320	36	40	28	28	24	26	26	21	23	26	17	25
Greenfield town	199	15	27	19	24	22	10	8	19	8	16	17	14
Haverhill	730	61	125	69	77	76	44	37	41	37	61	53	49
Holyoke	863	84	116	91	77	74	64	55	63	60	56	62	61
Lawrence	1,283	129	200	128	107	80	81	79	109	88	99	80	103
Leominster	194	25	32	8	11	15	17	16	10	11	9	18	22
Lowell	1,771	143	237	209	157	133	105	129	105	135	143	125	150
Lynn	1,276	121	217	136	123	108	75	72	81	78	63	92	110
Malden	575	60	101	53	41	46	44	28	40	31	39	46	46
Marlborough	180	25	26	21	15	11	19	6	11	9	14	14	9
Medford	421	47	64	48	34	28	23	32	25	24	27	32	37
Melrose	233	28	26	34	15	26	21	12	9	14	11	10	18
Methuen	213	18	23	17	19	14	18	22	19	17	18	13	15
Milford town	200	17	22	30	16	9	21	10	14	17	13	16	15
Natick town	149	18	31	20	8	12	11	6	10	.....	15	9	9
New Bedford	1,745	171	287	186	135	142	108	95	154	111	120	117	119
Newburyport	277	21	35	23	26	18	27	20	27	25	19	19	17
Newton	567	61	67	71	51	43	34	34	33	36	32	45	55
North Adams	302	27	36	43	25	25	26	12	15	24	16	30	23
Northampton	451	52	46	41	35	47	40	19	37	33	31	35	35
Northbridge town	111	8	17	11	12	6	6	4	4	13	10	11	9
Norwood town	108	5	20	11	10	11	7	8	10	9	5	8	4
Peabody	242	20	24	21	29	18	14	21	10	16	16	26	27
Pittsfield	583	64	89	52	50	51	34	37	34	37	45	52	38
Plymouth town	204	16	15	22	19	19	18	8	19	14	19	15	20
Quincy	487	60	64	49	37	38	26	39	27	34	41	36	36
Revere	210	21	35	23	13	19	12	9	14	13	13	24	14
Salem	634	63	83	76	60	45	44	31	37	41	48	48	58
Saugus town	96	5	12	15	5	11	7	12	2	5	5	11	6
Somerville	1,127	121	198	104	80	91	61	77	64	72	80	92	87
Southbridge town	124	17	9	15	15	7	3	10	5	10	10	10	13
Springfield	1,709	137	243	167	157	121	118	116	122	118	128	119	163
Taunton	709	60	71	109	66	60	42	42	56	45	60	45	53
Wakefield town	140	10	19	8	17	13	11	12	8	12	9	11	10
Waltham	388	40	51	47	41	30	15	25	20	19	33	35	32
Watertown town	171	14	26	21	18	18	6	12	9	11	14	10	12
Webster town	124	10	20	16	5	14	7	10	9	8	8	6	11
West Springfield town	122	13	16	17	9	11	7	5	8	6	13	6	11
Westfield town	231	29	26	28	32	21	15	24	18	17	20	25	26
Weymouth town	166	14	19	10	16	5	8	17	11	11	17	19	19
Winchester town	141	11	17	9	13	11	9	10	8	13	14	14	12
Winthrop town	148	14	24	13	15	9	10	9	9	7	15	13	10
Woburn	204	20	35	16	20	11	21	10	9	8	15	17	22
Worcester	2,668	246	382	291	219	225	182	163	181	196	188	196	199
MICHIGAN.													
Registration cities	27,534	3,109	4,921	2,546	2,366	2,234	1,838	1,666	1,681	1,730	1,765	1,779	1,899
Adrian	211	18	34	25	13	25	26	9	8	11	13	9	20
Alpena	192	11	19	25	26	17	21	9	11	8	14	16	16
Ann Arbor	630	51	96	56	65	51	46	43	42	44	54	45	37
Battle Creek	605	47	105	55	48	56	42	43	44	38	35	41	51
Bay City	767	83	152	79	66	46	54	43	41	54	52	39	58
Benton Harbor	171	14	33	11	12	7	11	15	8	16	18	9	17
Detroit	13,700	1,791	2,524	1,255	1,162	1,052	882	823	841	833	826	820	882
Escanaba	249	17	55	17	23	17	16	20	16	13	22	18	15
Flint	1,178	148	258	96	86	88	67	67	88	69	68	76	67
Grand Rapids	1,826	137	270	184	158	200	144	120	107	113	117	134	142
Hamtramck	587	80	82	46	44	49	31	28	45	45	54	45	38
Highland Park	399	66	72	32	33	32	30	16	20	24	21	22	31
Holland	161	18	28	9	8	15	10	16	5	13	13	14	12
Ironwood	200	18	38	26	14	22	16	8	16	7	12	13	10
Ishpeming	141	13	16	15	11	13	6	13	10	7	7	14	16
Jackson	724	73	125	71	65	52	45	44	43	45	57	49	55
Kalamazoo	1,077	106	160	118	107	90	76	61	54	71	81	69	84
Lansing	749	74	136	81	77	60	46	49	30	45	40	53	58
Marquette	187	15	27	17	15	23	14	13	14	14	12	9	14
Monroe	170	12	28	16	20	15	13	6	7	8	15	17	13
Muskegon	549	44	99	49	43	53	40	35	45	31	33	41	36
Owosso	213	23	40	19	22	14	11	13	13	13	10	17	18
Pontiac	664	70	131	49	60	50	37	36	41	64	45	45	36
Port Huron	412	41	78	41	35	31	24	19	22	24	28	36	33
Saginaw	1,020	80	190	99	90	80	67	62	64	68	65	70	85
Sault Ste. Marie	186	17	35	14	10	17	12	14	13	10	13	16	16
Traverse City	315	26	34	15	35	31	30	28	26	27	24	16	23
Wyandotte	251	16	56	26	18	28	21	13	7	15	16	18	17

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
MINNESOTA.													
Registration cities	10,975	1,173	1,565	992	914	1,005	796	762	726	735	717	787	803
Austin	125	13	19	17	14	3	9	9	6	5	14	10	6
Duluth	1,007	95	152	97	88	97	69	68	72	58	68	75	68
Faribault	232	24	43	22	14	20	16	12	8	25	17	22	9
Hibbing	134	6	26	13	8	9	12	16	7	8	10	6	13
Mankato	213	24	25	18	19	25	19	15	14	14	13	17	10
Minneapolis	4,713	484	713	423	401	420	365	316	313	295	310	324	349
Rochester	1,013	122	103	80	63	87	69	89	75	94	86	78	67
St. Cloud	217	12	28	22	24	21	15	14	13	18	12	16	22
St. Paul	2,958	359	402	268	248	282	204	190	205	189	162	213	236
Virginia	120	7	24	8	16	12	1	9	2	12	10	9	10
Winona	243	27	30	24	19	29	17	24	11	17	15	17	13
MISSISSIPPI.													
Registration cities	3,369	264	298	393	307	287	289	292	249	259	240	232	259
Biloxi	134	16	12	19	11	8	10	15	11	6	5	9	12
Columbus	210	21	22	25	22	18	9	19	19	13	14	16	12
Greenville	311	24	34	36	24	19	27	31	20	20	28	26	22
Hattiesburg	208	12	28	21	18	21	17	16	16	17	10	20	12
Jackson	799	70	49	78	59	85	94	61	53	73	55	54	68
Laurel	240	10	27	35	20	17	13	19	25	15	21	18	20
Meridian	639	34	53	90	75	52	64	63	40	50	46	36	36
Natchez	241	26	17	22	20	16	9	27	21	15	18	20	30
Vicksburg	587	51	56	67	58	51	46	41	44	50	43	33	47
MISSOURI.													
Registration cities	20,481	2,505	3,231	1,992	1,595	1,498	1,416	1,355	1,283	1,260	1,412	1,419	1,515
Cape Girardeau	204	22	31	23	10	13	10	18	9	8	18	19	23
Carthage	147	14	21	21	11	7	10	8	6	17	8	11	13
Columbia	191	22	40	11	10	15	12	15	11	12	19	13	11
Hannibal	316	33	64	23	23	19	20	21	29	17	17	26	24
Independence	209	27	46	20	20	15	14	7	9	15	12	8	16
Jefferson City	200	19	41	21	13	12	12	12	16	5	21	12	16
Joplin	464	49	59	46	35	32	34	42	30	28	32	35	41
Kansas City	5,279	739	889	475	398	364	344	325	374	327	322	358	364
Moberly	170	17	24	22	8	8	11	13	13	18	9	10	17
St. Joseph	1,343	103	225	106	89	115	110	120	93	92	97	97	96
St. Louis	10,931	1,379	1,622	1,090	889	841	755	697	631	670	793	762	802
Sedalia	341	24	62	41	29	23	28	24	18	16	26	23	27
Springfield	686	57	107	93	59	34	56	53	44	35	38	45	65
MONTANA.													
Registration cities	1,660	150	228	177	118	152	84	105	128	116	116	143	143
Anaconda	117	14	16	14	14	8	6	6	4	5	6	12	12
Billings	217	20	22	22	11	25	12	11	14	18	23	21	18
Butte	614	58	97	66	40	47	26	39	42	50	43	46	60
Great Falls	334	27	55	44	21	32	20	16	27	16	21	29	26
Helena	196	15	18	15	14	21	8	23	17	15	14	20	16
Missoula	182	16	20	16	18	19	12	10	24	12	9	15	11
NEBRASKA.													
Registration cities	4,062	352	530	408	357	317	336	279	262	327	291	291	312
Grand Island	227	16	30	27	20	18	21	17	13	19	15	19	12
Hastings	209	14	33	25	16	16	22	12	16	14	11	17	13
Lincoln	739	50	109	78	66	53	74	53	46	48	47	52	63
North Platte	116	10	10	16	9	6	5	10	9	16	8	5	12
Omaha	2,771	262	348	262	246	224	214	187	178	230	210	198	212
NEW HAMPSHIRE.													
Registration cities	2,929	274	373	315	239	246	191	213	195	230	204	228	221
Berlin	195	24	16	25	11	7	15	14	15	15	12	21	20
Concord	470	47	60	45	39	41	35	30	35	38	36	27	37
Dover	225	21	30	28	18	20	13	18	10	15	12	23	17
Keene	170	20	24	17	14	15	12	16	12	12	9	11	8
Laconia	198	21	25	35	18	7	12	14	15	12	14	10	15
Manchester	1,031	93	136	99	85	97	63	61	62	99	75	89	72
Nashua	444	34	40	44	40	41	29	47	30	28	37	37	37
Portsmouth	196	14	42	22	14	18	12	13	16	11	9	10	15

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
NEW JERSEY.													
Registration cities	27,240	2,906	4,002	2,550	2,295	2,218	1,833	1,858	1,885	1,745	1,840	1,946	2,162
Asbury Park	180	16	14	10	10	13	17	22	17	20	13	12	16
Atlantic City	875	61	114	83	66	82	82	85	72	62	54	59	55
Bayonne	783	84	100	82	71	62	50	54	42	49	62	63	64
Belleville	391	40	42	32	39	32	28	35	23	21	25	32	42
Bloomfield	170	23	18	18	12	16	13	9	18	10	6	14	13
Bridgeton	262	16	32	24	29	22	19	13	25	20	18	10	25
Camden	1,731	179	275	136	136	129	116	113	138	111	125	126	147
Clifton	192	13	41	13	19	17	15	9	16	12	10	13	14
East Orange	463	67	59	48	36	39	46	20	23	30	27	25	43
Elizabeth	1,227	137	206	131	107	93	71	79	75	73	70	94	91
Englewood	203	29	23	9	19	22	18	13	19	15	11	8	17
Garfield	189	16	29	25	13	10	17	17	12	8	14	20	8
Gloucester	109	16	20	6	6	9	14	6	8	6	3	10	5
Hackensack	311	30	33	29	26	31	24	19	26	20	26	21	26
Harrison	205	23	22	17	13	12	15	17	19	13	18	19	17
Hoboken	882	81	129	96	81	66	55	60	50	59	47	80	78
Irvington	244	33	30	22	22	19	13	15	13	20	17	23	17
Jersey City	4,221	480	677	388	390	350	241	273	254	266	304	272	326
Kearny	305	17	48	39	33	28	23	32	17	11	20	13	24
Long Branch	298	30	29	24	14	34	14	35	32	20	19	21	25
Millville	182	15	28	16	11	11	12	8	10	16	17	17	21
Montclair	246	37	29	18	18	27	13	22	10	17	18	17	20
Morristown	281	31	30	22	30	25	29	14	24	14	19	25	18
New Brunswick	507	62	69	45	43	48	36	28	34	39	36	31	36
Newark	5,372	604	838	514	445	459	349	354	344	335	355	362	413
Orange	556	59	78	50	44	54	33	31	40	39	36	43	49
Passaic	819	92	120	72	75	62	57	52	76	59	39	57	58
Paterson	1,746	181	244	162	156	146	120	117	114	97	101	160	148
Perth Amboy	485	39	72	53	34	29	31	35	37	35	43	39	38
Phillipsburg	193	17	34	16	13	17	15	15	15	16	16	6	13
Plainfield	436	51	59	38	37	28	27	26	23	34	35	36	42
Rahway	159	17	32	10	9	8	6	13	12	10	9	19	14
Roosevelt	110	6	15	14	9	10	5	11	13	9	4	8	6
Summit	153	15	19	16	4	16	8	15	7	16	14	9	14
Trenton	1,886	174	269	183	156	125	134	136	153	130	157	118	146
Union	173	20	30	8	16	13	16	11	12	8	13	10	16
West Hoboken	350	46	54	48	22	22	25	21	23	13	13	28	35
West New York	228	29	32	26	18	23	14	15	21	7	16	10	17
West Orange	117	20	9	7	13	9	12	8	13	5	10	7	4
NEW YORK.													
Registration cities	109,781	12,228	16,421	10,545	9,291	9,024	7,308	6,840	7,419	7,173	7,353	7,615	8,564
Albany	1,785	172	238	176	142	164	134	103	129	146	123	117	141
Amsterdam	414	33	58	41	35	40	33	28	20	27	34	32	33
Auburn	588	39	77	72	52	50	46	45	33	37	45	35	57
Batavia	247	22	30	24	26	35	23	13	11	11	21	16	12
Beacon	211	24	28	12	21	18	15	16	17	17	17	9	17
Binghamton	1,146	86	172	132	97	85	99	56	77	68	83	82	109
Buffalo	7,475	608	1,157	753	648	608	477	464	537	515	540	545	623
Cohoes	329	32	57	43	29	25	17	17	25	21	21	23	19
Corning	242	21	42	22	20	22	15	16	15	12	21	21	15
Cortland	231	20	38	22	13	25	15	6	16	17	21	16	22
Dunkirk	249	23	42	28	21	23	15	15	10	14	20	22	16
Elmira	583	51	77	53	36	45	48	40	39	51	53	33	47
Fulton	176	9	29	14	15	19	7	14	14	15	20	9	11
Geneva	235	20	29	14	20	26	15	18	23	19	16	20	15
Glens Falls	274	25	26	26	26	14	22	9	27	19	21	25	34
Gloversville	397	34	71	34	29	32	34	22	26	22	21	35	37
Herkimer	143	9	18	15	11	16	8	12	15	9	7	12	11
Hornell	221	23	31	24	15	22	17	18	11	12	13	14	21
Hudson	205	16	30	20	21	15	15	12	19	11	15	19	12
Ilion	124	21	18	13	9	8	8	4	6	6	12	7	12
Ithaca	274	35	38	23	24	22	14	17	13	19	32	20	17
Jamestown	538	38	94	56	46	45	37	39	28	34	46	41	31
Johnstown	141	14	24	14	6	14	6	4	8	9	11	12	19
Kingston	447	42	51	47	36	36	38	35	24	39	36	27	36
Lackawanna	391	25	47	28	15	29	32	35	33	45	33	22	42
Little Falls	170	7	16	18	9	13	19	15	20	23	12	9	9
Lockport	290	32	37	41	25	22	14	18	13	18	23	22	25
Middletown	411	36	63	40	31	39	30	24	33	28	25	25	37
Mount Vernon	524	60	87	59	44	61	30	27	29	28	29	32	38
New Rochelle	403	42	75	36	25	33	20	26	17	24	24	32	49
New York	73,393	8,965	11,155	6,964	6,271	5,857	4,743	4,533	4,883	4,605	4,722	5,096	5,599
Bronx borough	7,903	988	1,261	698	623	645	542	515	511	486	489	554	591
Brooklyn borough	25,613	3,036	3,992	2,495	2,182	2,089	1,663	1,516	1,688	1,581	1,646	1,778	1,947
Manhattan borough	32,595	4,139	4,857	3,140	2,823	2,568	2,039	2,025	2,165	2,053	2,069	2,235	2,482
Queens borough	5,501	607	802	470	493	436	363	365	380	347	396	404	433
Richmond borough	1,781	195	243	161	150	119	136	112	139	138	122	125	141

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
NEW YORK—continued.													
Newburgh	497	55	82	50	32	39	39	42	33	33	35	29	28
Niagara Falls	651	45	108	83	52	57	55	36	32	42	41	46	54
North Tonawanda	190	19	30	17	19	16	16	5	10	6	22	15	15
Ogdensburg	467	41	71	33	35	39	37	37	35	29	42	30	38
Olean	305	22	34	45	30	23	26	26	21	22	12	21	23
Oneida	160	11	23	12	18	17	3	11	19	16	7	11	12
Oneonta	187	15	19	18	14	20	13	14	11	17	11	17	18
Ossining	154	17	23	16	8	13	15	9	10	4	10	11	18
Oswego	284	22	34	15	20	29	14	35	19	21	18	26	31
Peekskill	226	21	29	28	17	11	18	19	15	19	14	15	20
Plattsburg	234	26	21	20	16	15	21	20	21	22	21	15	16
Port Chester	204	25	31	23	15	14	19	15	12	9	14	11	16
Port Jervis	202	16	34	19	22	21	13	11	17	4	12	14	19
Poughkeepsie	516	72	68	48	50	32	35	29	40	31	43	32	36
Rensselaer	113	10	19	7	9	10	4	9	11	11	5	5	13
Rochester	3,765	363	440	353	322	375	271	260	269	277	297	261	277
Rome	568	48	88	49	44	52	50	39	42	38	30	41	47
Saratoga Springs	252	21	35	32	16	15	18	15	24	20	19	19	18
Schenectady	956	82	130	86	99	87	68	54	66	64	64	70	86
Syracuse	2,640	253	397	232	238	229	197	153	192	194	183	153	219
Tonawanda	99	11	17	7	7	10	9	7	9	8	7	3	4
Troy	1,222	104	180	133	97	109	84	68	89	84	81	90	103
Utica	1,385	128	227	142	114	131	93	87	99	94	78	87	105
Watertown	616	53	78	72	56	47	38	35	41	61	42	52	41
Watervliet	211	12	37	23	14	21	16	15	15	12	12	20	14
White Plains	267	37	32	25	22	24	17	13	21	22	20	10	24
Yonkers	1,153	115	179	93	87	105	73	75	75	92	83	76	100
NORTH CAROLINA.													
Registration cities	5,788	520	875	531	408	403	438	464	441	364	431	448	465
Asheville	729	71	90	58	68	63	51	69	63	49	36	51	60
Charlotte	747	49	108	70	42	54	52	61	70	52	60	61	68
Durham	378	30	60	41	26	23	39	40	29	21	28	19	22
Gastonia	233	21	23	23	13	15	18	13	22	16	34	20	15
Goldsboro	274	43	32	10	19	20	13	20	25	14	24	23	22
Greensboro	378	26	80	24	24	25	27	39	26	19	28	29	31
High Point	199	10	34	20	14	9	12	19	15	17	16	19	14
New Bern	267	26	34	35	21	14	23	15	20	17	19	20	23
Raleigh	568	53	91	44	42	35	43	46	31	34	60	48	41
Rocky Mount	233	27	31	25	12	14	21	14	13	21	12	18	25
Salisbury	180	23	24	21	9	10	12	13	11	9	15	11	22
Wilmington	654	60	101	71	44	52	58	40	49	45	41	55	47
Wilson	186	10	27	20	16	10	14	15	16	14	14	12	18
Winston-Salem	762	71	140	60	58	59	55	60	60	36	44	62	57
NORTH DAKOTA.[1]													
Fargo	384	51	64	18	32	32	29	27	32	28	25	22	24
OHIO.													
Registration cities	42,185	3,988	6,588	4,203	3,541	3,508	2,965	2,649	2,767	2,848	2,909	3,023	3,196
Akron	2,443	312	545	226	218	196	149	114	128	151	123	144	137
Alliance	301	26	43	29	26	22	30	24	18	14	23	19	27
Ashtabula	269	26	50	25	21	21	23	16	15	19	17	17	19
Barberton	239	18	45	24	22	25	19	12	13	13	10	22	16
Bellaire	210	13	35	24	20	15	20	16	15	14	14	15	9
Bucyrus	134	16	18	15	12	11	14	9	12	6	6	9	6
Cambridge	178	31	14	14	19	10	11	10	12	15	13	14	15
Canton	1,108	133	173	113	95	96	79	60	73	70	66	69	81
Chillicothe	219	18	22	16	14	16	24	13	16	12	23	24	21
Cincinnati	6,073	589	853	610	490	538	442	393	408	405	448	426	471
Cleveland	9,985	827	1,559	1,016	837	846	675	606	686	708	721	739	765
Cleveland Heights	109	7	14	11	15	4	12	9	4	8	8	7	10
Columbus	3,546	316	593	327	301	276	250	229	220	242	228	273	291
Coshocton	167	15	33	20	9	15	12	10	16	13	6	11	7
Cuyahoga Falls	123	11	17	12	8	14	7	9	14	6	6	4	15
Dayton	1,883	254	250	188	164	151	122	126	119	117	124	116	152
East Cleveland	265	30	32	28	15	24	17	15	18	15	22	21	28
East Liverpool[2]	350	3	94	35	26	25	22	22	21	20	21	32	29
East Youngstown	183	17	28	18	15	19	12	13	14	13	8	16	10
Elyria	273	27	26	28	37	27	25	16	19	18	15	18	17
Findlay	249	21	26	29	29	24	20	11	16	10	17	23	23
Fremont	122	13	25	13	12	11	10	2	4	11	4	9	8
Hamilton	560	66	88	65	33	46	45	37	33	35	38	33	41
Ironton	251	16	40	23	16	19	6	22	22	19	31	19	18
Kenmore	124	15	18	14	11	11	5	7	4	10	9	10	10

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.
[2] There were 31 transcripts for deaths received too late for compilation (23 for January and 8 for February).

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
OHIO—continued.													
Lakewood	334	28	53	28	24	39	28	24	20	21	24	13	32
Lancaster	183	20	14	23	20	15	11	20	8	12	12	13	15
Lima	602	46	117	55	44	56	53	30	39	45	22	46	49
Lorain	438	42	64	37	38	48	22	34	34	27	32	26	34
Mansfield	349	36	48	27	32	29	24	26	23	20	28	24	32
Marietta	261	21	40	29	28	18	25	12	11	22	21	15	19
Marion	389	37	49	38	28	32	35	32	16	25	30	40	27
Martins Ferry	202	10	34	20	24	13	12	14	14	17	9	22	13
Massillon	247	23	27	27	27	21	16	19	21	20	18	16	12
Middletown	269	32	22	18	27	21	18	14	27	27	19	21	23
New Philadelphia	128	16	21	9	19	7	4	7	10	9	10	7	9
Newark	405	33	65	47	25	46	23	23	27	28	25	25	33
Niles	123	9	18	11	18	4	5	14	7	8	6	16	7
Norwood	201	16	26	31	13	18	16	6	16	13	15	18	13
Piqua	262	19	37	29	27	25	20	17	20	19	21	13	15
Portsmouth	492	38	94	58	39	36	39	33	33	20	35	37	30
Salem	189	15	27	13	12	19	9	15	12	9	23	23	12
Sandusky	275	26	38	40	14	28	21	16	25	13	20	20	14
Springfield	822	57	153	55	66	70	50	58	62	64	56	69	62
Steubenville	408	31	74	38	44	27	33	25	16	28	27	31	34
Tiffin	212	21	26	21	18	17	20	19	12	14	18	13	13
Toledo	3,413	334	493	345	277	272	250	225	224	225	255	247	266
Warren	429	37	56	55	36	36	29	31	24	28	38	34	25
Youngstown	1,738	195	286	175	134	116	114	97	112	131	120	111	147
Zanesville	450	26	65	51	42	33	37	37	34	39	24	33	29
OKLAHOMA.[1]													
Oklahoma City	1,135	112	147	96	83	92	91	114	80	77	88	78	77
OREGON.													
Registration cities	4,115	393	570	383	333	350	346	297	293	263	312	272	293
Astoria	203	19	27	16	15	21	15	17	13	17	16	14	13
Eugene	214	18	20	21	16	17	17	11	18	23	13	20	20
Portland	3,164	318	471	281	254	256	268	227	227	193	238	202	229
Salem (exclusive of)	242	18	25	26	16	27	21	18	18	22	18	16	17
State institutions	292	20	27	39	32	29	25	24	17	13	27	20	19
PENNSYLVANIA.													
Registration cities	66,435	6,090	10,774	6,431	5,512	5,376	4,533	4,187	4,419	4,340	4,648	4,858	5,258
Allentown	1,233	86	140	125	112	106	92	75	95	100	107	89	106
Altoona	846	102	168	79	55	64	42	42	46	49	76	63	60
Ambridge	127	11	25	12	12	11	11	5	8	5	8	10	9
Beaver Falls	217	21	27	16	13	24	16	17	16	10	15	17	25
Berwick	145	10	14	11	12	17	14	10	11	9	12	12	13
Bethlehem	500	38	75	43	43	42	36	42	37	41	32	31	40
Braddock	440	49	83	40	32	36	23	33	31	30	32	23	23
Bradford	285	20	50	28	22	31	18	20	14	22	17	25	18
Bristol	144	14	18	15	12	7	12	12	7	9	14	10	14
Butler	278	19	30	37	26	23	13	23	17	13	23	32	17
Canonsburg	124	8	22	16	9	10	5	5	12	10	8	9	10
Carbondale	317	20	51	33	26	33	15	28	14	17	27	24	29
Carlisle	199	15	40	14	17	12	14	19	10	12	10	22	14
Carnegie	180	10	38	16	8	26	12	15	20	6	9	6	14
Carrick	102	6	12	11	12	14	4	10	8	3	3	4	15
Chambersburg	212	10	24	29	21	20	17	13	13	14	14	21	16
Charleroi	123	6	26	7	10	7	8	7	11	11	10	10	10
Chester	937	83	134	95	70	82	75	74	59	80	64	65	56
Coatesville	184	20	34	16	13	8	7	11	15	16	14	13	17
Columbia	163	8	25	10	9	17	17	9	9	12	10	20	17
Connellsville	168	11	20	14	15	16	14	13	12	13	13	12	15
Dickson City	110	11	17	16	8	8	2	10	13	11	4	4	6
Donora	139	10	21	9	13	12	9	14	19	9	6	7	10
Du Bois	201	12	42	21	17	15	15	16	10	10	13	17	13
Dunmore	338	20	64	21	31	25	16	23	38	26	23	19	32
Duquesne	236	17	32	27	24	15	14	19	18	20	12	16	22
Easton	602	62	90	45	36	33	36	36	52	51	39	54	68
Erie	1,404	117	231	114	135	132	92	81	93	106	115	94	94
Farrell	226	20	48	25	20	15	14	17	11	10	18	16	12
Greensburg	278	21	59	24	18	20	19	18	15	11	25	23	25
Harrisburg	1,107	111	169	94	85	80	85	69	70	92	84	80	83
Hazleton	483	34	77	50	43	41	23	44	31	39	31	41	29
Homestead	228	19	41	19	29	19	15	15	22	11	12	19	7
Jeannette	86	10	11	13	4	1	4	6	6	7	8	9	7
Johnstown	1,140	111	207	86	83	120	74	55	77	73	74	93	82
Lancaster	887	82	122	79	57	72	86	71	52	63	67	60	76
Lebanon	435	43	72	27	30	28	35	24	29	29	37	32	49
McKees Rocks	168	13	25	13	11	18	6	16	18	10	14	10	14
McKeesport	704	51	112	77	76	64	49	36	51	43	46	43	56
Mahanoy City	214	18	35	20	13	20	17	12	19	12	14	18	16

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
Meadville	261	14	36	31	24	20	19	14	19	17	17	21	29
Monessen	205	18	47	17	10	14	13	13	18	14	10	14	17
Mount Carmel	164	13	34	16	12	13	10	7	16	9	13	13	8
Nanticoke	335	23	42	44	31	16	16	21	23	17	33	40	29
New Castle	625	65	113	75	52	47	43	37	39	30	38	47	39
New Kensington	210	14	39	21	20	16	11	6	12	12	20	21	18
Norristown	719	60	94	67	60	63	51	53	63	58	49	50	51
North Braddock	166	16	42	17	12	11	8	12	9	10	6	11	12
Oil City	285	38	51	24	20	20	19	11	13	18	21	22	28
Old Forge	165	17	27	28	7	6	8	10	14	14	14	5	15
Olyphant	112	6	18	11	14	15	8	4	11	10	8	3	4
Philadelphia	26,511	2,595	4,237	2,667	2,261	2,088	1,831	1,597	1,678	1,654	1,829	1,954	2,120
Phoenixville	159	9	24	16	20	17	10	13	16	10	6	7	11
Pittsburgh	9,678	853	1,786	962	767	779	633	623	622	625	628	658	752
Pittston	334	31	55	35	26	22	18	43	19	21	18	18	28
Plymouth	188	12	24	29	19	22	9	10	14	11	16	10	12
Pottstown	267	23	36	21	27	26	21	19	16	17	14	26	21
Pottsville	412	33	54	40	36	39	26	26	31	32	25	38	32
Punxsutawney	162	16	26	14	13	9	13	10	11	14	13	12	11
Reading	1,564	164	196	149	119	119	113	95	129	107	98	132	143
Scranton	2,057	197	319	162	168	168	155	144	155	123	155	139	172
Shamokin	251	19	49	27	18	29	15	12	13	14	21	19	15
Sharon	345	31	65	36	33	24	18	26	13	24	25	23	27
Shenandoah	339	33	51	40	16	33	21	22	29	19	22	20	33
Steelton	186	13	25	16	24	12	7	10	19	16	17	13	14
Sunbury	221	15	22	22	20	19	20	12	14	17	21	22	17
Swissvale	124	11	34	9	10	7	14	7	4	10	6	4	8
Tamaqua	138	6	25	9	5	9	9	9	13	10	11	17	15
Uniontown	317	21	32	23	36	31	16	29	25	22	32	31	19
Warren	174	13	30	15	16	15	14	14	15	8	19	7	8
Washington	411	36	56	34	29	34	31	16	37	33	32	39	34
West Chester	316	33	39	24	30	25	31	17	26	25	15	19	32
Wilkes-Barre	1,236	92	197	139	99	118	91	67	73	72	108	82	98
Wilkinsburg	383	38	83	35	28	18	27	30	20	21	32	27	24
Williamsport	618	81	87	48	59	44	52	42	32	44	35	53	41
Woodlawn	134	8	21	13	13	12	14	2	9	9	13	10	10
York	753	74	127	58	76	72	42	39	40	67	43	48	67
RHODE ISLAND.													
Registration cities	7,372	690	1,171	753	579	525	541	489	505	494	505	522	598
Bristol town	168	14	23	11	17	11	13	17	13	16	12	7	14
Central Falls	249	22	35	30	19	8	29	14	21	17	23	16	15
Cranston (exclusive of)	240	16	37	29	29	16	15	16	7	12	15	24	24
State institutions	425	44	43	45	38	33	20	34	38	36	33	36	25
Cumberland town	125	6	28	17	9	6	10	5	15	11	7	6	5
East Providence town	258	21	41	25	19	25	21	12	17	23	24	13	17
Newport	421	32	79	34	25	29	30	28	23	24	32	32	53
Pawtucket	841	93	99	71	68	60	67	52	57	63	55	71	85
Providence	3,692	370	661	372	268	275	258	233	247	232	240	255	281
Warwick town	221	12	29	16	22	13	20	22	25	18	11	13	21
West Warwick town	192	14	32	24	19	15	13	10	9	12	16	12	16
Woonsocket	540	46	64	80	46	34	45	46	33	30	37	37	42
SOUTH CAROLINA.													
Registration cities	4,219	380	575	390	329	339	335	314	291	309	316	320	321
Anderson	258	21	26	19	25	24	35	21	18	15	18	17	19
Charleston	1,607	148	243	148	125	132	140	110	97	112	113	117	122
Columbia	1,288	115	162	143	99	106	91	91	93	90	101	108	89
Florence	360	25	38	31	28	29	25	29	35	32	34	26	28
Greenville	346	39	53	23	30	15	20	40	24	22	22	25	33
Spartanburg	360	32	53	26	22	33	24	23	24	38	28	27	30
TENNESSEE.													
Registration cities	8,519	729	1,207	875	698	653	643	658	626	537	616	595	682
Chattanooga	1,137	94	163	135	83	88	78	79	68	69	108	76	96
Jackson	288	25	52	27	17	13	21	21	22	19	18	24	29
Johnson City	344	28	52	38	30	32	26	39	34	18	14	15	18
Knoxville	1,348	111	197	166	108	100	101	111	101	88	89	89	87
Memphis	3,255	306	444	298	279	269	259	226	238	204	221	230	281
Nashville	2,147	165	299	211	181	151	158	182	163	139	166	161	171

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY MONTH OF DEATH: 1920—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES—Continued.													
TEXAS.[1]													
Registration cities	10,193	905	1,343	945	858	900	822	845	660	672	686	715	842
Beaumont	501	36	57	52	39	27	44	47	33	33	35	44	54
Dallas	2,166	228	320	191	161	176	181	178	140	132	143	167	149
El Paso	2,208	159	267	233	189	220	198	209	144	140	144	125	180
Galveston	711	59	86	53	53	57	52	50	47	55	56	65	78
Houston	1,944	170	267	177	168	161	142	169	129	139	125	136	161
San Antonio	2,663	253	346	239	248	259	205	192	167	173	183	178	220
UTAH.													
Registration cities	2,312	243	433	190	186	167	131	168	147	146	169	145	187
Ogden	433	57	50	42	38	29	24	25	43	30	32	29	34
Provo	175	18	37	20	13	12	9	11	6	11	12	11	15
Salt Lake City	1,704	168	346	128	135	126	98	132	98	105	125	105	138
VERMONT.													
Registration cities	831	73	110	106	77	74	56	46	54	56	59	60	60
Barre	144	13	17	12	15	18	11	9	8	7	13	9	12
Burlington	444	29	51	73	46	40	30	19	36	36	28	29	27
Rutland	243	31	42	21	16	16	15	18	10	13	18	22	21
VIRGINIA.													
Registration cities	9,024	864	1,364	799	702	656	659	730	675	622	625	642	686
Alexandria	319	44	52	19	23	26	20	22	23	20	28	19	23
Charlottesville	160	16	26	15	10	7	8	15	16	11	12	11	13
Danville	336	23	46	39	26	22	26	28	25	17	29	38	17
Lynchburg	494	48	86	37	41	32	31	39	35	40	36	28	41
Newport News	527	43	95	42	48	35	33	45	36	36	41	32	41
Norfolk	1,782	162	299	162	132	139	128	123	137	124	114	123	139
Petersburg	600	62	70	48	37	54	42	60	42	47	37	52	49
Portsmouth	802	76	138	88	54	54	59	62	57	52	39	54	69
Richmond	2,847	282	362	237	240	218	226	238	211	191	213	208	221
Roanoke	855	69	149	77	74	48	63	75	72	67	58	53	50
Staunton	302	39	41	35	17	21	23	23	21	17	18	24	23
WASHINGTON.													
Registration cities	7,845	752	1,264	818	689	611	579	529	531	487	503	541	541
Aberdeen	178	16	23	16	7	23	11	20	15	14	13	11	9
Bellingham	321	27	47	41	23	35	31	22	24	17	18	24	12
Everett	296	27	40	31	18	24	22	26	18	25	22	21	22
Hoquiam	99	5	14	7	7	6	14	5	14	5	8	7	7
Seattle	3,401	329	537	381	333	284	238	216	221	198	212	215	237
Spokane	1,481	135	258	133	125	110	109	113	93	94	100	108	103
Tacoma	1,256	127	217	129	115	80	81	79	88	70	74	100	96
Vancouver	201	22	22	20	16	8	23	9	17	19	14	17	14
Walla Walla	255	15	42	34	17	18	24	17	18	16	22	13	19
Yakima	357	49	64	26	28	23	26	22	23	29	20	25	22
WEST VIRGINIA.[1]													
Wheeling	1,008	84	157	120	100	86	61	66	59	66	74	75	60
WISCONSIN.													
Registration cities	12,269	1,387	1,798	1,183	1,010	1,075	888	787	756	718	841	886	940
Appleton	270	24	38	22	26	23	26	24	23	15	11	16	22
Ashland	202	13	37	19	24	16	13	10	13	12	14	12	19
Beloit	311	41	55	27	23	18	20	19	20	11	33	20	24
Eau Claire	406	32	78	36	29	31	32	26	29	26	27	26	34
Fond du Lac	347	37	51	27	30	37	24	30	22	20	20	24	25
Green Bay	587	51	73	55	36	70	43	41	51	28	53	42	44
Janesville	266	17	37	25	25	23	29	12	16	15	26	20	21
Kenosha	410	51	80	35	41	28	19	28	19	28	23	29	29
La Crosse	490	51	65	50	38	48	44	27	37	32	34	30	34
Madison	450	67	60	39	44	44	26	26	28	26	26	39	25
Manitowoc	247	21	37	23	29	20	18	13	15	19	13	23	16
Marinette	187	16	39	20	8	13	15	20	6	14	15	8	13
Milwaukee	5,415	711	737	515	436	463	388	347	318	309	361	407	423
Oshkosh	440	50	66	40	34	41	36	31	29	31	35	22	25
Racine	719	65	121	96	67	53	53	37	33	36	39	56	63
Sheboygan	363	39	50	30	28	31	26	27	26	22	27	27	30
Stevens Point	142	11	23	17	12	13	12	5	8	12	9	9	11
Superior	463	38	61	46	44	45	29	23	31	32	37	44	33
Waukesha	158	17	22	18	8	17	12	13	11	13	7	9	11
Wausau	275	26	55	29	18	23	15	20	14	12	17	20	26
West Allis	121	9	13	14	10	18	8	8	7	5	14	3	12

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
SUMMARY.														
The registration area (exclusive of Hawaii)	1,142,558	1,007,117	769,822	454,243	156,819	58,186	7,700	36,589	56,285	223,913	13,382	130,147	1,511	3,783
Registration states [1]	1,118,070	990,859	756,896	446,497	154,883	57,479	7,545	35,655	54,837	221,054	12,909	121,956	1,508	3,747
Cities in registration states [1]	589,020	534,759	376,658	185,995	111,255	36,030	4,435	14,770	24,173	151,804	6,297	52,069	922	1,270
Rural part of registration states	529,050	456,100	380,238	260,502	43,628	21,449	3,110	20,885	30,664	69,250	6,612	69,887	586	2,477
Registration cities in nonregistration states	24,488	16,258	12,926	7,746	1,936	707	155	934	1,448	2,859	473	8,191	3	36
All registration cities [1]	613,508	551,017	389,584	193,741	113,191	36,737	4,590	15,704	25,621	154,663	6,770	60,260	925	1,306
REGISTRATION STATES.														
California	47,196	44,223	30,593	13,718	6,486	2,709	573	1,918	5,189	12,752	878	779	1,006	1,188
Colorado	13,717	13,315	10,394	5,550	1,482	790	163	652	1,757	2,485	436	303	46	53
Connecticut	18,916	18,414	12,739	5,383	4,773	1,142	122	568	751	5,523	152	491	2	9
Delaware	3,265	2,593	2,240	1,634	321	114	6	75	90	334	19	668	1	3
Florida	12,720	7,581	6,556	4,431	349	263	51	529	933	713	312	5,134	.....	5
Illinois	82,296	78,299	55,080	27,986	14,344	4,757	692	2,533	4,768	22,248	971	3,925	4	68
Indiana	39,430	37,623	33,776	24,266	2,876	1,393	351	2,340	2,550	3,546	301	1,802	1	4
Kansas	20,267	19,038	16,141	10,067	1,382	846	236	1,269	2,341	2,515	382	1,189	1	39
Kentucky	28,564	24,004	22,656	18,829	833	388	75	970	1,561	1,015	333	4,560	.....	.....
Louisiana	21,553	10,805	9,436	6,319	931	543	83	573	987	1,074	295	10,722	4	22
Maine	11,872	11,833	9,915	7,094	1,041	972	31	272	505	1,797	121	31	1	7
Maryland	21,362	16,152	13,892	9,638	1,927	772	150	666	739	2,107	153	5,198	3	9
Massachusetts	53,498	52,438	35,447	16,710	11,853	3,893	336	1,315	1,340	16,755	236	993	1	66
Michigan	51,549	49,334	35,696	17,827	8,400	4,281	615	1,918	2,655	13,320	818	1,529	1	185
Minnesota	25,722	25,309	15,467	6,841	5,022	2,251	213	460	680	9,652	190	188	1	224
Mississippi	22,040	7,923	7,515	5,743	112	126	33	637	864	139	269	14,092	.....	25
Missouri	42,633	38,862	33,372	22,501	3,200	1,388	363	2,315	3,605	4,497	993	3,761	2	13
Montana	5,289	4,968	3,517	1,654	717	419	67	183	477	1,320	131	41	9	271
Nebraska	12,976	12,579	9,402	5,546	1,452	789	132	528	955	2,975	202	228	12	157
New Hampshire	6,764	6,753	5,168	2,769	753	480	48	372	746	1,384	201	11	.....	.....
New Jersey	41,326	38,851	27,254	14,157	8,873	2,410	282	645	887	11,329	268	2,460	2	13
New York	144,558	140,374	94,466	44,452	33,772	9,790	667	2,412	3,373	45,100	808	3,938	32	214
North Carolina	32,654	20,189	19,624	16,865	64	105	14	1,361	1,215	134	431	12,315	.....	150
Ohio	74,341	70,313	56,938	35,603	10,055	3,708	645	2,795	4,132	12,423	952	4,010	1	17
Oregon	9,246	8,923	6,894	3,781	755	537	140	659	1,022	1,821	208	33	58	232
Pennsylvania	120,902	114,800	90,378	54,985	21,119	6,930	804	2,895	3,645	23,480	942	6,065	3	34
Rhode Island	8,696	8,422	5,517	2,535	2,095	620	21	80	166	2,846	59	270	.....	4
South Carolina	23,767	9,425	9,149	7,725	114	97	15	564	634	169	107	14,338	.....	4
Tennessee	28,396	20,226	19,299	15,469	197	155	51	1,670	1,757	394	533	8,169	.....	1
Utah	5,198	5,065	3,614	2,105	705	540	20	91	153	1,368	83	29	42	62
Vermont	5,536	5,530	4,586	2,986	547	418	52	248	335	889	55	6	.....	.....
Virginia	30,514	18,353	17,647	14,849	283	283	40	977	1,215	513	193	12,130	8	23
Washington	15,164	14,330	10,110	5,703	1,558	1,108	161	547	1,033	3,736	484	143	266	425
Wisconsin	29,675	29,349	18,917	8,624	6,148	2,240	257	482	1,166	10,161	271	116	.....	210
REGISTRATION CITIES.														
ALABAMA. [2]														
Registration cities	4,979	2,255	1,998	1,469	94	78	10	135	212	182	75	2,723	.....	1
Birmingham	2,982	1,361	1,225	948	56	33	7	98	83	93	43	1,621	.....	.....
Mobile	1,117	553	479	321	36	45	3	23	51	69	5	563	.....	1
Montgomery	880	341	294	200	2	.....	.....	14	78	20	27	539	.....	.....
CALIFORNIA.														
Registration cities	28,157	26,364	17,911	7,947	3,937	1,678	380	1,148	2,821	7,953	500	566	598	629
Alameda	358	353	234	116	55	26	3	16	18	118	1	2	2	1
Bakersfield	347	320	236	102	37	18	8	24	47	76	8	5	4	18
Berkeley	583	564	414	215	72	46	7	34	40	147	3	9	6	4
Eureka	217	212	140	53	25	17	3	11	31	71	1	2	.....	3
Fresno	661	573	429	192	91	39	11	34	62	136	8	8	59	21
Glendale	290	284	229	136	22	15	4	24	28	49	6	3	3	.....
Long Beach	758	753	602	320	63	31	8	57	123	137	14	.....	4	1
Los Angeles	8,274	7,735	5,452	2,519	1,028	432	139	415	919	2,103	180	284	198	57
Oakland	2,585	2,421	1,629	714	425	199	35	87	169	776	16	73	27	64
Pasadena	562	539	421	220	52	26	3	39	81	115	3	18	4	1
Pomona	225	223	180	112	20	19	5	13	11	42	1	.....	1	1
Richmond	155	153	109	46	20	16	2	5	20	43	1	.....	1	1
Riverside	302	283	204	107	35	16	5	17	24	72	7	13	5	1
Sacramento	1,179	1,023	708	283	132	57	17	33	186	274	41	21	96	39
San Bernardino	396	381	268	125	67	16	4	25	31	106	7	7	3	5

[1] Including District of Columbia.

[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
CALIFORNIA—continued.														
San Diego	1,325	1,278	907	493	132	69	18	72	123	343	23	24	9	14
San Francisco	7,259	6,799	3,972	1,414	1,367	487	73	144	487	2,700	127	67	83	310
San Jose	493	470	327	152	85	40	2	21	27	137	6	2	12	9
Santa Ana	226	223	182	101	35	9	5	14	18	41	.....	.....	2	1
Santa Barbara	257	246	179	111	25	20	2	10	11	61	6	1	5	5
Santa Cruz	209	208	147	78	22	14	4	8	21	59	2	1	.....	.....
Santa Monica	251	245	172	87	18	13	7	15	32	62	11	2	4	.....
Stockton	839	688	454	139	74	28	10	22	181	217	17	14	70	67
Vallejo	329	314	257	77	31	19	4	7	119	51	6	9	.....	6
Venice	77	76	59	35	4	6	1	1	12	17	.....	1	.....	.....
COLORADO.														
Registration cities	6,529	6,279	4,806	2,440	728	408	80	244	906	1,251	222	221	18	11
Boulder	209	209	170	108	18	11	1	17	15	37	2	.....	.....	.....
Colorado Springs	703	661	548	307	58	42	12	51	78	98	15	33	.....	4
Denver	4,484	4,316	3,229	1,574	458	291	61	123	722	927	160	146	15	7
Greeley	190	190	158	95	20	12	2	9	20	23	9	.....	.....	.....
Pueblo	727	690	527	251	152	40	3	33	48	136	27	34	3	.....
Trinidad	216	213	174	105	22	12	1	11	23	30	9	3	.....	.....
CONNECTICUT.														
Registration cities	14,494	14,062	9,482	3,673	3,988	892	96	345	488	4,470	110	426	1	5
Ansonia	189	180	126	21	95	8	.....	1	1	54	.....	9	.....	.....
Bridgeport	1,872	1,827	1,171	393	543	119	28	41	47	635	21	44	.....	1
Bristol	249	246	188	92	70	16	1	4	5	55	3	3	.....	.....
Danbury town	371	364	261	125	66	24	5	20	21	97	6	7	.....	.....
Derby	203	200	139	39	80	15	.....	2	3	61	.....	3	.....	.....
East Hartford town	119	117	89	47	26	7	2	3	4	28	.....	2	.....	.....
Enfield town	129	129	90	32	47	9	.....	1	1	39	.....	.....	.....	.....
Fairfield town	122	121	83	31	43	6	.....	1	2	38	.....	1	.....	.....
Greenwich town	286	272	190	85	71	19	2	4	9	81	1	14	.....	.....
Hartford	2,296	2,194	1,461	620	572	149	9	55	56	721	12	98	1	3
Manchester town	113	113	66	29	21	10	.....	4	2	47	.....	.....	.....	.....
Meriden town	500	496	297	131	118	23	1	15	9	198	1	4	.....	.....
Middletown town	531	524	338	140	120	29	4	14	31	174	12	7	.....	.....
Milford town	127	123	95	44	26	11	.....	10	4	25	3	4	.....	.....
Naugatuck	130	130	81	25	45	4	1	2	4	49	.....	.....	.....	.....
New Britain	659	653	446	127	271	31	2	6	9	205	2	6	.....	.....
New Haven	2,375	2,263	1,460	488	668	129	13	61	101	787	16	112	.....	.....
New London	393	369	276	128	82	28	6	11	21	87	6	14	.....	.....
Norwalk	391	374	273	142	74	27	1	13	16	97	4	17	.....	.....
Norwich town	574	562	391	179	134	39	2	20	17	169	2	12	.....	.....
Orange town	284	271	189	81	33	14	2	12	47	74	8	12	.....	1
Stamford town	539	519	369	160	142	39	6	13	9	143	7	20	.....	.....
Stonington town	105	103	80	46	21	7	1	.....	5	23	.....	2	.....	.....
Stratford town	140	133	102	44	33	12	1	6	6	30	1	7	.....	.....
Torrington town	225	222	152	48	76	10	.....	7	11	68	2	3	.....	.....
Wallingford town	143	143	105	45	46	9	1	1	3	38	.....	.....	.....	.....
Waterbury	1,238	1,215	816	272	418	79	8	15	24	397	2	23	.....	.....
Windham town	201	199	148	59	47	19	.....	3	20	50	1	2	.....	.....
DELAWARE.														
Wilmington	1,563	1,313	1,067	640	270	79	4	29	45	243	3	250	.....	.....
DISTRICT OF COLUMBIA.														
Washington	6,463	4,163	3,501	2,152	344	222	36	136	611	540	122	2,289	1	10
FLORIDA.														
Registration cities	3,721	2,099	1,652	949	186	117	24	133	243	376	71	1,619	.....	3
Jacksonville	1,563	719	622	412	41	37	5	45	82	84	13	843	.....	1
Key West	298	216	127	39	44	28	1	3	12	82	7	80	.....	2
Miami	481	282	214	133	20	10	6	21	24	47	21	199	.....	.....
Pensacola	455	254	218	131	6	6	3	21	51	21	15	201	.....	.....
St. Petersburg	214	165	140	77	15	5	5	20	18	22	3	49	.....	.....
Tampa	710	463	331	157	60	31	4	23	56	120	12	247	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
GEORGIA.[1]														
Registration cities	6,789	3,396	3,132	2,410	142	82	27	267	204	229	35	3,388	.....	5
Atlanta	3,435	2,023	1,925	1,526	50	32	10	201	106	82	21	1,456	.....	1
Augusta	1,122	545	512	419	30	14	2	16	31	27	6	577	.....	.....
Brunswick	217	89	76	62	1	3	3	3	4	11	2	128	.....	.....
Savannah	1,965	734	619	403	61	33	12	47	63	109	6	1,227	.....	4
ILLINOIS.														
Registration cities	50,815	47,667	30,689	12,221	11,171	3,288	456	1,139	2,414	16,436	542	3,084	2	62
Alton	351	313	250	144	40	16	9	15	26	59	4	38	.....	.....
Aurora	576	563	405	207	103	46	5	15	29	150	8	13	.....	.....
Belleville	321	316	226	117	71	18	7	9	4	90	.....	5	.....	.....
Berwyn[2]	56	56	31	12	10	6	.....	3	.....	25	.....	.....	.....	.....
Bloomington	460	441	340	213	44	21	5	18	39	94	7	19	.....	.....
Blue Island	204	202	121	53	44	10	5	2	7	79	2	2	.....	.....
Cairo	321	193	168	98	13	9	2	24	22	20	5	128	.....	.....
Canton	176	174	154	128	4	13	1	5	3	18	2	2	.....	.....
Centralia	167	144	125	79	9	7	3	9	18	17	2	23	.....	.....
Champaign	224	206	171	119	14	14	1	10	13	31	4	17	.....	1
Chicago	34,843	32,549	19,317	6,065	8,932	2,379	261	520	1,160	12,922	310	2,240	1	58
Chicago Heights	268	250	177	57	89	19	4	3	5	69	4	18	.....	.....
Cicero	331	331	203	43	117	33	4	5	1	128	.....	.....	.....	.....
Danville	583	542	475	331	37	27	5	31	44	61	6	41	.....	.....
Decatur	649	619	544	370	36	27	4	47	60	68	7	30	.....	.....
East St. Louis	827	648	538	314	104	33	3	37	47	99	11	179	.....	.....
Elgin	581	575	384	142	92	24	7	11	108	173	18	6	.....	.....
Evanston	493	450	318	170	83	29	5	7	24	131	1	43	.....	.....
Forest Park	94	94	39	16	18	2	1	1	1	55	.....	.....	.....	.....
Freeport	399	389	295	155	55	29	15	19	22	90	4	10	.....	.....
Galesburg	376	360	282	187	45	12	1	12	25	75	3	16	.....	.....
Granite	159	158	125	86	22	5	5	5	2	30	3	1	.....	.....
Herrin	164	163	148	109	7	9	.....	11	12	14	1	1	.....	.....
Jacksonville	540	505	402	214	38	19	4	27	100	74	29	34	.....	1
Joliet	447	435	311	130	114	37	3	13	14	121	3	12	.....	.....
Kankakee	224	219	162	75	45	9	5	7	21	55	2	5	.....	.....
Kewanee	270	265	183	113	35	13	4	7	11	82	.....	5	.....	.....
La Salle	196	196	109	37	48	17	1	2	4	84	3	.....	.....	.....
Lincoln	251	247	203	116	28	18	3	8	30	31	13	4	.....	.....
Mattoon	197	194	170	118	6	4	2	13	27	22	2	3	.....	.....
Maywood	104	103	64	39	16	6	.....	2	1	39	.....	1	.....	.....
Moline	371	367	229	133	43	23	1	6	23	135	3	3	1	.....
Murphysboro	183	153	134	86	11	9	3	9	16	18	1	30	.....	.....
Oak Park	540	535	376	181	98	55	9	14	19	159	.....	4	.....	1
Ottawa	170	170	123	58	34	16	.....	4	11	44	3	.....	.....	.....
Pekin	122	122	89	47	13	7	1	7	14	30	3	.....	.....	.....
Peoria	1,174	1,143	914	494	151	86	21	53	109	200	29	31	.....	.....
Quincy	554	533	395	109	29	10	16	23	208	116	22	21	.....	.....
Rock Island	407	389	277	142	71	19	4	11	30	105	7	17	.....	1
Rockford	831	822	537	243	165	64	6	20	39	281	4	9	.....	.....
Springfield	1,002	939	741	459	119	44	11	69	39	190	8	63	.....	.....
Streator	248	248	169	79	50	21	3	11	5	77	2	.....	.....	.....
Urbana	120	117	104	67	6	7	1	13	10	10	3	3	.....	.....
Waukegan	236	229	161	66	62	16	5	1	11	65	3	7	.....	.....
INDIANA.														
Registration cities	16,674	15,201	12,941	8,457	1,826	711	160	851	942	2,124	136	1,468	1	4
Anderson	401	388	371	297	21	7	3	22	21	16	1	13	.....	.....
Bloomington	175	168	166	139	3	3	.....	14	7	2	.....	7	.....	.....
Clinton	95	94	75	45	19	3	1	4	3	19	.....	1	.....	.....
Crawfordsville	163	159	150	118	6	6	2	12	6	7	2	4	.....	.....
East Chicago	505	457	320	44	229	26	8	5	8	136	1	48	.....	.....
Elkhart	351	345	315	236	22	8	3	23	23	28	2	6	.....	.....
Elwood	152	152	139	103	15	9	.....	9	3	12	1	.....	.....	.....
Evansville	1,123	988	848	516	125	44	23	63	77	131	9	135	.....	.....
Fort Wayne	1,156	1,131	961	612	149	79	16	51	54	166	4	25	.....	.....
Frankfort	157	152	144	110	5	6	1	11	11	7	1	5	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
INDIANA—continued.														
Gary	797	636	417	148	184	46	5	15	19	217	2	161	.....	.....
Hammond	499	489	323	157	99	30	6	15	16	162	4	10	.....	.....
Huntington	196	196	182	127	15	9	4	14	13	13	1	.....	.....	.....
Indianapolis	4,636	3,894	3,445	2,416	303	180	49	244	253	407	42	738	.....	4
Jeffersonville	131	102	89	61	12	4	1	7	4	12	1	29	.....	.....
Kokomo	368	357	336	245	18	10	1	27	35	18	3	11	.....	.....
La Porte	226	224	169	98	45	11	1	4	10	54	1	2	.....	.....
Lafayette	469	457	391	265	38	28	4	27	29	64	2	12	.....	.....
Logansport	321	316	271	209	15	12	2	8	25	40	5	5	.....	.....
Marion	362	347	334	247	7	8	1	28	43	9	4	14	1	.....
Michigan City	266	256	159	80	54	15	.....	5	5	94	3	10	.....	.....
Mishawaka	218	217	180	93	31	11	2	29	14	31	6	1	.....	.....
Muncie	564	518	499	401	16	11	5	28	38	17	2	46	.....	.....
New Albany	311	279	243	142	40	18	3	18	22	34	2	32	.....	.....
New Castle	203	196	193	161	4	5	1	16	6	3	.....	7	.....	.....
Peru	181	177	158	110	13	7	1	11	16	19	.....	4	.....	.....
Richmond	339	314	284	199	35	13	3	17	17	28	2	25	.....	.....
South Bend	921	891	668	326	148	58	8	45	83	206	17	30	.....	.....
Terre Haute	997	915	788	540	82	34	5	70	57	114	13	82	.....	.....
Vincennes	271	266	239	180	26	3	.....	8	22	24	3	5	.....	.....
Whiting	120	120	84	32	41	7	1	1	2	34	2	.....	.....	.....
KANSAS.														
Registration cities	6,087	5,331	4,535	2,711	437	251	81	403	652	678	118	739	1	16
Arkansas City	173	156	145	87	3	3	4	12	36	8	3	9	.....	8
Atchison	206	164	130	67	21	9	2	9	22	29	5	39	.....	3
Chanute	170	156	138	81	13	4	5	11	24	16	2	12	.....	2
Coffeyville	210	172	166	117	6	7	4	24	8	3	3	38	.....	.....
El Dorado	137	130	120	88	4	7	1	5	15	8	2	7	.....	.....
Emporia	184	170	131	83	13	11	.....	15	9	36	3	13	.....	1
Fort Scott	179	162	142	100	7	5	.....	8	22	15	5	17	.....	.....
Hutchinson	333	312	277	189	12	10	5	32	29	29	6	21	.....	.....
Independence	166	150	141	95	5	10	.....	10	21	7	2	16	.....	.....
Kansas City	1,478	1,175	955	504	143	53	22	83	150	201	19	303	.....	.....
Lawrence	176	140	122	80	11	5	2	13	11	17	1	34	1	1
Leavenworth	254	212	146	70	31	7	3	10	25	57	9	42	.....	.....
Parsons	199	170	154	78	13	7	3	19	34	13	3	29	.....	.....
Pittsburg	142	138	119	75	5	3	3	8	25	18	1	4	.....	.....
Salina	208	197	160	112	20	9	3	10	6	30	7	11	.....	.....
Topeka	763	679	567	335	63	42	10	50	67	103	9	83	.....	1
Wichita	1,109	1,048	922	550	67	59	14	84	148	88	38	61	.....	.....
KENTUCKY.														
Registration cities	6,867	5,276	4,500	2,990	578	227	51	210	444	695	81	1,591	.....	.....
Ashland	195	187	180	150	6	4	.....	10	10	7	.....	8	.....	.....
Covington	868	799	641	381	136	52	12	23	37	154	4	69	.....	.....
Henderson	177	113	103	76	8	1	.....	8	10	9	1	64	.....	.....
Lexington	955	607	558	427	31	15	.....	21	64	34	15	348	.....	.....
Louisville	3,582	2,693	2,225	1,391	326	118	36	111	243	413	55	889	.....	.....
Newport	331	313	243	139	59	23	3	6	13	69	1	18	.....	.....
Owensboro	367	299	293	251	5	6	.....	10	21	4	2	68	.....	.....
Paducah	392	265	257	175	7	8	.....	21	46	5	3	127	.....	.....
LOUISIANA.														
Registration cities	9,094	5,143	4,237	2,506	774	358	55	162	382	848	58	3,940	2	9
Alexandria	269	128	112	80	7	1	1	12	11	12	4	141	.....	.....
Baton Rouge	333	150	132	94	8	7	4	7	12	14	4	183	.....	.....
Lake Charles	214	97	86	49	3	4	1	13	16	8	3	117	.....	.....
Monroe	250	115	100	64	8	4	.....	8	16	7	8	135	.....	.....
New Orleans	6,869	4,182	3,383	1,909	734	332	46	97	265	775	24	2,676	2	9
Shreveport	1,159	471	424	310	14	10	3	25	62	32	15	688	.....	.....

[1] There were 36 transcripts for deaths received too late for compilation.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
MAINE.														
Registration cities	3,667	3,650	2,785	1,744	528	311	9	78	115	819	46	16	1	.....
Auburn	182	182	159	118	19	12	1	6	3	23	.....	.....	.....	.....
Augusta	323	323	267	177	33	33	.....	7	17	50	6	.....	.....	.....
Bangor	572	568	460	324	56	38	.....	13	29	94	14	4	.....	.....
Bath	178	177	148	109	16	11	1	3	8	27	2	1	.....	.....
Biddeford	280	280	172	86	43	34	1	4	4	107	1	.....	.....	.....
Lewiston	598	595	414	221	119	49	3	10	12	169	12	3	.....	.....
Portland	1,214	1,206	922	577	188	94	3	27	33	277	7	7	1	.....
Sanford town	128	128	95	58	19	15	.....	3	.....	32	1	.....	.....	.....
Waterville	192	191	148	74	35	25	.....	5	9	40	3	1	.....	.....
MARYLAND.														
Registration cities	12,522	9,796	8,029	4,968	1,630	560	120	342	409	1,690	77	2,715	3	8
Annapolis	154	80	75	52	7	2	1	7	6	4	1	74	.....	.....
Baltimore	11,356	8,782	7,090	4,235	1,575	525	114	275	366	1,622	70	2,563	3	8
Cumberland	460	439	386	275	34	17	5	36	19	48	5	21	.....	.....
Frederick	200	180	174	149	7	5	.....	5	8	6	.....	20	.....	.....
Hagerstown	352	315	304	257	7	11	.....	19	10	10	1	37	.....	.....
MASSACHUSETTS.														
Registration cities	43,422	42,507	28,045	12,267	10,268	3,261	285	968	996	14,270	192	862	.....	53
Adams town	122	122	66	18	31	9	1	3	4	54	2	.....	.....	.....
Amesbury town	103	102	79	50	16	3	.....	6	4	23	.....	1	.....	.....
Arlington town	266	266	193	113	40	20	1	12	7	73	.....	.....	.....	.....
Attleboro	287	287	194	104	38	24	3	11	14	91	2	.....	.....	.....
Belmont town	92	92	73	46	18	9	.....	.....	.....	17	2	.....	.....	.....
Beverly	284	283	206	119	52	25	.....	4	6	77	.....	1	.....	.....
Boston	11,604	11,156	7,056	2,793	2,844	850	95	301	173	4,034	66	409	.....	39
Braintree town	143	143	110	57	25	15	1	5	7	33	.....	.....	.....	.....
Brockton	767	758	547	317	143	54	3	14	16	206	5	9	.....	.....
Brookline town	387	386	284	196	41	25	1	11	10	101	1	1	.....	.....
Cambridge	1,636	1,543	942	367	384	135	11	23	22	599	2	86	.....	7
Chelsea	563	550	357	159	114	43	3	14	24	191	2	12	.....	1
Chicopee	390	390	261	60	145	48	4	1	3	128	1	.....	.....	.....
Clinton town	194	194	122	43	55	15	1	4	4	72	.....	.....	.....	.....
Danvers town	283	282	188	113	34	15	.....	4	22	94	.....	1	.....	.....
Dedham town	109	108	68	25	26	13	.....	2	2	40	.....	1	.....	.....
Easthampton town	132	132	81	25	43	8	1	2	2	51	.....	.....	.....	.....
Everett	456	434	284	148	78	41	2	10	5	150	.....	22	.....	.....
Fall River	1,772	1,766	1,067	289	587	136	13	25	17	690	9	6	.....	.....
Fitchburg	492	492	308	135	120	38	1	5	9	180	4	.....	.....	.....
Framingham town	262	258	196	119	45	20	1	4	7	59	3	4	.....	.....
Gardner town	232	232	154	77	50	13	1	5	8	74	4	.....	.....	.....
Gloucester	320	320	229	131	56	30	2	5	5	90	1	.....	.....	.....
Greenfield town	199	198	160	89	43	12	.....	6	10	36	2	1	.....	.....
Haverhill	730	725	555	310	138	53	2	26	26	166	4	5	.....	.....
Holyoke	863	858	540	149	267	70	10	20	24	316	2	5	.....	.....
Lawrence	1,283	1,276	732	168	440	93	5	12	14	541	3	7	.....	.....
Leominster	194	194	145	70	36	19	.....	9	11	49	.....	.....	.....	.....
Lowell	1,771	1,768	1,146	385	542	150	14	29	26	614	8	2	.....	1
Lynn	1,276	1,259	838	479	241	90	9	37	32	365	6	17	.....	.....
Malden	575	571	397	207	114	37	3	17	19	167	7	4	.....	.....
Marlborough	180	179	114	63	35	8	1	4	3	65	.....	1	.....	.....
Medford	421	416	301	179	59	30	3	10	20	115	.....	5	.....	.....
Melrose	233	231	173	114	21	20	.....	13	5	57	1	2	.....	.....
Methuen	213	212	119	46	46	20	1	2	4	92	1	1	.....	.....
Milford town	200	200	142	63	62	11	.....	1	5	58	.....	.....	.....	.....
Natick town	149	149	108	70	19	11	.....	3	5	40	1	.....	.....	.....
New Bedford	1,745	1,642	1,045	307	522	142	20	20	34	590	7	102	.....	1
Newburyport	277	274	216	142	38	19	3	7	7	56	2	3	.....	.....
Newton	567	563	413	280	77	45	2	8	1	148	2	4	.....	.....
North Adams	302	302	190	84	53	28	3	11	11	112	.....	.....	.....	.....
Northampton	451	449	291	164	80	28	2	10	7	157	1	2	.....	.....
Northbridge town	111	111	70	23	33	12	.....	1	1	41	.....	.....	.....	.....
Norwood town	108	107	82	37	28	12	1	2	2	25	.....	1	.....	.....
Peabody	242	239	165	73	72	16	.....	2	2	73	1	3	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
MASSACHUSETTS—continued.														
Pittsfield	583	575	425	202	124	47	8	17	27	147	3	7	.....	1
Plymouth town	204	200	158	80	52	16	.....	3	5	43	1	4	.....	.....
Quincy	487	486	308	128	106	40	3	10	21	176	2	1	.....	.....
Revere	210	210	121	40	48	19	2	3	9	87	2	.....	.....	.....
Salem	634	629	423	196	152	50	3	15	7	203	3	5	.....	.....
Saugus town	96	96	80	51	18	5	.....	2	4	15	1	.....	.....	.....
Somerville	1,127	1,125	719	358	205	85	8	25	38	405	1	2	.....	.....
Southbridge town	124	124	71	31	22	11	.....	4	3	53	.....	.....	.....	.....
Springfield	1,709	1,639	1,200	568	375	129	11	48	69	434	5	60	.....	1
Taunton	709	702	461	216	161	43	2	21	18	234	7	7	.....	.....
Wakefield town	140	140	99	65	20	8	3	.....	3	41	.....	.....	.....	.....
Waltham	388	388	280	154	84	23	.....	9	10	103	.....	.....	.....	.....
Watertown town	171	170	119	58	45	13	.....	.....	3	51	.....	1	.....	.....
Webster town	124	124	81	28	29	17	1	1	5	43	.....	.....	.....	.....
West Springfield town	122	120	85	42	28	8	1	3	3	33	2	2	.....	.....
Westfield town	281	276	200	91	68	16	1	14	10	75	1	4	.....	1
Weymouth town	166	166	135	90	20	12	1	6	6	30	1	.....	.....	.....
Winchester town	141	139	105	67	22	8	.....	2	6	33	1	2	.....	.....
Winthrop town	148	146	99	47	20	14	2	10	6	47	.....	2	.....	.....
Woburn	204	202	135	69	51	11	2	1	1	66	1	2	.....	.....
Worcester	2,668	2,631	1,686	880	667	171	13	53	102	936	9	36	.....	1
MICHIGAN.														
Registration cities	27,534	26,230	18,245	8,046	5,455	2,374	318	840	1,212	7,492	493	1,279	.....	25
Adrian	211	205	170	121	18	11	1	6	13	35	.....	6	.....	.....
Alpena	192	192	119	57	27	24	2	3	6	72	1	.....	.....	.....
Ann Arbor	630	607	471	260	96	53	8	28	26	124	12	22	.....	1
Battle Creek	605	592	521	310	56	45	4	43	63	66	5	13	.....	.....
Bay City	767	764	500	259	122	73	7	15	24	254	10	3	.....	.....
Benton Harbor	171	165	127	72	19	8	5	11	12	30	8	6	.....	.....
Detroit	13,700	12,660	8,384	2,967	3,201	1,204	171	347	494	4,013	263	1,024	.....	16
Escanaba	249	249	149	65	46	20	4	5	9	88	12	.....	.....	.....
Flint	1,178	1,143	889	531	139	95	16	47	61	213	41	33	.....	2
Grand Rapids	1,826	1,799	1,239	599	316	178	16	64	66	555	5	27	.....	.....
Hamtramck	587	544	404	32	326	41	2	1	2	134	6	43	.....	.....
Highland Park	399	395	273	120	83	32	5	13	20	119	3	4	.....	.....
Holland	161	157	94	44	28	18	.....	4	.....	62	1	2	.....	2
Ironwood	200	200	102	20	54	26	1	.....	1	97	1	.....	.....	.....
Ishpeming	141	141	65	12	45	8	.....	.....	.....	75	1	.....	.....	.....
Jackson	724	707	568	319	95	61	6	40	47	130	9	17	.....	.....
Kalamazoo	1,077	1,047	800	467	122	68	14	47	82	195	52	30	.....	.....
Lansing	749	740	629	382	62	64	8	45	68	106	5	9	.....	.....
Marquette	187	186	105	38	42	19	1	2	3	78	3	1	.....	.....
Monroe	170	170	131	79	33	9	1	5	4	39	.....	.....	.....	.....
Muskegon	549	537	381	188	87	35	3	20	48	142	14	10	.....	2
Owosso	213	213	175	107	18	22	3	8	17	37	1	.....	.....	.....
Pontiac	664	651	506	318	76	65	3	23	21	135	10	13	.....	.....
Port Huron	412	401	245	122	63	46	3	5	6	156	.....	10	.....	1
Saginaw	1,020	1,017	702	339	144	83	22	38	76	308	7	3	.....	.....
Sault Ste. Marie	186	185	105	44	33	15	3	4	6	74	6	1	.....	.....
Traverse City	315	313	205	108	27	26	4	12	28	92	16	1	.....	1
Wyandotte	251	250	186	66	77	25	5	4	9	63	1	1	.....	.....
MINNESOTA.														
Registration cities	10,975	10,795	6,963	2,973	2,328	993	89	261	319	3,745	87	170	1	9
Austin	125	125	95	58	16	12	2	3	4	30	.....	.....	.....	.....
Duluth	1,007	991	529	188	202	98	5	14	22	453	9	16	.....	.....
Faribault	232	231	196	88	72	21	3	6	6	34	1	1	.....	.....
Hibbing	134	133	81	28	36	14	.....	1	2	51	1	1	.....	.....
Mankato	213	213	144	61	36	18	4	6	19	67	2	.....	.....	.....
Minneapolis	4,713	4,623	2,984	1,313	1,008	410	31	106	116	1,602	37	83	.....	7
Rochester	1,013	1,008	695	295	166	68	22	59	85	298	15	5	.....	.....
St. Cloud	217	217	160	84	46	19	.....	3	8	55	2	.....	.....	.....
St. Paul	2,958	2,891	1,849	763	673	295	16	56	46	1,027	15	64	1	2
Virginia	120	120	71	26	22	21	.....	2	.....	46	3	.....	.....	.....
Winona	243	243	159	69	51	17	6	5	11	82	2	.....	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
			Native.							Foreign born.	Nativity unknown.			
		Total.	Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
MISSISSIPPI.														
Registration cities	3,369	1,374	1,214	865	59	40	13	102	135	53	107	1,995	.....	.....
Biloxi	134	115	96	54	15	9	7	6	5	14	5	19	.....	.....
Columbus	210	60	57	41	1	1	.....	7	7	3	.....	150	.....	.....
Greenville	311	96	87	51	11	3	.....	9	13	6	3	215	.....	.....
Hattiesburg	208	109	104	81	3	3	.....	10	7	4	1	99	.....	.....
Jackson	799	300	228	165	2	5	1	26	29	5	67	499	.....	.....
Laurel	240	126	119	91	1	.....	.....	11	16	3	4	114	.....	.....
Meridian	639	338	325	250	5	9	2	21	38	6	7	301	.....	.....
Natchez	241	71	67	48	9	7	.....	2	1	4	.....	170	.....	.....
Vicksburg	587	159	131	84	12	3	3	10	19	8	20	428	.....	.....
MISSOURI.														
Registration cities	20,481	17,878	14,206	8,439	2,266	833	241	950	1,477	3,168	504	2,590	2	11
Cape Girardeau	204	184	169	116	10	3	4	13	23	14	1	20	.....	.....
Carthage	147	140	135	88	2	5	.....	21	19	3	2	7	.....	.....
Columbia	191	141	138	114	2	3	1	9	9	2	1	50	.....	.....
Hannibal	316	280	254	175	15	8	1	20	35	16	10	36	.....	.....
Independence	209	190	172	118	8	5	1	15	25	12	6	18	.....	1
Jefferson City	200	168	128	76	16	5	5	9	17	24	16	30	.....	2
Joplin	464	449	416	286	12	12	11	36	59	24	9	13	.....	2
Kansas City	5,279	4,501	3,723	2,188	378	183	64	381	529	541	237	775	1	2
Moberly	170	154	145	111	8	4	1	9	12	8	1	16	.....	.....
St. Joseph	1,343	1,242	1,005	632	93	36	12	74	158	144	93	101	.....	.....
St. Louis	10,931	9,508	7,079	3,911	1,683	547	133	284	521	2,324	105	1,418	1	4
Sedalia	341	290	260	194	16	9	2	23	16	27	3	51	.....	.....
Springfield	686	631	582	430	23	13	6	56	54	29	20	55	.....	.....
MONTANA.														
Registration cities	1,660	1,611	1,067	447	283	122	27	59	129	511	33	20	2	27
Anaconda	117	116	73	24	24	8	3	6	8	43	.....	1	.....	.....
Billings	217	211	175	88	31	17	5	7	27	33	3	1	1	4
Butte	614	595	335	110	126	44	5	17	33	248	12	8	.....	11
Great Falls	334	326	226	100	51	25	9	13	28	94	6	4	.....	4
Helena	196	189	133	53	20	16	4	13	27	48	8	3	.....	4
Missoula	182	174	125	72	31	12	1	3	6	45	4	3	1	4
NEBRASKA.														
Registration cities	4,062	3,854	2,844	1,534	568	244	53	140	305	933	77	198	3	7
Grand Island	227	227	168	75	32	11	5	18	27	51	8	.....	.....	.....
Hastings	209	209	153	105	19	13	.....	6	10	53	3	.....	.....	.....
Lincoln	739	720	583	335	99	39	4	42	64	126	11	17	.....	2
North Platte	116	113	95	75	6	7	.....	3	4	15	3	.....	3	.....
Omaha	2,771	2,585	1,845	944	412	174	44	71	200	688	52	181	.....	5
NEW HAMPSHIRE.														
Registration cities	2,929	2,920	2,099	928	509	259	20	135	248	771	50	9	.....	.....
Berlin	195	195	126	23	63	23	1	4	12	62	7	.....	.....	.....
Concord	470	468	360	195	37	31	4	27	66	95	13	2	.....	.....
Dover	225	224	165	97	23	10	1	14	20	57	2	1	.....	.....
Keene	170	170	148	88	13	8	1	15	23	20	2	.....	.....	.....
Laconia	198	197	154	74	20	14	5	19	22	32	11	1	.....	.....
Manchester	1,031	1,031	694	207	262	111	7	36	71	332	5	.....	.....	.....
Nashua	444	443	296	145	70	46	1	12	22	141	6	1	.....	.....
Portsmouth	196	192	156	99	21	16	.....	8	12	32	4	4	.....	.....
NEW JERSEY.														
Registration cities	27,240	25,529	17,115	7,639	6,735	1,675	195	340	531	8,264	150	1,701	.....	10
Asbury Park	180	125	104	72	17	2	1	7	5	19	2	55	.....	.....
Atlantic City	875	665	504	336	95	40	5	14	14	156	5	209	.....	1
Bayonne	783	772	508	155	281	53	3	8	8	263	1	10	.....	1
Belleville	391	355	236	96	107	28	4	1	.....	117	2	35	.....	1
Bloomfield	170	168	114	63	31	7	1	2	10	53	1	2	.....	.....
Bridgeton	262	243	222	190	12	5	1	9	5	16	5	19	.....	.....
Camden	1,731	1,542	1,214	696	312	114	9	35	48	302	26	189	.....	.....
Clifton	192	190	111	34	61	13	.....	2	1	79	.....	2	.....	.....
East Orange	463	432	329	230	60	31	3	2	3	103	.....	31	.....	.....
Elizabeth	1,227	1,176	742	289	325	71	6	10	41	426	8	51	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
NEW JERSEY—continued.														
Englewood	203	182	130	65	44	15	2	2	2	49	3	21	.....	.....
Garfield	189	189	121	14	97	10	.....	.....	.....	68	.....	.....	.....	.....
Gloucester	109	108	81	55	9	8	.....	4	5	25	2	1	.....	.....
Hackensack	311	290	207	116	56	25	2	3	5	83	.....	21	.....	.....
Harrison	205	203	128	36	80	11	1	.....	.....	75	.....	2	.....	.....
Hoboken	882	880	508	169	271	52	6	4	6	367	5	2	.....	.....
Irvington	244	244	160	89	51	15	1	1	3	84	.....	.....	.....	.....
Jersey City	4,221	4,030	2,648	949	1,209	307	59	50	74	1,354	28	101	.....	.....
Kearny	305	298	197	66	55	27	.....	2	47	101	.....	6	.....	1
Long Branch	298	267	196	124	32	17	4	4	15	64	7	31	.....	.....
Millville	182	179	161	130	12	7	.....	10	2	18	.....	3	.....	.....
Montclair	246	209	157	102	29	18	2	2	4	52	.....	37	.....	.....
Morristown	281	264	187	117	43	15	2	6	4	69	8	17	.....	.....
New Brunswick	507	476	311	167	106	21	3	4	10	160	5	31	.....	.....
Newark	5,372	4,944	3,144	1,207	1,419	320	23	60	115	1,781	19	423	.....	5
Orange	556	482	316	157	120	22	5	7	5	165	1	74	.....	.....
Passaic	819	809	536	138	328	59	4	3	4	272	1	9	.....	1
Paterson	1,746	1,701	946	396	371	109	20	19	31	746	9	45	.....	.....
Perth Amboy	485	479	338	93	205	30	3	5	2	140	1	6	.....	.....
Phillipsburg	193	192	163	107	30	7	2	10	7	29	.....	1	.....	.....
Plainfield	436	384	299	175	78	25	4	10	7	85	.....	52	.....	.....
Rahway	159	151	113	61	36	11	.....	4	1	33	.....	8	.....	.....
Roosevelt	110	109	81	4	71	5	1	.....	.....	23	.....	1	.....	.....
Summit	153	148	109	54	36	9	1	6	3	39	.....	5	.....	.....
Trenton	1,886	1,776	1,296	697	425	103	9	24	38	470	10	110	.....	.....
Union	173	172	100	43	42	10	2	1	2	72	.....	1	.....	.....
West Hoboken	350	350	179	49	98	26	2	1	3	170	1	.....	.....	.....
West New York	228	228	141	65	56	12	1	6	1	87	.....	.....	.....	.....
West Orange	117	117	78	33	25	15	3	2	.....	39	.....	.....	.....	.....
NEW YORK.														
Registration cities	109,781	106,050	66,812	26,928	29,130	7,595	407	1,129	1,623	38,700	538	3,551	32	148
Albany	1,785	1,753	1,262	624	406	113	19	45	55	480	11	32	.....	.....
Amsterdam	414	409	283	143	95	29	3	5	8	125	1	5	.....	.....
Auburn	588	580	470	228	166	43	2	14	17	110	.....	8	.....	.....
Batavia	247	247	191	102	46	23	4	9	7	55	1	.....	.....	.....
Beacon	211	205	143	71	35	14	3	5	15	61	1	6	.....	.....
Binghamton	1,146	1,130	953	584	186	65	11	42	65	166	11	16	.....	.....
Buffalo	7,475	7,352	4,963	1,859	2,119	684	44	154	103	2,369	20	112	.....	11
Cohoes	329	329	232	77	119	24	2	2	8	97	.....	.....	.....	.....
Corning	242	240	198	112	33	15	2	12	24	40	2	2	.....	.....
Cortland	231	231	211	122	30	14	3	12	30	17	3	.....	.....	.....
Dunkirk	249	249	169	54	74	32	1	5	3	80	.....	.....	.....	.....
Elmira	583	578	474	300	88	34	3	19	30	100	4	5	.....	.....
Fulton	176	175	139	68	36	15	3	7	10	35	1	1	.....	.....
Geneva	235	234	177	96	57	12	2	4	6	56	1	1	.....	.....
Glens Falls	274	274	222	145	42	30	.....	3	2	49	3	.....	.....	.....
Gloversville	397	395	321	185	51	22	3	32	28	73	1	2	.....	.....
Herkimer	143	141	107	60	31	15	.....	1	.....	33	1	.....	.....	2
Hornell	221	221	192	126	30	13	3	11	9	28	1	.....	.....	.....
Hudson	205	196	162	101	22	13	3	7	16	32	2	9	.....	.....
Ilion	124	124	100	59	16	3	1	7	14	24	.....	.....	.....	.....
Ithaca	274	268	233	165	32	9	2	15	10	33	2	5	.....	1
Jamestown	538	536	365	215	88	41	3	12	6	166	5	2	.....	.....
Johnstown	141	138	117	76	19	9	.....	5	8	20	1	3	.....	.....
Kingston	447	436	339	216	73	26	4	12	8	96	1	11	.....	.....
Lackawanna	391	386	330	126	125	34	2	34	9	54	2	5	.....	.....
Little Falls	170	170	125	50	42	18	2	6	7	45	.....	.....	.....	.....
Lockport	290	289	222	115	63	23	3	7	11	65	2	1	.....	.....
Middletown	411	399	320	210	49	22	2	13	24	73	6	11	.....	1
Mount Vernon	524	507	362	168	120	52	8	8	6	145	.....	17	.....	.....
New Rochelle	403	354	208	89	79	22	1	3	14	145	1	49	.....	.....
New York	73,393	70,207	40,455	14,191	20,699	4,695	121	222	527	29,421	331	3,028	31	127
Bronx borough	7,903	7,799	4,160	1,345	2,241	525	10	16	23	3,627	12	99	1	4
Brooklyn borough	25,613	24,885	15,131	5,527	7,587	1,808	30	63	116	9,685	69	709	2	17
Manhattan borough	32,595	30,385	16,695	5,344	8,990	1,813	70	127	351	13,459	231	2,083	26	101
Queens borough	5,501	5,395	3,420	1,481	1,463	438	6	9	23	1,969	6	101	2	3
Richmond borough	1,781	1,743	1,049	494	418	111	5	7	14	681	13	35	.....	2

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
NEW YORK—continued.														
Newburgh	497	484	368	230	94	25	4	5	10	112	4	13	.....	.....
Niagara Falls	651	647	430	127	226	55	8	7	7	209	8	3	.....	1
North Tonawanda	190	189	130	52	57	13	4	2	2	58	1	.....	.....	1
Ogdensburg	467	464	334	150	76	61	7	9	31	123	7	3	.....	.....
Olean	305	299	243	126	56	20	2	15	24	54	2	6	.....	.....
Oneida	160	160	136	85	20	14	1	5	11	23	1	.....	.....	.....
Oneonta	187	184	164	117	8	8	5	13	13	20	.....	3	.....	.....
Ossining	154	150	116	64	28	15	1	4	4	31	3	4	.....	.....
Oswego	284	283	209	100	57	26	7	9	10	73	1	1	.....	.....
Peekskill	226	222	188	128	30	15	1	3	11	33	1	4	.....	.....
Plattsburg	234	234	197	108	43	19	2	5	20	37	.....	.....	.....	.....
Port Chester	204	200	129	50	59	17	1	.....	2	69	2	4	.....	.....
Port Jervis	202	201	175	108	34	20	2	5	6	26	.....	1	.....	.....
Poughkeepsie	516	493	421	269	76	28	5	15	28	69	3	23	.....	.....
Rensselaer	113	113	101	55	21	15	3	2	5	12	.....	.....	.....	.....
Rochester	3,765	3,735	2,608	1,127	970	313	33	73	92	1,102	25	29	.....	1
Rome	568	562	429	200	139	43	2	18	27	117	16	6	.....	.....
Saratoga Springs	252	228	173	110	30	10	1	15	7	53	2	24	.....	.....
Schenectady	956	946	701	357	220	74	7	25	18	242	3	9	.....	1
Syracuse	2,640	2,612	1,989	1,029	572	201	12	83	92	606	17	27	.....	1
Tonawanda	99	99	75	27	29	15	1	1	2	24	.....	.....	.....	.....
Troy	1,222	1,214	904	425	303	108	7	28	33	308	2	8	.....	.....
Utica	1,385	1,376	989	429	371	104	11	27	47	377	10	8	.....	1
Watertown	616	615	464	287	78	57	7	11	24	145	6	1	.....	.....
Watervliet	211	211	160	71	64	17	1	4	3	50	1	.....	.....	.....
White Plains	267	247	185	82	58	26	7	6	6	58	4	20	.....	.....
Yonkers	1,153	1,129	749	278	340	112	5	6	8	376	4	23	1	.....
NORTH CAROLINA.														
Registration cities	5,788	3,210	3,079	2,531	31	45	7	228	237	71	60	2,577	.....	1
Asheville	729	551	512	416	8	14	1	32	41	23	16	178	.....	.....
Charlotte	747	459	447	338	6	7	1	43	52	9	3	288	.....	.....
Durham	378	145	138	103	.....	1	.....	18	16	5	2	233	.....	.....
Gastonia	233	190	186	172	.....	.....	.....	10	4	.....	4	43	.....	.....
Goldsboro	274	114	112	101	1	2	.....	6	2	1	1	160	.....	.....
Greensboro	378	228	220	188	5	3	1	13	10	5	3	150	.....	.....
High Point	199	144	141	121	.....	.....	.....	16	4	2	1	55	.....	.....
New Bern	267	83	78	68	.....	.....	1	5	4	4	1	184	.....	.....
Raleigh	568	334	317	232	2	9	.....	24	50	2	15	234	.....	.....
Rocky Mount	233	132	127	118	.....	1	.....	5	3	2	3	101	.....	.....
Salisbury	180	111	109	84	.....	.....	.....	14	11	1	1	69	.....	.....
Wilmington	654	313	294	237	5	7	3	23	19	13	6	340	.....	1
Wilson	186	86	84	81	.....	.....	.....	2	1	.....	2	100	.....	.....
Winston-Salem	762	320	314	272	4	1	.....	17	20	4	2	442	.....	.....
NORTH DAKOTA.[1]														
Fargo	384	380	271	95	80	33	10	24	29	102	7	2	.....	2
OHIO.														
Registration cities	42,185	39,059	29,373	16,129	7,469	2,342	398	1,254	1,781	9,143	543	3,108	1	17
Akron	2,443	2,349	1,885	1,206	335	95	27	101	121	417	47	89	.....	5
Alliance	301	286	222	154	32	15	.....	11	10	60	4	15	.....	.....
Ashtabula	269	266	194	99	53	19	3	12	8	67	5	3	.....	.....
Barberton	239	223	173	113	38	8	2	4	8	48	2	16	.....	.....
Bellaire	210	193	144	83	38	10	3	6	4	47	2	17	.....	.....
Bucyrus	134	132	123	89	18	4	1	6	5	9	.....	2	.....	.....
Cambridge	178	167	153	121	11	4	3	9	5	12	2	11	.....	.....
Canton	1,108	1,082	848	497	210	49	13	31	48	217	17	26	.....	.....
Chillicothe	219	206	182	129	28	7	2	5	11	22	2	13	.....	.....
Cincinnati	6,073	5,336	3,967	2,033	1,199	357	56	137	185	1,338	31	732	.....	5
Cleveland	9,985	9,216	5,579	1,866	2,596	597	99	154	267	3,478	159	764	.....	5
Cleveland Heights	109	109	76	41	17	7	1	3	7	33	.....	.....	.....	.....
Columbus	3,546	3,064	2,014	1,727	307	152	32	155	241	351	99	482	.....	.....
Coshocton	167	164	150	118	10	8	2	2	10	14	.....	3	.....	.....
Cuyahoga Falls	123	123	106	76	11	3	5	2	9	16	1	.....	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
OHIO—continued.														
Dayton	1,883	1,734	1,440	863	242	107	10	85	133	274	20	149	.....	.....
East Cleveland	265	263	184	109	43	20	2	6	4	78	1	2	.....	.....
East Liverpool [1]	350	338	289	209	27	21	8	18	6	45	4	12	.....	.....
East Youngstown	183	168	128	7	109	11	.....	1	.....	37	3	15	.....	.....
Elyria	273	263	187	105	40	7	4	16	15	70	6	10	.....	.....
Findlay	249	247	224	169	9	11	3	16	16	21	2	2	.....	.....
Fremont	122	119	90	51	21	10	.....	3	5	29	.....	3	.....	.....
Hamilton	560	531	462	324	61	46	3	5	23	65	4	29	.....	.....
Ironton	251	233	216	170	7	10	3	5	21	15	2	18	.....	.....
Kenmore	124	121	111	83	18	7	.....	.....	3	9	1	3	.....	.....
Lakewood	334	331	243	124	78	30	3	1	7	88	.....	3	.....	.....
Lancaster	183	176	166	134	12	8	1	5	6	10	.....	7	.....	.....
Lima	602	578	530	385	26	25	9	38	47	48	.....	24	.....	.....
Lorain	438	422	281	99	138	31	1	5	7	139	2	16	.....	.....
Mansfield	349	340	291	172	57	21	.....	18	23	47	2	9	.....	.....
Marietta	261	258	226	135	27	8	5	19	32	27	5	3	.....	.....
Marion	389	383	355	255	26	15	2	31	26	27	1	6	.....	.....
Martins Ferry	202	193	144	82	26	17	1	6	12	47	2	9	.....	.....
Massillon	247	229	180	99	38	18	4	8	13	41	8	18	.....	.....
Middletown	269	241	211	156	23	10	1	13	8	30	.....	28	.....	.....
New Philadelphia	128	128	114	68	14	10	2	9	11	14	.....	.....	.....	.....
Newark	405	391	361	235	27	18	5	35	41	29	1	14	.....	.....
Niles	123	123	89	41	31	12	2	2	1	33	1	.....	.....	.....
Norwood	201	199	162	99	46	10	1	4	2	37	.....	2	.....	.....
Piqua	262	253	227	166	21	9	4	11	16	26	.....	9	.....	.....
Portsmouth	492	467	437	334	38	18	2	26	19	28	2	25	.....	.....
Salem	189	186	155	118	15	12	.....	8	2	29	2	3	.....	.....
Sandusky	275	265	182	80	72	19	1	3	7	81	2	10	.....	.....
Springfield	822	695	599	453	61	18	2	24	41	84	12	127	.....	.....
Steubenville	408	376	285	150	91	18	3	13	10	85	6	32	.....	.....
Tiffin	212	210	179	123	29	15	3	6	3	29	2	2	.....	.....
Toledo	3,413	3,250	2,440	1,308	552	283	32	96	169	764	46	161	1	1
Warren	429	410	319	182	70	32	6	14	15	83	8	19	.....	.....
Youngstown	1,738	1,596	1,067	430	441	83	16	27	70	504	25	141	.....	1
Zanesville	450	426	383	259	30	17	10	39	28	41	2	24	.....	.....
OKLAHOMA.[2]														
Oklahoma City	1,135	958	828	448	22	34	14	100	210	62	68	170	.....	7
OREGON.														
Registration cities	4,115	3,997	2,891	1,468	429	270	67	256	401	1,022	84	25	36	57
Astoria	203	193	103	42	24	11	2	11	13	89	1	1	4	5
Eugene	214	212	183	110	8	7	4	20	34	25	4	.....	1	1
Portland	3,164	3,068	2,234	1,121	347	224	53	198	291	775	59	21	29	46
Salem (exclusive of)	242	237	191	116	19	15	4	17	20	42	4	.....	1	4
State institutions	292	287	180	79	31	13	4	10	43	91	16	3	1	1
PENNSYLVANIA.														
Registration cities	66,435	61,547	45,645	24,973	12,805	4,124	467	1,328	1,948	15,393	509	4,855	3	30
Allentown	1,233	1,225	1,060	812	148	57	3	22	18	161	4	7	.....	1
Altoona	846	823	714	539	96	47	2	12	18	108	1	22	.....	1
Ambridge	127	127	95	32	47	9	1	3	3	32	.....	.....	.....	.....
Beaver Falls	217	204	145	76	34	23	1	3	8	58	1	13	.....	.....
Berwick	145	145	129	85	22	11	2	5	4	15	1	.....	.....	.....
Bethlehem	500	498	403	240	112	15	3	10	23	92	3	2	.....	.....
Braddock	440	417	296	96	165	24	1	4	6	118	3	23	.....	.....
Bradford	285	284	231	144	39	15	5	12	16	49	4	1	.....	.....
Bristol	144	134	102	54	32	11	.....	3	2	31	1	10	.....	.....
Butler	278	275	224	147	42	22	3	4	6	50	1	3	.....	.....
Canonsburg	124	112	84	43	26	4	3	7	1	28	.....	12	.....	.....
Carbondale	317	317	242	109	101	19	1	6	6	71	4	.....	.....	.....
Carlisle	199	184	175	147	4	3	1	12	8	7	2	15	.....	.....
Carnegie	180	177	144	63	53	23	1	2	2	33	.....	3	.....	.....
Carrick	102	102	77	39	24	11	2	1	.....	25	.....	.....	.....	.....

[1] There were 31 transcripts for deaths received too late for compilation.
[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
PENNSYLVANIA—continued.														
Chambersburg	212	206	202	166	7	5	1	12	11	2	2	6	.....	.....
Charleroi	123	115	78	32	27	18	.....	.....	1	37	.....	8	.....	.....
Chester	937	769	596	306	196	52	6	17	19	150	23	168	.....	.....
Coatesville	184	154	137	95	25	11	1	2	3	17	.....	30	.....	.....
Columbia	163	154	138	96	17	13	1	5	6	16	.....	9	.....	.....
Connellsville	168	159	124	86	18	9	.....	6	5	35	.....	9	.....	.....
Dickson City	110	110	65	11	38	15	.....	1	.....	45	.....	.....	.....	.....
Donora	139	127	99	28	57	6	2	4	2	28	.....	12	.....	.....
Du Bois	201	200	158	90	48	16	2	1	1	42	.....	1	.....	.....
Dunmore	338	337	264	55	110	17	2	23	57	71	2	1	.....	.....
Duquesne	236	221	161	59	82	18	1	.....	1	60	.....	15	.....	.....
Easton	602	600	525	367	81	33	6	24	14	72	3	2	.....	.....
Erie	1,404	1,385	1,001	430	315	108	12	42	94	363	21	19	.....	.....
Farrell	226	199	114	17	85	9	.....	2	1	83	2	27	.....	.....
Greensburg	278	267	211	148	30	15	1	10	7	54	2	11	.....	.....
Harrisburg	1,107	998	398	738	64	32	5	29	30	92	8	109	.....	.....
Hazleton	483	483	323	133	131	49	2	7	1	159	1	.....	.....	.....
Homestead	228	212	166	63	77	20	2	4	.....	45	1	16	.....	.....
Jeannette	86	83	66	34	19	9	.....	3	1	16	1	3	.....	.....
Johnstown	1,140	1,081	828	463	272	62	7	10	14	248	5	58	.....	1
Lancaster	887	876	797	650	71	38	1	22	15	78	1	11	.....	.....
Lebanon	435	430	403	349	20	5	.....	20	9	24	3	5	.....	.....
McKees Rocks	168	162	117	25	79	9	2	1	1	44	1	6	.....	.....
McKeesport	704	679	453	214	180	44	2	4	9	216	10	24	1	.....
Mahanoy City	214	214	144	53	65	21	3	1	1	70	.....	.....	.....	.....
Meadville	261	255	231	152	28	15	9	16	11	22	2	6	.....	.....
Monessen	205	189	147	40	91	13	1	1	1	41	1	16	.....	.....
Mount Carmel	164	164	126	55	52	13	.....	1	5	38	.....	.....	.....	.....
Nanticoke	335	335	195	64	98	29	2	1	1	139	1	.....	.....	.....
New Castle	625	614	486	276	131	41	1	21	16	124	4	11	.....	.....
New Kensington	210	200	144	83	41	13	.....	3	4	52	4	10	.....	.....
Norristown	719	670	525	337	106	41	5	16	20	141	4	49	.....	.....
North Braddock	166	157	117	41	51	15	2	.....	5	40	.....	9	.....	.....
Oil City	285	280	242	164	44	14	3	9	8	36	2	5	.....	.....
Old Forge	165	165	111	18	81	9	.....	1	2	53	1	.....	.....	.....
Olyphant	112	111	76	18	49	9	.....	.....	.....	35	.....	1	.....	.....
Philadelphia	26,511	23,584	16,429	8,168	4,880	1,589	221	524	1,047	6,903	252	2,907	1	19
Phoenixville	159	155	128	80	34	8	.....	3	3	26	1	4	.....	.....
Pittsburgh	9,678	8,813	6,144	2,918	2,125	746	61	129	165	2,602	67	859	1	5
Pittston	334	334	234	65	145	18	2	.....	4	98	2	.....	.....	.....
Plymouth	188	188	119	38	58	18	4	.....	1	68	1	.....	.....	.....
Pottstown	267	259	239	196	25	3	1	9	5	20	.....	8	.....	.....
Pottsville	412	409	335	213	76	30	5	8	3	74	.....	3	.....	.....
Punxsutawney	162	162	117	77	19	19	.....	1	1	44	1	.....	.....	.....
Reading	1,564	1,550	1,377	1,111	135	58	2	22	19	171	2	13	.....	1
Scranton	2,057	2,043	1,353	550	559	153	23	30	38	681	9	14	.....	.....
Shamokin	251	251	215	144	43	20	2	5	1	36	.....	.....	.....	.....
Sharon	345	329	243	125	75	17	3	10	13	83	3	16	.....	.....
Shenandoah	339	339	226	55	128	26	5	4	8	111	2	.....	.....	.....
Steelton	186	155	120	74	30	8	.....	6	2	31	1	31	.....	.....
Sunbury	221	220	213	190	6	5	.....	9	3	6	1	1	.....	.....
Swissvale	124	115	95	57	18	12	2	2	4	19	1	9	.....	.....
Tamaqua	138	138	117	67	31	15	1	1	2	20	1	.....	.....	.....
Uniontown	317	291	218	163	30	8	3	8	6	68	5	26	.....	.....
Warren	174	174	127	62	28	8	4	9	16	46	1	.....	.....	.....
Washington	411	372	333	252	32	14	2	19	14	37	2	39	.....	.....
West Chester	316	254	233	174	22	11	.....	16	10	17	4	62	.....	.....
Wilkes-Barre	1,236	1,221	827	405	281	98	8	23	12	384	10	15	.....	.....
Wilkinsburg	383	370	308	216	46	24	1	9	12	60	2	11	.....	2
Williamsport	618	603	543	383	64	34	4	29	29	57	3	15	.....	.....
Woodlawn	134	115	84	19	53	11	.....	1	.....	30	1	19	.....	.....
York	753	718	679	559	28	31	2	26	33	32	7	35	.....	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1920—Contd.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
RHODE ISLAND.														
Registration cities	7,372	7,123	4,587	1,991	1,831	533	20	69	143	2,486	50	245	.....	4
Bristol town	168	167	124	41	69	4	.....	1	9	38	5	1	.....	.....
Central Falls	249	249	157	43	90	24	.....	.....	.....	92	.....	.....	.....	.....
Cranston (exclusive of)	240	238	165	87	49	21	2	2	4	71	2	2	.....	.....
State institutions	425	404	204	90	65	9	3	9	28	197	3	21	.....	.....
Cumberland town	125	125	71	26	38	6	.....	.....	1	54	.....	.....	.....	.....
East Providence town	258	247	183	111	57	12	.....	.....	3	62	2	11	.....	.....
Newport	421	384	278	142	68	35	.....	.....	33	99	7	36	.....	1
Pawtucket	841	840	495	188	230	72	1	.....	4	334	11	1	.....	.....
Providence	3,692	3,522	2,322	1,042	916	261	13	47	43	1,184	16	167	.....	3
Warwick town	221	216	142	74	45	15	.....	3	5	70	4	5	.....	.....
West Warwick town	192	192	134	52	53	25	.....	2	2	53	.....	.....	.....	.....
Woonsocket	540	539	312	95	151	49	1	5	11	227	.....	1	.....	.....
SOUTH CAROLINA.														
Registration cities	4,219	1,970	1,823	1,312	73	57	8	110	263	112	35	2,247	.....	2
Anderson	258	154	150	131	.....	3	.....	11	5	3	1	104	.....	.....
Charleston	1,607	592	497	348	62	40	4	15	28	85	10	1,014	.....	1
Columbia	1,288	654	628	363	10	10	3	44	198	16	10	634	.....	.....
Florence	360	192	184	154	.....	.....	1	13	16	3	5	168	.....	.....
Greenville	346	184	178	163	1	4	.....	6	4	4	2	162	.....	.....
Spartanburg	360	194	186	153	.....	.....	.....	21	12	1	7	165	.....	1
TENNESSEE.														
Registration cities	8,519	5,057	4,567	3,212	134	95	26	542	558	264	226	3,461	.....	1
Chattanooga	1,137	613	562	393	15	14	5	61	74	35	16	524	.....	.....
Jackson	288	164	157	129	.....	3	.....	9	16	5	2	124	.....	.....
Johnson City	344	296	205	151	2	4	.....	10	38	9	82	48	.....	.....
Knoxville	1,348	1,097	1,058	735	11	4	3	209	96	22	17	251	.....	.....
Memphis	3,255	1,595	1,382	897	70	40	10	159	206	122	91	1,650	.....	1
Nashville	2,147	1,292	1,203	907	36	30	8	94	128	71	18	855	.....	.....
TEXAS.[1]														
Registration cities	10,193	8,304	5,944	2,899	1,436	422	74	367	746	2,085	275	1,866	3	20
Beaumont	501	302	225	138	16	8	6	21	36	28	49	109	.....	.....
Dallas	2,166	1,663	1,433	953	102	63	17	114	184	178	52	501	.....	2
El Paso	2,208	2,143	1,292	382	610	80	8	45	167	778	73	55	3	7
Galveston	711	477	323	162	83	39	.....	4	35	147	7	233	.....	1
Houston	1,944	1,304	988	522	122	74	22	95	153	245	71	634	.....	6
San Antonio	2,663	2,415	1,633	742	503	158	21	88	171	709	23	244	.....	4
UTAH.														
Registration cities	2,312	2,265	1,519	804	343	227	10	47	88	688	58	21	18	8
Ogden	433	421	294	168	66	42	2	8	8	121	6	2	7	3
Provo	175	174	130	76	19	20	2	6	7	37	7	1	.....	.....
Salt Lake City	1,704	1,670	1,095	560	258	165	6	33	73	530	45	18	11	5
VERMONT.														
Registration cities	831	830	655	375	119	67	12	47	35	167	8	1	.....	.....
Barre	144	144	87	48	17	15	1	5	1	55	2	.....	.....	.....
Burlington	444	443	364	194	65	37	7	37	24	75	4	1	.....	.....
Rutland	243	243	204	133	37	15	4	5	10	37	2	.....	.....	.....
VIRGINIA.														
Registration cities	9,024	4,966	4,646	3,625	173	130	13	274	431	267	53	4,046	7	5
Alexandria	319	200	189	130	9	6	.....	26	18	10	1	119	.....	.....
Charlottesville	160	99	98	75	2	1	.....	11	9	1	.....	61	.....	.....
Danville	336	222	219	183	.....	1	1	14	20	1	2	114	.....	.....
Lynchburg	494	308	297	240	5	9	.....	23	20	10	1	186	.....	.....
Newport News	527	227	188	147	8	3	1	15	14	35	4	298	1	1
Norfolk	1,782	870	774	607	44	37	.....	28	58	83	13	905	4	3
Petersburg	600	248	237	182	5	12	.....	13	25	10	1	352	.....	.....
Portsmouth	802	320	304	258	6	6	.....	16	18	14	2	480	2	.....
Richmond	2,847	1,586	1,488	1,131	82	44	8	78	145	77	21	1,260	.....	1
Roanoke	855	616	590	482	8	7	2	37	54	22	4	239	.....	.....
Staunton	302	270	262	190	4	4	1	13	50	4	4	32	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY, OF DECEDENT: 1920—Con.

[The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Japanese.	Other colored.
		Total.	Native.							Foreign born.	Nativity unknown.			
			Total.	Both parents native.	Both parents foreign born.	One parent foreign born, the other—		Parentage unknown.						
						Native.	Unknown.	One parent unknown, the other native.	Both parents unknown.					
REGISTRATION CITIES—Continued.														
WASHINGTON.														
Registration cities	7,845	7,464	5,140	2,825	916	614	84	248	453	2,087	237	104	189	88
Aberdeen	178	173	98	47	16	17	.....	3	15	65	10	.....	.....	5
Bellingham	321	320	211	125	32	19	4	11	20	101	8	.....	.....	1
Everett	296	289	199	110	40	23	5	9	12	84	6	4	2	1
Hoquiam	99	96	60	31	7	11	1	4	6	33	3	.....	2	1
Seattle	3,401	3,143	2,088	1,107	445	226	46	100	164	963	92	64	141	53
Spokane	1,481	1,462	1,035	594	180	137	8	33	83	364	63	15	3	1
Tacoma	1,256	1,198	809	438	130	109	13	46	73	353	36	15	35	8
Vancouver	201	198	161	90	20	26	3	9	13	32	5	.....	.....	3
Walla Walla	255	244	200	103	20	16	1	16	44	35	9	.....	.....	11
Yakima	357	341	279	180	26	30	3	17	23	57	5	6	6	4
WEST VIRGINIA.[1]														
Wheeling	1,008	965	753	425	162	58	20	41	47	199	13	42	.....	1
WISCONSIN.														
Registration cities	12,269	12,179	7,988	3,286	2,940	1,028	123	223	388	4,074	117	80	.....	10
Appleton	270	269	179	81	67	21	.....	3	7	90	.....	1	.....	.....
Ashland	202	199	112	52	36	15	.....	3	6	81	6	.....	.....	3
Beloit	311	298	235	132	39	16	7	16	25	59	4	13	.....	.....
Eau Claire	406	404	259	111	77	40	5	5	21	145	.....	1	.....	1
Fond du Lac	347	346	260	131	67	25	12	10	15	83	3	1	.....	.....
Green Bay	587	585	411	176	96	38	18	50	33	164	10	.....	.....	2
Janesville	266	266	201	117	37	21	4	8	14	63	2	.....	.....	.....
Kenosha	410	410	280	92	146	30	3	3	6	129	1	.....	.....	.....
La Crosse	490	489	323	139	106	35	9	9	25	161	5	1	.....	.....
Madison	450	445	321	170	99	30	5	6	11	121	3	5	.....	.....
Manitowoc	247	246	161	75	55	22	7	.....	2	82	3	.....	.....	1
Marinette	187	187	104	54	23	17	2	2	6	80	3	.....	.....	.....
Milwaukee	5,415	5,363	3,431	1,243	1,463	479	32	75	139	1,884	48	50	.....	2
Oshkosh	440	440	266	109	91	40	3	7	16	173	1	.....	.....	.....
Racine	719	714	449	171	188	65	3	8	14	262	3	4	.....	1
Sheboygan	363	363	216	72	108	26	3	2	5	147	.....	.....	.....	.....
Stevens Point	142	142	100	58	19	11	4	2	6	42	.....	.....	.....	.....
Superior	463	460	288	102	111	49	1	7	18	151	21	3	.....	.....
Waukesha	158	157	119	59	38	14	1	1	6	35	3	1	.....	.....
Wausau	275	275	185	108	38	24	1	4	10	89	1	.....	.....	.....
West Allis	121	121	88	4	36	10	3	2	3	33	.....	.....	.....	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (exclusive of Hawaii) (total)	1,142,558	174,710	36,986	16,892	11,369	8,475	248,432	27,051	19,450	31,259	43,892	40,763
2	White	1,007,117	151,284	31,759	14,748	10,071	7,540	215,402	23,750	16,338	24,724	34,327	41,060
3	Colored	135,441	23,426	5,227	2,144	1,298	935	33,030	3,301	3,112	6,535	9,565	8,693
4	Registration states [1] (total)	1,118,070	170,911	36,106	16,503	11,184	8,306	243,010	26,535	19,046	30,276	42,336	48,221
5	White	993,859	148,615	31,117	14,476	9,921	7,413	211,547	23,386	16,073	24,152	33,546	40,215
6	Colored	127,211	22,296	4,989	2,027	1,263	888	31,463	3,149	2,973	6,124	8,840	7,979
7	Cities in registration states [1] (total)	589,020	89,939	19,515	8,697	5,931	4,480	128,562	14,367	9,176	14,643	22,841	27,597
8	White	534,759	81,341	17,395	7,978	5,493	4,189	116,396	13,370	8,246	12,351	18,990	23,725
9	Colored	54,261	8,598	2,120	719	438	291	12,166	997	930	2,292	3,851	3,872
10	Rural part of registration states (total)	529,050	80,972	16,591	7,806	5,253	3,826	114,448	12,168	9,870	15,633	19,545	20,627
11	White	456,100	67,274	13,722	6,498	4,428	3,229	95,151	10,016	7,827	11,801	14,556	16,520
12	Colored	72,950	13,698	2,869	1,308	825	597	19,297	2,152	2,043	3,832	4,989	4,107
13	Registration cities in nonregistration states (total)	24,488	3,799	880	389	185	169	5,422	516	404	983	1,506	1,529
14	White	16,258	2,669	642	272	150	122	3,855	364	265	572	781	815
15	Colored	8,230	1,130	238	117	35	47	1,567	152	139	411	725	714
16	All registration cities [1] (total)	613,508	93,738	20,395	9,086	6,116	4,649	133,984	14,883	9,580	15,626	24,347	29,126
17	White	551,017	84,010	18,037	8,250	5,643	4,311	120,251	13,734	8,511	12,923	19,771	24,546
18	Colored	62,491	9,728	2,358	836	473	338	13,733	1,149	1,069	2,703	4,576	4,580
	REGISTRATION STATES.												
19	California (total)	47,196	4,908	991	485	318	274	7,066	969	733	1,144	1,646	1,961
20	White	44,223	4,498	883	408	280	241	6,310	898	687	1,058	1,493	1,799
21	Colored	2,973	500	108	77	38	33	756	71	46	86	153	162
22	Colorado (total)	13,717	1,972	398	189	124	80	2,763	273	255	398	720	933
23	White	13,315	1,930	384	186	122	79	2,701	267	253	374	684	906
24	Colored	402	42	14	3	2	1	62	6	2	24	36	27
25	Connecticut (total)	18,916	3,134	646	313	186	124	4,403	427	254	372	561	741
26	White	18,414	3,030	618	306	180	122	4,256	411	241	356	534	720
27	Colored	502	104	28	7	6	2	147	16	13	16	27	15
28	Delaware (total)	3,265	597	113	53	34	27	824	57	53	87	107	116
29	White	2,593	447	84	44	30	26	631	48	37	48	71	91
30	Colored	672	150	29	9	4	1	193	9	16	39	36	25
31	Florida (total)	12,720	1,834	434	164	135	93	2,660	305	256	470	641	642
32	White	7,581	1,042	283	119	90	60	1,594	194	136	299	275	396
33	Colored	5,139	792	151	45	45	33	1,066	111	120	261	366	336
34	Illinois (total)	82,296	11,641	2,533	1,156	859	679	16,868	2,096	1,383	2,148	2,913	3,720
35	White	78,299	11,145	2,355	1,108	831	666	16,105	2,014	1,309	2,014	2,650	3,433
36	Colored	3,997	496	178	48	28	13	763	82	74	134	263	287
37	Indiana (total)	39,430	5,301	1,073	503	356	251	7,484	839	659	1,099	1,374	1,424
38	White	37,623	5,032	1,006	488	343	244	7,113	792	630	1,010	1,254	1,325
39	Colored	1,807	269	67	15	13	7	371	47	29	89	120	99
40	Kansas (total)	20,267	2,898	578	309	184	150	4,119	431	378	589	672	718
41	White	19,038	2,726	536	295	167	146	3,870	414	358	528	619	656
42	Colored	1,229	172	42	14	17	4	249	17	20	61	53	62
43	Kentucky (total)	28,564	4,597	1,083	514	326	239	6,759	805	606	1,008	1,329	1,244
44	White	24,004	4,025	955	455	286	216	5,937	711	497	789	1,021	1,001
45	Colored	4,560	572	128	59	40	23	822	94	109	219	308	243
46	Louisiana (total)	21,553	3,203	643	294	226	161	4,527	591	553	906	1,275	1,261
47	White	10,805	1,618	365	176	124	96	2,379	310	253	330	454	493
48	Colored	10,748	1,585	278	118	102	65	2,148	281	300	576	821	768
49	Maine (total)	11,872	1,761	254	119	88	53	2,275	174	132	245	287	310
50	White	11,833	1,757	253	119	87	53	2,269	174	132	241	284	308
51	Colored	39	4	1	.....	1	.....	6	.....	.....	1	3	2
52	Maryland (total)	21,362	3,768	655	284	182	111	5,000	418	310	542	841	886
53	White	16,152	2,657	460	188	131	82	3,518	316	220	325	560	597
54	Colored	5,210	1,111	195	96	51	29	1,482	102	90	217	281	289
55	Massachusetts (total)	53,498	8,337	1,730	723	521	378	11,689	1,132	696	960	1,411	1,875
56	White	52,438	8,171	1,659	710	503	370	11,413	1,105	680	927	1,364	1,817
57	Colored	1,060	166	71	13	18	8	276	27	16	33	47	58
58	Michigan (total)	51,549	8,504	1,729	785	576	437	12,031	1,410	855	1,356	1,945	2,442
59	White	49,834	8,245	1,654	763	561	422	11,645	1,373	827	1,290	1,785	2,273
60	Colored	1,715	259	75	22	15	15	386	37	28	66	160	169
61	Minnesota (total)	25,722	3,715	598	304	235	151	5,003	637	477	703	1,052	1,219
62	White	25,309	3,644	579	298	228	146	4,895	626	460	697	1,024	1,193
63	Colored	413	71	19	6	7	5	108	11	17	11	28	21
64	Mississippi (total)	22,040	3,499	807	434	296	210	5,246	720	657	1,167	1,401	1,221
65	White	7,923	1,344	341	187	140	88	2,100	251	188	274	285	311
66	Colored	14,117	2,155	466	247	156	122	3,146	469	469	893	1,116	910
67	Missouri (total)	42,638	5,309	1,368	641	420	326	8,064	1,130	787	1,268	1,721	1,893
68	White	38,862	4,843	1,236	599	383	311	7,372	1,058	711	1,107	1,507	1,669
69	Colored	3,776	466	132	42	37	15	692	72	76	161	214	220

[1] Including District of Columbia.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
50,050	52,093	47,609	51,959	53,072	61,678	72,780	76,564	79,584	73,995	53,474	29,403	10,376	2,459	961	1,664	1
42,314	43,138	40,110	44,185	50,634	56,153	67,183	71,349	74,780	70,398	50,708	27,759	9,425	2,032	341	1,007	2
7,736	8,955	7,499	7,774	7,438	5,525	5,597	5,215	4,804	3,597	2,766	1,644	951	427	620	657	3
48,600	50,436	46,225	50,438	56,587	60,537	71,462	75,344	78,507	73,120	52,959	29,131	10,281	2,427	933	1,606	4
41,406	42,223	39,320	43,345	49,773	55,351	66,142	70,318	73,878	69,622	50,260	27,535	9,348	2,013	334	982	5
7,134	8,213	6,905	7,093	6,814	5,186	5,320	5,026	4,629	3,498	2,699	1,596	933	414	599	624	6
28,372	29,242	27,665	30,788	34,330	35,946	39,908	38,657	37,077	31,677	21,583	11,440	3,833	863	219	229	7
24,635	24,827	23,863	26,989	30,742	33,374	37,540	36,749	35,569	30,653	20,982	11,063	3,639	773	123	160	8
3,737	4,415	3,802	3,799	3,588	2,572	2,368	1,908	1,508	1,024	605	377	194	90	96	69	9
20,228	21,194	18,560	19,650	22,257	24,591	31,554	36,687	41,430	41,443	31,371	17,691	6,448	1,564	714	1,377	10
16,831	17,396	15,457	16,356	19,031	21,977	28,602	33,569	38,309	38,969	29,278	16,472	5,709	1,240	211	822	11
3,397	3,798	3,103	3,294	3,226	2,614	2,952	3,118	3,121	2,474	2,093	1,219	739	324	503	555	12
1,450	1,657	1,384	1,521	1,485	1,141	1,318	1,220	1,077	875	515	272	95	32	28	58	13
848	915	790	840	861	802	1,041	1,031	902	776	448	224	77	19	7	25	14
602	742	594	681	624	339	277	189	175	99	67	48	18	13	21	33	15
29,822	30,899	29,049	32,309	35,815	37,087	41,226	39,877	38,154	32,552	22,103	11,712	3,928	895	247	287	16
25,483	25,742	24,653	27,829	31,603	34,176	38,581	37,780	36,471	31,429	21,430	11,287	3,716	792	130	185	17
4,339	5,157	4,396	4,480	4,212	2,911	2,645	2,097	1,683	1,123	673	425	212	103	117	102	18
2,202	2,556	2,381	2,441	2,833	3,020	3,503	3,471	3,542	3,351	2,399	1,391	435	99	34	19	19
2,020	2,374	2,201	2,286	2,664	2,853	3,314	3,304	3,421	3,284	2,354	1,365	417	94	21	6	20
182	182	180	155	169	167	189	167	121	67	45	26	18	5	13	13	21
891	798	692	673	691	720	811	821	805	712	433	218	87	15	4	4	22
856	761	660	639	670	707	797	796	798	699	430	212	82	15	4	4	23
35	37	32	34	21	13	14	25	7	13	3	6	5	.....	.....	.....	24
773	831	764	818	1,017	1,086	1,253	1,313	1,360	1,240	926	530	190	49	2	3	25
748	786	742	794	988	1,063	1,232	1,292	1,339	1,223	917	523	188	48	1	3	26
25	45	22	24	29	23	21	21	21	17	9	7	2	1	1	.....	27
125	120	115	138	137	166	202	236	273	230	163	78	26	4	2	.....	28
94	95	90	104	106	134	162	197	243	205	142	66	24	4	1	.....	29
31	31	25	34	31	32	40	39	30	25	21	12	2	.....	1	.....	30
620	764	643	734	676	581	688	692	756	629	429	227	69	44	38	156	31
297	325	310	382	389	398	506	519	605	517	334	161	43	12	3	66	32
323	439	333	352	287	183	182	173	151	112	95	66	26	32	35	90	33
3,783	3,827	3,454	3,966	4,410	4,839	5,387	5,387	5,605	5,259	3,990	2,213	796	179	23	50	34
3,488	3,469	3,142	3,687	4,130	4,621	5,222	5,248	5,486	5,171	3,923	2,183	775	170	17	42	35
295	358	312	279	280	218	165	139	119	88	67	30	21	9	6	8	36
1,523	1,585	1,447	1,602	1,826	2,016	2,554	3,113	3,295	3,380	2,356	1,311	407	84	18	34	37
1,430	1,457	1,329	1,474	1,702	1,930	2,464	3,037	3,218	3,336	2,320	1,287	397	81	11	26	38
93	128	118	128	124	86	90	76	77	44	36	24	10	3	7	8	39
788	769	730	713	804	956	1,221	1,386	1,687	1,813	1,346	735	254	63	10	35	40
733	699	663	645	743	874	1,160	1,312	1,627	1,745	1,300	718	235	57	4	28	41
55	70	67	68	61	82	61	74	60	68	46	17	19	6	6	7	42
1,155	1,152	1,051	1,178	1,225	1,412	1,603	1,790	2,004	1,777	1,266	672	259	69	40	160	43
914	871	785	899	927	1,162	1,361	1,589	1,785	1,621	1,158	600	214	56	16	90	44
241	281	266	279	298	250	242	201	219	156	108	72	45	13	24	70	45
1,169	1,247	1,067	1,219	1,150	963	1,127	1,127	1,030	902	643	411	188	73	80	44	46
527	531	479	557	561	587	712	704	660	562	385	203	73	23	8	14	47
642	716	588	662	589	376	415	423	370	340	258	208	115	50	72	30	48
353	401	362	416	516	643	805	977	1,094	1,152	920	558	169	42	6	35	49
352	398	358	416	514	640	801	977	1,091	1,149	918	557	169	42	5	35	50
1	3	4	.....	2	3	4	.....	3	3	2	1	.....	.....	1	.....	51
894	914	842	1,008	1,197	1,200	1,399	1,474	1,529	1,328	870	455	159	36	12	48	52
631	617	589	710	860	960	1,144	1,226	1,328	1,184	780	404	133	25	3	22	53
263	297	253	298	337	240	255	248	201	144	90	51	26	11	9	26	54
1,897	2,025	2,051	2,499	2,949	3,181	3,722	4,043	4,217	3,796	2,921	1,670	602	133	15	14	55
1,849	1,969	1,978	2,420	2,897	3,103	3,668	3,995	4,179	3,758	2,901	1,659	599	128	15	14	56
48	56	73	79	52	78	54	48	38	38	20	11	3	5	.....	.....	57
2,364	2,230	1,900	2,015	2,148	2,513	3,108	3,314	3,605	3,622	2,601	1,458	490	82	28	32	58
2,217	2,064	1,794	1,917	2,082	2,454	3,060	3,264	3,558	3,586	2,582	1,448	482	82	20	31	59
147	166	106	98	66	59	48	50	47	36	19	10	8	.....	8	1	60
1,317	1,142	938	1,036	1,219	1,491	1,682	1,686	1,768	1,779	1,305	837	334	76	5	11	61
1,292	1,115	920	1,010	1,195	1,479	1,669	1,663	1,751	1,767	1,296	831	331	75	4	11	62
25	27	18	26	24	12	13	23	17	12	9	6	3	1	1	.....	63
980	1,136	930	950	916	761	939	1,103	1,143	943	791	443	218	83	124	162	64
276	310	318	298	313	289	446	494	587	490	373	201	58	14	5	42	65
710	826	612	652	603	472	493	609	556	453	418	242	160	69	119	120	66
1,925	1,941	1,728	1,899	2,188	2,292	2,726	2,941	3,111	3,014	2,175	1,185	394	101	27	123	67
1,678	1,663	1,460	1,637	1,933	2,089	2,541	2,771	2,954	2,900	2,100	1,147	359	89	19	98	68
247	278	268	262	255	203	185	170	157	114	75	38	35	12	8	25	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Montana (total)	5,289	862	163	68	55	47	1,195	157	135	148	180	243
2	White	4,968	792	146	56	53	42	1,089	143	116	134	171	231
3	Colored	321	70	17	12	2	5	106	14	19	14	9	12
4	Nebraska (total)	12,976	1,986	373	215	145	99	2,818	324	278	373	424	513
5	White	12,579	1,910	340	199	137	95	2,681	313	268	360	404	487
6	Colored	397	76	33	16	8	4	137	11	10	13	20	26
7	New Hampshire (total)	6,764	875	129	59	38	34	1,135	102	107	116	157	170
8	White	6,753	874	129	59	38	34	1,134	102	107	115	156	170
9	Colored	11	1	.....	.....	.....	.....	1	.....	.....	1	1	.....
10	New Jersey (total)	41,326	6,668	1,531	624	435	310	9,568	965	632	925	1,383	1,706
11	White	38,851	6,191	1,394	588	411	297	8,881	912	583	849	1,251	1,581
12	Colored	2,475	477	137	36	24	13	687	53	49	76	132	125
13	New York (total)	144,558	20,309	4,789	2,110	1,344	1,035	29,587	3,195	2,056	2,977	4,735	5,952
14	White	140,374	19,517	4,564	2,037	1,315	1,009	28,442	3,121	1,995	2,815	4,453	5,626
15	Colored	4,184	792	225	73	29	26	1,145	74	61	162	282	326
16	North Carolina (total)	32,654	6,909	1,585	626	331	301	9,802	807	678	1,246	1,631	1,583
17	White	20,189	4,168	1,017	384	232	183	5,984	451	364	614	778	881
18	Colored	12,465	2,741	568	242	149	118	3,818	356	314	632	853	702
19	Ohio (total)	74,341	10,252	2,155	1,030	666	516	14,619	1,601	1,050	1,825	2,573	3,125
20	White	70,313	9,656	1,988	980	637	494	13,755	1,530	987	1,683	2,435	2,816
21	Colored	4,028	596	167	50	29	22	864	71	63	137	283	310
22	Oregon (total)	9,246	924	154	75	67	56	1,276	181	164	259	337	382
23	White	8,923	880	143	69	65	51	1,208	166	157	241	325	367
24	Colored	323	44	11	6	2	5	68	15	7	18	12	15
25	Pennsylvania (total)	120,902	21,415	4,434	1,974	1,359	1,003	30,185	2,944	1,939	2,819	4,046	4,837
26	White	114,800	20,329	4,160	1,867	1,313	962	28,631	2,835	1,821	2,681	3,601	4,407
27	Colored	6,102	1,086	274	107	46	41	1,554	109	118	238	445	430
28	Rhode Island (total)	8,696	1,386	302	151	79	63	1,981	186	118	166	266	313
29	White	8,422	1,339	285	145	79	61	1,909	182	112	158	252	300
30	Colored	274	47	17	6	.....	2	72	4	6	8	14	13
31	South Carolina (total)	23,767	5,531	1,250	494	292	212	7,779	666	538	972	1,452	1,191
32	White	9,425	1,986	521	198	134	89	2,928	212	168	271	394	388
33	Colored	14,342	3,545	729	296	158	123	4,851	454	370	701	1,058	803
34	Tennessee (total)	28,396	4,409	1,052	523	370	234	6,588	803	610	1,200	1,538	1,517
35	White	20,226	3,321	820	416	295	186	5,038	597	414	636	866	929
36	Colored	8,170	1,088	232	107	75	48	1,550	206	196	514	672	588
37	Utah (total)	5,198	1,011	198	103	45	49	1,406	151	139	158	206	253
38	White	5,065	986	192	99	43	47	1,367	147	138	156	197	248
39	Colored	133	25	6	4	2	2	39	4	1	2	9	5
40	Vermont (total)	5,536	713	92	54	37	19	915	72	64	121	132	154
41	White	5,530	713	92	54	37	19	915	72	64	120	132	154
42	Colored	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
43	Virginia (total)	30,514	5,500	1,094	556	330	208	7,688	667	566	1,053	1,489	1,414
44	White	18,353	3,241	629	357	204	136	4,567	429	301	498	697	698
45	Colored	12,161	2,259	465	199	126	72	3,121	238	265	555	783	716
46	Washington (total)	15,164	1,797	319	154	113	98	2,481	375	319	469	638	743
47	White	14,330	1,668	286	135	102	83	2,274	348	280	429	560	688
48	Colored	834	129	33	19	11	15	207	27	30	40	78	55
49	Wisconsin (total)	29,675	4,493	717	365	313	242	6,130	748	533	803	1,045	1,207
50	White	28,349	4,435	697	353	308	238	6,031	731	525	785	1,022	1,192
51	Colored	326	58	20	12	5	4	99	17	8	18	23	15
	REGISTRATION CITIES.												
	ALABAMA.[1]												
52	Registration cities (total)	4,979	760	160	60	31	27	1,038	99	92	233	333	339
53	White	2,255	326	77	27	22	15	467	49	40	87	86	122
54	Colored	2,724	434	83	33	9	12	571	50	52	146	247	217
55	Birmingham (total)	2,982	484	107	37	12	21	661	63	58	158	217	217
56	White	1,361	213	51	16	10	11	301	31	24	58	60	79
57	Colored	1,621	271	56	21	2	10	360	32	34	100	157	133
58	Mobile (total)	1,117	172	23	8	7	3	213	17	14	40	51	65
59	White	553	79	14	5	5	3	106	12	6	18	8	25
60	Colored	564	93	9	3	2	.....	107	5	8	22	43	39
61	Montgomery (total)	880	104	30	15	12	3	164	19	20	35	65	57
62	White	341	34	12	6	7	1	60	6	10	11	18	17
63	Colored	539	70	18	9	5	2	104	13	10	24	47	40

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
305	314	289	282	314	326	341	284	258	230	160	91	25	4	1	7	1
293	301	274	270	297	310	332	269	244	221	152	82	25	1	1	6	2
12	13	15	6	17	16	9	15	14	9	8	9	.....	3	.....	1	3
484	514	458	485	520	616	812	908	1,002	1,057	732	456	138	33	5	26	4
461	486	433	464	508	600	799	897	992	1,051	729	452	136	31	4	23	5
23	28	25	21	12	16	13	11	10	6	3	4	2	2	1	3	6
196	211	232	222	302	357	498	609	647	649	525	354	110	25	5	35	7
196	210	231	221	302	357	497	609	645	649	525	354	109	25	5	34	8
.....	1	1	1	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	1	9
1,747	1,783	1,811	2,060	2,330	2,416	2,827	2,754	2,871	2,551	1,721	893	321	48	12	2	10
1,606	1,617	1,643	1,913	2,175	2,294	2,700	2,643	2,799	2,492	1,679	869	307	48	7	2	11
141	166	168	147	155	122	127	111	72	59	42	24	14	.....	5	.....	12
6,099	6,308	6,303	7,213	8,557	9,121	10,474	10,618	10,452	9,290	6,500	3,572	1,185	264	40	60	13
5,824	5,966	6,022	6,951	8,347	8,950	10,302	10,499	10,318	9,210	6,456	3,551	1,177	256	37	56	14
275	342	281	262	210	171	172	119	134	80	44	21	8	8	3	4	15
1,403	1,522	1,284	1,163	1,256	1,151	1,508	1,733	1,929	1,528	1,152	567	308	77	98	228	16
811	869	760	668	741	749	1,052	1,284	1,412	1,187	835	392	184	33	21	119	17
592	653	524	495	515	402	456	449	517	341	317	175	124	44	77	109	18
3,230	3,183	2,944	3,201	3,479	3,954	4,938	5,503	5,774	5,898	4,238	2,212	777	169	23	20	19
2,976	2,850	2,660	2,908	3,244	3,785	4,786	5,343	5,664	5,775	4,159	2,161	753	156	17	16	20
254	338	284	293	235	169	152	160	110	123	79	51	24	13	6	4	21
444	499	361	448	505	564	725	728	731	707	513	277	101	21	6	17	22
420	482	350	433	486	549	697	715	714	698	505	275	98	18	5	14	23
24	17	11	15	19	15	28	13	17	9	8	2	3	3	1	3	24
5,035	5,411	5,059	5,541	6,145	6,810	7,670	7,892	8,157	7,395	5,221	2,663	863	164	32	24	25
4,711	4,901	4,657	5,117	5,789	6,545	7,416	7,717	7,972	7,276	5,146	2,620	853	156	24	24	26
374	510	402	424	356	265	254	175	185	119	75	43	10	8	8	.....	27
338	405	352	419	437	534	605	627	665	558	415	217	69	17	2	6	28
327	386	328	408	423	523	588	612	656	549	408	212	66	15	2	6	29
11	19	24	11	14	11	17	15	9	9	7	5	3	2	.....	.....	30
1,094	1,164	947	951	926	789	1,021	1,108	1,107	835	640	315	127	50	69	26	31
395	449	342	325	338	363	572	618	616	485	320	164	51	14	4	8	32
699	715	605	626	588	426	449	490	491	350	320	151	76	36	65	18	33
1,359	1,428	1,242	1,244	1,332	1,174	1,460	1,634	1,697	1,530	1,058	548	196	61	79	98	34
830	889	820	774	834	856	1,098	1,294	1,407	1,311	906	440	134	34	12	57	35
529	539	422	470	498	318	362	340	290	219	152	108	62	27	67	41	36
276	288	229	189	215	243	255	290	250	253	213	125	47	12	.....	.....	37
267	279	218	177	209	239	252	285	242	251	211	123	47	12	.....	.....	38
9	9	11	12	6	4	3	5	8	2	2	2	.....	.....	.....	.....	39
167	158	199	200	260	314	352	464	577	538	475	250	98	21	4	1	40
167	158	199	198	260	314	351	464	577	538	474	249	98	21	4	1	41
.....	.....	.....	2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	42
1,291	1,475	1,290	1,325	1,510	1,382	1,754	1,801	1,931	1,653	1,149	622	253	100	57	53	43
687	783	644	684	762	803	1,125	1,294	1,452	1,301	893	487	167	55	7	19	44
604	692	646	641	748	579	629	507	479	352	256	135	86	45	50	34	45
778	845	787	759	868	928	1,096	1,065	976	892	595	348	115	24	7	56	46
718	797	735	720	837	891	1,067	1,046	962	874	580	333	107	21	4	50	47
60	48	52	39	31	37	29	19	14	18	15	15	8	3	3	6	48
1,211	1,133	998	1,031	1,311	1,610	1,950	2,039	2,223	2,243	1,830	1,090	413	89	21	17	49
1,203	1,120	985	1,018	1,296	1,601	1,940	2,025	2,214	2,229	1,818	1,080	409	89	21	15	50
8	13	13	13	15	9	10	14	9	14	12	10	4	.....	.....	2	51
264	363	294	359	314	224	245	256	214	136	92	51	16	4	7	6	52
98	119	125	120	110	123	162	189	152	100	66	28	9	.....	.....	3	53
166	244	169	239	204	101	83	67	62	36	26	23	7	4	7	3	54
166	242	183	192	167	117	137	137	114	67	48	27	6	1	3	1	55
62	79	83	62	65	68	93	106	84	53	35	14	3	.....	.....	1	56
104	163	100	130	102	49	44	31	30	14	13	13	3	1	3	.....	57
60	80	69	89	79	63	64	58	58	47	24	15	6	1	1	3	58
29	27	26	35	28	33	42	46	41	33	20	11	4	.....	.....	2	59
31	53	43	54	51	30	22	12	17	14	4	4	2	1	1	1	60
38	41	42	78	68	44	44	61	42	22	20	9	4	2	3	2	61
7	13	16	23	17	22	27	37	27	14	11	3	2	.....	.....	.....	62
31	28	26	55	51	22	17	24	15	8	9	6	2	2	3	2	63

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	CALIFORNIA.												
1	Registration cities (total)	28,157	2,655	548	265	182	153	3,803	568	413	662	968	1,183
2	White	26,364	2,398	485	230	156	133	3,402	527	389	619	871	1,085
3	Colored	1,793	257	63	35	26	20	401	41	24	43	97	103
4	Alameda	358	36	8	3	1	4	52	7	6	4	11	11
5	Bakersfield	347	47	6	7	3	2	65	16	5	8	7	19
6	Berkeley	583	43	5	4	2	5	59	9	6	9	19	19
7	Eureka	217	20	3	.....	4	1	28	10	6	4	4	8
8	Fresno	661	134	32	5	5	5	181	17	12	17	19	33
9	Glendale	290	13	1	2	1	.....	17	2	2	7	3	9
10	Long Beach	758	62	9	6	4	1	82	12	15	12	20	19
11	Los Angeles (total)	8,274	830	177	79	56	38	1,180	175	118	184	294	352
12	White	7,735	741	159	70	48	33	1,051	164	109	172	252	318
13	Colored	539	89	18	9	8	5	129	11	9	12	42	34
14	Oakland (total)	2,585	293	54	32	23	18	420	56	44	57	89	104
15	White	2,421	274	50	28	21	17	390	53	41	55	85	92
16	Colored	164	19	4	4	2	1	30	3	3	2	4	12
17	Pasadena	562	25	10	8	3	1	47	9	11	9	13	15
18	Pomona	225	31	.....	2	1	1	35	7	3	8	3	8
19	Richmond	155	15	4	1	3	.....	23	.....	4	2	6	12
20	Riverside	302	38	8	2	.....	3	51	10	6	6	10	15
21	Sacramento	1,179	130	30	8	5	8	181	19	11	19	44	54
22	San Bernardino	396	47	8	9	5	1	70	7	14	13	12	22
23	San Diego	1,325	94	23	7	5	6	135	10	17	25	51	46
24	San Francisco (total)	7,259	558	116	69	40	41	824	136	92	164	260	339
25	White	6,799	523	106	58	35	37	759	127	83	150	234	311
26	Colored	460	35	10	11	5	4	65	9	4	14	26	28
27	San Jose	493	45	11	3	2	3	64	26	12	13	13	10
28	Santa Ana	226	31	6	2	2	3	44	6	5	1	7	13
29	Santa Barbara	257	33	4	1	1	2	41	4	4	3	4	10
30	Santa Cruz	209	9	2	3	2	.....	16	5	5	2	6	6
31	Santa Monica	251	15	3	.....	4	2	24	3	2	4	6	5
32	Stockton	839	79	23	9	5	6	122	15	8	15	21	40
33	Vallejo	329	22	5	2	4	2	35	5	5	75	44	16
34	Venice	77	5	.....	1	1	.....	7	2	.....	1	2	4
	COLORADO.												
35	Registration cities (total)	6,529	766	151	78	43	29	1,067	113	99	172	336	491
36	White	6,279	746	139	76	42	28	1,031	110	97	155	315	449
37	Colored	250	20	12	2	1	1	36	3	2	17	21	12
38	Boulder	209	15	5	2	2	1	25	1	3	6	8	9
39	Colorado Springs	703	46	8	5	4	1	64	9	7	24	56	62
40	Denver	4,484	463	92	49	27	20	651	78	69	119	226	318
41	Greeley	190	28	2	4	1	.....	35	3	3	3	9	10
42	Pueblo	727	162	36	14	9	7	228	18	13	14	28	50
43	Trinidad	216	52	8	4	.....	.....	64	4	4	6	9	12
	CONNECTICUT.												
44	Registration cities (total)	14,494	2,596	537	268	158	104	3,663	345	195	272	431	595
45	White	14,062	2,504	512	262	152	102	3,532	332	185	259	403	582
46	Colored	432	92	25	6	6	2	131	13	10	13	23	13
47	Ansonia	189	64	19	3	6	1	93	3	2	3	6	6
48	Bridgeport	1,872	384	75	42	21	18	540	57	21	45	53	97
49	Bristol	249	85	9	6	2	2	104	5	.....	2	3	9
50	Danbury town	371	54	3	3	5	1	66	6	3	5	13	13
51	Derby	203	49	6	5	3	4	67	8	1	6	4	9
52	East Hartford town	119	13	4	3	.....	3	23	3	.....	2	4	3
53	Enfield town	129	27	7	3	1	1	39	1	3	2	3	3
54	Fairfield town	122	24	5	3	1	1	34	14	4	1	1	3
55	Greenwich town	286	41	9	5	2	4	61	5	6	4	4	9
56	Hartford	2,296	416	71	34	18	13	552	53	23	39	76	81
57	Manchester town	113	13	2	3	.....	1	19	1	.....	2	1	3
58	Meriden town	500	59	13	6	6	2	86	6	8	10	18	25
59	Middletown town	531	53	9	4	5	.....	71	5	7	7	12	16
60	Milford town	127	12	3	1	2	.....	18	1	8	2	1	3
61	Naugatuck	130	24	7	4	1	2	38	5	2	3	8	4
62	New Britain	659	178	44	22	11	8	263	21	5	13	19	29
63	New Haven	2,375	368	105	32	31	19	555	61	35	45	57	95
64	New London	383	59	13	6	4	3	85	4	9	7	7	15
65	Norwalk	391	48	8	5	.....	.....	61	12	4	5	11	14
66	Norwich town	574	77	7	9	5	1	99	10	7	15	27	24
67	Orange town	284	35	3	3	2	2	45	5	2	8	29	32
68	Stamford town	539	98	17	9	7	4	135	7	11	7	19	23
69	Stonington town	105	13	4	1	.....	.....	18	3	2	1	2	2
70	Stratford town	140	33	11	1	2	1	48	4	3	3	1	2
71	Torrington town	225	51	14	8	5	1	79	4	4	7	7	14
72	Wallingford town	143	18	3	4	2	1	28	3	1	3	4	5
73	Waterbury	1,238	264	62	39	16	9	390	31	23	22	35	52
74	Windham town	201	36	4	4	.....	2	46	7	1	3	6	4

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10 000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,346	1,478	1,424	1,579	1,846	1,974	2,255	2,150	2,162	1,950	1,334	743	240	57	12	5	1
1,221	1,362	1,306	1,471	1,722	1,854	2,132	2,040	2,092	1,918	1,317	730	238	55	8	5	2
125	116	118	108	124	120	123	110	70	32	17	13	2	2	4	.....	3
14	16	15	19	16	28	35	23	30	37	15	14	4	1	.....	.....	4
18	25	24	17	14	28	29	34	12	8	9	7	1	.....	.....	1	5
17	16	21	34	41	45	56	44	50	62	40	29	6	.....	1	.....	6
13	5	9	10	14	8	16	17	13	20	15	13	4	.....	.....	.....	7
42	49	28	28	29	42	29	34	33	32	24	8	2	2	.....	.....	8
8	14	8	12	18	21	33	23	40	37	23	9	4	.....	.....	.....	9
22	27	22	33	38	47	67	73	80	75	72	30	11	1	.....	.....	10
400	443	409	467	542	562	664	655	623	546	383	205	60	8	4	.....	11
361	401	369	431	510	529	637	636	609	539	377	201	60	8	1	.....	12
39	42	40	36	32	33	27	19	14	7	6	4	.....	.....	3	.....	13
107	111	126	130	158	174	186	216	196	157	122	85	32	8	1	.....	14
97	104	120	125	144	155	175	201	187	152	121	83	32	8	1	.....	15
10	7	6	11	14	19	11	15	9	5	1	2	.....	.....	.....	.....	16
23	19	20	17	24	37	50	48	57	61	60	30	11	1	.....	.....	17
8	5	12	9	5	10	23	22	24	19	10	8	4	2	.....	.....	18
9	17	6	16	8	8	10	12	9	4	3	4	2	.....	.....	.....	19
15	15	14	6	13	13	23	19	23	28	19	11	4	1	.....	.....	20
66	64	63	69	82	91	91	84	91	69	36	33	8	2	3	.....	21
19	23	21	27	29	29	19	21	22	23	16	6	3	.....	.....	.....	22
40	74	52	65	92	99	107	102	145	127	82	40	9	7	.....	.....	23
408	434	436	482	552	573	620	532	506	428	271	137	48	14	.....	3	24
368	409	409	453	517	530	575	493	484	421	270	136	48	14	.....	3	25
40	25	27	29	35	43	45	39	22	7	1	1	.....	.....	.....	.....	26
13	21	22	23	28	30	39	35	41	53	23	19	4	3	1	.....	27
6	10	7	8	9	11	15	22	25	18	13	5	1	.....	.....	.....	28
13	11	17	11	24	15	15	12	17	29	14	9	3	1	.....	.....	29
6	.....	8	7	12	15	13	18	26	23	21	16	3	1	.....	.....	30
9	9	12	16	11	22	16	22	23	33	18	12	3	1	.....	.....	31
50	46	55	53	68	54	70	61	58	40	35	12	10	4	2	.....	32
17	20	12	14	13	10	19	12	11	13	6	.....	1	.....	.....	1	33
3	4	5	.....	6	2	10	9	7	8	4	1	2	.....	.....	.....	34
430	406	349	353	357	401	417	426	402	356	223	108	41	10	2	.....	35
413	378	325	333	346	390	410	406	397	349	221	105	37	10	2	.....	36
17	28	24	20	11	11	7	20	5	7	2	3	4	.....	.....	.....	37
18	13	17	11	12	22	10	6	12	20	12	3	1	.....	.....	.....	38
66	49	49	37	42	41	37	61	35	30	22	9	3	.....	.....	.....	39
290	284	241	246	255	289	300	289	295	251	162	82	30	9	.....	.....	40
7	13	7	13	9	6	12	19	9	10	13	7	2	.....	.....	.....	41
43	44	26	36	25	31	45	36	33	34	11	6	3	1	2	.....	42
6	3	9	10	14	12	13	15	18	11	3	1	2	.....	.....	.....	43
631	668	609	657	836	847	976	983	944	823	562	329	102	23	2	1	44
611	627	590	635	810	829	955	963	928	809	558	324	100	23	1	1	45
20	41	19	22	26	18	21	20	16	14	4	5	2	.....	1	.....	46
3	8	5	4	8	8	13	10	7	5	3	.....	2	.....	.....	.....	47
93	93	80	101	117	95	126	104	89	76	49	25	10	1	.....	.....	48
6	11	7	2	10	11	15	15	15	17	9	5	2	1	.....	.....	49
19	12	10	12	25	28	26	31	34	37	19	6	6	.....	.....	.....	50
13	9	10	10	7	10	9	14	11	4	7	3	1	.....	.....	.....	51
3	2	3	8	8	11	9	12	8	6	11	3	.....	.....	.....	.....	52
6	9	3	3	7	8	7	11	11	4	3	5	.....	1	.....	.....	53
3	5	6	3	5	9	5	6	7	8	2	2	4	.....	.....	.....	54
21	14	8	11	13	20	21	20	14	28	11	14	1	1	.....	.....	55
100	118	107	123	156	161	162	143	140	121	77	48	10	5	.....	1	56
4	5	4	7	5	5	12	11	9	9	9	6	1	.....	.....	.....	57
27	14	23	19	20	32	40	40	39	44	26	16	4	3	.....	.....	58
21	28	17	27	46	30	51	38	60	45	25	15	7	.....	.....	.....	59
6	9	3	6	7	9	9	7	4	13	11	6	3	1	.....	.....	60
5	6	.....	6	4	6	9	8	11	7	5	2	1	.....	.....	.....	61
19	36	28	31	33	25	28	23	26	33	19	6	2	.....	.....	.....	62
82	108	102	118	139	150	167	190	181	119	99	54	12	5	1	.....	63
18	13	19	21	21	17	31	26	33	18	20	12	6	1	.....	.....	64
18	15	16	12	21	23	30	37	32	38	22	13	7	.....	.....	.....	65
24	28	28	27	23	40	42	33	42	49	30	19	5	2	.....	.....	66
24	6	11	6	8	9	18	19	13	23	12	10	4	.....	.....	.....	67
21	21	32	23	33	20	31	50	44	20	25	14	1	2	.....	.....	68
4	3	6	2	4	6	1	11	9	13	10	7	.....	.....	1	.....	69
7	9	5	3	8	8	10	5	5	7	4	7	1	.....	.....	.....	70
6	7	4	8	13	13	18	11	8	8	9	4	1	.....	.....	.....	71
4	4	5	5	7	8	7	13	15	11	11	6	3	.....	.....	.....	72
67	70	56	56	78	73	67	71	63	39	27	14	4	.....	.....	.....	73
4	5	11	3	10	12	12	24	14	21	7	7	4	.....	.....	.....	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	DELAWARE.												
1	Wilmington (total)	1,563	322	60	37	24	19	462	31	23	42	40	62
2	White	1,313	276	46	33	22	18	395	30	16	25	25	52
3	Colored	250	46	14	4	2	1	67	1	7	17	15	10
	DISTRICT OF COLUMBIA.												
4	Washington (total)	6,463	803	136	52	49	36	1,076	127	76	179	267	307
5	White	4,163	455	63	31	32	24	605	83	45	72	138	171
6	Colored	2,300	348	73	21	17	12	471	44	31	107	129	136
	FLORIDA.												
7	Registration cities (total)	3,721	589	97	35	39	14	774	61	51	138	195	225
8	White	2,099	301	48	24	26	7	406	40	26	55	75	98
9	Colored	1,622	288	49	11	13	7	368	21	25	83	120	127
10	Jacksonville (total)	1,563	231	34	11	14	9	299	19	21	56	87	117
11	White	719	107	18	7	10	5	147	9	6	14	22	40
12	Colored	844	124	16	4	4	4	152	10	15	42	65	77
13	Key West (total)	298	59	8	3	2	2	74	5	4	11	12	15
14	White	216	39	5	2	1	1	48	3	3	10	9	13
15	Colored	82	20	3	1	1	1	26	2	1	1	3	2
16	Miami (total)	481	105	22	3	6	----	136	8	5	17	29	26
17	White	282	38	6	2	3	----	49	4	4	9	11	10
18	Colored	199	67	16	1	3	----	87	4	1	8	18	16
19	Pensacola (total)	455	66	12	6	8	1	93	10	3	20	29	18
20	White	254	36	8	4	5	----	53	9	2	9	16	8
21	Colored	201	30	4	2	3	1	40	1	1	11	13	10
22	St. Petersburg (total)	214	13	1	1	----	----	15	1	3	2	5	8
23	White	165	4	----	1	----	----	5	----	2	1	3	4
24	Colored	49	9	1	----	----	----	10	1	1	1	2	4
25	Tampa (total)	710	115	20	11	9	2	157	18	15	32	33	41
26	White	463	77	11	8	7	1	104	15	9	12	14	23
27	Colored	247	38	9	3	2	1	53	3	6	20	19	18
	GEORGIA.[1]												
28	Registration cities (total)	6,789	935	231	111	51	55	1,383	141	109	248	445	422
29	White	3,396	458	121	50	36	31	696	80	54	95	166	132
30	Colored	3,393	477	110	61	15	24	687	61	55	153	279	290
31	Atlanta (total)	3,485	475	126	63	34	29	727	86	53	129	249	196
32	White	2,028	294	77	31	27	18	447	56	28	54	110	75
33	Colored	1,457	181	49	32	7	11	280	30	25	75	139	121
34	Augusta (total)	1,122	128	40	18	6	12	204	14	16	36	64	81
35	White	545	63	20	9	5	9	106	11	10	13	17	22
36	Colored	577	65	20	9	1	3	98	3	6	23	47	59
37	Brunswick (total)	217	29	10	2	1	2	44	4	6	10	17	13
38	White	89	14	4	----	----	----	18	1	2	4	5	4
39	Colored	128	15	6	2	1	2	26	3	4	6	12	9
40	Savannah (total)	1,965	303	55	28	10	12	408	37	34	73	115	132
41	White	734	87	20	10	4	4	125	12	14	24	34	31
42	Colored	1,231	216	35	18	6	8	283	25	20	49	81	101
	ILLINOIS.												
43	Registration cities (total)	50,815	7,681	1,663	758	577	461	11,140	1,414	840	1,240	1,888	2,625
44	White	47,667	7,261	1,497	714	553	450	10,475	1,350	780	1,142	1,693	2,382
45	Colored	3,148	420	166	44	24	11	665	64	60	98	195	243
46	Alton	351	47	9	9	2	6	73	7	9	6	9	15
47	Aurora	576	58	12	5	2	5	82	15	6	16	18	21
48	Belleville	321	33	6	4	4	----	47	10	5	7	17	15
49	Berwyn [2]	56	8	3	1	----	----	12	1	1	3	1	6
50	Bloomington	460	38	9	6	2	2	57	3	7	10	21	16
51	Blue Island	204	22	4	----	1	1	28	10	1	5	11	13
52	Cairo (total)	321	26	12	3	1	3	45	12	8	11	16	22
53	White	193	19	6	3	1	3	32	9	6	8	8	13
54	Colored	128	7	6	----	----	----	13	3	2	3	8	9
55	Canton	176	18	5	1	1	2	27	2	3	3	5	8
56	Centralia	167	27	7	1	1	1	37	7	7	6	7	11
57	Champaign	224	33	5	----	1	1	40	1	3	6	11	15
58	Chicago (total)	34,848	5,675	1,283	582	439	349	8,328	1,035	532	834	1,295	1,806
59	White	32,549	5,378	1,157	547	416	340	7,838	988	495	770	1,138	1,621
60	Colored	2,299	297	126	35	23	9	490	47	37	64	157	185
61	Chicago Heights	268	68	14	3	7	2	94	12	3	2	7	22
62	Cicero	331	76	16	12	7	7	118	21	7	6	16	13
63	Danville	583	70	12	8	2	1	93	12	16	26	27	20
64	Decatur	649	68	21	6	5	3	103	17	12	19	23	33
65	East St. Louis (total)	827	156	38	12	9	9	224	33	17	25	33	51
66	White	648	108	28	9	9	9	163	26	10	16	23	38
67	Colored	179	48	10	3	----	----	61	7	7	9	10	13
68	Elgin	581	35	5	4	----	2	46	7	9	7	24	23
69	Evanston	493	61	11	9	6	5	92	6	16	14	12	20

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
73	69	58	75	78	79	89	98	106	80	56	30	10	1	1	.....	1
59	56	49	63	64	66	74	85	95	74	50	25	8	1	1	.....	2
14	13	9	12	14	13	15	13	11	6	6	5	2	.....	.....	.....	3
328	346	345	400	418	408	446	413	436	386	288	139	58	16	4	.....	4
172	176	201	215	251	279	309	316	362	328	251	128	48	13	2	.....	5
156	170	144	185	167	129	137	97	74	58	37	13	10	3	2	.....	6
224	271	210	264	232	198	185	196	172	139	102	46	15	8	6	9	7
96	97	86	134	135	140	142	149	149	119	90	39	12	2	1	8	8
128	174	124	130	97	58	43	47	23	20	12	7	3	6	5	1	9
109	126	109	117	108	77	62	66	66	55	38	11	8	7	4	1	10
31	33	40	42	55	48	44	41	55	44	31	9	6	1	.....	1	11
78	93	69	75	53	29	18	25	11	11	7	2	2	6	4	.....	12
20	17	11	13	20	21	15	21	8	13	10	5	3	.....	.....	.....	13
15	12	6	8	15	15	9	16	6	11	9	5	3	.....	.....	.....	14
5	5	5	5	5	6	6	5	2	2	1	.....	.....	.....	.....	.....	15
27	30	21	33	21	21	28	23	28	8	11	4	1	.....	.....	4	16
14	14	12	23	16	15	24	22	28	8	10	4	1	.....	.....	4	17
13	16	9	10	5	6	4	1	.....	.....	1	.....	.....	.....	.....	.....	18
24	37	28	26	31	33	24	20	17	19	10	8	.....	.....	1	4	19
13	15	7	12	16	23	17	10	12	15	9	5	.....	.....	.....	3	20
11	22	21	14	15	10	7	10	5	4	1	3	.....	.....	1	1	21
8	10	7	13	13	13	22	28	23	20	12	8	3	.....	.....	.....	22
5	3	4	10	9	11	20	27	21	19	11	8	2	.....	.....	.....	23
3	7	3	3	4	2	2	1	2	1	1	.....	1	.....	.....	.....	24
36	51	34	62	39	33	34	38	30	24	21	10	.....	1	1	.....	25
18	20	17	39	24	28	28	33	27	22	20	8	.....	1	1	.....	26
18	31	17	23	15	5	6	5	3	2	1	2	.....	.....	.....	.....	27
428	485	420	462	487	329	347	323	287	225	143	59	22	9	5	10	28
174	183	156	173	202	191	236	257	222	191	121	44	16	5	1	1	29
254	302	264	289	285	138	111	66	65	34	22	15	6	4	4	9	30
200	237	209	223	234	193	162	176	165	127	78	26	7	4	2	2	31
101	117	99	102	120	116	112	149	140	110	65	19	6	2	.....	.....	32
99	120	110	121	114	77	50	27	25	17	13	7	1	2	2	2	33
80	70	70	65	94	50	73	64	40	38	31	13	8	1	2	2	34
28	24	18	34	30	35	51	45	29	32	26	6	6	1	.....	1	35
58	46	52	31	64	15	22	19	11	6	5	7	2	.....	2	1	36
11	14	12	15	18	5	13	10	12	4	4	1	1	.....	1	2	37
6	5	2	3	5	3	7	6	8	3	4	1	1	.....	1	.....	38
5	9	10	12	13	2	6	4	4	1	.....	.....	.....	.....	.....	2	39
131	164	129	159	141	81	99	73	70	56	30	19	6	4	.....	4	40
39	37	37	34	47	37	66	57	45	46	26	18	3	2	.....	.....	41
92	127	92	125	94	44	33	16	25	10	4	1	3	2	.....	4	42
2,588	2,619	2,442	2,745	3,058	3,256	3,427	3,075	3,000	2,465	1,731	926	346	72	9	9	43
2,310	2,326	2,187	2,520	2,827	3,091	3,302	2,993	2,923	2,418	1,692	910	335	67	7	7	44
248	293	255	225	231	165	125	82	77	47	39	16	11	5	2	2	45
20	15	12	18	20	26	25	21	27	16	20	9	2	1	.....	.....	46
40	33	29	22	24	39	35	45	45	48	34	16	6	1	1	.....	47
13	11	17	13	13	19	23	20	23	29	23	14	2	.....	.....	.....	48
2	1	4	2	2	4	4	2	2	5	3	1	.....	.....	.....	.....	49
20	21	24	28	21	31	32	38	35	40	27	14	7	.....	1	1	50
11	10	13	15	9	21	9	10	15	10	6	6	1	.....	.....	.....	51
25	19	25	13	24	15	20	17	16	16	9	3	2	.....	.....	1	52
8	11	10	5	12	8	13	15	12	12	7	3	.....	1	.....	.....	53
17	8	15	8	12	7	7	2	4	4	2	.....	2	1	.....	1	54
7	9	6	5	7	13	13	20	14	15	12	6	1	.....	.....	.....	55
4	6	5	6	7	6	10	15	8	12	5	6	1	.....	.....	1	56
5	10	5	16	14	19	11	11	19	12	15	4	6	.....	.....	1	57
1,830	1,821	1,723	1,982	2,177	2,238	2,368	1,944	1,840	1,428	969	463	187	42	5	1	58
1,641	1,602	1,530	1,810	2,001	2,122	2,277	1,890	1,793	1,408	946	454	181	38	5	1	59
189	219	193	172	176	116	91	54	47	20	23	9	6	4	.....	.....	60
15	20	7	10	14	19	10	11	6	8	2	4	2	.....	.....	.....	61
19	18	15	13	13	18	13	11	9	9	5	6	1	.....	.....	.....	62
23	38	33	26	31	32	35	52	48	25	23	14	6	1	.....	2	63
16	31	18	39	40	46	45	49	50	42	31	22	11	1	.....	1	64
45	48	42	41	46	44	40	47	25	30	21	11	2	2	.....	.....	65
32	25	33	30	41	40	37	47	22	30	20	11	2	2	.....	.....	66
13	23	9	11	5	4	3	.....	3	.....	1	.....	.....	.....	.....	.....	67
40	37	34	28	37	52	48	51	57	36	18	21	7	2	.....	.....	68
28	21	18	21	31	31	24	28	33	45	29	11	4	3	.....	.....	69

[1] There were 36 transcripts for deaths received too late for compilation.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	ILLINOIS—continued.												
1	Forest Park	94	6		1		1	8	3	1	1	2	3
2	Freeport	399	34	5	2	6	5	52	11	11	7	15	25
3	Galesburg	376	44	4	2	4	3	57	6	3	3	15	9
4	Granite	159	37	1	5	3	2	48	3	3	7	7	11
5	Herrin	164	30	9	4	2	1	46	4	5	3	12	10
6	Jacksonville	540	28	6	2	3	5	44	7	5	12	13	19
7	Joliet	447	81	19	10	4	4	118	8	13	10	13	15
8	Kankakee	224	26	3	3	2	3	37	3	7	4	12	4
9	Kewanee	270	37	3	1	3	1	45	6	5	7	22	8
10	La Salle	196	37	4	3		2	46	4	5	3	3	9
11	Lincoln	251	24	4	1	2	4	35	18	12	21	19	5
12	Mattoon	197	23	3	1	2		29	2	6	5	7	8
13	Maywood	104	10	4	2		3	19	5		3	6	1
14	Moline	371	49	8	4	1	1	63	13	5	10	13	15
15	Murphysboro (total)	183	26	7	4	1	3	41	7	7	6	7	12
16	White	153	22	6	4	1	3	36	7	4	5	7	9
17	Colored	30	4	1				5		3	1		3
18	Oak Park	540	67	10	3	5	1	86	13	10	13	15	27
19	Ottawa	170	10	2	3			15	3	3	5	7	8
20	Pekin	122	23	4		1		28	1	1	2	4	6
21	Peoria	1,174	137	23	7	8	5	180	25	20	23	41	56
22	Quincy	554	48	8	6	3	1	66	8	5	16	18	18
23	Rock Island	407	52	8	2	3		65	6	4	12	10	11
24	Rockford	831	120	20	9	16	12	177	15	9	16	32	44
25	Springfield	1,002	109	20	11	8	2	150	14	26	24	35	44
26	Streator	248	35	4	1	5	2	47	8	4	8	5	6
27	Urbana	120	18	2	2			22	3	1	4	1	3
28	Waukegan	236	51	10	3	5	1	70	7	7	9	1	15
	INDIANA.												
29	Registration cities (total)	16,674	2,590	512	222	161	110	3,595	414	262	497	697	733
30	White	15,201	2,346	458	213	150	104	3,271	373	240	421	590	645
31	Colored	1,473	244	54	9	11	6	324	41	22	76	107	83
32	Anderson	401	59	16	6	6		87	6	8	13	17	19
33	Bloomington	175	25	16	8	2	2	53	4	2	4	12	7
34	Clinton	95	24	4	1		1	30	3	2	1	3	5
35	Crawfordsville	163	17	2	1	1		21	1	1	4	8	7
36	East Chicago	505	198	30	14	11	8	261	17	11	9	19	30
37	Elkhart	351	38	8	5	5	1	57	9	3	6	16	11
38	Elwood	152	16	5		4	1	26	1	4	3	8	6
39	Evansville	1,123	136	50	18	7	6	217	34	19	35	42	46
40	Fort Wayne	1,156	141	24	11	11	7	194	30	23	55	51	46
41	Frankfort	157	21	1		1		23	7	2	4	2	1
42	Gary	797	184	30	14	13	11	252	21	10	19	47	73
43	Hammond	499	98	17	9	7	6	137	13	7	20	36	32
44	Huntington	196	21	5	2	3	3	34	8	2	5	7	7
45	Indianapolis (total)	4,636	623	131	55	38	29	876	109	58	132	190	201
46	White	3,894	509	102	49	31	27	718	86	46	96	136	158
47	Colored	742	114	29	6	7	2	158	23	12	36	54	43
48	Jeffersonville (total)	131	12	4	1	1		18	3	1	2	8	5
49	White	102	10	3	1	1		15	1	1	1	4	3
50	Colored	29	2	1				3	2		1	4	2
51	Kokomo	368	57	11	3	2	2	75	8	12	13	17	17
52	La Porte	226	32	10	3	1		46	3	4	7	10	6
53	Lafayette	469	63	6	4	3	4	80	8	8	16	10	18
54	Logansport	321	42	8	7	3	3	63	8	2	5	14	12
55	Marion	362	57	18	6	4	1	86	4	4	13	15	13
56	Michigan City	266	42	7	6		1	56	3	7	7	11	6
57	Mishawaka	218	35	3	1	2		41	7	3	7	10	13
58	Muncie	564	83	14	11	4	3	115	18	12	27	21	21
59	New Albany	311	29	5	2	1	2	39	4	1	7	15	10
60	New Castle	203	47	14	7	2	2	72	6	6	16	4	11
61	Peru	181	22	2	4		1	29	5	6	3	8	5
62	Richmond	339	42	13	3	4	4	66	6		6	9	6
63	South Bend	921	187	24	7	12	5	235	30	17	21	34	47
64	Terra Haute	997	154	14	7	9	5	189	30	19	27	39	30
65	Vincennes	271	42	14	3	2	2	63	6	7	8	8	14
66	Whiting	120	43	6	3	2		54	2	1	2	6	8
	KANSAS.												
67	Registration cities (total)	6,087	881	186	81	55	31	1,234	140	117	199	254	243
68	White	5,331	768	156	73	43	30	1,070	128	106	156	215	203
69	Colored	756	113	30	8	12	1	164	12	11	43	39	40
70	Arkansas City	173	20	4		1	1	26	7	2	7	8	7
71	Atchison (total)	206	20	4	4	2	1	31	6	5	5	13	8
72	White	164	14	2	4	2	1	23	6	5	4	12	7
73	Colored	42	6	2				8			1	1	1
74	Chanute	170	27	6	3		2	38	3	2	2	2	7

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1	4	3	3	6	9	5	4	12	16	6	5	1	1	.....	.....	1
12	25	11	17	18	35	25	29	29	21	29	18	8	1	.....	.....	2
20	22	26	17	20	26	21	30	34	26	24	11	5	1	.....	.....	3
7	9	8	5	12	12	8	5	5	5	1	1	2	.....	.....	.....	4
11	10	8	10	12	8	5	5	5	5	4	.....	.....	1	.....	.....	5
22	34	29	26	35	32	42	43	53	48	40	26	8	1	1	.....	6
14	16	23	18	18	35	37	33	29	15	12	18	2	.....	.....	.....	7
8	11	10	8	12	17	17	21	19	17	7	5	5	.....	.....	.....	8
15	20	8	14	13	13	18	18	19	16	15	3	2	3	.....	.....	9
5	9	8	10	14	14	16	8	15	11	6	5	5	.....	.....	.....	10
17	9	6	8	17	12	15	13	14	12	10	4	1	3	.....	.....	11
3	5	4	10	8	12	11	16	21	20	15	11	3	1	.....	.....	12
4	3	5	3	8	3	7	9	9	8	4	6	1	.....	.....	.....	13
16	10	18	21	24	21	22	19	33	30	17	7	5	.....	.....	.....	14
6	9	8	6	7	7	9	9	11	18	8	5	.....	.....	.....	.....	15
2	6	6	5	5	6	9	9	10	15	8	4	.....	.....	.....	.....	16
4	3	2	1	2	1	.....	.....	1	3	.....	1	.....	.....	.....	.....	17
31	27	24	33	28	31	46	36	48	35	20	13	4	.....	.....	.....	18
7	5	3	8	14	10	14	16	15	16	12	5	4	.....	.....	.....	19
2	4	2	2	4	9	11	15	7	8	6	10	.....	.....	.....	.....	20
52	57	52	66	70	95	105	95	82	67	45	30	12	.....	.....	1	21
19	24	13	27	36	31	48	45	54	53	39	28	6	.....	.....	.....	22
21	19	25	24	22	35	25	28	33	27	25	8	6	1	.....	.....	23
43	36	36	31	35	34	48	70	53	58	52	33	8	1	.....	.....	24
46	41	58	59	64	54	71	78	80	77	41	30	7	2	1	.....	25
25	14	7	7	15	11	15	20	20	10	17	8	1	.....	.....	.....	26
1	7	3	5	4	10	12	10	11	8	12	2	.....	1	.....	.....	27
11	11	14	9	12	7	9	8	17	12	12	3	2	.....	.....	.....	28
742	807	745	864	876	854	1,071	1,174	1,110	1,031	686	369	107	20	8	12	29
661	692	643	754	766	787	1,016	1,118	1,057	1,008	670	355	103	18	5	8	30
81	115	102	110	110	67	55	56	53	23	16	14	4	2	3	4	31
9	21	14	17	30	17	34	36	38	18	9	6	.....	.....	.....	2	32
6	6	5	5	2	5	8	10	14	11	9	10	1	1	.....	.....	33
6	8	2	6	3	2	4	8	7	2	2	1	.....	.....	.....	.....	34
4	8	8	6	5	8	11	18	15	13	16	5	4	.....	.....	.....	35
17	31	23	21	10	14	8	11	8	7	4	2	.....	.....	.....	2	36
11	17	16	14	31	25	24	38	27	24	12	7	1	1	.....	1	37
4	7	7	6	5	9	13	12	15	13	9	4	.....	.....	.....	.....	38
43	52	49	57	54	57	82	98	87	73	42	26	9	.....	.....	1	39
59	59	46	62	51	72	73	87	81	82	50	29	5	.....	1	.....	40
6	5	3	9	10	15	7	13	12	23	8	6	1	.....	.....	.....	41
75	67	51	50	37	19	16	15	12	11	13	4	3	1	1	.....	42
26	28	29	31	21	25	18	18	20	20	8	7	3	.....	.....	.....	43
5	11	7	8	6	9	20	16	14	17	8	9	1	2	.....	.....	44
210	217	227	264	313	274	314	331	318	285	195	82	29	6	4	1	45
174	162	175	218	257	229	275	313	286	272	185	74	26	5	2	1	46
36	55	52	46	56	45	39	18	32	13	10	8	3	1	2	.....	47
3	5	5	13	7	4	7	10	11	15	6	4	1	1	1	1	48
3	4	2	9	4	3	7	9	8	15	5	4	1	1	1	1	49
.....	1	3	4	3	1	.....	1	3	.....	1	.....	.....	.....	.....	.....	50
18	16	21	13	21	19	25	22	24	14	15	12	5	1	.....	.....	51
8	11	7	12	12	5	19	15	19	22	8	7	4	.....	.....	1	52
17	16	18	28	28	19	36	34	42	40	27	21	3	.....	.....	.....	53
15	11	18	12	11	18	28	26	19	20	19	18	2	.....	.....	.....	54
13	12	13	18	16	17	29	30	23	23	21	8	2	2	.....	.....	55
14	17	13	9	9	12	24	17	21	16	16	7	1	.....	.....	.....	56
11	14	12	11	8	9	11	13	16	19	11	1	1	.....	.....	.....	57
13	17	18	45	21	41	41	34	30	35	36	17	1	1	.....	.....	58
12	11	14	11	17	23	25	23	34	31	19	10	3	1	.....	1	59
5	4	6	6	8	5	12	12	9	8	11	1	1	.....	.....	.....	60
5	6	6	4	4	10	17	23	20	19	3	7	1	.....	.....	.....	61
11	10	11	12	13	27	21	37	32	27	20	16	6	2	1	.....	62
52	41	40	55	48	38	52	52	57	50	32	12	7	.....	.....	1	63
46	63	44	47	62	37	67	82	68	67	42	25	11	1	.....	1	64
10	11	9	9	7	13	23	26	17	23	13	4	.....	.....	.....	.....	65
8	5	3	3	6	6	2	7	.....	3	2	1	1	.....	.....	.....	66
242	278	288	275	274	334	361	394	468	427	301	176	61	16	3	2	67
214	229	243	230	238	282	322	350	433	398	283	165	51	13	.....	2	68
28	49	45	45	36	52	39	44	35	29	18	11	10	3	3	.....	69
8	12	3	5	3	15	11	15	15	13	8	8	.....	.....	.....	.....	70
5	8	12	7	13	16	11	12	17	14	12	7	1	1	2	.....	71
5	6	9	4	9	12	9	9	13	13	10	6	1	1	.....	.....	72
.....	2	3	3	4	4	2	3	4	1	2	1	.....	.....	2	.....	73
11	9	4	10	8	4	10	16	10	10	10	1	.....	.....	.....	1	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored populaton of the subdivision subdivisions (counties, exclusive of municipalitie

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	KANSAS—continued.												
1	Coffeyville (total)	210	38	10	6	2	.....	56	5	4	9	4	10
2	White	172	28	8	5	2	.....	43	4	4	4	2	10
3	Colored	38	10	2	1	.....	.....	13	1	.....	5	2	.....
4	El Dorado	137	28	5	5	.....	3	41	6	8	2	9	8
5	Emporia	184	22	7	3	1	1	34	1	4	5	11	7
6	Fort Scott (total)	179	34	5	2	2	.....	43	3	7	5	6	6
7	White	162	32	3	2	2	.....	39	3	6	4	6	6
8	Colored	17	2	2	.....	.....	.....	4	.....	1	1	.....	.....
9	Hutchinson	333	54	12	2	4	1	73	6	8	9	16	16
10	Independence	166	17	3	3	2	1	26	8	3	5	8	7
11	Kansas City (total)	1,478	243	69	27	14	14	367	27	26	50	60	67
12	White	1,175	204	55	23	11	14	307	21	22	34	44	47
13	Colored	303	39	14	4	3	.....	60	6	4	16	16	20
14	Lawrence (total)	176	13	2	2	4	.....	21	2	6	3	7	4
15	White	140	12	2	1	2	.....	17	2	6	2	3	4
16	Colored	36	1	.....	1	2	.....	4	.....	.....	1	4	1
17	Leavenworth (total)	254	25	4	1	3	.....	33	6	6	9	8	10
18	White	212	20	4	1	1	.....	26	5	5	6	5	9
19	Colored	42	5	.....	.....	2	.....	7	1	1	3	3	1
20	Parsons	199	30	8	3	.....	1	42	7	5	8	5	7
21	Pittsburg	142	21	2	.....	1	.....	24	1	.....	2	6	2
22	Salina	208	23	.....	4	3	2	32	12	2	8	8	12
23	Topeka	763	105	16	11	5	1	138	13	8	21	26	27
24	Wichita	1,109	161	29	5	11	3	209	27	21	49	57	39
	KENTUCKY.												
25	Registration cities (total)	6,867	810	143	83	52	49	1,137	149	112	194	310	322
26	White	5,276	633	114	67	37	44	895	126	82	135	217	241
27	Colored	1,591	177	29	16	15	5	242	23	30	59	93	91
28	Ashland (total)	195	33	8	3	3	4	51	4	1	12	11	13
29	White	187	32	7	3	3	4	49	4	1	12	9	12
30	Colored [1]	8	1	1	.....	.....	.....	2	.....	.....	.....	2	1
31	Covington (total)	868	109	10	7	7	7	140	23	9	16	36	36
32	White	799	103	10	7	7	6	133	23	9	15	31	32
33	Colored [1]	69	6	.....	.....	.....	1	7	.....	.....	1	5	4
34	Henderson (total)	177	25	5	3	.....	1	34	3	2	3	14	9
35	White	113	15	4	3	.....	.....	22	3	1	1	5	3
36	Colored	64	10	1	.....	.....	1	12	.....	1	2	9	2
37	Lexington (total)	955	76	11	9	9	4	109	14	22	20	46	46
38	White	607	53	7	3	6	4	73	12	13	14	28	26
39	Colored	348	23	4	6	3	.....	36	2	9	7	18	20
40	Louisville (total)	3,582	409	76	38	22	26	571	72	57	96	162	165
41	White	2,693	305	57	31	14	23	430	53	40	63	117	110
42	Colored	889	104	19	7	8	3	141	19	17	33	45	49
43	Newport (total)	331	47	9	7	3	6	72	14	11	11	9	5
44	White	313	44	9	7	3	6	69	14	9	10	7	5
45	Colored [1]	18	3	.....	.....	.....	.....	3	.....	2	1	2	.....
46	Owensboro (total)	367	47	12	9	4	.....	72	7	5	17	15	12
47	White	299	43	9	7	2	.....	61	7	5	13	11	9
48	Colored	68	4	3	2	2	.....	11	.....	.....	4	4	3
49	Paducah (total)	392	64	12	7	4	1	88	12	5	19	17	20
50	White	265	38	11	6	2	1	58	10	4	8	9	15
51	Colored	127	26	1	1	2	.....	30	2	1	11	8	15
	LOUISIANA.												
52	Registration cities (total)	9,094	1,047	188	84	66	44	1,429	172	162	349	554	572
53	White	5,143	542	105	54	39	34	774	107	81	153	221	270
54	Colored	3,951	505	83	30	27	10	655	65	81	196	333	302
55	Alexandria (total)	269	35	12	3	1	1	52	9	6	17	23	23
56	White	128	15	6	3	1	.....	25	5	2	9	9	13
57	Colored	141	20	6	.....	.....	1	27	4	4	8	14	12
58	Baton Rouge (total)	333	57	4	2	4	.....	67	10	2	16	22	22
59	White	150	27	2	.....	3	.....	32	7	1	6	5	5
60	Colored	183	30	2	2	1	.....	35	3	1	10	17	17
61	Lake Charles (total)	214	42	8	2	4	3	59	1	7	9	8	16
62	White	97	11	3	.....	2	1	17	1	2	5	3	5
63	Colored	117	31	5	2	2	2	42	.....	5	4	5	11
64	Monroe (total)	250	30	8	3	5	2	48	5	4	10	18	23
65	White	115	16	4	3	3	2	28	4	3	2	6	8
66	Colored	135	14	4	.....	2	.....	20	1	1	8	12	15
67	New Orleans (total)	6,869	785	133	63	49	27	1,057	127	120	226	362	379
68	White	4,182	435	75	42	29	21	602	81	61	111	166	205
69	Colored	2,687	350	58	21	20	6	455	46	59	115	196	174
70	Shreveport (total)	1,159	98	23	11	3	11	146	20	23	71	121	107
71	White	471	38	15	6	1	10	70	9	12	20	32	33
72	Colored	688	60	8	5	2	1	76	11	11	51	89	74

[1] Colored population less than 10 per cent of the total in 1920.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
10	11	10	14	7	17	13	7	10	8	8	4	3	.....	.....	.....	1
8	8	7	10	6	17	13	6	10	8	7	2	3	.....	.....	.....	2
2	3	3	4	1	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	3
5	7	8	7	3	2	5	6	7	4	7	1	1	.....	.....	.....	4
4	3	10	5	8	13	8	10	21	19	13	5	3	.....	.....	.....	5
4	4	7	7	11	8	12	13	15	15	8	3	2	1	.....	.....	6
4	4	7	7	9	8	10	9	14	14	8	3	1	1	.....	.....	7
.....	.....	.....	.....	2	.....	2	4	1	1	.....	.....	1	.....	.....	.....	8
10	16	14	16	15	17	12	21	32	28	10	9	4	1	.....	.....	9
10	5	6	9	6	6	18	9	12	12	7	6	2	1	.....	.....	10
60	87	73	79	72	80	88	70	103	77	44	24	11	4	.....	.....	11
50	60	54	55	57	67	71	60	84	68	39	23	8	4	.....	.....	12
10	27	19	21	15	22	17	10	19	9	5	1	3	.....	.....	.....	13
4	7	7	6	2	10	8	19	17	22	15	12	4	.....	.....	.....	14
3	3	5	5	2	9	6	15	16	14	14	11	4	.....	.....	.....	15
1	4	2	1	.....	1	2	4	1	8	1	1	.....	.....	.....	.....	16
8	10	12	10	15	16	14	10	26	24	14	15	7	1	.....	.....	17
8	9	10	7	13	12	12	7	24	22	13	14	5	.....	.....	.....	18
.....	1	2	3	2	4	2	3	2	2	1	1	2	1	.....	.....	19
5	8	12	7	4	11	9	13	14	21	13	8	.....	.....	.....	.....	20
6	10	3	4	7	8	15	10	16	11	13	4	.....	.....	.....	.....	21
14	5	9	17	10	13	9	10	9	14	16	5	2	1	.....	.....	22
30	25	35	29	34	30	52	72	70	66	52	25	8	2	.....	.....	23
48	51	63	43	56	59	66	81	74	69	51	27	13	4	1	1	24
323	344	324	398	416	449	485	462	512	404	311	137	55	5	5	13	25
220	217	206	253	278	344	397	403	449	360	286	121	45	3	3	5	26
103	127	118	145	138	105	88	59	63	44	25	16	10	2	2	8	27
12	7	3	5	10	8	9	12	12	13	7	4	1	.....	.....	.....	28
11	7	3	4	10	8	9	12	11	13	7	4	1	.....	.....	.....	29
1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	30
29	37	42	40	52	68	59	64	62	61	63	18	13	.....	.....	.....	31
28	33	30	34	45	61	54	61	59	61	63	17	10	.....	.....	.....	32
1	4	12	6	7	7	5	3	3	.....	.....	1	3	.....	.....	.....	33
4	10	4	6	9	11	19	16	15	10	7	3	2	.....	.....	.....	34
3	5	3	3	5	4	13	11	11	10	6	3	1	.....	.....	.....	35
1	5	1	3	4	7	6	5	4	.....	1	.....	1	.....	.....	.....	36
63	53	58	71	57	55	63	62	71	57	39	22	1	1	.....	5	37
35	23	28	40	41	36	40	45	53	40	28	19	1	1	.....	2	38
28	30	30	31	26	19	23	17	18	17	11	3	.....	.....	.....	3	39
174	183	179	215	217	247	260	232	279	195	148	70	29	4	4	3	40
112	103	109	131	137	186	218	223	245	174	137	63	26	2	2	3	41
62	80	70	84	80	61	42	29	34	21	11	7	3	2	2	.....	42
11	13	9	13	14	20	26	20	24	28	18	11	2	.....	.....	.....	43
9	12	8	13	13	18	25	20	24	27	18	10	2	.....	.....	.....	44
2	1	1	.....	1	2	1	.....	.....	1	.....	1	.....	.....	.....	.....	45
14	16	17	18	23	18	30	22	27	23	18	8	5	.....	.....	.....	46
11	14	16	11	13	13	26	19	24	21	18	5	2	.....	.....	.....	47
3	2	1	7	10	5	4	3	3	2	.....	3	3	.....	.....	.....	48
16	25	12	30	24	22	19	14	22	17	11	1	2	.....	1	5	49
11	20	9	17	14	18	12	12	22	14	9	.....	2	.....	1	.....	50
5	5	3	13	10	4	7	2	.....	3	2	1	.....	.....	.....	5	51
586	621	544	634	620	518	577	510	434	369	225	134	55	17	8	4	52
271	274	263	334	342	352	424	378	325	271	172	86	36	6	1	2	53
315	347	281	300	278	166	153	132	109	98	53	48	19	11	7	2	54
17	16	17	13	14	9	7	8	5	16	4	5	4	1	1	.....	55
12	5	9	6	3	6	4	5	1	9	2	2	1	.....	.....	.....	56
5	11	8	7	11	3	3	3	4	7	2	3	3	1	1	.....	57
20	26	19	20	20	10	16	15	12	17	7	6	4	2	.....	.....	58
8	11	3	7	11	7	8	12	8	8	3	3	4	1	.....	.....	59
12	15	16	13	9	3	8	3	4	9	4	3	.....	1	.....	.....	60
10	16	14	14	9	5	9	10	7	9	4	3	2	1	1	.....	61
5	7	5	5	5	4	7	9	4	8	3	2	.....	.....	.....	.....	62
5	9	9	9	4	1	2	1	3	1	1	1	2	1	1	.....	63
27	19	15	13	11	9	7	11	12	6	8	2	2	.....	.....	.....	64
12	5	6	8	3	4	4	5	8	3	4	2	.....	.....	.....	.....	65
15	14	9	5	8	5	3	6	4	3	4	.....	2	.....	.....	.....	66
424	453	414	486	509	411	488	417	359	291	187	99	41	13	4	2	67
202	218	217	269	297	294	377	317	277	221	153	74	31	5	1	2	68
222	235	197	217	212	117	111	100	82	70	34	25	10	8	3	.....	69
88	91	65	88	57	74	50	49	39	30	15	19	2	.....	2	2	70
32	28	23	39	23	37	24	30	27	22	7	3	.....	.....	.....	.....	71
56	63	42	49	34	37	26	19	12	8	8	16	2	.....	2	2	72

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivi for subdivisions (counties, exclusive of municipalitie

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MAINE.												
1	Registration cities (total)	3,667	553	88	42	31	14	728	52	47	84	101	119
2	White	3,650	550	87	42	30	14	723	52	47	84	100	119
3	Colored	17	3	1		1		5				1	
4	Auburn	182	21	6		1		28	2	2	1	7	2
5	Augusta	323	49	4	2	2		57	2	3	7	2	14
6	Bangor	572	54	18	3	2	2	79	6	7	12	17	16
7	Bath	178	28	4		2		34	1	2	4	7	2
8	Biddeford	280	49	11	2	5		67	3	4	1	6	8
9	Lewiston	598	115	8	5	4	2	134	17	8	18	16	21
10	Portland	1,214	181	32	23	11	8	255	12	16	35	35	43
11	Sanford town	128	32	2	4	3		41	3		2	3	5
12	Waterville	192	24	3	3	1	2	33	6	5	4	8	8
	MARYLAND.												
13	Registration cities (total)	12,522	2,162	406	155	109	65	2,897	229	164	273	523	537
14	White	9,796	1,654	294	110	86	53	2,197	186	126	183	368	364
15	Colored	2,726	508	112	45	23	12	700	43	38	90	155	173
16	Annapolis (total)	154	34	4	1	1		40	4	2	6	9	5
17	White	80	11	2				13	2	1	2	7	3
18	Colored	74	23	2	1	1		27	2	1	4	2	2
19	Baltimore (total)	11,356	1,961	378	144	102	58	2,643	201	130	244	473	491
20	White	8,782	1,489	270	101	80	46	1,986	162	104	163	321	326
21	Colored	2,574	472	108	43	22	12	657	39	36	81	152	165
22	Cumberland (total)	460	80	10	5	3	3	101	12	15	12	19	20
23	White	439	76	9	5	3	3	96	11	15	9	19	17
24	Colored [1]	21	4	1				5	1		3		3
25	Frederick (total)	200	30	2		2	1	35	8	2	2	10	10
26	White	180	27	2		2	1	32	7	2	2	10	7
27	Colored	20	3					3	1				3
28	Hagerstown (total)	352	57	12	5	1	3	78	4	6	9	12	11
29	White	315	51	11	4	1	3	70	4	4	7	11	11
30	Colored [1]	37	6	1	1			8		2	2	1	
	MASSACHUSETTS.												
31	Registration cities (total)	43,422	7,224	1,528	621	463	319	10,155	979	589	700	1,172	1,571
32	White	42,507	7,082	1,462	609	447	314	9,914	953	575	761	1,135	1,521
33	Colored	915	142	66	12	16	5	241	26	14	29	36	50
34	Adams town	122	25	8		1	1	35	1		3	4	3
35	Amesbury town	103	11	4	1	1	1	18	1			2	1
36	Arlington town	266	26	3	4		1	34	8	2	5	4	7
37	Attleboro	287	33	5	4	2		44	10	2	8	16	10
38	Belmont town	92	8	1	2	1		12	1		1	1	2
39	Beverly	284	27	4	2	1		34	7	4	3	9	17
40	Boston (total)	11,604	1,966	434	164	128	81	2,773	278	155	200	363	460
41	White	11,156	1,899	406	159	117	78	2,659	266	151	186	346	437
42	Colored	448	67	28	5	11	3	114	12	4	14	18	23
43	Braintree town	143	17	3	3	2		25	4	2	6	4	4
44	Brockton	767	108	18	10	4	3	143	13	12	14	15	26
45	Brookline town	387	18	2	1		2	23	6		4	6	11
46	Cambridge	1,636	274	53	20	10	11	368	32	20	29	42	54
47	Chelsea	563	79	13	5	3	2	102	8	4	10	16	14
48	Chicopee	390	115	35	9	9	5	173	17	4	8	10	14
49	Clinton town	194	45	7	2		1	55	4	2	3	5	8
50	Danvers town	283	9	1	1	1		12		2		9	8
51	Dedham town	109	13	2	2	2		19	1	1	3	4	3
52	Easthampton town	132	32	3	5	4	2	46	4	1	1	3	6
53	Everett	456	74	26	9	5	8	122	14	6	9	11	13
54	Fall River	1,772	458	96	32	28	14	628	41	25	34	30	45
55	Fitchburg	492	74	14	6	6	3	103	14	10	9	16	18
56	Framingham town	262	33	7	1	4	1	46	4	2	3	6	12
57	Gardner town	232	38	8	4	1		51	3	7	7	6	9
58	Gloucester	320	36	3	3	4	3	49	7	5	10	14	10
59	Greenfield town	199	30	9	2	6	6	53	8	8	3	4	3
60	Haverhill	730	114	24	8	6	5	157	9	12	8	10	21
61	Holyoke	863	186	41	21	10	9	267	18	15	20	35	39
62	Lawrence	1,283	262	77	30	27	10	406	31	21	33	34	56
63	Leominster	194	31	4	3	1	1	40	4	2	3		6
64	Lowell	1,771	425	105	30	17	10	587	43	26	28	31	67
65	Lynn	1,276	166	43	14	17	11	251	32	19	24	34	52
66	Malden	575	60	20	10	8	7	105	17	13	10	14	23
67	Marlborough	180	24	4	1	2		31	2		3	8	3
68	Medford	421	71	5	7	3	1	87	10	4	4	11	16
69	Melrose	233	21	8	1	4	1	35	1	3	5	4	6
70	Methuen	213	33	6	1	3	2	45	7	3	3	4	6
71	Milford town	200	29	5	2	4	4	44	1	3	3	2	5
72	Natick town	149	15	4		1		20	4	2	6	3	2
73	New Bedford	1,745	429	131	36	29	19	644	38	26	48	55	50

[1] Colored population less than 10 per cent of the total in 1920.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
130	160	154	172	190	239	271	295	286	267	199	117	37	9		9	1
129	158	152	172	190	237	269	295	285	266	199	117	37	9	1	9	2
1	2	2			2	2		1	1							3
6	5	5	8	10	12	15	16	18	13	17	9	6				4
12	9	13	23	18	23	19	30	32	30	20	7		2			5
20	34	28	27	31	39	55	64	41	34	27	25	5	2		3	6
4	4	6	7	11	9	13	18	11	14	12	13	4	1	1		7
12	20	17	17	10	15	17	18	17	19	18	9	1			1	8
27	25	16	31	37	35	40	49	43	36	26	14	3	1		1	9
35	51	59	52	54	86	93	82	94	94	69	31	14	2		2	10
6	5	2	4	4	6	8	6	17	9	3	2	1			1	11
8	7	8	3	15	14	11	12	13	18	7	7	3	1		1	12
559	583	568	699	784	783	869	864	836	652	390	212	76	19	3	2	13
394	394	401	492	571	641	724	743	764	602	365	195	68	16	1	1	14
165	189	167	207	213	142	145	121	72	50	25	17	8	3	2	1	15
8	8	5	5	7	7	11	9	9	8	5	2	1	2		1	16
7	1	3	4	3	2	7	8	6	4	5			2			17
1	7	2	1	4	5	4	1	3	4		2	1			1	18
502	530	524	648	727	722	788	779	741	582	346	191	67	14	3	1	19
342	352	365	444	522	590	652	667	673	540	322	176	61	12	1	1	20
160	178	159	204	205	132	136	112	68	42	24	15	6	2	2		21
20	29	16	22	22	20	27	34	39	27	12	7	4	2			22
18	27	15	21	21	20	26	33	39	27	12	7	4	2			23
2	2	1	1	1		1	1									24
10	7	11	6	5	11	20	20	12	10	14	4	2	1			25
10	7	8	6	4	10	20	15	11	9	14	4	2				26
		3		1	1		5	1	1				1			27
10	9	12	18	23	23	23	22	35	25	13	8	2				28
17	7	10	17	21	19	19	20	35	22	12	8	1				29
2	2	2	1	2	4	4	2		3	1		1				30
1,583	1,681	1,715	2,103	2,463	2,638	3,000	3,188	3,230	2,792	2,112	1,161	384	96	11	9	31
1,545	1,632	1,649	2,030	2,419	2,574	2,955	3,147	3,194	2,759	1,096	1,153	383	91	11	9	32
38	49	66	73	44	64	45	41	36	33	16	8	1	5			33
4	6	4	6	4	4	8	8	14	10	5	3					34
1	2	3	7	7	4	7	7	11	13	13	5		1			35
8	8	10	13	24	19	16	30	28	24	17	8	1				36
10	11	9	11	15	16	19	34	20	14	21	9	6	2			37
6	5	4	7	3	5	5	8	11	6	8	7					38
9	10	9	9	19	23	17	34	20	25	22	8	4	1			39
436	499	526	679	736	738	829	789	779	621	426	218	75	22	1	1	40
417	473	489	641	713	703	805	770	763	605	422	213	75	21	1	1	41
19	26	37	38	23	35	24	19	16	16	4	5		1			42
10	6	8	4	5	2	12	13	12	4	10	8	3	1			43
34	42	36	39	45	43	58	64	59	52	36	26	7	3			44
8	12	16	24	17	29	44	41	44	44	35	18	4		1		45
58	59	77	76	108	130	104	132	112	93	73	46	16	6	1		46
14	20	18	37	25	21	33	33	45	74	58	27	3	1			47
11	10	11	11	18	23	12	24	17	9	10	7	1				48
10	7	10	9	9	7	13	13	9	16	9	2	1	2			49
10	19	15	21	21	14	24	33	32	27	23	10	3				50
3	3	2	6	4	5	6	9	13	13	7	2	4			1	51
3	5	5	2	2	7	8	10	10	9	7	2	1				52
9	9	18	18	23	27	31	40	32	32	24	16	2				53
54	54	65	73	86	93	125	119	118	76	67	26	11	2			54
23	19	15	29	28	26	41	31	34	33	22	16	3	1		1	55
14	10	15	11	10	19	14	20	22	17	20	10	5		2		56
12	14	14	9	15	15	14	8	16	20	6	3	3				57
9	9	11	11	14	20	24	18	33	33	23	13	6	1			58
6	6	7	5	8	7	14	14	14	15	15	7	2				59
35	34	27	35	34	44	57	58	53	59	41	18	7	2			60
30	28	26	41	52	43	54	64	55	32	26	12	5	2			61
49	55	59	47	61	73	80	76	69	64	44	19	5	1			62
5	9	2	8	8	14	13	18	18	24	9	7	3	1			63
61	62	52	77	98	104	111	112	113	74	70	43	10	1	1		64
44	48	47	61	65	84	91	101	98	94	68	41	15	7			65
10	26	14	16	31	33	45	45	56	34	47	14	9	3	1		66
11,	10	8	6	2	8	16	16	20	11	9	12	4				67
9	14	14	10	15	28	23	45	36	43	22	23	6	1			68
5	6	6	7	15	13	22	18	23	21	19	17	4	2	1		69
7	6	7	18	16	10	14	14	19	18	10	4	2				70
6	9	6	10	13	17	9	17	15	18	10	8	3	1			71
6	7	2	8	12	5	9	18	14	13	9	7	1	1			72
63	69	69	71	85	88	89	86	90	78	54	24	12	5		1	73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS—continued.												
1	Newburyport	277	37	1	1	5	2	46	7	4	5	8	7
2	Newton	567	58	11	6	4	6	85	13	6	8	7	15
3	North Adams	302	35	9	3	3	4	54	7	5	11	4	16
4	Northampton	451	44	4	4	1	2	55	8	6	6	4	22
5	Northbridge town	111	27	3	1	2	1	34	3	1	1	2	8
6	Norwood town	108	28	5	1	.....	.....	34	2	3	1	4	2
7	Peabody	242	47	10	4	2	1	64	2	3	5	11	9
8	Pittsfield	583	71	10	10	5	4	100	11	4	10	19	22
9	Plymouth town	204	42	12	2	4	.....	60	6	4	4	4	5
10	Quincy	487	67	16	11	2	3	99	15	6	10	6	26
11	Revere	210	33	4	2	1	2	42	5	3	2	6	13
12	Salem	634	94	12	9	7	3	125	16	12	11	23	16
13	Saugus town	96	19	2	3	2	.....	26	2	.....	1	5	1
14	Somerville	1,127	154	29	14	8	6	211	29	9	19	21	33
15	Southbridge town	124	21	2	3	2	.....	28	3	.....	.....	2	5
16	Springfield	1,709	290	60	24	20	16	410	37	29	28	54	68
17	Taunton	709	87	10	10	4	8	119	10	11	9	23	31
18	Wakefield town	140	16	2	2	2	1	23	2	.....	2	4	2
19	Waltham	388	50	5	5	6	2	68	14	7	11	10	13
20	Watertown town	171	27	5	2	2	1	37	3	5	2	2	4
21	Webster town	124	19	3	2	2	2	28	3	1	5	3	7
22	West Springfield town	122	18	4	.....	3	.....	25	2	1	2	4	3
23	Westfield town	281	39	3	6	2	3	53	7	8	8	9	7
24	Weymouth town	166	18	3	2	1	1	25	4	1	3	2	2
25	Winchester town	141	19	2	.....	2	1	24	3	1	2	2	4
26	Winthrop town	148	9	4	3	.....	1	17	2	3	3	1	6
27	Woburn	204	30	1	3	1	1	36	5	3	6	5	8
28	Worcester	2,668	410	60	32	15	23	540	55	30	44	73	107
	MICHIGAN.												
29	Registration cities (total)	27,534	5,161	1,123	508	357	251	7,400	844	415	723	1,270	1,614
30	White	26,230	4,961	1,062	491	347	245	7,106	820	395	678	1,134	1,477
31	Colored	1,304	200	61	17	10	6	294	24	20	45	136	137
32	Adrian	211	14	5	1	4	1	25	4	3	5	7	5
33	Alpena	192	37	8	2	2	1	50	10	6	3	9	4
34	Ann Arbor	630	67	12	13	2	2	96	17	16	21	33	39
35	Battle Creek	605	59	12	6	10	2	89	20	6	17	16	24
36	Bay City	767	110	26	13	2	6	157	24	16	21	32	38
37	Benton Harbor	171	16	4	3	1	.....	24	6	2	4	2	11
38	Detroit (total)	13,700	2,885	622	284	200	152	4,143	456	199	332	739	973
39	White	12,660	2,734	574	270	191	146	3,915	438	182	349	622	855
40	Colored	1,040	151	48	14	9	6	228	18	17	33	117	118
41	Escanaba	249	47	8	5	3	1	64	11	4	4	9	15
42	Flint	1,178	242	58	30	19	8	357	43	17	38	75	68
43	Grand Rapids	1,826	310	60	13	13	18	414	59	31	35	58	63
44	Hamtramck	587	238	67	31	20	13	369	32	10	15	13	27
45	Highland Park	399	73	17	8	12	7	117	12	5	6	12	20
46	Holland	161	22	8	2	2	.....	34	4	2	8	8	9
47	Ironwood	200	44	11	8	5	2	70	4	5	7	8	15
48	Ishpeming	141	20	5	4	1	.....	30	4	1	2	8	9
49	Jackson	724	97	21	9	8	2	137	16	8	20	26	38
50	Kalamazoo	1,077	102	17	8	4	6	137	13	14	16	37	41
51	Lansing	749	114	32	8	7	3	164	17	13	17	32	42
52	Marquette	187	26	4	5	.....	.....	35	8	3	8	11	11
53	Monroe	170	33	8	1	2	.....	44	4	1	4	3	6
54	Muskegon	549	98	21	8	6	1	134	17	10	9	26	27
55	Owosso	213	32	4	5	4	1	46	4	2	3	6	2
56	Pontiac	664	88	21	10	4	5	128	14	7	19	20	16
57	Port Huron	412	74	11	7	7	3	102	7	7	14	20	19
58	Saginaw	1,020	184	26	17	9	8	244	25	14	33	32	60
59	Sault Ste. Marie	186	43	8	2	3	4	60	6	2	4	6	5
60	Traverse City	315	18	4	.....	1	.....	23	2	2	1	9	15
61	Wyandotte	251	68	23	5	6	5	107	5	9	7	13	12
	MINNESOTA.												
62	Registration cities (total)	10,975	1,386	233	119	94	63	1,895	270	181	291	496	624
63	White	10,795	1,362	230	117	91	63	1,863	267	177	282	486	615
64	Colored	180	24	3	2	3	.....	32	3	4	9	10	9
65	Austin	125	25	3	.....	.....	.....	28	5	2	5	5	4
66	Duluth	1,007	183	24	11	15	11	244	22	14	28	39	58
67	Faribault	232	28	5	2	4	4	43	20	13	12	21	12
68	Hibbing	134	31	5	4	2	1	43	4	3	3	7	12
69	Mankato	213	16	1	1	2	1	21	1	4	5	8	7
70	Minneapolis	4,713	600	100	55	35	26	816	103	71	122	203	267
71	Rochester	1,013	31	9	5	3	.....	48	12	15	16	44	65
72	St. Cloud	217	42	8	3	1	5	59	7	6	3	8	10
73	St. Paul	2,958	378	64	34	29	11	516	83	48	91	144	166
74	Virginia	120	33	7	3	.....	1	44	6	4	.....	5	7
75	Winona	243	19	7	1	3	3	33	7	1	6	7	16

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
2	10	7	16	13	13	22	24	25	29	21	11	6	1	.....	.....	1
23	15	20	15	34	27	33	54	69	58	43	28	11	3	.....	.....	2
11	9	12	8	16	22	19	32	26	19	23	7	1	.....	.....	.....	3
22	22	21	24	36	20	22	32	57	46	26	17	4	1	.....	.....	4
2	2	5	9	6	9	6	7	7	3	4	1	1	.....	.....	.....	5
4	2	7	5	5	6	7	9	5	2	5	3	1	1	.....	.....	6
6	14	8	7	9	15	16	18	23	10	11	8	2	1	.....	.....	7
30	28	22	30	35	44	46	44	40	36	33	23	4	1	1	.....	8
1	4	2	3	10	9	11	18	20	15	16	11	1	.....	.....	.....	9
14	17	17	22	34	19	36	37	41	41	30	12	3	1	.....	1	10
4	8	9	10	12	11	13	13	19	20	14	5	1	.....	.....	.....	11
28	24	18	22	29	46	41	51	60	46	36	25	4	1	.....	.....	12
2	2	2	1	4	12	2	6	8	9	12	1	.....	.....	.....	.....	13
22	39	30	51	72	82	81	83	120	94	62	54	14	1	.....	.....	14
5	5	1	2	6	8	10	14	13	10	7	3	1	1	.....	.....	15
77	58	72	96	82	109	113	116	101	101	90	45	17	4	1	1	16
33	16	37	32	34	53	56	55	72	55	37	19	5	1	.....	1	17
5	3	3	5	6	8	11	18	11	17	8	9	3	.....	.....	.....	18
17	17	8	21	18	30	24	33	36	31	13	11	5	.....	1	.....	19
2	7	10	9	7	12	13	15	12	15	11	2	3	.....	.....	.....	20
4	3	3	7	4	7	11	9	8	10	10	1	.....	.....	.....	.....	21
6	4	3	5	5	9	12	14	2	11	9	2	1	.....	.....	2	22
16	8	9	12	19	14	15	20	14	24	20	10	6	2	.....	.....	23
4	2	3	7	7	14	10	13	16	19	20	12	1	1	.....	.....	24
2	5	4	7	5	5	15	7	13	13	16	6	7	.....	.....	.....	25
4	3	8	6	8	6	17	15	16	14	7	11	1	.....	.....	.....	26
9	6	11	7	11	7	11	15	23	13	15	6	5	2	.....	.....	27
116	120	116	132	183	160	216	196	189	168	118	72	29	4	.....	.....	28
1,554	1,386	1,150	1,200	1,220	1,317	1,526	1,504	1,476	1,335	884	493	170	31	14	8	29
1,434	1,242	1,057	1,117	1,165	1,275	1,502	1,471	1,454	1,318	878	490	169	31	10	7	30
120	144	93	83	55	42	24	33	22	17	6	3	1	.....	4	1	31
3	8	5	8	11	9	19	19	22	21	17	12	8	.....	.....	.....	32
6	3	7	3	3	18	9	11	22	14	7	6	.....	.....	.....	1	33
35	28	34	37	49	40	43	36	35	33	19	12	5	1	.....	1	34
18	31	28	43	37	40	64	48	43	37	22	16	4	1	.....	1	35
34	34	22	31	26	33	55	63	66	57	36	17	3	1	1	.....	36
8	9	7	6	8	17	13	9	17	11	8	5	4	.....	.....	.....	37
894	806	615	594	613	590	609	573	533	445	312	155	55	6	7	1	38
703	681	538	529	572	558	595	554	516	435	309	153	55	6	4	1	39
101	125	77	65	41	32	14	19	17	10	3	2	.....	.....	3	.....	40
17	13	5	15	12	13	17	18	13	9	3	4	1	2	.....	.....	41
71	58	38	44	37	44	65	58	58	62	27	12	4	.....	.....	2	42
68	69	68	72	73	102	126	135	151	119	96	57	27	2	1	.....	43
22	20	21	17	10	13	6	8	2	.....	1	1	.....	.....	.....	.....	44
25	21	27	11	15	16	28	12	20	25	17	7	2	1	.....	.....	45
4	3	3	5	9	7	12	13	9	13	9	6	3	.....	.....	.....	46
16	6	8	13	6	10	5	8	4	8	3	3	.....	.....	.....	1	47
8	8	4	4	3	6	12	14	9	8	8	2	1	.....	.....	.....	48
30	38	23	36	38	39	48	66	52	47	28	24	4	5	1	.....	49
45	44	47	59	65	68	93	91	98	97	62	34	13	2	1	.....	50
42	31	30	37	29	35	53	49	49	45	32	20	9	2	1	.....	51
8	6	6	7	5	9	11	11	16	14	10	7	.....	1	.....	.....	52
4	4	8	12	5	7	12	10	5	18	12	9	2	.....	.....	.....	53
36	20	25	23	20	33	34	35	39	29	22	9	.....	1	.....	.....	54
13	7	8	5	14	10	28	12	14	19	11	5	3	1	.....	.....	55
48	37	29	25	40	43	42	52	51	50	22	16	3	.....	1	1	56
17	14	15	16	23	22	22	33	26	22	15	14	3	1	.....	.....	57
46	40	31	40	32	57	67	60	72	72	59	27	8	1	.....	.....	58
10	8	7	9	10	9	10	8	11	12	4	4	.....	.....	1	.....	59
15	8	19	24	17	22	16	42	32	38	17	7	3	3	.....	.....	60
11	12	10	4	10	5	7	10	7	10	5	2	5	.....	.....	.....	61
664	581	498	526	659	763	808	709	651	562	417	265	91	20	2	2	62
647	565	487	513	647	755	802	698	642	557	414	264	90	20	2	2	63
17	16	11	13	12	8	6	11	9	5	3	1	1	.....	.....	.....	64
3	4	7	1	8	7	2	10	8	10	10	5	1	.....	.....	.....	65
51	57	41	54	70	60	57	63	46	50	28	18	6	1	.....	.....	66
12	13	9	5	12	9	11	4	15	7	6	5	2	1	.....	.....	67
11	11	10	5	7	5	7	2	1	2	.....	1	.....	.....	.....	.....	68
13	8	5	11	10	17	20	13	25	18	11	9	5	1	1	.....	69
299	229	192	211	257	326	354	325	301	255	202	119	45	10	.....	1	70
63	107	93	86	110	83	94	59	45	30	21	16	5	.....	.....	1	71
11	12	6	6	11	12	15	8	14	13	6	7	3	.....	.....	.....	72
182	124	123	133	152	222	229	209	176	150	114	72	18	5	1	.....	73
11	9	5	5	8	8	2	1	1	1	2	1	.....	.....	.....	.....	74
8	7	7	9	14	14	17	15	19	26	17	12	6	2	.....	.....	75

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MISSISSIPPI.												
1	Registration cities (total)	3,369	319	71	29	18	28	465	62	81	157	227	247
2	White	1,374	144	46	16	11	15	232	26	32	48	67	74
3	Colored	1,995	175	25	13	7	13	233	36	49	109	160	173
4	Biloxi (total)	134	18	7	.....	1	2	28	.....	2	2	3	4
5	White	115	13	7	.....	1	2	23	.....	2	1	3	3
6	Colored	19	5	.....	.....	.....	.....	5	.....	.....	1	.....	1
7	Columbus (total)	210	23	4	1	2	1	31	5	4	10	9	18
8	White	60	7	2	.....	.....	.....	9	1	.....	.....	1	4
9	Colored	150	16	2	1	2	1	22	4	4	10	8	14
10	Greenville (total)	311	28	5	8	1	5	47	6	13	12	16	17
11	White	96	18	4	3	.....	2	27	2	2	4	3	2
12	Colored	215	10	1	5	1	3	20	4	11	8	13	15
13	Hattiesburg (total)	208	27	14	2	2	1	46	4	4	11	9	13
14	White	109	10	11	2	2	1	26	2	3	4	4	5
15	Colored	99	17	3	.....	.....	.....	20	2	1	7	5	8
16	Jackson (total)	799	60	9	4	1	3	77	7	20	39	59	66
17	White	300	20	5	2	1	3	31	4	9	16	17	19
18	Colored	499	40	4	2	.....	.....	46	3	11	23	42	47
19	Laurel (total)	240	27	6	2	1	2	38	13	8	12	20	23
20	White	126	15	3	2	1	1	22	9	3	5	7	6
21	Colored	114	12	3	.....	.....	1	16	4	5	7	13	17
22	Meridian (total)	639	73	22	8	8	10	121	13	12	31	49	52
23	White	338	39	12	7	4	6	68	6	6	12	19	21
24	Colored	301	34	10	1	4	4	53	7	6	19	30	31
25	Natchez (total)	241	31	1	2	1	1	36	2	3	14	11	14
26	White	71	9	1	.....	1	.....	11	.....	1	3	2	4
27	Colored	170	22	.....	2	.....	1	25	2	2	11	9	10
28	Vicksburg (total)	587	32	3	2	1	3	41	12	15	26	51	40
29	White	159	13	1	.....	1	.....	15	2	6	3	11	10
30	Colored	428	19	2	2	.....	3	26	10	9	23	40	30
	MISSOURI.												
31	Registration cities (total)	20,481	2,402	538	256	180	141	3,517	544	314	573	909	1,007
32	White	17,878	2,082	437	225	156	130	3,030	498	268	480	761	834
33	Colored	2,603	320	101	31	24	11	487	46	46	93	148	173
34	Cape Girardeau	204	27	9	5	4	.....	45	9	5	8	13	8
35	Carthage	147	11	5	6	1	2	25	3	5	6	1	10
36	Columbia (total)	191	28	8	4	4	.....	44	2	4	6	8	6
37	White	141	20	5	4	3	.....	32	1	3	4	7	3
38	Colored	50	8	3	.....	1	.....	12	1	1	2	1	3
39	Hannibal	316	33	11	6	4	6	60	11	6	9	14	13
40	Independence	209	27	10	2	2	2	43	5	6	8	8	10
41	Jefferson City (total)	200	26	9	1	1	1	38	7	8	10	12	4
42	White	168	24	9	.....	1	1	35	5	5	7	9	4
43	Colored	32	2	.....	1	.....	.....	3	2	3	3	3	.....
44	Joplin	464	56	18	5	5	4	88	11	11	7	13	19
45	Kansas City (total)	5,279	765	149	54	26	37	1,031	102	70	170	295	339
46	White	4,501	681	127	48	20	36	912	90	59	144	249	284
47	Colored	778	84	22	6	6	1	119	12	11	26	46	66
48	Moberly	170	16	3	3	1	1	24	8	9	5	8	6
49	St. Joseph	1,343	138	30	16	9	12	205	31	20	29	54	54
50	St. Louis (total)	10,931	1,153	267	144	113	69	1,746	325	149	230	430	507
51	White	9,508	964	203	126	101	60	1,454	306	126	223	343	414
52	Colored	1,423	189	64	18	12	9	292	19	23	52	82	93
53	Sedalia	341	34	4	1	4	.....	43	13	6	14	22	13
54	Springfield	686	88	15	9	6	7	125	17	15	21	34	27
	MONTANA.												
55	Registration cities (total)	1,660	222	33	13	20	10	298	42	38	44	54	83
56	White	1,611	220	31	13	20	10	294	41	36	42	52	82
57	Colored	49	2	2	.....	.....	.....	4	1	2	2	2	1
58	Anaconda	117	16	3	2	1	.....	22	4	3	1	3	3
59	Billings	217	33	4	4	1	.....	42	10	4	7	13	14
60	Butte	614	77	10	.....	7	5	99	9	16	17	19	30
61	Great Falls	334	49	11	4	8	2	74	10	7	9	11	22
62	Helena	196	27	1	.....	3	2	33	1	4	5	3	5
63	Missoula	182	20	4	3	.....	1	28	8	4	5	5	9
	NEBRASKA.												
64	Registration cities (total)	4,062	584	115	53	34	31	817	103	98	117	145	159
65	White	3,854	557	104	49	32	30	772	99	95	103	131	169
66	Colored	208	27	11	4	2	1	45	4	3	9	14	20
67	Grand Island	227	31	2	8	3	1	45	4	2	7	3	13
68	Hastings	209	33	7	4	3	2	49	2	10	6	7	11
69	Lincoln	739	95	13	4	9	7	128	11	12	23	27	30
70	North Platte	116	10	13	1	2	3	29	3	7	8	4	4
71	Omaha (total)	2,771	415	80	36	17	18	566	83	67	73	104	131
72	White	2,585	392	70	33	16	18	529	79	64	64	92	111
73	Colored	186	23	10	3	1	.....	37	4	3	9	12	20

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
207	251	216	203	191	166	174	193	171	151	78	56	28	10	14	21	1
75	70	86	73	76	69	88	100	92	83	40	29	8	1	.....	5	2
132	181	130	130	115	97	86	93	79	68	38	27	20	9	14	16	3
4	10	6	4	8	4	9	9	17	17	5	2	.....	.....	.....	.....	4
3	8	5	2	8	4	9	8	12	17	5	2	.....	.....	.....	.....	5
1	2	1	2	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	6
11	7	10	9	18	8	14	17	10	7	7	6	6	1	2	.....	7
4	2	2	2	5	.....	6	6	6	3	3	4	2	.....	.....	.....	8
7	5	8	7	13	8	8	11	4	4	4	2	4	1	2	.....	9
15	26	20	22	20	19	15	15	12	14	5	7	5	2	1	2	10
1	7	5	7	5	5	7	6	3	4	2	2	1	.....	.....	1	11
14	19	15	15	15	14	8	9	9	10	3	5	4	2	1	1	12
16	16	12	14	6	2	6	18	8	11	7	3	1	.....	1	.....	13
7	4	8	5	2	.....	4	11	8	7	6	2	1	.....	.....	.....	14
9	12	4	9	4	2	2	7	.....	4	1	1	.....	.....	1	.....	15
47	62	60	41	52	57	39	45	46	31	19	10	6	1	2	13	16
13	17	25	18	18	21	18	19	21	17	7	7	2	.....	.....	1	17
34	45	35	23	34	36	21	26	25	14	12	3	4	1	2	12	18
19	20	12	17	5	10	4	12	8	8	2	5	.....	1	.....	3	19
13	4	9	6	3	7	2	11	7	6	2	4	.....	.....	.....	.....	20
6	16	3	11	2	3	2	1	1	2	.....	1	.....	1	.....	3	21
40	41	37	35	42	27	31	33	29	21	9	7	2	1	4	2	22
22	14	17	19	21	15	19	22	25	17	7	6	.....	.....	.....	2	23
18	27	20	16	21	12	12	11	4	4	2	1	2	1	4	.....	24
8	15	20	14	12	14	16	7	16	13	12	7	4	2	1	.....	25
.....	3	6	4	6	8	6	5	5	2	3	1	1	.....	.....	.....	26
8	12	14	10	6	6	10	2	11	11	9	6	3	2	1	.....	27
47	54	39	47	28	25	40	37	25	29	12	9	4	2	3	1	28
12	11	9	10	8	9	17	12	5	10	5	1	1	1	.....	1	29
35	43	30	37	20	16	23	25	20	19	7	8	3	1	3	.....	30
1,040	1,149	1,019	1,127	1,299	1,299	1,427	1,423	1,322	1,164	747	419	122	36	8	16	31
846	927	803	929	1,103	1,162	1,308	1,325	1,233	1,100	711	401	111	31	5	12	32
194	222	216	198	196	137	119	98	89	64	36	18	11	5	3	4	33
10	12	5	12	8	12	9	11	19	9	3	6	.....	.....	.....	.....	34
4	5	5	9	7	6	10	11	15	6	11	5	2	1	.....	.....	35
5	9	3	11	10	6	11	16	10	15	14	7	3	.....	.....	1	36
3	5	.....	5	5	5	10	13	8	15	12	7	3	.....	.....	.....	37
2	4	3	6	5	1	1	3	2	.....	2	.....	.....	.....	.....	1	38
15	12	12	8	19	16	20	21	24	27	18	7	2	.....	.....	2	39
11	5	6	7	5	9	9	15	21	14	16	10	1	.....	.....	.....	40
13	10	8	6	5	10	18	6	14	10	9	8	3	.....	.....	1	41
9	7	7	4	5	8	16	5	13	10	9	8	1	.....	.....	1	42
4	3	1	2	.....	2	2	1	1	.....	.....	.....	2	.....	.....	.....	43
18	38	23	26	35	27	24	31	30	29	30	3	.....	.....	.....	1	44
304	345	287	257	310	327	318	337	283	256	139	80	28	8	1	1	45
236	254	220	207	252	288	276	307	267	238	132	75	24	5	1	1	46
68	91	67	50	58	39	42	30	16	18	7	5	4	3	.....	.....	47
5	6	11	7	5	10	12	16	9	16	10	3	3	.....	.....	.....	48
66	71	76	72	86	78	101	98	93	97	62	37	5	2	.....	6	49
541	584	538	647	749	756	830	797	729	617	380	234	66	20	6	.....	50
435	491	423	531	639	675	774	745	674	591	359	224	60	18	3	.....	51
106	103	115	116	110	81	56	52	55	26	21	10	6	2	3	.....	52
16	19	14	23	20	11	24	20	26	20	22	8	1	3	.....	3	53
32	33	31	42	40	31	41	44	49	48	33	11	8	2	1	1	54
114	107	113	122	111	116	125	80	69	62	49	22	9	.....	1	1	55
109	103	109	121	106	110	123	77	66	62	48	19	9	.....	1	1	56
5	4	4	1	5	6	2	3	3	.....	1	3	.....	.....	.....	.....	57
9	10	6	14	5	13	7	8	2	2	3	.....	2	.....	.....	.....	58
15	7	19	13	8	8	19	12	10	12	1	1	1	.....	1	.....	59
44	50	45	56	53	46	42	29	23	12	15	8	1	.....	.....	.....	60
27	21	22	12	18	27	17	11	14	16	9	5	2	.....	.....	.....	61
7	11	11	9	12	11	25	11	12	13	14	5	3	.....	.....	1	62
12	8	10	18	15	11	15	9	8	7	7	3	.....	.....	.....	.....	63
212	205	204	223	214	236	262	277	255	250	139	88	22	4	.....	2	64
199	185	186	204	205	227	254	269	249	249	139	87	21	4	.....	2	65
13	20	18	19	9	9	8	8	6	1	.....	1	1	.....	.....	.....	66
12	13	14	8	12	17	12	15	15	17	12	4	1	.....	.....	1	67
7	9	5	6	6	8	13	20	19	16	8	4	2	.....	.....	1	68
28	33	32	43	36	37	44	59	56	70	37	23	8	2	.....	.....	69
5	3	3	1	6	9	7	7	10	4	6	.....	.....	.....	.....	.....	70
160	147	150	165	154	165	186	176	155	143	76	57	11	2	.....	.....	71
149	129	132	148	145	156	178	171	151	142	76	57	10	2	.....	.....	72
11	18	18	17	9	9	8	5	4	1	.....	.....	1	.....	.....	.....	73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW HAMPSHIRE.												
1	Registration cities (total)	2,929	496	74	34	22	22	648	60	46	51	70	82
2	White	2,920	495	74	34	22	22	647	60	46	51	69	82
3	Colored	9	1					1				1	
4	Berlin	195	65	9	3	2	2	81	3	4	8	6	8
5	Concord	470	27	4	2	3	2	38	4	10	4	7	16
6	Dover	225	23	3	1		2	29	4	1	2	4	4
7	Keene	170	24	3		1		28	2	4	2	2	3
8	Laconia	198	19	6	1	2	2	30	3	4	4	5	5
9	Manchester	1,031	233	36	20	10	10	309	29	15	18	28	29
10	Nashua	444	72	9	7	3	2	93	10	7	9	12	14
11	Portsmouth	196	33	4		1	2	40	5	1	4	6	3
	NEW JERSEY.												
12	Registration cities (total)	27,240	4,831	1,169	478	332	232	7,042	695	436	632	924	1,168
13	White	25,529	4,489	1,066	448	315	222	6,540	661	404	584	838	1,087
14	Colored	1,711	342	103	30	17	10	502	34	32	48	86	81
15	Asbury Park (total)	180	26	4	3	1	1	35	5	1	2		6
16	White	125	16	2	3	1	1	23	2		1		4
17	Colored	55	10	2				12	3	1	1		2
18	Atlantic City (total)	375	34	15	7	3	5	114	21	15	10	31	31
19	White	665	52	8	4	2	3	69	20	13	8	19	23
20	Colored	210	32	7	3	1	2	45	1	2	2	12	8
21	Bayonne	783	191	50	25	13	13	292	23	13	27	21	27
22	Belleville	391	33	31	18	9	6	97	15	12	18	21	29
23	Bloomfield	170	22	3	2	1		28	1	3	3	4	3
24	Bridgeton	262	39	9	3	1	1	53	2	3	10	9	10
25	Camden	1,731	364	83	19	19	9	494	56	32	48	63	63
26	Clifton	192	39	8	4	4	3	58	10	5	3	3	12
27	East Orange	463	41	6	2	1	1	51	7	5	4	4	6
28	Elizabeth	1,227	228	47	23	13	11	322	38	24	31	37	67
29	Englewood	203	44	10	3	1		58	3	3	8	7	10
30	Garfield	189	65	14	2	7	2	90	6	7	4	5	8
31	Gloucester	109	20	1			1	22	2	1	3	2	4
32	Hackensack	311	40	8	2	4	2	56	7	6	5	12	15
33	Harrison	205	56	16	6	5	2	85	6	2	3	4	5
34	Hoboken	882	135	55	19	16	9	234	25	11	17	36	44
35	Irvington	244	19	2	1	5		27	11	4	12	9	9
36	Jersey City	4,221	758	216	88	57	37	1,156	109	64	92	164	209
37	Kearny	305	47	12	5	2	1	67	4	6	9	6	15
38	Long Branch	298	51	5	5	2		63	3	3	5	12	5
39	Millville	182	23	7	3	3		36	7	2	1	5	1
40	Montclair (total)	246	21	10	1		3	35	5	4	5	4	5
41	White	209	16	7			2	25	5	3	3	2	4
42	Colored	37	5	3	1		1	10		1	2	2	1
43	Morristown	281	29	4	2			35	5	3	12	10	15
44	New Brunswick	507	71	18	9	8	10	116	11	7	15	19	21
45	Newark (total)	5,372	993	244	90	65	32	1,424	118	94	117	187	238
46	White	4,944	906	211	80	61	29	1,287	106	81	106	164	211
47	Colored	428	87	33	10	4	3	137	12	13	11	23	27
48	Orange (total)	556	85	25	10	7	4	131	13	4	12	15	21
49	White	482	65	19	7	4	4	99	13	2	11	14	20
50	Colored	74	20	6	3	3		32		2	1	1	1
51	Passaic	819	241	39	29	21	12	342	26	12	19	32	37
52	Paterson	1,746	249	61	27	14	15	366	38	21	41	49	66
53	Perth Amboy	485	158	27	14	5	9	213	14	10	11	14	19
54	Phillipsburg	193	34	4	5	2	2	47	5	1	9	4	7
55	Plainfield	436	70	13	4	4	2	93	12	7	12	12	21
56	Rahway	159	30	1	2		2	35	3	2	4	4	5
57	Roosevelt	110	46	14	3	6	2	71	2	2	1	4	2
58	Summit	153	14	3	3	2	3	25	5	2	1	4	7
59	Trenton	1,883	337	61	20	18	20	456	51	25	42	73	89
60	Union	173	29	4	4	1	3	41	5	4	3	8	1
61	West Hoboken	350	43	20	5	7	5	80	8	9	4	11	20
62	West New York	228	43	12	8	4	3	70	10	6	6	9	12
63	West Orange	117	13	7	2	1	1	24	3	1	3	5	8

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
99	83	113	103	137	163	227	240	238	218	181	106	45	5	2	12	1
99	82	112	103	137	163	226	240	236	218	181	106	44	5	2	11	2
.....	1	1	.....	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	1	3
7	5	6	4	5	10	9	9	6	8	6	5	1	.....	.....	4	4
13	17	29	21	22	28	44	55	48	42	40	21	11	.....	.....	.....	5
3	7	4	4	14	14	23	18	35	20	17	16	1	2	.....	3	6
4	7	9	4	10	6	10	20	12	20	17	9	1	.....	.....	.....	7
4	5	7	6	10	10	20	16	10	19	22	11	4	.....	.....	3	8
43	23	40	41	42	64	72	64	71	57	47	24	11	1	2	1	9
17	16	13	18	18	21	36	37	41	34	22	15	9	1	.....	1	10
8	3	5	5	16	10	13	21	15	18	10	5	7	1	.....	.....	11
1,212	1,181	1,244	1,457	1,608	1,652	1,823	1,687	1,648	1,350	861	446	146	24	3	1	12
1,111	1,063	1,106	1,353	1,495	1,565	1,741	1,620	1,601	1,318	842	435	138	24	2	1	13
101	118	138	104	113	87	82	67	47	32	19	11	8	.....	1	.....	14
3	10	8	5	8	9	16	22	14	21	10	3	1	1	.....	.....	15
2	4	2	4	7	5	12	17	12	16	9	3	1	1	.....	.....	16
1	6	6	1	1	4	4	5	2	5	1	.....	.....	.....	.....	.....	17
40	45	49	73	69	76	61	65	66	46	37	19	7	.....	.....	.....	18
32	29	30	49	50	54	48	57	60	44	36	19	5	.....	.....	.....	19
8	16	19	24	19	22	13	8	6	2	1	.....	2	.....	.....	.....	20
38	42	30	48	35	44	43	33	25	21	13	7	1	.....	.....	.....	21
25	37	22	26	17	19	18	10	10	7	5	2	1	.....	.....	.....	22
4	6	5	4	15	15	10	12	18	13	21	5	.....	.....	.....	.....	23
7	9	9	20	6	16	12	20	20	28	15	10	3	.....	.....	.....	24
77	68	81	80	110	74	124	95	111	81	39	24	3	3	.....	.....	25
8	4	5	5	8	9	15	13	6	12	12	3	.....	1	.....	.....	26
12	15	27	28	27	33	47	37	49	49	32	17	10	3	.....	.....	27
56	58	61	76	79	69	73	75	58	46	36	16	5	.....	.....	.....	28
2	7	9	14	13	12	8	15	8	12	9	1	4	.....	.....	.....	29
3	4	12	6	7	7	9	5	7	5	2	1	1	.....	.....	.....	30
2	7	6	3	2	10	11	15	4	5	6	4	.....	.....	.....	.....	31
20	20	14	21	11	21	17	21	23	21	7	10	3	1	.....	.....	32
4	7	8	13	17	17	7	12	8	4	3	.....	.....	.....	.....	.....	33
49	46	31	52	53	66	51	54	52	30	23	6	2	.....	.....	.....	34
13	9	12	12	15	19	17	14	22	21	9	8	1	.....	.....	.....	35
200	168	192	215	244	252	267	276	244	174	123	52	17	3	.....	.....	36
10	12	10	13	10	11	13	12	25	38	26	16	1	1	.....	.....	37
14	18	13	13	23	23	25	21	16	22	15	2	1	.....	.....	1	38
7	9	10	4	8	10	10	18	15	20	12	7	.....	.....	.....	.....	39
5	6	12	16	14	13	24	23	24	23	14	11	3	.....	.....	.....	40
3	3	10	14	12	13	20	21	22	22	14	10	3	.....	.....	.....	41
2	3	2	2	2	.....	4	2	2	1	.....	1	.....	.....	.....	.....	42
11	16	9	21	17	22	19	15	33	13	15	8	2	.....	.....	.....	43
23	19	25	30	31	35	38	30	28	30	20	5	4	.....	.....	.....	44
236	222	270	284	338	345	377	326	308	238	128	87	31	3	1	.....	45
208	191	239	259	311	326	359	318	301	232	125	86	30	3	1	.....	46
28	31	31	25	27	19	18	8	7	6	3	1	1	.....	.....	.....	47
24	22	30	38	39	32	41	34	30	37	18	9	4	2	.....	.....	48
16	20	24	33	36	29	37	31	30	36	17	8	4	2	.....	.....	49
8	2	6	5	3	3	4	3	.....	1	1	1	.....	.....	.....	.....	50
40	36	29	41	43	28	30	28	25	25	17	6	1	1	1	.....	51
76	88	80	106	109	103	130	125	132	100	72	32	12	2	.....	.....	52
18	16	19	17	27	21	29	16	18	11	6	4	1	1	.....	.....	53
7	6	8	5	8	17	13	17	11	10	9	7	2	.....	.....	.....	54
24	24	18	20	20	30	37	26	33	21	16	8	1	1	.....	.....	55
5	6	7	8	8	9	12	12	10	10	10	6	3	.....	.....	.....	56
3	5	3	1	3	2	4	2	2	3	.....	.....	.....	.....	.....	.....	57
8	9	6	11	7	6	12	15	14	9	4	7	1	.....	.....	.....	58
103	73	77	96	114	120	143	120	111	99	49	28	16	.....	1	.....	59
8	11	5	5	9	16	12	10	13	10	8	3	1	.....	.....	.....	60
14	12	13	13	19	21	29	24	28	24	12	7	1	1	.....	.....	61
8	6	13	9	17	12	12	9	16	5	4	3	1	.....	.....	.....	62
5	5	6	5	8	8	7	10	11	6	4	2	1	.....	.....	.....	63

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW YORK.												
1	Registration cities (total)	109,781	16,940	4,267	1,817	1,139	887	25,050	2,718	2,302	2,302	3,856	4,826
2	White	106,050	16201	4,053	1,758	1,114	861	23,987	2,651	1,604	2,157	3,596	4,522
3	Colored	3,731	739	214	59	25	26	1,063	67	52	145	260	304
4	Albany	1,785	176	39	11	11	13	250	20	22	32	34	73
5	Amsterdam	414	72	12	2	2	2	90	10	9	10	13	18
6	Auburn	588	81	30	10	5	2	128	20	11	12	17	25
7	Batavia	247	33	12	2	2	2	51	2	5	4	8	8
8	Beacon	211	25	4	2	3	1	35	4	4	6	5	9
9	Binghamton	1,146	152	35	17	8	11	223	18	7	11	23	33
10	Buffalo	7,475	1,371	263	128	89	69	1,920	232	124	136	268	321
11	Cohoes	329	44	11	1	2	2	60	7	2	3	6	12
12	Corning	242	27	4	1	1	1	34	2	5	6	8	5
13	Cortland	231	20	5	.....	.....	2	27	7	2	4	4	1
14	Dunkirk	249	52	4	4	3	1	64	15	9	5	4	12
15	Elmira	583	84	9	6	1	5	105	9	5	10	12	13
16	Fulton	176	27	10	5	1	2	45	2	1	1	3	5
17	Geneva	235	47	3	3	3	2	58	4	5	4	8	11
18	Glens Falls	274	33	3	1	2	.....	39	2	1	1	5	13
19	Gloversville	397	39	6	2	1	1	49	8	3	5	8	9
20	Herkimer	143	24	6	1	2	1	34	3	4	1	4	5
21	Hornell	221	18	3	.....	1	2	24	1	3	3	8	11
22	Hudson	205	23	6	.....	1	2	32	4	3	6	3	5
23	Ilion	124	11	3	.....	.....	.....	14	4	1	4	4	4
24	Ithaca	274	33	8	1	1	1	44	.....	1	9	13	7
25	Jamestown	538	72	11	3	5	3	94	7	10	11	16	21
26	Johnstown	141	16	3	1	1	.....	21	.....	.....	4	.....	4
27	Kingston	447	39	10	2	2	4	57	5	6	6	12	13
28	Lackawanna	391	239	36	10	6	1	292	11	4	4	11	15
29	Little Falls	170	29	3	3	3	2	40	6	2	3	2	3
30	Lockport	290	43	6	2	5	2	58	2	4	7	8	8
31	Middletown	411	26	7	2	1	1	37	2	5	1	7	13
32	Mount Vernon	524	78	24	11	9	8	130	15	5	6	17	25
33	New Rochelle	403	44	6	5	2	3	60	8	8	13	15	26
34	New York (total)	73,393	11,319	3,206	1,360	784	624	17,293	1,878	1,127	1,655	2,782	3,461
35	Bronx borough	7,903	1,115	243	141	75	53	1,627	232	135	177	313	396
36	Brooklyn borough	25,613	3,949	1,134	507	287	231	6,108	650	410	612	954	1,175
37	Manhattan borough	32,595	5,217	1,605	593	348	278	8,041	791	476	688	1,247	1,568
38	Queens borough	5,501	781	171	93	61	50	1,156	163	81	142	178	239
39	Richmond borough	1,781	257	53	26	13	12	361	42	25	36	90	83
40	White	70,207	10,666	3,020	1,308	763	599	16,356	1,824	1,083	1,532	2,559	3,197
41	Bronx borough	7,799	1,096	239	140	75	53	1,603	230	135	172	303	389
42	Brooklyn borough	24,885	3,823	1,088	491	282	226	5,910	638	397	582	896	1,120
43	Manhattan borough	30,385	4,735	1,473	561	333	258	7,360	754	448	604	1,107	1,374
44	Queens borough	5,395	763	170	90	60	50	1,133	160	79	139	167	229
45	Richmond borough	1,743	249	50	26	13	12	350	42	24	35	86	79
46	Colored	3,186	653	186	52	21	25	937	54	44	123	223	264
47	Bronx borough	104	19	4	1	.....	.....	24	2	.....	5	10	7
48	Brooklyn borough	728	126	46	16	5	5	198	12	13	30	58	49
49	Manhattan borough	2,210	482	132	32	15	20	681	37	28	84	140	194
50	Queens borough	106	18	1	3	1	.....	23	3	2	3	11	10
51	Richmond borough	38	8	3	.....	.....	.....	11	.....	1	1	4	4
52	Newburgh	497	62	2	3	2	3	72	7	6	18	23	19
53	Niagara Falls	651	143	42	14	18	8	225	23	10	14	23	33
54	North Tonawanda	190	38	3	4	2	3	50	10	4	3	6	9
55	Ogdensburg	467	62	7	2	4	2	77	12	6	2	10	16
56	Olean	305	47	9	3	2	1	62	12	3	7	12	14
57	Oneida	160	22	2	.....	1	.....	25	6	5	3	3	3
58	Oneonta	187	13	4	.....	.....	1	18	7	3	6	8	5
59	Ossining	154	13	4	1	1	.....	19	6	3	4	13	11
60	Oswego	284	43	8	3	4	.....	58	4	4	4	4	5
61	Peekskill	226	30	3	2	2	1	38	6	6	4	3	10
62	Plattsburg	234	25	6	3	2	2	38	6	4	11	3	11
63	Port Chester	204	35	8	6	1	1	51	8	4	5	9	11
64	Port Jervis	202	23	2	3	3	.....	31	3	4	7	7	16
65	Poughkeepsie	516	78	12	6	1	3	100	11	8	9	10	19
66	Rensselaer	113	10	.....	1	.....	.....	11	2	1	3	.....	4
67	Rochester	3,765	567	97	42	46	35	787	94	53	59	104	95
68	Rome	568	75	16	1	7	3	102	16	16	21	20	37
69	Saratoga Springs	252	22	2	1	3	1	29	1	4	2	9	7
70	Schenectady	956	168	23	19	5	4	219	11	12	22	25	36
71	Syracuse	2,640	438	83	45	28	19	613	50	28	42	94	101
72	Tonawanda	99	25	3	1	1	2	32	2	2	2	4	2
73	Troy	1,222	141	33	16	10	4	204	18	20	21	33	41
74	Utica	1,385	202	49	16	15	9	291	32	10	11	22	56
75	Watertown	616	90	9	3	4	1	107	22	10	8	22	21
76	Watervliet	211	29	10	5	1	1	46	5	2	1	12	8
77	White Plains	267	30	8	2	2	2	44	7	7	8	9	6
78	Yonkers	1,153	212	34	19	17	11	293	29	23	22	40	41

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
4,899	5,130	5,077	5,907	6,941	7,209	7,916	7,512	6,925	5,565	3,680	1,840	610	124	21	17	1
4,653	4,825	4,818	5,669	6,748	7,057	7,773	7,424	6,825	5,506	3,649	1,826	604	119	20	17	2
246	305	259	238	193	152	143	88	100	59	31	14	6	5	1	.....	3
77	63	80	85	113	150	163	171	167	129	92	48	14	2	.....	.....	4
13	15	16	17	21	23	30	34	34	28	15	12	5	1	.....	.....	5
18	29	25	21	34	32	35	43	44	44	27	12	11	.....	.....	.....	6
6	8	11	6	15	17	17	20	24	20	10	9	6	.....	.....	.....	7
5	9	7	10	15	9	20	19	22	17	6	6	3	.....	.....	.....	8
43	48	39	52	64	80	96	93	115	92	65	37	4	2	.....	1	9
316	318	322	393	405	465	497	503	471	338	256	133	53	2	1	1	10
12	10	15	15	27	26	28	40	30	16	8	9	2	.....	.....	1	11
13	13	8	10	9	20	22	14	22	22	17	9	3	.....	.....	.....	12
6	10	7	9	13	10	22	37	20	20	22	8	2	.....	.....	.....	13
6	7	5	9	16	11	18	16	9	19	16	6	2	.....	.....	.....	14
18	15	25	24	35	38	53	59	72	45	22	14	6	3	.....	.....	15
4	8	8	8	8	8	10	11	12	26	10	6	.....	.....	.....	.....	16
9	10	7	8	7	10	21	17	16	16	15	7	1	.....	1	.....	17
2	11	10	19	13	19	25	26	27	26	24	7	4	.....	.....	.....	18
18	17	11	19	33	28	24	51	33	38	26	13	4	.....	.....	.....	19
6	3	4	8	6	8	5	8	11	16	8	8	1	.....	.....	.....	20
9	7	9	11	14	16	20	17	21	20	15	10	1	1	.....	.....	21
10	4	2	9	11	13	16	26	20	19	11	8	2	.....	.....	1	22
3	3	6	1	5	10	16	9	11	15	7	4	2	1	.....	.....	23
10	5	8	9	10	16	19	22	29	25	21	19	6	1	.....	.....	24
27	25	18	22	24	27	41	40	45	42	40	17	10	1	.....	.....	25
6	4	1	4	5	8	10	13	13	13	21	12	2	.....	.....	.....	26
13	17	27	23	30	38	41	42	33	39	22	19	4	.....	.....	.....	27
9	9	3	7	8	5	3	3	4	.....	.....	2	.....	.....	.....	1	28
11	10	5	8	10	7	6	12	16	11	9	4	3	1	.....	1	29
10	6	6	14	16	13	23	28	27	26	16	15	3	.....	.....	.....	30
15	22	18	18	39	28	37	41	44	33	35	9	5	2	.....	.....	31
23	14	13	14	30	25	35	48	46	38	25	12	2	1	.....	.....	32
20	20	11	18	30	24	30	30	35	25	17	11	1	1	.....	.....	33
3,422	3,648	3,613	4,219	4,827	4,927	5,176	4,747	4,179	3,143	1,956	932	311	76	15	6	34
395	389	373	470	541	543	588	561	461	357	220	88	32	4	.....	1	35
1,100	1,141	1,207	1,353	1,623	1,701	1,863	1,700	1,509	1,211	697	383	119	29	6	2	36
1,530	1,750	1,697	1,954	2,242	2,204	2,228	1,977	1,742	1,189	773	338	111	34	9	.....	37
238	286	266	339	338	380	409	377	324	290	172	84	32	6	.....	1	38
93	82	70	103	83	99	88	132	143	96	94	39	17	3	.....	2	39
3,214	3,364	3,376	4,016	4,676	4,804	5,065	4,676	4,110	3,104	1,933	921	305	71	15	6	40
385	385	365	462	535	540	585	559	454	353	220	87	32	4	.....	1	41
1,113	1,088	1,159	1,311	1,589	1,668	1,823	1,681	1,487	1,197	690	379	115	28	6	2	42
1,392	1,532	1,524	1,817	2,137	2,121	2,167	1,934	1,704	1,171	759	332	109	30	9	.....	43
235	277	259	328	334	377	403	372	322	288	170	84	32	6	.....	1	44
89	82	69	98	81	98	87	130	143	95	94	39	17	3	.....	2	45
208	234	237	203	151	123	111	71	69	39	23	11	6	5	.....	.....	46
10	4	8	8	6	3	3	2	7	4	.....	1	.....	.....	.....	.....	47
47	53	48	42	34	33	40	19	22	14	7	4	4	1	.....	.....	48
144	218	173	137	105	83	61	43	38	18	14	6	2	4	.....	.....	49
3	9	7	11	4	3	6	5	2	2	2	.....	.....	.....	.....	.....	50
4	.....	1	5	2	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	51
15	28	19	32	39	30	37	37	36	34	31	8	5	.....	.....	1	52
33	33	26	30	30	35	32	33	22	19	18	8	3	1	.....	.....	53
9	14	8	7	10	10	16	11	13	5	2	3	.....	.....	.....	.....	54
21	17	22	29	28	30	31	38	30	42	30	16	9	1	.....	.....	55
10	15	16	15	17	20	19	20	19	17	16	9	2	.....	.....	.....	56
5	6	4	3	9	15	14	10	11	21	11	5	1	.....	.....	.....	57
6	14	7	5	12	11	15	16	17	20	11	4	1	1	.....	.....	58
8	7	5	9	9	14	13	9	5	7	10	1	.....	1	.....	.....	59
7	11	10	9	13	16	20	27	30	32	17	7	4	2	.....	.....	60
9	10	4	9	16	10	26	19	19	15	12	8	1	1	.....	.....	61
14	8	8	8	10	16	20	23	15	18	9	8	3	1	.....	.....	62
7	9	7	6	13	12	10	10	10	14	14	2	1	.....	.....	1	63
15	8	15	8	9	9	13	15	14	13	9	5	.....	1	.....	.....	64
19	14	25	17	26	24	48	37	54	43	38	13	1	.....	.....	.....	65
7	5	1	7	7	7	10	11	12	12	10	2	1	.....	.....	.....	66
157	132	136	181	233	258	347	290	280	261	176	87	27	7	1	.....	67
19	21	27	22	28	28	40	36	36	39	32	22	5	1	.....	.....	68
12	9	10	8	12	18	31	26	27	18	13	11	2	2	1	.....	69
43	35	43	54	57	72	80	53	51	69	41	18	7	2	1	.....	70
119	126	113	123	159	150	182	191	176	160	113	66	30	3	1	.....	71
2	4	2	4	5	5	10	5	5	7	4	1	1	.....	.....	.....	72
39	41	55	55	92	98	103	106	117	80	67	29	2	1	.....	.....	73
57	65	60	65	85	92	101	97	105	110	68	39	16	2	.....	1	74
30	28	25	26	37	28	40	39	46	59	39	21	6	2	.....	.....	75
7	8	6	9	12	12	17	18	19	14	9	4	2	.....	.....	.....	76
12	10	18	14	17	21	13	15	23	14	12	8	1	.....	.....	2	77
57	58	60	62	63	57	69	80	81	61	34	17	6	.....	.....	.....	78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NORTH CAROLINA.												
1	Registration cities (total)	5,788	1,001	218	67	50	47	1,383	125	106	251	390	406
2	White	3,210	510	129	41	28	27	735	74	57	102	165	212
3	Colored	2,578	491	89	26	22	20	648	51	49	149	225	191
4	Asheville (total)	729	80	12	10	4	6	112	13	14	40	45	62
5	White	551	51	7	5	3	4	70	10	12	24	40	48
6	Colored	178	29	5	5	1	2	42	3	2	16	5	14
7	Charlotte (total)	747	132	24	10	9	5	180	14	8	33	43	43
8	White	459	84	17	7	4	4	116	9	5	15	11	22
9	Colored	288	48	7	3	5	1	64	5	3	18	32	21
10	Durham (total)	378	77	17	4	6	4	108	10	5	17	32	28
11	White	145	20	10	3	1	3	37	3	.....	1	9	9
12	Colored	233	57	7	1	5	1	71	7	5	16	23	19
13	Gastonia (total)	233	57	12	3	4	4	80	7	5	13	15	14
14	White	190	47	11	3	4	3	68	7	3	9	14	10
15	Colored	43	10	1	.....	.....	1	12	.....	2	4	1	4
16	Goldsboro (total)	274	52	13	3	1	3	72	3	5	12	16	18
17	White	114	28	7	2	.....	1	38	1	2	1	1	9
18	Colored	160	24	6	1	1	2	34	2	3	11	15	9
19	Greensboro (total)	378	41	12	4	4	3	64	11	7	20	30	40
20	White	228	18	10	2	4	2	36	10	4	7	12	26
21	Colored	150	23	2	2	.....	1	28	1	3	13	18	14
22	High Point (total)	199	40	11	2	.....	2	55	3	1	5	12	7
23	White	144	24	6	2	.....	1	33	3	1	5	8	5
24	Colored	55	16	5	.....	.....	1	22	.....	.....	.....	4	2
25	New Bern (total)	267	37	10	4	2	2	55	5	7	10	17	13
26	White	83	8	4	1	.....	.....	13	2	1	5	3	3
27	Colored	184	29	6	3	2	2	42	3	6	5	14	10
28	Raleigh (total)	568	64	10	3	5	1	83	13	10	15	34	45
29	White	334	33	6	2	3	.....	44	5	8	7	20	25
30	Colored	234	31	4	1	2	1	39	8	2	8	14	20
31	Rocky Mount (total)	233	54	11	.....	2	1	68	7	3	10	11	21
32	White	132	34	7	.....	1	1	43	6	3	1	4	6
33	Colored	101	20	4	.....	1	.....	25	1	.....	9	7	15
34	Salisbury (total)	180	28	8	4	1	2	43	5	10	6	13	6
35	White	111	15	6	3	.....	2	26	1	5	2	9	4
36	Colored	69	13	2	1	1	.....	17	4	5	4	4	2
37	Wilmington (total)	654	135	29	11	5	4	184	18	10	16	38	31
38	White	313	65	17	6	4	2	94	10	4	8	10	12
39	Colored	341	70	12	5	1	2	90	8	6	8	28	19
40	Wilson (total)	186	39	5	2	1	3	50	3	5	13	9	14
41	White	86	18	4	1	.....	2	25	1	.....	5	2	8
42	Colored	100	21	1	1	1	1	25	2	5	8	7	6
43	Winston-Salem (total)	762	165	44	7	6	7	229	13	16	41	75	64
44	White	320	65	17	4	4	2	92	6	9	12	22	25
45	Colored	442	100	27	3	2	5	137	7	7	29	53	39
	NORTH DAKOTA.[1]												
46	Fargo (total)	384	82	9	7	6	1	105	8	5	25	19	25
47	White	380	81	9	7	6	1	104	8	5	24	19	25
48	Colored [2]	4	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
	OHIO.												
49	Registration cities (total)	42,185	6,422	1,385	662	400	323	9,192	1,031	614	1,065	1,681	2,050
50	White	39,059	5,944	1,249	624	382	305	8,504	976	562	969	1,437	1,882
51	Colored	3,126	478	136	38	18	18	688	55	52	96	244	278
52	Akron	2,443	452	91	50	44	28	665	72	36	121	209	201
53	Alliance	301	48	9	3	1	5	66	9	3	7	11	13
54	Ashtabula	269	36	14	7	1	2	60	5	2	10	9	6
55	Barberton	239	51	9	5	4	3	72	6	7	7	10	11
56	Bellaire	210	38	11	4	3	2	58	4	3	7	10	6
57	Bucyrus	134	14	5	4	.....	1	24	8	4	6	4	8
58	Cambridge	178	23	1	2	4	1	31	6	.....	10	5	10
59	Canton	1,108	200	49	15	11	7	282	28	16	26	45	49
60	Chillicothe	219	22	2	1	.....	1	26	3	.....	4	6	9
61	Cincinnati (total)	6,073	644	159	65	44	32	944	127	81	121	233	251
62	White	5,336	548	124	53	41	28	794	107	67	99	174	197
63	Colored	737	96	35	12	3	4	150	20	14	22	59	54
64	Cleveland (total)	9,985	1,692	373	197	123	97	2,482	276	161	232	349	577
65	White	9,216	1,579	341	186	120	89	2,315	266	147	213	287	482
66	Colored	769	113	32	11	3	8	167	10	14	19	62	95
67	Cleveland Heights	109	5	3	1	1	1	11	.....	1	.....	2	4
68	Columbus (total)	3,546	453	76	34	29	19	611	65	58	97	126	157
69	White	3,064	383	55	31	24	16	509	54	49	84	91	125
70	Colored	482	70	21	3	5	3	102	11	9	13	32	32
71	Coshocton	167	15	3	4	3	1	26	4	4	6	9	5
72	Cuyahoga Falls	123	14	3	2	1	.....	20	5	.....	1	7	7

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

ormed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
360	356	326	296	308	250	293	287	247	172	119	53	22	6	6	26	1
193	195	178	157	165	138	186	202	172	139	84	36	9	1	.....	10	2
107	101	148	139	143	112	107	85	75	33	35	17	13	5	6	16	3
63	52	47	55	36	34	44	32	18	17	15	9	4	1	.....	16	4
56	40	35	41	25	29	38	27	14	14	11	8	2	.....	.....	7	5
7	12	12	14	11	5	6	5	4	3	4	1	2	1	.....	9	6
40	40	40	39	49	41	43	42	37	22	16	5	3	.....	1	2	7
22	26	26	23	32	23	26	34	28	21	14	4	1	.....	.....	1	8
18	20	14	16	17	18	17	8	9	1	2	1	2	.....	1	1	9
19	13	15	13	23	11	20	23	17	11	7	2	1	.....	1	2	10
4	3	8	5	8	5	13	11	13	8	6	1	.....	.....	.....	1	11
15	10	7	8	15	6	7	12	4	3	1	1	1	.....	1	1	12
13	18	7	9	12	6	9	7	4	9	2	1	2	.....	.....	.....	13
12	14	4	7	9	4	8	7	4	8	2	.....	.....	.....	.....	.....	14
1	4	3	2	3	2	1	.....	.....	1	.....	1	2	.....	.....	.....	15
18	15	19	12	12	14	15	12	11	7	8	3	.....	2	.....	.....	16
8	8	8	3	4	6	6	4	5	4	3	3	.....	.....	.....	.....	17
10	7	11	9	8	8	9	8	6	3	5	.....	.....	2	.....	.....	18
23	27	23	21	17	18	19	22	17	6	5	5	2	.....	1	.....	19
15	17	14	9	12	9	13	16	15	4	5	3	1	.....	.....	.....	20
8	10	9	12	5	9	6	6	2	2	.....	2	1	.....	1	.....	21
15	14	9	8	11	7	12	10	10	7	10	2	.....	1	.....	.....	22
11	11	6	5	9	7	9	9	7	7	6	1	.....	1	.....	.....	23
4	3	3	3	2	.....	3	1	3	.....	4	1	.....	.....	.....	.....	24
16	17	17	14	11	16	17	15	14	10	7	4	2	.....	.....	.....	25
3	6	8	3	1	4	6	8	5	6	4	2	.....	.....	.....	.....	26
13	11	9	11	10	12	11	7	9	4	3	2	2	.....	.....	.....	27
39	42	31	35	42	21	25	30	37	35	19	8	2	1	1	.....	28
16	22	19	22	19	8	15	22	31	29	14	6	2	.....	.....	.....	29
23	20	12	13	23	13	10	8	6	6	5	2	.....	1	1	.....	30
20	14	14	11	6	6	10	11	5	2	10	2	.....	.....	1	1	31
10	10	9	6	1	5	8	10	2	1	5	2	.....	.....	.....	.....	32
10	4	5	5	5	1	2	1	3	1	5	.....	.....	.....	1	1	33
10	12	10	7	7	5	10	13	11	6	2	2	1	.....	.....	1	34
5	6	6	3	3	4	7	9	10	6	2	2	.....	.....	.....	1	35
5	6	4	4	4	1	3	4	1	.....	.....	.....	1	.....	.....	.....	36
31	35	43	36	34	32	31	36	34	19	10	7	4	.....	1	4	37
15	13	14	16	19	17	16	20	20	14	7	2	2	.....	.....	.....	38
16	22	20	20	15	15	15	16	14	5	3	5	2	.....	1	4	39
15	15	12	7	7	8	7	10	6	2	2	1	.....	.....	.....	.....	40
4	9	5	6	5	2	2	8	3	1	.....	.....	.....	.....	.....	.....	41
11	6	7	1	2	6	5	2	3	1	2	1	.....	.....	.....	.....	42
38	36	39	29	41	31	31	24	26	19	6	2	1	1	.....	.....	43
12	10	16	8	18	15	19	17	15	16	5	2	1	.....	.....	.....	44
26	26	23	21	23	16	12	7	11	3	1	.....	.....	1	.....	.....	45
11	24	14	19	21	23	28	13	19	14	3	6	2	.....	.....	.....	46
11	24	14	18	21	22	28	13	19	14	3	6	2	.....	.....	.....	47
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
2,199	2,157	1,983	2,085	2,187	2,406	2,789	2,744	2,602	2,482	1,639	868	287	69	13	2	49
1,971	1,865	1,744	1,839	2,000	2,281	2,676	2,649	2,539	2,420	1,608	839	276	63	8	1	50
228	292	239	246	187	125	113	95	63	62	31	29	11	6	5	1	51
172	114	101	103	95	95	111	92	88	84	49	22	12	1	.....	.....	52
19	21	10	12	17	21	12	17	22	19	12	7	2	1	.....	.....	53
15	17	15	7	7	22	15	17	15	22	15	7	[1]3	.....	.....	.....	54
13	15	14	15	17	10	12	11	6	6	4	1	2	.....	.....	.....	55
9	10	6	18	10	4	15	10	11	14	5	9	1	.....	.....	.....	56
2	8	3	3	9	8	8	13	8	4	10	2	2	.....	.....	.....	57
7	7	8	6	9	3	17	14	16	18	6	4	1	.....	.....	.....	58
74	57	41	46	69	52	71	61	50	65	44	27	5	.....	.....	.....	59
12	12	7	7	7	15	16	17	25	25	15	10	2	1	.....	.....	60
271	281	297	320	342	470	498	467	435	427	287	157	50	13	1	.....	61
216	231	240	263	292	432	471	432	419	416	281	150	45	10	.....	.....	62
55	50	57	57	50	38	27	35	16	11	6	7	5	3	1	.....	63
587	590	530	531	541	548	579	562	512	436	273	146	54	17	2	.....	64
533	490	477	479	497	526	559	546	500	426	264	142	51	16	.....	.....	65
54	100	53	52	44	22	20	16	12	10	9	4	3	1	2	.....	66
3	3	13	3	9	7	8	11	11	13	5	4	.....	1	.....	.....	67
185	180	203	214	205	235	285	224	236	208	159	74	19	4	1	.....	68
150	148	158	168	172	218	257	212	223	199	154	67	19	3	1	.....	69
35	32	45	46	33	17	28	12	13	9	5	7	.....	1	.....	.....	70
5	8	6	7	5	6	16	15	9	13	12	6	5	.....	.....	.....	71
4	10	2	6	11	1	12	7	9	14	3	4	.....	.....	.....	.....	72

[1] Colored population less than 10 per cent of the total in 1920.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	OHIO—continued.												
1	Dayton	1,883	275	42	24	9	17	367	58	29	45	68	71
2	East Cleveland	265	24	4	2	.....	1	31	3	2	4	7	15
3	East Liverpool [1]	350	43	9	12	3	3	70	9	5	10	15	20
4	East Youngstown	183	94	20	10	1	2	127	7	1	3	5	4
5	Elyria	273	46	7	2	.....	3	58	8	5	5	10	10
6	Findlay	249	22	6	1	.....	1	30	2	2	2	7	10
7	Fremont	122	13	5	1	1	1	21	2	.....	1	2	1
8	Hamilton	560	95	32	8	6	2	143	20	9	27	18	19
9	Ironton	251	51	11	5	4	2	73	5	5	10	15	11
10	Kenmore	124	49	4	4	2	2	61	8	1	1	8	9
11	Lakewood	334	42	18	5	1	5	71	6	6	4	11	9
12	Lancaster	183	23	4	2	.....	2	31	1	3	8	12	3
13	Lima	602	105	31	11	9	3	159	12	10	11	20	34
14	Lorain	438	119	15	4	1	3	142	13	12	9	15	30
15	Mansfield	349	43	6	5	.....	3	57	9	5	11	12	19
16	Marietta	261	28	13	2	1	1	45	6	2	8	9	6
17	Marion	389	67	15	11	2	1	96	7	4	8	15	16
18	Martins Ferry	202	31	14	7	.....	1	53	8	4	5	10	10
19	Massillon	247	30	6	2	2	.....	40	8	7	6	10	15
20	Middletown	269	54	15	5	6	3	83	4	3	9	11	15
21	New Philadelphia	128	14	3	2	2	1	22	3	1	3	5	6
22	Newark	405	50	11	4	1	1	67	4	2	11	12	14
23	Niles	123	23	10	4	2	2	41	3	3	2	.....	4
24	Norwood	201	19	5	2	1	1	28	4	3	2	5	6
25	Piqua	262	30	1	3	1	1	36	3	2	8	13	6
26	Portsmouth	492	98	28	7	3	6	142	9	13	14	20	23
27	Salem	189	20	1	2	2	.....	25	4	3	9	7	10
28	Sandusky	275	41	7	2	.....	.....	50	1	6	6	6	11
29	Springfield (total)	822	101	19	12	5	5	142	11	15	22	33	32
30	White	695	74	13	11	3	5	106	10	12	18	30	23
31	Colored	127	27	6	1	2	.....	36	1	3	4	3	4
32	Steubenville	408	75	29	10	5	.....	119	17	4	6	18	22
33	Tiffin	212	14	1	.....	.....	.....	15	6	2	3	9	10
34	Toledo	3,413	473	85	44	31	26	659	83	35	84	130	156
35	Warren	429	76	12	10	6	4	108	10	3	7	26	27
36	Youngstown	1,738	375	77	39	19	17	527	52	23	37	70	101
37	Zanesville	450	52	11	4	5	3	75	7	8	9	12	21
	OKLAHOMA.[2]												
38	Oklahoma City (total)	1,135	175	42	30	9	16	272	31	24	39	46	61
39	White	958	150	37	26	8	11	232	26	19	28	33	46
40	Colored [3]	177	25	5	4	1	5	40	5	5	11	13	15
	OREGON.												
41	Registration cities (total)	4,115	369	67	27	35	20	518	79	56	91	153	181
42	White	3,997	353	65	26	35	20	499	74	55	90	149	172
43	Colored	118	16	2	1	.....	.....	19	5	1	1	4	9
44	Astoria	203	19	5	3	2	.....	29	2	2	4	14	9
45	Eugene	214	21	3	3	.....	.....	27	6	4	4	12	6
46	Portland	3,164	310	56	18	31	19	434	62	42	67	103	144
47	Salem (exclusive of)	242	19	3	2	2	1	27	5	4	9	9	7
48	State institutions	292	.....	.....	1	.....	.....	1	4	4	7	15	15
	PENNSYLVANIA.												
49	Registration cities (total)	66,435	11,211	2,405	1,106	742	599	16,063	1,758	1,085	1,536	2,439	2,950
50	White	61,547	10,343	2,190	1,020	704	561	14,818	1,676	995	1,359	2,259	2,594
51	Colored	4,888	868	215	86	38	38	1,245	82	90	177	350	356
52	Allentown	1,233	188	40	16	14	6	264	28	10	38	37	48
53	Altoona	846	140	28	7	13	6	194	24	13	22	34	51
54	Ambridge	127	46	5	8	1	2	62	2	4	3	4	6
55	Beaver Falls	217	29	17	3	4	1	54	6	4	5	4	11
56	Berwick	145	31	8	5	2	1	47	6	.....	3	2	7
57	Bethlehem	500	114	30	10	7	4	165	14	8	5	17	22
58	Braddock	440	110	32	11	8	7	168	18	7	12	21	30
59	Bradford	285	35	5	1	2	2	45	4	7	6	5	15
60	Bristol	144	26	12	3	1	.....	42	5	5	4	3	3
61	Butler	278	38	5	4	4	1	52	4	12	4	12	8
62	Canonsburg	124	28	5	4	3	.....	40	3	1	1	8	2
63	Carbondale	317	37	10	10	6	3	66	15	3	8	10	11
64	Carlisle (total)	199	25	5	.....	2	.....	32	2	1	3	7	6
65	White	184	23	5	.....	2	.....	30	2	1	3	5	6
66	Colored	15	2	.....	.....	.....	.....	2	.....	.....	.....	2	.....
67	Carnegie	180	44	20	5	4	4	77	6	8	5	2	7
68	Carrick	102	19	3	4	2	.....	28	5	3	1	8	3
69	Chambersburg	212	22	3	3	1	3	32	10	3	1	4	7
70	Charleroi	123	32	14	5	3	1	55	1	3	2	6	.....
71	Chester (total)	937	215	50	20	10	9	304	33	9	20	35	49
72	White	769	187	37	19	9	9	261	31	6	14	25	35
73	Colored	168	28	13	1	1	.....	43	2	3	6	10	11

[1] There were 31 transcripts for deaths received too late for compilation.
[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
82	95	81	85	97	114	134	144	142	131	76	43	20	1	.....	.....	1
17	10	13	11	12	12	21	24	35	21	16	8	2	.....	1	.....	2
14	21	26	19	24	17	21	20	17	22	11	6	3	.....	.....	.....	3
4	7	9	6	3	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	4
9	12	10	13	11	8	16	26	17	19	14	15	5	2	.....	.....	5
4	10	9	9	14	20	14	26	27	27	23	10	3	.....	.....	.....	6
6	1	3	4	6	5	4	17	15	16	12	4	1	1	.....	.....	7
21	22	32	17	27	24	39	34	34	33	21	16	3	1	.....	.....	8
6	12	7	8	9	14	10	15	14	17	12	7	.....	1	.....	.....	9
3	4	4	3	4	3	3	6	2	1	2	1	.....	.....	.....	.....	10
18	16	12	15	13	16	35	25	18	25	14	10	8	2	.....	.....	11
4	10	5	7	7	8	11	14	20	14	13	9	2	1	.....	.....	12
29	15	25	21	26	30	47	56	41	36	15	14	1	.....	.....	.....	13
25	22	15	28	21	25	24	14	13	14	9	5	2	.....	.....	.....	14
17	14	13	19	9	15	28	32	29	26	20	9	4	1	.....	.....	15
7	11	14	9	12	17	23	12	21	22	21	10	5	1	.....	.....	16
11	12	12	20	15	17	24	27	29	32	23	13	8	.....	.....	.....	17
13	11	13	9	11	13	8	9	6	7	6	2	4	.....	.....	.....	18
18	9	9	14	10	9	15	14	20	23	8	12	.....	.....	.....	.....	19
13	16	9	9	14	6	16	10	13	16	6	14	1	1	.....	.....	20
6	1	3	4	7	8	10	11	10	13	9	4	2	.....	.....	.....	21
22	14	12	19	24	24	34	41	34	28	29	6	5	3	.....	1	22
5	7	4	5	4	5	10	8	7	11	2	2	.....	.....	.....	.....	23
9	5	7	7	13	18	22	17	12	22	11	7	2	1	.....	.....	24
13	12	10	11	12	14	24	16	24	26	20	10	2	.....	.....	.....	25
10	14	19	24	23	26	25	27	29	35	18	8	3	1	.....	.....	26
13	4	11	10	7	13	16	15	9	13	13	6	1	.....	.....	.....	27
11	11	9	17	18	15	17	23	24	21	16	9	4	.....	.....	.....	28
23	41	31	36	39	40	54	72	70	81	46	21	7	2	1	.....	29
20	31	27	24	30	36	47	65	66	73	42	21	7	2	.....	.....	30
3	10	7	12	9	4	7	7	4	8	4	.....	.....	.....	1	.....	31
32	21	24	15	20	17	22	18	23	14	9	6	1	.....	.....	.....	32
3	9	14	10	17	11	16	27	14	21	15	8	1	1	.....	.....	33
172	202	173	176	191	205	226	249	237	204	131	67	20	8	2	.....	34
19	29	11	16	19	16	28	33	23	21	24	4	5	.....	.....	.....	35
138	116	61	88	69	90	83	88	80	61	35	13	2	2	2	.....	36
15	9	14	23	23	30	34	35	39	40	40	9	2	1	3	1	37
59	60	59	64	72	44	74	57	63	49	36	18	3	1	.....	3	38
43	47	48	53	60	39	67	55	59	48	35	17	2	.....	.....	1	39
16	13	11	11	12	5	7	2	4	1	1	1	1	1	.....	2	40
208	247	184	251	244	279	342	320	325	285	216	96	32	6	2	.....	41
201	240	182	242	232	272	325	314	318	282	216	95	32	5	2	.....	42
7	7	2	9	12	7	17	6	7	3	.....	1	.....	1	.....	.....	43
20	15	10	13	8	10	9	19	10	17	8	3	1	.....	.....	.....	44
8	4	3	6	9	20	22	17	29	19	8	7	2	1	.....	.....	45
148	100	142	199	199	222	263	240	243	210	163	66	23	3	1	.....	46
10	11	9	8	10	9	24	22	25	18	20	10	3	2	.....	.....	47
22	27	20	25	18	18	24	22	18	21	17	10	3	.....	1	.....	48
3,083	3,260	3,114	3,422	3,721	4,069	4,390	4,198	4,046	3,442	2,276	1,110	365	83	19	6	49
2,704	2,831	2,782	3,066	3,425	3,870	4,187	4,060	3,915	3,358	2,223	1,081	357	77	14	6	50
319	429	332	356	296	199	203	138	131	84	53	29	8	6	5	.....	51
56	54	69	70	61	74	72	88	90	81	43	39	8	3	.....	.....	52
35	49	16	45	30	47	55	56	50	56	39	21	9	.....	.....	.....	53
3	5	6	8	8	5	2	1	4	1	2	1	.....	.....	.....	.....	54
8	18	11	10	11	11	16	12	7	13	9	7	.....	.....	.....	.....	55
7	3	5	4	5	6	11	10	9	10	6	4	.....	.....	.....	.....	56
21	9	14	25	18	25	25	22	37	32	17	18	5	.....	1	.....	57
25	25	22	26	24	18	13	11	10	3	6	.....	1	.....	.....	.....	58
14	8	13	15	12	18	23	24	29	27	11	3	5	1	.....	.....	59
5	8	2	5	7	9	14	9	6	11	2	2	1	1	.....	.....	60
14	14	20	12	11	10	16	18	24	22	14	8	3	.....	.....	.....	61
4	11	2	2	.....	9	9	6	6	6	10	4	.....	.....	.....	.....	62
18	12	10	18	24	19	19	27	19	14	15	5	2	1	1	.....	63
4	3	12	10	13	12	7	20	27	27	9	2	2	.....	.....	.....	64
4	3	8	10	12	12	6	19	25	26	8	2	2	.....	.....	.....	65
.....	.....	4	.....	1	.....	1	1	2	1	1	.....	.....	.....	.....	.....	66
11	2	5	8	9	3	9	11	6	7	2	1	1	.....	.....	.....	67
3	2	5	5	5	3	4	4	12	3	7	1	.....	.....	.....	.....	68
8	8	8	11	14	12	6	22	19	18	19	6	3	1	.....	.....	69
2	2	4	6	9	3	11	8	7	2	2	.....	.....	.....	.....	.....	70
39	46	30	49	45	45	53	50	44	44	24	15	5	.....	.....	1	71
28	34	21	37	30	37	47	44	37	41	22	13	5	.....	.....	1	72
11	12	9	12	15	8	6	6	7	3	2	2	.....	.....	.....	.....	73

[1]Colored population less than 10 per cent of the total in 1920.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivisior subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Coatesville (total)	184	42	12	4	5	.....	63	4	6	.....	8	5
2	White	154	35	11	3	4	.....	53	4	4	.....	6	4
3	Colored	30	7	1	1	1	.....	10	.....	2	.....	2	1
4	Columbia	163	29	3	1	1	.....	34	4	3	4	3	2
5	Connellsville	168	31	6	2	1	4	44	6	1	6	9	7
6	Dickson City	110	38	7	5	.....	1	51	2	2	1	.....	5
7	Donora	139	43	13	3	4	6	69	10	6	2	7	5
8	Du Bois	201	39	6	4	1	1	51	11	4	7	11	12
9	Dunmore	338	128	31	9	6	4	178	17	4	5	4	8
10	Duquesne	236	80	18	7	1	4	110	12	6	5	9	4
11	Easton	602	76	13	5	10	4	108	12	7	12	22	23
12	Erie	1,404	243	38	17	21	13	332	36	20	35	43	59
13	Farrell	226	64	16	4	5	5	94	9	2	3	13	21
14	Greensburg	278	27	8	1	2	3	41	7	6	12	12	14
15	Harrisburg	1,107	132	17	9	3	6	167	18	12	32	36	43
16	Hazleton	483	89	14	6	6	3	118	6	11	12	32	22
17	Homestead	228	66	28	11	8	2	115	6	6	1	7	10
18	Jeannette	86	26	2	3	3	1	35	2	1	3	2	1
19	Johnstown	1,140	268	75	32	7	10	392	34	29	41	47	59
20	Lancaster	887	139	24	7	12	9	191	23	14	22	20	31
21	Lebanon	435	68	3	5	2	4	82	13	4	13	15	11
22	McKees Rocks	168	65	8	9	5	1	88	8	3	2	1	5
23	McKeesport	704	147	30	15	7	6	205	21	22	12	37	38
24	Mahanoy City	214	59	6	6	4	4	79	12	2	3	1	9
25	Meadville	261	36	2	5	5	.....	48	1	3	4	10	8
26	Monessen	205	64	18	10	9	2	103	11	6	4	7	14
27	Mount Carmel	164	46	7	6	1	.....	60	4	4	8	8	5
28	Nanticoke	335	74	15	6	5	2	102	9	9	12	16	17
29	New Castle	625	120	33	9	6	10	178	18	12	12	21	28
30	New Kensington	210	33	17	1	2	3	56	8	4	8	9	15
31	Norristown	719	88	13	8	2	4	115	15	10	13	14	25
32	North Braddock	166	37	17	9	5	4	72	7	6	2	5	8
33	Oil City	285	56	7	5	1	6	75	7	6	10	11	13
34	Old Forge	165	60	10	3	3	2	78	6	6	5	4	8
35	Olyphant	112	35	12	3	.....	2	52	1	2	2	5	3
36	Philadelphia (total)	26,511	3,956	868	400	274	239	5,737	603	367	566	961	1,217
37	White	23,584	3,391	744	348	253	219	4,955	554	317	461	753	1,000
38	Colored	2,927	565	124	52	21	20	782	49	50	105	208	217
39	Phoenixville	159	27	3	3	.....	.....	33	5	2	3	6	7
40	Pittsburgh (total)	9,678	1,641	391	180	110	99	2,421	290	152	247	428	465
41	White	8,813	1,508	349	164	102	90	2,213	275	134	209	367	407
42	Colored	865	133	42	16	8	9	208	15	18	38	61	58
43	Pittston	334	67	13	10	9	2	101	16	12	11	11	16
44	Plymouth	188	42	7	6	4	.....	59	3	4	5	6	5
45	Pottstown	267	46	7	3	2	1	59	9	4	7	12	6
46	Pottsville	412	71	5	7	3	2	88	12	7	8	11	17
47	Punxsutawney	162	26	3	1	1	2	33	6	2	4	7	11
48	Reading	1,564	256	30	15	8	6	315	27	32	38	58	57
49	Scranton	2,057	352	77	45	20	25	519	55	41	48	63	90
50	Shamokin	251	55	7	2	6	2	72	10	4	5	3	14
51	Sharon	345	66	13	4	6	1	90	9	5	12	16	22
52	Shenandoah	339	111	20	7	3	3	144	10	6	6	7	15
53	Steelton (total)	186	43	10	1	4	.....	58	3	2	3	13	5
54	White	155	40	8	1	4	.....	53	3	2	3	8	5
55	Colored	31	3	2	.....	.....	.....	5	.....	.....	.....	5	.....
56	Sunbury	221	24	3	6	4	4	41	14	5	6	9	6
57	Swissvale	124	32	5	3	2	2	44	3	4	3	4	7
58	Tamaqua	138	31	2	3	.....	1	37	6	3	3	4	2
59	Uniontown	317	47	5	6	3	3	64	10	9	6	14	22
60	Warren	174	23	1	1	.....	.....	25	3	4	4	7	7
61	Washington	411	64	16	7	7	2	96	13	9	16	15	20
62	West Chester (total)	316	41	5	5	5	1	57	8	4	9	11	6
63	White	254	35	3	2	5	.....	45	7	3	2	9	5
64	Colored	62	6	2	3	.....	1	12	1	1	7	2	1
65	Wilkes-Barre	1,236	197	34	12	12	13	268	42	30	27	49	52
66	Wilkinsburg	383	53	6	2	4	2	67	7	12	11	14	14
67	Williamsport	618	69	18	7	3	6	103	15	14	13	19	18
68	Woodlawn	134	44	19	5	3	.....	71	3	1	2	5	10
69	York	753	100	16	16	9	7	148	30	10	17	18	18
	RHODE ISLAND.												
70	Registration cities (total)	7,372	1,182	256	135	66	56	1,695	157	98	139	217	256
71	White	7,123	1,138	240	130	66	54	1,628	153	93	131	206	246
72	Colored	249	44	16	5	.....	2	67	4	5	8	11	10
73	Bristol town	168	36	13	3	2	1	55	1	1	4	3	3
74	Central Falls	249	68	11	11	2	4	96	12	5	3	3	6
75	Cranston (exclusive of)	240	36	13	6	3	1	59	5	2	3	6	6
76	State institutions	425	5	2	1	.....	.....	8	1	.....	3	8	12

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
12	8	8	7	7	7	12	10	11	7	4	3	1	1	.....	.....	1
9	3	6	5	7	5	11	10	11	7	4	3	1	1	.....	.....	2
3	5	2	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
2	8	7	3	8	14	8	13	13	19	6	11	1	.....	.....	.....	4
0	10	9	5	9	11	9	8	9	11	5	1	.....	2	.....	.....	5
8	3	5	11	5	4	6	3	.....	3	.....	1	.....	.....	.....	.....	6
5	4	6	6	5	1	2	2	.....	2	4	3	.....	.....	.....	.....	7
6	13	6	9	11	11	9	16	10	8	3	3	.....	.....	.....	.....	8
3	5	8	10	13	15	14	11	17	10	11	4	1	.....	.....	.....	9
11	13	13	9	9	12	5	7	5	3	1	1	1	.....	.....	.....	10
32	34	27	26	33	43	45	51	40	40	31	12	3	1	.....	.....	11
69	75	68	62	57	80	86	72	89	102	67	30	15	5	1	1	12
15	15	18	11	6	10	2	3	.....	4	.....	.....	.....	.....	.....	.....	13
12	16	19	15	11	14	12	21	20	19	14	10	2	1	.....	.....	14
63	56	59	53	71	73	88	89	95	88	36	22	5	.....	.....	1	15
22	24	24	31	33	24	28	37	16	30	5	5	3	.....	.....	.....	16
10	5	5	9	11	8	7	9	10	4	3	2	.....	.....	.....	.....	17
2	5	2	3	3	4	5	4	3	5	5	.....	.....	1	.....	.....	18
66	64	44	48	55	51	48	32	44	44	22	15	4	1	.....	.....	19
35	31	38	32	45	57	65	60	62	68	52	32	7	2	.....	.....	20
25	17	18	23	31	24	33	35	34	35	16	5	1	.....	.....	.....	21
6	5	7	8	5	8	5	7	4	3	3	.....	.....	.....	.....	.....	22
43	43	31	31	44	50	26	24	30	23	18	4	2	.....	.....	.....	23
13	12	3	7	9	17	14	13	6	8	4	2	.....	.....	.....	.....	24
14	7	8	13	15	13	14	25	33	15	13	15	2	.....	.....	.....	25
11	8	2	10	6	4	5	5	5	3	.....	1	.....	.....	.....	.....	26
4	10	5	8	6	12	6	7	8	4	3	2	.....	.....	.....	.....	27
19	23	14	22	20	16	17	13	9	10	6	1	.....	.....	.....	.....	28
32	27	31	25	23	24	38	43	42	39	20	9	3	.....	.....	.....	29
14	22	11	13	7	11	5	4	7	10	5	1	.....	.....	.....	.....	30
30	51	33	43	50	39	56	67	46	48	40	18	6	.....	.....	.....	31
7	9	5	6	3	10	8	4	3	9	1	1	.....	.....	.....	.....	32
9	9	9	8	9	24	17	18	20	18	13	6	2	1	.....	.....	33
5	9	9	7	5	4	9	7	1	2	.....	.....	.....	.....	.....	.....	34
2	7	3	5	10	5	6	5	2	1	.....	1	.....	.....	.....	.....	35
1,172	1,294	1,255	1,436	1,585	1,765	1,982	1,802	1,775	1,393	947	441	161	39	10	3	36
990	1,033	1,050	1,211	1,415	1,660	1,868	1,718	1,703	1,352	919	423	158	35	6	3	37
182	261	205	225	170	105	114	84	72	41	28	18	3	4	4	.....	38
1	3	8	11	5	11	12	10	11	9	14	6	2	.....	.....	.....	39
527	561	520	544	546	588	611	542	473	370	229	124	32	7	1	.....	40
462	482	461	488	488	546	569	522	454	358	221	119	30	7	1	.....	41
65	79	59	56	58	42	42	20	19	12	8	5	2	.....	.....	.....	42
16	17	13	21	27	21	10	14	17	7	3	1	.....	.....	.....	.....	43
5	6	9	13	12	9	14	10	10	9	6	2	1	.....	.....	.....	44
10	12	10	12	8	19	20	16	18	24	14	4	2	1	.....	.....	45
28	21	16	19	21	20	35	30	26	18	20	12	3	.....	.....	.....	46
13	9	10	8	7	9	4	10	5	12	5	4	2	1	.....	.....	47
54	58	73	68	86	113	109	124	108	107	86	42	7	1	1	.....	48
120	82	125	116	126	140	137	104	118	84	54	23	11	1	.....	.....	49
9	7	8	9	16	22	19	18	16	8	9	2	.....	.....	.....	.....	50
14	19	19	21	12	22	14	15	20	19	11	5	.....	.....	.....	.....	51
7	17	20	16	24	15	14	7	13	10	6	2	.....	.....	.....	.....	52
10	10	4	17	9	8	9	10	11	8	2	2	1	1	.....	.....	53
6	9	3	14	6	6	6	10	8	8	2	2	1	.....	.....	.....	54
4	1	1	3	3	2	3	.....	3	.....	.....	.....	.....	1	.....	.....	55
4	5	14	6	9	13	15	17	24	16	14	1	2	.....	.....	.....	56
2	9	3	4	2	9	9	2	5	7	1	4	2	.....	.....	.....	57
7	5	1	5	10	8	9	17	1	9	4	4	2	1	.....	.....	58
23	22	16	15	18	10	22	10	20	13	8	8	5	2	.....	.....	59
5	10	12	8	12	8	11	13	13	9	17	2	4	.....	.....	.....	60
16	12	22	20	17	28	17	37	26	23	12	9	2	1	.....	.....	61
11	15	9	11	19	17	27	30	19	22	24	10	5	1	1	.....	62
9	10	6	7	14	14	25	26	17	19	20	10	4	1	1	.....	63
2	5	3	4	5	3	2	4	2	3	4	.....	1	.....	.....	.....	64
67	60	67	62	106	71	73	79	77	53	35	11	5	2	.....	.....	65
13	19	20	13	15	22	29	24	35	32	22	10	1	3	.....	.....	66
23	22	24	28	34	46	64	55	48	44	35	9	4	.....	.....	.....	67
7	6	6	5	5	3	1	6	1	.....	2	.....	.....	.....	.....	.....	68
20	32	21	26	49	43	48	72	56	64	48	14	7	1	2	.....	69
290	341	304	369	379	469	531	537	554	459	333	175	47	15	2	5	70
280	325	281	360	367	459	514	522	546	450	327	171	44	13	2	5	71
10	16	23	9	12	10	17	15	8	9	6	4	3	2	.....	.....	72
6	6	3	2	6	9	7	5	12	21	14	7	1	1	.....	1	73
8	7	9	9	11	11	11	20	14	14	6	2	1	.....	1	.....	74
9	12	8	15	9	13	18	15	23	18	8	8	3	.....	.....	.....	75
19	25	25	33	32	30	43	47	54	44	23	14	3	1	.....	.....	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	RHODE ISLAND—continued.												
1	Cumberland town	125	19	7	3	1	1	31	2	1	1	2	2
2	East Providence town	258	45	7	7	3	4	66	7	2	2	1	8
3	Newport	421	39	12	5	.....	1	57	3	3	28	17	19
4	Pawtucket	841	159	24	16	8	7	214	26	9	16	32	27
5	Providence	3,692	586	128	62	37	26	839	79	63	64	117	132
6	Warwick town	221	21	6	1	1	4	33	5	1	1	15	12
7	West Warwick town	192	55	11	4	1	2	73	2	1	5	4	10
8	Woonsocket	540	113	22	16	8	5	164	14	10	9	9	19
	SOUTH CAROLINA.												
9	Registration cities (total)	4,219	738	156	89	37	25	1,045	87	76	183	295	262
10	White	1,970	302	74	37	16	11	440	43	36	70	98	90
11	Colored	2,249	436	82	52	21	14	605	44	40	113	197	172
12	Anderson (total)	258	50	10	8	2	2	72	8	4	18	22	23
13	White	154	37	7	4	2	2	52	5	3	9	11	8
14	Colored	104	13	3	4	.....	.....	20	3	1	9	11	15
15	Charleston (total)	1,607	326	64	32	14	10	446	33	21	59	99	96
16	White	592	83	18	6	5	3	115	14	5	20	24	23
17	Colored	1,015	243	46	26	9	7	331	19	16	39	75	73
18	Columbia (total)	1,288	175	49	22	11	6	263	15	20	56	90	70
19	White	654	93	29	11	5	2	140	9	11	16	38	24
20	Colored	634	82	20	11	6	4	123	6	9	40	52	46
21	Florence (total)	360	67	16	11	2	3	99	14	15	25	28	24
22	White	192	26	10	7	2	1	46	10	12	13	7	12
23	Colored	168	41	6	4	.....	2	53	4	3	12	21	12
24	Greenville (total)	346	62	10	7	4	1	84	10	7	11	28	24
25	White	184	32	8	3	2	1	46	3	3	4	5	12
26	Colored	162	30	2	4	2	.....	38	7	4	7	23	12
27	Spartanburg (total)	360	58	7	9	4	3	81	7	9	14	28	25
28	White	194	31	2	6	.....	2	41	2	2	8	13	11
29	Colored	166	27	5	3	4	1	40	5	7	6	15	14
	TENNESSEE.												
30	Registration cities (total)	8,519	1,104	249	118	91	62	1,624	230	169	383	543	541
31	White	5,057	702	171	76	68	46	1,063	158	102	170	236	257
32	Colored	3,462	402	78	42	23	16	561	72	67	213	307	284
33	Chattanooga (total)	1,137	131	34	9	12	9	195	22	19	44	82	92
34	White	613	67	18	6	7	7	105	12	9	17	31	43
35	Colored	524	64	16	3	5	2	90	10	10	27	51	49
36	Jackson (total)	288	36	11	5	3	2	57	7	6	13	15	16
37	White	164	21	8	2	3	.....	34	2	3	5	8	5
38	Colored	124	15	3	3	.....	2	23	5	3	8	7	11
39	Johnson City (total)	344	38	16	8	5	5	72	5	5	11	5	6
40	White	296	33	13	6	5	5	62	4	3	7	3	5
41	Colored	48	5	3	2	.....	.....	10	1	2	4	2	1
42	Knoxville (total)	1,348	202	73	36	33	17	361	61	31	63	72	71
43	White	1,097	181	67	32	28	14	322	56	26	48	49	56
44	Colored	251	21	6	4	5	3	39	5	5	15	23	15
45	Memphis (total)	3,255	403	63	42	22	19	549	81	64	160	252	239
46	White	1,595	201	30	23	16	13	283	43	29	49	87	88
47	Colored	1,660	202	33	19	6	6	266	38	35	111	165	151
48	Nashville (total)	2,147	294	52	18	16	10	390	54	44	92	117	117
49	White	1,292	199	35	7	9	7	257	41	32	44	58	60
50	Colored	855	95	17	11	7	3	133	13	12	48	59	57
	TEXAS.[1]												
51	Registration cities (total)	10,193	1,704	401	164	77	65	2,411	222	157	399	620	635
52	White	8,304	1,513	364	145	67	59	2,148	186	130	301	440	444
53	Colored	1,889	191	37	19	10	6	263	36	27	98	180	191
54	Beaumont (total)	501	85	17	4	4	3	113	16	8	28	40	43
55	White	302	47	10	2	2	1	62	8	7	12	19	14
56	Colored	199	38	7	2	2	2	51	8	1	16	21	29
57	Dallas (total)	2,166	294	75	27	16	14	426	57	28	83	129	134
58	White	1,663	243	64	25	14	11	357	47	19	56	73	83
59	Colored	503	51	11	2	2	3	69	10	9	27	56	51
60	El Paso (total)	2,208	510	164	54	26	18	772	60	36	87	137	132
61	White	2,143	503	162	53	26	18	762	60	36	86	131	125
62	Colored[2]	65	7	2	1	.....	.....	10	.....	.....	1	6	7
63	Galveston (total)	711	52	14	7	3	2	78	6	14	32	46	31
64	White	477	41	8	6	1	2	58	5	12	21	19	19
65	Colored	234	11	6	1	2	.....	20	1	2	11	27	12
66	Houston (total)	1,944	234	38	26	8	12	318	41	39	60	108	144
67	White	1,304	178	30	15	4	11	238	28	26	33	55	70
68	Colored	640	56	8	11	4	1	80	13	13	27	53	74
69	San Antonio (total)	2,663	529	93	46	20	16	704	42	32	109	160	151
70	White	2,415	501	90	44	20	16	671	38	30	93	143	133
71	Colored[2]	248	28	3	2	.....	.....	33	4	2	16	17	18

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1	5	9	7	2	9	11	12	12	6	8	2	1	.....	.....	1	1
8	8	9	5	17	11	17	20	18	22	22	11	1	2	.....	1	2
16	21	14	21	15	25	32	40	24	38	32	10	4	2	.....	.....	3
29	38	26	43	38	48	65	59	66	51	33	20	1	.....	.....	.....	4
166	191	163	183	213	259	259	256	265	193	140	77	24	7	1	1	5
8	10	12	14	7	13	19	18	17	14	11	8	1	1	.....	1	6
1	3	8	7	7	6	12	13	12	13	10	4	1	.....	.....	.....	7
19	15	18	30	22	35	37	32	37	25	26	12	6	1	.....	.....	8
277	265	245	227	249	184	189	206	169	121	78	40	9	4	4	4	9
108	121	97	99	102	99	121	141	119	95	51	30	8	1	.....	1	10
169	144	148	128	147	85	68	65	50	26	27	10	1	3	4	3	11
12	6	13	13	16	8	9	7	10	7	5	3	2	.....	.....	.....	12
6	4	4	8	7	6	4	6	8	5	4	2	2	.....	.....	.....	13
6	2	9	5	9	2	5	1	2	2	1	1	.....	.....	.....	.....	14
110	98	91	84	105	76	67	73	60	43	29	12	2	.....	.....	.....	15
27	36	18	27	33	41	40	53	45	35	23	11	2	.....	.....	.....	16
83	62	76	57	72	35	27	20	15	8	6	1	.....	.....	.....	.....	17
92	91	71	80	64	60	67	85	66	46	31	10	3	2	1	2	18
41	39	35	34	32	29	47	53	44	38	15	7	2	.....	.....	.....	19
51	52	39	46	32	31	20	32	22	8	16	3	1	2	1	2	20
19	21	17	18	18	12	14	14	9	5	3	3	.....	.....	1	1	21
9	12	12	11	8	5	12	9	7	3	1	2	.....	.....	.....	1	22
10	9	5	7	10	7	2	5	2	2	2	1	.....	.....	1	.....	23
20	27	25	13	23	10	11	14	11	12	7	5	1	1	1	1	24
11	18	17	8	10	6	5	12	6	8	5	3	1	1	.....	.....	25
9	9	8	5	13	4	6	2	5	4	2	2	.....	.....	1	1	26
24	22	22	19	23	18	21	13	13	8	3	7	1	1	1	.....	27
14	12	11	11	12	12	13	8	9	6	3	5	1	.....	.....	.....	28
10	10	11	8	11	6	8	5	4	2	.....	2	.....	1	1	.....	29
505	552	505	478	500	409	491	443	390	352	212	109	36	11	17	16	30
213	237	271	241	250	253	343	314	311	296	185	84	21	7	2	13	31
292	315	234	237	250	156	151	129	79	56	27	25	15	4	15	3	32
70	86	69	71	62	57	76	60	57	34	15	14	2	1	3	.....	33
35	32	34	37	29	35	54	42	43	27	12	12	2	1	1	.....	34
41	54	35	34	33	22	22	18	14	7	3	2	.....	.....	2	.....	35
11	20	21	8	16	9	12	27	16	17	8	6	2	1	.....	.....	36
5	7	7	5	10	4	9	20	14	15	7	3	1	.....	.....	.....	37
6	13	14	3	6	5	3	7	2	2	1	3	1	1	.....	.....	38
8	9	21	12	16	9	14	13	32	54	30	14	4	1	.....	3	39
7	7	17	8	14	9	13	11	28	50	30	12	3	1	.....	2	40
1	2	4	4	2	.....	1	2	4	4	.....	2	1	.....	.....	1	41
59	61	68	47	67	54	78	79	53	55	45	12	6	1	4	.....	42
45	42	53	33	43	41	60	68	48	46	43	11	5	1	1	.....	43
14	19	15	14	24	13	18	11	5	9	2	1	1	.....	3	.....	44
217	254	199	215	198	154	179	144	127	101	59	30	10	2	9	12	45
86	92	93	97	89	91	113	94	97	33	45	20	5	1	.....	10	46
131	162	106	118	109	63	66	50	30	18	14	10	5	1	9	2	47
134	122	127	125	141	126	135	120	105	91	55	33	12	5	1	1	48
65	57	67	61	65	73	94	79	81	75	48	26	5	3	.....	1	49
69	65	60	64	76	53	41	41	24	16	7	7	7	2	1	.....	50
629	677	535	570	539	472	553	508	439	378	208	125	45	17	16	38	51
465	497	388	432	419	382	479	458	396	353	190	116	41	14	6	19	52
[2]164	180	147	138	120	90	74	50	43	25	18	9	4	3	10	19	53
25	34	22	24	24	18	26	28	19	18	8	2	2	1	.....	2	54
14	18	11	13	18	16	18	26	18	16	5	2	2	1	.....	2	55
11	16	11	11	6	2	8	2	1	2	3	.....	.....	.....	.....	.....	56
141	144	107	131	125	106	139	118	111	98	46	27	8	6	2	.....	57
91	98	77	91	92	82	116	106	101	94	42	26	7	5	.....	.....	58
50	46	30	40	33	24	23	12	10	4	4	1	1	1	2	.....	59
155	145	95	122	69	61	90	86	53	35	39	13	7	4	1	9	60
144	140	89	115	65	59	86	85	53	35	38	13	7	4	1	9	61
11	5	6	7	4	2	4	1	.....	.....	1	.....	.....	.....	.....	.....	62
52	59	53	44	54	29	55	46	30	47	19	10	3	1	1	1	63
27	24	32	30	40	18	42	36	22	45	17	6	3	.....	.....	1	64
25	35	21	14	14	11	13	10	8	2	2	4	.....	1	1	.....	65
120	138	116	123	123	112	115	103	103	76	33	28	9	2	8	21	66
74	80	62	73	79	76	95	91	88	67	29	25	6	1	2	6	67
46	58	53	50	44	36	20	17	15	9	4	3	3	1	6	15	68
136	157	143	126	144	146	128	122	123	104	63	45	16	3	4	5	69
115	137	117	110	125	131	122	114	114	96	59	44	16	3	3	1	70
21	20	26	16	19	15	6	3	9	8	4	1	.....	.....	1	4	71

[2] Colored population less than 10 per cent of the total in 1920.

TABLE No. 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	UTAH.												
1	Registration cities (total)	2,312	326	64	31	23	20	464	60	55	80	92	134
2	White	2,265	321	63	30	22	19	455	60	55	78	87	131
3	Colored	47	5	1	1	1	1	9	.....	.....	2	5	3
4	Ogden	433	62	13	5	5	3	88	6	8	15	18	31
5	Provo	175	23	3	2	1	1	30	4	5	6	7	10
6	Salt Lake City	1,704	241	48	24	17	16	346	50	42	59	67	93
	VERMONT.												
7	Registration cities (total)	831	142	8	10	5	4	169	14	12	33	28	38
8	White	830	142	8	10	5	4	169	14	12	33	28	38
9	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Barre	144	13	.....	3	.....	.....	16	4	5	8	5	9
11	Burlington	444	94	4	3	3	2	106	8	4	15	18	17
12	Rutland	243	35	4	4	2	2	47	2	3	10	5	12
	VIRGINIA.												
13	Registration cities (total)	9,024	1,500	306	112	65	47	2,030	157	138	316	516	502
14	White	4,966	708	128	58	35	29	958	94	80	138	229	232
15	Colored	4,058	792	178	54	30	18	1,072	63	58	178	287	270
16	Alexandria (total)	319	59	9	5	1	1	75	1	3	14	13	20
17	White	200	38	6	3	1	1	49	1	2	7	7	10
18	Colored	119	21	3	2	.....	.....	26	.....	1	7	6	10
19	Charlottesville (total)	160	18	3	1	3	.....	25	1	2	5	9	8
20	White	99	9	2	1	1	.....	13	1	1	2	6	4
21	Colored	61	9	1	.....	2	.....	12	.....	1	3	3	4
22	Danville (total)	336	49	5	5	4	2	65	10	2	8	20	20
23	White	222	34	3	3	3	2	45	8	1	5	14	12
24	Colored	114	15	2	2	1	.....	20	2	1	3	6	8
25	Lynchburg (total)	494	64	19	7	4	2	96	9	9	18	20	25
26	White	308	38	8	3	3	1	53	5	6	13	13	13
27	Colored	186	26	11	4	1	1	43	4	3	5	7	12
28	Newport News (total)	527	97	20	4	5	2	128	6	5	14	49	48
29	White	227	30	8	2	3	1	44	4	1	3	16	23
30	Colored	300	67	12	2	2	1	84	2	4	11	33	25
31	Norfolk (total)	1,782	285	59	25	14	3	386	24	36	75	133	109
32	White	870	126	19	11	6	1	163	16	19	35	50	37
33	Colored	912	159	40	14	8	2	223	8	17	40	83	72
34	Petersburg (total)	600	129	35	8	4	.....	176	10	11	23	32	32
35	White	248	44	12	4	2	.....	62	5	6	7	10	7
36	Colored	352	85	23	4	2	.....	114	5	5	16	22	25
37	Portsmouth (total)	802	143	31	12	3	7	196	20	12	38	49	49
38	White	320	40	8	8	2	4	62	9	.....	9	14	16
39	Colored	482	103	23	4	1	3	134	11	12	29	35	24
40	Richmond (total)	2,847	479	95	30	10	20	643	56	34	75	133	137
41	White	1,586	228	50	12	8	13	311	32	22	25	56	66
42	Colored	1,261	251	45	18	11	7	332	24	12	50	77	71
43	Roanoke (total)	855	154	27	15	8	9	213	18	20	36	54	47
44	White	616	103	12	11	6	5	137	12	18	24	40	30
45	Colored	239	51	15	4	2	4	76	6	2	12	14	17
46	Staunton (total)	302	23	3	.....	.....	1	27	2	4	10	4	16
47	White	270	18	.....	.....	.....	1	19	1	4	8	3	14
48	Colored	32	5	3	.....	.....	.....	8	1	.....	2	1	2
	WASHINGTON.												
49	Registration cities (total)	7,845	886	164	80	60	40	1,230	188	133	220	315	385
50	White	7,464	832	143	70	57	36	1,138	181	128	202	282	359
51	Colored	381	54	21	10	3	4	92	7	5	18	33	25
52	Aberdeen	178	19	1	1	4	.....	25	.....	1	5	13	16
53	Bellingham	321	35	4	3	2	3	47	11	7	11	10	13
54	Everett	296	39	7	3	2	1	52	5	3	8	20	10
55	Hoquiam	99	13	1	1	.....	1	16	2	4	3	6	13
56	Seattle (total)	3,401	349	72	34	29	21	505	74	59	75	128	166
57	White	3,143	304	59	26	27	19	435	72	55	64	104	148
58	Colored	258	45	13	8	2	2	70	2	4	11	24	18
59	Spokane	1,481	174	30	18	9	6	237	45	31	51	50	71
60	Tacoma	1,256	143	26	10	4	6	189	31	12	40	54	61
61	Vancouver	201	20	2	3	2	1	28	13	3	9	10	0
62	Walla Walla	255	27	7	4	4	1	43	2	6	7	9	10
63	Yakima	357	67	14	3	4	.....	88	5	7	11	15	16
	WEST VIRGINIA.[1]												
64	Wheeling (total)	1,008	143	37	17	11	5	213	15	17	39	43	47
65	White	965	141	34	17	11	5	208	15	17	37	37	46
66	Colored [2]	43	2	3	.....	.....	.....	5	.....	.....	2	6	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
125	135	127	111	121	134	126	140	135	97	96	57	19	4	.....	.....	1
122	130	123	103	120	134	125	138	131	97	96	57	19	4	.....	.....	2
3	5	4	8	1	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	3
21	20	16	18	21	31	19	25	32	14	21	13	6	1	.....	.....	4
10	9	13	12	8	7	10	8	10	8	9	7	2	.....	.....	.....	5
94	97	98	81	92	96	97	107	93	75	66	37	11	3	.....	.....	6
32	28	40	32	37	58	49	47	71	57	49	24	9	3	.....	1	7
32	28	40	31	37	58	49	47	71	57	49	24	9	3	.....	1	8
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
10	7	7	6	5	19	6	9	7	5	8	5	2	.....	.....	1	10
12	16	24	20	19	23	23	20	45	32	27	9	5	1	.....	.....	11
10	5	9	6	13	16	20	18	19	20	14	10	2	2	.....	.....	12
488	560	523	512	621	486	574	480	425	328	212	101	32	10	7	6	13
217	271	238	241	296	283	366	365	346	290	194	94	24	8	1	1	14
271	289	285	271	325	203	208	115	79	38	18	7	8	2	6	5	15
20	18	15	24	17	19	20	14	19	16	6	3	1	1	.....	.....	16
11	11	8	13	11	8	14	10	15	13	6	3	1	.....	.....	.....	17
9	7	7	11	6	11	6	4	4	3	.....	.....	.....	1	.....	.....	18
10	9	7	6	11	11	16	12	5	8	9	3	2	.....	.....	1	19
5	7	4	3	7	6	11	8	5	5	8	3	.....	.....	.....	.....	20
5	2	3	3	4	5	5	4	.....	3	1	.....	2	.....	.....	1	21
26	18	16	14	24	25	28	11	21	12	9	3	1	.....	1	2	22
11	11	11	6	10	14	20	9	20	12	8	3	1	.....	.....	1	23
15	7	5	8	14	11	8	2	1	.....	1	.....	.....	.....	1	1	24
28	28	20	27	42	26	33	37	29	18	16	9	2	.....	2	.....	25
19	18	10	13	18	18	21	26	23	16	14	8	1	.....	.....	.....	26
9	10	10	14	24	8	12	11	6	2	2	1	1	.....	2	.....	27
38	41	31	20	40	23	19	23	13	7	8	2	.....	.....	.....	3	28
12	20	11	10	18	13	11	14	11	6	8	2	.....	.....	.....	.....	29
26	21	20	19	22	10	8	9	2	1	.....	.....	.....	.....	.....	3	30
124	113	123	114	142	96	90	72	54	48	27	10	2	3	1	.....	31
51	48	47	42	63	58	57	59	44	42	26	9	1	2	1	.....	32
73	65	76	72	79	38	33	13	10	6	1	1	1	1	.....	.....	33
27	33	29	25	31	28	36	34	33	18	14	7	.....	.....	1	.....	34
8	13	8	8	13	13	18	20	21	11	11	7	.....	.....	.....	.....	35
19	20	21	17	18	15	18	14	12	7	3	.....	.....	.....	1	.....	36
49	61	41	54	52	33	52	32	38	23	5	6	1	.....	.....	.....	37
15	17	13	20	17	20	31	24	29	16	2	5	1	.....	.....	.....	38
34	44	28	34	35	13	21	8	9	7	3	1	.....	.....	.....	.....	39
114	173	170	155	189	156	213	167	140	124	92	48	16	3	.....	.....	40
53	78	74	81	88	77	124	124	110	117	87	45	13	3	.....	.....	41
61	95	105	74	101	79	89	43	30	7	5	3	3	.....	.....	.....	42
42	57	45	48	52	50	40	36	46	26	10	6	5	2	2	.....	43
22	40	38	31	35	38	32	33	41	25	8	6	4	2	.....	.....	44
20	17	7	17	17	12	8	3	5	1	2	.....	1	.....	2	.....	45
10	9	17	16	21	19	27	42	27	28	16	4	2	1	.....	.....	46
10	8	14	14	16	18	27	38	27	27	16	3	2	1	.....	.....	47
.....	1	3	2	5	1	.....	4	.....	1	.....	1	.....	.....	.....	.....	48
430	431	449	449	533	547	622	558	452	403	280	145	48	9	4	5	49
407	405	413	428	512	524	610	547	444	400	276	144	48	9	3	4	50
32	26	36	21	21	23	12	11	8	3	4	1	.....	.....	1	1	51
14	10	19	10	9	14	9	12	5	5	9	1	1	.....	.....	.....	52
11	16	10	21	16	24	27	30	19	21	16	5	4	1	.....	1	53
18	9	18	18	16	16	24	25	18	14	12	9	1	.....	.....	.....	54
9	5	4	6	9	3	2	5	5	2	.....	2	2	.....	.....	1	55
196	198	226	210	255	244	304	224	182	169	108	52	22	3	1	.....	56
174	183	203	196	237	230	297	217	178	167	107	51	22	3	.....	.....	57
22	15	23	14	18	14	7	7	4	2	1	1	.....	.....	1	.....	58
80	83	57	95	95	101	105	111	71	79	67	31	7	2	2	1	59
61	68	73	60	84	96	95	85	100	65	46	27	4	2	1	2	60
6	6	7	8	19	11	9	17	14	14	13	2	3	.....	.....	.....	61
13	14	9	7	10	18	22	28	21	17	5	10	3	1	.....	.....	62
22	22	26	14	20	20	25	21	17	17	4	6	1	.....	.....	.....	63
59	48	62	47	52	49	71	63	55	73	33	13	7	1	.....	1	64
57	45	59	44	49	45	69	59	54	70	33	13	7	.....	.....	1	65
2	3	3	3	3	4	2	4	1	3	.....	.....	.....	1	.....	.....	66

[1] Colored population less than 10 per cent of the total in 1920.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivi don subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	WISCONSIN.												
1	Registration cities (total)	12,269	2,038	371	172	152	124	2,857	349	219	365	485	552
2	White	12,179	2,019	366	167	152	124	2,828	347	219	359	478	548
3	Colored	90	19	5	5	.....	.....	29	2	.....	6	7	4
4	Appleton	270	28	9	1	4	1	43	8	4	5	14	20
5	Ashland	202	26	1	.....	2	2	31	2	2	13	10	1
6	Beloit	311	43	10	3	4	.....	60	7	5	12	15	14
7	Eau Claire	406	49	3	3	6	3	64	11	8	13	22	25
8	Fond du Lac	347	59	6	4	.....	5	74	3	8	11	9	17
9	Green Bay	587	132	22	9	4	4	171	10	9	22	18	19
10	Janesville	266	34	4	2	5	2	47	5	4	8	21	8
11	Kenosha	410	102	23	4	9	5	143	18	4	12	19	19
12	La Crosse	490	53	6	2	3	1	65	12	7	10	16	21
13	Madison	450	43	7	2	2	2	56	15	6	17	21	18
14	Manitowoc	247	43	2	3	2	3	53	3	7	9	15	12
15	Marinette	187	23	6	5	2	2	38	2	4	7	7	6
16	Milwaukee	5,415	990	181	95	67	57	1,390	166	89	156	190	261
17	Oshkosh	440	53	5	4	.....	1	63	8	2	10	23	12
18	Racine	719	106	36	14	7	14	177	23	20	18	22	40
19	Sheboygan	363	53	10	5	10	8	86	17	9	7	11	7
20	Stevens Point	142	24	1	3	.....	.....	28	5	6	3	6	8
21	Superior	463	79	17	6	13	5	120	17	11	17	23	20
22	Waukesha	158	16	6	.....	4	1	27	2	6	5	10	9
23	Wausau	275	52	9	3	4	5	73	6	5	8	11	12
24	West Allis	121	30	7	4	4	3	48	9	3	2	2	3

OF HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural of 10,000 inhabitants or more in 1920) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
580	506	456	470	602	756	792	844	808	681	522	300	97	20	5	3	1
578	499	449	464	595	754	790	840	806	679	521	300	97	20	5	3	2
2	7	7	6	7	2	2	4	2	2	1	.....	.....	.....	.....	.....	3
15	8	10	11	12	14	17	25	19	23	11	6	4	1	.....	.....	4
12	9	10	13	17	10	19	20	16	4	10	.....	2	1	.....	.....	5
20	15	16	9	12	21	17	22	28	12	15	7	1	2	1	.....	6
14	13	14	14	18	36	29	36	30	24	18	11	6	.....	.....	.....	7
18	9	15	13	15	24	21	25	26	23	25	6	4	.....	1	.....	8
31	19	25	12	24	32	32	44	39	38	22	16	3	.....	1	.....	9
12	4	10	12	9	12	16	20	22	22	17	14	3	.....	.....	.....	10
33	20	16	19	10	14	19	20	15	11	12	4	2	.....	.....	.....	11
22	24	21	21	28	39	44	44	36	35	28	13	3	.....	.....	1	12
24	24	16	27	22	34	33	28	27	31	25	17	7	2	.....	.....	13
13	9	9	6	15	11	12	16	17	18	13	6	3	.....	.....	.....	14
11	5	7	4	6	18	12	8	22	16	8	3	2	1	.....	.....	15
256	227	202	193	270	338	357	353	330	283	188	121	36	7	1	1	16
10	20	18	23	19	26	33	42	35	32	31	23	9	1	.....	.....	17
32	30	22	38	45	32	40	38	47	35	35	22	3	.....	.....	.....	18
12	16	12	11	19	23	23	27	25	18	23	11	2	3	1	.....	19
6	4	4	3	4	11	7	13	11	12	5	3	1	2	.....	.....	20
16	22	13	21	29	35	32	24	30	13	12	3	5	.....	.....	.....	21
6	10	6	9	7	5	10	12	11	10	6	5	1	.....	.....	1	22
13	14	7	7	19	16	12	18	14	15	17	8	.....	.....	.....	.....	23
4	4	3	4	2	5	7	9	8	6	1	1	.....	.....	.....	.....	24

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).												
1	Total	1,142,558	174,710	36,986	16,892	11,369	8,475	248,432	27,051	19,450	31,259	43,892	49,753
2	Males	598,994	99,239	19,698	8,921	5,815	4,401	138,074	14,461	10,413	15,910	20,296	24,644
3	Females	543,564	75,471	17,288	7,971	5,554	4,074	110,358	12,590	9,037	15,349	23,596	25,729
4	White	1,007,117	151,284	31,759	14,748	10,071	7,540	215,402	23,750	16,338	24,724	34,327	41,060
5	Males	530,173	86,229	16,962	7,813	5,182	3,952	120,138	12,857	8,951	13,014	16,932	19,165
6	Females	476,944	65,055	14,797	6,935	4,889	3,588	95,264	10,893	7,387	11,710	18,395	21,895
7	Native	769,822	150,312	31,435	14,568	9,936	7,398	213,649	23,014	15,479	22,415	28,981	31,761
8	Males	398,446	85,631	16,802	7,721	5,118	3,882	119,154	12,438	8,488	11,742	13,172	13,977
9	Females	371,376	64,681	14,633	6,847	4,818	3,516	94,495	10,576	6,991	10,673	15,809	17,784
10	Both parents native	M. 232,194	53,249	9,716	4,582	3,046	2,318	72,911	7,599	5,449	7,459	7,877	8,217
		F. 222,049	39,957	8,427	4,124	2,860	2,078	57,446	6,493	4,557	6,940	9,667	10,720
11	One or both parents foreign	M. 115,517	29,712	6,748	2,947	1,961	1,479	42,847	4,543	2,782	3,399	4,117	4,426
		F. 107,188	22,682	5,976	2,614	1,889	1,372	34,533	3,909	2,264	3,278	5,080	5,735
12	Parentage unknown[1]	M. 50,735	2,670	338	192	111	85	3,396	296	257	884	1,178	1,331
		F. 42,139	2,042	230	109	69	66	2,516	174	170	455	1,062	1,329
13	Foreign	223,913	404	228	131	107	115	985	626	775	2,104	4,887	8,738
14	Males	122,204	251	107	73	50	55	536	354	417	1,135	2,419	4,776
15	Females	101,709	153	121	58	57	60	449	272	358	969	2,468	3,960
16	Unknown	13,382	568	96	49	28	27	768	110	84	205	459	561
17	Males	9,523	347	53	19	14	15	448	65	46	137	341	413
18	Females	3,859	221	43	30	14	12	320	45	38	68	118	148
19	Colored	135,441	23,426	5,227	2,144	1,298	935	33,030	3,301	3,112	6,535	9,565	8,693
20	Males	68,821	13,010	2,736	1,108	633	449	17,936	1,604	1,462	2,896	4,364	3,859
21	Females	66,620	10,416	2,491	1,036	665	486	15,094	1,697	1,650	3,639	5,201	4,834
22	Negro	M. 65,426	12,472	2,605	1,032	597	404	17,110	1,509	1,407	2,787	4,220	3,704
		F. 64,721	9,984	2,379	956	624	455	14,398	1,630	1,573	3,553	5,055	4,695
23	Indian	M. 1,132	229	70	33	18	24	374	56	41	74	55	53
		F. 1,168	195	62	42	22	18	339	49	63	67	76	53
24	Chinese	M. 1,226	25	10	8	4	1	48	11	12	13	38	54
		F. 122	32	9	8	2	3	54	6	2	4	9	7
25	Japanese	M. 926	275	45	33	14	17	384	28	2	18	26	29
		F. 585	198	40	29	16	9	292	12	11	15	58	73
26	Other colored	M. 111	9	6	2	.....	3	20	.....	.....	4	25	19
		F. 24	7	1	1	1	1	11	.....	1	.....	3	6
	REGISTRATION STATES.[2]												
27	Total	1,118,070	170,911	36,106	16,503	11,184	8,306	243,010	26,535	19,046	30,276	42,386	48,224
28	Males	586,136	97,086	19,242	8,704	5,731	4,316	135,079	14,187	10,203	15,471	19,662	22,347
29	Females	531,934	73,825	16,864	7,799	5,453	3,990	107,931	12,348	8,843	14,805	22,724	25,877
30	White	990,859	148,615	31,117	14,476	9,921	7,418	211,547	23,386	16,073	24,152	33,546	40,245
31	Males	521,440	84,720	16,630	7,662	5,115	3,887	118,014	12,652	8,799	12,733	15,610	18,791
32	Females	469,419	63,895	14,487	6,814	4,806	3,531	93,533	10,734	7,274	11,419	17,936	21,454
33	Native	756,896	147,725	30,829	14,319	9,799	7,289	209,961	22,702	15,252	21,965	28,397	31,120
34	Males	391,703	84,169	16,487	7,581	5,055	3,821	117,113	12,265	8,360	11,522	12,951	13,602
35	Females	365,193	63,556	14,342	6,738	4,744	3,468	92,848	10,437	6,892	10,443	15,446	17,424
36	Both parents native	M. 228,219	52,412	9,527	4,483	3,005	2,271	71,698	7,474	5,352	7,299	7,719	8,034
		F. 218,278	39,337	8,264	4,057	2,806	2,039	56,503	6,385	4,490	6,784	9,409	10,476
37	One or both parents foreign	M. 114,051	29,194	6,635	2,910	1,943	1,466	42,148	4,503	2,761	3,305	4,085	4,375
		F. 105,856	22,258	5,858	2,577	1,870	1,365	33,928	3,884	2,237	3,234	5,020	5,686
38	Parentage unknown[1]	M. 49,433	2,563	325	188	107	84	3,267	288	247	858	1,147	1,283
		F. 41,059	1,961	220	104	68	64	2,417	168	165	425	1,017	1,266
39	Foreign	221,054	351	194	110	95	104	854	579	741	1,992	4,703	8,590
40	Males	120,562	220	92	62	46	52	472	325	397	1,082	2,329	4,706
41	Females	100,492	131	102	48	49	52	382	254	344	910	2,379	3,884
42	Unknown	12,909	539	94	47	27	25	732	105	80	195	441	535
43	Males	9,175	331	51	19	14	14	422	62	42	129	330	393
44	Females	3,734	208	43	28	13	11	303	43	38	66	111	142
45	Colored	127,211	22,296	4,989	2,027	1,263	888	31,463	3,149	2,973	6,124	8,840	7,979
46	Males	64,696	12,366	2,612	1,042	616	429	17,065	1,535	1,404	2,738	4,052	3,556
47	Females	62,515	9,930	2,377	985	647	459	14,398	1,614	1,569	3,386	4,788	4,423
48	Negro	M. 61,332	11,831	2,483	967	580	384	16,245	1,440	1,349	2,629	3,909	3,401
		F. 60,624	9,500	2,265	905	606	428	13,704	1,547	1,492	3,300	4,642	4,295
49	Indian	M. 1,125	228	68	33	18	24	371	56	41	74	54	53
		F. 1,164	195	62	42	22	18	339	49	63	67	76	53
50	Chinese	M. 1,204	24	10	7	4	1	46	11	12	13	38	54
		F. 120	31	9	8	2	3	53	6	2	4	9	6
51	Japanese	M. 924	274	45	33	14	17	383	28	2	18	26	29
		F. 584	198	40	29	16	9	292	12	11	15	58	73
52	Other colored	M. 111	9	6	2	.....	3	20	.....	.....	4	25	19
		F. 23	6	1	1	1	1	10	.....	1	.....	3	6

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1920.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
50,050	52,093	47,609	51,959	58,072	61,678	72,780	76,564	79,584	73,995	53,474	29,403	10,376	2,459	961	1,664	1
24,678	27,381	25,477	28,569	32,071	33,869	39,745	41,060	41,466	37,238	25,362	13,321	4,284	954	351	990	2
25,372	24,712	22,132	23,390	26,001	27,809	33,035	35,504	38,118	36,757	28,112	16,082	6,092	1,505	610	674	3
42,314	43,138	40,110	44,185	50,634	56,153	67,183	71,349	74,780	70,398	50,708	27,759	9,425	2,032	341	1,007	4
21,085	22,928	21,762	24,404	28,002	30,920	36,770	38,250	38,858	35,304	23,959	12,496	3,871	760	133	614	5
21,229	20,210	18,348	19,781	22,632	25,233	30,413	33,099	35,922	35,094	26,749	15,263	5,554	1,272	208	393	6
30,810	29,830	27,725	29,634	33,157	36,704	45,499	48,051	48,781	45,888	32,905	17,766	5,804	1,239	187	483	7
14,418	14,713	14,061	15,345	17,474	19,463	24,306	25,593	25,288	22,656	15,279	7,759	2,341	470	66	243	8
16,392	15,117	13,664	14,289	15,683	17,241	21,193	22,458	23,493	23,232	17,626	10,007	3,523	769	121	240	9
8,281	8,316	7,576	7,822	8,773	9,806	12,806	14,557	15,193	13,690	9,339	4,674	1,400	263	36	141	10
9,851	8,950	7,711	7,570	8,128	9,031	11,365	13,165	14,571	14,948	11,430	6,565	2,274	454	74	139	
4,603	4,479	4,580	5,329	5,859	6,353	7,030	5,639	3,998	2,899	1,710	690	171	36	6	21	11
5,084	4,514	4,397	4,963	5,497	5,816	6,483	5,274	3,953	3,141	1,987	906	280	67	7	20	
1,534	1,918	1,905	2,194	2,842	3,304	4,470	5,397	6,097	6,058	4,230	2,395	770	171	24	81	12
1,457	1,653	1,556	1,756	2,058	2,394	3,345	4,019	4,969	5,143	4,209	2,536	969	248	40	81	
10,843	12,454	11,562	13,660	16,478	18,549	20,548	22,173	24,886	23,510	17,105	9,613	3,414	752	132	119	13
6,147	7,545	7,047	8,362	9,738	10,756	11,583	11,836	12,828	12,003	8,294	4,555	1,467	270	56	81	14
4,696	4,909	4,515	5,298	6,740	7,793	8,965	10,337	12,058	11,507	8,811	5,058	1,947	482	76	38	15
601	854	823	891	999	900	1,136	1,125	1,113	1,000	698	380	147	41	22	405	16
520	670	654	697	790	701	881	821	742	645	386	182	63	20	11	290	17
141	184	169	194	209	199	255	304	371	355	312	198	84	21	11	115	18
7,736	8,055	7,499	7,774	7,438	5,525	5,597	5,215	4,804	3,597	2,766	1,644	951	427	620	657	19
3,593	4,453	3,715	4,165	4,069	2,949	2,975	2,810	2,608	1,934	1,403	825	413	194	218	376	20
4,143	4,502	3,784	3,609	3,369	2,576	2,622	2,405	2,196	1,663	1,363	819	538	233	402	281	21
3,392	4,254	3,497	3,982	3,875	2,730	2,735	2,609	2,473	1,850	1,349	787	398	189	209	360	22
4,040	4,409	3,720	3,569	3,319	2,534	2,573	2,369	2,156	1,621	1,322	790	517	222	392	264	
43	45	29	32	38	34	46	40	29	36	36	29	15	5	9	13	23
49	52	34	30	37	33	44	35	39	41	41	28	21	11	10	16	
60	55	79	80	109	156	185	149	102	47	17	9	.....	.....	.....	2	24
7	7	5	2	2	8	5	1	1	1	.....	1	.....	.....	.....	.....	
87	85	101	70	43	28	9	10	4	1	.....	.....	.....	.....	.....	1	25
46	34	25	8	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
11	14	9	1	4	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	26
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
48,600	50,436	46,225	50,438	56,587	60,537	71,462	75,344	78,507	73,120	52,959	29,131	10,281	2,427	933	1,606	27
23,980	26,531	24,750	27,652	31,200	33,212	38,964	40,374	40,887	36,811	25,138	13,207	4,239	939	344	959	28
24,620	23,905	21,475	22,786	25,387	27,325	32,498	34,970	37,620	36,309	27,821	15,924	6,042	1,488	589	647	29
41,460	42,223	39,320	43,345	49,773	55,351	66,142	70,318	73,878	69,622	50,260	27,535	9,348	2,013	334	982	30
20,667	22,454	21,327	23,895	27,472	30,457	36,130	37,652	38,373	34,929	23,766	12,399	3,834	752	131	603	31
20,799	19,769	17,993	19,450	22,301	24,894	30,012	32,666	35,505	34,693	26,494	15,136	5,514	1,261	203	379	32
30,154	29,143	27,135	28,999	32,518	36,107	44,735	47,295	48,124	45,353	32,600	17,630	5,820	1,228	186	472	33
14,100	14,375	13,759	14,976	17,098	19,134	23,851	25,166	24,952	22,421	15,161	7,705	2,324	466	66	240	34
16,048	14,768	13,376	14,023	15,420	16,973	20,884	22,129	23,172	22,932	17,439	9,925	3,496	762	120	232	35
8,075	8,093	7,398	7,613	8,583	9,626	12,572	14,324	15,019	13,588	9,276	4,646	1,388	262	36	139	36
9,609	8,720	7,525	7,404	7,974	8,876	11,203	12,972	14,385	14,786	11,331	6,527	2,257	452	74	136	
4,549	4,428	4,525	5,265	5,773	6,295	6,937	5,586	3,968	2,868	1,701	686	171	36	6	20	27
5,024	4,461	4,357	4,914	5,446	5,771	6,414	5,230	3,919	3,103	1,962	894	279	67	7	19	
1,482	1,849	1,836	2,098	2,742	3,213	4,342	5,256	5,965	5,965	4,184	2,373	765	168	24	81	38
1,415	1,587	1,494	1,705	2,000	2,326	3,267	3,927	4,868	5,043	4,146	2,504	960	243	39	77	
10,680	12,262	11,396	13,487	16,291	18,381	20,321	21,934	24,674	23,293	16,979	9,528	3,381	746	127	110	39
6,057	7,440	6,939	8,250	9,613	10,651	11,442	11,689	12,702	11,880	8,229	4,515	1,447	267	54	76	40
4,623	4,822	4,457	5,237	6,678	7,730	8,879	10,245	11,972	11,413	8,750	5,013	1,934	479	73	34	41
632	818	789	859	964	863	1,086	1,089	1,080	976	681	377	147	39	21	400	42
504	639	629	669	761	672	837	797	719	628	376	179	63	19	11	287	43
128	179	160	190	203	191	249	292	361	348	305	198	84	20	10	113	44
7,131	8,213	6,905	7,093	6,814	5,186	5,320	5,026	4,629	3,498	2,699	1,596	933	414	599	624	45
3,313	4,077	3,423	3,757	3,728	2,755	2,834	2,722	2,514	1,882	1,372	808	405	187	213	356	46
3,821	4,136	3,482	3,336	3,086	2,431	2,486	2,304	2,115	1,616	1,327	788	528	227	386	268	47
3,114	3,880	3,208	3,578	3,538	2,540	2,596	2,523	2,380	1,798	1,318	770	390	182	204	340	48
3,720	4,043	3,418	3,296	3,038	2,390	2,437	2,268	2,075	1,574	1,286	759	507	216	376	251	
42	44	29	32	37	34	46	40	29	36	36	29	15	5	9	13	49
48	52	34	30	35	32	44	35	39	41	41	28	21	11	10	16	
59	54	77	76	106	152	183	147	101	47	17	9	.....	.....	.....	2	50
7	7	5	2	2	8	5	1	1	1	.....	1	.....	.....	.....	.....	
87	85	100	70	43	28	9	10	4	1	.....	.....	.....	.....	.....	1	51
45	34	25	8	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
11	14	9	1	4	1	.....	2	.....	.....	1	.....	.....	.....	.....	.....	52
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.[1]												
1	Total	589,020	89,939	19,515	8,697	5,931	4,480	128,562	14,367	9,176	14,643	22,841	27,597
2	Males	307,226	51,257	10,429	4,580	3,053	2,311	71,630	7,879	4,973	7,342	10,576	12,891
3	Females	281,794	38,682	9,086	4,117	2,878	2,169	56,932	6,488	4,203	7,301	12,265	14,704
4	White	534,759	81,341	17,395	7,978	5,493	4,189	116,396	13,370	8,246	12,351	18,900	23,725
5	Males	279,036	46,493	9,325	4,217	2,841	2,173	65,049	7,385	4,511	6,283	8,762	11,063
6	Females	255,723	34,848	8,070	3,761	2,652	2,016	51,347	5,985	3,735	6,063	10,228	12,662
7	Native	376,658	80,782	17,223	7,878	5,417	4,113	115,413	12,906	7,670	10,809	15,177	16,923
8	Males	193,725	46,132	9,240	4,161	2,803	2,136	64,472	7,120	4,205	5,470	6,892	7,412
9	Females	182,933	34,650	7,983	3,717	2,614	1,977	50,941	5,786	3,465	5,339	8,285	9,516
10	Both parents native {M	94,656	23,177	3,853	1,824	1,252	995	31,101	3,523	2,161	2,909	3,608	3,744
	{F	91,339	17,064	3,358	1,694	1,171	885	24,172	2,816	1,786	2,876	4,200	4,812
11	One or both parents foreign {M	78,034	21,246	5,190	2,231	1,489	1,092	31,248	3,419	1,945	2,168	2,725	3,003
	{F	73,686	16,247	4,503	1,973	1,406	1,066	25,195	2,898	1,617	2,267	3,560	4,039
12	Parentage unknown [2] {M	21,035	1,709	197	106	62	49	2,123	178	99	303	559	660
	{F	17,908	1,339	122	50	37	26	1,574	72	62	196	525	665
13	Foreign	151,804	241	136	76	65	70	588	422	542	1,460	3,577	6,518
14	Males	80,631	163	64	48	33	35	343	237	288	765	1,699	3,449
15	Females	71,173	78	72	28	32	35	245	185	254	695	1,887	3,078
16	Unknown	6,297	318	36	24	11	6	395	42	34	82	236	279
17	Males	4,680	198	21	8	5	2	234	28	18	53	180	211
18	Females	1,617	120	15	16	6	4	161	14	16	29	56	68
19	Colored	54,261	8,598	2,120	719	438	291	12,166	997	930	2,292	3,851	3,872
20	Males	28,190	4,764	1,104	363	212	138	6,581	494	462	1,054	1,814	1,820
21	Females	26,071	3,834	1,016	356	226	153	5,585	503	468	1,238	2,037	2,052
22	Negro {M	26,510	4,576	1,057	339	199	123	6,294	462	450	1,017	1,740	1,748
	{F	25,559	3,709	979	335	214	146	5,383	489	456	1,214	1,982	1,976
23	Indian {M	83	8	2	.....	.....	2	12	3	.....	8	7	4
	{F	58	5	.....	1	.....	.....	6	1	2	8	6	3
24	Chinese {M	956	23	10	5	4	1	43	11	10	11	34	59
	{F	98	25	7	7	1	3	43	6	1	4	6	4
25	Japanese {M	582	151	31	18	9	9	218	18	2	15	22	22
	{F	340	92	29	12	11	3	147	7	8	12	40	51
26	Other colored {M	59	6	4	1	.....	3	14	.....	.....	3	11	6
	{F	16	3	1	1	.....	1	6	.....	1	.....	3	6
	RURAL PART OF REGISTRATION STATES.[3]												
27	Total	529,050	80,972	16,591	7,806	5,253	3,826	114,448	12,168	9,870	15,633	19,545	20,627
28	Males	278,910	45,829	8,813	4,124	2,678	2,005	63,449	6,308	5,230	8,120	9,086	9,454
29	Females	250,140	35,143	7,778	3,682	2,575	1,821	50,999	5,860	4,640	7,504	10,459	11,173
30	White	456,100	67,274	13,722	6,498	4,428	3,229	95,151	10,016	7,827	11,801	14,556	16,529
31	Males	242,404	38,227	7,305	3,445	2,274	1,714	52,965	5,267	4,288	6,445	6,848	7,728
32	Females	213,696	29,047	6,417	3,053	2,154	1,515	42,186	4,749	3,539	5,356	7,708	8,792
33	Native	380,238	66,943	13,606	6,441	4,382	3,176	94,548	9,796	7,582	11,156	13,220	14,192
34	Males	197,978	38,037	7,247	3,420	2,252	1,685	52,641	5,145	4,155	6,052	6,059	6,290
35	Females	182,260	28,906	6,359	3,021	2,130	1,491	41,907	4,651	3,427	5,104	7,161	7,912
36	Both parents native {M	133,563	29,235	5,674	2,659	1,753	1,276	40,597	3,951	3,191	4,390	4,111	4,290
	{F	126,939	22,273	4,906	2,363	1,635	1,154	32,331	3,569	2,704	3,903	5,209	5,664
37	One or both parents foreign {M	36,017	7,948	1,445	679	454	374	10,900	1,084	816	1,197	1,360	1,367
	{F	32,170	6,011	1,355	604	464	299	8,733	986	620	967	1,460	1,647
38	Parentage unknown [2] {M	28,398	854	128	82	45	35	1,144	110	148	465	588	623
	{F	23,151	622	98	54	31	38	843	96	103	229	492	601
39	Foreign	69,250	110	58	34	30	34	266	157	199	532	1,131	2,072
40	Males	39,931	57	28	14	13	17	129	88	109	317	639	1,266
41	Females	29,319	53	30	20	17	17	137	69	90	215	492	806
42	Unknown	6,612	221	58	23	16	19	337	63	46	113	205	256
43	Males	4,495	133	30	11	9	12	195	34	24	76	150	182
44	Females	2,117	88	28	12	7	7	142	29	22	37	55	74
45	Colored	72,950	13,698	2,869	1,308	825	597	19,297	2,152	2,043	3,832	4,989	4,107
46	Males	36,506	7,602	1,508	679	404	291	10,484	1,041	942	1,684	2,238	1,726
47	Females	36,444	6,096	1,361	629	421	306	8,813	1,111	1,101	2,148	2,751	2,381
48	Negro {M	34,822	7,255	1,426	628	381	261	9,951	978	899	1,612	2,169	1,653
	{F	35,065	5,791	1,286	570	392	282	8,321	1,058	1,036	2,086	2,669	2,309
49	Indian {M	1,042	220	66	33	18	22	359	53	41	66	47	49
	{F	1,106	190	62	41	22	18	333	48	61	59	70	50
50	Chinese {M	248	1	.....	2	.....	.....	3	.....	2	2	4	4
	{F	22	6	2	1	1	.....	10	1	.....	.....	3	2
51	Japanese {M	342	123	14	15	5	8	165	10	.....	3	4	7
	{F	244	106	11	17	5	6	145	5	3	3	18	20
52	Other colored {M	52	3	2	1	.....	.....	6	.....	.....	1	14	11
	{F	7	3	.....	.....	1	.....	4	.....	.....	.....	.....	.....

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

[2] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
28,372	29,242	27,665	30,788	34,330	35,946	39,908	38,657	37,077	31,677	21,588	11,440	3,833	863	219	229	1
14,316	15,869	15,014	17,040	19,045	19,690	21,612	20,126	18,407	14,844	9,351	4,715	1,407	263	76	158	2
14,056	13,373	12,651	13,748	15,285	16,256	18,296	18,531	18,670	16,833	12,237	6,725	2,426	600	143	71	3
24,635	24,827	23,863	26,989	30,742	33,374	37,540	36,749	35,569	30,653	20,982	11,063	3,639	773	123	160	4
12,435	13,472	13,003	14,940	17,028	18,327	20,319	19,148	17,635	14,343	9,074	4,528	1,328	234	46	113	5
12,200	11,355	10,860	12,049	13,714	15,047	17,221	17,601	17,934	16,305	11,908	6,535	2,311	539	77	47	6
16,316	15,408	14,938	16,278	17,803	19,075	22,165	20,967	18,887	16,314	11,245	5,979	1,908	373	47	52	7
7,735	7,775	7,590	8,435	9,368	10,045	11,743	10,926	9,332	7,395	4,695	2,308	656	109	13	29	8
8,581	7,633	7,348	7,843	8,435	9,030	10,422	10,041	9,555	8,919	6,550	3,671	1,252	264	34	23	9
3,911	3,826	3,536	3,635	3,942	4,203	5,207	5,401	5,077	4,230	2,784	1,364	400	77	7	10	10
4,430	3,823	3,517	3,439	3,617	3,884	4,654	5,036	5,299	5,442	4,123	2,389	820	166	24	9	
3,040	2,954	3,050	3,647	3,968	4,271	4,496	3,358	2,196	1,429	755	275	61	12	1	8	11
3,436	3,037	3,055	3,504	3,782	4,001	4,276	3,360	2,335	1,708	1,036	409	132	28	3	8	
784	996	1,004	1,153	1,458	1,571	2,040	2,167	2,059	1,736	1,156	669	195	20	5	11	12
715	773	776	900	1,036	1,145	1,492	1,645	1,921	1,769	1,386	873	300	70	7	6	
7,937	8,945	8,473	10,198	12,373	13,803	14,800	15,308	16,254	13,980	9,488	4,964	1,692	388	71	23	13
4,389	5,311	5,041	6,099	7,200	7,874	8,126	7,878	8,012	6,718	4,235	2,162	657	119	29	18	14
3,548	3,634	3,432	4,099	5,173	5,929	6,674	7,430	8,242	7,262	5,253	2,802	1,035	269	42	5	15
382	474	452	513	566	496	575	474	428	359	249	120	39	12	5	85	16
311	396	372	406	460	408	450	344	291	235	144	58	15	6	4	66	17
71	88	80	107	106	88	125	130	137	124	105	62	24	6	1	19	18
3,737	4,415	3,802	3,799	3,588	2,572	2,368	1,908	1,508	1,024	606	377	194	90	96	69	19
1,881	2,397	2,011	2,100	2,017	1,363	1,293	978	772	496	277	187	79	29	30	45	20
1,856	2,018	1,791	1,699	1,571	1,209	1,075	930	736	528	329	190	115	61	66	24	21
1,759	2,274	1,874	1,980	1,886	1,226	1,142	859	701	467	267	181	79	29	30	45	22
1,822	1,988	1,763	1,689	1,559	1,198	1,069	929	733	527	327	188	114	60	65	23	
5	12	9	4	2	2	5	3	2	3		2					23
	5	5	4	4	3	3		2		2	1	1	1	1		
52	47	66	69	97	114	140	106	67	25	10	4					24
7	4	5	2	2	7	3	1	1	1		1					
59	55	58	46	29	20	6	9	2	1							25
27	21	13	4	6	1										1	
6	9	4	1	3	1		1									26
20,228	21,194	18,560	19,650	22,257	24,591	31,554	36,687	41,430	41,443	31,371	17,691	6,448	1,564	714	1,377	27
9,604	10,662	9,736	10,612	12,155	13,522	17,352	20,248	22,480	21,967	15,787	8,492	2,832	676	268	801	28
10,504	10,532	8,824	9,038	10,102	11,069	14,202	16,439	18,950	19,476	15,584	9,199	3,616	888	446	576	29
16,831	17,396	15,457	16,356	19,031	21,977	28,602	33,569	38,309	38,969	29,278	16,472	5,709	1,240	211	822	30
8,232	8,982	8,324	8,955	10,444	12,130	15,811	18,504	20,738	20,581	14,692	7,871	2,506	518	85	490	31
8,599	8,414	7,133	7,401	8,587	9,847	12,791	15,065	17,571	18,388	14,586	8,601	3,203	722	126	332	32
13,838	13,735	12,197	12,721	14,715	17,032	22,570	26,328	29,237	29,039	21,355	11,651	3,912	855	139	420	33
6,371	6,600	6,169	6,541	7,730	9,089	12,108	14,240	15,620	15,026	10,466	5,397	1,668	357	53	211	34
7,467	7,135	6,028	6,180	6,985	7,943	10,462	12,088	13,617	14,013	10,889	6,254	2,244	498	86	209	35
4,164	4,272	3,802	3,978	4,641	5,423	7,365	8,923	9,942	9,358	6,492	3,282	988	185	29	129	36
5,179	4,597	4,008	3,965	4,357	4,992	6,549	7,936	9,086	9,344	7,203	4,138	1,437	286	50	127	
1,509	1,474	1,475	1,618	1,805	2,024	2,441	2,228	1,772	1,439	946	411	110	24	5	12	37
1,588	1,424	1,302	1,410	1,664	1,770	2,138	1,870	1,584	1,395	926	435	147	39	4	11	
998	851	832	945	1,284	1,642	2,302	3,089	3,906	4,229	3,028	1,704	570	148	19	70	38
700	814	718	805	964	1,181	1,775	2,282	2,947	3,274	2,760	1,631	660	173	32	71	
2,743	3,317	2,923	3,289	3,918	4,578	5,521	6,626	8,420	9,313	7,491	4,564	1,689	358	56	87	39
1,668	2,129	1,898	2,151	2,413	2,777	3,316	3,811	4,690	5,162	3,994	2,353	790	148	25	58	40
1,075	1,188	1,025	1,138	1,505	1,801	2,205	2,815	3,730	4,151	3,497	2,211	899	210	31	29	41
250	344	337	346	398	367	511	615	652	617	432	257	108	27	16	315	42
193	253	257	263	301	264	387	453	428	393	232	121	48	13	7	221	43
57	91	80	83	97	103	124	162	224	224	200	136	60	14	9	94	44
3,397	3,798	3,103	3,294	3,226	2,614	2,952	3,118	3,121	2,474	2,093	1,219	739	324	503	555	45
1,432	1,680	1,412	1,657	1,711	1,392	1,541	1,744	1,742	1,386	1,095	621	326	158	183	311	46
1,965	2,118	1,691	1,637	1,515	1,222	1,411	1,374	1,379	1,088	998	598	413	166	320	244	47
1,355	1,606	1,334	1,598	1,652	1,314	1,454	1,664	1,679	1,331	1,051	589	311	153	174	295	48
1,898	2,055	1,650	1,607	1,479	1,192	1,368	1,339	1,342	1,047	959	571	393	156	311	228	
37	32	20	28	35	32	41	37	27	33	36	27	15	5	9	13	49
48	47	29	26	31	29	41	35	37	41	39	27	20	10	9	16	
7	7	11	7	9	38	43	41	34	22	7	5				2	
	3				1	2										50
28	30	42	24	14	8	3	1	2							1	51
18	13	12	4	3												
5	5	5		1			1			1						52
1				2												

[1] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1920.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN NONREGISTRATION STATES.[1]												
1	Total	24,488	3,799	880	389	185	169	5,422	516	404	983	1,506	1,529
2	Males	12,858	2,153	456	217	84	85	2,995	274	210	439	634	677
3	Females	11,630	1,646	424	172	101	84	2,427	242	194	544	872	852
4	White	16,258	2,669	642	272	150	122	3,855	364	265	572	781	815
5	Males	8,733	1,509	332	151	67	65	2,124	205	152	281	322	374
6	Females	7,525	1,160	310	121	83	57	1,731	159	113	291	459	441
7	Native	12,926	2,587	606	249	137	109	3,688	312	227	450	594	641
8	Males	6,743	1,462	315	140	63	61	2,041	173	128	220	221	285
9	Females	6,183	1,125	291	109	74	48	1,647	139	99	230	363	376
10	Both parents native	M. 3,975	837	189	99	41	47	1,213	125	97	160	158	183
		F. 3,771	620	163	67	54	39	943	108	67	156	258	244
11	One or both parents foreign	M. 1,466	518	113	37	18	13	699	40	21	34	32	51
		F. 1,332	424	118	37	19	7	605	25	27	44	60	49
12	Parentage unknown [2]	M. 1,302	107	13	4	4	1	129	8	10	26	31	51
		F. 1,080	81	10	5	1	2	99	6	5	30	45	63
13	Foreign	2,859	53	34	21	12	11	131	47	34	112	179	143
14	Males	1,642	31	15	11	4	3	64	29	20	53	99	69
15	Females	1,217	22	19	10	8	8	67	18	14	59	89	79
16	Unknown	473	29	2	2	1	2	36	5	4	10	18	26
17	Males	348	16	2	.....	.....	1	19	3	4	8	11	20
18	Females	125	13	.....	2	1	1	17	2	.....	2	7	6
19	Colored	8,230	1,130	238	117	35	47	1,567	152	139	411	725	714
20	Males	4,125	644	124	66	17	20	871	69	58	158	312	303
21	Females	4,105	486	114	51	18	27	696	83	81	253	413	411
22	Negro	M. 4,094	641	122	65	17	20	865	69	58	158	311	303
		F. 4,097	484	114	51	18	27	694	83	81	253	413	410
23	Indian	M. 7	1	2	.....	.....	.....	3	.....	.....	.....	1	.....
		F. 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese	M. 22	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
		F. 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
25	Japanese	M. 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	ALL REGISTRATION CITIES.[2]												
27	Total	613,508	93,738	20,395	9,086	6,116	4,649	133,984	14,883	9,580	15,626	24,347	20,126
28	Males	320,084	53,410	10,885	4,797	3,137	2,396	74,625	8,153	5,183	7,781	11,210	13,570
29	Females	293,424	40,328	9,510	4,289	2,979	2,253	59,359	6,730	4,397	7,845	13,137	15,556
30	White	551,017	84,010	18,037	8,250	5,643	4,311	120,251	13,734	8,511	12,923	19,771	21,540
31	Males	287,769	48,002	9,657	4,368	2,908	2,238	67,173	7,590	4,663	6,569	9,034	11,437
32	Females	263,248	36,008	8,380	3,882	2,735	2,073	53,078	6,144	3,848	6,354	10,687	13,103
33	Native	389,584	83,369	17,829	8,127	5,554	4,222	119,101	13,218	7,897	11,259	15,761	17,669
34	Males	200,468	47,594	9,555	4,301	2,866	2,197	66,513	7,293	4,333	5,690	7,113	7,697
35	Females	189,116	35,775	8,274	3,826	2,688	2,025	52,588	5,925	3,564	5,569	8,648	9,972
36	Both parents native	M. 98,631	24,014	4,042	1,923	1,293	1,042	32,314	3,648	2,258	3,069	3,766	3,927
		F. 95,110	17,684	3,521	1,761	1,225	924	25,115	2,924	1,853	3,032	4,458	5,056
37	One or both parents foreign	M. 79,500	21,764	5,303	2,268	1,507	1,105	31,947	3,459	1,966	2,202	2,757	3,079
		F. 75,018	16,671	4,621	2,010	1,425	1,073	25,800	2,923	1,614	2,311	3,620	4,033
38	Parentage unknown [2]	M. 22,337	1,816	210	110	66	50	2,252	186	109	419	590	711
		F. 18,988	1,420	132	55	38	28	1,673	78	67	226	579	728
39	Foreign	154,663	294	170	97	77	81	719	469	576	1,672	3,755	6,666
40	Males	82,273	194	79	59	37	38	407	266	308	818	1,780	3,509
41	Females	72,390	100	91	38	40	43	312	203	268	754	1,976	3,157
42	Unknown	6,770	347	38	26	12	8	431	47	38	92	254	305
43	Males	5,028	214	23	8	5	3	253	31	22	61	191	231
44	Females	1,742	133	15	18	7	5	178	16	16	31	63	74
45	Colored	62,491	9,728	2,358	836	473	338	13,733	1,149	1,069	2,703	4,576	4,586
46	Males	32,315	5,408	1,228	429	229	158	7,452	563	520	1,212	2,126	2,133
47	Females	30,176	4,320	1,130	407	244	180	6,281	586	549	1,491	2,450	2,453
48	Negro	M. 30,604	5,217	1,179	404	216	143	7,159	531	508	1,175	2,051	2,051
		F. 29,656	4,193	1,093	386	232	173	6,077	572	537	1,467	2,395	2,366
49	Indian	M. 90	9	4	.....	.....	2	15	3	.....	8	8	4
		F. 62	5	.....	1	.....	.....	6	1	2	8	6	3
50	Chinese	M. 978	24	10	6	4	1	45	11	10	11	34	59
		F. 100	26	7	7	1	3	44	6	1	4	6	5
51	Japanese	M. 584	152	31	18	9	9	219	18	2	15	22	22
		F. 341	92	29	12	11	3	147	7	8	12	40	63
52	Other colored	M. 59	6	4	1	.....	3	14	.....	.....	3	11	6
		F. 17	4	1	1	.....	1	7	.....	1	.....	3	6

[1] A list of these cities will be found on p. 10.

[2] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,450	1,657	1,384	1,521	1,485	1,141	1,318	1,220	1,077	875	515	272	95	32	28	58	1
698	850	727	917	871	657	781	686	579	427	224	114	45	15	7	31	2
752	807	657	604	614	484	537	534	498	448	291	158	50	17	21	27	3
848	915	790	840	861	802	1,041	1,031	902	776	448	224	77	19	7	25	4
418	474	435	509	530	463	640	598	485	375	193	97	37	8	2	11	5
430	441	355	331	331	339	401	433	417	401	255	127	40	11	5	14	6
656	687	590	635	639	597	764	756	657	535	305	136	44	11	1	11	7
312	338	302	369	376	329	455	427	336	235	118	54	17	4	.....	3	8
344	349	288	266	263	268	309	329	321	300	187	82	27	7	1	8	9
206	218	178	209	190	180	234	233	174	111	63	28	12	1	.....	2	
242	230	186	166	154	155	162	193	186	162	99	38	17	2	.....	3	10
54	51	55	64	86	58	93	53	30	31	9	4	.....	.....	.....	1	
60	53	40	49	51	45	69	44	34	38	25	12	1	.....	.....	1	11
52	69	69	96	100	91	128	141	132	93	46	22	5	3	.....	.....	
42	66	62	51	58	68	78	92	101	100	63	32	9	5	1	4	12
103	192	166	173	187	168	227	239	212	217	126	85	33	6	5	9	13
90	105	108	112	125	105	141	147	126	123	65	40	20	3	2	5	14
73	87	58	61	62	63	86	92	86	94	61	45	13	3	3	4	15
29	30	34	32	35	37	50	36	33	24	17	3	.....	2	1	5	16
16	31	25	28	29	29	44	24	23	17	10	3	.....	1	.....	3	17
13	5	9	4	6	8	6	12	10	7	7	.....	.....	1	1	2	18
602	742	594	681	624	339	277	189	175	99	67	48	18	13	21	33	19
280	376	292	408	341	194	141	88	94	52	31	17	8	7	5	20	20
322	366	302	273	283	145	136	101	81	47	36	31	10	6	16	13	21
278	374	289	404	337	190	139	86	93	52	31	17	8	7	5	20	
320	366	302	273	281	144	136	101	81	47	36	31	10	6	16	13	22
1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	1	2	4	3	4	2	2	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
29,822	30,899	29,049	32,309	35,815	37,087	41,226	39,877	38,154	32,552	22,103	11,712	3,928	895	247	287	27
15,014	16,719	15,741	17,957	19,916	20,347	22,393	20,812	18,986	15,271	9,575	4,829	1,452	278	83	189	28
14,808	14,180	13,308	14,352	15,899	16,740	18,833	19,065	19,168	17,281	12,528	6,883	2,476	617	164	98	29
25,483	25,742	24,053	27,829	31,603	34,176	38,581	37,780	36,471	31,429	21,430	11,287	3,716	792	130	185	30
12,853	13,940	13,438	15,449	17,553	18,790	20,959	19,746	18,120	14,723	9,267	4,625	1,365	242	48	124	31
12,630	11,796	11,215	12,380	14,045	15,386	17,622	18,034	18,351	16,706	12,163	6,662	2,351	550	82	61	32
10,972	10,095	15,528	16,913	18,442	19,672	22,929	21,723	19,544	16,849	11,550	6,115	1,952	384	48	63	33
8,047	8,113	7,892	8,804	9,744	10,374	12,198	11,353	9,668	7,630	4,813	2,362	673	113	13	32	34
8,925	7,982	7,636	8,109	8,698	9,298	10,731	10,370	9,876	9,219	6,737	3,753	1,279	271	35	31	35
4,117	4,044	3,714	3,844	4,132	4,383	5,441	5,634	5,251	4,341	2,847	1,392	412	78	7	12	
4,672	4,053	3,703	3,605	3,771	4,039	4,816	5,229	5,485	5,604	4,227	2,427	837	168	24	12	36
3,094	3,005	3,105	3,711	4,054	4,329	4,589	3,411	2,226	1,460	764	279	61	12	1	9	
3,496	3,090	3,095	3,553	3,833	4,046	4,345	3,404	2,369	1,746	1,061	421	133	28	3	9	37
830	1,064	1,073	1,249	1,558	1,662	2,168	2,308	2,191	1,829	1,202	691	200	23	5	11	
767	839	838	951	1,094	1,213	1,570	1,737	2,022	1,869	1,449	905	309	75	8	10	38
8,100	9,137	8,639	10,371	12,560	13,971	15,027	15,547	16,466	14,197	9,614	5,049	1,725	394	76	32	39
4,479	5,416	5,149	6,211	7,325	7,979	8,267	8,025	8,138	6,841	4,300	2,202	677	122	31	23	40
3,021	3,721	3,490	4,160	5,235	5,992	6,760	7,522	8,328	7,356	5,314	2,847	1,048	272	45	9	41
411	510	486	545	601	533	625	510	461	383	266	123	39	14	6	90	42
327	417	397	434	489	437	494	308	314	252	154	61	15	7	4	69	43
84	93	89	111	112	96	131	142	147	131	112	62	24	7	2	21	44
4,339	5,157	4,396	4,480	4,212	2,911	2,645	2,097	1,683	1,123	673	425	212	103	117	102	45
2,161	2,773	2,303	2,508	2,358	1,557	1,434	1,066	866	548	308	204	87	36	35	65	46
2,178	2,384	2,093	1,972	1,854	1,354	1,211	1,031	817	575	365	221	125	67	82	37	47
2,037	2,048	2,163	2,384	2,223	1,416	1,281	945	794	519	298	198	87	30	35	65	
2,142	2,354	2,070	1,962	1,840	1,342	1,205	1,030	814	574	363	219	124	66	81	36	48
6	13	9	4	3	2	5	3	2	3	.....	2	.....	.....	.....	.....	
1	5	5	4	6	4	3	.....	2	.....	2	1	1	1	1	.....	49
53	48	68	73	100	118	142	108	68	25	10	4	.....	.....	.....	.....	
7	4	5	2	2	7	3	1	1	1	.....	1	.....	.....	.....	.....	50
59	55	59	46	29	20	6	9	2	1	.....	.....	.....	.....	.....	.....	
28	21	13	4	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	51
6	9	4	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

[3] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES.												
	CALIFORNIA.												
1	Total	47,196	4,998	991	485	318	274	7,066	969	733	1,144	1,646	1,961
2	Males	27,290	2,824	539	256	165	147	3,931	514	425	633	844	1,072
3	Females	19,906	2,174	452	229	153	127	3,135	455	308	491	802	909
4	White	44,223	4,498	883	408	280	241	6,310	893	637	1,053	1,493	1,799
5	Males	25,342	2,543	484	217	147	129	3,520	474	401	609	767	931
6	Females	18,881	1,955	399	191	133	112	2,790	424	286	449	726	868
7	Native	30,593	4,462	854	385	266	227	6,194	835	617	874	1,166	1,304
8	Males	16,816	2,524	475	201	142	122	3,464	442	361	516	638	664
9	Females	13,777	1,938	379	184	124	105	2,730	393	256	358	578	640
10	Both parents native	M 7,332	1,204	207	98	68	68	1,645	249	212	241	267	306
		F 6,386	862	158	90	62	50	1,222	215	151	199	282	314
11	One or both parents foreign	M 5,150	1,248	252	97	69	52	1,718	179	130	130	186	212
		F 4,618	1,011	212	90	60	54	1,427	164	96	137	240	244
12	Parentage unknown [1]	M 4,334	72	16	6	5	2	101	14	19	145	135	146
		F 2,773	65	9	4	2	1	81	14	9	22	56	82
13	Foreign	12,752	31	27	22	13	14	107	62	68	179	393	466
14	Males	7,791	16	9	15	5	7	52	31	38	89	161	295
15	Females	4,961	15	18	7	8	7	55	31	30	90	147	171
16	Unknown	878	5	2	1	1	.....	9	1	2	5	19	29
17	Males	735	3	.....	1	.....	.....	4	1	2	4	18	22
18	Females	143	2	2	.....	1	.....	5	.....	.....	1	1	7
19	Colored	2,973	500	108	77	38	33	756	71	46	86	153	162
20	Males	1,948	281	55	39	18	18	411	40	24	44	77	71
21	Females	1,025	219	53	38	20	15	345	31	22	42	76	91
22	Negro	M 437	37	6	3	2	3	51	5	5	12	21	25
		F 342	33	6	2	5	3	49	9	9	13	19	26
23	Indian	M 172	35	6	4	1	2	48	8	7	12	13	6
		F 171	20	10	6	2	.....	38	9	5	16	13	9
24	Chinese	M 698	13	6	6	3	1	29	8	10	9	24	19
		F 91	20	7	7	1	3	38	4	2	3	8	4
25	Japanese	M 593	193	34	26	12	11	276	19	2	11	12	9
		F 413	146	29	22	12	8	217	9	6	10	36	50
26	Other colored	M 48	3	3	.....	.....	1	7	.....	.....	.....	7	12
		F 8	.....	1	1	.....	1	3	.....	.....	.....	.....	2
	COLORADO.												
27	Total	13,717	1,972	398	189	124	80	2,763	273	255	393	720	993
28	Males	7,767	1,104	204	92	58	45	1,503	143	141	240	371	527
29	Females	5,950	868	194	97	66	35	1,260	130	114	153	349	466
30	White	13,315	1,930	384	186	122	79	2,701	267	253	374	684	966
31	Males	7,533	1,079	198	91	56	45	1,469	141	140	221	353	506
32	Females	5,782	851	186	95	66	34	1,232	126	113	150	331	460
33	Native	10,394	1,919	378	182	116	76	2,671	258	243	333	586	724
34	Males	5,629	1,071	197	87	55	44	1,454	134	134	204	295	379
35	Females	4,765	848	181	95	61	32	1,217	124	109	134	291	345
36	Both parents native	M 2,933	705	137	63	37	27	969	93	95	137	154	191
		F 2,617	542	123	65	45	25	800	76	74	91	166	198
37	One or both parents foreign	M 1,275	308	57	18	16	15	414	33	37	33	66	83
		F 1,160	266	51	28	12	7	364	44	32	33	80	90
38	Parentage unknown [1]	M 1,421	58	3	6	2	2	71	8	2	29	75	102
		F 988	40	7	2	4	.....	53	4	3	7	55	52
39	Foreign	2,485	7	5	4	5	3	24	8	9	31	78	150
40	Males	1,558	5	1	4	.....	1	11	7	6	16	42	101
41	Females	927	2	4	.....	5	2	13	1	3	15	36	49
42	Unknown	436	4	1	.....	1	.....	6	1	1	5	20	28
43	Males	346	3	.....	.....	1	.....	4	.....	.....	4	16	26
44	Females	90	1	1	.....	.....	.....	2	1	1	1	4	2
45	Colored	402	42	14	3	2	1	62	6	2	24	36	27
46	Males	234	25	6	1	2	.....	34	2	1	16	18	21
47	Females	168	17	8	2	.....	1	28	4	1	8	18	6
48	Negro	M 172	9	4	1	1	.....	15	.....	1	13	13	13
		F 131	9	6	.....	.....	1	16	3	1	5	15	6
49	Indian	M 24	4	.....	.....	.....	.....	4	.....	.....	3	.....	5
		F 19	1	.....	.....	.....	.....	1	1	.....	1	1	.....
50	Chinese	M 3	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M 28	12	1	.....	1	.....	14	2	.....	.....	.....	1
		F 18	7	2	2	.....	.....	11	.....	.....	2	2	.....
52	Other colored	M 7	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
2,202	2,556	2,381	2,441	2,833	3,020	3,503	3,471	3,542	3,351	2,399	1,391	435	99	34	19	1
1,217	1,591	1,443	1,481	1,735	1,889	2,127	2,102	2,051	1,901	1,299	763	199	45	17	11	2
985	965	938	960	1,098	1,131	1,376	1,369	1,491	1,450	1,100	628	236	54	17	8	3
2,020	2,374	2,201	2,286	2,664	2,853	3,314	3,304	3,421	3,284	2,354	1,365	417	94	21	6	4
1,101	1,460	1,310	1,367	1,608	1,760	1,961	1,958	1,950	1,850	1,270	745	192	43	9	6	5
919	914	891	919	1,056	1,093	1,353	1,346	1,471	1,434	1,084	620	225	51	12	.....	6
1,329	1,494	1,435	1,471	1,664	1,792	2,085	1,967	1,992	1,906	1,371	807	233	47	9	1	7
665	848	788	818	952	1,048	1,156	1,090	1,088	1,036	717	442	104	24	4	1	8
664	646	647	653	712	744	929	877	904	870	654	365	129	23	5	.....	9
316	357	308	312	345	406	457	469	468	439	300	169	47	17	1	1	10
316	291	272	266	258	302	386	398	439	467	351	186	62	7	2	.....	
202	259	266	276	329	320	315	237	157	117	75	40	2	.....	.....	.....	11
238	204	243	242	267	262	266	197	152	120	70	29	13	5	2	.....	
147	232	214	230	278	322	384	384	463	480	342	233	55	7	3	.....	12
110	151	132	145	187	180	277	282	313	283	233	150	54	11	1	.....	
641	810	698	731	899	984	1,137	1,259	1,365	1,318	945	541	178	45	11	.....	13
393	551	463	472	563	645	726	804	812	763	527	290	84	17	5	.....	14
248	259	235	259	331	339	411	455	553	550	418	251	94	28	6	.....	15
50	70	68	84	101	77	92	78	64	60	38	17	6	2	1	5	16
43	61	59	77	88	67	79	64	50	46	26	13	4	2	.....	5	17
7	9	9	7	13	10	13	14	14	14	12	4	2	.....	1	.....	18
182	182	180	155	169	167	189	167	121	67	45	26	18	5	13	13	19
116	131	133	114	127	129	166	144	101	51	29	18	7	2	8	5	20
66	51	47	41	42	38	23	23	20	16	16	8	11	3	5	8	21
34	43	36	40	37	24	32	25	17	9	8	6	3	1	3	.....	22
21	17	22	29	26	25	16	17	15	10	8	5	3	1	2	.....	
6	6	.....	4	3	2	12	6	7	4	8	5	4	1	5	5	23
6	9	3	5	6	5	2	5	4	5	8	2	8	2	3	8	
27	23	31	24	54	86	113	109	75	37	13	7	.....	.....	.....	.....	24
5	5	4	1	.....	8	5	1	1	1	.....	1	.....	.....	.....	.....	
45	50	60	46	30	17	9	4	2	1	.....	.....	.....	.....	.....	.....	25
33	20	18	6	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	9	6	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
891	798	692	673	691	720	811	821	805	712	433	218	87	15	4	4	27
502	478	416	407	418	442	481	518	457	378	195	112	27	4	3	4	28
389	320	276	266	273	278	330	303	348	334	238	106	60	11	1	.....	29
856	761	660	639	670	707	797	796	793	699	430	212	82	15	4	4	30
479	456	396	389	405	435	473	504	455	367	195	109	26	4	3	4	31
377	305	264	250	265	272	324	292	343	332	235	103	56	11	1	.....	32
666	567	488	442	443	474	543	513	487	456	286	137	52	8	2	1	33
360	317	273	241	252	275	307	305	266	220	117	76	15	2	2	1	34
306	250	215	201	196	199	236	208	221	236	169	61	37	6	.....	.....	35
173	151	126	114	122	99	113	111	114	95	40	27	5	1	.....	.....	36
160	141	116	89	76	91	114	79	108	113	84	28	17	3	.....	.....	
97	78	75	51	49	70	56	57	24	25	15	7	.....	.....	.....	.....	37
72	62	50	45	53	54	45	42	31	22	24	4	4	.....	.....	.....	
90	88	72	76	81	106	138	137	128	100	62	42	10	1	2	1	38
74	47	49	67	67	54	77	87	82	101	61	29	16	3	.....	.....	
164	157	136	167	194	196	221	236	268	215	125	69	29	7	1	.....	39
97	109	92	123	130	126	140	164	161	124	67	29	11	2	.....	.....	40
67	48	44	44	64	70	81	72	107	91	58	40	18	5	1	.....	41
26	37	36	30	28	37	33	47	43	28	19	6	1	.....	1	3	42
22	30	31	25	23	34	26	35	28	23	11	4	.....	.....	1	3	43
4	7	5	5	5	3	7	12	15	5	8	2	1	.....	.....	.....	44
35	37	32	34	21	13	14	25	7	13	3	6	5	.....	.....	.....	45
23	22	20	18	13	7	8	14	2	11	.....	3	1	.....	.....	.....	46
12	15	12	16	8	6	6	11	5	2	3	3	4	.....	.....	.....	47
18	19	18	14	10	6	7	12	1	8	.....	3	1	.....	.....	.....	48
10	10	10	13	7	5	5	10	4	2	2	3	4	.....	.....	.....	
2	.....	.....	3	2	.....	1	.....	1	3	.....	.....	.....	.....	.....	.....	49
2	4	1	2	1	1	1	1	1	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	50
3	3	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	CONNECTICUT.												
1	Total	18,916	3,134	646	313	186	124	4,403	427	254	372	561	741
2	Males	9,709	1,782	320	167	89	66	2,424	236	144	199	273	359
3	Females	9,207	1,352	326	146	97	58	1,979	191	110	173	288	385
4	White	18,414	3,030	618	306	180	122	4,256	411	241	356	534	729
5	Males	9,448	1,714	309	165	87	65	2,340	228	139	189	259	351
6	Females	8,966	1,316	309	141	93	57	1,916	183	102	167	275	378
7	Native	12,739	3,011	613	303	178	119	4,227	396	221	291	397	437
8	Males	6,454	1,705	308	164	86	64	2,327	216	124	151	196	191
9	Females	6,285	1,309	305	139	92	55	1,900	180	97	140	201	246
10	Both parents native	M 2,667 / F 2,716	585 / 399	90 / 72	35 / 32	18 / 23	15 / 9	743 / 535	68 / 63	39 / 29	53 / 41	84 / 68	70 / 90
11	One or both parents foreign	M 3,097 / F 2,940	1,084 / 883	217 / 228	127 / 103	68 / 69	49 / 46	1,545 / 1,329	144 / 116	82 / 66	91 / 98	89 / 129	109 / 141
12	Parentage unknown [1]	M 690 / F 629	36 / 27	1 / 5	2 / 4	---- / ----	---- / ----	39 / 36	4 / 1	3 / 2	7 / 1	23 / 4	12 / 15
13	Foreign	5,523	11	4	3	2	3	23	15	19	64	132	283
14	Males	2,885	5	----	1	1	1	8	12	14	37	60	152
15	Females	2,638	6	4	2	1	2	15	3	5	27	72	131
16	Unknown	152	5	1	----	----	----	6	----	1	1	5	9
17	Males	109	4	1	----	----	----	5	----	1	1	3	8
18	Females	43	1	----	----	----	----	1	----	----	----	2	1
19	Colored	502	104	28	7	6	2	147	16	13	16	27	15
20	Males	261	68	11	2	2	1	84	8	5	10	14	8
21	Females	241	36	17	5	4	1	63	8	8	6	13	7
22	Negro	M 253 / F 238	67 / 35	11 / 17	2 / 5	2 / 4	1 / 1	83 / 62	8 / 8	5 / 8	9 / 5	11 / 13	8 / 7
23	Indian	M 2 / F 1	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	1 / ----	---- / ----	---- / ----
24	Chinese	M 5 / F 1	1 / ----	---- / ----	---- / ----	---- / ----	---- / ----	1 / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----
25	Japanese	M 1 / F 1	---- / 1	---- / ----	---- / ----	---- / ----	---- / ----	---- / 1	---- / ----	---- / ----	1 / ----	---- / ----	---- / ----
26	Other colored	M ---- / F ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----
	DELAWARE.												
27	Total	3,265	597	113	53	34	27	824	57	53	87	107	116
28	Males	1,709	337	52	24	17	19	449	34	25	42	47	55
29	Females	1,556	260	61	29	17	8	375	23	28	45	60	61
30	White	2,593	447	84	44	30	26	631	48	37	48	71	91
31	Males	1,369	253	40	22	17	18	350	33	19	30	33	49
32	Females	1,224	194	44	22	13	8	281	15	18	18	38	51
33	Native	2,240	446	84	43	30	26	629	47	35	47	64	80
34	Males	1,179	252	40	22	17	18	349	32	18	29	23	35
35	Females	1,061	194	44	21	13	8	280	15	17	18	36	45
36	Both parents native	M 844 / F 790	174 / 135	28 / 27	12 / 10	9 / 4	10 / 6	233 / 182	23 / 11	11 / 13	24 / 17	21 / 32	25 / 37
37	One or both parents foreign	M 245 / F 196	70 / 56	12 / 16	9 / 9	8 / 9	6 / 2	105 / 92	8 / 4	7 / 4	5 / 1	4 / 3	9 / 5
38	Parentage unknown [1]	M 90 / F 75	8 / 3	---- / 1	1 / 2	---- / ----	2 / ----	11 / 6	1 / ----	---- / ----	---- / ----	3 / 1	1 / 3
39	Foreign	334	----	----	1	----	----	1	1	2	1	7	11
40	Males	179	----	----	----	----	----	----	1	1	1	5	5
41	Females	155	----	----	1	----	----	1	----	1	----	2	6
42	Unknown	19	1	----	----	----	----	1	----	----	----	----	----
43	Males	11	1	----	----	----	----	1	----	----	----	----	----
44	Females	8	----	----	----	----	----	----	----	----	----	----	----
45	Colored	672	150	29	9	4	1	193	9	16	39	36	25
46	Males	340	84	12	2	----	1	99	1	6	12	14	15
47	Females	332	66	17	7	4	----	94	8	10	27	22	10
48	Negro	M 337 / F 331	84 / 65	12 / 17	2 / 7	---- / 4	1 / ----	99 / 93	1 / 8	6 / 10	12 / 27	14 / 22	15 / 10
49	Indian	M ---- / F ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----
50	Chinese	M ---- / F ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----
51	Japanese	M 1 / F ----	1 / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----
52	Other colored	M 2 / F 1	---- / 1	---- / ----	---- / ----	---- / ----	---- / ----	---- / 1	---- / ----	---- / ----	---- / ----	---- / ----	---- / ----

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
773	831	704	818	1,017	1,086	1,253	1,313	1,360	1,240	926	530	190	49	2	3	1
410	453	414	459	551	609	640	653	632	587	372	206	71	15	.....	2	2
363	378	350	359	466	477	613	660	728	653	554	324	119	34	2	1	3
748	786	742	794	988	1,063	1,232	1,292	1,339	1,223	917	523	188	48	1	3	4
396	433	400	448	535	597	631	646	622	578	367	202	70	15	.....	2	5
352	353	342	346	453	466	601	646	717	645	550	321	118	33	1	1	6
430	391	384	420	510	570	698	748	726	760	600	366	137	29	1	.....	7
226	198	183	220	273	312	345	369	342	345	244	134	50	8	.....	.....	8
204	193	201	200	237	258	353	379	384	415	356	232	87	21	1	.....	9
82	77	70	74	99	129	173	197	220	213	154	87	31	4	.....	.....	10
90	70	75	76	91	101	157	207	237	280	264	164	63	14	1	.....	
116	105	94	122	144	132	116	111	41	37	18	1	.....	.....	.....	.....	11
101	107	103	105	119	127	145	111	61	46	22	6	6	2	.....	.....	
28	16	19	24	30	51	56	61	81	95	72	46	19	4	.....	.....	12
13	16	23	19	27	30	51	61	86	89	70	62	18	5	.....	.....	
309	386	345	367	467	481	522	532	600	452	308	154	45	18	.....	1	13
102	226	208	221	256	274	276	270	273	226	122	66	16	6	.....	.....	14
147	160	137	146	211	207	246	262	327	226	186	88	29	12	.....	1	15
9	9	13	7	11	12	12	12	13	11	9	3	6	1	.....	2	16
8	9	9	7	6	11	10	7	7	7	1	2	4	1	.....	2	17
1	.....	4	.....	5	1	2	5	6	4	8	1	2	.....	.....	.....	18
25	45	22	24	29	23	21	21	21	17	9	7	2	1	1	.....	19
14	20	14	11	16	12	9	7	10	9	5	4	1	.....	.....	.....	20
11	25	8	13	13	11	12	14	11	8	4	3	1	1	1	.....	21
13	20	13	11	16	10	8	7	10	9	5	3	1	.....	.....	.....	22
11	25	8	13	13	11	12	14	11	8	3	3	1	1	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	23
.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
125	126	115	138	137	166	202	236	273	230	163	78	26	4	2	.....	27
68	80	67	81	72	83	123	126	141	98	78	32	6	2	.....	.....	28
57	46	48	57	65	83	79	110	132	132	85	46	20	2	2	.....	29
94	95	90	104	106	134	162	197	243	205	142	66	24	4	1	.....	30
49	61	55	62	57	69	97	107	123	86	66	25	5	2	.....	.....	31
45	34	35	42	49	65	65	90	120	119	76	41	19	2	1	.....	32
73	74	72	77	81	112	129	164	200	171	114	49	18	4	.....	.....	33
34	44	43	45	38	58	79	91	103	74	53	20	4	2	.....	.....	34
39	30	29	32	43	54	50	73	97	97	61	29	14	2	.....	.....	35
27	20	24	29	25	44	57	71	88	56	36	16	3	2	.....	.....	36
34	27	23	20	25	34	41	55	78	77	48	25	9	2	.....	.....	
7	8	12	14	11	9	12	11	5	10	7	1	.....	.....	.....	.....	37
4	3	5	10	10	16	5	11	7	7	7	1	1	.....	.....	.....	
.....	7	7	2	2	5	10	9	10	8	10	3	1	.....	.....	.....	38
1	.....	1	2	8	4	4	7	12	13	6	3	4	.....	.....	.....	
21	21	17	26	22	21	31	32	40	34	24	16	5	.....	1	.....	39
15	17	12	17	17	10	17	16	18	12	10	5	.....	.....	.....	.....	40
6	4	5	9	5	11	14	16	22	22	14	11	5	.....	1	.....	41
.....	.....	1	1	3	1	2	1	3	.....	4	1	1	.....	.....	.....	42
.....	.....	.....	.....	2	1	1	.....	2	.....	3	.....	1	.....	.....	.....	43
.....	.....	1	1	1	.....	1	1	1	.....	1	1	.....	.....	.....	.....	44
31	31	25	34	31	32	40	39	30	25	21	12	2	.....	1	.....	45
19	19	12	19	15	14	26	19	18	12	12	7	1	.....	.....	.....	46
12	12	13	15	16	18	14	20	12	13	9	5	1	.....	1	.....	47
19	18	11	19	15	14	26	18	18	12	12	7	1	.....	.....	.....	48
12	12	13	15	16	18	14	20	12	13	9	5	1	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	FLORIDA.												
1	Total	12,720	1,834	434	164	135	93	2,660	305	256	470	641	642
2	Males	7,007	1,033	230	92	82	49	1,486	166	145	237	363	278
3	Females	5,713	801	204	72	53	44	1,174	139	111	233	338	364
4	White	7,581	1,042	283	119	90	60	1,594	194	136	209	275	396
5	Males	4,255	591	143	59	53	37	883	106	82	125	131	123
6	Females	3,326	451	140	60	32	23	706	88	54	84	141	178
7	Native	6,556	1,030	280	118	87	60	1,575	181	129	195	241	274
8	Males	3,603	581	142	58	57	37	875	99	79	114	110	114
9	Females	2,953	449	138	60	30	23	700	82	50	81	131	160
10	Both parents native (M)	2,373	490	115	47	46	32	730	86	59	70	81	77
	Both parents native (F)	2,058	371	119	52	29	19	590	70	39	63	101	119
11	One or both parents foreign (M)	357	64	18	5	6	3	96	9	10	13	10	14
	One or both parents foreign (F)	306	58	17	5	1	2	83	12	7	4	14	16
12	Parentage unknown [1] (M)	373	27	9	6	5	2	49	4	10	22	19	23
	Parentage unknown [1] (F)	589	20	2	3	.....	2	27	.....	4	9	16	25
13	Foreign	713	1	1	.....	2	.....	4	7	4	14	23	20
14	Males	453	1	.....	.....	.....	.....	1	3	2	11	15	9
15	Females	260	.....	1	.....	2	.....	3	4	2	3	8	11
16	Unknown	312	11	2	1	1	.....	15	6	3	.....	11	12
17	Males	199	9	1	1	1	.....	12	4	1	.....	9	5
18	Females	113	2	1	.....	.....	.....	3	2	2	.....	2	7
19	Colored	5,139	792	151	45	45	33	1,066	111	120	261	366	336
20	Males	2,752	442	87	33	24	12	598	60	63	112	169	159
21	Females	2,387	350	64	12	21	21	468	51	57	140	197	186
22	Negro (M)	2,748	442	87	33	24	12	598	60	63	111	169	159
	Negro (F)	2,386	349	64	12	21	21	467	51	57	149	197	186
23	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	ILLINOIS.												
27	Total	82,296	11,641	2,533	1,156	859	679	16,868	2,096	1,383	2,148	2,913	3,720
28	Males	43,652	6,690	1,341	619	454	362	9,466	1,177	750	1,174	1,339	1,677
29	Females	38,644	4,951	1,192	537	405	317	7,402	919	633	974	1,574	2,043
30	White	78,299	11,145	2,355	1,108	851	666	16,105	2,014	1,309	2,014	2,650	3,433
31	Males	41,526	6,425	1,249	592	441	357	9,064	1,132	719	1,099	1,215	1,640
32	Females	36,773	4,720	1,106	516	390	309	7,041	882	590	915	1,435	1,793
33	Native	55,080	11,087	2,347	1,100	827	662	16,023	1,965	1,250	1,830	2,221	2,617
34	Males	28,787	6,391	1,247	589	437	355	9,019	1,099	685	1,001	1,017	1,126
35	Females	26,293	4,696	1,100	511	390	307	7,004	866	565	829	1,204	1,491
36	Both parents native (M)	14,520	3,580	662	304	232	187	4,965	600	411	543	493	553
	Both parents native (F)	13,466	2,636	587	293	201	161	3,878	503	332	465	636	734
37	One or both parents foreign (M)	10,297	2,579	564	275	198	166	3,782	478	262	352	417	492
	One or both parents foreign (F)	9,496	1,909	496	210	182	140	2,937	347	218	335	491	642
38	Parentage unknown [1] (M)	3,970	232	21	10	7	2	272	21	12	106	107	81
	Parentage unknown [1] (F)	3,331	151	17	8	7	6	189	11	15	29	74	115
39	Foreign	22,248	16	5	7	4	3	35	43	55	167	393	780
40	Males	12,063	10	1	3	4	1	19	30	32	86	179	389
41	Females	10,185	6	4	4	.....	2	16	13	23	81	219	391
42	Unknown	971	42	3	1	.....	1	47	6	4	17	31	36
43	Males	676	24	1	.....	.....	1	26	3	2	12	19	25
44	Females	295	18	2	1	.....	.....	21	3	2	5	12	11
45	Colored	3,997	496	178	48	28	13	763	82	74	134	263	287
46	Males	2,126	265	92	27	13	5	402	45	31	75	124	137
47	Females	1,871	231	86	21	15	8	361	37	43	59	139	150
48	Negro (M)	2,057	261	91	27	13	5	397	44	30	75	122	133
	Negro (F)	1,868	231	85	21	15	8	360	37	43	59	139	150
49	Indian (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	62	3	1	.....	.....	.....	4	1	1	.....	1	4
	Chinese (F)	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
51	Japanese (M)	4	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
620	764	643	734	676	581	688	692	756	629	429	227	69	44	38	156	1
310	399	356	450	416	364	404	396	428	367	221	117	33	24	18	89	2
310	365	287	284	260	217	284	296	328	262	208	110	36	20	20	67	3
297	325	310	382	389	398	506	519	605	517	334	161	43	12	3	66	4
157	172	170	239	245	250	306	300	337	308	169	81	21	7	2	28	5
140	153	140	143	144	148	200	219	268	209	165	80	22	5	1	38	6
255	273	272	306	306	331	413	432	500	410	268	121	33	10	1	30	7
130	143	144	187	187	206	240	243	269	235	131	60	16	6	1	14	8
125	130	128	119	119	125	173	189	231	175	137	61	17	4	.....	16	9
85	93	96	107	113	114	138	135	144	127	61	33	8	2	.....	5	10
87	89	91	79	76	81	93	109	133	98	79	35	9	2	.....	10	
11	13	10	20	21	26	27	26	21	17	8	4	.....	.....	.....	1	
13	11	9	15	19	13	23	18	20	13	13	2	1	.....	.....	.....	11
34	37	38	60	53	66	75	82	104	91	62	23	8	4	1	8	
25	30	28	25	24	31	57	62	78	64	45	24	7	2	.....	6	12
29	34	28	55	66	47	66	67	71	81	53	30	6	2	2	4	13
18	20	20	38	47	28	41	46	44	54	31	17	2	1	1	4	14
11	14	8	17	19	19	25	21	27	27	22	13	4	1	1	.....	15
13	18	10	21	17	20	27	20	34	26	13	10	4	.....	.....	32	16
9	9	6	14	11	16	25	11	24	19	7	4	3	.....	.....	10	17
4	9	4	7	6	4	2	9	10	7	6	6	1	.....	.....	22	18
323	439	333	352	287	183	182	173	151	112	95	66	26	32	35	90	19
153	227	186	211	171	114	98	96	91	59	52	36	12	17	16	61	20
170	212	147	141	116	69	84	77	60	53	43	30	14	15	19	29	21
153	227	185	211	170	114	98	96	91	59	52	36	12	17	15	61	22
170	212	147	141	116	69	84	77	60	53	43	30	14	15	19	29	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	23
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
3,783	3,827	3,454	3,966	4,410	4,839	5,387	5,387	5,605	5,259	3,990	2,213	796	179	23	50	27
1,936	2,057	1,919	2,225	2,487	2,656	2,980	2,878	2,885	2,686	1,898	1,034	319	62	12	35	28
1,847	1,770	1,535	1,741	1,923	2,183	2,407	2,509	2,720	2,573	2,092	1,179	477	117	11	15	29
3,488	3,469	3,142	3,687	4,130	4,621	5,222	5,248	5,486	5,171	3,923	2,183	775	170	17	42	30
1,775	1,843	1,740	2,067	2,330	2,560	2,889	2,809	2,810	2,638	1,865	1,023	311	59	8	30	31
1,713	1,626	1,402	1,620	1,800	2,061	2,333	2,439	2,676	2,533	2,058	1,160	464	111	9	12	32
2,394	2,190	1,916	2,165	2,390	2,620	3,028	2,986	3,025	2,824	2,017	1,127	394	79	4	15	33
1,132	1,054	978	1,124	1,282	1,397	1,618	1,614	1,530	1,456	948	515	155	25	3	9	34
1,202	1,136	938	1,041	1,108	1,223	1,410	1,372	1,495	1,368	1,069	612	239	54	1	6	35
535	510	422	461	532	547	706	788	764	762	550	283	78	10	3	4	36
618	528	396	416	439	491	621	683	788	798	625	349	126	31	1	3	
466	417	413	498	523	593	557	399	298	200	95	40	10	4	.....	1	37
508	488	415	470	498	520	527	372	291	204	129	57	29	6	.....	.....	
131	127	143	165	227	257	355	427	468	494	303	192	67	11	.....	4	38
136	120	127	155	171	203	262	317	416	366	315	206	84	17	.....	3	
1,045	1,216	1,173	1,443	1,657	1,931	2,098	2,166	2,394	2,268	1,869	1,032	371	83	13	11	39
605	743	720	883	980	1,107	1,199	1,122	1,237	1,137	900	498	152	31	5	9	40
440	473	453	560	677	824	899	1,044	1,157	1,131	969	534	219	52	8	2	41
49	63	53	79	83	70	96	96	67	79	37	24	10	8	.....	16	42
38	46	42	60	68	56	72	73	43	45	17	10	4	3	.....	12	43
11	17	11	19	15	14	24	23	24	34	20	14	6	5	.....	4	44
295	358	312	279	280	218	165	139	119	88	67	30	21	9	6	8	45
161	214	179	158	157	96	91	69	75	48	33	11	3	3	4	5	46
134	144	133	121	123	122	74	70	44	40	34	19	13	6	2	3	47
157	205	169	149	150	93	83	68	71	47	33	11	8	3	4	5	48
133	144	133	121	122	122	74	70	44	40	34	19	13	6	2	3	
.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	6	9	9	7	3	7	1	4	1	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	INDIANA.												
1	Total	39,430	5,301	1,073	503	356	251	7,484	839	659	1,099	1,374	1,421
2	Males	20,291	2,982	580	271	181	128	4,142	463	337	540	610	621
3	Females	19,139	2,319	493	232	175	123	3,342	376	322	559	764	803
4	White	37,623	5,032	1,006	488	343	244	7,113	792	630	1,010	1,254	1,325
5	Males	19,342	2,838	542	265	176	122	3,943	440	323	500	547	565
6	Females	18,281	2,194	464	223	167	122	3,170	352	307	510	707	760
7	Native	33,776	5,014	1,002	486	339	243	7,084	783	620	990	1,168	1,196
8	Males	17,099	2,823	538	264	174	122	3,921	435	319	486	500	484
9	Females	16,677	2,191	464	222	165	121	3,163	348	301	504	668	712
10	Both parents native	M. 12,212	2,395	468	234	146	106	3,349	379	280	433	435	398
		F. 12,054	1,849	401	198	143	103	2,694	294	272	437	557	568
11	One or both parents foreign	M. 2,344	362	66	26	26	14	494	44	36	40	51	58
		F. 2,276	296	57	22	19	16	410	48	22	49	72	90
12	Parentage unknown [1]	M. 2,543	66	4	4	2	2	78	12	3	13	14	28
		F. 2,347	46	6	2	3	2	59	6	7	18	39	54
13	Foreign	3,546	6	.....	1	2	1	10	6	9	16	77	118
14	Males	2,044	4	.....	1	.....	.....	5	5	3	10	40	74
15	Females	1,502	2	.....	.....	2	1	5	1	6	6	37	44
16	Unknown	301	12	4	1	2	.....	19	3	1	4	9	11
17	Males	199	11	4	.....	2	.....	17	.....	1	4	7	7
18	Females	102	1	.....	1	.....	.....	2	3	.....	.....	2	4
19	Colored	1,807	269	67	15	13	7	371	47	29	89	120	99
20	Males	949	144	38	6	5	6	199	23	14	40	63	56
21	Females	858	125	29	9	8	1	172	24	15	49	57	43
22	Negro	M. 944	144	38	6	5	6	199	23	14	40	61	56
		F. 858	125	29	9	8	1	172	24	15	49	57	43
23	Indian	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese	M. 3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	KANSAS.												
27	Total	20,267	2,898	578	309	184	150	4,119	481	378	589	672	718
28	Males	10,771	1,658	304	165	95	73	2,295	268	186	319	302	310
29	Females	9,496	1,240	274	144	89	77	1,824	213	192	270	370	403
30	White	19,038	2,726	536	295	167	146	3,870	464	358	528	619	656
31	Males	10,131	1,557	287	160	88	71	2,163	258	177	294	279	284
32	Females	8,907	1,169	249	135	79	75	1,707	206	181	234	340	372
33	Native	16,141	2,709	526	291	166	142	3,834	450	348	499	557	595
34	Males	8,420	1,546	281	158	87	68	2,140	248	173	276	238	255
35	Females	7,721	1,163	245	133	79	74	1,694	202	175	223	319	340
36	Both parents native	M. 5,145	1,257	239	137	74	58	1,765	209	138	206	170	174
		F. 4,922	967	201	116	68	62	1,414	168	141	180	222	237
37	One or both parents foreign	M. 1,259	230	31	14	10	6	291	28	26	52	34	49
		F. 1,205	152	39	12	9	7	219	26	30	26	54	61
38	Parentage unknown [1]	M. 2,016	59	11	7	3	4	84	11	9	18	34	32
		F. 1,594	44	5	5	2	5	61	8	4	17	43	42
39	Foreign	2,515	5	5	3	1	3	17	6	7	18	51	47
40	Males	1,434	1	4	1	1	3	10	3	2	9	33	22
41	Females	1,081	4	1	2	.....	.....	7	3	5	9	18	25
42	Unknown	382	12	5	1	.....	1	19	8	3	11	11	14
43	Males	277	10	2	1	.....	.....	13	7	2	9	8	7
44	Females	105	2	3	.....	.....	1	6	1	1	2	3	7
45	Colored	1,229	172	42	14	17	4	249	17	20	61	53	62
46	Males	640	101	17	5	7	2	132	10	9	25	23	26
47	Females	589	71	25	9	10	2	117	7	11	36	30	36
48	Negro	M. 619	98	17	4	7	1	127	10	9	21	21	24
		F. 570	62	25	9	9	1	106	7	9	35	30	34
49	Indian	M. 12	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1
		F. 12	6	.....	.....	.....	1	7	.....	1	1	.....	.....
50	Chinese	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M. 8	3	.....	1	.....	1	5	.....	.....	1	1	.....
		F. 7	3	.....	.....	1	.....	4	.....	1	.....	.....	2

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,523	1,585	1,447	1,602	1,826	2,016	2,554	3,113	3,295	3,380	2,356	1,311	407	84	18	34	1
655	777	738	806	943	1,071	1,374	1,683	1,737	1,749	1,175	609	190	38	8	25	2
868	808	709	796	883	945	1,180	1,430	1,558	1,631	1,181	702	217	46	10	9	3
1,430	1,457	1,329	1,474	1,702	1,930	2,464	3,037	3,218	3,336	2,320	1,287	397	81	11	26	4
695	710	677	733	874	1,028	1,330	1,643	1,701	1,725	1,156	596	185	37	5	19	5
825	747	652	741	828	902	1,134	1,394	1,517	1,611	1,164	691	212	44	6	7	6
1,287	1,275	1,164	1,303	1,511	1,740	2,215	2,665	2,713	2,754	1,886	1,022	315	62	4	19	7
516	580	563	603	742	920	1,187	1,431	1,425	1,415	914	472	141	30	3	12	8
771	695	601	700	769	820	1,028	1,234	1,288	1,339	972	550	174	32	1	7	9
395	437	399	411	444	578	727	886	878	872	539	271	80	13	1	7	
608	524	454	490	507	516	649	780	815	837	584	341	105	17	1	4	10
80	89	85	117	158	185	219	227	175	144	93	39	6	2	1	1	
94	89	90	127	160	178	192	211	151	150	95	39	7	2	.....	.....	11
41	54	79	75	140	157	241	318	372	399	282	162	55	15	1	4	
69	82	57	82	102	126	187	243	322	352	293	170	62	13	.....	3	12
131	168	153	159	170	167	226	338	468	560	418	251	76	16	6	3	13
70	119	106	121	117	90	127	189	255	298	233	121	41	6	2	3	14
52	49	47	38	53	77	99	149	213	262	185	130	35	10	4	.....	15
12	14	12	12	21	23	23	34	37	22	16	14	6	3	1	4	16
10	11	8	9	15	18	16	23	21	12	9	3	3	1	.....	4	17
2	3	4	3	6	5	7	11	16	10	7	11	3	2	1	.....	18
93	128	118	128	124	86	90	76	77	44	36	24	10	3	7	8	19
50	67	61	73	69	43	44	40	36	24	19	13	5	1	3	6	20
43	61	57	55	55	43	46	36	41	20	17	11	5	2	4	2	21
50	67	61	72	69	42	44	40	35	24	19	13	5	1	3	6	
43	61	57	55	55	43	46	36	41	20	17	11	5	2	4	2	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
783	769	730	713	804	956	1,221	1,386	1,687	1,813	1,346	735	254	63	10	35	27
354	378	377	359	424	494	645	757	947	1,056	710	398	131	29	3	29	28
434	391	353	354	380	462	576	629	740	757	636	337	123	34	7	6	29
733	699	663	645	743	874	1,160	1,312	1,627	1,745	1,300	718	235	57	4	28	30
329	348	343	323	383	452	613	723	915	1,011	680	387	120	25	1	23	31
404	351	320	322	360	422	547	589	712	734	620	331	115	32	3	5	32
664	624	565	541	616	707	937	1,040	1,226	1,303	916	513	160	36	4	6	33
294	301	274	257	302	357	481	560	681	739	464	281	78	16	1	4	34
370	323	291	284	314	350	456	480	545	564	452	232	82	20	3	2	35
166	187	159	144	166	167	229	284	313	299	208	122	29	8	1	1	
227	211	172	167	189	198	231	250	277	272	222	97	35	9	3	.....	36
70	68	58	57	58	70	91	87	76	71	46	20	7	.....	.....	.....	
93	63	76	61	55	71	101	59	53	72	44	25	15	1	.....	.....	37
58	46	57	56	78	120	161	189	292	369	210	139	42	8	.....	3	
50	49	43	56	70	81	124	171	215	220	186	110	32	10	.....	2	38
61	65	77	81	106	149	189	241	366	402	354	192	66	18	.....	2	39
27	38	51	47	65	82	105	144	210	241	197	99	39	8	.....	2	40
34	27	26	34	41	67	84	97	156	161	157	93	27	10	.....	.....	41
8	10	21	23	21	18	34	31	35	40	30	13	9	3	.....	20	42
8	9	18	19	16	13	27	19	24	31	19	7	3	1	.....	17	43
.....	1	3	4	5	5	7	12	11	9	11	6	6	2	.....	3	44
55	70	67	68	61	82	61	74	60	68	46	17	19	6	6	7	45
25	30	34	36	41	42	32	34	32	45	30	11	11	4	2	6	46
30	40	33	32	20	40	29	40	28	23	16	6	8	2	4	1	47
25	27	34	36	41	41	31	33	32	44	29	11	11	4	2	6	
30	40	33	32	20	39	28	39	28	23	16	6	8	2	4	1	48
.....	2	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	KENTUCKY.												
1	Total	28,564	4,597	1,083	514	326	239	6,759	805	606	1,008	1,329	1,244
2	Males	14,475	2,573	567	264	146	131	3,681	418	308	499	590	508
3	Females	14,089	2,024	516	250	180	108	3,078	387	298	509	739	736
4	White	24,004	4,025	955	455	286	216	5,937	711	497	789	1,021	1,001
5	Males	12,213	2,264	505	234	132	119	3,254	373	267	403	462	397
6	Females	11,791	1,761	450	221	154	97	2,683	338	230	386	559	604
7	Native	22,656	4,007	949	453	286	214	5,909	702	492	782	1,004	974
8	Males	11,495	2,256	503	232	132	117	3,240	368	266	399	443	382
9	Females	11,161	1,751	446	221	154	97	2,669	334	226	383	561	592
10	Both parents native (M.)	9,542	2,180	499	226	130	111	3,146	360	257	362	390	341
	Both parents native (F.)	9,287	1,672	434	213	149	91	2,559	323	217	360	511	510
11	One or both parents foreign (M.)	627	33	3	3	1	4	44	2	2	11	16	14
	One or both parents foreign (F.)	669	36	5	6	3	1	51	4	6	8	17	35
12	Parentage unknown[1] (M.)	1,326	43	1	3	1	2	50	6	7	26	37	27
	Parentage unknown[1] (F.)	1,205	43	7	2	2	5	59	7	3	15	33	47
13	Foreign	1,015	.....	.....	.....	.....	.....	.....	2	3	1	7	8
14	Males	512	.....	.....	.....	.....	.....	.....	1	.....	.....	2	5
15	Females	503	.....	.....	.....	.....	.....	.....	1	3	1	5	3
16	Unknown	333	18	6	2	.....	2	28	7	2	6	10	19
17	Males	206	8	2	2	.....	2	14	4	1	4	7	10
18	Females	127	10	4	.....	.....	.....	14	3	1	2	3	9
19	Colored	4,560	572	128	59	40	23	822	94	109	219	308	243
20	Males	2,262	309	62	30	14	12	427	45	41	96	138	111
21	Females	2,298	263	66	29	26	11	395	49	68	123	170	132
22	Negro (M.)	2,262	309	62	30	14	12	427	45	41	96	138	111
	Negro (F.)	2,298	263	66	29	26	11	395	49	68	123	170	132
23	Indian (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	LOUISIANA.												
27	Total	21,553	3,203	643	294	226	161	4,527	591	553	906	1,275	1,261
28	Males	11,145	1,745	348	144	112	82	2,431	325	310	434	599	539
29	Females	10,408	1,458	295	150	114	79	2,096	266	243	472	676	722
30	White	10,805	1,618	365	176	124	96	2,379	310	253	330	454	493
31	Males	5,864	892	202	89	65	50	1,298	181	156	177	223	232
32	Females	4,941	726	163	87	59	46	1,081	129	97	153	231	261
33	Native	9,436	1,595	354	171	119	91	2,330	300	245	318	417	451
34	Males	5,061	880	195	86	61	47	1,269	177	150	160	194	209
35	Females	4,375	715	159	85	58	44	1,061	123	95	149	223	214
36	Both parents native (M.)	3,374	770	179	78	55	40	1,122	150	127	141	145	159
	Both parents native (F.)	2,945	626	136	75	51	40	928	110	80	127	176	186
37	One or both parents foreign (M.)	817	64	12	4	3	2	85	19	12	10	17	20
	One or both parents foreign (F.)	740	60	16	5	7	3	91	9	8	7	25	20
38	Parentage unknown[1] (M.)	870	46	4	4	3	5	62	8	11	18	32	24
	Parentage unknown[1] (F.)	690	29	7	5	.....	1	42	4	7	15	23	33
39	Foreign	1,074	2	3	.....	1	1	7	3	2	6	23	30
40	Males	605	1	3	.....	1	.....	5	1	1	4	16	22
41	Females	469	1	.....	.....	.....	1	2	2	1	2	7	8
42	Unknown	295	21	8	5	4	4	42	7	6	6	14	12
43	Males	198	11	4	3	3	3	24	3	5	4	13	7
44	Females	97	10	4	2	1	1	18	4	1	2	1	5
45	Colored	10,748	1,585	278	118	102	65	2,148	281	300	576	821	768
46	Males	5,281	853	146	55	47	32	1,133	144	154	257	376	307
47	Females	5,467	732	132	63	55	33	1,015	137	146	319	445	461
48	Negro (M.)	5,258	850	146	55	47	32	1,130	144	153	254	375	306
	Negro (F.)	5,464	732	132	63	55	33	1,015	137	146	319	444	461
49	Indian (M.)	10	2	.....	.....	.....	.....	2	.....	1	2	1	.....
	Indian (F.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M.)	9	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M.)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,155	1,152	1,051	1,178	1,225	1,412	1,603	1,790	2,004	1,777	1,266	672	259	69	40	160	1
483	552	508	620	628	729	859	964	1,058	887	640	307	118	23	12	83	2
672	600	543	558	597	683	744	826	946	890	626	365	141	46	28	77	3
914	871	785	899	927	1,162	1,361	1,589	1,785	1,621	1,153	600	214	56	16	90	4
371	411	383	468	469	595	732	861	936	809	590	271	101	15	7	48	5
543	460	402	431	458	567	629	728	849	812	563	329	113	41	9	42	6
902	849	754	858	873	1,086	1,248	1,452	1,572	1,388	980	522	176	50	15	68	7
362	393	369	440	435	546	660	781	817	700	516	241	82	14	6	35	8
540	456	395	418	438	540	588	671	755	688	464	281	94	36	9	33	9
304	320	293	337	304	380	462	567	601	503	367	150	53	8	4	27	10
463	381	316	319	320	406	420	478	554	507	307	207	74	24	5	26	
20	33	34	52	63	78	89	72	45	24	17	10	1	.....	.....	.....	11
24	31	32	51	66	74	78	75	51	33	20	9	1	1	.....	2	
38	40	42	51	68	82	109	142	171	173	132	81	28	6	2	8	12
53	44	37	48	52	60	90	118	150	148	137	65	19	11	4	5	
7	12	20	27	30	62	85	100	176	203	157	72	35	5	.....	3	13
6	12	8	18	18	37	52	54	94	94	61	29	17	1	.....	3	14
1	.....	12	9	12	25	33	46	82	109	96	43	18	4	.....	.....	15
5	10	11	14	24	14	28	37	37	30	21	6	3	1	1	19	16
3	6	6	10	16	12	20	26	25	15	13	1	2	.....	1	10	17
2	4	5	4	8	2	8	11	12	15	8	5	1	1	.....	9	18
241	231	266	279	298	250	242	201	219	156	108	72	45	13	24	70	19
112	141	125	152	159	134	127	103	122	78	50	36	17	8	5	35	20
129	140	141	127	139	116	115	98	97	78	58	36	28	5	19	35	21
112	141	125	152	159	134	127	103	122	78	50	36	17	8	5	35	22
129	140	141	127	139	116	115	98	97	78	58	36	28	5	19	35	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,169	1,247	1,067	1,219	1,150	963	1,127	1,127	1,030	902	643	411	188	73	80	44	27
570	631	521	685	660	543	638	599	560	437	300	195	79	28	24	31	28
599	616	546	534	484	420	489	528	470	465	343	216	109	45	56	13	29
527	531	479	557	561	587	712	704	660	562	385	203	73	23	8	14	30
287	280	240	336	353	355	418	389	364	262	178	87	24	11	3	10	31
240	251	239	221	208	232	294	315	296	300	207	116	49	12	5	4	32
472	479	425	495	477	480	591	575	526	389	261	124	49	18	6	8	33
251	244	214	291	293	279	331	310	286	185	126	56	17	9	2	5	34
221	235	211	204	184	201	260	265	240	204	135	68	32	9	4	3	35
177	166	151	143	146	138	137	150	131	91	53	31	9	4	.....	3	36
156	174	137	125	84	97	116	121	115	106	55	32	13	6	1	1	
31	47	35	96	90	80	110	64	54	24	18	4	1	.....	.....	.....	37
23	25	35	42	64	69	95	90	51	27	26	15	5	3	.....	1	
43	31	23	52	57	61	84	96	101	70	55	21	7	5	2	2	38
42	36	39	37	36	35	49	54	74	71	54	21	14	.....	3	1	
38	35	41	51	62	86	100	112	120	154	109	67	22	5	1	.....	39
26	20	18	37	42	59	68	68	70	70	44	26	6	2	.....	.....	40
12	15	23	14	20	27	32	44	50	84	65	41	16	3	1	.....	41
17	17	13	11	22	21	21	17	14	19	15	12	2	.....	1	6	42
10	16	8	8	18	17	19	11	8	7	8	5	1	.....	1	5	43
7	1	5	3	4	4	2	6	6	12	7	7	1	.....	.....	1	44
642	716	588	662	589	376	415	423	370	340	258	208	115	50	72	30	45
283	351	281	349	313	188	220	210	196	175	122	108	55	17	21	21	46
359	365	307	313	276	188	195	213	174	165	136	100	60	33	51	9	47
283	350	281	345	312	186	218	209	196	174	122	107	55	17	21	20	48
359	365	307	313	276	187	195	213	174	165	136	100	59	33	51	9	
.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
.....	.....	.....	4	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), I TS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	MAINE.												
1	Total	11,872	1,761	254	119	88	53	2,275	174	132	245	287	310
2	Males	6,136	995	138	72	45	26	1,276	96	76	143	125	135
3	Females	5,736	766	116	47	43	27	999	78	56	102	162	175
4	White	11,833	1,757	253	119	87	53	2,269	174	132	244	284	303
5	Males	6,111	993	137	72	44	26	1,272	96	76	143	123	133
6	Females	5,722	764	116	47	43	27	997	78	56	101	161	175
7	Native	9,915	1,745	249	117	85	50	2,246	168	122	209	253	243
8	Males	5,098	986	134	70	43	24	1,257	92	72	123	109	102
9	Females	4,817	759	115	47	42	26	989	76	50	86	144	141
10	Both parents native	M 3,599	599	84	42	29	15	769	53	43	73	63	69
		F 3,495	465	75	30	28	16	614	39	30	59	77	93
11	One or both parents foreign	M 1,053	359	43	28	13	9	457	39	24	39	39	30
		F 991	278	39	16	14	9	356	37	19	27	62	41
12	Parentage unknown [1]	M 446	28	2		1		31			11	7	3
		F 331	16	1	1		1	19		1		5	7
13	Foreign	1,797	11	4	2	2	3	22	6	10	33	28	64
14	Males	924	6	3	2	1	2	14	4	4	18	12	31
15	Females	873	5	1		1	1	8	2	6	15	16	33
16	Unknown	121	1					1			2	3	1
17	Males	89	1					1			2	2	
18	Females	32										1	1
19	Colored	39	4	1		1		6			1	3	2
20	Males	25	2	1		1		4				2	2
21	Females	14	2					2			1	1	
22	Negro	M 19	1	1		1		3				1	
		F 12	2					2			1	1	
23	Indian	M 3	1					1					1
		F 2											
24	Chinese	M											
		F											
25	Japanese	M 1											
		F											
26	Other colored	M 2										1	1
		F											
	MARYLAND.												
27	Total	21,362	3,768	655	284	182	111	5,000	418	310	542	841	836
28	Males	10,815	2,108	327	148	100	50	2,733	225	164	229	374	412
29	Females	10,547	1,660	328	136	82	61	2,267	193	146	313	467	474
30	White	16,152	2,657	460	188	131	82	3,518	316	220	325	560	597
31	Males	8,218	1,464	225	98	73	39	1,899	176	124	150	252	237
32	Females	7,934	1,193	235	90	58	43	1,619	140	96	175	308	310
33	Native	13,892	2,644	459	187	131	81	3,502	312	216	306	498	529
34	Males	7,017	1,460	224	97	73	38	1,892	174	121	140	217	213
35	Females	6,875	1,184	235	90	58	43	1,610	138	95	166	281	236
36	Both parents native	M 4,821	1,172	173	83	55	27	1,510	127	100	101	151	182
		F 4,817	933	173	70	41	33	1,250	111	77	131	207	207
37	One or both parents foreign	M 1,457	240	45	13	17	11	326	43	16	24	38	37
		F 1,392	215	60	16	17	9	317	26	16	32	52	61
38	Parentage unknown [1]	M 739	48	6	1	1		56	4	5	15	28	24
		F 666	36	2	4		1	43	1	2	3	22	18
39	Foreign	2,107	1					1	3	4	17	57	64
40	Males	1,100							2	3	8	31	40
41	Females	1,007	1					1	1	1	9	26	24
42	Unknown	153	12	1	1		1	15	1		2	5	4
43	Males	101	4	1	1		1	7			2	4	4
44	Females	52	8					8	1			1	
45	Colored	5,210	1,111	195	96	51	29	1,482	102	90	217	281	289
46	Males	2,597	644	102	50	27	11	834	49	40	79	122	125
47	Females	2,613	467	93	46	24	18	648	53	50	138	159	164
48	Negro	M 2,585	643	102	50	26	11	832	49	40	79	122	122
		F 2,613	467	93	46	24	18	648	53	50	138	159	164
49	Indian	M 1											
		F											
50	Chinese	M 8	1			1		2					1
		F											
51	Japanese	M 3											2
		F											
52	Other colored	M											
		F											

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
353	401	302	416	516	643	805	977	1,094	1,152	920	558	169	42	6	35	1
148	194	180	219	280	344	418	534	573	612	432	235	69	18	4	25	2
205	207	182	197	236	299	387	443	521	540	488	323	100	24	2	10	3
352	398	353	416	514	640	801	977	1,091	1,149	918	557	169	42	5	35	4
147	191	178	219	279	342	416	534	571	610	432	234	69	18	3	25	5
205	207	180	197	235	298	385	443	520	539	486	323	100	24	2	10	6
260	286	269	296	377	490	636	798	886	942	777	470	140	33	2	12	7
111	138	134	153	198	251	328	432	467	505	356	193	57	13	1	6	8
149	148	135	143	179	239	308	366	419	437	421	277	83	20	1	6	9
73	91	99	97	141	188	261	327	368	396	277	147	46	10	.....	3	
91	99	94	114	137	178	228	287	333	354	350	226	70	16	1	5	10
30	34	28	39	37	38	47	52	37	32	27	16	7	.....	1	.....	
52	41	35	20	31	50	50	44	46	38	24	11	5	1	.....	1	11
8	13	7	17	20	25	20	53	62	77	52	30	4	3	.....	3	
6	8	6	9	11	11	30	35	40	45	47	40	8	3	.....	.....	12
90	108	83	112	129	141	151	166	191	196	134	86	29	9	3	6	13
34	50	38	61	76	84	77	95	97	95	72	40	12	5	2	3	14
56	58	45	51	53	57	74	71	94	101	62	46	17	4	1	3	15
2	4	6	8	8	9	14	13	14	11	7	1	.....	.....	.....	17	16
2	3	6	5	5	7	11	7	7	10	4	1	.....	.....	.....	16	17
.....	1	.....	3	3	2	3	6	7	1	3	.....	.....	.....	.....	1	18
1	3	4	.....	2	3	4	.....	3	3	2	1	.....	.....	1	.....	19
1	3	2	.....	1	2	2	.....	2	2	.....	1	.....	.....	1	.....	20
.....	.....	2	.....	1	1	2	.....	1	1	2	.....	.....	.....	.....	.....	21
.....	3	2	.....	1	1	2	.....	2	2	.....	1	.....	.....	1	.....	
.....	.....	2	.....	.....	1	2	.....	1	1	1	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
894	914	842	1,008	1,197	1,200	1,399	1,474	1,529	1,328	870	455	159	36	12	48	27
422	451	403	526	638	637	731	801	768	627	389	176	56	13	4	36	28
472	463	439	482	559	563	668	673	761	701	481	279	103	23	8	12	29
631	617	589	710	860	960	1,144	1,226	1,328	1,184	780	404	133	25	3	22	30
304	311	292	373	469	515	606	670	662	545	347	161	45	8	2	20	31
327	306	297	337	391	445	538	556	666	639	433	243	88	17	1	2	32
547	526	490	590	681	776	944	978	1,055	934	602	289	96	16	1	4	33
259	264	234	304	346	406	504	521	526	433	269	120	34	6	.....	4	34
288	262	256	286	335	370	440	457	529	501	333	169	62	10	1	.....	35
173	174	159	183	209	240	271	330	338	288	187	70	25	2	.....	1	
208	190	172	191	213	217	252	288	368	337	234	116	43	5	.....	.....	36
50	62	52	78	97	121	173	123	108	71	19	16	1	1	.....	1	
57	49	49	68	94	115	128	110	83	62	45	19	7	2	.....	.....	37
36	28	23	43	40	45	60	68	80	74	63	34	8	3	.....	2	
23	23	35	27	28	38	60	59	78	102	54	34	12	3	1	.....	38
70	85	93	111	165	175	190	234	262	239	168	110	36	9	2	3	39
41	43	53	63	111	103	95	140	128	107	74	40	11	2	2	3	40
38	42	40	48	54	72	95	94	134	132	94	70	25	7	.....	.....	41
5	6	6	9	14	9	10	14	11	11	10	5	1	.....	.....	15	42
4	4	5	6	12	6	7	9	8	5	4	1	.....	.....	.....	13	43
1	2	1	3	2	3	3	5	3	6	6	4	1	.....	.....	2	44
263	207	253	298	337	240	255	248	201	144	90	51	26	11	9	26	45
118	140	111	153	169	122	125	131	106	82	42	15	11	5	2	16	46
145	157	142	145	168	118	130	117	95	62	48	36	15	6	7	10	47
117	139	111	152	167	121	125	130	106	82	42	15	11	5	2	16	
145	157	142	145	168	118	130	117	95	62	48	36	15	6	7	10	48
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 9 years.	20 to 24 years.	25 yo s.
	REGISTRATION STATES—Continued.												
	MASSACHUSETTS.												
1	Total	53,498	8,337	1,730	723	521	378	11,689	1,132	696	960	1,411	1,875
2	Males	26,572	4,789	914	382	280	192	6,557	609	375	467	624	872
3	Females	26,926	3,548	816	341	241	186	5,132	523	321	493	787	1,003
4	White	52,438	8,171	1,659	710	503	370	11,413	1,105	680	927	1,364	1,817
5	Males	26,023	4,691	883	376	271	190	6,411	592	366	454	605	844
6	Females	26,415	3,480	776	334	232	180	5,002	513	314	473	759	973
7	Native	35,447	8,130	1,635	702	498	364	11,329	1,058	620	784	998	1,166
8	Males	17,819	4,662	870	372	269	186	6,359	563	333	331	455	537
9	Females	17,628	3,468	765	330	229	178	4,970	495	287	403	543	629
10	Both parents native (M)	8,238	1,698	234	114	78	66	2,190	197	113	126	177	191
	Both parents native (F)	8,472	1,201	197	95	60	52	1,605	165	97	140	191	230
11	One or both parents foreign (M)	8,265	2,780	617	254	188	119	3,958	362	214	232	268	329
	One or both parents foreign (F)	7,817	2,139	561	232	166	125	3,223	327	190	253	333	389
12	Parentage unknown [1] (M)	1,316	184	19	4	3	1	211	4	6	16	10	17
	Parentage unknown [1] (F)	1,339	128	7	3	3	1	142	3	.....	5	14	21
13	Foreign	16,755	26	21	8	5	6	66	46	57	143	361	649
14	Males	8,049	17	12	4	2	4	39	28	31	73	146	293
15	Females	8,706	9	9	4	3	2	27	18	26	70	215	342
16	Unknown	236	15	3	.....	.....	.....	18	1	3	.....	5	11
17	Males	155	12	1	.....	.....	.....	13	1	2	.....	4	9
18	Females	81	3	2	.....	.....	.....	5	.....	1	.....	1	2
19	Colored	1,060	166	71	13	18	8	276	27	16	33	47	68
20	Males	549	98	31	6	9	2	146	17	9	13	19	23
21	Females	511	68	40	7	9	6	130	10	7	20	23	30
22	Negro (M)	495	97	31	6	9	2	145	17	8	13	19	24
	Negro (F)	498	65	40	7	9	6	127	10	7	20	23	30
23	Indian (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian (F)	10	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
24	Chinese (M)	46	1	.....	.....	.....	.....	1	.....	1	.....	.....	3
	Chinese (F)	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.												
27	Total	51,549	8,504	1,729	785	576	437	12,031	1,410	855	1,356	1,945	2,442
28	Males	27,392	4,847	918	401	296	230	6,692	730	460	720	939	1,147
29	Females	24,157	3,657	811	384	280	207	5,339	680	395	627	1,006	1,297
30	White	49,334	8,245	1,654	763	561	422	11,645	1,373	827	1,290	1,735	2,273
31	Males	26,371	4,717	873	391	289	223	6,493	713	445	634	841	1,034
32	Females	23,463	3,528	781	372	272	199	5,152	660	382	656	944	1,239
33	Native	35,696	8,187	1,626	750	552	412	11,527	1,319	772	1,149	1,466	1,624
34	Males	18,425	4,680	856	387	285	217	6,425	683	415	600	677	656
35	Females	17,271	3,507	770	363	267	195	5,102	636	357	549	789	968
36	Both parents native (M)	9,277	2,661	432	199	151	108	3,551	368	209	331	315	303
	Both parents native (F)	8,550	1,970	399	190	128	97	2,784	328	195	281	335	454
37	One or both parents foreign (M)	6,794	1,882	416	184	131	108	2,721	307	193	246	322	294
	One or both parents foreign (F)	6,502	1,444	360	173	137	97	2,211	302	153	245	343	417
38	Parentage unknown [1] (M)	2,354	137	8	4	3	1	153	8	13	23	40	59
	Parentage unknown [1] (F)	2,219	93	11	.....	2	1	107	6	4	23	61	97
39	Foreign	13,320	34	19	10	7	8	78	51	53	129	277	606
40	Males	7,319	20	10	3	3	5	41	29	29	75	136	346
41	Females	6,001	14	9	7	4	3	37	22	24	54	141	260
42	Unknown	818	24	9	3	2	2	40	3	2	12	42	43
43	Males	627	17	7	1	1	1	27	1	1	9	28	32
44	Females	191	7	2	2	1	1	13	2	1	3	14	11
45	Colored	1,715	259	75	22	15	15	386	37	23	66	160	169
46	Males	1,021	130	45	10	7	7	199	17	15	45	93	111
47	Females	694	129	30	12	8	8	187	20	13	21	62	53
48	Negro (M)	925	116	38	9	6	4	173	11	13	39	96	103
	Negro (F)	604	113	29	9	4	5	160	16	10	17	56	52
49	Indian (M)	82	14	7	1	1	3	26	6	2	6	.....	8
	Indian (F)	87	14	1	3	4	3	25	4	3	4	6	5
50	Chinese (M)	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	Chinese (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,897	2,025	2,051	2,499	2,949	3,181	3,722	4,043	4,217	3,796	2,921	1,670	602	133	15	14	1
883	1,016	1,049	1,309	1,511	1,615	1,910	1,990	2,008	1,701	1,184	624	204	50	3	11	2
1,014	1,009	1,002	1,190	1,438	1,566	1,812	2,053	2,209	2,095	1,737	1,046	398	83	12	3	3
1,849	1,969	1,978	2,420	2,897	3,103	3,668	3,995	4,179	3,758	2,901	1,659	599	128	15	14	4
855	988	1,007	1,263	1,479	1,571	1,885	1,967	1,987	1,690	1,174	622	202	47	3	11	5
994	981	971	1,157	1,418	1,532	1,783	2,028	2,192	2,068	1,727	1,037	397	81	12	3	6
1,065	1,006	1,045	1,212	1,457	1,610	2,062	2,176	2,280	2,166	1,799	1,104	419	78	7	6	7
493	493	503	603	707	821	1,084	1,116	1,135	966	707	397	130	31	1	4	8
572	513	542	609	750	789	978	1,060	1,145	1,200	1,092	707	289	47	6	2	9
201	200	208	245	311	407	556	674	785	706	537	293	94	25	1	1	10
228	224	223	234	320	400	478	643	762	884	840	543	216	33	6	1	
263	263	271	318	351	336	411	306	184	114	44	23	8	1	.....	2	11
316	267	293	337	361	334	387	299	222	151	82	47	13	2	.....	1	
29	30	24	40	45	78	117	136	166	146	126	81	28	5	.....	1	12
28	22	26	38	69	55	113	118	161	165	170	117	60	12	.....	.....	
776	949	919	1,193	1,421	1,482	1,579	1,800	1,877	1,578	1,087	546	176	50	7	2	13
355	483	493	649	761	745	783	839	841	714	460	222	70	16	1	2	14
421	466	426	544	660	737	796	961	1,036	864	627	324	106	34	6	.....	15
8	14	14	15	19	11	27	19	22	14	15	9	4	.....	1	6	16
7	12	11	11	11	5	18	12	11	10	7	3	2	.....	1	5	17
1	2	3	4	8	6	9	7	11	4	8	6	2	.....	.....	1	18
48	56	73	79	52	78	54	48	38	38	20	11	3	5	.....	.....	19
28	28	42	46	32	44	25	23	21	11	10	2	2	3	.....	.....	20
20	28	31	33	20	34	29	25	17	27	10	9	1	2	.....	.....	21
26	24	33	39	24	37	21	20	19	10	9	2	2	3	.....	.....	22
20	27	28	33	19	33	29	25	16	27	10	7	1	1	.....	.....	
.....	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	23
.....	1	2	.....	.....	1	.....	.....	1	.....	.....	2	.....	1	.....	.....	
.....	2	8	7	7	7	4	3	2	.....	1	.....	.....	.....	.....	.....	24
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2,304	2,230	1,900	2,015	2,148	2,513	3,108	3,314	3,605	3,622	2,601	1,458	490	82	28	32	27
1,212	1,199	1,044	1,071	1,132	1,393	1,694	1,837	1,946	1,864	1,288	721	221	36	15	24	28
1,152	1,031	856	944	1,016	1,120	1,414	1,477	1,659	1,758	1,313	737	269	46	13	8	29
2,217	2,004	1,794	1,917	2,082	2,454	3,060	3,264	3,558	3,586	2,582	1,448	482	82	20	31	30
1,126	1,081	970	1,003	1,094	1,359	1,675	1,807	1,921	1,843	1,276	716	218	36	12	24	31
1,091	983	824	914	988	1,095	1,385	1,457	1,637	1,743	1,306	732	264	46	8	7	32
1,478	1,320	1,135	1,213	1,247	1,471	1,862	1,902	1,957	1,948	1,318	705	225	44	5	9	33
668	622	564	580	626	775	984	1,080	1,041	942	641	322	93	22	3	6	34
810	698	571	633	621	696	878	822	916	1,006	677	383	132	22	2	3	35
301	291	270	228	264	334	421	526	538	495	306	169	48	8	.....	1	36
353	290	255	247	259	276	385	409	454	523	371	221	69	8	2	1	
304	255	208	250	235	286	347	278	198	170	119	48	5	5	1	2	37
382	320	237	282	280	269	306	219	194	184	86	50	13	2	.....	2	
93	76	86	102	127	155	216	276	305	277	216	105	40	9	2	3	38
75	88	79	104	82	151	187	194	268	299	220	112	50	12	.....	.....	
685	682	590	645	781	939	1,146	1,294	1,535	1,575	1,226	719	214	36	13	7	39
408	405	355	375	425	551	648	675	828	857	611	383	118	13	7	4	40
277	277	244	270	356	388	498	619	707	718	615	336	126	23	6	3	41
54	62	60	59	54	44	52	68	66	63	38	24	13	2	2	15	42
60	54	51	48	43	33	43	52	52	44	24	11	7	1	2	14	43
4	8	9	11	11	11	9	16	14	19	14	13	6	1	.....	1	44
147	160	106	98	66	59	48	50	47	36	19	10	8	.....	8	1	45
80	118	74	68	38	34	19	30	25	21	12	5	3	.....	3	.....	46
61	48	32	30	28	25	29	20	22	15	7	5	5	.....	5	1	47
81	114	69	64	34	29	15	27	23	18	9	4	2	.....	1	.....	48
56	46	30	29	26	22	20	17	19	13	3	5	2	.....	4	1	
3	3	3	2	3	2	3	3	2	3	3	1	1	.....	2	.....	49
5	2	2	1	2	3	9	3	3	2	4	.....	3	.....	1	.....	
2	1	2	2	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	MINNESOTA.												
1	Total	25,722	3,715	598	304	235	151	5,003	637	477	703	1,052	1,219
2	Males	14,028	2,139	328	166	113	91	2,837	342	253	387	506	555
3	Females	11,694	1,576	270	138	122	60	2,166	295	224	321	546	664
4	White	25,309	3,644	579	298	228	146	4,895	626	460	697	1,024	1,198
5	Males	13,815	2,099	317	163	109	87	2,775	336	249	382	492	546
6	Females	11,494	1,545	262	135	119	59	2,120	290	211	315	532	652
7	Native	15,467	3,633	573	297	222	141	4,866	608	441	656	926	976
8	Males	8,191	2,091	313	163	104	84	2,755	325	239	357	429	406
9	Females	7,276	1,542	260	134	118	57	2,111	283	202	299	497	570
10	Both parents native	M 3,700	1,332	182	93	61	52	1,720	158	112	136	127	129
		F 3,141	971	163	71	73	38	1,316	143	94	96	157	164
11	One or both parents foreign	M 3,842	706	129	65	42	30	972	163	124	214	291	258
		F 3,644	526	93	63	44	19	745	133	105	193	322	392
12	Parentage unknown [1]	M 649	53	2	5	1	2	63	4	3	7	11	19
		F 491	45	4	.....	1	.....	50	7	3	5	18	14
13	Foreign	9,652	3	6	1	6	5	21	16	17	41	95	214
14	Males	5,470	3	4	.....	5	3	15	10	9	25	61	132
15	Females	4,182	.....	2	1	1	2	6	6	8	16	34	82
16	Unknown	190	8	.....	.....	.....	.....	8	2	2	.....	3	8
17	Males	154	5	.....	.....	.....	.....	5	1	1	.....	2	8
18	Females	36	3	.....	.....	.....	.....	3	1	1	.....	1	.....
19	Colored	413	71	19	6	7	5	108	11	17	11	28	21
20	Males	213	40	11	3	4	4	62	6	4	5	14	9
21	Females	200	31	8	3	3	1	46	5	13	6	14	12
22	Negro	M 110	13	2	1	2	.....	18	2	1	3	6	3
		F 78	9	1	1	1	.....	12	1	3	5	4	5
23	Indian	M 100	27	9	2	2	4	44	4	3	2	7	5
		F 122	22	7	2	2	1	34	4	10	1	10	7
24	Chinese	M 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MISSISSIPPI.												
27	Total	22,040	3,499	807	434	296	210	5,246	720	657	1,167	1,401	1,221
28	Males	10,956	1,971	431	220	149	107	2,878	336	320	533	628	432
29	Females	11,084	1,528	376	214	147	103	2,368	384	337	634	773	739
30	White	7,923	1,344	341	187	140	88	2,100	251	188	274	285	311
31	Males	4,153	782	182	96	75	48	1,183	130	104	135	126	125
32	Females	3,770	562	159	91	65	40	917	121	84	139	159	186
33	Native	7,515	1,341	340	187	138	88	2,094	246	180	269	272	296
34	Males	3,928	780	182	96	74	48	1,180	127	100	134	119	119
35	Females	3,587	561	158	91	64	40	914	119	80	135	153	177
36	Both parents native	M 3,005	729	171	88	72	44	1,104	119	94	121	104	102
		F 2,738	520	147	87	62	38	854	111	71	112	134	150
37	One or both parents foreign	M 137	15	2	5	.....	.....	22	1	1	.....	3	.....
		F 134	15	7	1	.....	.....	23	.....	3	1	3	2
38	Parentage unknown [1]	M 786	36	9	3	2	4	54	7	5	13	12	17
		F 715	26	4	3	2	2	37	8	6	22	16	25
39	Foreign	139	.....	.....	.....	.....	.....	.....	.....	2	2	.....	5
40	Males	80	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2
41	Females	59	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3
42	Unknown	269	3	1	.....	2	.....	6	5	6	3	13	10
43	Males	145	2	.....	.....	1	.....	3	3	2	1	7	4
44	Females	124	1	1	.....	1	.....	3	2	4	2	6	6
45	Colored	14,117	2,155	466	247	156	122	3,146	469	469	893	1,116	910
46	Males	6,803	1,189	249	124	74	59	1,695	206	216	393	502	357
47	Females	7,314	966	217	123	82	63	1,451	263	253	495	614	553
48	Negro	M 6,794	1,185	249	124	74	59	1,691	205	216	393	502	357
		F 7,298	964	216	122	82	63	1,447	262	252	495	612	549
49	Indian	M 7	4	.....	.....	.....	.....	4	1	.....	.....	.....	.....
		F 16	2	1	1	.....	.....	4	1	1	.....	2	4
50	Chinese	M 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,317	1,142	938	1,036	1,219	1,491	1,682	1,686	1,768	1,779	1,305	837	334	76	5	11	1
685	617	487	589	699	868	1,021	977	1,015	934	664	402	154	28	1	7	2
632	525	451	447	520	623	661	709	753	845	641	435	180	48	4	4	3
1,292	1,115	920	1,010	1,195	1,479	1,669	1,663	1,751	1,767	1,296	831	331	75	4	11	4
669	602	470	577	688	859	1,015	962	1,008	931	659	400	153	28	1	7	5
623	513	444	433	507	620	654	701	743	836	637	431	178	47	3	4	6
930	708	559	595	584	668	721	610	525	460	331	210	74	17	1	1	7
450	335	285	314	315	380	425	343	295	237	162	102	28	9	.....	.....	8
480	373	274	281	269	288	296	267	230	223	169	108	46	8	1	1	9
130	100	83	88	93	118	151	115	151	125	80	59	19	6	.....	.....	10
130	90	68	75	65	100	108	103	109	118	93	73	27	5	.....	1	
296	193	175	193	191	211	219	162	80	49	29	19	3	.....	.....	.....	11
322	255	192	186	175	170	154	124	73	54	31	8	5	.....	.....	.....	
24	42	27	33	31	51	55	66	64	63	53	24	6	3	.....	.....	12
28	22	14	20	29	18	34	40	48	51	45	27	14	3	1	.....	
353	398	346	400	590	791	926	1,034	1,207	1,302	958	618	257	57	3	8	13
210	259	180	251	358	462	571	603	697	689	492	297	125	18	1	5	14
143	139	166	149	232	329	355	431	510	613	466	321	132	39	2	3	15
9	9	15	15	21	20	22	19	19	5	7	3	.....	1	.....	2	16
9	8	11	12	15	17	19	16	16	5	5	1	.....	1	.....	2	17
.....	1	4	3	6	3	3	3	3	.....	2	2	.....	.....	.....	.....	18
25	27	18	26	24	12	13	23	17	12	9	6	3	1	1	.....	19
16	15	11	12	11	9	6	15	7	3	5	2	1	.....	.....	.....	20
9	12	7	14	13	3	7	8	10	9	4	4	2	1	1	.....	21
11	13	8	7	7	7	4	10	5	2	2	.....	1	.....	.....	.....	22
6	6	3	9	7	2	3	2	5	3	1	1	.....	.....	.....	.....	
4	2	3	5	4	2	2	5	2	1	3	2	.....	.....	.....	.....	23
3	6	4	5	6	1	4	6	5	6	3	3	2	1	1	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
986	1,136	930	950	916	761	939	1,103	1,143	943	791	443	218	83	124	162	27
405	491	430	443	472	414	512	630	624	479	401	211	86	45	46	90	28
581	645	500	507	444	347	427	473	519	464	390	232	132	38	78	72	29
276	310	318	298	313	289	446	494	587	490	373	201	58	14	5	42	30
118	147	175	153	178	174	261	280	305	238	178	85	23	6	.....	29	31
158	163	143	145	135	115	185	214	282	252	195	116	35	8	5	13	32
259	200	293	286	301	259	419	462	543	445	339	172	48	11	4	27	33
108	131	158	147	173	154	245	254	282	214	163	78	21	5	.....	16	34
151	159	135	139	128	105	174	208	261	231	176	94	27	6	4	11	35
93	102	128	117	106	95	155	147	162	106	90	41	6	.....	.....	13	36
127	131	95	96	89	66	105	128	171	126	92	56	14	2	3	5	
3	4	6	6	17	12	12	15	16	10	3	5	1	.....	.....	.....	37
2	5	7	13	8	6	12	14	12	10	10	2	1	.....	.....	.....	
12	25	24	24	50	47	78	92	104	98	70	32	14	5	.....	3	38
22	23	33	30	31	33	57	66	78	95	74	36	12	4	1	6	
5	7	7	1	2	11	11	8	19	19	15	20	3	1	1	.....	39
3	7	4	1	1	10	8	5	12	13	6	6	.....	.....	.....	.....	40
2	.....	3	.....	1	1	3	3	7	6	9	14	3	1	1	.....	41
12	13	18	11	10	19	16	24	25	26	19	9	7	2	.....	15	42
7	9	13	5	4	10	8	21	11	11	9	1	2	1	.....	13	43
5	4	5	6	6	9	8	3	14	15	10	8	5	1	.....	2	44
710	826	612	652	603	472	493	609	556	453	418	242	160	69	119	120	45
287	344	255	290	294	240	251	350	319	241	223	126	63	39	46	61	46
423	482	357	362	309	232	242	259	237	212	195	116	97	30	73	59	47
286	344	255	290	294	238	251	350	319	241	223	126	63	39	46	60	48
423	482	356	362	309	230	242	259	237	212	195	115	97	30	73	59	
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	MISSOURI.												
1	Total	42,638	5,309	1,368	641	420	326	8,064	1,130	787	1,263	1,721	1,893
2	Males	22,306	3,000	709	320	202	162	4,393	619	411	634	763	844
3	Females	20,332	2,309	659	321	218	164	3,671	511	376	634	958	1,054
4	White	38,862	4,843	1,236	599	383	311	7,372	1,058	711	1,107	1,567	1,669
5	Males	20,428	2,746	644	303	184	156	4,033	586	377	563	675	741
6	Females	18,434	2,097	592	296	199	155	3,339	472	334	544	832	928
7	Native	33,372	4,811	1,234	597	380	306	7,328	1,047	693	1,064	1,499	1,542
8	Males	17,290	2,730	643	303	183	154	4,013	578	371	539	611	667
9	Females	16,082	2,081	591	294	197	152	3,315	469	322	525	798	875
10	Both parents native	M 11,584	2,346	571	264	160	142	3,483	506	327	430	460	489
		F 10,917	1,801	527	261	182	135	2,906	417	289	432	613	639
11	One or both parents foreign	M 2,503	227	51	26	20	11	335	60	29	72	87	109
		F 2,448	173	52	28	14	12	279	42	22	55	103	136
12	Parentage unknown [1]	M 3,203	157	21	13	3	1	195	12	15	37	64	69
		F 2,717	107	12	5	1	5	130	10	11	38	82	100
13	Foreign	4,497	5	1	2	2	5	15	4	11	18	57	92
14	Males	2,487	2	.....	.....	1	2	5	2	5	12	28	47
15	Females	2,010	3	1	2	1	3	10	2	6	6	29	45
16	Unknown	993	27	1	.....	1	.....	29	7	7	25	41	35
17	Males	651	14	1	.....	.....	.....	15	6	1	12	36	27
18	Females	342	13	.....	.....	1	.....	14	1	6	13	5	8
19	Colored	3,776	466	132	42	37	15	692	72	76	161	214	229
20	Males	1,878	254	65	17	18	6	360	33	34	71	83	103
21	Females	1,898	212	67	25	19	9	332	39	42	90	126	126
22	Negro	M 1,868	254	65	17	18	6	360	33	34	69	87	102
		F 1,893	212	67	25	18	9	331	39	42	88	125	126
23	Indian	M 2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F 4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....
24	Chinese	M 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F 1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
25	Japanese	M 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M 1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MONTANA.												
27	Total	5,289	862	163	68	55	47	1,195	157	135	143	180	243
28	Males	3,221	474	80	39	26	31	650	77	73	84	84	136
29	Females	2,068	388	83	29	29	16	545	80	62	64	96	107
30	White	4,968	792	146	56	53	42	1,089	143	116	134	171	231
31	Males	3,051	441	72	33	25	26	597	71	67	79	78	130
32	Females	1,917	351	74	23	28	16	492	72	49	55	93	101
33	Native	3,517	788	143	56	52	36	1,075	139	107	123	133	181
34	Males	2,024	437	71	33	24	23	588	68	62	71	58	91
35	Females	1,493	351	72	23	28	13	487	71	45	52	80	90
36	Both parents native	M 926	283	45	28	17	14	387	33	34	31	23	41
		F 728	212	44	11	10	6	283	37	22	33	35	42
37	One or both parents foreign	M 653	136	24	5	7	7	179	31	24	35	26	40
		F 545	127	28	10	18	7	190	33	19	18	34	41
38	Parentage unknown [1]	M 440	18	2	.....	.....	2	22	4	4	5	4	10
		F 220	12	.....	2	.....	.....	14	1	4	1	11	7
39	Foreign	1,320	2	1	.....	1	5	9	4	8	9	23	42
40	Males	914	2	.....	.....	1	3	6	3	5	6	16	32
41	Females	406	.....	1	.....	.....	2	3	1	3	3	12	10
42	Unknown	131	2	2	.....	.....	1	5	.....	1	2	5	8
43	Males	113	2	1	.....	.....	.....	3	.....	.....	2	4	7
44	Females	18	.....	1	.....	.....	1	2	.....	1	.....	1	1
45	Colored	321	70	17	12	2	5	106	14	19	14	9	12
46	Males	170	33	8	6	1	5	53	6	6	5	6	6
47	Females	151	37	9	6	1	.....	53	8	13	9	3	6
48	Negro	M 25	1	1	.....	.....	1	3	.....	.....	.....	.....	3
		F 16	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1
49	Indian	M 112	31	7	5	1	4	48	6	6	4	5	1
		F 129	33	7	6	1	.....	47	8	11	9	3	5
50	Chinese	M 24	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2
		F 3	2	1	.....	.....	.....	3	.....	.....	.....	.....	.....
51	Japanese	M 6	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
		F 3	2	1	.....	.....	.....	3	.....	.....	.....	.....	.....
52	Other colored	M 3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,025	1,011	1,728	1,899	2,188	2,292	2,726	2,941	3,111	3,014	2,175	1,185	394	101	27	123	1
881	986	892	1,017	1,218	1,303	1,563	1,597	1,670	1,539	1,119	555	181	45	7	69	2
1,044	955	836	882	970	989	1,163	1,344	1,441	1,475	1,056	630	213	56	20	54	3
1,678	1,663	1,460	1,637	1,933	2,089	2,541	2,771	2,954	2,900	2,100	1,147	359	89	19	98	4
766	847	757	883	1,072	1,197	1,454	1,521	1,590	1,483	1,082	537	163	40	5	56	5
912	816	703	754	861	892	1,087	1,250	1,364	1,417	1,018	610	196	49	14	42	6
1,529	1,468	1,283	1,383	1,591	1,684	2,069	2,175	2,239	2,121	1,554	812	262	61	15	43	7
668	721	642	719	854	920	1,142	1,182	1,202	1,073	817	388	122	29	4	19	8
861	747	641	664	737	755	927	993	1,037	1,048	737	424	140	32	11	24	9
474	471	386	402	471	472	574	624	673	589	459	205	66	13	1	9	10
591	478	402	377	338	404	489	550	593	606	392	240	78	15	4	14	
106	133	149	176	203	238	262	215	139	95	51	22	14	3	.....	.....	11
154	154	146	157	214	208	216	196	148	109	67	29	8	3	.....	2	
88	117	107	141	175	219	306	343	390	389	307	161	42	13	3	10	12
110	115	93	130	135	143	222	247	296	333	278	155	54	14	7	8	
113	147	121	194	279	327	376	520	626	680	496	295	93	26	3	4	13
71	98	82	127	165	213	234	287	331	354	240	132	40	10	1	3	14
42	49	39	67	114	114	142	233	295	326	256	163	53	16	2	1	15
36	48	56	60	63	78	96	76	89	99	50	40	4	2	1	51	16
27	28	33	37	53	55	78	52	57	56	25	17	1	1	.....	34	17
9	20	23	23	10	23	18	24	32	43	25	23	3	1	1	17	18
247	278	268	262	255	203	185	170	157	114	75	38	35	12	8	25	19
115	139	135	134	146	106	109	76	80	56	37	18	18	5	2	13	20
132	139	133	128	109	97	76	94	77	58	38	20	17	7	6	12	21
115	139	134	133	146	106	108	73	80	56	37	18	18	5	2	13	22
132	139	133	127	109	97	76	94	77	58	38	20	17	7	6	12	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
305	314	289	282	314	326	341	284	258	230	160	91	25	4	1	7	27
191	187	188	196	225	222	243	184	157	147	94	58	19	1	.....	5	28
114	127	101	86	89	104	98	100	101	83	66	33	6	3	1	2	29
203	301	274	276	297	310	332	269	244	221	152	82	25	1	1	6	30
184	181	178	102	211	210	237	174	151	143	89	56	19	.....	.....	4	31
109	120	96	84	86	100	95	95	93	78	63	26	6	1	1	2	32
193	187	159	142	158	175	182	172	133	116	76	47	11	1	1	1	33
112	97	97	87	103	112	127	110	81	76	42	33	8	.....	.....	1	34
81	90	62	55	55	63	55	62	52	40	34	14	3	1	1	.....	35
39	36	30	29	36	39	41	38	20	26	17	17	4	.....	.....	.....	36
33	32	31	21	23	19	19	30	24	16	18	7	2	1	.....	.....	
48	31	27	35	35	37	43	28	16	9	11	3	.....	.....	.....	.....	37
37	36	21	20	17	25	18	13	10	5	8	.....	.....	.....	.....	.....	
25	30	40	23	32	36	43	44	45	41	14	13	4	.....	.....	1	38
11	22	10	14	15	19	18	19	18	19	8	7	1	.....	1	.....	
92	102	108	123	121	124	141	87	103	100	73	32	14	.....	.....	.....	39
65	74	74	94	91	88	103	55	62	63	45	21	11	.....	.....	.....	40
27	28	34	20	30	36	38	32	41	37	28	11	3	.....	.....	.....	41
8	12	7	11	18	11	9	10	8	5	3	3	.....	.....	.....	5	42
7	10	7	11	17	10	7	9	8	4	2	2	.....	.....	.....	3	43
1	2	.....	.....	1	1	2	1	.....	1	1	1	.....	.....	.....	2	44
12	13	15	6	17	16	9	15	14	9	8	9	.....	3	.....	1	45
7	6	10	4	14	12	6	10	6	4	5	2	.....	1	.....	1	46
5	7	5	2	3	4	3	5	8	5	3	7	.....	2	.....	.....	47
2	3	3	.....	4	3	1	1	1	1	.....	.....	.....	.....	.....	.....	48
3	1	.....	.....	1	2	.....	.....	2	1	.....	3	.....	.....	.....	.....	
2	3	5	2	7	4	3	3	3	3	4	1	.....	1	.....	1	49
2	6	5	2	2	2	3	5	6	4	3	4	.....	2	.....	.....	
.....	.....	1	1	3	5	2	5	2	.....	1	1	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	NEBRASKA.												
1	Total	12,976	1,986	373	215	145	99	2,818	324	278	373	424	513
2	Males	6,914	1,160	200	114	76	52	1,602	173	152	191	186	222
3	Females	6,062	826	173	101	69	47	1,216	151	126	182	238	291
4	White	12,579	1,910	340	199	137	95	2,681	313	268	360	404	487
5	Males	6,686	1,113	180	106	72	51	1,522	166	145	186	175	206
6	Females	5,893	797	160	93	65	44	1,159	147	123	174	229	281
7	Native	9,402	1,898	336	199	136	95	2,664	310	256	332	367	439
8	Males	4,865	1,102	178	106	71	51	1,508	166	139	169	159	183
9	Females	4,537	796	158	93	65	44	1,156	144	117	163	208	256
10	Both parents native (M)	2,902	844	144	83	61	32	1,164	119	96	105	82	88
	Both parents native (F)	2,644	618	116	65	49	33	881	99	77	103	112	118
11	One or both parents foreign (M)	1,179	202	32	21	10	17	282	44	37	48	53	74
	One or both parents foreign (F)	1,194	148	35	25	14	9	231	42	36	51	73	112
12	Parentage unknown [1] (M)	784	56	2	2	.....	2	62	3	6	16	19	21
	Parentage unknown [1] (F)	699	30	7	3	2	2	44	3	4	9	23	26
13	Foreign	2,975	3	2	.....	1	.....	6	1	11	24	29	36
14	Males	1,679	3	1	.....	1	.....	5	.....	5	13	13	18
15	Females	1,296	.....	1	.....	.....	.....	1	1	6	11	16	18
16	Unknown	202	9	2	.....	.....	.....	11	2	1	4	8	12
17	Males	142	8	1	.....	.....	.....	9	.....	1	4	3	5
18	Females	60	1	1	.....	.....	.....	2	2	.....	.....	5	7
19	Colored	397	76	33	16	8	4	137	11	10	13	20	26
20	Males	228	47	20	8	4	1	80	7	7	5	11	16
21	Females	169	29	13	8	4	3	57	4	3	8	9	10
22	Negro (M)	138	20	4	2	1	.....	27	4	3	4	9	14
	Negro (F)	90	5	7	2	1	1	16	2	.....	7	7	8
23	Indian (M)	80	25	16	5	3	1	50	3	4	1	2	1
	Indian (F)	73	20	6	6	3	2	37	2	3	1	2	2
24	Chinese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	6	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Japanese (F)	6	4	.....	.....	.....	.....	4	.....	.....	.....	.....	.....
26	Other colored (M)	2	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW HAMPSHIRE.												
27	Total	6,764	875	129	59	38	34	1,135	102	107	116	157	170
28	Males	3,468	532	68	32	22	19	673	51	58	56	93	68
29	Females	3,296	343	61	27	16	15	462	51	49	60	64	102
30	White	6,753	874	129	59	38	34	1,134	102	107	115	156	170
31	Males	3,462	532	68	32	22	19	673	51	58	55	93	68
32	Females	3,291	342	61	27	16	15	461	51	49	60	63	102
33	Native	5,168	859	125	59	36	33	1,112	96	93	97	112	115
34	Males	2,674	520	65	32	21	19	657	49	53	52	69	48
35	Females	2,494	339	60	27	15	14	455	47	45	45	43	67
36	Both parents native (M)	1,419	212	20	12	12	7	263	19	31	26	30	19
	Both parents native (F)	1,350	157	23	10	5	5	200	21	22	25	19	33
37	One or both parents foreign (M)	695	278	44	20	7	12	361	30	19	21	30	24
	One or both parents foreign (F)	586	162	33	17	8	9	229	23	18	17	19	23
38	Parentage unknown [1] (M)	560	30	1	.....	2	.....	33	.....	3	5	9	5
	Parentage unknown [1] (F)	558	20	4	.....	2	.....	26	3	5	3	5	6
39	Foreign	1,384	10	1	.....	1	1	13	4	7	16	42	49
40	Males	673	8	1	.....	1	.....	10	1	4	3	22	17
41	Females	711	2	.....	.....	.....	1	3	3	3	13	20	32
42	Unknown	201	5	3	.....	1	.....	9	2	2	2	2	6
43	Males	115	4	2	.....	.....	.....	6	1	1	.....	2	3
44	Females	86	1	1	.....	1	.....	3	1	1	2	.....	3
45	Colored	11	1	.....	.....	.....	.....	1	.....	.....	1	1	.....
46	Males	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
47	Females	5	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
48	Negro (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Negro (F)	5	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
49	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
484	514	458	485	520	616	812	908	1,002	1,057	732	456	138	33	5	26	1
217	251	217	251	266	334	465	518	568	583	377	239	66	14	2	20	2
267	263	241	234	254	282	347	390	434	474	355	217	72	19	3	6	3
461	486	433	464	508	660	799	807	992	1,051	729	452	136	31	4	23	4
205	234	205	237	260	324	459	511	560	580	375	238	64	14	2	18	5
256	252	228	227	248	276	340	386	432	471	354	214	72	17	2	5	6
386	403	338	346	326	385	491	541	562	550	397	218	69	13	3	6	7
162	187	156	164	164	205	280	304	306	269	190	111	33	5	1	4	8
224	216	182	182	162	180	211	237	256	281	207	107	36	8	2	2	9
86	83	74	80	74	102	137	157	160	140	87	48	18	1	.....	1	10
103	107	88	89	80	90	115	115	133	152	107	51	18	4	2	.....	
60	72	57	56	61	55	79	66	42	39	28	15	3	.....	1	2	11
102	89	70	59	48	52	56	57	38	33	26	13	6	.....	.....	.....	
16	32	25	28	29	48	64	81	104	90	75	48	12	4	.....	1	12
19	20	24	34	34	38	40	65	85	96	74	43	12	4	.....	2	
66	70	80	103	171	205	293	343	415	485	323	228	65	17	1	3	13
37	39	39	64	87	111	168	196	242	300	178	123	29	8	1	3	14
29	31	41	39	84	94	125	147	173	185	145	105	36	9	.....	.....	15
9	13	15	15	11	10	15	13	15	16	9	6	2	1	.....	14	16
6	8	10	9	9	8	11	11	12	11	7	4	2	1	.....	11	17
3	5	5	6	2	2	4	2	3	5	2	2	.....	.....	.....	3	18
23	28	25	21	12	16	13	11	10	6	3	4	2	2	1	3	19
12	17	12	14	6	10	6	7	8	3	2	1	2	.....	.....	2	20
11	11	13	7	6	6	7	4	2	3	1	3	.....	2	1	1	21
11	10	10	14	6	8	4	4	6	1	.....	1	1	.....	.....	1	22
5	10	11	6	5	4	4	4	1	.....	.....	.....	.....	.....	.....	.....	
1	5	1	.....	.....	1	2	3	1	1	2	.....	1	.....	.....	1	23
4	1	2	1	1	2	3	.....	1	3	1	3	.....	2	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	25
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
196	211	232	222	302	357	498	609	647	649	525	354	110	25	5	35	27
101	98	128	111	151	176	283	309	325	321	233	156	48	7	2	20	28
95	113	104	111	151	181	215	300	322	328	292	198	62	18	3	15	29
196	210	231	221	302	357	497	609	645	649	525	354	109	25	5	34	30
101	98	128	110	151	176	282	309	324	321	233	156	47	7	2	19	31
95	112	103	111	151	181	215	300	321	328	292	198	62	18	3	15	32
125	141	152	131	195	239	353	448	448	498	406	281	84	24	3	10	33
62	61	88	65	100	118	201	227	228	244	181	123	39	6	1	2	34
63	80	64	66	95	121	152	221	220	254	225	158	45	18	2	8	35
20	32	41	36	59	71	121	140	145	154	98	76	25	3	1	.....	36
32	41	32	32	48	62	85	142	139	152	136	38	27	9	2	3	
22	18	30	16	17	20	24	24	10	13	9	5	1	.....	.....	1	37
25	24	18	16	26	31	32	29	14	18	3	10	2	1	.....	3	
11	11	17	13	24	27	56	63	73	77	74	42	13	3	.....	1	38
6	15	14	18	21	28	35	50	67	84	86	60	16	8	.....	2	
65	60	70	80	94	103	132	151	175	131	100	59	21	1	.....	6	39
34	31	35	39	45	54	73	77	88	65	44	24	7	1	.....	4	40
31	29	35	41	49	54	59	74	92	66	56	35	14	.....	.....	2	41
6	9	9	10	13	10	12	10	22	20	19	14	4	.....	2	18	42
5	6	5	6	6	4	8	5	13	12	8	9	1	.....	1	13	43
1	3	4	4	7	6	4	5	9	8	11	5	3	.....	1	5	44
.....	1	1	1	.....	.....	1	.....	2	.....	.....	.....	1	.....	.....	1	45
.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	1	46
.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	1	48
.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	NEW JERSEY.												
1	Total	41,326	6,668	1,531	624	435	310	9,568	965	632	925	1,383	1,706
2	Males	21,361	3,741	818	331	226	165	5,281	530	341	461	638	794
3	Females	19,965	2,927	713	293	209	145	4,287	435	291	464	745	912
4	White	38,851	6,191	1,394	588	411	297	8,881	912	583	849	1,251	1,581
5	Males	20,137	3,477	752	315	216	157	4,917	499	318	426	582	734
6	Females	18,714	2,714	642	273	195	140	3,964	413	265	423	669	847
7	Native	27,254	6,155	1,384	582	409	293	8,823	886	528	741	948	1,064
8	Males	13,929	3,457	745	312	214	155	4,883	487	286	370	438	474
9	Females	13,325	2,698	639	270	195	138	3,940	399	242	371	510	590
10	Both parents native (M)	7,102	1,514	243	114	74	61	2,006	209	126	182	213	241
	Both parents native (F)	7,055	1,199	227	83	69	43	1,621	168	123	174	240	290
11	One or both parents foreign (M)	6,052	1,885	494	193	139	92	2,803	273	155	178	210	210
	One or both parents foreign (F)	5,513	1,432	408	179	124	90	2,233	227	115	183	250	273
12	Parentage unknown[1] (M)	775	58	8	5	1	2	74	5	5	10	15	23
	Parentage unknown[1] (F)	757	67	4	8	2	5	86	4	4	14	20	27
13	Foreign	11,329	16	8	3	2	3	32	24	53	102	294	503
14	Males	6,032	9	5	2	2	2	20	11	31	51	138	250
15	Females	5,297	7	3	1	.....	1	12	13	22	51	156	253
16	Unknown	268	20	2	3	.....	1	26	2	2	6	9	14
17	Males	176	11	2	1	.....	.....	14	1	1	5	6	10
18	Females	92	9	.....	2	.....	1	12	1	1	1	3	4
19	Colored	2,475	477	137	36	24	13	687	53	49	76	132	125
20	Males	1,224	264	66	16	10	8	364	31	23	35	56	60
21	Females	1,251	213	71	20	14	5	323	22	26	41	76	65
22	Negro (M)	1,211	264	66	16	10	8	364	31	23	35	56	58
	Negro (F)	1,249	213	71	20	14	5	323	22	26	41	76	65
23	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW YORK.												
27	Total	144,558	20,369	4,789	2,110	1,344	1,035	29,587	3,195	2,056	2,977	4,735	5,952
28	Males	74,760	11,593	2,584	1,104	652	539	16,472	1,730	1,100	1,527	2,200	2,817
29	Females	69,798	8,716	2,205	1,006	692	496	13,115	1,465	956	1,450	2,535	3,135
30	White	140,374	19,517	4,564	2,037	1,315	1,009	28,442	3,121	1,995	2,815	4,453	5,626
31	Males	72,556	11,155	2,474	1,065	632	524	15,850	1,697	1,069	1,448	2,054	2,671
32	Females	67,818	8,362	2,090	972	683	485	12,592	1,424	926	1,367	2,399	2,955
33	Native	94,466	19,384	4,517	2,017	1,286	986	28,190	2,988	1,826	2,339	3,273	3,655
34	Males	48,696	11,064	2,454	1,052	624	511	15,705	1,628	989	1,188	1,512	1,668
35	Females	45,770	8,320	2,063	965	662	475	12,485	1,360	837	1,151	1,761	1,987
36	Both parents native (M)	22,491	4,850	761	339	219	188	6,357	594	419	581	698	813
	Both parents native (F)	21,961	3,643	643	352	221	169	5,028	501	362	539	800	910
37	One or both parents foreign (M)	23,178	5,918	1,668	708	402	321	9,017	1,021	559	563	748	794
	One or both parents foreign (F)	21,051	4,413	1,392	607	436	303	7,151	853	469	598	918	1,023
38	Parentage unknown[1] (M)	3,027	296	25	5	3	2	331	13	11	44	66	61
	Parentage unknown[1] (F)	2,758	264	28	6	5	3	306	6	6	14	43	54
39	Foreign	45,100	75	44	18	27	23	187	132	166	465	1,155	1,939
40	Males	23,262	59	19	13	8	13	112	68	79	253	520	975
41	Females	21,838	16	25	5	19	10	75	64	87	212	635	964
42	Unknown	808	58	3	2	2	.....	65	1	3	11	25	32
43	Males	598	32	1	.....	.....	.....	33	1	1	7	22	28
44	Females	210	26	2	2	2	.....	32	.....	2	4	3	4
45	Colored	4,184	792	225	73	29	26	1,145	74	61	162	282	326
46	Males	2,204	438	110	39	20	15	622	33	31	79	146	146
47	Females	1,980	354	115	34	9	11	523	41	30	83	136	180
48	Negro (M)	2,009	424	107	37	19	15	602	31	30	74	140	129
	Negro (F)	1,929	344	111	31	8	11	505	40	28	79	130	174
49	Indian (M)	40	5	1	2	1	.....	9	1	1	4	2	1
	Indian (F)	36	5	3	2	1	.....	11	1	1	4	5	1
50	Chinese (M)	123	1	1	.....	.....	.....	2	1	.....	.....	3	13
	Chinese (F)	5	4	.....	1	.....	.....	5	.....	.....	.....	.....	.....
51	Japanese (M)	25	7	.....	.....	.....	.....	7	.....	.....	1	.....	2
	Japanese (F)	7	1	1	.....	.....	.....	2	.....	1	.....	.....	3
52	Other colored (M)	7	1	1	.....	.....	.....	2	.....	.....	.....	1	1
	Other colored (F)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,747	1,783	1,811	2,060	2,330	2,416	2,827	2,754	2,871	2,551	1,721	893	321	48	12	2	1
902	942	995	1,186	1,256	1,332	1,463	1,375	1,387	1,181	779	383	109	23	1	2	2
845	841	816	874	1,074	1,084	1,364	1,379	1,484	1,370	942	510	212	25	11	.....	3
1,606	1,617	1,643	1,913	2,175	2,294	2,700	2,643	2 799	2,492	1,679	869	307	48	7	2	4
839	868	912	1,110	1,181	1,268	1,399	1 324	1,354	1, 149	761	368	102	23	1	2	5
767	749	731	803	994	1,026	1 301	1,319	1,445	1,343	918	501	205	25	6	.....	6
952	900	961	1,075	1,184	1,250	1,558	1,535	1,545	1,513	1,031	524	200	29	7	.....	7
482	449	502	587	583	653	786	759	756	703	445	211	62	12	1	.....	8
470	451	450	488	601	597	772	776	789	810	586	313	138	17	6	.....	9
254	233	246	260	254	324	446	500	541	525	331	153	50	8	.....	.....	10
233	232	211	250	294	308	438	493	546	598	457	238	116	15	5	.....	
212	192	229	290	278	279	271	193	123	71	53	27	2	2	1	.....	11
223	100	227	218	269	241	288	202	145	113	73	32	11	.....	.....	.....	
16	24	27	37	51	50	69	66	92	107	61	31	10	2	.....	.....	12
14	20	21	20	38	48	46	76	98	99	56	43	11	2	1	.....	
642	701	668	824	967	1,029	1,120	1,086	1,222	964	633	340	106	19	.....	.....	13
348	409	398	511	578	608	600	550	577	438	308	155	40	11	.....	.....	14
294	292	270	313	389	421	520	536	645	526	325	185	66	8	.....	.....	15
12	16	14	14	24	15	22	22	32	15	15	5	1	.....	.....	2	16
9	10	12	12	20	7	13	15	21	8	8	2	.....	.....	.....	2	17
3	6	2	2	4	8	9	7	11	7	7	3	1	.....	.....	.....	18
141	166	168	147	155	122	127	111	72	59	42	24	14	.....	5	.....	19
63	74	83	76	75	64	64	51	33	32	18	15	7	.....	.....	.....	20
78	92	85	71	80	58	63	60	39	27	24	9	7	.....	5	.....	21
60	73	81	75	75	62	62	51	33	32	18	15	7	.....	.....	.....	22
78	90	85	71	80	58	63	60	39	27	24	9	7	.....	5	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
3	1	2	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6,090	6,308	6,303	7,213	8,557	9,121	10,474	10,618	10,452	9,290	6,500	3,572	1,185	264	40	60	27
3,137	3,489	3,540	3,994	4,722	4,870	5,499	5,350	4,984	4,399	2,874	1,469	462	80	14	31	28
2,962	2,819	2,763	3,219	3,835	4,251	4,975	5,268	5,468	4,891	3,626	2,103	723	184	26	29	29
5,824	5,966	6,022	6,951	8,347	8,950	10,302	10,499	10,318	9,210	6,456	3,551	1,177	256	37	56	30
3,007	3,301	3,374	3,835	4,601	4,796	5,412	5,281	4,925	4,354	2,851	1,457	456	77	12	28	31
2,817	2,665	2,648	3,116	3,746	4,154	4,890	5,218	5,393	4,856	3,605	2,094	721	179	25	28	32
3,464	3,202	3,442	3,821	4,389	4,744	5,731	5,919	5,493	5,161	3,752	2,136	676	141	17	17	33
1,718	1,751	1,880	1,999	2,318	2,460	2,980	3,042	2,649	2,428	1,640	860	243	46	6	6	34
1,746	1,541	1,582	1,822	2,071	2,284	2,751	2,877	2,844	2,733	2,112	1,276	433	95	11	11	35
838	820	705	777	928	1,015	1,322	1,557	1,580	1,554	1,060	587	156	32	5	3	36
883	740	719	703	850	978	1,178	1,513	1,696	1,812	1,427	929	307	62	6	4	
804	840	977	1,122	1,253	1,300	1,416	1,152	693	500	293	96	24	4	.....	2	37
801	714	790	1,021	1,100	1,173	1,356	1,079	820	589	378	161	40	12	2	3	
76	91	88	100	137	145	242	333	376	374	287	177	63	10	1	1	38
57	78	73	98	121	133	217	285	328	332	307	186	86	21	3	4	
2,321	2,621	2,517	3,069	3,871	4,149	4,499	4,524	4,771	4,003	2,664	1,395	499	114	19	20	39
1,254	1,506	1,463	1,788	2,209	2,291	2,375	2,193	2,244	1,899	1,193	585	212	31	6	6	40
1,067	1,115	1,054	1,281	1,662	1,858	2,124	2,331	2,527	2,104	1,471	810	287	83	13	14	41
30	53	63	61	87	57	72	56	54	46	40	20	2	1	1	19	42
35	44	51	48	74	45	57	46	32	27	18	12	1	.....	.....	16	43
4	9	12	13	13	12	15	10	22	19	22	8	1	1	1	3	44
275	342	281	262	210	171	172	119	134	80	44	21	8	8	3	4	45
130	188	166	159	121	74	87	69	59	45	23	12	6	3	2	3	46
145	154	115	103	89	97	85	50	75	35	21	9	2	5	1	1	47
113	169	148	141	106	58	70	61	52	39	22	11	6	2	2	3	48
144	154	115	102	88	95	82	47	73	34	21	9	2	5	1	1	
1	1	2	1	3	2	3	.....	2	4	1	1	.....	1	.....	.....	
1	.....	.....	1	.....	2	3	3	2	1	.....	.....	.....	.....	.....	.....	49
13	13	14	12	11	14	14	6	5	2	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	5	2	5	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	NORTH CAROLINA.												
1	Total	32,654	6,909	1,585	626	381	301	9,802	807	678	1,246	1,631	1,583
2	Males	16,431	3,868	874	337	190	149	5,418	415	371	552	718	647
3	Females	16,223	3,041	711	289	191	152	4,384	392	307	694	913	936
4	White	20,189	4,168	1,017	384	232	183	5,984	451	364	614	778	881
5	Males	10,340	2,351	558	205	121	90	3,325	243	216	293	341	391
6	Females	9,849	1,817	459	179	111	93	2,659	208	148	321	437	490
7	Native	19,624	4,131	1,008	382	230	176	5,927	444	360	593	749	851
8	Males	10,012	2,325	554	205	120	86	3,290	240	213	284	319	367
9	Females	9,612	1,806	454	177	110	90	2,637	204	147	314	430	484
10	Both parents native (M)	8,550	2,240	531	199	116	83	3,169	231	206	263	264	296
	Both parents native (F)	8,315	1,758	448	170	107	88	2,571	198	138	294	379	438
11	One or both parents foreign (M)	100	10	4	1	2	1	18	1	.....	4	5	3
	One or both parents foreign (F)	83	5	1	1	2	1	10	1	1	1	5	5
12	Parentage unknown[1] (M)	1,362	75	19	5	2	2	103	8	7	12	50	68
	Parentage unknown[1] (F)	1,214	43	5	6	1	1	56	5	8	19	46	41
13	Foreign	134	.....	.....	.....	.....	.....	.....	.....	.....	4	11	9
14	Males	93	.....	.....	.....	.....	.....	.....	.....	.....	3	9	8
15	Females	41	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1
16	Unknown	431	37	9	2	2	7	57	7	4	12	18	21
17	Males	235	26	4	.....	1	4	35	3	3	6	13	16
18	Females	196	11	5	2	1	3	22	4	1	6	5	5
19	Colored	12,465	2,741	568	242	149	118	3,818	356	314	632	853	702
20	Males	6,091	1,517	316	132	69	59	2,093	172	155	259	377	296
21	Females	6,374	1,224	252	110	80	59	1,725	184	159	373	476	406
22	Negro (M)	6,018	1,502	308	128	68	59	2,065	170	152	255	375	295
	Negro (F)	6,297	1,211	250	108	78	56	1,708	184	158	367	471	401
23	Indian (M)	72	15	8	4	1	.....	28	2	3	4	2	1
	Indian (F)	77	13	2	2	2	3	22	.....	1	6	5	5
24	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.												
27	Total	74,341	10,252	2,155	1,030	666	516	14,619	1,601	1,050	1,825	2,573	3,125
28	Males	39,055	5,853	1,126	554	346	270	8,149	888	579	982	1,247	1,556
29	Females	35,286	4,399	1,029	476	320	246	6,470	713	471	843	1,326	1,569
30	White	70,313	9,656	1,988	980	637	494	13,755	1,530	987	1,688	2,285	2,815
31	Males	36,784	5,495	1,045	531	330	256	7,657	848	547	909	1,086	1,378
32	Females	33,529	4,161	943	449	307	238	6,098	682	440	779	1,199	1,437
33	Native	56,938	9,619	1,977	973	637	489	13,695	1,506	951	1,584	1,993	2,218
34	Males	29,067	5,471	1,041	528	330	255	7,625	834	526	846	913	1,000
35	Females	27,871	4,148	936	445	307	234	6,070	672	425	738	1,080	1,209
36	Both parents native (M)	17,970	3,704	677	342	218	162	5,103	584	373	636	685	694
	Both parents native (F)	17,633	2,812	587	298	208	161	4,066	458	329	555	777	871
37	One or both parents foreign (M)	7,368	1,713	311	129	78	68	2,299	189	126	161	168	205
	One or both parents foreign (F)	7,040	1,244	340	145	94	71	1,894	212	87	157	227	261
38	Parentage unknown[1] (M)	3,729	54	53	57	34	25	223	61	27	49	60	110
	Parentage unknown[1] (F)	3,198	92	9	2	5	2	110	2	9	26	76	77
39	Foreign	12,423	15	8	4	.....	5	32	21	35	91	255	552
40	Males	7,022	12	3	3	.....	1	19	13	21	51	140	329
41	Females	5,401	3	5	1	.....	4	13	8	14	40	115	223
42	Unknown	952	22	3	3	.....	.....	28	3	1	13	37	45
43	Males	695	12	1	.....	.....	.....	13	1	.....	12	33	40
44	Females	257	10	2	3	.....	.....	15	2	1	1	4	5
45	Colored	4,028	596	167	50	29	22	864	71	63	137	288	310
46	Males	2,271	358	81	23	16	14	492	40	32	73	161	178
47	Females	1,757	238	86	27	13	8	372	31	31	64	127	132
48	Negro (M)	2,254	358	81	23	16	13	491	40	32	72	161	177
	Negro (F)	1,756	238	86	27	13	8	372	31	31	64	127	132
49	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,403	1,522	1,284	1,163	1,256	1,151	1,508	1,733	1,929	1,528	1,152	567	308	77	98	228	1
608	652	552	575	706	595	797	944	1,003	737	519	274	132	29	32	115	2
795	870	732	588	550	556	711	789	926	701	633	293	176	48	66	113	3
811	869	760	668	741	749	1,052	1,284	1,412	1,187	835	392	184	33	21	119	4
374	375	359	348	436	395	582	706	722	549	355	182	80	10	4	54	5
437	494	401	320	305	354	470	578	690	638	480	210	104	23	17	65	6
777	834	735	642	708	723	1,028	1,233	1,368	1,144	802	375	176	32	19	99	7
356	352	343	331	414	380	564	677	705	523	339	178	79	9	4	45	8
421	482	392	311	294	343	464	556	663	621	463	197	97	23	15	54	9
309	300	286	274	328	297	449	510	521	388	243	124	46	3	3	35	10
380	427	329	252	241	280	373	444	515	449	350	128	67	14	8	30	
2	5	7	8	4	6	4	6	13	2	3	4	4	1	.....	.....	11
4	2	3	7	4	1	4	5	8	10	4	6	1	1	.....	.....	
45	47	50	49	82	77	111	161	171	133	93	50	29	5	1	10	12
37	53	60	42	49	62	87	107	140	162	109	63	29	8	7	24	
8	9	7	5	11	10	4	14	7	15	13	5	1	.....	.....	1	13
6	7	5	3	8	7	4	9	5	9	8	.....	1	.....	.....	1	14
2	2	2	2	3	3	.....	5	2	6	5	5	.....	.....	.....	.....	15
26	26	18	21	22	16	20	37	37	28	20	12	7	1	2	19	16
12	16	11	14	14	8	14	20	12	17	8	4	.....	1	.....	8	17
14	10	7	7	8	8	6	17	25	11	12	8	7	.....	2	11	18
592	653	524	495	515	402	456	449	517	341	317	175	124	44	77	109	19
234	277	193	227	270	200	215	238	281	188	164	92	52	19	28	61	20
358	376	331	268	245	202	241	211	236	153	153	83	72	25	49	48	21
232	275	191	225	265	194	211	236	278	188	163	92	51	18	28	59	22
357	371	327	266	243	197	240	210	235	148	149	79	71	25	49	46	
1	2	2	2	5	6	4	2	3	.....	1	.....	1	1	.....	2	23
1	5	4	2	2	5	1	1	1	5	4	4	1	.....	.....	2	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3,230	3,188	2,944	3,201	3,479	3,954	4,938	5,503	5,774	5,898	4,238	2,212	777	169	23	20	27
1,602	1,754	1,619	1,752	1,920	2,157	2,589	2,888	2,967	3,009	2,015	981	305	69	11	16	28
1,628	1,434	1,325	1,449	1,559	1,797	2,349	2,615	2,807	2,889	2,223	1,231	472	100	12	4	29
2,976	2,850	2,660	2,908	3,244	3,785	4,786	5,343	5,664	5,775	4,159	2,161	753	156	17	16	30
1,459	1,555	1,442	1,581	1,778	2,069	2,514	2,797	2,917	2,936	1,971	958	297	64	8	13	31
1,517	1,295	1,218	1,327	1,466	1,716	2,272	2,546	2,747	2,839	2,188	1,203	456	92	9	3	32
2,275	2,052	1,983	2,134	2,453	2,873	3,764	4,091	4,144	4,183	2,976	1,456	495	98	5	9	33
1,014	1,002	966	1,052	1,285	1,494	1,927	2,105	2,119	2,092	1,390	626	197	37	2	6	34
1,261	1,050	1,017	1,082	1,168	1,379	1,837	1,986	2,025	2,091	1,586	830	298	61	3	3	35
662	620	550	574	671	782	1,005	1,178	1,271	1,231	831	380	111	26	2	1	36
867	725	643	621	648	716	987	1,149	1,239	1,295	970	503	175	35	2	2	
254	219	246	267	367	459	617	482	486	443	267	79	29	3	.....	2	37
304	221	280	350	384	462	594	497	394	348	234	97	29	6	1	1	
98	163	170	211	247	253	305	445	362	418	292	167	57	8	.....	3	38
90	104	94	111	136	201	256	340	392	448	382	230	94	20	.....	.....	
634	728	609	696	724	855	953	1,197	1,437	1,510	1,120	663	241	56	12	2	39
390	495	413	466	442	528	540	651	744	791	550	311	93	27	6	2	40
244	233	196	230	282	327	413	546	693	719	570	352	148	29	6	.....	41
67	70	68	78	67	57	69	55	83	82	63	42	17	2	.....	5	42
55	58	63	63	51	47	47	41	54	53	31	21	7	.....	.....	5	43
12	12	5	15	16	10	22	14	29	29	32	21	10	2	.....	.....	44
254	338	284	293	235	169	152	160	110	123	79	51	24	13	6	4	45
143	199	177	171	142	88	75	91	50	73	44	23	8	5	3	3	46
111	139	107	122	93	81	77	69	60	50	35	28	16	8	3	1	47
139	198	174	169	140	87	74	91	50	73	44	23	8	5	3	3	48
111	139	107	122	92	81	77	69	60	50	35	28	16	8	3	1	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	OREGON.												
1	Total	9,246	924	154	75	67	56	1,276	181	164	259	337	382
2	Males	5,276	530	92	40	37	31	730	102	95	141	147	196
3	Females	3,970	394	62	35	30	25	546	79	69	118	190	186
4	White	8,923	880	143	69	65	51	1,208	166	157	241	325	367
5	Males	5,080	505	85	38	36	28	692	93	94	127	144	190
6	Females	3,843	375	58	31	29	23	516	73	63	114	181	177
7	Native	6,894	874	138	66	64	50	1,192	158	151	224	290	302
8	Males	3,774	503	82	38	36	27	686	88	89	114	110	139
9	Females	3,120	371	56	28	28	23	506	70	62	110	171	163
10	Both parents native	M 2,063	368	67	28	30	19	512	62	63	79	77	84
		F 1,718	263	39	27	19	13	361	49	48	71	109	90
11	One or both parents foreign	M 741	105	11	8	6	8	138	23	20	27	33	38
		F 691	83	16	1	8	8	116	19	11	29	47	48
12	Parentage unknown [1]	M 970	30	4	2	.....	.....	36	3	6	8	9	17
		F 711	25	1	.....	1	2	29	2	3	10	15	25
13	Foreign	1,821	4	5	3	.....	.....	12	7	5	11	28	54
14	Males	1,132	2	3	.....	.....	.....	5	4	4	7	20	41
15	Females	689	2	2	3	.....	.....	7	3	1	4	8	13
16	Unknown	208	2	.....	.....	1	1	4	1	1	6	7	11
17	Males	174	.....	.....	.....	.....	1	1	1	1	6	5	10
18	Females	34	2	.....	.....	1	.....	3	.....	.....	.....	2	1
19	Colored	323	44	11	6	2	5	68	15	7	18	12	15
20	Males	196	25	7	2	1	3	38	9	1	14	3	6
21	Females	127	19	4	4	1	2	30	6	6	4	9	9
22	Negro	M 16	2	.....	.....	.....	.....	2	1	.....	.....	1	.....
		F 17	2	.....	.....	.....	.....	2	1	.....	.....	1	2
23	Indian	M 30	11	6	1	1	2	21	5	1	12	2	3
		F 34	10	3	3	1	1	18	5	5	4	4	3
24	Chinese	M 63	3	.....	.....	.....	.....	3	1	.....	1	.....	2
		F 5	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
25	Japanese	M 37	9	1	1	.....	1	12	2	.....	1	.....	1
		F 21	5	1	1	.....	1	8	.....	1	.....	4	4
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PENNSYLVANIA.												
27	Total	120,902	21,415	4,434	1,974	1,359	1,003	30,185	2,944	1,939	2,819	4,046	4,837
28	Males	63,678	12,191	2,384	1,037	726	522	16,860	1,571	1,028	1,487	1,950	2,340
29	Females	57,224	9,224	2,050	937	633	481	13,325	1,373	911	1,332	2,096	2,497
30	White	114,800	20,329	4,160	1,867	1,313	962	28,631	2,835	1,821	2,581	3,601	4,407
31	Males	60,301	11,575	2,237	976	700	506	15,994	1,512	972	1,359	1,706	2,111
32	Females	54,499	8,754	1,923	891	613	456	12,637	1,323	849	1,222	1,895	2,296
33	Native	90,378	20,236	4,148	1,848	1,307	952	28,491	2,774	1,744	2,341	3,017	3,151
34	Males	46,313	11,525	2,232	971	694	504	15,926	1,479	934	1,225	1,372	1,377
35	Females	44,065	8,711	1,916	877	613	448	12,565	1,295	810	1,116	1,645	1,774
36	Both parents native	M 27,732	6,438	1,072	475	355	260	8,600	813	559	795	837	859
		F 27,253	4,797	918	448	309	236	6,708	732	512	724	1,003	1,152
37	One or both parents foreign	M 15,078	4,851	1,134	483	335	238	7,041	646	361	391	459	433
		F 13,775	3,743	983	417	294	209	5,646	548	285	366	570	554
38	Parentage unknown [1]	M 3,503	236	26	13	4	6	285	20	14	39	76	85
		F 3,037	171	15	12	10	3	211	15	13	26	67	68
39	Foreign	23,480	43	9	11	4	9	76	54	66	227	556	1,220
40	Males	13,333	21	4	4	4	2	35	29	32	128	314	709
41	Females	10,147	22	5	7	.....	7	41	25	34	99	242	511
42	Unknown	942	50	3	8	2	1	64	7	11	13	28	36
43	Males	655	29	1	1	2	.....	33	4	6	6	20	25
44	Females	287	21	2	7	.....	1	31	3	5	7	8	11
45	Colored	6,102	1,086	274	107	46	41	1,554	109	118	238	445	430
46	Males	3,377	616	147	61	26	16	866	59	56	128	244	229
47	Females	2,725	470	127	46	20	25	688	50	62	110	201	201
48	Negro	M 3,343	615	144	61	26	16	862	59	56	128	244	225
		F 2,722	470	127	46	20	25	688	50	62	110	200	200
49	Indian	M 3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
		F 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
50	Chinese	M 27	.....	1	.....	.....	.....	1	.....	.....	.....	.....	3
		F 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
51	Japanese	M 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored	M 2	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.		85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
444	499	361	448	505	564	725	728	731	707	513	277	101	21	6	17	
223	297	193	248	289	353	456	456	441	398	287	158	42	10	4	10	2
221	202	168	200	216	211	269	272	290	309	226	119	59	11	2	7	3
420	482	350	433	486	549	697	715	714	698	505	275	98	18	5	14	4
212	286	187	236	274	341	431	446	431	393	284	157	42	9	3	8	5
208	196	163	197	212	208	266	269	283	305	221	118	56	9	2	6	6
328	352	272	322	354	403	500	511	470	452	345	190	62	14	1	1	7
148	194	134	167	184	248	301	303	274	250	191	105	33	6	.....	1	8
180	158	138	155	170	155	199	208	196	202	154	85	29	8	1	.....	9
85	96	69	87	93	110	140	130	133	107	78	40	15	3	.....	.....	10
90	81	67	84	85	83	92	100	93	99	66	34	11	4	1	.....	
37	55	38	46	38	56	47	58	33	28	17	8	1	.....	.....	.....	11
66	42	47	44	42	24	39	35	23	24	18	12	3	2	.....	.....	
26	43	27	34	53	82	114	115	108	115	96	57	17	3	.....	1	
24	35	24	27	43	48	68	73	80	79	70	39	15	2	.....	.....	12
83	114	71	98	115	133	174	180	230	234	152	79	35	3	1	2	13
57	78	47	56	74	83	110	123	144	134	87	46	8	2	1	1	14
26	36	24	42	41	50	64	57	86	100	65	33	27	1	.....	1	15
9	16	7	13	17	13	23	24	14	12	8	6	1	1	3	11	16
7	14	6	13	16	10	20	20	13	9	6	6	1	1	2	6	17
2	2	1	.....	1	3	3	4	1	3	2	.....	.....	.....	1	5	18
24	17	11	15	19	15	28	13	17	9	8	2	3	3	1	3	19
11	11	6	12	15	12	25	10	10	5	3	1	.....	1	1	2	20
13	6	5	3	4	3	3	3	7	4	5	1	3	2	.....	1	21
.....	1	.....	1	2	2	2	1	2	.....	.....	.....	.....	1	.....	.....	22
2	3	1	1	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	
6	5	3	2	1	1	7	4	2	1	2	.....	.....	.....	1	1	23
8	1	3	1	4	3	3	3	6	3	4	1	2	2	.....	1	
2	.....	.....	5	7	8	16	5	6	4	1	1	.....	.....	.....	1	24
1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	5	3	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5,085	5,411	5,059	5,541	6,145	6,810	7,670	7,892	8,157	7,395	5,221	2,663	863	164	32	24	27
2,630	2,979	2,840	3,179	3,444	3,654	4,106	4,140	4,186	3,498	2,308	1,077	323	46	14	18	28
2,455	2,432	2,219	2,362	2,701	3,156	3,564	3,752	3,971	3,897	2,913	1,586	540	118	18	6	29
4,711	4,901	4,657	5,117	5,789	6,545	7,416	7,717	7,972	7,276	5,146	2,620	853	156	24	24	30
2,424	2,671	2,612	2,928	3,228	3,500	3,968	4,048	4,099	3,442	2,275	1,059	321	43	11	18	31
2,287	2,230	2,045	2,189	2,561	3,045	3,448	3,669	3,873	3,834	2,871	1,561	532	113	13	6	32
3,191	3,096	3,020	3,272	3,771	4,350	5,261	5,555	5,669	5,276	3,749	1,936	586	104	17	7	33
1,500	1,539	1,521	1,695	1,936	2,175	2,711	2,902	2,907	2,462	1,655	748	209	28	7	5	34
1,691	1,557	1,499	1,577	1,835	2,175	2,550	2,653	2,762	2,814	2,094	1,188	377	76	10	2	35
942	955	900	983	1,124	1,284	1,654	1,889	1,949	1,696	1,185	532	152	15	4	5	36
1,141	1,007	923	967	1,109	1,294	1,605	1,732	1,929	1,985	1,541	850	272	53	8	1	
464	446	478	573	610	670	731	630	504	329	200	79	24	8	1	.....	37
462	450	441	495	578	686	708	632	482	432	260	134	38	6	1	1	
94	138	143	139	202	221	326	383	454	437	270	137	33	5	2	.....	
88	100	135	115	148	195	237	289	351	397	293	204	67	17	1	.....	38
1,474	1,724	1,569	1,771	1,955	2,125	2,086	2,081	2,225	1,936	1,349	662	260	49	7	8	39
887	1,070	1,032	1,176	1,243	1,272	1,211	1,088	1,138	944	593	300	109	14	4	5	40
587	654	537	595	712	853	875	993	1,087	992	756	362	151	35	3	3	41
46	81	68	74	63	70	69	81	78	64	48	22	7	3	.....	9	42
37	62	59	57	49	53	46	58	54	36	27	11	3	1	.....	8	43
9	19	9	17	14	17	23	23	24	28	21	11	4	2	.....	1	44
374	510	402	424	356	265	254	175	185	119	75	43	10	8	8	.....	45
200	308	228	251	216	154	138	92	87	56	33	18	2	3	3	.....	46
168	202	174	173	140	111	116	83	98	63	42	25	8	5	5	.....	47
202	305	226	247	213	152	134	89	87	55	33	18	2	3	3	.....	48
168	201	174	173	140	111	116	83	98	63	42	25	8	5	5	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
2	3	1	4	3	2	4	3	.....	1	.....	.....	.....	.....	.....	.....	50
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	RHODE ISLAND.												
1	Total	8,696	1,386	302	151	79	63	1,981	186	118	166	266	313
2	Males	4,470	792	175	79	43	27	1,116	94	74	91	128	144
3	Females	4,226	594	127	72	36	36	865	92	44	75	138	169
4	White	8,422	1,339	285	145	79	61	1,909	182	112	158	252	300
5	Males	4,315	766	164	76	43	26	1,075	91	70	88	118	137
6	Females	4,107	573	121	69	36	35	834	91	42	70	134	163
7	Native	5,517	1,331	280	142	77	61	1,891	170	100	121	185	173
8	Males	2,887	762	161	74	42	26	1,065	88	61	64	91	78
9	Females	2,630	569	119	68	35	35	826	82	39	57	94	95
10	Both parents native (M)	1,316	275	34	19	9	4	341	29	19	20	28	32
	Both parents native (F)	1,219	168	28	23	14	10	243	28	12	24	23	35
11	One or both parents foreign (M)	1,420	454	122	54	32	22	684	59	42	26	54	44
	One or both parents foreign (F)	1,316	383	86	43	21	25	558	52	27	31	66	58
12	Parentage unknown[1] (M)	151	33	5	1	1	.....	40	.....	.....	18	9	2
	Parentage unknown[1] (F)	95	18	5	2	.....	.....	25	2	.....	2	5	2
13	Foreign	2,846	2	2	3	1	.....	8	12	12	36	66	127
14	Males	1,392	1	1	2	1	.....	5	3	9	24	26	59
15	Females	1,454	1	1	1	.....	.....	3	9	3	12	40	68
16	Unknown	59	6	3	.....	1	.....	10	.....	.....	1	1	.....
17	Males	36	3	2	.....	.....	.....	5	.....	.....	.....	1	.....
18	Females	23	3	1	.....	1	.....	5	.....	.....	1	.....	.....
19	Colored	274	47	17	6	.....	2	72	4	6	8	14	13
20	Males	155	26	11	3	.....	1	41	3	4	3	10	7
21	Females	119	21	6	3	.....	1	31	1	2	5	4	6
22	Negro (M)	151	25	11	3	.....	1	40	3	4	3	10	7
	Negro (F)	119	21	6	3	.....	1	31	1	2	5	4	6
23	Indian (M)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	SOUTH CAROLINA.												
27	Total	23,767	5,531	1,250	494	292	212	7,779	666	538	972	1,452	1,191
28	Males	11,970	3,064	663	275	149	108	4,259	330	269	417	630	518
29	Females	11,797	2,467	587	219	143	104	3,520	336	269	555	822	673
30	White	9,425	1,986	521	198	134	89	2,928	212	168	271	394	393
31	Males	4,873	1,132	280	111	63	48	1,634	112	91	133	188	175
32	Females	4,552	854	241	87	71	41	1,294	100	77	133	206	213
33	Native	9,149	1,977	519	196	132	89	2,913	210	166	263	380	377
34	Males	4,706	1,128	278	111	62	48	1,627	110	91	135	179	166
35	Females	4,443	849	241	85	70	41	1,286	100	75	133	201	211
36	Both parents native (M)	3,930	1,078	271	108	62	47	1,566	107	82	109	143	140
	Both parents native (F)	3,795	816	229	83	69	40	1,237	96	71	119	183	182
37	One or both parents foreign (M)	109	13	1	2	.....	.....	16	2	1	5	4	4
	One or both parents foreign (F)	117	6	2	1	.....	.....	9	3	1	1	7	5
38	Parentage unknown[1] (M)	667	37	6	1	.....	1	45	1	8	21	32	22
	Parentage unknown[1] (F)	531	27	10	1	1	1	40	1	3	13	11	24
39	Foreign	169	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7
40	Males	97	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6
41	Females	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
42	Unknown	107	9	2	2	2	.....	15	2	2	2	9	4
43	Males	70	4	2	.....	1	.....	7	2	.....	2	5	3
44	Females	37	5	.....	2	1	.....	8	.....	2	.....	4	1
45	Colored	14,342	3,545	729	296	158	123	4,851	454	370	701	1,058	803
46	Males	7,097	1,932	383	164	86	60	2,625	218	178	279	442	343
47	Females	7,245	1,613	346	132	72	63	2,226	236	192	422	616	460
48	Negro (M)	7,095	1,932	383	164	86	60	2,625	218	178	279	441	343
	Negro (F)	7,243	1,612	346	132	72	63	2,225	236	192	422	616	460
49	Indian (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Indian (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
338	405	352	419	437	534	605	627	665	558	415	217	69	17	2	6	1
163	200	195	211	208	281	324	323	330	262	191	101	24	4	1	5	2
175	205	157	208	229	253	281	304	335	296	224	116	45	13	1	1	3
327	386	328	408	423	523	588	612	656	549	403	212	66	15	2	6	4
158	187	184	204	197	276	312	314	326	258	188	100	23	3	1	5	5
169	199	144	204	226	247	276	298	330	291	220	112	43	12	1	1	6
188	212	169	202	197	236	304	312	354	281	239	126	47	9	1	.....	7
92	104	92	98	93	122	165	157	188	136	117	58	15	3	.....	.....	8
96	108	77	104	104	114	139	155	166	145	122	68	32	6	1	.....	9
39	49	31	36	35	47	95	101	131	115	99	52	14	3	.....	.....	10
41	41	30	40	39	54	62	96	120	125	110	61	29	5	1	.....	
52	49	58	54	56	70	63	43	41	15	7	2	1	.....	.....	.....	11
55	66	44	61	60	57	71	50	38	12	8	1	.....	1	.....	.....	
1	6	3	8	2	5	7	13	16	6	11	4	.....	.....	.....	.....	12
.....	1	3	3	5	3	6	9	8	8	4	6	3	.....	.....	.....	
139	168	156	205	225	284	281	292	293	265	165	85	18	6	1	2	13
66	80	89	106	103	151	145	151	134	120	69	42	7	.....	1	2	14
73	88	67	99	122	133	136	141	159	145	96	43	11	6	.....	.....	15
.....	6	3	1	1	3	3	8	9	3	4	1	1	.....	.....	4	16
.....	3	3	.....	1	3	2	6	4	2	2	.....	1	.....	.....	3	17
.....	3	.....	1	.....	.....	1	2	5	1	2	1	.....	.....	.....	1	18
11	19	24	11	14	11	17	15	9	9	7	5	3	2	.....	.....	19
5	13	11	7	11	5	12	9	4	4	3	1	1	1	.....	.....	20
6	6	13	4	3	6	5	6	5	5	4	4	2	1	.....	.....	21
5	12	10	7	10	5	12	9	4	4	3	1	1	1	.....	.....	22
6	6	13	4	3	6	5	6	5	5	4	4	2	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,094	1,164	947	951	926	789	1,021	1,108	1,107	835	640	315	127	50	69	26	27
472	486	444	489	517	441	562	602	606	421	278	131	43	23	21	11	28
622	678	503	462	409	348	459	506	501	414	362	184	84	27	48	15	29
395	449	342	325	338	363	572	618	616	485	320	164	51	14	4	8	30
184	201	177	182	197	200	316	328	333	224	117	54	11	7	2	2	31
211	248	165	143	141	163	256	290	283	261	203	110	40	7	2	6	32
377	439	327	305	324	347	552	585	595	460	301	153	46	13	4	7	33
174	194	168	165	186	188	301	305	322	214	107	53	10	7	2	2	34
203	245	159	140	138	159	251	280	273	246	194	100	36	6	2	5	35
146	160	147	124	136	143	236	214	226	136	76	31	2	2	2	2	36
179	208	139	125	110	122	191	212	200	181	138	72	21	2	2	5	
3	5	6	4	4	10	9	8	11	8	4	4	1	.....	.....	.....	37
2	5	1	4	7	10	17	16	13	6	5	3	1	1	.....	.....	
25	29	15	37	46	35	56	83	85	70	27	18	7	5	.....	.....	38
22	32	19	11	21	27	43	52	60	59	51	25	14	3	.....	.....	
12	6	10	9	10	11	13	21	17	19	16	9	3	.....	.....	.....	39
8	4	6	7	8	7	8	12	9	7	9	.....	1	.....	.....	.....	40
4	2	4	2	2	4	5	9	8	12	7	9	2	.....	.....	.....	41
6	4	5	11	4	5	7	12	4	6	3	2	2	1	.....	1	42
2	3	3	10	3	5	7	11	2	3	1	1	.....	.....	.....	.....	43
4	1	2	1	1	.....	.....	1	2	3	2	1	2	1	.....	1	44
699	715	605	626	588	426	449	490	491	350	320	151	76	36	65	18	45
288	285	267	307	320	241	246	274	273	197	161	77	32	16	19	9	46
411	430	338	319	268	185	203	216	218	153	159	74	44	20	46	9	47
288	284	267	307	320	241	246	274	273	197	161	77	32	16	19	9	48
411	430	338	319	268	185	203	216	218	153	159	73	44	20	46	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	TENNESSEE.												
1	Total	28,396	4,409	1,052	523	370	234	6,588	803	610	1,200	1,538	1,517
2	Males	14,341	2,462	553	285	192	113	3,605	387	306	573	626	626
3	Females	14,055	1,947	499	238	178	121	2,983	416	304	627	912	891
4	White	20,226	3,321	820	416	295	186	5,038	597	414	686	866	929
5	Males	10,369	1,881	441	231	156	90	2,799	293	214	331	343	379
6	Females	9,857	1,440	379	185	139	96	2,239	304	200	355	523	550
7	Native	19,299	3,297	811	413	294	186	5,001	595	411	677	842	899
8	Males	9,773	1,866	437	230	156	90	2,779	292	212	329	329	360
9	Females	9,526	1,431	374	183	138	96	2,222	303	199	348	513	539
10	Both parents native (M)	7,763	1,726	426	221	147	83	2,603	269	197	303	288	312
	Both parents native (F)	7,706	1,324	363	176	132	87	2,082	290	187	321	440	466
11	One or both parents foreign (M)	208	18	3	.....	2	2	25	3	7	4	6	2
	One or both parents foreign (F)	195	11	1	1	1	3	17	2	2	6	8	8
12	Parentage unknown[1] (M)	1,802	122	8	9	7	5	151	20	8	22	35	46
	Parentage unknown[1] (F)	1,625	96	10	6	5	6	123	11	10	21	59	65
13	Foreign	394	.....	.....	.....	.....	.....	.....	.....	.....	1	7	14
14	Males	239	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	8
15	Females	155	.....	.....	.....	.....	.....	.....	.....	.....	1	1	6
16	Unknown	533	24	9	3	1	.....	37	2	3	8	17	16
17	Males	357	15	4	1	.....	.....	20	1	2	2	8	11
18	Females	176	9	5	2	1	.....	17	1	1	6	9	5
19	Colored	8,170	1,088	232	107	75	48	1,550	206	196	514	672	588
20	Males	3,972	581	112	54	36	23	806	94	92	242	283	247
21	Females	4,198	507	120	53	39	25	744	112	104	272	389	341
22	Negro (M)	3,971	581	112	54	36	23	806	94	92	242	283	247
	Negro (F)	4,198	507	120	53	39	25	744	112	104	272	389	341
23	Indian (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	UTAH.												
27	Total	5,198	1,011	198	103	45	49	1,406	151	139	158	206	253
28	Males	2,876	576	105	50	25	25	781	99	70	84	101	133
29	Females	2,322	435	93	53	20	24	625	52	69	74	105	120
30	White	5,065	986	192	99	43	47	1,367	147	138	156	197	248
31	Males	2,785	561	104	49	25	24	763	95	70	82	95	131
32	Females	2,280	425	88	50	18	23	604	52	68	74	102	117
33	Native	3,614	983	192	99	42	46	1,362	147	135	146	163	194
34	Males	1,957	559	104	49	25	23	760	95	68	75	78	94
35	Females	1,657	424	88	50	17	23	602	52	67	71	90	100
36	Both parents native (M)	1,137	444	79	37	19	14	593	66	45	48	48	48
	Both parents native (F)	968	327	67	41	11	16	462	36	51	43	42	57
37	One or both parents foreign (M)	669	107	23	12	6	9	157	28	23	26	20	40
	One or both parents foreign (F)	596	94	21	9	6	7	137	16	16	26	44	41
38	Parentage unknown[1] (M)	151	8	2	.....	.....	.....	10	1	.....	1	1	6
	Parentage unknown[1] (F)	93	3	.....	.....	.....	.....	3	.....	.....	2	4	2
39	Foreign	1,368	.....	.....	.....	1	1	2	.....	3	10	27	52
40	Males	755	.....	.....	.....	.....	1	1	.....	2	7	15	35
41	Females	613	.....	.....	.....	1	.....	1	.....	1	3	12	17
42	Unknown	83	3	.....	.....	.....	.....	3	.....	.....	.....	2	2
43	Males	73	2	.....	.....	.....	.....	2	.....	.....	.....	2	2
44	Females	10	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
45	Colored	133	25	6	4	2	2	39	4	1	2	9	5
46	Males	91	15	1	1	.....	1	18	4	.....	2	6	2
47	Females	42	10	5	3	2	1	21	.....	1	.....	3	3
48	Negro (M)	21	2	.....	.....	.....	.....	2	.....	.....	1	3	.....
	Negro (F)	8	2	2	1	.....	.....	5	.....	.....	.....	.....	1
49	Indian (M)	32	9	1	1	.....	.....	11	4	.....	.....	1	.....
	Indian (F)	23	4	3	2	.....	1	10	.....	1	.....	2	1
50	Chinese (M)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	31	4	.....	.....	.....	1	5	.....	.....	1	1	2
	Japanese (F)	11	4	.....	.....	2	.....	6	.....	.....	.....	1	1
52	Other colored (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,359	1,423	1,242	1,244	1,332	1,174	1,460	1,634	1,697	1,530	1,058	548	196	61	79	98	1
592	672	586	604	710	628	828	864	927	828	514	262	96	32	27	48	2
767	756	656	640	622	546	632	770	770	702	544	286	100	29	52	50	3
830	889	820	774	834	856	1,098	1,294	1,407	1,311	906	440	134	34	12	57	4
360	409	398	370	458	467	624	691	770	715	440	199	64	18	4	23	5
470	480	422	404	376	389	474	603	637	596	466	241	70	16	8	34	6
789	852	785	741	780	800	1,015	1,212	1,312	1,195	805	394	116	31	11	36	7
327	381	372	350	420	425	565	639	707	638	380	175	59	15	4	15	8
462	471	413	391	360	375	450	573	605	557	425	219	57	16	7	21	9
275	311	282	277	296	279	395	431	452	391	237	108	39	8	2	8	10
383	387	324	301	273	279	312	416	411	372	253	151	32	6	2	12	
8	14	17	13	17	25	20	11	8	10	8	6	2	1	.....	1	11
11	13	14	20	9	10	17	21	8	9	11	5	2	1	.....	1	
44	56	73	60	107	121	150	197	247	237	135	61	18	6	2	6	12
68	71	75	70	78	86	121	136	186	176	161	63	23	9	5	8	
15	12	11	15	25	32	41	39	46	51	46	25	10	3	.....	1	13
11	12	7	9	16	24	27	25	27	24	24	12	4	3	.....	.....	14
4	.....	4	6	9	8	14	14	19	27	22	13	6	.....	.....	1	15
26	25	24	18	29	24	42	43	49	65	55	21	8	.....	1	20	16
22	16	19	11	22	18	32	27	36	53	36	12	1	.....	.....	8	17
4	9	5	7	7	6	10	16	13	12	19	9	7	.....	1	12	18
529	539	422	470	498	318	362	340	290	219	152	108	62	27	67	41	19
232	263	188	234	252	161	204	173	157	113	74	63	32	14	23	25	20
297	276	234	236	246	157	158	167	133	106	78	45	30	13	44	16	21
231	263	188	234	252	161	204	173	157	113	74	63	32	14	23	25	22
297	276	234	236	246	157	158	167	133	106	78	45	30	13	44	16	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
276	288	229	189	215	243	255	290	250	253	213	125	47	12	.....	.....	27
144	158	136	123	138	156	151	175	132	126	88	56	21	4	.....	.....	28
132	130	93	66	77	87	104	115	118	127	125	69	26	8	.....	.....	29
267	279	218	177	209	239	252	285	242	251	211	123	47	12	.....	.....	30
138	152	126	113	132	152	148	170	126	126	87	54	21	4	.....	.....	31
129	127	92	64	77	87	104	115	116	125	124	69	26	8	.....	.....	32
202	201	155	115	125	133	130	119	87	71	68	36	15	5	.....	.....	33
92	93	86	75	72	83	76	74	43	34	30	17	9	3	.....	.....	34
110	108	69	40	53	50	54	45	44	37	38	19	6	2	.....	.....	35
44	29	30	17	18	25	27	24	26	12	21	9	6	1	.....	.....	36
37	38	28	13	17	14	19	25	23	25	22	12	2	2	.....	.....	
39	54	47	48	41	45	35	28	9	8	5	6	1	.....	.....	.....	37
65	63	38	19	35	30	26	15	10	7	5	2	1	.....	.....	.....	
9	10	9	10	13	13	14	22	8	14	4	2	2	2	.....	.....	38
8	7	3	8	1	6	9	5	11	5	11	5	3	.....	.....	.....	
57	68	56	58	75	98	113	155	150	176	142	87	32	7	.....	.....	39
40	51	34	34	52	61	64	86	78	89	56	37	12	1	.....	.....	40
17	17	22	24	23	37	49	69	72	87	86	50	20	6	.....	.....	41
8	10	7	4	9	8	9	11	5	4	1	.....	.....	.....	.....	.....	42
6	8	6	4	8	8	8	10	5	3	1	.....	.....	.....	.....	.....	43
2	2	1	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	44
9	9	11	12	6	4	3	5	8	2	2	2	.....	.....	.....	.....	45
6	6	10	10	6	4	3	5	6	.....	1	2	.....	.....	.....	.....	46
3	3	1	2	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	47
2	.....	2	4	1	.....	1	.....	4	.....	.....	1	.....	.....	.....	.....	48
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	2	2	3	2	.....	3	2	.....	1	1	.....	.....	.....	.....	49
.....	1	1	2	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	4	6	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	51
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	VERMONT.												
1	Total	5,536	713	92	54	37	19	915	72	64	121	132	154
2	Males	2,813	410	46	30	24	10	520	37	41	69	67	49
3	Females	2,723	303	46	24	13	9	395	35	23	52	65	105
4	White	5,530	713	92	54	37	19	915	72	64	120	132	154
5	Males	2,807	410	46	30	24	10	520	37	41	68	67	49
6	Females	2,723	303	46	24	13	9	395	35	23	52	65	105
7	Native	4,586	705	87	52	36	19	899	63	59	112	111	129
8	Males	2,312	408	44	28	24	10	514	32	37	64	57	38
9	Females	2,274	297	43	24	12	9	385	31	22	48	54	91
10	Both parents native (M)	1,500	257	25	18	11	7	318	17	26	45	36	29
	Both parents native (F)	1,486	191	24	19	9	4	247	22	14	30	36	58
11	One or both parents foreign (M)	529	133	18	10	11	3	175	14	8	15	19	7
	One or both parents foreign (F)	488	76	18	5	3	4	106	7	8	16	16	25
12	Parentage unknown[1] (M)	283	18	1		2		21	1	3	4	2	2
	Parentage unknown[1] (F)	300	30	1			1	32	2		2	2	8
13	Foreign	889	7	4	2	1		14	9	5	7	20	25
14	Males	463	2	2	2			6	5	4	3	9	11
15	Females	426	5	2		1		8	4	1	4	11	14
16	Unknown	55	1	1				2			1	1	
17	Males	32									1	1	
18	Females	23	1	1				2					
19	Colored	6									1		
20	Males	6									1		
21	Females												
22	Negro (M)	6									1		
	Negro (F)												
23	Indian (M)												
	Indian (F)												
24	Chinese (M)												
	Chinese (F)												
25	Japanese (M)												
	Japanese (F)												
26	Other colored (M)												
	Other colored (F)												
	VIRGINIA.												
27	Total	30,514	5,500	1,094	556	330	208	7,688	667	566	1,053	1,480	1,414
28	Males	15,483	3,139	583	275	145	97	4,239	319	308	521	670	597
29	Females	15,031	2,361	511	281	185	111	3,449	348	258	532	810	817
30	White	18,353	3,241	629	357	204	136	4,567	429	301	498	697	698
31	Males	9,478	1,848	328	181	85	68	2,510	208	181	274	324	310
32	Females	8,875	1,393	301	176	119	68	2,057	221	120	224	373	388
33	Native	17,647	3,231	626	355	203	136	4,551	427	299	484	664	660
34	Males	9,003	1,842	325	180	84	68	2,499	207	180	263	300	285
35	Females	8,644	1,389	301	175	119	68	2,052	220	119	221	364	384
36	Both parents native (M)	7,435	1,734	303	174	83	66	2,360	195	173	208	247	213
	Both parents native (F)	7,414	1,306	287	172	115	61	1,941	199	110	206	338	352
37	One or both parents foreign (M)	310	47	9	3			59	5	4	8	4	6
	One or both parents foreign (F)	296	37	7	3	3	5	55	13	6	6	7	5
38	Parentage unknown[1] (M)	1,258	61	13	3	1	2	80	7	3	47	49	36
	Parentage unknown[1] (F)	934	46	7		1	2	56	8	3	9	19	27
39	Foreign	513	1	2				3	1	1	11	23	25
40	Males	351	1	2				3		1	9	18	22
41	Females	162							1		2	5	3
42	Unknown	193	9	1	2	1		13	1	1	3	10	4
43	Males	124	5	1	1	1		8	1		2	6	3
44	Females	69	4		1			5		1	1	4	1
45	Colored	12,161	2,259	465	199	126	72	3,121	238	265	555	783	716
46	Males	6,005	1,291	255	94	60	29	1,729	111	127	247	346	287
47	Females	6,156	968	210	105	66	43	1,392	127	138	308	437	429
48	Negro (M)	5,985	1,289	254	93	60	29	1,725	111	127	247	341	284
	Negro (F)	6,145	966	210	104	66	43	1,389	127	137	307	437	429
49	Indian (M)	6	2	1				3					
	Indian (F)	11	2		1			3		1	1		
50	Chinese (M)	4			1			1					
	Chinese (F)												
51	Japanese (M)	8										4	3
	Japanese (F)												
52	Other colored (M)	2											
	Other colored (F)											1	

[1] Both parents unknown or one parent unknown and one native

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
167	158	199	200	260	314	352	464	577	538	475	250	98	21	4	1	1
66	72	93	91	137	167	189	246	303	282	231	101	43	6	2	1	2
101	86	106	109	123	147	163	218	274	256	244	149	55	15	2	.....	3
167	158	199	198	260	314	351	464	577	538	474	249	98	21	4	1	4
66	72	93	89	137	167	188	246	303	282	230	100	43	6	2	1	5
101	86	106	109	123	147	163	218	274	256	244	149	55	15	2	.....	6
139	133	159	158	209	252	272	373	452	432	364	188	64	16	1	1	7
52	59	65	66	107	132	145	195	236	230	178	68	32	3	1	1	8
87	74	94	92	102	120	127	178	216	202	186	120	32	13	.....	.....	9
33	36	42	49	66	73	97	127	157	156	114	50	26	2	1	.....	10
60	54	57	53	62	76	74	108	142	142	126	91	25	9	.....	.....	
14	15	17	14	28	44	28	37	47	29	12	4	1	.....	.....	1	11
22	11	32	24	28	32	31	40	28	24	27	7	3	1	.....	.....	
5	8	6	3	13	15	20	31	32	45	52	14	5	1	.....	.....	12
5	9	5	15	12	12	22	30	46	36	33	22	4	3	.....	.....	
28	23	38	37	49	59	72	89	118	96	103	59	31	5	2	.....	13
14	11	27	21	28	34	38	50	62	47	48	31	10	3	1	.....	14
14	12	11	16	21	25	34	39	56	49	55	28	21	2	1	.....	15
.....	2	2	3	2	3	7	2	7	10	7	2	3	.....	1	.....	16
.....	2	1	2	2	1	5	1	5	5	4	1	1	.....	.....	.....	17
.....	.....	1	1	.....	2	2	1	2	5	3	1	2	.....	1	.....	18
.....	.....	.....	2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	19
.....	.....	.....	2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	2	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,291	1,475	1,290	1,325	1,510	1,382	1,754	1,801	1,931	1,653	1,149	622	253	100	57	53	27
584	684	606	668	784	733	900	952	1,029	861	573	271	95	39	24	26	28
707	791	684	657	726	649	854	849	902	792	576	351	158	61	33	27	29
687	783	644	684	762	803	1,125	1,294	1,452	1,301	893	487	167	55	7	19	30
334	370	320	352	382	435	592	686	781	670	450	209	58	20	3	9	31
353	413	324	332	380	368	533	608	671	631	443	278	109	35	4	10	32
646	741	616	646	712	749	1,057	1,232	1,383	1,234	852	454	160	52	6	13	33
301	334	298	327	350	396	548	651	738	627	427	191	54	19	2	6	34
345	407	318	319	362	353	509	581	645	607	425	263	106	33	4	7	35
255	281	240	272	280	292	428	504	558	435	286	131	30	11	2	4	36
299	357	283	256	292	288	423	464	509	479	333	193	68	17	2	5	
8	16	18	17	17	23	19	23	23	23	26	10	1	.....	.....	.....	37
16	9	4	14	22	20	25	23	22	22	12	10	1	4	.....	.....	
38	37	40	38	53	81	101	124	157	169	115	50	23	8	.....	2	38
30	41	31	49	48	45	61	94	114	106	80	60	37	12	2	2	
29	35	20	27	36	44	47	43	59	52	27	23	5	2	.....	.....	39
22	30	16	18	22	32	30	22	37	33	15	16	4	1	.....	.....	40
7	5	4	9	14	12	17	21	22	19	12	7	1	1	.....	.....	41
12	7	8	11	14	10	21	19	10	15	14	10	2	1	1	6	42
11	6	6	7	10	7	14	13	6	10	8	2	.....	.....	1	3	43
1	1	2	4	4	3	7	6	4	5	6	8	2	1	.....	3	44
604	692	646	641	748	579	629	507	479	352	256	135	86	45	50	34	45
250	314	286	316	402	298	308	266	248	191	123	62	37	19	21	17	46
354	378	360	325	346	281	321	241	231	161	133	73	49	26	29	17	47
249	313	285	313	402	297	308	266	248	190	123	62	37	19	21	17	48
353	375	360	325	346	281	321	241	231	161	132	73	49	26	28	17	
.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	49
1	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	50
.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS NATIVITY OF DECEDENT:

	AREA, SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
	WASHINGTON.												
1	Total	15,164	1,797	319	154	113	98	2,481	375	319	469	638	713
2	Males	8,822	1,032	170	82	64	56	1,404	212	177	248	334	402
3	Females	6,342	765	149	72	49	42	1,077	163	142	221	304	311
4	White	14,330	1,668	286	135	102	83	2,274	348	289	429	560	6[illegible]
5	Males	8,333	959	155	72	58	44	1,288	197	166	226	294	372
6	Females	5,997	709	131	63	44	39	986	151	123	203	267	316
7	Native	10,110	1,614	277	127	99	81	2,198	318	270	384	469	516
8	Males	5,575	925	149	65	55	42	1,236	178	156	206	241	273
9	Females	4,535	689	128	62	44	39	962	140	114	178	228	2[illegible]
10	Both parents native (M.)	3,109	618	100	40	25	28	811	124	101	106	142	147
	Both parents native (F.)	2,594	483	86	38	30	25	662	81	84	101	116	162
11	One or both parents foreign (M.)	1,523	276	46	24	28	14	388	52	49	79	76	80
	One or both parents foreign (F.)	1,304	191	41	24	13	13	282	57	27	66	98	85
12	Parentage unknown [1] (M.)	943	31	3	1	2	.....	37	2	6	21	23	25
	Parentage unknown [1] (F.)	637	15	1	.....	1	1	18	2	3	11	14	16
13	Foreign	3,736	11	5	2	3	1	22	19	15	39	82	146
14	Males	2,355	6	2	2	3	1	14	12	7	18	44	99
15	Females	1,381	5	3	.....	.....	.....	8	7	8	21	38	47
16	Unknown	484	43	4	6	.....	1	54	11	4	6	9	23
17	Males	403	28	4	5	.....	1	38	7	3	2	8	20
18	Females	81	15	.....	1	.....	.....	16	4	1	4	1	6
19	Colored	834	129	33	19	11	15	207	27	30	40	78	55
20	Males	489	73	15	10	6	12	116	15	11	22	41	30
21	Females	345	56	18	9	5	3	91	12	19	18	37	25
22	Negro (M.)	85	5	4	1	.....	1	11	1	.....	3	10	7
	Negro (F.)	58	5	2	1	.....	.....	8	2	2	5	4	3
23	Indian (M.)	162	21	2	4	5	7	39	9	11	14	13	12
	Indian (F.)	180	21	10	4	3	3	41	6	14	10	16	7
24	Chinese (M.)	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	3
	Chinese (F.)	4	1	.....	.....	.....	.....	1	1	.....	.....	1	.....
25	Japanese (M.)	166	46	9	5	1	4	65	5	.....	3	6	6
	Japanese (F.)	100	27	6	4	2	.....	39	3	3	3	15	15
26	Other colored (M.)	19	1	.....	.....	.....	.....	1	.....	.....	2	6	3
	Other colored (F.)	3	2	.....	.....	.....	.....	2	.....	.....	.....	1	.....
	WISCONSIN.												
27	Total	29,675	4,493	717	365	313	242	6,130	748	533	803	1,045	1,207
28	Males	15,917	2,636	393	206	177	129	3,541	407	288	451	479	545
29	Females	13,758	1,857	324	159	136	113	2,589	341	245	352	566	662
30	White	29,349	4,435	697	353	308	238	6,031	731	525	785	1,022	1,192
31	Males	15,731	2,602	385	198	175	128	3,488	398	286	441	466	536
32	Females	13,618	1,833	312	155	133	110	2,543	333	239	344	556	656
33	Native	18,917	4,428	695	353	307	237	6,020	720	504	725	927	1,010
34	Males	9,990	2,596	383	198	174	128	3,479	392	275	403	422	426
35	Females	8,927	1,832	312	155	133	109	2,541	328	229	317	505	584
36	Both parents native (M.)	4,652	1,759	231	115	116	81	2,302	230	152	193	194	176
	Both parents native (F.)	3,972	1,218	169	83	71	58	1,599	189	120	164	212	252
37	One or both parents foreign (M.)	4,415	764	145	82	57	45	1,093	156	115	193	211	245
	One or both parents foreign (F.)	4,230	557	137	69	61	49	873	133	104	142	268	321
38	Parentage unknown [1] (M.)	923	73	7	1	1	2	84	6	8	17	17	25
	Parentage unknown [1] (F.)	725	57	6	3	1	2	69	6	5	11	25	31
39	Foreign	10,161	3	2	.....	1	1	7	10	21	56	90	172
40	Males	5,519	3	2	.....	1	.....	6	5	11	30	40	104
41	Females	4,642	.....	.....	.....	.....	1	1	5	10	26	50	68
42	Unknown	271	4	.....	.....	.....	.....	4	1	.....	4	5	10
43	Males	222	3	.....	.....	.....	.....	3	1	.....	3	4	6
44	Females	49	1	.....	.....	.....	.....	1	.....	.....	1	1	4
45	Colored	326	58	20	12	5	4	99	17	8	18	23	15
46	Males	186	34	8	8	2	1	53	9	2	10	13	9
47	Females	140	24	12	4	3	3	46	8	6	8	10	6
48	Negro (M.)	75	14	4	4	.....	.....	22	2	.....	5	9	3
	Negro (F.)	41	6	3	.....	.....	.....	9	.....	.....	1	5	2
49	Indian (M.)	110	20	4	4	2	1	31	7	2	5	4	6
	Indian (F.)	99	18	9	4	3	3	37	8	6	7	5	4
50	Chinese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Both parents unknown or one parent unknown and one native.

MAIN SUBDIVISIONS, AND EACH REGISTRATION STATE, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND PARENT 1920—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
778	845	787	759	868	928	1,096	1,065	976	892	595	348	115	24	7	56	1
429	480	469	454	534	570	693	661	598	518	323	190	63	10	4	49	2
349	365	318	305	334	358	403	404	378	374	272	158	52	14	3	7	3
718	797	735	720	837	891	1,067	1,046	962	874	580	333	107	21	4	50	4
300	456	432	425	515	538	675	649	589	506	317	182	58	9	4	46	5
328	341	303	295	322	353	392	397	373	368	263	151	49	12	.....	4	6
519	529	468	454	550	509	648	623	551	483	337	206	57	9	2	10	7
260	271	237	248	324	285	384	366	328	272	178	106	33	4	2	7	8
259	258	231	206	226	224	264	257	223	211	159	100	24	5	.....	3	9
136	136	126	126	146	134	194	202	166	153	88	53	11	3	1	3	10
140	127	115	94	122	106	152	144	115	116	89	53	11	2	.....	2	
93	85	63	72	96	78	104	65	60	39	23	10	4	.....	.....	2	11
83	85	83	77	64	61	54	50	41	41	28	16	1	.....	.....	.....	
31	50	43	50	82	73	86	99	102	80	67	43	18	1	1	2	12
31	46	33	35	40	57	58	63	67	54	42	31	12	3	.....	1	
174	230	238	234	251	348	380	378	383	371	235	123	47	11	2	8	13
112	150	169	148	159	223	255	243	239	218	133	75	23	4	2	8	14
62	80	69	86	92	125	125	135	144	153	102	48	24	7	.....	.....	15
25	38	29	32	36	34	39	45	28	20	8	4	3	1	.....	32	16
18	35	26	29	32	30	36	40	22	16	6	1	2	1	.....	31	17
7	3	3	3	4	4	3	5	6	4	2	3	1	.....	.....	1	18
60	48	52	39	31	37	29	19	14	18	15	15	8	3	3	6	19
39	24	37	29	19	32	18	12	9	12	6	8	5	1	.....	3	20
21	24	15	10	12	5	11	7	5	6	9	7	3	2	3	3	21
3	2	6	14	9	9	3	1	2	3	1	.....	.....	.....	.....	.....	
3	3	6	5	6	3	.....	2	1	1	2	1	.....	1	.....	.....	22
10	8	3	4	.....	4	2	3	1	8	4	8	5	1	.....	3	
12	12	5	4	5	1	11	5	4	5	7	6	3	1	3	2	23
.....	.....	3	2	4	12	13	7	5	1	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
24	12	24	9	5	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....	
6	9	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
2	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,211	1,133	998	1,031	1,311	1,610	1,950	2,039	2,223	2,243	1,830	1,090	413	89	21	17	27
603	602	516	556	701	879	1,088	1,151	1,207	1,160	955	553	183	34	7	11	28
608	531	482	475	610	731	862	888	1,016	1,083	875	537	230	55	14	6	29
1,203	1,120	985	1,018	1,296	1,601	1,940	2,025	2,214	2,229	1,818	1,080	409	89	21	15	30
598	592	509	550	691	874	1,081	1,142	1,203	1,153	946	545	180	34	7	11	31
605	528	476	468	605	727	859	883	1,011	1,076	872	535	229	55	14	4	32
912	810	673	659	763	853	1,030	936	820	675	487	263	93	26	6	5	33
437	397	323	350	379	432	550	510	452	333	243	118	48	11	2	3	34
475	413	350	309	384	421	480	426	368	342	244	145	45	15	4	2	35
148	123	78	74	90	96	137	156	161	136	126	61	25	7	1	1	
168	120	103	70	86	101	118	125	136	184	121	78	34	9	2	1	36
262	239	214	243	247	284	338	269	167	78	42	12	5	1	.....	1	
279	259	210	216	254	276	323	248	158	88	49	25	2	.....	1	1	37
27	35	31	33	42	52	75	85	124	119	75	45	18	3	1	1	
28	34	37	23	44	44	39	53	74	70	74	42	9	6	1	.....	38
278	288	203	342	509	727	876	1,065	1,369	1,540	1,318	811	310	62	14	3	39
148	175	169	186	293	422	503	613	731	810	694	423	127	22	4	3	40
130	113	124	156	216	305	373	452	638	730	624	388	183	40	10	.....	41
13	22	19	17	24	21	34	24	25	14	13	6	6	1	1	7	42
13	20	17	14	19	20	28	19	20	10	9	4	5	1	1	5	43
.....	2	2	3	5	1	6	5	5	4	4	2	1	.....	.....	2	44
8	13	13	13	15	9	10	14	9	14	12	10	4	.....	.....	2	45
5	10	7	6	10	5	7	9	4	7	9	8	3	.....	.....	.....	46
3	3	6	7	5	4	3	5	5	7	3	2	1	.....	.....	2	47
2	7	5	3	6	1	2	2	1	3	2	.....	.....	.....	.....	.....	
.....	2	5	4	2	2	.....	3	2	2	1	1	.....	.....	.....	.....	48
3	3	2	3	4	4	5	7	3	4	6	8	3	.....	.....	.....	
3	1	1	3	3	2	3	2	3	5	2	1	1	.....	.....	2	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	SUMMARY.														
1	The registration area (exclusive of Hawaii) (total)	1,142,558	6,805	3,136	508	7,712	4,004	10,968	13,395	62,097	2,721	88,195	4,895	6,826	4,287
2	White	1,007,117	5,315	1,474	353	7,404	3,944	9,423	12,762	53,847	2,595	70,166	4,407	5,489	3,706
3	Colored	135,441	1,490	1,662	155	308	60	1,545	633	8,250	126	18,029	488	1,337	491
4	Registration states [1] (total)	1,118,070	6,582	2,960	498	7,600	3,976	10,742	13,211	60,693	2,674	85,666	4,821	6,670	4,215
5	White	990,859	5,173	1,373	344	7,305	3,916	9,262	12,594	52,955	2,557	68,735	4,347	5,397	3,749
6	Colored	127,211	1,409	1,587	154	295	60	1,480	617	7,738	117	17,131	474	1,282	466
7	Cities in registration states [1] (total)	589,020	2,309	356	235	4,312	2,237	4,888	7,871	25,548	1,450	42,576	3,236	3,638	2,104
8	White	534,759	1,955	199	131	4,171	2,206	4,344	7,658	23,022	1,394	35,560	2,927	2,939	1,918
9	Colored	54,261	354	157	104	141	31	544	213	2,526	56	7,016	309	699	186
10	Rural part of registration states (total)	529,050	4,273	2,604	263	3,288	1,739	5,854	5,340	35,145	1,224	43,290	1,585	3,041	2,111
11	White	456,100	3,218	1,174	213	3,134	1,710	4,918	4,936	29,933	1,163	33,175	1,420	2,458	1,831
12	Colored	72,950	1,055	1,430	50	154	29	936	404	5,212	61	10,115	165	583	280
13	Registration cities in nonregistration states (total)	24,488	223	176	10	112	28	226	184	1,404	47	2,329	74	147	72
14	White	16,258	142	101	9	99	28	161	168	892	38	1,431	60	92	47
15	Colored	8,230	81	75	1	13	.....	65	16	512	9	898	14	55	25
16	All registration cities [1] (total)	613,508	2,532	532	245	4,424	2,265	5,114	8,055	26,952	1,497	44,905	3,310	3,785	2,176
17	White	551,017	2,097	300	140	4,270	2,234	4,505	7,826	23,914	1,432	36,991	2,937	3,031	1,965
18	Colored	62,491	435	232	105	154	31	609	229	3,038	65	7,914	323	754	211
	REGISTRATION STATES.														
19	California (total)	47,196	166	24	9	220	92	410	461	2,185	83	4,935	275	345	116
20	White	44,223	147	24	9	209	91	368	443	1,974	80	4,402	243	305	111
21	Colored	2,973	19	.....	.....	11	1	42	18	211	3	533	32	40	5
22	Colorado (total)	13,717	87	2	10	98	42	250	138	1,049	43	2,012	56	66	45
23	White	13,315	85	2	10	97	41	246	138	1,033	43	1,885	54	61	44
24	Colored	402	2	.....	.....	1	1	4	.....	16	.....	127	2	5	1
25	Connecticut (total)	18,916	57	5	.....	135	75	218	237	918	45	1,448	115	103	66
26	White	18,414	55	5	.....	133	75	208	233	900	44	1,383	108	90	65
27	Colored	502	2	.....	.....	2	.....	10	4	18	1	65	7	13	1
28	Delaware (total)	3,265	25	1	2	36	33	30	27	64	5	295	10	22	6
29	White	2,593	18	1	1	23	33	21	24	48	5	205	9	13	5
30	Colored	672	7	.....	1	13	.....	9	3	16	.....	90	1	9	1
31	Florida (total)	12,720	143	344	2	13	9	69	70	827	20	932	19	70	35
32	White	7,581	86	195	.....	11	9	44	54	531	18	387	16	32	21
33	Colored	5,139	57	149	2	2	.....	25	16	296	2	545	3	38	14
34	Illinois (total)	82,296	380	76	15	496	370	553	1,128	5,192	236	5,818	312	438	308
35	White	78,299	359	67	15	490	368	507	1,106	4,933	229	5,203	272	385	293
36	Colored	3,997	21	9	.....	6	2	46	22	259	7	615	40	53	10
37	Indiana (total)	39,430	284	20	17	348	212	311	362	2,295	156	2,733	160	308	119
38	White	37,623	267	17	16	344	212	296	356	2,214	153	2,476	151	273	111
39	Colored	1,807	17	3	1	4	.....	15	6	81	3	257	9	35	8
40	Kansas (total)	20,267	141	13	4	80	112	213	246	1,473	49	730	32	93	104
41	White	19,038	127	12	4	74	112	196	243	1,410	48	610	29	69	102
42	Colored	1,229	14	1	.....	6	.....	17	3	63	1	120	3	24	2
43	Kentucky (total)	28,564	490	60	21	270	62	386	425	1,838	52	3,245	174	286	113
44	White	24,004	419	48	21	258	60	323	402	1,636	48	2,481	154	216	93
45	Colored	4,560	71	12	.....	12	2	63	23	202	4	764	20	70	20
46	Louisiana (total)	21,553	280	586	167	43	15	184	111	916	28	2,396	31	123	74
47	White	10,805	129	314	59	34	14	93	74	497	22	822	24	48	28
48	Colored	10,748	151	272	108	9	1	91	37	419	6	1,574	7	75	46
49	Maine (total)	11,872	69	2	.....	30	23	126	64	591	19	655	59	85	40
50	White	11,833	69	2	.....	30	23	125	63	588	19	652	59	85	40
51	Colored	39	.....	.....	.....	.....	.....	1	1	3	.....	3	.....	.....	.....
52	Maryland (total)	21,362	100	4	.....	94	36	145	192	691	39	1,925	72	142	86
53	White	16,152	68	1	.....	82	36	84	181	514	35	1,208	47	82	60
54	Colored	5,210	32	3	.....	12	.....	61	11	177	4	717	25	60	26
55	Massachusetts (total)	53,498	95	4	2	355	218	536	586	1,584	130	3,757	361	294	156
56	White	52,438	90	4	2	350	214	516	581	1,545	130	3,594	352	281	154
57	Colored	1,060	5	.....	.....	5	4	20	5	39	.....	163	9	13	2
58	Michigan (total)	51,549	294	8	11	439	303	513	885	3,018	176	2,672	196	233	200
59	White	49,834	283	8	10	433	301	497	869	2,908	170	2,473	182	213	195
60	Colored	1,715	11	.....	1	6	2	16	16	110	6	199	14	20	5
61	Minnesota (total)	25,722	71	.....	17	158	116	299	247	1,677	71	1,853	131	167	109
62	White	25,309	71	.....	17	156	116	299	243	1,638	71	1,773	127	159	104
63	Colored	413	.....	.....	.....	2	.....	.....	4	39	.....	80	4	8	5
64	Mississippi (total)	22,040	333	683	45	18	24	157	284	1,047	34	2,169	26	92	60
65	White	7,923	99	190	24	5	16	50	169	423	24	383	8	19	19
66	Colored	14,117	234	493	21	13	8	107	115	624	10	1,786	18	73	41

[1] Including District of Columbia.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
72,031	14,062	5,281	71,618	124,143	11,609	120,108	10,120	38,514	11,702	9,314	6,241	78,192	5,800	10,976	61,080	68,697	8,959	15,505	182,157	1
69,232	13,464	4,800	66,193	113,059	10,440	104,962	8,792	34,204	10,719	8,343	5,716	69,532	4,923	9,334	54,914	60,390	8,681	8,787	159,657	2
3,099	598	481	5,425	11,084	1,169	15,146	1,328	4,310	983	971	525	8,660	877	1,642	6,166	8,307	273	6,718	22,500	3
71,756	13,898	5,151	70,493	122,420	11,391	117,745	9,859	37,344	11,321	9,037	6,102	76,410	5,616	10,704	59,876	66,948	8,790	15,097	177,595	4
68,266	13,325	4,694	65,475	111,964	10,299	103,574	8,627	33,282	10,425	8,159	5,615	68,415	4,800	9,155	54,030	59,268	8,529	8,585	156,665	5
3,490	573	457	5,018	10,456	1,092	14,171	1,232	4,062	896	878	487	7,995	816	1,549	5,846	7,680	261	6,512	20,930	6
41,636	8,094	2,715	33,870	65,606	6,419	70,322	5,334	21,780	8,000	5,714	3,400	41,824	3,240	5,333	31,262	35,570	5,012	1,978	91,151	7
39,865	7,769	2,512	31,451	60,574	5,808	62,316	4,829	19,976	7,414	5,196	3,151	38,060	2,863	4,831	28,823	32,204	4,863	1,401	82,429	8
1,771	325	203	2,419	5,032	611	8,006	505	1,804	586	518	249	3,764	377	502	2,439	3,366	149	577	8,722	9
30,120	5,801	2,136	36,623	56,814	4,972	47,423	4,525	15,564	3,321	3,323	2,702	34,586	2,376	5,371	23,614	31,378	3,778	13,119	86,444	10
28,401	5,556	2,182	31,024	51,390	4,491	41,258	3,798	13,306	3,011	2,963	2,464	30,355	1,937	4,324	25,207	27,964	3,666	7,184	74,236	11
1,719	248	254	2,599	5,424	481	6,165	727	2,258	310	360	238	4,231	439	1,047	3,407	4,314	112	5,935	12,208	12
1,175	164	130	1,125	1,723	218	2,363	261	1,170	381	277	139	1,782	184	272	1,204	1,749	169	408	4,562	13
966	139	106	718	1,095	141	1,388	165	922	294	184	101	1,117	123	179	884	1,122	152	202	2,992	14
209	25	24	407	628	77	975	96	248	87	93	38	665	61	93	320	627	17	206	1,570	15
42,811	8,258	2,845	34,095	67,329	6,637	72,685	5,595	22,950	8,381	5,991	3,539	43,606	3,424	5,605	32,466	37,319	5,181	2,386	95,713	16
40,831	7,908	2,618	32,169	61,669	5,949	63,704	4,994	20,898	7,708	5,380	3,252	39,177	2,986	5,010	29,707	33,326	5,015	1,603	85,421	17
1,980	350	227	2,826	5,660	688	8,981	601	2,052	673	611	287	4,429	438	595	2,759	3,993	166	783	10,292	18
3,800	593	236	3,230	6,346	345	3,540	374	1,197	454	406	331	3,281	177	340	1,831	3,327	698	48	7,318	19
3,674	571	203	3,142	6,086	326	3,246	355	1,076	435	385	313	3,138	159	316	1,680	3,105	655	43	6,909	20
126	25	33	88	260	19	294	19	121	19	21	18	143	18	24	151	222	43	5	409	21
691	137	51	633	994	102	1,669	162	422	232	110	39	725	79	133	660	901	149	36	1,894	22
670	135	50	619	968	99	1,624	158	414	230	108	38	699	79	132	648	871	148	31	1,846	23
12	2	1	14	26	3	45	4	8	2	2	1	26	.....	1	12	30	1	5	48	24
1,403	294	133	1,414	2,084	229	2,171	114	730	132	137	94	1,229	76	156	1,038	1,080	155	56	2,769	25
1,385	292	128	1,385	2,035	220	2,103	111	713	129	136	93	1,198	75	155	1,010	1,053	151	52	2,691	26
18	2	5	29	49	9	68	3	17	3	1	1	31	1	1	28	27	4	4	78	27
198	24	14	293	368	36	400	16	156	21	18	12	282	18	28	207	182	17	9	410	28
176	22	13	245	300	23	298	10	123	16	15	11	228	14	20	173	151	16	4	329	29
22	2	1	48	68	13	102	6	33	5	3	1	54	4	8	34	31	1	5	81	30
510	86	57	670	954	75	784	135	405	103	100	70	942	68	180	649	1,017	53	619	2,660	31
384	74	45	443	651	52	464	75	254	67	63	42	617	30	108	435	556	45	287	1,485	32
126	12	12	227	303	23	320	60	151	36	37	28	325	38	72	214	461	8	362	1,175	33
5,091	1,160	248	4,578	9,505	957	8,730	724	3,532	1,016	677	565	5,925	425	716	3,839	5,112	760	229	12,276	34
4,828	1,135	240	4,440	9,054	918	8,146	702	3,420	979	655	548	5,676	402	695	3,732	4,833	743	206	11,715	35
163	31	8	138	451	39	584	22	112	37	22	17	249	23	21	107	279	17	23	561	36
2,645	485	207	2,036	4,350	339	3,935	316	1,164	374	331	287	3,106	260	307	2,020	2,304	332	51	6,356	37
2,574	472	198	2,857	4,176	318	3,650	299	1,103	361	311	271	2,993	248	295	1,939	2,188	327	48	6,109	38
71	13	9	79	174	21	285	17	61	13	20	16	113	12	12	81	116	5	3	247	39
1,283	291	89	1,514	2,021	174	1,728	194	543	276	203	112	1,458	137	197	1,243	1,260	189	186	3,876	40
1,243	277	84	1,457	1,896	171	1,581	184	502	265	190	103	1,315	127	185	1,207	1,191	182	174	3,668	41
40	17	5	57	125	3	147	10	41	11	13	9	143	10	12	36	69	7	12	208	42
1,364	182	240	1,363	2,122	278	2,948	240	873	199	180	100	1,913	175	230	1,607	1,574	180	692	4,682	43
1,222	158	216	1,129	1,692	213	2,414	201	782	172	160	81	1,560	146	205	1,451	1,331	174	610	3,928	44
142	24	24	234	430	65	534	39	91	27	20	19	353	29	25	156	243	6	82	754	45
888	141	111	823	1,941	142	1,953	163	692	234	182	160	1,570	135	308	917	1,425	85	628	4,101	46
578	105	70	477	1,017	69	1,025	78	387	149	96	101	833	61	159	520	740	79	181	1,922	47
310	36	41	346	924	73	928	85	305	85	86	59	737	74	149	397	685	6	447	2,179	48
942	168	43	1,056	1,430	127	1,168	72	405	136	103	34	859	27	120	631	483	80	125	2,100	49
940	168	43	1,054	1,426	126	1,162	72	404	136	103	33	854	27	119	630	481	80	124	2,096	50
2	.....	.....	2	4	1	6	.....	1	.....	.....	1	5	.....	1	1	2	.....	1	4	51
1,372	218	93	1,171	2,407	276	2,234	140	1,184	147	163	91	2,038	87	187	1,262	1,126	138	161	3,011	52
1,200	220	76	1,176	1,870	172	1,614	113	888	109	118	76	1,572	53	141	957	892	134	80	2,293	53
172	28	17	295	537	104	620	27	296	38	45	15	466	34	46	305	234	4	81	718	54
4,469	810	249	4,010	7,569	701	6,051	376	1,841	456	394	210	2,929	219	465	2,796	2,518	393	178	8,777	55
4,410	794	242	3,962	7,424	694	5,915	369	1,809	454	388	206	2,878	214	456	2,754	2,467	390	167	8,632	56
59	16	7	57	145	7	136	7	32	2	6	4	51	5	9	42	51	3	11	145	57
3,099	605	248	3,403	5,906	742	5,654	518	1,759	594	455	309	2,579	314	550	3,275	2,979	356	244	9,012	58
3,063	598	240	3,354	5,750	717	5,226	504	1,706	584	439	301	2,519	308	539	3,204	2,863	353	234	8,790	59
36	7	8	49	156	25	428	14	53	10	16	8	60	6	11	71	116	3	10	222	60
2,203	415	95	1,454	2,732	212	1,898	266	504	425	229	116	1,585	161	278	1,690	1,579	269	173	4,432	61
2,279	411	90	1,445	2,712	211	1,849	263	496	424	228	114	1,571	159	275	1,678	1,550	267	145	4,368	62
14	4	5	9	20	1	49	3	8	1	1	2	14	2	3	12	29	2	28	64	63
686	103	87	718	1,527	123	1,841	159	578	228	174	89	1,491	165	314	778	1,585	57	2,268	4,097	64
348	65	44	345	566	58	699	69	273	113	82	35	597	40	133	482	568	45	422	1,510	65
338	38	43	373	961	65	1,142	90	305	115	92	54	894	125	181	296	1,017	12	1,846	2,587	66

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION STATES—Continued.														
1	Missouri (total)	42,638	341	137	28	286	156	308	645	3,310	125	3,338	115	191	112
2	White	38,862	315	129	28	276	153	271	635	3,141	117	2,740	100	150	104
3	Colored	3,776	26	8	.....	10	3	37	10	169	8	593	15	41	8
4	Montana (total)	5,289	27	.....	2	27	22	51	32	304	16	366	23	30	23
5	White	4,968	25	.....	2	27	21	47	32	268	15	291	20	27	23
6	Colored	321	2	.....	.....	.....	1	4	.....	36	1	75	3	3	.....
7	Nebraska (total)	12,976	58	1	22	121	60	246	112	747	50	461	33	67	62
8	White	12,579	56	1	20	93	59	231	112	724	47	419	29	55	60
9	Colored	397	2	.....	2	28	1	15	.....	23	3	42	4	12	2
10	New Hampshire (total)	6,764	30	.....	.....	40	9	36	52	303	18	361	31	38	21
11	White	6,753	30	.....	.....	40	9	36	52	303	18	359	31	38	21
12	Colored	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
13	New Jersey (total)	41,326	105	6	.....	306	110	413	566	1,202	68	3,253	192	190	176
14	White	38,851	95	6	.....	300	109	384	553	1,135	65	2,942	180	168	169
15	Colored	2,475	10	.....	.....	6	1	29	13	67	3	311	12	22	7
16	New York (total)	144,558	379	22	1	1,177	474	1,063	1,931	4,719	376	11,080	853	692	593
17	White	140,374	369	20	1	1,158	470	1,002	1,905	4,613	367	10,399	814	635	572
18	Colored	4,184	10	2	.....	19	4	61	26	106	9	690	39	57	21
19	North Carolina (total)	32,654	322	210	28	62	39	357	290	2,095	55	2,743	78	183	111
20	White	20,189	167	84	21	51	37	205	245	1,930	48	1,355	53	83	74
21	Colored	12,465	155	126	7	11	2	152	54	1,056	7	1,388	25	100	37
22	Ohio (total)	74,341	435	12	17	750	383	845	651	3,808	183	5,131	314	530	287
23	White	70,313	408	9	17	734	380	787	636	3,565	175	4,502	292	458	272
24	Colored	4,028	27	3	.....	16	3	58	15	243	8	629	22	72	15
25	Oregon (total)	9,246	39	1	10	30	14	47	45	481	25	578	18	77	34
26	White	8,923	37	1	10	30	14	42	45	436	24	524	43	74	32
27	Colored	323	2	.....	.....	.....	.....	5	.....	45	1	54	5	3	2
28	Pennsylvania (total)	120,902	503	14	1	1,153	497	1,195	1,733	6,114	244	8,028	506	679	479
29	White	114,800	464	13	1	1,126	491	1,132	1,705	5,848	239	7,209	459	599	454
30	Colored	6,102	39	1	.....	27	6	63	28	266	5	819	47	80	25
31	Rhode Island (total)	8,696	17	2	.....	69	27	92	129	364	16	672	61	67	32
32	White	8,422	16	2	.....	66	27	87	127	353	16	622	61	59	32
33	Colored	274	1	.....	.....	3	.....	5	2	11	.....	50	.....	6	.....
34	South Carolina (total)	23,767	379	487	2	56	11	373	201	2,322	20	1,894	27	110	70
35	White	9,425	131	97	1	35	7	149	129	907	16	486	18	36	26
36	Colored	14,342	248	390	1	21	4	224	72	1,415	4	1,408	9	74	44
37	Tennessee (total)	28,396	434	183	12	250	53	295	389	2,412	67	3,405	127	328	136
38	White	20,226	311	104	9	234	47	217	345	1,778	59	2,138	95	218	93
39	Colored	8,170	123	79	3	16	6	78	44	634	8	1,267	32	110	43
40	Utah (total)	5,198	31	.....	13	16	7	112	33	573	19	145	10	22	28
41	White	5,065	28	.....	11	16	7	111	33	563	18	135	8	20	28
42	Colored	133	3	.....	2	.....	.....	1	.....	10	1	10	2	2	.....
43	Vermont (total)	5,536	37	.....	.....	18	15	27	24	297	12	236	25	27	21
44	White	5,530	37	.....	.....	18	15	27	24	297	12	236	25	27	21
45	Colored	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Virginia (total)	30,514	260	51	12	94	32	463	334	2,311	46	2,904	98	227	160
47	White	18,353	157	16	9	69	27	265	281	1,432	38	1,370	66	109	90
48	Colored	12,161	103	35	3	25	5	198	53	879	8	1,624	32	118	70
49	Washington (total)	15,164	76	1	18	75	59	102	126	1,121	50	1,115	97	134	65
50	White	14,330	73	1	16	70	59	94	124	1,009	49	925	73	120	64
51	Colored	834	3	.....	2	5	.....	8	2	112	1	190	24	14	1
52	Wisconsin (total)	29,675	65	.....	10	234	257	299	383	1,726	86	1,978	133	176	152
53	White	29,349	64	.....	10	230	255	290	383	1,693	86	1,896	130	173	151
54	Colored	326	1	.....	.....	4	2	9	.....	33	.....	82	3	3	1
	REGISTRATION CITIES.														
	ALABAMA.[1]														
55	Registration cities (total)	4,979	41	15	3	3	7	41	15	322	10	402	11	36	19
56	White	2,255	12	1	3	2	7	17	13	122	8	97	4	19	7
57	Colored	2,724	29	14	.....	1	.....	24	2	200	2	305	7	17	12
58	Birmingham (total)	2,982	27	5	3	1	6	29	12	212	6	254	10	28	16
59	White	1,361	5	.....	3	1	6	12	11	87	5	54	3	16	5
60	Colored	1,621	22	5	.....	.....	.....	17	1	125	1	200	7	12	11
61	Mobile (total)	1,117	13	6	.....	1	.....	2	3	54	2	96	1	6	1
62	White	553	7	1	.....	1	.....	1	2	16	1	30	1	3	.....
63	Colored	564	6	5	.....	.....	.....	1	1	38	1	66	.....	3	1
64	Montgomery (total)	880	1	4	.....	1	1	10	.....	56	2	52	.....	2	2
65	White	341	.....	.....	.....	.....	1	4	.....	19	2	13	.....	.....	2
66	Colored	539	1	4	.....	1	.....	6	.....	37	.....	39	.....	2	.....

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
2,030	413	206	2,573	4,057	497	5,596	313	1,072	476	359	274	3,355	243	236	1,889	2,076	407	578	6,296	1
2,507	394	196	2,388	3,617	444	4,981	287	992	448	324	248	3,033	224	224	1,766	1,892	397	541	5,800	2
123	19	10	185	440	53	615	26	80	28	35	26	322	19	12	123	184	10	37	496	3
282	60	32	250	428	24	576	55	123	124	67	37	273	42	62	362	519	86	88	876	4
270	58	30	244	417	22	545	52	118	120	63	37	262	41	61	350	503	84	58	835	5
12	2	2	6	11	2	31	3	5	4	4	.....	11	1	1	12	16	2	30	41	6
999	269	70	799	1,207	92	1,115	135	269	249	146	59	678	76	145	838	834	156	173	2,627	7
990	263	69	788	1,187	88	1,050	133	264	245	145	58	667	76	141	824	811	155	166	2,553	8
9	6	1	11	20	4	65	2	5	4	1	1	11	.....	4	14	23	1	7	74	9
521	104	38	627	908	106	580	41	195	51	65	33	447	13	58	366	313	50	23	1,286	10
521	104	38	625	906	106	577	41	195	51	65	33	446	13	58	366	313	50	23	1,285	11
.....	.....	.....	2	2	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	12
2,760	594	223	2,991	5,031	557	4,916	355	1,690	354	321	248	3,359	193	319	2,216	2,553	371	67	5,571	13
2,679	571	209	2,866	4,815	516	4,502	335	1,588	332	299	243	3,168	180	301	2,066	2,432	361	62	5,220	14
81	23	14	125	266	41	414	20	102	22	22	5	191	13	18	150	121	10	5	351	15
10,554	2,439	544	9,129	19,961	1,772	16,739	1,198	4,785	1,430	1,178	872	11,538	530	1,086	6,870	7,857	1,197	141	21,369	16
10,414	2,404	530	9,006	19,575	1,717	15,948	1,166	4,647	1,394	1,146	853	11,287	495	1,050	6,673	7,667	1,180	132	20,765	17
140	35	14	123	386	55	791	32	138	36	32	19	251	35	36	197	190	17	9	604	18
1,017	198	202	1,701	2,403	229	2,626	275	1,398	222	176	96	1,926	172	642	2,042	1,692	100	3,063	4,992	19
767	154	150	1,183	1,548	135	1,571	151	917	166	116	59	1,240	97	395	1,467	1,005	87	1,524	3,095	20
250	44	52	518	855	94	1,055	124	481	56	60	37	686	75	247	575	687	13	1,539	1,897	21
5,171	1,025	310	5,907	8,335	671	7,894	541	1,849	755	650	526	4,430	425	559	3,945	5,040	604	519	11,839	22
5,033	1,004	301	5,717	7,960	642	7,260	517	1,773	720	620	503	4,216	402	535	3,775	4,756	593	476	11,275	23
138	21	9	190	375	29	634	24	76	35	30	23	214	23	24	170	284	11	43	564	24
734	138	52	696	1,139	42	851	102	84	122	86	50	516	50	91	426	674	109	47	1,808	25
728	137	50	686	1,119	40	819	98	80	118	84	48	507	47	85	414	654	104	34	1,759	26
6	1	2	10	20	2	32	4	4	4	2	2	9	3	6	12	20	5	13	49	27
7,315	1,430	538	7,527	12,406	1,293	15,946	1,332	5,526	955	979	705	8,669	603	1,107	7,017	8,093	794	534	16,987	28
7,120	1,404	516	7,299	11,893	1,228	14,756	1,244	5,304	898	941	687	8,292	571	1,054	6,731	7,682	777	513	16,145	29
195	26	22	228	503	65	1,190	88	222	57	38	18	377	32	53	286	411	17	21	842	30
606	123	37	666	975	105	991	89	272	74	47	38	588	34	86	453	406	59	43	1,458	31
596	122	36	646	936	104	955	88	265	72	45	38	572	33	84	440	397	59	41	1,425	32
10	1	1	20	39	1	36	1	7	2	2	.....	16	1	2	13	9	.....	2	33	33
557	105	65	980	1,641	104	1,863	317	1,130	139	108	45	1,418	133	450	2,170	1,278	59	882	4,371	34
338	74	36	516	763	43	723	68	489	70	44	16	649	44	170	863	516	49	207	1,709	35
219	31	29	464	878	61	1,140	249	641	69	64	29	769	89	280	1,307	762	10	675	2,662	36
1,091	145	102	1,070	2,018	170	2,750	230	719	330	207	93	1,539	178	300	1,229	1,631	126	1,635	4,679	37
905	116	138	834	1,375	104	1,905	152	566	246	143	66	1,034	112	216	1,009	1,102	115	1,071	3,369	38
189	29	24	236	643	66	845	78	153	84	64	27	505	66	84	220	529	11	564	1,310	39
250	60	32	218	484	54	571	58	118	109	59	16	303	28	84	412	409	35	128	761	40
248	59	32	218	481	52	549	56	118	108	56	16	300	27	79	405	394	34	114	741	41
2	1	.....	.....	3	2	22	2	.....	1	3	.....	3	1	5	7	15	1	14	20	42
414	69	35	509	805	91	537	34	125	50	47	22	391	14	38	305	258	44	12	967	43
414	69	35	509	804	91	537	34	125	50	47	22	391	14	38	305	256	44	12	964	44
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	45
1,299	217	177	1,839	2,896	214	2,402	302	918	194	219	103	2,101	149	420	1,992	1,756	128	1,157	4,919	46
948	170	128	1,126	1,786	104	1,331	165	528	130	120	59	1,346	86	255	1,371	1,121	112	574	2,964	47
351	47	49	713	1,110	110	1,071	137	420	64	99	44	755	63	165	621	635	16	583	1,955	48
1,123	190	64	925	1,584	72	1,281	135	166	200	123	57	844	62	187	806	1,320	246	137	2,603	49
1,098	184	61	913	1,544	68	1,192	132	149	195	120	55	827	62	178	760	1,258	238	109	2,510	50
25	6	3	12	40	4	89	3	17	5	3	2	17	.....	9	46	62	8	28	93	51
2,335	495	137	2,034	3,053	374	2,989	308	746	394	274	188	1,637	123	272	1,746	1,439	265	130	5,257	52
2,326	492	135	2,027	3,036	372	2,932	305	739	392	273	188	1,627	122	268	1,736	1,428	264	117	5,209	53
9	3	2	7	17	2	57	3	7	2	1	.....	10	1	4	10	11	1	13	48	54
185	28	17	271	396	29	486	37	151	104	63	27	403	27	78	289	410	22	73	958	55
121	22	13	111	191	8	188	16	78	70	35	12	175	15	40	152	191	18	12	475	56
64	6	4	160	205	21	298	21	73	34	28	15	228	12	38	137	219	4	61	483	57
107	12	12	154	225	13	340	23	86	78	31	16	176	18	48	193	261	13	17	550	58
71	11	10	59	107	4	133	9	48	51	19	11	85	11	29	100	121	11	5	258	59
36	1	2	95	118	9	207	14	38	27	12	5	91	7	19	93	140	2	12	292	60
44	9	3	66	116	5	91	6	35	12	15	8	134	2	14	73	78	4	10	207	61
20	7	1	29	60	3	39	4	19	8	8	1	62	.....	6	35	40	3	5	131	62
15	2	2	37	56	2	52	2	16	4	7	7	72	2	8	38	38	1	5	76	63
34	7	2	51	55	11	55	8	30	14	17	3	93	7	16	23	71	5	46	201	64
21	4	2	23	24	1	16	3	11	11	8	.....	28	4	5	17	30	4	2	86	65
13	3	.....	28	31	10	39	5	19	3	9	3	65	3	11	6	41	1	44	115	66

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47,48
	REGISTRATION CITIES—Continued.														
	CALIFORNIA.														
1	Registration cities (total)	28,157	82	6	2	138	36	186	316	1,187	49	2,587	183	211	69
2	White	26,364	65	6	2	131	35	162	305	1,085	48	2,267	161	186	66
3	Colored	1,793	17			7	1	24	11	102	1	320	22	25	3
4	Alameda	358	1			3		3	3	27	1	17	1	1	2
5	Bakersfield	347	1			1		4	5	14	1	23	4	3	2
6	Berkeley	583				2	1	2	4	28	1	23	1	4	
7	Eureka	217	1				3		6	4		16	6	1	
8	Fresno	661	4			1	1	9	15	75	2	46	2	4	1
9	Glendale	290				1		3	1	4		29	2	2	2
10	Long Beach	758	1			2	1	10	6	5	1	24	2	4	2
11	Los Angeles (total)	8,274	15			36	5	53	72	204	14	974	40	71	22
12	White	7,735	12			35	5	45	69	187	14	867	34	64	22
13	Colored [1]	539	3			1		8	3	17		107	6	7	
14	Oakland (total)	2,585	13	2		22	6	11	26	160	9	182	21	16	7
15	White	2,421	12	2		21	6	11	24	145	9	145	19	13	6
16	Colored [2]	164	1			1			2	15		37	2	3	1
17	Pasadena	562				2		2		12	1	65	6	4	1
18	Pomona	225	1					3		9		16		2	1
19	Richmond	155						3	3	18		11		3	
20	Riverside	302	6			1		5	4	2		35	8	3	1
21	Sacramento	1,179	11		1	6	1	14	8	35	2	102	11	10	2
22	San Bernardino	396	3					3	4	5	1	83	4	2	2
23	San Diego	1,325	3			1		19	11	36		153	14	10	4
24	San Francisco (total)	7,259	15	4		30	9	30	91	387	14	579	49	54	15
25	White	6,799	11	4		27	8	26	90	365	14	501	45	50	14
26	Colored [3]	460	4			3	1	4	1	22		78	4	4	1
27	San Jose	493				6	3	1	12	22		31	3	3	3
28	Santa Ana	226				3		1	2	8	1	19		1	
29	Santa Barbara	257	2					2		7		14	1	3	
30	Santa Cruz	209			1	1			8	3		16	3		
31	Santa Monica	251				1		1	5	6		8			
32	Stockton	839	5			4		4	8	54	1	99	4	4	1
33	Vallejo	329				13	6	3	22	61		9	1	3	1
34	Venice	77				2				1		3		1	
	COLORADO.														
35	Registration cities (total)	6,529	34	1	1	43	11	95	73	342	19	1,136	33	41	24
36	White	6,279	32	1	1	42	11	93	73	336	19	1,055	31	37	23
37	Colored	250	2			1		2		6		81	2	4	1
38	Boulder	209	3			2		5	1	15		42			1
39	Colorado Springs	703	4			1		2	2	39	1	229	4	4	2
40	Denver	4,484	14	1	1	25	7	51	60	218	12	766	27	30	14
41	Greeley	190	4			3	2		1	7	1	11	1		
42	Pueblo	727	9			8	1	29	7	43	3	70	1	5	6
43	Trinidad	216				4	1	8	2	20	2	18		2	1
	CONNECTICUT.														
44	Registration cities (total)	14,494	43	3		101	68	182	201	749	36	1,007	105	88	44
45	White	14,062	41	3		99	68	175	197	736	35	954	93	76	44
46	Colored	432	2			2		7	4	13	1	53	7	12	
47	Ansonia	189				1	2	8	5	14		14		2	
48	Bridgeport	1,872	3			11	7	24	44	118	9	124	21	8	5
49	Bristol	249	1			1	1	7	2	3	1	12	2	3	
50	Danbury town	371	1	1		3			2	13	1	27	2	2	
51	Derby	203	1			4	2	6	1	14		8			
52	East Hartford town	119	1			2		1	3	1		10	2		
53	Enfield town	129	4			6			1	9		9		1	
54	Fairfield town	122							10	3	1	7		2	
55	Greenwich town	286						3	8	13	1	16			
56	Hartford	2,296	10			6	4	12	28	74	7	103	23	10	6
57	Manchester town	113	1							5		9			
58	Meriden town	500		1		1	2	7	7	33	1	67	5	4	3
59	Middletown town	531	2					3	4	14	1	57	1	1	1
60	Milford town	127	1				2	1		2		9			1
61	Naugatuck	130				1	1	2	1	9		12	2	2	1
62	New Britain	659	1			3	14	9	17	53	1	42		6	1
63	New Haven	2,375	11			34	7	30	19	149	3	110	19	16	8
64	New London	383				5		5	2	19		17	2	3	
65	Norwalk	391	1			3		8	4	22	1	25	1	5	1
66	Norwich town	574	4	1		3	1	7	3	30	1	98	4	3	
67	Orange town	284	1			1		4	3	7		80	1	2	
68	Stamford town	539				3	1	8	5	30	2	29	5	2	5
69	Stonington town	105						1	1	2		7	1	1	1
70	Stratford town	140				2		3	2	6	2	9	1	3	1

[1] Includes 284 Negroes, 4 Indians, 45 Chinese, 198 Japanese, and 8 other colored.

[2] Includes 73 Negroes, 64 Chinese, and 27 Japanese.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors. 39-45	Diabetes. 50	Meningitis. 61	Cerebral hemorrhage and softening. 64, 65	Organic diseases of the heart. 79	Bronchitis. 89, 90	Pneumonia (all forms). 91, 92	Other diseases, respiratory system. 86-88, 93-98	Diarrhea and enteritis (under 2 years). 104	Appendicitis and typhlitis. 108	Hernia, intestinal obstruction. 109	Cirrhosis of the liver. 113	Acute nephritis and Bright's disease. 119, 120	Puerperal septicemia. 137	Other puerperal causes. 124-136, 138-141	Congenital debility and malformations. 150, 151	Violent deaths (suicide excepted). 164-186	Suicide. 155-163	Unknown or ill-defined diseases. 187-189	All other causes.	
2,608	386	147	1,993	3,934	215	2,086	241	586	331	293	230	2,093	116	218	1,021	1,791	422	14	4,380	1
2,514	365	119	1,937	3,750	203	1,908	227	520	316	278	218	1,985	102	203	950	1,693	400	14	4,143	2
94	21	28	56	184	12	178	14	66	15	15	12	108	14	15	71	98	22	.....	237	3
28	6	2	28	63	1	18	5	2	2	6	3	20	2	3	20	20	5	.....	65	4
17	5	3	21	25	2	28	3	12	9	3	4	23	6	5	17	32	2	.....	65	5
72	13	2	55	103	5	43	7	4	7	8	7	38	.....	1	21	39	4	.....	88	6
15	2	.....	14	29	1	25	.....	1	2	2	2	20	.....	3	8	11	2	.....	43	7
37	7	3	30	60	4	54	5	37	7	9	5	40	6	6	37	52	8	1	93	8
41	3	.....	30	32	1	14	7	2	2	2	3	37	.....	.....	8	13	2	.....	49	9
80	13	6	74	130	7	33	9	6	10	12	4	60	2	4	29	53	15	1	152	10
706	90	33	580	1,084	76	495	68	261	86	77	67	610	38	56	319	554	116	3	1,350	11
772	94	26	564	1,032	70	451	65	233	81	75	64	580	31	48	291	522	111	3	1,268	12
24	5	7	16	52	6	44	3	28	5	2	3	30	7	8	28	32	5	.....	82	13
219	40	13	181	436	20	240	17	43	28	28	24	196	6	22	102	127	42	.....	326	14
212	39	13	173	414	20	220	16	43	27	26	24	184	6	22	94	123	40	.....	312	15
7	1	.....	8	22	.....	20	1	.....	1	2	.....	12	.....	.....	8	4	2	.....	14	16
48	12	1	54	86	10	35	3	12	4	5	3	57	1	4	8	26	6	.....	94	17
20	2	2	18	35	1	17	1	13	5	3	.....	11	2	3	6	17	3	1	33	18
7	1	2	11	16	.....	14	2	4	2	1	1	8	.....	5	4	15	3	.....	21	19
29	2	2	22	43	6	18	4	10	1	4	.....	20	.....	1	11	16	1	1	46	20
107	15	3	78	133	9	96	13	24	25	13	6	88	9	14	54	102	15	1	171	21
20	4	2	22	27	2	26	.....	17	4	3	1	44	5	4	11	37	4	.....	51	22
121	13	2	127	185	5	99	12	8	11	10	12	85	4	6	56	81	21	1	215	23
773	112	53	446	1,085	51	613	60	76	95	77	61	547	27	57	219	438	131	3	1,058	24
737	102	37	431	1,013	47	578	55	71	92	73	58	516	26	54	210	418	124	3	999	25
36	10	16	15	72	4	35	5	5	3	4	3	31	1	3	9	20	7	.....	59	26
37	6	2	27	87	1	23	4	13	8	6	4	51	1	4	16	34	8	.....	77	27
20	3	1	22	35	2	13	1	14	5	1	2	14	1	.....	7	9	2	.....	39	28
27	9	2	27	39	2	13	.....	7	2	2	1	20	1	4	21	10	3	1	37	29
25	3	1	26	37	1	14	2	2	2	1	3	11	.....	2	4	9	7	.....	27	30
26	2	1	22	43	.....	10	2	4	2	3	1	26	1	3	7	23	3	.....	51	31
28	7	8	63	81	5	94	9	11	6	17	12	49	2	7	27	38	9	1	181	32
7	5	3	13	24	3	40	7	2	6	.....	3	13	2	4	9	30	5	.....	34	33
8	2	.....	2	16	.....	11	.....	1	.....	.....	1	5	.....	.....	.....	5	5	.....	14	34
399	65	21	308	502	46	902	80	127	132	54	23	368	38	44	284	313	73	5	892	35
392	64	21	301	483	44	866	77	123	130	52	22	352	38	44	277	299	72	5	863	36
7	1	.....	7	19	2	36	3	4	2	2	1	16	.....	.....	7	14	1	.....	29	37
9	1	2	6	32	5	9	2	2	3	3	1	8	.....	1	6	12	1	.....	37	38
44	5	4	30	52	3	52	7	9	11	6	.....	32	2	1	23	30	9	.....	95	39
283	51	9	216	357	30	683	54	57	85	38	13	247	25	32	197	211	54	4	612	40
14	2	3	12	14	.....	21	3	5	5	2	.....	18	2	2	12	8	3	1	33	41
42	6	3	27	36	8	123	10	41	17	5	6	41	6	7	33	39	5	.....	90	42
7	.....	.....	17	11	.....	14	4	13	11	.....	3	22	3	1	13	13	1	.....	25	43
1,074	230	113	998	1,486	144	1,748	96	592	122	118	61	907	71	138	884	846	115	31	2,093	44
1,061	228	109	973	1,441	137	1,686	93	577	119	117	60	880	71	137	860	824	111	27	2,025	45
13	2	4	25	45	7	62	3	15	3	1	1	27	.....	1	24	22	4	4	68	46
9	1	2	11	9	3	16	.....	27	.....	.....	.....	1	1	3	21	11	2	1	15	47
135	20	17	98	171	13	233	11	87	13	13	8	113	10	20	131	117	20	7	252	48
15	3	.....	18	23	6	43	2	15	.....	1	.....	11	.....	4	35	8	1	3	28	49
39	5	2	30	49	1	33	1	9	2	6	.....	27	.....	6	25	23	2	1	58	50
8	4	1	9	22	1	24	2	12	2	2	1	5	1	4	17	20	1	2	29	51
8	3	.....	10	15	.....	21	2	4	.....	1	2	11	1	.....	4	2	1	.....	14	52
13	3	1	10	14	1	15	1	12	.....	.....	1	6	.....	1	9	3	.....	.....	9	53
9	2	.....	6	14	3	10	.....	10	.....	.....	.....	5	.....	1	7	15	1	.....	16	54
20	4	3	24	23	6	27	4	9	2	5	6	23	.....	2	13	20	3	.....	51	55
198	33	12	149	239	18	307	9	90	22	18	6	189	16	28	161	155	16	5	337	56
10	3	1	12	13	1	17	2	1	.....	.....	2	5	.....	.....	7	4	2	.....	18	57
44	6	4	47	52	7	45	4	11	5	2	.....	30	2	7	18	22	1	.....	62	58
31	5	2	41	64	6	100	1	7	5	3	1	31	.....	1	22	18	4	.....	105	59
10	5	.....	12	19	.....	10	1	1	1	1	4	13	.....	1	4	11	.....	1	17	60
7	3	1	10	4	3	21	1	5	.....	2	.....	8	.....	1	8	9	1	.....	15	61
43	7	5	40	39	4	65	1	51	5	6	6	25	6	6	78	51	6	1	67	62
200	45	21	153	263	26	295	17	82	26	23	4	147	11	11	113	146	18	5	363	63
31	9	6	29	52	3	40	4	8	1	3	4	27	2	7	18	19	3	.....	64	64
26	11	2	38	43	7	34	6	6	4	2	.....	25	1	4	9	23	3	.....	76	65
39	11	3	41	65	6	58	2	15	6	6	1	27	.....	6	17	20	2	.....	94	66
20	1	1	16	35	1	22	6	6	1	1	1	13	.....	.....	11	9	2	.....	39	67
35	8	8	43	65	6	59	2	17	5	5	2	32	3	5	35	27	3	.....	89	68
5	3	.....	8	23	1	12	1	3	.....	2	2	9	.....	1	5	6	1	.....	9	69
6	2	.....	17	13	3	20	1	8	.....	.....	2	5	.....	.....	7	9	.....	1	17	70

[a] Includes 67 Negroes, 1 Indian, 307 Chinese, 83 Japanese, and 2 other colored.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	CONNECTICUT—continued.														
1	Torrington town	225	.....	.....	.....	5	4	5	3	20	.....	15	1	2	.....
2	Wallingford town	143	.....	.....	.....	1	.....	2	5	5	.....	10	1	.....	1
3	Waterbury	1,238	.....	.....	.....	4	18	26	19	75	4	67	9	8	8
4	Windham town	201	.....	.....	.....	1	2	.....	2	6	.....	9	2	2	1
	DELAWARE.														
5	Wilmington (total)	1,563	16	.....	.....	14	27	6	16	25	4	103	6	14	2
6	White	1,313	10	.....	.....	11	27	6	15	18	4	78	5	9	2
7	Colored	250	6	.....	.....	3	.....	.....	1	7	.....	25	1	5	.....
	DISTRICT OF COLUMBIA.														
8	Washington (total)	6,463	29	1	.....	3	9	18	63	219	12	524	21	46	16
9	White	4,163	18	.....	.....	3	8	12	49	159	9	250	15	17	13
10	Colored	2,300	11	1	.....	.....	1	6	14	60	3	274	6	29	3
	FLORIDA.														
11	Registration cities (total)	3,721	35	23	.....	2	2	17	19	203	2	310	10	26	7
12	White	2,099	23	8	.....	2	2	9	16	119	2	124	9	12	4
13	Colored	1,622	12	15	.....	.....	.....	8	3	84	.....	186	1	14	3
14	Jacksonville (total)	1,563	7	8	.....	.....	.....	10	10	75	.....	131	4	9	4
15	White	719	2	3	.....	.....	.....	3	9	43	.....	30	4	.....	2
16	Colored	844	5	5	.....	.....	.....	7	1	32	.....	101	.....	9	2
17	Key West (total)	298	9	.....	.....	.....	.....	1	.....	16	.....	37	3	6	1
18	White	216	7	.....	.....	.....	.....	1	.....	12	.....	29	3	5	1
19	Colored	82	2	.....	.....	.....	.....	.....	.....	4	.....	8	.....	1	.....
20	Miami (total)	481	1	3	.....	.....	.....	3	.....	29	.....	38	.....	2	.....
21	White	282	1	.....	.....	.....	.....	2	.....	17	.....	14	.....	.....	.....
22	Colored	199	.....	3	.....	.....	.....	1	.....	12	.....	24	.....	2	.....
23	Pensacola (total)	455	5	3	.....	1	2	.....	3	32	1	27	2	2	1
24	White	254	3	.....	.....	1	2	.....	3	15	1	10	1	2	.....
25	Colored	201	2	3	.....	.....	.....	.....	.....	17	.....	17	1	.....	1
26	St. Petersburg (total)	214	1	1	.....	.....	.....	.....	.....	8	1	14	.....	2	.....
27	White	165	1	.....	.....	.....	.....	.....	.....	7	1	6	.....	1	.....
28	Colored	49	.....	1	.....	.....	.....	.....	.....	1	.....	8	.....	1	.....
29	Tampa (total)	710	12	8	.....	1	.....	3	6	43	.....	63	1	5	1
30	White	463	9	5	.....	1	.....	3	4	25	.....	35	1	4	1
31	Colored	247	3	3	.....	.....	.....	.....	2	18	.....	28	.....	1	.....
	GEORGIA.[1]														
32	Registration cities (total)	6,789	60	53	1	23	7	92	43	388	13	480	9	34	15
33	White	3,396	37	23	1	13	7	58	32	207	7	180	6	17	6
34	Colored	3,393	23	30	.....	10	.....	34	11	181	6	300	3	17	9
35	Atlanta (total)	3,485	28	6	1	19	6	58	23	243	9	194	5	21	8
36	White	2,028	23	5	1	12	6	45	18	152	5	101	4	13	4
37	Colored	1,457	5	1	.....	7	.....	13	5	91	4	93	1	8	4
38	Augusta (total)	1,122	18	7	.....	.....	.....	13	9	37	1	106	1	6	3
39	White	545	7	2	.....	.....	.....	5	9	15	1	35	.....	2	.....
40	Colored	577	11	5	.....	.....	.....	8	.....	22	.....	71	1	4	3
41	Brunswick (total)	217	5	8	.....	.....	.....	2	.....	12	.....	28	.....	.....	.....
42	White	89	1	1	.....	.....	.....	1	.....	3	.....	6	.....	.....	.....
43	Colored	128	4	7	.....	.....	.....	1	.....	9	.....	22	.....	.....	.....
44	Savannah, (total)	1,965	9	32	.....	4	1	19	11	96	3	152	3	7	4
45	White	734	6	15	.....	1	1	7	5	37	1	38	2	2	2
46	Colored	1,231	3	17	.....	3	.....	12	6	59	2	114	1	5	2
	ILLINOIS.														
47	Registration cities (total)	50,815	142	21	3	199	258	255	790	2,709	131	3,287	223	241	202
48	White	47,667	130	18	3	195	256	213	771	2,490	126	2,859	186	200	193
49	Colored	3,148	12	3	.....	4	2	42	19	219	5	423	37	41	9
50	Alton	351	1	1	.....	5	2	2	9	22	1	23	1	1	4
51	Aurora	576	3	.....	.....	2	.....	1	2	38	1	26	4	5	6
52	Belleville	321	2	1	.....	6	.....	.....	7	20	.....	25	1	3	1
53	Berwyn[2]	56	.....	.....	.....	.....	.....	.....	3	4	1	3	1	.....	.....
54	Bloomington	460	10	.....	.....	.....	.....	6	2	31	2	22	.....	2	1
55	Blue Island	204	1	.....	.....	.....	1	.....	1	16	.....	6	.....	1	1
56	Cairo (total)	321	6	1	.....	3	.....	1	1	19	1	46	2	4	.....
57	White	193	3	1	.....	3	.....	1	1	16	1	20	.....	1	.....
58	Colored	128	3	.....	.....	.....	.....	.....	.....	3	.....	26	2	3	.....
59	Canton	176	.....	.....	.....	.....	.....	3	1	28	.....	4	.....	.....	1
60	Centralia	167	.....	.....	.....	2	.....	2	2	7	1	16	2	1	1
61	Champaign	224	.....	.....	.....	.....	1	2	1	15	1	10	1	2	.....
62	Chicago (total)	34,848	31	6	1	96	191	157	629	1,725	79	2,332	164	162	140
63	White	32,549	30	5	1	93	189	128	613	1,558	75	2,023	133	131	133
64	Colored	2,299	1	1	.....	3	2	29	16	167	4	309	31	31	7
65	Chicago Heights	268	.....	.....	.....	5	2	2	8	14	.....	10	3	1	2
66	Cicero	331	.....	.....	.....	2	.....	4	13	25	.....	30	1	1	4
67	Danville	583	7	1	.....	6	2	8	.....	38	.....	26	.....	4	.....
68	Decatur	649	4	1	.....	6	2	4	7	47	1	48	2	2	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII, AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
8	4	.....	18	12	1	22	1	11	3	2	2	14	1	4	15	10	5	.....	37	1
10	2	4	15	16	1	22	3	4	1	1	1	9	1	1	4	4	3	.....	16	2
85	15	15	76	95	9	153	9	68	13	10	5	85	14	13	77	74	14	3	167	3
10	3	2	17	24	7	24	2	13	5	3	.....	11	1	1	13	10	.....	1	29	4
102	14	9	126	145	18	237	6	87	17	12	5	120	13	12	115	92	11	1	188	5
92	13	9	102	126	10	190	3	78	13	11	5	103	12	9	105	77	11	1	158	6
10	1	.....	24	19	8	47	3	9	4	1	.....	17	1	3	10	15	.....	.....	30	7
431	67	26	477	783	66	818	70	144	66	64	21	486	25	53	349	348	43	7	1,158	8
351	49	22	354	574	36	425	40	75	47	31	20	383	12	30	209	241	37	3	751	9
80	18	4	123	209	30	393	30	69	19	33	1	183	13	23	140	107	6	4	407	10
187	20	22	223	264	24	274	44	145	42	42	31	304	17	48	241	284	24	46	783	11
141	17	19	131	178	15	138	24	66	28	28	13	182	7	22	142	160	21	24	413	12
46	3	3	92	86	9	136	20	79	14	14	18	122	10	26	99	124	3	22	370	13
83	6	7	105	114	6	134	18	32	17	18	17	124	9	21	116	127	6	14	331	14
57	5	6	50	61	3	52	7	10	8	10	5	61	3	5	64	58	5	4	149	15
26	1	1	55	53	3	82	11	22	9	8	12	63	6	16	52	69	1	10	182	16
11	.....	4	13	21	1	11	1	22	5	2	3	28	.....	4	29	12	3	2	53	17
9	.....	4	7	21	1	8	1	14	4	.....	1	17	.....	3	18	11	3	2	34	18
2	.....	.....	6	.....	.....	3	.....	8	1	2	2	11	.....	1	11	1	.....	.....	19	19
16	2	5	36	29	8	34	7	25	6	5	.....	42	1	5	37	41	4	5	97	20
14	2	4	24	20	4	18	3	5	4	5	.....	35	1	2	19	28	3	3	54	21
2	.....	1	12	9	4	16	4	20	2	.....	.....	7	.....	3	18	13	1	2	43	22
20	2	1	17	29	4	29	9	20	8	9	7	33	6	8	24	38	.....	8	104	23
10	2	1	12	18	2	18	6	10	8	5	4	14	3	7	15	23	.....	4	48	24
4	.....	.....	5	11	2	11	3	10	.....	4	3	19	3	1	9	15	.....	4	56	25
19	7	.....	21	25	2	14	4	1	1	.....	.....	20	.....	2	4	11	.....	2	54	26
15	6	.....	20	24	2	8	4	1	1	.....	.....	16	.....	1	1	8	.....	2	40	27
4	1	.....	1	1	.....	6	.....	.....	.....	.....	.....	4	.....	1	3	3	.....	.....	14	28
38	3	5	31	46	3	52	5	45	5	8	4	57	1	8	31	55	11	15	144	29
30	2	4	18	34	3	34	3	26	3	8	3	39	.....	4	25	32	10	9	88	30
8	1	1	13	12	.....	18	2	19	2	.....	1	18	1	4	6	23	1	6	56	31
300	53	32	386	546	51	771	80	231	89	70	26	638	65	83	306	494	40	75	1,229	32
224	42	22	211	269	13	312	30	107	60	31	12	361	32	51	169	247	35	23	551	33
82	11	10	175	277	38	459	50	124	29	39	14	277	33	32	137	247	5	52	678	34
174	26	16	217	242	32	389	44	90	60	38	10	323	32	45	155	289	21	61	600	35
134	21	11	135	141	10	159	24	56	43	20	5	206	20	30	101	156	20	20	327	36
40	5	5	82	101	22	230	20	34	17	18	5	117	12	15	54	133	1	41	273	37
49	10	2	55	109	3	159	6	44	9	10	6	128	17	12	42	64	9	3	184	38
30	7	2	33	56	2	84	3	22	9	4	2	69	8	6	22	29	7	1	73	39
19	3	.....	22	53	1	75	3	22	.....	6	4	59	9	6	20	35	2	2	111	40
2	.....	.....	16	16	1	11	2	17	4	.....	4	14	.....	5	9	14	.....	3	44	41
2	.....	.....	6	2	.....	4	.....	8	2	.....	2	7	.....	2	6	10	.....	1	25	42
.....	.....	.....	10	14	1	7	2	9	2	.....	2	7	.....	3	3	4	.....	2	19	43
81	17	14	98	179	15	212	28	80	16	22	6	173	16	21	100	127	10	8	401	44
58	14	9	37	70	1	65	3	21	6	7	3	79	4	13	40	52	8	1	126	45
23	3	5	61	109	14	147	25	59	10	15	3	94	12	8	60	75	2	7	275	46
3,864	769	143	2,400	5,851	631	6,008	489	2,728	814	482	337	3,739	288	414	2,311	3,314	509	59	7,204	47
3,731	739	135	2,311	5,489	600	5,503	470	2,635	780	462	328	3,549	267	398	2,218	3,088	495	45	6,784	48
133	30	8	89	362	31	505	19	93	34	20	9	190	21	16	93	226	14	14	420	49
16	7	.....	31	28	4	40	2	8	2	2	3	37	.....	2	19	23	.....	.....	55	50
55	4	2	41	54	9	64	10	20	13	6	6	35	1	8	25	46	4	.....	85	51
27	3	1	27	20	6	23	6	3	7	5	3	33	2	4	18	29	.....	2	36	52
6	1	.....	2	4	.....	11	.....	.....	.....	.....	1	6	.....	.....	3	1	1	.....	8	53
53	7	1	38	43	2	42	7	7	10	2	4	34	3	4	17	17	5	1	87	54
21	3	1	13	20	1	19	2	7	12	2	2	15	1	4	6	22	.....	.....	26	55
19	.....	1	21	20	4	28	3	7	10	1	2	22	2	3	10	27	.....	3	54	56
13	.....	1	14	9	2	18	2	3	6	1	1	13	2	2	9	18	.....	1	31	57
6	.....	.....	7	11	2	10	1	4	4	.....	1	9	.....	1	1	9	.....	2	23	58
10	3	.....	17	27	2	14	.....	1	6	4	.....	14	3	1	10	7	.....	.....	20	59
17	3	1	6	16	.....	10	1	7	5	2	2	15	1	1	11	8	1	.....	26	60
22	4	.....	10	25	.....	16	4	8	5	3	2	17	3	1	13	17	2	.....	39	61
2,600	557	101	1,389	4,324	471	4,383	319	2,316	468	308	238	2,643	178	256	1,503	2,198	365	2	4,516	62
2,507	530	94	1,338	4,047	448	3,978	304	2,248	446	293	230	2,508	163	244	1,439	2,047	353	2	4,218	63
93	27	7	51	277	23	405	15	68	22	15	8	135	15	12	64	151	12	.....	298	64
23	1	.....	12	11	4	35	1	22	5	4	1	14	2	5	24	24	2	.....	31	65
14	4	.....	12	38	4	36	7	30	.....	3	.....	22	1	3	27	13	6	.....	31	66
57	3	.....	40	50	9	53	9	12	18	6	.....	49	7	6	41	41	11	.....	79	67
44	6	2	35	61	1	50	9	13	17	10	3	71	1	8	27	40	4	10	112	68

[1] There were 36 transcripts for deaths received too late for compilation.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculous of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47,48
	REGISTRATION CITIES—Continued.														
	ILLINOIS—continued.														
1	East St. Louis (total)	827	4	3	.....	17	2	8	8	46	2	54	4	3	5
2	White	648	3	2	.....	16	2	3	7	33	2	31	4	2	4
3	Colored	179	1	1	.....	1	.....	5	1	13	.....	23	.....	1	1
4	Elgin	581	1	.....	.....	1	3	1	4	17	3	45	4	5	3
5	Evanston	493	3	.....	.....	.....	7	4	7	25	2	24	6	1	1
6	Forest Park	94	.....	.....	.....	.....	.....	.....	3	1	1	7	.....	.....	1
7	Freeport	399	.....	.....	.....	.....	5	.....	1	40	1	11	3	2	1
8	Galesburg	376	4	.....	.....	1	2	2	1	16	8	12	2	1	1
9	Granite	159	1	1	.....	2	1	.....	3	9	.....	15	1	.....	1
10	Herrin	164	3	1	.....	7	.....	.....	3	20	1	10	.....	3	.....
11	Jacksonville	540	2	.....	.....	1	.....	1	1	18	5	36	.....	6	1
12	Joliet	447	5	.....	.....	5	1	4	8	24	1	21	2	4	4
13	Kankakee	224	2	.....	.....	2	1	2	1	5	.....	10	2	.....	2
14	Kewanee	270	8	.....	1	.....	.....	1	3	38	3	13	2	.....	2
15	La Salle	196	4	.....	.....	2	.....	2	.....	17	1	5	2	.....	.....
16	Lincoln	251	.....	1	.....	5	3	1	3	13	1	47	2	3	.....
17	Mattoon	197	4	.....	.....	2	.....	.....	.....	6	1	13	.....	2	.....
18	Maywood	104	.....	.....	.....	.....	1	1	5	1	.....	8	.....	.....	.....
19	Moline	371	3	.....	1	1	.....	5	3	15	.....	14	1	2	.....
20	Murphysboro (total)	183	5	.....	.....	2	.....	.....	4	22	.....	10	1	2	.....
21	White	153	4	.....	.....	2	.....	.....	4	20	.....	5	1	1	.....
22	Colored	30	1	.....	.....	.....	.....	.....	.....	2	.....	5	.....	1	.....
23	Oak Park	540	.....	.....	.....	.....	4	2	3	19	1	16	1	2	1
24	Ottawa	170	.....	.....	.....	.....	.....	1	.....	11	.....	10	1	.....	.....
25	Pekin	122	1	1	.....	.....	.....	5	1	8	.....	6	.....	1	1
26	Peoria	1,174	3	2	.....	5	7	7	19	62	2	56	1	3	5
27	Quincy	554	4	.....	.....	.....	3	2	4	25	3	34	.....	2	3
28	Rock Island	407	2	.....	.....	3	2	7	1	18	1	36	2	3	1
29	Rockford	831	3	.....	.....	3	4	4	8	68	3	59	2	2	4
30	Springfield	1,002	8	1	.....	.....	8	.....	6	46	2	54	2	4	3
31	Streator	248	.....	.....	.....	.....	3	.....	2	44	.....	7	.....	1	.....
32	Urbana	120	.....	.....	.....	.....	.....	2	2	7	.....	7	.....	.....	.....
33	Waukegan	236	7	.....	.....	7	.....	1	.....	19	1	14	.....	.....	.....
	INDIANA.														
34	Registration cities (total)	16,674	126	7	4	147	77	126	193	821	52	1,103	92	139	53
35	White	15,201	113	5	3	143	77	115	188	756	52	902	84	112	47
36	Colored	1,473	13	2	1	4	.....	11	5	65	.....	201	8	27	6
37	Anderson	401	5	.....	.....	7	.....	5	.....	18	.....	28	4	2	1
38	Bloomington	175	2	.....	.....	10	.....	4	2	14	.....	19	.....	.....	.....
39	Clinton	95	.....	.....	.....	1	.....	2	.....	7	.....	3	.....	2	1
40	Crawfordsville	163	.....	.....	.....	1	.....	.....	1	7	.....	6	.....	3	.....
41	East Chicago	505	9	.....	.....	1	2	5	15	33	.....	37	2	3	1
42	Elkhart	351	2	.....	.....	1	5	2	5	14	2	16	1	2	.....
43	Elwood	152	.....	.....	.....	4	.....	1	1	7	2	18	.....	2	1
44	Evansville	1,123	9	2	.....	6	3	11	25	23	5	94	2	8	3
45	Fort Wayne	1,156	12	.....	.....	13	14	5	11	47	6	69	6	13	3
46	Frankfort	157	1	.....	.....	.....	1	.....	2	7	.....	11	1	2	.....
47	Gary	797	6	1	.....	3	7	4	12	78	2	46	5	3	1
48	Hammond	499	16	.....	.....	13	2	6	16	25	1	9	1	2	1
49	Huntington	196	6	.....	.....	1	3	.....	6	9	.....	13	1	1	.....
50	Indianapolis (total)	4,636	18	1	.....	28	13	28	27	198	15	349	29	37	11
51	White	3,894	12	.....	.....	25	13	22	27	170	15	237	26	25	7
52	Colored	742	6	1	.....	3	.....	6	.....	28	.....	112	3	12	4
53	Jeffersonville (total)	131	.....	.....	.....	.....	.....	1	3	3	.....	14	1	1	1
54	White	102	.....	.....	.....	.....	.....	1	2	2	.....	10	.....	1	1
55	Colored	29	.....	.....	.....	.....	.....	.....	1	1	.....	4	1	.....	.....
56	Kokomo	368	4	.....	1	1	2	.....	2	15	.....	34	2	6	2
57	La Porte	226	1	.....	.....	2	.....	1	3	20	.....	7	2	.....	.....
58	Lafayette	469	2	.....	1	3	4	1	6	15	1	17	1	4	7
59	Logansport	321	9	.....	.....	6	8	3	.....	12	1	14	3	2	.....
60	Marion	362	1	.....	.....	8	1	3	4	13	1	25	.....	9	2
61	Michigan City	266	1	.....	.....	4	.....	2	.....	24	1	22	6	1	1
62	Mishawaka	218	.....	.....	.....	1	1	2	2	24	1	12	.....	3	.....
63	Muncie	564	3	.....	.....	6	4	1	13	39	1	26	2	6	3
64	New Albany	311	1	2	.....	1	1	3	1	9	1	29	1	5	3
65	New Castle	203	.....	.....	.....	2	1	.....	2	15	.....	6	3	3	.....
66	Peru	181	1	.....	.....	.....	.....	.....	.....	7	2	12	2	2	.....
67	Richmond	339	2	.....	.....	5	.....	7	7	13	.....	17	3	.....	.....
68	South Bend	921	2	.....	1	1	2	10	11	62	1	80	9	5	3
69	Terre Haute	997	3	.....	.....	12	3	11	10	48	5	53	2	8	6
70	Vincennes	271	6	1	1	3	.....	8	5	8	4	11	3	3	2
71	Whiting	120	4	.....	.....	3	.....	.....	1	7	.....	6	.....	1	.....

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

ormed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119, 120	137	134-136, 138-141	150, 151	164-186	155-163	187-189		
42	4	2	56	55	15	94	5	37	11	8	6	43	7	11	48	95	11	14	107	1
38	4	1	50	50	10	70	5	26	8	7	6	37	6	11	39	72	11	4	84	2
4	.....	1	6	5	5	24	.....	11	3	1	.....	6	1	.....	9	23	.....	10	23	3
41	10	.....	20	62	6	66	5	3	15	6	3	17	2	1	22	36	4	1	174	4
41	6	5	34	64	2	41	2	11	8	4	1	36	3	5	22	39	7	.....	82	5
11	3	.....	8	12	.....	16	.....	.....	.....	.....	1	12	.....	.....	1	1	1	.....	15	6
27	6	1	23	42	4	25	5	8	16	5	1	32	3	5	11	28	3	1	89	7
27	4	1	30	41	3	49	5	4	11	2	.....	22	4	5	21	39	3	.....	55	8
7	3	.....	2	10	3	11	2	12	3	.....	3	7	1	2	13	25	1	.....	20	9
6	1	.....	8	3	.....	19	.....	9	1	1	.....	5	2	1	11	20	.....	4	19	10
38	5	.....	41	56	1	72	.....	6	9	5	3	30	2	5	12	21	5	1	157	11
39	6	1	33	30	10	49	6	11	9	4	6	25	3	3	27	29	.....	1	76	12
29	5	.....	12	27	4	20	.....	6	5	3	1	12	3	3	6	21	5	2	33	13
17	5	1	17	18	1	41	1	6	2	.....	2	8	.....	4	21	15	1	.....	39	14
13	4	2	12	21	1	25	6	6	4	2	1	4	1	.....	10	12	1	.....	38	15
12	2	2	9	24	1	19	2	2	4	3	.....	20	4	4	11	9	1	.....	43	16
12	.....	.....	13	27	.....	20	1	3	5	.....	.....	25	2	2	9	10	1	.....	39	17
14	.....	.....	1	15	.....	13	.....	3	.....	1	.....	11	.....	.....	2	11	1	.....	16	18
31	2	1	15	34	6	46	2	7	13	7	4	24	4	5	26	34	6	1	58	19
14	1	1	13	13	4	12	5	3	4	1	.....	9	2	1	14	12	.....	1	27	20
13	1	1	11	12	4	11	5	3	4	1	.....	6	1	1	12	7	.....	.....	23	21
1	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	3	1	.....	2	5	.....	1	4	22
46	7	1	32	61	1	68	4	7	17	12	7	43	3	5	38	37	7	.....	95	23
26	8	.....	11	25	1	18	1	3	2	2	.....	5	.....	5	4	9	3	.....	24	24
14	1	.....	16	6	1	13	.....	1	.....	1	1	3	.....	.....	9	6	1	1	24	25
103	29	5	79	130	9	115	18	23	26	18	9	61	8	12	49	89	15	2	202	26
50	9	1	50	86	7	40	2	6	13	8	3	42	7	8	23	20	4	6	83	27
32	7	1	30	44	5	32	6	9	12	4	4	27	1	3	19	19	7	.....	69	28
44	15	4	43	76	13	110	11	14	8	8	6	61	3	7	50	57	6	1	134	29
86	15	3	60	73	11	101	12	32	26	8	5	98	14	7	42	69	10	.....	196	30
21	3	.....	10	24	3	19	5	14	5	5	3	13	2	2	12	15	2	2	31	31
12	2	.....	15	15	.....	5	2	1	1	.....	.....	9	1	1	11	3	1	2	21	32
19	.....	1	13	16	2	25	1	20	6	6	.....	8	1	1	13	20	1	1	33	33
1,079	169	91	1,012	1,614	138	1,977	143	634	237	195	117	1,238	131	151	944	1,039	139	17	2,669	34
1,029	162	82	949	1,475	119	1,718	131	580	226	179	105	1,140	120	139	870	941	134	15	2,490	35
50	7	9	63	139	19	259	12	54	11	16	12	98	11	12	74	98	5	2	179	36
19	3	4	25	40	2	49	5	8	8	8	3	26	4	6	25	18	2	.....	76	37
7	2	.....	11	10	.....	19	1	9	1	.....	.....	18	1	2	11	10	1	.....	21	38
6	.....	1	9	4	.....	13	.....	8	.....	3	2	5	2	1	8	6	1	1	9	39
10	.....	1	20	26	1	12	2	5	1	.....	1	13	3	.....	9	10	1	.....	30	40
10	1	1	5	22	3	95	4	80	1	4	2	9	1	3	42	64	3	.....	47	41
29	5	.....	40	40	1	44	5	4	9	6	.....	22	1	4	17	25	1	.....	48	42
10	1	1	12	7	2	15	4	4	2	1	.....	14	.....	3	7	8	1	.....	24	43
75	8	5	82	121	11	127	6	47	20	18	16	105	9	5	50	43	8	.....	176	44
89	10	3	85	90	12	134	10	18	17	11	8	90	8	13	63	76	7	6	207	45
14	2	.....	23	15	.....	15	1	4	2	.....	.....	8	2	1	7	7	3	1	27	46
25	4	9	18	31	7	165	4	48	13	4	2	32	8	10	48	98	9	.....	94	47
25	5	4	14	20	4	76	6	26	3	7	2	31	9	12	28	56	2	.....	77	48
13	5	1	15	21	.....	17	2	1	1	3	1	10	3	1	10	14	1	.....	37	49
312	62	21	263	541	39	568	46	168	66	43	34	357	36	30	247	223	50	.....	776	50
280	57	18	227	461	27	446	40	145	58	35	31	309	28	25	205	184	49	.....	684	51
26	5	3	36	80	12	122	6	23	8	8	3	48	8	5	42	39	1	.....	92	52
12	2	1	7	12	3	15	1	1	1	1	2	23	.....	1	4	8	.....	.....	13	53
10	2	.....	7	9	2	13	.....	.....	1	.....	2	19	.....	.....	4	6	.....	.....	10	54
2	.....	1	.....	3	1	2	1	1	.....	1	.....	4	.....	1	.....	2	.....	.....	3	55
20	5	3	17	34	1	38	3	13	9	8	2	29	2	6	22	29	3	.....	55	56
21	4	1	13	29	4	17	2	9	5	.....	.....	15	1	2	16	12	2	.....	37	57
40	1	1	32	43	5	47	3	9	11	13	3	35	3	5	20	29	5	.....	102	58
28	2	1	22	25	2	27	3	2	3	7	1	41	2	5	15	12	2	.....	63	59
19	2	5	24	57	5	33	1	12	8	4	5	13	1	7	18	21	2	3	55	60
16	4	.....	17	33	1	20	1	6	6	2	.....	19	1	4	15	17	2	.....	40	61
12	2	1	15	12	.....	26	.....	7	3	2	3	17	2	1	16	12	1	1	39	62
40	7	1	38	51	4	51	5	17	6	9	1	49	2	3	33	36	2	3	102	63
20	3	.....	25	49	9	21	5	8	1	4	1	34	.....	2	7	15	3	1	46	64
5	.....	3	10	15	.....	26	3	16	3	5	1	12	2	.....	19	5	2	.....	44	65
16	3	2	18	20	.....	12	1	5	4	1	4	10	2	5	10	9	.....	.....	33	66
43	4	1	28	36	8	39	2	5	.....	.....	.....	28	2	1	21	9	5	.....	53	67
54	14	11	41	97	8	114	5	36	8	10	10	64	7	6	65	64	9	.....	111	68
92	7	7	63	75	5	99	8	35	20	14	10	94	15	8	66	77	7	1	163	69
22	1	2	17	27	1	19	4	7	5	5	3	13	2	3	13	14	3	.....	55	70
5	.....	.....	3	11	.....	24	.....	16	.....	2	.....	2	.....	1	12	12	1	.....	9	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	KANSAS.														
1	Registration cities (total)	6,087	44	5	1	30	16	72	70	372	9	296	12	36	27
2	White	5,331	35	5	1	24	16	59	67	329	9	217	9	21	25
3	Colored	756	9			6		13	3	43		79	3	15	1
4	Arkansas City	173		1			1		3	6		6	1	2	
5	Atchison (total)	206					1	2	1	17		9	1		2
6	White	164					1	2	1	11		3			2
7	Colored	42								6		6	1		
8	Chanute	170	2						1	8		7		1	1
9	Coffeyville (total)	210	1	3		7		7	2	10	1	16	1	2	1
10	White	172		3		6		6	2	9	1	7	1	1	1
11	Colored	38	1			1		1		1		9		1	
12	El Dorado	137	3				1	1	5	8		5	1	2	
13	Emporia	184	1			2		2		5	1	7	1	1	
14	Fort Scott (total)	179	2					2	6	10	2	4	1		3
15	White	162	2					2	6	9	2	2	1		3
16	Colored	17								1		2			
17	Hutchinson	333	4			1	1	9	2	28		10			2
18	Independence	166	2	1					4	11		9		1	
19	Kansas City (total)	1,478	7			16	4	24	17	107	1	97	3	11	4
20	White	1,175	5			13	4	19	15	90	1	69	3	5	4
21	Colored	303	2			3		5	2	17		28		6	
22	Lawrence (total)	176					1		1	6		10		2	
23	White	140					1		1	5		6			
24	Colored	36								1		4		2	
25	Leavenworth (total)	254						2	2	18	1	15	1	3	2
26	White	212						1	2	13	1	13	1	2	2
27	Colored	42						1		5		2		1	
28	Parsons	199	4				1	2	2	9		6	1	1	1
29	Pittsburg	142	1				1	1	2	6		3		1	
30	Salina	208	3				1		6	13		12		1	1
31	Topeka	763	7			1		14	1	39	2	37		3	6
32	Wichita	1,109	7		1	3	4	6	15	71	1	43	1	5	4
	KENTUCKY.														
33	Registration cities (total)	6,867	47	6	4	36	9	52	50	229	11	617	44	67	18
34	White	5,276	37	3	4	33	9	36	40	185	10	407	42	42	13
35	Colored	1,591	10	3		3		16	10	44	1	210	2	25	5
36	Ashland (total)	195	2		1			4	3	2		13	2	1	
37	White	187	2		1			4	3	2		11	2	1	
38	Colored [1]	8										2			
39	Covington (total)	868	3			14	1	3	5	33	1	82	8	5	2
40	White	799	2			12	1	3	5	30	1	71	8	5	2
41	Colored [1]	69	1			2				3		11			
42	Henderson (total)	177	2							11		20	1	5	1
43	White	113	1							9		7	1	4	
44	Colored	64	1							2		13		1	1
45	Lexington (total)	955	11			2	2	4	1	29		109	3	16	2
46	White	607	8			2	2	4	1	25		57	3	9	2
47	Colored	348	3							4		52		7	
48	Louisville (total)	3,582	13	3	1	7	5	24	32	101	8	278	23	32	10
49	White	2,693	10	1	1	6	5	14	25	76	8	186	23	17	8
50	Colored	889	3	2		1		10	7	25		92		15	2
51	Newport (total)	331	6			9	1	2	2	8	1	31	3	3	
52	White	313	6			9	1	2	2	7	1	27	2	2	
53	Colored [1]	18								1		4	1	1	
54	Owensboro (total)	367	5	1	2			10	2	29		36	1	3	2
55	White	299	5	1	2			7	1	24		27	1	2	1
56	Colored	68						3	1	5		9		1	1
57	Paducah (total)	392	5	2		4		5	5	16	1	48	3	2	1
58	White	265	3	1		4		2	3	12		21	2	2	
59	Colored	127	2	1				3	2	4	1	27	1		1
	LOUISIANA.														
60	Registration cities (total)	9,094	57	42	136	17	9	32	35	239	12	983	13	63	29
61	White	5,143	28	23	46	15	8	20	27	138	10	462	12	31	9
62	Colored	3,951	29	19	90	2	1	12	8	101	2	521	1	32	20
63	Alexandria (total)	269	3	6	1			2	1	12		24		2	1
64	White	128	2	3	1			2		7		6		2	1
65	Colored	141	1	3					1	5		18			
66	Baton Rouge (total)	333	5	2	1					26	1	46			
67	White	150	1	1						16		7			
68	Colored	183	4	1	1					10	1	39			
69	Lake Charles (total)	214		3				6	2	7		21		7	
70	White	97		3				1	1	4		3		4	
71	Colored	117						5	1	3		18		3	
72	Monroe (total)	250	4	14					4	4	1	28	1	3	2
73	White	115	2	4					3	3	1	3	1	1	2
74	Colored	135	2	10					1	1		25		2	

[1] Colored population less than 10 per cent of the total in 1920.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134-136, 138-141	150, 151	164–186	155–163	187–189		
413	84	36	376	570	52	592	55	177	111	70	30	431	50	48	363	398	63	41	1,137	1
388	74	31	351	497	50	496	49	151	104	61	26	336	43	41	340	356	57	38	1,024	2
25	10	5	25	73	2	96	6	26	7	9	4	95	7	7	23	42	6	3	113	3
10	3	.....	11	19	1	15	2	4	5	4	1	17	2	2	11	13	.....	2	31	4
17	6	1	15	17	.....	20	.....	1	9	2	2	16	.....	5	12	9	2	1	38	5
15	6	1	12	11	.....	16	.....	.....	8	2	2	12	.....	5	10	8	2	1	33	6
2	.....	.....	3	6	.....	4	.....	1	1	.....	.....	4	.....	.....	2	1	.....	.....	5	7
11	1	1	9	14	2	11	3	4	2	3	1	6	1	1	18	10	1	1	50	8
17	2	.....	7	16	1	19	3	6	2	1	1	19	3	1	16	14	2	.....	29	9
16	2	.....	7	14	1	11	2	5	2	1	1	16	1	1	13	13	2	.....	27	10
1	.....	.....	.....	2	.....	8	1	1	.....	.....	.....	3	2	.....	3	1	.....	.....	2	11
4	1	1	8	7	.....	18	1	5	1	2	.....	4	3	.....	12	22	2	3	17	12
10	8	.....	15	17	3	15	3	11	6	5	1	10	2	3	3	15	2	4	25	13
9	4	1	8	13	3	15	2	6	2	1	.....	14	.....	1	17	15	1	5	32	14
9	4	1	8	13	3	13	2	5	2	1	.....	12	.....	1	16	13	1	4	27	15
.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	2	.....	.....	1	2	.....	1	5	16
21	1	3	26	25	.....	37	.....	5	9	3	1	18	2	6	26	27	2	3	61	17
7	2	.....	12	9	.....	11	1	.....	4	4	.....	6	2	3	11	15	.....	3	48	18
81	18	11	72	121	23	188	14	64	15	11	8	127	9	11	66	84	15	1	248	19
70	14	8	65	92	23	152	12	50	14	8	7	83	7	8	62	64	12	1	195	20
11	4	3	7	29	.....	36	2	14	1	3	1	44	2	3	4	20	3	.....	53	21
13	2	3	11	23	2	12	.....	.....	3	4	2	15	1	1	10	12	4	2	36	22
11	2	2	11	17	2	11	.....	.....	2	3	1	8	1	1	9	10	3	2	31	23
2	.....	1	.....	6	.....	1	.....	.....	1	1	1	7	.....	.....	1	2	1	.....	5	24
14	3	.....	27	41	1	29	2	5	3	1	3	15	4	1	10	9	1	2	39	25
14	2	.....	25	37	1	23	2	4	2	1	2	9	3	1	9	6	1	2	33	26
.....	1	.....	2	4	.....	6	.....	1	1	.....	1	6	1	.....	1	3	.....	.....	6	27
14	2	1	12	23	.....	28	.....	8	2	1	2	10	3	.....	13	8	1	1	43	28
11	3	1	12	17	3	14	.....	3	.....	2	1	15	.....	1	9	5	2	3	25	29
13	3	2	12	21	5	12	1	3	8	2	1	10	2	1	9	17	2	3	44	30
67	19	7	51	103	3	55	13	17	14	9	2	52	5	4	48	29	9	4	142	31
88	6	4	68	84	5	93	10	35	26	15	4	77	11	7	72	94	17	3	229	32
462	62	44	462	683	106	698	59	161	80	61	32	590	41	44	310	389	60	28	1,305	33
400	51	38	367	501	64	478	45	126	67	53	24	463	32	38	260	309	58	24	1,017	34
62	11	6	95	182	42	220	14	35	13	8	8	127	9	6	50	80	2	4	288	35
10	.....	5	9	9	2	28	.....	11	3	2	3	14	2	2	10	16	2	1	38	36
9	.....	5	8	9	2	28	.....	10	3	2	3	14	2	2	10	13	2	1	38	37
1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	38
70	2	5	68	119	6	78	7	15	13	7	7	90	2	6	49	40	1	4	122	39
67	2	5	65	109	5	66	7	15	9	7	7	86	2	6	47	38	1	4	111	40
3	.....	.....	3	10	1	12	.....	.....	4	.....	.....	4	.....	.....	2	2	.....	.....	11	41
4	.....	2	11	19	1	18	1	6	1	3	.....	17	2	1	10	7	1	.....	33	42
2	.....	2	9	10	1	16	1	4	1	3	.....	7	2	1	8	5	1	.....	18	43
2	.....	.....	2	9	.....	2	.....	2	.....	.....	.....	10	.....	.....	2	2	.....	.....	15	44
50	4	5	80	83	6	112	4	12	14	5	2	87	6	3	36	73	5	3	186	45
30	2	4	41	45	3	56	2	6	12	3	1	56	5	3	31	55	5	3	125	46
14	2	1	39	38	3	56	2	6	2	2	1	31	1	.....	5	18	.....	.....	61	47
254	51	15	217	369	74	363	38	93	34	38	12	304	21	23	148	204	46	4	737	48
217	42	11	174	265	41	239	29	70	27	33	7	237	13	20	118	162	44	3	561	49
37	9	4	43	104	33	124	9	23	7	5	5	67	8	3	30	42	2	1	176	50
29	3	1	39	30	7	39	3	6	1	.....	4	21	2	1	12	13	2	2	50	51
29	3	1	37	30	7	34	3	5	1	.....	4	21	2	1	12	11	2	2	49	52
.....	.....	.....	2	.....	.....	5	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	53
25	1	6	26	24	2	18	1	13	4	2	3	38	4	1	15	15	.....	6	72	54
21	1	5	22	16	2	14	1	12	4	2	2	29	4	1	13	13	.....	6	60	55
4	.....	1	4	8	.....	4	.....	1	.....	.....	1	9	.....	.....	2	2	.....	.....	12	56
20	1	5	12	30	8	42	5	5	10	4	1	19	2	7	30	21	3	8	67	57
19	1	5	11	17	3	25	2	4	10	3	.....	13	2	4	21	12	3	5	55	58
1	.....	.....	1	13	5	17	3	1	.....	1	1	6	.....	3	9	9	.....	3	12	59
492	74	48	434	957	60	882	73	226	162	108	80	824	68	114	385	644	51	25	1,720	60
357	57	28	279	571	30	442	45	138	107	62	53	491	29	72	211	378	46	6	912	61
135	17	20	155	386	30	440	28	88	55	46	27	333	39	42	174	266	5	19	808	62
7	6	3	10	19	1	12	4	9	9	4	.....	18	.....	9	16	36	2	.....	52	63
4	4	3	6	5	.....	6	3	3	6	4	.....	4	.....	7	9	19	2	.....	19	64
3	2	.....	4	14	1	6	1	6	3	.....	.....	14	.....	2	7	17	.....	.....	33	65
10	2	.....	19	36	2	31	1	9	2	3	2	29	5	4	22	17	3	1	54	66
3	2	.....	8	17	2	18	1	5	1	2	2	12	3	2	14	12	2	.....	19	67
7	.....	.....	11	19	.....	13	.....	4	1	1	.....	17	2	2	8	5	1	1	35	68
9	.....	2	6	20	1	12	4	10	5	2	.....	7	3	6	18	13	.....	8	42	69
4	.....	2	3	8	1	5	2	3	5	2	.....	4	1	4	8	3	.....	2	24	70
5	.....	.....	3	12	.....	7	2	7	.....	.....	.....	3	2	2	10	10	.....	6	18	71
6	.....	3	13	12	4	20	2	5	8	6	.....	19	1	6	10	25	1	3	45	72
4	.....	2	6	6	1	10	.....	5	5	2	.....	6	1	6	6	12	1	1	21	73
2	.....	1	7	6	3	10	2	.....	3	4	.....	13	.....	.....	4	13	.....	2	24	74

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 4	Smallpox. 5	Measles. 6	Scarlet fever. 7	Whooping cough. 8	Diphtheria and croup. 9	Influenza. 10	Erysipelas. 18	Tuberculosis of the lungs. 28, 29	Tuberculous meningitis. 30	Other forms of tuberculosis. 31–35	Rheumatism. 47, 48
	REGISTRATION CITIES—Continued.														
	LOUISIANA—continued.														
1	New Orleans (total)	6,869	27	4	134	14	8	21	21	142	7	761	12	40	27
2	White	4,182	19	4	45	14	7	14	18	92	7	423	11	18	6
3	Colored	2,687	8		89		1	7	3	50		338	1	22	19
4	Shreveport (total)	1,159	18	13		3	1	3	7	48	3	103		11	1
5	White	471	4	8		1	1	3	5	16	2	20		6	
6	Colored	688	14	5		2			2	32	1	83		5	1
	MAINE.														
7	Registration cities (total)	3,667	23	1		12	3	38	24	147	6	190	24	37	13
8	White	3,650	23	1		12	3	37	24	147	6	188	24	37	13
9	Colored	17						1				2			
10	Auburn	182	1			1			1	12		11		1	
11	Augusta	323	1					1		9	2	16	2	1	
12	Bangor	572	7	1			1	9	2	18	1	37	4	6	
13	Bath	178						1		5		7	2		
14	Biddeford	280	1					2		29		12	3	2	1
15	Lewiston	598	3			4	1	2	7	17	1	31	5	10	6
16	Portland	1,214	9			7		23	6	39	2	57	6	12	5
17	Sanford town	128	1						2	5		7	1	1	
18	Waterville	192					1		6	13		12	1	4	1
	MARYLAND.														
19	Registration cities (total)	12,522	46	1		53	16	68	118	371	24	1,040	49	84	49
20	White	9,796	33	1		47	16	41	114	277	22	677	34	50	33
21	Colored	2,726	13			6		27	4	94	2	363	15	34	16
22	Annapolis (total)	154						2	1	9		11	1	2	
23	White	80							1	6		2		1	
24	Colored	74						2		3		9	1	1	
25	Baltimore (total)	11,356	35	1		48	14	56	101	324	22	987	42	76	46
26	White	8,782	23	1		42	14	33	97	236	20	642	23	44	31
27	Colored	2,574	12			6		23	4	88	2	345	14	32	15
28	Cumberland (total)	460	3			1	1	4	3	29	1	18	1	1	2
29	White	439	3			1	1	4	3	28	1	15	1	1	2
30	Colored [1]	21								1		3			
31	Frederick (total)	200	1			1	1	1	3			11	4	2	
32	White	180	1			1	1	1	3			6	4	2	
33	Colored	20										5			
34	Hagerstown (total)	352	7			3		5	10	9	1	13	1	3	1
35	White	315	6			3		3	10	7	1	12	1	2	
36	Colored [1]	37	1					2		2		1		1	1
	MASSACHUSETTS.														
37	Registration cities (total)	43,422	82	4	2	309	201	467	528	1,311	114	2,852	322	235	124
38	White	42,507	77	4	2	304	197	449	523	1,275	114	2,723	313	225	122
39	Colored	915	5			5	4	18	5	36		129	9	10	2
40	Adams town	122	2						1	4		9			
41	Amesbury town	103				1	1		1	4		3		2	
42	Arlington town	266	2			1		1	1	11		8	5	3	
43	Attleboro	287				1	1		2	11	2	30	1	2	
44	Belmont town	92							1	4		5			
45	Beverly	284							1	9	1	9		1	
46	Boston (total)	11,604	11		1	71	71	151	148	370	38	827	86	57	25
47	White	11,156	10		1	69	68	146	143	354	38	760	82	50	25
48	Colored	448	1			2	3	5	5	16		67	4	7	
49	Braintree town	143			1	1	1	1	1	2		38			1
50	Brockton	767	1			7		4	7	18	1	38	10	5	3
51	Brookline town	387				2	1	2	1	14	1	18	1	4	1
52	Cambridge	1,636	3			14	4	24	7	35	5	133	7	6	6
53	Chelsea	563	1			3		5	4	22	3	34	1	1	1
54	Chicopee	390				7	1	18	15	16		33	5	2	
55	Clinton town	194				3		1	2	7		18	3	2	1
56	Danvers town	283	1				1		2	4	2	16		1	1
57	Dedham town	109				1	1	2		3	1	7		1	
58	Easthampton town	132				3	3		3	2		10			1
59	Everett	456	1			5		18	10	7		26	2	2	2
60	Fall River	1,772	6			18	4	14	39	33	4	108	13	5	2
61	Fitchburg	492				2		1	5	12	1	49	3	2	1
62	Framingham town	262				3	1	2	1	9	1	9	1	1	1
63	Gardner town	232				3				12	3	23	2	6	2
64	Gloucester	320	3			2	2	2	8	8		21	2	4	1
65	Greenfield town	199				1	11	3	3	6		1	1	1	1
66	Haverhill	730				8	1	3	9	41	3	54	1	3	
67	Holyoke	863	1			12	1	9	5	9	1	67	9	11	5
68	Lawrence	1,283	8	1		19	12	23	22	27	2	105	10	13	6
69	Leominster	194	2				1	2	3	8	1	4	2		

[1] Colored population less than 10 per cent of the total in 1920.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119,120	137	134-136, 138-141	150, 151	164-186	155-163	187-189		
413	61	33	352	766	46	723	49	172	92	70	74	672	48	63	288	421	41	1	1,268	1
315	49	16	238	507	23	366	33	114	67	44	49	422	19	41	158	272	39	.....	732	2
98	12	17	114	259	23	357	16	58	25	26	25	250	29	22	130	149	2	1	536	3
47	5	7	34	104	6	84	13	21	46	23	4	79	11	26	31	132	4	12	259	4
27	2	5	18	28	3	37	6	8	23	8	2	43	5	12	16	60	2	3	97	5
20	3	2	16	76	3	47	7	13	23	15	2	36	6	14	15	72	2	9	162	6
322	50	16	263	388	35	437	28	116	73	48	12	264	8	44	204	143	19	31	648	7
321	50	16	262	388	34	433	28	115	73	48	12	263	8	44	203	141	19	31	646	8
1	.....	.....	1	.....	1	4	.....	1	.....	.....	.....	1	.....	.....	1	2	.....	.....	2	9
17	2	1	11	32	.....	12	.....	7	.....	.....	1	26	.....	2	9	2	3	2	28	10
17	0	1	31	38	4	45	1	11	.....	3	1	22	1	7	11	10	2	.....	80	11
40	4	3	50	65	.....	68	6	6	14	3	.....	31	.....	3	26	27	2	14	118	12
11	4	.....	11	30	1	23	.....	3	5	3	1	18	.....	3	10	5	2	.....	33	13
23	5	1	15	23	1	49	4	16	3	3	1	13	1	4	11	15	2	.....	40	14
68	0	3	39	43	5	53	9	26	17	11	2	46	2	9	47	27	3	7	88	15
111	15	0	88	123	16	150	5	33	30	18	4	90	4	9	68	52	4	4	218	16
11	3	.....	9	14	2	18	.....	6	1	1	.....	6	.....	2	17	2	.....	2	17	17
18	5	1	9	20	6	19	3	8	3	6	2	12	.....	5	5	3	1	2	26	18
895	163	49	866	1,423	142	1,453	63	712	112	112	60	1,180	59	101	738	666	98	9	1,702	19
784	146	43	695	1,111	97	1,081	53	575	86	87	53	937	41	84	588	540	96	6	1,343	20
111	17	6	171	312	45	372	5	137	26	25	7	243	18	17	150	126	2	3	359	21
11	.....	1	5	9	11	14	.....	7	2	1	3	20	1	.....	6	15	1	.....	21	22
6	.....	1	2	3	.....	7	.....	3	2	1	3	12	1	.....	4	13	1	.....	11	23
5	.....	.....	3	6	11	7	.....	4	.....	.....	.....	8	.....	.....	2	2	.....	.....	10	24
824	152	44	800	1,307	118	1,367	52	661	96	96	54	1,067	51	89	664	572	89	6	1,495	25
722	135	38	635	1,006	87	1,008	47	529	71	72	47	841	33	74	521	455	87	4	1,159	26
102	17	6	165	301	31	359	5	132	25	24	7	226	18	15	143	117	2	2	336	27
28	6	2	15	52	3	43	4	28	6	7	.....	44	2	3	25	42	2	.....	84	28
27	6	2	15	52	2	41	4	28	6	7	.....	42	2	3	23	36	2	.....	81	29
1	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	2	.....	.....	2	6	.....	.....	3	30
10	1	.....	17	16	2	6	1	4	6	4	2	20	1	7	16	15	1	1	46	31
8	1	.....	16	13	2	5	1	4	5	3	2	19	1	6	16	15	1	1	42	32
2	.....	.....	1	3	.....	1	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	4	33
22	4	2	29	39	8	23	6	12	2	4	1	29	4	2	27	22	5	2	56	34
21	4	2	27	37	6	20	6	11	2	4	1	23	4	1	24	21	5	1	50	35
1	.....	.....	2	2	2	3	.....	1	.....	.....	.....	6	.....	1	3	1	.....	1	6	36
3,597	655	217	3,033	5,937	563	5,062	311	1,608	424	358	169	2,330	200	411	2,391	2,047	320	134	7,104	37
3,546	641	211	2,987	5,810	557	4,941	306	1,582	422	352	165	2,283	195	403	2,358	2,001	317	124	6,978	38
51	14	6	46	127	6	121	5	26	2	6	4	47	5	8	33	46	3	10	126	39
6	.....	.....	9	17	1	14	.....	5	1	1	.....	8	.....	1	9	9	.....	.....	25	40
12	.....	.....	24	18	.....	6	3	1	1	1	1	5	.....	1	5	3	3	.....	7	41
25	3	1	25	40	3	27	1	4	1	3	2	19	2	2	13	16	3	.....	44	42
32	5	2	17	28	4	13	3	4	2	2	2	27	2	3	14	16	9	1	51	43
10	1	.....	6	16	2	15	.....	1	.....	.....	.....	5	.....	1	4	.....	.....	.....	21	44
36	3	2	29	61	1	32	.....	4	3	5	2	11	3	3	10	17	3	.....	38	45
975	182	58	659	1,756	105	1,486	83	386	119	127	37	458	71	114	612	558	100	17	1,845	46
951	175	56	633	1,690	102	1,424	82	375	117	123	36	438	69	111	592	536	97	15	1,788	47
24	7	2	26	66	3	62	1	11	2	4	1	20	2	3	20	22	3	2	57	48
7	3	.....	14	8	1	12	2	1	.....	.....	.....	9	.....	2	9	7	3	1	18	49
83	17	6	54	92	7	79	6	5	10	7	2	59	3	8	50	46	4	.....	135	50
57	5	1	30	78	3	30	4	1	1	2	1	33	.....	2	5	9	2	.....	78	51
181	28	6	112	225	28	186	14	66	13	12	6	88	6	15	94	73	9	1	229	52
52	10	3	25	124	7	44	4	11	4	3	2	27	1	5	32	20	7	5	102	53
19	4	1	24	30	8	45	2	34	.....	2	2	33	.....	2	35	14	2	.....	36	54
10	.....	.....	16	29	2	20	3	6	1	1	.....	7	1	2	21	7	1	2	22	55
9	1	2	23	37	.....	44	2	1	1	1	2	15	.....	.....	2	3	2	.....	110	56
0	3	.....	8	25	.....	19	.....	4	.....	1	1	4	.....	1	4	3	.....	.....	14	57
11	2	.....	9	14	3	14	1	10	.....	.....	.....	11	.....	.....	11	4	1	.....	19	58
50	10	2	36	53	4	68	2	7	1	6	1	27	2	1	22	30	4	1	56	59
124	18	15	100	163	37	192	22	184	15	19	7	120	6	20	115	60	10	8	291	60
54	8	2	34	76	4	42	4	15	7	4	2	20	3	7	24	23	6	1	80	61
20	4	.....	25	34	.....	38	2	3	1	2	3	18	2	4	16	24	7	.....	30	62
13	2	2	14	22	2	30	.....	5	3	3	1	12	1	3	15	14	2	.....	37	63
33	6	2	22	62	9	27	1	6	3	4	1	13	2	2	8	15	4	.....	47	64
16	3	.....	18	25	1	13	.....	3	4	1	2	13	2	4	18	13	4	5	26	65
48	8	3	63	92	2	72	4	16	7	5	4	34	2	8	42	41	4	9	143	66
71	16	4	56	64	12	127	3	50	23	2	6	72	3	8	54	40	3	1	118	67
94	19	2	96	103	21	169	6	78	24	10	8	64	9	12	58	74	3	14	172	68
24	4	1	13	30	5	17	1	5	.....	3	2	10	2	1	8	10	2	.....	33	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.														
1	Lowell	1,771	3	1	.....	44	2	21	21	36	.....	85	27	8	4
2	Lynn	1,276	.....	1	.....	2	6	12	28	42	1	94	8	6	6
3	Malden	575	.....	.....	.....	2	3	13	20	25	1	29	4	2	3
4	Marlborough	180	2	.....	.....	.....	1	.....	.....	6	.....	10	3	2	1
5	Medford	421	.....	.....	.....	1	3	3	1	15	.....	20	1	1	3
6	Melrose	233	.....	.....	.....	2	.....	1	2	10	.....	8	2	2	.....
7	Methuen	213	1	.....	.....	3	1	4	3	3	1	8	.....	1	1
8	Milford town	200	.....	.....	.....	1	.....	.....	.....	3	.....	17	1	1	2
9	Natick town	149	1	.....	.....	.....	.....	.....	.....	4	.....	6	.....	.....	.....
10	New Bedford	1,745	8	.....	.....	23	3	13	32	68	4	134	24	7	6
11	Newburyport	277	1	.....	.....	.....	.....	4	4	8	1	12	2	.....	3
12	Newton	567	.....	.....	.....	1	3	5	6	14	2	20	5	1	1
13	North Adams	302	.....	.....	.....	2	.....	.....	2	15	.....	14	4	2	1
14	Northampton	451	5	.....	.....	1	.....	3	6	5	.....	45	1	1	.....
15	Northbridge town	111	.....	.....	.....	1	.....	3	1	3	.....	4	1	.....	1
16	Norwood town	108	.....	.....	.....	.....	.....	5	.....	2	.....	.....	.....	1	.....
17	Peabody	242	1	.....	.....	.....	2	1	3	8	2	12	1	3	.....
18	Pittsfield	583	.....	1	.....	1	1	1	.....	27	2	37	4	3	3
19	Plymouth town	204	.....	.....	.....	7	.....	1	1	2	.....	6	2	.....	1
20	Quincy	487	.....	.....	.....	.....	2	12	4	18	2	27	6	2	2
21	Revere	210	1	.....	.....	1	1	1	4	5	1	10	2	2	1
22	Salem	634	.....	.....	.....	.....	2	4	12	14	5	38	3	3	1
23	Saugus town	96	1	.....	.....	.....	.....	1	1	6	.....	5	.....	1	1
24	Somerville	1,127	3	.....	.....	4	3	18	22	32	4	64	5	6	4
25	Southbridge town	124	.....	.....	.....	.....	.....	1	1	3	.....	2	.....	1	.....
26	Springfield	1,709	6	.....	.....	11	22	18	16	57	5	81	13	11	4
27	Taunton	709	4	.....	.....	.....	2	5	4	20	4	60	3	4	1
28	Wakefield town	140	.....	.....	.....	3	1	1	.....	2	.....	9	1	1	.....
29	Waltham	388	.....	.....	.....	2	1	2	10	15	.....	19	4	3	3
30	Watertown town	171	.....	.....	.....	2	.....	1	.....	6	.....	6	1	2	1
31	Webster town	124	.....	.....	.....	.....	1	2	.....	8	.....	14	1	1	.....
32	West Springfield town	122	.....	.....	.....	2	.....	1	.....	7	.....	8	1	.....	1
33	Westfield town	281	.....	.....	.....	.....	.....	4	3	4	1	45	3	.....	2
34	Weymouth town	166	.....	.....	.....	1	.....	3	2	4	.....	9	.....	1	1
35	Winchester town	141	.....	.....	.....	.....	.....	1	.....	2	1	5	1	1	.....
36	Winthrop town	148	.....	.....	.....	1	.....	2	1	9	.....	5	.....	.....	1
37	Woburn	204	.....	.....	.....	.....	1	3	2	10	.....	12	2	3	.....
38	Worcester	2,668	3	.....	.....	3	22	11	14	85	7	169	21	17	5
	MICHIGAN.														
39	Registration cities (total)	27,534	171	5	6	233	178	283	605	1,642	105	1,494	129	137	100
40	White	26,230	165	5	6	230	176	274	592	1,561	100	1,374	118	121	95
41	Colored	1,304	6	.....	.....	3	2	9	13	81	5	120	11	16	5
42	Adrian	211	3	.....	.....	2	1	2	1	7	1	8	2	.....	2
43	Alpena	192	11	.....	.....	4	.....	2	3	2	.....	4	.....	3	1
44	Ann Arbor	630	5	.....	1	1	4	2	7	48	4	30	2	9	.....
45	Battle Creek	605	1	.....	1	6	8	.....	15	45	.....	17	2	6	1
46	Bay city	767	22	.....	.....	9	5	6	7	43	1	42	3	3	3
47	Benton Harbor	171	1	.....	.....	.....	1	1	6	10	.....	10	1	.....	1
48	Detroit (total)	13,700	55	2	4	88	103	135	377	859	50	866	87	63	61
49	White	12,660	51	2	4	87	101	126	366	796	45	765	78	49	56
50	Colored	1,040	4	.....	.....	1	2	9	11	63	5	101	9	14	5
51	Escanaba	249	1	.....	.....	.....	.....	3	3	22	.....	13	1	.....	.....
52	Flint	1,178	16	1	.....	15	9	9	22	100	9	43	6	5	4
53	Grand Rapids	1,826	3	.....	.....	24	4	24	39	38	8	88	6	6	8
54	Hamtramck	587	.....	.....	.....	7	8	10	32	16	1	21	1	3	1
55	Highland Park	399	3	.....	.....	8	2	8	10	36	3	8	2	1	4
56	Holland	161	1	.....	.....	4	.....	.....	1	3	.....	10	1	.....	1
57	Ironwood	200	.....	.....	.....	2	1	14	1	26	.....	13	1	1	1
58	Ishpeming	141	.....	.....	.....	.....	4	2	2	7	3	8	1	1	.....
59	Jackson	724	4	.....	.....	7	2	3	9	39	2	41	3	3	2
60	Kalamazoo	1,077	1	.....	.....	3	6	3	3	46	9	55	1	7	2
61	Lansing	749	2	.....	.....	13	4	12	10	50	1	19	.....	5	3
62	Marquette	187	.....	.....	.....	.....	1	3	1	10	.....	7	1	.....	.....
63	Monroe	170	1	.....	.....	1	.....	7	1	3	.....	10	1	.....	1
64	Muskegon	549	7	.....	.....	6	1	17	9	34	1	38	1	4	.....
65	Owosso	213	1	.....	.....	4	.....	2	2	15	.....	3	.....	.....	.....
66	Pontiac	664	2	1	.....	9	4	6	9	50	5	30	.....	1	.....
67	Port Huron	412	4	.....	.....	5	1	2	10	32	1	12	2	1	3
68	Saginaw	1,020	8	.....	.....	10	2	7	19	66	3	51	3	9	.....
69	Sault Ste. Marie	186	.....	.....	.....	1	6	3	.....	6	.....	8	.....	2	.....
70	Traverse City	315	2	.....	.....	.....	1	.....	1	10	3	27	.....	2	.....
71	Wyandotte	251	17	1	.....	4	.....	.....	5	19	.....	12	1	2	1

HAWAII, AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
100	13	9	112	173	55	218	16	140	25	16	10	83	5	21	134	65	10	1	313	1
103	23	4	98	180	18	145	5	23	12	5	8	58	5	6	63	64	9	.....	241	2
41	7	.....	36	87	2	63	5	12	5	5	2	42	2	10	23	29	3	.....	99	3
13	1	1	16	22	8	27	.....	2	.....	1	1	9	2	1	11	11	3	.....	26	4
47	5	.....	41	55	5	42	1	11	2	1	.....	24	1	3	32	14	2	.....	87	5
30	2	.....	19	38	3	23	2	2	.....	2	2	16	.....	2	9	10	2	1	43	6
18	2	.....	15	28	3	21	3	10	5	4	1	15	1	2	10	3	4	3	39	7
15	6	2	11	27	2	21	4	7	2	.....	.....	12	1	1	15	12	.....	2	35	8
10	3	.....	19	31	2	15	1	3	1	3	.....	10	.....	.....	7	4	2	.....	27	9
95	18	17	117	150	46	231	15	153	8	8	2	83	10	8	71	58	13	39	281	10
20	3	.....	33	49	2	16	2	4	4	5	1	19	1	2	19	14	2	.....	46	11
59	10	2	49	78	4	67	2	9	7	4	4	27	3	6	28	29	6	.....	115	12
10	5	3	29	36	4	30	3	3	12	2	3	23	3	5	18	20	2	.....	42	13
33	9	.....	52	55	3	27	2	10	4	5	.....	24	1	3	14	25	3	12	102	14
6	3	1	9	16	1	14	1	7	.....	.....	.....	7	.....	2	9	5	.....	.....	16	15
14	.....	.....	11	11	2	16	1	4	.....	2	1	3	.....	.....	12	9	.....	.....	14	16
19	1	4	13	42	4	26	1	13	2	1	.....	11	1	5	17	13	1	1	34	17
54	8	10	39	72	2	55	9	16	8	3	4	36	5	2	29	37	4	1	109	18
11	5	1	14	28	4	29	.....	4	2	2	1	12	2	1	13	15	2	.....	38	19
44	9	3	49	63	2	57	4	12	7	4	1	26	2	3	24	28	3	1	70	20
20	7	.....	18	33	3	31	.....	8	.....	.....	1	13	.....	4	8	5	.....	.....	30	21
63	7	5	51	103	14	49	6	9	4	8	2	42	5	8	48	33	5	.....	90	22
7	1	.....	8	16	.....	11	.....	2	.....	.....	1	7	.....	3	7	1	.....	1	15	23
93	20	5	98	193	14	132	8	25	5	6	5	58	3	9	59	41	6	.....	182	24
13	7	.....	13	17	1	13	2	3	.....	1	.....	5	.....	1	12	6	1	.....	21	25
131	32	3	139	198	14	170	17	54	15	15	7	173	6	9	118	101	11	1	246	26
37	12	5	29	121	16	82	2	26	5	2	2	27	.....	5	26	26	5	.....	174	27
20	.....	.....	17	22	1	9	1	2	.....	.....	1	12	1	2	5	6	2	1	20	28
40	7	1	31	44	5	53	2	5	3	3	1	19	1	3	20	19	1	.....	68	29
15	.....	1	19	31	4	24	.....	3	2	.....	.....	8	1	1	15	1	1	.....	26	30
13	4	.....	4	21	3	11	1	3	.....	.....	.....	10	.....	.....	5	7	.....	.....	15	31
6	6	1	14	19	1	15	1	4	.....	1	.....	12	.....	.....	7	3	1	.....	11	32
25	4	1	22	38	3	25	1	13	1	.....	2	19	1	2	13	15	1	.....	33	33
11	1	2	26	28	3	17	.....	1	.....	1	.....	12	.....	1	6	5	1	.....	30	34
19	2	1	10	15	4	11	3	2	2	1	.....	12	.....	2	7	11	1	1	26	35
18	6	1	11	23	2	12	2	.....	.....	.....	.....	24	.....	3	3	5	2	1	16	36
11	3	1	13	39	2	19	2	.....	3	3	1	4	1	5	12	7	1	.....	44	37
220	38	10	167	413	29	354	13	87	33	17	8	111	13	38	152	141	12	2	453	38
1,512	291	139	1,328	2,620	383	3,817	304	1,188	413	259	142	1,156	187	319	1,910	1,629	186	34	4,629	39
1,487	286	133	1,294	2,501	365	3,430	294	1,150	403	245	134	1,120	183	310	1,853	1,531	183	30	4,481	40
25	5	6	34	119	18	387	10	38	10	14	8	36	4	9	57	98	3	4	148	41
20	2	1	21	31	2	12	2	1	4	1	.....	11	1	5	10	7	1	.....	50	42
20	2	.....	10	24	11	7	1	7	6	3	1	7	.....	2	13	13	1	1	33	43
91	6	2	33	39	5	44	11	2	11	6	2	33	7	3	31	24	4	.....	163	44
57	9	.....	54	71	10	40	5	4	13	11	5	32	3	8	30	33	9	.....	109	45
46	6	6	70	77	9	78	7	27	16	6	5	23	6	6	49	46	2	1	137	46
11	2	.....	16	16	.....	15	2	1	4	2	1	10	.....	1	6	18	1	1	33	47
640	137	85	438	1,141	183	2,369	154	666	211	119	70	516	99	162	1,053	871	89	12	1,935	48
623	132	79	422	1,040	171	2,032	145	637	203	108	65	492	96	155	1,009	797	87	8	1,833	49
17	5	6	16	101	12	337	9	29	8	11	5	24	3	7	44	74	2	4	102	50
17	2	2	21	26	4	29	2	6	2	5	.....	10	3	4	13	15	.....	1	44	51
33	10	3	64	108	8	195	13	58	16	10	6	33	9	15	93	89	5	3	168	52
139	26	8	115	216	26	166	28	89	29	23	7	138	7	18	105	80	20	.....	338	53
6	2	3	5	26	13	157	4	93	1	5	2	10	1	6	58	19	5	1	70	54
15	5	1	20	47	2	72	4	12	.....	2	4	17	.....	4	30	10	2	1	66	55
14	2	1	14	31	6	13	1	7	3	.....	2	6	.....	6	9	8	.....	1	26	56
10	3	3	8	11	5	18	1	7	5	3	.....	5	1	2	15	16	2	.....	25	57
8	3	.....	10	17	2	12	4	4	2	1	.....	7	1	.....	12	7	1	.....	22	58
41	11	1	67	73	10	67	8	23	11	10	5	47	8	10	44	44	10	.....	119	59
56	17	2	63	146	9	78	13	19	14	6	10	58	4	8	46	57	11	1	323	60
52	5	2	58	95	8	69	9	18	11	11	2	34	8	7	49	51	4	2	135	61
14	6	1	13	21	6	9	4	8	7	2	1	6	1	5	10	15	1	.....	34	62
15	2	1	8	31	3	12	3	10	.....	.....	3	11	.....	2	12	7	.....	1	24	63
39	5	1	31	47	2	65	5	20	16	4	3	17	3	6	27	40	2	2	96	64
21	3	.....	12	36	4	25	2	6	2	2	.....	6	1	2	12	6	1	2	43	65
27	5	1	45	68	8	64	3	16	7	9	4	27	9	11	33	23	4	2	181	66
28	6	1	27	45	10	43	3	13	1	5	3	20	2	7	24	26	1	.....	74	67
58	9	0	62	117	25	100	7	26	11	9	4	49	11	11	81	60	8	1	184	68
8	1	2	12	17	0	19	3	12	3	.....	.....	5	2	3	17	14	.....	1	32	69
15	4	1	20	37	1	22	4	2	4	4	2	11	.....	1	7	10	1	.....	123	70
11	.....	2	11	16	2	17	1	31	3	.....	.....	7	.....	4	21	20	1	.....	42	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47,48
	REGISTRATION CITIES—Continued.														
	MINNESOTA.														
1	Registration cities (total)	10,975	25		3	52	51	107	130	659	40	766	57	77	43
2	White	10,795	25		3	52	51	107	126	650	40	738	57	74	42
3	Colored	180							4	9		28		3	1
4	Austin	125					2	2	1	5		5			3
5	Duluth	1,007	6		1	1	4	17	15	58	2	67	4	8	10
6	Faribault	232				2		1	6	19	2	21	1	1	
7	Hibbing	134	1					5	1	17		5	3		
8	Mankato	213	1			1	1			8		7		1	
9	Minneapolis	4,713	10		1	22	26	48	44	328	27	364	21	30	16
10	Rochester	1,013			1		1	3		35	2	35	2	10	
11	St. Cloud	217	1			3		1	3	12	1	16	1		1
12	St. Paul	2,958	5			17	15	26	58	167	6	224	18	25	11
13	Virginia	120	1			3		4	1	8		8	1		1
14	Winona	243				3	2		1	2		14	6	2	1
	MISSISSIPPI.														
15	Registration cities (total)	3,369	47	50	23	2	1	7	14	104	2	272	4	22	7
16	White	1,374	19	22	10	1	1	6	9	52	1	64	3	4	1
17	Colored	1,995	28	28	13	1		1	5	52	1	208	1	18	6
18	Biloxi (total)	134							2	4		10			
19	White	115							2	4		9			
20	Colored	19										1			
21	Columbus (total)	210	1	1				1		15		21		2	1
22	White	60						1		1		3			
23	Colored	150	1	1						14		18		2	1
24	Greenville (total)	311	2	5	1			1	1	4		26		2	
25	White	96		4				1		4		6			
26	Colored	215	2	1	1				1			20		2	
27	Hattiesburg (total)	208	2	1	1				2	10		20			
28	White	109	1		1				1	7		3			
29	Colored	99	1	1					1	3		17			
30	Jackson (total)	799	6	8	1			1	4	9		49	2	7	2
31	White	300	5	5					3	6		12	2	1	
32	Colored	499	1	3	1			1	1	3		37		6	2
33	Laurel (total)	240	9	3	13				2	4		16	1	1	1
34	White	126	3	1	9				2	2		4			1
35	Colored	114	6	2	4					2		12	1	1	
36	Meridian (total)	639	19	9	6	1	1	3	3	39	1	57		3	
37	White	338	10	4		1	1	3	1	22	1	14		2	
38	Colored	301	9	5	6				2	17		43		1	
39	Natchez (total)	241	5	3		1		1		7	1	22	1	5	
40	White	71		2				1		1		4	1	1	
41	Colored	170	5	1		1				6	1	18		4	
42	Vicksburg (total)	587	3	20	1					12		51		2	3
43	White	159		6						5		9			
44	Colored	428	3	14	1					7		42		2	3
	MISSOURI.														
45	Registration cities (total)	20,481	86	20	11	139	57	97	333	1,023	60	1,340	73	88	49
46	White	17,878	73	18	11	132	56	71	330	956	56	977	58	61	44
47	Colored	2,603	13	2		7	1	26	3	67	4	363	15	27	5
48	Cape Girardeau	204	2	2			1	4	5	3		20		2	
49	Carthage	147	1			1		4	3	9		18		1	
50	Columbia (total)	191	1					2		26		17	1	1	
51	White	141	1					1		22		8	1		
52	Colored	50						1		4		9		1	
53	Hannibal	316	4	1	1	3			5	33	2	16		2	2
54	Independence	209	2		1			2	1	30	2	10	3		
55	Jefferson City (total)	200				6				12		23		2	2
56	White	168				6				10		14		1	1
57	Colored	32								2		9		1	1
58	Joplin	464	9			2	1	6	5	10	2	54	2	1	2
59	Kansas City (total)	5,279	26	1	3	30	17	38	46	349	9	330	13	26	8
60	White	4,501	22	1	3	27	16	31	46	321	8	214	9	15	7
61	Colored	778	4			3	1	7		28	1	116	4	11	1
62	Moberly	170	2				2		4	6	1	14	1	1	
63	St. Joseph	1,343	10		6	1	3	5	17	70	8	63	1	6	4
64	St. Louis (total)	10,931	20	13		92	25	34	241	396	36	680	49	38	26
65	White	9,508	13	11		88	25	19	239	368	33	494	39	27	24
66	Colored	1,423	7	2		4		15	2	28	3	186	10	11	2
67	Sedalia	341	5			1	7		3	19		39	1	6	
68	Springfield	686	4	3		3	1	2	3	60		51	2	2	5

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

	DEATHS FROM—																		
Cancer and other malignant tumors. 39-45	Diabetes. 50	Meningitis. 61	Cerebral hemorrhage and softening. 64, 65	Organic diseases of the heart. 79	Bronchitis. 89, 90	Pneumonia (all forms). 91, 92	Other diseases, respiratory system. 86-88, 93-98	Diarrhea and enteritis (under 2 years). 104	Appendicitis and typhlitis. 108	Hernia, intestinal obstruction. 109	Cirrhosis of the liver. 113	Acute nephritis and Bright's disease. 119,120	Puerperal septicemia. 137	Other puerperal causes. 134-136, 138-141	Congenital debility and malformations. 150, 151	Violent deaths (suicide excepted). 164-186	Suicide. 155-163	Unknown or ill-defined diseases. 187-189	All other causes.	
1,101	181	48	527	1,032	62	853	113	161	246	121	47	650	70	107	699	642	122	10	2,170	1
1,091	181	46	522	1,020	62	839	111	158	245	120	45	640	68	107	692	622	121	10	2,130	2
10	3	2	5	12	.....	14	2	3	1	1	2	10	2	.....	7	20	1	.....	40	3
12	3	.....	8	17	1	7	1	2	1	1	.....	8	2	2	13	7	.....	.....	22	4
73	20	5	71	82	8	73	6	27	13	9	4	45	8	14	84	71	16	1	184	5
11	3	.....	11	22	.....	12	.....	7	7	3	.....	18	1	6	14	10	.....	1	53	6
6	.....	.....	3	9	1	14	1	4	5	1	.....	2	1	3	9	24	.....	.....	19	7
28	5	1	15	27	2	17	2	3	9	3	.....	19	3	2	10	6	2	.....	40	8
443	89	24	223	501	29	408	33	53	86	47	17	262	34	40	309	285	71	2	820	9
199	11	1	15	58	2	30	33	.....	56	18	6	19	.....	3	23	17	5	.....	428	10
20	2	.....	5	25	2	12	1	12	5	3	.....	6	3	3	17	11	1	1	49	11
287	48	13	151	253	16	250	33	41	52	31	19	251	14	31	192	190	22	2	490	12
3	1	3	.....	7	1	12	.....	8	2	3	1	5	3	2	17	11	2	.....	12	13
19	2	1	25	31	.....	18	3	4	10	2	.....	15	1	1	11	10	3	3	53	14
133	23	18	158	281	12	249	28	74	92	38	16	314	29	43	91	260	12	120	823	15
80	17	9	83	86	3	97	14	38	46	14	10	147	16	23	51	104	12	24	307	16
53	6	9	75	195	9	152	14	36	46	24	6	167	13	20	40	156	.....	96	516	17
8	4	3	13	20	1	10	3	3	.....	.....	.....	11	.....	1	7	9	.....	2	23	18
8	3	2	11	19	1	8	3	2	.....	.....	.....	7	.....	1	6	8	.....	2	19	19
.....	1	1	2	1	.....	2	.....	1	.....	.....	.....	4	.....	.....	1	1	.....	.....	4	20
10	.....	1	21	31	1	13	3	5	1	2	1	10	1	.....	5	11	.....	8	38	21
8	.....	.....	10	3	1	3	.....	1	1	2	1	4	.....	.....	1	1	.....	2	17	22
8	.....	1	11	28	.....	10	3	4	.....	.....	.....	6	1	.....	4	10	.....	6	21	23
12	1	4	6	28	2	29	1	5	10	5	2	33	2	4	7	32	.....	5	81	24
7	.....	3	3	5	.....	14	.....	3	3	1	1	8	.....	.....	3	10	.....	1	20	25
5	1	2	3	23	2	15	1	2	7	4	1	25	2	4	4	22	.....	4	61	26
8	.....	.....	3	21	1	25	2	9	3	1	1	17	4	2	7	21	.....	6	36	27
5	.....	.....	6	17	.....	9	2	6	3	.....	.....	10	4	2	3	7	.....	1	21	28
3	.....	.....	2	4	1	16	.....	3	.....	1	1	7	.....	.....	4	14	.....	5	15	29
30	4	3	36	44	2	37	3	11	28	11	6	97	5	11	21	43	4	27	288	30
10	4	1	16	14	.....	13	1	6	12	4	4	40	1	6	7	11	4	7	96	31
11	.....	1	20	30	2	24	2	5	16	7	2	57	4	5	14	32	.....	20	192	32
5	1	2	17	8	2	24	.....	9	5	.....	2	24	8	9	7	15	1	7	44	33
3	1	3	11	3	.....	12	.....	5	3	.....	2	15	5	4	4	7	1	3	23	34
2	.....	.....	6	5	2	12	.....	4	2	.....	.....	9	3	5	3	8	.....	4	21	35
23	7	2	25	26	2	52	8	24	21	6	3	49	3	9	22	73	4	13	125	36
14	5	1	15	10	1	24	3	12	15	2	1	34	3	6	18	40	4	2	69	37
9	2	1	10	16	1	28	5	12	6	4	2	15	.....	3	4	33	.....	11	56	38
12	2	1	10	24	.....	10	3	5	2	3	.....	30	.....	.....	5	9	.....	34	45	39
5	1	.....	2	6	.....	3	3	3	2	1	.....	12	.....	.....	2	5	.....	1	15	40
7	1	1	8	18	.....	7	.....	2	.....	2	.....	18	.....	.....	3	4	.....	33	30	41
19	4	3	22	79	1	49	5	3	22	10	1	43	6	7	10	47	3	18	143	42
11	3	1	9	9	.....	11	2	.....	7	4	1	17	3	4	7	15	3	5	27	43
8	1	2	13	70	1	38	3	3	15	6	.....	26	3	3	3	32	.....	13	116	44
1,440	209	90	1,085	2,116	259	2,998	160	530	327	217	151	1,751	122	106	845	1,105	222	65	3,307	45
1,357	199	82	957	1,809	216	2,492	139	483	305	190	133	1,526	105	99	764	973	216	58	2,932	46
83	10	8	128	307	43	506	21	47	22	27	18	225	17	7	81	132	6	7	375	47
11	2	3	11	7	3	28	1	9	12	2	.....	8	4	.....	9	9	2	1	43	48
8	2	1	8	17	1	10	1	1	4	1	.....	14	1	2	5	9	.....	.....	25	49
9	2	.....	14	23	1	22	1	3	2	1	1	8	1	.....	12	13	1	.....	29	50
8	2	.....	12	12	.....	15	1	1	2	1	1	6	1	.....	11	8	1	.....	26	51
1	.....	.....	2	11	1	7	.....	2	.....	.....	.....	2	.....	.....	1	5	.....	.....	3	52
18	2	2	11	25	7	37	2	4	1	1	7	17	4	1	12	24	1	12	59	53
12	5	.....	12	23	4	28	4	4	1	2	1	9	1	3	11	11	2	.....	25	54
8	3	2	7	10	2	36	1	10	2	4	1	16	1	1	8	9	2	3	29	55
8	3	2	7	10	2	32	.....	10	2	3	1	11	1	1	8	7	2	3	23	56
.....	.....	.....	.....	.....	.....	4	1	.....	.....	1	.....	5	.....	.....	.....	2	.....	.....	6	57
30	6	3	34	44	3	60	2	16	4	4	.....	33	3	3	21	30	4	15	55	58
336	44	20	248	538	41	812	37	225	95	48	24	362	34	22	250	324	59	12	852	59
312	42	10	223	432	35	669	31	211	88	39	20	304	26	19	234	277	56	10	734	60
24	2	1	25	106	6	143	6	14	7	9	4	58	8	3	16	47	3	2	118	61
12	3	2	10	16	1	19	3	2	5	1	.....	21	.....	2	6	10	2	4	20	62
85	9	6	103	104	4	164	6	26	37	20	2	105	7	9	45	61	19	4	328	63
852	125	47	570	1,220	185	1,648	98	214	144	119	111	1,055	56	58	423	555	126	10	1,665	64
799	119	40	494	1,056	156	1,362	85	191	129	104	98	923	50	55	369	495	124	9	1,470	65
53	6	7	76	164	29	286	13	23	15	15	13	132	6	3	54	60	2	1	195	66
18	3	2	18	20	3	51	1	5	5	2	3	40	3	.....	11	21	.....	1	53	67
41	3	2	39	69	4	83	3	11	15	12	1	63	7	5	32	29	4	3	124	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	MONTANA.														
1	Registration cities (total)	1,660	10	.....	.....	9	2	10	9	68	3	118	6	12	6
2	White	1,611	9	.....	.....	9	2	10	9	65	3	103	6	12	6
3	Colored	49	1	.....	.....	.....	.....	.....	.....	3	.....	10	.....	.....	.....
4	Anaconda	117	.....	.....	.....	1	.....	.....	1	1	1	7	.....	.....	.....
5	Billings	217	2	.....	.....	2	.....	1	.....	7	2	10	2	1	.....
6	Butte	614	1	.....	.....	3	1	8	4	22	.....	69	2	4	3
7	Great Falls	334	2	.....	.....	1	1	1	2	31	.....	8	1	2	1
8	Helena	196	3	.....	.....	1	.....	.....	1	1	.....	12	.....	2	2
9	Missoula	182	2	.....	.....	1	.....	.....	1	6	.....	12	1	3	.....
	NEBRASKA.														
10	Registration cities (total)	4,062	18	.....	6	25	15	59	56	162	14	183	21	30	15
11	White	3,854	17	.....	6	24	14	53	56	150	13	159	19	24	13
12	Colored	208	1	.....	.....	1	1	6	.....	12	1	24	2	6	2
13	Grand Island	227	.....	.....	1	1	.....	3	.....	10	.....	6	1	4	2
14	Hastings	209	.....	.....	.....	.....	.....	5	1	10	.....	4	.....	2	.....
15	Lincoln	739	2	.....	.....	7	3	4	5	22	2	40	3	3	2
16	North Platte	116	1	.....	1	2	.....	3	1	6	.....	3	.....	3	1
17	Omaha (total)	2,771	15	.....	4	15	12	44	49	114	12	130	17	18	10
18	White	2,585	14	.....	4	15	12	38	49	103	11	111	15	13	9
19	Colored	186	1	.....	.....	.....	.....	6	.....	11	1	19	2	5	1
	NEW HAMPSHIRE.														
20	Registration cities (total)	2,949	18	.....	.....	21	7	23	39	119	12	135	20	15	8
21	White	2,937	18	.....	.....	21	7	23	39	116	12	134	20	15	8
22	Colored	12	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....
23	Berlin	195	2	.....	.....	3	1	5	1	5	.....	7	1	.....	.....
24	Concord	470	4	.....	.....	3	.....	.....	1	13	7	15	.....	1	2
25	Dover	225	2	.....	.....	.....	.....	2	.....	6	3	11	.....	.....	1
26	Keene	170	.....	.....	.....	.....	.....	6	1	7	1	6	1	1	1
27	Laconia	198	1	.....	.....	.....	1	2	.....	8	.....	11	1	2	.....
28	Manchester	1,031	6	.....	.....	9	3	7	28	43	1	58	8	5	3
29	Nashua	444	2	.....	.....	4	2	.....	3	19	.....	21	8	4	.....
30	Portsmouth	216	1	.....	.....	2	.....	1	5	18	.....	6	1	2	1
	NEW JERSEY.														
31	Registration cities (total)	27,240	69	5	.....	236	77	294	415	777	48	1,918	148	128	116
32	White	25,529	62	5	.....	231	76	272	408	727	45	1,736	138	110	112
33	Colored	1,711	7	.....	.....	5	1	22	7	50	3	182	10	18	4
34	Asbury Park (total)	180	1	.....	.....	.....	.....	.....	.....	3	.....	4	.....	.....	.....
35	White	125	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
36	Colored	55	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
37	Atlantic City (total)	875	1	.....	.....	5	.....	7	11	12	2	39	2	8	4
38	White	665	.....	.....	.....	5	.....	3	11	10	1	21	2	5	4
39	Colored	210	1	.....	.....	.....	.....	4	.....	2	1	18	.....	3	.....
40	Bayonne	783	2	2	.....	8	4	9	20	28	3	52	5	.....	1
41	Belleville	391	1	.....	.....	3	9	3	54	1	.....	204	1	2	.....
42	Bloomfield	170	1	.....	.....	.....	.....	1	.....	3	.....	13	.....	.....	2
43	Bridgeton	262	.....	.....	.....	.....	.....	4	2	5	1	16	1	.....	2
44	Camden	1,731	9	.....	.....	18	2	14	18	41	2	87	3	5	4
45	Clifton	192	1	.....	.....	2	2	2	5	3	1	12	2	2	1
46	East Orange	463	.....	.....	.....	.....	.....	1	4	17	1	18	.....	2	4
47	Elizabeth	1,227	5	1	.....	13	9	15	12	41	2	60	16	5	5
48	Englewood	203	1	.....	.....	.....	.....	5	.....	3	2	7	2	1	2
49	Garfield	189	.....	.....	.....	4	1	2	6	4	1	12	1	1	2
50	Gloucester	109	1	.....	.....	1	.....	.....	1	3	.....	8	.....	1	.....
51	Hackensack	311	.....	.....	.....	.....	.....	.....	4	8	.....	13	1	1	1
52	Harrison	205	.....	.....	.....	2	2	4	3	4	.....	13	2	.....	.....
53	Hoboken	882	3	.....	.....	17	3	16	20	14	2	68	5	5	8
54	Irvington	244	1	.....	.....	.....	2	1	3	9	.....	33	2	.....	2
55	Jersey City	4,221	12	2	.....	48	8	57	71	124	3	305	17	22	18
56	Kearny	305	2	.....	.....	2	1	6	.....	16	.....	21	2	.....	4
57	Long Branch	298	1	.....	.....	.....	1	.....	1	3	.....	11	3	3	.....
58	Millville	182	3	.....	.....	.....	1	.....	5	5	.....	10	.....	1	.....
59	Montclair (total)	246	.....	.....	.....	2	.....	2	.....	9	.....	10	.....	.....	1
60	White	209	.....	.....	.....	1	.....	2	.....	8	.....	8	.....	.....	1
61	Colored	37	.....	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....
62	Morristown	281	.....	.....	.....	1	.....	.....	1	5	.....	7	3	1	2
63	New Brunswick	507	2	.....	.....	.....	1	11	14	19	.....	33	1	.....	1
64	Newark (total)	5,372	8	.....	.....	56	11	59	47	157	15	337	34	32	20
65	White	4,944	8	.....	.....	54	11	55	47	138	14	278	32	27	18
66	Colored	428	.....	.....	.....	2	.....	4	.....	19	1	59	2	5	2
67	Orange (total)	556	.....	.....	.....	1	.....	3	5	22	1	28	1	.....	3
68	White	482	.....	.....	.....	1	.....	3	4	14	1	25	1	.....	2
69	Colored	74	.....	.....	.....	.....	.....	.....	1	8	.....	3	.....	.....	1
70	Passaic	819	.....	.....	.....	9	5	16	24	30	1	53	4	7	3

HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

[formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural N umbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119, 120	187	134-136, 138-141	150, 151	164-186	155-163	187-189		
107	25	12	76	139	8	196	18	36	63	27	11	98	12	16	102	142	23	11	285	1
103	24	12	72	133	8	195	17	35	61	26	11	97	12	16	101	140	23	10	276	2
4	1	.....	4	6	.....	1	1	1	2	1	.....	1	.....	.....	1	2	.....	1	9	3
7	5	.....	8	8	1	17	1	1	6	1	.....	2	.....	.....	8	12	3	.....	26	
19	3	1	14	13	1	16	6	7	14	3	.....	9	2	5	16	14	3	.....	44	4
36	8	2	25	60	5	81	7	13	15	7	6	32	3	4	30	61	8	5	89	5
16	3	2	11	15	1	54	3	10	18	9	3	22	2	3	22	27	3	3	57	6
15	3	2	6	34	.....	13	.....	2	4	5	1	19	4	3	14	11	2	1	35	7
14	3	5	12	9	.....	15	1	3	6	2	1	14	1	1	12	17	4	2	34	8
																				9
344	61	13	187	365	19	428	43	77	104	53	22	222	26	43	257	300	53	17	824	
336	59	13	181	349	16	395	42	74	101	53	21	216	26	39	249	288	52	17	779	10
8	2	.....	6	16	3	33	1	3	3	.....	1	6	.....	4	8	12	1	.....	45	11
																				12
19	4	3	13	16	2	21	2	1	7	3	.....	13	1	4	14	17	4	1	54	
13	2	3	11	22	2	15	4	1	4	3	1	10	2	2	19	18	1	8	46	13
61	15	1	44	71	4	58	2	10	31	5	7	75	8	8	50	57	5	1	133	14
8	2	.....	2	6	.....	11	1	2	6	3	1	6	2	.....	4	17	1	5	18	15
243	38	6	117	250	11	323	34	63	56	39	13	118	13	29	170	191	42	2	573	16
236	36	6	112	235	9	293	33	60	53	39	12	113	13	26	163	178	41	2	531	17
7	2	.....	5	15	2	30	1	3	3	.....	1	5	.....	3	7	13	1	.....	42	18
																				19
210	48	18	231	348	37	257	24	126	34	33	13	180	9	30	195	146	19	7	558	
210	48	18	229	346	37	255	24	126	34	33	13	179	9	30	195	146	19	7	557	20
.....	.....	.....	2	2	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	21
																				22
8	2	6	7	12	2	20	3	22	5	2	1	3	.....	3	14	15	.....	2	43	
31	8	.....	42	91	7	35	5	.....	6	8	3	22	4	4	15	28	2	.....	113	23
27	5	.....	27	23	2	23	2	1	2	3	.....	23	.....	.....	9	8	1	2	42	24
11	2	1	12	28	5	8	2	2	.....	2	.....	16	.....	2	13	7	4	.....	31	25
																				26
15	2	.....	22	18	1	18	2	4	2	2	.....	16	.....	2	11	7	2	1	47	
70	16	5	70	112	13	94	9	79	10	11	5	47	1	9	83	39	4	1	132	27
31	13	6	34	42	4	36	.....	15	8	5	3	32	3	6	33	26	6	1	77	28
26	.....	.....	17	22	3	23	1	3	1	.....	1	21	1	4	17	16	.....	.....	23	29
																				30
1,809	393	167	1,707	3,147	406	3,570	233	1,248	309	238	162	2,112	154	250	1,575	1,716	227	40	3,546	
1,755	380	158	1,629	2,967	367	3,266	220	1,167	290	222	157	1,970	145	234	1,476	1,631	221	38	3,314	31
54	13	9	78	180	39	304	13	81	19	16	5	142	9	16	99	85	6	2	232	32
																				33
12	4	.....	21	35	5	13	2	6	1	.....	1	18	.....	1	11	13	2	1	26	
10	4	.....	17	28	3	4	1	3	1	.....	1	9	.....	.....	10	11	1	1	17	34
2	.....	.....	4	7	2	9	1	3	.....	.....	.....	9	.....	1	1	2	1	.....	9	35
64	22	.....	45	112	9	80	8	20	12	13	8	118	2	11	33	61	15	1	150	36
51	19	.....	37	90	7	54	6	10	12	9	6	85	2	6	27	49	15	1	117	37
13	3	.....	8	22	2	26	2	10	.....	4	2	33	.....	5	6	12	.....	.....	33	38
																				39
42	8	6	40	69	22	121	9	45	13	6	1	40	4	6	63	52	7	2	93	
7	1	4	10	12	6	15	1	9	.....	1	1	11	.....	1	8	4	2	.....	20	40
13	4	.....	15	26	5	14	3	9	1	.....	.....	20	.....	1	4	7	.....	.....	28	41
16	5	3	24	33	.....	23	6	8	3	4	2	23	1	2	23	15	1	.....	39	42
101	17	8	99	203	19	254	10	84	15	14	11	159	11	22	149	146	14	1	188	43
																				44
14	2	.....	12	19	4	25	.....	12	1	1	.....	16	1	.....	13	8	4	1	26	
54	7	1	58	82	5	50	2	5	1	3	1	51	.....	1	14	18	5	.....	58	45
85	15	12	72	124	20	199	7	57	15	9	10	63	9	3	60	101	8	.....	174	46
9	4	1	18	17	3	31	3	9	4	4	1	14	1	1	17	17	1	.....	25	47
6	.....	1	2	34	6	25	.....	26	.....	.....	.....	7	.....	1	10	15	2	.....	20	48
																				49
9	.....	.....	8	14	.....	11	.....	6	.....	.....	.....	18	.....	.....	6	11	4	.....	7	
29	8	3	20	27	5	40	2	7	4	9	4	27	7	4	14	20	5	1	47	50
4	1	3	14	15	8	34	1	16	.....	1	2	21	1	.....	15	9	1	1	28	51
62	16	0	49	93	18	162	8	37	8	5	3	66	3	8	25	59	7	1	82	52
10	5	.....	28	21	3	24	.....	1	2	.....	2	37	.....	2	11	12	4	.....	23	53
																				54
275	49	25	211	500	69	577	37	263	58	54	29	304	24	42	213	270	23	9	502	
20	1	1	25	42	5	41	6	7	5	1	1	19	3	2	14	15	.....	2	41	55
16	7	.....	23	35	2	30	3	13	9	11	2	25	2	4	21	27	2	1	42	56
12	4	.....	16	28	2	12	4	6	1	1	.....	16	.....	1	13	7	2	.....	32	57
																				58
25	1	.....	33	49	2	24	3	3	.....	4	2	31	.....	.....	6	4	1	.....	34	
24	1	.....	30	37	2	20	3	2	.....	3	2	26	.....	.....	6	4	1	.....	28	59
1	.....	.....	3	12	.....	4	.....	1	.....	1	.....	5	.....	.....	.....	.....	.....	.....	6	60
25	8	1	28	26	1	36	2	5	9	3	.....	19	3	9	11	21	.....	1	53	61
																				62
35	4	6	36	57	6	58	.....	14	3	2	3	32	2	8	30	37	4	7	81	63
377	95	34	308	678	96	739	48	243	61	25	34	427	37	44	332	319	49	3	647	64
308	93	30	295	632	83	649	44	227	56	22	33	395	36	43	305	300	45	3	603	65
9	2	4	13	46	13	90	4	16	5	3	1	32	1	1	27	19	4	.....	44	66
46	8	5	51	50	4	80	3	16	9	4	4	44	3	7	32	31	5	.....	90	67
42	6	5	48	45	2	65	2	14	8	3	4	42	3	7	26	26	4	.....	79	68
4	2	.....	3	5	2	15	1	2	1	1	.....	2	.....	.....	6	5	1	.....	11	69
35	10	9	33	70	22	96	7	41	16	8	4	43	6	7	69	69	7	2	113	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	NEW JERSEY—continued.														
1	Paterson	1,746	1			16	3	5	29	47	3	146	7	9	8
2	Perth Amboy	485				6	1	6	6	10	1	27		2	3
3	Phillipsburg	193				1		2	2	8		17	3	2	1
4	Plainfield	436	3			3		2	13	16	1	12	4	5	1
5	Rahway	159					5	4		6		3			
6	Roosevelt	110				7		6	3	5		4	1	1	
7	Summit	153				2	1			1		14	3	1	
8	Trenton	1,886	10			2	3	9	8	50	4	138	11	4	8
9	Union	173				3		3	2	7	1	14	1	1	1
10	West Hoboken	350				3	2	11	8	16		33	4	4	3
11	West New York	228						8	11	12	1	22	5		1
12	West Orange	117				1			2	10		14	1		
	NEW YORK.														
13	Registration cities (total)	109,781	266	15		1,078	369	884	1,727	3,500	293	8,420	743	549	461
14	White	106,050	258	15		1,062	365	828	1,702	3,412	285	7,806	710	500	441
15	Colored	3,731	8			16	4	56	25	88	8	614	33	49	20
16	Albany	1,785	5			2	2	8	12	43	2	132	14	16	6
17	Amsterdam	414	2					2	5	20		20	3	6	
18	Auburn	588	5			5	1	15	17	13		34	4	7	2
19	Batavia	247	1			4	3		1	21		4	1	1	1
20	Beacon	211	1			1		6		6		17	2	3	3
21	Binghamton	1,146	7	1		17	4	9	8	64	3	45	2	1	6
22	Buffalo	7,475	25			43	22	45	307	186	19	505	36	30	22
23	Cohoes	329				5	1	1	3	11	1	26	1	1	
24	Corning	242						1	1	16		14		1	2
25	Cortland	231				1		1	2	12	2	8	1	5	
26	Dunkirk	249	2			3	2	1	9	13		8	1		2
27	Elmira	583	3			4		4	2	14	2	22		1	2
28	Fulton	176				7		2	3	11	1	6		1	1
29	Geneva	235				2	4	2	1	11	1	8			1
30	Glens Falls	274	2					1	1	3	1	18	2	1	2
31	Gloversville	397	2					1	2	30		12	2	1	1
32	Herkimer	143	1			1	1	2		3	1	4	1	3	
33	Hornell	221							2	10	1	12		1	1
34	Hudson	205				2		1	1	7		15	1	2	
35	Ilion	124	1							8	1	7			
36	Ithaca	274	1					5		14		6	2	3	1
37	Jamestown	538	3			2		3	2	45	2	26	1	1	3
38	Johnstown	141					1			7		4		2	
39	Kingston	447	3			1		2	5	12		38		4	1
40	Lackawanna	391	1			25	3	2	7	12	1	13	5		1
41	Little Falls	170				2		2	1	5	1	3			
42	Lockport	290	1	1				2	2	10	1	10	1	2	
43	Middletown	411	1			1	1		5	35		32	1	2	
44	Mount Vernon	524				13		7	6	34	7	23	3	5	4
45	New Rochelle	403				2	2	1	3	11		17	2	2	
46	New York (total)	73,393	144	9		806	242	647	1,066	2,296	211	6,343	556	333	317
47	Bronx borough	7,903	11			66	16	69	93	291	21	713	61	36	29
48	Brooklyn borough	25,613	52	4		254	72	200	382	734	77	1,934	167	107	144
49	Manhattan borough	32,595	58	4		443	133	309	444	1,071	98	2,931	291	165	121
50	Queens borough	5,501	15			29	16	52	111	153	12	487	29	26	19
51	Richmond borough	1,781	8	1		14	5	17	31	47	3	178	8	4	4
52	White	70,207	140	9		792	238	597	1,053	2,224	204	5,807	523	299	302
53	Bronx borough	7,799	11			66	16	65	98	290	21	693	59	34	29
54	Brooklyn borough	24,885	52	4		246	72	189	379	714	76	1,869	162	98	139
55	Manhattan borough	30,385	54	4		438	129	275	434	1,021	92	2,601	266	137	113
56	Queens borough	5,395	15			29	16	51	111	152	12	474	28	26	17
57	Richmond borough	1,743	8	1		13	5	17	31	47	3	170	8	4	4
58	Colored	3,186	4			14	4	50	13	72	7	536	33	39	15
59	Bronx borough	104						4		1		20	2	2	
60	Brooklyn borough	728				8		11	3	20	1	115	5	9	5
61	Manhattan borough	2,210	4			5	4	34	10	50	6	380	25	28	8
62	Queens borough	106						1		1		13	1		2
63	Richmond borough	38				1						8			
64	Newburgh	497	3					4	3	3	1	54	1	3	2
65	Niagara Falls	651	5			21	4	8	21	21		28	3	9	2
66	North Tonawanda	190	3				4	2	6	10	1	10	1	2	1
67	Ogdensburg	467	2				4		4	16	1	27	2	1	2
68	Olean	305	1			6		2	6	5		8	1	5	
69	Oneida	160				1			1	5		4			1
70	Oneonta	187	1				1		3	5		2			2
71	Ossining	154	1					2	3	8		7		2	
72	Oswego	284	1			8		1	3	1		6	1		
73	Peekskill	226					1		5	11	2	8		1	3

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
141	28	9	122	214	25	210	21	53	20	21	10	126	11	8	81	106	14	.....	252	1
27	5	2	20	38	4	70	3	58	3	1	2	27	5	7	44	39	3	3	53	2
7	3	2	21	22	2	20	1	9	.....	.....	.....	15	.....	3	6	13	1	.....	32	3
34	5	2	22	44	1	66	3	14	4	5	.....	29	6	6	35	21	3	1	75	4
6	6	1	24	18	1	18	.....	4	3	4	1	7	1	1	6	16	5	1	18	5
2	.....	1	4	4	2	20	1	23	.....	1	.....	4	1	3	7	5	.....	.....	5	6
13	4	1	12	16	1	15	2	2	3	1	.....	10	.....	2	6	10	1	.....	32	7
92	22	11	109	214	15	228	20	85	24	18	15	165	9	28	127	116	17	1	323	8
13	2	1	13	25	2	28	.....	9	.....	1	2	14	.....	1	10	1	1	.....	17	9
31	6	3	30	38	2	35	5	11	.....	1	3	26	.....	1	19	10	3	.....	42	10
12	4	1	16	32	3	39	1	9	1	2	2	10	1	1	10	8	2	.....	14	11
19	2	1	6	11	1	7	1	3	.....	.....	1	10	.....	1	7	3	2	.....	14	12
8,028	1,944	460	5,551	14,314	1,348	13,991	918	4,133	1,276	969	661	8,884	450	860	5,469	5,953	902	62	15,303	13
7,903	1,910	449	5,457	13,974	1,301	13,241	892	4,006	1,241	940	643	8,669	415	827	5,290	5,785	885	56	14,782	14
125	34	11	94	340	47	750	26	127	35	29	18	215	35	33	179	168	17	6	521	15
164	33	8	133	260	9	164	23	21	18	23	7	186	1	6	84	75	13	.....	315	16
34	9	3	36	46	7	23	1	15	9	4	4	15	1	1	29	28	.....	2	89	17
43	9	6	51	81	4	67	4	15	5	5	1	38	1	4	32	28	8	1	82	18
12	2	1	19	28	11	16	5	4	4	1	2	14	2	3	15	20	.....	2	49	19
16	4	1	15	29	2	17	.....	1	1	3	1	19	2	2	13	14	2	.....	30	20
87	11	3	93	144	14	102	10	27	8	12	6	104	4	7	59	60	5	2	221	21
497	120	21	426	867	85	754	74	468	103	53	43	581	30	64	437	369	49	.....	1,194	22
21	5	4	28	47	2	46	2	14	3	5	1	32	.....	.....	10	11	1	.....	47	23
14	2	.....	22	23	3	25	5	2	4	6	.....	27	1	2	15	20	2	.....	34	24
24	5	.....	21	27	1	27	1	3	3	.....	1	16	.....	.....	12	15	1	.....	42	25
14	8	1	12	25	5	18	2	8	1	2	3	14	.....	.....	12	24	2	.....	57	26
62	21	6	43	73	.....	35	4	9	9	14	4	83	3	7	36	26	3	.....	91	27
19	3	.....	8	25	5	18	4	9	.....	3	.....	9	1	1	5	9	.....	1	24	28
15	3	1	18	31	2	22	1	15	11	3	.....	9	.....	1	16	20	3	.....	34	29
28	9	2	22	39	3	22	3	5	4	8	3	14	.....	1	14	10	1	1	54	30
36	5	4	53	68	2	24	1	8	1	4	3	39	.....	2	17	18	4	.....	57	31
11	.....	.....	15	18	.....	25	1	2	.....	2	.....	7	1	.....	7	7	2	2	26	32
22	4	.....	26	33	2	14	2	2	7	2	3	18	1	1	10	11	2	.....	34	33
10	6	1	17	21	4	10	2	5	3	3	3	14	2	2	12	11	.....	2	42	34
12	1	.....	11	19	1	9	3	4	1	1	.....	11	1	2	5	11	2	.....	13	35
27	3	2	26	30	2	18	4	6	9	1	.....	22	1	2	17	15	1	.....	56	36
45	12	3	47	75	8	49	7	11	2	6	3	32	3	4	20	22	1	3	97	37
9	4	1	16	28	10	12	.....	3	.....	2	1	17	.....	.....	3	4	1	.....	16	38
29	10	2	31	81	9	36	5	12	5	4	1	33	1	5	16	17	3	.....	81	39
4	.....	.....	2	6	13	52	3	78	4	2	1	8	.....	3	44	31	.....	.....	70	40
14	1	3	14	23	3	12	.....	12	5	3	2	8	1	4	10	19	2	.....	20	41
13	10	.....	29	51	5	20	5	10	2	3	1	10	1	3	16	21	.....	.....	60	42
23	5	1	50	54	5	20	2	1	4	4	4	37	2	1	12	18	3	.....	87	43
39	13	3	34	69	3	61	4	10	7	2	1	50	6	8	27	22	2	.....	61	44
41	7	.....	25	56	6	70	1	5	5	2	2	28	3	4	25	29	1	.....	53	45
5,339	1,328	324	2,961	9,507	921	10,447	566	2,694	809	622	450	6,049	306	558	3,423	3,970	676	25	9,443	46
684	184	48	316	1,039	57	1,036	68	192	98	82	42	656	30	68	377	344	78	3	1,090	47
1,737	418	82	1,053	3,698	358	3,689	188	1,015	278	209	162	2,449	106	219	1,201	1,350	197	5	3,022	48
2,384	611	173	1,196	3,821	433	4,809	267	1,298	338	267	184	2,255	143	205	1,467	1,844	333	16	4,433	49
418	94	15	300	697	58	726	31	135	74	45	52	510	21	54	285	302	54	.....	681	50
116	21	6	96	252	15	187	12	54	21	19	10	179	6	12	93	130	14	1	217	51
5,235	1,293	315	2,838	9,233	880	9,776	544	2,581	778	599	433	5,875	275	531	3,264	3,827	662	19	9,006	52
680	184	48	315	1,032	57	1,017	68	188	97	81	42	647	29	67	374	339	77	3	1,072	53
1,711	410	78	1,034	3,618	350	3,543	182	978	275	203	154	2,395	101	208	1,164	1,318	195	4	2,954	54
2,313	589	168	1,147	3,650	403	4,333	251	1,228	314	252	175	2,159	120	190	1,355	1,750	322	11	4,091	55
415	94	15	296	687	55	699	31	134	72	44	52	500	19	54	280	294	54	.....	669	56
116	21	6	96	246	15	184	12	53	20	19	10	174	6	12	91	126	14	1	210	57
104	30	9	73	274	41	671	22	113	31	23	17	174	31	27	159	143	14	6	437	58
4	.....	.....	1	7	.....	19	.....	4	1	1	.....	9	1	1	3	5	1	.....	18	59
26	8	4	19	80	8	146	6	37	3	6	8	54	5	11	37	32	2	1	58	60
71	22	5	49	171	30	476	16	70	24	15	9	96	23	15	112	94	11	5	342	61
3	.....	.....	4	10	3	27	.....	1	2	1	.....	10	2	.....	5	8	.....	.....	12	62
.....	.....	.....	.....	6	.....	3	.....	1	1	.....	.....	5	.....	.....	2	4	.....	.....	7	63
32	5	4	47	66	3	46	6	12	6	7	.....	67	5	5	19	18	1	.....	74	64
29	8	1	25	48	9	77	8	42	5	8	3	37	6	9	60	71	2	.....	81	65
10	3	.....	8	17	8	16	3	7	6	2	.....	4	.....	1	12	27	.....	1	25	66
19	5	3	32	90	9	37	6	14	4	4	4	35	3	.....	25	15	2	.....	101	67
24	2	2	20	41	3	38	2	4	7	5	1	17	3	5	18	21	.....	.....	58	68
12	2	1	10	31	2	15	2	4	3	2	.....	4	.....	1	11	20	.....	.....	28	69
19	2	1	16	21	3	24	4	1	3	3	.....	19	2	1	8	17	3	.....	26	70
13	2	.....	7	18	1	17	2	2	.....	1	1	12	.....	2	2	25	1	.....	25	71
25	8	.....	35	62	1	15	3	8	1	3	2	24	.....	3	23	9	1	1	39	72
21	4	1	18	32	6	17	1	8	3	2	1	18	3	3	14	15	2	.....	26	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 4	Smallpox. 5	Measles. 6	Scarlet fever. 7	Whooping cough. 8	Diphtheria and croup. 9	Influenza. 10	Erysipelas. 18	Tuberculosis of the lungs. 28, 29	Tuberculous meningitis. 30	Other forms of tuberculosis. 31-35	Rheumatism. 47, 48
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1	Plattsburg	234	1			1		2	1	5		22	3	3	1
2	Port Chester	204	1					3	5	11		10	1	1	
3	Port Jervis	202							2	16		18		1	2
4	Poughkeepsie	516	2			1		9	3	19	1	20	1	3	6
5	Rensselaer	113						1		4		8			
6	Rochester	3,765	3	1		30	28	22	83	66	13	202	23	14	19
7	Rome	568	2			5	1	7	6	27	5	76	5	2	
8	Saratoga Springs	252	1					1	1	5		14	1	1	3
9	Schenectady	956	7			11	2	5	8	48	2	53	4	1	3
10	Syracuse	2,640	7	1		23	16	10	30	52	2	89	15	21	13
11	Tonawanda	99	2						2	5		9			
12	Troy	1,222	4			4	4	7	6	50	1	58	8	10	6
13	Utica	1,385	1			4	1	4	21	50	3	68	12	10	5
14	Watertown	616	6	1		1	8	6	4	26	2	30	3	5	7
15	Watervliet	211				3			2	10		18	3	1	
16	White Plains	267	1			1	3	1	1	10		16	2	4	
17	Yonkers	1,153		1		9	3	14	23	28	1	123	11	9	4
	NORTH CAROLINA.														
18	Registration cities (total)	5,788	46	28	2	6	8	45	38	420	8	639	21	47	15
19	White	3,210	14	9	2	3	7	24	29	247	8	328	12	13	9
20	Colored	2,578	32	19		3	1	21	9	173		311	9	34	6
21	Asheville (total)	729	3	1			2		5	34		222	7	4	2
22	White	551	1	1			2		5	21		191	4	4	2
23	Colored	178	2							13		31	3		
24	Charlotte (total)	747	1				1	8	9	45	4	50	2	5	
25	White	459	1					6	6	23	4	18	1	1	
26	Colored	288					1	2	3	22		32	1	4	
27	Durham (total)	378	7	1		1		2	1	25	1	45	1	4	1
28	White	145	1	1					1	15	1	14	1		
29	Colored	233	6			1		2		10		31		4	1
30	Gastonia (total)	233	6						2	21	1	8		3	
31	White	190	5						2	18	1	6		3	
32	Colored	43	1							3		2			
33	Goldsboro (total)	274	2	2	1			4	1	6		32		2	1
34	White	114			1			3		3		12		1	1
35	Colored	160	2	2				1	1	3		20		1	
36	Greensboro (total)	378	5	2			2	4	1	57		26		4	1
37	White	228	2				2	2		38		9			
38	Colored	150	3	2				2	1	19		17		4	1
39	High Point (total)	199	2					3	1	16	1	15	1		3
40	White	144	1					3	1	12	1	9	1		3
41	Colored	55	1							4		6			
42	New Bern (total)	267	2	15				1		21		21		2	
43	White	83		2						10		3			
44	Colored	184	2	13				1		11		18		2	
45	Raleigh (total)	568	3			2		3	3	28		45	3	5	1
46	White	334				1		2	1	20		19	1	2	1
47	Colored	234	3			1		1	2	8		26	2	3	
48	Rocky Mount (total)	233					1	1		14		19	3		1
49	White	132					1	1		10		4	3		
50	Colored	101								4		15			1
51	Salisbury (total)	180	1	2				3	6	21		14		1	
52	White	111	1	2					6	11		6			
53	Colored	69						3		10		8		1	
54	Wilmington (total)	654	3	4	1	1	1	6	3	53	1	42		6	4
55	White	313		3	1	1	1	4	3	26	1	10		2	1
56	Colored	341	3	1				2		27		32		4	3
57	Wilson (total)	186	2					1		18		17		3	
58	White	86								13		2			
59	Colored	100	2					1		5		15		3	
60	Winston-Salem (total)	762	9	1		2	1	9	6	61		83	4	8	1
61	White	320	2			1	1	3	4	27		25	1		1
62	Colored	442	7	1		1		6	2	34		58	3	8	
	NORTH DAKOTA.[1]														
63	Fargo (total)	384	2		1	1	8	15		37	1	14	3	3	2
64	White	380	2		1	1	8	14		36	1	13	3	3	2
65	Colored [1]	4						1		1		1			
	OHIO.														
66	Registration citie (total)	42,185	233	5	8	441	279	450	410	1,951	116	2,950	209	300	157
67	White	39,059	211	3	8	427	276	405	400	1,754	111	2,484	189	244	146
68	Colored	3,126	22	2		14	3	45	10	197	5	466	20	56	11
69	Akron	2,443	8		1	36	58	20	37	183	11	104	9	11	16
70	Alliance	301	2			3	1	5	2	11		15	1	2	3
71	Ashtabula	269	2			2		9	3	16		19		2	
72	Barberton	239	3			8	3	1	1	7	1	7	1	1	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119, 120	137	134-136, 138-141	150, 151	164-186	155-163	187-189		
17	5	.....	20	31	5	8	2	8	3	3	3	7	1	3	10	25	.....	1	43	1
14	5	1	18	13	1	21	.....	4	5	4	.....	17	2	3	12	15	.....	2	35	2
12	2	4	11	20	2	18	1	8	3	3	5	12	4	6	9	15	.....	.....	28	3
43	10	1	44	82	5	65	4	12	4	6	6	25	1	3	33	24	2	.....	81	4
9	1	.....	6	17	1	12	2	3	.....	2	1	13	.....	1	3	1	1	.....	27	5
342	70	12	283	524	29	311	43	145	57	20	30	363	13	30	236	167	32	1	548	6
34	8	1	41	60	10	40	5	22	4	5	2	47	.....	.....	26	34	3	.....	90	7
12	6	1	17	42	4	27	4	1	4	3	3	34	.....	2	9	17	4	1	34	8
61	14	3	77	111	9	68	9	43	15	8	9	57	9	8	60	61	8	.....	182	9
161	43	13	186	375	20	376	18	134	34	28	18	169	7	32	152	162	23	5	402	10
7	.....	.....	6	17	4	8	1	10	.....	3	.....	.....	.....	2	5	3	1	.....	14	11
108	22	2	85	188	19	119	11	27	20	15	7	101	4	4	59	54	12	1	206	12
85	23	4	83	249	28	139	13	56	12	9	4	95	3	14	78	66	5	1	239	13
57	3	.....	54	87	2	48	8	15	12	6	.....	34	6	4	38	40	3	1	99	14
10	5	1	10	29	1	26	6	8	1	3	.....	24	.....	2	11	9	.....	.....	22	15
25	10	2	15	30	3	31	2	3	4	1	1	21	1	5	17	13	4	6	34	16
83	23	1	68	129	13	137	7	53	13	8	9	84	2	13	66	54	2	.....	157	17
212	47	27	327	410	46	496	55	228	95	67	20	400	46	103	365	396	21	151	953	18
147	31	17	200	200	12	225	29	112	68	45	12	237	25	58	245	238	18	69	517	19
65	16	10	127	210	34	271	26	116	27	22	8	163	21	45	120	158	3	82	436	20
29	14	1	36	40	12	42	4	11	9	7	.....	49	5	7	32	59	3	4	85	21
24	11	1	25	26	1	22	2	7	9	6	.....	38	3	4	27	47	3	3	61	22
5	3	.....	11	14	11	20	2	4	.....	1	.....	11	2	3	5	12	.....	1	24	23
32	2	5	54	59	6	90	7	27	13	3	6	67	3	15	42	39	5	17	130	24
25	1	5	36	32	.....	49	2	19	9	3	4	44	.....	12	33	27	5	9	84	25
7	1	.....	18	27	6	41	5	8	4	.....	2	23	3	3	9	12	.....	8	46	26
9	4	7	19	29	8	31	5	16	4	4	1	27	1	8	18	15	1	17	65	27
4	2	2	12	15	3	6	1	6	2	.....	1	16	.....	.....	7	3	.....	6	25	28
5	2	5	7	14	5	25	4	10	2	4	.....	11	1	8	11	12	1	11	40	29
8	.....	1	4	11	2	19	1	17	6	5	.....	11	7	6	27	16	.....	18	33	30
4	.....	1	2	10	.....	11	1	15	6	5	.....	8	7	5	26	13	.....	17	24	31
4	.....	.....	2	1	2	8	.....	2	.....	.....	.....	3	.....	1	1	3	.....	1	9	32
6	1	.....	17	19	1	22	5	9	3	2	1	21	4	4	26	19	.....	6	57	33
2	.....	.....	8	6	1	11	1	4	2	.....	1	7	2	3	17	10	.....	1	17	34
4	1	.....	9	13	.....	11	4	5	1	2	.....	14	2	1	9	9	.....	5	40	35
12	2	1	10	28	.....	20	4	11	8	6	2	21	3	12	14	37	1	.....	84	36
5	.....	1	8	15	.....	10	3	8	7	4	1	14	2	7	6	26	1	.....	57	37
7	2	.....	2	13	.....	10	1	3	1	2	1	7	1	5	8	11	.....	.....	27	38
14	2	1	14	12	1	10	1	8	3	5	.....	12	.....	2	14	12	.....	5	41	39
13	2	1	12	7	1	4	.....	2	3	5	.....	8	.....	1	12	12	.....	1	29	40
1	.....	.....	2	5	.....	6	1	6	.....	.....	.....	4	.....	1	2	.....	.....	4	12	41
6	1	2	23	29	1	37	.....	15	.....	1	1	15	2	3	10	19	1	4	35	42
3	1	.....	7	8	.....	9	.....	3	.....	.....	.....	6	1	3	4	6	1	2	14	43
3	.....	2	16	21	1	28	.....	12	.....	1	1	9	1	.....	6	13	.....	2	21	44
27	4	1	36	56	2	40	7	15	12	8	2	34	1	11	32	47	6	9	125	45
18	3	1	29	24	1	21	5	7	9	3	1	25	1	7	21	28	6	4	73	46
9	1	.....	7	32	1	19	2	8	3	5	1	9	.....	4	11	19	.....	5	52	47
5	5	1	6	18	1	29	3	12	7	2	.....	12	3	6	23	19	.....	6	36	48
3	3	1	6	10	1	15	2	2	5	1	.....	10	.....	4	18	11	.....	2	19	49
2	2	.....	.....	8	.....	14	1	10	2	1	.....	2	3	2	5	8	.....	4	17	50
9	2	.....	14	8	2	18	3	6	4	1	.....	14	1	3	8	13	.....	7	19	51
8	1	.....	11	5	2	11	3	6	4	.....	.....	10	1	2	6	9	.....	.....	6	52
1	1	.....	3	3	.....	7	.....	.....	.....	1	.....	4	.....	1	2	4	.....	7	13	53
20	2	2	50	47	3	50	9	22	9	11	3	56	3	5	48	43	1	20	125	54
15	1	1	24	22	.....	24	4	14	5	7	.....	26	2	4	31	22	.....	8	50	55
5	1	1	26	25	3	26	5	8	4	4	3	30	1	1	17	21	1	12	75	56
3	3	2	5	6	3	8	3	8	7	3	2	12	4	7	10	11	.....	19	29	57
2	1	1	3	3	.....	1	3	5	4	3	2	8	2	3	6	5	.....	3	16	58
1	2	1	2	3	3	7	.....	3	3	.....	.....	4	2	4	4	6	.....	16	13	59
32	6	3	39	48	4	80	3	51	10	9	2	49	9	14	61	47	3	19	89	60
21	5	2	17	17	2	31	2	14	3	8	2	17	4	3	31	19	2	13	42	61
11	.....	1	22	31	2	49	1	37	7	1	.....	32	5	11	30	28	1	6	47	62
24	3	4	12	20	3	33	2	16	12	6	2	9	1	4	29	30	3	1	83	63
24	3	4	12	20	3	33	2	16	11	6	2	9	1	4	29	30	3	1	83	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
2,931	570	180	2,864	4,125	388	4,904	320	1,291	574	442	300	2,397	306	354	2,424	3,080	347	283	6,596	66
2,827	553	170	2,733	3,860	363	4,367	293	1,228	542	414	281	2,246	284	331	2,289	2,845	340	249	6,175	67
104	17	4	131	265	25	537	22	63	32	28	19	151	22	23	135	235	7	34	421	68
88	23	13	103	197	12	502	27	46	30	21	13	74	38	30	187	218	20	4	303	69
24	5	2	26	17	1	39	4	3	7	4	3	4	1	6	21	29	.....	3	57	70
18	4	4	23	32	.....	26	2	3	5	4	2	10	2	2	18	17	1	2	41	71
10	1	.....	17	21	1	36	.....	7	6	.....	1	10	3	2	22	28	4	.....	36	72

[1] Colored population less than 10 per cent of the total in 1920.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47,48
	REGISTRATION CITIES—Continued.														
	OHIO—continued.														
1	Bellaire	210	1			4		8		17		12		1	
2	Bucyrus	134	1			4	2	3	4	5		9	1		
3	Cambridge	178						16	6	9		10		2	3
4	Canton	1,108	4			11	8	13	17	74	5	59	1	6	2
5	Chillicothe	219	2					1	1	3		15	1	1	1
6	Cincinnatti (total)	6,073	13	1		76	31	24	53	233	17	562	40	49	22
7	White	5,336	8			70	31	17	51	191	14	432	33	34	18
8	Colored	737	5	1		6		7	2	42	3	130	7	15	4
9	Cleveland (total)	9,985	24			80	69	78	131	402	23	769	56	58	43
10	White	9,216	20			80	66	69	127	361	23	638	51	45	39
11	Colored	769	4				3	9	4	41		131	5	13	4
12	Cleveland Heights	109				1	1		1	3		9	1		
13	Columbus (total)	3,546	7	1		29	14	27	17	232	10	226	11	42	5
14	White	3,064	7	1		27	14	17	14	186	10	165	10	37	5
15	Colored	482				2		10	3	46		61	1	5	
16	Coshocton	167	1			4		2		13		11			2
17	Cuyahoga Falls	123	1			1	1		1	7		7			
18	Dayton	1,883	11			19	10	25	16	83	3	116	12	16	8
19	East Cleveland	265	1			4		1	2	5	1	14	1	4	1
20	East Liverpool[1]	350	10			3	1	16	1	20		25	1	3	
21	East Youngstown	183	1					12	1	9		8			
22	Elyria	273	3				2		2	9		15	1	1	1
23	Findlay	249	1	1			1	4	1	6	1	11		3	1
24	Fremont	122				1	1	1		5	1	8			
25	Hamilton	560	3			33	1	7	4	27		32	8	1	4
26	Ironton	251	12			1		1	3	6		22	1	2	1
27	Kenmore	124			2	4	5	4	6	7		7	1		
28	Lakewood	334	1		1	2	1	4	4	21		22	2	3	2
29	Lancaster	183	1					3		3	2	10	3	3	
30	Lima	602	4			7	2	14	2	31	1	23	6	8	4
31	Lorain	438	4			1	2	5	4	22	1	31	6	3	1
32	Mansfield	349	5			2	1	3	2	18		21		3	1
33	Marietta	261	2			3		12	2	10		18		2	
34	Marion	389	4			7	1	10	2	18		24		1	
35	Martins Ferry	202	1			1	2	13	2	10		11			3
36	Massillon	247	2			3	2	3	2	11		9	1		
37	Middletown	269	1			5	1	2	3	10	2	35	1	1	
38	New Philadelphia	128	3			1			1	4		2		2	1
39	Newark	405	3	1		5		4		16	1	28	1	2	1
40	Niles	123	1			2	2			6		4		1	
41	Norwood	201					1	3	1	6		11		2	
42	Piqua	262	2			2		2		12	1	17		3	
43	Portsmouth	492	4		2	16	1	7	2	36	1	37	6	4	2
44	Salem	189	26				1			9		5	1	3	1
45	Sandusky	275	3					6		7	1	16	1	1	2
46	Springfield (total)	822	2			1	1	12	2	43	2	53	3	10	
47	White	695	2				1	11	2	37	1	39	2	7	
48	Colored	127				1		1		6	1	14	1	3	
49	Steubenville	408	5	1		5	1	17	3	30	1	26	1	2	4
50	Tiffin	212	2			1			2	6		14			3
51	Toledo	3,413	19		1	36	24	26	51	102	19	306	13	16	10
52	Warren	429	9			8	4	7	3	16	1	16		7	1
53	Youngstown	1,738	15		1	5	22	16	11	87	9	85	17	11	4
54	Zanesville	450	3			4	1	9	1	25	1	29		7	3
	OKLAHOMA.[2]														
55	Oklahoma City (total)	1,135	26	4		7	2	18	15	62	3	67	2	6	1
56	White	958	23	1		5	2	15	15	52	3	49	1	3	
57	Colored[3]	177	3	3		2		3		10		18	1	3	1
	OREGON.														
58	Registration cities (total)	4,115	11	1	2	14	3	23	20	127	18	254	25	43	18
59	White	3,997	10	1	2	14	3	22	20	121	17	237	22	43	16
60	Colored	118	1					1		6	1	17	3		2
61	Astoria	203								5		10		1	
62	Eugene	214	1			1		2	5	13	2	8	2	3	2
63	Portland	3,164	9	1	2	13	3	21	15	98	12	160	21	33	14
64	Salem (exclusive of)	242	1							6	1	16	2	2	1
65	State institutions	292								5	3	60		4	1

[1] There were 31 transcripts for deaths received too late for compilation.
[2] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113	119, 120	137	134–136, 138–141	150, 151	164–186	165–168	187–189		
8	4	2	12	20	1	27	2	5	3	.....	1	7	.....	3	11	25	2	.....	34	1
10	3	1	9	6	1	13	.....	1	4	.....	2	12	1	1	7	11	1	.....	22	2
13	2	2	24	8	.....	10	.....	1	6	1	2	14	2	2	5	18	.....	2	26	3
63	10	4	97	115	7	160	6	33	18	11	3	39	6	12	89	87	7	1	140	4
19	6	.....	20	20	4	15	3	4	5	5	1	18	2	1	10	9	.....	2	44	5
533	92	19	486	783	74	527	27	127	85	83	46	491	34	41	258	301	47	15	883	6
505	89	17	452	708	63	414	22	114	81	76	40	454	29	32	234	265	46	8	788	7
28	3	2	34	75	11	113	5	13	4	7	6	37	5	9	24	36	1	7	95	8
608	139	36	532	836	141	1,240	98	427	140	93	69	590	65	67	564	740	103	176	1,528	9
652	133	34	509	781	133	1,115	91	412	136	85	63	551	58	64	527	676	103	157	1,417	10
16	6	2	23	55	8	125	7	15	4	8	6	39	7	3	37	64	.....	19	111	11
12	2	.....	14	10	.....	12	1	1	1	1	.....	8	1	2	3	3	1	.....	21	12
246	53	13	230	360	19	351	29	60	55	39	21	189	17	30	212	221	13	7	760	13
229	50	13	204	309	15	271	25	52	49	33	19	171	15	30	192	185	13	6	690	14
17	3	.....	26	51	4	80	4	8	6	6	2	18	2	.....	20	36	.....	1	70	15
8	2	.....	7	23	.....	22	1	1	2	1	1	7	1	6	6	14	2	2	28	16
6	1	.....	13	9	1	15	1	5	.....	2	2	8	1	.....	4	10	2	.....	25	17
105	20	15	127	203	10	189	14	39	25	20	12	114	12	17	114	127	20	4	311	18
22	3	.....	23	38	2	40	3	1	1	1	2	24	2	.....	7	20	2	.....	40	19
18	2	1	21	29	2	46	.....	8	7	4	3	11	2	9	12	25	5	3	62	20
4	.....	.....	1	5	.....	56	1	33	1	1	1	2	1	.....	8	10	1	5	22	21
10	1	4	19	25	1	33	1	13	6	.....	1	18	.....	6	18	28	1	2	43	22
18	8	1	28	48	5	17	2	3	6	6	2	3	1	1	8	21	3	1	37	23
9	1	.....	16	13	.....	11	.....	3	.....	4	1	9	1	.....	9	10	.....	1	17	24
45	8	4	30	51	3	46	7	17	8	3	4	36	3	3	40	55	4	6	67	25
16	2	.....	16	23	11	30	2	15	2	3	1	14	2	1	17	15	1	1	30	26
2	1	1	1	10	1	17	.....	4	.....	1	.....	5	1	1	19	7	2	2	13	27
27	3	.....	30	32	3	36	3	17	1	2	5	21	.....	.....	18	19	1	2	51	28
11	2	1	19	29	.....	16	2	.....	1	2	2	12	2	3	11	11	.....	.....	34	29
55	4	5	42	50	7	68	4	19	9	9	8	34	4	6	44	30	1	1	95	30
24	8	4	15	25	2	56	2	27	2	2	.....	36	5	7	40	37	8	2	56	31
22	5	2	26	45	3	20	4	8	4	1	4	16	3	3	19	32	5	1	70	32
11	4	2	31	19	.....	34	2	2	8	2	1	11	1	3	9	21	.....	.....	51	33
31	8	1	37	43	3	35	2	9	4	3	1	20	.....	3	35	28	3	1	55	34
7	3	3	6	19	3	18	1	9	2	3	.....	6	6	2	14	27	2	.....	28	35
19	4	1	29	28	4	17	1	2	7	3	5	16	.....	2	13	27	.....	2	34	36
23	4	.....	18	13	.....	22	1	17	3	3	2	18	3	4	25	24	2	.....	26	37
12	3	.....	9	18	2	10	.....	.....	.....	.....	1	7	.....	4	8	6	2	1	31	38
40	5	3	29	46	3	48	.....	2	6	6	5	27	2	1	25	30	2	1	62	39
7	1	1	12	11	4	20	2	8	1	1	2	5	.....	1	9	7	.....	1	14	40
20	5	.....	22	30	2	17	1	2	3	1	1	12	.....	1	9	7	4	.....	40	41
23	4	.....	27	24	1	28	1	7	6	4	1	23	1	.....	12	16	3	1	41	42
39	10	.....	27	39	2	52	5	20	5	2	1	16	6	5	43	33	3	1	65	43
9	1	.....	7	22	3	19	1	4	1	3	1	13	1	2	6	21	2	1	26	44
22	3	1	20	42	6	23	2	7	3	5	5	20	2	1	14	24	2	.....	36	45
69	11	5	96	89	6	87	1	11	8	13	9	67	6	4	43	50	8	10	100	46
65	11	5	82	80	6	56	1	10	8	10	9	57	5	4	36	50	7	6	85	47
4	.....	.....	14	9	.....	31	.....	1	.....	3	.....	10	1	.....	7	.....	1	4	15	48
28	6	2	21	26	1	41	4	24	9	3	4	8	5	6	21	48	5	1	49	49
20	5	1	19	23	.....	14	1	3	1	2	2	10	1	2	4	12	3	1	60	50
224	44	11	275	356	20	309	29	114	32	39	30	193	26	30	185	231	33	.....	609	51
22	4	3	36	27	5	49	3	17	5	5	.....	18	6	3	25	72	2	1	54	52
83	17	9	72	109	10	357	13	90	25	14	13	52	22	15	108	185	13	15	234	53
40	7	3	38	58	1	28	4	12	5	6	3	19	5	3	15	33	1	1	85	54
99	9	5	45	71	4	94	16	43	27	14	8	50	7	11	76	79	17	15	232	55
92	8	4	38	60	3	66	12	36	25	9	7	47	5	10	74	62	17	9	205	56
7	1	1	7	11	1	28	4	7	2	5	1	3	2	1	2	17	.....	6	27	57
389	60	21	279	499	18	384	56	29	72	42	21	230	20	31	170	255	53	5	922	58
384	59	20	273	490	17	369	54	28	69	41	20	223	18	31	165	247	50	5	906	59
5	1	1	6	9	1	15	2	1	3	1	1	7	2	.....	5	8	3	.....	16	60
16	4	1	6	19	1	13	1	2	9	5	2	13	3	1	13	37	1	.....	40	61
15	3	1	14	52	2	8	1	2	5	5	.....	13	3	2	8	7	1	2	31	62
320	51	13	233	375	13	326	50	24	52	30	15	189	13	24	136	192	45	3	658	63
27	.....	6	20	26	.....	20	2	1	6	1	4	13	1	4	13	14	3	.....	52	64
11	2	.....	6	27	2	17	2	.....	.....	1	.....	2	.....	.....	.....	5	3	.....	141	65

* Colored population less than 10 per cent of the total in 1920.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA.														
1	Registration cities (total)	66,435	252	7	.....	599	259	496	1,008	2,976	124	4,420	333	412	252
2	White	61,547	229	6	.....	575	254	448	985	2,773	120	3,787	290	343	234
3	Colored	4,888	23	1	.....	24	5	48	23	203	4	633	43	69	18
4	Allentown	1,233	9	.....	.....	3	2	6	8	24	4	104	6	10	5
5	Altoona	846	8	.....	.....	4	2	4	9	42	2	37	5	3	4
6	Ambridge	127	.....	.....	.....	8	.....	4	2	7	.....	5	.....	1	.....
7	Beaver Falls	217	2	1	.....	5	1	4	3	11	.....	18	.....	2	.....
8	Berwick	145	.....	.....	.....	11	2	3	2	1	.....	4	1	.....	.....
9	Bethlehem	500	4	.....	.....	3	1	6	14	15	.....	44	1	3	3
10	Braddock	440	7	.....	.....	6	2	2	4	21	1	17	2	4	2
11	Bradford	285	.....	.....	.....	1	.....	3	.....	22	1	15	2	1	1
12	Bristol	144	1	.....	.....	1	2	.....	2	10	.....	14	.....	.....	.....
13	Butler	278	3	.....	.....	1	2	.....	1	3	4	12	.....	4	1
14	Canonsburg	124	2	.....	.....	.....	.....	6	.....	5	1	8	1	4	.....
15	Carbondale	317	.....	.....	.....	6	.....	3	13	13	.....	5	.....	.....	.....
16	Carlisle (total)	199	.....	.....	.....	.....	.....	.....	.....	9	.....	10	2	1	2
17	White	184	.....	.....	.....	.....	.....	.....	.....	7	.....	8	2	1	1
18	Colored	15	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	1
19	Carnegie	180	1	.....	.....	10	1	2	8	8	.....	11	2	1	.....
20	Carrick	102	1	.....	.....	2	1	1	1	8	.....	9	.....	1	5
21	Chambersburg	212	2	1	.....	2	.....	.....	8	9	.....	6	2	1	1
22	Charleroi	123	1	.....	.....	11	.....	4	1	8	.....	7	.....	2	.....
23	Chester (total)	937	9	.....	.....	10	3	10	8	16	2	69	9	8	5
24	White	769	7	.....	.....	9	3	8	8	15	2	41	9	4	5
25	Colored	168	2	.....	.....	1	.....	2	.....	1	.....	28	.....	4	.....
26	Coatesville (total)	184	.....	.....	.....	.....	1	2	8	7	1	8	1	2	2
27	White	154	.....	.....	.....	.....	1	2	8	6	1	3	1	1	2
28	Colored	30	.....	.....	.....	.....	.....	.....	.....	1	.....	5	.....	1	.....
29	Columbia	163	1	.....	.....	.....	.....	1	2	7	.....	13	.....	1	1
30	Connelsville	168	1	.....	.....	2	.....	1	2	8	.....	7	2	1	.....
31	Dickson City	110	.....	.....	.....	5	.....	.....	4	7	.....	4	.....	.....	2
32	Donora	139	.....	.....	.....	3	1	.....	6	16	.....	4	1	.....	.....
33	Du Bois	201	.....	.....	.....	6	3	1	2	15	1	9	.....	1	.....
34	Dunmore	338	.....	.....	.....	32	1	7	11	17	1	8	.....	3	.....
35	Duquesne	236	2	.....	.....	4	.....	6	4	14	.....	6	1	2	2
36	Easton	602	3	.....	.....	.....	2	2	2	16	4	36	7	4	4
37	Erie	1,404	6	.....	.....	7	8	20	32	87	7	85	7	11	5
38	Farrell	226	2	.....	.....	4	2	6	2	23	.....	19	1	3	1
39	Greensburg	278	3	.....	.....	.....	3	3	2	27	.....	12	.....	.....	.....
40	Harrisburg	1,107	5	.....	.....	2	1	2	9	33	.....	63	1	8	1
41	Hazleton	483	.....	.....	.....	1	1	5	3	20	.....	21	1	3	1
42	Homestead	228	3	.....	.....	20	.....	8	2	16	1	18	.....	1	.....
43	Jeannette	86	.....	.....	.....	2	1	.....	1	4	1	7	.....	.....	.....
44	Johnstown	1,140	4	.....	.....	15	1	16	15	62	1	59	6	8	5
45	Lancaster	887	5	.....	.....	2	.....	3	27	23	1	45	5	9	1
46	Lebanon	435	2	.....	.....	.....	2	1	4	22	1	23	2	5	1
47	McKees Rocks	168	.....	.....	.....	2	2	3	.....	9	1	7	.....	.....	1
48	McKeesport	704	6	.....	.....	7	1	9	4	43	1	31	1	5	1
49	Mahanoy City	214	1	.....	.....	1	.....	2	13	14	.....	6	.....	.....	.....
50	Meadville	261	.....	.....	.....	2	1	.....	2	9	2	16	2	3	1
51	Monessen	205	.....	.....	.....	9	2	5	4	32	1	14	.....	.....	1
52	Mount Carmel	164	.....	.....	.....	.....	1	3	5	10	.....	20	.....	1	.....
53	Nanticoke	335	3	.....	.....	4	3	.....	8	2	.....	11	1	1	.....
54	New Castle	625	7	.....	.....	8	1	28	4	47	2	37	2	3	3
55	New Kensington	210	1	.....	.....	5	.....	7	3	27	.....	8	1	3	1
56	Norristown	719	3	.....	.....	2	3	7	7	16	.....	59	3	13	4
57	North Braddock	166	.....	.....	.....	8	2	1	12	10	1	2	.....	.....	1
58	Oil City	285	1	.....	.....	2	1	8	8	19	.....	14	.....	.....	.....
59	Old Forge	165	.....	.....	.....	3	1	10	7	8	.....	5	.....	.....	.....
60	Olyphant	112	.....	.....	.....	3	.....	.....	4	5	.....	5	1	.....	.....
61	Philadelphia (total)	26,511	62	2	.....	177	122	100	416	873	44	2,227	140	157	105
62	White	23,584	49	1	.....	162	119	80	402	770	41	1,790	113	115	97
63	Colored	2,927	13	1	.....	15	3	20	14	103	3	437	27	42	8
64	Phoenixville	159	1	.....	.....	.....	.....	.....	2	3	.....	14	2	1	2
65	Pittsburgh (total)	9,678	33	1	.....	105	21	84	119	566	18	579	60	70	31
66	White	8,813	31	1	.....	104	19	68	114	521	17	480	53	57	23
67	Colored	865	2	.....	.....	1	2	16	5	45	1	99	2	13	3
68	Pittston	334	1	.....	.....	2	2	2	4	11	.....	7	2	.....	1
69	Plymouth	188	.....	.....	.....	.....	.....	1	1	11	.....	13	1	1	.....
70	Pottstown	267	2	.....	.....	1	1	.....	6	4	.....	18	5	2	2
71	Pottsville	412	2	.....	.....	.....	1	.....	9	14	.....	30	1	1	1
72	Punxsutawney	162	1	.....	.....	.....	.....	1	.....	19	.....	6	.....	.....	.....
73	Reading	1,564	7	.....	.....	1	.....	11	18	67	1	77	5	8	10
74	Scranton	2,057	2	.....	.....	22	13	17	23	146	4	86	10	7	8
75	Shamokin	251	.....	.....	.....	1	3	1	13	15	.....	15	.....	.....	.....
76	Sharon	345	2	.....	.....	3	2	7	8	32	.....	17	.....	2	.....

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors. 39–45	Diabetes. 50	Meningitis. 61	Cerebral hemorrhage and softening. 64, 65	Organic diseases of the heart. 79	Bronchitis. 89, 90	Pneumonia (all forms). 91, 92	Other diseases, respiratory system. 86–88, 93–98	Diarrhea and enteritis (under 2 years). 104	Appendicitis and typhlitis. 108	Hernia, intestinal obstruction. 109	Cirrhosis of the liver. 113	Acute nephritis and Bright's disease. 119, 120	Puerperal septicemia. 137	Other puerperal causes. 134–136, 138–141	Congenital debility and malformations. 150, 151	Violent deaths (suicide excepted). 164–186	Suicide. 155–163	Unknown or ill-defined diseases. 187–189	All other causes.	
4,144	822	293	3,495	6,805	722	9,616	772	3,120	742	625	369	5,061	394	616	3,614	4,336	465	135	9,151	1
3,985	799	275	3,318	6,383	673	8,617	694	2,937	690	590	358	4,761	365	576	3,387	4,051	455	125	8,464	2
159	23	18	177	422	49	999	78	183	52	35	11	300	29	40	227	285	10	10	687	3
84	28	2	107	128	11	77	13	55	14	20	6	101	10	13	77	70	11	2	223	4
65	13	3	36	83	5	107	7	17	9	5	8	65	6	4	76	73	6	1	137	5
3	1	2	6	7	.....	30	3	9	.....	.....	.....	2	2	.....	7	10	1	.....	17	6
12	2	.....	11	13	1	39	3	8	1	4	2	16	2	3	12	16	.....	.....	25	7
13	3	.....	14	14	1	17	.....	5	.....	2	1	6	.....	4	10	7	3	1	20	8
27	7	3	49	39	5	77	2	33	.....	4	2	33	1	1	36	24	10	.....	53	9
17	2	1	6	23	3	100	7	47	10	5	1	17	3	9	30	42	2	.....	47	10
29	6	2	29	20	1	29	2	3	1	2	1	20	3	2	13	12	1	1	62	11
6	1	1	14	14	1	23	2	12	1	.....	.....	6	1	1	4	11	1	.....	15	12
20	4	.....	30	23	2	25	1	11	6	4	1	12	4	5	20	30	4	2	43	13
6	1	.....	5	10	1	12	1	9	.....	3	2	9	1	2	6	9	1	.....	19	14
25	4	1	17	26	2	51	6	4	8	4	4	24	.....	2	11	24	2	1	61	15
24	3	.....	23	17	1	26	2	1	3	.....	.....	25	.....	1	14	9	.....	2	24	16
23	2	.....	22	15	1	24	2	1	3	.....	.....	25	.....	1	14	8	.....	2	22	17
1	1	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	18
7	.....	.....	.....	18	2	39	4	20	.....	.....	.....	11	.....	.....	13	10	1	.....	11	19
9	2	.....	11	6	1	19	1	.....	.....	.....	.....	5	.....	1	7	3	.....	.....	8	20
13	3	2	20	21	2	25	2	.....	2	4	2	12	1	3	9	17	.....	.....	42	21
4	2	1	10	8	.....	15	2	10	.....	.....	1	4	.....	3	11	7	.....	1	10	22
44	7	4	49	77	14	173	10	90	6	7	9	60	2	10	37	76	4	3	106	23
39	7	4	39	61	11	139	7	79	5	5	7	55	1	8	32	66	4	3	86	24
5	.....	.....	10	16	3	34	3	11	1	2	2	5	1	2	5	10	.....	.....	20	25
7	1	.....	7	23	.....	24	.....	15	1	1	.....	14	2	2	15	12	.....	.....	28	26
7	1	.....	7	21	.....	18	.....	10	1	1	.....	13	1	2	15	11	.....	.....	21	27
.....	.....	.....	.....	2	.....	6	.....	5	.....	.....	.....	1	1	.....	.....	1	.....	.....	7	28
18	1	1	12	26	1	12	1	9	2	1	1	10	1	1	14	11	1	.....	14	29
14	1	1	10	11	.....	27	1	5	2	1	1	6	1	1	11	26	3	1	21	30
4	1	.....	2	10	1	14	2	20	.....	1	1	4	1	1	4	9	1	.....	12	31
3	.....	3	2	2	1	18	3	10	.....	.....	2	4	.....	.....	18	15	4	.....	23	32
22	3	.....	11	11	1	14	5	11	11	5	.....	12	.....	3	13	15	1	3	22	33
6	2	1	16	33	17	59	2	54	.....	1	.....	11	1	.....	11	12	.....	2	30	34
2	.....	2	13	9	1	54	3	35	.....	.....	1	6	1	2	21	14	1	.....	30	35
40	14	2	34	63	5	63	8	15	18	13	2	58	6	4	29	55	5	.....	88	36
93	12	7	96	156	15	162	10	55	20	19	13	77	8	15	79	112	11	2	167	37
6	1	2	6	4	2	41	3	17	2	.....	.....	5	.....	.....	17	28	3	10	16	38
8	6	3	13	16	2	31	4	4	6	3	1	15	1	7	7	40	2	10	49	39
83	16	6	70	121	4	150	15	22	14	12	4	120	7	14	43	96	5	1	179	40
29	6	.....	26	57	20	62	10	27	10	11	3	40	5	4	26	45	2	1	43	41
6	1	.....	8	8	1	40	.....	29	1	.....	1	15	.....	1	14	10	1	.....	23	42
4	.....	.....	5	7	2	12	.....	4	.....	1	.....	5	.....	1	11	3	2	4	9	43
48	12	13	45	61	17	216	15	73	23	8	3	60	3	11	83	114	2	2	139	44
76	11	5	68	116	6	86	7	53	11	11	7	74	4	10	52	43	6	.....	120	45
25	6	2	41	32	1	62	6	20	4	7	2	26	4	4	23	34	6	1	66	46
9	1	1	4	13	1	40	1	22	.....	.....	.....	5	2	.....	18	5	.....	1	20	47
43	5	2	33	48	12	117	13	34	15	8	3	28	11	10	39	84	4	1	85	48
11	1	.....	7	18	4	26	10	17	.....	3	2	8	1	3	20	13	.....	1	32	49
16	2	.....	23	31	.....	15	2	8	6	8	5	20	1	2	17	20	2	.....	45	50
4	.....	.....	2	12	2	30	.....	22	.....	1	.....	6	1	2	18	12	2	6	17	51
5	2	.....	4	12	1	46	3	11	.....	.....	1	3	.....	2	8	10	2	.....	14	52
12	3	2	9	25	3	68	12	20	5	6	1	13	3	3	20	50	3	.....	44	53
30	4	5	41	55	1	93	8	18	4	5	4	29	4	7	36	48	5	8	78	54
6	2	1	11	9	.....	28	4	7	8	1	1	8	4	3	16	23	1	.....	21	55
39	6	3	59	66	10	78	5	14	4	6	3	47	5	8	31	32	2	1	183	56
0	.....	2	5	15	2	39	2	21	.....	2	1	6	2	1	6	10	.....	.....	6	57
22	3	1	20	34	1	28	2	4	3	2	.....	14	2	2	23	19	1	3	48	58
2	2	1	5	6	2	31	1	30	2	.....	1	7	.....	3	7	12	1	.....	18	59
2	3	1	3	10	.....	17	1	17	.....	.....	.....	7	.....	2	6	10	.....	.....	15	60
1,811	333	101	1,240	3,345	317	3,524	296	1,123	243	248	145	2,599	118	214	1,264	1,308	200	21	3,636	61
1,717	320	92	1,134	3,091	284	2,981	243	1,020	207	228	142	2,396	108	189	1,117	1,172	192	15	3,197	62
94	13	9	106	254	33	543	53	103	36	20	3	203	10	25	147	136	8	6	439	63
22	.....	1	12	16	3	16	1	7	2	.....	2	11	1	3	8	12	1	1	16	64
523	111	40	403	779	99	2,017	111	454	119	68	61	475	87	90	554	671	52	6	1,271	65
498	108	36	377	707	90	1,783	102	417	114	63	59	438	78	82	516	609	52	6	1,180	66
25	3	4	26	72	9	234	9	37	5	5	2	37	9	8	38	62	.....	.....	91	67
18	3	.....	11	16	8	73	5	19	4	.....	.....	13	3	3	22	66	2	1	35	68
8	1	2	10	21	5	23	6	22	.....	.....	1	16	1	1	6	9	.....	.....	28	69
14	4	.....	28	30	1	30	3	7	2	4	1	21	2	4	20	18	3	.....	34	70
31	5	.....	17	33	3	45	7	12	8	7	7	43	4	8	27	36	3	.....	56	71
14	3	3	5	7	2	5	2	7	9	3	1	16	3	3	12	21	.....	2	18	72
109	28	6	124	166	12	162	15	81	26	13	8	153	9	15	85	100	25	3	219	73
130	29	15	127	152	28	285	31	97	29	28	11	105	9	28	115	175	12	4	309	74
11	1	.....	24	35	1	33	5	14	.....	.....	1	12	1	.....	22	11	2	.....	30	75
16	3	2	8	30	4	47	3	11	3	2	.....	20	4	5	27	28	5	10	42	76

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1	Shenandoah	339	2					6	3	7	1	14			4
2	Steelton (total)	186				3	1		1	6		24	1	3	
3	White	155				3	1		1	2		21	1	3	
4	Colored	31								4		3			
5	Sunbury	221				3	6	1	16	4		10	3	2	1
6	Swissvale	124	2				3	2	2	11	1	7			
7	Tamaqua	138					1		3	13	1	10			
8	Uniontown	317	5	1		2	3	2		9		18		3	1
9	Warren	174							2	16		6	1	1	
10	Washington	411	3			8		6	4	36		27	2	3	1
11	West Chester (total)	316	6						8	12	1	11	5	1	
12	White	254	4						6	9	1	9	3		
13	Colored	62	2						2	3		2	2	1	
14	Wilkes-Barre	1,236	4			1	6	9	17	88	3	53	1	3	7
15	Wilkinsburg	383				4	1	4	1	21		13	6	2	1
16	Williamsport	618	7			3	2	7	7	42	4	19	4	2	5
17	Woodlawn	134		1		4		7	1	15	1	8	2		
18	York	753	1			14	7	3	21	28	3	35	3	6	4
	RHODE ISLAND.														
19	Registration cities (total)	7,372	14	2		65	25	77	111	303	15	483	56	60	23
20	White	7,123	13	2		62	25	72	109	292	15	446	56	54	23
21	Colored	249	1			3		5	2	11		37		6	
22	Bristol town	168						5	3	13		7		2	2
23	Central Falls	249				6	1	3	9	11	1	9	3	3	
24	Cranston (exclusive of)	240					1	7	2	14		15	2	1	1
25	State institutions	425						2		7		58		6	2
26	Cumberland town	125				1		1		4		5	3	1	
27	East Providence town	258				2	3	5	2	8		18	3	1	1
28	Newport	421				6	1	4	3	34		17	4	4	
29	Pawtucket	841	2	1		16	2	3	12	33	2	44	4	4	6
30	Providence	3,602	9	1		26	14	34	69	133	12	214	23	34	11
31	Warwick town	221	1				1	1	2	6		49	1	1	
32	West Warwick town	192	2			7	1	3	1	13		11	3	2	
33	Woonsocket	540				1	1	9	8	27		36	10	1	
	SOUTH CAROLINA.														
34	Registration cities (total)	4,219	38	37		15		40	21	336	8	293	10	33	10
35	White	1,970	23	18		11		16	20	157	6	92	8	8	4
36	Colored	2,249	15	19		4		24	1	179	2	201	2	25	6
37	Anderson (total)	258	2			8		7		31		15	1	7	3
38	White	154	1			8		6		19		5	1	4	2
39	Colored	104	1					1		12		10		3	1
40	Charleston (total)	1,607	18	22		4		22	6	119	3	110	4	13	2
41	White	592	8	7		1		4	6	47	2	25	2	3	1
42	Colored	1,015	10	15		3		18		72	1	85	2	10	1
43	Columbia (total)	1,288	9	13					8	111		92	3	3	4
44	White	654	7	9					7	51		37	3	1	1
45	Colored	634	2	4					1	60		55		2	3
46	Florence (total)	360	4	2				2	3	26	3	11		5	1
47	White	192	4	2				1	3	15	3	4			
48	Colored	168						1		11		7		5	1
49	Greenville (total)	346	3			3		6	2	28	1	29	2	3	
50	White	184	1			2		2	2	15	1	9	2		
51	Colored	162	2			1		4		13		20		3	
52	Spartanburg (total)	360	2					3	2	21	1	36		2	
53	White	194	2					3	2	10		12			
54	Colored	166								11	1	24		2	
	TENNESSEE.														
55	Registration cities (total)	8,519	59	49	1	87	8	71	66	494	25	763	42	97	27
56	White	5,057	31	11	1	83	7	48	53	284	19	338	23	47	10
57	Colored	3,462	28	38		4	1	23	13	210	6	425	14	50	17
58	Chattanooga (total)	1,137	7	8		2		7	1	85	4	100	4	17	6
59	White	613	2	1		1		1	1	42	3	38	3	8	3
60	Colored	524	5	7		1		6		43	1	62	1	9	3
61	Jackson (total)	288		1		5			7	20		26	1		
62	White	164				3			4	7		9			
63	Colored	124		1		2			3	13		17	1		
64	Johnson City (total)	344	5		1			1	4	17		36	3	1	2
65	White	296	4		1			1	4	14		27	3	1	
66	Colored	48	1							3		9			2
67	Knoxville (total)	1,348	21	3		74	4	21	22	80	4	102	11	15	5
68	White	1,097	15	3		73	4	21	21	67	4	81	11	12	3
69	Colored	251	6			1			1	13		21		3	2

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39–45	50	61	64, 65	79	89, 90	91, 92	86–88, 93–98	104	108	109	113 <	119, 120	137	134–136, 138–141	150, 151	164–186	155–163	187–189		
8	4	4	17	16	9	72	10	31	1	.....	3	18	4	1	24	27	2	6	45	1
10	2	1	5	17	2	22	1	21	.....	1	.....	23	.....	3	13	9	.....	.....	17	2
8	2	1	4	12	2	17	1	21	.....	.....	.....	20	.....	3	10	8	.....	.....	14	3
2	.....	.....	1	5	.....	5	.....	.....	.....	.....	.....	3	.....	.....	3	1	.....	.....	3	4
13	6	1	16	38	5	10	.....	3	4	1	1	23	2	2	11	10	.....	.....	29	5
9	1	.....	6	8	2	28	.....	9	.....	.....	.....	4	.....	.....	12	3	.....	1	13	6
9	1	1	9	14	3	11	.....	9	.....	3	.....	16	.....	2	13	5	.....	.....	14	7
19	3	2	14	20	.....	37	2	6	9	3	2	19	3	4	20	47	4	.....	59	8
16	4	1	14	19	1	16	3	2	3	3	1	11	1	2	9	8	.....	2	32	9
30	2	1	22	32	3	27	5	14	6	5	3	16	2	5	27	35	6	1	79	10
23	5	1	25	26	3	25	1	15	4	3	1	38	4	4	13	21	2	1	57	11
18	4	.....	23	19	3	18	1	15	3	1	1	30	3	4	12	19	2	.....	46	12
5	1	1	2	7	.....	7	.....	.....	1	2	.....	8	1	.....	1	2	.....	1	11	13
72	24	12	67	118	10	164	22	52	20	14	5	82	10	13	56	117	4	1	181	14
21	3	.....	19	29	2	83	3	5	2	2	1	29	3	2	30	32	3	.....	61	15
46	8	5	42	86	5	70	6	7	7	4	4	42	3	3	26	26	5	.....	121	16
2	.....	3	.....	8	.....	21	1	12	.....	.....	1	6	.....	.....	15	15	.....	1	10	17
47	19	2	82	77	5	84	6	23	8	12	5	59	3	7	34	34	8	2	111	18
520	111	32	565	840	85	866	68	232	73	42	32	482	32	76	388	351	51	38	1,254	19
510	110	32	546	805	84	833	67	225	71	41	32	466	31	74	375	342	51	36	1,223	20
10	1	.....	19	35	1	33	1	7	2	1	.....	16	1	2	13	9	.....	2	31	21
11	.....	1	13	8	5	19	.....	10	.....	.....	.....	9	1	1	9	4	2	2	41	22
19	2	1	16	26	4	18	1	23	1	1	2	16	1	4	20	7	1	1	39	23
15	7	.....	21	35	5	29	3	3	.....	1	1	19	1	.....	13	12	3	1	28	24
19	2	.....	39	59	4	28	1	.....	.....	.....	.....	9	.....	.....	1	5	3	3	177	25
7	.....	.....	11	16	4	19	2	8	.....	.....	1	11	.....	.....	4	7	.....	4	16	26
21	6	.....	25	32	1	41	.....	11	.....	.....	1	21	.....	1	16	14	2	.....	23	27
34	9	2	44	63	1	45	3	3	2	1	.....	27	1	2	22	25	1	1	62	28
49	15	4	72	100	8	84	6	31	8	8	3	69	5	4	57	49	5	1	134	29
280	59	16	261	419	32	468	43	101	50	23	19	248	22	54	189	185	30	23	590	30
14	1	2	23	20	3	16	.....	2	.....	1	.....	14	.....	1	9	14	.....	.....	39	31
11	3	3	12	18	4	24	3	9	.....	1	.....	9	.....	4	11	7	.....	.....	30	32
40	7	3	28	44	14	75	6	31	12	6	5	30	1	5	37	22	4	2	75	33
127	20	17	250	295	21	339	28	219	61	35	8	313	22	58	288	291	16	45	925	34
91	14	11	115	134	4	149	16	82	36	14	4	146	10	27	133	145	12	19	445	35
36	6	6	135	161	17	190	12	137	25	21	4	167	12	31	155	146	4	26	480	36
11	1	1	9	9	.....	16	1	13	9	5	.....	12	2	6	14	25	.....	3	47	37
8	.....	1	5	7	.....	9	.....	9	4	2	.....	5	2	4	10	17	.....	2	23	38
3	1	.....	4	2	.....	7	1	4	5	3	.....	7	.....	2	4	8	.....	1	24	39
44	2	1	99	127	10	140	10	98	6	10	5	147	7	15	144	92	7	14	306	40
29	1	.....	27	55	3	52	4	18	5	2	2	77	.....	4	36	37	7	3	124	41
15	1	1	72	72	7	88	6	80	1	8	3	70	7	11	108	55	.....	11	182	42
35	8	6	89	96	6	112	3	67	13	9	2	101	3	14	63	64	3	4	347	43
24	7	5	54	36	1	48	3	30	9	5	2	43	2	8	50	25	1	3	182	44
11	1	1	35	60	5	64	.....	37	4	4	.....	58	1	6	13	39	2	1	165	45
8	2	7	12	11	3	30	7	20	15	4	1	15	4	15	20	36	1	9	83	46
6	2	5	8	6	.....	17	3	15	8	1	.....	6	1	8	9	22	1	2	40	47
2	.....	2	4	5	3	13	4	5	7	3	1	9	3	7	11	14	.....	7	43	48
12	3	1	25	26	1	19	5	14	9	5	.....	16	4	2	23	35	4	2	63	49
11	2	.....	14	11	.....	10	5	6	5	4	.....	7	3	.....	15	22	2	1	32	50
1	1	1	11	15	1	9	.....	8	4	1	.....	9	1	2	8	13	2	1	31	51
17	4	1	16	26	1	22	2	7	9	2	.....	22	2	6	24	39	1	13	79	52
13	2	.....	7	19	.....	13	1	4	5	.....	.....	8	2	3	13	22	1	8	44	53
4	2	1	9	7	1	9	1	3	4	2	.....	14	.....	3	11	17	.....	5	35	54
396	54	45	322	638	64	859	88	200	218	110	31	640	59	84	365	678	36	276	1,567	55
312	41	37	222	370	31	459	42	144	157	73	19	366	29	52	262	376	31	120	954	56
84	13	8	100	268	33	400	46	56	61	37	12	274	30	32	103	302	5	156	613	57
52	6	4	45	83	15	94	5	19	25	16	3	81	8	14	46	100	5	72	203	58
41	5	3	30	44	2	49	4	10	19	10	1	47	4	9	32	59	5	29	107	59
11	1	1	15	39	13	45	1	9	6	6	2	34	4	5	14	41	.....	43	96	60
16	2	1	13	14	3	26	.....	8	6	4	2	42	3	1	10	15	1	19	42	61
14	2	1	6	8	3	15	.....	6	5	3	1	27	2	.....	6	8	1	7	26	62
2	.....	.....	7	6	.....	11	.....	2	1	1	1	15	1	1	4	7	.....	12	16	63
14	1	.....	18	60	6	32	2	8	3	2	1	21	1	2	8	11	1	11	72	64
14	1	.....	17	49	5	30	.....	7	2	2	1	21	1	2	6	10	1	8	64	65
.....	.....	.....	1	11	1	2	2	1	1	.....	.....	.....	.....	.....	2	1	.....	3	8	66
63	6	10	60	86	8	128	16	39	29	15	4	69	11	7	69	108	4	22	232	67
58	4	10	48	57	6	100	9	38	22	13	2	53	8	5	58	88	3	19	181	68
5	2	.....	12	29	2	28	7	1	7	2	2	16	3	2	11	20	1	3	51	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47, 48
	REGISTRATION CITIES—Continued.														
	TENNESSEE—continued.														
1	Memphis (total)	3,255	14	36	.....	1	3	11	20	146	12	292	14	32	8
2	White	1,595	4	7	.....	1	2	6	12	71	8	93	6	12	.....
3	Colored	1,660	10	29	.....	.....	1	5	8	75	4	199	8	20	8
4	Nashville (total)	2,147	12	1	.....	5	1	31	12	146	5	207	9	32	6
5	White	1,292	6	.....	.....	5	1	19	11	83	4	90	5	14	4
6	Colored	855	6	1	.....	.....	.....	12	1	63	1	117	4	18	2
	TEXAS.[1]														
7	Registration cities (total)	10,193	85	104	5	60	4	44	103	539	19	1,302	42	57	29
8	White	8,304	61	76	4	60	4	41	100	420	18	1,030	40	42	26
9	Colored	1,889	24	28	1	.....	.....	3	3	119	1	272	2	15	3
10	Beaumont (total)	501	5	24	.....	.....	.....	4	2	23	.....	47	1	3	.....
11	White	302	2	18	.....	.....	.....	3	2	11	.....	12	1	.....	.....
12	Colored	199	3	6	.....	.....	.....	1	.....	12	.....	35	.....	3	.....
13	Dallas (total)	2,166	23	22	.....	4	2	8	24	129	3	156	8	16	7
14	White	1,663	15	19	.....	4	2	8	22	96	3	80	7	10	7
15	Colored	503	8	3	.....	.....	.....	.....	2	33	.....	76	1	6	.....
16	El Paso (total)	2,208	17	2	4	47	.....	6	37	132	7	480	20	11	6
17	White	2,143	17	2	4	47	.....	6	37	129	7	455	19	10	5
18	Colored [2]	65	.....	.....	.....	.....	.....	.....	.....	3	.....	25	1	1	1
19	Galveston (total)	711	5	4	.....	.....	1	1	2	23	2	46	2	3	3
20	White	477	3	3	.....	.....	1	1	2	20	2	26	2	1	2
21	Colored	234	2	1	.....	.....	.....	.....	.....	3	.....	20	.....	2	1
22	Houston (total)	1,944	19	32	1	7	.....	6	14	108	3	138	6	11	3
23	White	1,304	11	16	.....	7	.....	5	13	54	2	72	6	8	3
24	Colored	640	8	16	1	.....	.....	1	1	54	1	66	.....	3	.....
25	San Antonio (total)	2,663	16	20	.....	2	1	19	24	124	4	435	5	13	10
26	White	2,415	13	18	.....	2	1	18	24	110	4	385	5	13	9
27	Colored [2]	248	3	2	.....	.....	.....	1	.....	14	.....	50	.....	.....	1
	UTAH.														
28	Registration cities (total)	2,312	12	.....	6	6	3	27	13	181	8	98	6	12	8
29	White	2,265	12	.....	6	6	3	26	13	181	7	90	6	12	8
30	Colored	47	.....	.....	.....	.....	.....	1	.....	.....	1	8	.....	.....	.....
31	Ogden	433	3	.....	1	.....	1	6	2	20	2	18	3	2	1
32	Provo	175	.....	.....	.....	.....	.....	5	.....	21	1	4	.....	1	.....
33	Salt Lake City	1,704	9	.....	5	6	2	16	11	140	5	76	3	9	7
	VERMONT.														
34	Registration cities (total)	831	10	.....	.....	2	.....	2	2	43	2	74	7	8	2
35	White	830	10	.....	.....	2	.....	2	2	43	2	74	7	8	2
36	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Barre	144	2	.....	.....	.....	.....	.....	.....	3	.....	40	2	2	2
38	Burlington	441	6	.....	.....	.....	.....	2	1	22	1	26	4	3	.....
39	Rutland	243	2	.....	.....	2	.....	.....	1	18	1	8	1	3	.....
	VIRGINIA.														
40	Registration cities (total)	9,024	62	11	.....	26	7	95	57	571	11	765	41	72	29
41	White	4,966	35	6	.....	15	4	28	47	310	11	348	29	28	15
42	Colored	4,058	27	5	.....	11	3	67	10	261	.....	417	12	44	14
43	Alexandria (total)	319	5	.....	.....	.....	.....	3	2	21	.....	32	.....	.....	3
44	White	200	3	.....	.....	.....	.....	2	2	10	.....	23	.....	.....	.....
45	Colored	119	2	.....	.....	.....	.....	1	.....	11	.....	9	.....	.....	3
46	Charlottesville (total)	160	.....	.....	.....	.....	.....	1	1	9	.....	20	1	3	.....
47	White	99	.....	.....	.....	.....	.....	.....	1	7	.....	8	1	1	.....
48	Colored	61	.....	.....	.....	.....	.....	1	.....	2	.....	12	.....	2	.....
49	Danville (total)	336	6	.....	.....	1	.....	1	5	22	1	24	.....	4	1
50	White	222	6	.....	.....	1	.....	.....	5	15	1	14	.....	1	1
51	Colored	114	.....	.....	.....	.....	.....	1	.....	7	.....	10	.....	3	.....
52	Lynchburg (total)	494	1	.....	.....	2	1	1	4	27	2	34	.....	7	3
53	White	308	.....	.....	.....	1	.....	.....	3	20	2	17	.....	4	3
54	Colored	186	1	.....	.....	1	1	1	1	7	.....	17	.....	3	.....
55	Newport News (total)	527	9	.....	.....	.....	.....	2	6	54	.....	49	1	3	.....
56	White	227	2	.....	.....	.....	.....	1	5	26	.....	14	1	.....	.....
57	Colored	300	7	.....	.....	.....	.....	1	1	28	.....	35	.....	3	.....
58	Norfolk (total)	1,782	17	4	.....	5	.....	7	9	132	1	173	13	16	6
59	White	870	9	3	.....	2	.....	3	8	57	1	59	8	2	2
60	Colored	912	8	1	.....	3	.....	4	1	75	.....	114	5	14	4
61	Petersburg (total)	600	3	.....	.....	2	2	9	1	23	1	62	4	2	.....
62	White	248	2	.....	.....	1	2	4	.....	5	1	23	3	.....	.....
63	Colored	352	1	.....	.....	1	.....	5	1	18	.....	39	1	2	.....
64	Portsmouth (total)	802	5	3	.....	3	2	10	6	95	.....	47	3	11	2
65	White	320	3	.....	.....	.....	1	.....	5	44	.....	15	3	5	.....
66	Colored	482	2	3	.....	3	1	10	1	51	.....	32	.....	6	2

Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII) AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119, 120	137	134-136, 138-141	150, 151	164-186	155-163	187-189		
132	21	18	91	185	13	363	45	69	94	42	10	271	21	41	127	327	15	121	660	1
94	18	13	66	106	5	150	18	46	60	23	7	138	5	22	73	137	12	39	341	2
38	3	5	25	79	8	213	27	23	34	19	3	133	16	19	54	190	3	82	319	3
119	18	12	95	210	19	216	20	57	61	31	11	156	15	19	105	117	10	31	358	4
91	11	10	55	106	10	115	11	37	49	22	7	80	9	14	87	74	9	18	235	5
28	7	2	40	104	9	101	9	20	12	9	4	76	6	5	18	43	1	13	123	6
503	62	62	364	607	119	845	108	703	131	104	70	626	71	89	459	662	82	239	1,894	7
449	55	53	300	476	104	665	87	659	110	83	62	472	58	67	415	521	75	153	1,518	8
54	7	9	64	131	15	180	21	44	21	21	8	154	13	22	44	141	7	86	376	9
33	7	3	14	16	1	38	9	13	9	5	.....	40	3	5	30	48	2	17	99	10
27	5	3	12	10	1	20	6	8	6	3	.....	30	1	1	22	33	1	4	60	11
6	2	.....	2	6	.....	18	3	5	3	2	.....	10	2	4	8	15	1	13	39	12
127	16	16	98	150	12	192	20	63	46	27	13	157	10	24	125	175	20	4	469	13
116	15	10	81	116	7	140	16	49	40	24	11	107	8	17	112	133	15	3	370	14
11	1	6	17	34	5	52	4	14	6	3	2	50	2	7	13	42	5	1	99	15
43	1	7	41	74	57	213	26	293	16	18	14	68	14	6	82	126	26	24	290	16
42	1	7	41	69	57	212	24	288	16	18	14	62	14	6	80	120	26	23	285	17
1	.....	.....	.....	5	.....	1	2	5	.....	.....	.....	6	.....	.....	2	6	.....	1	5	18
46	6	5	27	73	3	41	10	22	7	7	5	78	10	7	21	63	7	3	178	19
34	4	4	18	49	2	19	7	16	5	5	5	59	5	5	15	47	7	2	106	20
12	2	1	9	24	1	22	3	6	2	2	.....	19	5	2	6	16	.....	1	72	21
92	14	11	102	139	11	165	20	48	26	24	16	149	11	24	55	138	14	161	376	22
77	13	10	74	98	7	98	13	37	19	13	13	107	9	18	52	90	13	91	255	23
15	1	1	28	41	4	67	7	11	7	11	3	42	2	6	3	48	1	70	121	24
162	18	20	82	155	35	196	28	264	27	23	22	134	23	23	146	112	13	30	482	25
153	17	19	74	134	30	176	21	261	24	20	19	107	21	20	134	98	13	30	442	26
9	1	1	8	21	5	20	2	3	3	3	3	27	2	3	12	14	.....	.....	40	27
131	33	16	111	208	25	233	25	49	76	35	11	143	14	39	133	157	21	82	390	28
130	32	16	111	207	24	223	24	49	75	33	11	142	14	39	131	155	21	79	379	29
1	1	.....	.....	1	1	10	1	.....	1	2	.....	1	.....	.....	2	2	.....	3	11	30
22	5	3	35	46	6	40	6	6	21	5	2	24	4	7	33	36	7	2	64	31
7	3	1	12	17	2	10	.....	1	7	2	1	9	2	2	12	7	1	.....	47	32
102	26	12	64	145	17	183	19	42	48	28	8	110	8	30	88	114	13	80	279	33
59	7	1	51	85	15	81	4	13	14	11	7	45	2	8	62	43	6	2	163	34
59	7	1	51	85	15	81	4	13	14	11	7	45	2	8	62	43	6	2	162	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	36
7	.....	1	7	13	2	8	.....	2	4	3	1	3	.....	.....	4	9	3	1	25	37
50	4	.....	21	41	11	53	3	8	6	4	6	23	2	4	45	23	3	.....	92	38
22	3	.....	23	31	2	20	1	3	4	4	.....	19	.....	4	13	11	.....	1	46	39
405	74	37	641	814	69	855	113	295	113	112	47	722	56	131	614	602	42	91	1,444	40
296	59	28	325	502	26	386	49	103	78	52	17	461	25	73	388	355	36	31	800	41
109	15	9	316	312	43	469	64	192	35	60	30	261	31	58	226	247	6	60	644	42
18	4	2	18	20	4	23	5	11	.....	3	3	30	3	7	23	20	3	3	53	43
15	3	2	10	11	2	13	2	7	.....	.....	2	22	.....	6	20	13	1	1	30	44
3	1	.....	8	9	2	10	3	4	.....	3	1	8	3	1	3	7	2	2	23	45
10	1	1	13	28	3	6	1	4	2	1	.....	8	.....	2	10	8	1	3	23	46
8	1	1	9	14	.....	4	.....	3	2	1	.....	3	.....	2	6	6	1	1	19	47
2	.....	.....	4	14	3	2	1	1	.....	.....	.....	5	.....	.....	4	2	.....	2	4	48
12	2	1	23	38	1	31	3	8	3	5	.....	22	2	9	22	28	1	5	55	49
8	2	1	10	27	.....	17	2	6	.....	2	.....	11	1	8	17	22	1	4	39	50
4	.....	.....	13	11	1	14	1	2	3	3	.....	11	1	1	5	6	.....	1	16	51
16	3	2	25	77	2	41	6	10	3	11	3	44	2	8	22	30	1	4	102	52
11	2	1	16	47	1	25	5	2	2	8	3	24	2	5	18	20	1	3	62	53
5	1	1	9	30	1	16	1	8	1	3	.....	20	.....	3	4	10	.....	1	40	54
26	3	5	29	38	2	45	6	23	2	5	3	36	2	12	37	55	4	9	61	55
19	3	3	14	21	1	11	.....	2	1	2	.....	19	1	3	19	32	4	3	20	56
7	.....	2	15	17	1	34	6	21	1	3	3	17	1	9	18	23	.....	6	41	57
84	14	5	141	163	19	162	16	43	26	29	10	114	9	22	113	152	6	2	269	58
63	12	5	56	87	4	62	7	12	17	8	4	74	3	11	75	82	4	1	129	59
21	2	.....	35	76	15	100	9	31	9	21	6	40	6	11	38	70	2	1	140	60
17	7	.....	46	41	3	39	2	45	8	7	2	82	4	8	63	26	4	8	79	61
12	4	.....	16	19	2	14	1	10	4	4	1	42	1	2	31	12	3	.....	29	62
5	3	.....	30	22	1	25	1	35	4	3	1	40	3	6	32	14	1	8	50	63
27	6	2	81	55	7	77	18	46	2	9	4	41	4	15	49	47	2	12	111	64
19	5	.....	42	24	1	30	3	7	1	3	1	20	1	7	23	19	1	2	35	65
8	1	2	39	31	6	47	15	39	1	6	3	21	3	8	26	28	1	10	76	66

[1] Colored population less than 10 per cent of the total in 1920.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or more in 1920) are omitted.

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	4	5	6	7	8	9	10	18	28, 29	30	31-35	47,48
	REGISTRATION CITIES—Continued.														
	VIRGINIA—continued.														
1	Richmond (total)	2,847	11	3	.....	10	.....	40	20	97	.....	236	13	22	12
2	White	1,586	7	2	.....	7	.....	8	16	51	.....	116	9	11	7
3	Colored	1,261	4	1	.....	3	.....	32	4	46	.....	120	4	11	5
4	Roanoke (total)	855	4	1	.....	1	2	20	3	73	3	62	5	3	2
5	White	616	2	1	.....	1	1	10	2	62	3	39	3	3	2
6	Colored	239	2	.....	.....	.....	1	10	1	11	.....	23	2	.....	.....
7	Staunton (total)	302	1	.....	.....	2	.....	1	.....	18	3	26	1	1	.....
8	White	270	1	.....	.....	2	.....	.....	.....	13	3	20	1	1	.....
9	Colored	32	.....	.....	.....	.....	.....	1	.....	5	.....	6	.....	.....	.....
	WASHINGTON.														
10	Registration cities (total)	7,845	30	.....	9	34	28	42	76	524	19	437	68	84	21
11	White	7,464	30	.....	9	33	28	41	75	483	19	368	49	79	21
12	Colored	381	.....	.....	.....	1	.....	1	1	41	.....	69	19	5	.....
13	Aberdeen	178	.....	.....	.....	.....	.....	.....	1	7	1	19	.....	2	.....
14	Bellingham	321	.....	.....	.....	.....	2	3	2	19	.....	20	4	4	2
15	Everett	296	4	.....	.....	.....	.....	.....	.....	14	.....	11	2	3	2
16	Hoquiam	99	.....	.....	.....	.....	.....	.....	1	9	.....	10	2	.....	.....
17	Seattle (total)	3,401	7	.....	2	17	13	20	34	194	6	208	42	38	7
18	White	3,143	7	.....	2	16	13	19	34	170	6	154	27	35	7
19	Colored	258	.....	.....	.....	1	.....	1	.....	24	.....	54	15	3	.....
20	Spokane	1,481	7	.....	4	13	3	10	13	108	6	59	6	9	6
21	Tacoma	1,256	2	.....	1	3	3	4	18	98	5	59	9	17	2
22	Vancouver	201	3	.....	.....	.....	2	1	5	14	1	12	1	2	.....
23	Walla Walla	255	4	.....	1	1	1	.....	1	25	.....	9	.....	4	1
24	Yakima	357	3	.....	1	.....	4	4	1	36	.....	30	2	5	1
	WEST VIRGINIA.[1]														
25	Wheeling (total)	1,008	9	.....	.....	18	.....	16	8	56	1	64	7	11	6
26	White	965	7	.....	.....	18	.....	16	8	55	1	62	6	8	6
27	Colored [2]	43	2	.....	.....	.....	.....	.....	.....	1	.....	2	1	3	.....
	WISCONSIN.														
28	Registration cities (total)	12,269	26	.....	5	118	118	142	225	658	38	719	80	84	60
29	White	12,179	26	.....	5	117	118	141	225	649	38	709	79	84	60
30	Colored	90	.....	.....	.....	1	.....	1	.....	9	.....	10	1	.....	.....
31	Appleton	270	.....	.....	1	4	2	1	1	13	.....	23	.....	2	1
32	Ashland	202	1	.....	.....	1	1	2	1	5	1	14	2	2	2
33	Beloit	311	.....	.....	.....	5	4	3	.....	28	.....	21	3	3	2
34	Eau Claire	406	.....	.....	.....	.....	4	2	3	23	2	48	2	1	1
35	Fond du Lac	347	.....	.....	.....	1	.....	5	7	14	.....	9	2	4	2
36	Green Bay	587	.....	.....	3	4	7	12	7	14	2	23	8	7	.....
37	Janesville	266	1	.....	.....	2	2	2	2	13	.....	20	2	4	1
38	Kenosha	410	1	.....	.....	2	3	13	7	45	3	18	2	.....	.....
39	La Crosse	490	.....	.....	1	5	.....	2	2	16	.....	35	3	7	1
40	Madison	450	.....	.....	.....	1	.....	5	3	31	1	20	3	1	3
41	Manitowoc	247	1	.....	.....	.....	9	3	2	21	.....	14	.....	.....	3
42	Marinette	187	.....	.....	.....	.....	.....	4	2	25	.....	10	1	2	.....
43	Milwaukee	5,415	10	.....	.....	55	29	61	124	208	13	330	52	39	26
44	Oshkosh	440	.....	.....	.....	3	3	1	.....	18	1	24	2	1	2
45	Racine	719	3	.....	.....	8	15	6	24	81	6	35	3	.....	3
46	Sheboygan	363	5	.....	.....	4	15	.....	15	15	3	17	7	5	3
47	Stevens Point	142	2	.....	.....	1	.....	2	2	12	.....	6	1	1	.....
48	Superior	463	1	.....	.....	10	12	12	12	27	4	32	2	1	2
49	Waukesha	153	.....	.....	.....	1	8	.....	2	17	1	4	1	1	1
50	Wausau	275	1	.....	.....	6	3	5	1	23	1	10	2	3	6
51	West Allis	121	.....	.....	.....	5	1	1	8	9	.....	6	2	.....	1

[1] Nonregistration state; the only cities shown are those with satisfactory registration of deaths.

HAWAII AND CERTAIN SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1920—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. Minor rural
Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

DEATHS FROM—																			
Cancer and other malignant tumors.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other diseases, respiratory system.	Diarrhea and enteritis (under 2 years).	Appendicitis and typhlitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal septicemia.	Other puerperal causes.	Congenital debility and malformations.	Violent deaths (suicide excepted).	Suicide.	Unknown or ill-defined diseases.	All other causes.	
39-45	50	61	64, 65	79	89, 90	91, 92	86-88, 93-98	104	108	109	113	119, 120	137	134-136, 138-141	150, 151	164-186	155-163	187-189		
143	28	15	215	276	24	316	46	68	43	26	21	240	20	36	197	138	13	36	482	1
95	21	13	112	189	11	119	21	34	30	11	6	171	10	18	122	75	13	9	272	2
48	7	2	103	87	13	197	25	34	13	15	15	69	10	18	75	63	.....	27	210	3
43	3	4	38	51	4	63	8	36	20	14	1	76	10	10	63	76	4	6	146	4
37	3	2	29	36	4	41	6	20	18	11	.....	48	6	9	44	54	4	5	110	5
6	.....	2	9	15	.....	22	2	16	2	3	1	28	4	1	19	22	.....	1	36	6
9	3	.....	12	27	.....	52	2	1	4	2	.....	29	.....	2	15	22	3	3	63	7
9	3	.....	11	27	.....	50	2	.....	3	2	.....	27	.....	2	13	20	3	2	55	8
.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....	2	.....	.....	2	2	.....	1	8	9
705	98	39	444	857	35	738	85	78	141	86	32	477	40	97	414	553	134	33	1,387	10
691	94	36	436	833	33	691	82	68	137	84	30	468	40	92	388	525	130	32	1,339	11
14	4	3	8	24	2	47	3	10	4	2	2	9	.....	5	26	28	4	1	48	12
14	1	.....	12	17	1	8	.....	1	4	2	1	8	1	.....	8	30	6	4	30	13
24	6	2	21	35	1	23	3	.....	8	4	.....	18	.....	2	20	19	2	1	76	14
32	3	3	29	34	.....	21	1	2	2	1	.....	14	.....	4	14	38	4	.....	58	15
6	1	.....	5	7	.....	4	.....	1	1	1	2	3	.....	3	10	21	1	.....	11	16
341	48	18	204	383	14	309	47	28	61	36	22	213	22	35	164	217	73	9	569	17
333	45	16	198	366	12	278	44	19	57	34	21	206	22	34	143	211	70	8	536	18
8	3	2	6	17	2	31	3	9	4	2	1	7	.....	1	21	6	3	1	33	19
126	23	7	68	145	9	155	12	17	34	17	3	89	8	21	70	91	23	3	316	20
116	7	2	65	153	5	151	13	17	11	18	1	88	4	18	67	76	16	14	193	21
8	.....	1	14	19	3	22	4	4	3	.....	2	11	.....	1	8	22	1	1	36	22
13	6	2	17	35	1	14	3	1	9	3	.....	16	3	2	19	20	5	.....	39	23
25	3	4	9	29	1	31	2	7	8	4	1	17	2	11	34	19	3	1	59	24
58	9	10	47	83	12	134	18	26	18	20	6	56	13	7	45	74	5	5	166	25
56	9	10	46	79	10	124	18	26	18	20	6	53	12	7	45	71	4	4	160	26
2	.....	.....	1	4	2	10	.....	.....	.....	.....	.....	3	1	.....	.....	3	1	1	6	27
1,000	212	60	700	1,131	157	1,419	121	410	235	135	89	674	65	122	742	623	107	23	1,971	28
996	210	60	698	1,126	155	1,402	121	409	234	134	89	669	64	121	736	616	107	21	1,960	29
4	2	.....	2	5	2	17	.....	1	1	1	.....	5	1	1	6	7	.....	2	11	30
20	3	4	22	24	3	26	2	1	13	8	1	13	1	2	11	20	1	.....	47	31
19	6	2	16	21	.....	29	2	2	4	1	.....	5	1	3	11	13	1	2	32	32
16	2	1	18	20	8	36	6	9	11	3	.....	19	2	4	17	19	5	1	45	33
26	6	2	31	49	5	31	2	9	13	6	1	15	3	2	13	16	3	1	86	34
27	7	.....	18	44	3	33	1	15	13	6	1	12	.....	9	21	13	4	.....	76	35
54	10	4	29	24	4	61	8	18	23	5	2	35	5	9	55	29	4	4	117	36
21	8	1	18	32	1	26	1	3	5	1	1	6	2	5	23	20	3	.....	40	37
23	6	.....	11	28	3	46	3	31	5	8	2	22	1	6	27	34	2	.....	58	38
61	11	5	25	44	8	38	6	3	10	12	4	28	.....	5	29	26	2	3	98	39
48	10	3	32	41	4	34	4	5	8	8	3	32	2	2	22	21	5	1	97	40
12	4	.....	16	18	4	12	3	4	6	8	1	18	1	1	20	19	.....	.....	47	41
13	3	.....	11	25	.....	14	1	8	2	3	1	14	.....	2	9	14	2	.....	21	42
433	91	27	281	528	78	788	63	233	70	39	51	317	36	49	328	238	55	5	778	43
50	2	1	37	63	3	40	4	5	9	9	6	24	1	3	28	19	1	1	79	44
54	12	3	41	47	13	80	6	32	10	4	5	43	3	7	31	33	9	1	101	45
36	3	1	26	26	7	19	1	15	6	2	5	23	1	3	20	21	2	.....	57	46
13	2	.....	12	11	2	6	1	1	5	3	2	4	3	1	9	8	.....	2	29	47
26	8	2	28	37	5	39	4	10	9	6	2	20	2	6	29	35	6	1	73	48
11	10	.....	9	19	1	16	.....	.....	2	.....	.....	7	1	2	7	9	1	.....	27	49
30	6	3	13	18	4	31	3	3	11	3	.....	11	.....	.....	20	12	1	1	44	50
7	1	1	6	12	1	14	.....	3	.....	.....	1	6	.....	1	12	4	.....	.....	19	51

[1] Colored population less than 10 per cent of the total in 1920.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.		Registration cities in non registration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	1,142,558	1,118,070	589,020	529,050	24,488	613,508	28,157	19,039	6,529	7,188	14,494	4,422
	I.—General diseases	332,921	325,359	165,883	159,476	7,562	173,445	8,810	6,116	2,466	2,556	4,202	1,263
1	Typhoid fever	6,805	6,582	2,309	4,273	223	2,532	82	84	34	53	43	14
2	Typhus fever	5	5	4	1		4	2					
3	Relapsing fever	2	2		2								
4	Malaria	3,136	2,960	356	2,604	176	532	6	18	1	1	3	2
5	Smallpox	508	498	235	263	10	245	2	7	1	9		
6	Measles	7,712	7,600	4,312	3,288	112	4,424	138	82	43	55	101	34
7	Scarlet fever	4,004	3,976	2,237	1,739	28	2,265	36	56	11	31	68	7
8	Whooping cough	10,968	10,742	4,888	5,854	226	5,114	186	224	95	155	182	36
9	Diphtheria and croup	13,395	13,211	7,871	5,340	184	8,055	316	145	73	65	201	36
10	Influenza	62,097	60,693	25,548	35,145	1,404	26,952	1,187	998	342	707	749	169
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	175	175	50	125		50		5		3	1	
14	Dysentery	3,574	3,415	820	2,595	159	979	37	44	7	23	12	8
15	Plague	27	10	9	1	17	26		1				
16	Yellow fever	1	1		1				1				
17	Leprosy	24	22	8	14	2	10	3	1				
18	Erysipelas	2,721	2,674	1,450	1,224	47	1,497	49	34	19	24	36	9
19	Other epidemic diseases	340	334	194	140	6	200	7	6	4	2	7	2
20	Purulent infection and septicemia	1,227	1,179	572	607	48	620	19	13	3	5	5	2
21	Glanders	1	1	1			1						
22	Anthrax	39	37	21	16	2	23					1	
23	Rabies	41	39	18	21	2	20	2	2				
24	Tetanus	1,472	1,349	666	683	123	789	24	20	2	5	14	3
25	Mycoses	52	58	36	22		36	4	3				1
26	Pellagra	2,322	2,122	594	1,528	200	794	5	7		1	1	
27	Beriberi	5	5	1	4		1		2				
	Tuberculosis (total)	99,916	97,366	49,450	47,916	2,550	52,000	2,981	2,574	1,210	924	1,200	466
28	Tuberculosis of the lungs	84,966	82,738	40,651	42,087	2,228	42,879	2,506	2,278	1,115	870	963	424
29	Acute miliary tuberculosis	3,229	3,128	1,925	1,203	101	2,026	81	70	21	6	44	13
30	Tuberculous meningitis	4,895	4,821	3,236	1,585	74	3,310	183	92	33	23	105	16
31	Abdominal tuberculosis	3,530	3,430	1,794	1,636	100	1,894	111	80	18	19	49	6
32	Pott's disease	984	976	607	369	8	615	34	20	7	2	10	3
33	White swellings	495	489	268	221	6	274	9	6	4	2	4	
34	Tuberculosis of other organs	1,353	1,328	743	585	25	768	49	21	9	1	22	3
35	Disseminated tuberculosis	464	456	226	230	8	234	8	7	3	1	3	3
36	Rickets	506	496	306	190	10	316	5	5			8	1
37	Syphilis	7,969	7,635	4,972	2,663	334	5,306	256	143	53	53	72	10
38	Gonococcus infection	706	665	484	181	41	525	14	3	5	2	11	1
	Cancer and other malignant tumors (total)	72,931	71,756	41,636	30,120	1,175	42,811	2,608	1,102	399	292	1,074	329
39	Of the buccal cavity	2,679	2,633	1,473	1,160	46	1,519	92	49	11	9	33	10
40	Of the stomach, liver	27,489	27,138	15,034	12,104	351	15,385	928	494	150	147	408	120
41	Of the peritoneum, intestines, rectum	9,792	9,663	5,997	3,666	129	6,126	363	154	51	31	177	47
42	Of the female genital organs	10,797	10,523	6,447	4,076	274	6,721	385	140	56	35	176	35
43	Of the breast	6,665	6,570	3,854	2,716	95	3,949	269	101	31	14	95	51
44	Of the skin	2,367	2,334	924	1,410	33	957	70	46	13	8	26	20
45	Of other organs or of organs not specified	13,142	12,895	7,907	4,988	247	8,154	501	208	87	48	159	46
46	Other tumors (tumors of the female genital organs excepted)	267	258	119	139	9	128	3	4	1		2	1
47	Acute articular rheumatism	3,297	3,242	1,696	1,546	55	1,751	41	33	17	16	38	18
48	Chronic rheumatism and gout	990	973	408	565	17	425	28	14	7	5	6	4
49	Scurvy	79	77	35	42	2	37	1	2			2	
50	Diabetes	14,062	13,898	8,094	5,804	164	8,258	386	210	65	72	230	64
51	Exophthalmic goiter	1,622	1,590	1,005	585	32	1,037	49	16	10	7	17	2
52	Addison's disease	326	323	163	160	3	166	8	10	2	4	3	
53	Leukemia	1,714	1,676	1,029	647	38	1,067	68	27	14	4	20	4
54	Anemia, chlorosis	4,787	4,713	2,503	2,210	74	2,577	176	85	28	24	48	30
55	Other general diseases	1,830	1,780	988	702	50	1,038	48	24	13	9	23	6
56	Alcoholism (acute or chronic)	900	873	556	317	27	583	18	17	4	3	11	3
57	Chronic lead poisoning	120	119	84	35	1	85	4	1	1	1	4	
58	Other chronic occupation poisonings	13	13	12	1		12	1				2	
59	Other chronic poisonings	227	216	143	73	11	154	10	3	2	1	2	1
	II.—Diseases of the nervous system and of the organs of special sense	108,490	106,652	50,729	55,923	1,838	52,567	2,786	1,995	448	540	1,443	559
60	Encephalitis	2,167	2,107	1,437	670	60	1,497	49	20	12	9	43	4
61	Meningitis (total)	5,281	5,151	2,715	2,436	130	2,845	147	80	21	30	113	20
	Simple meningitis	2,654	2,590	1,346	1,244	64	1,410	58	43	10	16	55	7
	Cerebrospinal meningitis (undefined)	1,201	1,168	572	596	33	605	28	23	6	5	23	6
	Cerebrospinal fever	1,426	1,393	797	596	33	830	61	23	5	9	35	7
62	Locomotor ataxia	1,611	1,584	856	728	27	883	53	42	14	4	19	11
63	Other diseases of the spinal cord (total)	4,964	4,870	2,375	2,495	94	2,469	150	106	22	18	62	21
	Acute anterior poliomyelitis	769	762	366	396	7	373	12	16	3	3	11	6
	Other diseases of the spinal cord	4,195	4,108	2,009	2,099	87	2,096	138	90	19	15	51	15
64	Cerebral hemorrhage, apoplexy	70,780	69,668	33,588	36,080	1,112	34,700	1,969	1,212	306	322	990	413
65	Softening of the brain	838	825	282	543	13	295	24	25	2	3	8	3
66	Paralysis without specified cause	5,828	5,628	1,685	3,943	200	1,885	73	94	19	25	16	7
67	General paralysis of the insane	5,030	5,003	2,200	2,803	27	2,227	104	241	9	59	48	28
68	Other forms of mental alienation	1,579	1,563	655	908	16	671	31	35	3	5	15	4
69	Epilepsy	3,085	3,052	1,050	2,002	33	1,083	41	60	9	32	22	28
70	Convulsions (nonpuerperal)	149	146	36	110	3	39		1		1	2	1
71	Convulsions of infants	2,211	2,178	961	1,217	33	994	11	7	1	7	35	13
72	Chorea	141	140	73	67	1	74	1	2	2	2	2	
73	Neuralgia and neuritis	354	350	123	227	4	127	4	10	1	1	2	1
74	Other diseases of the nervous system	2,651	2,595	1,478	1,117	56	1,534	80	31	16	12	34	13
75	Diseases of the eyes and their annexa	91	90	48	42	1	49	4	1		1	1	
76	Diseases of the ears	1,730	1,702	1,167	535	28	1,195	45	19	11	9	31	2

[1]Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH OF CAUSES: 1920.

more in 1920, smaller places being included in the "rural districts."]

DELAWARE.						DISTRICT OF COLUMBIA.			FLORIDA.						ILLINOIS.		INDIANA.		Detailed List No.
Cities.			Rural districts.						Cities.			Rural districts.							
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
1,563	1,313	250	1,702	1,280	422	6,463	4,163	2,300	3,721	2,099	1,622	8,999	5,482	3,517	50,315	31,481	16,674	22,756	
373	308	65	452	328	124	1,647	1,070	577	1,086	587	499	2,778	1,615	1,163	14,271	10,017	4,623	6,749	
16	10	6	9	8	1	29	18	11	35	23	12	108	63	45	142	238	126	158	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	3
.....	.....	.....	1	1	.....	1	.....	1	23	8	15	321	187	134	21	55	7	13	4
.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	2	.....	2	3	12	4	13	5
14	11	3	22	12	10	3	3	.....	2	2	.....	11	9	2	199	297	147	201	6
27	27	.....	6	6	.....	9	8	1	2	2	.....	7	7	.....	258	112	77	135	7
6	6	.....	24	15	9	18	12	6	17	9	8	52	35	17	255	298	126	185	8
16	15	1	11	9	2	63	49	14	19	16	3	51	38	13	790	338	193	169	9
25	18	7	39	30	9	219	159	60	203	119	84	624	412	212	2,709	2,483	821	1,474	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	2	1	1	4	5	.....	2	13
1	1	.....	7	5	2	13	1	12	26	14	12	111	74	37	42	100	46	73	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	6	4	2	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
4	4	.....	1	1	.....	12	9	3	2	2	.....	18	16	2	131	105	52	104	18
.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	2	1	1	16	9	5	6	19
2	2	.....	1	1	.....	6	5	1	10	6	4	41	21	20	40	21	27	33	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	1	.....	.....	1	23
.....	.....	.....	1	1	.....	5	2	3	32	7	25	29	11	18	65	43	29	36	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	25
.....	.....	.....	.....	.....	.....	5	2	3	30	8	22	84	38	46	3	8	1	2	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
123	92	31	204	135	69	591	282	309	346	145	201	675	290	385	3,751	2,817	1,334	1,867	
97	74	23	186	123	63	485	244	241	304	122	182	601	252	349	3,138	2,448	1,051	1,560	28
6	4	2	6	4	2	39	6	33	6	2	4	21	11	10	149	83	52	70	29
6	5	1	4	4	.....	21	15	6	10	9	1	9	7	2	223	89	92	68	30
10	5	5	3	2	1	21	6	15	17	8	9	29	13	16	123	92	67	97	31
1	1	.....	.....	.....	.....	10	3	7	4	2	2	4	2	2	44	35	17	18	32
.....	.....	.....	1	.....	1	4	1	3	4	2	2	4	2	2	18	20	10	7	33
2	2	.....	3	2	1	7	4	3	1	.....	1	6	3	3	45	34	34	29	34
1	1	.....	1	.....	1	4	3	1	.....	.....	.....	1	.....	1	11	16	11	18	35
1	.....	1	1	1	.....	5	2	3	6	.....	6	.....	.....	.....	38	9	5	6	36
5	2	3	7	2	5	85	46	39	54	13	41	122	19	103	368	132	129	96	37
.....	.....	.....	.....	.....	.....	3	2	1	3	1	2	10	2	8	50	16	15	8	38
102	92	10	96	84	12	431	351	80	187	141	46	323	243	80	3,864	2,127	1,079	1,566	
5	5	.....	3	3	.....	15	11	4	8	8	.....	14	13	1	137	97	31	56	39
46	43	3	36	31	5	153	118	35	61	50	11	112	84	28	1,494	888	389	630	40
16	14	2	12	8	4	46	41	5	20	16	4	26	21	5	523	247	125	184	41
6	5	1	11	10	1	81	64	17	38	22	16	55	33	22	534	257	233	183	42
9	8	1	11	9	2	46	38	8	20	10	10	28	19	9	337	185	95	123	43
3	2	1	10	10	.....	11	10	1	2	2	.....	22	21	1	77	99	36	128	44
17	15	2	13	13	.....	79	69	10	38	33	5	66	52	14	762	354	170	253	45
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	6	4	2	10	5	4	4	46
1	1	.....	2	2	.....	11	9	2	6	3	3	26	15	11	177	77	45	48	47
1	1	.....	2	1	1	5	4	1	1	1	.....	2	2	.....	25	29	8	18	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	2	1	.....	49
14	13	1	10	9	1	67	49	18	20	17	3	66	57	9	769	400	169	316	50
1	1	.....	1	.....	1	5	4	1	2	1	1	4	3	1	141	40	39	47	51
1	1	.....	.....	.....	.....	1	1	.....	1	1	.....	1	1	.....	13	13	3	9	52
1	1	.....	.....	.....	.....	7	7	.....	2	2	.....	7	6	1	73	46	25	41	53
7	6	1	4	4	.....	21	18	3	20	19	1	38	32	6	191	137	69	89	54
2	2	.....	1	.....	1	19	16	3	10	8	2	23	21	2	62	25	22	21	55
2	2	.....	.....	.....	.....	5	5	.....	13	10	3	6	5	1	36	11	10	6	56
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	10	2	2	1	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
1	.....	1	.....	.....	.....	2	2	.....	4	3	1	2	.....	2	6	2	1	.....	59
156	129	27	233	192	41	678	480	198	327	192	135	798	521	277	3,628	3,468	1,500	2,767	
4	4	.....	1	1	.....	16	11	5	9	7	2	17	11	6	95	28	39	36	
9	9	.....	5	4	1	26	22	4	22	19	3	35	26	9	143	105	91	116	
8	8	.....	4	3	1	19	15	4	13	11	2	21	18	3	70	51	56	63	
1	1	.....	.....	.....	.....	5	5	.....	5	4	1	8	4	4	26	23	19	28	60
.....	.....	.....	1	1	.....	2	2	.....	4	4	.....	6	4	2	47	31	16	25	61
.....	.....	.....	1	.....	1	6	5	1	2	1	1	6	6	.....	83	69	33	45	62
5	5	.....	6	6	.....	23	18	5	12	6	6	27	15	12	214	224	65	111	63
.....	.....	.....	.....	.....	.....	1	1	.....	2	1	1	4	2	2	28	29	8	8	
5	5	.....	6	6	.....	22	17	5	10	5	5	23	13	10	186	195	57	103	
123	99	24	165	141	24	476	354	122	222	130	92	444	309	135	2,375	2,146	1,003	1,891	64
3	3	.....	2	2	.....	1	.....	1	1	1	.....	3	3	.....	25	32	9	33	65
3	3	.....	17	13	4	20	9	11	32	14	18	144	84	60	57	67	88	168	66
1	.....	1	13	9	4	49	32	17	3	2	1	23	12	11	160	426	71	142	67
1	1	.....	2	1	1	9	1	8	1	.....	1	5	2	3	68	53	6	34	68
.....	.....	.....	6	5	1	11	4	7	6	3	3	43	21	22	92	124	18	86	69
.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	8	3	5	1	2	1	1	70
4	3	1	10	6	4	8	3	5	10	6	4	17	10	7	31	39	10	14	71
.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....	3	1	2	11	3	1	3	72
.....	.....	.....	1	1	.....	2	2	.....	.....	.....	.....	2	1	1	3	16	7	13	73
1	.....	1	2	2	.....	15	8	7	3	1	2	13	10	3	150	89	26	43	74
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	2	.....	2	3	2	1	75
2	2	.....	2	1	1	12	10	2	2	1	1	6	5	1	118	42	30	30	76

[1] A list of these cities will be found on p. 10.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed List No.	CAUSE OF DEATH.	KANSAS.		KENTUCKY.						LOUISIANA.		
				Cities.			Rural districts.			Cities.		
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes	6,087	14,180	6,867	5,276	1,591	21,697	18,728	2,969	9,094	5,143	3,951
	I.—General diseases	1,665	3,733	1,887	1,445	442	7,828	6,705	1,123	2,663	1,415	1,248
1	Typhoid fever	44	97	47	37	10	443	382	61	57	28	29
2	Typhus fever											
3	Relapsing fever											
4	Malaria	5	8	6	3	3	54	45	9	42	23	19
5	Smallpox	1	3	4	4		17	17		136	46	90
6	Measles	30	50	36	33	3	234	225	9	17	15	2
7	Scarlet fever	16	96	9	9		53	51	2	9	8	1
8	Whooping cough	72	141	52	36	16	334	287	47	32	20	12
9	Diphtheria and croup	70	176	50	40	10	375	362	13	35	27	8
10	Influenza	372	1,101	229	185	44	1,609	1,451	158	239	138	101
11	Miliary fever											
12	Asiatic cholera											
13	Cholera nostras	1	5	3	1	2	16	14	2	1		1
14	Dysentery	19	37	23	16	7	226	210	16	42	20	22
15	Plague									3	2	1
16	Yellow fever											
17	Leprosy									1	1	
18	Erysipelas	9	40	11	10	1	41	38	3	12	10	2
19	Other epidemic diseases	1	10	2	1	1	4	3	1			
20	Purulent infection and septicemia	10	25	5	4	1	13	10	3	12	7	5
21	Glanders											
22	Anthrax											
23	Rabies						1	1				
24	Tetanus	10	14	8	7	1	33	26	7	69	25	44
25	Mycoses	1	1							2	1	1
26	Pellagra	2	6	10	9	1	55	49	6	61	14	47
27	Beriberi											
	Tuberculosis (total)	344	511	728	491	237	2,977	2,360	617	1,059	505	554
28	Tuberculosis of the lungs	275	424	594	398	196	2,578	2,044	534	935	454	481
29	Acute miliary tuberculous	21	10	23	9	14	50	30	20	48	8	40
30	Tuberculosis meningitis	12	20	44	42	2	130	112	18	13	12	1
31	Abdominal tuberculosis	20	22	38	23	15	137	105	32	27	13	14
32	Pott's disease	6	10	5	3	2	13	8	5	11	4	7
33	White swellings	2	7	8	6	2	12	10	2	2	1	1
34	Tuberculosis of other organs	5	13	10	5	5	40	36	4	17	10	7
35	Disseminated tuberculosis	3	5	6	5	1	17	15	2	6	3	3
36	Rickets	5	5	1	1		8	6	2	1		1
37	Syphilis	48	61	44	26	18	72	38	34	161	56	105
38	Gonococcus infection	6	8	5	3	2	5	3	2	11	4	7
	Cancer and other malignant tumors (total)	413	870	462	400	62	902	822	80	492	357	135
39	Of the buccal cavity	7	44	17	15	2	21	19	2	27	21	6
40	Of the stomach, liver	145	348	150	136	14	350	330	20	146	113	33
41	Of the peritoneum, intestines, rectum	59	110	64	52	12	82	76	6	61	45	16
42	Of the female genital organs	68	109	98	79	19	149	125	24	114	64	50
43	Of the breast	38	68	48	45	3	77	65	12	41	28	13
44	Of the skin	14	49	9	8	1	62	60	2	20	19	1
45	Of other organs or of organs not specified	82	142	76	65	11	161	147	14	83	67	16
46	Other tumors (tumors of the female genital organs excepted)		6	1	1		4	2	2	4	1	3
47	Acute articular rheumatism	21	55	16	11	5	72	60	12	26	7	19
48	Chronic rheumatism and gout	6	22	2	2		23	20	3	3	2	1
49	Scurvy		1							2	1	1
50	Diabetes	84	210	62	51	11	120	107	13	74	57	17
51	Exophthalmic goiter	16	21	9	7	2	8	8		9	7	2
52	Addison's disease	1	3				6	5	1	3	3	
53	Leukemia	14	21	13	13		16	16		11	7	4
54	Anemia, chlorosis	31	84	31	28	3	46	42	4	14	9	5
55	Other general diseases	7	33	12	12		52	38	14	16	8	8
56	Alcoholism (acute or chronic)	5	8	3	2	1	7	5	2	4	3	1
57	Chronic lead poisoning			1		1				2	2	
58	Other chronic occupation poisonings											
59	Other chronic poisonings	1	4	2	2		2	2		1	1	
	II.—Diseases of the nervous system and of the organs of special sense	579	1,685	775	601	174	1,832	1,558	274	636	418	238
60	Encephalitis	16	29	16	16		37	35	2	20	16	4
61	Meningitis (total)	36	53	44	38	6	196	178	18	48	28	20
	Simple meningitis	20	29	35	32	3	95	83	12	15	9	6
	Cerebrospinal meningitis (undefined)	9	13	3	2	1	48	46	2	12	6	6
	Cerebrospinal fever	7	11	6	4	2	53	49	4	21	13	8
62	Locomotor ataxia	5	25	17	15	2	21	19	2	18	18	
63	Other diseases of the spinal cord (total)	30	96	41	33	8	87	77	10	22	17	5
	Acute anterior poliomyelitis	2	8	5	3	2	15	13	2	2	2	
	Other diseases of the spinal cord	28	88	36	30	6	72	64	8	20	15	5
64	Cerebral hemorrhage, apoplexy	372	1,111	456	361	95	885	748	137	419	267	152
65	Softening of the brain	4	27	6	6		16	14	2	15	12	3
66	Paralysis without specified cause	52	117	54	34	20	234	193	41	34	16	18
67	General paralysis of the insane	11	51	42	27	15	97	72	25	43	27	16
68	Other forms of mental alienation	6	38	27	17	10	38	31	7	17	14	3
69	Epilepsy	7	57	25	18	7	100	84	16	12	4	8
70	Convulsions (nonpuerperal)						2	2		4	2	2
71	Convulsions of infants	8	20	16	9	7	38	31	7	7	6	1
72	Chorea	1	3	1		1	2	2		1	1	
73	Neuralgia and neuritis	2	12	3	3		5	5		1	1	
74	Other diseases of the nervous system	19	28	20	18	2	50	45	5	14	10	4
75	Diseases of the eyes and their annexa						2	1	1	2	2	
76	Diseases of the ears	10	18	7	6	1	22	21	1	9	7	2

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

LOUISIANA—continued.			MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		Detailed Int. List No.
Rural districts.			Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.			Total.	White.	Colored.	Total.	White.	Colored.							
12,459	5,662	6,797	3,667	8,205	12,522	9,796	2,726	8,840	6,356	2,484	43,422	10,076	27,534	24,015	10,975	14,747	
4,388	1,826	2,562	953	2,141	3,337	2,510	827	2,340	1,653	687	11,752	2,740	7,682	6,427	3,721	4,656	
223	101	122	23	46	46	33	13	54	35	19	82	13	171	123	25	46	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
544	291	253	1	1	1	1	.....	3	.....	3	4	.....	5	3	.....	.....	4
31	13	18	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	6	5	3	14	5
26	19	7	12	18	53	47	6	41	35	6	309	46	233	206	52	106	6
6	6	.....	3	20	16	16	.....	20	20	.....	201	17	178	125	51	65	7
152	73	79	38	88	68	41	27	77	43	34	467	69	283	230	107	192	8
76	47	29	24	40	118	114	4	74	67	7	528	58	605	280	130	117	9
677	359	318	147	444	371	277	94	320	237	83	1,311	273	1,642	1,376	659	1,018	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
5	.....	5	.....	4	.....	.....	.....	2	2	.....	3	3	6	12	.....	2	13
120	63	57	3	18	35	28	7	31	23	8	31	6	26	51	9	24	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
9	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	17
16	12	4	6	13	24	22	2	15	13	2	114	16	105	71	40	31	18
4	2	2	.....	2	3	3	.....	1	.....	1	14	5	17	4	3	7	19
29	14	15	4	7	12	9	3	13	9	4	21	4	61	35	17	13	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	4	1	2	22
2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
89	39	50	1	4	17	14	3	18	11	7	31	2	16	16	9	19	24
.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	3	.....	4	.....	3	.....	25
142	33	109	.....	4	4	3	1	4	4	.....	9	2	4	1	.....	1	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
1,491	389	1,102	251	548	1,173	761	412	966	576	390	3,409	1,003	1,760	1,341	900	1,251	
1,364	350	1,014	172	448	980	648	332	859	522	337	2,745	887	1,440	1,142	726	1,048	28
49	10	39	18	17	60	29	31	26	9	17	107	18	54	36	40	39	29
18	12	6	24	35	49	34	15	23	13	10	322	39	129	67	57	74	30
37	12	25	20	23	34	16	18	32	16	16	121	26	69	40	31	44	31
8	3	5	7	4	18	14	4	7	6	1	40	12	21	23	17	14	32
4	1	3	2	3	10	7	3	3	3	.....	19	8	11	5	7	6	33
5	1	4	6	13	13	8	5	10	6	4	44	7	29	17	21	20	34
6	.....	6	2	5	9	5	4	6	1	5	11	6	7	11	1	6	35
4	1	3	1	1	7	4	3	9	3	6	18	4	17	13	3	13	36
159	23	136	19	22	164	77	87	30	10	20	230	48	232	128	114	41	37
13	.....	13	1	2	22	12	10	3	.....	3	14	1	26	9	10	2	38
396	221	175	322	620	895	784	111	477	416	61	3,597	872	1,512	1,587	1,101	1,192	
14	6	8	6	21	40	39	1	22	19	3	124	41	40	74	38	54	39
114	75	39	104	243	334	296	38	185	161	24	1,135	285	599	668	420	598	40
30	17	13	60	92	107	101	6	56	52	4	658	150	191	182	158	148	41
91	31	60	63	94	139	106	33	63	52	11	513	116	236	190	145	84	42
44	19	25	33	53	74	63	11	50	43	7	400	107	136	135	94	80	43
20	22	7	6	30	22	17	5	28	27	1	72	29	32	62	21	26	44
74	51	23	50	87	179	162	17	73	62	11	695	144	278	276	225	202	45
4	2	2	.....	5	2	2	.....	1	1	.....	9	1	9	11	3	1	46
38	15	23	10	13	36	23	13	22	14	8	95	18	77	68	33	44	47
7	4	3	3	14	13	10	3	15	13	2	29	14	23	32	10	22	48
1	1	.....	.....	.....	1	1	.....	2	1	1	2	.....	5	6	.....	.....	49
67	48	19	50	118	163	146	17	85	74	11	655	155	291	314	184	231	50
1	.....	1	.....	5	20	17	3	7	6	1	30	7	33	64	76	18	51
.....	.....	.....	1	7	2	1	1	.....	.....	.....	15	3	9	12	7	7	52
12	9	3	6	10	26	23	3	14	11	3	89	23	44	38	41	27	53
18	14	4	20	46	28	27	1	22	19	3	235	52	165	213	97	128	54
15	10	5	3	8	9	7	2	9	7	2	117	12	59	38	19	13	55
5	4	1	3	7	6	6	.....	4	2	2	63	7	48	9	12	8	56
.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	7	2	4	.....	1	1	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	3	.....	.....	.....	1	1	.....	4	1	3	2	1	.....	59
702	408	384	401	1,002	1,121	917	204	1,027	796	231	4,314	1,327	2,269	2,983	924	1,348	
17	10	7	8	8	22	18	4	13	10	3	73	6	95	25	25	20	60
63	42	21	16	27	49	43	6	44	33	11	217	32	139	109	48	47	61
31	15	16	7	16	22	20	2	22	18	4	107	13	63	39	21	17	
21	16	5	4	4	4	3	1	9	7	2	42	8	42	32	9	22	
11	11	.....	5	7	23	20	3	13	8	5	68	11	34	38	18	8	
8	3	5	4	16	4	4	.....	13	10	3	64	20	36	35	9	8	62
32	22	10	22	47	39	33	6	39	32	7	279	74	104	118	61	73	63
12	6	6	3	6	7	4	3	6	3	3	124	28	16	18	4	14	
20	16	4	19	41	32	29	3	33	29	4	155	46	88	100	57	59	
384	194	190	261	779	862	692	170	505	471	124	3,020	981	1,317	2,046	522	919	64
5	4	1	2	14	4	3	1	10	10	.....	13	5	11	29	5	8	65
84	39	45	10	34	29	27	2	116	84	32	74	30	119	223	26	50	66
53	29	24	28	8	7	7	.....	67	52	15	164	41	129	78	42	47	67
20	5	15	7	13	3	2	1	8	7	1	24	8	35	24	27	16	68
38	16	22	13	9	20	16	4	42	27	15	67	75	49	103	40	39	69
8	2	6	.....	.....	.....	.....	.....	4	3	1	5	.....	2	8	.....	2	70
39	16	23	6	18	22	16	6	39	25	14	83	16	86	72	21	62	71
1	.....	1	.....	1	2	2	.....	.....	.....	.....	2	.....	1	7	.....	1	72
4	3	1	1	2	1	1	.....	3	1	2	6	2	8	14	2	6	73
19	15	4	13	15	38	37	1	22	22	.....	134	27	67	60	62	34	74
3	1	2	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	3	1	.....	75
14	7	7	10	11	18	15	3	12	9	3	88	10	71	29	33	16	76

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed List No.	CAUSE OF DEATH.	MISSISSIPPI.						MISSOURI.		MONTANA.		NEBRASKA.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	All causes	3,369	1,374	1,995	18,671	6,549	12,122	20,481	22,157	1,660	3,629	4,062	8,914
	I.—General diseases	1,031	375	656	6,088	1,807	4,281	5,598	7,604	429	982	1,151	2,520
1	Typhoid fever	47	19	28	286	80	206	86	255	10	17	18	40
2	Typhus fever												
3	Relapsing fever												
4	Malaria	50	22	28	633	168	465	20	117				1
5	Smallpox	23	10	13	22	14	8	11	17		2	6	16
6	Measles	2	1	1	16	4	12	139	147	9	18	25	96
7	Scarlet fever	1	1		23	15	8	57	99	2	20	15	45
8	Whooping cough	7	6	1	150	44	106	97	211	10	41	59	187
9	Diphtheria and croup	14	9	5	270	160	110	333	312	9	23	56	56
10	Influenza	104	52	52	943	371	572	1,023	2,287	68	236	162	585
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras				3		3	2	3				3
14	Dysentery	26	16	10	219	88	131	48	154	1	7	10	24
15	Plague												
16	Yellow fever												
17	Leprosy												
18	Erysipelas	2	1	1	32	23	9	60	65	3	13	14	36
19	Other epidemic diseases				4	2	2	2	7	3	1	3	1
20	Purulent infection and septicemia	7	3	4	35	9	26	28	21	1	5	5	13
21	Glanders												
22	Anthrax									1		1	
23	Rabies							2	4			1	
24	Tetanus	12	6	6	44	20	24	24	33			7	8
25	Mycoses							2	2		1		
26	Pellagra	153	41	112	405	60	345	11	14				1
27	Beriberi												
	Tuberculosis (total)	293	71	227	1,989	339	1,650	1,501	2,143	136	283	234	327
28	Tuberculosis of the lungs	266	62	204	1,888	315	1,573	1,302	1,959	114	240	170	271
29	Acute miliary tuberculosis	6	2	4	9	4	5	38	39	4	8	13	7
30	Tuberculous meningitis	4	3	1	22	5	17	73	42	6	17	21	12
31	Abdominal tuberculosis	15	2	13	31	5	26	47	60	3	12	13	19
32	Pott's disease	2		2	6	2	4	17	16	3		5	6
33	White swellings	1		1	9	3	6	9	6		1	3	3
34	Tuberculosis of other organs	3	1	2	24	5	19	13	18	6	3	8	7
35	Disseminated tuberculosis	1	1					2	3		2	1	2
36	Rickets	4	1	3	2		2	4	12			1	1
37	Syphilis	78	10	68	200	9	191	244	62	12	27	39	38
38	Gonococcus infection	24	2	22	22	3	19	21	3	2	3	3	2
	Cancer and other malignant tumors (total)	133	80	53	553	268	285	1,440	1,190	107	175	344	655
39	Of the buccal cavity	7	5	2	21	16	5	70	51	6	7	10	20
40	Of the stomach, liver	34	21	13	166	89	77	526	519	36	70	143	294
41	Of the peritoneum, intestines, rectum	19	12	7	40	25	15	149	120	22	20	48	81
42	Of the female genital organs	42	18	24	159	33	126	248	148	9	22	48	65
43	Of the breast	7	4	3	39	19	20	119	113	9	21	18	44
44	Of the skin	3	3		48	34	14	33	62	4	6	11	16
45	Of other organs or of organs not specified	21	17	4	80	52	28	295	177	21	29	66	135
46	Other tumors (tumors of the female genital organs excepted)				6	3	3	4	5	1	5	2	5
47	Acute articular rheumatism	7	1	6	48	17	31	38	41	5	10	10	41
48	Chronic rheumatism and gout				5	1	4	11	22	1	7	5	6
49	Scurvy				1		1	2					
50	Diabetes	23	17	6	80	48	32	209	204	25	35	61	208
51	Exophthalmic goiter	5		5	2		2	31	14	1	2	10	20
52	Addison's disease							4	4		1	3	5
53	Leukemia	2	1	1	10	7	3	38	26	5	2	10	18
54	Anemia, chlorosis	1	1		22	14	8	71	89	11	35	34	45
55	Other general diseases	6	3	3	57	37	20	22	29	1	6	9	32
56	Alcoholism (acute or chronic)				6	3	3	7	7	5	5	2	4
57	Chronic lead poisoning							3	4				
58	Other chronic occupation poisonings												
59	Other chronic poisonings	2	1	1				3	1		2	2	1
	II.—Diseases of the nervous system and of the organs of special sense	298	135	163	1,098	499	599	1,723	2,153	130	322	311	971
60	Encephalitis	9	3	6	22	12	10	39	19	6	4	15	11
61	Meningitis (total)	18	9	9	69	35	34	90	116	12	20	13	57
	Simple meningitis	11	5	6	41	22	19	53	49	3	7	6	22
	Cerebrospinal meningitis (undefined)	1		1	13	5	8	13	31	2	5	4	10
	Cerebrospinal fever	6	4	2	15	8	7	24	36	7	8	3	25
62	Locomotor ataxia	1	1		6	3	3	30	24		3	5	14
63	Other diseases of the spinal cord (total)	11	7	4	56	33	23	61	113	[illegible]	14	21	57
	Acute anterior poliomyelitis	1	1		16	11	5	15	15		5	1	9
	Other diseases of the spinal cord	10	6	4	40	22	18	46	98	5	9	20	48
64	Cerebral hemorrhage, apoplexy	156	81	75	555	258	297	1,070	1,464	75	171	186	605
65	Softening of the brain	2	2		5	4	1	15	24	1	3	1	7
66	Paralysis without specified cause	18	6	12	219	92	127	84	150	6	19	17	65
67	General paralysis of the insane	19	6	13	4	2	2	170	68	1	42	9	46
68	Other forms of mental alienation	31	4	27	12	5	7	16	22	1	10	2	22
69	Epilepsy	22	10	12	39	16	23	52	70	4	9	7	33
70	Convulsions (nonpuerperal)				6	1	5	2	1	1	2		
71	Convulsions of infants	4	3	1	60	8	52	11	21	3	12	6	13
72	Chorea							3	5				4
73	Neuralgia and neuritis	1	1		3	2	1	5	7		1	3	4
74	Other diseases of the nervous system	3	1	2	23	15	8	40	27	9	9	15	22
75	Diseases of the eyes and their annexa	1		1	2	1	1		1			2	2
76	Diseases of the ears	2	1	1	17	12	5	35	21	6	3	9	9

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		OREGON.		PENNSYLVANIA.		Detailed List No.
						Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts	Cities.	Rural districts.	Cities.	Rural districts.	
2,929	3,835	27,240	14,086	109,781	34,777	5,788	3,210	2,578	26,866	16,979	9,887	42,185	32,156	4,115	5,131	66,435	54,467	
726	980	6,922	3,720	30,674	8,726	1,861	1,009	852	8,027	4,977	3,050	12,202	9,190	1,135	1,411	17,443	14,722	
18	12	69	36	266	113	46	14	32	276	153	123	233	202	11	28	252	251	1
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	5	1	15	7	28	9	19	182	75	107	5	7	1	.....	7	7	4
.....	.....	.....	.....	.....	1	2	2	.....	26	19	7	8	9	2	8	.....	1	5
21	19	236	70	1,078	99	6	3	3	56	48	8	441	309	14	16	599	554	6
7	2	77	33	369	105	8	7	1	31	30	1	279	104	3	11	259	238	7
23	13	294	119	884	179	45	24	21	312	181	131	450	395	23	24	496	699	8
30	13	415	151	1,727	204	38	29	9	261	216	45	410	241	20	25	1,008	725	9
105	198	777	425	3,500	1,219	420	247	173	2,575	1,692	883	1,951	1,857	127	354	2,976	3,138	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	1	2	2	3	6	1	.....	1	7	3	4	2	6	.....	.....	10	7	13
3	2	24	16	57	31	34	17	17	290	205	85	30	56	4	16	36	61	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
12	6	48	20	293	83	8	8	.....	47	40	7	116	67	18	7	124	120	18
5	2	7	3	38	3	2	1	1	4	3	1	11	8	5	9	15	13	19
4	4	24	7	62	27	11	7	4	39	29	10	35	29	6	6	45	47	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	21
.....	.....	.....	1	3	2	1	1	.....	.....	.....	.....	1	.....	.....	.....	4	.....	22
.....	.....	1	.....	3	.....	1	.....	1	2	1	1	1	1	.....	.....	2	3	23
4	2	26	6	59	22	27	7	20	32	14	18	35	25	.....	3	65	59	24
.....	.....	.....	1	7	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	25
.....	1	1	.....	8	4	76	38	38	242	144	98	2	1	.....	.....	2	2	26
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
170	260	2,194	1,441	9,712	2,922	707	353	354	2,297	1,138	1,159	3,459	2,516	322	381	5,165	4,048	
131	221	1,821	1,297	8,062	2,579	611	318	293	2,049	1,000	1,049	2,825	2,128	243	314	4,172	3,481	28
4	5	97	38	358	90	28	10	18	55	27	28	125	53	11	10	248	127	29
20	11	148	44	743	110	21	12	9	57	41	16	209	105	25	23	333	173	30
8	10	60	27	241	82	29	7	22	85	41	44	147	110	24	17	198	151	31
.....	2	28	10	117	17	6	3	3	14	10	4	41	31	7	6	68	23	32
.....	1	11	7	45	14	7	.....	7	10	5	5	19	16	2	3	29	24	33
5	8	26	13	121	22	5	3	2	24	14	10	60	44	9	6	83	52	34
2	2	3	5	25	8	.....	.....	.....	3	.....	3	33	29	1	2	34	17	35
1	.....	16	6	63	13	5	.....	5	12	7	5	20	12	1	.....	25	25	36
8	6	132	66	805	138	61	13	48	104	27	77	470	150	41	22	493	223	37
.....	2	4	3	71	6	11	2	9	5	2	3	58	7	2	2	41	8	38
218	303	1,809	951	8,028	2,526	212	147	65	805	620	185	2,931	2,240	389	345	4,144	3,171	
9	8	53	34	274	102	3	1	2	28	23	5	116	82	18	8	152	106	39
71	112	673	329	2,907	878	64	47	17	272	212	60	1,070	942	142	140	1,521	1,390	40
38	53	267	135	1,260	351	25	18	7	58	49	9	375	278	61	51	598	431	41
34	37	260	137	1,061	330	59	38	21	169	111	58	508	279	48	51	669	439	42
27	31	170	118	745	307	23	13	10	71	51	20	259	193	33	28	394	273	43
5	15	42	29	146	89	1	1	.....	43	42	1	63	101	10	16	101	110	44
34	47	344	169	1,635	469	37	29	8	164	132	32	540	365	77	51	709	422	45
1	4	2	4	27	9	2	2	.....	12	7	5	10	9	.....	2	10	6	46
7	8	95	42	395	88	12	7	5	67	36	31	126	96	13	11	199	170	47
1	5	21	18	66	44	3	2	1	29	29	.....	31	34	5	5	53	57	48
.....	.....	1	3	7	3	.....	.....	.....	4	3	1	2	3	.....	.....	5	4	49
48	56	393	201	1,944	495	47	31	16	151	123	28	570	455	60	78	822	608	50
1	1	29	4	135	57	2	1	1	11	10	1	125	65	13	5	91	77	51
1	3	7	7	31	12	.....	.....	.....	5	5	.....	12	15	2	2	17	11	52
3	8	46	23	224	39	6	5	1	30	24	6	58	47	12	14	93	53	53
19	36	89	35	384	200	15	11	4	39	34	5	196	152	24	20	234	200	54
2	8	44	15	184	41	9	8	1	44	35	9	65	43	6	9	82	69	55
4	4	21	7	100	23	9	7	2	18	12	6	43	26	7	6	49	55	56
.....	.....	6	2	15	2	.....	.....	.....	.....	.....	.....	8	3	.....	1	7	2	57
.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	58
1	1	4	1	47	2	6	6	.....	12	12	.....	6	.....	4	1	10	8	59
351	504	2,395	1,845	8,517	4,814	495	301	194	2,400	1,680	720	4,065	4,119	482	599	5,252	5,916	
5	3	62	18	335	50	7	6	1	26	16	10	83	27	21	12	152	87	60
18	20	167	56	460	84	27	17	10	175	133	42	180	130	21	31	293	245	61
6	11	77	26	219	56	11	6	5	107	77	30	91	63	9	15	173	157	
4	5	29	12	114	16	8	5	3	41	32	9	46	35	4	9	52	51	
8	4	61	18	127	12	8	6	2	27	24	3	43	32	8	7	68	37	
4	8	28	23	172	71	6	3	3	10	8	2	68	69	6	10	100	95	62
24	20	113	50	417	204	17	11	6	72	57	15	133	172	31	23	208	216	63
7	4	14	5	48	15	3	2	1	19	17	2	17	31	1	4	19	31	
17	16	99	45	369	189	14	9	5	53	40	13	116	141	30	19	169	185	
230	392	1,692	1,267	5,519	3,541	323	196	127	1,355	965	390	2,844	2,969	276	412	3,475	3,978	64
1	4	15	17	32	37	4	4	.....	19	18	1	20	74	3	5	20	54	65
7	14	64	72	222	134	37	15	22	394	271	123	78	141	20	51	196	238	66
23	4	34	125	466	324	11	8	3	31	24	7	183	167	38	12	212	312	67
12	6	15	55	92	66	9	4	5	55	31	24	77	48	17	5	49	73	68
10	13	40	71	167	140	13	8	5	93	56	37	66	120	18	16	93	211	69
.....	.....	.....	2	1	3	4	3	1	15	7	8	4	2	.....	.....	1	15	70
5	8	50	28	104	47	8	4	4	64	28	36	118	45	3	2	147	191	71
.....	.....	6	2	9	4	1	1	.....	2	1	1	3	2	1	1	13	7	72
.....	1	4	3	16	15	1	.....	1	9	8	1	20	26	1	2	15	20	73
6	9	61	42	258	69	13	10	3	53	34	19	93	80	17	9	157	99	74
.....	.....	4	2	9	1	1	1	.....	6	4	2	2	3	.....	.....	7	5	75
6	2	40	12	238	24	13	10	3	21	19	2	93	44	9	8	114	70	76

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	RHODE ISLAND.		SOUTH CAROLINA.						TENNESSEE.		
				Cities.			Rural districts.			Cities.		
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes	7,372	1,324	4,219	1,970	2,249	19,548	7,455	12,093	8,519	5,057	3,462
	I.—General diseases	2,024	426	1,246	582	664	6,548	2,323	4,225	2,640	1,548	1,092
1	Typhoid fever	14	3	38	23	15	341	108	233	59	31	28
2	Typhus fever											
3	Relapsing fever											
4	Malaria	2		37	18	19	450	79	371	49	11	38
5	Smallpox						2	1	1	1	1	
6	Measles	65	4	15	11	4	41	24	17	87	83	4
7	Scarlet fever	25	2				11	7	4	8	7	1
8	Whooping cough	77	15	40	16	24	333	133	200	71	48	23
9	Diphtheria and croup	111	18	21	20	1	180	109	71	66	53	13
10	Influenza	303	61	336	157	179	1,986	750	1,236	494	284	210
11	Miliary fever											
12	Asiatic cholera											
13	Cholera nostras			2	1	1	6	5	1	2	1	1
14	Dysentery	5	1	30	12	18	377	152	225	73	53	20
15	Plague											
16	Yellow fever											
17	Leprosy											
18	Erysipelas	15	1	8	6	2	12	10	2	25	19	6
19	Other epidemic diseases	4		4	4		6	4	2	3		3
20	Purulent infection and septicemia	11	1	8	5	3	25	9	16	17	11	6
21	Glanders											
22	Anthrax											
23	Rabies	1					2	2		2	2	
24	Tetanus	4		18	8	10	39	8	31	21	7	14
25	Mycoses											
26	Pellagra	3		102	42	60	204	85	119	62	33	29
27	Beriberi						1		1			
	Tuberculosis (total)	599	199	336	108	228	1,695	432	1,263	902	413	489
28	Tuberculosis of the lungs	455	187	267	88	179	1,552	388	1,164	702	327	375
29	Acute miliary tuberculosis	28	2	26	4	22	49	6	43	61	11	50
30	Tuberculous meningitis	56	5	10	8	2	17	10	7	42	28	14
31	Abdominal tuberculosis	19	3	19	2	17	42	10	32	66	29	37
32	Pott's disease	12		2	1	1	9	4	5	8	4	4
33	White swellings	6	1	2	1	1	4	1	3	4	4	
34	Tuberculosis of other organs	15		5	3	2	8	6	2	12	5	7
35	Disseminated tuberculosis	8	1	5	1	4	14	7	7	7	5	2
36	Rickets	1	1	2	1	1	7	3	4			
37	Syphilis	48	1	55	10	45	160	17	143	113	49	64
38	Gonococcus infection	5		3	1	2	16	2	14	14	6	8
	Cancer and other malignant tumors (total)	520	86	127	91	36	430	247	183	396	312	84
39	Of the buccal cavity	25	3	6	3	3	19	13	6	15	13	2
40	Of the stomach, liver	171	26	28	20	8	148	89	59	95	80	15
41	Of the peritoneum, intestines, rectum	74	13	11	10	1	37	26	11	47	41	6
42	Of the female genital organs	86	15	35	21	14	91	32	59	109	73	36
43	Of the breast	53	11	12	11	1	35	20	15	39	28	11
44	Of the skin	12	2	5	3	2	27	22	5	15	14	1
45	Of other organs or of organs not specified	99	16	30	23	7	73	45	28	76	63	13
46	Other tumors (tumors of the female genital organs excepted)	2	3	1	1		3	1	2	2	2	
47	Acute articular rheumatism	16	8	8	3	5	56	20	36	19	4	15
48	Chronic rheumatism and gout	7	1	2	1	1	4	2	2	8	6	2
49	Scurvy			1	1		3	3				
50	Diabetes	111	12	20	14	6	85	60	25	54	41	13
51	Exophthalmic goiter	3		1	1		3	2	1	16	13	3
52	Addison's disease	2								3	2	1
53	Leukemia	9	2	3	3		5	4	1	12	10	2
54	Anemia, chlorosis	29	5	9	8	1	16	11	5	28	22	6
55	Other general diseases	20	2	15	13	2	40	25	15	15	10	5
56	Alcoholism (acute or chronic)	8		3	2	1	5	5		9	5	4
57	Chronic lead poisoning						3	2	1	1	1	
58	Other chronic occupation poisonings	1										
59	Other chronic poisonings	3		1	1		1	1		8	8	
	II.—Diseases of the nervous system and of the organs of special sense	807	133	410	196	214	1,384	655	729	576	370	206
60	Encephalitis	18	1	8	6	2	21	4	17	15	10	5
61	Meningitis (total)	32	5	17	11	6	48	25	23	45	37	8
	Simple meningitis	14	2	5	4	1	28	15	13	17	14	3
	Cerebrospinal meningitis (undefined)	6		5	3	2	6	4	2	12	9	3
	Cerebrospinal fever	12	3	7	4	3	14	6	8	16	14	2
62	Locomotor ataxia	16	4	4	4		3	2	1	6	4	2
63	Other diseases of the spinal cord (total)	20	6	7	1	6	44	24	20	34	13	21
	Acute anterior poliomyelitis						12	6	6	2	1	1
	Other diseases of the spinal cord	20	6	7	1	6	32	18	14	32	12	20
64	Cerebral hemorrhage, apoplexy	562	101	249	115	134	724	396	328	312	212	100
65	Softening of the brain	3		1		1	6	5	1	10	10	
66	Paralysis without specified cause	20	4	28	12	16	326	125	201	62	25	37
67	General paralysis of the insane	50		25	10	15	9	8	1	15	7	8
68	Other forms of mental alienation	10		12	3	9	8	3	5	7	3	4
69	Epilepsy	25	5	36	20	16	56	17	39	10	7	3
70	Convulsions (nonpuerperal)	1					13	3	10			
71	Convulsions of infants	23	2	7	4	3	94	26	68	19	9	10
72	Chorea	1	1	2	1	1	1	1		3	1	2
73	Neuralgia and neuritis	1					7	6	1	4	3	1
74	Other diseases of the nervous system	12	2	9	7	2	21	9	12	18	15	3
75	Diseases of the eyes and their annexa	1		2	1	1						
76	Diseases of the ears	12	2	3	1	2	3	1	2	16	14	2

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

TENNESSEE—continued.			UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.					Total.	White.	Colored.	Total.	White.	Colored.					
19,877	15,169	4,708	2,312	2,886	831	4,705	9,024	4,966	4,058	21,490	13,387	8,103	7,845	7,319	12,269	17,406	
7,883	5,929	1,934	639	817	243	1,117	2,529	1,383	1,146	6,983	4,184	2,799	2,440	2,346	3,812	5,222	
375	280	95	12	19	10	27	62	35	27	198	122	76	30	46	26	39	1
1	1																2
				1													3
134	93	41					11	6	5	40	10	30		1			4
11	8	3	6	7						12	9	3	9	9	5	5	5
163	151	12	6	10	2	16	26	15	11	68	54	14	34	41	118	116	6
45	40	5	3	4		15	7	4	3	25	23	2	28	31	118	139	7
224	169	55	27	85	2	25	95	28	67	368	237	131	42	60	142	157	8
323	292	31	13	20	2	22	57	47	10	277	234	43	76	50	225	158	9
1,918	1,494	424	181	392	43	254	571	310	261	1,740	1,122	618	524	597	658	1,068	10
																	11
																	12
4	3	1				2	1	1		7	5	2		1	4	1	13
227	195	32	10	4	2	2	39	25	14	192	142	50	3	5	13	32	14
																	15
																	16
													1			1	17
42	40	2	8	11	2	10	11	11		35	27	8	19	31	38	48	18
2	2		3	2		4	2	2		5	4	1	1		3	2	19
25	18	7	3	1		8	11	7	4	23	17	6	19	16	21	20	20
																	21
1		1				1											22
2	1	1															23
30	22	8	1	1	1	5	14	6	8	23	12	11	6	7	10	12	24
1	1						1	1		1	1		1	1	1	4	25
240	169	71				1	39	22	17	95	38	57				1	26
1	1																27
2,958	2,038	920	116	61	89	199	878	405	473	2,441	1,140	1,301	589	757	883	1,384	
2,569	1,764	805	88	45	71	159	727	337	390	2,161	996	1,165	413	665	685	1,201	28
73	36	37	10	2	3	3	38	11	27	68	26	42	24	13	34	38	29
85	67	18	6	4	7	18	41	29	12	57	37	20	68	29	80	53	30
130	94	36	7	7	4	8	41	16	25	86	44	42	39	26	38	43	31
21	18	3	5	1		2	10	6	4	16	10	6	10	5	14	11	32
16	10	6		1			7		7	8	4	4	3	3	6	6	33
56	42	14		1	3	5	10	4	6	40	20	20	26	12	19	20	34
8	7	1			1	4	4	2	2	5	3	2	6	4	7	12	35
3	3				4		24	2	22	8	4	4	4	2	10	7	36
92	34	58	42	6	4	6	105	38	67	133	47	86	76	55	52	50	37
5	1	4	4		2		6		6	10	5	5	15	1	2	3	38
698	593	105	131	119	59	385	405	296	109	894	652	242	705	418	1,000	1,335	
25	24	1		3	2	16	14	10	4	35	30	5	35	16	27	47	39
204	179	25	54	60	19	144	111	92	19	317	237	80	279	191	428	675	40
60	53	7	16	16	11	63	44	35	9	95	73	22	97	47	156	166	41
142	94	48	17	7	7	55	108	62	46	166	102	64	91	56	123	96	42
61	46	15	18	3	7	37	30	18	12	92	58	34	59	26	66	86	43
73	72	1	5	8	1	14	8	6	2	41	39	2	10	15	15	47	44
133	125	8	21	22	12	56	90	73	17	148	113	35	134	67	185	218	45
1	1						2	2		5	4	1	3	1	1	6	46
80	57	23	6	14	2	9	23	10	13	104	56	48	16	30	49	73	47
29	26	3	2	6		10	6	5	1	27	19	8	5	14	11	19	48
3	2	1												1	1	1	49
91	75	16	33	27	7	62	74	59	15	143	111	32	98	92	212	283	50
12	8	4	9	5	1	8	7	6	1	6	5	1	22	8	46	37	51
5	5			2		1				2	1	1	5	2	6	8	52
8	8		2	1	1	6	10	8	2	20	18	2	17	10	24	35	53
45	40	5	8	10	9	32	19	12	7	34	28	6	43	33	99	146	54
40	37	3	8	5		2	16	14	2	29	19	10	18	13	20	19	55
12	10	2	4	1	1	4	5	4	1	13	13		26	9	10	11	56
1	1			2			1	1		2	2		2		3	2	57
																	58
11	10	1	1	1		1	1	1		3	3		3	4	1		59
1,463	1,176	287	176	169	68	603	919	478	441	2,143	1,390	753	696	822	1,023	2,099	
29	28	1	5	2	2	5	14	12	2	24	18	6	68	14	31	25	60
117	101	16	16	16	1	34	37	28	9	140	100	40	39	25	60	77	61
53	45	8	8	7	1	22	20	14	6	63	45	18	12	10	31	38	
31	28	3	3	8		2	8	6	2	45	31	14	13	9	10	17	
33	28	5	5	1		10	9	8	1	32	24	8	14	6	19	22	
14	13	1	4		3	5	12	10	2	22	17	5	10	5	14	18	62
89	70	19	7	8	3	29	26	12	14	93	70	23	35	39	51	111	63
16	12	4	1			3	3	1	2	22	18	4	1	3	5	13	
73	58	15	6	8	3	26	23	11	12	71	52	19	34	36	46	98	
721	588	133	111	107	51	452	630	319	311	1,173	780	393	442	477	692	1,323	64
27	24	3				6	11	6	5	25	21	4	2	4	8	11	65
248	184	64	2	7	2	13	60	25	35	325	202	123	26	48	30	65	66
24	14	10		2		8	15	11	4	44	29	15	8	74	10	133	67
28	21	7	5	2	2	14	3	3		36	18	18	3	70	12	73	68
56	43	13	6	6	1	10	19	11	8	104	50	54	16	27	13	81	69
2	2						1		1	8	2	6	3	2	1	1	70
30	18	12	2	10		5	38	10	28	69	31	38	8	13	46	92	71
4	4		1				1	1		5	4	1		1	1		72
13	13		2		1	2	2		2	9	4	5	2		2	13	73
44	37	7	4	2	2	14	27	13	14	54	35	19	15	19	27	61	74
				2			2	2		2	1	1			2		75
17	16	1	11	5		6	21	15	6	10	8	2	19	4	23	15	76

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in non registration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	164,745	162,384	87,558	74,826	2,361	89,919	5,079	3,197	710	708	2,014	807
77	Pericarditis	835	812	406	406	23	429	23	9	6	8	6	2
78	Acute endocarditis	6,861	6,705	4,555	2,150	156	4,711	178	93	38	42	98	23
79	Organic diseases of the heart	124,143	122,420	65,606	56,814	1,723	67,329	3,934	2,412	502	492	1,486	598
80	Angina pectoris	7,571	7,437	3,658	3,779	134	3,792	247	159	39	28	121	53
81	Diseases of the arteries, atheroma, aneurism, etc	19,977	19,738	10,299	9,439	239	10,538	517	409	75	111	213	100
82	Embolism and thrombosis	3,954	3,898	2,244	1,654	56	2,300	164	86	44	23	71	27
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	497	489	297	192	8	305	6	10	2	2	8	2
84	Diseases of the lymphatic system (lymphangitis, etc.)	555	545	380	165	10	390	10	14	2	1	10	1
85	Hemorrhage; other diseases of the circulatory system	352	340	113	227	12	125	.....	5	2	1	1	1
	IV.—Diseases of the respiratory system	141,837	138,995	82,075	56,920	2,842	84,917	2,542	1,717	1,028	905	1,988	526
86	Diseases of the nasal fossae	415	412	62	350	3	65	3	3	.....	1	2	.....
87	Diseases of the larynx	796	772	358	414	24	382	11	9	8	7	8	3
88	Diseases of the thyroid body	688	676	415	261	12	427	11	7	5	1	5	1
89	Acute bronchitis	6,805	6,672	4,038	2,634	133	4,171	103	62	21	24	90	52
90	Chronic bronchitis	4,804	4,719	2,381	2,338	85	2,466	112	68	25	32	54	33
91	Bronchopneumonia	47,746	46,974	29,172	17,802	772	29,944	880	583	306	271	727	167
92	Pneumonia (total)	72,362	70,771	41,150	29,621	1,591	42,741	1,206	871	596	496	1,021	256
	Lobar pneumonia	64,001	62,754	38,706	24,048	1,247	39,953	1,150	736	578	471	991	251
	Pneumonia (undefined)	8,361	8,017	2,444	5,573	344	2,788	56	135	18	25	30	5
93	Pleurisy	3,356	3,274	2,209	1,065	82	2,291	96	33	11	10	45	6
94	Pulmonary congestion, pulmonary apoplexy	1,317	1,285	657	628	32	689	37	27	8	3	13	3
95	Gangrene of the lung	250	239	136	103	11	147	11	5	2	.....	2	.....
96	Asthma	2,116	2,056	988	1,068	60	1,048	39	34	32	29	13	4
97	Pulmonary emphysema	141	138	69	69	3	72	2	2	2	2	1	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1,041	1,007	440	567	34	474	31	13	12	29	7	1
	V.—Diseases of the digestive system	100,552	97,437	55,967	41,470	3,115	59,082	2,286	1,468	535	631	1,275	308
99	Diseases of the mouth and annexa	778	763	358	405	15	373	14	7	5	2	7	1
100	Diseases of the pharynx	2,909	2,844	1,579	1,265	65	1,644	87	48	22	31	42	2
101	Diseases of the esophagus	141	133	83	50	8	91	4	1	.....	1	4	.....
102	Ulcer of the stomach	3,184	3,104	1,856	1,248	80	1,936	117	57	24	24	40	10
103	Other diseases of the stomach (cancer excepted)	7,232	6,970	2,524	4,446	262	2,786	86	96	40	42	76	30
104	Diarrhea and enteritis (under 2 years)	38,514	37,344	21,780	15,564	1,170	22,950	586	611	127	295	592	138
105	Diarrhea and *enteritis* (2 years and over)	9,091	8,747	4,104	4,643	344	4,448	200	168	30	59	89	42
106	Ankylostomiasis	25	23	6	17	2	8	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	132	130	23	107	2	25	1	3	1	.....	2	.....
108	Appendicitis and typhlitis	11,702	11,321	8,000	3,321	381	8,381	331	123	132	100	122	10
109	Hernia, intestinal obstruction (total)	9,314	9,037	5,714	3,323	277	5,991	293	113	54	56	118	10
	Hernia	3,288	3,215	2,221	994	73	2,294	105	35	14	16	53	6
	Intestinal obstruction	6,026	5,822	3,493	2,329	204	3,697	188	78	40	40	65	13
110	Other diseases of the intestines	1,737	1,680	968	712	57	1,025	70	40	13	8	17	7
111	Acute yellow atrophy of the liver	341	330	169	161	11	180	8	5	2	2	2	1
112	Hydatid tumor of the liver	28	28	19	9	.....	19	2	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	6,241	6,102	3,400	2,702	139	3,539	230	101	23	16	61	33
114	Biliary calculi	3,109	3,023	1,985	1,038	86	2,071	84	35	22	21	45	7
115	Other diseases of the liver	3,774	3,656	2,147	1,509	118	2,265	116	40	26	14	36	2
116	Diseases of the spleen	126	119	64	55	7	71	6	3	2	1	2	.....
117	Simple peritonitis (nonpuerperal)	1,629	1,554	804	750	75	879	35	12	11	6	12	4
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	545	529	384	145	16	400	16	5	1	3	8	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	91,211	88,996	49,899	39,097	2,215	52,114	2,523	1,333	451	425	1,030	352
119	Acute nephritis	5,704	5,450	2,997	2,453	254	3,251	110	65	28	28	50	11
120	Bright's disease	72,488	70,960	38,827	32,133	1,528	40,355	1,983	1,123	340	329	857	311
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2,117	2,057	1,246	811	60	1,306	76	27	13	7	23	4
123	Calculi of the urinary passages	523	490	331	159	33	364	21	8	5	4	6	.....
124	Diseases of the bladder	1,293	1,269	510	759	24	534	30	22	5	1	9	7
125	Diseases of the urethra, urinary abscess, etc	348	312	229	83	36	265	9	1	.....	.....	10	.....
126	Diseases of the prostate	3,669	3,583	2,065	1,518	86	2,151	105	53	22	27	39	17
127	Nonvenereal diseases of the male genital organs	85	82	57	25	3	60	1	1	.....	1	.....	.....
128	Uterine hemorrhage (nonpuerperal)	53	47	29	18	6	35	2	.....	.....	1	1	.....
129	Uterine tumor (noncancerous)	1,747	1,693	1,303	390	54	1,357	76	10	8	12	13	.....
130	Other diseases of the uterus	819	782	547	235	37	584	24	7	4	4	6	.....
131	Cysts and other tumors of the ovary	678	659	466	193	19	485	19	2	7	3	13	2
132	Salpingitis and other diseases of the female genital organs	1,644	1,569	1,265	304	75	1,340	66	13	19	8	8	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	43	43	27	16	.....	27	1	1	.....	.....	1	.....
	VII.—The puerperal state	16,776	16,320	8,573	7,747	456	9,029	334	183	82	130	209	23
134	Accidents of pregnancy	2,336	2,288	1,149	1,139	48	1,197	39	32	6	25	38	4
135	Puerperal hemorrhage	1,414	1,386	741	645	28	769	31	18	5	11	22	5
136	Other accidents of labor	2,308	2,261	1,029	1,232	47	1,076	37	20	11	23	29	2
137	Puerperal septicemia	5,800	5,616	3,240	2,376	184	3,424	116	61	38	41	71	5
138	Puerperal albuminuria and convulsions	4,246	4,109	2,057	2,052	137	2,194	100	45	19	22	36	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death	588	576	317	259	12	329	10	5	3	8	12	.....
140	Following childbirth (not otherwise defined)	76	76	36	40	.....	36	1	2	.....	.....	1	.....
141	Puerperal diseases of the breast	8	8	4	4	.....	4	.....	.....	.....	.....	.....	.....

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

DELAWARE.						DISTRICT OF COLUMBIA.			FLORIDA.						ILLINOIS.		INDIANA.		Detailed List No.
Cities.			Rural districts.						Cities.			Rural districts.							
Total.	White.	Colored.	Total.	White.	Colored	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored	Cities.	Rural districts.	Cities.	Rural districts.	
170	158	21	273	216	57	1,115	809	306	378	262	116	897	623	274	7,488	4,774	2,232	3,761	
1	1					8	3	5	4	2	2	10	6	4	37	20	17	14	77
6	5	1	5	3	2	101	57	44	23	12	11	31	21	10	373	130	119	95	78
145	126	19	223	174	49	783	574	209	264	178	86	690	473	217	5,851	3,654	1,614	2,736	79
3	3		8	6	2	32	30	2	36	31	5	67	52	15	288	236	85	228	80
16	15	1	26	23	3	141	105	36	44	34	10	80	56	24	683	540	334	595	81
5	5		8	7	1	38	31	7	4	3	1	11	9	2	175	160	44	67	82
1	1		1	1		3	3					3	3		36	16	12	10	83
2	2		1	1		5	4	1							41	5	5	7	84
			1	1		4	2	2	3	2	1	5	3	2	4	13	2	9	85
201	203	58	191	128	63	954	501	453	342	177	165	652	414	238	7,128	3,283	2,258	2,332	
						2	1	1	3	1	2	9	3	6	4	1		2	86
1		1				3	3		4	1	3	7	6	1	30	29	7	16	87
						2	2		3	3					40	19	15	25	88
9	5	4	8	4	4	41	15	26	13	6	7	24	14	10	407	151	67	79	89
9	5	4	10	9	1	25	21	4	11	9	2	27	23	4	224	175	71	122	90
83	61	22	64	40	24	374	198	176	84	49	35	112	86	26	2,362	1,063	789	746	91
154	129	25	99	68	31	444	227	217	190	89	101	398	240	158	3,646	1,659	1,188	1,212	92
130	110	20	64	46	18	414	212	202	133	56	77	186	111	75	3,505	1,591	1,114	1,053	
24	19	5	35	22	13	30	15	15	57	33	24	212	129	83	141	68	74	159	
1		1	2	1	1	36	19	17	11	6	5	12	7	5	247	45	46	41	93
3	2	1	1	1		8	6	2	3	3		8	7	1	30	41	21	23	94
						1		1				4	4		16	4	3	7	95
1	1		3	3		10	5	5	10	8	2	27	11	16	92	79	34	38	96
			2	1	1				3		3	2	1	1	4	1	1	3	97
			2	1	1	8	4	4	7	2	5	22	12	10	26	16	16	18	98
166	144	22	132	96	36	497	292	205	465	231	234	823	533	290	5,748	2,361	1,801	1,720	
1	1					4	3	1	4	1	3	13	6	7	25	25	9	18	99
5	5		2	2		18	10	8	7	4	3	20	9	11	170	96	56	64	100
						3	2	1				1		1	1	4	5	4	101
4	4		1	1		12	5	7	17	5	12	25	10	15	185	81	45	67	102
18	12	6	12	10	2	43	21	22	57	10	47	128	67	61	83	180	118	180	103
87	78	9	69	45	24	144	75	69	145	66	79	260	188	72	2,728	804	634	530	104
10	9	1	20	16	4	60	33	27	55	34	21	125	93	32	357	258	129	171	105
												7	5	2					106
			1	1					1	1		8	3	5	1			2	107
17	13	4	4	3	1	66	47	19	42	28	14	61	39	22	814	202	237	137	108
12	11	1	6	4	2	64	31	33	42	28	14	58	35	23	482	195	195	136	109
8	7	1	3	1	2	23	12	11	18	13	5	12	7	5	200	64	67	37	
4	4		3	3		41	19	22	24	15	9	46	28	18	282	131	128	99	
3	2	1	1	1		5	3	2	7	4	3	10	6	4	83	40	26	46	110
			1	1		1	1		1		1	4	3	1	7	6	5	5	111
															2	1		1	112
5	5		7	6	1	21	20	1	31	13	18	39	29	10	337	228	117	170	113
			2	2		17	15	2	9	9		13	11	2	209	92	73	60	114
3	3		3	2	1	21	16	5	36	21	15	38	21	17	186	97	96	84	115
						2	2		1	1					5	2	2	4	116
			2	1	1	8	2	6	9	5	4	12	7	5	36	44	41	37	117
1	1		1	1		8	6	2	1	1		1	1		37	6	13	4	118
144	124	20	109	131	38	581	361	220	371	222	149	757	503	254	4,474	2,477	1,494	2,065	
13	8	5	13	9	4	68	30	38	28	11	17	59	29	30	181	98	113	104	119
107	95	12	149	116	33	418	273	145	276	171	105	579	406	173	3,558	2,088	1,125	1,764	120
																			121
3	3		3	3		24	16	8	6	5	1	28	19	9	92	41	40	37	122
3	2	1				4	3	1	2	1	1	4	4		33	14	7	4	123
3	3		1	1					8	5	3	16	7	9	38	50	19	32	124
2	2					1	1		2		2	11	4	7	18	4	3	1	125
4	4		3	2	1	16	12	4	21	18	3	26	23	3	184	130	55	73	126
						2		2	1		1				3	2	1	2	127
									2	2						1	1		128
3	3					18	9	9	5	1	4	13	4	9	137	21	33	20	129
3	3					10	7	3	6	2	4	7	1	6	44	10	24	5	130
2		2				3	2	1	1	1		4	3	1	44	11	17	8	131
1	1					17	8	9	13	5	8	10	3	7	139	6	56	15	132
															3	1			133
25	21	4	21	13	8	78	42	36	65	29	36	183	109	74	702	439	282	285	
3	2	1	5	4	1	7	4	3	8	2	6	25	19	6	107	95	33	42	134
2	2					8	5	3	5	2	3	18	12	6	52	23	24	20	135
3	3		4	2	2	9	5	4	8	4	4	37	23	14	98	69	35	26	136
13	12	1	5	2	3	25	12	13	17	7	10	51	23	28	288	137	131	129	137
4	2	2	7	5	2	29	16	13	25	13	12	49	29	20	135	95	52	60	138
									1	1		2	2		21	18	7	7	139
									1		1	1	1		1	2		1	140
																			141

[1] A list of these cities will be found on p. 10.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	KANSAS.		KENTUCKY.						LOUISIANA.		
				Cities.			Rural districts.			Cities.		
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	III.—Diseases of the circulatory system	793	2,000	1,002	760	242	1,868	1,571	297	1,304	787	517
77	Pericarditis	11	13	2	1	1	22	19	3	3	1	2
78	Acute endocarditis	41	67	77	44	33	59	48	11	94	45	49
79	Organic diseases of the heart	570	1,451	683	501	182	1,439	1,191	248	957	571	386
80	Angina pectoris	36	95	37	35	2	98	85	13	40	34	6
81	Diseases of the arteries, atheroma, aneurism, etc.	93	288	159	142	17	200	183	17	180	112	68
82	Embolism and thrombosis	30	60	36	32	4	26	22	4	17	15	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	4	2	2		8	7	1	5	3	2
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	4	5	2	3	2	2		5	4	1
85	Hemorrhage; other diseases of the circulatory system	8	18	1	1		14	14		3	2	1
	IV.—Diseases of the respiratory system	699	1,397	363	587	276	2,603	2,241	362	1,015	517	493
86	Diseases of the nasal fossae		2				5	4	1			
87	Diseases of the larynx	4	20	1	1		18	16	2	6	6	
88	Diseases of the thyroid body	3	9	6	6		5	5		4	2	2
89	Acute bronchitis	23	42	43	25	18	77	65	12	25	12	13
90	Chronic bronchitis	29	80	63	39	24	95	84	11	35	18	17
91	Bronchopneumonia	244	453	269	203	66	767	658	109	372	216	156
92	Pneumonia (total)	348	683	429	275	154	1,483	1,278	205	510	226	284
	Lobar pneumonia	289	520	383	245	138	1,101	944	157	432	180	252
	Pneumonia (undefined)	59	163	46	30	16	382	334	48	78	46	32
93	Pleurisy	12	23	16	13	3	30	26	4	32	17	15
94	Pulmonary congestion, pulmonary apoplexy	13	21	15	12	3	27	23	4	12	11	1
95	Gangrene of the lung						7	6	1	1	1	
96	Asthma	15	37	15	10	5	56	47	9	10	5	5
97	Pulmonary emphysema		6	1	1		5	5		2	1	1
98	Other diseases of the respiratory system (tuberculosis excepted)	8	21	5	2	3	28	24	4	6	2	4
	V.—Diseases of the digestive system	637	1,325	573	455	118	1,739	1,564	175	911	542	369
99	Diseases of the mouth and annexa	4	9	6	5	1	7	7		2	2	
100	Diseases of the pharynx	13	46	15	11	4	44	37	7	6	5	1
101	Diseases of the esophagus	1	3	2	1	1	1	1		3	2	1
102	Ulcer of the stomach	27	42	28	21	7	45	38	7	38	22	16
103	Other diseases of the stomach (cancer excepted)	60	148	46	27	19	216	186	30	53	26	27
104	Diarrhea and enteritis (under 2 years)	177	366	161	126	35	712	656	56	226	138	88
105	Diarrhea and enteritis (2 years and over)	47	160	56	46	10	233	213	20	122	59	63
106	Ankylostomiasis						1	1				
107	Intestinal parasites						3	3				
108	Appendicitis and typhlitis	111	165	80	67	13	119	105	14	162	107	55
109	Hernia, intestinal obstruction (total)	70	133	61	53	8	119	107	12	108	62	46
	Hernia	22	40	13	10	3	27	25	2	40	23	17
	Intestinal obstruction	48	93	48	43	5	92	82	10	68	39	29
110	Other diseases of the intestines	18	32	10	9	1	19	16	3	17	9	8
111	Acute yellow atrophy of the liver	1	5	1	1		8	8		2	1	1
112	Hydatid tumor of the liver											
113	Cirrhosis of the liver	30	82	32	24	8	68	57	11	80	53	27
114	Biliary calculi	18	39	22	21	1	33	30	3	12	12	
115	Other diseases of the liver	32	66	26	21	5	54	51	3	57	34	23
116	Diseases of the spleen	2		1		1	5	5		1		1
117	Simple peritonitis (nonpuerperal)	21	21	20	17	3	46	38	8	15	6	9
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	8	6	5	1	6	5	1	7	4	3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	557	1,173	687	527	160	1,489	1,235	254	1,023	573	450
119	Acute nephritis	39	67	58	38	20	103	85	18	113	56	57
120	Bright's disease	392	960	532	425	107	1,220	1,012	208	711	435	276
121	Chyluria											
122	Other diseases of the kidneys and annexa	15	19	12	9	3	20	18	2	30	17	13
123	Calculi of the urinary passages	4	6	2	2		4	4		2	2	
124	Diseases of the bladder	12	22	12	9	3	40	36	4	9	4	5
125	Diseases of the urethra, urinary abscess, etc.			2	1	1	2	2		17	1	16
126	Diseases of the prostate	37	62	18	15	3	54	48	6	36	18	18
127	Nonvenereal diseases of the male genital organs		1				1	1		1	1	
128	Uterine hemorrhage (nonpuerperal)		2	1	1		1	1				
129	Uterine tumor (noncancerous)	17	10	22	9	13	16	9	7	28	10	18
130	Other diseases of the uterus	13	6	8	5	3	9	6	3	16	7	9
131	Cysts and other tumors of the ovary	5	8	3	2	1	10	6	4	5	3	2
132	Salpingitis and other diseases of the female genital organs	23	9	17	11	6	9	7	2	55	19	36
133	Nonpuerperal diseases of the breast (cancer excepted)		1									
	VII.—The puerperal state	98	236	85	70	15	320	281	39	182	101	81
134	Accidents of pregnancy	12	42	10	10		46	42	4	23	15	8
135	Puerperal hemorrhage	6	11	2	2		18	18		7	4	3
136	Other accidents of labor	8	29	9	7	2	37	33	4	14	10	4
137	Puerperal septicemia	50	87	41	32	9	134	114	20	68	29	39
138	Puerperal albuminuria and convulsions	21	58	21	17	4	77	68	9	61	36	25
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	8	2	2		7	5	2	8	6	2
140	Following childbirth (not otherwise defined)		1							1	1	
141	Puerperal diseases of the breast						1	1				

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

LOUISIANA—continued.			MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		Detailed List No.
Rural districts.					Cities.			Rural districts.									
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,102	537	625	567	1,483	1,806	1,439	367	1,238	965	273	8,287	2,326	3,539	4,240	1,419	2,129	
13	3	10	1	9	10	9	1	5	5	.....	35	5	22	18	5	10	77
37	17	20	33	18	58	45	13	30	22	8	266	35	168	101	59	43	78
984	446	538	388	1,042	1,423	1,111	312	984	759	225	5,937	1,632	2,620	3,286	1,032	1,700	79
40	25	15	35	116	74	71	3	66	57	9	321	127	114	233	57	79	80
66	36	30	80	253	156	137	19	120	96	24	1,406	467	494	498	206	244	81
5	4	1	24	35	68	54	14	26	20	6	226	52	76	65	43	35	82
2	1	1	6	2	6	4	2	2	1	1	31	4	13	11	10	8	83
6	1	5	.....	2	8	6	2	3	3	.....	58	4	24	18	6	8	84
9	4	5	.....	6	3	2	1	2	2	.....	7	.....	8	10	1	2	85
1,243	655	588	500	867	1,658	1,236	422	992	663	329	5,936	1,192	4,504	2,410	1,028	1,348	
15	3	12	2	1	.....	.....	.....	2	1	1	6	1	5	9	.....	7	86
5	3	2	2	3	5	5	.....	7	5	2	27	5	33	15	10	14	87
1	.....	1	.....	2	7	7	.....	4	3	1	22	2	33	12	35	6	88
64	25	39	19	51	107	67	40	87	44	43	342	73	243	223	29	69	89
18	14	4	16	41	35	30	5	47	31	16	221	65	140	136	33	81	90
343	200	143	207	289	697	514	183	360	246	114	2,660	509	1,443	629	294	381	91
728	383	345	230	442	756	567	189	421	287	134	2,402	480	2,374	1,208	559	664	92
488	265	223	196	349	738	553	185	379	267	112	2,356	464	2,197	1,042	541	580	
240	118	122	34	93	18	14	4	42	20	22	46	16	177	166	18	84	
23	8	15	10	8	27	24	3	23	17	6	133	25	129	63	40	45	93
9	6	3	5	17	13	12	1	6	3	3	33	14	21	29	10	23	94
3	.....	3	2	1	2	1	1	2	2	.....	10	5	3	6	.....	5	95
17	9	8	5	10	8	8	.....	19	13	6	51	8	57	61	15	41	96
1	.....	1	.....	1	.....	.....	.....	2	2	.....	4	1	7	3	.....	2	97
16	4	12	2	1	1	1	.....	12	9	3	25	4	16	16	3	10	98
1,192	614	578	371	677	1,298	1,035	263	833	570	263	3,639	548	2,928	1,980	1,025	1,134	
18	9	9	3	9	9	7	2	5	3	2	22	4	24	17	11	14	99
32	15	17	5	7	21	19	2	20	17	3	105	19	121	102	53	44	100
.....	.....	.....	.....	3	.....	.....	.....	1	1	.....	5	1	3	4	3	4	101
30	18	12	15	17	22	15	7	12	7	5	138	23	84	77	45	49	102
177	82	95	28	86	44	25	19	70	46	24	131	48	184	213	21	46	103
466	249	217	116	289	712	575	137	472	313	159	1,608	233	1,188	571	161	343	104
118	62	56	31	62	105	76	29	88	70	18	246	60	191	196	114	123	105
2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	106
26	6	20	.....	2	.....	.....	.....	3	3	.....	.....	.....	2	.....	.....	.....	107
72	42	30	73	63	112	86	26	35	23	12	424	32	413	181	246	179	108
74	34	40	48	55	112	87	25	51	31	20	358	36	259	196	121	108	109
19	7	12	17	21	44	35	9	18	10	8	165	13	91	66	63	34	
55	27	28	31	34	68	52	16	33	21	12	193	23	168	130	58	74	
16	4	12	9	14	7	6	1	8	5	3	68	7	50	42	30	37	110
2	.....	2	.....	4	2	2	.....	1	1	.....	11	3	13	11	6	7	111
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	112
80	48	32	12	22	60	53	7	31	23	8	169	41	142	167	47	69	113
7	2	5	8	16	35	34	1	9	9	.....	154	10	62	49	89	59	114
45	31	14	18	20	36	32	4	14	10	4	129	26	110	101	43	34	115
4	3	1	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	1	4	2	116
20	6	14	5	4	11	9	2	12	8	4	42	4	70	42	15	14	117
3	1	2	.....	4	9	8	1	1	.....	1	27	1	9	10	9	2	118
857	381	476	326	681	1,342	1,070	272	907	668	239	2,854	661	1,560	1,672	917	1,086	
104	44	60	20	46	73	45	28	67	31	36	131	23	124	93	28	41	119
642	298	344	244	549	1,107	892	215	791	604	187	2,199	576	1,032	1,330	622	894	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
12	9	3	10	15	40	33	7	8	7	1	97	6	62	34	32	22	122
5	3	2	2	1	12	9	3	.....	.....	.....	15	6	12	4	19	11	123
20	2	18	1	17	6	6	.....	15	11	4	30	15	31	57	8	18	124
7	1	6	1	2	1	1	.....	.....	.....	.....	9	2	11	6	5	4	125
32	16	16	25	30	50	45	5	14	8	6	167	22	101	78	104	65	126
1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	7	.....	2	3	1	.....	127
1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	2	.....	128
12	1	11	12	8	30	20	10	4	3	1	74	7	60	27	39	9	129
12	3	9	4	2	7	6	1	2	1	1	29	2	31	18	14	4	130
4	1	3	1	5	6	5	1	2	1	1	30	1	27	10	11	9	131
5	3	2	5	4	10	8	2	4	2	2	60	.....	65	12	32	7	132
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	2	133
201	119	142	52	95	160	125	35	114	69	45	611	73	506	358	177	262	
25	9	16	7	15	18	16	2	19	16	3	86	10	80	67	30	52	134
25	15	10	3	7	17	15	2	13	6	7	64	10	47	21	18	20	135
47	21	26	9	17	9	6	3	11	7	4	92	14	78	55	17	39	136
67	32	35	8	19	59	41	18	28	12	16	200	19	187	127	70	91	137
87	36	51	21	35	52	43	9	39	25	14	127	17	94	69	36	50	138
8	6	2	3	2	4	3	1	3	2	1	37	2	19	19	6	9	139
2	.....	2	1	.....	1	1	.....	1	1	.....	4	1	1	.....	.....	1	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	141

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed List No.	CAUSE OF DEATH.	MISSISSIPPI.						MISSOURI.		MONTANA.		NEBRASKA.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	III.—Diseases of the circulatory system	354	126	228	1,502	626	876	3,180	2,669	198	388	539	1,195
77	Pericarditis				10	8	2	39	18	2	1	4	10
78	Acute endocarditis	14	6	8	44	8	36	205	77	25	28	30	54
79	Organic diseases of the heart	281	86	195	1,246	480	766	2,116	1,941	139	289	365	842
80	Angina pectoris	14	11	3	69	52	17	94	155	7	23	23	66
81	Diseases of the arteries, atheroma, aneurism, etc.	30	18	12	90	53	37	658	421	20	26	68	157
82	Embolism and thrombosis	12	4	8	19	14	5	50	38	3	10	34	55
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1		1	2		2	3	6			4	5
84	Diseases of the lymphatic system (lymphangitis, etc.)	1		1	4	2	2	11	5	1	1	4	
85	Hemorrhage; other diseases of the circulatory system	1	1		18	9	9	4	8	1	5	2	6
	IV.—Diseases of the respiratory system	289	114	175	1,834	712	1,122	3,417	2,989	222	433	490	852
86	Diseases of the nasal fossae				9	4	5		3		1		4
87	Diseases of the larynx				9	7	2	8	23	4	5	1	8
88	Diseases of the thyroid body				14	6	8	19	6	2	1	7	6
89	Acute bronchitis	5		5	61	24	37	147	116	5	8	6	30
90	Chronic bronchitis	7	3	4	50	31	19	112	122	3	8	13	43
91	Bronchopneumonia	72	35	37	449	195	254	1,277	960	59	140	141	241
92	Pneumonia (total)	177	62	115	1,143	407	736	1,721	1,638	137	240	287	446
	Lobar pneumonia	122	37	85	579	227	352	1,701	1,578	133	182	269	289
	Pneumonia (undefined)	55	25	30	564	180	384	20	60	4	58	18	157
93	Pleurisy	9	3	6	33	15	18	48	19	5	11	14	26
94	Pulmonary congestion, pulmonary apoplexy	6	5	1	11	7	4	18	23	1	2	8	10
95	Gangrene of the lung	1	1		8	3	5	5	4	2	1	2	4
96	Asthma	5	3	2	22	6	16	44	58	1	8	7	25
97	Pulmonary emphysema				1		1	4	1		1		
98	Other diseases of the respiratory system (tuberculosis excepted)	7	2	5	24	7	17	14	16	3	7	4	9
	V.—Disease of the digestive system	342	173	169	1,503	692	811	1,797	1,614	202	322	432	816
99	Diseases of the mouth and annexa	4	1	3	17	7	10	10	8		1	2	7
100	Diseases of the pharynx	5	3	2	59	24	35	42	31	2	10	21	31
101	Diseases of the esophagus				1		1	3	1				1
102	Ulcer of the stomach	9	6	3	28	14	14	67	46	11	12	17	25
103	Other diseases of the stomach (cancer excepted)	25	7	18	185	83	102	66	170	6	18	19	61
104	Diarrhea and enteritis (under 2 years)	74	38	36	504	235	269	530	542	36	87	77	193
105	Diarrhea and enteritis (2 years and over)	33	22	11	205	96	109	147	195	14	28	36	92
106	Ankylostomiasis				5	5							
107	Intestinal parasites				9		9		2			1	1
108	Appendicitis and typhlitis	92	46	46	136	67	69	327	149	63	61	104	145
109	Hernia, intestinal obstruction (total)	38	14	24	136	68	68	217	142	27	40	53	93
	Hernia	5	2	3	28	11	17	70	33	12	14	15	23
	Intestinal obstruction	33	12	21	108	57	51	147	109	15	26	38	65
110	Other diseases of the intestines	5	2	3	21	10	11	44	28	6	12	7	24
111	Acute yellow atrophy of the liver	3	2	1	5	3	2	6	7	1	2	2	4
112	Hydatid tumor of the liver												
113	Cirrhosis of the liver	16	10	6	73	25	48	151	123	11	26	22	37
114	Biliary calculi	10	7	3	21	11	10	54	49	9	8	30	32
115	Other diseases of the liver	19	13	6	67	32	35	80	68	11	7	35	45
116	Diseases of the spleen				1	1			1				
117	Simple peritonitis (nonpuerperal)	8	2	6	28	9	19	41	47	4	8	3	21
118	Other diseases of the digestive system (cancer and tuberculosis excepted	1		1	2	2		12	5	1	2	3	5
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	402	171	231	1,360	511	849	2,047	1,749	125	209	314	544
119	Acute nephritis	42	22	20	129	46	83	145	130	5	15	18	31
120	Bright's disease	272	125	147	1,048	404	644	1,606	1,474	93	160	204	423
121	Chyluria												
122	Other diseases of the kidneys and annexa	5	5		50	27	23	58	19	7	3	19	15
123	Calculi of the urinary passages				2		2	9	1		2	2	3
124	Diseases of the bladder	7	4	3	28	8	20	24	41	1	3	6	10
125	Diseases of the urethra, urinary abscess, etc	6		6	8	2	6	12	3		1		
126	Diseases of the prostate	24	6	18	32	16	16	63	56	7	9	24	39
127	Nonvenereal diseases of the male genital organs	1	1					1			1		
128	Uterine hemorrhage (nonpuerperal)				1		1					1	
129	Uterine tumor (noncancerous)	15	1	14	22	3	19	48	4	2	3	10	9
130	Other diseases of the uterus	6	1	5	13	3	10	12	8	2	6	7	8
131	Cysts and other tumors of the ovary	7	3	4	5	1	4	21	4	2	1	4	2
132	Salpingitis and other diseases of the female genital organs	17	3	14	22	1	21	48	9	6	5	19	11
133	Nonpuerperal diseases of the breast (cancer excepted)												
	VII.—The puerperal state	72	39	33	407	134	273	228	251	28	76	60	152
134	Accidents of pregnancy	10	5	5	31	18	13	28	20	4	12	13	26
135	Puerperal hemorrhage	5	2	3	31	14	17	10	22	2	7	3	14
136	Other accidents of labor	4	3	1	61	19	42	15	25	1	13	7	27
137	Puerperal septicemia	29	16	13	136	24	112	122	121	12	30	26	50
138	Puerperal albuminuria and convulsions	24	13	11	143	57	86	44	53	4	11	15	29
139	Puerperal phlegmasia alba dolens, embolus, sudden death				4	2	2	8	9	5	3	4	4
140	Following childbirth (not otherwise defined)				1		1	1	1			1	2
141	Puerperal diseases of the breast												

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		OREGON.		PENNSYLVANIA.		Detailed List No.
						Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts	Cities.	Rural districts.	Cities.	Rural districts.	
530	852	4,009	2,471	18,227	7,736	542	284	258	2,291	1,541	750	5,637	5,608	762	837	9,024	7,463	
4	4	12	12	44	32	5	1	4	17	10	7	30	22	6	4	43	48	77
24	9	274	105	893	144	45	17	28	67	35	32	258	104	41	24	597	309	78
348	560	3,147	1,934	14,314	5,647	410	200	210	1,993	1,348	645	4,125	4,210	499	640	6,805	5,601	79
65	63	143	83	768	390	31	30	1	66	52	14	244	327	56	61	328	359	80
70	183	299	267	1,688	1,299	29	19	10	104	65	39	786	797	120	88	954	902	81
14	31	103	66	387	192	16	13	3	24	16	8	134	110	34	15	232	180	82
4	1	10	3	46	13	2	2	.....	5	3	2	21	11	5	1	27	30	83
1	1	15	.....	77	15	3	1	2	3	1	2	20	8	1	2	30	22	84
1	.....	6	1	10	4	1	1	.....	12	11	1	19	19	.....	2	8	12	85
317	410	4,209	1,619	16,257	3,452	597	266	331	2,533	1,591	942	5,612	3,494	458	537	11,110	7,461	
.....	.....	1	2	11	4	3	.....	3	47	18	29	4	5	.....	.....	4	6	86
2	3	12	22	48	17	6	4	2	21	15	6	36	14	3	1	51	69	87
.....	.....	7	4	51	18	5	4	1	13	7	6	22	17	17	5	42	33	88
22	25	287	78	979	221	33	6	27	110	69	41	242	134	10	5	459	388	89
15	44	119	73	369	203	13	6	7	73	54	19	146	149	8	19	263	183	90
88	125	1,461	507	5,878	1,131	181	88	93	737	475	262	2,122	1,249	131	165	4,036	2,810	91
168	199	2,109	839	8,113	1,617	315	137	178	1,393	871	522	2,782	1,741	253	302	5,580	3,520	92
151	153	1,970	745	7,666	1,431	281	118	163	1,046	672	374	2,711	1,649	242	269	5,196	3,016	
17	46	139	94	447	186	34	19	15	347	199	148	71	92	11	33	384	504	
8	3	115	36	494	110	11	9	2	46	33	13	117	46	13	12	296	150	93
8	4	36	26	93	54	6	4	2	16	8	8	32	48	10	11	130	71	94
.....	.....	8	.....	32	6	.....	.....	.....	4	2	2	10	4	1	.....	15	9	95
5	5	32	20	111	47	17	5	12	39	24	15	75	58	7	12	163	131	96
.....	.....	3	3	12	3	.....	.....	.....	.....	.....	.....	5	7	2	1	8	7	97
1	2	19	9	66	21	7	3	4	34	15	19	19	22	3	4	63	84	98
294	234	2,660	1,001	9,536	2,191	608	346	262	2,356	1,601	755	3,857	2,164	300	340	6,737	4,930	
2	2	15	7	55	26	7	4	3	27	12	15	31	17	8	2	33	29	99
10	6	61	25	238	69	4	3	1	54	28	26	142	79	14	13	137	121	100
.....	1	3	1	18	5	2	1	1	5	4	1	4	4	.....	.....	10	.....	101
3	16	84	27	344	102	11	6	5	50	33	17	108	101	12	13	167	110	102
23	26	77	88	246	219	51	15	36	250	159	91	231	294	12	26	378	479	103
126	69	1,248	442	4,133	652	228	112	116	1,170	805	365	1,291	558	29	55	3,120	2,406	104
22	19	200	100	606	263	44	26	18	308	219	89	231	208	30	39	460	442	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	2	.....	106
1	.....	2	1	4	2	.....	.....	.....	12	3	9	3	3	.....	.....	.....	2	107
33	18	309	45	1,276	154	95	68	27	127	98	29	574	181	72	50	742	213	108
33	32	238	83	969	209	67	45	22	109	71	38	442	208	42	44	625	354	109
17	7	118	37	475	69	17	12	5	36	22	14	153	71	15	13	210	105	
16	25	120	46	494	140	50	33	17	73	49	24	289	137	27	31	415	249	
7	7	51	16	140	41	8	3	5	17	13	4	55	38	6	18	96	71	110
1	.....	5	4	27	14	2	1	1	6	5	1	15	8	.....	2	24	14	111
.....	.....	.....	.....	6	1	1	.....	1	.....	.....	.....	1	1	.....	1	2	1	112
13	20	162	86	661	211	20	12	8	76	47	29	300	226	21	29	369	336	113
3	5	90	24	302	62	22	20	2	35	26	9	175	85	20	11	211	106	114
9	7	66	33	332	100	30	24	6	61	50	11	158	75	26	23	200	152	115
.....	1	1	1	12	4	.....	.....	.....	3	3	.....	6	5	1	1	9	9	116
7	2	28	13	92	43	12	3	9	41	23	18	72	65	3	10	97	69	117
1	3	20	5	75	14	4	3	1	4	1	3	18	8	4	3	55	16	118
217	300	2,400	1,337	10,141	2,961	485	275	210	1,732	1,126	606	2,948	2,336	302	346	5,847	3,988	
11	16	189	77	417	124	56	30	26	160	85	75	187	156	11	11	405	313	119
108	252	1,923	1,170	8,467	2,530	344	207	137	1,366	918	448	2,210	1,877	219	275	4,656	3,295	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
5	5	52	14	197	51	16	14	2	58	38	20	72	38	7	11	108	62	122
1	.....	18	1	64	4	1	1	.....	15	11	4	33	12	1	1	26	13	123
6	7	24	17	64	57	4	1	3	21	11	10	29	57	8	3	70	58	124
1	.....	13	4	39	5	5	1	4	4	2	2	12	3	.....	1	18	5	125
9	13	68	21	318	117	20	8	12	64	41	23	124	117	26	25	195	127	126
.....	.....	4	.....	16	3	1	.....	1	1	.....	1	4	.....	1	2	4	1	127
.....	.....	2	.....	5	1	.....	.....	.....	2	2	.....	3	.....	1	.....	1	2	128
8	3	33	13	217	29	16	3	13	13	3	10	102	28	9	3	126	34	129
4	.....	15	4	69	13	9	3	6	5	1	4	52	15	6	3	60	26	130
2	2	14	3	86	14	1	1	.....	8	5	3	35	15	3	4	50	23	131
2	2	41	12	177	11	12	6	6	14	8	6	84	18	10	7	123	27	132
.....	.....	4	1	5	2	.....	.....	.....	1	1	.....	1	.....	.....	.....	5	2	133
39	32	404	108	1,310	306	149	83	66	665	409	256	660	324	51	90	1,010	700	
6	7	38	11	196	44	13	9	4	88	65	23	80	50	7	18	127	105	134
2	2	40	15	148	38	6	4	2	57	28	29	51	26	6	3	80	71	135
5	4	44	9	176	48	13	6	7	141	90	51	71	49	1	12	109	91	136
9	4	154	39	450	80	46	25	21	126	72	54	306	119	20	30	394	209	137
13	14	98	26	290	82	70	38	32	238	147	91	116	65	14	18	267	178	138
3	1	24	5	47	13	.....	.....	.....	10	3	7	31	11	3	8	29	40	139
1	.....	6	3	2	.....	1	1	.....	5	4	1	4	4	.....	1	4	6	140
.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	141

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	RHODE ISLAND.		SOUTH CAROLINA.						TENNESSEE.		
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.		
				Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	III.—Diseases of the circulatory system	1,189	191	505	244	261	1,646	794	852	847	515	332
77	Pericarditis	4	1	2		2	22	7	15	7	5	2
78	Acute endocarditis	79	2	32	12	20	65	26	39	60	33	27
79	Organic diseases of the heart	840	135	295	134	161	1,346	629	717	638	370	268
80	Angina pectoris	47	9	28	20	8	48	31	17	45	42	3
81	Diseases of the arteries, atheroma, aneurism, etc.	183	38	134	71	63	122	75	47	70	48	22
82	Embolism and thrombosis	29	5	9	4	5	14	8	6	19	14	5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8		1		1				2		2
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	1	2	1	1	6	5	1	4	2	2
85	Hemorrhage; other diseases of the circulatory system	3		2	2		23	13	10	2	1	1
	IV.—Diseases of the respiratory system	1,019	166	388	169	219	1,896	665	1,231	1,011	532	479
86	Diseases of the nasal fossae	2		2	1	1	177	24	153	2		2
87	Diseases of the larynx	3	6	4	1	3	6	4	2	3		3
88	Diseases of the thyroid body	4	1				4		4	10	4	6
89	Acute bronchitis	48	11	11		11	58	26	32	31	11	20
90	Chronic bronchitis	37	9	10	4	6	25	13	12	33	20	13
91	Bronchopneumonia	341	55	93	48	45	264	129	135	309	190	119
92	Pneumonia (total)	525	70	246	101	145	1,260	445	815	550	269	281
	Lobar pneumonia	464	55	212	92	120	631	290	341	524	250	274
	Pneumonia (undefined)	61	15	34	9	25	629	155	474	26	19	7
93	Pleurisy	29	5	14	8	6	23	11	12	25	11	14
94	Pulmonary congestion, pulmonary apoplexy	10	6	3	2	1	13	7	6	8	7	1
95	Gangrene of the lung						1	1				
96	Asthma	10	3	2	1	1	26	4	22	26	11	15
97	Pulmonary emphysema	3					1		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	7		3	3		38	1	37	14	9	5
	V.—Diseases of the digestive system	570	85	489	206	283	1,801	705	1,096	903	607	301
99	Diseases of the mouth and annexa	3		6	2	4	59	7	52	5	1	4
100	Diseases of the pharynx	12	4	9	5	4	38	10	28	24	15	9
101	Diseases of the esophagus	1										
102	Ulcer of the stomach	18	2	11	8	3	12	4	8	31	19	12
103	Other diseases of the stomach (cancer excepted)	35	16	38	13	25	333	85	248	70	31	39
104	Diarrhea and enteritis (under 2 years)	232	40	219	82	137	911	407	504	200	144	56
105	Diarrhea and enteritis (2 years and over)	49	7	56	18	38	151	65	86	95	70	25
106	Ankylostomiasis	1		2	2		1	1				
107	Intestinal parasites			1		1	12	3	9	1	1	
108	Appendicitis and typhlitis	73	1	61	36	25	78	34	44	218	157	61
109	Hernia, intestinal obstruction (total)	42	5	35	14	21	73	30	43	110	73	37
	Hernia	20	3	4	2	2	20	6	14	23	16	7
	Intestinal obstruction	22	2	31	12	19	53	24	29	87	57	30
110	Other diseases of the intestines	10	2	12	5	7	15	5	10	19	8	11
111	Acute yellow atrophy of the liver	1		1	1		5	4	1	6	5	1
112	Hydatid tumor of the liver	1										
113	Cirrhosis of the liver	32	6	8	4	4	37	12	25	31	19	12
114	Biliary calculi	21		7	6	1	15	10	5	29	25	4
115	Other diseases of the liver	20	2	16	8	8	45	19	26	42	28	14
116	Diseases of the spleen	1					1		1	1		1
117	Simple peritonitis (nonpuerperal)	12		5		5	12	9	3	23	10	13
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6		2	2		3		3	2	1	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	561	113	372	182	190	1,284	549	735	851	470	381
119	Acute nephritis	29	6	21	6	15	81	21	60	86	32	54
120	Bright's disease	453	100	292	140	152	1,024	482	542	554	334	220
121	Chyluria											
122	Other diseases of the kidneys and annexa	14	3	12	11	1	92	16	76	21	15	6
123	Calculi of the urinary passages	3		3	2	1	6	5	1	3	3	
124	Diseases of the bladder	4	1	3		3	15	3	12	14	10	4
125	Diseases of the urethra, urinary abscess, etc.	3		5	3	2	3	2	1	11	3	8
126	Diseases of the prostate	19	2	12	9	3	11	7	4	36	22	14
127	Nonvenereal diseases of the male genital organs						2	1	1	2		2
128	Uterine hemorrhage (nonpuerperal)	1								1	1	
129	Uterine tumor (noncancerous)	9		9	3	6	15	3	12	43	13	30
130	Other diseases of the uterus	5	1	4	1	3	13	2	11	18	14	4
131	Cysts and other tumors of the ovary	5		1	1		4	2	2	14	7	7
132	Salpingitis and other diseases of the female genital organs	15		10	6	4	17	5	12	48	16	32
133	Nonpuerperal diseases of the breast (cancer excepted)	1					1		1			
	VII.—The puerperal state	108	12	80	37	43	503	177	326	143	81	62
134	Accidents of pregnancy	11	1	7	4	3	41	22	19	12	7	5
135	Puerperal hemorrhage	12	3	3	2	1	32	17	15	9	6	3
136	Other accidents of labor	18	2	6	1	5	130	32	98	21	14	7
137	Puerperal septicemia	32	2	22	10	12	111	34	77	59	29	30
138	Puerperal albuminuria and convulsions	29	3	40	19	21	180	67	113	39	23	16
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	1	2	1	1	8	5	3	2	2	
140	Following childbirth (not otherwise defined)						1		1	1		1
141	Puerperal diseases of the breast											

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

TENNESSEE—continued.			UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
1,678	1,260	418	260	329	135	1,003	1,043	642	401	2,521	1,571	950	1,133	982	1,532	2,601	
18	12	6	2	.....	3	2	2	.....	2	12	5	7	2	5	4	10	77
34	28	6	16	14	2	33	45	15	30	65	32	33	71	41	121	122	78
1,380	1,005	375	208	276	85	720	814	502	312	2,082	1,284	798	857	727	1,131	1,922	79
77	68	9	8	11	13	56	63	47	16	113	88	25	51	61	70	104	80
124	107	17	20	16	26	164	89	54	35	187	121	66	104	117	145	340	81
29	26	3	3	11	4	23	21	18	3	46	31	15	32	24	43	76	82
6	6	.....	2	.....	.....	3	4	4	.....	6	4	2	5	2	8	13	83
3	1	2	1	.....	2	1	2	.....	2	1	1	.....	9	5	9	11	84
7	7	.....	.....	1	.....	1	3	2	1	9	5	4	2	.....	1	3	85
2,139	1,629	510	283	400	100	562	1,037	461	576	1,881	1,139	742	858	630	1,697	1,974	
6	3	3	.....	1	.....	.....	3	2	1	23	8	15	.....	2	3	2	86
10	9	1	1	9	.....	4	8	3	5	17	11	6	2	3	6	9	87
8	6	2	7	1	.....	2	7	5	2	11	7	4	12	3	12	20	88
42	25	17	14	21	8	44	42	13	29	74	33	41	13	15	94	107	89
64	48	16	11	8	7	32	27	13	14	71	45	26	22	22	63	110	90
685	562	123	105	130	37	151	294	111	183	512	301	211	244	187	512	567	91
1,206	884	322	128	208	44	305	561	275	286	1,035	644	391	494	356	907	1,003	92
986	719	267	117	187	31	188	504	250	254	694	441	253	459	324	806	771	
220	165	55	11	21	13	117	57	25	32	341	203	138	35	32	101	232	
31	23	8	6	8	1	5	36	19	17	49	36	13	33	17	43	46	93
14	12	2	5	1	1	7	18	9	9	25	20	5	9	2	10	32	94
3	3	.....	.....	.....	.....	2	2	1	1	3	1	2	2	1	3	4	95
42	34	8	5	6	2	6	18	4	14	31	16	15	20	11	31	55	96
.....	.....	.....	.....	.....	.....	3	3	1	2	5	4	1	1	.....	1	3	97
28	20	8	1	7	.....	1	18	5	13	25	13	12	6	11	12	16	98
1,464	1,163	301	272	216	66	337	886	423	463	1,558	986	572	607	403	1,249	1,214	
15	11	4	3	.....	.....	2	14	9	5	20	9	11	4	5	6	12	99
35	31	4	15	9	1	9	27	20	7	32	19	13	28	10	41	53	100
.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	1	6	1	1	.....	101
33	23	10	14	11	3	10	38	14	24	23	15	8	35	19	32	48	102
215	160	55	7	17	3	29	68	22	46	207	118	89	20	35	61	106	103
519	422	97	49	69	13	112	295	103	192	653	425	228	78	88	410	336	104
237	205	32	26	19	7	39	72	32	40	240	142	98	44	48	89	120	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
6	5	1	.....	.....	.....	.....	2	.....	2	9	5	4	.....	.....	.....	.....	107
112	89	23	76	33	14	36	113	78	35	81	52	29	141	59	235	159	108
97	70	27	35	24	11	36	112	52	60	107	68	39	86	37	135	139	109
23	14	9	13	9	4	11	39	15	24	31	17	14	31	13	37	32	
74	56	18	22	15	7	25	73	37	36	76	51	25	55	24	98	107	
25	19	6	4	1	.....	4	14	10	4	21	13	8	23	9	22	15	110
5	3	2	3	1	.....	1	7	4	3	3	1	2	1	7	2	8	111
1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	112
62	47	15	11	5	7	15	47	17	30	56	42	14	32	25	39	99	113
27	23	4	14	10	3	12	32	28	4	30	24	6	39	17	55	37	114
40	29	11	9	11	3	20	30	23	7	44	29	15	47	15	43	56	115
1	1	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	1	.....	1	2	116
31	23	8	3	6	.....	11	12	8	4	21	16	5	15	23	16	19	117
3	2	1	1	.....	1	.....	3	3	.....	7	5	2	7	5	11	3	118
1,071	786	285	179	177	61	393	853	532	321	1,559	999	560	634	430	820	1,104	
74	55	19	13	12	5	22	81	33	48	96	46	50	49	24	50	52	119
825	613	212	130	148	40	324	641	428	213	1,283	839	444	428	343	624	911	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
28	26	2	3	1	1	7	26	21	5	45	32	13	20	6	28	20	122
13	10	3	3	1	.....	2	4	4	.....	6	6	.....	6	1	5	5	123
33	21	12	1	2	1	13	7	2	5	26	15	11	4	8	12	26	124
2	1	1	1	.....	.....	.....	8	2	6	3	1	2	3	1	1	.....	125
53	40	13	14	11	2	17	29	22	7	54	38	16	49	15	42	58	126
.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	2	1	.....	1	127
2	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	1	128
12	5	7	5	1	2	1	25	11	14	14	4	10	24	8	25	9	129
7	4	3	2	.....	1	2	6	2	4	11	6	5	12	7	14	5	130
6	3	3	3	.....	3	3	6	3	3	6	4	2	10	6	5	8	131
16	7	9	4	1	6	2	18	4	14	11	5	6	26	9	13	8	132
.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	1	.....	.....	.....	.....	133
335	247	88	53	59	10	42	187	98	89	382	243	139	137	112	187	208	
56	50	6	5	12	1	5	28	20	8	53	38	15	29	30	27	25	134
27	20	7	7	7	.....	1	16	8	8	28	22	6	11	13	17	28	135
42	30	12	10	14	1	7	17	12	5	69	41	28	17	19	27	39	136
119	83	36	14	14	2	12	56	25	31	93	61	32	40	22	65	58	137
81	56	25	12	8	4	14	68	31	37	126	75	51	33	22	44	44	138
8	7	1	3	4	2	3	1	1	.....	11	5	6	6	6	7	12	139
1	1	.....	2	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	2	140
1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	141

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,600 inhabitants or

Detailed List No.	CAUSE OF DEATH.	Registration area (exclusive of Hawaii).	REGISTRATION STATES.			Registration cities in non registration states.[2]	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	3,445	3,379	1,696	1,683	66	1,762	73	46	18	16	39	10
142	Gangrene	1,455	1,433	571	862	22	593	25	20	11	9	12	4
143	Furuncle	570	560	371	189	10	381	12	6	1	1	9	2
144	Acute abscess	692	676	402	274	16	418	22	10	5	1	13	1
145	Other diseases of the skin and annexa	728	710	352	358	18	370	14	10	1	5	5	3
	IX.—Diseases of the bones and of the organs of locomotion	2,751	2,679	1,870	809	72	1,942	72	30	13	13	42	7
146	Diseases of the bones (tuberculosis excepted)	2,392	2,328	1,654	674	64	1,718	66	22	11	10	40	4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	286	280	181	99	6	187	5	5	1	3	2	3
148	Amputations	2	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	71	70	35	35	1	36	1	3	1	.....	.....	.....
	X.—Malformations	13,256	13,060	7,278	5,782	196	7,474	259	193	46	78	189	40
150	Congenital malformations (total)	13,256	13,060	7,278	5,782	196	7,474	259	193	46	78	189	40
	Hydrocephalus	1,238	1,218	696	522	20	716	27	23	2	9	21	1
	Congenital malformations of the heart	7,994	7,892	4,417	3,475	102	4,519	154	120	31	52	115	30
	Other congenital malformations	4,024	3,950	2,165	1,785	74	2,239	78	41	13	17	53	9
	XI.—Early infancy	60,954	59,738	31,801	27,937	1,216	33,017	1,020	764	231	369	1,003	176
151	Congenital debility, icterus, and sclerema (total)	47,824	46,816	23,984	22,832	1,008	24,992	762	617	238	208	605	114
	Premature birth	38,359	37,564	19,597	17,967	795	20,392	652	492	201	238	571	89
	Congenital debility, "atrophy," "marasmus," etc	9,465	9,252	4,387	4,865	213	4,600	110	125	37	60	124	25
152	Other causes peculiar to early infancy (total)	12,990	12,787	7,762	5,025	203	7,965	254	144	43	71	303	61
	Injuries at birth	7,437	7,331	4,659	2,672	106	4,765	145	81	21	36	219	36
	Other causes peculiar to early infancy	5,553	5,456	3,103	2,353	97	3,200	109	63	22	35	80	25
153	Lack of care	140	135	55	80	5	60	4	3	.....	.....	.....	1
	XII.—Old age	12,459	12,236	3,131	9,105	223	3,354	146	151	60	72	62	42
154	Senility	12,459	12,236	3,131	9,105	223	3,354	146	151	60	72	62	42
	XIII.—External causes	77,656	75,738	40,582	35,156	1,918	42,500	2,213	1,812	386	664	961	274
	Suicide (total)	8,959	8,790	5,012	3,778	169	5,181	422	276	73	76	115	40
155	By poison	1,417	1,368	826	542	49	875	72	31	19	12	25	8
156	By asphyxia	1,124	1,115	1,035	80	9	1,044	66	4	9	1	24	1
157	By hanging or strangulation	1,616	1,611	704	907	5	709	35	41	10	6	17	8
158	By drowning	555	551	280	271	4	284	21	22	2	2	7	9
159	By firearms	3,169	3,078	1,521	1,557	91	1,612	174	131	30	46	27	11
160	By cutting or piercing instruments	640	635	355	280	5	360	30	32	1	7	9	2
161	By jumping from high places	247	245	215	30	2	217	19	3	1	.....	4	1
162	By crushing	97	97	39	58	.....	39	3	10	.....	2	1	.....
163	Other suicides	94	90	37	53	4	41	2	2	1	.....	1	.....
	Accidental or undefined (total)	62,492	61,133	32,139	28,994	1,359	33,498	1,626	1,415	270	544	803	223
164	Poisoning by food	957	908	357	551	49	406	35	28	3	15	5	4
165	Other acute poisonings	1,842	1,764	940	824	78	1,018	77	47	16	17	23	4
166	Conflagration	1,042	1,030	439	591	12	451	14	32	.....	3	13	3
167	Burns (conflagration excepted)	6,645	6,440	3,613	2,827	205	3,818	88	64	18	26	98	11
168	Absorption of deleterious gases (conflagration excepted)	3,012	2,970	2,180	790	42	2,222	99	25	16	14	61	6
169	Accidental drowning	4,977	4,925	1,892	3,033	52	1,944	81	163	1	49	61	54
170	Traumatism by firearms	2,262	2,168	714	1,454	94	808	37	52	13	19	12	4
171	Traumatism by cutting or piercing instruments	174	170	84	86	4	88	1	4	1	1	7	.....
172	Traumatism by fall	10,323	10,175	5,780	4,395	148	5,928	294	144	56	62	147	40
173	Traumatism in mines and quarries (total)	2,275	2,239	554	1,685	36	590	3	39	13	88	1	1
	Traumatism in mines	2,171	2,135	529	1,606	36	565	2	35	12	87	.....	.....
	Traumatism in quarries	104	104	25	79	.....	25	1	4	1	1	1	1
174	Traumatism by machines	2,153	2,106	1,306	800	47	1,353	73	52	11	13	26	2
175	Traumatism by other crushing (total)	19,684	19,262	11,434	7,828	422	11,856	714	555	100	164	290	73
	Railroad accidents and injuries	6,426	6,303	2,917	3,386	123	3,040	104	130	15	55	56	19
	Street-car accidents and injuries	1,746	1,706	1,341	365	40	1,381	132	23	12	15	21	4
	Automobile accidents and injuries	9,103	8,878	6,121	2,757	225	6,346	424	310	61	56	174	41
	Injuries by other vehicles	1,698	1,674	769	905	24	793	29	59	12	34	28	5
	Aeroplane accidents and injuries	150	149	50	99	1	51	11	27	.....	1	3	.....
	Landslide, other crushing	561	552	236	316	9	245	14	17	.....	3	8	1
176	Injuries by animals	606	596	157	439	10	167	9	20	3	7	2	2
177	Starvation	26	26	10	16	.....	10	2	3	1	.....	.....	.....
178	Excessive cold	172	169	47	122	3	50	.....	2	.....	12	2	2
179	Effects of heat	270	265	107	158	5	112	3	37	.....	2	3	1
180	Lightning	409	408	52	356	1	53	1	.....	.....	11	1	.....
181	Electricity (lightning excepted)	822	805	393	412	17	410	24	43	2	9	11	2
185	Fractures (cause not specified)	519	485	230	255	34	264	6	7	.....	.....	5	.....
186	Other external violence	4,322	4,222	1,850	2,372	100	1,950	65	87	16	32	35	14
	Homicide (total)	6,205	5,815	3,431	2,384	390	3,821	165	121	43	44	43	11
182	By firearms	4,477	4,178	2,369	1,809	299	2,668	110	82	36	37	32	4
183	By cutting or piercing instruments	645	587	373	214	58	431	17	11	4	1	6	4
184	By other means	1,083	1,050	689	361	33	722	38	28	3	6	5	3
	XIV.—Ill-defined diseases	15,595	15,097	1,978	13,119	498	2,386	14	34	5	31	31	23
187	Ill-defined organic disease	681	668	40	628	13	53	.....	.....	.....	2	2	.....
188	Sudden death	1,070	1,064	163	901	6	169	1	1	2	1	2	3
189	Not specified or ill-defined (total)	13,754	13,365	1,775	11,590	389	2,164	13	33	3	28	27	22
	Ill-defined	4,162	3,885	855	3,030	277	1,132	8	24	1	11	18	9
	Not specified or unknown	9,592	9,480	920	8,560	112	1,032	5	9	2	17	9	13

[1] Including District of Columbia.

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

DELAWARE.						DISTRICT OF COLUMBIA.			FLORIDA.						ILLINOIS.		INDIANA.		Detailed List No.
Cities.			Rural districts.						Cities.			Rural districts.							
Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
4	2	2	8	5	3	20	14	6	11	4	7	32	18	14	143	107	48	66	
2	2	.....	6	3	3	11	7	4	4	1	3	9	5	4	41	50	21	40	142
.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	2	4	4	.....	38	18	9	8	143
.....	.....	.....	2	2	.....	5	3	2	3	1	2	8	4	4	28	11	12	10	144
2	.....	2	.....	.....	.....	3	3	.....	2	2	.....	11	5	6	36	28	6	8	145
6	6	.....	3	2	1	18	14	4	11	10	1	10	7	3	148	43	48	37	
5	5	.....	3	2	1	15	12	3	11	10	1	9	6	3	129	37	44	36	146
1	1	.....	.....	.....	.....	2	1	1	.....	.....	.....	1	1	.....	16	6	4	1	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	149
25	23	2	13	12	1	55	42	13	27	23	4	62	54	8	706	359	227	287	
25	23	2	13	12	1	55	42	13	27	23	4	62	54	8	706	359	227	287	150
3	3	.....	2	2	.....	7	4	3	3	2	1	6	4	2	61	32	20	16	
18	16	2	6	5	1	35	27	8	13	12	1	30	27	3	411	214	158	205	
4	4	.....	5	5	.....	13	11	2	11	9	2	26	23	3	234	113	49	66	
114	101	13	91	65	26	368	217	151	245	132	113	406	277	129	2,338	1,521	903	1,020	
90	82	8	79	56	23	294	167	127	214	119	95	346	239	107	1,605	1,169	717	789	151
70	64	6	46	35	11	240	138	102	167	98	69	258	186	72	1,424	946	628	666	
20	18	2	33	21	12	54	29	25	47	21	26	88	53	35	181	223	89	123	
23	18	5	12	9	3	73	50	23	31	13	18	58	38	20	724	348	185	230	152
12	9	3	8	6	2	43	32	11	11	5	6	21	17	4	475	220	101	107	
11	9	2	4	3	1	30	18	12	20	8	12	37	21	16	249	128	84	123	
1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	2	9	4	1	1	153
6	5	1	12	10	2	54	40	14	39	25	14	236	125	111	159	413	63	175	
6	5	1	12	10	2	54	40	14	39	25	14	236	125	111	159	413	63	175	154
103	88	15	96	79	17	391	278	113	308	181	127	762	420	342	3,823	2,049	1,178	1,458	
11	11	.....	6	5	1	43	37	6	24	21	3	29	24	5	509	251	139	193	
1	1	.....	2	2	.....	4	2	2	6	4	2	4	3	1	69	48	42	48	155
4	4	.....	.....	.....	.....	11	11	.....	3	3	.....	.....	.....	.....	140	2	12	2	156
.....	.....	.....	1	1	.....	10	9	1	1	1	.....	3	3	.....	56	66	19	52	157
1	1	.....	.....	.....	.....	1	1	.....	2	2	.....	4	4	.....	40	18	9	11	158
4	4	.....	2	1	1	13	11	2	8	7	1	13	10	3	133	98	43	63	159
1	1	.....	1	1	.....	3	3	.....	1	1	.....	3	3	.....	45	9	8	9	160
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	2	3	1	161
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	3	3	2	4	162
.....	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	1	1	.....	5	5	1	3	163
87	74	13	86	71	15	302	222	80	227	141	86	592	358	234	2,945	1,687	943	1,223	
.....	.....	.....	2	2	.....	7	6	1	14	4	10	18	10	8	14	34	15	22	164
1	1	.....	1	1	.....	19	12	7	14	8	6	36	20	16	84	27	20	32	165
.....	.....	.....	.....	.....	.....	1	1	.....	2	2	.....	10	3	7	28	32	11	15	166
17	12	5	7	3	4	48	27	21	18	9	9	76	33	43	260	115	79	78	167
11	11	.....	5	4	1	1	27	5	2	.....	2	8	3	5	314	31	57	32	168
8	7	1	16	14	2	27	22	5	24	15	9	85	61	24	131	134	47	73	169
1	1	.....	2	1	1	8	6	2	15	11	4	34	18	16	77	64	19	38	170
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	2	11	4	5	2	171
10	9	1	15	14	1	51	40	11	30	21	9	46	33	13	471	320	147	262	172
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	6	3	49	191	16	93	173
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	6	3	45	189	16	89	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	.....	4	
1	1	.....	.....	.....	.....	3	.....	3	5	1	4	23	14	9	112	46	54	20	174
25	23	2	19	18	1	84	66	18	71	50	21	147	104	43	1,151	513	374	408	175
7	6	1	9	8	1	11	8	3	14	4	10	61	39	22	322	305	141	195	
2	2	.....	.....	.....	.....	13	9	4	3	2	1	2	1	1	139	27	59	47	
14	14	.....	8	8	.....	50	40	10	46	38	8	58	41	17	607	121	146	102	
1	1	.....	2	2	.....	6	5	1	4	4	.....	9	8	1	65	46	24	42	
.....	.....	.....	.....	.....	.....	4	4	.....	2	2	.....	15	15	.....	.....	4	.....	3	
1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	2	2	.....	2	18	10	4	19	
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	3	2	11	20	5	21	176
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	177
1	.....	1	.....	.....	.....	1	.....	1	1	1	.....	1	.....	1	4	5	1	6	178
1	1	.....	2	1	1	1	.....	1	1	.....	1	3	1	2	7	12	5	.....	179
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	13	7	6	3	9	1	16	180
2	1	1	2	2	.....	5	4	1	5	4	1	9	5	4	25	20	17	10	181
1	1	.....	.....	.....	.....	3	2	1	4	4	.....	7	6	1	2	4	2	2	185
7	5	2	14	10	4	12	9	3	20	11	9	60	31	29	191	105	68	93	186
5	3	2	4	3	1	46	19	27	57	19	38	141	38	103	369	111	96	42	
4	2	2	2	2	.....	32	11	21	45	16	29	109	31	78	260	84	70	33	182
.....	.....	.....	1	1	.....	2	1	1	8	2	6	22	4	18	35	10	7	3	183
1	1	.....	1	.....	1	12	7	5	4	1	3	10	3	7	74	17	19	6	184
1	1	.....	8	3	5	7	3	4	46	24	22	603	263	340	59	170	17	34	
.....	.....	.....	2	1	1	.....	.....	.....	2	1	1	58	18	40	1	2	1	1	187
.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	38	19	19	4	7	1	1	188
1	1	.....	6	2	4	7	3	4	41	22	19	507	226	281	54	161	15	32	189
1	1	.....	6	2	4	4	1	3	11	2	9	110	49	61	17	67	3	20	
.....	.....	.....	.....	.....	.....	3	2	1	30	20	10	397	177	220	37	94	12	12	

[1] A list of these cities will be found on p. 10.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed int. List No.	CAUSE OF DEATH.	KANSAS.		KENTUCKY.						LOUISIANA.		
				Cities.			Rural districts.			Cities.		
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	VIII.—Diseases of the skin and of the cellular tissue	20	54	23	16	7	57	48	9	42	23	19
142	Gangrene	11	28	11	6	5	20	16	4	20	11	9
143	Furuncle	3	4	3	3		9	9		9	5	4
144	Acute abscess	6	11	4	4		11	11		9	4	5
145	Other diseases of the skin and annexa		11	5	3	2	17	12	5	4	3	1
	IX.—Diseases of the bones and of the organs of locomotion	17	29	21	18	3	30	29	1	32	18	14
146	Diseases of the bones (tuberculosis excepted)	14	27	17	14	3	27	26	1	30	18	12
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2					2	2		2		2
148	Amputations											
149	Other diseases of the organs of locomotion	1	2	4	4		1	1				
	X.—Malformations	72	152	45	43	2	158	152	6	116	55	61
150	Congenital malformations (total)	72	152	45	43	2	158	152	6	116	55	61
	Hydrocephalus	9	13	2	2		13	13		3	3	
	Congenital malformations of the heart	44	83	34	33	1	94	92	2	95	40	55
	Other congenital malformations	19	56	9	8	1	51	47	4	18	12	6
	XI.—Early infancy	344	874	334	276	58	1,329	1,204	125	339	197	142
151	Congenital debility, icterus, and sclerema (total)	291	728	265	217	48	1,139	1,039	100	269	156	113
	Premature birth	223	533	214	174	40	924	851	73	210	124	86
	Congenital debility, "atrophy," "marasmus," etc	68	195	51	43	8	215	188	27	59	32	27
152	Other causes peculiar to early infancy (total)	53	144	68	58	10	188	163	25	69	41	28
	Injuries at birth	28	80	36	33	3	87	80	7	30	20	10
	Other causes peculiar to early infancy	25	64	32	25	7	101	83	18	39	21	18
153	Lack of care		2	1	1		2	2		1		1
	XII.—Old age	104	389	95	87	8	475	416	59	61	37	24
154	Senility	104	389	95	87	8	475	416	59	61	37	24
	XIII.—External causes	461	988	449	367	82	1,305	1,138	167	695	424	271
	Suicide (total)	63	126	60	58	2	120	116	4	51	46	5
155	By poison	15	18	11	11		27	24	3	7	5	2
156	By asphyxia			2	2					4	4	
157	By hanging or strangulation	13	31	12	12		19	19		2	2	
158	By drowning	1	2	5	5		6	6		1	1	
159	By firearms	28	67	23	22	1	58	57	1	29	29	
160	By cutting or piercing instruments	2	5	6	5	1	10	10		7	5	2
161	By jumping from high places	2	1							1		1
162	By crushing	2	1									
163	Other suicides		1	1	1							
	Accidental or undefined (total)	354	822	330	276	54	1,026	911	115	522	331	191
164	Poisoning by food	6	26	8	8		11	11		9	5	4
165	Other acute poisonings	12	31	20	15	5	22	16	6	18	11	7
166	Conflagration	5	14				12	10	2			
167	Burns (conflagration excepted)	34	57	47	34	13	163	144	19	84	46	38
168	Absorption of deleterious gases (conflagration excepted)	9	19	4	4		31	27	4	12	6	6
169	Accidental drowning	20	46	14	10	4	60	54	6	51	28	23
170	Traumatism by firearms	9	35	17	11	6	99	81	18	37	16	21
171	Traumatism by cutting or piercing instruments	1	2				6	6		1	1	
172	Traumatism by fall	67	137	59	55	4	162	153	9	69	54	15
173	Traumatism in mines and quarries (total)		35	10	9	1	124	106	18			
	Traumatism in mines		34	10	9	1	118	101	17			
	Traumatism in quarries		1				6	5	1			
174	Traumatism by machines	10	20	11	8	3	10	10		20	11	9
175	Traumatism by other crushing (total)	139	265	111	98	13	193	176	17	149	104	45
	Railroad accidents and injuries	51	105	25	20	5	119	109	10	45	27	18
	Street-car accidents and injuries	11	12	21	18	3	3	2	1	17	10	7
	Automobile accidents and injuries	65	90	49	44	5	36	35	1	67	54	13
	Injuries by other vehicles	7	42	10	10		25	21	4	13	8	5
	Aeroplane accidents and injuries	1	7									
	Landslide, other crushing	4	9	6	6		10	9	1	7	5	2
176	Injuries by animals	4	25	1	1		16	16		3	2	1
177	Starvation						1	1				
178	Excessive cold	1	1				5	3	2	3	1	2
179	Effects of heat	5	3	1	1		5	2	3	2	2	
180	Lightning	2	23				13	12	1	9	9	
181	Electricity (lighting excepted)	7	17	4	3	1	9	9		9	6	3
185	Fractures (cause not specified)	2	3	2	2		5	5		12	8	4
186	Other external violence	21	63	21	17	4	79	69	10	34	21	13
	Homicide (total)	44	40	59	33	26	159	111	48	122	47	75
182	By firearms	37	30	46	24	22	140	99	41	92	36	56
183	By cutting or piercing instruments	4	1	3	1	2	6	4	2	15	5	10
184	By other means	3	9	10	8	2	13	8	5	15	6	9
	XIV.—Ill-defined diseases	41	145	28	24	4	664	586	78	25	6	19
187	Ill-defined organic disease	2	13	4	3	1	44	39	5	2		2
188	Sudden death	3	13				28	25	3	4	1	3
189	Not specified or ill-defined (total)	36	119	24	21	3	592	522	70	19	5	14
	Ill-defined	17	47	15	12	3	198	180	18	15	5	10
	Not specified or unknown	19	72	9	9		394	342	52	4		4

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

LOUISIANA—continued.			MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		Detailed List No.
Rural districts.					Cities.			Rural districts.									
Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
37	18	19	14	26	31	25	6	22	14	8	128	38	95	85	31	51	
13	8	5	7	23	7	5	2	19	13	6	28	17	37	45	15	22	142
8	4	4	3	.....	10	9	1	.....	.....	.....	35	7	17	7	7	5	143
12	5	7	3	1	10	8	2	3	1	2	32	8	20	13	4	12	144
4	1	3	1	2	4	3	1	.....	.....	.....	33	6	21	20	5	12	145
20	12	8	9	14	34	27	7	8	6	2	142	13	92	53	47	28	
17	12	5	9	12	29	23	6	6	4	2	122	11	87	42	38	24	146
1	.....	1	.....	2	4	3	1	.....	.....	.....	20	2	5	10	7	3	147
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
1	.....	1	.....	.....	1	1	.....	2	2	.....	.....	.....	.....	1	2	1	149
112	75	37	32	82	207	173	34	106	80	26	666	118	431	341	162	203	
112	75	37	32	82	207	173	34	106	80	26	666	118	431	341	162	203	150
16	7	9	4	8	12	10	2	9	7	2	59	14	43	32	25	23	
59	44	15	19	47	146	115	31	77	54	23	418	73	268	196	69	108	
37	24	13	9	27	49	48	1	20	19	1	189	31	120	113	68	72	
536	301	235	213	425	696	549	147	517	353	164	2,474	379	1,859	1,269	696	1,017	
420	234	186	172	345	531	415	116	418	289	129	1,725	287	1,479	1,024	537	788	151
281	181	100	115	254	445	345	100	295	220	75	1,398	219	1,208	807	482	648	
139	53	86	57	91	86	70	16	123	69	54	327	68	271	217	55	140	
107	65	42	41	77	164	133	31	94	62	32	743	91	375	241	159	225	152
47	34	13	24	42	72	64	8	44	32	12	444	52	219	111	105	134	
60	31	29	17	35	92	69	23	50	30	20	299	39	156	130	54	91	153
9	2	7	.....	3	1	1	.....	5	2	3	6	1	5	4	.....	4	
441	146	295	36	217	59	48	11	84	55	29	118	73	220	467	54	238	
441	146	295	36	217	59	48	11	84	55	29	118	73	220	467	54	238	154
815	305	420	162	401	764	636	128	500	390	110	2,367	544	1,815	1,520	764	1,084	
34	33	1	19	61	98	96	2	40	38	2	320	73	186	170	122	147	
6	6	.....	4	5	23	21	2	6	6	.....	30	7	41	31	24	20	155
1	1	.....	2	1	23	23	.....	.....	.....	.....	98	5	19	8	16	.....	156
3	3	.....	3	21	7	7	.....	6	6	.....	50	14	36	45	18	43	157
3	3	.....	2	12	3	3	.....	.....	.....	.....	25	12	13	15	10	9	158
18	17	1	6	16	31	31	.....	21	19	2	83	24	49	55	37	61	159
2	2	.....	1	6	5	5	.....	2	2	.....	21	8	20	10	10	10	160
.....	.....	.....	1	.....	6	6	.....	1	1	.....	12	2	3	1	3	1	161
1	1	.....	.....	.....	.....	.....	.....	2	2	.....	1	1	5	4	2	2	162
.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	2	1	163
649	333	316	139	333	612	516	96	444	347	97	1,968	468	1,459	1,315	594	911	
23	7	16	4	13	10	7	3	15	13	2	8	7	24	27	6	9	164
35	19	16	6	11	10	7	3	19	17	2	33	10	59	36	39	32	165
5	2	3	5	6	10	8	2	20	11	9	32	17	27	27	10	22	166
97	51	46	9	16	87	70	17	33	18	15	245	25	155	87	54	68	167
20	12	8	3	7	32	28	4	9	6	3	199	13	60	34	58	28	168
103	48	55	10	65	43	33	10	62	47	15	128	92	64	141	33	113	169
61	21	40	2	15	10	5	5	29	21	8	19	12	37	57	12	46	170
2	.....	2	.....	.....	1	1	.....	3	3	.....	2	1	5	2	4	4	171
43	32	11	35	83	125	113	12	65	56	9	445	89	225	223	96	140	172
7	7	.....	.....	1	2	2	.....	13	13	.....	1	.....	11	42	9	32	173
7	7	.....	.....	.....	2	2	.....	11	11	.....	.....	.....	10	42	9	31	
.....	.....	.....	.....	1	.....	.....	.....	2	2	.....	1	.....	1	.....	.....	1	
20	13	7	4	10	22	15	7	11	9	2	56	9	51	47	26	45	174
108	62	46	43	63	198	172	26	99	83	16	634	146	588	365	188	219	175
51	28	23	18	17	40	34	6	45	39	6	132	40	149	126	46	97	
2	1	1	1	3	27	26	1	6	4	2	63	7	101	46	25	4	
23	17	6	18	25	108	93	15	34	30	4	365	89	292	127	100	78	
14	8	6	6	12	20	16	4	9	5	4	62	7	28	49	14	35	
.....	.....	.....	.....	4	1	1	.....	.....	.....	.....	3	2	2	.....	1	1	
18	8	10	.....	2	2	2	.....	5	5	.....	9	1	16	17	2	4	
9	8	1	2	.....	6	6	.....	7	5	2	4	3	5	26	8	23	176
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	1	177
3	.....	3	1	5	1	.....	1	3	2	1	4	3	.....	4	1	4	178
9	3	6	1	4	6	5	1	.....	.....	.....	12	1	.....	7	3	6	179
16	7	9	.....	3	.....	.....	.....	7	6	1	2	6	5	16	.....	15	180
5	1	4	2	9	11	10	1	9	8	1	19	10	22	16	7	14	181
8	4	4	1	2	1	1	.....	7	7	.....	11	2	25	21	1	3	185
75	36	39	11	20	37	33	4	32	22	10	111	22	96	137	39	87	186
132	29	103	4	7	54	24	30	16	5	11	79	3	170	35	48	26	
100	23	77	3	3	36	17	19	13	4	9	38	2	125	19	29	15	182
17	.....	17	1	.....	7	2	5	1	.....	1	9	.....	22	4	2	2	183
15	6	9	.....	4	11	5	6	2	1	1	32	1	23	12	17	9	184
603	175	428	31	94	9	6	3	152	74	78	134	44	34	210	10	163	
60	6	54	.....	.....	.....	.....	.....	4	2	2	1	.....	7	7	1	7	187
87	28	30	16	13	.....	.....	.....	14	8	6	19	10	1	17	1	14	188
476	141	335	15	81	9	6	3	134	64	70	114	34	26	186	8	142	189
150	54	96	6	24	5	3	2	47	28	19	99	27	12	64	4	42	
326	87	239	9	57	4	3	1	87	36	51	15	7	14	122	4	100	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants or

Detailed Int. List No.	CAUSE OF DEATH.	MISSISSIPPI.						MISSOURI.		MONTANA.		NEBRASKA.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities	Rural districts
		Total.	White.	Colored.	Total.	White.	Colored.						
	VIII.—Diseases of the skin and of the cellular tissue	18	13	5	31	10	21	48	63	7	6	22	31
142	Gangrene	9	4	5	16	4	12	14	37	2	3	8	16
143	Furuncle	2	2		2	2		16	6	1	1	6	5
144	Acute abscess	2	2		8	3	5	11	6	1	2	3	2
145	Other diseases of the skin and annexa	5	5		5	1	4	7	14	3		5	8
	IX.—Diseases of the bones and of the organs of locomotion	9	6	3	32	19	13	43	25	9	5	26	15
146	Diseases of the bones (tuberculosis excepted)	8	5	3	20	11	9	39	20	7	5	22	14
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1		8	5	3	3	3	2		3	1
148	Amputations												
149	Other diseases of the organs of locomotion				4	3	1	1	2			1	
	X.—Malformations	10	8	2	93	63	30	161	154	23	54	53	131
150	Congenital malformations (total)	10	8	2	93	63	30	161	154	23	54	53	131
	Hydrocephalus	1	1		17	6	11	8	10	6	5	4	13
	Congenital malformations of the heart	6	6		39	33	6	96	87	13	29	31	75
	Other congenital malformations	3	1	2	37	24	13	57	57	4	20	18	43
	XI.—Early infancy	102	54	48	716	441	275	810	1,005	103	256	251	550
151	Congenital debility, icterus, and sclerema (total)	81	43	38	594	368	226	684	890	79	206	204	456
	Premature birth	63	36	27	487	305	182	612	771	71	163	166	329
	Congenital debility, "atrophy," "marasmus," etc	18	7	11	107	63	44	72	119	8	43	48	121
152	Other causes peculiar to early infancy (total)	21	11	10	120	72	48	126	114	24	50	47	100
	Injuries at birth	7	5	2	61	45	16	77	62	15	33	23	45
	Other causes peculiar to early infancy	14	6	8	59	27	32	49	52	9	17	22	55
153	Lack of care				2	1	1		1				
	XII.—Old age	50	20	30	489	140	349	37	212	8	59	34	344
154	Senility	50	20	30	489	140	349	37	212	8	59	34	344
	XIII.—External causes	272	116	156	1,370	497	873	1,327	1,156	165	440	353	637
	Suicide (total)	12	12		45	33	12	222	185	23	63	53	103
155	By poison	2	2		7	6	1	57	40	4	8	8	13
156	By asphyxia							20	5			10	
157	By hanging or strangulation	5	5		3	3		27	37	2	9	9	33
158	By drowning				1		1	5	5	1	2	3	3
159	By firearms	5	5		27	19	8	86	76	11	34	23	44
160	By cutting or piercing instruments				2	2		9	17	5	7		7
161	By jumping from high places				1	1		17					
162	By crushing							1	2		2		
163	Other suicides				4	2	2		3		1		3
	Accidental or undefined (total)	200	94	106	1,031	416	615	809	909	122	351	274	566
164	Poisoning by food	4	2	2	25	9	16	6	29	2	2	7	12
165	Other acute poisonings	4	4		25	12	13	27	25	4	7	12	19
166	Conflagration	4	1	3	22	4	18	2	19	1	3	6	15
167	Burns (conflagration excepted)	42	15	27	181	53	128	76	98	8	23	14	44
168	Absorption of deleterious gases (conflagration excepted)	3	2	1	36	16	20	26	13	7	8	18	21
169	Accidental drowning	9	6	3	95	19	76	27	86	4	49	12	45
170	Traumatism by firearms	16	4	12	143	38	105	30	58	3	18	7	31
171	Traumatism by cutting or piercing instruments	1	1		4	2	2	1	2		3		3
172	Traumatism by fall	13	9	4	88	51	37	199	158	7	30	46	76
173	Traumatism in mines and quarries (total)				1		1	8	34	34	37		
	Traumatism in mines				1		1	7	33	34	37		
	Traumatism in quarries							1	1				
174	Traumatism by machines	13	2	11	20	8	12	34	20	6	12	6	11
175	Traumatism by other crushing (total)	37	19	18	127	68	59	370	194	30	108	115	133
	Railroad accidents and injuries	14	7	7	68	33	35	102	112	13	47	38	56
	Street-car accidents and injuries	4	2	2				45		2		7	
	Automobile accidents and injuries	12	7	5	27	17	10	190	41	13	32	58	46
	Injuries by other vehicles	4	1	3	25	13	12	20	36	2	23	9	23
	Aeroplane accidents and injuries							4					1
	Landslides, other crushing	3	2	1	7	5	2	9	5		6	3	7
176	Injuries by animals	4	2	2	14	7	7	9	22	2	8	2	17
177	Starvation				1	1							1
178	Excessive cold								6		4	1	
179	Effects of heat	1	1		5	1	4	2	3			1	3
180	Lightning	3	1	2	18	6	12	2	32	1	9	2	13
181	Electricity (lightning excepted)	4	2	2	2	1	1	18	16	5	8	4	7
185	Fractures (cause not specified)	1		1	6	4	2	10		2	7	5	23
186	Other external violence	41	23	18	218	116	102	52	94	6	15	16	33
	Homicide (total)	60	10	50	294	48	246	206	62	20	26	26	23
182	By firearms	45	7	38	238	39	199	148	43	16	23	21	15
183	By cutting or piercing instruments	7		7	23	4	19	24	8			4	10
184	By other means	8	3	5	33	5	28	34	11	4	3	1	3
	XIV.—Ill-defined diseases	120	24	96	2,148	398	1,750	65	513	11	77	17	156
187	Ill-defined organic disease	3		3	74	7	67	1	8		2	3	11
188	Sudden death	1	1		78	31	47	3	10	1	3		10
189	Not specified or ill-defined (total)	116	23	93	1,996	360	1,636	61	495	10	72	14	135
	Ill-defined	35	8	27	146	57	89	15	62	5	17	8	64
	Not specified or unknown	81	15	66	1,850	303	1,547	46	433	5	55	6	71

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.						OHIO.		OREGON.		PENNSYLVANIA.		Detailed Int. List No.
						Cities.			Rural districts.									
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
7	23	82	49	289	132	17	6	11	81	49	32	109	109	12	13	202	211	
3	15	23	21	66	74	8	3	5	43	26	17	38	64	7	8	71	113	142
3	3	18	6	81	19	3	2	1	9	6	3	15	6	1	2	42	20	143
1	3	19	11	81	18	5	1	4	11	6	5	17	15	.....	2	57	32	144
.....	2	22	11	61	21	1	.....	1	18	11	7	39	24	4	1	32	46	145
4	3	84	25	362	57	28	22	6	36	25	11	139	39	16	8	206	78	
2	3	70	23	329	51	24	19	5	31	21	10	127	30	14	6	185	67	146
2	.....	11	2	29	5	2	2	.....	4	3	1	10	7	2	1	19	8	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	3	.....	4	1	2	1	1	1	1	.....	2	2	.....	1	2	3	149
39	35	389	187	1,171	339	43	40	3	231	187	44	550	360	47	72	1,010	939	
39	35	389	187	1,171	339	43	40	3	231	187	44	550	360	47	72	1,010	939	150
6	4	39	11	143	27	3	3	.....	34	25	9	53	22	7	1	86	67	
21	17	230	126	634	217	25	23	2	110	93	17	317	226	23	51	676	624	
12	14	120	50	394	95	15	14	1	87	69	18	180	112	17	20	248	248	
197	153	1,612	596	6,019	1,401	360	229	131	1,664	1,178	486	2,405	1,473	172	234	3,373	3,079	
156	130	1,186	454	4,298	1,062	322	205	117	1,446	1,035	411	1,874	1,161	123	184	2,604	2,464	151
125	99	975	345	3,441	867	267	181	86	1,146	840	306	1,533	878	103	138	2,093	1,889	
31	37	211	109	857	195	55	24	31	300	195	105	341	283	20	46	511	575	
41	17	420	141	1,716	336	38	24	14	215	143	72	526	304	49	50	765	609	152
27	8	259	79	1,068	214	11	9	2	104	79	25	343	157	28	25	410	331	
14	9	161	62	648	122	27	15	12	111	64	47	183	147	21	25	355	278	
.....	.....	6	1	5	3	.....	.....	.....	3	.....	3	5	8	.....	.....	4	6	153
38	93	91	120	361	384	35	24	11	563	324	239	291	487	65	127	285	495	
38	93	91	120	361	384	35	24	11	563	324	239	291	487	65	127	285	495	154
103	200	1,943	981	6,855	2,199	417	256	161	1,375	836	539	3,427	2,217	308	475	4,801	4,086	
10	31	227	144	902	295	21	18	3	79	69	10	347	257	53	56	465	329	
.....	2	33	10	101	41	5	5	.....	14	14	.....	80	36	12	8	71	18	155
7	.....	80	25	308	10	3	3	.....	.....	.....	.....	9	1	3	.....	105	12	156
4	12	27	29	146	103	3	3	.....	15	11	4	66	71	6	10	64	99	157
1	6	12	10	41	22	.....	.....	.....	6	6	.....	23	24	7	2	15	28	158
4	9	51	50	157	87	7	5	2	37	32	5	128	101	18	29	155	131	159
2	1	12	11	54	21	2	1	1	2	2	.....	27	15	6	5	34	33	160
.....	.....	10	3	80	3	1	1	.....	.....	.....	.....	10	.....	1	.....	12	4	161
.....	1	1	3	10	6	.....	.....	.....	1	1	.....	1	6	.....	1	3	1	162
1	.....	1	3	5	2	.....	.....	.....	4	3	1	3	3	.....	1	6	3	163
140	105	1,622	797	5,521	1,858	317	217	100	1,123	701	422	2,744	1,894	241	401	4,042	3,558	
1	.....	11	10	38	40	9	7	2	34	23	11	29	23	2	7	29	23	164
5	3	37	20	110	37	9	6	3	47	26	21	99	45	3	10	78	78	165
2	1	19	19	87	33	8	3	5	20	7	13	51	41	9	19	47	62	166
13	7	198	64	650	103	43	24	19	249	120	129	333	128	14	15	581	338	167
4	4	134	37	588	55	10	5	5	46	27	19	100	49	9	8	189	87	168
18	23	122	164	436	276	10	4	6	60	28	32	129	137	26	54	147	253	169
3	10	23	14	43	46	16	4	12	122	64	58	62	58	6	23	64	80	170
.....	.....	1	1	16	5	2	1	1	4	4	.....	7	5	1	.....	10	9	171
34	45	257	121	1,118	371	40	34	6	107	81	26	487	390	39	52	730	526	172
.....	1	1	5	3	10	.....	.....	.....	5	4	1	34	99	1	2	335	648	173
.....	.....	.....	3	3	8	.....	.....	.....	5	4	1	34	94	1	2	325	623	
.....	1	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	10	25	
1	4	54	12	217	35	10	6	4	48	37	11	166	41	14	19	170	99	174
49	46	630	250	1,800	626	104	85	19	207	163	44	1,016	606	72	129	1,402	1,040	175
11	9	210	114	285	266	39	32	7	86	63	23	298	293	14	52	474	504	
1	2	63	10	199	30	9	8	1	.....	.....	.....	101	55	6	1	149	50	
27	23	304	101	1,152	258	48	37	11	85	72	13	530	187	44	43	666	376	
9	11	44	20	126	54	3	3	.....	28	20	8	57	47	3	10	90	89	
.....	.....	4	5	4	6	1	1	.....	1	1	.....	4	3	.....	.....	4	3	
1	1	5	.....	34	12	4	4	.....	7	7	.....	26	21	5	23	19	18	
2	3	3	6	18	22	1	1	.....	13	9	4	12	32	2	9	15	25	176
.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	177
.....	1	2	2	7	10	.....	.....	.....	5	.....	5	4	5	1	4	6	12	178
.....	2	5	2	13	3	1	.....	1	5	2	3	9	5	.....	1	13	11	179
.....	1	2	9	7	11	.....	.....	.....	15	10	5	5	17	.....	.....	3	20	180
3	4	19	9	41	20	6	6	.....	13	11	2	37	20	5	3	42	54	181
2	.....	15	4	63	47	6	5	1	24	21	3	25	38	1	4	5	.....	185
3	10	89	48	265	105	41	26	15	99	64	35	139	155	36	42	176	192	186
4	4	94	40	432	46	79	21	58	173	66	107	336	66	14	18	294	199	
2	4	56	22	215	26	61	14	47	141	51	90	233	50	10	10	204	137	182
.....	.....	14	6	57	2	5	2	3	8	3	5	35	4	.....	3	32	25	183
2	.....	24	12	160	18	13	5	8	24	12	12	68	12	4	5	58	37	184
7	16	40	27	62	79	151	69	82	2,912	1,455	1,457	283	236	5	42	135	399	
.....	2	.....	1	.....	6	1	.....	1	85	55	30	1	8	.....	1	.....	9	187
1	3	4	2	5	4	14	10	4	242	135	107	21	24	.....	3	14	40	188
6	11	36	24	57	69	136	59	77	2,585	1,265	1,320	261	204	5	38	121	350	189
5	8	32	20	35	42	22	7	15	366	247	119	107	56	3	12	87	156	
1	3	4	4	22	27	114	52	62	2,219	1,018	1,201	154	148	2	26	34	194	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ITS CAUSE AND CLASS OF

[The term "cities" indicates municipalities of 10,000 inhabitants of

Detailed Int. List. No.	CAUSE OF DEATH.	RHODE ISLAND.		SOUTH CAROLINA.						TENNESSEE.		
				Cities.			Rural districts.			Cities.		
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Total.	White.	Colored.
	VIII.—Diseases of the skin and of the cellular tissue	21	7	8	3	5	34	19	15	27	16	11
142	Gangrene	7	4	2		2	11	7	4	12	3	9
143	Furuncle	3		3	3		2	2		4	4	
144	Acute abscess	7	1	2		2	10	5	5	4	4	
145	Other diseases of the skin and annexa	4	2	1		1	11	5	6	7	5	2
	IX.—Diseases of the bones and of the organs of locomotion	18	2	12	9	3	25	14	11	38	30	8
146	Diseases of the bones (tuberculosis excepted)	12		8	7	1	18	9	9	35	28	7
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	1	3	2	1	5	5		2	1	1
148	Amputations											
149	Other diseases of the organs of locomotion		1	1		1	2		2	1	1	
	X.—Malformations	74	17	25	21	4	134	88	46	45	41	4
150	Congenital malformations (total)	74	17	25	21	4	134	88	46	45	41	4
	Hydrocephalus	8		3		3	32	12	20	4	4	
	Congenital malformations of the heart	46	13	15	15		61	47	14	23	20	3
	Other congenital malformations	20	4	7	6	1	41	29	12	18	17	1
	XI.—Early infancy	441	68	317	136	181	1,897	721	1,176	384	272	112
151	Congenital debility, icterus, and sclerema (total)	314	48	263	112	151	1,748	642	1,106	320	221	99
	Premature birth	208	35	157	97	60	1,473	542	931	240	164	76
	Congenital debility, "atrophy," "marasmus," etc.	106	13	106	15	91	275	100	175	80	57	23
152	Other causes peculiar to early infancy (total)	126	19	54	24	30	146	79	67	62	50	12
	Injuries at birth	88	12	24	14	10	48	28	20	35	26	9
	Other causes peculiar to early infancy:	38	7	30	10	20	98	51	47	27	24	3
153	Lack of care	1	1				3		3	2	1	1
	XII.—Old age	100	36	15	9	6	529	149	380	59	48	11
154	Senility	100	36	15	9	6	529	149	380	59	48	11
	XIII.—External causes	402	63	307	157	150	1,030	408	622	714	407	307
	Suicide (total)	51	8	16	12	4	43	37	6	36	31	5
155	By poison	3		1	1		4	4		8	8	
156	By asphyxia	16		2	2					2	2	
157	By hanging or strangulation	5	2				2	2		2	1	1
158	By drowning	4	4	1	1					1	1	
159	By firearms	13	2	9	7	2	37	31	6	16	14	2
160	By cutting or piercing instruments	6		2	1	1				3	3	
161	By jumping from high places	2								1		1
162	By crushing	1								1		1
163	Other suicides	1		1		1				2	2	
	Accidental or undefined (total)	340	55	213	118	95	807	320	487	504	330	174
164	Poisoning by food	3	3	5	4	1	18	10	8	18	13	5
165	Other acute poisonings	6	1	10	4	6	37	15	22	20	12	8
166	Conflagration	5		5	4	1	22	3	19	8	2	6
167	Burns (conflagration excepted)	54	2	32	10	22	239	63	176	66	30	36
168	Absorption of deleterious gases (conflagration excepted)	18	1	6	5	1	35	19	16	12	6	6
169	Accidental drowning	45	20	12	7	5	75	43	32	8	4	4
170	Traumatism by firearms	2		12	3	9	65	22	43	39	23	16
171	Traumatism by cutting or piercing instruments						5	1	4	2	2	
172	Traumatism by fall	75	5	25	19	6	61	36	25	59	52	7
173	Traumatism in mines and quarries (total)	1					2	2		8	3	5
	Traumatism in mines						2	2		7	3	4
	Traumatism in quarries	1								1		1
174	Traumatism by machines	9	1	9	4	5	22	7	15	24	13	11
175	Traumatism by other crushing (total)	99	17	76	46	30	134	69	65	178	135	43
	Railroad accidents and injuries	14	1	32	17	15	39	15	24	53	35	18
	Street-car accidents and injuries	12	1	1	1		1		1	16	14	2
	Automobile accidents and injuries	67	11	33	23	10	58	39	19	91	73	18
	Injuries by other vehicles	6	4	9	5	4	27	8	19	12	10	2
	Aeroplane accidents and injuries						4	4				
	Landslide, other crushing			1		1	5	3	2	6	3	3
176	Injuries by animals	2		1	1		13	2	11	4	3	1
177	Starvation									1		1
178	Excessive cold	1	1				1		1			
179	Effects of heat	3		1	1		5	1	4	1		1
180	Lightning		1	2	1	1	11	6	5			
181	Electricity (lightning excepted)	2	1	5	3	2	8	5	3	5	5	
185	Fractures (cause not specified)	2					3	1	2	7	3	4
186	Other external violence	13	2	12	6	6	51	15	36	44	24	20
	Homicide (total)	11		78	27	51	180	51	129	174	46	128
182	By firearms	6		68	22	46	150	44	106	137	38	99
183	By cutting or piercing instruments	4		6	2	4	16	2	14	23	3	20
184	By other means	1		4	3	1	14	5	9	14	5	9
	XIV.—Ill-defined diseases	38	5	45	19	26	837	188	649	276	120	156
187	Ill-defined organic disease						122	22	100	7	3	4
188	Sudden death	9	2	2	2		33	11	22	19	11	8
189	Not specified or ill-defined (total)	29	3	43	17	26	682	155	527	250	106	144
	Ill-defined	16	2	36	12	24	557	118	439	59	30	29
	Not specified or unknown	13	1	7	5	2	125	37	88	191	76	115

MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSES: 1920—Continued.

more in 1920, smaller places being included in the "rural districts."]

TENNESSEE—continued.			UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.		Detailed List No.
Rural districts.							Cities.			Rural districts.							
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	
44	37	7	4	4	4	18	26	11	15	71	41	30	15	18	38	83	
20	15	5	1	1	1	10	17	5	12	35	19	16	7	10	12	36	142
8	8					3	2	2		7	7		3	3	9	8	143
5	5		1	1	2	2	5	3	2	17	10	7	4	2	4	12	144
11	9	2	2	2	1	3	2	1	1	12	5	7	1	3	13	27	145
31	28	3	9	2	3	10	38	27	11	33	27	6	37	14	37	31	
23	22	1	8	2	3	6	29	21	8	29	23	6	33	11	32	28	146
5	4	1				3	8	5	3	2	2		2	3	5	2	147
																	148
3	2	1	1			1	1	1		2	2		2			1	149
135	128	7	26	47	7	50	94	76	18	194	154	40	105	98	141	208	
135	128	7	26	47	7	50	94	76	18	194	154	40	105	98	141	208	150
15	15			2	1	3	5	3	2	18	13	5	8	6	10	18	
60	57	3	22	33	4	31	55	43	12	93	78	15	71	59	81	121	
60	56	4	4	12	2	16	34	30	4	83	63	20	26	33	50	69	
890	759	131	130	283	69	233	616	370	246	1,390	977	413	410	354	803	1,002	
729	619	110	107	232	55	193	520	312	208	1,184	829	355	309	294	601	796	151
536	463	73	99	202	31	147	396	266	130	864	645	219	271	246	508	656	
193	156	37	8	30	24	46	124	46	78	320	184	136	38	48	93	140	
159	138	21	23	51	14	39	95	57	38	199	144	55	101	60	201	205	152
77	70	7	14	29	12	20	53	41	12	112	88	24	70	33	108	116	
82	68	14	9	22	2	19	42	16	26	87	56	31	31	27	93	89	
2	2					1	1	1		7	4	3			1	1	153
362	266	96	21	71	14	74	61	43	18	469	291	178	53	127	177	579	
362	266	96	21	71	14	74	61	43	18	469	291	178	53	127	177	579	154
1,043	810	233	178	266	49	253	644	391	253	1,240	842	398	687	879	730	974	
90	84	6	21	14	6	38	42	36	6	86	76	10	134	112	107	158	
12	12		2	2	2	3	7	7		18	16	2	22	12	15	21	155
							6	6		1	1		20	1	11		156
20	25	1	1	2		7	1	1		7	7		10	27	37	54	157
3	2	1	1		2	3	1	1		4	2	2	12	13	7	10	158
30	34	2	13	6	1	21	24	18	6	49	44	5	56	42	26	55	159
11	9	2	2	1	1	4	2	2		3	2	1	10	14	8	10	160
2	2		2				1	1		1	1		4	1	1	2	161
														2	1	2	162
				3						3	3				1	4	163
803	639	164	149	237	43	207	480	310	170	1,016	689	327	514	736	593	802	
18	16	2	4	4		6	10	5	5	16	9	7	5	9	6	18	164
23	19	4	9	6		8	18	9	9	33	22	11	24	23	14	17	165
9	4	5		2	1	2	7	4	3	46	13	33	17	18	2	20	166
134	106	28	14	10	3	6	64	33	31	164	100	64	19	29	48	70	167
28	19	9	2	5	6	2	20	11	9	34	22	12	23	15	36	24	168
52	40	12	7	21	2	26	47	30	17	100	64	36	34	120	54	121	169
62	48	14	6	11		5	29	10	19	79	44	35	13	31	15	31	170
6	2	4					2		2	2	1	1		2	1	2	171
131	115	16	21	24	15	49	89	72	17	141	120	21	92	62	107	128	172
18	16	2	10	46	1	5	2	2		62	50	12	1	27		8	173
18	16	2	10	45		2	1	1		51	44	7	1	25		5	
				1	1	3	1	1		11	6	5		2		3	
20	14	6	7	8		7	12	6	6	28	18	10	36	24	33	41	174
146	120	26	53	73	9	58	131	104	27	181	137	44	186	225	218	180	175
78	62	16	16	27	3	17	38	28	10	104	65	39	34	66	53	73	
1	1		6		2	2	19	16	3	3	3		25	4	27	4	
39	35	4	27	24	3	27	56	50	6	41	39	2	104	80	110	57	
23	19	4	3	11	1	9	9	7	2	23	21	2	12	18	21	34	
2	2									5	5		1	4		1	
3	1	2	1	11		3	9	3	6	5	4	1	10	53	7	11	
16	14	2	2	6		6	2		2	11	9	2	5	12	7	20	176
1	1												1	2			177
2	1	1	1			3	2		2	6	1	5	1	1		3	178
4	3	1		1	1	2	2		2	6	4	2		3	3	5	179
18	16	2	1	2						15	10	5		1		14	180
15	9	6	3	5		2	5	4	1	7	5	2	3	14	14	20	181
3	3						4	3	1	10	9	1	2	4	2	11	185
97	73	24	9	13	5	20	34	7	17	75	51	24	52	114	33	69	186
150	87	63	8	15		8	122	45	77	138	77	61	39	31	30	14	
121	74	47	7	11		6	98	36	62	110	63	47	31	20	16	9	182
16	7	9		1			11	1	10	7	2	5	4	2	5		183
13	6	7	1	3		2	13	8	5	21	12	9	4	9	9	5	184
1,359	951	408	82	46	2	10	91	31	60	1,066	543	523	33	104	23	107	
39	24	15		1	1					54	27	27		2		3	187
105	77	28		4		2	9	5	4	93	56	37		6	3	10	188
1,215	850	365	82	41	1	8	82	26	56	919	460	459	33	96	20	94	189
347	270	77	81	23		2	54	16	38	250	142	108	11	32	8	22	
868	580	288	1	18	1	6	28	10	18	669	318	351	22	64	12	72	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		1,118,070	170,911	36,106	16,503	11,184	8,306	243,010	26,535	19,046	30,276	42,386
	Males		586,136	97,086	19,242	8,704	5,731	4,316	135,079	14,187	10,203	15,471	19,662
	Females		531,934	73,825	16,864	7,799	5,453	3,990	107,931	12,348	8,843	14,805	22,724
	I.—General diseases		325,359	22,499	13,390	7,191	5,299	3,956	52,335	12,137	7,706	13,952	20,533
	Males		160,457	12,315	6,989	3,706	2,707	2,058	27,775	6,125	3,470	6,208	8,871
	Females		164,902	10,184	6,401	3,485	2,592	1,898	24,560	6,012	4,236	7,744	11,662
1	Typhoid fever	M	3,679	27	34	47	41	39	188	261	341	534	476
		F	2,903	24	26	38	35	46	169	241	382	480	391
2	Typhus fever	M	4									1	1
		F	1										
3	Relapsing fever	M	1									1	
		F	1										
4	Malaria	M	1,508	189	93	72	50	54	458	159	93	94	76
		F	1,452	151	77	69	43	44	384	178	96	95	81
5	Smallpox	M	295	49	8	2		2	61	10	11	14	15
		F	203	38	5	2	3	3	51	6	3	11	25
6	Measles	M	3,902	938	1,245	497	236	153	3,119	391	80	121	53
		F	3,698	823	1,110	455	271	151	2,810	412	93	84	46
7	Scarlet fever	M	1,969	116	205	268	239	197	1,025	489	177	107	60
		F	2,007	72	170	216	215	184	857	566	167	128	102
8	Whooping cough	M	4,945	2,910	1,138	365	183	107	4,703	189	21	9	3
		F	5,797	3,047	1,419	511	323	167	5,467	246	37	11	6
9	Diphtheria and croup	M	6,904	549	948	964	926	757	4,144	1,956	461	129	49
		F	6,307	373	780	837	755	646	3,391	1,901	511	132	76
10	Influenza	M	30,649	3,200	1,826	714	467	308	6,515	919	745	1,682	1,777
		F	30,044	2,293	1,507	665	473	313	5,251	948	797	1,280	2,321
11	Miliary fever	M											
		F											
12	Asiatic cholera	M											
		F											
13	Cholera nostras	M	100	24	9	8	8	4	53	3		3	1
		F	75	16	4	1	3	5	29	3		1	3
14	Dysentery	M	1,733	467	322	109	46	31	975	55	31	18	22
		F	1,682	365	262	99	43	23	792	54	18	27	25
15	Plague	M	9		1				1	1		2	1
		F	1							1			
16	Yellow fever	M	1										
		F											
17	Leprosy	M	14										
		F	8									1	
18	Erysipelas	M	1,403	418	22	11	5	7	463	17	9	27	29
		F	1,271	402	42	10	9	5	468	12	10	29	32
19	Other epidemic diseases	M	207	62	35	11	7	7	122	24	5	4	9
		F	127	36	16	9	6	10	77	13	6	1	3
20	Purulent infection and septicemia	M	689	99	10	8	6	8	131	35	38	30	39
		F	490	59	14	4	8	2	87	22	17	29	37
21	Glanders	M	1							1			
		F											
22	Anthrax	M	32									1	1
		F	5										
23	Rabies	M	28			1	4	1	6	7	1	2	1
		F	11		1	1			2	4	3		1
24	Tetanus	M	934	185	7	10	13	22	237	176	156	56	39
		F	415	124	6	7	3	4	144	70	24	20	19
25	Mycoses	M	41				1		1		1	2	3
		F	17								1	1	3
26	Pellagra	M	593	2	4	2	4	2	14	22	8	7	24
		F	1,529	1	3	1	2	5	12	20	26	73	144
27	Beriberi	M	4	1			1		2				
		F	1										
	Tuberculosis (total)	M	51,076	1,086	771	449	320	234	2,860	847	759	2,769	5,444
		F	46,290	886	677	413	259	193	2,428	832	1,423	4,667	7,412
28	Tuberculosis of the lungs	M	43,525	364	247	103	89	60	863	297	408	2,300	4,824
		F	39,213	289	186	124	63	64	726	368	1,010	4,006	6,624
29	Acute miliary tuberculosis	M	1,509	63	36	24	12	9	144	40	39	136	202
		F	1,619	55	52	17	20	6	150	51	93	271	309
30	Tuberculous meningitis	M	2,594	498	399	249	160	121	1,427	330	142	118	121
		F	2,227	429	363	224	132	97	1,245	273	161	132	108
31	Abdominal tuberculosis	M	1,532	81	50	34	27	17	209	83	64	91	140
		F	1,898	64	44	31	22	16	177	65	85	156	247
32	Pott's disease	M	589	15	9	15	18	12	69	37	42	43	46
		F	387	7	7	7	9	6	36	28	27	22	34
33	White swellings	M	322	7	4	6	7	5	29	20	27	22	31
		F	167	2	4		4	2	12	13	12	20	12
34	Tuberculosis of other organs	M	759	40	17	17	4	9	87	33	26	44	57
		F	569	26	18	8	6	2	60	24	23	41	52
35	Disseminated tuberculosis	M	246	18	9	1	3	1	32	7	11	15	23
		F	210	14	3	2	3		22	10	12	19	26
36	Rickets	M	276	190	54	9	7	2	262	2	3	2	2
		F	220	129	53	9	8	1	200	3	3		2
37	Syphilis	M	5,176	1,043	76	24	13	6	1,162	22	33	44	151
		F	2,459	774	67	25	12	4	882	23	23	70	156
38	Gonococcus infection	M	133	26		1			27			3	13
		F	532	43	2	1	2	1	49	2	3	44	89

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920.

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
48,224	48,600	50,436	46,225	50,438	56,587	60,537	71,462	75,344	78,507	73,120	52,959	29,131	10,281	2,427	933	1,606	
22,347	23,980	26,531	24,750	27,652	31,200	33,212	38,964	40,374	40,887	36,811	25,138	13,207	4,239	939	344	959	
25,877	24,620	23,905	21,475	22,786	25,387	27,325	32,498	34,970	37,620	36,309	27,821	15,924	6,042	1,488	589	647	
22,442	21,652	21,121	18,646	18,796	19,720	19,583	20,419	18,337	15,914	11,633	6,350	2,656	734	179	65	449	
10,169	10,728	10,918	9,480	9,662	9,990	9,732	10,214	9,172	7,774	5,555	2,805	1,156	311	73	26	243	
12,273	10,924	10,203	9,166	9,134	9,730	9,851	10,205	9,165	8,140	6,078	3,545	1,500	423	106	39	206	
353	303	299	227	187	173	97	95	69	39	17	7	1	.....	.....	1	11	1
269	215	168	117	108	98	77	73	56	28	15	7	2	.....	.....	.....	7	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
52	32	61	62	64	71	46	56	49	47	40	25	13	1	.....	.....	4	4
60	60	66	54	45	44	56	41	48	47	41	21	11	6	2	5	11	
12	24	23	27	17	12	12	16	20	7	6	6	2	.....	.....	.....	.....	5
16	19	14	20	6	10	9	3	3	2	1	4	.....	.....	.....	.....	.....	
21	14	14	15	18	10	8	12	8	9	4	.....	.....	.....	.....	.....	5	6
47	36	43	27	22	17	11	13	12	8	8	3	.....	1	.....	.....	.....	
49	22	17	14	5	4	2	2	3	1	.....	.....	.....	.....	.....	.....	1	7
83	40	28	12	5	5	7	5	1	1	.....	.....	.....	.....	.....	.....	.....	
3	4	2	2	1	1	1	.....	.....	1	1	2	.....	.....	.....	.....	2	8
5	3	4	2	1	2	2	1	2	.....	.....	3	1	2	.....	.....	2	
36	30	21	15	20	9	4	8	9	2	4	1	1	.....	.....	.....	5	9
58	52	46	39	13	29	26	15	7	4	3	.....	1	1	.....	1	1	
2,507	3,195	2,767	1,861	1,473	1,333	1,049	1,038	1,027	1,011	803	526	263	75	20	10	63	10
3,490	3,260	2,472	1,486	1,166	1,062	1,043	982	1,029	1,147	1,040	717	323	117	34	14	59	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	3	2	1	.....	2	1	3	6	4	9	5	3	1	.....	.....	.....	13
2	.....	2	3	1	1	2	4	5	4	7	3	3	1	.....	.....	1	
20	17	25	19	27	29	47	62	70	77	92	75	40	19	8	1	4	14
27	22	26	33	38	40	35	54	84	111	121	101	34	25	7	3	5	
1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	4	.....	1	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
33	42	44	61	60	85	90	74	79	88	87	59	41	9	3	1	2	18
32	36	39	54	56	55	59	67	62	87	73	55	27	13	3	1	1	
3	2	2	3	2	2	5	3	5	5	5	5	.....	.....	.....	1	.....	19
3	3	6	1	1	2	3	.....	1	1	3	1	2	.....	.....	.....	.....	
31	43	29	31	36	48	39	39	34	27	26	16	8	3	1	1	4	20
31	27	33	35	26	21	17	28	21	18	15	17	7	1	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	4	2	4	5	4	2	2	1	.....	.....	.....	1	.....	.....	.....	.....	22
.....	.....	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	1	4	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
27	40	36	26	24	36	34	19	19	8	7	2	.....	.....	.....	1	.....	24
18	10	18	16	19	16	11	9	9	8	3	1	.....	.....	.....	.....	.....	
2	4	3	1	4	2	6	7	3	1	1	.....	.....	.....	.....	.....	.....	25
.....	2	2	3	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	
16	39	38	51	42	58	42	60	57	51	35	13	3	3	2	.....	8	26
165	145	174	158	163	103	70	88	70	51	25	21	12	2	3	.....	4	
.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6,072	5,568	5,577	4,575	4,164	3,569	2,750	2,291	1,712	1,090	611	227	71	26	5	1	88	
6,793	5,134	4,292	3,113	2,387	1,924	1,523	1,345	1,158	836	592	243	96	20	7	2	63	
5,439	5,063	5,081	4,182	3,787	3,268	2,504	2,076	1,537	968	550	207	59	25	5	1	81	
6,130	4,672	3,913	2,788	2,095	1,689	1,348	1,186	1,040	748	498	207	85	17	5	1	57	28
200	149	175	109	101	64	39	44	33	21	6	4	1	.....	.....	.....	2	
247	148	110	67	54	43	24	19	17	9	4	2	.....	.....	.....	.....	1	29
116	100	67	58	34	35	15	15	11	3	1	1	.....	.....	.....	.....	.....	
95	56	33	29	35	17	18	10	7	2	4	1	1	.....	.....	.....	.....	30
139	109	114	102	95	93	80	65	60	45	28	7	6	.....	.....	.....	2	
208	152	143	135	118	89	70	74	59	47	47	14	7	1	.....	1	3	31
57	53	42	36	45	36	26	26	15	9	6	1	.....	.....	.....	.....	.....	
41	25	30	30	28	26	19	14	6	8	8	1	2	1	1	.....	.....	32
29	21	22	18	19	12	21	20	7	15	5	1	2	.....	.....	.....	1	
9	16	6	8	14	7	10	8	4	4	6	3	.....	.....	1	.....	2	33
65	56	60	58	58	44	51	35	41	22	12	6	3	.....	.....	.....	1	
45	52	42	43	33	38	25	24	18	12	21	14	1	1	.....	.....	.....	34
27	17	16	12	25	17	14	10	8	7	3	.....	.....	1	.....	.....	1	
18	13	15	13	10	15	9	10	7	6	4	1	.....	.....	.....	.....	.....	35
1	.....	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	36
1	.....	1	.....	1	2	.....	2	.....	1	2	1	1	.....	.....	.....	.....	
218	336	543	571	535	449	386	291	230	110	55	19	9	.....	1	.....	11	37
144	178	211	183	171	140	97	73	50	27	18	4	.....	1	.....	.....	8	
10	11	10	14	9	7	5	9	6	5	3	.....	1	.....	.....	.....	.....	38
105	85	70	45	24	6	3	1	2	2	1	.....	.....	.....	.....	.....	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	30,465	29	42	25	33	27	156	83	63	96	173
		F.	41,291	31	23	26	23	25	128	57	67	107	195
39	Of the buccal cavity	M.	2,211	3			2	1	6	3	3	6	7
		F.	422	5		1	3	1	10	2	2	3	6
40	Of the stomach, liver	M.	14,093	4	8		2	4	18	20	9	6	24
		F.	13,045	7	2	3	1	3	16	12	7	13	30
41	Of the peritoneum, intestines, rectum	M.	4,150	3	5	3	5	3	19	7	8	14	29
		F.	5,513	1	2	2	2	2	9	9	11	12	37
42	Of the female genital organs	F.	10,523		2			1	3	4	5	15	55
43	Of the breast	M.	85								1		
		F.	6,485							1		4	10
44	Of the skin	M.	1,484			2	3	1	6	5	1	4	6
		F.	850	3	1		2	1	7	1	4	1	6
45	Of other organs or of organs not specified	M.	8,442	19	29	20	21	18	107	48	41	66	107
		F.	4,453	15	16	20	15	17	83	28	38	59	51
46	Other tumors (tumors of the female genital organs excepted)	M.	95	12	3			1	16	2	1	1	4
		F.	163	3	2				5	2	1	1	1
47	Acute articular rheumatism	M.	1,530	14	12	14	25	20	85	183	177	141	70
		F.	1,712	11	11	8	17	16	63	171	222	145	107
48	Chronic rheumatism and gout	M.	323								2	3	6
		F.	650	1					1	2		7	6
49	Scurvy	M.	37	25	3	2			30	1	1		
		F.	40	20	5		2		27	1	1		5
50	Diabetes	M.	6,301	20	15	29	18	25	107	126	159	203	201
		F.	7,597	6	10	23	25	15	79	124	196	137	176
51	Exophthalmic goiter	M.	187							1		8	10
		F.	1,403	4	1				5	1	10	57	82
52	Addison's disease	M.	146	1					1		6	3	8
		F.	177				1	1	2		4	3	6
53	Leukemia	M.	997	22	25	22	19	18	106	61	39	53	41
		F.	679	13	20	13	17	8	71	34	35	33	26
54	Anemia, chlorosis	M.	2,107	57	35	13	11	7	123	27	20	19	29
		F.	2,606	70	16	5	7	6	104	32	23	51	61
55	Other general diseases	M.	927	504	46	29	24	19	622	55	23	13	10
		F.	853	369	72	37	27	20	525	31	29	14	22
56	Alcoholism (acute or chronic)	M.	789								1	5	12
		F.	84									2	3
57	Chronic lead poisoning	M.	115									1	3
		F.	4									2	1
58	Other chronic occupation poisonings	M.	11										
		F.	2										
59	Other chronic poisonings	M.	121										15
		F.	95									1	7
	II.—Diseases of the nervous system and of the organs of special sense		106,652	4,255	1,301	765	523	386	7,230	1,446	1,122	1,283	1,346
	Males		54,650	2,456	688	427	263	205	4,039	787	612	763	773
	Females		52,002	1,799	613	338	260	181	3,191	659	510	530	573
60	Encephalitis	M.	1,146	81	32	32	18	10	173	52	60	79	106
		F.	961	73	50	26	19	16	184	62	66	60	73
61	Meningitis (total)	M.	2,917	707	301	202	113	88	1,411	309	185	196	118
		F.	2,234	579	251	157	114	76	1,177	270	154	106	94
	Simple meningitis	M.	1,472	387	132	116	59	38	732	137	79	59	52
		F.	1,118	320	112	79	47	36	594	120	59	38	50
	Cerebrospinal meningitis (undefined)	M.	648	141	80	37	27	23	308	77	48	53	22
		F.	520	133	67	35	30	10	275	64	43	29	16
	Cerebrospinal fever	M.	797	179	89	49	27	27	371	95	58	84	44
		F.	596	126	72	43	37	30	308	86	52	30	23
62	Locomotor ataxia	M.	1,199								1	2	2
		F.	385							1		2	2
63	Other diseases of the spinal cord (total)	M.	2,540	90	65	48	42	29	274	112	48	64	58
		F.	2,330	57	68	38	34	31	228	72	50	35	42
	Acute anterior poliomyelitis	M.	421	62	57	36	27	25	207	85	32	23	16
		F.	341	39	59	33	29	29	189	58	34	17	9
	Other diseases of the spinal cord	M.	2,119	28	8	12	15	4	67	27	16	41	42
		F.	1,989	18	9	5	5	2	39	14	16	18	33
64	Cerebral hemorrhage, apoplexy	M.	33,564	96	30	14	11	7	158	32	28	47	101
		F.	36,104	65	22	10	11	3	111	30	37	64	81
65	Softening of the brain	M.	437										2
		F.	388										
66	Paralysis without specified cause	M.	2,584	15	6	4	6	3	34	9	10	12	14
		F.	3,044	9	6	1	6	1	23	8	8	14	10
67	General paralysis of the insane	M.	3,763								1	6	23
		F.	1,240							1		8	9
68	Other forms of mental alienation	M.	657								2	17	44
		F.	906								2	25	41
69	Epilepsy	M.	1,770	64	20	22	15	15	136	57	114	173	185
		F.	1,282	58	17	12	13	10	110	42	66	121	123
70	Convulsions (nonpuerperal)	M.	63							20	8	4	1
		F.	83							22	9	6	11
71	Convulsions of infants	M.	1,275	1,076	124	39	19	17	1,275				
		F.	903	713	120	45	14	11	903				
72	Chorea	M.	63	4	3	2	1	1	11	9	6	12	2
		F.	77	4	1	1	1		7	7	17	15	5
73	Neuralgia and neuritis	M.	154	3					3	4	1	4	5
		F.	196			1		2	3	1	1	1	7

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
243	451	757	1,184	2,002	3,007	3,861	4,621	4,433	4,143	2,982	1,453	564	133	29	6	25	
428	980	1,820	2,911	3,817	4,784	5,106	5,506	4,868	4,352	3,231	1,879	795	176	41	9	34	
12	25	48	89	162	220	293	300	269	301	247	136	63	14	3	.....	4	
6	7	11	17	29	30	30	46	40	51	49	41	33	7	.....	2	.....	39
58	146	319	541	947	1,507	1,973	2,319	2,197	1,936	1,305	548	168	33	3	2	14	
68	153	316	546	828	1,334	1,621	1,899	1,940	1,867	1,358	703	268	42	11	1	12	40
51	91	150	201	282	425	503	644	569	540	374	168	62	11	1	.....	1	
59	104	195	294	403	591	674	815	724	644	524	274	112	15	4	.....	3	41
165	431	760	1,164	1,416	1,461	1,316	1,277	942	724	440	245	70	17	3	1	9	42
.....	2	2	5	8	10	9	10	5	14	8	9	2	.....	.....	.....	.....	43
47	155	343	616	745	861	878	826	618	501	427	275	126	35	9	2	6	
10	8	18	35	51	92	113	159	200	209	244	171	100	38	13	1	.....	44
8	9	9	18	25	27	55	76	69	134	122	139	99	34	4	1	2	
112	179	220	313	552	753	970	1,189	1,193	1,143	804	421	169	37	9	3	6	45
75	121	186	256	371	480	532	567	535	431	311	202	87	26	10	2	2	
2	4	4	1	6	8	5	10	12	4	7	4	3	.....	.....	.....	1	
1	11	12	18	9	11	14	19	11	17	9	17	2	2	.....	.....	.....	46
61	60	62	64	65	77	73	88	88	82	81	45	22	5	.....	.....	1	
70	93	85	83	79	71	78	83	75	109	67	64	37	8	.....	1	1	47
8	3	9	15	17	27	18	38	38	49	41	32	11	5	.....	.....	1	
3	11	21	15	25	39	58	79	90	95	83	65	34	11	4	.....	1	48
1	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	49
209	226	252	265	392	510	662	828	783	616	459	210	71	18	3	.....	1	
161	202	186	273	433	695	978	1,161	1,077	854	521	242	81	15	3	.....	3	50
10	21	18	16	32	20	19	14	7	5	3	1	1	.....	.....	.....	1	
97	124	139	178	173	169	149	94	61	41	21	7	.....	.....	.....	.....	.....	51
10	9	8	16	20	19	11	15	6	8	4	.....	2	.....	.....	.....	.....	
8	13	23	18	17	20	16	17	12	10	5	2	1	.....	.....	.....	.....	52
57	58	70	65	82	69	80	89	67	26	21	7	2	2	.....	.....	2	
41	36	47	49	51	49	54	63	36	33	14	6	1	.....	.....	.....	.....	53
31	42	69	112	166	204	281	326	258	207	117	50	14	8	1	2	1	
62	96	122	181	230	274	312	348	287	214	140	46	18	12	1	.....	2	54
14	14	15	16	15	14	18	13	27	18	15	7	6	3	.....	.....	.....	
27	12	12	22	18	23	15	20	21	21	11	13	8	7	1	.....	1	55
33	79	110	129	138	103	58	54	30	21	11	2	.....	.....	.....	1	2	
9	10	11	13	13	7	5	3	1	2	2	.....	1	1	.....	.....	1	56
5	6	10	12	16	12	13	19	8	8	.....	1	1	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	57
.....	1	.....	2	2	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
18	16	13	7	13	11	2	7	2	4	7	4	2	.....	.....	.....	.....	59
10	9	8	7	12	8	8	5	3	6	5	2	2	1	.....	1	.....	
1,560	1,983	2,883	3,661	5,001	6,742	8,139	10,722	12,257	13,336	12,904	8,850	4,439	1,263	264	71	150	
809	1,141	1,679	2,071	2,700	3,611	4,294	5,644	6,337	6,710	6,162	3,940	1,897	484	110	21	76	
751	842	1,204	1,590	2,301	3,131	3,845	5,078	5,920	6,626	6,742	4,910	2,542	779	154	50	74	
80	84	103	84	93	74	47	41	32	20	4	7	2	1	.....	.....	4	
73	67	68	71	67	48	38	29	25	14	5	5	3	2	1	1	1	60
111	111	97	86	81	70	41	34	29	13	13	4	3	1	.....	.....	4	
66	65	59	48	47	33	34	30	22	11	4	8	1	3	.....	.....	2	61
64	55	42	53	53	43	32	24	19	11	10	2	1	1	.....	.....	3	
34	37	32	26	27	20	25	21	15	9	2	5	1	3	.....	.....	.....	
23	23	32	15	14	12	4	5	7	1	2	1	1	.....	.....	.....	.....	
15	17	12	14	10	3	5	7	5	2	1	2	.....	.....	.....	.....	.....	
24	33	23	18	14	15	5	5	3	1	1	1	1	.....	.....	.....	1	
17	11	15	8	10	10	4	2	2	.....	1	1	.....	.....	.....	.....	2	
6	18	46	97	110	180	174	185	169	109	71	22	5	2	.....	.....	.....	
3	11	19	22	39	50	54	72	47	34	19	9	1	.....	.....	.....	.....	62
50	57	66	81	99	153	180	279	289	274	255	129	52	14	3	1	2	
50	52	62	81	97	149	195	240	258	260	243	132	61	18	4	.....	1	63
9	11	4	2	6	2	3	6	6	2	6	.....	.....	.....	.....	.....	1	
10	3	2	3	5	1	4	1	2	1	2	.....	.....	.....	.....	.....	.....	
41	46	62	79	93	151	177	273	283	272	249	129	52	14	3	1	1	
40	49	60	78	92	148	191	239	256	259	241	132	61	18	4	.....	1	
148	226	414	731	1,308	2,174	3,000	4,267	4,999	5,481	5,066	3,261	1,581	397	83	16	46	
161	263	493	873	1,510	2,289	2,974	4,061	4,933	5,527	5,593	4,113	2,138	651	121	37	44	64
.....	3	1	5	12	15	31	31	46	87	93	67	34	7	3	.....	.....	
2	.....	4	4	7	14	24	22	40	53	84	74	38	17	3	1	1	65
15	11	37	58	80	126	193	284	374	413	412	284	147	48	15	3	5	
15	25	52	64	102	159	194	289	345	461	534	422	206	70	20	8	15	66
74	257	560	596	581	507	377	279	182	122	92	57	34	3	2	1	9	
44	78	126	121	137	125	112	97	77	91	117	49	36	8	2	.....	2	67
42	62	50	53	55	71	46	60	43	48	26	20	10	5	.....	.....	3	
75	78	96	99	104	81	72	66	45	49	33	23	11	.....	.....	2	4	68
137	161	154	125	108	76	74	56	69	45	54	32	10	2	.....	.....	2	
140	97	105	89	79	63	51	57	43	37	24	23	7	1	.....	.....	4	69
5	5	3	3	3	3	2	1	.....	2	1	1	.....	.....	1	.....	.....	
6	6	9	5	2	1	.....	1	1	3	1	.....	.....	.....	.....	.....	.....	70
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	4	2	.....	3	2	.....	3	2	2	2	1	.....	.....	1	.....	.....	72
5	3	3	2	2	.....	1	5	1	3	1	.....	.....	.....	.....	.....	.....	
4	7	6	10	9	7	11	12	15	22	16	14	3	.....	1	.....	.....	73
7	4	7	16	7	16	8	22	27	14	27	13	11	3	1	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
74	Other diseases of the nervous system	M	1,486	105	41	30	12	13	201	75	76	66	67
		F	1,109	88	27	10	23	13	161	53	43	37	52
75	Diseases of the eyes and their annexa	M	41	4			2		6	5	3	3	1
		F	49	6	2	3	4	1	16	1	1		2
76	Diseases of the ears	M	991	211	66	34	24	22	357	103	69	68	44
		F	711	147	49	34	21	17	268	89	56	36	21
	III.—Diseases of the circulatory system		162,384	1,362	289	197	169	193	2,210	1,301	1,821	1,838	1,982
	Males		83,841	808	168	89	89	90	1,244	588	845	919	874
	Females		78,543	554	121	108	80	103	966	713	976	919	1,108
77	Pericarditis	M	448	10	3	2	1	2	18	13	11	18	18
		F	364	10	3	3	1	2	19	11	21	5	10
78	Acute endocarditis	M	3,327	208	29	29	25	16	307	136	141	141	119
		F	3,378	127	33	32	28	33	253	170	176	147	183
79	Organic diseases of the heart	M	61,640	357	95	42	54	62	610	408	662	717	676
		F	60,780	251	59	54	43	59	466	503	748	716	850
80	Angina pectoris	M	4,717		1		1		2	1	2	8	10
		F	2,720	1					1	2	3	12	15
81	Diseases of the arteries, atheroma, aneurism, etc.	M	11,120	2				1	3	1	1	8	10
		F	8,618	1					1	1	1	6	4
82	Embolism and thrombosis	M	1,933	34	4	3	2	3	46	11	16	17	24
		F	1,965	26	5	4	4	2	41	8	10	22	32
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M	180	3					3	3	2		3
		F	309	2	1	2	1		6	2	2	6	5
84	Diseases of the lymphatic system (lymphangitis, etc.)	M	312	174	34	11	5	6	230	11	9	8	11
		F	233	128	18	11	3	6	166	13	7	5	2
85	Hemorrhage; other diseases of the circulatory system	M	164	20	2	2	1		25	4	1	2	3
		F	176	8	2	2		1	13	3	8	1	2
	IV.—Diseases of the respiratory system		138,995	26,523	9,753	3,647	1,939	1,247	43,109	3,172	1,833	3,607	5,149
	Males		73,777	15,059	5,203	1,920	979	656	23,817	1,660	949	2,059	2,660
	Females		65,218	11,464	4,550	1,727	960	591	19,292	1,512	884	1,548	2,671
86	Diseases of the nasal fossae	M	211	129	14	1	4	1	149	7	2	6	5
		F	201	105	6	4	2	2	119	3	2	5	11
87	Diseases of the larynx	M	442	96	64	54	34	33	281	45	7	6	5
		F	330	54	42	45	29	24	194	43	11	6	6
88	Diseases of the thyroid body	M	87	4	4	1			9	3	2	8	4
		F	589	5	4				9		12	17	26
89	Acute bronchitis	M	3,309	1,891	362	125	55	32	2,465	47	13	13	13
		F	3,363	1,554	347	108	54	28	2,091	41	7	11	25
90	Chronic bronchitis	M	2,139	32	19	7	2	2	62	27	10	16	18
		F	2,580	28	16	2			46	25	7	19	23
91	Bronchopneumonia	M	24,219	8,923	3,001	1,010	464	262	13,660	624	208	352	402
		F	22,755	6,758	2,635	937	459	263	11,052	561	213	297	443
92	Pneumonia (total)	M	38,767	3,732	1,570	646	369	282	6,599	803	654	1,559	1,961
		F	32,004	2,787	1,371	566	367	242	5,333	752	572	1,095	1,930
	Lobar pneumonia	M	34,497	2,815	1,317	531	311	238	5,212	682	556	1,403	1,798
		F	28,257	2,118	1,137	451	319	208	4,233	640	484	961	1,776
	Pneumonia (undefined)	M	4,270	917	253	115	58	44	1,387	121	98	156	163
		F	3,747	669	234	115	48	34	1,100	112	88	134	154
93	Pleurisy	M	1,948	126	133	61	38	30	388	63	36	95	114
		F	1,326	94	102	51	38	16	301	63	42	42	69
94	Pulmonary congestion, pulmonary apoplexy	M	590	67	10	6	6	5	94	6	1	4	6
		F	695	41	13	3	4	3	64	6	5	5	5
95	Gangrene of the lung	M	169		1		2	1	4	3	3	4	9
		F	70			3			3	2	2	2	8
96	Asthma	M	1,132	22	14	6	1	4	47	17	2	5	9
		F	924	11	12	7	6	8	44	8	2	5	6
97	Pulmonary emphysema	M	81	5	2	1	1		9	4		1	1
		F	57	5			1	1	7	1	1		2
98	Other diseases of the respiratory system (tuberculosis excepted)	M	683	32	9	2	3	4	50	11	11	20	22
		F	324	22	2	1		4	29	7	8	14	17
	V.—Diseases of the digestive system		97,437	34,328	8,167	2,489	1,270	887	47,141	2,625	1,953	2,059	2,195
	Males		52,471	19,526	4,460	1,340	672	484	26,482	1,361	1,046	1,147	1,074
	Females		44,966	14,802	3,707	1,149	598	403	20,659	1,264	907	922	1,121
99	Diseases of the mouth and annexa	M	426	119	18	10	2	2	151	17	11	9	8
		F	337	110	15	6	4	3	138	21	5	8	11
100	Diseases of the pharynx	M	1,479	105	78	73	69	82	407	246	115	103	91
		F	1,365	89	47	63	66	60	325	240	139	96	83
101	Diseases of the esophagus	M	85	4		2	2		8	1	3	1	
		F	48	2	1	1	1	1	6		2		2
102	Ulcer of the stomach	M	1,931	9	2	4	3	4	22	2	8	16	40
		F	1,173	7	3			1	11	8	7	23	31
103	Other diseases of the stomach (cancer excepted)	M	3,538	1,238	163	80	44	18	1,543	62	29	25	35
		F	3,432	894	183	68	39	28	1,212	59	32	33	60
104	Diarrhea and enteritis (under 2 years)	M	20,939	16,972	3,967				20,939				
		F	16,405	13,106	3,299				16,405				
105	Diarrhea and enteritis (2 years and over)	M	4,364			994	401	205	1,600	295	65	50	66
		F	4,383			873	364	178	1,415	266	70	54	74
106	Ankylostomiasis	M	12			1			1	4	2	2	1
		F	11				1	1	2	5	3	1	

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
91	98	105	109	108	104	86	88	65	56	45	32	10	4	.....	.....	.....	74
63	63	70	72	87	68	67	67	43	58	46	30	22	5	2	.....	.....	
1	1	1	1	2	.....	4	1	3	2	2	4	1	.....	.....	.....	.....	75
4	.....	3	2	.....	1	3	3	.....	4	4	1	4	.....	.....	.....	.....	
44	36	34	32	48	49	28	23	20	14	10	5	5	.....	1	.....	1	76
37	30	28	21	14	34	20	17	13	7	7	8	3	1	.....	1	.....	
2,535	3,213	4,271	5,152	7,142	9,440	11,786	16,528	19,212	21,897	22,221	16,540	9,237	3,086	646	143	183	
1,073	1,422	2,081	2,652	3,751	5,181	6,656	9,143	10,419	11,564	11,451	8,107	4,203	1,279	236	54	99	
1,462	1,791	2,190	2,500	3,391	4,259	5,130	7,385	8,793	10,333	10,770	8,433	5,034	1,307	410	89	84	
22	15	24	16	30	29	30	42	38	42	44	16	15	6	1	.....	.....	77
14	14	20	13	33	13	17	21	33	39	33	27	14	6	1	.....	.....	
132	184	223	254	320	408	481	119	96	111	73	47	23	10	1	.....	1	78
192	229	217	223	305	364	429	85	101	97	95	54	35	11	3	1	2	
930	1,074	1,521	1,977	2,738	3,761	4,809	7,083	8,150	8,771	8,361	5,705	2,745	789	136	36	81	79
1,137	1,390	1,756	2,019	2,678	3,388	4,004	6,236	71,77	8,242	8,285	6,208	3,459	1,168	230	53	67	
18	44	126	179	293	420	591	764	727	658	501	253	88	19	4	2	7	80
22	43	64	78	126	153	251	332	440	446	371	231	103	20	4	1	2	
27	48	97	142	230	385	547	880	1,142	1,673	2,212	1,916	1,246	440	88	16	8	81
18	15	46	61	105	160	252	492	785	1,234	1,689	1,706	1,283	552	162	33	13	
37	44	67	63	105	148	167	210	235	267	232	148	76	13	6	.....	1	82
58	65	60	81	101	134	134	173	204	229	258	188	117	43	9	.....	.....	
3	8	10	10	16	20	14	23	15	20	16	9	3	2	.....	.....	.....	83
13	20	19	18	24	35	32	26	39	24	20	10	8	1	.....	.....	.....	
2	4	9	3	10	2	2	2	3	2	.....	2	1	.....	.....	.....	1	84
5	4	2	5	1	3	1	3	6	4	2	.....	3	1	.....	.....	.....	
2	1	4	8	9	8	15	20	13	20	12	11	6	.....	.....	.....	.....	85
6	11	6	2	17	9	10	17	8	18	17	9	12	5	1	1	.....	
7,011	7,289	6,782	5,325	5,361	5,618	5,658	6,477	6,919	7,575	7,265	5,748	3,345	1,282	271	68	140	
3,371	3,798	3,986	3,162	3,200	3,315	3,223	3,594	3,608	3,627	3,315	2,432	1,382	482	89	24	85	
3,049	3,491	2,796	2,163	2,161	2,303	2,435	2,883	3,311	3,948	3,950	3,316	1,963	800	182	44	55	
3	2	2	2	1	5	3	2	1	3	4	5	7	2	.....	.....	.....	86
6	7	8	2	3	3	2	1	1	1	4	9	9	5	.....	.....	.....	
9	10	6	7	9	8	9	12	8	10	5	3	.....	.....	1	.....	1	87
7	7	7	11	1	5	3	5	4	4	5	5	3	2	.....	.....	1	
4	8	1	8	10	7	6	7	2	3	2	1	1	.....	1	.....	.....	88
33	34	62	64	73	63	57	45	47	25	14	4	1	2	.....	1	.....	
10	9	17	17	17	36	33	52	59	77	139	129	113	40	5	4	1	89
27	24	19	27	35	36	34	55	84	143	203	227	150	93	23	6	2	
15	22	33	33	68	89	108	153	203	307	354	319	206	79	12	4	1	90
27	29	29	31	49	68	110	151	208	357	462	447	296	158	28	6	4	
497	569	613	498	495	574	614	759	863	1,014	1,009	795	477	148	27	7	14	91
606	599	499	397	434	513	556	755	993	1,297	1,326	1,177	702	256	60	8	11	
2,651	2,091	3,074	2,353	2,304	2,251	2,126	2,243	2,161	1,881	1,511	935	452	157	37	7	57	92
2,707	2,644	2,033	1,500	1,496	1,461	1,500	1,652	1,740	1,824	1,639	1,188	627	210	51	17	33	
2,484	2,785	2,882	2,192	2,123	2,083	1,956	2,029	1,959	1,668	1,326	774	377	123	29	6	50	
2,614	2,476	1,884	1,373	1,293	1,335	1,377	1,523	1,580	1,598	1,412	971	496	157	36	11	27	
167	206	192	161	181	168	170	214	202	213	185	161	75	34	8	1	7	
183	168	149	127	113	126	123	129	160	226	227	217	131	53	15	6	6	
126	119	141	104	124	117	110	127	80	81	54	41	14	6	3	.....	5	93
83	84	76	47	63	55	56	74	61	69	65	44	20	10	.....	1	1	
4	3	12	10	14	24	20	30	29	57	83	79	72	37	3	1	1	94
6	13	7	15	10	12	17	18	46	72	100	115	116	47	12	4	.....	
12	9	7	16	17	14	22	14	8	10	7	4	4	.....	.....	.....	2	95
6	8	10	4	5	6	4	3	1	3	2	1	.....	.....	.....	.....	.....	
13	22	37	61	69	114	95	124	138	141	110	85	30	9	.....	1	3	96
17	20	26	40	55	63	71	97	96	127	108	84	31	14	8	.....	2	
3	1	.....	2	5	7	12	7	6	4	9	8	2	.....	.....	.....	.....	97
.....	1	2	3	7	2	2	10	5	7	2	1	2	2	.....	.....	.....	
24	33	43	51	67	69	65	64	50	39	28	28	4	4	.....	.....	.....	98
25	21	18	22	20	16	23	17	25	19	20	14	6	1	.....	1	1	
2,521	2,647	3,141	3,042	3,649	3,950	3,924	4,064	3,839	3,741	3,105	2,148	1,109	386	78	23	87	
1,219	1,306	1,618	1,641	1,968	2,145	2,115	2,229	1,999	1,953	1,499	951	482	155	20	7	54	
1,302	1,341	1,523	1,401	1,681	1,805	1,809	1,835	1,840	1,788	1,606	1,197	627	231	58	16	33	
16	16	27	23	22	31	30	27	18	8	9	1	.....	1	.....	.....	1	99
20	14	13	20	19	9	15	14	12	8	4	4	1	.....	.....	.....	1	
86	74	61	50	47	40	32	29	28	25	18	16	7	1	2	1	.....	100
81	75	57	41	41	36	25	21	24	21	18	18	10	6	1	.....	2	
2	3	1	2	8	7	5	13	4	8	10	7	1	1	.....	.....	.....	101
.....	1	5	1	.....	3	5	6	5	1	8	1	1	1	.....	.....	.....	
89	123	158	187	234	201	218	181	162	133	97	36	18	4	.....	.....	2	102
65	70	93	98	88	106	103	114	96	84	86	49	27	7	1	.....	1	
50	52	100	110	139	145	146	203	192	217	183	147	103	43	6	1	7	103
53	68	123	94	122	122	137	167	208	239	223	223	152	71	20	7	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
88	101	164	134	173	174	160	190	191	251	259	245	109	45	3	3	8	105
131	100	127	92	151	151	156	193	213	284	328	284	178	77	16	6	8	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites	M.	76	9	14	10	9	4	46	14	5	2	1
		F.	54	4	12	8	7	3	34	11	2	2	.....
108	Appendicitis and typhlitis	M.	6,581	24	38	54	64	87	267	509	638	727	568
		F.	4,740	20	20	43	53	72	208	451	532	481	490
109	Hernia, intestinal obstruction (total)	M.	4,812	795	131	68	50	52	1,096	104	85	90	114
		F.	4,225	389	76	38	33	30	566	86	44	58	126
	Hernia	M.	1,809	168	25	6	2	7	209	8	8	15	30
		F.	1,406	43	2	3	1	.....	49	8	6	2	6
	Intestinal obstruction	M.	3,003	627	106	62	47	45	887	96	77	75	84
		F.	2,819	346	74	35	32	30	517	78	38	56	120
110	Other diseases of the intestines	M.	851	85	12	8	5	7	117	27	17	33	28
		F.	829	51	8	13	6	2	80	12	10	23	37
111	Acute yellow atrophy of the liver	M.	141	13	2	4	1	.....	20	2	1	3	9
		F.	189	15	.....	2	1	2	20	3	1	11	12
112	Hydated tumor of the liver	M.	17	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
113	Cirrhosis of the liver	M.	3,940	9	5	4	4	2	24	9	10	12	22
		F.	2,162	9	2	4	.....	3	18	12	11	23	14
114	Biliary calculi	M.	761	.....	.....	.....	.....	.....	.....	2	2	1	3
		F.	2,262	.....	.....	.....	1	.....	1	1	.....	6	23
115	Other diseases of the liver	M.	1,533	54	10	12	6	7	89	18	13	32	36
		F.	2,123	43	13	16	5	6	83	20	15	26	55
116	Diseases of the spleen	M.	67	3	3	2	.....	.....	8	1	3	2	3
		F.	52	1	2	.....	1	2	6	1	1	4	1
117	Simple peritonitis (nonpuerperal)	M.	668	85	17	13	9	14	138	43	36	35	33
		F.	886	61	24	13	16	11	125	62	31	60	84
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M.	250	2	.....	1	3	.....	6	5	2	3	10
		F.	279	1	2	1	.....	.....	4	6	2	8	11
	VI.—Nonvenereal diseases of the genito-urinary system and annexa		88,996	813	300	214	156	123	1,606	557	593	838	1,335
	Males		47,122	484	149	116	74	63	886	292	275	321	460
	Females		41,874	329	151	98	82	60	720	265	318	517	925
119	Acute nephritis	M.	2,878	266	67	63	41	32	469	141	96	102	109
		F.	2,572	151	61	56	49	27	344	121	98	105	142
120	Bright's disease	M.	37,845	71	53	39	25	27	215	133	165	191	206
		F.	33,115	73	56	21	25	27	202	120	185	272	335
121	Chyluria	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	M.	1,073	89	24	12	4	.....	129	14	10	21	32
		F.	984	91	32	20	8	4	155	21	7	22	44
123	Calculi of the urinary passages	M.	350	.....	2	.....	.....	.....	2	1	1	3	9
		F.	140	2	.....	.....	.....	.....	2	3	.....	3	3
124	Diseases of the bladder	M.	1,006	11	2	2	2	3	20	3	2	3	4
		F.	263	1	1	1	.....	1	4	.....	4	.....	5
125	Diseases of the urethra, urinary abscess, etc	M.	297	2	.....	.....	.....	1	3	.....	1	.....	7
		F.	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
126	Diseases of the prostate	M.	3,583	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
127	Nonvenereal diseases of the male genital organs	M.	82	39	1	.....	2	.....	42	.....	.....	1	2
128	Uterine hemorrhage (nonpuerperal)	F.	47	.....	.....	.....	.....	.....	.....	.....	1	6	6
129	Uterine tumor (noncancerous)	F.	1,693	.....	.....	.....	.....	.....	.....	.....	.....	4	17
130	Other diseases of the uterus	F.	782	.....	.....	.....	.....	.....	.....	.....	14	27	63
131	Cysts and other tumors of the ovary	F.	659	.....	1	.....	.....	.....	1	.....	.....	13	38
132	Salpingitis and other diseases of the female genital organs	F.	1,569	1	.....	.....	.....	1	2	.....	9	65	219
133	Nonpuerperal diseases of the breast (cancer excepted)	M.	8	6	.....	.....	.....	.....	6	.....	.....	.....	.....
		F.	35	10	.....	.....	.....	.....	10	.....	.....	.....	2
	VII.—The puerperal state		16,320	.....	.....	.....	.....	.....	.....	.....	46	1,498	3,412
134	Accidents of pregnancy	F.	2,288	.....	.....	.....	.....	.....	.....	.....	2	112	421
135	Puerperal hemorrhage	F.	1,386	.....	.....	.....	.....	.....	.....	.....	1	51	163
136	Other accidents of labor	F.	2,261	.....	.....	.....	.....	.....	.....	.....	3	150	466
137	Puerperal septicemia	F.	5,616	.....	.....	.....	.....	.....	.....	.....	12	557	1,271
138	Puerperal albuminuria and convulsions	F.	4,109	.....	.....	.....	.....	.....	.....	.....	28	600	900
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F.	576	.....	.....	.....	.....	.....	.....	.....	.....	20	97
140	Following childbirth (not otherwise defined)	F.	76	.....	.....	.....	.....	.....	.....	.....	.....	8	13
141	Puerperal diseases of the breast	F.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	VIII.—Diseases of the skin and of the cellular tissue		3,379	638	63	20	28	10	759	49	56	81	58
	Males		1,896	333	32	11	10	3	389	22	34	51	34
	Females		1,483	305	31	9	18	7	370	27	22	30	24
142	Gangrene	M.	811	26	5	2	5	2	40	8	6	6	4
		F.	622	15	7	3	9	2	36	3	3	4	3
143	Furuncle	M.	385	58	2	1	.....	.....	61	2	10	24	13
		F.	175	49	6	.....	.....	.....	55	2	4	7	10
144	Acute abscess	M.	382	93	13	6	5	1	118	11	15	16	14
		F.	294	89	8	4	8	2	111	17	11	13	8
145	Other diseases of the skin and annexa	M.	318	156	12	2	.....	.....	170	1	3	5	3
		F.	392	152	10	2	1	3	168	5	4	6	3

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
2	1	3		1	1											
	2	1	1			1										
557	533	561	466	444	416	323	222	152	104	57	20	7	1			9
455	407	356	305	271	242	177	134	106	63	34	16	10				2
134	147	177	178	255	305	322	394	362	416	310	180	103	25	6	1	8
148	184	223	232	283	279	339	320	362	334	306	220	82	23	6	2	2
41	44	65	68	102	152	149	202	198	197	154	94	52	15	3		3
17	22	58	73	110	129	183	169	178	156	128	78	26	6	1		1
93	103	112	110	153	153	173	192	164	219	156	86	51	10	3	1	5
131	162	165	159	173	150	156	151	184	178	178	142	56	17	5	2	1
41	43	35	36	54	51	44	62	61	63	48	45	29	11	3	1	2
47	56	58	50	52	59	37	57	51	47	48	49	33	14	7		2
5	4	8	5	7	12	10	12	12	16	4	7	1	2			1
30	17	10	11	9	10	8	12	9	7	11	6	2				
1	1		2	1	4	2	3		1							
1		1	2	1	2	1	1				1					
42	62	139	225	323	454	492	582	535	473	310	149	55	15			7
32	44	76	96	155	200	224	272	281	269	225	145	44	17	1		3
8	20	30	64	77	88	118	88	87	79	55	27	8	3			1
71	97	151	148	228	303	280	281	229	203	128	74	34	2	1		1
59	79	94	97	120	141	153	152	138	122	95	50	37	3			5
73	114	126	119	170	202	228	191	194	193	160	90	44	9	5	1	4
5	4	2	4	5	5	3	7	9	1	2	2					1
3	1	1	3	6	6	4	2	4	2	5		2				
25	29	39	32	32	39	28	37	33	27	33	18	4				2
76	64	85	60	53	37	33	29	25	24	16	12	7	3			
9	14	28	26	26	31	29	27	15	9	9	1					
16	21	17	28	32	38	36	18	21	9	6	5		1			
1,874	2,429	3,356	4,106	5,164	6,254	7,205	8,916	10,502	11,181	10,532	7,265	3,716	1,093	224	73	127
645	818	1,232	1,638	2,341	3,212	3,997	5,077	6,023	6,523	6,200	4,218	2,151	592	112	38	71
1,229	1,611	2,124	2,468	2,823	3,042	3,208	3,839	4,479	4,658	4,332	3,047	1,565	501	112	35	56
122	144	147	186	189	164	173	150	186	157	150	106	56	21	3		7
144	163	175	170	164	153	128	155	139	113	121	68	43	15	2	1	8
437	588	937	1,293	1,988	2,811	3,445	4,368	5,054	5,336	4,959	3,294	1,675	477	89	34	60
545	778	1,121	1,454	1,939	2,449	2,803	3,442	4,091	4,352	4,040	2,843	1,455	459	105	32	43
35	39	68	70	58	63	80	65	103	99	88	62	29	7			1
58	43	69	47	70	74	62	68	66	68	39	42	18	7	1	1	2
17	17	20	29	20	29	30	36	34	38	29	21	11	3			
8	6	13	10	24	13	9	12	14	7	9	4					
9	7	13	9	14	20	55	66	84	143	203	198	102	36	11	3	1
1	3	9	3	9	13	10	17	20	32	41	46	30	14	1	1	
16	12	31	25	37	36	30	30	21	20	18	4	3	3			
		1	4	1		3		2		2						1
6	9	14	20	31	84	178	362	539	728	751	530	273	45	9	1	2
3	2	2	6	4	4	5		2	2	2	3	2				
5	4	6	5	4	2	3	2		1		2					
66	147	287	359	349	178	76	53	58	36	38	15	7		3		
92	85	104	104	85	58	48	38	31	14	8	5	2	3			1
41	87	63	81	56	56	45	40	47	30	30	21	7	2			1
265	293	274	228	118	45	21	10	11	3	3	1	1	1			
					1	1										
4	2	2	3	4	1		2		2	1		2				
3,913	3,460	2,664	1,103	184	13											27
625	628	374	109	12	2											3
205	337	335	173	27	1											3
572	504	379	157	30	4											6
1,416	1,110	849	331	60	3											7
852	734	596	256	45	2											6
131	127	122	70	8												1
22	16	8	7	2												
	4	1			1											1
63	85	72	97	137	158	167	175	204	258	324	306	204	84	25	10	7
30	53	48	63	78	89	105	103	106	163	173	169	122	46	11	5	2
33	32	24	34	59	69	62	72	98	95	151	137	82	38	14	5	5
3	5	12	15	15	32	38	39	59	103	132	132	103	43	10	5	1
4	7	4	7	14	28	21	33	54	61	114	106	70	30	12	5	3
11	20	14	25	29	28	42	31	22	21	15	9	6	2			
5	6	10	6	12	8	14	13	5	6	6	5					1
12	23	14	16	27	18	15	22	13	20	15	10	3				
11	12	5	9	18	15	11	10	16	7	5	9	4	1	1		
4	5	8	7	7	11	10	11	12	19	11	18	10	1	1		1
13	7	5	12	15	18	16	16	23	21	26	17	8	7	1		1

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,679	170	81	63	54	52	420	318	286	197	162
	Males	1,631	94	43	32	34	31	234	184	170	134	112
	Females	1,048	76	38	31	20	21	186	134	116	63	50
146	Diseases of the bones (tuberculosis excepted) M	1,445	89	39	32	33	29	222	182	153	120	104
	F	883	68	35	29	19	20	171	131	105	59	44
147	Diseases of the joints (tuberculosis and rheumatism excepted) M	150	4	2		1	2	9	2	13	14	7
	F	130	6	3	2		1	12	2	11	4	4
148	Amputations M	1										
	F											
149	Other diseases of the organs of locomotion M	35	1	2				3		4		1
	F	35	2			1		3	1			2
	X.—Malformations	13,060	12,050	384	135	87	53	12,709	148	74	47	27
	Males	7,398	6,873	204	71	41	28	7,217	83	34	22	15
	Females	5,662	5,177	180	64	46	25	5,492	65	40	25	12
150	Congenital malformations (total) M	7,398	6,873	204	71	41	28	7,217	83	34	22	15
	F	5,662	5,177	180	64	46	25	5,492	65	40	25	12
	Hydrocephalus M	666	481	74	28	21	12	616	27	12	2	4
	F	552	418	50	29	20	4	521	17	3	3	2
	Congenital malformations of the heart M	4,563	4,358	78	22	9	8	4,475	36	18	14	7
	F	3,329	3,109	78	25	13	11	3,236	30	26	17	6
	Other congenital malformations M	2,169	2,034	52	21	11	8	2,126	20	4	6	4
	F	1,781	1,650	52	10	13	10	1,735	18	11	5	4
	XI.—Early infancy	59,738	59,738					59,738				
	Males	34,300	34,300					34,300				
	Females	25,438	25,438					25,438				
151	Congenital debility, icterus, and sclerema (total) M	26,687	26,687					26,687				
	F	20,129	20,129					20,129				
	Premature birth M	21,209	21,209					21,209				
	F	16,355	16,355					16,355				
	Congenital debility, "atrophy," "marasmus," etc M	5,478	5,478					5,478				
	F	3,774	3,774					3,774				
152	Other causes peculiar to early infancy (total) M	7,535	7,535					7,535				
	F	5,252	5,252					5,252				
	Injuries at birth M	4,434	4,434					4,434				
	F	2,897	2,897					2,897				
	Other causes peculiar to early infancy M	3,101	3,101					3,101				
	F	2,355	2,355					2,355				
153	Lack of care M	78	78					78				
	F	57	57					57				
	XII.—Old age	12,236										
	Males	5,236										
	Females	7,000										
154	Senility M	5,236										
	F	7,000										
	XIII.—External causes	75,738	2,111	1,700	1,543	1,548	1,304	8,206	4,529	3,384	4,644	5,851
	Males	55,129	1,174	954	861	815	653	4,457	2,949	2,686	3,733	4,758
	Females	20,609	937	746	682	733	651	3,749	1,580	698	911	1,093
	Suicide (total) M	6,364							1	20	152	370
	F	2,426								15	148	253
155	By poison M	685									27	51
	F	683								5	67	112
156	By asphyxia M	637									12	33
	F	478								1	14	41
157	By hanging or strangulation M	1,238								7	14	55
	F	373								1	3	16
158	By drowning M	299									4	14
	F	252								2	13	18
159	By firearms M	2,698							1	13	87	194
	F	380								5	47	50
160	By cutting or piercing instruments M	546									4	15
	F	89									2	5
161	By jumping from high places M	142									2	6
	F	103								1	2	7
162	By crushing M	76									1	1
	F	21										1
163	Other suicides M	43									1	1
	F	47										3

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
120	130	126	121	139	132	103	111	103	74	49	42	17	5	3	2	1	
81	94	84	68	97	72	65	71	67	48	22	19	6	.....	1	1	1	
48	45	42	53	42	60	38	40	36	26	27	23	11	5	2	1	.....	
69	85	72	53	84	63	50	63	53	36	19	12	4	.....	.....	.....	1	146
41	30	38	46	37	46	32	25	24	9	11	16	6	2	1	.....	.....	
7	7	10	14	11	9	12	5	12	9	2	5	1	.....	1	.....	.....	147
5	5	3	5	4	13	3	11	9	14	12	5	5	2	1	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	2	2	1	2	.....	3	3	2	3	1	2	1	.....	.....	1	.....	149
2	1	1	2	1	1	3	4	3	3	4	2	.....	1	.....	1	.....	
22	13	6	6	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
13	6	2	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
10	7	4	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
12	6	2	2	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
10	7	4	4	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
0	3	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	3	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	
4	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	6	21	34	142	277	1,164	2,034	3,102	2,775	1,720	566	373	21	
.....	.....	.....	.....	2	12	13	72	131	532	917	1,364	1,159	681	218	124	11	
.....	.....	.....	1	4	9	21	70	146	632	1,117	1,738	1,616	1,039	348	249	10	
.....	.....	.....	.....	2	12	13	72	131	532	917	1,364	1,159	681	218	124	11	154
.....	.....	.....	.....	4	9	21	70	146	632	1,117	1,738	1,616	1,039	348	249	10	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5,853	5,439	5,668	4,601	4,461	4,105	3,442	3,281	2,893	2,636	2,420	2,082	1,331	494	122	42	254	
4,811	4,505	4,715	3,801	3,644	3,309	2,692	2,444	2,027	1,597	1,176	879	496	156	50	22	222	
1,042	934	953	800	817	796	750	837	866	1,039	1,244	1,203	835	338	72	20	32	
506	585	667	676	675	662	553	518	375	290	160	93	39	7	1	.....	14	
286	262	275	255	254	203	164	118	93	43	22	24	6	2	1	.....	2	
59	66	80	99	60	63	43	48	32	31	17	7	2	.....	.....	.....	.....	155
106	96	57	61	56	40	25	19	22	7	4	6	.....	.....	.....	.....	.....	
46	58	58	71	60	72	76	52	41	26	16	11	4	1	.....	.....	.....	156
44	36	58	53	57	44	46	39	24	7	6	5	2	1	.....	.....	.....	
61	102	110	119	144	130	120	121	87	75	47	24	14	3	1	.....	4	157
26	34	46	47	48	44	33	29	16	14	7	6	3	.....	.....	.....	.....	
24	18	38	31	31	37	31	19	15	18	9	7	2	.....	.....	.....	1	158
22	23	32	22	28	27	23	14	14	6	2	4	1	.....	.....	.....	1	
259	266	300	262	281	278	198	205	149	108	51	29	10	1	.....	.....	6	159
59	40	47	41	37	24	11	7	4	5	.....	2	.....	.....	.....	.....	1	
34	43	53	65	65	57	65	53	29	24	16	12	6	2	.....	.....	3	160
6	14	13	11	9	9	9	3	4	1	2	.....	.....	.....	1	.....	.....	
12	22	15	11	18	13	13	11	10	4	2	2	1	.....	.....	.....	.....	161
14	12	17	9	10	8	10	2	5	3	1	1	.....	1	.....	.....	.....	
9	8	8	11	9	7	6	6	6	4	.....	.....	.....	.....	.....	.....	.....	162
2	3	2	2	5	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
2	2	5	7	7	5	1	3	6	.....	2	1	.....	.....	.....	.....	.....	163
7	4	3	9	4	5	5	4	3	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING DISTRICT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M	44,104	1,092	949	852	809	647	4,349	2,918	2,621	3,344	3,690
		F	17,029	873	741	677	722	639	3,652	1,558	659	639	618
164	Poisoning by food	M	481	52	35	21	22	14	144	40	19	21	12
		F	427	57	29	23	15	19	143	32	16	17	22
165	Other acute poisonings	M	1,123	77	128	62	43	18	328	27	20	19	42
		F	641	37	132	57	26	19	271	27	8	28	44
166	Conflagration	M	608	26	35	32	39	19	151	57	11	14	33
		F	422	29	32	16	24	30	131	46	28	9	14
167	Burns (conflagration excepted)	M	2,643	147	362	396	276	144	1,325	206	76	79	100
		F	3,797	118	277	350	407	379	1,531	619	157	130	129
168	Absorption of deleterious gases (conflagration excepted)	M	2,023	423	17	5	8	4	457	37	35	75	100
		F	947	334	19	3	3	4	363	15	19	23	30
169	Accidental drowning	M	4,330	15	126	72	56	60	329	486	610	709	565
		F	595	19	65	45	24	11	164	45	85	84	51
170	Traumatism by firearms	M	1,847	3	5	14	22	33	77	154	345	441	211
		F	321	4	10	8	13	13	48	62	47	48	27
171	Traumatism by cutting or piercing instruments	M	137	2	1	2		1	6	13	6	9	7
		F	33	2			1	4	7	2			
172	Traumatism by fall	M	5,316	92	76	68	62	46	344	204	155	176	261
		F	4,859	65	62	39	42	26	234	78	50	29	32
173	Traumatism in mines and quarries (total)	M	2,235							5	9	174	232
		F	4								1		
	Traumatism in mines	M	2,132							3	9	166	216
		F	3								1		
	Traumatism in quarries	M	103							2		8	16
		F	1										
174	Traumatism by machines	M	2,029		1	4	3	2	10	20	70	171	242
		F	77			1	2		3	7	4	8	12
175	Traumatism by other crushing (total)	M	15,675	34	64	112	213	264	687	1,438	965	1,036	1,411
		F	3,587	38	54	78	114	109	393	528	185	221	216
	Railroad accidents and injuries	M	5,620	6	20	15	11	19	71	133	145	425	664
		F	683	7	12	13	9	9	50	35	38	44	57
	Street-car accidents and injuries	M	1,287	1	8	14	25	15	63	74	42	69	92
		F	419	2	5	7	12	8	34	44	11	9	27
	Automobile accidents and injuries	M	6,665	15	21	59	146	199	440	1,078	644	426	464
		F	2,213	19	28	48	76	88	259	411	109	150	117
	Injuries by other vehicles	M	1,448	9	13	21	29	26	98	134	103	127	94
		F	226	8	9	10	14	4	45	29	22	16	9
	Aeroplane accidents and injuries	M	142				1	2	3	1	2	10	40
		F	7							2			2
	Landslide, other crushing	M	513	3	2	3	1	3	12	18	24	29	57
		F	39	2			3		5	7	5	2	4
176	Injuries by animals	M	535	2	5	7	16	7	37	43	46	31	28
		F	61	3	2	3	5	4	17	8	5		4
177	Starvation	M	16	2					2				
		F	10	3			1		4				
178	Excessive cold	M	134	3	1			1	5	1	4	4	3
		F	35	3		1			4				
179	Effects of heat	M	189	24	3	1	2		30	1	1	4	1
		F	76	16	2	1	1	2	22	1	2	2	
180	Lightning	M	336	1		1		2	4	10	28	54	23
		F	72	1	1		1	2	5	8	10	6	6
181	Electricity (lightning excepted)	M	780			1		2	3	15	55	75	132
		F	25	1	1				2	3	2	3	4
185	Fractures (cause not specified)	M	296	4		2	1	2	9	5	4	15	18
		F	189	4		1			5	1	2		2
186	Other external violence	M	3,371	185	90	52	46	28	401	156	162	187	239
		F	851	139	55	51	43	17	305	76	38	32	26
	Homicide (total)	M	4,661	82	5	9	6	6	108	30	45	237	708
		F	1,154	64	5	5	11	12	97	22	24	124	222
182	By firearms	M	3,557	4	3	4	3	1	15	16	35	170	575
		F	621	3	1	1		7	12	8	16	72	126
183	By cutting or piercing instruments	M	441	7		1	1	3	12	4	4	34	73
		F	146	4	2	1	1	3	11	5	4	14	24
184	By other means	M	663	71	2	4	2	2	81	10	6	24	60
		F	387	57	2	3	10	2	74	9	4	33	72
	XIV.—Ill-defined diseases		15,097	6,424	678	239	111	95	7,547	253	172	222	295
	Males		8,228	3,664	352	131	47	45	4,239	136	82	94	122
	Females		6,869	2,760	326	108	64	50	3,308	117	90	123	173
187	Ill-defined organic disease	M	318	5	4	5		1	15	8	4	2	4
		F	350	6	4	1	3	1	15	6	4	7	12
188	Sudden death	M	602	138	7	2	1	2	150	6	3	8	7
		F	462	109	4		1	2	116	5	5	11	12
189	Not specified or ill-defined (total)	M	7,308	3,521	341	124	46	42	4,074	122	75	84	111
		F	6,057	2,645	318	107	60	47	3,177	106	81	110	149
	Ill-defined	M	2,140	535	199	48	14	17	813	38	23	26	36
		F	1,745	449	178	48	18	17	710	34	31	33	38
	Not specified or unknown	M	5,168	2,986	142	76	32	25	3,261	84	52	58	75
		F	4,312	2,196	140	59	42	30	2,467	72	50	77	111

OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,489	3,241	3,375	2,694	2,629	2,435	1,988	1,835	1,612	1,269	1,005	780	453	148	49	22	168	
552	522	560	474	518	561	577	712	766	989	1,216	1,176	827	336	71	20	26	
28	16	30	24	23	23	28	26	16	15	7	6	1	.....	1	.....	1	164
30	21	15	14	15	13	17	20	10	20	10	7	3	.....	.....	.....	2	
72	80	102	97	97	70	58	40	18	11	9	15	6	.....	.....	.....	3	165
59	40	47	31	19	18	12	12	9	7	2	5	.....	1	.....	.....	1	
33	34	35	29	22	32	27	19	24	28	18	15	10	2	1	2	11	166
17	19	16	13	18	14	11	9	10	23	17	12	6	5	1	.....	3	
106	110	121	99	74	71	61	50	39	33	33	29	19	2	1	5	4	167
113	91	110	91	97	87	84	114	84	100	111	78	38	16	3	8	6	
118	138	144	129	128	145	127	113	100	64	58	28	20	2	2	1	2	168
30	23	38	36	37	45	38	46	42	57	55	30	12	6	2	.....	.....	
355	245	248	171	172	120	77	81	49	33	15	16	3	.....	.....	.....	46	169
18	28	17	14	21	17	14	14	7	5	6	3	1	.....	.....	.....	1	
145	101	106	78	55	44	26	20	19	10	2	2	2	.....	.....	.....	9	170
25	14	17	9	8	5	2	2	3	.....	1	.....	.....	.....	.....	.....	3	
13	5	6	12	9	12	10	9	5	7	4	1	2	1	.....	.....	.....	171
.....	2	2	1	2	2	5	3	4	1	1	1	.....	.....	.....	.....	.....	
248	252	294	268	298	297	272	289	306	375	402	412	295	118	33	8	9	172
42	53	52	58	60	96	146	212	345	556	824	919	710	286	63	12	2	
290	334	339	223	215	158	102	69	46	20	2	1	1	.....	.....	.....	6	173
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
286	323	328	213	207	151	97	61	46	16	2	1	1	.....	.....	.....	6	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
13	11	11	10	8	7	5	8	.....	4	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
239	193	226	170	183	166	137	83	64	32	14	2	2	.....	.....	.....	5	174
4	6	9	5	2	1	5	4	1	2	2	.....	1	1	.....	.....	.....	
1,370	1,227	1,252	1,032	980	937	749	779	686	443	330	171	59	15	7	1	50	175
167	179	192	152	203	209	191	223	191	158	100	53	18	3	.....	.....	5	
618	548	592	469	434	370	310	282	232	134	92	46	14	5	3	.....	33	
48	47	51	33	54	40	44	40	47	26	16	7	1	2	.....	.....	3	
97	93	117	100	99	105	71	76	70	31	37	32	10	3	.....	.....	6	
11	19	20	28	27	33	20	34	22	38	27	8	6	.....	.....	.....	1	
489	439	407	335	326	335	272	302	262	189	144	70	28	5	2	1	7	
98	105	105	76	114	124	116	139	113	82	54	33	7	1	.....	.....	.....	
76	75	69	81	71	86	67	97	103	77	50	20	7	2	2	.....	4	
9	7	11	13	6	11	9	9	8	12	2	3	4	.....	.....	.....	1	
43	23	8	6	1	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
47	49	59	41	49	41	28	22	17	11	6	3	.....	.....	.....	.....	.....	
1	.....	5	2	1	.....	2	1	1	.....	1	2	.....	.....	.....	.....	.....	
19	23	31	20	39	25	50	45	35	33	17	8	4	.....	.....	1	.....	176
.....	2	4	.....	2	5	.....	2	3	3	2	2	1	1	.....	.....	.....	
.....	1	.....	2	1	1	1	.....	2	4	2	.....	.....	.....	.....	.....	.....	177
.....	1	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	
6	9	7	5	9	11	10	9	7	16	10	6	6	3	.....	3	.....	178
2	2	4	1	1	.....	4	2	4	2	6	2	1	.....	.....	.....	.....	
8	8	9	12	19	12	15	12	18	18	11	8	1	.....	.....	.....	1	179
3	2	3	4	3	1	4	5	6	4	7	4	2	1	.....	.....	.....	
40	37	31	21	17	23	15	12	11	5	1	2	.....	.....	.....	.....	2	180
8	6	5	6	1	6	4	.....	1	.....	.....	1	.....	.....	.....	.....	1	
114	111	87	59	43	36	23	13	9	1	4	.....	.....	.....	.....	.....	.....	181
3	1	2	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
20	25	23	19	23	21	12	15	17	19	20	17	6	2	2	1	3	185
2	1	1	3	3	1	5	11	15	26	36	35	26	13	1	.....	.....	
256	283	284	224	222	231	188	151	142	102	46	41	16	3	2	.....	16	186
29	31	26	35	25	40	32	31	31	24	35	23	7	3	1	.....	1	
816	679	673	431	340	212	151	91	40	38	11	6	4	1	.....	.....	40	
204	150	118	71	45	32	9	7	7	7	6	3	2	.....	.....	.....	4	
663	536	542	340	254	157	101	53	27	24	6	3	2	.....	.....	.....	29	182
106	94	64	44	33	26	8	3	1	3	2	1	.....	.....	.....	.....	2	
77	68	65	28	38	12	10	6	1	2	1	.....	1	.....	.....	.....	5	183
27	18	21	10	5	2	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	
76	75	66	63	48	43	40	32	12	12	4	3	1	1	.....	.....	6	184
71	38	33	17	7	4	1	4	4	2	3	2	2	.....	.....	.....	2	
301	251	346	364	393	433	496	626	801	731	633	526	302	134	49	63	159	
127	109	168	172	204	264	320	373	485	396	341	254	153	53	19	22	95	
174	142	178	192	189	169	176	253	316	335	292	272	149	81	30	41	64	
2	4	6	10	13	11	28	28	36	39	41	33	21	6	3	2	2	187
16	9	13	18	18	20	12	21	35	36	32	34	21	12	3	2	4	
18	8	16	21	33	30	51	50	67	47	30	27	15	3	3	2	7	188
14	15	18	20	24	25	21	29	36	31	24	25	17	5	2	5	2	
107	97	146	141	158	223	241	295	382	310	270	194	117	44	13	18	86	189
144	118	147	154	147	124	143	203	245	268	236	213	111	64	25	34	58	
35	33	65	60	63	105	119	132	191	147	116	71	41	11	2	3	10	
47	41	45	58	61	59	63	89	117	122	74	57	35	18	7	.....	6	
72	64	81	81	95	118	122	163	191	163	154	123	76	33	11	15	76	
97	77	102	96	86	65	80	114	128	146	162	156	76	46	18	34	52	

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUD-

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		990,859	148,615	31,117	14,476	9,921	7,418	211,547	23,386	16,073	24,152	33,546
	Males		521,440	84,720	16,630	7,662	5,115	3,887	118,014	12,652	8,799	12,733	15,610
	Females		469,419	63,895	14,487	6,814	4,806	3,531	93,533	10,734	7,274	11,419	17,936
	I.—General diseases		282,771	18,686	11,742	6,406	4,763	3,594	45,191	10,595	6,104	10,615	15,577
	Males		140,153	10,276	6,138	3,310	2,435	1,885	24,044	5,399	2,830	4,788	6,711
	Females		142,618	8,410	5,604	3,096	2,328	1,709	21,147	5,196	3,274	5,827	8,866
1	Typhoid fever	M	2,925	15	25	31	28	29	128	195	237	413	367
		F	2,248	14	18	31	29	35	127	170	276	362	291
2	Typhus fever	M	4									1	1
		F	1										
3	Relapsing fever	M	1									1	
		F	1										
4	Malaria	M	753	81	39	24	26	29	199	72	53	46	36
		F	620	59	32	29	18	23	161	72	43	33	32
5	Smallpox	M	206	43	8	2		1	54	7	7	11	10
		F	138	33	4	2	1	3	43	5	2	6	17
6	Measles	M	3,729	938	1,194	476	225	143	2,976	377	74	114	52
		F	3,576	800	1,072	439	262	144	2,717	397	95	79	45
7	Scarlet fever	M	1,944	110	200	267	238	196	1,011	481	176	105	60
		F	1,972	67	167	213	212	181	840	560	163	123	99
8	Whooping cough	M	4,285	2,544	965	315	155	96	4,075	162	17	8	3
		F	4,977	2,635	1,205	430	281	139	4,690	214	33	8	4
9	Diphtheria and croup	M	6,604	489	908	931	888	733	3,949	1,880	447	125	46
		F	5,990	321	748	808	720	625	3,222	1,804	487	120	73
10	Influenza	M	26,801	2,604	1,571	614	398	269	5,456	774	603	1,437	1,530
		F	26,154	1,803	1,316	571	403	273	4,366	788	636	1,034	1,991
11	Miliary fever	M											
		F											
12	Asiatic cholera	M											
		F											
13	Cholera nostras	M	83	19	7	4	7	4	41	3		3	1
		F	59	12	4		3	4	23	2			1
14	Dysentery	M	1,332	323	242	90	37	28	720	47	23	14	17
		F	1,254	240	178	83	35	21	557	41	14	19	14
15	Plague	M	6		1				1	1		1	1
		F	1							1			
16	Yellow fever	M	1										
		F											
17	Leprosy	M	9										
		F	6									1	
18	Erysipelas	M	1,332	400	21	10	4	7	442	17	7	25	29
		F	1,225	387	42	10	9	5	453	12	8	29	30
19	Other epidemic diseases	M	193	55	33	11	7	7	113	23	4	4	9
		F	112	32	14	8	6	8	68	12	5	1	2
20	Purulent infection and septicemia	M	611	95	9	8	6	8	126	29	33	27	34
		F	402	54	12	4	7	2	79	21	14	17	24
21	Glanders	M	1							1			
		F											
22	Anthrax	M	30									1	1
		F	4										
23	Rabies	M	26			1	4	1	6	6	1	2	
		F	8			1			1	3	3		1
24	Tetanus	M	730	101	5	7	12	21	146	156	131	36	22
		F	284	51	4	7	2	3	67	60	18	15	11
25	Mycoses	M	37				1		1		1	2	1
		F	17								1	1	3
26	Pellagra	M	310		1	2	1	1	5	7	4	1	6
		F	624	1	1		1	1	4	4	6	21	29
27	Beriberi	M	2				1		1				
		F											
	Tuberculosis (total)	M	41,797	935	658	374	258	194	2,419	630	523	1,863	3,869
		F	36,682	736	570	337	208	150	2,001	578	906	3,373	5,452
28	Tuberculosis of the lungs	M	35,566	285	188	60	65	40	638	172	241	1,529	3,423
		F	30,845	200	126	81	44	31	482	201	589	2,872	4,870
29	Acute miliary tuberculosis	M	1,137	58	28	19	11	8	124	31	27	93	140
		F	1,187	46	44	13	15	5	123	37	65	190	213
30	Tuberculous meningitis	M	2,324	451	367	231	138	111	1,298	289	133	101	106
		F	2,023	391	336	204	117	92	1,140	243	149	116	97
31	Abdominal tuberculosis	M	1,180	73	44	29	21	12	179	63	43	53	85
		F	1,485	56	38	27	14	12	147	40	48	114	174
32	Pott's disease	M	486	13	7	13	14	10	57	29	35	20	37
		F	337	7	6	5	8	6	32	22	22	20	25
33	White swellings	M	262	7	4	5	6	4	26	17	23	19	20
		F	139	2	3		4	2	11	9	10	15	11
34	Tuberculosis of other organs	M	650	33	14	16	3	8	74	23	21	34	42
		F	491	22	14	5	3	2	46	21	16	30	43
35	Disseminated tuberculosis	M	192	15	6	1		1	23	6	5	10	16
		F	175	12	3	2	3		20	5	7	16	19
36	Rickets	M	205	145	37	6	4	2	194	1	2	2	1
		F	173	104	41	5	6	1	157	2	2		
37	Syphilis	M	3,760	748	45	8	11	3	815	12	18	23	77
		F	1,618	539	32	15	7	3	596	18	13	37	75
38	Gonococcus infection	M	81	21		1			22			2	7
		F	366	38	2	1	2	1	44	2	2	25	53

ING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
40,245	41,466	42,223	39,320	43,345	49,773	55,351	66,142	70,318	73,878	69,622	50,260	27,535	9,348	2,013	334	982	
18,791	20,667	22,454	21,327	23,895	27,472	30,457	36,130	37,652	38,373	34,929	23,766	12,399	3,834	752	131	603	
21,454	20,799	19,769	17,993	19,450	22,301	24,894	30,012	32,666	35,505	34,693	26,494	15,136	5,514	1,261	203	379	
18,340	18,371	17,687	15,933	16,369	17,596	18,169	19,110	17,311	15,117	11,132	6,003	2,491	644	142	26	248	
8,423	9,237	9,227	8,146	8,417	8,865	9,011	9,557	8,628	7,389	5,299	2,639	1,080	263	55	13	132	
9,917	9,134	8,460	7,787	7,952	8,731	9,158	9,553	8,683	7,728	5,833	3,364	1,411	381	87	13	116	
297	255	244	196	157	145	85	82	65	31	14	7	.....	.....	.....	1	6	1
213	186	132	96	87	85	64	65	48	21	12	6	1	.....	.....	.....	6	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
28	19	31	28	35	44	30	33	32	28	26	8	5	.....	.....	.....	.....	4
21	28	27	21	17	14	20	22	30	26	28	13	3	1	1	1	6	
7	14	11	8	11	5	11	14	18	6	5	6	1	.....	.....	.....	.....	5
8	14	7	10	2	6	8	1	3	2	1	3	.....	.....	.....	.....	.....	
21	14	14	15	18	10	8	12	8	9	4	.....	.....	.....	.....	.....	3	6
46	36	42	26	22	17	10	13	12	8	7	3	.....	1	.....	.....	.....	
40	22	17	14	5	4	2	2	3	1	.....	.....	.....	.....	.....	.....	1	7
83	38	27	11	5	4	7	5	1	1	.....	.....	.....	.....	.....	.....	.....	
3	4	2	2	1	1	1	.....	.....	1	1	2	.....	.....	.....	.....	2	8
5	3	4	2	1	1	1	1	2	.....	.....	3	1	2	.....	.....	2	
35	30	21	14	19	8	4	8	8	2	4	1	1	.....	.....	.....	2	9
56	48	46	37	13	29	24	15	6	4	2	.....	1	1	.....	1	1	
2,288	2,938	2,466	1,611	1,250	1,122	936	935	930	928	755	481	246	62	12	4	37	10
3,091	2,933	2,190	1,283	989	917	935	875	934	1,067	983	673	303	104	30	1	31	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	2	2	1	.....	1	.....	3	6	3	9	5	3	.....	.....	.....	.....	13
2	.....	.....	3	1	1	1	3	4	4	7	3	3	1	.....	.....	.....	
14	14	17	14	22	20	41	48	56	64	81	63	34	16	5	1	1	14
15	15	10	24	29	25	27	45	71	94	110	85	31	23	4	1	.....	
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	3	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
29	35	38	59	57	78	85	72	78	84	85	57	41	8	3	1	2	18
30	34	37	52	50	53	56	65	60	86	71	55	27	13	3	.....	1	
3	2	2	3	2	2	4	3	5	5	5	4	.....	.....	.....	.....	.....	19
3	3	4	1	1	2	2	.....	1	1	3	1	2	.....	.....	.....	.....	
24	34	25	28	32	44	36	34	32	22	22	15	8	2	.....	1	3	20
27	22	23	28	22	17	16	22	19	17	13	15	6	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	4	2	4	5	3	2	2	1	.....	.....	.....	1	.....	.....	.....	.....	22
.....	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	1	4	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
21	34	32	20	21	33	31	17	17	6	6	1	.....	.....	.....	.....	.....	24
14	9	16	11	12	15	9	7	8	8	3	1	.....	.....	.....	.....	.....	
2	3	3	1	3	2	6	7	3	1	1	.....	.....	.....	.....	.....	.....	25
.....	2	2	3	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	
7	18	16	28	26	38	23	41	31	37	14	5	1	.....	1	.....	1	26
47	57	69	58	73	51	40	56	50	33	13	4	6	.....	1	.....	2	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4,807	4,658	4,574	3,883	3,524	3,108	2,472	2,057	1,531	978	569	197	60	18	3	.....	44	
5,309	4,120	3,457	2,561	1,992	1,618	1,364	1,201	1,066	762	552	217	89	17	7	1	39	
4,323	4,241	4,199	3,560	3,219	2,857	2,256	1,872	1,370	865	512	178	51	17	3	.....	40	28
4,797	3,764	3,148	2,292	1,735	1,410	1,205	1,060	954	683	465	184	78	14	5	.....	37	
149	116	128	82	74	49	30	32	32	19	6	4	.....	.....	.....	.....	1	29
186	99	82	50	44	37	19	16	15	6	3	2	.....	.....	.....	.....	.....	
97	90	54	47	31	34	14	14	11	3	1	1	.....	.....	.....	.....	.....	30
78	52	33	27	33	15	16	10	6	2	4	1	1	.....	.....	.....	.....	
99	89	81	88	72	70	71	54	52	43	26	7	5	.....	.....	.....	.....	31
156	107	114	104	104	78	66	66	57	42	43	14	7	1	.....	1	2	
40	47	33	26	37	30	25	25	14	9	6	1	.....	.....	.....	.....	.....	32
34	22	23	29	27	24	19	12	6	8	7	1	2	1	1	.....	.....	
18	15	15	18	16	11	16	19	7	14	5	1	1	.....	.....	.....	1	33
6	15	4	8	12	6	8	7	4	4	6	2	.....	.....	1	.....	.....	
55	48	51	52	52	42	49	32	37	18	11	5	3	.....	.....	.....	1	34
38	50	38	39	28	36	22	21	18	11	20	12	1	1	.....	.....	.....	
20	12	13	10	23	15	11	9	8	7	2	.....	.....	1	.....	.....	1	35
14	11	15	12	9	12	9	9	6	6	4	1	.....	.....	.....	.....	.....	
1	.....	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	36
1	.....	1	.....	1	2	.....	2	.....	1	2	1	1	.....	.....	.....	.....	
125	216	389	445	415	337	323	241	177	86	43	10	5	.....	1	.....	2	37
65	105	132	131	121	114	74	60	38	19	15	3	.....	1	.....	.....	1	
6	7	4	5	7	2	4	7	4	3	1	.....	1	.....	.....	.....	.....	38
72	56	44	35	20	5	2	1	2	2	1	.....	.....	.....	.....	.....	.....	

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	29,413	28	39	23	33	25	148	79	59	89	159
		F.	38,853	27	19	23	23	23	115	49	58	100	164
39	Of the buccal cavity	M.	2,145	3			2	1	6	3	2	5	5
		F.	1,391	4			3	1	8	1	2	2	6
40	Of the stomach, liver	M.	13,541	4	6		2	3	15	17	9	4	22
		F.	12,529	6	2	3	1	3	15	11	6	11	25
41	Of the peritoneum, intestines, rectum	M.	4,024	3	5	3	5	3	19	7	8	14	27
		F.	5,332	1	1	2	2	1	7	7	11	12	33
42	Of the female genital organs	F.	9,415		2			1	3	4	4	13	39
43	Of the breast	M.	81										
		F.	6,124							1		4	9
44	Of the skin	M.	1,459			2	3	1	6	5	1	4	6
		F.	813	3			2	1	6	1	1	1	5
45	Of other organs or of organs not specified	M.	8,163	18	28	18	21	17	102	47	39	62	99
		F.	4,249	13	14	18	15	16	76	24	34	57	48
46	Other tumors (tumors of the female genital organs excepted)	M.	86	10	3			1	14	2			3
		F.	145	3	2				5	2	1	1	1
47	Acute articular rheumatism	M.	1,336	13	11	13	25	19	81	176	165	126	55
		F.	1,495	11	11	6	15	15	58	164	203	135	91
48	Chronic rheumatism and gout	M.	302								2	3	5
		F.	616	1					1	1		7	6
49	Scurvy	M.	31	22	2	1			25	1			
		F.	35	17	3		2		22	1	1		5
50	Diabetes	M.	6,041	17	15	28	18	25	103	124	153	199	188
		F.	7,284	4	10	22	25	15	76	119	193	132	168
51	Exophthalmic goiter	M.	178							1		7	10
		F.	1,361	4	1				5	1	9	56	80
52	Addison's disease	M.	145	1					1		6	3	8
		F.	172				1	1	2		4	3	6
53	Leukemia	M.	958	21	25	21	16	18	101	60	39	52	39
		F.	653	12	20	12	17	7	68	33	33	29	24
54	Anemia, chlorosis	M.	2,049	49	31	13	9	7	109	24	19	18	25
		F.	2,543	62	13	5	7	6	93	31	19	41	45
55	Other general diseases	M.	846	449	43	29	23	18	562	51	20	13	15
		F.	787	343	63	34	26	20	486	29	26	12	20
56	Alcoholism (acute or chronic)	M.	739								1	5	8
		F.	70										2
57	Chronic lead poisoning	M.	107									1	2
		F.	4									2	1
58	Other chronic occupation poisonings	M.	11										
		F.	2										
59	Other chronic poisonings	M.	113										14
		F.	86										6
	II.—Diseases of the nervous system and of the organs of special sense		97,737	3,687	1,165	690	479	351	6,372	1,310	1,013	1,125	1,155
	Males		50,211	2,129	618	381	245	189	3,562	709	550	666	675
	Females		47,526	1,558	547	309	234	162	2,810	601	463	459	480
60	Encephalitis	M.	1,060	77	28	29	18	9	161	44	55	73	99
		F.	887	64	44	24	18	16	166	58	63	52	63
61	Meningitis (total)	M.	2,655	644	276	180	107	83	1,290	274	172	179	105
		F.	2,039	529	224	144	103	67	1,067	248	145	96	83
	Simple meningitis	M.	1,336	354	121	102	55	34	666	116	73	55	46
		F.	1,011	289	105	71	39	31	535	111	53	33	45
	Cerebrospinal meningitis (undefined)	M.	590	125	72	31	26	22	276	71	44	49	20
		F.	480	125	56	34	27	9	251	59	41	28	14
	Cerebrospinal fever	M.	729	165	83	47	26	27	348	87	55	75	39
		F.	518	115	63	39	37	27	281	78	51	35	24
62	Locomotor ataxia	M.	1,141								1	2	1
		F.	365							1		2	2
63	Other diseases of the spinal cord (total)	M.	2,395	82	61	42	39	29	253	107	44	61	51
		F.	2,177	52	62	34	32	30	210	64	47	30	38
	Acute anterior poliomyelitis	M.	396	57	54	31	24	25	191	81	29	23	16
		F.	312	35	53	29	27	28	172	52	33	15	9
	Other diseases of the spinal cord	M.	1,999	25	7	11	15	4	62	26	15	38	35
		F.	1,865	17	9	5	5	2	38	12	14	15	29
64	Cerebral hemorrhage, apoplexy	M.	31,278	89	27	13	9	7	145	30	25	35	85
		F.	33,404	57	21	9	11	2	100	23	30	50	59
65	Softening of the brain	M.	418										2
		F.	375										
66	Paralysis without specified cause	M.	2,073	14	5	4	3	3	29	7	7	7	7
		F.	2,431	6	4	1	5	1	17	7	7	7	8
67	General paralysis of the insane	M.	3,432									5	17
		F.	1,114							1		7	7
68	Other forms of mental alienation	M.	577								1	12	37
		F.	795								1	22	35
69	Epilepsy	M.	1,531	49	17	21	12	11	110	49	93	146	158
		F.	1,122	43	15	10	11	7	86	37	53	104	103
70	Convulsions (nonpuerperal)	M.	44							13	3	3	1
		F.	55							17	5	4	4
71	Convulsions of infants	M.	1,038	870	102	34	19	13	1,038				
		F.	748	587	103	40	10	8	748				
72	Chorea	M.	57	4	3		1	1	9	9	6	11	2
		F.	70	2	1	1			4	6	16	15	3
73	Neuralgia and neuritis	M.	141	3					3	4	1	2	4
		F.	188			1		2	3	1		1	5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Con.

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
228	405	708	1,101	1,901	2,851	3,712	4,486	4,329	4,079	2,922	1,430	551	125	27	4	20	
357	857	1,580	2,605	3,501	4,405	4,860	5,265	4,688	4,211	3,151	1,832	766	167	35	6	21	
12	21	47	79	155	216	281	293	265	297	242	136	59	14	3	.....	4	39
4	7	8	15	27	29	29	42	37	51	46	39	30	7	.....	2	.....	
51	130	296	500	890	1,417	1,891	2,240	2,136	1,904	1,277	534	165	28	2	2	11	40
62	138	266	496	778	1,266	1,555	1,838	1,896	1,827	1,334	686	262	39	9	1	8	
49	79	142	187	270	400	494	625	563	535	366	166	61	11	1	.....	.....	41
50	91	178	270	388	571	656	802	707	630	517	270	112	15	3	.....	2	
128	364	637	995	1,233	1,314	1,218	1,172	879	686	417	229	61	14	1	.....	4	42
.....	2	1	5	8	10	9	9	5	14	8	8	2	.....	.....	.....	.....	43
38	141	314	571	699	810	843	790	589	468	412	270	118	33	9	1	4	
8	8	18	33	50	91	108	154	195	208	243	170	100	37	13	1	.....	44
3	8	9	16	25	22	52	72	64	130	121	138	99	34	4	1	1	
108	165	204	297	528	717	929	1,165	1,165	1,121	786	416	164	35	8	1	5	45
72	108	168	242	351	453	507	549	516	419	304	200	84	25	9	1	2	
2	4	3	1	5	8	5	10	11	4	6	4	3	.....	.....	.....	1	46
1	10	11	14	4	9	13	17	11	16	8	17	2	2	.....	.....	.....	
51	48	54	57	54	57	64	73	81	67	68	40	17	2	.....	.....	.....	47
58	78	68	64	60	59	67	74	69	93	59	56	31	7	.....	1	.....	
7	3	9	13	16	25	15	38	37	49	36	30	9	4	.....	.....	1	48
3	11	20	14	20	37	57	72	86	92	81	64	31	10	2	.....	1	
1	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	
201	216	242	239	366	477	635	801	759	604	448	203	66	14	2	.....	1	50
152	186	168	249	406	647	941	1,118	1,052	834	515	233	77	14	2	.....	2	
10	20	15	14	32	19	19	14	7	5	3	1	1	.....	.....	.....	.....	51
93	120	132	167	171	163	144	93	61	38	21	7	.....	.....	.....	.....	.....	
10	9	8	15	20	19	11	15	6	8	4	.....	2	.....	.....	.....	.....	52
6	13	21	18	17	20	16	16	12	10	5	2	1	.....	.....	.....	.....	
55	55	66	61	77	65	77	86	66	25	21	7	2	2	.....	.....	2	53
39	35	42	49	47	48	54	62	36	33	14	6	1	.....	.....	.....	.....	
29	39	67	108	161	199	279	323	257	204	114	49	14	8	1	1	1	54
61	89	121	176	225	272	312	347	285	213	138	46	17	9	1	.....	2	
12	14	14	16	13	13	18	12	26	17	15	7	6	2	.....	.....	.....	55
24	9	9	19	18	19	15	19	21	21	10	13	8	7	1	.....	1	
29	75	107	119	130	98	53	53	28	20	9	2	.....	.....	.....	.....	2	56
7	9	9	11	11	6	5	3	1	2	2	.....	1	1	.....	.....	.....	
4	6	8	9	15	12	13	19	8	8	.....	1	1	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	2	2	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
18	16	12	7	12	10	2	6	2	4	7	2	1	.....	.....	.....	.....	59
8	8	8	7	10	8	8	5	3	6	5	2	2	.....	.....	.....	.....	
1,334	1,710	2,425	3,110	4,270	5,374	7,370	9,936	11,464	12,644	12,369	8,499	4,252	1,171	219	29	86	
704	1,000	1,442	1,817	2,334	3,157	3,928	5,263	5,940	6,357	5,921	3,775	1,807	452	93	12	47	
630	710	983	1,293	1,936	2,717	3,442	4,673	5,524	6,287	6,448	4,724	2,445	719	126	17	39	
74	80	95	78	85	67	46	41	28	20	4	7	1	1	.....	.....	1	60
68	64	63	65	61	46	35	29	24	14	5	5	3	1	.....	1	1	
98	100	88	78	70	65	39	33	27	13	13	4	3	.....	.....	.....	4	61
57	63	54	41	41	32	33	30	21	10	4	8	1	3	.....	.....	2	
57	50	37	49	46	42	30	24	18	11	10	2	1	.....	.....	.....	3	
26	36	29	23	21	20	24	21	14	9	2	5	1	3	.....	.....	.....	
22	21	32	14	13	9	4	4	6	1	2	1	1	.....	.....	.....	.....	
14	16	12	12	10	2	5	7	5	1	1	2	.....	.....	.....	.....	.....	
19	29	19	15	11	14	5	5	3	1	1	1	1	.....	.....	.....	1	
17	11	13	6	10	10	4	2	2	.....	1	1	.....	.....	.....	.....	2	
6	15	42	94	107	171	169	174	154	107	70	21	5	2	.....	.....	.....	62
2	10	17	22	35	47	50	70	45	34	18	9	1	.....	.....	.....	.....	
46	54	61	73	92	138	174	266	277	263	244	123	50	13	2	1	2	63
42	43	57	75	87	132	189	226	244	252	231	128	60	18	4	.....	.....	
9	11	4	1	6	2	3	6	6	1	6	.....	.....	.....	.....	.....	1	
9	2	2	3	5	.....	4	1	2	1	2	.....	.....	.....	.....	.....	.....	
37	43	57	72	86	136	171	260	271	262	238	123	50	13	2	1	1	
33	41	55	72	82	132	185	225	242	251	229	128	60	18	4	.....	.....	
110	179	305	612	1,089	1,876	2,747	3,997	4,734	5,234	4,902	3,156	1,522	381	74	10	30	64
118	199	381	663	1,250	1,986	2,658	3,759	4,644	5,280	5,392	3,994	2,069	613	100	13	23	
.....	2	1	4	11	14	31	29	42	83	90	66	33	7	3	.....	1	65
2	.....	4	4	4	12	23	22	37	51	84	73	37	17	3	1	1	
6	7	19	37	52	80	144	226	311	347	367	247	126	35	8	.....	4	66
6	15	30	40	66	108	141	224	270	397	469	365	180	50	15	1	8	
68	232	516	542	527	457	347	261	167	114	85	52	31	2	2	1	5	67
38	68	98	110	122	109	104	87	74	87	108	48	36	7	1	.....	2	
35	54	39	47	47	65	41	59	37	45	24	18	10	5	.....	.....	1	68
57	66	79	87	90	75	70	62	41	43	31	23	11	.....	.....	.....	2	
122	138	137	110	92	69	64	52	63	39	48	29	10	2	.....	.....	.....	69
126	85	94	77	71	57	45	54	42	35	24	21	7	1	.....	.....	.....	
4	5	3	3	2	1	1	1	.....	2	1	.....	.....	.....	1	.....	.....	70
6	3	5	4	2	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	2	.....	2	2	.....	3	2	2	2	1	.....	.....	1	.....	.....	72
5	3	3	2	2	.....	1	5	1	3	1	.....	.....	.....	.....	.....	.....	
4	5	6	9	7	5	10	12	15	22	15	13	3	.....	1	.....	.....	73
7	4	6	15	7	15	7	22	26	14	27	13	11	3	1	.....	.....	

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M. 1,391	90	37	26	11	12	176	72	74	61	64
		F. 1,037	78	24	9	21	12	144	49	39	35	47
75	Diseases of the eyes and their annexa	M. 37	4			2		6	4	2	3	1
		F. 42	4	2	3	4	1	14	1	1		2
76	Diseases of the ears	M. 943	203	62	32	24	21	342	96	65	66	41
		F. 677	136	47	33	19	16	251	88	56	34	21
	III.—Diseases of the circulatory system	149,455	1,281	259	183	163	180	2,066	1,214	1,693	1,648	1,654
	Males	77,325	766	150	82	83	87	1,168	555	784	834	751
	Females	72,130	515	109	101	80	93	898	659	909	814	903
77	Pericarditis	M. 403	9	3	1	1	2	16	13	11	12	14
		F. 303	10	3	3	1	2	19	9	20	5	8
78	Acute endocarditis	M. 3,002	200	27	28	23	16	294	129	127	132	100
		F. 2,984	119	28	31	28	31	237	158	162	131	151
79	Organic diseases of the heart	M. 56,374	341	86	38	50	60	575	385	616	651	587
		F. 55,590	233	53	48	43	54	431	469	702	632	692
80	Angina pectoris	M. 4,585				1		1	1	2	7	6
		F. 2,566	1					1	2	2	9	12
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 10,516	1				1	2	1	1	7	9
		F. 8,167	1					1		1	4	3
82	Embolism and thrombosis	M. 1,864	33	4	3	2	3	45	11	15	16	23
		F. 1,866	25	5	4	4	2	40	7	8	22	30
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M. 164	3					3	3	2		3
		F. 292	2	1	2	1		6	1	2	5	5
84	Diseases of the lymphatic system (lymphangitis, etc.)	M. 274	164	28	11	5	5	213	9	9	7	7
		F. 214	118	17	11	3	4	153	12	6	5	1
85	Hemorrhage; other diseases of the circulatory system	M. 143	15	2	1	1		19	3	1	2	2
		F. 148	6	2	2			10	1	6	1	1
	IV.—Diseases of the respiratory system	122,500	22,512	8,287	3,185	1,691	1,094	36,769	2,753	1,517	2,911	4,164
	Males	64,816	12,818	4,448	1,685	857	573	20,381	1,444	789	1,736	2,053
	Females	57,684	9,694	3,839	1,500	834	521	16,388	1,309	728	1,175	2,111
86	Diseases of the nasal fossae	M. 87	37	6	1	3		47	5	1	2	3
		F. 83	25	2	1	1	2	31	2		1	7
87	Diseases of the larynx	M. 410	81	62	49	34	33	259	44	7	6	5
		F. 299	43	39	41	27	24	174	41	10	6	4
88	Diseases of the thyroid body	M. 81	4	3	1			8	3	1	7	4
		F. 549	5	4				9		12	16	25
89	Acute bronchitis	M. 2,916	1,652	296	108	46	28	2,130	39	10	10	8
		F. 2,987	1,357	285	94	46	25	1,807	37	3	7	14
90	Chronic bronchitis	M. 1,992	27	15	6	1	2	51	21	5	9	13
		F. 2,404	19	13	2			34	20	3	11	14
91	Bronchopneumonia	M. 21,656	7,799	2,601	884	409	222	11,915	556	180	300	348
		F. 20,398	5,885	2,210	815	393	230	9,533	493	182	246	377
92	Pneumonia (total)	M. 33,565	2,988	1,310	565	315	247	5,425	682	541	1,288	1,536
		F. 27,955	2,204	1,166	489	322	211	4,392	641	469	838	1,593
	Lobar pneumonia	M. 30,365	2,397	1,133	481	277	215	4,503	594	478	1,188	1,428
		F. 25,094	1,781	996	391	290	184	3,642	563	403	762	1,493
	Pneumonia (undefined)	M. 3,200	591	177	84	38	32	922	88	63	100	108
		F. 2,861	423	170	98	32	27	750	78	66	76	100
93	Pleurisy	M. 1,778	119	126	58	36	30	369	57	30	88	101
		F. 1,197	88	97	49	36	14	284	52	36	33	53
94	Pulmonary congestion, pulmonary apoplexy	M. 533	59	10	6	6	5	86	4	1	4	4
		F. 658	37	11	2	3	3	56	6	4	3	4
95	Gangrene of the lung	M. 161		1		2	1	4	3	3	4	8
		F. 57			2			2	2	2	2	5
96	Asthma	M. 986	21	10	5	1	2	39	15		3	5
		F. 815	8	11	4	5	8	36	8	2	4	3
97	Pulmonary emphysema	M. 78	5	1	1	1		8	4		1	1
		F. 46	4			1		5	1			2
98	Other diseases of the respiratory system (tuberculosis excepted)	M. 573	26	7	1	3	3	40	11	10	14	17
		F. 236	19	1	1		4	25	6	5	8	10
	V.—Diseases of the digestive system	87,107	30,579	7,106	2,174	1,137	788	41,784	2,383	1,755	1,796	1,840
	Males	47,141	17,474	3,881	1,187	607	429	23,578	1,243	951	1,023	923
	Females	39,966	13,105	3,225	987	530	359	18,206	1,140	804	773	917
99	Diseases of the mouth and annexa	M. 349	70	11	10	1	1	93	16	11	6	6
		F. 261	62	10	3	4	3	82	18	3	8	8
100	Diseases of the pharynx	M. 1,360	92	72	70	62	72	368	230	108	97	84
		F. 1,231	73	42	58	61	55	289	217	130	90	78
101	Diseases of the esophagus	M. 79	3		2	1		6	1	3	1	
		F. 43	2	1			1	4		2		2
102	Ulcer of the stomach	M. 1,774	7	1	3	3	3	17	2	8	15	33
		F. 1,056	7	1			1	9	8	6	21	28
103	Other diseases of the stomach (cancer excepted)	M. 2,968	1,076	130	67	38	15	1,326	43	19	13	22
		F. 2,682	752	149	55	36	23	1,015	46	17	21	32
104	Diarrhea and enteritis (under 2 years)	M. 18,725	15,267	3,458				18,725				
		F. 14,557	11,683	2,874				14,557				
105	Diarrhea and enteritis (2 years and over)	M. 3,907			875	360	179	1,414	269	54	40	53
		F. 3,795			754	315	154	1,223	224	59	38	54
106	Ankylostomiasis	M. 11			1			1	4	2	2	1
		F. 10				1	1	2	4	3	1	

DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES BY SEX AND AGE OF DECEDENT: 1920—Con.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
85	91	97	100	103	101	83	85	61	51	45	29	9	4	.....	.....	.....	74
58	59	64	68	86	63	65	63	41	56	43	28	22	5	2	.....	.....	
1	1	1	1	1	.....	4	1	3	2	2	4	.....	.....	.....	.....	.....	75
4	.....	3	2	.....	1	1	2	.....	3	3	1	4	.....	.....	.....	.....	
44	35	30	29	47	46	28	23	19	13	9	5	4	.....	1	.....	.....	76
34	28	25	18	12	33	20	17	13	7	7	8	3	1	.....	1	.....	
2,070	2,598	3,398	4,178	5,988	8,162	10,731	15,361	18,063	20,785	21,341	15,929	8,880	2,915	584	71	117	
879	1,135	1,650	2,174	3,185	4,493	6,108	8,527	9,827	10,970	10,971	7,782	4,031	1,199	209	25	68	
1,209	1,493	1,748	2,004	2,803	3,669	4,623	6,834	8,236	9,815	10,370	8,147	4,849	1,716	375	46	49	
17	13	22	12	28	26	26	42	36	41	43	13	13	4	1	.....	.....	77
11	10	15	7	18	12	14	18	28	37	30	26	11	5	.....	.....	.....	
119	151	192	215	272	362	442	113	94	108	73	45	22	10	1	.....	1	78
108	189	175	186	240	323	391	84	98	95	93	53	35	10	2	1	2	
677	845	1,167	1,606	2,289	3,211	4,361	6,566	7,641	8,260	7,972	5,449	2,604	724	115	14	59	79
931	1,145	1,404	1,609	2,223	2,901	3,586	5,765	6,688	7,798	7,956	5,973	3,312	1,102	208	25	38	
14	41	108	166	279	405	581	743	719	656	495	247	88	17	3	1	5	80
15	27	51	63	113	134	240	319	426	436	366	225	101	19	4	.....	1	
15	34	77	105	186	328	508	818	1,084	1,604	2,133	1,861	1,219	429	33	10	2	81
9	8	27	43	82	134	221	441	749	1,179	1,635	1,666	1,253	532	151	20	8	
33	42	65	54	100	137	162	204	227	260	228	147	75	13	6	.....	1	82
48	55	52	71	90	122	128	164	198	226	252	185	117	42	9	.....	.....	
2	6	9	9	15	15	14	21	13	20	16	8	3	2	.....	.....	.....	83
9	17	19	18	24	32	32	24	36	24	19	10	8	1	.....	.....	.....	
.....	2	7	2	8	2	2	1	1	2	.....	1	1	.....	.....	.....	.....	84
4	3	2	5	1	3	1	3	5	4	2	.....	3	1	.....	.....	.....	
2	1	3	5	8	7	12	19	12	19	11	11	6	.....	.....	.....	.....	85
5	9	3	2	12	8	10	16	8	16	17	9	9	4	1	.....	.....	
6,103	6,368	5,744	4,518	4,582	4,964	5,226	5,944	6,494	7,206	6,996	5,540	3,226	1,208	245	41	81	
2,854	3,316	3,372	2,687	2,709	2,934	2,997	3,317	3,382	3,438	3,160	2,333	1,321	453	77	16	47	
3,149	3,052	2,372	1,831	1,873	2,030	2,229	2,627	3,112	3,768	3,836	3,207	1,905	755	168	25	34	
2	2	2	.....	.....	2	1	1	.....	3	3	4	7	2	.....	.....	.....	86
2	4	4	2	1	2	1	1	1	.....	3	9	8	4	.....	.....	.....	
6	9	6	6	8	8	8	11	8	10	5	3	.....	.....	1	.....	.....	87
6	7	6	10	1	5	3	5	3	4	3	5	3	2	.....	.....	1	
4	7	1	7	10	6	6	7	2	3	2	1	1	.....	1	.....	.....	88
30	33	57	57	71	59	53	43	43	24	12	4	.....	1	.....	.....	.....	
5	8	15	12	14	32	31	49	54	77	135	128	113	38	5	3	.....	89
18	19	15	22	30	29	32	50	78	136	200	223	148	90	22	6	1	
8	17	25	25	60	77	103	145	196	290	348	307	200	77	12	3	.....	90
13	19	19	23	42	55	101	135	195	347	456	440	294	152	24	4	3	
443	490	534	438	429	524	582	717	825	976	973	775	458	146	25	6	7	91
527	534	423	342	386	459	515	696	960	1,261	1,308	1,153	685	245	60	7	6	
2,210	2,623	2,591	1,991	1,935	1,983	1,961	2,050	2,014	1,780	1,426	880	417	137	28	3	32	92
2,442	2,317	1,738	1,275	1,203	1,291	1,366	1,504	1,619	1,717	1,566	1,126	598	189	44	5	22	
2,117	2,475	2,434	1,875	1,792	1,843	1,814	1,881	1,843	1,591	1,257	736	351	110	22	3	30	
2,312	2,187	1,623	1,177	1,116	1,183	1,265	1,405	1,479	1,518	1,358	937	474	143	33	4	17	
123	150	157	116	143	140	147	169	171	189	169	144	66	27	6	.....	2	
130	130	115	98	87	108	101	99	140	199	208	189	124	46	11	1	5	
107	101	121	93	106	106	105	120	78	78	51	41	14	6	2	.....	4	93
71	76	65	39	57	49	53	67	58	68	64	42	20	10	.....	.....	.....	
2	3	8	8	13	17	19	22	26	50	76	79	72	35	3	1	.....	94
6	11	6	12	10	8	16	17	42	70	99	113	113	47	12	3	.....	
11	7	7	14	16	14	21	14	8	10	7	4	4	.....	.....	.....	2	95
3	6	8	4	5	6	3	3	1	3	1	1	.....	.....	.....	.....	.....	
7	16	28	49	57	98	89	115	121	124	100	81	29	8	.....	.....	2	96
12	15	20	31	48	53	67	88	85	115	102	78	29	12	6	.....	1	
3	1	.....	1	5	7	11	7	6	4	9	8	2	.....	.....	.....	.....	97
.....	1	.....	1	6	2	2	7	5	7	2	1	2	2	.....	.....	.....	
16	21	34	43	56	60	60	59	44	33	25	22	4	4	.....	.....	.....	98
19	10	11	13	13	12	17	11	22	16	20	12	5	1	.....	.....	.....	
2,172	2,230	2,666	2,636	3,166	3,525	3,619	3,793	3,601	3,532	2,953	2,063	1,053	360	66	9	55	
1,068	1,150	1,414	1,436	1,728	1,916	1,954	2,073	1,874	1,833	1,417	909	453	145	17	3	35	
1,104	1,130	1,252	1,200	1,440	1,609	1,665	1,720	1,727	1,699	1,536	1,154	600	215	49	6	20	
16	15	24	21	19	29	29	24	18	8	9	1	.....	1	.....	.....	1	99
20	11	13	20	15	9	15	12	11	8	3	4	1	.....	.....	.....	.....	
89	68	57	48	43	35	30	27	24	22	16	14	6	.....	2	1	.....	100
70	66	51	37	35	30	24	20	22	20	16	18	9	6	1	.....	2	
2	2	1	2	7	7	5	11	4	8	10	7	1	1	.....	.....	.....	101
.....	.....	4	1	.....	2	5	6	5	1	8	1	1	1	.....	.....	.....	
76	110	140	108	216	182	201	170	160	125	93	35	18	3	.....	.....	2	102
61	60	76	86	73	97	98	105	89	78	81	46	27	6	1	.....	.....	
36	31	65	74	98	114	123	176	171	199	172	140	96	41	5	.....	4	103
32	30	53	53	50	77	92	138	171	208	205	211	142	63	16	2	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104
77	85	135	114	154	152	145	174	177	229	244	232	103	43	2	1	5	105
97	82	93	66	117	124	137	174	195	263	308	279	170	69	14	2	7	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.											
107	Intestinal parasites	M. 40	4	5	6	6	3	24	5	4	.....	1
		F. 30	4	7	3	3	.....	17	7	1	2	.....
108	Appendicitis and typhlitis	M. 6,090	23	36	54	64	82	259	488	597	665	505
		F. 4,335	19	20	40	51	71	201	433	496	434	433
109	Hernia, intestinal obstruction (total)	M. 4,303	710	122	61	46	46	985	96	74	74	93
		F. 3,356	344	72	33	32	29	510	77	39	45	92
	Hernia	M. 1,610	140	20	5	3	6	174	7	6	11	24
		F. 1,330	36	2	1	1	.....	40	8	4	2	6
	Intestinal obstruction	M. 2,693	570	102	56	43	40	811	89	68	63	69
		F. 2,526	308	70	32	31	29	470	69	35	43	86
110	Other diseases of the intestines	M. 752	76	12	8	5	7	108	23	13	30	26
		F. 751	49	6	12	5	2	74	10	8	19	31
111	Acute yellow atrophy of the liver	M. 123	11	2	3	1	.....	17	2	.....	3	6
		F. 173	14	.....	1	1	2	18	3	1	8	9
112	Hydatid tumor of the liver	M. 16	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F. 10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
113	Cirrhosis of the liver	M. 3,648	7	5	3	4	1	20	6	9	9	14
		F. 1,967	8	2	3	.....	2	15	8	9	11	9
114	Biliary calculi	M. 733	.....	.....	.....	.....	.....	.....	2	1	.....	3
		F. 2,185	.....	.....	.....	1	.....	1	1	.....	5	21
115	Other diseases of the liver	M. 1,381	46	8	8	5	6	73	14	12	29	27
		F. 1,969	37	13	11	5	5	71	18	12	19	43
116	Diseases of the spleen	M. 64	3	2	2	.....	.....	7	1	3	2	3
		F. 48	1	2	.....	1	1	5	1	1	3	1
117	Simple peritonitis (nonpuerperal)	M. 582	77	17	13	8	14	129	36	33	33	30
		F. 747	49	24	13	14	9	109	59	25	42	66
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M. 236	2	.....	1	3	.....	6	5	.....	3	8
		F. 260	1	2	1	.....	.....	4	6	2	6	9
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	79,318	707	252	184	130	112	1,385	488	502	688	1,102
	Males	42,178	423	128	100	62	58	771	247	237	266	364
	Females	37,140	284	124	84	68	54	614	241	265	422	738
119	Acute nephritis	M. 2,329	229	61	55	36	30	411	119	80	75	82
		F. 2,076	127	51	46	42	26	292	109	83	78	111
120	Bright's disease	M. 34,056	63	43	31	19	24	180	114	146	169	240
		F. 29,954	64	48	20	22	24	178	111	157	234	314
121	Chyluria	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	M. 942	82	20	12	3	.....	117	10	7	17	26
		F. 873	79	24	17	4	3	127	19	6	16	39
123	Calculi of the urinary passages	M. 337	.....	1	.....	.....	.....	1	1	1	3	8
		F. 131	2	.....	.....	.....	.....	2	2	.....	3	2
124	Diseases of the bladder	M. 889	8	2	2	2	3	17	3	2	2	3
		F. 231	1	1	1	.....	.....	3	.....	3	.....	4
125	Diseases of the urethra, urinary abscess, etc	M. 202	1	.....	.....	.....	1	2	.....	1	.....	3
		F. 11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
126	Diseases of the prostate	M. 3,351	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
127	Nonvenereal diseases of the male genital organs	M. 66	34	1	.....	2	.....	37	.....	.....	.....	1
128	Uterine hemorrhage (nonpuerperal)	F. 42	.....	.....	.....	.....	.....	.....	.....	.....	6	6
129	Uterine tumor (noncancerous)	F. 1,314	.....	.....	.....	.....	.....	.....	.....	.....	3	9
130	Other diseases of the uterus	F. 653	.....	.....	.....	.....	.....	.....	.....	7	21	49
131	Cysts and other tumors of the ovary	F. 586	.....	.....	.....	.....	.....	.....	.....	.....	11	30
132	Salpingitis and other diseases of the female genital organs	F. 1,237	1	.....	.....	.....	1	2	.....	9	50	171
133	Nonpuerperal diseases of the breast (cancer excepted)	M. 6	6	.....	.....	.....	.....	6	.....	.....	.....	.....
		F. 32	10	.....	.....	.....	.....	10	.....	.....	.....	2
	VII.—The puerperal state	13,955	.....	.....	.....	.....	.....	.....	.....	11	1,034	2,877
134	Accidents of pregnancy	F. 2,077	.....	.....	.....	.....	.....	.....	.....	2	95	372
135	Puerperal hemorrhage	F. 1,225	.....	.....	.....	.....	.....	.....	.....	1	39	144
136	Other accidents of labor	F. 1,876	.....	.....	.....	.....	.....	.....	.....	.....	91	360
137	Puerperal septicemia	F. 4,800	.....	.....	.....	.....	.....	.....	.....	3	390	1,064
138	Puerperal albuminuria and convulsions	F. 3,367	.....	.....	.....	.....	.....	.....	.....	5	397	829
139	Puerperal phlegmasia alba dolens, embolus, sudden death	540	.....	.....	.....	.....	.....	.....	.....	.....	18	87
140	Following childbirth (not otherwise defined)	F. 63	.....	.....	.....	.....	.....	.....	.....	.....	4	11
141	Puerperal diseases of the breast	F. 7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	VIII.—Diseases of the skin and of the cellular tissue	3,036	601	55	16	22	9	703	45	53	77	51
	Males	1,716	314	27	9	7	3	360	20	33	49	29
	Females	1,320	287	28	7	15	6	343	25	20	28	22
142	Gangrene	M. 719	26	4	2	3	2	37	7	6	6	1
		F. 535	13	5	3	8	2	31	3	3	4	2
143	Furuncle	M. 366	56	2	1	.....	.....	59	1	10	23	12
		F. 170	49	6	.....	.....	.....	55	2	3	7	10
144	Acute abscess	M. 342	87	11	5	4	1	108	11	14	15	13
		F. 257	78	8	3	6	2	97	16	11	11	7
145	Other diseases of the skin and annexa	M. 289	145	10	1	.....	.....	156	1	3	5	3
		F. 358	147	9	1	1	2	160	4	3	6	3

DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES BY SEX AND AGE OF DECEDENT: 1920.—Con.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	107
.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
511	495	509	431	393	391	301	209	146	100	52	20	7	1	.....	.....	5	108
404	365	320	269	243	231	166	128	105	58	33	16	8	.....	.....	.....	2	
106	125	158	144	225	267	292	355	336	356	283	174	96	24	5	.....	5	
121	149	189	203	257	263	316	304	347	326	298	210	82	22	4	1	1	109
33	36	57	58	94	133	137	187	180	178	136	91	47	15	3	.....	3	
17	18	51	64	104	124	173	161	172	155	125	74	26	5	.....	.....	1	
73	89	101	86	131	134	155	168	156	208	147	83	49	9	2	.....	2	
104	131	138	139	153	139	143	143	175	171	173	136	56	17	4	1	.....	
33	36	32	30	42	41	40	58	52	58	46	41	26	11	3	1	2	
34	49	50	44	47	49	36	55	50	45	48	48	33	14	6	.....	1	110
5	3	5	3	6	12	10	12	10	15	4	7	1	2	.....	.....	.....	111
28	16	9	11	8	9	8	11	8	7	11	6	2	.....	.....	.....	.....	
1	1	.....	1	1	4	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	112
1	.....	1	2	1	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	
33	51	116	201	280	409	464	557	501	458	305	144	54	12	.....	.....	5	113
25	30	59	82	133	167	210	262	267	261	220	141	41	15	1	.....	1	
6	19	28	60	77	81	114	87	86	77	54	27	7	3	.....	.....	1	
67	94	141	137	222	294	272	274	222	201	127	71	32	2	1	.....	.....	114
52	70	80	85	104	123	140	145	135	114	87	48	36	3	.....	.....	4	
64	102	111	107	159	186	215	182	189	188	156	86	43	9	5	1	3	115
5	3	2	4	5	5	3	7	9	1	2	2	.....	.....	.....	.....	.....	
3	1	.....	3	5	6	4	2	4	2	5	.....	2	.....	.....	.....	.....	116
20	22	31	25	28	34	26	31	30	23	32	16	2	.....	.....	.....	1	
63	55	65	52	44	30	30	23	23	24	12	11	7	2	.....	.....	.....	117
8	14	27	25	22	29	29	27	15	9	8	1	.....	.....	.....	.....	.....	
14	19	16	27	31	34	35	18	19	9	5	5	.....	1	.....	.....	.....	118
1,494	1,966	2,038	3,391	4,289	5,342	6,398	8,128	9,600	10,363	9,935	6,853	3,478	983	190	26	79	
540	675	1,006	1,395	1,922	2,726	3,536	4,596	5,462	5,972	5,819	3,953	2,006	531	97	12	45	
954	1,291	1,632	1,996	2,367	2,616	2,862	3,532	4,138	4,391	4,116	2,900	1,472	452	93	14	34	
101	105	106	142	140	125	137	116	160	125	135	95	51	18	3	.....	3	119
106	126	128	120	124	113	93	129	124	102	111	62	41	12	1	.....	6	
373	500	781	1,117	1,653	2,404	3,064	3,979	4,593	4,899	4,651	3,083	1,557	427	76	10	40	120
448	615	872	1,202	1,626	2,106	2,517	3,180	3,790	4,117	3,841	2,705	1,367	419	83	13	24	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
30	33	61	65	50	55	75	58	80	85	84	59	24	6	.....	.....	.....	
47	40	59	44	62	69	57	61	61	63	37	40	18	5	1	.....	2	122
17	17	19	28	20	27	28	35	32	37	23	21	11	3	.....	.....	.....	
6	5	13	10	23	13	9	11	12	7	9	4	.....	.....	.....	.....	.....	123
7	5	9	6	12	16	49	49	68	130	187	184	96	32	10	2	.....	
1	1	9	2	4	13	9	14	17	25	40	45	27	12	1	1	.....	124
6	8	17	14	20	28	26	25	16	17	12	3	2	2	.....	.....	.....	
.....	.....	.....	3	1	.....	1	.....	2	.....	2	.....	.....	.....	.....	.....	1	125
5	6	12	17	24	67	153	334	511	677	722	506	263	43	8	.....	2	126
1	1	1	6	3	4	4	.....	2	2	.....	2	2	.....	.....	.....	.....	127
5	4	5	4	3	2	3	2	.....	.....	.....	2	.....	.....	.....	.....	.....	128
38	87	197	281	297	157	62	47	48	29	35	15	7	.....	2	.....	.....	129
74	75	81	77	76	51	46	37	27	14	8	5	2	2	.....	.....	1	130
33	73	55	69	47	52	42	39	46	30	29	21	7	2	.....	.....	.....	131
193	243	211	182	101	39	18	10	11	2	3	1	1	.....	.....	.....	.....	132
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	2	2	3	1	.....	2	.....	2	1	.....	2	.....	.....	.....	.....	133
3,464	3,073	2,338	971	151	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	
573	584	342	95	11	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	134
290	295	300	158	24	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	135
501	432	320	134	23	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	136
1,278	984	746	296	50	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	137
730	643	506	214	35	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	138
123	122	115	68	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	139
19	14	8	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140
.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	141
52	74	64	84	112	121	146	156	179	230	307	283	191	78	22	4	4	
25	46	41	56	69	71	94	94	93	146	166	157	116	41	8	2	.....	
27	28	23	28	43	50	52	62	86	84	141	126	75	37	14	2	4	
2	3	11	11	12	22	32	34	52	89	125	122	99	38	8	2	.....	
3	6	4	5	6	19	15	26	45	51	108	97	64	29	12	2	2	142
9	20	12	23	29	23	40	30	22	21	15	9	6	2	.....	.....	.....	
4	6	10	5	12	6	14	13	5	6	6	5	.....	.....	.....	.....	1	143
10	18	12	15	22	17	12	20	8	19	15	10	3	.....	.....	.....	.....	
9	10	4	9	14	12	9	8	14	7	5	8	4	1	1	.....	.....	144
4	5	6	7	6	9	10	10	11	17	11	16	8	1	.....	.....	.....	
11	6	5	9	11	13	14	15	22	20	24	16	7	7	1	.....	1	145

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,514	163	79	58	51	48	399	305	267	184	148
	Males	1,524	90	42	29	32	27	220	178	153	123	100
	Females	990	73	37	29	19	21	179	127	109	61	48
146	Diseases of the bones (tuberculosis excepted)	M. 1,360	86	38	29	31	26	210	176	142	111	91
		F. 836	65	34	27	18	20	164	124	93	57	41
147	Diseases of the joints (tuberculosis and rheumatism excepted)	M. 134	3	2		1	1	7	2	12	12	7
		F. 122	6	3	2		1	12	2	11	4	4
148	Amputations	M.										
		F										
149	Other diseases of the organs of locomotion	M. 30	1	2				3		4		
		F. 32	2			1		3	1			1
	X.—Malformations	12,419	11,498	342	125	74	48	12,087	138	70	44	26
	Males	7,031	6,558	180	67	34	24	6,863	74	32	21	14
	Females	5,388	4,940	162	58	40	24	5,224	64	38	23	12
150	Congenital malformations (total)	M. 7,031	6,558	180	67	34	24	6,863	74	32	21	14
		F. 5,388	4,940	162	58	40	24	5,224	64	38	23	12
	Hydrocephalus	M. 603	446	60	27	17	9	559	21	12	2	4
		F. 518	396	45	27	16	4	488	17	2	3	2
	Congenital malformations of the heart	M. 4,363	4,170	72	21	9	7	4,279	35	16	14	6
		F. 3,152	2,946	68	24	13	10	3,061	29	26	16	6
	Other congenital malformations	M. 2,035	1,942	48	19	8	8	2,025	18	4	5	4
		F. 1,718	1,598	49	7	11	10	1,675	18	10	4	4
	XI.—Early infancy	53,517	53,517					53,517				
	Males	30,773	30,773					30,773				
	Females	22,744	22,744					22,744				
151	Congenital debility, icterus, and sclerema (total)	M. 23,801	23,801					23,801				
		F. 17,810	17,810					17,810				
	Premature birth	M. 19,089	19,089					19,089				
		F. 14,619	14,619					14,619				
	Congenital debility, "atrophy," "marasmus," etc	M. 4,712	4,712					4,712				
		F. 3,191	3,191					3,191				
152	Other causes peculiar to early infancy (total)	M. 6,916	6,916					6,916				
		F. 4,888	4,888					4,888				
	Injuries at birth	M. 4,200	4,200					4,200				
		F. 2,769	2,769					2,769				
	Other causes peculiar to early infancy	M. 2,716	2,716					2,716				
		F. 2,119	2,119					2,119				
153	Lack of care	M. 56	56					56				
		F. 46	46					46				
	XII.—Old age	10,148										
	Males	4,337										
	Females	5,811										
154	Senility	M. 4,337										
		F. 5,811										
	XIII.—External causes	67,797	1,746	1,500	1,358	1,355	1,142	7,101	4,049	3,016	3,946	4,947
	Males	49,305	979	849	756	731	589	3,904	2,729	2,400	3,179	3,949
	Females	18,492	767	651	602	624	553	3,197	1,320	616	767	997
	Suicide (total)	M. 6,174							1	18	148	319
		F. 2,355								14	137	236
155	By poison	M. 675									27	49
		F. 656								5	65	107
156	By asphyxia	M. 628									12	34
		F. 473								1	13	40
157	By hanging or strangulation	M. 1,218								7	14	53
		F. 369								1	3	15
158	By drowning	M. 289									4	13
		F. 242								2	11	15
159	By firearms	M. 2,595							1	11	83	189
		F. 366								4	43	47
160	By cutting or piercing instruments	M. 524									4	14
		F. 85									1	4
161	By jumping from high places	M. 134									2	6
		F. 102								1	1	7
162	By crushing	M. 71									1	1
		F. 21										1
163	Other suicides	M. 40									1	1
		F. 41										2

DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Con.

DEATHS AT AGE OF—																	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
124	129	110	114	128	125	92	105	99	73	48	40	16	5	1	1	1	
78	87	74	64	89	67	58	69	64	47	22	19	6				1	
46	42	36	50	39	58	34	36	35	26	26	21	10	5	1	1		
67	79	65	49	78	59	46	62	52	35	19	12	4				1	
41	36	33	43	35	46	28	24	23	9	11	14	5	2				146
7	6	8	14	10	8	10	4	10	9	2	5	1					
5	5	2	5	3	11	3	8	9	14	11	5	5	2	1			147
																	148
4	2	1	1	1		2	3	2	3	1	2	1					
	1	1	2	1	1	3	4	3	3	4	2		1		1		149
21	13	6	6	5	1		1									1	
12	6	2	2	5													
9	7	4	4		1		1									1	
12	6	2	2	5													
9	7	4	4		1		1									1	150
2	1	1		1													
2	1	1	1		1												
6	3		1	3													
5	3	1	3				1									1	
4	2	1	1	1													
2	3	2															
																	151
																	152
																	153
				4	7	27	92	217	924	1,759	2,691	2,459	1,442	417	96	13	
					5	10	55	109	428	773	1,180	1,011	575	147	36	8	
				4	2	17	37	108	496	986	1,511	1,448	867	270	60	5	
					5	10	55	109	428	773	1,180	1,011	575	147	36	8	
				4	2	17	37	108	496	986	1,511	1,448	867	270	60	5	154
5,030	4,761	4,971	4,177	4,065	3,799	3,233	3,115	2,751	2,498	2,343	2,009	1,298	471	109	22	188	
4,146	3,954	4,133	3,447	3,304	3,066	2,523	2,316	1,928	1,509	1,137	841	480	148	43	11	167	
884	807	838	730	761	733	710	799	823	989	1,206	1,168	818	323	66	11	21	
482	561	644	656	645	652	544	509	368	286	157	93	39	7	1		14	
270	251	269	250	252	196	163	117	92	43	22	23	6	2	1		2	
59	64	80	96	59	63	42	48	31	31	17	7	2					155
101	90	54	58	55	38	25	18	22	7	4	6						
44	53	57	69	53	72	76	51	41	26	16	11	4	1				156
43	36	58	52	57	43	46	39	24	7	6	5	2	1				
61	98	107	117	141	129	119	121	85	74	46	24	14	3	1		4	
26	34	45	47	48	43	33	29	16	14	7	5	3					157
23	18	37	30	28	36	31	17	15	18	9	7	2				1	
21	21	30	22	28	27	23	14	14	6	2	4	1				1	158
240	252	238	254	267	273	193	203	147	106	51	29	10	1			6	
53	33	47	40	36	23	11	7	4	5		2					1	159
33	41	50	61	62	56	64	49	29	23	15	12	6	2			3	
6	13	13	11	9	9	8	3	4	1	2				1			160
12	22	14	11	16	11	12	11	8	4	2	2	1					161
14	12	17	9	10	8	10	2	5	3	1	1		1				
8	7	7	11	7	7	6	6	6	4								162
2	3	2	2	5	2	2	1	1									
2	1	4	7	7	5	1	3	6		1	1						163
5	4	3	9	4	3	5	4	2									

TABLE 7 A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION STATES (INCLUDING

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	40 055	905	845	749	726	584	3,809	2,702	2,357	2,916	3,268
		F.	15,369	709	649	597	616	543	3,114	1,302	582	551	575
164	Poisoning by food	M.	415	44	34	20	21	13	132	36	15	19	7
		F.	367	51	27	19	14	18	129	28	14	15	18
165	Other acute poisonings	M.	978	60	109	49	36	16	279	23	16	14	34
		F.	553	30	110	47	22	17	226	22	7	27	40
166	Conflagration	M.	515	20	26	27	32	15	120	50	7	12	29
		F.	337	24	23	12	21	25	105	32	25	8	11
167	Burns (conflagration excepted)	M.	2,150	116	312	341	235	119	1,123	179	67	61	82
		F.	3,100	90	230	310	328	306	1,273	449	125	98	100
168	Absorption of deleterious gases (conflagration excepted)	M.	1,861	356	16	5	7	4	388	33	35	62	89
		F.	852	270	16	3	2	4	295	11	16	20	28
169	Accidental drowning	M.	3,811	14	116	64	53	54	301	456	522	611	465
		F.	548	16	62	40	23	10	151	41	76	79	48
170	Traumatism by firearms	M.	1,446	2	3	11	16	28	60	119	258	346	152
		F.	221	2	8	4	8	9	31	48	35	32	15
171	Traumatism by cutting or piercing instruments	M.	115	1	1	2	.....	1	5	10	6	8	4
		F.	30	2	.....	.....	1	4	7	2	.....	.....	.....
172	Traumatism by fall	M.	5,037	74	72	62	57	42	307	189	140	162	230
		F.	4,707	48	57	34	40	23	202	68	46	26	30
173	Traumatism in mines and quarries (total)	M.	2,157	.....	.....	.....	.....	.....	.....	5	9	167	222
		F.	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Traumatism in mines	M.	2,065	.....	.....	.....	.....	.....	.....	3	9	159	209
		F.	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Traumatism in quarries	M.	92	.....	.....	.....	.....	.....	.....	2	.....	8	13
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	M.	1,819	.....	1	4	3	2	10	20	63	149	195
		F.	68	.....	.....	1	2	.....	3	7	3	6	11
175	Traumatism by other crushing (total)	M.	14,756	29	61	106	207	254	657	1,377	999	982	1,309
		F.	3,436	37	52	73	110	103	375	509	182	217	203
	Railroad accidents and injuries	M.	5,221	6	18	14	11	18	67	129	134	368	662
		F.	641	7	11	13	8	9	48	34	37	42	53
	Street-car accidents and injuries	M.	1,230	1	8	13	24	15	61	70	37	65	86
		F.	406	2	5	6	12	8	33	41	11	9	27
	Automobile accidents and injuries	M.	6,361	13	20	58	142	193	426	1,033	612	401	434
		F.	2,135	19	27	46	73	82	247	396	108	148	100
	Injuries by other vehicles	M.	1,348	8	13	18	28	23	90	120	100	117	91
		F.	210	7	9	8	14	4	42	29	21	10	9
	Aeroplane accidents and injuries	M.	141	.....	.....	.....	1	2	3	1	2	10	40
		F.	6	.....	.....	.....	.....	.....	.....	2	.....	.....	1
	Landslide, other crushing	M.	455	1	2	3	1	3	10	15	24	21	47
		F.	38	2	.....	.....	3	.....	5	7	5	2	4
176	Injuries by animals	M.	491	1	5	7	15	7	35	38	40	26	26
		F.	57	2	2	3	4	4	15	8	5	.....	4
177	Starvation	M.	13	2	.....	.....	.....	.....	2	.....	.....	.....	.....
		F.	8	2	.....	.....	1	.....	3	.....	.....	.....	.....
178	Excessive cold	M.	108	3	1	.....	.....	.....	4	.....	4	4	2
		F.	25	3	.....	1	.....	.....	4	.....	.....	.....	.....
179	Effects of heat	M.	160	22	2	1	2	.....	27	1	1	4	1
		F.	61	12	2	1	1	2	18	1	.....	2	.....
180	Lightning	M.	299	.....	.....	1	.....	2	3	8	23	50	19
		F.	58	1	1	.....	1	2	5	7	8	4	5
181	Electricity (lightning excepted)	M.	740	.....	.....	1	.....	2	3	13	51	67	124
		F.	23	1	1	.....	.....	.....	2	3	2	3	3
185	Fractures (cause not specified)	M.	267	4	.....	1	1	2	8	5	4	12	14
		F.	179	2	.....	1	.....	.....	3	1	2	.....	2
186	Other external violence	M.	2,917	148	86	47	41	23	345	140	148	160	204
		F.	735	116	49	48	38	16	267	67	35	24	17
	Homicide (total)	M.	3,076	74	4	7	5	5	95	23	25	115	333
		F.	768	58	2	5	8	10	83	18	20	69	124
182	By firearms	M.	2,310	2	3	2	3	1	11	12	19	89	313
		F.	379	2	1	1	.....	5	9	4	13	36	65
183	By cutting or piercing instruments	M.	261	7	.....	1	1	3	12	4	3	12	20
		F.	75	4	1	1	1	3	10	5	4	4	10
184	By other means	M.	505	65	1	4	1	1	72	10	3	14	37
		F.	314	52	.....	3	7	2	64	9	3	20	59
	XIV.—Ill-defined diseases		8,585	3,638	330	97	56	52	4,173	106	72	84	107
	Males		4,930	2,120	169	56	22	23	2,390	54	35	48	59
	Females		3,655	1,518	161	41	34	29	1,783	52	37	36	57
187	Ill-defined organic disease	M.	147	2	1	1	.....	.....	4	3	2	1	.....
		F.	160	3	2	.....	.....	1	6	4	.....	2	2
188	Sudden death	M.	433	96	3	1	1	1	102	4	1	7	3
		F.	287	73	1	.....	.....	2	76	3	3	5	8
189	Not specified or ill-defined (total)	M.	4,345	2,022	165	54	21	22	2,284	47	32	40	47
		F.	3,208	1,442	158	41	34	26	1,701	45	34	20	47
	Ill-defined	M.	1,515	342	102	26	9	11	490	20	14	16	18
		F.	1,087	274	101	22	12	9	418	17	18	9	16
	Not specified or unknown	M.	2,830	1,680	63	28	12	11	1,794	27	18	24	29
		F.	2,121	1,168	57	19	22	17	1,283	28	16	20	31

DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Con.

DEATHS AT AGE OF—																
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No.
3,146	2,930	3,041	2,479	2,417	2,255	1,857	1,732	1,525	1,194	972	744	437	140	42	11	141	
478	464	495	432	472	508	539	676	725	940	1,180	1,143	810	321	65	11	16	
26	11	25	20	18	18	24	22	14	13	7	5	1	.....	1	.....	1	164
26	15	12	13	13	11	13	18	8	16	8	7	3	.....	.....	.....	2	
64	73	80	86	89	64	55	34	17	10	7	15	6	.....	.....	.....	3	165
53	35	38	23	18	17	12	11	9	7	2	4	.....	1	.....	.....	1	
29	31	29	28	19	28	21	16	20	24	18	11	9	2	1	.....	11	166
15	18	13	12	15	12	9	7	7	17	14	8	4	2	.....	.....	3	
70	77	83	60	62	58	49	46	30	28	31	24	14	1	.....	1	4	167
98	70	94	77	85	68	75	109	74	82	102	66	33	7	2	1	3	
105	128	134	124	119	142	126	109	96	62	57	27	19	1	2	1	2	168
29	21	36	34	35	44	37	44	42	57	53	30	12	6	2	.....	.....	
315	218	219	156	157	108	65	75	44	28	15	11	3	.....	.....	.....	42	169
16	27	12	14	19	16	14	14	7	5	5	2	1	.....	.....	.....	1	
104	74	83	58	51	34	23	19	16	9	2	2	.....	.....	.....	.....	6	170
13	9	12	8	7	4	2	2	2	.....	1	.....	.....	.....	.....	.....	.....	
11	5	5	9	7	10	10	9	5	6	3	.....	2	.....	.....	.....	.....	171
.....	1	2	.....	2	2	5	3	3	1	1	1	.....	.....	.....	.....	.....	
229	234	271	257	271	282	259	276	297	353	398	408	291	116	30	6	8	172
37	50	47	55	54	87	140	204	332	545	816	910	705	284	59	10	.....	
287	323	328	217	209	153	98	66	45	19	2	1	1	.....	.....	.....	5	173
.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
277	312	317	208	201	148	94	59	45	15	2	1	1	.....	.....	.....	5	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
10	11	11	9	8	5	4	7	.....	4	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
216	175	206	158	161	149	126	81	60	31	12	2	2	.....	.....	.....	3	174
4	5	8	4	1	1	5	3	1	2	2	.....	1	1	.....	.....	.....	
1,282	1,147	1,164	982	919	895	713	744	658	429	318	162	57	15	5	.....	41	175
153	169	181	145	192	200	185	213	184	154	99	51	17	3	.....	.....	4	
566	511	546	443	400	354	298	272	222	132	86	45	13	5	2	.....	26	
44	44	48	32	49	38	42	37	43	24	15	6	1	2	.....	.....	2	
92	91	111	99	98	101	70	73	63	30	35	30	9	3	.....	.....	6	
11	18	18	28	26	31	20	32	22	37	27	8	6	.....	.....	.....	1	
464	413	381	322	314	324	257	289	256	184	144	66	28	5	1	.....	7	
90	100	100	72	110	121	114	134	111	81	54	32	7	1	.....	.....	.....	
72	67	65	78	62	78	62	90	98	72	46	18	7	2	2	.....	2	
7	6	10	11	5	9	8	9	7	12	2	3	3	.....	.....	.....	1	
43	22	8	6	1	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
45	43	53	34	44	38	25	20	17	10	6	3	.....	.....	.....	.....	.....	
1	.....	5	2	1	.....	1	1	1	.....	1	2	.....	.....	.....	.....	.....	
17	20	25	20	37	23	46	43	35	31	17	8	4	.....	.....	.....	.....	176
.....	2	3	.....	2	5	.....	2	3	3	2	2	1	.....	.....	.....	.....	
.....	1	.....	1	1	1	.....	.....	2	4	1	.....	.....	.....	.....	.....	.....	177
.....	1	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	
5	9	3	5	8	8	8	8	6	10	9	5	6	2	.....	2	.....	178
1	1	3	1	1	.....	3	2	3	.....	5	1	.....	.....	.....	.....	.....	
7	7	6	10	15	10	13	9	15	16	10	7	1	.....	.....	.....	.....	179
2	2	3	4	1	.....	2	5	5	3	6	4	2	1	.....	.....	.....	
36	34	28	18	16	19	15	11	11	5	1	2	.....	.....	.....	.....	.....	180
5	2	5	6	1	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	
111	105	85	57	41	35	23	11	9	1	4	.....	.....	.....	.....	.....	.....	181
3	1	2	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
17	23	19	18	21	18	11	14	16	19	19	17	5	2	2	1	2	185
2	1	1	2	3	1	5	11	14	25	33	34	25	13	1	.....	.....	
215	235	230	195	196	200	172	139	129	91	41	37	16	1	1	.....	13	186
21	25	23	33	22	34	27	26	30	22	30	21	6	3	1	.....	1	
518	463	448	312	242	159	122	75	35	29	8	4	4	1	.....	.....	12	
127	92	74	48	37	29	8	6	6	6	4	2	2	.....	.....	.....	3	
422	365	357	247	181	120	79	41	22	17	3	1	2	.....	.....	.....	9	182
62	58	35	28	28	24	7	3	1	3	1	1	.....	.....	.....	.....	1	
46	42	41	16	26	7	7	6	1	2	1	.....	1	.....	.....	.....	1	183
9	6	11	7	3	1	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	
50	56	50	49	35	32	36	28	12	10	4	3	1	1	.....	.....	2	184
50	28	28	13	6	4	1	3	3	1	2	1	2	.....	.....	.....	2	
132	118	176	202	216	247	340	401	539	506	439	350	191	71	18	9	88	
62	61	93	103	135	172	238	263	345	284	244	178	88	27	6	1	53	
70	57	83	99	81	75	102	138	194	222	195	172	103	44	12	8	35	
1	2	.....	3	3	3	13	15	19	22	24	18	9	2	3	.....	.....	187
3	3	3	4	5	5	6	9	18	20	20	24	17	8	.....	.....	1	
9	7	11	15	26	19	40	39	51	42	26	21	10	3	1	.....	1	188
10	6	10	13	16	15	12	19	23	19	21	11	11	3	1	1	1	
52	52	82	85	106	150	185	209	275	220	194	139	69	22	2	1	52	189
57	48	70	82	60	55	84	110	153	183	154	137	75	33	11	7	33	
20	20	47	41	52	76	102	103	158	120	104	65	32	8	1	1	7	
25	21	26	40	32	29	44	58	85	97	60	42	30	13	4	.....	3	
32	32	35	44	54	74	83	106	117	100	90	74	37	14	1	.....	45	
32	27	44	42	28	26	40	52	68	86	94	95	45	20	7	7	30	

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT:

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		127,211	22,296	4,989	2,027	1,263	888	31,463	3,149	2,973	6,121	8,840
		Males	64,696	12,366	2,612	1,042	616	429	17,035	1,535	1,401	2,738	4,042
		Females	62,515	9,930	2,377	985	647	459	14,398	1,614	1,572	3,383	4,798
	I.—General diseases		42,588	3,813	1,648	785	536	362	7,144	1,542	1,602	3,337	4,970
		Males	20,304	2,039	851	396	272	173	3,731	725	640	1,420	2,160
		Females	22,284	1,774	797	389	264	189	3,413	816	962	1,917	2,796
1	Typhoid fever	M	754	12	9	16	13	10	60	66	101	121	101
		F	655	10	8	7	6	11	42	71	105	118	100
2	Typhus fever	M											
		F											
3	Relapsing fever	M											
		F											
4	Malaria	M	755	108	54	48	24	25	259	87	45	48	49
		F	832	92	45	40	25	21	223	106	53	62	49
5	Smallpox	M	89	6				1	7	3	4	3	5
		F	65	5	1		2		8	1	1	5	8
6	Measles	M	173	50	51	21	11	10	143	14	6	7	1
		F	122	23	38	16	9	7	93	15	3	5	1
7	Scarlet fever	M	25	6	5	1	1	1	14	8	1	2	
		F	35	5	3	3	3	3	17	6	4		3
8	Whooping cough	M	660	366	173	50	28	11	628	27	4	1	
		F	820	412	214	81	42	28	777	32	4	3	2
9	Diphtheria and croup	M	300	60	40	33	38	24	195	76	14	4	3
		F	317	52	32	29	35	21	169	97	21	12	3
10	Influenza	M	3,848	596	255	100	69	39	1,059	145	142	215	247
		F	3,890	490	191	94	70	40	885	160	161	246	330
11	Miliary fever	M											
		F											
12	Asiatic cholera	M											
		F											
13	Cholera nostras	M	17	5	2	4	1		12				
		F	16	4		1		1	6	1		1	2
14	Dysentery	M	401	144	80	19	9	3	255	8	8	4	5
		F	428	125	84	16	8	2	235	13	4	8	11
15	Plague	M	3									1	
		F											
16	Yellow fever	M											
		F											
17	Leprosy	M	5										
		F	2										
18	Erysipelas	M	71	18	1	1	1		21		2	2	
		F	46	15					15		2		2
19	Other epidemic diseases	M	14	7	2				9	1	1		
		F	15	4	2	1		2	9	1	1		1
20	Purulent infection and septicemia	M	78	4	1				5	6	5	3	5
		F	88	5	2		1		8	1	3	12	13
21	Glanders	M											
		F											
22	Anthrax	M	2										
		F	1										
23	Rabies	M	2							1			1
		F	3		1				1	1			
24	Tetanus	M	204	84	2	3	1	1	91	20	25	20	8
		F	131	73	2		1	1	77	10	6	5	3
25	Mycoses	M	4										2
		F											
26	Pellagra	M	283	2	3		3	1	9	15	4	6	18
		F	905		2	1	1	4	8	16	20	52	115
27	Beriberi	M	2	1					1				
		F	1										
	Tuberculosis (total)	M	9,279	151	113	75	62	40	441	217	231	901	1,575
		F	9,608	150	107	76	51	43	427	254	517	1,291	1,969
28	Tuberculosis of the lungs	M	7,959	79	59	43	24	20	225	125	167	771	1,491
		F	8,368	89	60	43	19	33	244	167	421	1,131	1,754
29	Acute miliary tuberculosis	M	372	5	8	5	1	1	20	9	12	43	62
		F	432	9	8	4	5	1	27	14	23	31	96
30	Tuberculous meningitis	M	270	47	32	18	22	10	129	41	9	17	15
		F	204	38	27	20	15	5	105	30	12	16	11
31	Abdominal tuberculosis	M	352	8	6	5	6	5	30	20	21	33	55
		F	413	8	6	4	8	4	30	25	37	42	73
32	Pott's disease	M	103	2	2	2	4	2	12	8	7	14	9
		F	50		1	2	1		4	6	5	2	9
33	White swellings	M	60			1	1	1	3	3	4	3	11
		F	28		1				1	4	2	5	1
34	Tuberculosis of other organs	M	109	7	3	1	1	1	13	10	5	10	15
		F	78	4	4	3	3		14	3	7	11	9
35	Disseminated tuberculosis	M	54	3	3		3		9	1	6	5	7
		F	35	2					2	5	5	3	7
36	Rickets	M	71	45	17	3	3		68	1	1		1
		F	47	25	12	4	2		43	1	1		2
37	Syphilis	M	1,416	295	31	16	2	3	347	10	15	21	74
		F	841	235	35	10	5	1	286	5	10	33	81
38	Gonococcus infection	M	52	5					5			1	6
		F	166	5					5		1	19	33

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920.

2304

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
7,979	7,134	8,213	6,905	7,093	6,814	5,186	5,320	5,026	4,629	3,498	2,699	1,596	933	414	599	624	
3,556	3,313	4,077	3,423	3,757	3,728	2,755	2,834	2,722	2,514	1,882	1,372	808	405	187	213	356	
4,423	3,821	4,136	3,482	3,336	3,086	2,431	2,486	2,431	2,115	1,616	1,327	788	528	227	386	268	
4,102	3,281	3,434	2,713	2,427	2,124	1,414	1,309	1,026	797	501	347	165	90	37	39	201	
1,716	1,491	1,691	1,334	1,245	1,125	721	657	544	385	256	166	76	48	18	13	111	
2,386	1,790	1,743	1,379	1,182	999	693	652	482	412	245	181	89	42	19	26	90	
56	48	55	31	30	28	12	13	4	8	3		1				5	1
56	29	36	21	21	13	13	8	8	7	3	1	1				1	
																	2
																	3
24	13	30	34	29	27	16	23	17	19	14	17	8	1			4	4
39	32	39	33	28	30	36	19	18	21	13	8	8	5	1	4	5	
5	10	12	19	6	7	1	2	2	1	1		1					5
8	5	7	10	4	4	1	2				1						
																2	6
1		1	1			1				1							
	2	1	1		1												7
																	8
					1	1											
1			1	1	1			1								3	9
2	1		2			2		1		1							
219	257	301	240	223	211	113	103	97	83	48	45	17	13	8	6	26	10
405	327	282	203	177	145	108	107	95	80	57	44	20	13	4	13	28	
																	11
																	12
	1				1	1			1				1				13
		2				1	1	1								1	
6	3	8	5	5	9	6	14	14	13	11	12	6	3	3		3	14
12	7	16	9	9	15	8	9	13	17	11	16	3	2	3	2	5	
	1	1															15
																	16
		1	1			1	2										17
					1	1											
4	7	6	2	3	7	5	2	1	4	2	2		1				18
2	2	2	2	6	2	3	2	2	1	2					1		
						1					1				1		19
		2				1											
7	9	4	3	4	4	3	5	2	5	4	1		1	1		1	20
4	5	10	7	4	4	1	6	2	1	2	2	1	1		1		
																	21
1					1												22
			1														
																	23
		1															
6	6	4	6	3	3	3	2	2	2	1	1				1		24
4	1	2	5	7	1	2	2	1									
	1			1													25
9	21	22	23	16	20	19	19	26	14	21	8	2	3	1		7	26
118	88	105	100	90	52	30	32	20	18	12	17	6	2	2		2	
	1																27
1																	
1,205	910	1,003	692	610	461	278	234	181	112	42	30	11	8	2	1	44	
1,481	1,014	835	552	395	306	159	144	92	74	40	26	7	3		1	24	
1,116	822	882	622	508	411	248	204	167	103	38	29	8	8	2	1	41	28
1,333	908	765	496	360	279	143	126	86	65	33	23	7	3		1	20	
51	33	47	27	27	15	9	12	1	2			1				1	29
61	49	28	17	10	6	5	3	2	3	1						1	
19	10	13	11	3	1	1	1										30
17	4		2	2	2	2		1									
40	20	33	14	23	23	9	11	8	2	2		1				2	31
52	45	20	31	14	11	4	8	2	5	4						1	
11	6	9	10	8	6	1	1	1									32
7	3	7	1	1	2		2			1							
11	6	7		3	1	5	1		1			1					33
3	1	2		2	1	2	1				1					2	
10	8	9	6	6	2	2	3	4	4	1	1						34
7	2	4	4	5	2	3	3		1	1	2						
7	5	3	2	2	2	3	1			1							35
4	2		1	1	3		1	1									
																	36
93	120	154	126	120	112	63	50	53	24	12	9	4				9	37
79	73	79	52	50	26	23	13	12	8	3	1					7	
5	4	6	9	2	5	1	2	2	2	2							38
33	29	26	10	4	1	1										1	

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT:

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	1,052	1	3	2	.....	2	8	4	4	7	14
		F.	2,438	4	4	3	.....	2	13	8	9	7	31
39	Of the buccal cavity	M.	66	.....	.....	.....	.....	.....	.....	.....	1	1	2
		F.	31	1	.....	1	.....	.....	2	1	.....	1	1
40	Of the stomach, liver	M.	552	.....	2	.....	.....	1	3	3	.....	2	2
		F.	516	1	.....	.....	.....	.....	1	1	1	2	5
41	Of the peritoneum, intestines, rectum	M.	126	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
		F.	181	.....	1	.....	.....	1	2	2	.....	.....	4
42	Of the female genital organs	F.	1,108	.....	.....	.....	.....	.....	.....	.....	1	2	16
43	Of the breast	M.	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F.	361	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
44	Of the skin	M.	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	37	.....	1	.....	.....	.....	1	.....	3	.....	1
45	Of other organs or of organs not specified	M.	279	1	1	2	.....	1	5	1	2	4	8
		F.	204	2	2	2	.....	1	7	4	4	2	3
46	Other tumors (tumors of the female genital organs excepted)	M.	9	2	.....	.....	.....	.....	2	.....	1	1	1
		F.	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	M.	194	1	1	1	.....	1	4	7	12	15	15
		F.	217	.....	.....	2	2	1	5	7	19	10	16
48	Chronic rheumatism and gout	M.	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	34	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
49	Scurvy	M.	6	3	1	1	.....	.....	5	.....	1	.....	.....
		F.	5	3	2	.....	.....	.....	5	.....	.....	.....	.....
50	Diabetes	M.	260	3	.....	1	.....	.....	4	2	6	4	13
		F.	313	2	.....	1	.....	.....	3	5	3	5	8
51	Exophthalmic goiter	M.	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	42	.....	.....	.....	.....	.....	.....	.....	1	1	2
52	Addison's disease	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	M.	39	1	.....	1	3	.....	5	1	.....	1	2
		F.	26	1	.....	1	.....	1	3	1	2	4	2
54	Anemia, chlorosis	M.	58	8	4	.....	2	.....	14	3	1	1	4
		F.	63	8	3	.....	.....	.....	11	1	4	10	6
55	Other general diseases	M.	81	55	3	.....	1	1	60	4	3	.....	4
		F.	66	26	9	3	1	.....	39	2	3	2	2
56	Alcoholism (acute or chronic)	M.	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
		F.	14	.....	.....	.....	.....	.....	.....	.....	.....	2	1
57	Chronic lead poisoning	M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	II.—Diseases of the nervous system and of the organs of special sense		8,915	568	136	75	44	35	858	130	109	158	191
	Males		4,439	327	70	46	18	16	477	78	62	87	98
	Females		4,476	241	66	29	26	19	381	58	47	71	93
60	Encephalitis	M.	86	4	4	3	.....	1	12	8	5	6	7
		F.	74	9	6	2	1	.....	18	4	3	8	10
61	Meningitis (total)	M.	262	63	25	22	6	5	121	35	13	17	13
		F.	195	50	27	13	11	9	110	22	9	10	11
	Simple meningitis	M.	136	33	11	14	4	4	66	21	6	4	6
		F.	107	31	7	8	8	5	59	9	6	5	5
	Cerebrospinal meningitis (undefined)	M.	58	16	8	6	1	1	32	6	4	4	2
		F.	40	8	11	1	3	1	24	5	2	1	2
	Cerebrospinal fever	M.	68	14	6	2	1	.....	23	8	3	0	6
		F.	48	11	9	4	.....	3	27	8	1	4	4
62	Locomotor ataxia	M.	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	M.	145	8	4	6	3	.....	21	5	4	3	7
		F.	153	5	6	4	2	1	18	8	3	5	4
	Acute anterior poliomyelitis	M.	25	5	3	5	3	.....	16	4	3	.....	.....
		F.	29	4	6	4	2	1	17	6	1	2	.....
	Other diseases of the spinal cord	M.	120	3	1	1	.....	.....	5	1	1	3	7
		F.	124	1	.....	.....	.....	.....	1	2	2	3	4
64	Cerebral hemorrhage, apoplexy	M.	2,286	7	3	1	2	.....	13	2	3	12	16
		F.	2,700	8	1	1	.....	1	11	7	7	11	22
65	Softening of the brain	M.	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Paralysis without specified cause	M.	511	1	1	.....	3	.....	5	2	3	5	7
		F.	613	3	2	.....	1	.....	6	1	1	7	2
67	General paralysis of the insane	M.	331	.....	.....	.....	.....	.....	.....	.....	.....	1	6
		F.	126	.....	.....	.....	.....	.....	.....	.....	.....	1	2
68	Other forms of mental alienation	M.	80	.....	.....	.....	.....	.....	.....	.....	1	5	7
		F.	111	.....	.....	.....	.....	.....	.....	.....	1	3	6
69	Epilepsy	M.	239	15	3	1	3	4	26	8	21	27	27
		F.	160	15	2	2	2	3	24	5	13	17	20
70	Convulsions (nonpuerperal)	M.	19	.....	.....	.....	.....	.....	.....	7	5	1	.....
		F.	28	.....	.....	.....	.....	.....	.....	5	4	2	7
71	Convulsions of infants	M.	237	206	22	5	.....	4	237	.....	.....	.....	.....
		F.	155	126	17	5	4	3	155	.....	.....	.....	.....
72	Chorea	M.	6	.....	.....	2	.....	.....	2	.....	.....	1	.....
		F.	7	2	.....	.....	1	.....	3	1	1	.....	2
73	Neuralgia and neuritis	M.	13	.....	.....	.....	.....	.....	.....	.....	.....	2	1
		F.	8	.....	.....	.....	.....	.....	.....	.....	1	.....	2

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
15	46	49	83	101	156	149	135	104	64	60	23	13	8	2	2	5	
71	123	240	306	316	319	246	241	180	141	80	47	29	9	6	3	13	
	4	1	10	7	4	12	7	4	4	5		4					
2		3	2	2	1	1	4	3		3	2	3					39
7	16	23	41	57	90	82	79	61	32	28	14	3	5	1		3	
6	15	50	50	50	68	66	61	44	40	24	17	6	3	2		4	40
2	12	8	14	12	25	9	19	6	5	8	2	1				1	
9	13	17	24	15	20	18	13	17	14	7	4			1		1	41
37	67	123	169	183	147	98	105	63	38	23	16	9	3	2	1	5	42
		1					1				1						
9	14	29	45	46	51	35	36	29	33	15	5	8	2		1	2	43
2			2	1	1	5	5	5	1	1	1		1				
5	1		2		5	3	4	5	4	1	1					1	44
4	14	16	16	24	36	41	24	28	22	18	5	5	2	1	2	1	
3	13	18	14	20	27	25	18	19	12	7	2	3	1	1	1		45
		1		1				1		1							
	1	1	4	5	2	1	2		1	1							46
10	12	8	7	11	20	9	15	7	15	13	5	5	3			1	
12	15	17	19	19	12	11	9	6	16	8	8	6	1			1	47
1			2	1	2	3		1		5	2	2	1				
		1	1	5	2	1	7	4	3	2	1	3	1	2			48
																	49
8	10	10	26	26	33	27	27	24	12	11	7	5	4	1			
9	16	18	24	27	48	37	43	25	20	6	9	4	1	1		1	50
	1	3	2		1											1	
4	4	7	6	2	6	5	1		3								51
			1														52
2		2					1										
2	3	4	4	5	4	3	3	1	1								53
2	1	5		4	1		1										
2	3	2	4	5	5	2	3	1	3	3	1				1		54
1	7	1	5	5	2		1	2	1	2		1	3				
2		1		2	1		1	1	1				1				55
3	3	3	3		4		1			1							
4	4	3	10	8	5	5	1	2	1	2					1		
2	1	2	2	2	1											1	56
1		2	3	1													57
																	58
		1		1	1		1				2	1					59
2	1			2									1		1		
226	273	458	551	731	868	769	786	793	692	535	351	187	92	45	42	64	
105	141	237	254	366	454	366	381	397	353	241	165	90	32	17	9	29	
121	132	221	297	365	414	403	405	396	339	294	186	97	60	28	33	35	
6	4	8	6	8	7	1		4				1				3	
5	3	5	6	6	2	1		1					1	1			60
13	11	9	8	11	5	2	1	2					1				
9	2	5	7	6	1	1		1	1								61
7	5	5	4	7	1	2		1					1				
8	1	3	3	6		1		1									
1	2		1	1	3		1	1									
1	1		2		1				1								
5	4	4	3	3	1												
		2	2														
	3	4	3	3	9	5	11	15	2	1	1						
1	1	2		4	3	4	2	2		1							62
4	3	5	8	7	15	6	13	12	11	11	6	2	1	1			
8	9	5	6	10	17	6	14	14	8	12	4	1				1	63
			1						1								
1	1				1												
4	3	5	7	7	15	6	13	12	10	11	6	2	1	1			
7	8	5	6	10	16	6	14	14	8	12	4	1				1	
38	47	109	119	219	298	253	270	265	247	164	105	59	16	9	6	16	
43	64	112	210	260	303	316	302	289	247	201	119	69	38	21	24	21	64
	1		1	1	1		2	4	4	3	1	1					
				3	2	1		3	2		1	1					65
9	4	18	21	28	46	40	58	63	66	45	37	21	13	7	3	1	
9	10	22	24	36	51	53	65	75	64	65	57	26	20	5	7	7	66
6	25	44	54	54	50	30	18	15	8	7	5	3	1			4	
6	10	28	11	15	16	8	10	3	4	9	1		1	1			67
7	8	11	6	8	6	5	1	6	3	2	2					2	
18	12	17	12	14	6	2	4	4	6	2					2	2	68
15	23	17	15	16	7	10	4	6	6	6	3					2	
14	12	11	12	8	6	6	3	1	2		2					4	69
1				1	2	1					1						
	3	4	1						2								70
																	71
	2			1													72
	2		1	2	2	1				1	1						73
		1	1		1	1		1									

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT:

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
74	Other diseases of the nervous system	M	95	15	4	4	1	1	25	3	2	5	3
		F	72	10	3	1	2	1	17	4	4	2	5
75	Diseases of the eyes and their annexa	M	4							1	1		
		F	7	2					2				
76	Diseases of the ears	M	48	8	4	2		1	15	7	4	2	3
		F	34	11	2	1	2	1	17	1		2	
	III.—Diseases of the circulatory system		12,929	81	30	14	6	13	144	87	123	190	328
	Males		6,516	42	18	7	6	3	76	33	61	85	123
	Females		6,413	39	12	7		10	68	54	67	105	205
77	Pericarditis	M	45	1		1			2			6	4
		F	61							2	1		2
78	Acute endocarditis	M	325	8	2	1	2		13	7	14	9	19
		F	394	8	5	1		2	16	12	14	16	37
79	Organic diseases of the heart	M	5,266	16	9	4	4	2	35	23	46	66	89
		F	5,190	18	6	6		5	35	34	46	84	158
80	Angina pectoris	M	132		1				1			1	4
		F	154								1	3	3
81	Diseases of the arteries, atheroma, aneurism, etc.	M	604	1					1			1	1
		F	451							1		1	1
82	Embolism and thrombosis	M	69	1					1		1	1	1
		F	99	1					1	1	2		2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	M	16										
		F	17							1		1	
84	Diseases of the lymphatic system (lymphangitis, etc.)	M	38	10	6			1	17	2		1	4
		F	19	10	1			2	13	1	1		1
85	Hemorrhage; other diseases of the circulatory system	M	21	5		1			6	1			1
		F	28	2				1	3	2	2		1
	IV.—Diseases of the respiratory system		16,495	4,011	1,466	462	248	153	6,340	419	316	696	976
	Males		8,961	2,241	755	235	122	83	3,436	216	160	353	516
	Females		7,534	1,770	711	227	126	70	2,904	203	156	343	460
86	Diseases of the nasal fossae	M	124	92	8		1	1	102	2	1	4	2
		F	118	80	4	3	1		88	1	2	4	4
87	Diseases of the larynx	M	32	15	2	5			22	1			
		F	31	11	3	4	2		20	2	1		2
88	Diseases of the thyroid body	M	6		1				1		1	1	
		F	40									1	1
89	Acute bronchitis	M	393	239	66	17	9	4	335	8	3	3	5
		F	376	197	62	14	8	3	284	4	4	4	11
90	Chronic bronchitis	M	147	5	4	1	1		11	6	5	7	5
		F	176	9	3				12	5	4	8	9
91	Bronchopneumonia	M	2,563	1,124	400	126	55	40	1,745	68	23	52	54
		F	2,357	873	425	122	66	33	1,519	68	31	51	66
92	Pneumonia (total)	M	5,202	744	260	81	54	35	1,174	121	113	271	425
		F	4,049	583	205	77	45	31	941	111	103	257	347
	Lobar pneumonia	M	4,132	418	184	50	34	23	709	84	78	215	370
		F	3,163	337	141	60	29	24	591	77	81	199	283
	Pneumonia (undefined)	M	1,070	326	76	31	20	12	465	33	35	56	55
		F	886	246	64	17	16	7	350	34	22	58	54
93	Pleurisy	M	170	7	7	3	2		19	6	6	7	13
		F	129	6	5	2	2	2	17	11	6	9	16
94	Pulmonary congestion, pulmonary apoplexy	M	57	8					8	2			2
		F	37	4	2	1	1		8		1	2	1
95	Gangrene of the lung	M	8										1
		F	13			1			1				3
96	Asthma	M	146	1	4	1		2	8	2	2	2	4
		F	109	3	1	3	1		8			1	3
97	Pulmonary emphysema	M	3		1				1				
		F	11	1				1	2		1		
98	Other diseases of the respiratory system (tuberculosis excepted)	M	110	6	2	1		1	10		1	6	5
		F	88	3	1				4	1	3	6	7
	V.—Diseases of the digestive system		10,330	3,749	1,061	315	133	99	5,357	242	193	273	355
	Males		5,330	2,052	579	153	65	55	2,904	118	95	124	151
	Females		5,000	1,697	482	162	68	44	2,453	124	103	149	201
99	Diseases of the mouth and annexa	M	77	49	7		1	1	58	1		3	
		F	76	48	5	3			56	3	2		3
100	Diseases of the pharynx	M	119	13	6	3	7	10	39	16	7	6	7
		F	134	16	5	5	5	5	36	23	9	6	10
101	Diseases of the esophagus	M	6	1			1		2				
		F	5			1	1		2				
102	Ulcer of the stomach	M	157	2	1	1		1	5			1	7
		F	117		2				2		1	7	3
103	Other diseases of the stomach (cancer excepted)	M	570	162	33	13	6	3	217	19	10	12	13
		F	750	142	34	13	3	5	197	13	15	12	23
104	Diarrhea and enteritis (under 2 years)	M	2,214	1,705	509				2,214				
		F	1,848	1,423	425				1,848				
105	Diarrhea and enteritis (2 years and over)	M	457			119	41	26	186	26	11	10	8
		F	588			119	49	24	192	42	11	16	20
106	Ankylostomiasis	M	1								1		
		F	1							1			

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920—Continued.

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	7	8	9	5	3	3	3	4	5		3	1					74
5	4	6	4	1	5	2	4	2	2	3	2						
				1								1					75
	1	4	3	1	3			1	1	1		1				1	76
3	2	3	3	2	1					1							
456	615	873	974	1,154	1,278	1,055	1,167	1,149	1,112	880	611	357	171	62	72	66	
194	287	431	478	566	688	548	616	592	594	430	325	172	80	27	29	31	
202	328	442	496	588	590	507	551	557	518	400	286	185	91	35	43	35	
5	2	2	4	2	3	4		2	1	1	3	2	2				77
3	4	5	6	15	1	3	3	5	2	3	1	3	1	1			
13	33	31	39	48	46	39	6	2	3		2	1					78
24	40	42	37	66	41	38	1	3	2	2	1		1	1			
153	229	354	371	449	550	448	517	509	511	389	256	141	65	21	22	22	79
206	245	352	410	455	487	418	471	489	444	329	235	147	66	22	28	29	
4	3	18	13	14	15	10	21	8	2	6	6		2	1	1	2	80
7	10	13	15	13	19	11	13	14	10	5	6	2	1		1	1	
12	14	20	37	44	57	39	62	58	69	79	55	27	11	5	6	6	81
9	7	19	18	23	28	31	51	36	55	54	40	30	20	11	13	5	
4	2	2	9	5	11	5	6	8	7	4	1	1					82
8	10	8	10	11	12	6	9	6	3	6	3		1				
1	2	1	1	1	5		2	2			1						83
3	3				3		2	3		1							
2	2	2	1	2			1	2			1					1	84
1	1							1									
		1	3	1	1	3	1	1	1	1							85
1	2	3		5	1		1		2			3	1		1		
1,008	921	1,038	807	779	654	432	533	425	369	269	208	119	74	26	27	59	
517	482	614	475	491	381	226	277	226	189	155	99	61	29	12	8	38	
491	439	424	332	288	273	206	256	199	180	114	109	58	45	14	19	21	
1			2	1	3	2	1	1		1	1						86
4	3	4		2	1	1			1	1		1	1				
3	1		1	1		1	1									1	
1		1	1					1		2							87
	1		1		1												
3	1	5	7	2	4	4	2	4	1	2		1	1		1		88
5	1	2	5	3	4	2	3	5		4	1		2		1	1	
9	5	4	5	5	7	2	5	6	7	3	4	2	3	1		1	89
7	5	8	8	8	12	5	8	7	17	6	12	6	2		1	1	
14	10	10	8	7	13	9	16	13	10	6	7	2	6	4	2	1	90
54	70	79	60	66	50	32	42	38	38	36	20	19	2	2	1	7	91
79	65	76	55	48	54	41	59	33	36	18	24	17	11		1	5	
411	366	433	362	369	268	165	193	147	101	85	55	35	20	9	4	25	92
355	327	295	225	203	170	134	148	121	107	73	62	29	21	7	12	11	
307	310	448	317	331	240	142	148	116	77	69	38	26	13	7	3	20	
302	289	261	196	177	152	112	118	101	80	54	34	22	14	3	7	10	
44	56	35	45	38	28	23	45	31	24	16	17	9	7	2	1	5	
53	38	34	29	26	18	22	30	20	27	19	28	7	7	4	5	1	
10	18	20	11	18	11	5	7	2	3	3				1		1	
12	8	11	8	6	6	3	7	3	1	1	2				1	1	93
2		4	2	1	7	1	8	3	7	7			2			1	94
	2	1	3		4	1	1	4	2	1	2	3			1		
1	2		2	1		1											95
3	2	2				1				1							
6	6	9	12	12	16	6	9	17	17	10	4	1	1		1	1	96
5	5	6	9	7	10	4	9	11	12	6	6	2	2	2		1	
			1			1											97
		2	2	1			3										
8	12	9	8	11	9	5	5	6	6	3	6						98
6	11	7	9	7	4	6	6	3	3		2	1			1	1	
349	307	475	406	483	425	305	271	238	209	152	85	56	26	12	14	32	
151	156	204	205	242	229	161	156	125	120	82	42	29	10	3	4	19	
198	211	271	201	241	196	144	115	113	89	70	43	27	16	9	10	13	
	1	3	2	3	2	1	3										99
	3			4			2	1		1						1	
6	6	4	2	4	5	2	2	4	3	2	2	1	1				100
11	9	6	4	6	6	1	1	2	1	2		1					
	1			1			2										101
	1	1			1												
13	13	18	19	18	19	17	11	2	8	4	1		1				102
4	10	17	12	15	9	5	9	7	6	5	3	1				1	
14	21	35	36	41	31	23	27	21	18	11	7	7	2	1	1	3	103
21	38	70	41	72	45	45	29	37	31	18	12	10	3	4	5	4	
																	104
11	16	19	20	19	22	15	16	14	22	15	13	6	2	1	2	3	105
34	24	34	26	34	27	19	22	18	21	20	5	8	8	2	4	1	
																	106

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites	M.	36	5	9	4	3	1	22	9	1	2	
		F.	24		5	5	4	3	17	4	1		
108	Appendicitis and typhlitis	M.	491	1	2			5	8	21	41	62	63
		F.	405	1		3	2	1	7	18	46	47	57
109	Hernia, intestinal obstruction (total)	M.	509	35	9	7	4	6	111	8	11	16	21
		F.	369	45	4	5	1	1	56	9	5	13	34
	Hernia	M.	199	28	5	1		1	35	1	2	4	6
		F.	76	7		2			9		2		
	Intestinal obstruction	M.	310	57	4	6	4	5	76	7	9	12	15
		F.	293	38	4	3	1	1	47	9	3	13	34
110	Other diseases of the intestines	M.	99	9					9	4	4	3	2
		F.	78	2	2	1	1		6	2	2	4	6
111	Acute yellow atrophy of the liver	M.	18	2		1			3		1		3
		F.	16	1		1			2			3	3
112	Hydatid tumor of the liver	M.	1										
		F.	1										
113	Cirrhosis of the liver	M.	292	2		1		1	4	3	1	3	8
		F.	195	1		1		1	3	4	2	12	5
114	Biliary calculi	M.	28								1	1	
		F.	77									1	2
115	Other diseases of the liver	M.	152	8	2	4	1	1	16	4	1	3	9
		F.	154	6		5		1	12	2	3	7	13
116	Diseases of the spleen	M.	3		1				1				
		F.	4					1	1			1	
117	Simple peritonitis (nonpuerperal)	M.	36	8			1		9	7	3	2	8
		F.	139	12			2	2	16	3	6	18	18
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M.	14								2		2
		F.	19									2	2
	VI.—Nonvenereal diseases of the genito-urinary system and annexa		9,678	106	48	30	26	11	221	69	91	150	283
	Males		4,944	61	21	16	12	5	115	45	33	55	96
	Females		4,734	45	27	14	14	6	106	24	53	95	187
119	Acute nephritis	M.	549	37	6	8	5	2	58	22	16	27	27
		F.	496	24	10	10	7	1	52	12	15	27	31
120	Bright's disease	M.	3,789	8	10	8	6	3	35	19	19	22	56
		F.	3,161	9	8	1	3	3	24	9	28	38	71
121	Chyluria	M.											
		F.											
122	Other diseases of the kidneys and annexa	M.	131	7	4		1		12	4	3	4	6
		F.	111	12	8	3	4	1	28	2	1	6	5
123	Calculi of the urinary passages	M.	13		1				1				1
		F.	9							1			1
124	Diseases of the bladder	M.	117	3					3			1	1
		F.	32					1	1		1		1
125	Diseases of the urethra, urinary abscess, etc	M.	95	1					1				4
		F.	4										
126	Diseases of the prostate	M.	232										
127	Nonvenereal diseases of the male genital organs	M.	16	5					5			1	1
128	Uterine hemorrhage (nonpuerperal)	F.	5								1		
129	Uterine tumor (noncancerous)	F.	379									1	8
130	Other diseases of the uterus	F.	129								7	6	14
131	Cysts and other tumors of the ovary	F.	73		1				1			2	8
132	Salpingitis and other diseases of the female genital organs	F.	332									15	43
133	Nonpuerperal diseases of the breast (cancer excepted)	M.	2										
		F.	3										
	VII.—The puerperal state		2,365								35	464	537
134	Accidents of pregnancy	F.	211									17	49
135	Puerperal hemorrhage	F.	161									12	19
136	Other accidents of labor	F.	385								3	59	87
137	Puerperal septicemia	F.	816								9	167	207
138	Puerperal albuminuria and convulsions	F.	742								23	203	161
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F.	36									2	10
140	Following childbirth (not otherwise defined)	F.	13									4	2
141	Puerperal diseases of the breast	F.	1										
	VIII.—Diseases of the skin and of the cellular tissue		343	37	8	4	6	1	56	4	3	4	7
	Males		180	19	5	2	3		29	2	1	2	5
	Females		163	18	3	2	3	1	27	2	2	2	2
142	Gangrene	M.	92		1		2		3	1			3
		F.	87	2	2		1		5				1
143	Furuncle	M.	19	2					2	1		1	1
		F.	5								1		
144	Acute abscess	M.	40	6	2	1	1		10		1	1	1
		F.	37	11		1	2		14	1		2	1
145	Other diseases of the skin and annexa	M.	29	11	2	1			14				
		F.	34	5	1	1		1	8	1	1		

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920—Continued.

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1	1																107
	1		1														
46	38	52	35	46	25	22	13	6	4	5						4	108
51	42	36	36	28	11	11	6	1	5	1		2					
28	22	19	34	30	38	30	39	26	30	27	6	7	1	1	1	3	109
27	35	34	29	26	16	23	16	15	8	8	10		1	2	1	1	
8	8	8	10	8	19	12	15	18	19	18	3	5					
	4	7	9	6	5	10	8	6	1	3	4		1	1			
20	14	11	24	22	19	18	24	8	11	9	3	2	1	1	1	3	
27	31	27	20	20	11	13	8	9	7	5	6			1	1	1	
8	7	3	6	12	10	4	4	9	5	2	4	3					
13	7	8	6	5	10	1	2	1	2		1			1		1	110
	1	3	2	1				2	1							1	111
2	1	1		1	1		1	1									
			1														112
					1												
9	11	23	24	43	45	28	25	34	15	5	5	1	3			2	113
7	14	17	14	22	33	14	10	14	8	5	4	3	2			2	
2	1	2	4		7	4	1	1	2	1		1					114
4	3	10	11	6	9	8	7	7	2	1	3	2				1	
7	9	14	12	16	18	13	7	3	8	8	2	1				1	115
9	12	15	12	11	16	13	9	5	5	4	4	1				1	
	1															1	116
		1		1													
5	7	8	7	4	5	2	6	3	4	1	2	2				1	117
13	9	20	8	9	7	3	1	2		4	1		1				
1		1	1	4	2					1							118
2	2	1	1	1	4	1		2		1							
380	463	718	715	875	912	807	788	902	818	597	412	238	110	34	47	48	
105	143	226	243	419	486	461	481	561	551	381	265	145	61	15	26	26	
275	320	492	472	456	426	346	307	341	267	216	147	93	49	19	21	22	
21	39	41	44	49	39	36	34	26	32	15	11	5	3			4	119
38	37	47	50	40	40	30	26	15	11	10	6	2	3	1	1	2	
64	88	156	176	335	407	331	339	461	437	308	211	118	50	13	24	20	120
97	133	249	252	313	343	286	262	301	235	199	138	88	40	17	19	19	
																	121
5	6	7	5	8	8	5	7	23	14	4	3	5	1			1	122
11	3	10	3	8	5	5	7	5	5	2	2		2		1		
		1	1		2	2	1	2	1	1							123
	2	1		1			1	2									
2	2	4	3	2	4	6	17	16	13	16	14	6	4	1	1	1	124
	2		1	5		1	3	3	7	1	1	3	2				
10	4	14	11	17	8	4	5	5	3	6	1	1	1				125
		1	1			2											
1	3	2	3	7	17	25	28	28	51	29	24	10	2	1	1		126
2	1	1		1		1				2	1						127
		1	1	1					1								128
28	60	90	78	52	21	14	6	10	7	3				1			129
18	10	23	27	9	7	2	1	4					1				130
8	14	8	12	9	4	3	1	1		1						1	131
72	60	63	46	17	6	3			1				1				132
					1	1											
1			1	1													133
449	382	326	132	33	3											6	
52	44	32	14	1	1											1	134
35	42	35	15	3													135
71	72	59	23	7	1											3	136
168	126	103	35	10												1	137
122	91	90	42	10													138
8	5	7	2	1												1	139
3	2		1	1													140
					1												141
11	11	8	13	25	37	21	19	25	28	17	23	13	6	3	6	3	
5	7	7	7	9	18	11	9	13	17	7	12	6	5	3	3	2	
6	4	1	6	16	19	10	10	12	11	10	11	7	1		3	1	
1	2	1	4	3	10	6	5	7	14	7	10	4	5	2	3	1	
1	1		2	8	9	6	7	9	10	8	9	6	1		3	1	142
2		2	2		5	2	1										
1			1		2												143
2	5	2	1	5	1	3	2	5	1								
2	2	1		4	3	2	2	2			1						144
		2		1	2		1	1	2		2	2		1		1	
2	1		3	4	5	2	1	1	1	2	1	1					145

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT:

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	165	7	2	5	3	4	21	13	19	13	14
	Males	107	4	1	3	2	4	14	6	12	11	12
	Females	58	3	1	2	1		7	7	7	2	2
146	Diseases of the bones (tuberculosis excepted) M	85	3	1	3	2	3	12	6	11	9	11
	F	47	3	1	2	1		7	7	7	2	1
147	Diseases of the joints (tuberculosis and rheumatism excepted) M	16	1				1	2		1	2	
	F	8										
148	Amputations M	1										
	F											
149	Other diseases of the organs of locomotion M	5										1
	F	3										1
	X.—Malformations	641	552	42	10	13	5	622	10	4	3	1
	Males	367	315	24	4	7	4	354	9	2	1	1
	Females	274	237	18	6	6	1	268	1	2	2	
150	Congenital malformations (total) M	367	315	24	4	7	4	354	9	2	1	1
	F	274	237	18	6	6	1	268	1	2	2	
	Hydrocephalus M	63	35	14	1	4	3	57	6			
	F	34	22	5	2	4		33		1		
	Congenital malformations of the heart M	200	188	6	1		1	196	1	2		1
	F	177	163	10	1		1	175	1		1	
	Other congenital malformations M	104	92	4	2	3		101	2		1	
	F	63	52	3	3	2		60		1	1	
	XI.—Early infancy	6,221	6,221					6,221				
	Males	3,527	3,527					3,527				
	Females	2,694	2,694					2,694				
151	Congenital debility, icterus, and sclerema (total) M	2,886	2,886					2,886				
	F	2,319	2,319					2,319				
	Premature birth M	2,120	2,120					2,120				
	F	1,736	1,736					1,736				
	Congenital debility, "atrophy," "marasmus," etc. M	766	766					766				
	F	583	583					583				
152	Other causes peculiar to early infancy (total) M	619	619					619				
	F	364	364					364				
	Injuries at birth M	234	234					234				
	F	128	128					128				
	Other causes peculiar to early infancy M	385	385					385				
	F	236	236					236				
153	Lack of care M	22	22					22				
	F	11	11					11				
	XII.—Old age	2,088										
	Males	899										
	Females	1,189										
154	Senility M	899										
	F	1,189										
	XIII.—External causes	7,941	365	200	185	193	162	1,105	480	368	603	1,096
	Males	5,824	195	105	105	84	64	553	220	236	574	818
	Females	2,117	170	95	80	109	98	552	260	82	144	183
	Suicide (total) M	190								2	4	21
	F	71								1	11	17
155	By poison M	10										2
	F	27									2	7
156	By asphyxia M	9										1
	F	5									1	1
157	By hanging or strangulation M	20										2
	F	4										1
158	By drowning M	10										1
	F	10									2	3
159	By firearms M	103								2	4	14
	F	14								1	4	3
160	By cutting or piercing instruments M	22										1
	F	4									1	1
161	By jumping from high places M	8										
	F	1									1	
162	By crushing M	5										
	F											
163	Other suicides M	3										
	F	6										1

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
5	10	16	7	11	7	11	6	4	1	1	2	1	.....	2	1	.....	
3	7	10	4	8	5	7	2	3	1	.....	.....	.....	.....	1	1	.....	
2	3	6	3	3	2	4	4	1	.....	1	2	1	.....	1	.....	.....	
2	6	7	4	6	4	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	146
.....	3	5	3	2	.....	4	1	1	.....	.....	2	1	.....	1	.....	.....	
.....	1	2	.....	1	1	2	1	2	.....	.....	.....	.....	.....	1	.....	.....	147
.....	.....	1	.....	1	2	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	149
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	1	2	14	7	50	60	240	275	411	316	278	149	277	8	
.....	.....	.....	.....	2	7	3	17	22	104	144	184	148	106	71	88	3	
.....	.....	.....	1	.....	7	4	33	38	136	131	227	168	172	78	189	5	
.....	.....	.....	.....	2	7	3	17	22	104	144	184	148	106	71	88	3	154
.....	.....	.....	1	.....	7	4	33	38	136	131	227	168	172	78	189	5	
823	678	697	424	396	306	209	166	142	138	77	73	33	23	13	20	66	
665	551	582	354	340	243	169	128	99	88	39	38	16	8	7	11	55	
158	127	115	70	56	63	40	38	43	50	38	35	17	15	6	9	11	
24	24	23	20	30	10	9	9	7	4	3	.....	.....	.....	.....	.....	.....	
7	11	6	5	2	7	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	
.....	2	.....	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	155
2	6	3	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	1	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	156
1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	4	3	2	3	1	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	157
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	
1	.....	1	1	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	158
19	14	12	8	14	5	5	2	2	2	.....	.....	.....	.....	.....	.....	.....	159
1	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	3	4	3	1	1	4	.....	1	1	.....	.....	.....	.....	.....	.....	160
.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	2	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	161
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	162
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	163
2	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7 B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION OF DECEDENT:

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or defined (total)	M.	4,049	187	104	103	83	63	540	216	264	423	472
		F.	1,660	164	92	80	106	96	538	256	77	78	83
164	Poisoning by food	M.	66	8	1	1	1	1	12	4	4	2	5
		F.	60	6	2	4	1	1	14	6	2	2	4
165	Other acute poisonings	M.	145	8	19	13	7	2	49	4	4	5	8
		F.	88	7	22	10	4	2	45	5	1	1	4
166	Conflagration	M.	93	6	9	5	7	4	31	7	4	2	4
		F.	85	5	9	4	3	5	26	14	3	1	3
167	Burns (conflagration excepted)	M.	493	31	50	55	41	25	202	27	9	18	18
		F.	697	28	38	40	79	73	258	170	32	32	29
168	Absorption of deleterious gases (conflagration excepted)	M.	162	67	1		1		69	4		13	11
		F.	95	64	3		1		68	4	3	3	2
169	Accidental drowning	M.	519	1	10	8	3	6	28	30	88	98	100
		F.	47	3	3	5	1	1	13	4	9	5	3
170	Traumatism by firearms	M.	401	1	2	3	6	5	17	35	57	95	59
		F.	100	2	2	4	5	4	17	14	12	16	12
171	Traumatism by cutting or piercing instruments	M.	22	1					1	3		1	3
		F.	3										
172	Traumatism by fall	M.	279	18	4	6	5	4	37	15	6	14	22
		F.	152	17	5	5	2	3	32	10	4	3	2
173	Traumatism in mines and quarries (total)	M.	78									7	10
		F.											
	Traumatism in mines	M.	67									7	7
		F.											
	Traumatism in quarries	M.	11										3
		F.											
174	Traumatism by machines	M.	210								7	22	47
		F.	9								1	2	1
175	Traumatism by other crushing (total)	M.	919	5	3	6	6	10	30	61	56	104	111
		F.	151	1	2	5	4	6	18	19	3	4	13
	Railroad accidents and injuries	M.	399		2	1		1	4	4	11	57	62
		F.	42		1		1		2	1	1	2	4
	Street-car accidents and injuries	M.	57			1	1		2	4	5	4	6
		F.	13			1			1	3			
	Automobile accidents and injuries	M.	304	2	1	1	4	6	14	45	32	25	30
		F.	78		1	2	3	6	12	15	1	2	8
	Injuries by other vehicles	M.	100	1		3	1	3	8	5	8	10	3
		F.	16	1		2			3		1		
	Aeroplane accidents and injuries	M.	1										
		F.	1										1
	Landslide, other crushing	M.	58	2					2	3		8	10
		F.	1										
176	Injuries by animals	M.	44	1			1		2	5	6	5	2
		F.	4	1			1		2				
177	Starvation	M.	3										
		F.	2	1					1				
178	Excessive cold	M.	26					1	1	1			1
		F.	10										
179	Effects of heat	M.	29	2	1				3				
		F.	15	4					4		2		
180	Lightning	M.	37	1					1	2	5	4	4
		F.	14							1	2	1	
181	Electricity (lightning excepted)	M.	40							2	4	8	8
		F.	2										1
185	Fractures (cause not specified)	M.	29			1			1			3	4
		F.	10	2					2				
186	Other external violence	M.	454	37	4	5	5	5	56	16	14	27	55
		F.	116	23	6	3	5	1	38	9	3	8	9
	Homicide (total)	M.	1,585	8	1	2	1	1	13	4	20	122	325
		F.	386	6	3		3	2	14	4	4	55	88
182	By firearms	M.	1,247	2		2			4	4	16	90	262
		F.	242	1				2	3	4	3	36	61
183	By cutting or piercing instruments	M.	180								1	22	40
		F.	71		1				1			10	14
184	By other means	M.	158	6	1		1	1	9		3	10	23
		F.	73	5	2		3		10		1	9	13
	XIV.—Ill-defined diseases		6,512	2,786	343	142	55	43	3,374	147	100	138	188
	Males		3,298	1,544	183	75	25	22	1,849	82	47	46	72
	Females		3,214	1,242	165	67	30	21	1,525	65	53	92	116
187	Ill-defined organic disease	M.	171	3	3	4		1	11	5	2	1	4
		F.	190	3	2	1	3		9	2	4	5	10
188	Sudden death	M.	164	42	4	1		1	48	2	2	1	4
		F.	175	36	3		1		40	2	2	6	4
189	Not specified or ill-defined (total)	M.	2,963	1,499	176	70	25	20	1,790	75	43	44	64
		F.	2,849	1,203	160	66	26	21	1,476	61	47	81	102
	Ill-defined	M.	625	193	97	22	5	6	323	18	9	10	18
		F.	658	175	77	26	6	8	292	17	13	24	22
	Not specified or unknown	M.	2,338	1,306	79	48	20	14	1,467	57	34	34	46
		F.	2,191	1,028	83	40	20	13	1,184	44	34	57	80

STATES (INCLUDING DISTRICT OF COLUMBIA), FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE 1920—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
343	311	334	215	212	180	131	103	87	75	33	36	16	8	7	11	27	
74	58	65	42	46	53	38	36	41	49	36	33	17	15	6	9	10	
2	5	5	4	5	5	4	4	2	2	.....	1	.....	.....	.....	.....	.....	164
4	6	3	1	2	2	4	2	2	4	2	.....	.....	.....	.....	.....	.....	
8	16	13	11	8	6	3	6	1	1	2	.....	.....	.....	.....	.....	.....	165
6	5	9	8	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	
4	3	6	1	3	4	6	3	4	4	.....	4	1	.....	.....	2	.....	166
2	1	3	1	3	2	2	2	3	6	3	4	2	3	1	.....	.....	
36	33	38	39	12	13	12	4	9	5	2	5	5	1	1	4	.....	167
15	12	16	14	12	19	9	5	10	18	9	12	5	9	1	7	3	
13	10	10	5	9	3	1	4	4	2	1	1	1	1	.....	.....	.....	168
1	2	2	2	2	1	1	2	.....	.....	2	.....	.....	.....	.....	.....	.....	
40	27	29	15	15	12	12	6	5	5	.....	5	.....	.....	.....	.....	4	169
2	1	5	.....	2	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	
41	27	23	20	4	10	3	1	3	1	.....	.....	2	.....	.....	.....	3	170
12	5	5	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	3	
2	.....	1	3	2	2	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	171
.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
19	18	23	11	27	15	13	13	9	17	4	4	4	2	3	2	1	172
5	3	5	3	6	9	6	8	13	11	8	9	5	2	4	2	2	
12	11	11	6	6	5	4	3	1	1	.....	.....	.....	.....	.....	.....	1	173
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
9	11	11	5	6	3	3	2	1	1	.....	.....	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
23	18	20	12	22	17	11	2	4	1	2	.....	.....	.....	.....	.....	2	174
.....	1	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
83	80	88	50	61	42	36	35	28	14	12	9	2	.....	2	1	9	175
14	10	11	7	11	9	6	10	7	4	1	2	1	.....	.....	.....	1	
52	37	46	26	34	16	12	10	10	2	6	1	1	.....	1	.....	7	
4	3	3	1	5	2	2	3	4	2	1	1	.....	.....	.....	.....	1	
5	2	6	1	1	4	1	3	7	1	2	2	1	.....	.....	.....	.....	
.....	1	2	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	
25	26	26	13	12	11	15	13	6	5	.....	4	.....	.....	1	1	.....	
8	5	5	4	4	3	2	5	2	1	.....	1	.....	.....	.....	.....	.....	
4	8	4	3	9	8	5	7	5	5	4	2	.....	.....	.....	.....	2	
2	1	1	2	1	2	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	6	6	7	5	3	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	3	6	.....	2	2	4	2	.....	2	.....	.....	.....	.....	.....	1	.....	176
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	
.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	177
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
1	.....	4	.....	1	3	2	1	1	6	1	1	.....	1	.....	1	.....	178
1	1	1	.....	.....	.....	1	.....	1	2	1	1	1	.....	.....	.....	.....	
1	1	3	2	4	2	2	3	3	2	1	1	.....	.....	.....	.....	1	179
1	.....	.....	.....	2	1	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	
4	3	3	3	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	180
3	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
3	6	2	2	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	181
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	4	1	2	3	1	1	1	.....	1	.....	1	.....	.....	.....	1	185
.....	.....	.....	1	.....	.....	.....	.....	1	1	3	1	1	.....	.....	.....	.....	
41	48	45	29	26	31	16	12	12	11	5	4	.....	2	1	.....	3	186
8	6	3	2	3	6	5	5	1	2	5	2	1	.....	.....	.....	.....	
298	216	225	119	98	53	29	16	5	9	3	2	.....	.....	.....	.....	28	
77	58	44	23	8	3	1	1	1	1	2	1	.....	.....	.....	.....	1	
241	171	185	93	73	37	22	12	5	7	3	2	.....	.....	.....	.....	20	182
44	36	29	16	5	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	
31	26	24	12	12	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	183
18	12	10	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
26	19	16	14	13	11	4	4	.....	2	.....	.....	.....	.....	.....	.....	4	184
15	10	5	4	1	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	
169	133	170	162	177	186	156	225	262	225	194	176	111	63	31	54	71	
65	48	75	69	69	92	82	110	140	112	97	76	65	26	13	21	42	
104	85	95	93	108	94	74	115	122	113	97	100	46	37	18	33	29	
1	2	6	7	10	8	15	13	17	17	17	15	12	4	.....	2	2	187
13	6	10	14	13	15	6	12	17	16	12	10	4	4	3	2	3	
9	1	5	6	7	11	11	11	16	5	4	6	5	.....	2	2	6	188
4	9	8	7	8	10	9	10	13	12	3	14	6	2	1	4	1	
55	45	64	56	52	73	56	86	107	90	76	55	48	22	11	17	34	189
87	70	77	72	87	69	59	93	92	85	82	76	36	31	14	27	25	
15	13	18	19	11	29	17	29	33	27	12	6	9	3	1	2	3	
22	20	19	18	29	30	19	31	32	25	14	15	5	5	3	.....	3	
40	32	46	37	41	44	39	57	74	63	64	49	39	19	10	15	31	
65	50	58	54	58	39	40	62	60	60	68	61	31	26	11	27	22	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII).																		
	All causes	1,142,558	174,710	36,986	16,892	11,369	8,475	27,051	50,709	93,645	102,143	99,568	119,750	149,344	153,579	82,877	12,835	961	1,664
	I.—General diseases	332,921	23,121	13,636	7,339	5,391	4,024	12,346	22,248	44,320	44,027	38,475	40,094	39,442	27,904	9,093	921	71	469
1	Typhoid fever	6,805	53	61	89	78	88	523	1,792	1,542	1,023	657	459	303	100	18	.....	1	18
2	Typhus fever	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	1	.....	.....	.....
3	Relapsing fever	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4	Malaria	3,136	353	172	145	95	102	345	400	295	247	256	238	203	182	73	9	5	16
5	Smallpox	508	90	14	4	3	6	16	40	69	82	70	44	42	16	12	.....	.....	.....
6	Measles	7,712	1,831	2,389	974	519	307	817	386	169	109	82	46	45	29	3	1	.....	5
7	Scarlet fever	4,004	188	377	484	459	333	1,063	585	289	107	37	18	11	2	.....	.....	.....	1
8	Whooping cough	10,968	6,091	2,606	898	515	278	443	78	17	13	6	6	3	2	6	2	.....	4
9	Diphtheria and croup	13,395	933	1,758	1,825	1,699	1,432	3,907	1,245	224	151	87	69	39	14	3	1	1	7
10	Influenza	62,097	5,633	3,393	1,416	964	629	1,897	4,589	10,374	11,967	6,143	4,607	4,173	4,058	1,851	251	27	125
13	Cholera nostras	175	40	13	9	11	9	6	4	6	7	5	6	18	24	14	2	.....	1
14	Dysentery	3,574	873	612	216	90	56	111	99	100	97	131	163	285	408	259	59	6	9
15	Plague	27	.....	1	.....	.....	.....	4	7	5	3	5	.....	1	1	.....	.....	.....	.....
16	Yellow fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	24	.....	.....	.....	.....	.....	.....	1	2	2	6	9	4	.....	.....	.....	.....	.....
18	Erysipelas	2,721	833	65	22	15	12	31	77	131	167	236	292	287	337	183	28	2	3
19	Other epidemic diseases	340	99	51	20	13	17	38	17	18	15	7	13	9	14	8	.....	1	.....
20	Purulent infection and septicemia	1,227	159	26	12	16	10	59	123	144	137	134	132	126	88	50	5	2	4
21	Glanders	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	39	1	.....	.....	.....	.....	.....	1	7	7	11	7	3	1	1	.....	.....	.....
23	Rabies	41	.....	1	3	4	1	12	6	4	6	2	1	1	.....	.....	.....	.....	.....
24	Tetanus	1,472	372	14	19	17	27	258	272	99	111	95	99	57	27	3	.....	1	1
25	Mycoses	58	.....	.....	.....	1	.....	.....	5	8	11	8	10	11	4	.....	.....	.....	.....
26	Pellagra	2,322	3	7	4	6	7	43	120	394	433	456	301	300	175	49	10	1	13
27	Beriberi	5	1	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	99,916	2,012	1,468	872	590	433	1,714	9,919	26,488	21,165	14,630	9,958	6,633	3,171	642	58	3	160
28	Tuberculosis of the lungs	84,966	671	440	229	154	127	685	7,985	23,704	19,262	13,208	8,978	5,956	2,803	563	52	2	147
29	Acute miliary tuberculosis	3,229	121	88	41	35	15	95	557	996	601	343	173	114	40	7	.....	.....	3
30	Tuberculous meningitis	4,895	940	772	480	297	219	610	560	449	266	159	86	44	10	3	.....	.....	.....
31	Abdominal tuberculosis	3,530	150	97	65	49	34	150	404	759	542	464	345	262	168	34	1	1	5
32	Pott's disease	984	22	16	22	28	19	65	136	178	152	139	109	61	31	4	2	.....	.....
33	White swellings	495	9	8	6	11	7	34	82	82	66	60	50	39	31	6	1	.....	3
34	Tuberculosis of other organs	1,353	66	35	26	10	11	58	137	223	214	196	161	122	68	24	1	.....	1
35	Disseminated tuberculosis	464	33	12	3	6	1	17	58	97	62	61	56	35	20	1	1	.....	1
36	Rickets	506	325	108	20	15	3	5	8	6	1	2	4	3	4	2	.....	.....	.....
37	Syphilis	7,969	1,921	152	50	28	10	48	181	705	1,319	1,510	1,101	670	218	32	2	.....	22
38	Gonococcus infection	706	70	2	2	2	1	2	53	235	188	96	22	19	11	1	.....	.....	2
	Cancer and other malignant tumors (total)	72,931	61	65	54	57	52	143	344	1,080	4,132	10,133	17,023	19,718	14,885	4,728	382	15	59
39	Of the buccal cavity	2,679	8	.....	1	5	2	5	14	31	91	302	582	677	655	276	24	2	4
40	Of the stomach, liver	27,489	12	10	3	3	7	32	35	185	954	2,918	6,513	8,474	6,528	1,696	90	3	26
41	Of the peritoneum, intestines, rectum	9,792	4	7	8	7	5	16	47	182	558	1,198	2,220	2,784	2,100	621	31	.....	4
42	Of the female genital organs	10,797	.....	2	.....	.....	1	4	22	233	1,243	2,651	2,842	2,265	1,187	317	20	1	9
43	Of the breast	6,665	.....	.....	.....	.....	.....	1	5	58	517	1,403	1,777	1,468	970	414	44	2	6
44	Of the skin	2,367	3	1	2	5	2	7	10	31	44	132	291	515	714	516	90	2	2
45	Of other organs or of organs not specified	13,142	34	45	40	37	35	78	211	360	725	1,529	2,798	3,535	2,731	888	83	5	8
46	Other tumors (tumors of the female genital organs excepted)	267	15	5	.....	.....	1	5	5	9	32	35	39	54	38	26	2	.....	1
47	Acute articular rheumatism	3,297	26	23	23	42	36	355	696	315	308	300	302	339	346	170	13	1	2
48	Chronic rheumatism and gout	990	1	.....	.....	.....	.....	2	13	23	44	75	147	248	271	144	20	.....	2
49	Scurvy	79	46	8	2	2	.....	2	2	6	.....	4	3	3	.....	.....	.....	1	.....
50	Diabetes	14,062	26	26	52	43	41	251	712	758	882	1,389	2,881	3,885	2,467	606	39	.....	4
51	Exophthalmic goiter	1,622	4	1	.....	.....	.....	2	76	204	309	401	364	181	70	9	.....	.....	1
52	Addison's disease	326	1	.....	.....	1	1	.....	16	33	53	72	67	50	27	5	.....	.....	.....
53	Leukemia	1,714	37	46	35	36	28	95	165	170	221	251	258	257	95	16	2	.....	2
54	Anemia, chlorosis	4,787	132	51	19	18	13	59	116	178	339	698	1,092	1,230	687	128	22	2	3
55	Other general diseases	1,830	891	121	70	51	41	89	80	87	54	74	75	85	65	35	11	.....	1
56	Alcoholism (acute or chronic)	900	.....	.....	.....	.....	.....	.....	8	62	218	299	179	90	36	3	1	1	3
57	Chronic lead poisoning	120	.....	.....	.....	.....	.....	.....	3	9	17	28	25	28	8	2	.....	.....	.....
58	Other chronic occupation poisonings	13	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	6	.....	.....	.....	.....	.....
59	Other chronic poisonings	227	.....	.....	.....	.....	.....	.....	2	52	47	40	31	21	22	10	1	1	.....
	II.—Diseases of the nervous system and of the organs of special sense	108,490	4,332	1,333	781	533	395	1,469	2,463	3,004	5,003	8,917	15,201	23,343	26,553	13,397	1,541	73	152
60	Encephalitis	2,167	161	86	60	38	27	114	271	345	333	321	209	130	44	18	4	1	5
61	Meningitis (total)	5,281	1,312	565	363	232	168	591	661	407	347	268	184	116	41	16	4	.....	6
	Simple meningitis	2,654	722	250	197	107	75	263	242	206	177	163	125	79	32	9	4	.....	3
	Cerebrospinal meningitis (undefined)	1,201	277	150	73	60	34	143	183	80	88	54	24	25	6	4	.....	.....	.....
	Cerebrospinal fever	1,426	313	165	93	65	59	185	236	121	82	51	35	12	3	3	.....	.....	3
62	Locomotor ataxia	1,611	.....	.....	.....	.....	.....	1	5	13	96	272	465	480	239	38	2	.....	.....
63	Other diseases of the spinal cord (total)	4,964	148	135	88	76	61	186	205	206	247	365	700	1,082	1,045	377	39	1	3
	Acute anterior poliomyelitis	769	101	118	70	56	55	144	108	44	20	16	10	15	11	.....	.....	.....	1
	Other diseases of the spinal cord	4,195	47	17	18	20	6	42	97	162	227	349	690	1,067	1,034	377	39	1	2
64	Cerebral hemorrhage, apoplexy	70,780	164	54	25	22	10	64	183	520	1,459	4,602	10,670	18,536	21,883	11,180	1,262	54	92
65	Softening of the brain	838	.....	.....	.....	.....	.....	.....	.....	4	8	29	85	141	324	215	30	1	1
66	Paralysis without specified cause	5,828	24	13	6	13	4	18	45	61	136	333	698	1,336	1,882	1,070	157	12	20
67	General paralysis of the insane	5,030	.....	.....	.....	.....	.....	1	16	152	1,026	1,439	1,125	642	425	177	15	1	11
68	Other forms of mental alienation	1,579	.....	.....	.....	.....	.....	.....	46	205	291	313	273	215	158	64	5	2	7
69	Epilepsy	3,085	124	38	34	28	27	100	477	594	523	403	268	226	161	73	3	.....	6
70	Convulsions (nonpuerperal)	149	.....	.....	.....	.....	.....	42	28	24	24	13	6	3	7	1	1	.....	.....
71	Convulsions of infants	2,211	1,814	247	88	34	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	147	8	4	3	2	1	16	50	13	12	8	3	11	8	1	1	.....	.....
73	Neuralgia and neuritis	354	3	.....	1	.....	2	5	7	24	24	43	43	76	79	42	5	.....	.....
74	Other diseases of the nervous system	2,651	199	70	41	37	27	129	227	231	342	387	332	267	207	94	11	.....	.....
75	Diseases of the eyes and their annexa	91	10	2	3	6	1	6	7	8	5	5	8	8	12	10	.....	.....	.....
76	Diseases of the ears	1,730	365	119	69	45	39	196	235	147	130	116	132	74	38	21	2	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																		
	III.—Diseases of the circulatory system	164,745	1,389	291	200	174	195	1,318	3,707	4,652	7,725	12,647	21,663	36,225	44,548	25,924	3,755	146	186
77	Pericarditis	835	20	7	5	3	4	26	56	68	76	94	91	137	161	72	15	.....	.....
78	Acute endocarditis	6,861	342	63	63	54	49	310	616	653	830	1,137	1,717	403	383	159	25	1	3
79	Organic diseases of the heart	124,143	621	154	96	100	123	921	2,874	3,589	5,906	9,664	16,285	29,025	33,978	18,229	2,337	91	150
80	Angina pectoris	7,571	1	1	.....	1	.....	4	25	67	286	692	1,447	2,303	2,004	681	47	3	9
81	Diseases of the arteries, atheroma, aneurism, etc.	19,977	3	.....	.....	.....	1	2	15	63	225	571	1,378	3,347	6,871	6,180	1,250	50	21
82	Embolism and thrombosis	3,954	60	9	8	6	5	19	68	153	248	362	593	828	993	529	71	.....	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	497	5	1	2	1	.....	5	10	24	59	70	101	104	82	30	3	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.	555	307	52	22	8	12	24	30	22	20	20	8	14	8	6	1	.....	1
85	Hemorrhage; other diseases of the circulatory system	352	30	4	4	1	1	7	13	13	25	37	43	61	68	38	6	1	.....
	IV.—Diseases of the respiratory system	141,837	27,036	9,946	3,726	1,957	1,273	3,234	5,600	12,519	14,463	10,976	11,499	13,588	15,045	9,192	1,563	70	150
86	Diseases of the nasal fossae	415	235	20	6	6	3	10	15	25	20	8	13	5	12	30	7	.....	.....
87	Diseases of the larynx	796	155	108	101	63	61	89	30	29	33	29	26	31	25	11	3	.....	2
88	Diseases of the thyroid body	688	9	8	1	.....	.....	4	39	71	106	157	135	102	45	7	3	1	.....
89	Acute bronchitis	6,805	3,502	730	242	110	61	89	50	83	74	100	142	256	566	626	161	10	3
90	Chronic bronchitis	4,804	61	35	9	2	2	53	57	93	124	191	384	725	1,498	1,277	278	10	5
91	Bronchopneumonia	47,746	15,941	5,726	1,975	931	535	1,204	1,096	2,003	2,348	1,871	2,285	3,413	4,708	3,176	494	15	25
92	Pneumonia (total)	72,362	6,701	3,018	1,250	742	535	1,589	3,985	9,600	11,002	7,752	7,491	7,908	6,953	3,251	459	26	99
	Lobar pneumonia	64,001	5,042	2,515	1,007	634	453	1,350	3,493	8,889	10,239	7,146	6,871	7,180	6,076	2,657	347	19	83
	Pneumonia (undefined)	8,361	1,659	503	243	108	82	239	493	711	763	606	620	728	877	594	112	7	16
93	Pleurisy	3,356	221	237	113	78	46	129	223	408	436	352	346	345	275	121	19	1	6
94	Pulmonary congestion, pulmonary apoplexy	1,317	112	23	9	11	8	12	17	27	37	52	75	128	314	385	100	5	2
95	Gangrene of the lung	250	.....	1	3	2	1	6	12	38	37	44	46	27	22	9	.....	.....	2
96	Asthma	2,116	33	27	13	7	12	25	14	46	118	238	355	462	495	233	32	1	5
97	Pulmonary emphysema	141	10	2	1	2	1	5	3	6	5	18	23	28	22	13	2	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1,041	56	11	3	3	8	19	58	90	123	164	178	158	110	53	5	1	1
	V.—Diseases of the digestive system	100,552	35,304	8,490	2,573	1,301	911	2,698	4,173	4,949	6,064	6,987	8,117	8,105	6,979	3,302	475	25	93
99	Diseases of the mouth and annexa	778	231	36	16	6	5	40	34	55	72	88	86	71	29	6	1	.....	2
100	Diseases of the pharynx	2,909	197	128	140	138	145	495	470	354	272	184	136	102	83	51	10	1	3
101	Diseases of the esophagus	141	6	2	4	4	3	1	6	4	11	13	20	28	27	10	2	.....	.....
102	Ulcer of the stomach	3,184	16	5	4	3	5	11	63	234	460	623	642	566	404	133	12	.....	3
103	Other diseases of the stomach (cancer excepted)	7,232	2,191	351	151	85	46	125	125	210	371	509	584	794	882	641	144	8	15
104	Diarrhea and enteritis (under 2 years)	38,514	30,944	7,570	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	9,091	.....	.....	1,936	785	399	586	254	387	518	585	662	816	1,161	829	144	11	18
106	Ankylostomiasis	25	.....	1	1	1	1	9	9	1	2	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	132	14	26	18	16	8	25	11	3	7	2	2	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	11,702	44	58	97	120	159	985	2,453	2,149	1,936	1,542	1,203	629	262	53	1	.....	11
109	Hernia, intestinal obstruction (total)	9,314	1,211	212	111	84	83	194	288	560	769	989	1,281	1,472	1,394	592	61	3	10
	Hernia	3,288	216	28	10	4	7	16	32	99	193	366	623	765	647	253	25	.....	4
	Intestinal obstruction	6,026	995	184	101	80	76	178	256	461	576	623	658	707	747	339	36	3	6
110	Other diseases of the intestines	1,737	141	20	21	12	9	41	86	160	208	198	197	240	207	156	35	1	5
111	Acute yellow atrophy of the liver	341	30	2	6	2	2	5	17	60	41	34	40	45	38	16	2	.....	1
112	Hydatid tumor of the liver	28	.....	.....	.....	.....	.....	.....	1	4	2	6	9	4	1	1	.....	.....	.....
113	Cirrhosis of the liver	6,241	18	7	8	4	5	21	57	118	332	824	1,405	1,708	1,293	397	34	.....	10
114	Biliary calculi	3,109	2	.....	.....	1	.....	3	9	106	305	537	809	712	471	146	6	.....	2
115	Other diseases of the liver	3,774	98	23	28	11	13	39	89	241	432	533	746	685	532	225	19	1	9
116	Diseases of the spleen	126	4	5	3	1	2	2	10	12	9	21	19	23	10	4	.....	.....	1
117	Simple peritonitis (nonpuerperal)	1,629	154	42	27	25	26	105	175	244	233	182	141	127	101	41	3	.....	3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	545	3	2	2	3	.....	11	16	47	84	117	135	83	34	7	1	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	91,211	836	309	219	159	127	566	1,488	3,424	6,043	9,636	13,856	19,835	22,083	11,108	1,334	75	133
119	Acute nephritis	5,704	428	134	123	91	62	268	417	550	680	758	659	646	552	278	41	1	16
120	Bright's disease	72,488	148	111	61	51	55	255	839	1,731	3,548	6,914	11,816	17,291	18,973	9,377	1,143	68	107
122	Other diseases of the kidneys and annexa	2,117	187	56	32	13	4	35	63	174	228	256	285	314	296	152	18	1	3
123	Calculi of the urinary passages	523	2	2	.....	.....	.....	5	8	39	60	92	85	104	86	37	3	.....	.....
124	Diseases of the bladder	1,293	13	3	3	2	4	3	9	20	35	36	100	194	422	381	63	4	1
125	Diseases of the urethra, urinary abscess, etc.	348	2	.....	.....	.....	1	.....	1	28	54	74	78	55	44	7	3	.....	1
126	Diseases of the prostate	3,669	.....	.....	.....	.....	.....	.....	.....	7	24	56	267	933	1,517	808	54	1	2
127	Nonvenereal diseases of the male genital organs	85	39	2	.....	2	.....	.....	1	6	4	11	9	2	4	5	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	53	.....	.....	.....	.....	.....	.....	9	13	10	11	5	3	1	1	.....	.....	.....
129	Uterine tumor (noncancerous)	1,747	.....	.....	.....	.....	.....	.....	5	89	453	724	263	113	75	22	3	.....	.....
130	Other diseases of the uterus	819	.....	.....	.....	.....	.....	.....	44	168	196	197	111	70	22	7	3	.....	1
131	Cysts and other tumors of the ovary	678	.....	1	.....	.....	.....	.....	13	84	157	140	103	88	61	28	2	.....	1
132	Salpingitis and other diseases of the female genital organs	1,644	1	.....	.....	.....	1	.....	79	509	590	360	72	21	7	2	1	.....	1
133	Nonpuerperal diseases of the breast (cancer excepted)	43	16	.....	.....	.....	.....	.....	.....	6	4	7	3	2	3	2	.....	.....	.....
	VII.—The puerperal state	16,776	.....	.....	.....	.....	.....	.....	1,611	7,538	6,274	1,311	14	.....	.....	.....	.....	.....	28
134	Accidents of pregnancy	2,336	.....	.....	.....	.....	.....	.....	118	1,072	1,015	126	2	.....	.....	.....	.....	.....	3
135	Puerperal hemorrhage	1,414	.....	.....	.....	.....	.....	.....	54	470	684	202	1	.....	.....	.....	.....	.....	3
136	Other accidents of labor	2,308	.....	.....	.....	.....	.....	.....	158	1,050	900	189	5	.....	.....	.....	.....	.....	6
137	Puerperal septicemia	5,800	.....	.....	.....	.....	.....	.....	596	2,783	2,010	401	3	.....	.....	.....	.....	.....	7
138	Puerperal albuminuria and convulsions	4,246	.....	.....	.....	.....	.....	.....	653	1,897	1,381	306	2	.....	.....	.....	.....	.....	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death	588	.....	.....	.....	.....	.....	.....	24	230	255	78	.....	.....	.....	.....	.....	.....	1
140	Following childbirth (not otherwise defined)	76	.....	.....	.....	.....	.....	.....	8	35	24	9	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	8	.....	.....	.....	.....	.....	.....	.....	1	5	.....	1	.....	.....	.....	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	THE REGISTRATION AREA (EXCLUSIVE OF HAWAII)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	3,445	649	64	21	28	11	49	141	125	165	246	330	388	588	513	110	10	7
142	Gangrene	1,455	41	13	6	14	5	11	20	15	28	55	121	190	413	414	95	10	4
143	Furuncle	570	107	8	1			4	45	39	54	76	93	71	49	20	2		1
144	Acute abscess	692	185	21	10	13	3	28	57	48	56	72	60	63	48	26	2		
145	Other diseases of the skin and annexa	728	316	22	4	1	3	6	19	23	27	43	56	64	78	53	11		2
	IX.—Diseases of the bones and of the organs of locomotion	2,751	173	86	64	54	56	325	497	298	274	264	245	219	124	61	8	2	1
146	Diseases of the bones (tuberculosis excepted)	2,392	160	79	62	52	53	320	451	262	242	224	201	168	75	39	3		1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	286	10	5	2	1	3	4	42	25	25	34	37	39	38	17	4		
148	Amputations	2								1	1								
149	Other diseases of the organs of locomotion	71	3	2		1		1	4	10	6	6	7	12	11	5	1	2	
	X.—Malformations	13,256	12,229	392	139	88	55	150	121	49	19	11	1	1					1
150	Congenital malformations (total)	13,256	12,229	392	139	88	55	150	121	49	19	11	1	1					1
	Hydrocephalus	1,238	911	126	60	42	17	45	20	10	4	2	1						
	Congenital malformations of the heart	7,994	7,564	159	48	22	20	66	75	24	7	7		1					1
	Other congenital malformations	4,024	3,754	107	31	24	18	39	26	15	8	2							
	XI.—Early infancy	60,954	60,954																
151	Congenital debility, icterus, and sclerema (total)	47,824	47,824																
	Premature birth	38,359	38,359																
	Congenital debility, "atrophy," "marasmus," etc	9,465	9,465																
152	Other causes peculiar to early infancy (total)	12,990	12,990																
	Injuries at birth	7,437	7,437																
	Other causes peculiar to early infancy	5,553	5,553																
153	Lack of care	140	140																
	XII.—Old age	12,459										7	58	431	3,263	5,983	2,314	382	21
154	Senility	12,459										7	58	431	3,263	5,983	2,314	382	21
	XIII.—External causes	77,656	2,155	1,735	1,587	1,572	1,331	4,630	8,254	12,144	11,458	9,289	7,694	6,304	5,120	3,458	624	43	258
	Suicide (total)	8,959						1	347	1,452	1,834	1,888	1,606	1,123	518	163	11		16
155	By poison	1,417							107	344	309	282	176	123	59	15			
156	By asphyxia	1,124							28	165	212	243	238	157	56	23	2		
157	By hanging or strangulation	1,616							25	158	293	360	328	254	143	47	4		4
158	By drowning	555							19	78	112	112	119	63	36	14			2
159	By firearms	3,169						1	155	581	681	638	525	374	165	41	1		7
160	By cutting or piercing instruments	640							6	60	125	150	142	90	43	18	3		3
161	By jumping from high places	247							5	39	67	48	45	28	10	4	1		
162	By crushing	97							1	13	21	27	17	14	4				
163	Other suicides	94							1	14	14	28	16	18	2	1			
	Accidental or undefined (total)	62,492	2,007	1,725	1,573	1,555	1,313	4,575	7,448	8,573	7,884	6,473	5,669	5,029	4,537	3,279	612	43	197
164	Poisoning by food	957	112	69	46	39	35	73	77	99	90	80	85	77	53	17	1		4
165	Other acute poisonings	1,842	117	267	126	71	37	56	76	230	296	258	164	82	30	26	1		5
166	Conflagration	1,042	55	68	48	63	49	103	62	99	106	83	85	66	87	43	9	2	14
167	Burns (conflagration excepted)	6,645	273	652	765	694	539	853	466	472	451	372	312	297	232	170	24	13	10
168	Absorption of deleterious gases (conflagration excepted)	3,012	780	37	9	11	8	53	152	284	345	331	358	304	235	90	12	1	2
169	Accidental drowning	4,977	35	192	118	80	71	533	1,508	999	546	381	232	152	59	24			47
170	Traumatism by firearms	2,262	7	15	22	36	46	224	916	430	253	156	81	45	13	6			12
171	Traumatism by cutting or piercing instruments	174	4	1	2	1	5	16	15	21	16	24	29	21	14	4	1		
172	Traumatism by fall	10,323	158	141	109	105	72	286	429	601	664	698	818	1,167	2,180	2,358	506	20	11
173	Traumatism in mines and quarries (total)	2,275						5	190	544	680	445	263	117	22	2			7
	Traumatism in mines	2,171						3	182	515	658	427	250	109	18	2			7
	Traumatism in quarries	104						2	8	29	22	18	13	8	4				
174	Traumatism by machines	2,153		1	5	5	2	29	263	507	442	371	312	154	51	5	1		5
175	Traumatism by other crushing (total)	19,684	73	118	196	333	378	2,006	2,505	3,237	2,917	2,425	2,136	1,923	1,048	303	25	1	55
	Railroad accidents and injuries	6,426	14	32	28	20	28	175	666	1,411	1,268	1,011	773	611	271	72	10		36
	Street-car accidents and injuries	1,746	3	13	24	37	24	121	133	229	256	264	234	208	134	56	3		7
	Automobile accidents and injuries	9,103	34	49	110	227	291	1,518	1,356	1,210	1,031	874	877	839	481	140	8	1	7
	Injuries by other vehicles	1,698	17	22	31	44	30	164	278	191	164	174	176	221	142	35	4		5
	Aeroplane accidents and injuries	150				1	2	3	12	36	32	8	2	2	2				
	Landslide, other crushing	561	5	2	3	4	3	25	60	110	116	94	74	42	18	5			
176	Injuries by animals	606	5	8	10	21	11	52	82	52	62	64	81	86	55	15	1	1	
177	Starvation	26	5			1				2	3	2	3	8	2				
178	Excessive cold	172	6	1	1		1	1	8	11	22	17	25	24	34	15	3	3	
179	Effects of heat	270	40	5	2	3	2	2	9	13	24	40	32	41	40	15	1		1
180	Lightning	409	2	1	1	1	4	18	97	76	79	45	49	24	6	3			3
181	Electricity (lightning excepted)	822	1	1	1		2	19	138	260	205	105	62	23	5				
185	Fractures (cause not specified)	519	8		3	1	2	7	23	50	53	50	44	63	105	88	18	1	3
186	Other external violence	4,322	326	148	109	90	49	239	432	583	631	525	499	360	210	88	9	1	18
	Homicide (total)	6,205	148	10	14	17	18	54	459	2,119	1,740	928	419	152	65	16	1		45
182	By firearms	4,477	8	4	5	3	8	25	320	1,599	1,335	708	301	87	37	6			31
183	By cutting or piercing instruments	645	12	2	2	2	6	9	66	230	184	82	27	10	6	2			5
184	By other means	1,083	128	4	7	12	4	20	73	290	221	138	91	55	22	8	1		9
	XIV.—Ill-defined diseases	15,505	6,532	704	243	112	97	266	406	623	628	802	978	1,463	1,392	840	190	64	165
187	Ill-defined organic disease	681	11	8	6	3	2	16	17	35	35	61	74	120	149	109	25	4	6
188	Sudden death	1,070	248	11	2	2	4	12	27	51	57	98	127	183	134	85	13	7	9
189	Not specified or ill-defined (total)	13,754	6,273	685	235	107	91	238	362	537	536	643	777	1,160	1,109	646	152	53	150
	Ill-defined	4,162	1,031	401	99	33	36	80	121	177	205	277	386	558	480	213	42	4	19
	Not specified or unknown	9,592	5,242	284	136	74	55	158	241	360	331	366	391	602	629	433	110	49	131

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	REGISTRATION STATES.[1]																		
	All causes	1,118,070	170,911	36,106	16,503	11,184	8,306	26,535	49,322	90,610	99,036	96,663	117,124	146,806	151,627	82,090	12,708	933	1,606
	I.—General diseases	325,359	22,499	13,390	7,191	5,299	3,956	12,137	21,658	42,975	42,773	37,442	39,303	38,756	27,547	9,006	913	65	449
1	Typhoid fever	6,582	51	60	85	76	85	502	1,737	1,489	985	639	445	293	99	17		1	18
2	Typhus fever	5							1	1			1	1		1			
3	Relapsing fever	2							1						1				
4	Malaria	2,960	340	170	141	93	98	337	383	269	219	225	217	194	175	70	9	5	15
5	Smallpox	498	87	13	4	3	5	16	39	68	80	70	43	42	16	12			
6	Measles	7,600	1,811	2,355	952	507	304	803	333	167	107	82	46	45	29	3	1		5
7	Scarlet fever	3,976	188	375	484	454	381	1,055	579	285	107	36	18	11	2				1
8	Whooping cough	10,742	5,957	2,557	876	506	274	435	78	17	13	6	6	3	2	6	2		4
9	Diphtheria and croup	13,211	922	1,728	1,801	1,681	1,403	3,857	1,233	219	149	87	68	39	13	3	1	1	6
10	Influenza	60,693	5,493	3,333	1,379	940	621	1,867	4,504	10,101	11,694	5,976	4,487	4,076	4,001	1,829	246	24	122
13	Cholera nostras	175	40	13	9	11	9	6	4	6	7	5	6	18	24	14	2		1
14	Dysentery	3,415	832	584	208	89	54	109	94	94	90	117	151	270	401	250	59	4	9
15	Plague	10		1				2	2	2	2	1							
16	Yellow fever	1								1									
17	Leprosy	22							1	1	2	6	8	4					
18	Erysipelas	2,674	820	64	21	14	12	29	75	126	161	231	289	282	335	182	28	2	3
19	Other epidemic diseases	334	98	51	20	13	17	37	16	18	13	7	12	9	14	8		1	
20	Purulent infection and septicemia	1,179	158	24	12	14	10	57	114	138	132	128	125	122	86	48	5	2	4
21	Glanders	1						1											
22	Anthrax	37							1	6	7	11	7	3	1	1			
23	Rabies	39		1	2	4	1	11	6	4	6	2	1	1					
24	Tetanus	1,349	309	13	17	16	26	246	256	94	104	85	97	56	26	3		1	
25	Mycoses	58				1			5	8	11	8	10	11	4				
26	Pellagra	2,122	3	7	3	6	7	42	114	349	396	414	273	275	162	49	10		12
27	Beriberi	5	1			1				1	2								
	Tuberculosis (total)	97,366	1,972	1,448	862	579	427	1,679	9,618	25,721	20,571	14,239	9,766	6,506	3,129	637	58	3	151
28	Tuberculosis of the lungs	82,738	653	433	227	152	124	665	7,724	23,017	18,729	12,852	8,809	5,839	2,764	558	52	2	138
29	Acute miliary tuberculosis	3,128	118	88	41	32	15	91	539	958	582	331	170	113	40	7			3
30	Tuberculous meningitis	4,821	927	762	473	292	218	603	553	440	256	156	85	43	10	3			
31	Abdominal tuberculosis	3,430	145	94	65	49	33	148	396	734	518	450	332	258	167	34	1	1	5
32	Pott's disease	976	22	16	22	27	18	65	134	178	150	139	107	61	31	4	2		
33	White swellings	489	9	8	6	11	7	33	81	81	65	59	50	39	30	6	1		3
34	Tuberculosis of other organs	1,328	66	35	25	10	11	57	134	219	210	192	158	118	67	24	1		1
35	Disseminated tuberculosis	456	32	12	3	6	1	17	57	94	61	60	55	35	20	1	1		1
36	Rickets	496	319	107	18	15	3	5	8	6	1	2	4	2	4	2			
37	Syphilis	7,635	1,817	143	49	25	10	45	170	669	1,268	1,460	1,072	644	210	32	2		19
38	Gonococcus infection	665	69	2	2	2	1	2	50	217	176	92	21	18	11	1			1
	Cancer and other malignant tumors (total)	71,756	60	65	51	56	52	140	333	1,039	4,008	9,914	16,758	19,428	14,708	4,691	379	15	59
39	Of the buccal cavity	2,633	8		1	5	2	5	14	31	91	297	573	655	648	273	24	2	4
40	Of the stomach, liver	27,138	11	10	3	3	7	32	35	180	934	2,862	6,435	8,355	6,466	1,687	89	3	26
41	Of the peritoneum, intestines, rectum	9,663	4	7	5	7	5	16	45	176	540	1,180	2,193	2,752	2,082	616	31		4
42	Of the female genital organs	10,523		2			1	4	20	220	1,191	2,580	2,777	2,219	1,164	315	20	1	9
43	Of the breast	6,570						1	5	57	502	1,374	1,758	1,459	950	412	44	2	6
44	Of the skin	2,334	3	1	2	5	2	6	10	30	44	129	287	504	709	509	89	2	2
45	Of other organs or of organs not specified	12,895	34	45	40	36	35	76	204	345	706	1,492	2,735	3,484	2,689	879	82	5	8
46	Other tumors (tumors of the female genital organs excepted)	258	15	5			1	4	4	8	31	34	38	52	37	26	2		1
47	Acute articular rheumatism	3,242	25	23	22	42	36	354	685	308	300	291	299	334	339	168	13	1	2
48	Chronic rheumatism and gout	973	1					2	12	23	44	72	142	245	268	142	20		2
49	Scurvy	77	45	8	2	2		2	2	6		3	3	3				1	
50	Diabetes	13,898	26	25	52	43	40	250	695	747	866	1,363	2,845	3,849	2,450	604	39		4
51	Exophthalmic goiter	1,590	4	1				2	75	199	302	394	357	176	70	9			1
52	Addison's disease	323	1			1	1		16	32	53	71	66	50	27	5			
53	Leukemia	1,676	35	45	35	36	26	95	160	165	211	247	252	255	94	16	2		2
54	Anemia, chlorosis	4,713	127	51	18	18	13	59	113	173	329	689	1,071	1,219	678	128	22	2	3
55	Other general diseases	1,780	873	118	66	51	39	86	79	82	53	71	70	81	65	34	11		1
56	Alcoholism (acute or chronic)	873							8	57	210	293	173	88	36	3	1	1	3
57	Chronic lead poisoning	119							3	9	16	28	25	28	8	2			
58	Other chronic occupation poisonings	13									1	4	2	6					
59	Other chronic poisonings	216							1	50	46	39	29	17	22	10	1	1	
	II.—Diseases of the nervous system and of the organs of special sense	106,652	4,255	1,301	765	523	386	1,446	2,405	2,906	4,866	8,662	14,881	22,979	26,240	13,289	1,527	71	150
60	Encephalitis	2,107	154	82	58	37	26	114	265	332	322	315	205	127	43	17	4	1	5
61	Meningitis (total)	5,151	1,286	552	359	227	164	579	641	389	332	262	178	115	41	16	4		6
	Simple meningitis	2,590	707	244	195	106	74	257	235	200	166	159	120	79	32	9	4		3
	Cerebrospinal meningitis (undefined)	1,163	274	147	72	57	33	141	173	76	84	53	24	24	6	4			
	Cerebrospinal fever	1,393	305	161	92	64	57	181	233	113	82	50	34	12	3	3			3
62	Locomotor ataxia	1,584						1	5	13	94	268	458	473	233	37	2		
63	Other diseases of the spinal cord (total)	4,870	147	133	86	76	60	184	197	200	237	358	677	1,066	1,032	374	39	1	3
	Acute anterior poliomyelitis	762	101	116	69	56	54	143	106	44	20	16	10	15	11				1
	Other diseases of the spinal cord	4,108	46	17	17	20	6	41	91	156	217	342	667	1,051	1,021	374	39	1	2
64	Cerebral hemorrhage, apoplexy	69,668	161	52	24	22	10	62	176	491	1,396	4,422	10,437	18,260	21,667	11,093	1,252	53	90
65	Softening of the brain	825								4	8	28	84	139	317	213	30	1	1
66	Paralysis without specified cause	5,628	24	12	5	12	4	17	44	54	125	304	672	1,292	1,820	1,059	153	11	20
67	General paralysis of the insane	5,003						1	15	150	1,021	1,435	1,121	635	422	176	15	1	11
68	Other forms of mental alienation	1,563							46	202	286	311	270	214	156	64	5	2	7
69	Epilepsy	3,052	122	37	34	28	25	99	474	585	517	401	264	225	160	72	3		6
70	Convulsions (nonpuerperal)	146						42	27	23	23	13	6	3	7	1	1		
71	Convulsions of infants	2,178	1,789	244	84	33	28												
72	Chorea	140	8	4	3	2	1	16	50	13	12	7	3	11	8	1	1		
73	Neuralgia and neuritis	350	3		1		2	5	7	23	24	42	42	76	79	41	5		
74	Other diseases of the nervous system	2,595	193	68	40	35	26	128	222	273	336	376	325	263	205	94	11		
75	Diseases of the eyes and their annexa	90	10	2	3	6	1	6	7	8	5	5	8	7	12	10			
76	Diseases of the ears	1,702	358	115	68	45	39	192	229	146	128	115	131	73	38	21	2	1	1

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Death at unknown age.
	REGISTRATION STATES [1]—Continued.																		
	III.—Diseases of the circulatory system.	162,384	1,362	289	197	169	193	1,301	3,659	4,517	7,484	12,294	21,226	35,740	44,118	25,777	3,732	143	183
77	Pericarditis	812	20	6	5	2	4	24	55	64	73	92	89	134	158	72	14	.....	.....
78	Acute endocarditis	6,705	335	62	61	53	49	306	605	631	853	1,103	1,682	401	376	159	25	1	3
79	Organic diseases of the heart	122,420	608	154	96	97	121	911	2,843	3,493	5,741	9,412	15,962	28,646	33,669	18,117	2,323	89	148
80	Angina pectoris	7,437	1	1	.....	1	.....	3	25	65	277	676	1,415	2,263	1,976	675	47	3	9
81	Diseases of the arteries, atheroma, aneurism, etc.	19,738	3	.....	.....	.....	1	2	15	59	206	538	1,344	3,299	6,808	6,151	1,242	49	21
82	Embolism and thrombosis	3,898	60	9	7	6	5	19	65	149	236	350	583	822	986	529	71	.....	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	489	5	1	2	1	.....	5	10	23	57	68	101	103	80	30	3	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	545	302	52	22	8	12	24	29	20	19	19	8	14	8	6	1	.....	1
85	Hemorrhage; other diseases of the circulatory system	340	28	4	4	1	1	7	12	13	22	36	42	58	67	38	6	1	.....
	IV.—Diseases of the respiratory system.	138,995	26,523	9,753	3,647	1,939	1,247	3,172	5,440	12,151	14,071	10,686	11,276	13,396	14,840	9,093	1,553	68	140
86	Diseases of the nasal fossae	412	234	20	5	6	3	10	15	25	19	8	13	5	12	30	7	.....	.....
87	Diseases of the larynx	772	150	106	99	63	57	88	30	27	30	28	25	29	24	11	3	.....	2
88	Diseases of the thyroid body	676	9	8	1	.....	.....	3	39	67	105	155	133	101	44	7	3	1	.....
89	Acute bronchitis	6,672	3,445	709	233	109	60	88	44	75	69	96	139	250	562	619	161	10	3
90	Chronic bronchitis	4,719	60	35	9	2	2	52	52	83	113	181	375	715	1,480	1,263	277	10	5
91	Bronchopneumonia	46,974	15,681	5,636	1,947	923	525	1,185	1,070	1,948	2,280	1,824	2,257	3,370	4,646	3,151	491	15	25
92	Pneumonia (total)	70,771	6,519	2,941	1,212	736	524	1,555	3,880	9,339	10,742	7,563	7,338	7,796	6,835	3,202	455	24	90
	Lobar pneumonia	62,754	4,933	2,454	982	630	446	1,322	3,404	8,672	10,027	6,981	6,751	7,091	6,004	2,618	345	17	77
	Pneumonia (undefined)	8,017	1,586	487	230	106	78	233	476	667	715	582	587	705	831	584	110	7	13
93	Pleurisy	3,274	220	235	112	76	46	126	215	392	420	338	338	342	269	119	10	1	6
94	Pulmonary congestion, pulmonary apoplexy	1,285	108	23	9	10	8	12	15	21	35	49	73	123	312	332	99	5	1
95	Gangrene of the lung	239	.....	1	3	2	1	5	11	35	34	42	46	26	22	9	.....	.....	2
96	Asthma	2,056	33	26	13	7	12	25	14	45	105	225	343	455	436	230	31	1	5
97	Pulmonary emphysema	133	10	2	1	2	1	5	2	6	4	17	23	28	22	13	2	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1,007	54	11	3	3	8	18	53	88	115	160	173	156	106	52	5	1	1
	V.—Diseases of the digestive system.	97,437	34,328	8,167	2,489	1,270	887	2,625	4,022	4,716	5,788	6,691	7,874	7,903	6,846	3,257	464	23	87
99	Diseases of the mouth and annexa	763	229	33	16	6	5	38	33	55	70	84	85	71	29	6	1	.....	2
100	Diseases of the pharynx	2,844	194	125	136	135	142	486	453	346	267	179	133	102	82	51	10	1	2
101	Diseases of the esophagus	133	6	1	3	3	1	1	6	4	10	11	20	28	27	10	2	.....	.....
102	Ulcer of the stomach	3,104	16	5	4	3	5	10	59	225	444	607	628	553	400	130	12	.....	3
103	Other diseases of the stomach (cancer excepted)	6,970	2,132	346	148	83	46	121	119	198	343	465	550	770	862	625	140	8	14
104	Diarrhea and enteritis (under 2 years)	37,344	30,078	7,266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	8,747	.....	.....	1,867	765	383	561	239	359	488	550	641	790	1,122	816	141	9	16
106	Ankylostomiasis	23	.....	.....	1	1	1	9	9	1	1	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	130	13	26	18	16	7	25	11	3	7	2	2	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	11,321	44	58	97	117	159	960	2,378	2,070	1,857	1,486	1,158	614	258	53	1	.....	11
109	Hernia, intestinal obstruction (total)	9,037	1,184	207	106	83	82	190	277	522	731	948	1,245	1,438	1,366	585	60	3	10
	Hernia	3,215	211	27	9	4	7	16	31	94	189	353	613	747	635	250	25	.....	4
	Intestinal obstruction	5,822	973	180	97	79	75	174	246	428	542	595	632	691	731	335	35	3	6
110	Other diseases of the intestines	1,680	136	20	21	11	9	39	83	153	192	192	191	231	206	156	37	1	4
111	Acute yellow atrophy of the liver	330	28	2	6	2	2	5	16	56	39	32	40	45	33	16	2	.....	1
112	Hydatid tumor of the liver	28	.....	.....	.....	.....	.....	.....	1	4	2	6	9	4	1	1	.....	.....	.....
113	Cirrhosis of the liver	6,102	18	7	8	4	5	21	56	110	321	799	1,370	1,670	1,277	393	33	.....	10
114	Biliary calculi	3,023	.....	.....	.....	1	.....	3	9	105	298	517	789	685	465	143	6	.....	2
115	Other diseases of the liver	3,656	97	23	28	11	13	38	86	224	413	506	724	675	570	221	17	1	9
116	Diseases of the spleen	119	4	5	2	1	2	2	10	12	8	18	18	22	10	4	.....	.....	1
117	Simple peritonitis (nonpuerperal)	1,554	146	41	26	25	25	105	162	223	217	177	137	124	100	41	3	.....	2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	529	3	2	2	3	.....	11	15	46	80	112	134	81	33	6	1	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	88,996	813	300	214	156	123	557	1,431	3,259	5,785	9,270	13,459	19,418	21,713	10,981	1,317	73	127
119	Acute nephritis	5,450	417	128	119	90	59	262	401	517	629	709	618	630	541	273	41	1	15
120	Bright's disease	70,960	144	109	60	50	54	253	813	1,663	3,424	6,674	11,508	16,955	18,687	9,267	1,130	66	163
122	Other diseases of the kidneys and annexa	2,057	180	56	32	12	4	35	60	169	219	245	279	302	294	151	15	1	3
123	Calculi of the urinary passages	490	2	2	.....	.....	.....	4	7	37	56	83	81	96	83	36	3	.....	.....
124	Diseases of the bladder	1,269	12	3	3	2	4	3	9	19	32	35	98	187	419	376	62	4	1
125	Diseases of the urethra, urinary abscess, etc.	312	2	.....	.....	.....	1	.....	1	24	44	67	69	53	40	7	3	.....	1
126	Diseases of the prostate	3,583	.....	.....	.....	.....	.....	.....	.....	7	23	51	262	901	1,479	803	54	1	2
127	Nonvenereal diseases of the male genital organs	82	39	1	.....	2	.....	.....	1	5	4	10	9	2	4	5	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	47	.....	.....	.....	.....	.....	.....	7	11	10	9	5	2	1	2	.....	.....	.....
129	Uterine tumor (noncancerous)	1,693	.....	.....	.....	.....	.....	.....	4	83	434	708	254	111	74	22	3	.....	.....
130	Other diseases of the uterus	782	.....	.....	.....	.....	.....	.....	41	155	189	189	106	69	22	7	3	.....	1
131	Cysts and other tumors of the ovary	659	.....	1	.....	.....	.....	.....	13	79	150	137	101	87	60	28	2	.....	1
132	Salpingitis and other diseases of the female genital organs	1,569	1	.....	.....	.....	1	.....	74	484	567	346	66	21	6	2	1	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	43	16	.....	.....	.....	.....	.....	.....	6	4	7	3	2	3	2	.....	.....	.....
	VII.—The puerperal state	16,320	.....	.....	.....	.....	.....	.....	1,544	7,325	6,124	1,287	13	.....	.....	.....	.....	.....	27
134	Accidents of pregnancy	2,288	.....	.....	.....	.....	.....	.....	114	1,046	1,002	121	2	.....	.....	.....	.....	.....	3
135	Puerperal hemorrhage	1,386	.....	.....	.....	.....	.....	.....	52	458	672	200	1	.....	.....	.....	.....	.....	3
136	Other accidents of labor	2,261	.....	.....	.....	.....	.....	.....	153	1,028	883	187	4	.....	.....	.....	.....	.....	6
137	Puerperal septicemia	5,616	.....	.....	.....	.....	.....	.....	569	2,687	1,959	391	3	.....	.....	.....	.....	.....	7
138	Puerperal albuminuria and convulsions	4,109	.....	.....	.....	.....	.....	.....	628	1,842	1,330	301	2	.....	.....	.....	.....	.....	6
139	Puerperal phlegmasia alba dolens, embolus, sudden death	576	.....	.....	.....	.....	.....	.....	20	228	249	78	.....	.....	.....	.....	.....	.....	1
140	Following childbirth (not otherwise defined)	76	.....	.....	.....	.....	.....	.....	8	35	24	9	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	8	.....	.....	.....	.....	.....	.....	.....	1	5	.....	1	.....	.....	.....	.....	.....	1

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	REGISTRATION STATES [1]—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	3,379	638	63	20	28	10	49	137	121	157	234	325	379	582	510	109	10	7
142	Gangrene	1,433	41	12	5	14	4	11	19	14	28	51	119	185	410	411	95	10	4
143	Furuncle	560	107	8	1			4	45	39	50	72	92	71	48	20	2		1
144	Acute abscess	676	182	21	10	13	3	28	55	45	54	70	59	61	47	26	2		
145	Other diseases of the skin and annexa	710	308	22	4	1	3	6	18	23	25	41	55	62	77	53	10		2
	IX.—Diseases of the bones and of the organs of locomotion	2,679	170	81	63	54	52	318	483	291	265	260	235	214	123	59	8	2	1
146	Diseases of the bones (tuberculosis excepted)	2,328	157	74	61	52	49	313	437	258	234	220	191	165	75	38	3		1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	280	10	5	2	1	3	4	42	23	25	34	37	37	37	16	4		
148	Amputations	1								1									
149	Other diseases of the organs of locomotion	70	3	2		1		1	4	9	6	6	7	12	11	5	1	2	
	X.—Malformations	13,060	12,050	384	135	87	53	148	121	49	19	11	1	1					1
150	Congenital malformations (total)	13,060	12,050	384	135	87	53	148	121	49	19	11	1	1					1
	Hydrocephalus	1,218	899	124	57	41	16	44	20	10	4	2	1						
	Congenital malformations of the heart	7,892	7,467	156	47	22	19	66	75	24	7	7		1					1
	Other congenital malformations	3,950	3,684	104	31	24	18	38	26	15	8	2							
	XI.—Early infancy	59,738	59,738																
151	Congenital debility, icterus, and sclerema (total)	46,816	46,816																
	Premature birth	37,564	37,564																
	Congenital debility, "atrophy," "marasmus," etc	9,252	9,252																
152	Other causes peculiar to early infancy (total)	12,787	12,787																
	Injuries at birth	7,331	7,331																
	Other causes peculiar to early infancy	5,456	5,456																
153	Lack of care	135	135																
	XII.—Old age	12,236										7	55	419	3,198	5,877	2,286	373	21
154	Senility	12,236										7	55	419	3,198	5,877	2,286	373	21
	XIII.—External causes	75,738	2,111	1,700	1,543	1,548	1,304	4,529	8,028	11,704	11,107	9,062	7,547	6,174	5,056	3,413	616	42	254
	Suicide (total)	8,790						1	335	1,415	1,789	1,860	1,582	1,104	515	162	11		16
155	By poison	1,368							99	328	299	276	171	121	59	15			
156	By asphyxia	1,115							27	164	210	241	238	156	55	22	2		
157	By hanging or strangulation	1,611							25	158	292	358	327	253	143	47	4		4
158	By drowning	551							19	78	111	112	118	62	35	14			2
159	By firearms	3,078						1	152	562	653	621	511	365	164	41	1		7
160	By cutting or piercing instruments	635							6	60	123	150	140	89	43	18	3		3
161	By jumping from high places	245							5	39	66	48	44	28	10	4	1		
162	By crushing	97							1	13	21	27	17	14	4				
163	Other suicides	90							1	13	14	27	16	16	2	1			
	Accidental or undefined (total)	61,133	1,965	1,690	1,529	1,531	1,286	4,476	7,263	8,339	7,698	6,315	5,561	4,925	4,479	3,236	604	42	194
164	Poisoning by food	908	109	64	44	37	33	72	73	92	82	76	81	72	52	17	1		3
165	Other acute poisonings	1,764	114	260	119	69	37	54	75	217	278	244	158	79	29	26	1		4
166	Conflagration	1,030	55	67	48	63	49	103	62	97	104	82	84	62	86	43	9	2	14
167	Burns (conflagration excepted)	6,440	265	639	746	683	523	825	442	448	432	361	303	287	277	164	22	13	10
168	Absorption of deleterious gases (conflagration excepted)	2,970	757	36	8	11	8	52	152	278	343	330	355	301	234	90	12	1	2
169	Accidental drowning	4,925	34	191	117	80	71	531	1,488	989	538	378	228	151	59	23			47
170	Traumatism by firearms	2,168	7	15	22	35	46	216	881	408	238	150	77	44	13	4			12
171	Traumatism by cutting or piercing instruments	170	4	1	2	1	5	15	15	20	15	24	29	21	13	4	1		
172	Traumatism by fall	10,175	157	138	107	104	72	282	410	583	651	684	811	1,152	2,157	2,336	500	20	11
173	Traumatism in mines and quarries (total)	2,239						5	184	531	673	438	262	115	22	2			7
	Traumatism in mines	2,135						3	176	502	651	420	249	107	18	2			7
	Traumatism in quarries	104						2	8	29	22	18	13	8	4				
174	Traumatism by machines	2,106		1	5	5	2	27	253	497	434	360	309	152	50	5	1		5
175	Traumatism by other crushing (total)	19,262	72	118	190	327	373	1,966	2,457	3,164	2,850	2,367	2,086	1,879	1,031	301	25	1	55
	Railroad accidents and injuries	6,303	13	32	28	20	28	168	652	1,387	1,238	990	764	601	268	68	10		36
	Street-car accidents and injuries	1,706	3	13	21	37	23	118	131	227	249	254	229	202	133	56	3		7
	Automobile accidents and injuries	8,878	34	49	107	222	287	1,489	1,329	1,168	1,056	851	847	816	469	138	8	1	7
	Injuries by other vehicles	1,674	17	22	31	43	30	163	273	188	162	171	173	217	141	34	4		5
	Aeroplane accidents and injuries	149				1	2	3	12	85	32	8	2	2	2				
	Landslide, other crushing	552	5	2	3	4	3	25	60	109	113	93	71	41	18	5			
176	Injuries by animals	596	5	7	10	21	11	51	82	51	60	61	80	85	55	15	1	1	
177	Starvation	26	5			1					2	3	2	3	8	2			
178	Excessive cold	169	6	1	1		1	1	8	11	22	16	25	22	34	15	3	3	
179	Effects of heat	265	40	5	2	3	2	2	9	12	22	38	32	41	40	15	1		1
180	Lightning	408	2	1	1	1	4	18	97	76	79	45	48	24	6	3			3
181	Electricity (lightning excepted)	805	1	1	1		2	18	135	253	201	104	61	23	5				
185	Fractures (cause not specified)	485	8		3	1	2	6	21	42	50	48	39	58	101	84	18	1	3
186	Other external violence	4,222	324	145	103	89	45	232	419	570	624	506	491	354	207	87	9		17
	Homicide (total)	5,815	146	10	14	17	18	52	430	1,950	1,620	887	404	145	62	15	1		44
182	By firearms	4,178	7	4	5	3	8	24	302	1,470	1,236	671	292	84	35	6			31
183	By cutting or piercing instruments	587	11	2	2	2	6	9	56	201	172	81	24	9	6	1			5
184	By other means	1,050	128	4	7	12	4	19	72	279	212	135	88	52	21	8	1		8
	XIV.—Ill-defined diseases	15,097	6,424	678	239	111	95	253	394	596	597	757	929	1,427	1,364	828	183	63	159
187	Ill-defined organic disease	668	11	8	6	3	2	14	17	34	32	59	71	120	148	109	24	4	6
188	Sudden death	1,064	247	11	2	2	4	11	27	51	57	98	127	182	132	84	13	7	9
189	Not specified or ill-defined (total)	13,365	6,166	659	231	106	89	228	350	511	508	600	731	1,125	1,084	635	146	52	144
	Ill-defined	3,885	984	377	96	32	34	72	113	156	184	242	346	529	459	204	38	3	16
	Not specified or unknown	9,480	5,182	282	135	74	55	156	237	355	324	358	385	596	625	431	108	49	128

[1] Including District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	CALIFORNIA.																	
	All causes	47,196	4,998	991	485	318	274	969	1,877	3,607	4,758	4,822	5,853	6,974	6,893	3,790	534	34	19
	I.—General diseases	14,926	706	377	200	136	146	478	885	1,881	2,271	2,002	2,096	1,982	1,303	413	40	.....	10
1	Typhoid fever	166	.....	2	2	1	2	15	32	33	32	21	14	9	2	1	.....	.....	.....
2	Typhus fever	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Malaria	24	2	1	.....	.....	1	1	4	.....	2	3	2	3	3	2	.....	.....	.....
5	Smallpox	9	3	1	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....	.....
6	Measles	220	45	61	28	10	12	33	13	6	7	2	1	1	.....	.....	.....	.....	1
7	Scarlet fever	92	3	6	3	7	16	18	21	9	5	2	2	.....	.....	.....	.....	.....	.....
8	Whooping cough	410	242	86	35	13	11	14	4	1	1	.....	.....	.....	.....	3	.....	.....	.....
9	Diphtheria and croup	461	13	34	37	31	43	178	86	14	6	9	3	2	.....	.....	.....	.....	.....
10	Influenza	2,185	118	77	33	22	14	63	160	403	600	284	152	118	91	34	7	.....	9
13	Cholera nostras	5	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	81	19	14	4	3	2	4	1	4	5	8	3	8	4	2	.....	.....	.....
15	Plague	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
18	Erysipelas	83	23	6	1	.....	.....	1	2	2	7	6	12	11	6	6	.....	.....	.....
19	Other epidemic diseases	13	3	1	.....	.....	1	3	1	1	.....	.....	1	.....	1	1	.....	.....	.....
20	Purulent infection and septicemia	32	4	.....	.....	1	.....	2	2	1	9	3	3	3	3	1	.....	.....	.....
23	Rabies	4	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	44	3	.....	2	1	.....	11	5	2	3	7	8	2	.....	.....	.....	.....	.....
25	Mycoses	7	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	2	1	.....	.....	.....	.....
26	Pellagra	12	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	3	1	.....	.....	.....
27	Beriberi	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,555	109	66	49	34	32	102	483	1,264	1,209	934	627	421	186	34	5	.....	.....
28	Tuberculosis of the lungs	4,784	31	18	21	9	7	50	363	1,128	1,126	854	573	393	168	28	5	.....	.....
29	Acute miliary tuberculosis	151	9	2	1	3	1	8	34	34	24	21	6	5	3	.....	.....	.....	.....
30	Tuberculous meningitis	275	52	38	25	18	18	28	42	31	8	9	5	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	191	13	6	1	1	2	13	21	42	26	30	16	10	7	3	.....	.....	.....
32	Pott's disease	54	.....	.....	.....	1	2	1	7	10	12	8	7	4	1	1	.....	.....	.....
33	White swellings	15	.....	.....	1	1	2	.....	1	.....	1	2	4	1	2	.....	.....	.....	.....
34	Tuberculosis of other organs	70	.....	1	.....	1	.....	1	8	15	10	10	11	6	5	2	.....	.....	.....
35	Disseminated tuberculosis	15	4	1	.....	.....	.....	1	2	4	2	.....	.....	1	.....	.....	.....	.....	.....
36	Rickets	10	5	2	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
37	Syphilis	399	70	2	2	3	.....	.....	7	26	62	78	76	58	14	1	.....	.....	.....
38	Gonococcus infection	17	1	.....	.....	.....	.....	.....	2	7	6	.....	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	3,800	4	6	1	1	2	6	5	46	215	494	915	1,040	782	264	19	.....	.....
39	Of the buccal cavity	141	1	.....	.....	.....	.....	.....	1	1	6	11	32	35	41	11	2	.....	.....
40	Of the stomach, liver	1,422	1	.....	.....	.....	.....	3	.....	9	57	132	335	463	330	88	4	.....	.....
41	Of the peritoneum, intestine, rectum	517	.....	2	.....	.....	.....	1	.....	7	28	63	132	135	106	41	2	.....	.....
42	Of the female genital organs	525	.....	.....	.....	.....	.....	.....	.....	7	50	124	130	119	77	16	2	.....	.....
43	Of the breast	370	.....	.....	.....	.....	.....	.....	.....	3	31	66	113	76	49	31	1	.....	.....
44	Of the skin	116	.....	.....	.....	.....	.....	.....	2	2	5	17	28	32	26	4	.....	.....	.....
45	Of other organs or of organs not specified	709	2	4	1	1	2	2	4	17	41	93	156	184	147	51	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	7	1	1	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....
47	Acute articular rheumatism	74	.....	1	.....	2	.....	4	9	10	6	6	9	8	8	10	1	.....	.....
48	Chronic rheumatism and gout	42	.....	.....	.....	.....	.....	.....	1	.....	.....	2	11	6	9	10	3	.....	.....
49	Scurvy	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	596	.....	1	1	1	3	10	20	27	26	41	137	167	130	29	3	.....	.....
51	Exophthalmic goiter	65	.....	.....	.....	.....	.....	.....	1	2	12	20	16	9	5	.....	.....	.....	.....
52	Addison's disease	18	.....	.....	.....	.....	.....	.....	.....	3	4	6	4	.....	1	.....	.....	.....	.....
53	Leukemia	95	2	3	1	1	.....	2	13	5	10	19	16	13	9	1	.....	.....	.....
54	Anemia, chlorosis	261	5	1	.....	2	1	3	5	5	20	30	64	85	31	8	1	.....	.....
55	Other general diseases	72	26	5	.....	.....	.....	7	3	3	5	3	5	3	9	2	1	.....	.....
56	Alcoholism (acute or chronic)	35	.....	.....	.....	.....	.....	.....	.....	2	7	15	5	4	2	.....	.....	.....	.....
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	13	.....	.....	.....	.....	.....	.....	.....	1	5	2	1	.....	2	2	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,781	93	39	22	26	12	57	105	127	242	428	717	1,070	1,172	597	69	4	1
60	Encephalitis	69	3	1	.....	1	.....	3	9	15	9	14	6	6	1	1	.....	.....	.....
61	Meningitis (total)	236	49	23	15	14	7	23	36	25	19	7	8	8	2	.....	.....	.....	.....
	Simple meningitis	101	19	10	6	10	4	13	9	8	6	4	6	5	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	51	9	4	3	1	2	6	10	5	6	1	2	2	.....	.....	.....	.....	.....
	Cerebrospinal fever	84	21	9	6	3	1	4	17	12	7	2	.....	1	1	.....	.....	.....	.....
62	Locomotor ataxia	95	.....	.....	.....	.....	.....	.....	.....	.....	5	12	25	35	13	5	.....	.....	.....
63	Other diseases of the spinal cord (total)	256	4	5	2	4	1	6	7	9	10	17	38	69	67	14	3	.....	.....
	Acute anterior poliomyelitis	28	4	4	2	1	1	6	2	2	1	2	1	2	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	228	.....	1	.....	3	.....	.....	5	7	9	15	37	67	67	14	3	.....	.....
64	Cerebral hemorrhage, apoplexy	3,181	5	2	.....	1	.....	2	8	24	56	203	488	826	990	517	56	2	1
65	Softening of the brain	49	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	10	18	8	3	1	.....
66	Paralysis without specified cause	167	.....	.....	.....	.....	.....	.....	.....	.....	3	11	22	43	44	39	5	.....	.....
67	General paralysis of the insane	345	.....	.....	.....	.....	.....	.....	1	12	85	109	85	32	15	6	.....	.....	.....
68	Other forms of mental alienation	66	.....	.....	.....	.....	.....	.....	1	5	10	19	10	16	4	1	.....	.....	.....
69	Epilepsy	101	1	.....	1	1	2	6	16	20	17	15	10	7	3	2	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
71	Convulsions of infants	18	17	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	1	4	1	.....	.....	.....
74	Other diseases of the nervous system	111	7	4	4	5	.....	8	11	9	19	11	12	12	6	2	1	.....	.....
75	Diseases of the eyes and their annexa	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
76	Diseases of the ears	64	5	2	.....	.....	2	8	15	8	5	3	6	4	4	1	.....	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	III.—Diseases of the circulatory system.	8,276	31	9	5	1	7	35	115	185	332	616	1,207	1,827	2,290	1,399	202	14	1
77	Pericarditis	32						1	2		3	2	5	5	7	7			
78	Acute endocarditis	271	11	3	3	1	1	2	19	28	29	51	82	15	19	4	2	1	
79	Organic diseases of the heart	6,346	9	1	1		5	28	85	141	256	470	909	1,482	1,783	1,037	131	7	1
80	Angina pectoris	406							3	3	12	31	68	128	120	38	2	1	
81	Diseases of the arteries, atheroma, aneurism, etc.	926							2	3	16	37	97	144	284	277	61	5	
82	Embolism and thrombosis	250	1	1			1		3	10	14	21	39	49	71	34	6		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc)	16										1	7	2	5	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	24	10	4	1			4	1		2	1		1					
85	Hemorrhage; other diseases of the circulatory system	5										2		1	1	1			
	IV.—Diseases of the respiratory system.	4,259	730	217	98	56	33	114	171	308	447	339	343	433	520	378	67	4	1
86	Diseases of the nasal fossæ	6	2						1	1		1				1			
87	Diseases of the larynx	20	2	4	5	2	1	2					1	1	1	1			
88	Diseases of the thyroid body	18		1							1	5	3	4	4				
89	Acute bronchitis	165	79	12	5	4	2	4		3	1	2	2	9	10	25	7		
90	Chronic bronchitis	180	1	1	1			1		1	1	6	13	29	59	56	11		
91	Bronchopneumonia	1,463	441	127	54	25	18	50	48	57	73	68	78	105	182	117	18	2	
92	Pneumonia (total)	2,077	193	70	27	21	11	52	108	222	346	230	195	230	216	137	17	1	1
	Lobar pneumonia	1,886	154	61	22	18	10	41	101	209	331	218	185	207	197	118	13		1
	Pneumonia (undefined)	191	39	9	5	3	1	11	7	13	15	12	10	23	19	19	4	1	
93	Pleurisy	129	5	2	4	2	1	2	12	15	15	11	24	16	14	6			
94	Pulmonary congestion, pulmonary apoplexy	64	3			1		1			1		2	12	14	20	9	1	
95	Gangrene of the lung	16			1					2	1	3	3	3	2	1			
96	Asthma	73	1			1				2	4	7	12	15	14	13	4		
97	Pulmonary emphysema	4								1			1	1			1		
98	Other diseases of the respiratory system (tuberculosis excepted)	44	3		1			2	2	4	4	6	9	8	4	1			
	V.—Diseases of the digestive system	3,754	1,099	244	87	43	30	102	123	176	256	335	398	383	317	145	16		
99	Diseases of the mouth and annexa	21	1	1	1			1	2	3	2	3	3	3	1				
100	Diseases of the pharynx	135	6	3	8	3	5	25	21	14	17	11	9	6	5	2			
101	Diseases of the esophagus	5											3			2			
102	Ulcer of the stomach	174			1		2	2	1	3	16	39	43	37	22	8			
103	Other diseases of the stomach (cancer excepted)	182	53	6	6	1	2	4	2	4	8	12	20	17	27	17	3		
104	Diarrhea and enteritis (under 2 years)	1,197	982	215															
105	Diarrhea and enteritis (2 years and over)	368			61	33	15	21	10	19	24	37	36	36	42	30	4		
107	Intestinal parasites	4						2	1			1							
108	Appendicitis and typhlitis	454	3	3	4	4	1	34	61	71	84	69	67	35	16	2			
109	Hernia, intestinal obstruction (total)	406	45	9	3	2	2	6	8	23	35	49	55	67	65	34	3		
	Hernia	140	9	2				1	1	2	13	20	24	29	28	9	2		
	Intestinal obstruction	266	36	7	3	2	2	5	7	21	22	29	31	38	37	25	1		
110	Other diseases of the intestines	110	4	3	1			1	4	15	12	10	14	15	11	12	2		
111	Acute yellow atrophy of the liver	13							1	3	4		1	1	3				
112	Hydatid tumor of the liver	2											1	1					
113	Cirrhosis of the liver	331		2				1	3	7	16	45	77	80	67	22	2		
114	Biliary calculi	119							1	4	7	19	28	27	23	8	2		
115	Other diseases of the liver	156	1	1			1	2	3	8	18	21	32	34	30	5			
116	Diseases of the spleen	9							1		1	3	2	2					
117	Simple peritonitis (nonpuerperal)	47	4	1	2		2	3	4	1	6	8	4	6	4	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	21								1	6	2	3	7	1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,856	40	7	11	2	4	25	48	121	268	459	585	831	901	495	56	3	
119	Acute nephritis	175	23	3	6	1	2	8	10	13	28	20	25	17	10	8	1		
120	Bright's disease	3,106	5	2	4	1	2	15	32	74	162	349	492	734	765	416	50	3	
122	Other diseases of the kidneys and annexa	103	11	2	1			1		5	10	10	16	18	20	8	1		
123	Calculi of the urinary passages	29									2	10	2	8	6	1			
124	Diseases of the bladder	52						1			1	1	7	6	13	19	4		
125	Diseases of the urethra, urinary abscess, etc.	10									3	1	2		1				
126	Diseases of the prostate	158											9	35	75	39			
127	Nonvenereal diseases of the male genital organs	2	1									1							
128	Uterine hemorrhage (nonpuerperal)	2								1	1								
129	Uterine tumor (noncancerous)	86								5	13	38	18	5	5	2			
130	Other diseases of the uterus	31							1	4	11	5	4	3	1	2			
131	Cysts and other tumors of the ovary	21							1	3	5	4	3	3	2				
132	Salpingitis and other diseases of the female genital organs	79							4	16	32	19	6	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	2										1	1						
	VII.—The puerperal state	517							41	218	210	47							1
134	Accidents of pregnancy	71							2	37	26	6							
135	Puerperal hemorrhage	49								16	25	8							
136	Other accidents of labor	57							6	21	26	4							
137	Puerperal septicemia	177							12	79	72	13							1
138	Puerperal albuminuria and convulsions	145							21	60	48	16							
139	Puerperal phlegmasia alba dolens embolus, sudden death	15								4	11								
140	Following childbirth (not otherwise defined)	3								1	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	119	12	2	.....	1	.....	.....	10	8	8	10	13	9	20	24	2	.....	.....
142	Gangrene	45	.....	.....	.....	1	.....	.....	.....	.....	.....	1	5	5	12	19	2	.....	.....
143	Furuncle	18	2	.....	.....	.....	.....	.....	4	1	3	1	4	1	2	.....	.....	.....	.....
144	Acute abscess	32	6	1	.....	.....	.....	.....	3	5	2	7	4	3	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	24	4	1	.....	.....	.....	.....	3	2	3	1	.....	.....	6	4	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	102	6	.....	2	1	.....	6	21	14	9	7	10	10	7	7	1	1	.....
146	Diseases of the bones (tuberculosis excepted)	88	6	.....	2	1	.....	6	20	11	9	7	8	8	6	4	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	2	.....	3	1	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	.....
	X.—Malformations	452	393	24	6	3	1	9	8	6	.....	2	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	452	393	24	6	3	1	9	8	6	.....	2	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	50	26	6	4	3	.....	4	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	283	259	12	2	.....	.....	3	3	3	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	119	108	6	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,784	1,784	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,379	1,379	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,144	1,144	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	235	235	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	398	398	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	226	226	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	172	172	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	297	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	88	132	57	5	.....
154	Senility	297	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	88	132	57	5	.....
	XIII.—External causes	4,025	90	64	51	49	40	142	350	562	715	573	476	411	272	198	24	3	5
	Suicide (total)	698	.....	.....	.....	.....	.....	.....	20	108	152	134	127	107	29	20	1	.....	.....
155	By poison	103	.....	.....	.....	.....	.....	.....	5	18	35	22	6	11	5	1	.....	.....	.....
156	By asphyxia	70	.....	.....	.....	.....	.....	.....	.....	14	7	15	13	11	6	4	.....	.....	.....
157	By hanging or strangulation	76	.....	.....	.....	.....	.....	.....	1	6	15	19	19	9	5	2	.....	.....	.....
158	By drowning	43	.....	.....	.....	.....	.....	.....	.....	5	6	14	7	7	.....	4	.....	.....	.....
159	By firearms	305	.....	.....	.....	.....	.....	.....	13	53	66	48	58	50	10	6	1	.....	.....
160	By cutting or piercing instruments	62	.....	.....	.....	.....	.....	.....	1	7	10	8	15	15	3	3	.....	.....	.....
161	By jumping from high places	22	.....	.....	.....	.....	.....	.....	.....	5	4	4	6	3	.....	.....	.....	.....	.....
162	By crushing	13	.....	.....	.....	.....	.....	.....	.....	.....	7	3	3	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	3,041	86	63	51	47	39	141	314	377	475	381	324	296	239	177	23	3	5
164	Poisoning by food	63	4	1	1	2	1	6	7	10	7	8	4	2	6	4	.....	.....	.....
165	Other acute poisonings	124	6	18	5	7	4	3	4	14	20	18	15	5	.....	4	1	.....	.....
166	Conflagration	46	5	3	.....	.....	.....	3	2	1	5	5	4	4	7	5	1	1	.....
167	Burns (conflagration excepted)	152	6	10	5	14	12	11	14	11	16	12	16	5	11	9	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	124	24	1	1	1	.....	2	7	3	17	12	10	23	15	8	.....	.....	.....
169	Accidental drowning	244	2	14	15	4	2	21	44	36	32	35	19	9	7	2	.....	.....	2
170	Traumatism by firearms	89	.....	.....	1	1	2	12	32	16	12	8	2	3	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	5	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....
172	Traumatism by fall	438	6	2	2	5	.....	11	20	31	35	40	38	42	81	105	18	1	1
173	Traumatism in mines and quarries (total)	42	.....	.....	.....	.....	.....	.....	2	4	18	8	6	2	1	1	.....	.....	.....
	Traumatism in mines	37	.....	.....	.....	.....	.....	.....	2	3	15	7	6	2	1	1	.....	.....	.....
	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	125	.....	1	1	.....	.....	2	12	30	34	26	12	7	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	1,280	6	9	16	11	16	64	143	175	233	159	164	161	90	32	1	.....	.....
	Railroad accidents and injuries	234	2	1	2	1	2	4	16	27	53	44	45	23	11	3	.....	.....	.....
	Street-car accidents and injuries	155	.....	2	3	4	3	4	13	18	24	20	22	22	10	10	.....	.....	.....
	Automobile accidents and injuries	734	3	5	8	5	9	53	100	96	128	77	75	100	58	16	1	.....	.....
	Injuries by other vehicles	88	1	1	3	1	1	2	7	12	9	10	17	11	10	3	.....	.....	.....
	Aeroplane accidents and injuries	38	.....	.....	.....	.....	1	1	4	18	11	2	1	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	31	.....	.....	.....	.....	.....	.....	3	4	8	6	4	5	1	.....	.....	.....	.....
176	Injuries by animals	29	.....	.....	.....	.....	1	.....	4	4	1	5	7	4	2	1	.....	.....	.....
177	Starvation	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....
178	Excessive cold	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
179	Effects of heat	40	13	1	.....	1	.....	.....	2	3	3	5	3	3	3	3	.....	.....	.....
180	Lightning	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	67	.....	.....	.....	.....	.....	1	9	19	16	14	6	2	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	13	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	3	4	.....	1	.....	.....
186	Other external violence	152	14	3	3	1	1	5	11	20	24	24	14	19	9	2	.....	.....	2
	Homicide (total)	286	4	1	.....	2	1	1	16	77	88	58	25	8	4	1	.....	.....	.....
182	By firearms	192	1	.....	.....	1	.....	.....	12	57	56	41	16	6	2	.....	.....	.....	.....
183	By cutting or piercing instruments	28	.....	.....	.....	.....	.....	.....	1	4	14	7	1	1	.....	.....	.....	.....	.....
184	By other means	66	3	1	.....	1	1	1	3	16	18	10	8	1	2	1	.....	.....	.....
	XIV.—Ill-defined diseases	48	14	8	3	.....	1	1	.....	1	.....	4	7	4	3	2	.....	.....	.....
188	Sudden death	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	46	13	8	3	.....	1	1	.....	1	.....	3	7	4	3	2	.....	.....	.....
	Ill-defined	32	5	8	3	.....	1	1	.....	.....	.....	2	5	2	3	2	.....	.....	.....
	Not specified or unknown	14	8	.....	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	COLORADO.																		
	All causes	13,717	1,972	398	189	124	80	273	653	1,653	1,689	1,365	1,411	1,632	1,517	651	102	4	4
	I.—General diseases	5,022	374	171	92	61	43	140	282	1,000	961	609	526	401	277	72	9	1	3
1	Typhoid fever	87	2	1	1	.....	3	9	22	20	13	4	8	3	1	.....	.....	.....	.....
4	Malaria	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Smallpox	10	4	1	2	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	98	23	27	18	5	3	11	1	4	.....	2	2	1	1	.....	.....	.....	.....
7	Scarlet fever	42	2	6	4	8	2	12	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	250	153	42	20	10	11	9	1	1	1	1	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	138	6	11	12	16	11	45	29	6	.....	1	.....	.....	1	.....	.....	.....	.....
10	Influenza	1,049	83	56	19	11	7	29	69	189	233	129	86	49	59	24	5	1	.....
13	Cholera nostras	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
14	Dysentery	30	10	2	2	3	.....	2	.....	3	.....	3	1	1	3	2	1	.....	.....
18	Erysipelas	43	16	1	1	1	.....	1	1	3	5	2	3	1	5	3	.....	.....	.....
19	Other epidemic diseases	6	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	8	4	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
24	Tetanus	7	1	.....	.....	.....	.....	.....	2	1	.....	.....	2	1	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,134	23	19	9	4	5	7	112	723	619	322	171	88	26	3	.....	.....	3
28	Tuberculosis of the lungs	1,985	6	2	3	1	.....	2	93	698	600	308	158	84	24	3	.....	.....	3
29	Acute miliary tuberculosis	27	4	2	1	.....	.....	1	4	6	4	3	1	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	56	9	14	4	2	3	1	9	10	2	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	37	2	1	1	.....	1	2	2	5	11	4	4	2	2	.....	.....	.....	.....
32	Pott's disease	9	.....	.....	.....	1	.....	1	1	2	.....	2	2	.....	.....	.....	.....	.....	.....
33	White swellings	6	1	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	10	1	.....	.....	.....	.....	.....	1	.....	1	2	5	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
37	Syphilis	106	27	1	1	.....	.....	2	6	10	14	11	21	9	3	1	.....	.....	.....
38	*Gonococcus infection*	7	2	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	691	2	1	.....	.....	.....	2	6	8	50	94	169	183	141	32	3	.....	.....
39	Of the buccal cavity	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	7	5	2	.....	.....	.....
40	Of the stomach, liver	297	.....	.....	.....	.....	.....	.....	.....	.....	13	28	76	92	74	12	2	.....	.....
41	Of the peritoneum, intestines, rectum	82	.....	.....	.....	.....	.....	.....	.....	1	7	13	20	21	12	8	.....	.....	.....
42	Of the female genital organs	91	.....	1	.....	.....	.....	.....	.....	3	14	20	24	20	9	.....	.....	.....	.....
43	Of the breast	45	.....	.....	.....	.....	.....	.....	.....	.....	6	8	18	10	2	1	.....	.....	.....
44	Of the skin	21	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	3	7	4	1	.....	.....
45	Of other organs or of organs not specified	135	2	.....	.....	.....	.....	2	6	4	9	20	25	30	32	5	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	33	.....	.....	.....	.....	.....	2	9	4	3	2	5	4	4	.....	.....	.....	.....
48	Chronic rheumatism and gout	12	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	5	2	2	.....	.....	.....
50	Diabetes	137	.....	.....	1	1	.....	5	15	15	9	16	25	30	17	3	.....	.....	.....
51	Exophthalmic goiter	17	.....	.....	.....	.....	.....	.....	.....	4	4	3	5	1	.....	.....	.....	.....	.....
52	Addison's disease	6	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....
53	Leukemia	18	.....	1	.....	.....	.....	1	1	1	6	1	4	3	.....	.....	.....	.....	.....
54	Anemia, chlorosis	52	2	1	1	.....	.....	.....	.....	3	.....	6	10	18	11	.....	.....	.....	.....
55	Other general diseases	22	9	.....	.....	1	1	2	2	.....	.....	4	1	1	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	988	36	8	4	6	2	10	23	33	50	94	171	233	214	94	10	.....	.....
60	Encephalitis	21	2	.....	.....	.....	.....	1	1	5	8	2	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	51	15	4	2	5	.....	4	7	3	4	3	1	2	.....	1	.....	.....	.....
	Simple meningitis	26	7	2	1	2	.....	3	4	.....	1	3	1	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	11	3	1	.....	2	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	14	5	1	1	1	.....	1	1	1	2	.....	.....	.....	.....	1	.....	.....	.....
62	Locomotor ataxia	18	.....	.....	.....	.....	.....	.....	.....	.....	1	2	8	6	1	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	40	2	1	.....	.....	1	.....	1	3	.....	5	11	10	2	4	.....	.....	.....
	Acute anterior poliomyelitis	6	2	1	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	34	.....	.....	.....	.....	.....	.....	1	2	.....	5	11	9	2	4	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	628	3	.....	.....	.....	.....	.....	1	4	16	39	113	184	186	74	8	.....	.....
65	Softening of the brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....
66	Paralysis without specified cause	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	12	13	9	2	.....	.....
67	General paralysis of the insane	68	.....	.....	.....	.....	.....	.....	.....	1	9	21	21	13	3	.....	.....	.....	.....
68	Other forms of mental alienation	8	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	1	1	.....	.....	.....
69	Epilepsy	41	1	.....	.....	.....	.....	1	6	10	7	4	4	4	4	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	8	6	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
74	Other diseases of the nervous system	28	.....	1	.....	.....	1	1	3	4	4	9	2	2	.....	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	20	7	1	2	.....	.....	3	.....	1	.....	3	2	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	COLORADO—Continued.																		
	III.—Diseases of the circulatory system.	1,418	14	3	3	3	1	22	58	48	79	140	184	331	368	141	23	.....	.....
77	Pericarditis	14	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	2	5	.....	.....	.....	.....
78	Acute endocarditis	80	5	.....	1	1	.....	4	9	8	8	13	25	2	3	1	.....	.....	.....
79	Organic diseases of the heart	994	6	3	2	2	1	17	47	34	60	103	112	237	272	84	14	.....	.....
80	Angina pectoris	67	.....	.....	.....	.....	.....	.....	.....	.....	2	10	15	26	11	2	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	186	.....	.....	.....	.....	.....	.....	.....	1	2	6	16	42	60	51	8	.....	.....
82	Embolism and thrombosis	67	1	.....	.....	.....	.....	1	2	4	5	4	13	20	14	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	1,933	323	83	34	23	14	32	70	166	189	167	181	263	243	124	20	.....	1
86	Diseases of the nasal fossae	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	15	1	2	4	2	.....	2	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	1	1	.....	.....	.....	.....
89	Acute bronchitis	45	19	10	1	1	.....	.....	.....	2	.....	2	.....	2	1	6	1	.....	.....
90	Chronic bronchitis	57	1	.....	.....	.....	.....	.....	.....	.....	2	2	7	9	25	8	3	.....	.....
91	Bronchopneumonia	577	214	47	22	14	4	10	9	21	28	20	29	52	55	47	5	.....	.....
92	Pneumonia (total)	1,092	85	22	6	5	10	17	58	137	144	122	120	168	135	53	9	.....	1
	Lobar pneumonia	1,049	76	22	6	5	9	17	57	134	143	118	117	167	120	49	8	.....	1
	Pneumonia (undefined)	43	9	.....	.....	.....	1	.....	1	3	1	4	3	1	15	4	1	.....	.....
93	Pleurisy	21	1	1	1	.....	.....	2	1	2	1	1	1	4	5	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	4	3	2	.....	.....
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
96	Asthma	61	.....	1	.....	1	.....	.....	.....	3	6	12	17	15	6	.....	.....	.....	.....
97	Pulmonary emphysema	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	41	1	.....	.....	.....	.....	.....	1	1	7	13	8	9	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	1,216	408	87	34	18	10	33	67	76	92	99	105	89	66	29	2	1	.....
99	Diseases of the mouth and annexa	7	2	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	53	5	1	2	2	3	10	8	3	10	6	1	1	.....	1	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	48	.....	.....	.....	.....	.....	.....	.....	6	6	11	13	6	5	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	82	32	5	.....	2	.....	.....	.....	2	1	6	2	10	13	8	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	422	345	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	89	.....	.....	28	8	3	.....	3	2	5	8	6	7	9	9	1	.....	.....
107	Intestinal parasites	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	232	2	2	2	4	3	20	43	48	36	31	24	13	4	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	110	15	2	.....	1	.....	3	6	7	16	9	14	14	17	6	.....	.....	.....
	Hernia	30	4	.....	.....	.....	.....	.....	1	.....	3	3	4	7	5	3	.....	.....	.....
	Intestinal obstruction	80	11	2	.....	1	.....	3	5	7	13	6	10	7	12	3	.....	.....	.....
110	Other diseases of the intestines	21	2	.....	.....	.....	.....	.....	1	2	4	3	1	3	3	1	.....	1	.....
111	Acute yellow atrophy of the liver	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	39	.....	.....	.....	.....	.....	.....	.....	.....	2	4	15	9	7	2	.....	.....	.....
114	Biliary calculi	43	.....	.....	.....	.....	.....	.....	.....	.....	2	8	13	16	4	.....	.....	.....	.....
115	Other diseases of the liver	40	.....	.....	1	.....	.....	.....	1	2	7	8	12	5	4	.....	.....	.....	.....
116	Diseases of the spleen	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	17	2	.....	1	1	1	.....	4	1	1	4	.....	1	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	876	12	5	1	.....	.....	1	23	28	69	81	122	216	219	85	13	1	.....
119	Acute nephritis	56	6	2	1	.....	.....	1	5	5	9	7	4	5	8	1	2	.....	.....
120	Bright's disease	669	2	3	.....	.....	.....	.....	15	14	28	53	101	187	187	69	9	1	.....
122	Other diseases of the kidneys and annexa	20	3	.....	.....	.....	.....	.....	3	3	.....	3	2	3	2	1	.....	.....	.....
123	Calculi of the urinary passages	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	2	3	.....	.....	.....
124	Diseases of the bladder	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....
126	Diseases of the prostate	49	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	19	15	9	2	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	20	.....	.....	.....	.....	.....	.....	.....	.....	7	6	4	2	1	.....	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	.....	5	1	2	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	10	.....	.....	.....	.....	.....	.....	.....	1	4	1	3	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	.....	4	15	7	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	212	.....	.....	.....	.....	.....	.....	18	99	79	15	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	31	.....	.....	.....	.....	.....	.....	3	14	13	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	16	.....	.....	.....	.....	.....	.....	3	6	6	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	34	.....	.....	.....	.....	.....	.....	2	14	14	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	79	.....	.....	.....	.....	.....	.....	5	41	25	8	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	41	.....	.....	.....	.....	.....	.....	5	20	14	1	1	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11	.....	.....	.....	.....	.....	.....	.....	4	7	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	34	4	1						3	1	1	4	3	10	4	3		
142	Gangrene	20										1	1	3	9	3	3		
143	Furuncle	2	1													1			
144	Acute abscess	6								2	1		3						
145	Other diseases of the skin and annexa	6	3	1						1					1				
	IX.—Diseases of the bones and of the organs of locomotion	26	1	3	1	1	1	1	2	2	3	4	1	2	4				
146	Diseases of the bones (tuberculosis excepted)	21	1	2	1	1	1	1	2	2	3	2	1	1	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4		1								1		1	1				
149	Other diseases of the organs of locomotion	1										1							
	X.—Malformations	124	115	3	1	1		1	2		1								
150	Congenital malformations (total)	124	115	3	1	1		1	2		1								
	Hydrocephalus	11	7	2				1	1										
	Congenital malformations of the heart	83	81		1				1										
	Other congenital malformations	30	27	1		1					1								
	XI.—Early infancy	650	650																
151	Congenital debility, icterus, and sclerema (total)	536	536																
	Premature birth	439	439																
	Congenital debility, "atrophy," "marasmus," etc	97	97																
152	Other causes peculiar to early infancy (total)	114	114																
	Injuries at birth	57	57																
	Other causes peculiar to early infancy	57	57																
	XII.—Old age	132											1	6	38	69	18		
154	Senility	132											1	6	38	69	18		
	XIII.—External causes	1,050	23	32	19	11	9	32	108	196	163	152	110	81	76	33	4	1	
	Suicide (total)	149							8	27	25	32	32	18	7				
155	By poison	31							2	8	7	7	5	2					
156	By asphyxia	10								2	1	4	2	1					
157	By hanging or strangulation	16							1	2	4		6	3					
158	By drowning	4										1	2	1					
159	By firearms	76							5	14	11	17	15	8	6				
160	By cutting or piercing instruments	8								1	2	2	1	1	1				
161	By *jumping from high places*	1												1					
162	By crushing	2										1	1						
163	Other suicides	1												1					
	Accidental or undefined (total)	814	21	32	19	11	9	32	92	136	117	108	72	62	66	32	4	1	
164	Poisoning by food	18	1		1	1			1	3	2	2	3	3		1			
165	Other acute poisonings	33	3	6		2		1	1	4	9	4	2	1					
166	Conflagration	3											1		2				
167	Burns (conflagration excepted)	44	1	3	6	2	4	5	8	5	2	2	4			1	1		
168	Absorption of deleterious gases (conflagration excepted)	30	10	1					4	2	3	2	1	3	3	1			
169	Accidental drowning	50		12	5	1		1	9	10	6	4		1	1				
170	Traumatism by firearms	32						5	11	6	3	3	2	1	1				
171	Traumatism by cutting or piercing instruments	2										1		1					
172	Traumatism by fall	118	2	2	4		1	2	8	5	5	13	7	7	35	23	3	1	
173	Traumatism in mines and quarries (total)	101							5	29	33	22	7	4	1				
	Traumatism in mines	99							5	28	33	21	7	4	1				
	Traumatism in quarries	2								1		1							
174	Traumatism by machines	24				1			3	4	6	2	3	4	1				
175	Traumatism by other crushing (total)	264	3	3	1	3	3	12	27	52	33	40	30	32	20	5			
	Railroad accidents and injuries	70		1		1			3	21	13	12	5	11	3				
	Street-car accidents and injuries	27		1				1	1	3	3	11	1	3	3				
	Automobile accidents and injuries	117	2	1	1	1	2	8	14	20	13	14	17	10	11	3			
	Injuries by other vehicles	46	1			1	1	3	7	7	3	3	7	8	3	2			
	Aeroplane accidents and injuries	1								1									
	Landslide, other crushing	3							2		1								
176	Injuries by animals	10						1		2	2	3	1		1				
177	Starvation	1										1							
178	Excessive cold	12							5	1	3	1	2						
179	Effects of heat	2										1	1						
180	Lightning	11						1	1	2	3	2	1	1					
181	Electricity (lightning excepted)	11							1	5	3	2							
186	Other external violence	48	1	5	2	1	1	4	8	6	4	3	7	4	1	1			
	Homicide (total)	87	2						8	33	21	12	6	1	3	1			
182	By firearms	73							7	32	18	10	3	1	2				
183	By cutting or piercing instruments	5							1	1	1	1	1						
184	By other means	9	2								2	1	2		1	1			
	XIV.—Ill-defined diseases	36	12	2				1		2	2	3	5	7	2				
187	Ill-defined organic disease	2												2					
188	Sudden death	3	2								1								
189	Not specified or ill-defined (total)	31	10	2				1		2	1	3	5	5	2				
	Ill-defined	12	1	1				1		2	1	1	3	2					
	Not specified or unknown	19	9	1								2	2	3	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	CONNECTICUT.																	
	All causes	18,916	3,134	646	313	186	124	427	626	1,305	1,604	1,582	2,103	2,566	2,600	1,456	239	2	3
	I.—General diseases	5,465	392	264	154	90	55	175	268	671	712	637	707	699	470	161	10	.....	.....
1	Typhoid fever	57	.....	.....	1	1	.....	3	8	17	9	9	8	1	.....	.....	.....	.....	.....
4	Malaria	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....
6	Measles	135	40	45	20	8	6	10	3	.....	1	.....	.....	.....	1	1	.....	.....	.....
7	Scarlet fever	75	1	12	16	7	5	17	11	3	1	1	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	218	113	66	17	10	1	10	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	237	19	36	40	33	20	68	15	2	1	.....	.....	2	1	.....	.....	.....	.....
10	Influenza	918	83	61	19	10	7	14	29	156	191	90	91	70	62	32	3	.....	.....
13	Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	20	3	2	1	.....	.....	.....	.....	1	2	1	2	2	2	3	1	.....	.....
18	Erysipelas	45	15	1	.....	1	1	.....	1	.....	2	6	5	5	6	2	.....	.....	.....
19	Other epidemic diseases	9	3	1	.....	1	1	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	7	2	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	17	1	1	.....	.....	.....	5	5	.....	1	2	1	.....	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,666	45	29	37	16	12	30	153	443	371	249	160	86	32	3	.....	.....	.....
28	Tuberculosis of the lungs	1,391	10	9	2	5	2	6	129	411	333	226	147	80	29	2	.....	.....	.....
29	Acute miliary tuberculosis	57	2	1	1	1	.....	2	8	7	22	9	4	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	115	24	12	24	6	7	16	4	12	5	2	2	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	55	4	5	6	4	2	2	6	7	6	4	4	4	1	.....	.....	.....	.....
32	Pott's disease	13	1	.....	.....	.....	.....	2	2	2	1	2	1	1	1	.....	.....	.....	.....
33	White swellings	4	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	25	3	2	3	.....	1	2	2	2	4	4	1	.....	.....	1	.....	.....	.....
35	Disseminated tuberculosis	6	1	.....	1	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....
36	Rickets	9	3	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	82	33	1	1	.....	.....	.....	.....	3	13	13	14	4	.....	.....	.....	.....	.....
38	Gonococcus infection	12	.....	.....	.....	.....	.....	.....	.....	.....	9	1	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,403	.....	1	.....	.....	.....	2	4	12	68	190	333	395	297	96	5	.....	.....
39	Of the buccal cavity	43	.....	.....	.....	.....	.....	.....	.....	1	1	2	12	13	13	1	.....	.....	.....
40	Of the stomach, liver	528	.....	1	.....	.....	.....	.....	.....	2	24	60	125	170	118	27	1	.....	.....
41	Of the peritoneum, intestines, rectum	224	.....	.....	.....	.....	.....	.....	.....	1	7	23	57	63	46	27	.....	.....	.....
42	Of the female genital organs	211	.....	.....	.....	.....	.....	.....	.....	2	22	50	58	43	28	7	1	.....	.....
43	Of the breast	146	.....	.....	.....	.....	.....	.....	.....	1	4	22	39	35	34	11	.....	.....	.....
44	Of the skin	46	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6	12	14	7	2	.....	.....
45	Of other organs or of organs not specified	205	.....	.....	.....	.....	.....	2	4	5	9	29	36	59	44	16	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	56	2	1	1	1	1	7	17	4	2	5	2	7	3	3	.....	.....	.....
48	Chronic rheumatism and gout	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	4	1	1	.....	.....
49	Scurvy	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	294	.....	1	.....	.....	.....	4	19	13	15	38	56	88	47	13	.....	.....	.....
51	Exophthalmic goiter	19	.....	.....	.....	.....	.....	.....	.....	4	3	5	5	2	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
53	Leukemia	24	.....	1	.....	.....	.....	.....	1	5	3	3	6	4	1	.....	.....	.....	.....
54	Anemia, chlorosis	78	1	1	.....	1	.....	.....	1	.....	5	14	15	25	9	6	.....	.....	.....
55	Other general diseases	34	25	.....	.....	.....	1	3	1	1	1	1	1	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	14	.....	.....	.....	.....	.....	.....	.....	1	6	3	4	.....	.....	.....	.....	.....	.....
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,012	89	34	22	13	5	35	41	43	79	144	274	422	508	265	38	.....	.....
60	Encephalitis	47	1	2	.....	2	3	2	2	8	12	7	4	3	1	.....	.....	.....	.....
61	Meningitis (total)	133	31	17	14	6	2	17	16	5	8	8	3	4	.....	2	.....	.....	.....
	Simple meningitis	62	17	8	6	2	.....	9	6	3	2	5	1	2	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	29	8	4	3	1	.....	2	4	.....	2	2	1	1	.....	1	.....	.....	.....
	Cerebrospinal fever	42	6	5	5	3	2	6	6	2	4	1	1	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	1	6	7	7	9	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	83	2	4	1	3	.....	6	2	5	4	8	12	15	13	8	.....	.....	.....
	Acute anterior poliomyelitis	17	2	4	1	1	.....	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	66	.....	.....	.....	2	.....	.....	.....	4	4	8	12	15	13	8	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,403	4	2	2	1	.....	1	.....	4	15	76	207	371	451	231	33	.....	.....
65	Softening of the brain	11	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	4	.....	.....	.....
66	Paralysis without specified cause	23	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	5	7	7	.....	.....	.....
67	General paralysis of the insane	76	.....	.....	.....	.....	.....	.....	1	5	13	21	14	5	11	6	.....	.....	.....
68	Other forms of mental alienation	19	.....	.....	.....	.....	.....	.....	1	1	4	4	5	.....	4	.....	.....	.....	.....
69	Epilepsy	50	3	.....	1	.....	.....	3	6	6	8	2	8	2	6	5	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	48	39	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
74	Other diseases of the nervous system	47	5	.....	.....	1	.....	1	6	4	9	7	6	5	1	2	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	33	4	3	1	.....	.....	2	3	5	3	4	5	3	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	CONNECTICUT—Continued.																		
	III.—Diseases of the circulatory system.	2,821	25	6	2	2	2	18	58	52	122	199	384	631	772	471	75	1	1
77	Pericarditis	8								2		1	2	2	1				
78	Acute endocarditis	121	9		1	1	1	3	7	7	16	19	44	5	6	2			
79	Organic diseases of the heart	2,084	8		1	1	1	15	50	40	87	154	262	495	573	348	47	1	1
80	Angina pectoris	174								1	8	15	39	48	49	13	1		
81	Diseases of the arteries, atheroma, aneurism, etc	313									1	2	23	58	110	94	25		
82	Embolism and thrombosis	98	2	3						2	6	5	11	21	32	14	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10							1		1	2	3	2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	6	3							2								
85	Hemorrhage; other diseases of the circulatory system	2									1	1							
	IV.—Diseases of the respiratory system.	2,514	474	181	56	28	17	51	61	180	255	182	228	270	294	199	37		1
86	Diseases of the nasal fossae	2	1												1				
87	Diseases of the larynx	11	3	2	1			2		2					1				
88	Diseases of the thyroid body	6								1		2		3					
89	Acute bronchitis	142	81	9	5	3	2	2	1	3		1	2	2	9	16	6		
90	Chronic bronchitis	87	1					1	1		5	4	8	11	25	20	10		1
91	Bronchopneumonia	894	279	97	26	7	7	19	15	22	41	32	44	101	118	77	9		
92	Pneumonia (total)	1,277	106	68	22	14	8	24	42	147	197	131	159	144	131	74	10		
	Lobar pneumonia	1,242	102	67	22	14	8	23	38	143	194	128	155	138	127	73	10		
	Pneumonia (undefined)	35	4	1				1	4	4	3	3	4	6	4	1			
93	Pleurisy	51	2	3	2	3		3	2	1	9	6	8	4	6	2			
94	Pulmonary congestion, pulmonary apoplexy	16		2						1		1		1	1	8	2		
95	Gangrene of the lung	2									1	1							
96	Asthma	17				1				1	1	1	7	2	2	2			
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	8	1							2	1	2		2					
	V.—Diseases of the digestive system.	1,583	704	110	25	19	10	33	46	49	81	82	125	110	102	69	18		
99	Diseases of the mouth and annexa	8	1	1							1	1	1	3					
100	Diseases of the pharynx	44	5	3	1		1	7	11	6	3	2	2	1	1	1			
101	Diseases of the esophagus	4	1									1	1			1			
102	Ulcer of the stomach	50						1		5	12	12	11	7		2			
103	Other diseases of the stomach (cancer excepted)	106	35	7	2	2	2	1	1		3	2	11	11	11	14	4		
104	Diarrhea and enteritis (under 2 years)	730	636	94															
105	Diarrhea and enteritis (2 years and over)	131			16	12	4	10	2	3	6	5	13	12	16	22	10		
107	Intestinal parasites	2			1						1								
108	Appendicitis and typhlitis	132		1	2	3	3	9	26	23	24	13	18	8	2				
109	Hernia, intestinal obstruction (total)	137	21	4		1		1	3	4	13	12	22	18	24	12	2		
	Hernia	59	2	1					1	2	8	5	10	11	12	6	1		
	Intestinal obstruction	78	19	3		1		1	2	2	5	7	12	7	12	6	1		
110	Other diseases of the intestines	24	4					1	1		2	1	2	1	7	4	1		
111	Acute yellow atrophy of the liver	3			1							1		1					
113	Cirrhosis of the liver	94			1						4	13	22	24	23	6	1		
114	Biliary calculi	52								4	4	8	12	11	8	5			
115	Other diseases of the liver	38			1			1		3	5	4	8	8	7	1			
116	Diseases of the spleen	2										2							
117	Simple peritonitis (nonpuerperal)	16	1			1		1	2		2	3	1	2	2	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10						1		1	1	2	1	3	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,388	7	5	5	2	3	8	15	37	84	146	241	312	332	169	22		
119	Acute nephritis	61	5	1	2	1	2	3	4	4	9	7	9	8	2	2	2		
120	Bright's disease	1,168	2	3	1	1	1	4	9	24	57	116	217	276	293	145	19		
122	Other diseases of the kidneys and annexa	27		1	2			1		3	4	4	1	5	5	1			
123	Calculi of the urinary passages	6									1	2		1	1	1			
124	Diseases of the bladder	16								1			3	1	5	6			
125	Diseases of the urethra, urinary abscess, etc.	10									1	4	4			1			
126	Diseases of the prostate	56										2	2	15	24	12	1		
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	13								1	2	8	1	1					
130	Other diseases of the uterus	6								2	2	1		1					
131	Cysts and other tumors of the ovary	15								1	3	1	4	4	1	1			
132	Salpingitis and other diseases of the female genital organs	8							1	1	5	1							
133	Nonpuerperal diseases of the breast (cancer excepted)	1												1					
	VII.—The puerperal state	232							7	110	93	22							
134	Accidents of pregnancy	42							1	21	18	2							
135	Puerperal hemorrhage	27								11	13	3							
136	Other accidents of labor	31								18	11	2							
137	Puerperal septicemia	76							5	36	28	7							
138	Puerperal albuminuria and convulsions	43							1	17	18	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								7	5								
140	Following childbirth (not otherwise defined)	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	49	13	1	.....	1	.....	.....	.....	2	3	5	7	4	4	9	.....	.....	.....
142	Gangrene	16	1	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	3	6	.....	.....	.....
143	Furuncle	11	3	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....	.....
144	Acute abscess	14	5	1	.....	1	.....	.....	.....	2	1	1	2	.....	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	49	3	2	3	3	.....	4	12	6	2	4	5	.....	3	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	44	3	1	3	3	.....	4	12	5	2	4	4	.....	1	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....
	X.—Malformations	229	206	8	6	2	2	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	229	206	8	6	2	2	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	22	13	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	145	133	1	2	2	2	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	62	60	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,179	1,179	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	809	809	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	660	660	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	149	149	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	369	369	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	255	255	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	114	114	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	104	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	46	27	1	.....
154	Senility	104	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	46	27	1	.....
	XIII.—External causes	1,235	31	30	38	25	29	98	117	152	170	150	130	109	80	64	12	.....	.....
	Suicide (total)	155	.....	.....	.....	.....	.....	.....	2	28	44	24	23	21	5	8	.....	.....	.....
155	By poison	33	.....	.....	.....	.....	.....	.....	.....	7	10	6	2	7	.....	1	.....	.....	.....
156	By asphyxia	25	.....	.....	.....	.....	.....	.....	1	6	3	3	6	3	.....	3	.....	.....	.....
157	By hanging or strangulation	25	.....	.....	.....	.....	.....	.....	.....	4	6	5	2	4	2	2	.....	.....	.....
158	By drowning	16	.....	.....	.....	.....	.....	.....	.....	3	4	3	2	3	1	.....	.....	.....	.....
159	By firearms	38	.....	.....	.....	.....	.....	.....	1	6	15	5	5	3	2	1	.....	.....	.....
160	By cutting or piercing instruments	11	.....	.....	.....	.....	.....	.....	.....	1	3	2	3	1	.....	1	.....	.....	.....
161	By jumping from high places	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,026	29	30	33	25	29	93	109	112	112	111	104	86	75	55	12	.....	.....
164	Poisoning by food	9	1	.....	.....	2	.....	1	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
165	Other acute poisonings	27	1	5	2	.....	1	2	2	1	5	6	1	1	.....	.....	.....	.....	.....
166	Conflagration	16	1	.....	1	1	.....	4	1	.....	1	1	2	.....	3	1	.....	.....	.....
167	Burns (conflagration excepted)	109	7	14	19	12	13	15	1	.....	2	5	3	9	7	2	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	67	11	.....	.....	.....	.....	1	1	5	7	8	15	10	4	4	1	.....	.....
169	Accidental drowning	115	.....	4	3	2	5	17	44	14	10	4	5	6	1	.....	.....	.....	.....
170	Traumatism by firearms	16	.....	.....	2	.....	.....	1	7	2	2	.....	1	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	7	.....	.....	1	.....	.....	1	1	.....	.....	1	1	2	.....	.....	.....	.....	.....
172	Traumatism by fall	187	2	5	1	3	.....	5	5	9	10	15	21	22	37	42	10	.....	.....
173	Traumatism in mines and quarries (total)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	28	.....	.....	.....	.....	.....	.....	2	2	7	7	8	1	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	363	1	1	8	5	10	46	36	64	56	52	39	26	15	4	.....	.....	.....
	Railroad accidents and injuries	75	.....	.....	1	.....	.....	4	4	14	17	18	8	6	2	1	.....	.....	.....
	Street-car accidents and injuries	25	.....	.....	1	.....	.....	4	2	4	2	3	3	3	2	1	.....	.....	.....
	Automobile accidents and injuries	218	1	1	5	5	10	33	27	33	32	25	24	12	9	1	.....	.....	.....
	Injuries by other vehicles	33	.....	.....	1	.....	.....	4	3	11	3	4	1	3	2	1	.....	.....	.....
	Aeroplane accidents and injuries	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	9	.....	.....	.....	.....	.....	1	.....	1	.....	2	3	2	.....	.....	.....	.....	.....
176	Injuries by animals	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
178	Excessive cold	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
180	Lightning	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	13	.....	.....	.....	.....	.....	.....	2	5	3	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	5	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	1	1	.....
186	Other external violence	49	3	1	1	.....	.....	3	7	5	8	9	3	4	4	1	.....	.....	.....
	Homicide (total)	54	2	.....	.....	.....	.....	.....	6	12	14	15	3	2	.....	.....	.....	.....	.....
182	By firearms	36	.....	.....	.....	.....	.....	.....	4	8	9	11	3	1	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	10	1	.....	.....	.....	.....	.....	1	3	2	2	.....	1	.....	.....	.....	.....	.....
184	By other means	8	1	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	56	11	5	2	1	1	3	.....	3	2	10	2	9	5	1	.....	.....	1
187	Ill-defined organic disease	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
188	Sudden death	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	49	11	5	2	1	.....	3	.....	2	1	8	2	7	5	1	.....	.....	1
	Ill-defined	27	5	5	.....	.....	.....	3	.....	.....	1	4	2	3	4	.....	.....	.....	.....
	Not specified or unknown	22	6	.....	2	1	.....	.....	.....	2	.....	4	.....	4	1	1	.....	.....	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DELAWARE																		
	All causes	3,265	597	113	53	34	27	57	140	223	251	253	303	438	503	241	30	2	.....
	I.—General diseases	325	71	33	22	18	9	23	73	93	101	95	91	96	71	27	2	.....	.....
1	Typhoid fever	25	.....	.....	.....	.....	.....	.....	11	6	5	2	1	.....	.....	.....	.....	.....	.....
4	Malaria	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
6	Measles	36	10	11	5	1	.....	5	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	33	2	5	6	7	5	3	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	30	17	8	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	27	4	2	5	4	2	4	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
10	Influenza	64	9	1	1	3	1	2	6	3	13	9	2	7	4	3	.....	.....	.....
14	Dysentery	8	3	.....	.....	1	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....
18	Erysipelas	5	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
21	Tetanus	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	327	10	4	4	.....	.....	6	42	79	61	45	34	24	11	7	.....	.....	.....
28	Tuberculosis of the lungs	283	6	1	3	.....	.....	2	35	72	56	45	27	22	10	4	.....	.....	.....
29	Acute miliary tuberculosis	12	.....	.....	.....	.....	.....	.....	3	4	2	.....	2	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	10	3	2	1	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	13	1	1	.....	.....	.....	1	3	1	2	.....	1	.....	1	2	.....	.....	.....
32	Pott's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
33	White swellings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	5	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
36	Rickets	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	12	6	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	198	.....	.....	.....	.....	.....	.....	.....	1	13	26	41	51	49	15	2	.....	.....
39	Of the buccal cavity	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	1	.....	.....	.....
40	Of the stomach, liver	82	.....	.....	.....	.....	.....	.....	.....	.....	3	12	11	29	22	4	1	.....	.....
41	Of the peritoneum, intestines, rectum	28	.....	.....	.....	.....	.....	.....	.....	.....	3	3	11	5	3	3	.....	.....	.....
42	Of the female genital organs	17	.....	.....	.....	.....	.....	.....	.....	1	2	5	5	1	3	.....	.....	.....	.....
43	Of the breast	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	9	2	3	1	.....	.....	.....
44	Of the skin	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	3	1	.....	.....
45	Of other organs or of organs not specified	30	.....	.....	.....	.....	.....	.....	.....	.....	3	2	4	6	12	3	.....	.....	.....
47	Acute articular rheumatism	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
50	Diabetes	24	.....	.....	.....	1	.....	.....	.....	1	1	4	10	6	1	.....	.....	.....	.....
51	Exophthalmic goiter	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	11	.....	1	.....	.....	.....	.....	1	.....	1	1	2	4	1	.....	.....	.....	.....
55	Other general diseases	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	389	14	6	5	1	2	1	5	7	11	29	55	87	101	60	4	1	.....
60	Encephalitis	5	1	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	14	4	2	1	.....	2	.....	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	Simple meningitis	12	4	2	.....	.....	1	.....	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	11	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	4	2	1	.....	.....	.....
	Other diseases of the spinal cord	11	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	4	2	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	288	.....	.....	1	.....	.....	.....	.....	2	3	20	43	73	89	52	4	1	.....
65	Softening of the brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....
66	Paralysis without specified cause	20	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	4	6	5	.....	.....	.....
67	General paralysis of the insane	14	.....	.....	.....	.....	.....	.....	.....	.....	4	4	2	3	1	.....	.....	.....	.....
68	Other forms of mental alienation	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
69	Epilepsy	6	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	14	9	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	4	.....	1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DELAWARE—Continued.																		
	III.—Diseases of the circulatory system.	452	5	3	.....	.....	.....	3	7	14	21	35	55	95	140	68	6	.....	.....
77	Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
78	Acute endocarditis	11	1	.....	.....	.....	.....	.....	.....	2	1	4	2	.....	.....	1	.....	.....	.....
79	Organic diseases of the heart	368	2	2	.....	.....	.....	2	6	12	18	26	48	84	116	49	3	.....	.....
80	Angina pectoris	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	3	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	42	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	16	16	3	.....	.....
82	Embolism and thrombosis	13	.....	.....	.....	.....	.....	1	1	.....	1	1	1	3	4	1	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	452	111	35	11	8	5	8	16	36	45	25	25	43	52	26	5	1	.....
87	Diseases of the larynx	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
89	Acute bronchitis	17	11	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
90	Chronic bronchitis	19	1	.....	.....	.....	.....	1	.....	.....	.....	.....	3	2	7	4	1	.....	.....
91	Bronchopneumonia	147	67	20	5	6	1	3	2	2	5	5	4	7	11	7	2	.....	.....
92	Pneumonia (total)	253	30	14	4	1	2	4	12	34	40	20	18	31	30	11	2	.....	.....
	Lobar pneumonia	194	17	11	3	.....	2	3	11	26	33	15	15	29	20	9	.....	.....	.....
	Pneumonia (undefined)	59	13	3	1	1	.....	1	1	8	7	5	3	2	10	2	2	.....	.....
93	Pleurisy	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	4	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
96	Asthma	4	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	V.—Diseases of the digestive system	298	138	30	11	3	3	2	11	12	13	13	19	20	17	4	2	.....	.....
99	Diseases of the mouth and annexa	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	7	1	.....	1	.....	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	30	6	.....	2	.....	.....	.....	.....	2	4	3	3	6	4	.....	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	156	126	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	30	.....	.....	7	2	1	1	3	2	2	1	3	3	2	1	2	.....	.....
107	Intestinal parasites	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	21	.....	.....	.....	.....	.....	.....	7	2	1	5	4	1	1	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	18	3	.....	.....	1	.....	.....	.....	2	1	1	1	5	4	.....	.....	.....	.....
	Hernia	11	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	3	.....	.....	.....	.....
	Intestinal obstruction	7	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	2	1	.....	.....	.....	.....
110	Other diseases of the intestines	4	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	1	3	.....	.....	.....
114	Biliary calculi	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
115	Other diseases of the liver	6	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	VI—Nonvenereal diseases of the genito-urinary system and annexa	313	3	3	.....	.....	.....	2	5	4	15	33	36	80	94	33	5	.....	.....
119	Acute nephritis	26	3	3	.....	.....	.....	.....	3	.....	6	3	1	4	2	1	.....	.....	.....
120	Bright's disease	256	.....	.....	.....	.....	.....	2	1	2	7	25	31	69	85	30	4	.....	.....
122	Other diseases of the kidneys and annexa	6	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	1	.....	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
124	Diseases of the bladder	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....
125	Disease of the urethra, urinary abscess, etc.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
126	Disease of the prostate	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....
129	Uterine tumor (noncancerous)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	46	.....	.....	.....	.....	.....	.....	6	23	15	2	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	8	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	7	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	2	8	6	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	11	.....	.....	.....	.....	.....	.....	3	7	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Death at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DELAWARE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	12	2						1				2	2	5				
142	Gangrene	8	1										2	2	3				
144	Acute abscess	2	1						1										
145	Other diseases of the skin and annexa	2													2				
	IX.—Diseases of the bones and of the organs of locomotion	9	1					2	1		1		3		1				
146	Diseases of the bones (tuberculosis excepted)	8	1					2	1		1		3						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1													1				
	X.—Malformations	38	36			1	1												
150	Congenital malformations (total)	38	36			1	1												
	Hydrocephalus	5	3			1	1												
	Congenital malformations of the heart	24	24																
	Other congenital malformations	9	9																
	XI.—Early infancy	205	205																
151	Congenital debility, icterus, and sclerema (total)	169	169																
	Premature birth	116	116																
	Congenital debility, "atrophy," "marasmus," etc	53	53																
152	Other causes peculiar to early infancy (total)	35	35																
	Injuries at birth	20	20																
	Other causes peculiar to early infancy	15	15																
153	Lack of care	1	1																
	XII.—Old age	18												1	4	9	4		
154	Senility	18												1	4	9	4		
	XIII.—External causes	199	9	1	3	3	7	16	15	34	29	21	16	14	16	13	2		
	Suicide (total)	17								4	4	2	5	1	1				
155	By poison	3								2					1				
156	By asphyxia	4									2	1	1						
157	By hanging or strangulation	1										1							
158	By drowning	1											1						
159	By firearms	6								2	1		2	1					
160	By cutting or piercing instruments	2									1		1						
	Accidental or undefined (total)	173	9	1	3	3	7	16	15	30	21	17	9	12	15	13	2		
164	Poisoning by food	2	1												1				
165	Other acute poisonings	2		1									1						
167	Burns (conflagration excepted)	24			3	2	1	6	2	1	3	1		2	2	1			
168	Absorption of deleterious gases (conflagration excepted)	16	5				1		1	2	2	3	1			1			
169	Accidental drowning	24					2	3	4	7	7	1							
170	Traumatism by firearms	3	1							1	1								
172	Traumatism by fall	25						1		1	2	1		3	7	8	2		
174	Traumatism by machines	1										1							
175	Traumatism by other crushing (total)	44				1	2	4	6	11	3	5	3	3	4	2			
	Railroad accidents and injuries	16						1	1	6	2	3	2	1					
	Street-car accidents and injuries	2										1	1						
	Automobile accidents and injuries	22				1	2	3	5	3		1		1	4	2			
	Injuries by other vehicles	3								2				1					
	Landslide, other crushing	1									1								
176	Injuries by animals	1					1												
178	Excessive cold	1									1								
179	Effects of heat	3	1											1		1			
180	Lightning	1									1								
181	Electricity (lightning excepted)	4								1		1		2					
185	Fractures (cause not specified)	1											1						
186	Other external violence	21	1					2	2	6	1	4	3	1	1				
	Homicide (total)	9									4	2	2	1					
182	By firearms	6									2	2	2						
183	By cutting or piercing instruments	1												1					
184	By other means	2									2								
	XIV.—Ill-defined diseases	9	2	2	1								1		2	1			
187	Ill-defined organic disease	2													1	1			
189	Not specified or ill-defined (total)	7	2	2	1								1		1				
	Ill-defined	7	2	2	1								1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (TOTAL).																		
	All causes	6,463	803	136	52	49	36	127	255	574	674	745	826	859	822	427	74	4	.....
	I.—General diseases	1,647	70	38	20	18	13	48	100	231	263	243	245	192	127	32	7	.....	.....
1	Typhoid fever	29	.....	.....	.....	.....	.....	.....	8	7	6	3	5	.....	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	9	.....	.....	1	.....	.....	3	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	18	7	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	63	3	4	9	8	3	24	8	2	2	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	219	17	8	2	1	2	2	10	30	46	36	19	17	22	5	2	.....	.....
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	13	5	2	.....	1	.....	1	1	.....	1	.....	.....	1	.....	.....	1	.....	.....
18	Erysipelas	12	4	.....	.....	.....	.....	.....	1	1	.....	.....	2	3	1	.....	.....	.....	.....
19	Other epidemic diseases	4	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	1	.....	.....	.....	.....
24	Tetanus	5	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	591	4	8	3	3	5	13	60	155	146	97	59	27	11	.....	.....	.....	.....
28	Tuberculosis of the lungs	485	3	3	1	.....	1	3	48	130	124	89	50	25	8	.....	.....	.....	.....
29	Acute miliary tuberculosis	39	1	.....	.....	.....	1	.....	5	11	12	3	3	1	2	.....	.....	.....	.....
30	Tuberculous meningitis	21	.....	5	2	3	1	4	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	21	.....	.....	.....	.....	1	3	1	6	5	2	3	.....	.....	.....	.....	.....	.....
32	Pott's disease	10	.....	.....	.....	.....	1	.....	2	2	1	3	1	.....	.....	.....	.....	.....	.....
33	White swellings	4	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	7	.....	.....	.....	.....	.....	1	1	1	2	.....	1	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	4	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
36	Rickets	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	85	16	2	2	.....	.....	2	2	11	18	16	9	3	2	2	.....	.....	.....
38	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	431	.....	.....	.....	1	1	1	.....	6	27	67	117	110	76	21	4	.....	.....
39	Of the buccal cavity	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	7	.....	3	1	.....	.....
40	Of the stomach, liver	153	.....	.....	.....	.....	.....	.....	.....	.....	7	25	47	34	34	5	1	.....	.....
41	Of the peritoneum, intestines, rectum	46	.....	.....	.....	.....	.....	.....	.....	2	3	6	10	15	9	1	.....	.....	.....
42	Of the female genital organs	81	.....	.....	.....	.....	.....	1	.....	1	10	21	23	17	6	2	.....	.....	.....
43	Of the breast	46	.....	.....	.....	.....	.....	.....	.....	.....	3	10	15	11	3	3	1	.....	.....
44	Of the skin	11	.....	.....	.....	1	1	.....	.....	.....	.....	1	2	1	3	1	1	.....	.....
45	Of other organs or of organs not specified	79	.....	.....	.....	.....	.....	.....	.....	3	3	2	19	25	21	6	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	11	.....	.....	.....	.....	.....	.....	1	2	.....	6	.....	1	1	.....	.....	.....	.....
48	Chronic rheumatism and gout	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....
50	Diabetes	67	.....	.....	.....	.....	.....	.....	.....	3	6	6	18	21	12	1	.....	.....	.....
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	7	.....	.....	.....	.....	.....	.....	2	3	.....	.....	1	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	21	.....	.....	.....	.....	.....	.....	1	1	1	3	7	4	1	3	.....	.....	.....
55	Other general diseases	19	8	3	.....	4	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	678	19	5	1	.....	2	10	12	27	36	71	122	149	146	69	8	1	.....
60	Encephalitis	16	.....	.....	1	.....	.....	4	1	6	.....	.....	3	1	.....	.....	.....	.....	.....
61	Meningitis (total)	26	4	3	.....	.....	2	5	1	2	5	1	1	2	.....	.....	.....	.....	.....
	Simple meningitis	19	4	3	.....	.....	1	3	1	1	4	.....	1	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	5	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	23	.....	.....	.....	.....	.....	.....	.....	2	2	1	6	4	6	2	.....	.....	.....
	Acute anterior poliomyelitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	22	.....	.....	.....	.....	.....	.....	.....	1	2	1	6	4	6	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	476	.....	.....	.....	.....	.....	.....	.....	2	11	42	90	127	130	65	8	1	.....
65	Softening of the brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
66	Paralysis without specified cause	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	6	4	2	.....	.....	.....
67	General paralysis of the insane	49	.....	.....	.....	.....	.....	.....	.....	4	12	19	9	3	2	.....	.....	.....	.....
68	Other forms of mental alienation	9	.....	.....	.....	.....	.....	.....	1	5	1	2	.....	.....	.....	.....	.....	.....	.....
69	Epilepsy	11	.....	.....	.....	.....	.....	.....	4	2	.....	2	3	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	8	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	15	2	1	.....	.....	.....	.....	1	3	2	1	4	1	.....	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	12	6	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	1,115	10	.....	.....	2	.....	5	15	36	83	125	173	222	263	154	25	2	.....
77	Pericarditis	8	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	2	1	.....	.....	.....
78	Acute endocarditis	101	2	.....	.....	.....	.....	2	4	11	19	25	33	1	3	1	.....	.....	.....
79	Organic diseases of the heart	783	2	.....	.....	2	.....	3	11	18	54	81	118	178	191	108	16	1	.....
80	Angina pectoris	32	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	7	8	4	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	141	.....	.....	.....	.....	.....	.....	.....	3	1	6	12	28	49	34	7	1	.....
82	Embolism and thrombosis	38	1	.....	.....	.....	.....	.....	.....	.....	1	5	6	7	10	6	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	4	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	954	139	61	13	12	7	20	38	105	106	116	88	93	95	53	8	.....	.....
86	Diseases of the nasal fossae	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	3	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
89	Acute bronchitis	41	16	7	2	.....	.....	1	1	1	1	1	2	.....	2	6	1	.....	.....
90	Chronic bronchitis	25	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	8	9	1	.....	.....
91	Bronchopneumonia	374	101	41	9	9	3	11	11	18	31	24	25	31	37	20	3	.....	.....
92	Pneumonia (total)	444	17	9	2	3	1	7	23	79	67	78	52	51	41	12	2	.....	.....
	Lobar pneumonia	414	14	9	2	3	1	7	22	74	64	72	49	48	37	11	1	.....	.....
	Pneumonia (undefined)	30	3	.....	.....	.....	.....	.....	1	5	3	6	3	3	4	1	1	.....	.....
93	Pleurisy	36	1	4	.....	.....	1	1	1	6	3	7	4	5	2	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	2	1	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	3	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	8	.....	.....	.....	.....	.....	.....	1	1	.....	3	2	.....	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	497	132	21	14	10	4	13	18	34	40	54	54	46	36	18	3	.....	.....
99	Diseases of the mouth and annexa	4	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	18	1	.....	1	1	1	3	1	2	3	3	.....	.....	.....	2	.....	.....	.....
101	Diseases of the esophagus	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
102	Ulcer of the stomach	12	.....	.....	.....	.....	.....	.....	1	1	2	3	2	2	1	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	43	1	.....	.....	.....	.....	1	1	5	5	7	7	6	5	4	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	144	124	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	60	.....	.....	10	7	.....	1	2	2	6	8	6	5	9	4	.....	.....	.....
108	Appendicitis and typhlitis	66	.....	.....	.....	.....	2	5	9	13	5	13	10	6	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	64	2	1	1	1	1	2	2	7	10	8	7	9	8	4	1	.....	.....
	Hernia	23	.....	1	.....	1	1	1	1	.....	2	2	2	5	4	3	.....	.....	.....
	Intestinal obstruction	41	2	.....	1	.....	.....	1	1	7	8	6	5	4	4	1	1	.....	.....
110	Other diseases of the intestines	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5	8	3	1	.....	.....	.....
114	Biliary calculi	17	.....	.....	.....	.....	.....	.....	.....	1	4	3	4	4	.....	1	.....	.....	.....
115	Other diseases of the liver	21	.....	.....	.....	1	.....	1	.....	.....	1	3	9	1	3	2	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	8	2	.....	1	.....	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	581	3	2	1	1	.....	1	9	33	55	85	105	110	103	64	9	.....	.....
119	Acute nephritis	68	1	1	.....	.....	.....	.....	4	9	10	10	15	9	5	4	.....	.....	.....
120	Bright's disease	418	1	.....	1	.....	.....	1	4	12	26	50	80	92	89	53	9	.....	.....
122	Other diseases of the kidneys and annexa	24	1	1	.....	1	.....	.....	.....	3	3	6	3	2	1	3	.....	.....	.....
123	Calculi of the urinary passages	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	4	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	.....	.....	3	12	3	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	10	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	3	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	17	.....	.....	.....	.....	.....	.....	1	5	8	3	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	78	.....	.....	.....	.....	.....	.....	11	35	29	3	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	7	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	8	.....	.....	.....	.....	.....	.....	.....	5	3	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	9	.....	.....	.....	.....	.....	.....	1	2	6	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	25	.....	.....	.....	.....	.....	.....	4	14	6	1	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	29	.....	.....	.....	.....	.....	.....	5	10	12	2	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	20	2		1					1	1	2	1	5	4	3		
142	Gangrene	11	1									2	1	3	2	2		
143	Furuncle	1													1			
144	Acute abscess	5			1						1			2		1		
145	Other diseases of the skin and annexa	3	1							1					1			
	IX.—Diseases of the bones and of the organs of locomotion	18	1		1			2	2	4	3	2	1	2				
146	Diseases of the bones (tuberculosis excepted)	15	1		1			2	2	3	3	2		1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1			1					
149	Other diseases of the organs of locomotion	1												1				
	X.—Malformations	55	54							1								
150	Congenital malformations (total)	55	54							1								
	Hydrocephalus	7	7															
	Congenital malformations of the heart	35	35															
	Other congenital malformations	13	12							1								
	XI.—Early infancy	368	368															
151	Congenital debility, icterus, and sclerema (total)	294	294															
	Premature birth	240	240															
	Congenital debility, "atrophy," "marasmus," etc	54	54															
152	Other causes peculiar to early infancy (total)	73	73															
	Injuries at birth	43	43															
	Other causes peculiar to early infancy	30	30															
153	Lack of care	1	1															
	XII.—Old age	54											1	5	15	24	8	1
154	Senility	54											1	5	15	24	8	1
	XIII.—External causes	391	3	6	1	6	10	28	50	67	58	44	35	34	33	10	6	
	Suicide (total)	43							2	9	12	8	7	5				
155	By poison	4								2	1	1						
156	By asphyxia	11							1	2	1	2	2	3				
157	By hanging or strangulation	10							1	2	3	1	2	1				
158	By drowning	1									1							
159	By firearms	13								2	6	3	1	1				
160	By cutting or piercing instruments	3										1	2					
163	Other suicides	1								1								
	Accidental or undefined (total)	302	3	6	1	6	10	27	42	42	38	29	25	26	32	9	6	
164	Poisoning by food	7	1	1						1		1	2	1				
165	Other acute poisonings	19			1			1		4	8	3	1	1				
166	Conflagration	1								1								
167	Burns (conflagration excepted)	48		3		5	8	11	6	2	3	1	3	3	3			
168	Absorption of deleterious gases (conflagration excepted)	32	1					1	3	2	3	7	4	4	5	2		
169	Accidental drowning	27						3	13	1	5	4		1				
170	Traumatism by firearms	8	1					1	3	3								
172	Traumatism by fall	51		2					3	7	4	4	6	5	9	6	5	
174	Traumatism by machines	3							1	1		1						
175	Traumatism by other crushing (total)	84				1	2	10	9	14	11	8	7	9	12	1		
	Railroad accidents and injuries	11							2	2	3	1	1	1	1			
	Street-car accidents and injuries	13						1		2	1	1	2	4	2			
	Automobile accidents and injuries	50				1	1	8	6	7	6	4	4	4	8	1		
	Injuries by other vehicles	6					1	1	1		1	1			1			
	Aeroplane accidents and injuries	4								3		1						
178	Excessive cold	1											1					
179	Effects of heat	1													1			
181	Electricity (lightning excepted)	5							1	2	2							
185	Fractures (cause not specified)	3							1					1	1			
186	Other external violence	12							2	4	2		1	1	1		1	
	Homicide (total)	46						1	6	16	8	7	3	3	1	1		
182	By firearms	32						1	3	12	7	6	3					
183	By cutting or piercing instruments	2							2									
184	By other means	12							1	4	1	1		3	1	1		
	XIV.—Ill-defined diseases	7	2	3									1	1				
189	Not specified or ill-defined (total)	7	2	3									1	1				
	Ill-defined	4		3									1					
	Not specified or unknown	3	2											1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (WHITE).																		
	All causes	4,163	455	63	31	32	24	83	117	309	348	416	530	625	690	377	61	2	
	I.—General diseases	1,070	38	24	14	14	7	34	34	123	146	159	181	149	112	30	5		
1	Typhoid fever	18							3	6	4	2	3						
6	Measles	3	1	1			1												
7	Scarlet fever	8			1			3	2	1	1								
8	Whooping cough	12	6	5	1														
9	Diphtheria and croup	49	3	4	8	6	3	18	5	2									
10	Influenza	159	12	7	1	1	1	2	6	22	31	23	14	14	19	4	2		
13	Cholera nostras	1										1							
14	Dysentery	1									1								
18	Erysipelas	9	2						1	1			2	2	1				
19	Other epidemic diseases	2						1				1							
20	Purulent infection and septicemia	5								1		1	2		1				
24	Tetanus	2								1	1								
26	Pellagra	2								1			1						
	Tuberculosis (total)	282	3	4	2	2	1	7	12	62	76	58	32	16	7				
28	Tuberculosis of the lungs	244	2	1				2	10	55	68	56	29	15	6				
29	Acute miliary tuberculosis	6	1						1	2	2								
30	Tuberculous meningitis	15		3	2	2	1	3	1	1	2								
31	Abdominal tuberculosis	6						1		1	1	1	2						
32	Pott's disease	3								1	1	1							
33	White swellings	1								1									
34	Tuberculosis of other organs	4									2		1	1					
35	Disseminated tuberculosis	3						1		1					1				
36	Rickets	2	1		1														
37	Syphilis	46	4					1		9	11	12	4	2	1	2			
38	Gonococcus infection	2								1	1								
	Cancer and other malignant tumors (total)	351				1	1	1		6	15	46	99	89	70	20	3		
39	Of the buccal cavity	11										1	1	5		3	1		
40	Of the stomach, liver	118									2	16	39	27	28	5	1		
41	Of the peritoneum, intestines, rectum	41								2	1	6	8	14	9	1			
42	Of the female genital organs	64						1		1	7	13	20	15	6	1			
43	Of the breast	38									2	8	14	8	3	3			
44	Of the skin	10				1	1					1	1	1	3	1	1		
45	Of other organs or of organs not specified	69								3	3	1	16	19	21	6			
46	Other tumors (tumors of the female genital organs excepted)	1						1											
47	Acute articular rheumatism	9							1	2		4		1	1				
48	Chronic rheumatism and gout	4										1	2	1					
50	Diabetes	49								1	2	4	13	17	11	1			
51	Exophthalmic goiter	4								2	1	1							
52	Addison's disease	1							1										
53	Leukemia	7							2	3			1	1					
54	Anemia, chlorosis	13								1	1	2	6	4	1	3			
55	Other general diseases	16	6	3		4			1			1		1					
56	Alcoholism (acute or chronic)	5								1		2	1	1					
59	Other chronic poisonings	2									1		1						
	II.—Diseases of the nervous system and of the organs of special sense	480	13	3			2	8	5	13	18	43	77	107	125	59	7		
60	Encephalitis	11						3	1	3			3	1					
61	Meningitis (total)	22	4	2			2	4	1	1	4	1	1	2					
	Simple meningitis	15	4	2			1	2	1		3		1	1					
	Cerebrospinal meningitis (undefined)	5						2			1	1		1					
	Cerebrospinal fever	2					1			1									
62	Locomotor ataxia	5												3	2				
63	Other diseases of the spinal cord (total)	18								2		1	4	4	5	2			
	Acute anterior poliomyelitis	1								1									
	Other diseases of the spinal cord	17								1		1	4	4	5	2			
64	Cerebral hemorrhage, apoplexy	354									7	24	58	91	112	55	7		
66	Paralysis without specified cause	9										2		2	3	2			
67	General paralysis of the insane	32								4	6	12	6	2	2				
68	Other forms of mental alienation	1								1									
69	Epilepsy	4										2	2						
71	Convulsions of infants	3	2	1															
72	Chorea	1							1										
73	Neuralgia and neuritis	2												2					
74	Other diseases of the nervous system	8	2						1	2		1	2						
76	Diseases of the ears	10	5					1	1		1		1		1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
DISTRICT OF COLUMBIA (WHITE)—Continued.																			
	III.—Diseases of the circulatory system.	809	8	.....	.....	2	.....	3	9	21	34	62	112	172	224	138	23	1	.....
77	Pericarditis	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....
78	Acute endocarditis	57	1	.....	.....	.....	.....	1	2	7	5	13	23	1	3	1	.....	.....	.....
79	Organic diseases of the heart	574	2	.....	.....	2	.....	2	7	11	22	38	74	138	163	100	15	.....	.....
80	Angina pectoris	30	.....	.....	.....	.....	.....	.....	.....	.....	4	3	4	7	8	4	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	105	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	21	40	27	6	1	.....
82	Embolism and thrombosis	31	1	.....	.....	.....	.....	.....	.....	.....	1	3	4	5	9	6	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage: other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	501	59	17	4	5	5	8	14	55	53	47	44	63	79	43	5	.....	.....
86	Diseases of the nasal fossæ	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	3	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
89	Acute bronchitis	15	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	6	1	.....	.....
90	Chronic bronchitis	21	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	8	.....	.....	.....
91	Bronchopneumonia	198	47	14	3	3	2	4	2	9	14	13	14	24	32	15	2	.....	.....
92	Pneumonia (total)	227	5	2	1	2	.....	4	9	42	34	28	24	30	35	10	1	.....	.....
	Lobar pneumonia	212	4	2	1	2	.....	4	9	39	33	25	23	28	31	10	1	.....	.....
	Pneumonia (undefined)	15	1	.....	.....	.....	.....	.....	.....	3	1	3	1	2	4	.....	.....	.....	.....
93	Pleurisy	19	.....	1	.....	.....	1	.....	1	4	3	2	2	5	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....
96	Asthma	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	4	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system.	292	68	13	9	8	4	9	8	18	19	29	30	32	25	17	3	.....	.....
99	Diseases of the mouth and annexa	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	10	1	.....	.....	1	1	.....	.....	1	3	2	.....	.....	.....	1	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
102	Ulcer of the stomach	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	21	1	.....	.....	.....	.....	1	1	1	2	2	3	2	3	4	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	75	63	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	33	.....	.....	7	6	.....	1	.....	1	1	4	2	1	6	4	.....	.....	.....
108	Appendicitis and typhlitis	47	.....	.....	.....	.....	2	4	6	10	3	7	6	6	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	31	1	1	1	1	1	2	.....	2	4	2	2	5	4	4	1	.....	.....
	Hernia	12	.....	1	.....	1	1	1	.....	.....	.....	1	.....	3	1	3	.....	.....	.....
	Intestinal obstruction	19	1	.....	1	.....	.....	1	.....	2	4	1	2	2	3	1	1	.....	.....
110	Other diseases of the intestines	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	8	3	1	.....	.....	.....
114	Biliary calculi	15	.....	.....	.....	.....	.....	.....	.....	1	3	3	3	4	.....	1	.....	.....	.....
115	Other diseases of the liver	16	.....	.....	.....	.....	.....	1	.....	.....	1	2	6	1	3	2	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	361	3	1	1	.....	.....	1	5	18	21	39	55	68	81	58	7	.....	.....
119	Acute nephritis	30	1	1	.....	.....	.....	.....	3	4	3	2	6	2	4	4	.....	.....	.....
120	Bright's disease	273	1	.....	1	.....	.....	1	2	7	12	23	41	59	71	48	7	.....	.....
122	Other diseases of the kidneys and annexa	16	1	.....	.....	.....	.....	.....	.....	1	2	4	3	1	1	3	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	3	.....	.....	.....
129	Uterine tumor (noncancerous)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	7	1	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	42	.....	.....	.....	.....	.....	.....	4	18	18	2	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	5	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	12	.....	.....	.....	.....	.....	.....	1	5	5	1	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	16	.....	.....	.....	.....	.....	.....	2	7	6	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	14	2		1					1		2		2	3	3			
142	Gangrene	7	1									2		1	1	2			
143	Furuncle	1													1				
144	Acute abscess	3			1									1		1			
145	Other diseases of the skin and annexa	3	1							1					1				
	IX.—Diseases of the bones and of the organs of locomotion	14	1		1			2	2	4	2			2					
146	Diseases of the bones (tuberculosis excepted)	12	1		1			2	2	3	2			1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1								1									
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	42	41							1									
150	Congenital malformations (total)	42	41							1									
	Hydrocephalus	4	4																
	Congenital malformations of the heart	27	27																
	Other congenital malformations	11	10							1									
	XI.—Early infancy	217	217																
151	Congenital debility, icterus, and sclerema (total)	167	167																
	Premature birth	138	138																
	Congenital debility, "atrophy," "marasmus," etc	29	29																
152	Other causes peculiar to early infancy (total)	50	50																
	Injuries at birth	32	32																
	Other causes peculiar to early infancy	18	18																
	XII.—Old age	40											1	3	11	19	5	1	
154	Senility	40											1	3	11	19	5	1	
	XIII.—External causes	278	3	4	1	3	6	18	36	37	34	33	30	27	30	10	6		
	Suicide (total)	37							2	6	10	7	7	5					
155	By poison	2								1		1							
156	By asphyxia	11							1	2	1	2	2	3					
157	By hanging or strangulation	9							1	2	2	1	2	1					
158	By drowning	1									1								
159	By firearms	11								1	6	2	1	1					
160	By cutting or piercing instruments	3										1	2						
	Accidental or undefined (total)	222	3	4	1	3	6	18	32	26	22	21	22	20	29	9	6		
164	Poisoning by food	6	1	1								1	2	1					
165	Other acute poisonings	12			1			1		3	3	3	1						
166	Conflagration	1								1									
167	Burns (conflagration excepted)	27		2		2	5	6	3	1	1			3	2	2			
168	Absorption of deleterious gases (conflagration excepted)	27	1						2	2	2	5	4	4	5	2			
169	Accidental drowning	22						2	11	1	4	3		1					
170	Traumatism by firearms	6	1					1	2	2									
172	Traumatism by fall	40		1					3	2	3	2	5	4	9	6	5		
175	Traumatism by other crushing (total)	66				1	1	8	8	10	6	7	7	6	11	1			
	Railroad accidents and injuries	8							2	1	2	1	1		1				
	Street-car accidents and injuries	9								1	1	1	2	3	1				
	Automobile accidents and injuries	40				1		7	5	5	2	4	4	3	8	1			
	Injuries by other vehicles	5					1	1	1		1				1				
	Aeroplane accidents and injuries	4								3		1							
181	Electricity (lightning excepted)	4							1	1	2								
185	Fractures (cause not specified)	2												1	1				
186	Other external violence	9							2	3	1			1	1		1		
	Homicide (total)	19							2	5	2	5	1	2	1	1			
182	By firearms	11								4	2	4	1						
183	By cutting or piercing instruments	1							1										
184	By other means	7							1	1		1		2	1	1			
	XIV.—Ill-defined diseases	3	2	1															
189	Not specified or ill-defined (total)	3	2	1															
	Ill-defined	1		1															
	Not specified or unknown	2	2																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (COLORED).																	
	All causes	2,300	348	73	21	17	12	44	138	265	326	329	296	234	132	50	13	2	
	I.—General diseases	577	32	14	6	4	6	14	66	108	117	84	64	43	15	2	2		
1	Typhoid fever	11							5	1	2	1	2						
4	Malaria	1							1										
7	Scarlet fever	1									1								
8	Whooping cough	6	1	4	1														
9	Diphtheria and croup	14			1	2		6	3		2								
10	Influenza	60	5	1	1		1		4	8	15	13	5	3	3	1			
14	Dysentery	12	5	2		1		1	1					1			1		
18	Erysipelas	3	2											1					
19	Other epidemic diseases	2		1			1												
20	Purulent infection and septicemia	1											1						
24	Tetanus	3	1						1	1									
26	Pellagra	3								1	1	1							
	Tuberculosis (total)	309	1	4	1	1	4	6	48	93	70	39	27	11	4				
28	Tuberculosis of the lungs	241	1	2	1		1	1	38	75	56	33	21	10	2				
29	Acute miliary tuberculosis	33					1		4	9	10	3	3	1	2				
30	Tuberculous meningitis	6		2		1		1	2										
31	Abdominal tuberculosis	15					1	2	1	5	4	1	1						
32	Pott's disease	7					1		2	1		2	1						
33	White swellings	3								2			1						
34	Tuberculosis of other organs	3						1	1	1									
35	Disseminated tuberculosis	1						1											
36	Rickets	3	3																
37	Syphilis	39	12	2	2			1	2	2	7	4	5	1	1				
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	80									12	21	18	21	6	1	1		
39	Of the buccal cavity	4									1	1		2					
40	Of the stomach, liver	35									5	9	8	7	6				
41	Of the peritoneum, intestines, rectum	5									2		2	1					
42	Of the female genital organs	17									3	8	3	2		1			
43	Of the breast	8									1	2	1	3			1		
44	Of the skin	1											1						
45	Of other organs or of organs not specified	10										1	3	6					
47	Acute articular rheumatism	2										2							
48	Chronic rheumatism and gout	1												1					
50	Diabetes	18								2	4	2	5	4	1				
51	Exophthalmic goiter	1									1								
54	Anemia, chlorosis	3							1			1	1						
55	Other general diseases	3	2								1								
	II.—Diseases of the nervous system and of the organs of special sense	198	6	2	1			2	7	14	18	28	45	42	21	10	1	1	
60	Encephalitis	5			1			1		3									
61	Meningitis (total)	4		1				1		1	1								
	Simple meningitis	4		1				1		1	1								
62	Locomotor ataxia	1											1						
63	Other diseases of the spinal cord (total)	5									2		2		1				
	Other diseases of the spinal cord	5									2		2		1				
64	Cerebral hemorrhage, apoplexy	122								2	4	18	32	36	18	10	1	1	
65	Softening of the brain	1											1						
66	Paralysis without specified cause	11									2	1	3	4	1				
67	General paralysis of the insane	17									6	7	3	1					
68	Other forms of mental alienation	8							1	4	1	2							
69	Epilepsy	7							4	2			1						
71	Convulsions of infants	5	5																
72	Chorea	2							1	1									
74	Other diseases of the nervous system	7		1						1	2		2	1					
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	2	1						1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
DISTRICT OF COLUMBIA (COLORED)—Continued.																			
	III.—Diseases of the circulatory system	306	2					2	6	15	49	63	61	50	39	16	2	1	
77	Pericarditis	5									1	2			1	1			
78	Acute endocarditis	44	1					1	2	4	14	12	10						
79	Organic diseases of the heart	209						1	4	7	32	43	44	40	28	8	1	1	
80	Angina pectoris	2									1	1							
81	Diseases of the arteries, atheroma, aneurism, etc.	36								3	1	3	5	7	9	7	1		
82	Embolism and thrombosis	7										2	2	2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	1								1									
85	Hemorrhage; other diseases of the circulatory system	2	1												1				
	IV.—Diseases of the respiratory system	453	80	44	9	7	2	12	24	50	53	69	44	30	16	10	3		
88	Diseases of the nasal fossae	1	1																
89	Acute bronchitis	26	12	7	2			1	1	1		1	1						
90	Chronic bronchitis	4									1			1		1	1		
91	Bronchopneumonia	176	54	27	6	6	1	7	9	9	17	11	11	7	5	5	1		
92	Pneumonia (total)	217	12	7	1	1	1	3	14	37	33	50	28	21	6	2	1		
	Lobar pneumonia	202	10	7	1	1	1	3	13	35	31	47	26	20	6	1			
	Pneumonia (undefined)	15	2						1	2	2	3	2	1		1	1		
93	Pleurisy	17	1	3				1		2		5	2		2	1			
94	Pulmonary congestion, pulmonary apoplexy	2										1	1						
95	Gangrene of the lung	1									1								
96	Asthma	5									1			1	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	4								1		1	1		1				
	V.—Diseases of the digestive system	205	64	8	5	2		4	10	16	21	25	24	14	11	1			
99	Diseases of the mouth and annexa	1	1																
100	Diseases of the pharynx	8			1			3	1	1		1				1			
101	Diseases of the esophagus	1			1														
102	Ulcer of the stomach	7							1	1	1	1	1	1	1				
103	Other diseases of the stomach (cancer excepted)	22								4	3	5	4	4	2				
104	Diarrhea and enteritis (under 2 years)	69	61	8					2	1	5	4	4	4	3				
105	Diarrhea and enteritis (2 years and over)	27			3	1		1	3	3	2	6	4						
108	Appendicitis and typhlitis	19							2	5	6	6	5	4	4				
109	Hernia, intestinal obstruction (total)	33	1						1		2	1	2	2	3				
	Hernia	11							1	5	4	5	3	2	1				
	Intestinal obstruction	22	1								1	1							
110	Other diseases of the intestines	2																	
113	Cirrhosis of the liver	1											1						
114	Biliary calculi	2									1		1						
115	Other diseases of the liver	5				1						1	3						
117	Simple peritonitis (nonpuerperal)	6	1						1	1	1			1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2									1		1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	220		1		1			4	15	31	46	50	42	22	6	2		
119	Acute nephritis	38							1	5	7	8	9	7	1				
120	Bright's disease	145							2	5	14	27	39	33	18	5	2		
122	Other diseases of the kidneys and annexa	8		1		1				2	1	2		1					
123	Calculi of the urinary passages	1									1								
126	Diseases of the prostate	4													3	1			
127	Nonvenereal diseases of the male genital organs	2									1	1							
129	Uterine tumor (noncancerous)	9									2	5	2						
130	Other diseases of the uterus	3								2				1					
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	9							1	1	5	2							
	VII.—The puerperal state	36							7	17	11	1							
134	Accidents of pregnancy	3								2	1								
135	Puerperal hemorrhage	3								2	1								
136	Other accidents of labor	4							1	1	2								
137	Puerperal septicemia	13							3	9	1								
138	Puerperal albuminuria and convulsions	13							3	3	6	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	DISTRICT OF COLUMBIA (COLORED)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	6									1		1	3	1				
42	Gangrene	4											1	2	1				
44	Acute abscess	2									1			1					
	IX.—Diseases of the bones and of the organs of locomotion	4									1	2	1						
46	Diseases of the bones (tuberculosis excepted)	3									1	2							
47	Diseases of the joints (tuberculosis and rheumatism excepted)	1											1						
	X.—Malformations	13	13																
150	Congenital malformations (total)	13	13																
	Hydrocephalus	3	3																
	Congenital malformations of the heart	8	8																
	Other congenital malformations	2	2																
	XI.—Early infancy	151	151																
151	Congenital debility, icterus, and sclerema (total)	127	127																
	Premature birth	102	102																
	Congenital debility, "atrophy," "marasmus," etc.	25	25																
152	Other causes peculiar to early infancy (total)	23	23																
	Injuries at birth	11	11																
	Other causes peculiar to early infancy	12	12																
153	Lack of care	1	1																
	XII.—Old age	14												2	4	5	3		
154	Senility	14												2	4	5	3		
	XIII.—External causes	113		2		3	4	10	14	30	24	11	5	7	3				
	Suicide (total)	6								3	2	1							
155	By poison	2								1	1								
157	By hanging or strangulation	1									1								
159	By firearms	2								1		1							
163	Other suicides	1								1									
	Accidental or undefined (total)	80		2		3	4	9	10	16	16	8	3	6	3				
164	Poisoning by food	1								1									
165	Other acute poisonings	7								1	5			1					
167	Burns (conflagration excepted)	21		1		3	3	5	3	1	2	1		1	1				
168	Absorption of deleterious gases (conflagration excepted)	5						1	1		1	2							
169	Accidental drowning	5						1	2		1	1							
170	Traumatism by firearms	2							1	1									
172	Traumatism by fall	11		1						5	1	2	1	1					
174	Traumatism by machines	3							1	1		1							
175	Traumatism by other crushing (total)	18					1	2	1	4	5	1		3	1				
	Railroad accidents and injuries	3								1	1			1					
	Street-car accidents and injuries	4						1		1				1	1				
	Automobile accidents and injuries	10					1	1	1	2	4			1					
	Injuries by other vehicles	1										1							
178	Excessive cold	1											1						
179	Effects of heat	1													1				
181	Electricity (lightning excepted)	1								1									
185	Fractures (cause not specified)	1																	
186	Other external violence	3							1	1	1		1						
	Homicide (total)	27						1	4	11	6	2	2	1					
182	By firearms	21						1	3	8	5	2	2						
183	By cutting or piercing instruments	1							1										
184	By other means	5								3	1			1					
	XIV.—Ill-defined diseases	4		2									1	1					
189	Not specified or ill-defined (total)	4		2									1	1					
	Ill-defined	3		2									1						
	Not specified or unknown	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years	20 to 29 years.	30 to 39 years	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (TOTAL).																		
	All causes	12,720	1,834	434	164	135	93	305	726	1,283	1,384	1,377	1,257	1,380	1,385	656	113	38	156
	I.—General diseases	3,864	292	141	43	45	39	140	296	595	574	521	409	367	264	80	15	4	39
1	Typhoid fever	143	6	2	.....	3	2	9	44	29	18	14	7	6	3	.....	.....	.....	.....
3	Relapsing fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4	Malaria	344	33	13	10	6	9	44	44	35	34	29	26	27	21	7	1	.....	5
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	13	1	1	1	1	3	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	9	1	1	.....	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	69	40	19	3	2	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1
9	Diphtheria and croup	70	8	12	6	12	9	20	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
10	Influenza	827	70	34	13	3	6	30	55	131	135	112	82	57	63	21	2	1	12
13	Cholera nostras	3	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
14	Dysentery	137	28	31	4	3	1	5	1	4	4	8	9	17	15	5	2	.....	.....
15	Plague	6	.....	1	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	20	4	1	.....	.....	.....	1	1	4	.....	3	1	.....	2	1	1	1	.....
19	Other epidemic diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	51	5	1	.....	.....	1	3	6	5	14	3	5	5	.....	1	1	.....	1
23	Rabies	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	61	36	.....	1	.....	2	3	5	5	3	4	1	.....	.....	.....	.....	1	.....
26	Pellagra	114	.....	.....	.....	.....	1	3	5	16	21	34	11	19	3	1	.....	.....	.....
	Tuberculosis (total)	1,021	12	9	2	4	2	5	96	302	239	142	95	59	31	9	2	.....	12
28	Tuberculosis of the lungs	905	4	.....	1	1	1	3	87	279	216	130	88	49	26	8	2	.....	10
29	Acute miliary tuberculosis	27	1	.....	.....	1	.....	.....	3	6	9	4	1	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	19	4	5	1	1	1	1	1	2	1	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	46	1	2	.....	.....	.....	.....	3	11	9	7	3	4	3	1	.....	.....	2
32	Pott's disease	8	2	.....	.....	1	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....
33	White swellings	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	4	2	.....	.....	.....	.....
34	Tuberculosis of other organs	7	.....	2	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	176	26	5	.....	3	.....	1	6	26	34	38	17	10	6	1	.....	.....	3
38	Gonococcus infection	13	1	.....	.....	.....	.....	.....	1	5	3	1	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	510	.....	2	.....	.....	1	.....	6	13	39	89	112	130	87	24	3	.....	4
39	Of the buccal cavity	22	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	5	3	3	1	.....	1
40	Of the stomach, liver	173	.....	.....	.....	.....	.....	.....	1	4	9	25	43	51	33	6	1	.....	.....
41	Of the peritoneum, intestines, rectum	46	.....	.....	.....	.....	.....	.....	.....	2	4	6	7	15	10	2	.....	.....	.....
42	Of the female genital organs	93	.....	.....	.....	.....	.....	.....	.....	3	14	24	21	21	7	2	.....	.....	1
43	Of the breast	48	.....	.....	.....	.....	.....	.....	.....	.....	6	14	13	7	2	5	.....	.....	1
44	Of the skin	24	.....	.....	.....	.....	.....	.....	.....	2	1	.....	3	6	9	2	1	.....	.....
45	Of other organs or of organs not specified	104	.....	2	.....	.....	1	.....	5	2	4	17	20	25	23	4	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	1	.....	.....	.....
47	Acute articular rheumatism	32	.....	.....	.....	.....	.....	1	7	1	4	4	4	3	6	2	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	86	.....	1	.....	.....	.....	3	7	5	7	8	21	14	15	4	1	.....	.....
51	Exophthalmic goiter	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	9	.....	.....	.....	1	.....	1	.....	.....	.....	2	1	2	2	.....	.....	.....	.....
54	Anemia, chlorosis	58	5	1	.....	1	.....	1	4	7	3	13	8	12	3	.....	.....	.....	.....
55	Other general diseases	33	11	4	3	2	.....	1	2	1	1	1	1	2	2	1	.....	.....	1
56	Alcoholism (acute or chronic)	19	.....	.....	.....	.....	.....	.....	.....	1	5	9	3	1	.....	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	.....	1	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,125	49	10	17	9	3	14	35	43	65	139	167	235	221	92	11	5	10
60	Encephalitis	26	2	1	3	1	.....	.....	3	5	1	4	2	2	.....	.....	1	.....	1
61	Meningitis (total)	57	16	4	7	4	1	9	6	4	3	.....	1	.....	2	.....	.....	.....	.....
	Simple meningitis	34	11	3	5	2	.....	5	3	3	1	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	13	2	.....	1	1	.....	3	2	1	1	.....	.....	.....	2	.....	.....	.....	.....
	Cerebrospinal fever	10	3	1	1	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	39	2	.....	1	1	.....	.....	2	3	3	5	7	7	6	2	.....	.....	.....
	Acute anterior poliomyelitis	6	2	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	33	.....	.....	.....	.....	.....	.....	.....	3	3	5	7	7	6	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	666	3	2	.....	.....	1	1	8	13	27	88	113	167	162	70	5	3	3
65	Softening of the brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
66	Paralysis without specified cause	176	2	.....	.....	.....	.....	.....	3	4	8	25	29	38	40	17	5	2	3
67	General paralysis of the insane	26	.....	.....	.....	.....	.....	.....	.....	.....	4	8	5	6	3	.....	.....	.....	.....
68	Other forms of mental alienation	6	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	1	.....	.....	1
69	Epilepsy	49	1	.....	1	.....	.....	.....	8	8	9	5	6	4	4	1	.....	.....	2
70	Convulsions (nonpuerperal)	10	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	1	.....	.....	.....	.....	.....
71	Convulsions of infants	27	20	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
74	Other diseases of the nervous system	16	2	.....	1	1	.....	2	1	1	1	1	2	1	2	1	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	8	1	.....	1	.....	.....	1	1	.....	2	1	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Death at un-known age.
	FLORIDA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	1,275	2	3	3	.....	2	9	24	51	97	160	210	270	294	121	13	6	10
77	Pericarditis	14	.....	.....	1	.....	.....	.....	1	1	1	1	1	.....	6	1	1	.....	.....
78	Acute endocarditis	54	.....	1	1	.....	.....	.....	5	8	10	9	13	2	3	.....	.....	.....	.....
79	Organic diseases of the heart	954	2	1	1	.....	2	7	16	38	72	124	154	205	224	87	8	5	8
80	Angina pectoris	103	.....	.....	.....	.....	.....	.....	.....	2	5	15	25	26	23	7	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	124	.....	.....	.....	.....	.....	.....	.....	.....	6	8	17	30	33	23	4	1	2
82	Embolism and thrombosis	15	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	3	4	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	8	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	994	184	54	22	17	11	27	65	98	128	96	61	80	93	32	10	.....	16
86	Diseases of the nasal fossae	12	7	2	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
87	Diseases of the larynx	11	1	1	3	1	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	37	19	5	1	1	.....	.....	.....	4	.....	.....	.....	1	5	.....	1	.....	.....
90	Chronic bronchitis	38	.....	.....	.....	.....	.....	.....	1	1	2	2	2	9	10	9	1	.....	1
91	Bronchopneumonia	196	69	20	4	9	2	5	6	11	18	12	7	11	17	4	1	.....	.....
92	Pneumonia (total)	588	84	26	13	6	3	17	51	73	109	61	40	42	44	13	2	.....	13
	Lobar pneumonia	319	34	11	5	2	1	8	24	54	61	35	21	23	22	4	1	.....	13
	Pneumonia (undefined)	269	50	15	8	4	2	9	27	19	39	26	19	19	22	9	1	.....	.....
93	Pleurisy	23	1	.....	1	.....	1	1	1	4	2	2	3	2	2	2	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	11	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	4	1	2	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
96	Asthma	37	.....	.....	.....	.....	.....	.....	1	3	4	7	1	11	7	.....	2	.....	1
97	Pulmonary emphysema	5	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	29	2	.....	.....	.....	1	1	3	1	2	7	5	1	2	3	.....	.....	1
	V.—Diseases of the digestive system	1,288	313	164	54	33	18	36	53	66	106	106	104	86	90	40	8	1	10
99	Diseases of the mouth and annexa	17	9	1	1	1	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....
100	Diseases of the pharynx	27	2	1	1	4	1	4	1	4	4	2	2	1	.....	.....	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	42	1	1	.....	1	1	.....	2	2	7	7	8	5	6	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	185	23	7	1	1	1	4	8	10	26	30	22	21	14	13	2	1	1
104	Diarrhea and enteritis (under 2 years)	405	258	147	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	180	.....	.....	45	22	13	9	5	9	9	9	12	11	18	16	1	.....	1
106	Ankylostomiasis	7	.....	.....	1	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	9	1	3	.....	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	103	.....	.....	.....	.....	1	5	21	16	18	17	16	5	1	1	.....	.....	2
109	Hernia, intestinal obstruction (total)	100	10	2	4	.....	.....	2	3	11	14	10	8	11	16	5	2	.....	2
	Hernia	30	.....	.....	.....	.....	.....	.....	.....	1	4	4	1	7	7	5	.....	.....	1
	Intestinal obstruction	70	10	2	4	.....	.....	2	3	10	10	6	7	4	9	.....	2	.....	1
110	Other diseases of the intestines	17	.....	.....	.....	1	.....	.....	1	.....	4	1	2	2	4	1	1	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	70	.....	.....	.....	.....	.....	.....	2	4	7	11	12	11	18	2	1	.....	2
114	Biliary calculi	22	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	7	5	.....	.....	.....	.....
115	Other diseases of the liver	74	8	1	.....	2	1	4	5	5	9	8	15	8	5	1	.....	.....	2
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	21	1	.....	1	.....	.....	1	2	2	3	6	.....	1	3	.....	1	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,128	13	5	2	1	2	6	22	56	117	155	178	208	229	108	9	4	13
119	Acute nephritis	87	7	1	.....	1	1	1	10	5	15	14	10	6	9	3	.....	.....	4
120	Bright's disease	855	2	3	1	.....	1	3	8	31	70	110	148	180	192	88	6	4	8
122	Other diseases of the kidneys and annexa	34	3	.....	1	.....	.....	2	1	3	3	3	4	5	3	4	1	.....	1
123	Calculi of the urinary passages	6	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....
124	Diseases of the bladder	24	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	4	8	4	1	.....	.....
125	Diseases of the uretha, urinary abscess, etc.	13	1	.....	.....	.....	.....	.....	1	1	3	4	2	.....	.....	1	.....	.....	.....
126	Diseases of the prostate	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	10	16	8	1	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	.....	3	8	7	.....	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	13	.....	.....	.....	.....	.....	.....	1	5	3	2	1	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	23	.....	.....	.....	.....	.....	.....	1	7	8	7	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	248	.....	.....	.....	.....	.....	.....	40	110	82	12	1	.....	.....	.....	.....	.....	3
134	Accidents of pregnancy	33	.....	.....	.....	.....	.....	.....	1	13	15	2	.....	.....	.....	.....	.....	.....	2
135	Puerperal hemorrhage	23	.....	.....	.....	.....	.....	.....	2	9	10	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	45	.....	.....	.....	.....	.....	.....	4	26	13	.....	1	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	68	.....	.....	.....	.....	.....	.....	10	32	24	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	74	.....	.....	.....	.....	.....	.....	22	28	19	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown ages
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	43	8	1	1	.....	.....	.....	.....	4	7	5	3	4	2	5	2	1	.....
142	Gangrene	13	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	4	1	4	.....	1	.....
143	Furuncle	6	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	11	3	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	13	5	1	1	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	21	.....	.....	.....	.....	.....	1	4	1	6	2	4	1	2	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	20	.....	.....	.....	.....	.....	1	4	1	5	2	4	1	2	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	89	77	2	.....	2	.....	3	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	89	77	2	.....	2	.....	3	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	9	5	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	43	36	2	.....	1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	37	36	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	651	651	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	560	560	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	425	425	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	135	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	89	89	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	32	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	57	57	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	275	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	80	129	40	16	1
154	Senility	275	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	80	129	40	16	1
	XIII.—External causes	1,070	28	35	17	21	11	52	162	232	157	132	69	60	45	23	3	.....	23
	Suicide (total)	53	.....	.....	.....	.....	.....	.....	4	12	5	10	7	9	6	.....	.....	.....	.....
155	By poison	10	.....	.....	.....	.....	.....	.....	1	4	2	1	1	1	.....	.....	.....	.....	.....
156	By asphyxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
157	By hanging or strangulation	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....
158	By drowning	6	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....
159	By firearms	21	.....	.....	.....	.....	.....	.....	2	4	.....	5	3	4	3	.....	.....	.....	.....
160	By cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....
162	By crushing	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	819	27	35	17	21	11	52	135	153	107	87	56	47	36	23	3	.....	9
164	Poisoning by food	32	2	4	.....	.....	.....	2	4	3	5	2	3	6	1	.....	.....	.....	.....
165	Other acute poisonings	50	1	12	4	4	.....	2	5	5	6	7	3	1	.....	.....	.....	.....	.....
166	Conflagration	12	1	2	.....	1	1	1	.....	.....	3	.....	.....	.....	1	2	.....	.....	.....
167	Burns (conflagration excepted)	94	3	8	6	8	6	13	13	10	1	10	3	6	5	1	.....	.....	1
168	Absorption of deleterious gases (conflagration excepted)	10	5	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	109	1	4	3	1	2	5	22	31	10	18	7	2	2	.....	.....	.....	1
170	Traumatism by firearms	49	.....	.....	.....	1	2	7	12	13	11	1	.....	1	.....	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	76	5	1	1	.....	.....	2	5	8	6	4	5	9	12	17	1	.....	.....
173	Traumatism in mines and quarries (total)	9	.....	.....	.....	.....	.....	.....	3	1	3	.....	1	1	.....	.....	.....	.....	.....
	Traumatism in mines	9	.....	.....	.....	.....	.....	.....	3	1	3	.....	1	1	.....	.....	.....	.....	.....
174	Traumatism by machines	28	.....	.....	.....	.....	.....	.....	6	4	6	5	6	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	218	1	3	.....	6	.....	15	42	49	33	24	18	15	10	1	.....	.....	1
	Railroad accidents and injuries	75	.....	3	.....	1	.....	.....	17	17	14	12	4	3	3	.....	.....	.....	1
	Street-car accidents and injuries	5	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
	Automobile accidents and injuries	104	.....	.....	.....	4	.....	11	19	16	14	10	14	9	6	1	.....	.....	.....
	Injuries by other vehicles	13	.....	.....	.....	1	.....	2	2	4	1	1	.....	1	1	.....	.....	.....	.....
	Aeroplane accidents and injuries	17	.....	.....	.....	.....	.....	.....	2	11	3	.....	.....	1	.....	.....	.....	.....	.....
	Landslide, other crushing	4	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	5	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
180	Lightning	13	.....	.....	.....	.....	.....	.....	2	4	2	4	.....	.....	.....	.....	.....	.....	1
181	Electricity (lightning excepted)	14	.....	.....	.....	.....	.....	1	3	9	1	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	11	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	3	1	2	.....	1
186	Other external violence	80	8	1	3	.....	.....	4	14	13	15	8	7	2	1	1	.....	.....	3
	Homicide (total)	198	1	.....	.....	.....	.....	.....	23	67	45	35	6	4	3	.....	.....	.....	14
182	By firearms	154	1	.....	.....	.....	.....	.....	19	51	39	26	5	1	1	.....	.....	.....	11
183	By cutting or piercing instruments	30	.....	.....	.....	.....	.....	.....	2	12	6	6	.....	2	.....	.....	.....	.....	2
184	By other means	14	.....	.....	.....	.....	.....	.....	2	4	.....	3	1	1	2	.....	.....	.....	1
	XIV.—Ill-defined diseases	649	217	19	5	7	7	17	21	27	45	47	51	61	65	26	2	1	31
187	Ill-defined organic disease	60	.....	2	1	.....	.....	1	1	3	4	4	9	12	13	9	.....	.....	1
188	Sudden death	41	4	.....	.....	1	1	1	.....	4	8	5	6	3	5	2	.....	.....	1
189	Not specified or ill-defined (total)	548	213	17	4	6	6	15	20	20	33	38	36	46	47	15	2	1	29
	Ill-defined	121	27	5	1	1	3	5	6	4	9	12	10	16	13	6	1	.....	2
	Not specified or unknown	427	186	12	3	5	3	10	14	16	24	26	26	30	34	9	1	1	27

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (WHITE).																		
	All causes	7,581	1,042	283	119	90	60	194	345	581	622	692	787	1,025	1,122	495	55	3	66
	I.—General diseases	2,202	133	98	34	33	27	90	133	247	276	287	271	274	209	62	7	1	20
1	Typhoid fever	86	2	2		2		4	26	20	11	7	7	4	1				
3	Relapsing fever	1													1				
4	Malaria	195	12	8	5	6	6	27	24	19	22	16	10	19	16	3			2
6	Measles	11		1	1	1	3	3		1	1								
7	Scarlet fever	9	1	1		3	1	3											
8	Whooping cough	44	26	12	3	1			1										1
9	Diphtheria and croup	54	3	10	4	9	8	18	2										
10	Influenza	531	34	22	12	3	3	16	29	77	93	75	54	43	46	18	2		4
13	Cholera nostras	1				1													
14	Dysentery	88	12	24	4	2	1	3	1	2	1	3	6	13	12	3	1		
15	Plague	4		1				1	1	1									
18	Erysipelas	18	4	1				1	1	3		3	1		2	1		1	
19	Other epidemic diseases	1									1								
20	Purulent infection and septicemia	27	4	1			1	2	3	3	7	1	2	2		1			
23	Rabies	1										1							
24	Tetanus	18	9				1	2	2	1	1	1	1						
26	Pellagra	46					1	1	2	4	7	9	5	13	3	1			
	Tuberculosis (total)	435	7	6	2	1	1	1	19	89	93	75	63	41	21	6	1		9
28	Tuberculosis of the lungs	374			1				15	79	87	67	59	35	17	5	1		8
29	Acute miliary tuberculosis	13							2	1	4	4	1	1					
30	Tuberculosis meningitis	16	4	4	1	1	1	1	1	2			1						
31	Abdominal tuberculosis	21	1	1					1	5	1	4	1	3	2	1			1
32	Pott's disease	4	2							1	1								
33	White swellings	4												2	2				
34	Tuberculosis of other organs	3		1						1			1						
37	Syphilis	32	7			1		1	1	3	3	8	3	3	1				1
38	Gonococcus infection	3								2	1								
	Cancer and other malignant tumors (total)	384		2			1		6	7	18	57	83	104	79	23	2		2
39	Of the buccal cavity	21										3	5	5	3	3	1		1
40	Of the stomach, liver	134							1	2	4	16	34	41	30	6			
41	Of the peritoneum, intestines, rectum	37								2	2	5	5	13	8	2			
42	Of the female genital organs	55								1	6	11	15	15	6	1			
43	Of the breast	29									3	7	9	3	2	5			
44	Of the skin	23								1	1		3	6	9	2	1		
45	Of other organs or of organs not specified	85		2			1		5	1	2	15	12	21	21	4			1
46	Other tumors (tumors of the female genital organs excepted)	4											1		2	1			
47	Acute articular rheumatism	18						1	4		2	1	3	1	4	2			
48	Chronic rheumatism and gout	3												1	1		1		
49	Scurvy	1		1															
50	Diabetes	74		1				3	6	5	5	7	20	12	13	2			
51	Exophthalmic goiter	4								1		2		1					
52	Addison's disease	2										2							
53	Leukemia	8				1		1				1	1	2	2				
54	Anemia, chlorosis	51	4	1				1	3	6	2	11	8	12	3				
55	Other general diseases	29	8	4	3	2		1	2	1	1	1		2	2	1			1
56	Alcoholism (acute or chronic)	15									5	6	3	1					
57	Chronic lead poisoning	1									1								
59	Other chronic poisonings	3								2	1								
	II.—Diseases of the nervous system and of the organs of special sense	713	32	10	13	7	1	10	16	17	24	59	88	174	182	70	5	1	4
60	Encephalitis	18	1	1	3	1			2	4		2	2	2					
61	Meningitis (total)	45	15	4	6	2		7	4	3	2		1		1				
	Simple meningitis	29	11	3	4	1		4	2	2	1		1						
	Cerebrospinal meningitis (undefined)	8	2		1			2	1	1					1				
	Cerebrospinal fever	8	2	1	1	1		1	1		1								
62	Locomotor ataxia	7												7					
63	Other diseases of the spinal cord (total)	21	1			1			1		1	1	3	5	6	2			
	Acute anterior poliomyelitis	3	1			1			1										
	Other diseases of the spinal cord	18									1	1	3	5	6	2			
64	Cerebral hemorrhage, apoplexy	439	2	2					3	2	8	39	60	129	135	54	3	1	1
65	Softening of the brain	4										1	1	1	1				
66	Paralysis without specified cause	98	1						2	1	3	8	13	21	31	13	2		3
67	General paralysis of the insane	14									1	3	3	5	2				
68	Other forms of mental alienation	2									1					1			
69	Epilepsy	24	1		1				2	4	4	4	3	2	3				
70	Convulsions (nonpuerperal)	4								1	2			1					
71	Convulsions of infants	16	9	3	2	1	1												
72	Chorea	1								1									
73	Neuralgia and neuritis	1													1				
74	Other diseases of the nervous system	11	1		1	1		2	1			1	1	1	2				
75	Diseases of the eyes and their annexa	2				1				1									
76	Diseases of the ears	6	1					1	1		2		1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	FLORIDA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	885	1	3	3	.....	.....	6	16	26	29	72	143	211	263	101	7	.....	4
77	Pericarditis	8	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	5	.....	.....	.....	.....
78	Acute endocarditis	33	.....	1	1	.....	.....	2	3	5	1	5	10	2	3	.....	.....	.....	.....
79	Organic diseases of the heart	651	1	1	1	.....	.....	4	11	20	23	53	100	162	195	72	4	.....	4
80	Angina pectoris	83	.....	.....	.....	.....	.....	.....	.....	.....	2	11	20	21	23	6	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	90	.....	.....	.....	.....	.....	.....	.....	.....	2	2	12	19	32	20	3	.....	.....
82	Embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	4	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	591	101	29	16	9	9	17	30	45	63	53	42	63	76	25	7	.....	6
86	Diseases of the nasal fossae	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
87	Diseases of the larynx	7	.....	1	1	.....	2	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	20	8	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	5	.....	1	.....	.....
90	Chronic bronchitis	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	9	9	8	1	.....	1
91	Bronchopneumonia	135	42	14	3	6	2	4	4	6	11	8	7	10	14	3	1	.....	.....
92	Pneumonia (total)	329	46	11	10	2	2	9	24	37	48	35	24	30	35	9	2	.....	5
	Lobar pneumonia	167	19	3	4	1	.....	5	10	26	25	22	12	17	15	2	1	.....	5
	Pneumonia (undefined)	162	27	8	6	1	2	4	14	11	23	13	12	13	20	7	1	.....	.....
93	Pleurisy	13	1	.....	1	.....	.....	.....	.....	.....	1	2	3	2	1	2	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	10	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	4	1	2	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....
96	Asthma	19	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	9	4	.....	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	14	2	.....	.....	.....	1	1	1	.....	1	1	3	.....	2	2	.....	.....	.....
	V.—Diseases of the digestive system.	764	184	107	41	24	14	24	26	24	41	47	60	57	75	32	2	.....	6
99	Diseases of the mouth and annexa	7	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
100	Diseases of the pharynx	13	.....	1	1	3	.....	4	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	15	1	.....	.....	1	.....	.....	.....	1	2	1	3	2	4	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	77	12	4	1	.....	.....	2	5	1	5	9	11	8	9	10	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	254	157	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	127	.....	.....	33	17	12	6	1	5	2	4	7	8	16	15	.....	.....	1
106	Ankylostomiasis	5	.....	.....	1	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	4	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	67	.....	.....	.....	.....	1	2	14	7	13	9	14	4	1	1	.....	.....	1
109	Hernia, intestinal obstruction (total)	63	8	2	4	.....	.....	1	1	6	6	6	4	8	13	3	.....	.....	1
	Hernia	20	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	4	6	3	.....	.....	1
	Intestinal obstruction	43	8	2	4	.....	.....	1	1	5	4	3	4	4	7	.....	.....	.....	.....
110	Other diseases of the intestines	10	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	4	1	1	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	42	.....	.....	.....	.....	.....	.....	1	1	.....	3	7	9	17	2	1	.....	1
114	Biliary calculi	20	.....	.....	.....	.....	.....	.....	.....	.....	3	2	3	7	5	.....	.....	.....	.....
115	Other diseases of the liver	42	2	1	.....	2	1	3	1	2	4	5	6	8	5	.....	.....	.....	2
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	12	1	.....	1	.....	.....	1	1	1	1	5	.....	.....	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	725	4	4	1	1	2	5	10	25	46	70	106	159	194	87	5	1	5
119	Acute nephritis	40	2	.....	.....	1	1	1	3	3	7	7	2	4	6	3	.....	.....	.....
120	Bright's disease	577	.....	3	.....	.....	1	2	4	14	29	54	90	138	163	70	4	1	4
122	Other diseases of the kidneys and annexa.	24	1	.....	1	.....	.....	2	1	1	2	2	4	3	2	4	.....	.....	1
123	Calculi of the urinary passages	5	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
124	Diseases of the bladder	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	6	2	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	4	1	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	9	16	8	1	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	5	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	138	.....	.....	.....	.....	.....	.....	12	68	46	10	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	21	.....	.....	.....	.....	.....	.....	.....	11	8	1	.....	.....	.....	.....	.....	.....	1
135	Puerperal hemorrhage	14	.....	.....	.....	.....	.....	.....	.....	6	6	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	27	.....	.....	.....	.....	.....	.....	2	17	7	.....	.....	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	30	.....	.....	.....	.....	.....	.....	3	15	10	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	42	.....	.....	.....	.....	.....	.....	7	17	14	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths under 1 month.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	22	6							1	3	2	1	3	1	4	1		
142	Gangrene	6												3		3			
143	Furuncle	4							1	1	1	1							
144	Acute abscess	5	2								1	1				1			
145	Other diseases of the skin and annexa	7	4								1				1		1		
	IX.—Diseases of the bones and of the organs of locomotion	17						1	3		4	2	4	1	2				
146	Diseases of the bones (tuberculosis excepted)	16						1	3		3	2	4	1	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1									1								
	X.—Malformations	77	68	2		1		2	3			1							
150	Congenital malformations (total)	77	68	2		1		2	3			1							
	Hydrocephalus	6	4						2										
	Congenital malformations of the heart	39	33	2		1		1	1			1							
	Other congenital malformations	32	31					1											
	XI.—Early infancy	409	409																
151	Congenital debility, icterus, and sclerema (total)	358	358																
	Premature birth	284	284																
	Congenital debility, "atrophy," "marasmus," etc	74	74																
152	Other causes peculiar to early infancy (total)	51	51																
	Injuries at birth	22	22																
	Other causes peculiar to early infancy	29	29																
	XII.—Old age	150												4	49	80	17		
154	Senility	150												4	49	80	17		
	XIII.—External causes	601	12	18	9	11	3	30	87	117	74	76	47	51	37	20	3		6
	Suicide (total)	45							3	8	4	8	7	9	6				
155	By poison	7							1	2	1	1	1	1					
156	By asphyxia	3												2	1				
157	By hanging or strangulation	4								1	1				2				
158	By drowning	6									2	2	1	1					
159	By firearms	17							1	3		3	3	4	3				
160	By cutting or piercing instruments	4										2	1	1					
162	By crushing	1							1										
163	Other suicides	3								2			1						
	Accidental or undefined (total)	499	12	18	9	11	3	30	78	92	58	58	36	39	28	20	3		4
164	Poisoning by food	14	2	2				2	1		1		2	4					
165	Other acute poisonings	28		4	1	2		1	4	4	4	5	2	1					
166	Conflagration	5									2				1	2			
167	Burns (conflagration excepted)	42	2	5	3	2	2	5	5	3	1	6	1	5	2				
168	Absorption of deleterious gases (conflagration excepted)	3								1	1		1						
169	Accidental drowning	76	1	4	2	1	1	4	13	20	6	14	6	1	2				1
170	Traumatism by firearms	29						5	8	7	7	1		1					
172	Traumatism by fall	54	2	1				1	2	5	2	3	5	8	9	15	1		
173	Traumatism in mines and quarries (total)	6							2	1	1		1	1					
	Traumatism in mines	6							2	1	1		1	1					
174	Traumatism by machines	15							3	3	4	2	2	1					
175	Traumatism by other crushing (total)	154		2		6		11	27	34	21	18	11	12	10	1			1
	Railroad accidents and injuries	43		2		1			11	9	5	8		3	3				1
	Street-car accidents and injuries	3						1				1		1					
	Automobile accidents and injuries	79				4		8	12	10	12	8	11	7	6	1			
	Injuries by other vehicles	12				1		2	2	4	1	1			1				
	Aeroplane accidents and injuries	17							2	11	3			1					
176	Injuries by animals	3							2			1							
178	Excessive cold	1												1					
179	Effects of heat	1												1					
180	Lightning	7							1	2	1	3							
181	Electricity (lightning excepted)	9							1	7	1								
185	Fractures (cause not specified)	10							1			1		1	3	1	2		1
186	Other external violence	42	5		3			1	8	5	6	4	5	2	1	1			1
	Homicide (total)	57							6	17	12	10	4	3	3				2
182	By firearms	47							4	15	12	9	4		1				2
183	By cutting or piercing instruments	6							2	1		1		2					
184	By other means	4								1				1	2				
	XIV.—Ill-defined diseases	287	92	12	2	4	4	9	9	11	16	13	25	23	34	14	1		13
187	Ill-defined organic disease	19						1	1	1	1	1	1	4	3	6			
188	Sudden death	20	1					1		2	1	4	5		4	1			1
189	Not specified or ill-defined (total)	248	91	12	2	4	4	7	8	8	14	8	19	24	27	7	1		12
	Ill-defined	51	8	3			2	1	1	1	2	2	4	11	12	3			1
	Not specified or unknown	197	83	9	2	4	2	6	7	7	12	6	15	13	15	4	1		11

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (COLORED).																		
	All causes	5,139	792	151	45	45	33	111	381	702	762	685	470	355	263	161	58	35	90
	I.—General diseases	1,662	159	43	9	12	12	50	163	348	298	234	138	93	55	18	8	3	19
1	Typhoid fever	57	4			1	2	5	18	9	7	7		2	2				
4	Malaria	149	21	5	5		3	17	20	16	12	13	16	8	5	4	1		3
5	Smallpox	2									1	1							
6	Measles	2	1						1										
8	Whooping cough	25	14	7		1	1	1					1						
9	Diphtheria and croup	16	5	2	2	3	1	2						1					
10	Influenza	296	36	12	1		3	14	26	54	42	37	28	14	17	3		1	8
13	Cholera nostras	2									1						1		
14	Dysentery	49	16	7		1		2		2	3	5	3	4	3	2	1		
15	Plague	2							1		1								
17	Leprosy	1											1						
18	Erysipelas	2								1							1		
19	Other epidemic diseases	1														1			
20	Purulent infection and septicemia	24	1					1	3	2	7	2	3	3			1		1
23	Rabies	1						1											
24	Tetanus	43	27		1		1	1	3	4	2	3						1	
26	Pellagra	68						2	3	12	14	25	6	6					
	Tuberculosis (total)	586	5	3		3	1	4	77	213	146	67	32	18	10	3	1		3
28	Tuberculosis of the lungs	531	4			1	1	3	72	200	129	63	29	14	9	3	1		2
29	Acute miliary tuberculosis	14	1			1			1	5	5			1					
30	Tuberculous meningitis	3		1							1	1							
31	Abdominal tuberculosis	25		1					2	6	8	3	2	1	1				1
32	Pott's disease	4				1				1	1		1						
33	White swellings	4									2			2					
34	Tuberculosis of other organs	4		1					2	1									
35	Disseminated tuberculosis	1						1											
36	Rickets	6	4	2															
37	Syphilis	144	19	5		2			5	23	31	30	14	7	5	1			2
38	Gonococcus infection	10	1						1	3	2	1	1		1				
	Cancer and other malignant tumors (total)	126								6	21	32	29	26	8	1	1		2
39	Of the buccal cavity	1									1								
40	Of the stomach, liver	39								2	5	9	9	10	3		1		
41	Of the peritoneum, intestines, rectum	9									2	1	2	2	2				
42	Of the female genital organs	38								2	8	13	6	6	1	1			1
43	Of the breast	19									3	7	4	4					1
44	Of the skin	1								1									
45	Of other organs or of organs not specified	19								1	2	2	8	4	2				
46	Other tumors (tumors of the female genital organs excepted)	2									1	1							
47	Acute articular rheumatism	14							3	1	2	3	1	2	2				
49	Scurvy	1	1																
50	Diabetes	12							1		2	1	1	2	2	2	1		
51	Exophthalmic goiter	2									1		1						
53	Leukemia	1										1							
54	Anemia, chlorosis	7	1			1			1	1	1	2							
55	Other general diseases	4	3										1						
56	Alcoholism (acute or chronic)	4								1		3							
59	Other chronic poisonings	3									1					1		1	
	II. Diseases of the nervous system and of the organs of special sense	412	17		4	2	2	4	19	26	41	80	79	61	39	22	6	4	6
60	Encephalitis	8	1						1	1	1	2					1		1
61	Meningitis (total)	12	1		1	2	1	2	2	1	1				1				
	Simple meningitis	5			1	1		1	1	1									
	Cerebro-spinal meningitis (undefined)	5				1		1	1		1				1				
	Cerebro-spinal fever	2	1				1												
62	Locomotor ataxia	1												1					
63	Other diseases of the spinal cord (total)	18	1		1				1	3	2	4	4	2					
	Acute anterior poliomyelitis	3	1		1				1										
	Other diseases of the spinal cord	15								3	2	4	4	2					
64	Cerebral hemorrhage, apoplexy	227	1				1	1	5	11	19	49	53	38	27	16	2	2	2
66	Paralysis without specified cause	78	1						1	3	5	17	16	17	9	4	3	2	
67	General paralysis of the insane	12									3	5	2	1	1				
68	Other forms of mental alienation	4									3								1
69	Epilepsy	25							6	4	5	1	3	2	1	1			2
70	Convulsions (nonpuerperal)	6						1	3	2									
71	Convulsions of infants	11	11																
72	Chorea	2			1						1								
73	Neuralgia and neuritis	1										1							
74	Other diseases of the nervous system	5	1							1	1		1			1			
76	Diseases of the ears	2			1							1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	390	1				2	3	8	25	63	88	67	59	31	20	6	6	6
77	Pericarditis	6							1	1		1			1	1	1		
78	Acute endocarditis	21							2	3	9	4	3						
79	Organic diseases of the heart	303	1				2	3	5	18	49	71	54	43	29	15	4	5	4
80	Angina pectoris	20								2	3	4	5	5		1			
81	Diseases of the arteries, atheroma, aneurism, etc	34									4	6	5	11	1	3	1	1	2
82	Embolism and thrombosis	3									2	1							
85	Hemorrhage; other diseases of the circulatory system	3								1	1	1							
	IV.—Diseases of the respiratory system.	403	83	25	6	8	2	10	35	53	65	43	19	17	17	7	3		10
86	Diseases of the nasal fossae	8	5	2								1							
87	Diseases of the larynx	4	1		2	1													
89	Acute bronchitis	17	11	2						4									
90	Chronic bronchitis	6							1	1	2				1	1			
91	Bronchopneumonia	61	27	6	1	3		1	2	5	7	4		1	3	1			
92	Pneumonia (total)	259	38	15	3	4	1	8	27	36	52	26	16	12	9	4			8
	Lobar pneumonia	152	15	8	1	1	1	3	14	28	36	13	9	6	7	2			8
	Pneumonia (undefined)	107	23	7	2	3		5	13	8	16	13	7	6	2	2			
93	Pleurisy	16					1	1	1	4	1				1		1		
94	Pulmonary congestion, pulmonary apoplexy	1							1										
96	Asthma	18							1	2	2	4	1	2	3		2		1
97	Pulmonary emphysema	4	1									2		1					
98	Other diseases of the respiratory system (tuberculosis excepted)	15							2	1	1	6	2	1		1			1
	V.—Diseases of the digestive system	524	129	57	13	9	4	12	27	42	65	59	44	29	15	8	6	1	4
99	Diseases of the mouth and annexa	10	6		1	1				1		1							
100	Diseases of the pharynx	14	2			1	1		1	4	3		1	1					
101	Diseases of the esophagus	1										1							
102	Ulcer of the stomach	27		1			1		2	1	5	6	5	3	2	1			
103	Other diseases of the stomach (cancer excepted)	108	11	3		1	1	2	3	9	21	21	11	13	5	3	2	1	1
104	Diarrhea and enteritis (under 2 years)	151	101	50															
105	Diarrhea and enteritis (2 years and over)	53			12	5	1	3	4	4	7	5	5	3	2	1	1		
106	Ankylostomiasis	2						1	1										
107	Intestinal parasites	5	1	3				1											
108	Appendicitis and typhlitis	36						3	7	9	5	8	2	1					1
109	Hernia, intestinal obstruction (total)	37	2					1	2	5	8	4	4	3	3	2	2		1
	Hernia	10									2	1	1	3	1	2			
	Intestinal obstruction	27	2					1	2	5	6	3	3		2		2		1
110	Other diseases of the intestines	7				1			1		2		1	2					
111	Acute yellow atrophy of the liver	2										2							
113	Cirrhosis of the liver	28							1	3	7	8	5	2	1				1
114	Biliary calculi	2										1	1						
115	Other diseases of the liver	32	6					1	4	3	5	3	9			1			
117	Simple peritonitis (nonpuerperal)	9							1	1	2	1		1	2		1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	403	9	1	1			1	12	31	71	85	72	49	35	21	4	3	8
119	Acute nephritis	47	5	1					7	2	8	7	8	2	3				4
120	Bright's disease	278	2		1			1	4	17	41	56	58	42	29	18	2	3	4
122	Other diseases of the kidneys and annexa	10	2							2	1	1		2	1		1		
123	Calculi of the urinary passages	1										1							
124	Diseases of the bladder	12									3	2		2	2	2	1		
125	Diseases of the uretha, urinary abscess, etc	9								1	1	4	2			1			
126	Diseases of the prostate	6										2	3	1					
127	Nonvenereal diseases of the male genital organs	1										1							
129	Uterine tumor (noncancerous)	13								1	7	5							
130	Other diseases of the uterus	10								5	3	1	1						
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	15							1	3	6	5							
	VII.—The puerperal state	110							28	42	36	2	1						1
134	Accidents of pregnancy	12							1	2	7	1							1
135	Puerperal hemorrhage	9							2	3	4								
136	Other accidents of labor	18							2	9	6		1						
137	Puerperal septicemia	38							7	17	14								
138	Puerperal albuminuria and convulsions	32							15	11	5	1							
140	Following childbirth (not otherwise defined)	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	FLORIDA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	21	2	1	1					3	4	3	2	1	1	1	1		
142	Gangrene	7								2			1	1	1	1	1		
143	Furuncle	2										2							
144	Acute abscess	6	1							1	3	1							
145	Other diseases of the skin and annexa	6	1	1	1						1		1				1		
	IX.—Diseases of the bones and of the organs of locomotion	4							1	1	2								
146	Diseases of the bones (tuberculosis excepted)	4							1	1	2								
	X.—Malformations	12	9			1		1	1										
150	Congenital malformations (total)	12	9			1		1	1										
	Hydrocephalus	3	1			1		1											
	Congenital malformations of the heart	4	3						1										
	Other congenital malformations	5	5																
	XI.—Early infancy	242	242																
151	Congenital debility, icterus, and sclerema (total)	202	202																
	Premature birth	141	141																
	Congenital debility, "atrophy," "marasmus," etc	61	61																
152	Other causes peculiar to early infancy (total)	38	38																
	Injuries at birth	10	10																
	Other causes peculiar to early infancy	28	28																
153	Lack of care	2	2																
	XII.—Old age	125										1		4	31	49	23	16	1
154	Senility	125										1		4	31	49	23	16	1
	XIII.—External causes	469	16	17	8	10	8	22	75	115	83	56	22	9	8	3			17
	Suicide (total)	8							1	4	1	2							
155	By poison	3								2	1								
159	By firearms	4							1	1		2							
162	By crushing	1								1									
	Accidental or undefined (total)	320	15	17	8	10	8	22	57	61	49	29	20	8	8	3			5
164	Poisoning by food	18		2					3	3	4	2	1	2	1				
165	Other acute poisonings	22	1	8	3	2		1	1	1	2	2	1						
166	Conflagration	7	1	2		1	1	1			1								
167	Burns (conflagration excepted)	52	1	3	3	6	4	8	8	7		4	2	1	3	1			1
168	Absorption of deleterious gases (conflagration excepted)	7	5							1	1								
169	Accidental drowning	33			1		1	1	9	11	4	4	1	1					
170	Traumatism by firearms	20				1	2	2	4	6	4								1
171	Traumatism by cutting or piercing instruments	3									1	1	1						
172	Traumatism by fall	22	3		1			1	3	3	4	1		1	3	2			
173	Traumatism in mines and quarries (total)	3							1		2								
	Traumatism in mines	3							1		2								
174	Traumatism by machines	13							3	1	2	3	4						
175	Traumatism by other crushing (total)	64	1	1				4	15	15	12	6	7	3					
	Railroad accidents and injuries	32		1					6	8	9	4	4						
	Street-car accidents and injuries	2							1		1								
	Automobile accidents and injuries	25						3	7	6	2	2	3	2					
	Injuries by other vehicles	1												1					
	Landslide, other crushing	4	1					1	1	1									
176	Injuries by animals	2							1	1									
178	Excessive cold	1													1				
179	Effects of heat	3									1	1	1						
180	Lightning	6							1	2	1	1							1
181	Electricity (lightning excepted)	5						1	2	2									
185	Fractures (cause not specified)	1									1								
186	Other external violence	38	3	1				3	6	8	9	4	2						2
	Homicide (total)	141	1						17	50	33	25	2	1					12
182	By firearms	107	1						15	36	27	17	1	1					9
183	By cutting or piercing instruments	24								11	6	5							2
184	By other means	10							2	3		3	1						1
	XIV.—Ill-defined diseases	362	125	7	3	3	3	8	12	16	29	34	26	33	31	12	1	1	18
187	Ill-defined organic disease	41		2	1					2	3	3	8	8	10	3			1
188	Sudden death	21	3			1	1			2	7	1	1	3	1	1			
189	Not specified or ill-defined (total)	300	122	5	2	2	2	8	12	12	19	30	17	22	20	8	1	1	17
	Ill-defined	70	19	2	1	1	1	4	5	3	7	10	6	5	1	3	1		1
	Not specified or unknown	230	103	3	1	1	1	4	7	9	12	20	11	17	19	5		1	16

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	ILLINOIS.																	
	All causes	82,296	11,641	2,533	1,156	859	679	2,096	3,531	6,633	7,610	7,420	9,249	10,774	10,864	6,203	975	23	60
	I.—General diseases	24,288	1,307	895	464	429	340	976	1,514	3,141	3,234	2,846	3,144	3,010	2,121	782	66	2	17
1	Typhoid fever	380	3	4	5	4	5	23	94	90	60	43	20	21	7				1
4	Malaria	76	5	4	4	2	1	12	2	7	4	1	9	10	10	2	2		1
5	Smallpox	15	2	1				1	1	1	2	2	3	1		1			
6	Measles	496	99	136	54	46	29	70	30	12	7	6	3	3	1				
7	Scarlet fever	370	13	35	43	45	44	90	60	27	8	3			2				
8	Whooping cough	553	304	138	38	18	16	31	6	1									1
9	Diphtheria and croup	1,128	53	125	148	159	133	372	98	17	8	3	5	3	1		1	1	1
10	Influenza	5,192	396	285	100	99	60	155	359	961	1,029	509	385	361	312	160	16		5
13	Cholera nostras	9	2	1		2	1								2	1			
14	Dysentery	142	23	24	9	6	2	4	4	2	3	2	10	5	29	15	4		
18	Erysipelas	236	60	2		1	1	2	6	12	14	25	28	25	35	19	6		
19	Other epidemic diseases	25	5	5	1	2	1	4	4		2			1					
20	Purulent infection and septicemia	61	8					4	4	11	6	11	10	4		3			
22	Anthrax	4									2	1		1					
23	Rabies	1						1											
24	Tetanus	108	8				7	27	16	8	11	9	11	8	3				
25	Mycoses	5										2		3					
26	Pellagra	11							2	1	3	1	3		1				
	Tuberculosis (total)	6,568	97	90	43	29	26	103	640	1,691	1,436	987	701	424	236	61	2		2
28	Tuberculosis of the lungs	5,586	32	23	13	6	7	37	500	1,492	1,303	881	636	387	208	57	2		2
29	Acute miliary tuberculosis	232	5	11	4	3	1	5	43	79	39	19	11	8	4				
30	Tuberculous meningitis	312	50	45	22	19	13	44	44	36	19	9	7	3	1				
31	Abdominal tuberculosis	215	1	5	3		3	3	27	43	40	42	20	15	9	4			
32	Pott's disease	79		2	1		2	8	15	16	12	10	6	3	4				
33	White swellings	38	1	1		1		4	4	10	3	6	5	1	2				
34	Tuberculosis of other organs	79	7	2				2	5	11	17	11	15	3	6				
35	Disseminated tuberculosis	27	1	1					2	4	3	9	1	4	2				
36	Rickets	47	28	17		1								1					
37	Syphilis	500	132	9	1	1	1		13	31	97	91	69	38	15	2			
38	Gonococcus infection	66	3						1	21	21	16	3	1					
	Cancer and other malignant tumors (total)	5,991	3	5	3	4	5	8	28	91	330	851	1,442	1,613	1,165	410	26	1	6
39	Of the buccal cavity	234								3	7	27	51	60	54	29	1		2
40	Of the stomach, liver	2,332	1	1	1		1	2	3	11	80	262	569	700	562	182	6		1
41	Of the peritoneum, intestines, rectum	770			1		2	1	2	18	51	108	160	230	155	39	2		1
42	Of the female genital organs	791								22	90	195	209	162	87	25	1		
43	Of the breast	522								8	49	131	143	111	50	28	1		1
44	Of the skin	176							1	4	2	10	27	27	57	42	6		
45	Of other organs or of organs not specified	1,116	2	4	1	4	2	5	22	25	51	118	283	323	200	65	9	1	1
46	Other tumors (tumors of the female genital organs excepted)	15								1	1	2	4	3	3	1			
47	Acute articular rheumatism	254		1	4	6	3	33	50	26	25	17	25	22	24	17	1		
48	Chronic rheumatism and gout	54							2	1	3	4	14	6	12	9	3		
49	Scurvy	4	1							1			1	1					
50	Diabetes	1,169	2	2	4	1	1	20	55	80	76	120	243	322	179	60	4		
51	Exophthalmic goiter	181						1	12	17	31	53	41	15	9	2			
52	Addison's disease	26							1	2	3	6	6	3	3	2			
53	Leukemia	119	5	5	4	1	1	7	11	11	16	16	15	20	7				
54	Anemia, chlorosis	328	7	2	1	1	1	4	8	9	19	46	79	80	53	12	1		
55	Other general diseases	87	48	4	2	1	2	4	6	4	2	1	1	6	3	3			
56	Alcoholism (acute or chronic)	47							1	3	12	15	10	3	2	1			
57	Chronic lead poisoning	12									2	1	2	6	1				
59	Other chronic poisonings	8								2	1	1	1	1	1	1			
	II.—Diseases of the nervous system and of the organs of special sense	7,096	190	66	41	33	24	105	153	208	383	655	1,075	1,489	1,680	836	102	1	5
60	Encephalitis	123	8	9	4	3	1	7	18	15	17	24	10	6			1		
61	Meningitis (total)	248	50	23	18	12	10	27	29	20	19	16	14	5	3	2			
	Simple meningitis	121	30	9	10	3	4	15	5	10	10	10	8	3	3	1			
	Cerebrospinal meningitis (undefined)	49	9	8	1	2	3	6	8	2	5	2	1	1		1			
	Cerebrospinal fever	78	11	6	7	7	3	6	16	8	4	4	5	1					
62	Locomotor ataxia	152							1	1	11	21	54	46	18				
63	Other diseases of the spinal cord (total)	438	8	13	5	6	6	17	15	19	15	33	51	100	102	42	6		
	Acute anterior poliomyelitis	57	4	10	3	4	5	14	9	3	2	1		1	1				
	Other diseases of the spinal cord	381	4	3	2	2	1	3	6	16	13	32	51	99	101	42	6		
64	Cerebral hemorrhage, apoplexy	4,521	7		2	1		3	13	30	77	289	703	1,139	1,405	760	87	1	4
65	Softening of the brain	57										1	11	10	18	13	4		
66	Paralysis without specified cause	124	1			1			2	1	2	6	14	29	38	29	1		
67	General paralysis of the insane	586							3	17	130	158	132	78	47	18	2		1
68	Other forms of mental alienation	121							3	21	21	26	23	16	8	3			
69	Epilepsy	216	8	2	4	2	3	12	32	39	41	29	16	18	8	2			
70	Convulsions (nonpuerperal)	3							2				1						
71	Convulsions of infants	70	63	4	1	1	1												
72	Chorea	14	1			1		5	2	1	3		1						
73	Neuralgia and neuritis	19	1							2	1	1	1	4	5	4			
74	Other diseases of the nervous system	239	12	4	3	1	3	10	16	27	33	40	28	29	23	10			
75	Diseases of the eyes and their annexa	5	1		1	1		1					1						
76	Diseases of the ears	160	30	11	3	4		23	17	15	13	11	15	9	5	3	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	ILLINOIS—Continued.																		
	III.—Diseases of the circulatory system.	12,262	75	27	18	21	26	132	340	350	594	985	1,647	2,604	3,132	1,984	315	6	6
77	Pericarditis	57	.....	1	.....	.....	.....	3	3	1	5	6	10	11	7	9	1	.....	.....
78	Acute endocarditis	503	20	7	4	9	8	35	52	51	71	70	113	25	24	12	2	.....	.....
79	Organic diseases of the heart	9,505	31	15	11	8	17	87	272	275	458	798	1,270	2,143	2,440	1,477	195	3	5
80	Angina pectoris	524	.....	.....	.....	.....	.....	.....	2	4	19	37	103	169	140	44	6	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	1,223	.....	.....	.....	.....	.....	.....	2	1	18	48	90	174	401	382	103	3	1
82	Embolism and thrombosis	335	3	1	.....	2	.....	3	2	11	13	23	46	66	105	54	6	.....	.....
83	Diseases of the veins (varices, hemorrhoids phlebitis, etc.)	52	.....	.....	.....	.....	.....	.....	1	2	7	2	13	13	12	1	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	46	21	3	2	2	1	4	6	4	2	.....	.....	.....	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	17	.....	.....	1	.....	.....	.....	.....	1	1	1	2	3	2	5	1	.....	.....
	IV.—Diseases of the respiratory system.	10,411	1,772	744	307	174	113	253	373	894	1,071	846	886	996	1,142	691	138	8	3
86	Diseases of the nasal fossae	5	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	59	7	4	11	9	6	11	2	1	2	1	.....	3	2	.....	.....	.....	.....
88	Diseases of the thyroid body	59	.....	1	.....	.....	.....	1	5	8	12	14	5	8	5	.....	.....	.....	.....
89	Acute bronchitis	558	295	76	25	8	5	6	5	2	4	6	9	22	41	41	12	1	.....
90	Chronic bronchitis	399	6	2	1	.....	.....	7	3	8	7	10	24	56	130	113	27	4	1
91	Bronchopneumonia	3,425	1,139	466	163	93	54	111	52	107	125	133	169	196	346	233	35	2	1
92	Pneumonia (total)	5,305	303	171	82	54	38	96	284	732	856	633	611	627	525	242	51	.....	.....
	Lobar pneumonia	5,096	278	158	67	51	35	88	274	717	842	618	588	612	501	220	47	.....	.....
	Pneumonia (undefined)	209	25	13	15	3	3	8	10	15	14	15	23	15	24	22	4	.....	.....
93	Pleurisy	292	17	23	21	9	7	17	19	30	44	21	29	31	14	8	2	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	71	2	.....	.....	.....	.....	.....	.....	.....	1	1	4	6	24	24	8	1	.....
95	Gangrene of the lung	20	.....	.....	1	.....	.....	1	.....	3	3	3	4	2	2	1	.....	.....	.....
96	Asthma	171	1	1	2	1	2	3	.....	1	9	18	26	34	45	24	3	.....	1
97	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	42	1	.....	.....	.....	1	.....	3	2	6	6	3	10	7	3	.....	.....	.....
	V.—Diseases of the digestive system.	8,109	3,128	631	188	97	67	230	311	366	507	537	666	578	523	243	35	.....	2
99	Diseases of the mouth and annexa	50	8	2	.....	.....	.....	2	2	2	9	8	8	8	.....	.....	1	.....	.....
100	Diseases of the pharynx	266	10	6	15	13	10	46	44	44	28	17	14	10	4	4	1	.....	.....
101	Diseases of the esophagus	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....
102	Ulcer of the stomach	266	.....	.....	.....	.....	.....	.....	7	21	43	50	59	49	28	9	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	263	53	6	3	.....	3	3	4	1	6	15	28	28	60	38	13	.....	2
104	Diarrhea and enteritis (under 2 years)	3,532	2,949	583	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	615	.....	.....	147	66	26	49	10	29	35	36	42	46	82	38	9	.....	.....
107	Intestinal parasites	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	1,016	3	5	8	14	15	97	191	173	194	146	93	52	17	8	.....	.....	.....
109	Hernia, intestinal obstruction (total)	677	79	22	8	2	9	19	23	32	64	66	105	100	94	51	3	.....	.....
	Hernia	264	7	1	1	.....	2	2	3	4	17	35	60	64	45	22	1	.....	.....
	Intestinal obstruction	413	72	21	7	2	7	17	20	28	47	31	45	36	49	29	2	.....	.....
110	Other diseases of the intestines	123	12	2	1	.....	1	1	6	4	19	19	11	17	14	11	5	.....	.....
111	Acute yellow atrophy of the liver	13	3	.....	1	1	.....	.....	1	2	.....	2	1	1	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	565	.....	.....	.....	.....	.....	2	4	17	23	59	146	153	120	41	.....	.....	.....
114	Biliary calculi	301	.....	.....	.....	.....	.....	.....	1	12	23	51	83	64	48	18	1	.....	.....
115	Other diseases of the liver	283	4	.....	2	.....	1	2	8	14	45	49	51	40	45	20	2	.....	.....
116	Diseases of the spleen	7	.....	.....	.....	1	.....	.....	2	.....	1	.....	2	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	80	7	4	2	.....	2	8	8	13	12	7	5	5	4	3	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	43	.....	.....	1	.....	.....	1	.....	2	4	12	17	4	2	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	6,951	59	21	17	16	6	49	104	246	439	668	1,060	1,470	1,668	982	142	2	2
119	Acute nephritis	279	28	12	6	8	4	23	15	21	22	35	30	28	19	24	4	.....	.....
120	Bright's disease	5,646	11	7	9	6	2	25	78	130	259	464	929	1,305	1,459	834	124	2	2
122	Other diseases of the kidneys and annexa	133	15	2	2	1	.....	1	4	10	15	21	18	13	15	15	1	.....	.....
123	Calculi of the urinary passages	47	.....	.....	.....	.....	.....	.....	1	3	5	6	9	8	13	2	.....	.....	.....
124	Diseases of the bladder	88	2	.....	.....	.....	.....	.....	1	2	4	1	11	14	23	26	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	22	.....	.....	.....	.....	.....	.....	.....	2	5	5	5	4	1	.....	.....	.....	.....
126	Diseases of the prostate	314	.....	.....	.....	.....	.....	.....	.....	2	3	5	19	78	127	71	9	.....	.....
127	Nonvenereal diseases of the male genital organs	5	1	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	158	.....	.....	.....	.....	.....	.....	.....	7	43	73	19	5	4	2	.....	.....	.....
130	Other diseases of the uterus	54	.....	.....	.....	.....	.....	.....	1	7	11	17	7	8	2	1	.....	.....	.....
131	Cysts and other tumors of the ovary	55	.....	.....	.....	.....	.....	.....	.....	4	13	14	8	6	5	5	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	145	.....	.....	.....	.....	.....	.....	4	57	54	24	5	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	4	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
	VII.—The puerperal state	1,141	.....	.....	.....	.....	.....	.....	85	527	444	85	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	202	.....	.....	.....	.....	.....	.....	15	93	87	7	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	75	.....	.....	.....	.....	.....	.....	.....	26	36	13	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	167	.....	.....	.....	.....	.....	.....	11	88	56	12	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	425	.....	.....	.....	.....	.....	.....	38	203	159	25	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	230	.....	.....	.....	.....	.....	.....	19	103	89	19	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	39	.....	.....	.....	.....	.....	.....	2	13	15	9	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	ILLINOIS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	250	56	2	1	.....	.....	4	15	7	14	20	21	32	33	32	12	.....	1
142	Gangrene	91	6	.....	.....	.....	.....	1	1	1	1	5	7	12	23	23	10	.....	1
143	Furuncle	56	15	.....	.....	.....	.....	1	8	1	7	7	7	6	3	1	.....	.....	.....
144	Acute abscess	39	12	2	.....	.....	.....	2	4	2	4	2	2	5	4	.....	.....	.....	.....
145	Other diseases of the skin and annexa	64	23	.....	1	.....	.....	.....	2	3	2	6	5	9	3	8	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	191	14	5	6	2	4	18	31	25	17	24	21	14	8	1	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	166	13	5	4	2	4	18	29	23	17	22	15	9	3	1	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	22	1	.....	2	.....	.....	.....	2	2	.....	2	5	4	4	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....
	X.—Malformations	1,065	986	34	15	4	4	9	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	1,065	986	34	15	4	4	9	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	93	74	10	3	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	625	595	11	7	.....	2	2	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	347	317	13	5	2	1	4	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	3,859	3,859	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,774	2,774	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	2,370	2,370	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	404	404	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	1,072	1,072	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	695	695	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	377	377	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	572	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	17	119	319	109	4	.....
154	Senility	572	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	17	119	319	109	4	.....
	XIII.—External causes	5,872	111	100	92	82	95	320	590	860	895	740	709	530	413	273	52	.....	10
	Suicide (total)	760	.....	.....	.....	.....	.....	.....	30	121	166	169	144	73	43	14	.....	.....	.....
155	By poison	117	.....	.....	.....	.....	.....	.....	6	28	23	26	21	6	4	3	.....	.....	.....
156	By asphyxia	142	.....	.....	.....	.....	.....	.....	4	24	29	27	33	15	7	3	.....	.....	.....
157	By hanging or strangulation	122	.....	.....	.....	.....	.....	.....	1	5	29	33	21	20	9	4	.....	.....	.....
158	By drowning	58	.....	.....	.....	.....	.....	.....	3	8	16	8	13	5	5	.....	.....	.....	.....
159	By firearms	231	.....	.....	.....	.....	.....	.....	15	42	49	52	36	20	13	4	.....	.....	.....
160	By cutting or piercing instruments	54	.....	.....	.....	.....	.....	.....	1	8	10	15	14	3	3	.....	.....	.....	.....
161	By jumping from high places	20	.....	.....	.....	.....	.....	.....	.....	1	8	3	3	3	2	.....	.....	.....	.....
162	By crushing	6	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....
163	Other suicides	10	.....	.....	.....	.....	.....	.....	.....	3	.....	4	2	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	4,632	97	100	91	80	94	314	530	591	590	495	525	443	366	256	52	.....	8
164	Poisoning by food	48	7	4	4	3	1	2	4	3	2	3	6	4	2	3	.....	.....	.....
165	Other acute poisonings	111	4	13	5	1	1	2	4	16	22	14	14	10	5	.....	.....	.....	.....
166	Conflagration	60	1	1	6	4	6	3	3	11	3	5	7	1	5	2	1	.....	1
167	Burns (conflagration excepted)	375	8	40	47	31	30	40	26	25	33	21	27	24	14	8	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	345	37	1	.....	.....	.....	1	19	43	41	52	51	37	46	14	3	.....	.....
169	Accidental drowning	265	2	15	2	3	4	27	36	42	29	23	17	8	1	3	.....	.....	3
170	Traumatism by firearms	141	.....	1	1	.....	2	17	43	29	22	19	6	.....	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	15	1	.....	.....	.....	.....	1	.....	1	1	1	4	1	4	1	.....	.....	.....
172	Traumatism by fall	791	8	11	6	9	8	15	24	40	49	50	65	105	165	190	46	.....	.....
173	Traumatism in mines and quarries (total)	240	.....	.....	.....	.....	.....	1	19	53	62	47	29	22	5	.....	.....	.....	2
	Traumatism in mines	234	.....	.....	.....	.....	.....	.....	19	51	61	46	28	22	5	.....	.....	.....	2
	Traumatism in quarries	6	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	158	.....	.....	.....	1	1	3	20	29	31	30	24	14	4	.....	.....	.....	1
175	Traumatism by other crushing (total)	1,664	5	5	10	19	36	183	232	243	241	192	204	178	90	25	1	.....	.....
	Railroad accidents and injuries	627	2	3	3	1	4	19	75	128	112	86	84	77	25	7	1	.....	.....
	Street-car accidents and injuries	166	1	.....	2	2	4	7	11	23	26	20	29	24	13	4	.....	.....	.....
	Automobile accidents and injuries	728	1	2	3	11	26	149	128	71	81	62	79	63	42	10	.....	.....	.....
	Injuries by other vehicles	111	1	.....	1	5	2	7	14	13	17	17	9	12	9	4	.....	.....	.....
	Aeroplane accidents and injuries	4	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	28	.....	.....	1	.....	.....	1	4	4	5	7	3	2	1	.....	.....	.....	.....
176	Injuries by animals	31	.....	.....	.....	2	1	4	4	4	.....	2	4	5	3	2	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
178	Excessive cold	9	.....	.....	.....	.....	.....	.....	.....	1	3	.....	2	2	1	.....	.....	.....	.....
179	Effects of heat	19	3	.....	.....	.....	.....	.....	1	1	1	1	4	2	3	3	.....	.....	.....
180	Lightning	12	.....	.....	.....	.....	.....	.....	5	1	1	.....	3	2	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	45	.....	.....	.....	.....	2	3	8	13	13	1	3	1	1	.....	.....	.....	.....
185	Fractures (cause not specified)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	.....	.....	.....	.....
186	Other external violence	296	21	9	10	7	2	12	32	36	36	34	55	25	12	4	.....	.....	1
	Homicide (total)	480	14	.....	1	2	1	6	30	148	139	76	40	14	4	3	.....	.....	2
182	By firearms	344	.....	.....	.....	1	.....	.....	21	118	100	56	33	8	2	3	.....	.....	2
183	By cutting or piercing instruments	45	1	.....	.....	.....	1	2	2	16	17	6	.....	.....	.....	.....	.....	.....	.....
184	By other means	91	13	.....	1	1	.....	4	7	14	22	14	7	6	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	229	84	8	7	1	.....	.....	3	8	12	12	18	34	25	10	3	.....	4
187	Ill-defined organic disease	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
188	Sudden death	11	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	2	.....	.....
189	Not specified or ill-defined (total)	215	82	8	6	1	.....	.....	3	8	12	11	17	30	23	9	1	.....	4
	Ill-defined	84	23	6	6	.....	.....	.....	1	3	3	5	6	14	12	4	.....	.....	1
	Not specified or unknown	131	59	2	.....	1	.....	.....	2	5	9	6	11	16	11	5	1	.....	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	INDIANA.																		
	All causes	39,430	5,301	1,073	503	356	251	839	1,758	2,798	3,108	3,049	3,842	5,667	6,675	3,667	491	18	34
	I.—General diseases	11,372	744	395	220	173	125	426	859	1,207	1,377	1,174	1,256	1,530	1,304	434	45	4	9
1	Typhoid fever	284	1	2	4	7	7	13	82	62	41	34	18	8	5	.....	.....	.....	.....
4	Malaria	20	1	.....	2	1	.....	2	2	2	1	1	2	1	5	.....	.....	.....	.....
5	Smallpox	17	4	.....	.....	.....	.....	.....	1	3	1	1	.....	5	1	1	.....	.....	.....
6	Measles	348	86	77	37	26	17	32	33	11	10	8	4	5	1	.....	1	.....	.....
7	Scarlet fever	212	8	14	16	17	20	60	46	20	10	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	311	176	65	23	13	10	18	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Diphtheria and croup	362	15	34	29	45	28	128	58	12	7	2	3	.....	.....	1	.....	.....	.....
10	Influenza	2,295	225	126	64	32	18	75	166	320	420	191	143	193	208	98	13	1	2
13	Cholera nostras	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	119	22	10	9	.....	.....	.....	2	2	.....	3	6	18	26	17	4	.....	.....
18	Erysipelas	156	33	.....	4	2	.....	1	7	3	9	9	21	24	26	17	.....	.....	.....
19	Other epidemic diseases	11	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
20	Purulent infection and septicemia	60	5	3	.....	.....	1	2	5	3	4	8	7	8	9	5	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	65	6	1	1	1	1	15	13	5	6	5	7	2	2	.....	.....	.....	.....
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
26	Pellagra	3	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,201	79	45	23	18	15	51	347	766	593	410	311	308	196	31	5	.....	3
28	Tuberculosis of the lungs	2,611	29	22	3	3	6	19	279	667	516	340	256	266	171	26	5	.....	3
29	Acute miliary tuberculosis	122	7	2	1	1	1	4	20	35	18	12	11	6	3	1	.....	.....	.....
30	Tuberculous meningitis	160	27	19	15	11	6	20	15	17	9	9	8	2	2	.....	.....	.....	.....
31	Abdominal tuberculosis	164	12	2	2	1	1	3	13	26	26	25	21	18	11	3	.....	.....	.....
32	Pott's disease	35	1	.....	2	.....	1	2	7	5	5	7	2	1	2	.....	.....	.....	.....
33	White swellings	17	.....	.....	.....	.....	.....	.....	1	2	3	2	1	5	1	2	.....	.....	.....
34	Tuberculosis of other organs	63	3	.....	.....	1	.....	2	6	11	11	11	5	10	3	.....	.....	.....	.....
35	Disseminated tuberculosis	29	.....	.....	.....	1	.....	.....	5	2	6	5	3	4	2	1	.....	.....	.....
36	Rickets	11	6	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	225	49	3	.....	2	1	2	6	12	32	42	32	31	12	.....	1	.....	.....
38	Gonococcus infection	23	.....	.....	.....	.....	.....	.....	2	6	8	5	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,645	.....	2	3	1	3	7	11	19	149	345	510	702	653	220	15	2	3
39	Of the buccal cavity	87	.....	.....	.....	.....	.....	.....	.....	.....	1	12	15	20	24	13	1	.....	1
40	Of the stomach, liver	1,028	.....	1	.....	1	.....	1	1	4	32	95	198	322	303	67	2	.....	1
41	Of the peritoneum, intestines, rectum	309	.....	.....	.....	.....	1	1	3	.....	16	34	66	84	84	20	.....	.....	.....
42	Of the female genital organs	416	.....	.....	.....	.....	.....	.....	1	1	55	103	98	86	55	15	1	.....	1
43	Of the breast	218	.....	.....	.....	.....	.....	.....	1	.....	17	51	47	47	35	16	3	1	.....
44	Of the skin	164	.....	.....	.....	.....	.....	.....	.....	1	2	8	16	28	58	44	6	1	.....
45	Of other organs or of organs not specified	423	.....	1	3	.....	2	5	5	13	26	42	70	115	94	45	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....
47	Acute articular rheumatism	93	.....	.....	1	1	1	7	26	6	8	8	11	6	12	5	1	.....	.....
48	Chronic rheumatism and gout	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	7	5	5	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	485	.....	.....	1	1	1	7	32	19	35	35	94	130	99	26	4	.....	1
51	Exophthalmic goiter	86	.....	.....	.....	.....	.....	.....	3	8	18	19	21	14	2	1	.....	.....	.....
52	Addison's disease	12	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	2	1	.....	.....	.....	.....
53	Leukemia	66	1	2	1	2	2	2	5	8	5	9	9	15	5	.....	.....	.....	.....
54	Anemia, chlorosis	158	3	2	1	.....	.....	1	3	4	12	21	37	45	25	3	1	.....	.....
55	Other general diseases	43	17	2	.....	3	.....	2	4	1	.....	2	4	3	3	2	.....	.....	.....
56	Alcoholism (acute or chronic)	16	.....	.....	.....	.....	.....	.....	.....	2	5	5	2	1	1	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,267	99	29	30	18	15	40	73	100	146	292	539	945	1,248	619	68	3	3
60	Encephalitis	75	4	4	2	1	.....	2	4	13	10	13	7	8	4	2	.....	.....	1
61	Meningitis (total)	207	48	16	17	9	6	18	22	27	15	10	8	7	4	.....	.....	.....	.....
	Simple meningitis	119	29	5	16	5	4	4	11	14	10	7	6	5	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	47	11	6	.....	1	1	6	5	8	5	.....	1	2	1	.....	.....	.....	.....
	Cerebrospinal fever	41	8	5	1	3	1	8	6	5	.....	3	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	78	.....	.....	.....	.....	.....	.....	1	1	2	11	22	19	21	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	176	2	3	3	.....	2	3	6	7	7	11	22	45	44	17	4	.....	.....
	Acute anterior poliomyelitis	16	.....	3	2	.....	1	2	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	160	2	.....	1	.....	1	1	3	3	6	11	22	45	44	17	4	.....	.....
64	Cerebral hemorrhage, apoplexy	2,894	4	.....	2	1	3	4	8	14	40	146	373	739	1,011	490	54	3	2
65	Softening of the brain	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	4	17	13	2	.....	.....
66	Paralysis without specified cause	256	.....	.....	.....	1	.....	2	.....	2	1	10	23	50	92	68	7	.....	.....
67	General paralysis of the insane	213	.....	.....	.....	.....	.....	.....	.....	6	34	53	44	33	27	16	.....	.....	.....
68	Other forms of mental alienation	40	.....	.....	.....	.....	.....	.....	.....	3	8	6	6	7	6	4	.....	.....	.....
69	Epilepsy	104	3	.....	1	1	2	.....	16	14	23	14	10	13	5	2	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
71	Convulsions of infants	24	23	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....
73	Neuralgia and neuritis	20	.....	.....	.....	.....	.....	.....	1	1	1	2	2	4	67	2	.....	.....	.....
74	Other diseases of the nervous system	69	5	2	1	1	1	4	7	5	3	10	9	12	6	2	1	.....	.....
75	Diseases of the eyes and their annexa	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....
76	Diseases of the ears	60	10	3	4	4	1	6	6	5	2	4	9	3	2	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	INDIANA—Continued.																		
	III.—Diseases of the circulatory system.	5,993	55	7	9	12	6	34	108	114	193	335	652	1,322	1,861	1,137	139	3	6
77	Pericarditis	31	1	1					5	2	3	2	2	3	8	3	1		
78	Acute endocarditis	214	10	1	3	5	1	11	29	15	16	31	44	22	16	9	1		
79	Organic diseases of the heart	4,350	34	5	5	5	5	21	67	92	145	256	485	1,049	1,364	739	72	1	5
80	Angina pectoris	313							2		12	18	56	97	96	31		1	
81	Diseases of the arteries, atheroma, aneurism, etc	929							1		6	18	44	123	337	335	63	1	1
82	Embolism and thrombosis	111						2	3	3	6	6	15	23	33	18	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22	1						1	2	1	4	4	4	4	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	12	8			2									2				
85	Hemorrhage; other diseases of the circulatory system	11	1		1						4		2	1	1	1			
	IV.—Diseases of the respiratory system.	4,590	789	250	123	60	37	98	163	369	427	318	359	457	632	437	62	1	3
86	Diseases of the nasal fossae	2	1													1			
87	Diseases of the larynx	23	3	3	3	1	1	1		1			2	3	3	2			
88	Diseases of the thyroid body	40		1					1	3	8	8	10	7	2				
89	Acute bronchitis	146	59	12	3	2		3	3	1	1	1	4	2	25	24	6		
90	Chronic bronchitis	193	2	3				1		2	6	8	7	30	59	65	9	1	
91	Bronchopneumonia	1,535	450	150	70	30	12	37	32	59	75	49	75	106	198	163	28		1
92	Pneumonia (total)	2,400	263	78	47	24	20	46	128	283	326	229	228	271	295	149	11		2
	Lobar pneumonia	2,167	217	65	42	20	17	43	116	271	300	217	214	259	260	118	6		2
	Pneumonia (undefined)	233	46	13	5	4	3	3	12	12	26	12	14	12	35	31	5		
93	Pleurisy	87	5	3		2	2	5	3	12	4	8	12	11	13	5	2		
94	Pulmonary congestion, pulmonary apoplexy	44	5			1		3			1	1	2	6	7	16	2		
95	Gangrene of the lung	10					1			1	1	2		2	3				
96	Asthma	72	1				1	1		3	1	3	10	15	21	12	4		
97	Pulmonary emphysema	4										3			1				
98	Other diseases of the respiratory system (tuberculosis excepted)	34						1	1	4	4	6	9	4	5				
	V.—Diseases of the digestive system.	3,521	1,051	315	74	36	29	80	146	168	203	261	304	341	334	151	28		
99	Diseases of the mouth and annexa	27	9					1	1	2	3	5	2	2	1	1			
100	Diseases of the pharynx	120	4	8	3	5	6	23	22	16	7	9	7	5	4	1			
101	Diseases of the esophagus	9	1							1	1	1	1	2	1				
102	Ulcer of the stomach	112			1				2	4	14	26	21	22	20	1	1		
103	Other diseases of the stomach (cancer excepted)	298	98	15	9	3	4	3	2	7	4	16	25	31	38	30	13		
104	Diarrhea and enteritis (under 2 years)	1,164	885	279															
105	Diarrhea and enteritis (2 years and over)	300			53	16	7	14	8	11	17	22	19	45	40	40	8		
107	Intestinal parasites	2	1						1										
108	Appendicitis and typhlitis	374		1	1	4	5	25	84	67	75	49	35	17	7	4			
109	Hernia, intestinal obstruction (total)	331	34	8	4	5	3	6	12	18	18	34	56	51	63	19			
	Hernia	104	5						1	5	3	8	25	22	28	7			
	Intestinal obstruction	227	29	8	4	5	3	6	11	13	15	26	31	29	35	12			
110	Other diseases of the intestines	72	9	1	1	2		1	2	5	6	7	6	9	13	9	1		
111	Acute yellow atrophy of the liver	10							1	2	1	1	1	2	2				
112	Hydatid tumor of the liver	1														1			
113	Cirrhosis of the liver	287		1	1		1		1	4	9	37	53	85	68	24	3		
114	Biliary calculi	133						1		11	13	16	29	34	24	5			
115	Other diseases of the liver	180	5	1			2	2		9	15	25	36	30	41	12	2		
116	Diseases of the spleen	6	1					1	1			2		1					
117	Simple peritonitis (nonpuerperal)	78	4	1	1	1	1	3	9	9	15	8	11	2	10	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17								2	5	3	2	4	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	3,559	36	7	6	7	2	16	46	105	156	297	425	816	994	565	73	3	5
119	Acute nephritis	217	21	3	4	4		9	13	24	18	24	26	28	23	12	3		
120	Bright's disease	2,889	6	1		3	1	6	25	41	77	209	359	719	873	504	57	3	5
122	Other diseases of the kidneys and annexa	77	7	3	2			1	1	8	10	5	12	10	13	2	3		
123	Calculi of the urinary passages	11								1	1	1	2	2	4				
124	Diseases of the bladder	51					1						4	7	16	17	6		
125	Diseases of the urethra, urinary abscess, etc.	4										1	1	2					
126	Diseases of the prostate	128									2	1	6	34	51	30	4		
127	Nonvenereal diseases of the male genital organs	3	2									1							
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	53								2	15	20	6	6	4				
130	Other diseases of the uterus	29							4	4	6	9	4	1	1				
131	Cysts and other tumors of the ovary	25								4	4	4	5	4	4				
132	Salpingitis and other diseases of the female genital organs	71							3	21	23	21		3					
	VII.—The puerperal state	567							56	261	211	39							
134	Accidents of pregnancy	75							3	38	30	4							
135	Puerperal hemorrhage	44							1	16	20	7							
136	Other accidents of labor	61							1	27	30	3							
137	Puerperal septicemia	260							33	125	85	17							
138	Puerperal albuminuria and convulsions	112							15	50	41	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	14							3	5	4	2							
140	Following childbirth (not otherwise defined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	INDIANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	114	16			1		2	8	1	1	7	11	17	25	22	2	1	
142	Gangrene	61				1			1			2	5	6	21	22	2	1	
143	Furuncle	17	1					1	1	1		1	4	5	3				
144	Acute abscess	22	7					1	3		1	4	2	4					
145	Other diseases of the skin and annexa	14	8						3					2	1				
	IX.—Diseases of the bones and of the organs of locomotion	85	5	2	3	2		10	15	9	7	11	10	6	4	1			
146	Diseases of the bones (tuberculosis excepted)	80	5	2	3	2		10	14	9	6	10	9	5	4	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5							1		1	1	1	1					
	X.—Malformations	514	496	5	1	1	3	4	3	1									
150	Congenital malformations (total)	514	496	5	1	1	3	4	3	1									
	Hydrocephalus	36	31	3				1	1										
	Congenital malformations of the heart	363	352		1	1	3	3	2	1									
	Other congenital malformations	115	113	2															
	XI.—Early infancy	1,923	1,923																
151	Congenital debility, icterus, and sclerema (total)	1,506	1,506																
	Premature birth	1,294	1,294																
	Congenital debility, "atrophy," "marasmus," etc	212	212																
152	Other causes peculiar to early infancy (total)	415	415																
	Injuries at birth	208	208																
	Other causes peculiar to early infancy	207	207																
153	Lack of care	2	2																
	XII.—Old age	238												8	48	129	51	2	
154	Senility	238												8	48	129	51	2	
	XIII.—External causes	2,636	70	58	36	46	34	129	275	372	385	312	283	217	217	171	22	1	8
	Suicide (total)	332							20	42	70	64	64	41	24	7			
155	By poison	90							9	15	17	17	20	8	3	1			
156	By asphyxia	14								2	4	3	3	1	1				
157	By hanging or strangulation	71								4	7	22	11	14	11	2			
158	By drowning	20							2	3	4	4	1	3	1	2			
159	By firearms	106							9	14	34	10	21	11	5	2			
160	By cutting or piercing instruments	17									2	5	5	2	3				
161	By jumping from high places	4								2	1	1							
162	By crushing	6								2		2	2						
163	Other suicides	4									1		1	2					
	Accidental or undefined (total)	2,166	68	58	35	46	33	128	251	286	274	222	203	176	192	164	22	1	7
164	Poisoning by food	37	9	2	2	3		3	1	4	6	1	3		3				
165	Other acute poisonings	52	1	14	7	4		3	2	8	3	4	3	1	1	1			
166	Conflagration	26		2	3	1	2	2		1	2	2	2	1	6	1			1
167	Burns (conflagration excepted)	157	6	12	7	16	12	15	12	19	12	14	7	10	10	4	1		
168	Absorption of deleterious gases (conflagration excepted)	89	29	2			1	2	7	12	14	8	4	5	4	1			
169	Accidental drowning	120	1	5	1	1	2	15	48	22	12	7	2	1	2				1
170	Traumatism by firearms	57				1		4	30	6	7	5	2	2					
171	Traumatism by cutting or piercing instruments	7						1		1	1	2	1	1					
172	Traumatism by fall	409	7	6	2	1	3	7	13	11	16	12	24	41	108	137	20	1	
173	Traumatism in mines and quarries (total)	109							10	29	28	22	14	6					
	Traumatism in mines	105							10	26	28	21	14	6					
	Traumatism in quarries	4								3		1							
174	Traumatism by machines	74			1				7	21	14	13	12	3	3				
175	Traumatism by other crushing (total)	782	2	8	9	11	10	60	98	120	119	106	97	83	42	12			5
	Railroad accidents and injuries	336	1	2	4	1	1	10	34	55	66	61	48	33	13	4			3
	Street-car accidents and injuries	106			1	2	2	5	13	18	17	15	14	11	5	3			
	Automobile accidents and injuries	248		2	4	6	5	37	40	35	23	23	26	27	16	2			2
	Injuries by other vehicles	66	1	4		2	2	7	10	6	6	4	7	10	5	2			
	Aeroplane accidents and injuries	3								2	1								
	Landslide, other crushing	23						1	1	4	6	3	2	2	3	1			
176	Injuries by animals	26			1	2		2	1	3	2	2	5	5	2	1			
178	Excessive cold	7	1	1							1		2	1	1				
179	Effects of heat	5	2											2	1				
180	Lightning	17					1	1	4	3	3	1	4						
181	Electricity (lightning excepted)	27						3	5	9	5	4		1					
185	Fractures (cause not specified)	4									1	1			1	1			
186	Other external violence	161	10	6	2	6	2	10	13	17	28	18	21	13	9	6			
	Homicide (total)	138	2		1		1	1	4	44	41	26	16		1				1
182	By firearms	103			1		1	1	2	33	33	19	12						1
183	By cutting or piercing instruments	10							1	3	3	2	1						
184	By other means	25	2						1	8	5	5	3		1				
	XIV.—Ill-defined diseases	51	17	5	1				1	1	2	3	3	8	8	1	1		
187	Ill-defined organic disease	2												2					
188	Sudden death	2													2				
189	Not specified or ill-defined (total)	47	17	5	1				1	1	2	3	3	6	6	1	1		
	Ill-defined	23	2	4	1					1	2		2	4	6	1			
	Not specified or unknown	24	15	1					1			3	1	2			1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KANSAS.																	
	All causes	20,267	2,898	573	309	184	150	481	967	1,390	1,557	1,443	1,760	2,607	3,500	2,031	317	10	37
	I.—General diseases	5,398	377	215	145	78	67	223	396	577	646	544	590	693	583	234	20	.....	5
1	Typhoid fever	141	2	1	6	3	3	11	38	30	21	12	7	2	2	3	.....	.....	.....
4	Malaria	13	.....	.....	.....	.....	.....	.....	.....	1	3	2	4	2	1	.....	.....	.....	.....
5	Smallpox	4	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
6	Measles	80	20	21	12	2	2	6	11	4	1	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	112	9	12	9	10	6	25	23	11	5	1	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	213	128	48	19	3	3	8	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	246	6	23	39	22	30	86	27	6	1	3	2	1	.....	.....	.....	.....	.....
10	Influenza	1,473	116	91	42	25	12	54	125	254	302	120	105	89	88	40	7	.....	3
13	Cholera nostras	6	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
14	Dysentery	56	12	4	3	2	.....	.....	.....	.....	2	1	1	7	13	10	1	.....	.....
18	Erysipelas	49	18	1	1	.....	.....	1	1	2	1	3	5	4	7	5	.....	.....	.....
19	Other epidemic diseases	11	.....	.....	1	.....	2	3	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	35	5	2	.....	1	.....	.....	7	4	3	4	4	2	1	1	1	.....	.....
24	Tetanus	24	1	.....	.....	.....	.....	7	8	1	2	2	1	1	1	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
26	Pellagra	8	.....	.....	.....	.....	.....	.....	2	1	1	4	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	855	9	5	9	3	3	7	102	197	175	136	95	71	36	6	1	.....	.....
28	Tuberculosis of the lungs	699	1	1	1	.....	1	1	77	174	154	114	78	64	29	3	1	.....	.....
29	Acute miliary tuberculosis	31	.....	.....	.....	.....	.....	1	6	11	5	5	2	.....	1	.....	.....	.....	.....
30	Tuberculous meningitis	32	4	4	7	1	2	1	6	2	3	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	42	2	.....	1	1	.....	2	7	5	6	7	4	3	2	2	.....	.....	.....
32	Pott's disease	16	2	.....	.....	1	.....	2	2	.....	2	2	3	2	.....	.....	.....	.....	.....
33	White swellings	9	.....	.....	.....	.....	.....	.....	2	.....	1	1	2	1	2	.....	.....	.....	.....
34	Tuberculosis of other organs	18	.....	.....	.....	.....	.....	.....	2	3	1	4	5	.....	2	1	.....	.....	.....
35	Disseminated tuberculosis	8	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	1	.....	.....	.....	.....	.....
36	Rickets	10	7	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
37	Syphilis	109	24	2	.....	2	.....	.....	.....	7	22	25	17	9	1	.....	.....	.....	.....
38	Gonococcus infection	14	.....	.....	.....	.....	.....	.....	1	6	7	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,283	.....	.....	1	1	1	1	9	12	56	156	245	355	311	129	5	.....	1
39	Of the buccal cavity	51	.....	.....	.....	.....	.....	.....	.....	.....	2	5	7	8	17	11	1	.....	.....
40	Of the stomach, liver	493	.....	.....	.....	.....	1	.....	1	2	10	32	93	151	160	41	2	.....	.....
41	Of the peritoneum, intestines, rectum	169	.....	.....	.....	.....	.....	.....	2	3	7	15	39	49	33	15	.....	.....	1
42	Of the female genital organs	177	.....	.....	.....	.....	.....	.....	.....	2	16	50	44	33	15	12	.....	.....	.....
43	Of the breast	106	.....	.....	.....	.....	.....	.....	1	.....	9	17	25	34	13	7	.....	.....	.....
44	Of the skin	63	.....	.....	.....	.....	.....	1	.....	.....	2	4	8	7	19	21	1	.....	.....
45	Of other organs or of organs not specified	224	.....	.....	1	1	.....	.....	5	5	10	33	29	68	49	22	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	6	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....
47	Acute articular rheumatism	76	1	.....	.....	1	.....	7	9	6	3	6	8	11	17	6	1	.....	.....
48	Chronic rheumatism and gout	28	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	6	13	5	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	294	.....	.....	2	1	2	2	13	13	16	25	54	85	63	17	1	.....	.....
51	Exophthalmic goiter	37	.....	.....	.....	.....	.....	.....	3	4	5	6	11	6	1	.....	.....	.....	1
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	35	.....	.....	.....	.....	.....	2	2	8	3	8	5	4	2	1	.....	.....	.....
54	Anemia, chlorosis	115	3	.....	.....	.....	.....	2	4	6	10	13	16	32	21	7	1	.....	.....
55	Other general diseases	40	12	3	1	2	3	1	3	2	.....	4	2	1	2	2	2	.....	.....
56	Alcoholism (acute or chronic)	13	.....	.....	.....	.....	.....	.....	.....	.....	1	4	4	2	1	1	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,264	62	23	14	11	7	23	43	41	86	137	266	496	681	331	36	3	4
60	Encephalitis	45	5	3	.....	1	1	3	5	4	4	9	4	2	1	2	1	.....	.....
61	Meningitis (total)	89	17	7	9	7	1	11	11	9	4	5	1	5	1	1	.....	.....	.....
	Simple meningitis	49	8	3	5	3	1	8	2	6	4	2	1	4	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	22	1	3	2	3	.....	2	6	3	.....	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	18	8	1	2	1	.....	1	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	10	8	5	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	126	2	3	2	1	1	2	2	3	3	6	16	32	42	9	2	.....	.....
	Acute anterior poliomyelitis	10	.....	2	2	1	1	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	116	2	1	.....	.....	.....	1	1	2	3	6	16	32	41	9	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,483	2	.....	.....	.....	1	.....	4	4	28	74	178	386	509	264	29	2	2
65	Softening of the brain	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	12	11	.....	.....	.....
66	Paralysis without specified cause	169	.....	.....	.....	.....	.....	.....	1	1	5	6	15	36	74	29	2	.....	.....
67	General paralysis of the insane	62	.....	.....	.....	.....	.....	.....	.....	2	13	5	17	5	11	7	.....	.....	2
68	Other forms of mental alienation	44	.....	.....	.....	.....	.....	.....	2	3	10	7	5	6	7	3	.....	1	.....
69	Epilepsy	64	1	1	1	.....	.....	.....	8	14	11	10	7	6	4	1	.....	.....	.....
71	Convulsions of infants	28	23	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	.....	1	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	6	1	1	.....	.....
74	Other diseases of the nervous system	47	4	2	.....	1	1	2	3	1	5	6	8	3	8	2	1	.....	.....
76	Diseases of the ears	28	8	4	.....	.....	1	5	6	.....	2	1	.....	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	KANSAS—Continued.																		
	III.—Diseases of the circulatory system.	2,793	33	7	4	1	3	15	58	70	112	162	271	564	885	524	78	.....	6
77	Pericarditis	24	1	.....	1	.....	1	.....	2	.....	4	1	2	6	3	3	.....	.....	.....
78	Acute endocarditis	108	3	1	.....	1	.....	5	11	11	20	11	20	9	11	2	3	.....	.....
79	Organic diseases of the heart	2,021	24	5	2	.....	.....	10	43	52	75	122	186	433	657	362	46	.....	4
80	Angina pectoris	131	.....	.....	.....	.....	.....	.....	.....	1	2	9	25	38	41	13	2	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	381	.....	.....	.....	.....	.....	.....	1	2	3	10	19	54	137	128	25	.....	2
82	Embolism and thrombosis	90	1	.....	1	.....	1	.....	.....	3	6	6	17	15	25	14	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	3	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	26	1	.....	.....	.....	.....	.....	1	.....	1	2	1	6	11	2	1	.....	.....
	IV.—Diseases of the respiratory system.	2,096	343	116	53	29	20	54	95	162	206	140	126	198	299	218	34	1	2
86	Diseases of the nasal fossæ	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	24	1	3	4	1	3	3	1	1	1	2	1	.....	2	.....	1	.....	.....
88	Diseases of the thyroid body	12	.....	2	.....	.....	.....	.....	.....	2	1	1	3	3	.....	.....	.....	.....	.....
89	Acute bronchitis	65	24	7	1	1	1	.....	.....	.....	1	1	1	4	9	12	3	.....	.....
90	Chronic bronchitis	109	.....	.....	.....	.....	.....	2	1	1	2	4	5	19	42	27	6	.....	.....
91	Bronchopneumonia	697	201	72	27	10	9	20	18	39	39	20	23	48	92	68	11	.....	.....
92	Pneumonia (total)	1,031	110	28	21	16	4	26	72	102	153	102	76	103	121	85	10	1	1
	Lobar pneumonia	809	85	20	10	13	2	20	60	85	129	89	64	88	88	50	6	.....	.....
	Pneumonia (undefined)	222	25	8	11	3	2	6	12	17	24	13	12	15	33	35	4	1	1
93	Pleurisy	35	2	1	.....	1	1	1	3	11	4	3	1	2	3	1	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	34	1	.....	.....	.....	1	.....	.....	3	.....	2	3	4	8	9	3	.....	.....
96	Asthma	52	2	1	.....	.....	.....	.....	.....	.....	2	3	7	9	20	8	.....	.....	.....
97	Pulmonary emphysema	6	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	1	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	29	1	2	.....	.....	1	1	.....	3	2	2	4	5	2	6	.....	.....	.....
	V.—Diseases of the digestive system.	1,962	527	156	67	36	21	70	120	93	98	115	155	178	201	109	15	1	.....
99	Diseases of the mouth and annexa	13	2	.....	.....	.....	1	1	.....	2	.....	2	2	3	.....	.....	.....	.....	.....
100	Diseases of the pharynx	59	3	1	3	.....	1	15	11	6	3	6	2	1	4	2	1	.....	.....
101	Diseases of the esophagus	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....
102	Ulcer of the stomach	69	1	.....	.....	.....	1	.....	2	3	10	10	10	15	12	4	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	208	68	8	2	3	3	2	5	4	4	7	9	23	39	28	3	.....	.....
104	Diarrhea and enteritis (under 2 years)	543	403	140	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	207	.....	.....	52	25	8	10	5	5	5	8	8	19	34	24	4	.....	.....
108	Appendicitis and typhlitis	276	1	1	3	4	5	30	73	45	44	27	24	10	8	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	203	33	3	3	4	1	7	9	12	10	20	24	34	19	21	2	1	.....
	Hernia	62	6	.....	.....	.....	.....	1	2	4	3	5	12	16	6	6	1	.....	.....
	Intestinal obstruction	141	27	3	3	4	1	6	7	8	7	15	12	18	13	15	1	1	.....
110	Other diseases of the intestines	50	3	2	.....	.....	.....	2	7	2	6	2	10	6	6	2	2	.....	.....
111	Acute yellow atrophy of the liver	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....
113	Cirrhosis of the liver	112	2	.....	.....	.....	.....	.....	.....	2	2	8	22	28	34	12	2	.....	.....
114	Biliary calculi	57	.....	.....	.....	.....	.....	.....	.....	2	5	6	15	14	12	3	.....	.....	.....
115	Other diseases of the liver	98	3	.....	4	.....	.....	1	4	3	4	10	24	16	23	6	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	42	7	1	.....	.....	1	2	2	6	4	6	3	4	3	3	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	13	.....	.....	.....	.....	.....	.....	2	.....	1	3	2	1	4	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,730	22	5	3	1	2	9	19	56	81	124	199	326	558	282	41	1	1
119	Acute nephritis	106	7	3	2	1	1	2	4	10	14	6	6	12	31	7	.....	.....	.....
120	Bright's disease	1,352	6	2	1	.....	1	7	13	30	36	85	174	282	449	231	33	1	1
122	Other diseases of the kidneys and annexa	34	8	.....	.....	.....	.....	.....	.....	1	4	5	3	4	5	2	2	.....	.....
123	Calculi of the urinary passages	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	4	2	1	.....	.....
124	Diseases of the bladder	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	14	11	2	.....	.....
126	Diseases of the prostate	99	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	16	52	26	2	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
129	Uterine tumor (noncancerous)	27	.....	.....	.....	.....	.....	.....	.....	.....	8	7	5	4	2	1	.....	.....	.....
130	Other diseases of the uterus	19	.....	.....	.....	.....	.....	.....	.....	3	6	4	3	1	1	1	.....	.....	.....
131	Cysts and other tumors of the ovary	13	.....	.....	.....	.....	.....	.....	.....	2	3	3	2	3	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	32	1	.....	.....	.....	.....	.....	2	9	9	10	.....	.....	.....	.....	1	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	334	.....	.....	.....	.....	.....	.....	33	148	121	32	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	54	.....	.....	.....	.....	.....	.....	2	30	17	5	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	17	.....	.....	.....	.....	.....	.....	2	1	11	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	37	.....	.....	.....	.....	.....	.....	1	18	13	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	137	.....	.....	.....	.....	.....	.....	20	58	50	9	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	79	.....	.....	.....	.....	.....	.....	7	38	27	7	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9	.....	.....	.....	.....	.....	.....	1	2	3	3	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

KANSAS—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	VIII.—Diseases of the skin and of the cellular tissue	74	1	2	.....	1	.....	3	2	2	4	6	4	10	17	19	3	.....	.....
142	Gangrene	39	.....	.....	.....	.....	.....	1	.....	.....	.....	2	2	5	11	15	3	.....	.....
143	Furuncle	7	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	1	.....	1	.....	.....	.....
144	Acute abscess	17	1	.....	.....	1	.....	1	1	1	2	2	.....	3	4	1	.....	.....	.....
145	Other diseases of the skin and annexa	11	.....	2	.....	.....	.....	1	.....	.....	.....	1	2	1	2	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	46	1	1	1	1	.....	9	9	2	5	5	4	5	1	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	41	1	1	1	1	.....	9	9	2	3	3	4	5	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	224	206	5	1	2	.....	3	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	224	206	5	1	2	.....	3	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	22	18	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	127	117	3	1	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	75	71	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,218	1,218	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,019	1,019	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	756	751	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	263	263	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	197	197	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	108	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	89	89	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	493	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11	132	272	70	4	2
154	Senility	493	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	11	132	272	70	4	2
	XIII.—External causes	1,449	52	41	19	22	29	68	181	228	189	164	123	107	113	84	17	.....	12
	Suicide (total)	189	.....	.....	.....	.....	.....	.....	11	38	35	40	27	21	13	3	.....	.....	1
155	By poison	33	.....	.....	.....	.....	.....	.....	1	9	6	8	2	4	3	.....	.....	.....	.....
157	By hanging or strangulation	44	.....	.....	.....	.....	.....	.....	1	4	7	12	9	3	7	1	.....	.....	.....
158	By drowning	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
159	By firearms	95	.....	.....	.....	.....	.....	.....	8	25	15	18	13	11	3	1	.....	.....	1
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	.....	1	.....	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,176	49	41	19	22	29	68	165	172	127	106	90	83	99	81	17	.....	8
164	Poisoning by food	32	5	4	1	2	3	5	1	1	2	2	2	2	1	1	.....	.....	.....
165	Other acute poisonings	43	6	8	6	1	2	2	1	4	4	5	1	2	1	.....	.....	.....	.....
166	Conflagration	19	1	.....	2	.....	1	3	2	1	1	3	2	.....	2	1	.....	.....	.....
167	Burns (conflagration excepted)	91	3	11	2	6	6	6	14	12	7	3	6	3	8	4	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	28	19	2	.....	.....	.....	2	1	3	.....	.....	.....	.....	1	.....	.....	.....	.....
169	Accidental drowning	66	1	4	3	1	2	5	27	11	3	3	2	1	.....	1	.....	.....	2
170	Traumatism by firearms	44	.....	.....	.....	.....	3	3	17	9	3	7	2	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	204	4	2	1	1	2	7	8	11	12	5	14	14	53	56	14	.....	.....
173	Traumatism in mines and quarries (total)	35	.....	.....	.....	.....	.....	.....	6	8	7	5	9	.....	.....	.....	.....	.....	.....
	Traumatism in mines	34	.....	.....	.....	.....	.....	.....	6	8	7	5	8	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	30	.....	.....	.....	1	.....	1	2	5	5	7	2	7	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	404	1	7	2	6	7	27	58	77	50	50	35	39	27	12	1	.....	5
	Railroad accidents and injuries	156	.....	2	.....	.....	2	2	16	39	21	21	16	16	13	4	.....	.....	4
	Street-car accidents and injuries	23	.....	.....	.....	.....	.....	.....	2	4	7	2	3	1	1	3	.....	.....	.....
	Automobile accidents and injuries	155	1	4	2	4	4	19	27	20	18	19	13	11	8	5	.....	.....	.....
	Injuries by other vehicles	49	.....	1	.....	2	1	4	9	8	2	6	2	8	4	.....	1	.....	1
	Aeroplane accidents and injuries	8	.....	.....	.....	.....	.....	1	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	13	.....	.....	.....	.....	.....	1	3	.....	2	2	1	3	1	.....	.....	.....	.....
176	Injuries by animals	29	.....	.....	1	2	.....	3	8	4	1	.....	3	6	1	.....	.....	.....	.....
178	Excessive cold	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....
179	Effects of heat	8	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	.....	1	.....	1
180	Lightning	25	.....	.....	.....	.....	.....	.....	4	8	7	3	2	.....	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	24	.....	.....	.....	.....	.....	.....	6	6	6	.....	6	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	5	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	1	.....	.....	.....
186	Other external violence	84	8	3	1	2	3	4	8	11	18	7	3	7	4	5	.....	.....	.....
	Homicide (total)	84	3	.....	.....	.....	.....	.....	5	18	27	18	6	3	1	.....	.....	.....	3
182	By firearms	67	1	.....	.....	.....	.....	.....	4	14	23	14	6	3	1	.....	.....	.....	1
183	By cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	1
184	By other means	12	2	.....	.....	.....	.....	.....	1	3	3	2	.....	.....	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	186	56	7	2	2	1	4	8	10	6	14	20	19	25	6	3	.....	3
187	Ill-defined organic disease	15	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	3	4	2	2	.....	.....
188	Sudden death	16	5	.....	.....	1	.....	.....	1	.....	1	.....	4	1	3	.....	.....	.....	.....
189	Not specified or ill-defined (total)	155	50	7	2	1	1	4	7	9	5	12	16	15	18	4	1	.....	3
	Ill-defined	64	8	5	1	.....	.....	1	3	6	1	6	10	8	10	4	.....	.....	1
	Not specified or unknown	91	42	2	1	1	1	3	4	3	4	6	6	7	8	.....	1	.....	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KENTUCKY (TOTAL).																		
	All causes	28,564	4,597	1,083	514	326	239	805	1,614	2,573	2,307	2,229	2,637	3,393	3,781	1,938	328	40	160
	I.—General diseases	9,715	765	462	231	185	126	420	844	1,456	1,114	948	1,020	1,030	789	232	33	4	56
1	Typhoid fever	490	1	4	9	5	8	49	142	102	49	41	42	23	7	4			4
4	Malaria	60	7	4			2	3	6	5	4	4	10	2	10	2			1
5	Smallpox	21	3	3					1	3		1	3	5	1	1			
6	Measles	270	43	45	26	15	13	42	32	13	13	6	7	5	9				1
7	Scarlet fever	62	6	9	7	9	2	13	12	2	1			1					
8	Whooping cough	386	193	92	35	23	11	21	8	1		1			1				
9	Diphtheria and croup	425	68	72	58	65	44	92	18	3	1		1		2				1
10	Influenza	1,838	196	107	55	39	31	95	170	241	256	154	116	133	158	63	11	4	9
13	Cholera nostras	19	3	2		1					1		3	3	2	2	1		1
14	Dysentery	249	61	49	13	5	3	14	11	10	2	10	11	16	29	13			2
18	Erysipelas	52	13	4		1				4	3	5	6	7	6	2	1		
19	Other epidemic diseases	6	1				1	1		1		1	1						
20	Purulent infection and septicemia	18	1						3	3	2	3	1	1	1	3			
23	Rabies	1						1											
24	Tetanus	41	11		1	1		8	8	4	1	2	3	2					
26	Pellagra	65						1	2	8	8	6	14	15	9	2			
	Tuberculosis (total)	3,705	99	59	20	14	5	69	376	975	660	443	395	329	197	34	4		26
28	Tuberculosis of the lungs	3,172	36	24	6	8	2	32	302	889	600	400	349	289	174	32	3		26
29	Acute miliary tuberculosis	73	1					1	19	25	11	6	3	6	1				
30	Tuberculous meningitis	174	49	29	8	5	3	27	17	13	9	5	4	3	2				
31	Abdominal tuberculosis	175	7	4	2	1		2	17	25	26	22	27	23	16	2	1		
32	Pott's disease	18	1					1	2	4	2	5	3						
33	White swellings	20		1				3	4	4	1	1	3	2	1				
34	Tuberculosis of other organs	50	5	1	3			2	11	9	6	3	4	3	3				
35	Disseminated tuberculosis	23			1			1	4	6	5	1	2	3					
36	Rickets	9	6	2	1														
37	Syphilis	116	25	4	1			1	3	9	16	22	10	15	7	2			1
38	Gonococcus infection	10	2						1	3	1	1		2					
	Cancer and other malignant tumors (total)	1,364	1		1	1	1	2	9	19	61	199	318	363	289	80	12		8
39	Of the buccal cavity	38						1	1	1	2	8	9	6	6	3	1		
40	Of the stomach, liver	500					1		1	5	11	54	128	150	120	26	1		3
41	Of the peritoneum, intestines, rectum	146							1	4	10	17	23	44	32	11	3		1
42	Of the female genital organs	247								2	18	64	69	61	25	5	2		1
43	Of the breast	125									9	32	26	29	24	5			
44	Of the skin	71	1									2	10	17	23	16	1		1
45	Of other organs or of organs not specified	237			1	1		1	6	7	11	22	53	56	59	14	4		2
46	Other tumors (tumors of the female genital organs excepted)	5	1						1	1		2							
47	Acute articular rheumatism	88				1	1	4	13	10	10	6	7	20	9	7			
48	Chronic rheumatism and gout	25										1	4	10	8	2			
50	Diabetes	182	2			2	1		17	12	14	16	34	44	26	12	1		1
51	Exophthalmic goiter	17							1	3	3	4	3	3					
52	Addison's disease	6							1	1		2		1	1				
53	Leukemia	29		1	1	1	1			5	3	5	5	4	3				
54	Anemia, chlorosis	77	6	1	1			1		10	2	10	14	19	9	2	1		1
55	Other general diseases	64	16	4	2	2	2	3	8	7	3		7	3	5		2		
56	Alcoholism (acute or chronic)	10							1	1		2	3	3					
57	Chronic lead poisoning	1										1							
59	Other chronic poisonings	4											2	1		1			
	II.—Diseases of the nervous system and of the organs of special sense	2,607	167	52	31	14	12	39	80	76	124	223	351	554	572	260	32	3	17
60	Encephalitis	53	13	2	3		1	1	3	3	6	7	8	5	1				
61	Meningitis (total)	240	81	26	16	10	9	24	26	11	10	8	7	9	3				
	Simple meningitis	130	42	14	12	5	5	10	9	5	9	4	5	7	3				
	Cerebrospinal meningitis (undefined)	51	20	5	1	3	2	8	6	4		1	1						
	Cerebro-spinal fever	59	19	7	3	2	2	6	11	2	1	3	1	2					
62	Locomotor ataxia	38								2	1	4	18	9	4				
63	Other diseases of the spinal cord (total)	128	6	8	2	2	1		7	3	3	9	9	34	37	7			
	Acute anterior poliomyelitis	20	4	7	2	1	1		2			2			1				
	Other diseases of the spinal cord	108	2	1		1			5	3	3	7	9	34	36	7			
64	Cerebral hemorrhage, apoplexy	1,341	1	4	1	1		3	14	13	41	102	210	357	379	178	22	2	13
65	Softening of the brain	22										1	1	6	5	7	1		1
66	Paralysis without specified cause	288	2	1	1	1		1	3	1	12	17	36	70	83	45	7	1	2
67	General paralysis of the insane	139								5	10	30	22	31	28	11	1		1
68	Other forms of mental alienation	65								7	9	14	13	9	6	6	1		
69	Epilepsy	125	11	1	3			3	12	23	20	22	10	8	10	2			
70	Convulsions (nonpuerperal)	2						1		1									
71	Convulsions of infants	54	47	4	2		1												
72	Chorea	3		1					1					1					
73	Neuralgia and neuritis	8												3	3	2			
74	Other diseases of the nervous system	70	3	1	1			3	9	4	8	8	13	12	7	1			
75	Diseases of the eyes and their annexa	2							1				1						
76	Diseases of the ears	29	3	4	2			3	4	3	4	1	3		1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	2,870	22	2	2	2	7	23	56	90	161	239	357	623	793	419	51	2	16
77	Pericarditis	24	1					1	2	1	3	1	2	3	8	2			
78	Acute endocarditis	136	5	1				4	3	10	20	34	38	8	9	4			
79	Organic diseases of the heart	2,122	13	1	1	2	6	11	45	66	114	159	268	513	599	277	33		14
80	Angina pectoris	135						1	2	2	11	21	19	27	38	12		1	1
81	Diseases of the arteries, atheroma, aneurism, etc	359	1				1		1	2	6	11	19	63	121	114	18	1	1
82	Embolism and thrombosis	62						1	2	6	7	6	11	10	14	5			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10								1		2		3	3	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	1		1			3	1	1									
85	Hemorrhage; other diseases of the circulatory system	15	1					2		1		5		1	1	4			
	IV.—Diseases of the respiratory system.	3,466	610	201	114	53	37	102	188	257	307	236	264	348	448	233	53	4	11
86	Diseases of the nasal fossae	5	3	1												1			
87	Diseases of the larynx	19	7	1	2	1	2	2			3								1
88	Diseases of the thyroid body	11								3	1	5	2						
89	Acute bronchitis	120	61	15	4	3		2		2		2	3	1	10	14	2	1	
90	Chronic bronchitis	158	3					1	7	12	6	7	11	29	45	28	9		
91	Bronchopneumonia	1,036	312	99	45	23	16	38	40	38	59	34	44	77	120	74	13	1	3
92	Pneumonia (total)	1,912	218	84	59	25	17	53	133	190	221	174	174	203	232	98	17	2	7
	Lobar pneumonia	1,484	124	49	35	21	15	40	116	155	190	150	148	168	183	71	12	2	5
	Pneumonia (undefined)	428	94	35	24	4	2	13	17	35	31	24	26	40	49	27	5		2
93	Pleurisy	46	1		1	1	1	4	5	6	6	3	3	6	7	1	1		
94	Pulmonary congestion, pulmonary apoplexy	42	2		1					1	1	1	7	3	9	10	7		
95	Gangrene of the lung	7							1	1	1	1	2			1			
96	Asthma	71	2	1	1			1		1	5	7	12	17	19	3	2		
97	Pulmonary emphysema	6			1			1	1	1			1	1					
98	Other diseases of the respiratory system (tuberculosis excepted)	33	1				1		1	2	4	2	5	6	6	3	2		
	V.—Diseases of the digestive system.	2,312	747	278	79	29	15	96	97	121	110	120	158	159	195	80	14	2	12
99	Diseases of the mouth and annexa	13		1	1		1	2	1	2	3	1		1					
100	Diseases of the pharynx	59	5	3	5	3	2	18	6	4	4	5	1	1	1		1		
101	Diseases of the esophagus	3											1		1	1			
102	Ulcer of the stomach	73	1						2	8	7	7	16	8	20	4			
103	Other diseases of the stomach (cancer excepted)	262	84	14		6	1	3	3	10	11	16	19	32	37	16	7	1	2
104	Diarrhea and enteritis (under 2 years)	873	619	254															
105	Diarrhea and enteritis (2 years and over)	289			64	13	7	27	14	10	10	18	19	30	42	27	5	1	2
106	Ankylostomiasis	1						1											
107	Intestinal parasites	3			2				1										
108	Appendicitis and typhlitis	199	3			1		26	49	45	24	20	12	11	7				1
109	Hernia, intestinal obstruction (total)	180	22	6	4	3	4	8	7	11	14	9	19	26	31	15	1		
	Hernia	40	5			1				1	3	2	7	12	8	1			
	Intestinal obstruction	140	17	6	4	2	4	8	7	10	11	7	12	14	23	14	1		
110	Other diseases of the intestines	29	1		1	2		4		4	4		5	1	5				2
111	Acute yellow atrophy of the liver	9						1	1				2	1	4				
113	Cirrhosis of the liver	100	1		1			1	1	6	9	16	16	13	24	9			3
114	Biliary calculi	55				1				6	5	8	17	8	5	4			1
115	Other diseases of the liver	80	3		1			1	1	4	8	9	12	22	16	3			
116	Diseases of the spleen	6	1							2			1			1			1
117	Simple peritonitis (nonpuerperal)	66	7					4	11	8	10	8	13	4	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12								1	1	3	5	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,176	18	10	7	2	4	12	25	80	101	180	305	449	612	307	46	3	15
119	Acute nephritis	161	8	3	2	1	2	6	6	13	14	24	18	26	25	11	1		1
120	Bright's disease	1,752	6	7	4	1	2	5	15	42	62	127	257	390	525	237	36	3	13
122	Other diseases of the kidneys and annexa	32	3		1			1	1	2	3		8	4	8		1		
123	Calculi of the urinary passages	6									1		1	1	2	1			
124	Diseases of the bladder	52								2	1		5	9	24	7	4		
125	Diseases of the urethra, urinary abscess, etc.	4										1		1	1	1			
126	Diseases of the prostate	72									1	1	3	11	22	30	3		1
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2											2						
129	Uterine tumor (noncancerous)	38								3	9	14	5	4	3				
130	Other diseases of the uterus	17							2	2	2	7	2	2					
131	Cysts and other tumors of the ovary	13								2	3	2	3	1	1		1		
132	Salpingitis and other diseases of the female genital organs	26							1	14	5	4	1		1				
	VII.—The puerperal state	405							57	178	133	35							2
134	Accidents of pregnancy	56							2	24	27	3							
135	Puerperal hemorrhage	20							2	6	5	6							1
136	Other accidents of labor	46							3	17	20	6							
137	Puerperal septicemia	175							27	81	52	15							
138	Puerperal albuminaria and convulsions	98							23	45	25	4							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9								4	4	1							
141	Puerperal diseases of the breast	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

KENTUCKY (TOTAL)—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	VIII.—Diseases of the skin and of the cellular tissue	80	12	4	1	3	1	2	4	2	4	8	7	11	11	9	1	.....	.....
142	Gangrene	31	1	.....	1	1	.....	1	.....	.....	2	1	2	4	10	7	1	.....	.....
143	Furuncle	12	.....	1	.....	.....	.....	.....	2	2	1	1	2	2	1	.....	.....	.....	.....
144	Acute abcess	15	3	1	.....	2	.....	1	1	.....	1	2	1	2	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	22	8	2	.....	.....	1	.....	1	.....	.....	4	2	3	.....	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	51	3	2	4	1	.....	6	14	3	5	5	.....	6	.....	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	44	2	.....	4	1	.....	6	14	3	5	3	.....	4	.....	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	5	1	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	203	194	3	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	203	194	3	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	15	14	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	128	123	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	60	57	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,663	1,663	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,404	1,404	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,138	1,138	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	266	266	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	256	256	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	123	123	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	133	133	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	570	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	26	180	261	80	12	4
154	Senility	570	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	26	180	261	80	12	4
	XIII.—External causes	1,754	71	42	39	34	34	95	234	289	227	200	131	111	113	94	14	6	20
	Suicide (total)	180	.....	.....	.....	.....	.....	.....	11	39	23	41	24	33	7	1	.....	.....	1
155	By poison	38	.....	.....	.....	.....	.....	.....	2	10	9	10	3	3	1	.....	.....	.....	.....
156	By asphyxia	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	31	.....	.....	.....	.....	.....	.....	1	5	2	7	5	8	1	1	.....	.....	1
158	By drowning	11	.....	.....	.....	.....	.....	.....	3	1	.....	4	.....	2	1	.....	.....	.....	.....
159	By firearms	81	.....	.....	.....	.....	.....	.....	4	21	10	18	10	15	3	.....	.....	.....	.....
160	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	1	1	1	2	6	4	1	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,356	69	41	38	34	33	94	211	188	142	114	90	75	101	93	14	6	13
164	Poisoning by food	19	7	2	1	.....	3	1	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
165	Other acute poisonings	42	2	6	1	1	.....	1	3	3	10	9	3	1	.....	1	.....	.....	1
166	Conflagration	12	1	2	1	3	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
167	Burns (conflagration excepted)	210	9	18	26	17	17	36	22	12	9	5	10	9	8	8	2	2	.....
168	Absorption of deleterious gases (conflagration excepted)	35	31	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	74	.....	3	1	1	.....	10	29	17	6	2	1	1	1	.....	.....	.....	2
170	Traumatism by firearms	116	.....	.....	.....	2	3	6	45	24	17	9	6	1	.....	.....	.....	.....	3
171	Traumatism by cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....
172	Traumatism by fall	221	2	3	1	2	.....	8	8	7	5	14	10	18	56	70	12	3	2
173	Traumatism in mines and quarries (total)	134	.....	.....	.....	.....	.....	.....	22	43	33	19	7	5	4	.....	.....	.....	1
	Traumatism in mines	128	.....	.....	.....	.....	.....	.....	21	42	32	19	6	5	2	.....	.....	.....	1
	Traumatism in quarries	6	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	2	.....	.....	.....	.....
174	Traumatism by machines	21	.....	.....	.....	.....	.....	1	3	4	4	5	1	1	1	1	.....	.....	.....
175	Traumatism by other crushing (total)	304	2	.....	3	4	6	24	52	55	41	33	27	27	19	7	.....	.....	4
	Railroad accidents and injuries	144	.....	.....	1	1	.....	4	25	31	27	21	8	12	9	3	.....	.....	2
	Street-car accidents and injuries	24	.....	.....	.....	.....	2	3	.....	.....	2	3	4	6	2	.....	.....	.....	2
	Automobile accidents and injuries	85	1	.....	1	2	3	14	17	13	7	5	10	5	6	1	.....	.....	.....
	Injuries by other vehicles	35	1	.....	1	1	1	2	5	7	3	3	3	3	2	3	.....	.....	.....
	Landslide, other crushing	16	.....	.....	.....	.....	.....	1	5	4	2	1	2	1	.....	.....	.....	.....	.....
176	Injuries by animals	17	.....	.....	.....	.....	.....	4	1	2	3	1	2	1	3	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	1	.....
179	Effects of heat	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....
180	Lightning	13	.....	.....	.....	.....	1	.....	4	1	1	3	2	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	13	.....	.....	.....	.....	.....	.....	5	3	1	1	2	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	7	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	1	1	.....	.....	.....
186	Other external violence	100	12	6	4	3	.....	3	14	12	10	12	12	4	4	4	.....	.....	.....
	Homicide (total)	218	2	1	1	.....	1	1	12	62	62	45	17	3	5	.....	.....	.....	6
182	By firearms	186	.....	.....	.....	.....	.....	1	9	54	58	39	15	2	4	.....	.....	.....	4
183	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	2	2	2	2	.....	.....	1	.....	.....	.....	.....
184	By other means	23	2	1	1	.....	1	.....	1	6	2	4	2	1	.....	.....	.....	.....	2
	XIV.—Ill-defined diseases	692	325	27	5	1	1	9	15	21	21	35	37	71	68	41	4	4	7
187	Ill-defined organic disease	48	1	1	.....	.....	.....	3	.....	1	2	6	6	9	10	7	1	.....	1
188	Sudden death	28	9	.....	.....	.....	.....	.....	2	2	.....	2	3	5	2	2	.....	1	.....
189	Not specified or ill-defined (total)	616	315	26	5	1	1	6	13	18	19	27	28	57	56	32	3	3	6
	Ill-defined	213	71	14	1	.....	.....	1	6	8	8	9	19	32	29	14	.....	.....	1
	Not specified or unknown	403	244	12	4	1	1	5	7	10	11	18	9	25	27	18	3	3	5

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KENTUCKY (WHITE).																	
	All causes	24,004	4,025	955	455	286	216	711	1,286	2,022	1,785	1,684	2,089	2,950	3,406	1,758	270	16	90
	I.—General diseases	8,150	664	415	215	164	117	366	638	1,109	897	763	858	936	732	212	24	1	37
1	Typhoid fever	419	1	4	9	4	8	42	122	83	44	33	38	20	4	4	.....	.....	3
4	Malaria	48	5	4	.....	.....	2	3	5	4	3	3	7	1	8	2	.....	.....	1
5	Smallpox	21	3	3	.....	.....	.....	.....	1	3	.....	1	3	5	1	1	.....	.....	.....
6	Measles	258	41	38	25	15	11	42	32	13	13	6	7	5	9	.....	.....	.....	1
7	Scarlet fever	60	5	8	7	9	2	13	12	2	1	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	323	167	74	28	19	8	17	7	1	.....	1	.....	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	402	62	70	57	61	44	87	15	2	1	.....	.....	.....	2	.....	.....	.....	1
10	Influenza	1,636	176	100	53	35	28	87	149	219	227	130	95	119	142	60	10	1	5
13	Cholera nostras	15	2	2	.....	1	.....	.....	.....	.....	1	.....	1	3	2	2	1	.....	.....
14	Dysentery	226	53	46	13	5	3	14	11	7	2	8	8	15	28	13	.....	.....	.....
18	Erysipelas	48	13	4	.....	1	.....	.....	.....	3	2	4	5	7	6	2	1	.....	.....
19	Other epidemic diseases	4	.....	.....	.....	.....	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	14	1	.....	.....	.....	.....	.....	3	2	1	3	1	1	1	1	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	33	9	.....	1	1	.....	5	8	3	1	1	2	2	.....	.....	.....	.....	.....
26	Pellagra	58	.....	.....	.....	.....	.....	1	1	6	6	6	13	14	9	2	.....	.....	.....
	Tuberculosis (total)	2,851	83	52	17	7	4	45	229	699	512	341	330	300	183	27	3	.....	19
28	Tuberculosis of the lungs	2,442	26	21	3	3	1	16	185	642	472	308	294	264	161	25	2	.....	10
29	Acute miliary tuberculosis	39	1	.....	.....	.....	.....	1	8	15	6	2	1	4	1	.....	.....	.....	.....
30	Tuberculous meningitis	154	45	26	8	4	3	21	15	11	8	5	4	2	2	.....	.....	.....	.....
31	Abdominal tuberculosis	128	5	3	2	.....	.....	1	7	15	17	18	20	22	15	2	1	.....	.....
32	Pott's disease	11	1	.....	.....	.....	.....	.....	1	2	1	3	3	.....	.....	.....	.....	.....	.....
33	White swellings	16	.....	1	.....	.....	.....	.....	1	2	.....	1	2	2	1	.....	.....	.....	.....
34	Tuberculosis of other organs	41	5	1	3	.....	.....	2	6	7	4	3	4	3	3	.....	.....	.....	.....
35	Disseminated tuberculosis	20	.....	.....	1	.....	.....	1	3	5	4	1	2	3	.....	.....	.....	.....	.....
36	Rickets	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	64	16	3	.....	.....	.....	.....	1	4	5	12	7	11	3	2	.....	.....	.....
38	Gonococcus infection	6	2	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,222	1	.....	1	1	1	2	7	17	45	170	276	335	277	75	10	.....	4
39	Of the buccal cavity	34	.....	.....	.....	.....	.....	1	1	1	2	6	9	6	6	1	1	.....	.....
40	Of the stomach, liver	466	.....	.....	.....	.....	1	.....	1	5	8	48	116	140	119	25	1	.....	2
41	Of the peritoneum, intestines, rectum	128	.....	.....	.....	.....	.....	.....	1	3	7	16	20	41	27	10	3	.....	.....
42	Of the female genital organs	204	.....	.....	.....	.....	.....	.....	.....	1	13	50	57	55	23	5	.....	.....	.....
43	Of the breast	110	.....	.....	.....	.....	.....	.....	.....	.....	7	28	23	25	22	5	.....	.....	.....
44	Of the skin	68	1	.....	.....	.....	.....	.....	.....	.....	.....	2	8	17	23	16	1	.....	.....
45	Of other organs or of organs not specified	212	.....	.....	1	1	.....	1	4	7	8	20	43	51	57	13	4	.....	2
46	Other tumors (tumors of the female genital organs excepted)	3	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	71	.....	.....	.....	.....	1	4	11	6	9	4	5	18	7	6	.....	.....	.....
48	Chronic rheumatism and gout	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	9	6	2	.....	.....	.....
50	Diabetes	158	2	.....	.....	2	1	.....	15	12	13	14	25	36	26	11	1	.....	.....
51	Exophthalmic goiter	15	.....	.....	.....	.....	.....	.....	1	2	3	4	2	3	.....	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....	.....	.....
53	Leukemia	29	.....	1	1	1	1	.....	.....	5	3	5	5	4	3	.....	.....	.....	.....
54	Anemia, chlorosis	70	4	1	1	.....	.....	1	.....	9	2	10	13	19	8	1	.....	.....	1
55	Other general diseases	50	12	3	2	2	2	1	7	3	3	.....	6	2	5	.....	2	.....	.....
56	Alcoholism (acute or chronic)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,159	143	48	25	12	12	35	68	63	87	157	259	468	521	230	25	1	5
60	Encephalitis	51	13	2	3	.....	1	1	3	3	6	7	6	5	1	.....	.....	.....	.....
61	Meningitis (total)	216	73	24	13	9	9	22	25	10	9	6	4	9	3	.....	.....	.....	.....
	Simple meningitis	115	37	13	9	4	5	9	8	5	9	2	4	7	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	48	20	4	1	3	2	8	6	3	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	53	16	7	3	2	2	5	11	2	.....	3	.....	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	34	.....	.....	.....	.....	.....	.....	.....	1	.....	4	16	9	4	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	110	5	7	1	1	1	.....	6	3	2	7	6	29	35	7	.....	.....	.....
	Acute anterior poliomyelitis	16	3	6	1	.....	1	.....	2	.....	.....	2	.....	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	94	2	1	.....	1	.....	.....	4	3	2	5	6	29	34	7	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,109	1	4	1	1	.....	3	10	10	22	66	162	301	347	160	16	1	4
65	Softening of the brain	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	6	5	6	1	.....	1
66	Paralysis without specified cause	227	2	1	1	1	.....	.....	3	1	7	8	21	58	80	38	6	.....	.....
67	General paralysis of the insane	99	.....	.....	.....	.....	.....	.....	.....	3	6	26	11	22	22	8	1	.....	.....
68	Other forms of mental alienation	48	.....	.....	.....	.....	.....	.....	.....	4	6	9	10	8	5	5	1	.....	.....
69	Epilepsy	102	11	1	2	.....	.....	2	9	20	17	15	9	6	8	2	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	40	34	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....
74	Other diseases of the nervous system	63	1	1	1	.....	.....	3	7	4	8	8	11	11	7	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	27	3	4	1	.....	.....	3	4	3	4	.....	3	.....	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KENTUCKY (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	2,331	22	2	1	2	7	17	45	67	89	139	255	528	719	387	42	.....	9
77	Pericarditis	20	1	.....	.....	.....	.....	.....	1	1	2	1	1	3	8	2	.....	.....	.....
78	Acute endocarditis	92	5	1	.....	.....	.....	2	2	8	12	18	25	7	8	4	.....	.....	.....
79	Organic diseases of the heart	1,692	13	1	.....	2	6	10	38	47	61	88	188	419	535	248	27	.....	9
80	Angina pectoris	120	.....	.....	.....	.....	.....	1	2	2	6	16	17	27	37	12	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	325	1	.....	.....	.....	1	.....	.....	1	4	5	15	58	114	111	15	.....	.....
82	Embolism and thrombosis	54	.....	.....	.....	.....	.....	1	2	5	4	5	9	10	13	5	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	3	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	15	1	.....	.....	.....	.....	2	.....	1	.....	5	.....	1	1	4	.....	.....	.....
	IV.—Diseases of the respiratory system.	2,828	484	151	96	40	33	94	146	213	234	167	204	296	402	215	44	1	8
86	Diseases of the nasal fossae	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	17	5	1	2	1	2	2	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	1
88	Diseases of the thyroid body	11	.....	.....	.....	.....	.....	.....	.....	3	1	5	2	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	90	43	10	2	2	.....	1	.....	2	.....	1	3	.....	10	14	1	1	.....
90	Chronic bronchitis	123	3	.....	.....	.....	.....	1	1	4	1	2	8	24	44	26	9	.....	.....
91	Bronchopneumonia	861	253	73	36	16	12	33	35	33	45	21	38	68	113	71	13	.....	1
92	Pneumonia (total)	1,553	175	65	52	20	17	51	103	160	173	129	129	176	200	86	11	.....	6
	Lobar pneumonia	1,189	94	38	30	17	15	38	90	132	146	111	106	141	159	60	8	.....	4
	Pneumonia (undefined)	364	81	27	22	3	2	13	13	28	27	18	23	35	41	26	3	.....	2
93	Pleurisy	39	.....	.....	1	1	1	4	4	6	4	2	3	4	7	1	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	35	.....	.....	1	.....	.....	.....	.....	1	1	.....	4	2	9	10	7	.....	.....
95	Gangrene of the lung	6	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	1	.....	.....	.....
96	Asthma	57	2	1	1	.....	.....	1	.....	1	3	5	11	15	15	2	.....	.....	.....
97	Pulmonary emphysema	6	.....	.....	1	.....	.....	1	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	26	1	.....	.....	.....	1	.....	1	1	2	2	3	6	4	3	2	.....	.....
	V.—Diseases of the digestive system.	2,019	656	259	73	28	13	92	84	100	80	91	135	143	170	74	12	1	8
99	Diseases of the mouth and annexa	12	.....	1	1	.....	1	2	1	2	2	1	.....	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	48	2	3	5	3	2	17	4	3	3	3	1	1	.....	.....	1	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
102	Ulcer of the stomach	59	1	.....	.....	.....	.....	.....	2	6	6	5	13	6	16	4	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	213	70	14	.....	6	1	2	2	6	5	10	15	28	32	14	6	1	1
104	Diarrhea and enteritis (under 2 years)	782	547	235	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	259	.....	.....	60	12	5	26	12	7	8	12	17	28	41	25	4	.....	2
106	Ankylostomiasis	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	3	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	172	3	.....	.....	1	.....	25	44	37	19	16	11	9	6	.....	.....	.....	1
109	Hernia, intestinal obstruction (total)	160	21	6	4	3	4	8	7	10	10	5	16	24	27	14	1	.....	.....
	Hernia	35	5	.....	.....	1	.....	.....	.....	1	.....	2	6	11	8	1	.....	.....	.....
	Intestinal obstruction	125	16	6	4	2	4	8	7	9	10	3	10	13	19	13	1	.....	.....
110	Other diseases of the intestines	25	1	.....	1	2	.....	4	.....	4	3	.....	4	1	4	.....	.....	.....	1
111	Acute yellow atrophy of the liver	9	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	1	4	.....	.....	.....	.....
113	Cirrhosis of the liver	81	1	.....	.....	.....	.....	1	1	6	5	13	14	12	18	8	.....	.....	2
114	Biliary calculi	51	.....	.....	.....	1	.....	.....	.....	5	5	8	16	6	5	4	.....	.....	1
115	Other diseases of the liver	72	3	.....	.....	.....	.....	1	1	4	6	8	10	21	15	3	.....	.....	.....
116	Diseases of the spleen	5	1	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	55	6	.....	.....	.....	.....	4	8	7	7	7	11	4	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,762	16	9	5	2	3	9	20	59	72	123	220	377	534	274	33	.....	6
119	Acute nephritis	123	6	3	1	1	2	5	5	11	11	18	9	21	18	11	1	.....	.....
120	Bright's disease	1,437	6	6	3	1	1	3	13	31	49	89	190	328	463	225	24	.....	5
122	Other diseases of the kidneys and annexa	27	3	.....	1	.....	.....	1	1	1	2	.....	6	4	7	.....	1	.....	.....
123	Calculi of the urinary passages	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....	.....
124	Diseases of the bladder	45	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	3	7	22	7	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
126	Diseases of the prostate	63	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	10	18	29	2	.....	1
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	.....	1	3	7	2	3	2	.....	.....	.....	.....
130	Other diseases of the uterus	11	.....	.....	.....	.....	.....	.....	1	1	2	5	1	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	8	.....	.....	.....	.....	.....	.....	.....	2	.....	1	3	1	.....	.....	1	.....	.....
132	Salpingitis and other diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	10	4	2	1	.....	1	.....	.....	.....	.....
	VII.—The puerperal state	351	.....	.....	.....	.....	.....	.....	45	154	117	33	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	52	.....	.....	.....	.....	.....	.....	2	24	24	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	20	.....	.....	.....	.....	.....	.....	2	6	5	6	.....	.....	.....	.....	.....	.....	1
136	Other accidents of labor	40	.....	.....	.....	.....	.....	.....	3	13	18	6	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	146	.....	.....	.....	.....	.....	.....	20	69	43	14	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	85	.....	.....	.....	.....	.....	.....	18	39	23	4	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	64	12	3	1	3	.....	2	4	2	3	5	5	9	8	6	1	.....	.....
142	Gangrene	22	1	.....	1	1	.....	1	.....	.....	1	.....	1	3	7	5	1	.....	.....
143	Furuncle	12	.....	1	.....	.....	.....	.....	2	2	1	1	2	2	1	.....	.....	.....	.....
144	Acute abscess	15	3	1	.....	2	.....	1	1	.....	1	2	1	2	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	15	8	1	.....	.....	.....	.....	1	.....	.....	2	1	2	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	47	3	2	3	1	.....	6	13	3	4	4	.....	6	.....	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	40	2	.....	3	1	.....	6	13	3	4	2	.....	4	.....	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	5	1	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	195	186	3	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	195	186	3	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	15	14	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	125	120	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	55	52	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,480	1,480	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,256	1,256	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,025	1,025	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	231	231	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	221	221	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	113	113	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	108	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	503	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	21	161	234	71	7	3
154	Senility	503	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	21	161	234	71	7	3
	XIII.—External causes	1,505	60	37	31	31	28	83	211	236	184	169	111	106	103	89	12	4	10
	Suicide (total)	174	.....	.....	.....	.....	.....	.....	11	37	23	40	22	32	7	1	.....	.....	1
155	By poison	35	.....	.....	.....	.....	.....	.....	2	8	9	10	3	2	1	.....	.....	.....	.....
156	By asphyxia	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	31	.....	.....	.....	.....	.....	.....	1	5	2	7	5	8	1	1	.....	.....	1
158	By drowning	11	.....	.....	.....	.....	.....	.....	3	1	.....	4	.....	2	1	.....	.....	.....	.....
159	By firearms	79	.....	.....	.....	.....	.....	.....	4	21	10	17	9	15	3	.....	.....	.....	.....
160	By cutting or piercing instruments	15	.....	.....	.....	.....	.....	.....	1	1	1	2	5	4	1	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,187	58	37	30	31	27	82	191	162	120	98	76	71	94	88	12	4	6
164	Poisoning by food	19	7	2	1	.....	3	1	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
165	Other acute poisonings	31	2	5	.....	1	.....	1	3	3	8	4	2	.....	.....	1	.....	.....	1
166	Conflagration	10	.....	2	1	2	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
167	Burns (conflagration excepted)	178	8	17	20	16	15	34	20	8	7	4	7	9	6	6	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	31	27	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	64	.....	2	1	1	.....	8	25	16	6	2	.....	1	1	.....	.....	.....	1
170	Traumatism by firearms	92	.....	.....	.....	2	1	3	39	17	12	9	6	1	.....	.....	.....	.....	2
171	Traumatism by cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....
172	Traumatism by fall	208	2	3	.....	2	.....	7	8	7	5	12	8	17	54	68	11	3	1
173	Traumatism in mines and quarries (total)	115	.....	.....	.....	.....	.....	.....	19	36	28	18	6	4	4	.....	.....	.....	.....
	Traumatism in mines	110	.....	.....	.....	.....	.....	.....	18	35	28	18	5	4	2	.....	.....	.....	.....
	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	2	.....	.....	.....	.....
174	Traumatism by machines	18	.....	.....	.....	.....	.....	1	3	3	4	5	.....	1	.....	1	.....	.....	.....
175	Traumatism by other crushing (total)	274	2	.....	3	4	4	20	47	52	37	29	25	26	18	6	.....	.....	1
	Railroad accidents and injuries	129	.....	.....	1	1	.....	3	22	30	24	17	8	11	9	3	.....	.....	.....
	Street-car accidents and injuries	20	.....	.....	.....	.....	2	1	.....	.....	2	3	3	6	2	.....	.....	.....	1
	Automobile accidents and injuries	79	1	.....	1	2	2	13	15	12	7	5	9	5	6	1	.....	.....	.....
	Injuries by other vehicles	31	1	.....	1	1	.....	2	5	7	2	3	3	3	1	2	.....	.....	.....
	Landslide, other crushing	15	.....	.....	.....	.....	.....	1	5	3	2	1	2	1	.....	.....	.....	.....	.....
176	Injuries by animals	17	.....	.....	.....	.....	.....	4	1	2	3	1	2	1	3	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
179	Effects of heat	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
180	Lightning	12	.....	.....	.....	.....	1	.....	4	1	1	2	2	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	12	.....	.....	.....	.....	.....	.....	5	3	1	.....	2	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	7	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....	1	1	.....	.....	.....
186	Other external violence	86	9	5	4	2	.....	3	14	10	6	11	10	4	4	4	.....	.....	.....
	Homicide (total)	144	2	.....	1	.....	1	1	9	37	41	31	13	3	2	.....	.....	.....	3
182	By firearms	123	.....	.....	.....	.....	.....	1	7	32	38	27	12	2	1	.....	.....	.....	3
183	By cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	1	.....	.....	.....	.....
184	By other means	16	2	.....	1	.....	1	.....	1	4	2	3	1	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	610	299	26	4	1	1	6	12	16	18	33	36	60	56	35	2	1	4
187	Ill-defined organic disease	42	1	1	.....	.....	.....	2	.....	1	2	5	6	8	9	7	.....	.....	.....
188	Sudden death	25	8	.....	.....	.....	.....	.....	2	1	.....	2	3	5	2	2	.....	.....	.....
189	Not specified or ill-defined (total)	543	290	25	4	1	1	4	10	14	16	26	27	47	45	26	2	1	4
	Ill-defined	192	69	13	1	.....	.....	1	5	6	7	9	18	28	23	11	.....	.....	1
	Not specified or unknown	351	221	12	3	1	1	3	5	8	9	17	9	19	22	15	2	1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KENTUCKY (COLORED).																		
	All causes	4,560	572	128	59	40	23	94	328	551	522	545	548	443	375	180	58	24	70
	I.—General diseases	1,565	101	47	16	21	9	54	206	347	217	185	162	94	57	20	5	3	21
1	Typhoid fever	71				1		7	20	19	5	8	4	3	3				1
4	Malaria	12	2						1	1	1	1	3	1	2				
6	Measles	12	2	7	1		2												
7	Scarlet fever	2	1	1															
8	Whooping cough	63	26	18	7	4	3	4	1										
9	Diphtheria and croup	23	6	2	1	4		5	3	1			1						
10	Influenza	202	20	7	2	4	3	8	21	22	29	24	21	14	16	3	1	3	4
13	Cholera nostras	4	1										2						1
14	Dysentery	23	8	3						3		2	3	1	1				2
18	Erysipelas	4								1	1	1	1						
19	Other epidemic diseases	2	1							1									
20	Purulent infection and septicemia	4								1	1					2			
24	Tetanus	8	2					3		1		1	1						
26	Pellagra	7							1	2	2		1	1					
	Tuberculosis (total)	854	16	7	3	7	1	24	147	276	148	102	65	29	14	7	1		7
28	Tuberculosis of the lungs	730	10	3	3	5	1	16	117	247	128	92	55	25	13	7	1		7
29	Acute miliary tuberculosis	34							11	10	5	4	2	2					
30	Tuberculous meningitis	20	4	3		1		6	2	2	1			1					
31	Abdominal tuberculosis	47	2	1		1		1	10	10	9	4	7	1	1				
32	Pott's disease	7						1	1	2	1	2							
33	White swellings	4								2	1		1						
34	Tuberculosis of other organs	9							5	2	2								
35	Disseminated tuberculosis	3							1	1	1								
36	Rickets	2	1		1														
37	Syphilis	52	9	1	1			1	2	5	11	10	3	4	4				1
38	Gonococcus infection	4							1		1	1		1					
	Cancer and other malignant tumors (total)	142							2	2	16	29	42	28	12	5	2		4
39	Of the buccal cavity	4										2				2			
40	Of the stomach, liver	34									3	6	12	10	1	1			1
41	Of the peritoneum, intestines, rectum	18								1	3	1	3	3	5	1			1
42	Of the female genital organs	43								1	5	14	12	6	2		2		1
43	Of the breast	15									2	4	3	4	2				
44	Of the skin	3											2						1
45	Of other organs or of organs not specified	25							2		3	2	10	5	2	1			
46	Other tumors (tumors of the female genital organs excepted)	2							1			1							
47	Acute articular rheumatism	17				1			2	4	1	2	2	2	2	1			
48	Chronic rheumatism and gout	3												1	2				
50	Diabetes	24							2		1	2	9	8		1			1
51	Exophthalmic goiter	2								1			1						
52	Addison's disease	1								1									
54	Anemia, chlorosis	7	2							1			1		1	1	1		
55	Other general diseases	14	4	1				2	1	4			1	1					
56	Alcoholism (acute or chronic)	3							1	1			1						
57	Chronic lead poisoning	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	448	24	4	6	2		4	12	13	37	66	92	86	51	30	7	2	12
60	Encephalitis	2											2						
61	*Meningitis (total)*	24	8	2	3	1		2	1	1	1	2	3						
	Simple meningitis	15	5	1	3	1		1	1			2	1						
	Cerebrospinal meningitis (undefined)	3		1						1			1						
	Cerebrospinal fever	6	3					1			1		1						
62	Locomotor ataxia	4								1	1		2						
63	Other diseases of the spinal cord (total)	18	1	1	1	1			1		1	2	3	5	2				
	Acute anterior poliomyelitis	4	1	1	1	1													
	Other diseases of the spinal cord	14							1		1	2	3	5	2				
64	Cerebral hemorrhage, apoplexy	232							4	3	19	36	48	56	32	18	6	1	9
65	Softening of the brain	2											1			1			
66	Paralysis without specified cause	61						1			5	9	15	12	8	7	1	1	2
67	General paralysis of the insane	40								2	4	4	11	9	6	3			1
68	Other forms of mental alienation	17								3	3	5	3	1	1	1			
69	Epilepsy	23			1			1	3	3	3	7	1	2	2				
71	Convulsions of infants	14	13	1															
72	Chorea	1							1										
74	Other diseases of the nervous system	7	2						2				2	1					
75	Diseases of the eyes and their annexa	1											1						
76	Diseases of the ears	2			1							1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs and over.	
	KENTUCKY (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	539			1			6	11	23	72	100	102	100	74	32	9	2	7
77	Pericarditis	4						1	1		1		1						
78	Acute endocarditis	44						2	1	2	8	16	13	1	1				
79	Organic diseases of the heart	430			1			1	7	19	53	71	80	94	64	29	6		5
80	Angina pectoris	15									5	5	2		1			1	1
81	Diseases of the arteries, atheroma, aneurism, etc.	34							1	1	2	6	4	5	7	3	3	1	1
82	Embolism and thrombosis	8								1	3	1	2		1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	3						2	1										
	IV.—Diseases of the respiratory system	638	126	50	18	13	4	8	42	44	73	69	60	52	46	18	9	3	3
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	2	2																
89	Acute bronchitis	30	18	5	2	1		1				1		1		1			
90	Chronic bronchitis	35							6	8	5	5	3	5	1	2			
91	Bronchopneumonia	175	59	26	9	7	4	5	5	5	14	13	6	9	7	3		1	2
92	Pneumonia (total)	359	43	19	7	5		2	30	30	48	45	45	32	32	12	6	2	1
	Lobar pneumonia	295	30	11	5	4		2	26	23	44	39	42	27	24	11	4	2	1
	Pneumonia (undefined)	64	13	8	2	1			4	7	4	6	3	5	8	1	2		
93	Pleurisy	7	1						1		2	1		2					
94	Pulmonary congestion, pulmonary apoplexy	7	2									1	3	1					
95	Gangrene of the lung	1										1							
96	Asthma	14									2	2	1	2	4	1	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	7								1	2		2		2				
	V.—Diseases of the digestive system	293	91	19	6	1	2	4	13	21	30	29	23	16	25	6	2	1	4
99	Diseases of the mouth and annexa	1									1								
100	Diseases of the pharynx	11	3					1	2	1	1	2			1				
101	Diseases of the esophagus	1											1						
102	Ulcer of the stomach	14								2	1	2	3	2	4				
103	Other diseases of the stomach (cancer excepted)	49	14					1	1	4	6	6	4	4	5	2	1		1
104	Diarrhea and enteritis (under 2 years)	91	72	19															
105	Diarrhea and enteritis (2 years and over)	30			4	1	2	1	2	3	2	6	2	2	1	2	1	1	
108	Appendicitis and typhlitis	27						1	5	8	5	4	1	2	1				
109	Hernia, intestinal obstruction (total)	20	1							1	4	4	3	2	4	1			
	Hernia	5									3		1	1					
	Intestinal obstruction	15	1							1	1	4	2	1	4	1			
110	Other diseases of the intestines	4									1		1		1				1
113	Cirrhosis of the liver	19			1						4	3	2	1	6	1			1
114	Biliary calculi	4								1			1	2					
115	Other diseases of the liver	8			1						2	1	2	1	1				
116	Diseases of the spleen	1																	1
117	Simple peritonitis (nonpuerperal)	11	1						3	1	3	1	2						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2											1		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	414	2	1	2		1	3	5	21	29	57	85	72	78	33	13	3	9
119	Acute nephritis	38	2		1			1	1	2	3	6	9	5	7				1
120	Bright's disease	315		1	1		1	2	2	11	13	38	67	62	62	32	12	3	8
122	Other diseases of the kidneys and annexa	5								1	1		2		1				
124	Diseases of the bladder	7									1		2	2	2				
125	Diseases of the urethra, urinary abscess, etc.	1										1							
126	Diseases of the prostate	9									1		1	1	4	1	1		
129	Uterine tumor (noncancerous)	20								2	6	7	3	1	1				
130	Other diseases of the uterus	6							1	1		2	1	1					
131	Cysts and other tumors of the ovary	5									3	1			1				
132	Salpingitis and other diseases of the female genital organs	8							1	4	1	2							
	VII.—The puerperal state	54							12	24	16	2							
134	Accidents of pregnancy	4									3	1							
136	Other accidents of labor	6								4	2								
137	Puerperal septicemia	29							7	12	9	1							
138	Puerperal albuminuria and convulsions	13							5	6	2								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	KENTUCKY (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	16		1			1				1	3	2	2	3	3			
142	Gangrene	9									1	1	1	1	3	2			
145	Other diseases of the skin and annexa	7		1			1					2	1	1		1			
	IX.—Diseases of the bones and of the organs of locomotion	4			1				1		1	1							
146	Diseases of the bones (tuberculosis excepted)	4			1				1		1	1							
	X.—Malformations	8	8																
150	Congenital malformations (total)	8	8																
	Congenital malformations of the heart	3	3																
	Other congenital malformations	5	5																
	XI.—Early infancy	183	183																
151	Congenital debility, icterus, and sclerema (total)	148	148																
	Premature birth	113	113																
	Congenital debility, "atrophy," "marasmus," etc	35	35																
152	Other causes peculiar to early infancy (total)	35	35																
	Injuries at birth	10	10																
	Other causes peculiar to early infancy	25	25																
	XII.—Old age	67											1	5	19	27	9	5	1
154	Senility	67											1	5	19	27	9	5	1
	XIII.—External causes	249	11	5	8	3	6	12	23	53	43	31	20	5	10	5	2	2	10
	Suicide (total)	6								2		1	2	1					
155	By poison	3								2				1					
159	By firearms	2										1	1						
160	By cutting or piercing instruments	1											1						
	Accidental or undefined (total)	169	11	4	8	3	6	12	20	26	22	16	14	4	7	5	2	2	7
165	Other acute poisonings	11		1	1						2	5	1	1					
166	Conflagration	2	1			1													
167	Burns (conflagration excepted)	32	1	1	6	1	2	2	2	4	2	1	3		2	2	1	2	
168	Absorption of deleterious gases (conflagration excepted)	4	4																
169	Accidental drowning	10		1				2	4	1			1						1
170	Traumatism by firearms	24					2	3	6	7	5								1
172	Traumatism by fall	13			1			1				2	2	1	2	2	1		1
173	Traumatism in mines and quarries (total)	19							3	7	5	1	1	1					1
	Traumatism in mines	18							3	7	4	1	1	1					1
	Traumatism in quarries	1									1								
174	Traumatism by machines	3								1			1		1				
175	Traumatism by other crushing (total)	30					2	4	5	3	4	4	2	1	1	1			3
	Railroad accidents and injuries	15						1	3	1	3	4		1					2
	Street-car accidents and injuries	4						2					1						1
	Automobile accidents and injuries	6					1	1	2	1			1						
	Injuries by other vehicles	4					1				1				1	1			
	Landslide, other crushing	1								1									
178	Excessive cold	2								1					1				
179	Effects of heat	3	2										1						
180	Lightning	1										1							
181	Electricity (lightning excepted)	1										1							
188	Other external violence	14	3	1		1				2	4	1	2						
	Homicide (total)	74		1					3	25	21	14	4		3				3
182	By firearms	63							2	22	20	12	3		3				1
183	By cutting or piercing instruments	4							1	1	1	1							
184	By other means	7		1						2		1	1						2
	XIV.—Ill-defined diseases	82	26	1	1			3	3	5	3	2	1	11	12	6	2	3	3
187	Ill-defined organic disease	6						1				1		1	1		1		1
188	Sudden death	3	1							1								1	
189	Not specified or ill-defined (total)	73	25	1	1			2	3	4	3	1	1	10	11	6	1	2	2
	Ill-defined	21	2	1					1	2	1		1	4	6	3			
	Not specified or unknown	52	23		1			2	2	2	2	1		6	5	3	1	2	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA (TOTAL).																		
	All causes	21,553	3,203	643	294	226	161	591	1,459	2,536	2,416	2,286	2,113	2,254	1,932	1,054	261	80	44
	I.—General diseases	7,051	525	195	113	80	66	282	701	1,276	1,132	886	713	598	341	109	17	3	14
1	Typhoid fever	280	3	3	4	1	4	19	33	75	43	17	11	11	3	1	.....	.....	2
4	Malaria	586	58	40	30	21	19	100	104	38	40	31	31	28	30	12	2	1	1
5	Smallpox	167	6	1	.....	3	2	2	10	35	43	38	16	8	2	1	.....	.....	.....
6	Measles	43	8	8	3	4	1	6	6	3	1	2	.....	.....	1	.....	.....	.....	.....
7	Scarlet fever	15	.....	.....	2	.....	.....	9	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	184	109	40	11	10	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	111	18	18	15	17	10	22	8	1	.....	1	.....	.....	1	.....	.....	.....	.....
10	Influenza	916	93	42	25	11	8	35	92	150	153	99	80	54	47	20	4	1	2
13	Cholera nostras	6	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....
14	Dysentery	162	23	17	7	3	3	6	5	11	12	10	19	18	20	5	3	.....	.....
15	Plague	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	10	.....	.....	.....	.....	.....	.....	1	1	.....	2	4	2	.....	.....	.....	.....	.....
18	Erysipelas	28	10	.....	.....	.....	.....	.....	2	2	1	.....	7	3	3	.....	.....	.....	.....
19	Other epidemic diseases	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	41	4	.....	.....	.....	2	1	5	7	6	7	4	2	2	.....	.....	1	.....
22	Anthrax	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	158	64	1	2	2	2	24	36	6	5	9	3	2	1	1	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	203	.....	.....	.....	1	1	7	21	39	39	36	22	21	12	2	1	.....	1
	Tuberculosis (total)	2,550	21	12	7	4	5	30	281	801	598	373	212	144	47	7	1	.....	7
28	Tuberculosis of the lungs	2,299	11	5	2	1	2	19	245	745	542	348	197	127	43	5	1	.....	6
29	Acute miliary tuberculosis	97	.....	.....	1	.....	.....	3	17	32	30	6	1	5	1	1	.....	.....	.....
30	Tuberculous meningitis	31	7	4	1	1	2	5	3	2	2	2	1	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	64	.....	1	1	1	.....	2	8	10	15	11	7	5	2	.....	.....	.....	1
32	Pott's disease	19	1	.....	1	.....	.....	1	3	6	3	1	3	.....	.....	.....	.....	.....	.....
33	White swellings	6	.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....
34	Tuberculosis of other organs	22	1	1	.....	.....	.....	.....	3	3	3	4	1	5	1	.....	.....	.....	.....
35	Disseminated tuberculosis	12	1	1	.....	1	.....	.....	.....	3	2	1	2	1	.....	.....	.....	.....	.....
36	Rickets	5	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	320	76	7	3	.....	.....	3	17	42	49	43	38	28	10	3	.....	.....	1
38	Gonococcus infection	24	.....	.....	.....	.....	.....	.....	2	11	6	1	2	.....	1	1	.....	.....	.....
	Cancer and other malignant tumors (total)	838	4	1	.....	1	2	2	7	24	93	174	190	214	130	13	3	.....	.....
39	Of the buccal cavity	41	1	.....	.....	.....	.....	.....	1	2	2	4	9	13	6	3	.....	.....	.....
40	Of the stomach, liver	260	1	.....	.....	1	.....	.....	.....	2	20	43	62	74	44	13	.....	.....	.....
41	Of the peritoneum, intestines, rectum	91	.....	.....	.....	.....	1	1	1	3	13	19	15	17	17	4	.....	.....	.....
42	Of the female genital organs	205	.....	.....	.....	.....	.....	.....	1	7	28	67	49	30	19	4	.....	.....	.....
43	Of the breast	85	.....	.....	.....	.....	.....	.....	.....	4	12	20	13	24	10	1	1	.....	.....
44	Of the skin	49	.....	.....	.....	.....	.....	.....	2	.....	1	1	9	15	15	5	1	.....	.....
45	Of other organs or of organs not specified	157	2	1	.....	.....	1	1	2	6	17	20	33	41	19	13	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	.....	1	1	.....	.....	.....
47	Acute articular rheumatism	64	.....	.....	1	1	.....	5	3	5	10	3	13	12	8	2	1	.....	.....
48	Chronic rheumatism and gout	10	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	1	.....	1	.....	.....
49	Scurvy	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Diabetes	141	1	.....	.....	.....	.....	.....	4	10	11	18	43	32	13	8	1	.....	.....
51	Exophthalmic goiter	10	.....	.....	.....	.....	.....	.....	.....	1	3	3	2	1	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
53	Leukemia	23	1	1	.....	.....	.....	2	5	5	4	.....	1	3	1	.....	.....	.....	.....
54	Anemia, chlorosis	32	3	1	.....	.....	.....	1	2	4	5	5	3	5	3	.....	.....	.....	.....
55	Other general diseases	31	16	3	1	1	.....	1	3	.....	.....	1	2	2	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	2	.....	2	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,478	81	25	17	14	12	31	52	76	95	180	238	289	230	103	26	8	1
60	Encephalitis	37	6	4	1	.....	.....	1	3	5	6	5	3	3	.....	.....	.....	.....	.....
61	Meningitis (total)	111	20	9	8	7	4	15	17	12	6	10	.....	2	.....	.....	.....	.....	1
	Simple meningitis	46	9	2	3	4	2	6	3	8	2	6	.....	.....	.....	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	33	9	3	2	3	1	4	4	2	2	1	.....	2	.....	.....	.....	.....	.....
	Cerebrospinal fever	32	2	4	3	.....	1	5	10	2	2	3	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	26	.....	.....	.....	.....	.....	.....	.....	1	3	9	5	8	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	54	4	1	2	2	1	3	4	3	4	2	6	9	9	4	.....	.....	.....
	Acute anterior poliomyelitis	14	3	1	2	1	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	40	1	.....	.....	1	.....	1	.....	3	4	2	6	9	9	4	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	803	4	2	1	1	.....	2	5	17	35	82	175	205	185	63	17	7	.....
65	Softening of the brain	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	4	4	6	.....	.....	.....
66	Paralysis without specified cause	118	2	1	2	1	.....	.....	2	2	.....	11	13	29	26	20	8	1	.....
67	General paralysis of the insane	96	.....	.....	.....	.....	.....	1	1	1	20	35	20	12	3	2	1	.....	.....
68	Other forms of mental alienation	37	.....	.....	.....	.....	.....	.....	2	7	8	8	4	6	2	.....	.....	.....	.....
69	Epilepsy	50	2	.....	1	.....	.....	.....	9	16	6	8	1	5	.....	2	.....	.....	.....
70	Convulsions (nonpuerperal)	12	.....	.....	.....	.....	.....	5	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	46	34	6	1	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	5	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	33	4	2	.....	.....	.....	3	2	4	5	2	4	3	1	3	.....	.....	.....
75	Diseases of the eyes and their annexa	5	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....
76	Diseases of the ears	23	5	.....	1	2	2	1	3	3	.....	3	2	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

LOUISIANA (TOTAL)—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	III.—Diseases of the circulatory system.	2,466	28	3	2	2	3	12	42	110	195	307	399	527	495	263	65	11	2
77	Pericarditis	16			1					3	2	1	2	3	2	2			
78	Acute endocarditis	131	4	2	1			3	12	13	19	32	34	7	2	2			
79	Organic diseases of the heart	1,941	14	1		1	2	6	27	83	157	243	311	444	392	206	46	6	2
80	Angina pectoris	80							1	2	7	10	17	19	18	6			
81	Diseases of the arteries, atheroma, aneurism, etc.	246								4	7	18	26	48	75	45	19	4	
82	Embolism and thrombosis	22	1							2	1	2	6	3	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7								2	2		2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	7				1	2						1					
85	Hemorrhage; other diseases of the circulatory system	12	2			1		1	2	1		1	1	1	1			1	
	IV.—Diseases of the respiratory system.	2,258	510	156	49	40	25	61	143	268	230	175	139	174	138	127	19	2	2
86	Diseases of the nasal fossae	15	11													3	1		
87	Diseases of the larynx	11	2	1	4		2	1				1							
88	Diseases of the thyroid body	5									1	1	1	1	1				
89	Acute bronchitis	89	59	10	2	1	1	1		1		1		2	4	3	4		
90	Chronic bronchitis	53						1	1	1		2	7	8	15	14	4		
91	Bronchopneumonia	715	262	79	23	20	10	19	28	50	61	29	29	38	37	25	5		
92	Pneumonia (total)	1,238	170	61	19	16	11	38	104	197	152	127	86	106	70	73	4	2	2
	Lobar pneumonia	920	97	41	16	13	8	29	74	167	118	101	72	74	51	53	2	2	2
	Pneumonia (undefined)	318	73	20	3	3	3	9	30	30	34	26	14	32	19	20	2		
93	Pleurisy	55	5	1	1	3			5	10	10	6	3	7	1	2	1		
94	Pulmonary congestion, pulmonary apoplexy	21					1	1			2	3	3	4	5	2			
95	Gangrene of the lung	4								3		1							
96	Asthma	27		1					2		2	3	8	4	4	3			
97	Pulmonary emphysema	3		1					1							1			
98	Other diseases of the respiratory system (tuberculosis excepted)	22	1	2					2	6	2	1	2	4	1	1			
	V.—Diseases of the digestive system.	2,103	632	174	55	43	28	67	119	127	171	194	165	158	116	46	4	1	3
99	Diseases of the mouth and annexa	20	7	1		1	1	1	2	1	1	3	1		1				
100	Diseases of the pharynx	38	3	2	3	4	2	2	6	7	3			3	3				
101	Diseases of the esophagus	3			1				2										
102	Ulcer of the stomach	68							2	8	12	12	14	9	9	2			
103	Other diseases of the stomach (cancer excepted)	230	40	14	4	8	3	7	11	11	19	30	24	31	19	8			1
104	Diarrhea and enteritis (under 2 years)	692	542	150															
105	Diarrhea and enteritis (2 years and over)	240			39	25	12	13	5	15	18	17	21	22	28	20	3	1	1
106	Ankylostomiasis	2						2											
107	Intestinal parasites	26	5	4	4	1	3	6	1		2								
108	Appendicitis and typhlitis	234				3	4	20	61	42	40	35	16	8	5				
109	Hernia, intestinal obstruction (total)	182	22	1	3	1		9	14	15	26	18	25	23	14	10	1		
	Hernia	59	5						4	4	3	5	14	10	7	6	1		
	Intestinal obstruction	123	17	1	3	1		9	10	11	23	13	11	13	7	4			
110	Other diseases of the intestines	33	1					1	2	5	8	5	4	3	3	1			
111	Acute yellow atrophy of the liver	4							1	1				1	1				
113	Cirrhosis of the liver	160	4				1	2	4	3	17	40	30	38	17	3			1
114	Biliary calculi	19								2	2	6	4	3	2				
115	Other diseases of the liver	102	3		1		1	1	7	8	12	19	23	13	12	2			
116	Diseases of the spleen	5		1			1				1	1		1					
117	Simple peritonitis (nonpuerperal)	35	5	1				3	1	6	8	5	2	2	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10								3	2	3	1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,880	18	8	9	9		22	47	123	199	297	295	338	350	137	19	6	3
119	Acute nephritis	217	13	2	5	5		12	15	33	34	41	24	13	12	8			
120	Bright's disease	1,353		2	1	4		9	25	44	114	199	245	288	296	105	13	6	2
122	Other diseases of the kidneys and annexa	42	3	4	3			1	3	3	3	3	4	6	4	4	1		
123	Calculi of the urinary passages	7								1	1		2	2		1			
124	Diseases of the bladder	29	1									5	1	5	7	6	4		
125	Diseases of the urethra, urinary abscess, etc.	24								4	2	8	2	3	4	1			
126	Diseases of the prostate	68									2	1	14	13	25	12	1		
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	40								4	15	14	1	5	1				
130	Other diseases of the uterus	28							2	7	8	9	1	1					
131	Cysts and other tumors of the ovary	9								1	1	3	1	2					1
132	Salpingitis and other diseases of the female genital organs	60							2	26	18	14							
	VII.—The puerperal state	443							75	198	142	28							
134	Accidents of pregnancy	48							4	22	21	1							
135	Puerperal hemorrhage	32							2	13	15	2							
136	Other accidents of labor	61							4	25	28	4							
137	Puerperal septicemia	135							26	62	34	13							
138	Puerperal albuminuria and convulsions	148							39	69	34	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16								7	8	1							
140	Following childbirth (not otherwise defined)	3									2	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	79	7	2	1			2	7	3	4	8	12	12	13	8			
142	Gangrene	33		2					1		1	2	5	7	11	4			
143	Furuncle	17						1	2	2		2	5	3	2				
144	Acute abscess	21	3					1	4	1	3	4	1	2		2			
145	Other diseases of the skin and annexa	8	4		1								1			2			
	IX.—Diseases of the bones and of the organs of locomotion	52	2		1	2	1	10	10	4	9	2	5	4	1	1			
146	Diseases of the bones (tuberculosis excepted)	47	2		1	2	1	10	9	3	7	2	5	3	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									2			1					
148	Amputations	1								1									
149	Other diseases of the organs of locomotion	1							1										
	X.—Malformations	228	206	14	2	2		1	3										
150	Congenital malformations (total)	228	206	14	2	2		1	3										
	Hydrocephalus	19	12	6					1										
	Congenital malformations of the heart	154	146	4	1			1	2										
	Other congenital malformations	55	48	4	1	2													
	XI.—Early infancy	875	875																
151	Congenital debility, icterus, and sclerema (total)	689	689																
	Premature birth	491	491																
	Congenital debility, "atrophy," "marasmus," etc	198	198																
152	Other causes peculiar to early infancy (total)	176	176																
	Injuries at birth	77	77																
	Other causes peculiar to early infancy	99	99																
153	Lack of care	10	10																
	XII.—Old age	502											1	23	139	193	98	45	3
154	Senility	502											1	23	139	193	98	45	3
	XIII.—External causes	1,510	54	40	34	30	21	89	236	329	215	177	99	73	60	34	7	1	8
	Suicide (total)	85							7	23	12	24	3	11	3	1			1
155	By poison	13							3	3	1	3	1	2					
156	By asphyxia	5								2	1	1		1					
157	By hanging or strangulation	5								1		1		1	1	1			
158	By drowning	4								2		2							
159	By firearms	47							4	15	8	13		5	1				1
160	By cutting or piercing instruments	9									2	3	2	1	1				
161	By jumping from high places	1										1							
162	By crushing	1												1					
	Accidental or undefined (total)	1,171	53	39	34	29	23	89	207	209	136	116	75	58	56	33	7	1	6
164	Poisoning by food	32	6	1	3	1		5	1	3	3	3	1	3	2				
165	Other acute poisonings	53	6	11	6		3	3	5	6	1	6	5			1			
166	Conflagration	5		1						1	1					2			
167	Burns (conflagration excepted)	181	11	12	16	16	11	20	22	19	12	10	8	6	8	6	3	1	
168	Absorption of deleterious gases (conflagration excepted)	32	15		1	1		3	4	3	3		1	1					
169	Accidental drowning	154		6	4	1	3	10	52	37	15	8	9	6	2				1
170	Traumatism by firearms	98		2	2	4	3	10	30	20	8	10	9						
171	Traumatism by cutting or piercing instruments	3								1		1		1					
172	Traumatism by fall	112	7	2		2		7	11	13	9	13	3	7	15	19	4		
173	Traumatism in mines and quarries (total)	7								2	5								
	Traumatism in mines	7								2	5								
174	Traumatism by machines	10							5	16	9	6	3		1				
175	Traumatism by other crushing (total)	257	1		1	1	3	23	42	57	35	27	19	24	17	3			4
	Railroad accidents and injuries	96						1	11	32	18	13	4	10	3	1			3
	Street-car accidents and injuries	19						1	5	3	2	1	2	2	3				
	Automobile accidents and injuries	90			1	1	3	18	15	14	8	2	10	9	6	2			1
	Injuries by other vehicles	27	1					3	7		2	6	2	2	4				
	Landslide, other crushing	25							4	8	5	5	1	1	1				
176	Injuries by animals	12						2	3		2	2	1	1	1				
178	Excessive cold	6									1	1	2		2				
179	Effects of heat	11							2		1	4	1	2	1				
180	Lightning	25	1					1	4	5	10	2	2						
181	Electricity (lightning excepted)	14							5	3	4		1	1					
185	Fractures (cause not specified)	20							2	4	4	3	1	2	3	1			
186	Other external violence	109	6	4	1	3		5	19	19	13	20	9	4	4	1			1
	Homicide (total)	254	1	1		1	1		22	97	67	37	21	4	1				1
182	By firearms	192					1		15	77	52	26	15	4	1				1
183	By cutting or piercing instruments	32		1					3	14	8	5	1						
184	By other means	30	1			1			4	6	7	6	5						
	XIV.—Ill-defined diseases	628	265	26	11	4	2	14	24	22	24	32	47	58	49	33	6	3	8
187	Ill-defined organic disease	62	1	2				2	3	3	4	4	11	12	11	8	1		
188	Sudden death	71	24					1	4	1	3	8	4	12	4	5	1	3	1
189	Not specified or ill-defined (total)	495	240	24	11	4	2	11	17	18	17	20	32	34	34	20	4		7
	Ill-defined	165	40	17	6	1	2	5	7	7	6	5	17	27	16	6	2		1
	Not specified or unknown	330	200	7	5	3		6	10	11	11	15	15	7	18	14	2		6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA (WHITE).																		
	All causes	10,805	1,618	365	176	124	96	310	583	947	1,058	1,036	1,148	1,416	1,222	588	96	8	14
	I.—General diseases	3,241	233	118	61	42	40	140	238	393	490	405	411	375	228	59	5	1	2
1	Typhoid fever	129	1	1	1	.....	2	8	32	38	22	9	4	7	2	1	.....	.....	1
4	Malaria	314	28	22	14	9	13	48	64	15	24	16	22	17	15	5	1	1	.....
5	Smallpox	59	4	.....	.....	1	1	1	2	15	14	8	7	4	2	.....	.....	.....	.....
6	Measles	34	5	6	2	4	.....	6	5	3	1	1	.....	.....	1	.....	.....	.....	.....
7	Scarlet fever	14	.....	.....	2	.....	.....	9	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	93	51	24	5	6	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	74	8	13	11	12	8	16	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	497	50	28	18	4	4	17	35	84	94	50	42	21	36	12	2	.....	.....
14	Dysentery	83	12	11	4	2	3	3	1	4	4	4	12	8	13	2	.....	.....	.....
15	Plague	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	9	.....	.....	.....	.....	.....	.....	1	1	.....	2	3	2	.....	.....	.....	.....	.....
18	Erysipelas	22	7	.....	.....	.....	.....	.....	2	2	1	.....	5	3	2	.....	.....	.....	.....
19	Other epidemic diseases	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	21	3	.....	.....	.....	2	1	4	2	1	4	2	1	1	.....	.....	.....	.....
22	Anthrax	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	64	26	.....	1	.....	1	12	13	3	2	2	2	1	.....	1	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	47	.....	.....	.....	.....	.....	.....	4	4	10	12	5	7	5	.....	.....	.....	.....
	Tuberculosis (total)	894	12	7	2	2	4	7	49	191	235	149	114	88	31	2	.....	.....	1
28	Tuberculosis of the lungs	804	5	2	1	.....	1	1	41	184	214	138	107	80	28	1	.....	.....	1
29	Acute miliary tuberculosis	18	.....	.....	.....	.....	.....	1	1	3	10	.....	.....	2	.....	1	.....	.....	.....
30	Tuberculous meningitis	24	5	4	1	1	2	3	3	1	2	1	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	25	.....	1	.....	1	.....	2	1	2	3	7	3	3	2	.....	.....	.....	.....
32	Pott's disease	7	1	.....	.....	.....	.....	.....	1	.....	2	.....	3	.....	.....	.....	.....	.....	.....
33	White swellings	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	11	.....	.....	.....	.....	.....	.....	1	1	3	2	1	2	1	.....	.....	.....	.....
35	Disseminated tuberculosis	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	79	13	1	1	.....	.....	1	1	4	9	16	16	13	4	.....	.....	.....	.....
38	Gonococcus infection	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	1	.....	.....	.....
	Cancer and other malignant tumors (total)	578	2	1	.....	1	1	1	3	9	48	101	130	156	95	28	2	.....	.....
39	Of the buccal cavity	27	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	11	4	.....	.....	.....	.....
40	Of the stomach, liver	188	1	.....	.....	1	.....	.....	.....	1	8	30	44	61	34	8	.....	.....	.....
41	Of the peritoneum, intestines, rectum	62	.....	.....	.....	.....	.....	1	1	1	9	10	9	14	14	3	.....	.....	.....
42	Of the female genital organs	95	.....	.....	.....	.....	.....	.....	1	1	10	29	30	12	10	2	.....	.....	.....
43	Of the breast	47	.....	.....	.....	.....	.....	.....	.....	1	8	12	6	15	4	.....	1	.....	.....
44	Of the skin	41	.....	.....	.....	.....	.....	.....	.....	.....	1	1	8	12	14	4	1	.....	.....
45	Of other organs or of organs not specified	118	1	1	.....	.....	1	.....	1	5	11	15	26	31	15	11	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
47	Acute articular rheumatism	22	.....	.....	.....	.....	.....	3	2	1	3	1	3	5	3	1	.....	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	.....	.....	.....	.....
49	Scurvy	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Diabetes	105	1	.....	.....	.....	.....	.....	3	7	9	14	31	25	11	4	.....	.....	.....
51	Exophthalmic goiter	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
53	Leukemia	16	1	1	.....	.....	.....	1	4	3	2	.....	.....	3	1	.....	.....	.....	.....
54	Anemia, chlorosis	23	1	1	.....	.....	.....	.....	1	3	3	4	3	5	2	.....	.....	.....	.....
55	Other general diseases	18	5	2	.....	1	.....	1	3	.....	.....	1	2	2	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	2	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	856	47	16	14	7	5	16	32	36	45	84	145	181	148	68	9	2	1
60	Encephalitis	26	5	2	1	.....	.....	.....	2	3	5	4	3	1	.....	.....	.....	.....	.....
61	Meningitis (total)	70	10	5	6	4	2	10	16	8	5	1	.....	2	.....	.....	.....	.....	1
	Simple meningitis	24	6	2	2	1	.....	3	3	5	1	.....	.....	.....	.....	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	22	3	1	1	3	1	3	4	2	2	.....	.....	2	.....	.....	.....	.....	.....
	Cerebrospinal fever	24	1	2	3	.....	1	4	9	1	2	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	21	.....	.....	.....	.....	.....	.....	.....	1	2	8	5	5	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	39	3	1	1	1	1	.....	2	3	2	.....	6	9	8	2	.....	.....	.....
	Acute anterior poliomyelitis	8	3	1	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	31	.....	.....	.....	1	.....	.....	.....	3	2	.....	6	9	8	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	461	2	2	1	.....	.....	1	2	6	10	35	99	131	120	45	5	2	.....
65	Softening of the brain	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	3	6	.....	.....	.....
66	Paralysis without specified cause	55	2	1	2	.....	.....	.....	.....	1	.....	6	5	11	14	9	4	.....	.....
67	General paralysis of the insane	56	.....	.....	.....	.....	.....	1	.....	.....	8	19	14	9	3	2	.....	.....	.....
68	Other forms of mental alienation	19	.....	.....	.....	.....	.....	.....	1	4	5	3	3	3	.....	.....	.....	.....	.....
69	Epilepsy	20	.....	.....	1	.....	.....	.....	4	5	2	3	1	2	.....	2	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	22	17	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	25	4	2	.....	.....	.....	2	1	2	4	2	3	3	.....	2	.....	.....	.....
75	Diseases of the eyes and their annexa	3	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	14	4	.....	1	1	1	.....	2	1	.....	1	2	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Death at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA WHITE—Continued.																	
	III.—Diseases of the circulatory system.	1,324	19	3	1	1	2	6	16	35	63	112	213	341	318	160	33	.....	1
77	Pericarditis	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
78	Acute endocarditis	62	4	2	1	.....	.....	2	6	2	8	11	16	6	2	2	.....	.....	.....
79	Organic diseases of the heart	1,017	9	1	.....	.....	2	3	9	27	48	80	159	283	254	119	22	.....	1
80	Angina pectoris	59	.....	.....	.....	.....	.....	.....	.....	1	1	8	16	18	12	3	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	148	.....	.....	.....	.....	.....	.....	.....	2	3	11	14	29	44	31	11	.....	.....
82	Embolism and thrombosis	19	1	.....	.....	.....	.....	.....	.....	2	1	1	6	2	4	2	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	6	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	1,172	242	79	32	23	16	31	55	123	110	90	69	111	105	75	11	.....	.....
86	Diseases of the nasal fossae	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	9	1	.....	4	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
89	Acute bronchitis	37	19	5	2	1	.....	1	.....	1	.....	1	.....	.....	3	2	2	.....	.....
90	Chronic bronchitis	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	12	11	3	.....	.....
91	Bronchopneumonia	416	153	45	14	11	5	11	11	23	33	17	15	23	29	19	4	.....	.....
92	Pneumonia (total)	609	66	26	11	9	8	18	39	93	71	65	44	68	55	35	1	.....	.....
	Lobar pneumonia	445	37	17	10	7	7	12	27	74	49	50	36	49	43	26	1	.....	.....
	Pneumonia (undefined)	164	29	9	1	2	1	6	12	19	22	15	8	19	12	9	.....	.....	.....
93	Pleurisy	25	1	1	1	2	.....	.....	3	3	3	3	1	4	.....	2	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	17	.....	.....	.....	.....	1	.....	.....	.....	1	2	3	3	5	2	.....	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	14	.....	1	.....	.....	.....	.....	1	.....	1	.....	5	3	1	2	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	6	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....	2	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system.	1,156	333	112	35	30	14	37	62	59	77	89	90	110	73	32	1	.....	2
99	Diseases of the mouth and annexa	11	3	1	.....	1	.....	1	1	1	1	1	1	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	20	2	.....	2	3	2	2	5	1	2	.....	.....	1	.....	.....	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	40	.....	.....	.....	.....	.....	.....	1	5	6	5	9	6	6	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	108	20	10	3	6	1	2	3	5	3	9	9	18	14	4	.....	.....	1
104	Diarrhea and enteritis (under 2 years)	387	290	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	121	.....	.....	26	15	5	6	1	5	3	4	8	16	15	16	.....	.....	1
106	Ankylostomiasis	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	6	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	149	.....	.....	.....	3	4	18	40	24	22	20	10	6	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	96	9	.....	2	1	.....	5	5	8	13	10	12	14	9	7	1	.....	.....
	Hernia	30	1	.....	.....	.....	.....	.....	1	2	1	4	7	5	4	4	1	.....	.....
	Intestinal obstruction	66	8	.....	2	1	.....	5	4	6	12	6	5	9	5	3	.....	.....	.....
110	Other diseases of the intestines	13	1	.....	.....	.....	.....	.....	1	2	5	1	2	1	.....	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	101	3	.....	.....	.....	.....	1	.....	1	8	22	19	30	15	2	.....	.....	.....
114	Biliary calculi	14	.....	.....	.....	.....	.....	.....	.....	2	1	4	2	3	2	.....	.....	.....	.....
115	Other diseases of the liver	65	1	.....	.....	.....	1	.....	4	3	9	9	17	12	8	1	.....	.....	.....
116	Diseases of the spleen	3	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	12	3	1	.....	.....	.....	.....	.....	2	2	.....	1	1	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	954	12	4	7	3	.....	8	23	42	72	126	150	203	220	76	6	2	.....
119	Acute nephritis	100	8	2	4	2	.....	3	6	13	19	16	9	9	6	3	.....	.....	.....
120	Bright's disease	733	.....	.....	1	1	.....	5	14	16	39	93	131	172	195	60	4	2	.....
122	Other diseases of the kidneys and annexa	26	3	2	2	.....	.....	.....	1	.....	.....	2	3	5	3	4	1	.....	.....
123	Calculi of the urinary passages	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	1	.....	.....	.....
124	Diseases of the bladder	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	3	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
126	Diseases of the prostate	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	9	14	5	1	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	11	.....	.....	.....	.....	.....	.....	.....	.....	3	6	.....	2	.....	.....	.....	.....	.....
130	Other diseases of the uterus	10	.....	.....	.....	.....	.....	.....	.....	2	4	2	1	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	22	.....	.....	.....	.....	.....	.....	2	9	6	5	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	220	.....	.....	.....	.....	.....	.....	27	96	80	17	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	24	.....	.....	.....	.....	.....	.....	1	11	11	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	19	.....	.....	.....	.....	.....	.....	1	6	10	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	31	.....	.....	.....	.....	.....	.....	1	12	15	3	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	61	.....	.....	.....	.....	.....	.....	9	25	20	7	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	72	.....	.....	.....	.....	.....	.....	15	37	17	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12	.....	.....	.....	.....	.....	.....	.....	5	6	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	41	4	1	.....	.....	.....	1	5	.....	.....	4	5	8	8	5	....	.....	.....
142	Gangrene	19	.....	1	.....	.....	.....	.....	1	.....	.....	1	2	4	6	4	.....	.....	.....
143	Furuncle	9	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	3	2	.....	.....	.....	.....
144	Acute abscess	9	1	.....	.....	.....	.....	1	3	.....	.....	2	.....	1	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	30	1	.....	1	1	1	8	5	1	5	1	3	2	1	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	30	1	.....	1	1	1	8	5	1	5	1	3	2	1	.....	.....	.....	.....
	X.—Malformations	130	121	5	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	130	121	5	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	10	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	84	79	1	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	36	34	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	498	493	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	390	390	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	305	305	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	85	85	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	106	106	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	54	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	52	52	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	61	82	27	3	1
154	Senility	183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	61	82	27	3	1
	XIII.—External causes	819	31	23	22	15	16	54	112	157	115	99	53	51	42	22	3	.....	4
	Suicide (total)	79	.....	.....	.....	.....	.....	.....	7	21	10	22	3	11	3	1	.....	.....	1
155	By poison	11	.....	.....	.....	.....	.....	.....	3	2	.....	3	1	2	.....	.....	.....	.....	.....
156	By asphyxia	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	1	.....	.....	.....
158	By drowning	4	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
159	By firearms	46	.....	.....	.....	.....	.....	.....	4	14	8	13	.....	5	1	.....	.....	.....	1
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	664	30	22	22	15	15	54	103	116	83	60	41	38	39	21	3	.....	2
164	Poisoning by food	12	4	1	.....	1	.....	2	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....
165	Other acute poisonings	30	4	5	3	.....	2	1	2	4	.....	4	4	.....	.....	1	.....	.....	.....
166	Conflagration	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	97	9	8	12	7	6	7	12	14	8	5	2	3	3	1	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	18	5	.....	1	1	.....	3	3	1	3	.....	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	76	.....	4	3	1	1	7	22	19	10	3	2	4	.....	.....	.....	.....	.....
170	Traumatism by firearms	37	.....	.....	1	.....	3	6	10	7	4	3	3	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	86	4	1	.....	2	.....	5	8	9	8	8	3	4	14	17	3	.....	.....
173	Traumatism in mines and quarries (total)	7	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	7	.....	.....	.....	.....	.....	.....	.....	2	5	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	24	.....	.....	.....	.....	.....	.....	4	8	7	4	1	.....	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	166	1	.....	1	1	3	16	20	32	22	16	15	20	15	2	.....	.....	2
	Railroad accidents and injuries	55	.....	.....	.....	.....	.....	1	4	16	12	8	3	7	3	.....	.....	.....	1
	Street-car accidents and injuries	11	.....	.....	.....	.....	.....	.....	2	1	.....	1	2	2	3	.....	.....	.....	.....
	Automobile accidents and injuries	71	.....	.....	1	1	3	13	10	11	6	2	8	9	4	2	.....	.....	1
	Injuries by other vehicles	16	1	.....	.....	.....	.....	2	3	.....	1	3	1	1	4	.....	.....	.....	.....
	Landslide, other crushing	13	.....	.....	.....	.....	.....	.....	1	4	3	2	1	1	1	.....	.....	.....	.....
176	Injuries by animals	10	.....	.....	.....	.....	.....	2	2	.....	1	2	1	1	1	.....	.....	.....	.....
178	Excessive cold	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
179	Effects of heat	5	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
180	Lightning	16	.....	.....	.....	.....	.....	1	3	5	5	1	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	7	.....	.....	.....	.....	.....	.....	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	12	.....	.....	.....	.....	.....	.....	1	3	1	3	1	1	2	.....	.....	.....	.....
186	Other external violence	57	3	3	1	2	.....	4	12	8	4	8	6	3	3	.....	.....	.....	.....
	Homicide (total)	76	1	1	.....	.....	1	.....	2	20	22	17	9	2	.....	.....	.....	...	1
182	By firearms	59	.....	.....	.....	.....	1	.....	2	19	19	10	5	2	.....	.....	.....	...	1
183	By cutting or piercing instruments	5	.....	1	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....
184	By other means	12	1	.....	.....	.....	.....	.....	.....	.....	3	4	4	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	181	77	4	2	2	2	8	6	5	1	9	9	25	18	9	1	.....	3
187	Ill-defined organic disease	6	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	2	2	.....	.....	.....
188	Sudden death	29	10	.....	.....	.....	.....	1	.....	.....	.....	4	.....	8	4	2	.....	.....	.....
189	Not specified or ill-defined (total)	146	67	4	2	2	2	6	6	4	1	5	9	17	12	5	1	.....	3
	Ill-defined	59	9	3	.....	1	2	4	3	2	.....	3	8	13	7	3	1	.....	.....
	Not specified or unknown	87	58	1	2	1	.....	2	3	2	1	2	1	4	5	2	.....	.....	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	LOUISIANA (COLORED).																		
	All causes	10,748	1,585	278	118	102	65	281	876	1,589	1,358	1,250	965	838	710	466	165	72	30
	I.—General diseases	3,810	292	77	52	38	26	142	463	883	642	481	302	223	113	50	12	2	12
1	Typhoid fever	151	2	2	3	1	2	11	51	37	21	8	7	4	1	.....	.....	.....	1
4	Malaria	272	30	18	16	12	6	52	40	23	16	15	9	11	15	7	1	.....	1
5	Smallpox	108	2	1	.....	2	1	1	8	20	29	30	9	4	.....	1	.....	.....	.....
6	Measles	9	3	2	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	91	58	16	6	4	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	37	10	5	4	5	2	6	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....
10	Influenza	419	43	14	7	7	4	18	57	66	59	49	38	33	11	8	2	1	2
13	Cholera nostras	6	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....
14	Dysentery	79	11	6	3	1	.....	3	4	7	8	6	7	10	7	3	3	.....	.....
15	Plague	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
19	Other epidemic diseases	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	20	1	.....	.....	.....	.....	.....	1	5	5	3	2	1	1	.....	.....	1	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	94	38	1	1	2	1	12	23	3	3	7	1	1	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	156	.....	.....	.....	1	1	7	17	35	29	24	17	14	7	2	1	.....	1
	Tuberculosis (total)	1,656	9	5	5	2	1	23	232	610	363	224	98	56	16	5	1	.....	6
28	Tuberculosis of the lungs	1,495	6	3	1	1	1	18	204	561	328	210	90	47	15	4	1	.....	5
29	Acuta miliary tuberculosis	79	.....	.....	1	.....	.....	2	16	29	20	6	1	3	1	.....	.....	.....	.....
30	Tuberculous meningitis	7	2	.....	.....	.....	.....	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	39	.....	.....	1	.....	.....	.....	7	8	12	4	4	2	.....	.....	.....	.....	1
32	Pott's disease	12	.....	.....	1	.....	.....	1	2	6	1	1	.....	.....	.....	.....	.....	.....	.....
33	White swellings	4	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....
34	Tuberculosis of other organs	11	1	1	.....	.....	.....	.....	2	2	.....	2	.....	3	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	9	.....	1	.....	1	.....	.....	.....	3	1	.....	2	1	.....	.....	.....	.....	.....
36	Rickets	4	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	241	63	6	2	.....	.....	2	16	38	40	27	22	15	6	3	.....	.....	1
38	Gonococcus infection	20	.....	.....	.....	.....	.....	.....	1	10	6	1	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	310	2	.....	.....	.....	1	1	4	15	45	73	60	53	35	15	1	.....	.....
39	Of the buccal cavity	14	1	.....	.....	.....	.....	.....	1	2	1	.....	2	2	2	3	.....	.....	.....
40	Of the stomach, liver	72	.....	.....	.....	.....	.....	.....	.....	1	12	13	18	13	10	5	.....	.....	.....
41	Of the peritoneum, intestines, rectum	29	.....	.....	.....	.....	1	.....	.....	2	4	9	6	3	3	1	.....	.....	.....
42	Of the female genital organs	110	.....	.....	.....	.....	.....	.....	.....	6	18	38	19	18	9	2	.....	.....	.....
43	Of the breast	38	.....	.....	.....	.....	.....	.....	.....	3	4	8	7	9	6	1	.....	.....	.....
44	Of the skin	8	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	3	1	1	.....	.....	.....
45	Of other organs or of organs not specified	39	1	.....	.....	.....	.....	1	1	1	6	5	7	10	4	2	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	42	.....	.....	1	1	.....	2	1	4	7	2	10	7	5	1	1	.....	.....
48	Chronic rheumatism and gout	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....
49	Scurvy	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	36	.....	.....	.....	.....	.....	.....	1	3	2	4	12	7	2	4	1	.....	.....
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
53	Leukemia	7	.....	.....	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	9	2	.....	.....	.....	.....	1	1	1	2	1	.....	.....	1	.....	.....	.....	.....
55	Other general diseases	13	11	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	622	34	9	3	7	7	15	20	40	50	96	93	103	82	35	17	6	.....
60	Encephalitis	11	1	2	.....	.....	.....	1	1	2	1	1	.....	2	.....	.....	.....	.....	.....
61	Meningitis (total)	41	10	4	2	3	2	5	1	4	1	9	.....	.....	.....	.....	.....	.....	.....
	Simple meningitis	22	3	.....	1	3	2	3	.....	3	1	6	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	11	6	2	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	8	1	2	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	15	1	.....	1	1	.....	3	2	.....	2	2	.....	.....	1	2	.....	.....	.....
	Acute anterior poliomyelitis	6	.....	.....	1	1	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	9	1	.....	.....	.....	.....	1	.....	.....	2	2	.....	.....	1	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	342	2	.....	.....	1	.....	1	3	11	25	47	76	74	65	20	12	5	.....
65	Softening of the brain	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....
66	Paralysis without specified cause	63	.....	.....	.....	1	.....	.....	2	1	.....	5	8	18	12	11	4	1	.....
67	General paralysis of the insane	40	.....	.....	.....	.....	.....	.....	1	1	12	16	6	3	.....	.....	1	.....	.....
68	Other forms of mental alienation	18	.....	.....	.....	.....	.....	.....	1	3	3	5	1	3	2	.....	.....	.....	.....
69	Epilepsy	30	2	.....	.....	.....	.....	.....	5	11	4	5	.....	3	.....	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	8	.....	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	24	17	3	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	8	.....	.....	.....	.....	.....	1	1	2	1	.....	1	.....	1	1	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
76	Diseases of the ears	9	1	.....	.....	1	1	1	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	LOUISIANA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	1,142	9	.....	1	1	1	6	26	75	132	195	186	186	177	103	32	11	1
77	Pericarditis	12	.....	.....	1	.....	.....	.....	.....	3	1	1	1	2	1	2	.....	.....	.....
78	Acute endocarditis	69	.....	.....	.....	.....	.....	1	6	11	11	21	18	1	.....	.....	.....	.....	.....
79	Organic diseases of the heart	924	5	.....	.....	1	.....	3	18	56	109	163	152	161	138	87	24	6	1
80	Angina pectoris	21	.....	.....	.....	.....	.....	.....	1	1	6	2	1	1	6	3	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	98	.....	.....	.....	.....	.....	.....	.....	2	4	7	12	19	31	11	8	4	.....
82	Embolism and thrombosis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	3	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	6	1	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	1	.....
	IV.—Diseases of the respiratory system	1,086	268	77	17	17	9	30	88	145	120	85	70	63	33	52	8	2	2
86	Diseases of the nasal fossae	12	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
87	Diseases of the larynx	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
89	Acute bronchitis	52	40	5	.....	.....	1	.....	1	1	.....	1	.....	2	1	1	.....	.....	.....
90	Chronic bronchitis	21	.....	.....	.....	.....	.....	1	1	1	.....	1	6	4	3	3	1	.....	.....
91	Bronchopneumonia	299	109	34	9	9	5	8	17	27	28	12	14	12	8	6	1	.....	.....
92	Pneumonia (total)	629	104	35	8	7	3	20	65	104	81	62	42	38	15	38	3	2	2
	Lobar pneumonia	475	60	24	6	6	1	17	47	93	69	51	36	25	8	27	1	2	2
	Pneumonia (undefined)	154	44	11	2	1	2	3	18	11	12	11	6	13	7	11	2	.....	.....
93	Pleurisy	30	4	.....	.....	1	.....	.....	2	7	7	3	2	3	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	4	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
96	Asthma	13	.....	.....	.....	.....	.....	.....	1	.....	1	3	3	1	3	1	.....	.....	.....
97	Pulmonary emphysema	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	16	1	1	.....	.....	.....	.....	1	4	2	1	2	2	1	1	.....	.....	.....
	V.—Diseases of the digestive system	947	299	62	20	13	14	30	57	68	94	105	75	48	43	14	3	1	1
99	Diseases of the mouth and annexa	9	4	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	18	1	2	1	1	.....	.....	1	6	1	.....	.....	2	3	.....	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	28	.....	.....	.....	.....	.....	.....	1	3	6	7	5	3	3	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	122	20	4	1	2	2	5	8	6	16	21	15	13	5	4	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	305	252	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	119	.....	.....	13	10	7	7	4	10	15	13	13	6	13	4	3	1	.....
107	Intestinal parasites	20	4	2	3	.....	2	6	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	85	.....	.....	.....	.....	.....	2	21	18	18	15	6	2	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	86	13	1	1	.....	.....	4	9	7	13	8	13	9	5	3	.....	.....	.....
	Hernia	29	4	.....	.....	.....	.....	.....	3	2	2	1	7	5	3	2	.....	.....	.....
	Intestinal obstruction	57	9	1	1	.....	.....	4	6	5	11	7	6	4	2	1	.....	.....	.....
110	Other diseases of the intestines	20	.....	.....	.....	.....	.....	1	1	3	3	4	2	2	3	1	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	59	1	.....	.....	.....	1	1	4	2	9	18	11	8	2	1	.....	.....	1
114	Biliary calculi	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
115	Other diseases of the liver	37	2	.....	1	.....	.....	1	3	5	3	10	6	1	4	1	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	23	2	.....	.....	.....	.....	3	1	4	6	5	1	1	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	926	6	4	2	6	.....	14	24	81	127	171	145	135	130	61	13	4	3
119	Acute nephritis	117	5	.....	1	3	.....	9	9	20	15	25	15	4	6	5	.....	.....	.....
120	Bright's disease	620	.....	2	.....	3	.....	4	11	28	75	106	114	116	101	45	9	4	2
122	Other diseases of the kidneys and annexa	16	.....	2	1	.....	.....	1	2	3	3	1	1	1	1	.....	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	23	1	.....	.....	.....	.....	.....	.....	.....	.....	4	1	5	5	3	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	22	.....	.....	.....	.....	.....	.....	.....	3	2	8	2	2	4	1	.....	.....	.....
126	Diseases of the prostate	34	.....	.....	.....	.....	.....	.....	.....	.....	2	1	9	4	11	7	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	29	.....	.....	.....	.....	.....	.....	.....	4	12	8	1	3	1	.....	.....	.....	.....
130	Other diseases of the uterus	18	.....	.....	.....	.....	.....	.....	2	5	4	7	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	1
132	Salpingitis and other diseases of the female genital organs	38	.....	.....	.....	.....	.....	.....	.....	17	12	9	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	223	.....	.....	.....	.....	.....	.....	48	102	62	11	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	24	.....	.....	.....	.....	.....	.....	3	11	10	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	13	.....	.....	.....	.....	.....	.....	1	7	5	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	30	.....	.....	.....	.....	.....	.....	3	13	13	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	74	.....	.....	.....	.....	.....	.....	17	37	14	6	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	76	.....	.....	.....	.....	.....	.....	24	32	17	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	LOUISIANA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	38	3	1	1	.....	.....	1	2	3	4	4	7	4	5	3	.....	.....	.....
142	Gangrene	14	.....	1	.....	.....	.....	.....	.....	.....	1	1	3	3	5	.....	.....	.....	.....
143	Furuncle	8	.....	.....	.....	.....	.....	1	1	2	.....	1	3	.....	.....	.....	.....	.....	.....
144	Acute abscess	12	2	.....	.....	.....	.....	.....	1	1	3	2	1	1	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	22	1	.....	.....	1	.....	2	5	3	4	1	2	2	.....	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	17	1	.....	.....	1	.....	2	4	2	2	1	2	1	.....	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
148	*Amputations*	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	98	85	9	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	98	85	9	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	9	4	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	70	67	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	19	14	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	377	377	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	299	299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	186	186	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	113	113	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	70	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	23	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	47	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	319	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	78	111	71	42	2
154	Senility	319	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	14	78	111	71	42	2
	XIII.—External causes	691	23	17	12	15	8	35	124	172	100	78	46	22	18	12	4	1	4
	Suicide (total)	6	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....
155	By poison	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
159	By firearms	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	507	23	17	12	14	8	35	104	93	53	56	34	20	17	12	4	1	4
164	Poisoning by food	20	2	.....	3	.....	.....	3	1	1	3	2	1	3	1	.....	.....	.....	.....
165	Other acute poisonings	23	2	6	3	.....	1	2	3	2	1	2	1	.....	.....	.....	.....	.....	.....
166	Conflagration	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
167	Burns (conflagration excepted)	84	2	4	4	9	5	13	10	5	4	5	6	3	5	5	3	1	.....
168	Absorption of deleterious gases (conflagration excepted)	14	10	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
169	Accidental drowning	78	.....	2	1	.....	2	3	30	18	5	5	7	2	2	.....	.....	.....	1
170	Traumatism by fire arms	61	.....	2	1	4	.....	4	20	13	4	7	6	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	26	3	1	.....	.....	.....	2	3	4	1	5	.....	3	1	2	1	.....	.....
174	Traumatism by machines	16	.....	.....	.....	.....	.....	.....	1	8	2	2	2	.....	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	91	.....	.....	.....	.....	.....	7	22	25	13	11	4	4	2	1	.....	.....	2
	Railroad accidents and injuries	41	.....	.....	.....	.....	.....	.....	7	16	6	5	1	3	.....	1	.....	.....	2
	Street-car accidents and injuries	8	.....	.....	.....	.....	.....	1	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	19	.....	.....	.....	.....	.....	5	5	3	2	.....	2	.....	2	.....	.....	.....	.....
	Injuries by other vehicles	11	.....	.....	.....	.....	.....	1	4	.....	1	3	1	1	.....	.....	.....	.....	.....
	Landslide, other crushing	12	.....	.....	.....	.....	.....	.....	3	4	2	3	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	.....
179	Effects of heat	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	1	.....	.....	.....	.....
180	Lightning	9	1	.....	.....	.....	.....	.....	1	.....	5	1	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	7	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	8	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	1	1	.....	.....	.....
186	Other external violence	52	3	1	.....	1	.....	1	7	11	9	12	3	1	1	1	.....	.....	1
	Homicide (total)	178	.....	.....	.....	1	.....	.....	20	77	45	20	12	2	1	.....	.....	.....	.....
182	By firearms	133	.....	.....	.....	.....	.....	.....	13	58	33	16	10	2	1	.....	.....	.....	.....
183	By cutting or piercing instruments	27	.....	.....	.....	.....	.....	.....	3	13	8	2	1	.....	.....	.....	.....	.....	.....
184	By other means	18	.....	.....	.....	1	.....	.....	4	6	4	2	1	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	447	188	22	9	2	.....	6	18	17	23	23	38	33	31	24	5	3	5
187	Ill-defined organic disease	56	1	2	.....	.....	.....	1	3	2	4	4	11	12	9	6	1	.....	.....
188	Sudden death	42	14	.....	.....	.....	.....	.....	4	1	3	4	4	4	.....	3	1	3	1
189	Not specified or ill-defined (total)	349	173	20	9	2	.....	5	11	14	16	15	23	17	22	15	3	.....	4
	Ill-defined	106	31	14	6	.....	.....	1	4	5	6	2	9	14	9	3	1	.....	1
	Not specified or unknown	243	142	6	3	2	.....	4	7	9	10	13	14	3	13	12	2	.....	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

MAINE.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	All causes	11,872	1,761	254	119	88	53	174	377	597	754	778	1,159	1,782	2,246	1,478	211	6	35
	I.—General diseases	3,094	224	110	41	46	22	84	143	288	341	330	388	476	409	177	9	.....	6
1	Typhoid fever	69	.....	1	.....	1	.....	4	15	13	9	11	7	8	.....	.....	.....	.....	.....
4	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
6	Measles	30	7	9	4	2	.....	1	3	.....	1	.....	2	1	.....	.....	.....	.....	.....
7	Scarlet fever	23	3	2	1	2	2	4	3	3	2	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	126	70	33	7	8	3	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	64	3	6	7	7	6	24	6	.....	1	3	1	.....	.....	.....	.....	.....	.....
10	Influenza	591	72	30	13	9	5	12	35	62	109	63	40	41	63	34	2	.....	1
13	Cholera nostras	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	21	10	2	1	1	1	2	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....
18	Erysipelas	19	5	1	.....	.....	.....	.....	.....	.....	.....	3	2	1	5	1	.....	.....	1
19	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	11	5	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	2	1	.....	.....	.....
24	Tetanus	5	1	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	799	15	18	7	12	2	21	67	173	155	111	92	73	40	11	1	.....	1
28	Tuberculosis of the lungs	620	3	5	1	1	1	5	48	143	136	97	68	69	35	7	.....	.....	1
29	Acute miliary tuberculosis	35	1	.....	.....	.....	.....	2	7	15	5	2	2	.....	.....	1	.....	.....	.....
30	Tuberculous meningitis	59	10	11	5	10	1	7	5	4	3	3	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	43	1	2	1	1	.....	4	5	4	9	3	10	2	1	.....	.....	.....	.....
32	Pott's disease	11	.....	.....	.....	.....	.....	1	1	4	.....	.....	4	.....	.....	.....	1	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	19	.....	.....	.....	.....	.....	1	.....	1	2	2	6	1	3	3	.....	.....	.....
35	Disseminated tuberculosis	7	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	1	.....	.....	.....	.....
36	Rickets	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	41	10	1	.....	.....	.....	.....	.....	3	6	12	5	3	1	.....	.....	.....	.....
38	Gonococcus infection	3	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	942	3	3	.....	.....	1	2	2	11	38	92	183	260	236	103	6	.....	2
39	Of the buccal cavity	27	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	8	12	3	.....	.....	.....
40	Of the stomach, liver	347	2	.....	.....	.....	.....	.....	.....	3	11	23	53	105	101	45	3	.....	1
41	Of the peritoneum, intestines, rectum	152	.....	.....	.....	.....	.....	1	1	.....	3	17	36	45	39	10	.....	.....	.....
42	Of the female genital organs	157	.....	.....	.....	.....	.....	.....	.....	4	15	27	46	32	23	10	.....	.....	.....
43	Of the breast	86	.....	.....	.....	.....	.....	.....	.....	.....	5	11	22	24	10	13	.....	.....	1
44	Of the skin	36	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	9	8	10	3	.....	.....
45	Of other organs or of organs not specified	137	1	3	.....	.....	1	.....	1	3	3	13	20	37	43	12	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....
47	Acute articular rheumatism	23	.....	.....	.....	.....	.....	5	4	1	2	2	4	4	1	.....	.....	.....	.....
48	Chronic rheumatism and gout	17	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	4	4	3	.....	.....	.....
50	Diabetes	168	1	1	1	2	1	3	5	10	3	7	18	61	41	14	.....	.....	.....
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	1	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	2	.....	3	3	.....	.....	.....	.....	.....	.....
53	Leukemia	16	.....	1	.....	1	1	.....	.....	3	.....	3	3	2	1	1	.....	.....	.....
54	Anemia, chlorosis	66	4	.....	.....	1	.....	2	.....	3	6	8	19	12	9	1	.....	.....	1
55	Other general diseases	11	7	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
56	Alcoholism (acute or chronic)	10	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	3	3	1	.....	.....	.....	.....
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,403	50	10	8	6	3	10	22	11	34	76	154	320	418	260	17	.....	4
60	Encephalitis	16	.....	1	1	1	.....	1	.....	3	3	2	1	2	1	.....	.....	.....	.....
61	Meningitis (total)	43	15	5	2	1	1	5	7	3	1	2	.....	1	.....	.....	.....	.....	.....
	Simple meningitis	23	8	5	2	1	.....	3	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	8	3	.....	.....	.....	.....	.....	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	12	4	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	9	3	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	69	2	.....	2	1	2	1	5	.....	4	2	10	16	22	2	.....	.....	.....
	Acute anterior poliomyelitis	9	2	.....	1	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	60	.....	.....	1	.....	.....	.....	3	.....	4	2	10	16	22	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,040	3	.....	.....	.....	.....	.....	1	.....	8	46	110	261	359	233	15	.....	4
65	Softening of the brain	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	8	3	.....	.....	.....
66	Paralysis without specified cause	44	1	.....	.....	.....	.....	.....	.....	.....	.....	3	5	11	12	11	1	.....	.....
67	General paralysis of the insane	36	.....	.....	.....	.....	.....	.....	.....	.....	6	9	10	5	4	2	.....	.....	.....
68	Other forms of mental alienation	20	.....	.....	.....	.....	.....	.....	.....	.....	6	3	3	4	3	1	.....	.....	.....
69	Epilepsy	22	2	.....	1	1	.....	1	5	3	3	2	1	1	.....	2	.....	.....	.....
71	Convulsions of infants	24	22	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
74	Other diseases of the nervous system	28	1	1	1	.....	.....	2	1	2	.....	4	5	5	3	3	.....	.....	.....
76	Diseases of the ears	21	4	1	1	2	.....	.....	3	.....	3	.....	3	2	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	MAINE—Continued.																		
	III.—Diseases of the circulatory system	2,050	11	3	1	.....	1	6	14	20	39	71	228	442	693	458	59	2	2
77	Pericarditis	10	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	5	1	.....	.....	.....
78	Acute endocarditis	51	1	1	.....	.....	.....	2	3	2	3	9	17	6	2	5	.....	.....	.....
79	Organic diseases of the heart	1,430	6	1	1	.....	1	3	10	14	27	51	173	322	492	290	35	2	2
80	Angina pectoris	151	.....	.....	.....	.....	.....	.....	1	.....	2	6	24	43	53	21	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	333	.....	.....	.....	.....	.....	.....	.....	.....	2	1	8	48	122	129	23	.....	.....
82	Embolism and thrombosis	59	2	.....	.....	.....	.....	1	.....	3	2	2	6	17	17	9	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	3	1	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	2	.....	.....	.....
	IV.—Diseases of the respiratory system	1,367	232	61	25	8	9	21	46	77	118	86	110	154	216	167	33	.....	4
86	Diseases of the nasal fossae	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
87	Diseases of the larynx	5	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
89	Acute bronchitis	70	26	1	1	.....	1	1	.....	.....	2	1	1	4	13	13	6	.....	.....
90	Chronic bronchitis	57	.....	.....	.....	.....	.....	1	1	.....	1	.....	4	8	17	16	9	.....	.....
91	Bronchopneumonia	496	133	38	16	3	7	6	10	13	19	20	22	52	72	75	9	.....	1
92	Pneumonia (total)	672	67	19	7	5	1	11	31	62	91	62	78	76	105	49	6	.....	2
	Lobar pneumonia	545	38	10	4	3	1	10	29	58	81	55	68	66	83	34	3	.....	2
	Pneumonia (undefined)	127	29	9	3	2	.....	1	2	4	10	7	10	10	22	15	3	.....	.....
93	Pleurisy	18	.....	2	1	.....	.....	.....	2	.....	4	1	.....	4	3	.....	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	22	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	9	2	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
96	Asthma	15	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	2	3	1	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	V.—Diseases of the digestive system	1,048	415	49	24	15	7	26	54	53	53	51	58	86	95	54	5	.....	3
99	Diseases of the mouth and annexa	12	1	.....	1	.....	.....	.....	1	3	1	1	1	.....	3	.....	.....	.....	.....
100	Diseases of the pharynx	12	2	.....	.....	.....	.....	2	3	1	.....	.....	.....	1	2	1	.....	.....	.....
101	Diseases of the esophagus	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
102	Ulcer of the stomach	32	.....	.....	.....	.....	.....	.....	1	7	6	2	3	7	5	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	114	40	.....	2	1	.....	2	.....	3	4	6	6	13	22	14	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	405	361	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	93	.....	.....	17	13	5	5	3	2	6	3	6	11	10	10	2	.....	.....
107	Intestinal parasites	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	136	.....	2	2	.....	.....	14	39	25	19	12	12	8	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	103	7	2	1	1	1	.....	4	6	9	10	6	18	23	13	.....	.....	2
	Hernia	38	1	.....	.....	.....	.....	.....	1	2	1	4	4	8	12	4	.....	.....	1
	Intestinal obstruction	65	6	2	1	1	1	.....	3	4	8	6	2	10	11	9	.....	.....	1
110	Other diseases of the intestines	23	1	.....	.....	.....	.....	1	1	4	2	3	1	3	5	2	.....	.....	.....
111	Acute yellow atrophy of the liver	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....
113	Cirrhosis of the liver	34	.....	.....	.....	.....	.....	.....	.....	1	1	3	7	8	6	7	1	.....	.....
114	Biliary calculi	24	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	5	8	1	.....	.....	.....
115	Other diseases of the liver	38	1	1	.....	.....	.....	.....	.....	1	.....	6	10	7	6	4	1	.....	1
117	Simple peritonitis (nonpuerperal)	9	1	.....	.....	.....	1	1	1	.....	3	1	.....	1	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,007	16	1	4	.....	1	.....	12	21	43	84	145	226	283	154	14	.....	3
119	Acute nephritis	66	11	.....	1	.....	.....	.....	4	3	6	11	9	11	5	4	1	.....	.....
120	Bright's disease	793	.....	1	2	.....	.....	.....	5	12	18	56	128	185	245	126	13	.....	2
122	Other diseases of the kidneys and annexa	25	3	.....	1	.....	1	.....	2	2	3	2	2	5	2	2	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
124	Diseases of the bladder	18	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	6	8	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	55	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	17	21	13	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	20	.....	.....	.....	.....	.....	.....	.....	1	6	8	2	1	2	.....	.....	.....	.....
130	Other diseases of the uterus	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	1
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	1	2	5	1	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	147	.....	.....	.....	.....	.....	.....	12	65	54	16	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	22	.....	.....	.....	.....	.....	.....	1	5	15	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	10	.....	.....	.....	.....	.....	.....	.....	3	4	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	26	.....	.....	.....	.....	.....	.....	3	10	9	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	27	.....	.....	.....	.....	.....	.....	2	12	10	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	56	.....	.....	.....	.....	.....	.....	6	33	14	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MAINE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	40	4						2			2	2	3	8	13	5	1	
142	Gangrene	30	1									1	2	1	7	12	5	1	
143	Furuncle	3										1		2					
144	Acute abscess	4	1						1						1	1			
145	Other diseases of the skin and annexa	3	2						1										
	IX.—Diseases of the bones and of the organs of locomotion	23	3			1			3	2	1	6	3	1	2	1			
146	Diseases of the bones (tuberculosis excepted)	21	3			1			3	2	1	5	3	1	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2										1			1				
	X.—Malformations	114	97	6	3		1	3	4										
150	Congenital malformations (total)	114	97	6	3		1	3	4										
	Hydrocephalus	12	7	1	2			1	1										
	Congenital malformations of the heart	66	56	4	1		1	1	3										
	Other congenital malformations	36	34	1				1											
	XI.—Early infancy	638	638																
151	Congenital debility, icterus, and sclerema (total)	517	517																
	Premature birth	369	369																
	Congenital debility, "atrophy," "marasmus," etc	148	148																
152	Other causes peculiar to early infancy (total)	118	118																
	Injuries at birth	66	66																
	Other causes peculiar to early infancy	52	52																
153	Lack of care	3	3																
	XII.—Old age	253												5	55	132	57	3	1
154	Senility	253												5	55	132	57	3	1
	XIII.—External causes	563	15	12	12	12	8	22	61	57	66	54	57	54	54	58	10		11
	Suicide (total)	80							3	6	11	13	17	14	11	5			
155	By poison	9								2		2	1	3	1				
156	By asphyxia	3									1		2						
157	By hanging or strangulation	24							1	2	2	5	4	5	2	3			
158	By drowning	14							1	1	3	1	2	2	3	1			
159	By firearms	22							1	1	3	3	5	4	5				
160	By cutting or piercing instruments	7									1	2	3			1			
161	By jumping from high places	1									1								
	Accidental or undefined (total)	472	15	12	12	12	8	22	58	50	50	38	39	39	43	53	10		11
164	Poisoning by food	17	2		1	1	1		3	1	1	2	1	2	1				1
165	Other acute poisonings	17	1	4		1	1			1	2	4	2			1			
166	Conflagration	11		1	3	1	1	2				1			2				
167	Burns (conflagration excepted)	25	1	5	3	1	2	2	1	4	1	1		2	1	1			
168	Absorption of deleterious gases (conflagration excepted)	10	5						1			1	1	1	1				
169	Accidental drowning	75			1	2	1	5	18	18	14	2	4	1					9
170	Traumatism by firearms	17		1				1	9		4	1	1						
172	Traumatism by fall	118	1	1	2	2		1	2	2	4	3	7	12	24	47	10		
173	Traumatism in mines and quarries (total)	1										1							
	Traumatism in quarries	1										1							
174	Traumatism by machines	14							3	2	4	2	1	1					1
175	Traumatism by other crushing (total)	106			2	2	2	9	13	18	9	11	15	12	9	4			
	Railroad accidents and injuries	35							3	11	3	5	6	4	3				
	Street-car accidents and injuries	4				1				1	1			1					
	Automobile accidents and injuries	43			2	1	2	7	5	6	1	3	6	5	3	2			
	Injuries by other vehicles	18						2	4		3	2	2	2	1	2			
	Aeroplane accidents and injuries	4							1			1			2				
	Landslide, other crushing	2									1		1						
176	Injuries by animals	2										1	1						
178	Excessive cold	6									1	1		2	2				
179	Effects of heat	5	1			1								2	1				
180	Lightning	3							1		1	1							
181	Electricity (lightning excepted)	11							3	2	2	3		1					
185	Fractures (cause not specified)	3										1		1	1				
186	Other external violence	31	4			1		2	4	2	7	2	6	2	1				
	Homicide (total)	11								1	5	3	1	1					
182	By firearms	6								1	3	1	1						
183	By cutting or piercing instruments	1										1							
184	By other means	4									2	1		1					
	XIV.—Ill-defined diseases	125	56	2	1		1	2	4	3	5	2	14	15	13	4	2		1
188	Sudden death	29	4				1		3	1	3	1	5	5	4		2		
189	Not specified or ill-defined (total)	96	52	2	1			2	1	2	2	1	9	10	9	4			1
	Ill-defined	30	7	1	1				1		1	1	3	7	5	3			
	Not specified or unknown	66	45	1				2		2	1		6	3	4	1			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Duration unknown.
	MARYLAND (TOTAL).																		
	All causes	21,362	3,768	655	284	182	111	418	852	1,727	1,808	1,850	2,397	2,873	2,857	1,325	195	12	48
	I.—General diseases	5,677	357	194	113	65	48	166	387	831	788	703	742	694	457	117	10	1	4
1	Typhoid fever	100			1			8	30	26	11	13	8	2					1
4	Malaria	4							1	1				1	1				
6	Measles	94	25	29	15	3	3	9	3	4	2	1							
7	Scarlet fever	36	1	5	3	7		10	6	2	1			1					
8	Whooping cough	145	83	33	13	5	3	8											
9	Diphtheria and croup	192	18	36	33	26	24	39	10	3	2	1							
10	Influenza	691	67	41	14	9	8	24	58	107	125	71	64	42	44	13	4		
13	Cholera nostras	2													1	1			
14	Dysentery	66	22	6	3		2	3	2	1	4	4	1	6	9	3			
18	Erysipelas	39	12	1		1			1	2	3	1	3	4	7	3	1		
19	Other epidemic diseases	4	2	1												1			
20	Purulent infection and septicemia	25	2		1	1		1	3	6	3	2	2	1	2	1			
24	Tetanus	35	13			1	1	6	6		1	3	3			1			
25	Mycoses	2								2									
26	Pellagra	8								1	2		4	1					
	Tuberculosis (total)	2,139	49	30	25	7	5	40	229	585	444	288	209	156	63	7			2
28	Tuberculosis of the lungs	1,839	15	12	11	1	3	20	195	519	407	263	191	139	54	7			2
29	Acute miliary tuberculosis	86	8	6	3			1	13	26	13	8	6	2					
30	Tuberculous meningitis	72	20	11	8	4		10	6	6	2	4		1					
31	Abdominal tuberculosis	66	2	1	2		1	6	8	17	10	6	7	2	4				
32	Pott's disease	25							3	7	4	3	2	5	1				
33	White swellings	13				1		1	1	4	1	1	1	1	2				
34	Tuberculosis of other organs	23	1		1		1	1		2	5	3	2	5	2				
35	Disseminated tuberculosis	15	3			1		1	3	4	2			1					
36	Rickets	16	10	4		1		1											
37	Syphilis	194	36	1	3	1	1		1	18	52	38	26	14	3				
38	Gonococcus infection	25	3					1	2	8	7	2		2					
	Cancer and other malignant tumors (total)	1,372	3	2	1	1	1	1	7	29	76	209	326	367	265	78	5	1	
39	Of the buccal cavity	62								3	2	7	12	16	18	4			
40	Of the stomach, liver	519	2							6	18	72	129	165	90	35	1	1	
41	Of the peritoneum, intestines, rectum	163							3	8	6	17	37	44	39	8	1		
42	Of the female genital organs	202								5	21	49	52	50	21	4			
43	Of the breast	124								1	8	22	36	22	27	6	2		
44	Of the skin	50		1					1		3	3	10	10	16	5	1		
45	Of other organs or of organs not specified	252	1	1	1	1	1	1	3	6	18	39	50	60	54	16			
46	Other tumors, (tumors of the female genital organs excepted)	3	1						1		1								
47	Acute articular rheumatism	58	1	1				7	12	7	13	3	4	5	3	2			
48	Chronic rheumatism and gout	28								2	1	2	5	12	4	2			
49	Scurvy	3	1	1								1							
50	Diabetes	248				1		1	5	18	14	35	64	62	43	5			
51	Exophthalmic goiter	27							2		10	8	4	3					
52	Addison's disease	2									1		1						
53	Leukemia	40	1	1	1			4	7	1	7	4	6	5	2				1
54	Anemia, chlorosis	50						1		5	8	10	9	8	9				
55	Other general diseases	18	7	2		1		2	1	3		1			1				
56	Alcoholism (acute or chronic)	10										6	2	2					
59	Other chronic poisonings	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	2,148	101	27	19	8	4	26	47	52	100	169	310	496	517	233	35	1	3
60	Encephalitis	35	4	2		2		2	6	4	5	4	1	3	2				
61	Meningitis (total)	93	27	14	11	1	3	6	9	6	7	4	5						
	Simple meningitis	44	7	9	6	1	2	5	3	2	3	1	5						
	Cerebrospinal meningitis (undefined)	13	6		3				2	1		1							
	Cerebrospinal fever	36	14	5	2		1	1	4	3	4	2							
62	Locomotor ataxia	17									2	1	7	4	3				
63	Other diseases of the spinal cord (total)	78	2	1	3	1		2	3	3	2	7	7	20	19	6	2		
	Acute anterior poliomyelitis	13	2	1	1	1		2	2	1			1		2				
	Other diseases of the spinal cord	65			2				1	2	2	7	6	20	17	6	2		
64	Cerebral hemorrhage, apoplexy	1,457	3					2	3	9	38	105	237	414	433	184	26	1	2
65	Softening of the brain	14										1	3	2	3	3	2		
66	Paralysis without specified cause	145	1			1					3	7	22	32	43	31	4		1
67	General paralysis of the insane	74								7	15	18	15	7	6	5	1		
68	Other forms of mental alienation	11							1	1	4	1	3		1				
69	Epilepsy	62	3	1	1			3	11	12	9	7	4	8	1	2			
70	Convulsions (nonpuerperal)	4						1	1		2								
71	Convulsions of infants	61	53	6	1	1													
72	Chorea	2						1	1										
73	Neuralgia and neuritis	4							1				1	2					
74	Other diseases of the nervous system	60	2	1		1		4	4	8	11	13	4	6	4	2			
75	Diseases of the eyes and their annexa	1								1									
76	Diseases of the ears	30	6	2	3	1	1	5	7	1	2	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown ago.
	MARYLAND (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	3,044	28	5	4	1	2	20	54	85	158	260	460	678	789	424	64	2	10
77	Pericarditis	15	1							2		2	1	3	5	1			
78	Acute endocarditis	88	3	1	2			5	5	6	14	14	25	6	2	3	2		
79	Organic diseases of the heart	2,407	12	4	2	1	2	15	47	72	132	217	367	545	628	311	44		8
80	Angina pectoris	140							2	2	7	11	30	42	35	10			1
81	Diseases of the arteries, atheroma, aneurism, etc.	276								2	1	7	16	52	94	84	17	2	1
82	Embolism and thrombosis	94	2								3	8	17	27	23	13	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc	8								1	1		3	1	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	8									1		1	1				
85	Hemorrhage; other diseases of the circulatory system	5	2										1	1		1			
	IV.—Diseases of the respiratory system.	2,650	571	172	69	50	18	54	93	253	259	206	232	246	266	138	20		3
86	Diseases of the nasal fossae	2				1						1							
87	Diseases of the larynx	12		3	1	1	1		1			2		1	1	1			
88	Diseases of the thyroid body	11							1	2		4	2	1		1			
89	Acute bronchitis	194	102	15	9	7	1	2	2	2	4	2	5	11	15	15	2		
90	Chronic bronchitis	82	2	1				1	1	2	4	4	6	11	18	27	5		
91	Bronchopneumonia	1,057	367	116	47	22	8	25	26	53	51	51	56	79	99	48	9		
92	Pneumonia (total)	1,177	94	35	10	18	7	21	57	186	193	135	153	125	102	35	3		3
	Lobar pneumonia	1,117	73	33	10	16	7	21	53	181	188	127	150	123	96	34	2		3
	Pneumonia (undefined)	60	21	2		2			4	5	5	8	3	2	6	1	1		
93	Pleurisy	50	2	1	2	1	1	5	4	7	3	4	4	8	8				
94	Pulmonary congestion, pulmonary apoplexy	19	2								1			1	7	7	1		
95	Gangrene of the lung	4									1		1	1		1			
96	Asthma	27	1	1							1	2	4	5	11	2			
97	Pulmonary emphysema	2												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	13	1						1	1	1	1	1	2	4	1			
	V.—Diseases of the digestive system	2,131	1,055	197	45	25	8	36	57	97	88	106	134	121	106	40	13	2	1
99	Diseases of the mouth and annexa	14	5	2	1			1	1	1	1			1	1				
100	Diseases of the pharynx	41	2	2		6	3	5	4	10	1		2	2	2	1	1		
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	34		1						2	8	7	6	7	3				
103	Other diseases of the stomach (cancer excepted)	114	24	6	4			1	4	7	5	13	13	16	11	8	2		
104	Diarrhea and enteritis (under 2 years)	1,184	1,003	181															
105	Diarrhea and enteritis (2 years and over)	193			35	17	3	14	4	10	13	14	16	13	31	14	7	2	
107	Intestinal parasites	3		1		1		1											
108	Appendicitis and typhlitis	147		1	3	1	2	10	33	34	24	17	11	5	4		1		1
109	Hernia, intestinal obstruction (total)	163	16	1	2			2	5	12	20	18	23	29	27	6	2		
	Hernia	62	2								5	5	12	18	16	3	1		
	Intestinal obstruction	101	14	1	2			2	5	12	15	13	11	11	11	3	1		
110	Other diseases of the intestines	15	1						1	3	2	4	1	1	1	1			
111	Acute yellow atrophy of the liver	3								1			1	1					
113	Cirrhosis of the liver	91								1	4	12	24	27	17	6			
114	Biliary calculi	44								2	2	8	17	9	5	1			
115	Other diseases of the liver	50	1	1				1	1	7	5	9	13	5	4	3			
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	23	3	1				1	4	4	1	2	4	3					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10								3	1	2	3	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,249	19	6	5		1	9	29	74	149	223	380	511	578	235	22		8
119	Acute nephritis	140	11	1	3		1	5	11	15	19	19	20	13	12	10			
120	Bright's disease	1,893	3	1	2			3	16	48	104	173	334	460	521	205	21		7
122	Other diseases of the kidneys and annexa	48	5	3				1	1	5	5	10	3	7	5	3			
123	Calculi of the urinary passages	12								1	1	2	5	1	2				
124	Diseases of the bladder	21											1	4	10	4	1		1
125	Diseases of the urethra, urinary abscess, etc.	1											1						
128	Diseases of the prostate	64											3	23	25	13			
129	Uterine tumor (noncancerous)	34								1	8	14	8	2	1				
130	Other diseases of the uterus	9							1	2	4	1	1						
131	Cysts and other tumors of the ovary	8		1							2	1	2	1	1				
132	Salpingitis and other diseases of the female genital organs	14								2	6	3	2		1				
	VII.—The puerperal state	274							43	128	86	17							
134	Accidents of pregnancy	37							1	21	15								
135	Puerperal hemorrhage	30							1	11	13	5							
136	Other accidents of labor	20								13	5	2							
137	Puerperal septicemia	87							22	38	22	5							
138	Puerperal albuminuria and convulsions	91							19	39	28	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								4	3								
140	Following childbirth (not otherwise defined)	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Duration not stated.
	MARYLAND (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	53	5	5	.....	1	.....	1	2	1	5	4	2	6	10	9	2	.....	.....
142	Gangrene	26	.....	2	.....	.....	.....	.....	1	.....	.....	1	2	1	8	9	2	.....	.....
143	Furuncle	10	1	2	.....	.....	.....	.....	1	.....	1	1	.....	3	1	.....	.....	.....	.....
144	Acute abscess	13	3	1	.....	1	.....	1	.....	1	3	1	.....	2	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	42	3	3	1	.....	1	4	7	3	7	8	1	2	.....	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	35	3	2	1	.....	.....	4	7	3	6	6	1	1	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	313	289	7	3	1	.....	7	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	313	289	7	3	1	.....	7	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	21	12	1	.....	1	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	223	213	5	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	69	64	1	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,213	1,213	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	949	949	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	740	740	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	209	209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	258	258	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	116	116	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	142	142	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	143	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	40	69	21	6	.....
154	Senility	143	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	40	69	21	6	.....
	XIII.—External causes	1,264	38	34	22	28	28	93	128	199	160	143	129	100	82	56	8	.....	16
	Suicide (total)	138	.....	.....	.....	.....	.....	.....	11	19	28	30	33	11	4	2	.....	.....	.....
155	By poison	29	.....	.....	.....	.....	.....	.....	6	5	10	3	4	1	.....	.....	.....	.....	.....
156	By asphyxia	23	.....	.....	.....	.....	.....	.....	.....	2	4	9	4	3	1	.....	.....	.....	.....
157	By hanging or strangulation	13	.....	.....	.....	.....	.....	.....	.....	.....	1	3	5	2	1	1	.....	.....	.....
158	By drowning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
159	By firearms	52	.....	.....	.....	.....	.....	.....	5	8	9	10	16	2	1	1	.....	.....	.....
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	.....	.....	.....	.....	.....
161	By jumping from high places	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	1	.....	.....	.....	.....
162	By crushing	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,056	33	34	22	28	28	93	111	156	114	105	92	87	76	54	8	.....	15
164	Poisoning by food	25	5	2	1	1	.....	.....	3	2	2	2	3	2	2	.....	.....	.....	.....
165	Other acute poisonings	29	.....	6	2	.....	.....	2	1	2	7	8	1	.....	.....	.....	.....	.....	.....
166	Conflagration	30	1	2	2	1	.....	1	1	4	5	3	1	1	3	1	.....	.....	4
167	Burns (conflagration excepted)	120	1	13	11	17	17	20	6	7	6	5	2	7	2	6	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	41	11	1	.....	.....	.....	.....	4	.....	3	6	5	6	4	1	.....	.....	.....
169	Accidental drowning	105	.....	.....	2	2	.....	13	28	31	10	8	4	4	.....	1	.....	.....	2
170	Traumatism by firearms	39	1	.....	.....	1	.....	4	16	5	5	4	1	.....	.....	.....	.....	.....	2
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
172	Traumatism by fall	190	3	4	1	2	3	4	5	20	13	11	15	27	37	36	8	.....	1
173	Traumatism in mines and quarries (total)	15	.....	.....	.....	.....	.....	.....	2	4	1	3	3	.....	1	.....	.....	.....	1
	Traumatism in mines	13	.....	.....	.....	.....	.....	.....	1	4	1	3	3	.....	.....	.....	.....	.....	1
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
174	Traumatism by machines	33	.....	.....	.....	.....	.....	1	.....	8	9	4	5	4	1	.....	.....	.....	1
175	Traumatism by other crushing (total)	297	2	2	1	3	5	39	35	52	31	35	37	28	19	4	.....	.....	4
	Railroad accidents and injuries	85	.....	.....	.....	.....	1	.....	8	22	11	17	10	8	2	2	.....	.....	4
	Street-car accidents and injuries	33	.....	.....	.....	1	.....	4	2	4	4	2	5	4	6	1	.....	.....	.....
	Automobile accidents and injuries	142	1	2	1	2	4	29	23	20	13	13	16	11	6	1	.....	.....	.....
	Injuries by other vehicles	29	1	.....	.....	.....	.....	5	2	4	2	2	5	4	4	.....	.....	.....	.....
	Aeroplane accidents and injuries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	7	.....	.....	.....	.....	.....	1	.....	1	1	1	1	1	1	.....	.....	.....	.....
176	Injuries by animals	13	.....	.....	.....	.....	1	2	.....	1	3	4	.....	1	1	.....	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
179	Effects of heat	6	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
180	Lightning	7	.....	.....	.....	.....	.....	.....	1	3	.....	1	2	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	20	.....	.....	.....	.....	.....	2	2	6	6	2	1	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	8	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	2	4	.....	.....	.....
186	Other external violence	69	5	4	2	1	2	5	6	8	9	8	10	5	3	1	.....	.....	.....
	Homicide (total)	70	5	.....	.....	.....	.....	.....	6	24	18	8	4	2	2	.....	.....	.....	1
182	By firearms	49	.....	.....	.....	.....	.....	.....	4	19	13	7	3	2	1	.....	.....	.....	.....
183	By cutting or piercing instruments	8	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	.....	.....	.....	.....	.....	1
184	By other means	13	5	.....	.....	.....	.....	.....	.....	3	2	1	1	.....	1	.....	.....	.....	.....
	XIV.—Ill-defined diseases	161	89	5	3	3	1	2	1	2	8	11	6	13	12	2	.....	.....	3
187	Ill-defined organic disease	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....
188	Sudden death	14	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	143	82	5	3	3	1	2	1	2	6	9	5	9	10	2	.....	.....	3
	Ill-defined	52	13	4	2	2	1	.....	.....	1	5	5	3	6	8	.....	.....	.....	2
	Not specified or unknown	91	69	1	1	1	.....	2	1	1	1	4	2	3	2	2	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

MARYLAND (WHITE).

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	All causes	16,152	2,657	460	188	131	82	316	545	1,157	1,248	1,299	1,820	2,370	2,512	1,184	158	3	22
	I.—General diseases	4,163	214	146	75	53	41	122	210	518	538	521	591	594	422	108	7	1	2
1	Typhoid fever	68			1			5	19	18	7	8	7	2					1
4	Malaria	1													1				
6	Measles	82	21	26	11	2	3	9	3	4	2	1							
7	Scarlet fever	36	1	5	3	7		10	6	2	1			1					
8	Whooping cough	84	47	20	8	3	2	4											
9	Diphtheria and croup	181	17	35	31	23	24	36	10	3	2								
10	Influenza	514	37	28	5	8	6	17	41	78	111	53	40	36	40	13	1		
13	Cholera nostras	2													1	1			
14	Dysentery	51	16	5	2		2	3	2		1	4	1	5	7	3			
18	Erysipelas	35	11	1		1			1	2	2		3	3	7	3	1		
19	Other epidemic diseases	3	1	1												1			
20	Purulent infection and septicemia	18	2		1	1		1	2	3	2	2	2		2				
24	Tetanus	25	6			1	1	5	6		1	3	2						
25	Mycoses	1								1									
26	Pellagra	7									2		4	1					
28	Tuberculosis (total)	1,337	24	18	10	4	2	16	88	344	287	204	159	121	53	7			
29	Tuberculosis of the lungs	1,170	7	4	2	1	1	8	73	308	266	188	149	110	46	7			
30	Acute miliary tuberculosis	38	3	4	2				5	13	4	5	2						
31	Tuberculous meningitis	47	10	9	5	2		6	4	6	1	3		1					
32	Abdominal tuberculosis	32	1	1	1		1	1	3	7	6	2	4	1	4				
33	Pott's disease	20							2	5	4	2	2	4	1				
34	White swellings	10				1		1		3	1	1		1	2				
35	Tuberculosis of other organs	14								1	4	3	2	4					
36	Disseminated tuberculosis	6	3						1	1	1								
37	Rickets	7	5	1				1											
38	Syphilis	87	16	1	1					3	17	22	15	10	2				
	Gonococcus infection	12	2					1	1	5	1	1		1					
39	Cancer and other malignant tumors (total)	1,200	2	1	1	1	1	1	7	23	62	171	272	327	252	73	5	1	
40	Of the buccal cavity	58								3	2	6	12	13	18	4			
41	Of the stomach, liver	457	1							6	13	60	111	146	86	32	1	1	
42	Of the peritoneum, intestines, rectum	153							3	6	6	15	34	43	37	8	1		
43	Of the female genital organs	158								3	16	35	38	41	21	4			
44	Of the breast	106									8	20	28	21	22	5	2		
45	Of the skin	44							1		2	2	8	9	16	5	1		
46	Of other organs or of organs not specified	224	1	1	1	1	1	1	3	5	15	33	41	54	52	15			
	Other tumors (tumors of the female genital organs excepted)	3	1						1		1								
47	Acute articular rheumatism	37		1				5	10	6	7	1	2	4	1				
48	Chronic rheumatism and gout	23								1	1	1	4	11	3	2			
49	Scurvy	2	1									1							
50	Diabetes	220				1		1	4	17	11	24	60	56	41	5			
51	Exophthalmic goiter	23							2		7	8	3	3					
52	Addison's disease	1											1						
53	Leukemia	34		1	1			4	6	1	5	4	5	4	2				1
54	Anemia, chlorosis	46						1		4	8	8	9	7	9				
55	Other general diseases	14	4	2		1		2	1	3					1				
56	Alcoholism (acute or chronic)	8										5	1	2					
59	Other chronic poisonings	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	1,713	68	19	15	5	4	21	38	41	68	114	230	413	445	200	32		
60	Encephalitis	28	3	2		1		1	6	3	3	3	1	3	2				
61	Meningitis (total)	76	20	12	3	1	3	5	6	5	7	4	5						
	Simple meningitis	38	5	8	5	1	2	4	2	2	3	1	5						
	Cerebrospinal meningitis (undefined)	10	6		1				1	1		1							
	Cerebrospinal fever	28	9	4	2		1	1	3	2	4	2							
62	Locomotor ataxia	14									2	1	5	3	3				
63	Other diseases of the spinal cord (total)	65	2		2			1	3	1	2	7	6	17	16	6	2		
	Acute anterior poliomyelitis	7	2					1	2	1					1				
	Other diseases of the spinal cord	58			2				1		2	7	6	17	15	6	2		
64	Cerebral hemorrhage, apoplexy	1,163	2					2	2	7	21	58	170	345	372	160	24		
65	Softening of the brain	13										1	2	2	3	3	2		
66	Paralysis without specified cause	111	1								2	6	17	24	36	22	3		
67	General paralysis of the insane	59								4	10	16	12	6	5	5	1		
68	Other forms of mental alienation	9							1	1	2	1	3		1				
69	Epilepsy	43			1			2	7	10	6	3	4	7	1	2			
70	Convulsions (nonpuerperal)	3						1	1		1								
71	Convulsions of infants	41	35	4	1	1													
72	Chorea	2						1	1										
73	Neuralgia and neuritis	2														2			
74	Other diseases of the nervous system	59	1	1		1		4	4	8	11	13	4	6	4	2			
75	Diseases of the eyes and their annexa	1								1									
76	Diseases of the ears	24	4		3	1	1	4	7	1	1	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MARYLAND (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	2,404	24	1	4	1	1	15	35	52	99	162	329	549	694	383	52	1	2
77	Pericarditis	14	1							2		2		3	5	1			
78	Acute endocarditis	67	3		2			5	3	3	10	10	18	6	2	3	2		
79	Organic diseases of the heart	1,870	10	1	2	1	1	10	31	45	81	129	256	435	549	281	36		2
80	Angina pectoris	128							1	1	5	10	29	40	34	8			
81	Diseases of the arteries, atheroma, aneurism, etc.	233								1		5	13	42	83	75	13	1	
82	Embolism and thrombosis	74	2								2	6	11	20	19	13	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5									1		1	1	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	9	7											1	1				
85	Hemorrhage; other diseases of the circulatory system	4	1										1	1		1			
	IV.—Diseases of the respiratory system	1,899	340	105	41	29	8	38	60	178	191	134	186	209	237	126	16		1
86	Diseases of the nasal fossae	1				1													
87	Diseases of the larynx	10		2	1	1	1		1			1		1	1	1			
88	Diseases of the thyroid body	10							1	2		3	2	1		1			
89	Acute bronchitis	111	52	4	4	3				2	3	1	5	8	13	15	1		
90	Chronic bronchitis	61						1		2	1		3	8	17	25	4		
91	Bronchopneumonia	760	228	77	29	14	2	20	20	43	40	33	43	67	94	42	8		
92	Pneumonia (total)	854	54	21	6	10	4	13	35	124	142	89	124	107	91	31	2		1
	Lobar pneumonia	820	45	20	6	10	4	13	34	122	138	84	121	105	85	30	2		1
	Pneumonia (undefined)	34	9	1					1	2	4	5	3	2	6	1			
93	Pleurisy	41	2	1	1		1	4	3	5	2	4	4	8	6				
94	Pulmonary congestion, pulmonary apoplexy	15	2								1			1	3	7	1		
95	Gangrene of the lung	3											1	1		1			
96	Asthma	21	1								1	2	3	4	8	2			
97	Pulmonary emphysema	2												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	10	1								1	1	1	2	3	1			
	V.—Diseases of the digestive system	1,605	795	143	31	18	7	27	40	68	56	74	102	99	97	35	12	1	
99	Diseases of the mouth and annexa	10	4	1	1			1	1		1				1				
100	Diseases of the pharynx	36	2	2		6	3	4	3	8	1		2	2	2	1			
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	22								1	4	4	3	7	3				
103	Other diseases of the stomach (cancer excepted)	71	21	3	3				1	4		5	4	11	11	6	2		
104	Diarrhea and enteritis (under 2 years)	888	755	133															
105	Diarrhea and enteritis (2 years and over)	146			22	11	2	9	2	8	8	10	14	11	27	14	7	1	
107	Intestinal parasites	3		1		1		1											
108	Appendicitis and typhlitis	109		1	3		2	8	27	24	19	8	9	4	3		1		
109	Hernia, intestinal obstruction (total)	118	9	1	2			2	3	8	12	14	18	20	23	4	2		
	Hernia	45									3	4	9	14	13	1	1		
	Intestinal obstruction	73	9	1	2			2	3	8	9	10	9	6	10	3	1		
110	Other diseases of the intestines	11	1							1	2	3	1	1	1	1			
111	Acute yellow atrophy of the liver	3								1			1	1					
113	Cirrhosis of the liver	76								1	3	9	18	23	17	5			
114	Biliary calculi	43								2	2	8	16	9	5	1			
115	Other diseases of the liver	42	1					1	1	5	3	9	10	5	4	3			
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	17	2	1				1	2	3		2	3	3					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8								2		2	3	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,738	11	3	2			6	24	42	99	150	273	404	498	206	17		3
119	Acute nephritis	76	6		1			3	8	9	10	9	9	6	8	7			
120	Bright's disease	1,496	1	1	1			3	14	27	71	116	242	367	453	181	16		3
122	Other diseases of the kidneys and annexa	40	4	2					1	3	4	8	3	7	5	3			
123	Calculi of the urinary passages	9									1	2	4	1	1				
124	Diseases of the bladder	17											1	2	9	4	1		
125	Diseases of the urethra, urinary abscess, etc.	1											1						
126	Diseases of the prostate	53											3	18	21	11			
129	Uterine tumor (noncancerous)	23									4	11	6	2					
130	Other diseases of the uterus	7							1	1	3	1	1						
131	Cysts and other tumors of the ovary	6									1	1	2	1	1				
132	Salpingitis and other diseases of the female genital organs	10								2	5	2	1						
	VII.—The puerperal state	194							22	94	64	14							
134	Accidents of pregnancy	32							1	17	14								
135	Puerperal hemorrhage	21							1	10	6	4							
136	Other accidents of labor	13								8	4	1							
137	Puerperal septicemia	53							9	25	14	5							
138	Puerperal albuminuria and convulsions	68							11	29	24	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								3	2								
140	Following childbirth (not otherwise defined)	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MARYLAND (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	39	4	3				1	2	1	4	3	1	5	8	6	1		
142	Gangrene	18		1					1				1	1	7	6	1		
143	Furuncle	9		2					1		1	1		3	1				
144	Acute abscess	9	3					1		1	2	1		1					
145	Other diseases of the skin and annexa	3	1								1	1							
	IX.—Diseases of the bones and of the organs of locomotion	33	3	3	1		1	3	7	3	4	5		1		2			
146	Diseases of the bones (tuberculosis excepted)	27	3	2	1			3	7	3	3	4		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3					1									2			
149	Other diseases of the organs of locomotion	3		1							1	1							
	X.—Malformations	253	233	6	2	1		5	4	2									
150	Congenital malformations (total)	253	233	6	2	1		5	4	2									
	Hydrocephalus	17	10	1		1		3	1	1									
	Congenital malformations of the heart	169	161	4	1			1	2										
	Other congenital malformations	67	62	1	1			1	1	1									
	XI.—Early infancy	902	902																
151	Congenital debility, icterus, and sclerema (total)	704	704																
	Premature birth	565	565																
	Congenital debility, "atrophy," "marasmus," etc	139	139																
152	Other causes peculiar to early infancy (total)	195	195																
	Injuries at birth	96	96																
	Other causes peculiar to early infancy	99	99																
153	Lack of care	3	3																
	XII.—Old age	103											1		28	61	13		
154	Senility	103											1		28	61	13		
	XIII.—External causes	1,026	29	28	15	21	20	77	102	158	119	116	106	86	75	55	8		11
	Suicide (total)	134							11	18	26	29	33	11	4	2			
155	By poison	27							6	5	8	3	4	1					
156	By asphyxia	23								2	4	9	4	3	1				
157	By hanging or strangulation	13									1	3	5	2	1	1			
158	By drowning	3									1		1	1					
159	By firearms	50							5	7	9	9	16	2	1	1			
160	By cutting or piercing instruments	7								2	1	3	1						
161	By jumping from high places	7								1	1	2	1	1	1				
162	By crushing	2									1			1					
163	Other suicides	2								1			1						
	Accidental or undefined (total)	863	25	28	15	21	20	77	89	131	89	84	69	73	70	53	8		11
164	Poisoning by food	20	5	2	1	1			2	2	1	1	1	2	2				
165	Other acute poisonings	24		5	1			1	1	2	6	7	1						
166	Conflagration	19		1		1			1	3	2	3		1	2	1			4
167	Burns (conflagration excepted)	88		11	8	12	11	16	3	3	5	4	1	6	2	6			
168	Absorption of deleterious gases (conflagration excepted)	34	9	1					3		2	5	4	6	3	1			
169	Accidental drowning	80			1	2		10	21	26	8	5	2	4		1			
170	Traumatism by firearms	26				1		2	10	4	2	4	1						2
171	Traumatism by cutting or piercing instruments	4								1	2				1				
172	Traumatism by fall	169	1	3	1		2	4	5	15	12	9	12	24	37	35	8		1
173	Traumatism in mines and quarries (total)	15							2	4	1	3	3		1				1
	Traumatism in mines	13							1	4	1	3	3						1
	Traumatism in quarries	2							1						1				
174	Traumatism by machines	24						1		6	5	3	4	4	1				
175	Traumatism by other crushing (total)	255	2	2	1	3	4	34	31	48	26	29	31	21	16	4			3
	Railroad accidents and injuries	73							7	19	11	13	8	8	2	2			3
	Street-car accidents and injuries	30				1		4	2	4	4	2	5	2	5	1			
	Automobile accidents and injuries	123	1	2	1	2	4	25	20	19	8	12	13	9	6	1			
	Injuries by other vehicles	21	1					4	2	4	2	1	4	1	2				
	Aeroplane accidents and injuries	1								1									
	Landslide, other crushing	7						1		1	1	1	1	1	1				
176	Injuries by animals	11					1	2		1	2	3		1	1				
178	Excessive cold	2								1	1								
179	Effects of heat	5	3								1	1							
180	Lightning	6							1	2		1	2						
181	Electricity (lightning excepted)	18						2	2	6	6	1	1						
185	Fractures (cause not specified)	8							1	1					2	4			
186	Other external violence	55	5	3	2	1	2	5	6	6	7	5	6	4	2	1			
	Homicide (total)	29	4						2	9	4	3	4	2	1				
182	By firearms	21							2	7	3	3	3	2	1				
183	By cutting or piercing instruments	2								1	1								
184	By other means	6	4							1			1						
	XIV.—Ill-defined diseases	80	34	3	2	3		1	1		6	6	1	10	8	2			3
187	Ill-defined organic disease	2									1				1				
188	Sudden death	8	4								1		1	2					
189	Not specified or ill-defined (total)	70	30	3	2	3		1	1		4	6		8	7	2			3
	Ill-defined	31	5	3	2	2					3	3		6	5				2
	Not specified or unknown	39	25			1		1	1		1	3		2	2	2			1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ages.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MARYLAND (COLORED).																	
	All causes	5,210	1,111	195	96	51	29	102	307	570	560	551	577	503	345	141	37	9	26
	I.—General diseases	1,514	143	48	38	12	7	44	177	313	250	182	151	100	35	9	3	.....	2
1	Typhoid fever	32	.....	.....	.....	.....	.....	3	11	8	4	5	1	.....	.....	.....	.....	.....	.....
4	Malaria	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
6	Measles	12	4	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	61	36	13	5	2	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	11	1	1	2	3	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	177	30	13	9	1	2	7	17	29	14	18	24	6	4	.....	3	.....	.....
14	Dysentery	15	6	1	1	.....	.....	.....	.....	1	3	.....	.....	1	2	.....	.....	.....	.....
18	Erysipelas	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
19	Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	7	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	1	.....	1	.....	.....	.....
24	Tetanus	10	7	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	802	25	12	15	3	3	24	141	241	157	84	50	35	10	.....	.....	.....	2
28	Tuberculosis of the lungs	669	8	8	9	.....	2	12	122	211	141	75	42	29	8	.....	.....	.....	2
29	Acute miliary tuberculosis	48	5	2	1	.....	.....	1	8	13	9	3	4	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	25	10	2	3	2	.....	4	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	34	1	.....	1	.....	.....	5	5	10	4	4	3	1	.....	.....	.....	.....	.....
32	Pott's disease	5	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....	.....	.....	.....
33	White swellings	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	9	1	.....	1	.....	1	1	.....	1	1	.....	.....	1	2	.....	.....	.....	.....
35	Disseminated tuberculosis	9	.....	.....	.....	1	.....	1	2	3	1	.....	.....	1	.....	.....	.....	.....	.....
36	Rickets	9	5	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	107	20	.....	2	1	1	.....	1	15	35	16	11	4	1	.....	.....	.....	.....
38	Gonococcus infection	13	1	.....	.....	.....	.....	.....	1	3	6	1	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	172	1	1	.....	.....	.....	.....	.....	6	14	38	54	40	13	5	.....	.....	.....
39	Of the buccal cavity	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....
40	Of the stomach, liver	62	1	.....	.....	.....	.....	.....	.....	.....	5	12	18	19	4	3	.....	.....	.....
41	Of the peritoneum, intestines, rectum	10	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	1	2	.....	.....	.....	.....
42	Of the female genital organs	44	.....	.....	.....	.....	.....	.....	.....	2	5	14	14	9	.....	.....	.....	.....	.....
43	Of the breast	18	.....	.....	.....	.....	.....	.....	.....	1	.....	2	8	1	5	1	.....	.....	.....
44	Of the skin	6	.....	1	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....
45	Of other organs or of organs not specified	28	.....	.....	.....	.....	.....	.....	.....	1	3	6	9	6	2	1	.....	.....	.....
47	Acute articular rheumatism	21	1	.....	.....	.....	.....	2	2	1	6	2	2	1	2	2	.....	.....	.....
48	Chronic rheumatism and gout	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	28	.....	.....	.....	.....	.....	.....	1	1	3	11	4	6	2	.....	.....	.....	.....
51	Exophthalmic goiter	4	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	6	1	.....	.....	.....	.....	.....	1	.....	2	.....	1	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
55	Other general diseases	4	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	435	33	8	4	3	.....	5	9	11	32	55	80	83	72	33	3	1	3
60	Encephalitis	7	1	.....	.....	1	.....	1	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	17	7	2	3	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Simple meningitis	6	2	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	3	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	8	5	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	13	.....	1	1	1	.....	1	.....	2	.....	.....	1	3	3	.....	.....	.....	.....
	Acute anterior poliomyelitis	6	.....	1	1	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	7	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	3	2	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	294	1	.....	.....	.....	.....	.....	1	2	17	47	67	69	61	24	2	1	2
65	Softening of the brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
66	Paralysis without specified cause	34	.....	.....	.....	1	.....	.....	.....	.....	1	1	5	8	7	9	1	.....	1
67	General paralysis of the insane	15	.....	.....	.....	.....	.....	.....	.....	3	5	2	3	1	1	.....	.....	.....	.....
68	Other forms of mental alienation	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
69	Epilepsy	19	3	1	.....	.....	.....	1	4	2	3	4	.....	1	.....	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	20	18	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	6	2	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	640	4	4	.....	.....	1	5	19	33	59	98	131	129	95	41	12	1	8
77	Pericarditis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
78	Acute endocarditis	21	.....	1	.....	.....	.....	.....	2	3	4	4	7	.....	.....	.....	.....	.....	.....
79	Organic diseases of the heart	537	2	3	.....	.....	1	5	16	27	51	88	111	110	79	30	8	.....	6
80	Angina pectoris	12	.....	.....	.....	.....	.....	.....	1	1	2	1	1	2	1	2	.....	.....	1
81	Diseases of the arteries, atheroma, aneurism, etc.	43	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	10	11	9	4	1	1
82	Embolism and thrombosis	20	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	7	4	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	751	231	67	28	21	10	16	33	75	68	72	46	37	29	12	4	.....	2
86	Diseases of the nasal fossae	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	83	50	11	5	4	1	2	2	.....	1	1	.....	3	2	.....	1	.....	.....
90	Chronic bronchitis	21	2	1	.....	.....	.....	.....	1	.....	3	4	3	3	1	2	1	.....	.....
91	Bronchopneumonia	297	139	39	18	8	6	5	6	10	11	18	13	12	5	6	1	.....	.....
92	Pneumonia (total)	323	40	14	4	8	3	8	22	62	51	46	29	18	11	4	1	.....	2
	Lobar pneumonia	297	28	13	4	6	3	8	19	59	50	43	29	18	11	4	.....	.....	2
	Pneumonia (undefined)	26	12	1	.....	2	.....	.....	3	3	1	3	.....	.....	.....	.....	1	.....	.....
93	Pleurisy	9	.....	.....	1	1	.....	1	1	2	1	.....	.....	.....	2	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	V.—Diseases of the digestive system.	526	260	54	14	7	1	9	17	29	32	32	32	22	9	5	1	1	1
99	Diseases of the mouth and annexa	4	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	1	.....	.....
102	Ulcer of the stomach	12	.....	1	.....	.....	.....	.....	.....	1	4	3	3	.....	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	43	3	3	1	.....	.....	1	3	3	5	8	9	5	.....	2	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	296	248	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	47	.....	.....	13	6	1	5	2	2	5	4	2	2	4	.....	.....	1	.....
108	Appendicitis and typhlitis	38	.....	.....	.....	1	.....	2	6	10	5	9	2	1	1	.....	.....	.....	1
109	Hernia, intestinal obstruction (total)	45	7	.....	.....	.....	.....	.....	2	4	8	4	5	9	4	2	.....	.....	.....
	Hernia	17	2	.....	.....	.....	.....	.....	.....	.....	2	1	3	4	3	2	.....	.....	.....
	Intestinal obstruction	28	5	.....	.....	.....	.....	.....	2	4	6	3	2	5	1	.....	.....	.....	.....
110	Other diseases of the intestines	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	15	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	4	.....	1	.....	.....	.....
114	Biliary calculi	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
115	Other diseases of the liver	8	.....	1	.....	.....	.....	.....	.....	2	2	.....	3	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	6	1	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	511	8	3	3	.....	1	3	5	32	50	73	107	107	80	29	5	.....	5
119	Acute nephritis	64	5	1	2	.....	1	2	3	6	9	10	11	7	4	3	.....	.....	.....
120	Bright's disease	402	2	.....	1	.....	.....	.....	2	21	33	57	92	93	68	24	5	.....	4
122	Other diseases of the kidneys and annexa	8	1	1	.....	.....	.....	1	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
124	Diseases of the bladder	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	1
126	Diseases of the prostate	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	2	.....	.....	.....
129	Uterine tumor (noncancerous)	11	.....	.....	.....	.....	.....	.....	.....	1	4	3	2	.....	1	.....	.....	.....	.....
130	Other diseases of the uterus	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
	VII.—The puerperal state	80	.....	.....	.....	.....	.....	.....	21	34	22	3	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	9	.....	.....	.....	.....	.....	.....	.....	1	7	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	7	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	34	.....	.....	.....	.....	.....	.....	13	13	8	.....	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	23	.....	.....	.....	.....	.....	.....	8	10	4	1	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MARYLAND (COLORED)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	14	1	2		1					1	1	1	1	2	3	1		
142	Gangrene	8		1								1	1		1	3	1		
143	Furuncle	1	1																
144	Acute abscess	4		1		1					1			1					
145	Other diseases of the skin and annexa	1													1				
	IX.—Diseases of the bones and of the organs of locomotion	9						1			3	3	1	1					
146	Diseases of the bones (tuberculosis excepted)	8						1			3	3	1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1												1					
	X.—Malformations	60	56	1	1			2											
150	Congenital malformations (total)	60	56	1	1			2											
	Hydrocephalus	4	2					2											
	Congenital malformations of the heart	54	52	1	1														
	Other congenital malformations	2	2																
	XI.—Early infancy	311	311																
151	Congenital debility, icterus, and sclerema (total)	245	245																
	Premature birth	175	175																
	Congenital debility, "atrophy," "marasmus," etc.	70	70																
152	Other causes peculiar to early infancy (total)	63	63																
	Injuries at birth	20	20																
	Other causes peculiar to early infancy	43	43																
153	Lack of care	3	3																
	XII.—Old age	40												6	12	8	8	6	
154	Senility	40												6	12	8	8	6	
	XIII.—External causes	238	9	6	7	7	8	16	26	41	41	27	23	14	7	1			5
	Suicide (total)	4								1	2	1							
155	By poison	2									2								
159	By firearms	2								1		1							
	Accidental or undefined (total)	193	8	6	7	7	8	16	22	25	25	21	23	14	6	1			4
164	Poisoning by food	5							1		1	1	2						
165	Other acute poisonings	5		1	1			1			1	1							
166	Conflagration	11	1	1	2			1		1	3		1		1				
167	Burns (conflagration excepted)	32	1	2	3	5	6	4	3	4	1	1	1	1					
168	Absorption of deleterious gases (conflagration excepted)	7	2						1		1	1	1		1				
169	Accidental drowning	25			1			3	7	5	2	3	2						2
170	Traumatism by firearms	13	1					2	6	1	3								
172	Traumatism by fall	21	2	1		2	1			5	1	2	3	3		1			
174	Traumatism by machines	9								2	4	1	1						1
175	Traumatism by other crushing (total)	42					1	5	4	4	5	6	6	7	3				1
	Railroad accidents and injuries	12					1		1	3		4	2						1
	Street-car accidents and injuries	3												2	1				
	Automobile accidents and injuries	19						4	3	1	5	1	3	2					
	Injuries by other vehicles	8						1				1	1	3	2				
176	Injuries by animals	2									1	1							
177	Starvation	1	1																
178	Excessive cold	2											1	1					
179	Effects of heat	1											1						
180	Lightning	1								1									
181	Electricity (lightning excepted)	2										1		1					
186	Other external violence	14		1						2	2	3	4	1	1				
	Homicide (total)	41	1						4	15	14	5			1				1
182	By firearms	28							2	12	10	4							
183	By cutting or piercing instruments	6							2	1	2								1
184	By other means	7	1							2	2	1			1				
	XIV.—Ill-defined diseases	81	55	2	1		1	1		2	2	5	5	3	4				
187	Ill-defined organic disease	2												1	1				
188	Sudden death	6	3									2		1					
189	Not specified or ill-defined (total)	73	52	2	1		1	1		2	2	3	5	1	3				
	Ill-defined	21	8	1			1			1	2	2	3		3				
	Not specified or unknown	52	44	1	1			1		1		1	2	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years	100 yrs. and over.	
	MASSACHUSETTS.																		
	All causes	53,498	8,337	1,730	723	521	378	1,132	1,656	3,286	3,922	4,550	6,130	7,765	8,013	4,591	735	15	14
	I.—General diseases	14,492	983	619	325	233	178	460	679	1,504	1,684	1,823	2,123	1,990	1,379	461	45	3	3
1	Typhoid fever	95	.....	2	.....	.....	.....	4	17	23	19	16	10	3	1	.....	.....	.....	.....
4	Malaria	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
6	Measles	355	105	143	47	23	10	16	2	5	1	.....	1	.....	2	.....	.....	.....	.....
7	Scarlet fever	218	8	28	45	21	24	50	21	14	3	2	2	.....	.....	.....	.....	.....	.....
8	Whooping cough	536	283	149	37	24	15	23	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	586	41	76	81	74	61	193	45	4	7	3	1	.....	.....	.....	.....	.....	.....
10	Influenza	1,584	107	68	31	16	24	27	65	249	363	177	144	125	120	58	8	.....	2
13	Cholera nostras	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	37	12	2	.....	.....	4	1	3	.....	2	1	1	1	5	3	2	.....	.....
17	Leprosy	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	130	50	2	4	.....	1	.....	1	4	6	14	12	11	17	8	.....	.....	.....
19	Other epidemic diseases	19	8	4	1	1	1	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	25	6	1	1	1	.....	3	3	1	2	1	1	3	2	.....	.....	.....	.....
22	Anthrax	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
24	Tetanus	33	5	.....	.....	2	.....	8	5	2	2	2	3	4	.....	.....	.....	.....	.....
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
26	Pellagra	11	.....	.....	.....	.....	.....	1	.....	.....	1	3	3	.....	3	.....	.....	.....	.....
	Tuberculosis (total)	4,412	161	113	60	50	27	89	407	1,063	904	709	454	260	93	20	1	.....	1
28	Tuberculosis of the lungs	3,632	36	22	14	7	3	23	333	967	835	645	416	233	78	18	1	.....	1
29	Acute miliary tuberculosis	125	11	6	2	6	.....	5	16	26	21	18	6	5	2	1	.....	.....	.....
30	Tuberculous meningitis	361	89	68	35	29	17	45	32	18	12	11	4	.....	1	.....	.....	.....	.....
31	Abdominal tuberculosis	147	17	12	6	3	4	11	14	28	14	15	8	12	3	.....	.....	.....	.....
32	Pott's disease	52	1	1	2	3	1	4	5	12	8	8	2	2	3	.....	.....	.....	.....
33	White swellings	27	2	2	1	2	.....	1	3	3	4	3	3	1	1	1	.....	.....	.....
34	Tuberculosis of other organs	51	3	1	.....	.....	1	.....	3	7	9	8	10	5	4	.....	.....	.....	.....
35	Disseminated tuberculosis	17	2	1	.....	.....	1	.....	1	2	1	1	5	2	1	.....	.....	.....	.....
36	Rickets	22	15	2	2	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
37	Syphilis	278	63	6	1	1	2	1	2	12	38	76	52	19	5	.....	.....	.....	.....
38	Gonococcus infection	15	5	.....	.....	1	.....	.....	1	2	1	3	.....	1	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	4,469	2	4	5	4	.....	2	20	45	204	610	1,131	1,181	915	313	31	2	.....
39	Of the buccal cavity	165	.....	.....	.....	.....	.....	.....	1	.....	6	9	45	42	45	16	1	.....	.....
40	Of the stomach, liver	1,420	.....	1	1	.....	.....	.....	3	3	43	171	351	409	340	93	5	.....	.....
41	Of the peritoneum, intestines, rectum	808	1	1	.....	.....	.....	.....	4	12	35	87	185	242	175	61	5	.....	.....
42	Of the female genital organs	629	.....	.....	.....	.....	.....	1	2	12	46	132	194	135	80	27	.....	.....	.....
43	Of the breast	507	.....	.....	.....	.....	.....	.....	.....	3	35	99	147	108	79	34	1	1	.....
44	Of the skin	101	.....	.....	.....	.....	.....	.....	1	.....	3	6	10	22	32	17	10	.....	.....
45	Of other organs or of organs not specified	839	1	2	4	4	.....	1	9	15	36	106	199	223	164	65	9	1	.....
46	Other tumors (tumors of the female genital organs excepted)	10	1	1	.....	.....	.....	.....	.....	.....	1	2	1	3	.....	1	.....	.....	.....
47	Acute articular rheumatism	113	3	3	1	3	1	18	28	16	9	11	4	10	4	2	.....	.....	.....
48	Chronic rheumatism and gout	43	.....	.....	.....	.....	.....	.....	1	1	.....	.....	7	12	15	7	.....	.....	.....
49	Scurvy	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	810	1	2	5	1	1	10	36	35	50	79	165	240	147	37	1	.....	.....
51	Exophthalmic goiter	37	.....	.....	.....	.....	.....	.....	1	4	10	12	4	3	2	1	.....	.....	.....
52	Addison's disease	18	.....	.....	.....	.....	.....	.....	3	2	3	2	5	3	.....	.....	.....	.....	.....
53	Leukemia	112	3	2	.....	5	2	6	9	8	22	13	19	17	6	.....	.....	.....	.....
54	Anemia, chlorosis	287	4	2	.....	3	.....	3	6	3	14	56	75	72	36	10	2	1	.....
55	Other general diseases	129	96	8	4	3	4	3	1	2	3	2	.....	2	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	70	.....	.....	.....	.....	.....	.....	.....	4	11	23	18	13	1	.....	.....	.....	.....
57	Chronic lead poisoning	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	5,641	212	75	48	46	34	103	117	111	191	397	782	1,272	1,394	765	94	.....	.....
60	Encephalitis	79	3	2	4	4	.....	6	11	13	12	8	9	5	2	.....	.....	.....	.....
61	Meningitis (total	249	58	27	18	14	11	32	29	13	13	10	11	9	2	1	1	.....	.....
	Simple meningitis	120	34	15	8	4	4	13	7	5	7	5	7	7	2	1	1	.....	.....
	Cerebrospinal meningitis (undefined)	50	10	4	5	5	2	3	8	2	4	3	3	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	79	14	8	5	5	5	16	14	6	2	2	1	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	84	.....	.....	.....	.....	.....	.....	.....	.....	3	17	27	28	8	.....	1	.....	.....
63	Other diseases of the spinal cord (total)	353	14	9	12	17	16	44	22	22	15	20	44	47	57	14	.....	.....	.....
	Acute anterior poliomyelitis	152	13	9	12	17	16	42	21	12	5	3	1	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	201	1	.....	.....	.....	.....	2	1	10	10	17	43	47	56	14	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	4,001	9	1	2	2	.....	.....	2	10	50	211	590	1,087	1,238	711	88	.....	.....
65	Softening of the brain	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	11	1	1	.....	.....
66	Paralysis without specified cause	104	1	.....	.....	.....	.....	.....	1	1	2	6	7	29	35	20	2	.....	.....
67	General paralysis of the insane	205	.....	.....	.....	.....	.....	.....	1	3	43	58	52	28	15	5	.....	.....	.....
68	Other forms of mental alienation	32	.....	.....	.....	.....	.....	.....	1	7	6	8	3	6	1	.....	.....	.....	.....
69	Epilepsy	142	7	6	1	5	1	5	22	21	14	20	14	13	7	6	.....	.....	.....
70	Convulsions (nonpuerperal)	5	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	99	75	15	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	2	2	.....	.....	.....
74	Other diseases of the nervous system	161	15	5	1	1	2	8	12	13	23	31	19	13	13	4	1	.....	.....
75	Diseases of the eyes and their annexa	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	98	29	10	3	2	3	6	14	7	9	5	5	2	2	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MASSACHUSETTS—Continued.																	
	III.—Diseases of the circulatory system.	10,613	94	25	14	13	6	70	201	222	347	652	1,313	2,337	3,032	1,924	357	4	2
77	Pericarditis	40	1	1	1	1	1	5	7	3	2	8	1	5	4	.....	.....	.....	.....
78	Acute endocarditis	301	24	3	3	2	1	21	29	30	30	39	79	15	18	7	.....	.....	.....
79	Organic diseases of the heart	7,569	20	13	7	9	4	42	155	176	282	511	993	1,806	2,170	1,186	191	3	1
80	Angina pectoris	448	.....	.....	.....	.....	.....	.....	.....	2	8	20	79	127	136	71	5	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	1,873	.....	.....	.....	.....	.....	1	1	1	14	37	102	320	630	613	152	1	1
82	Embolism and thrombosis	278	5	.....	.....	1	.....	1	2	9	9	25	50	53	69	45	9	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	35	1	.....	.....	.....	.....	.....	2	.....	2	8	9	7	4	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	62	41	8	3	.....	.....	.....	4	1	.....	2	.....	3	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	2	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	7,128	1,498	623	172	99	65	126	155	436	598	536	608	730	824	557	97	1	3
86	Diseases of the nasal fossae	7	.....	1	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	32	10	2	2	.....	3	4	2	3	3	.....	.....	1	.....	2	.....	.....	.....
88	Diseases of the thyroid body	24	.....	.....	.....	.....	.....	.....	1	4	4	10	3	.....	1	1	.....	.....	.....
89	Acute bronchitis	415	228	48	11	7	.....	4	1	1	1	8	6	10	37	47	6	.....	.....
90	Chronic bronchitis	236	2	4	1	.....	.....	5	3	3	4	12	27	31	89	82	23	.....	.....
91	Bronchopneumonia	3,169	1,055	443	122	58	41	63	45	91	114	129	145	231	339	255	36	1	1
92	Pneumonia (total)	2,882	180	111	32	28	20	42	96	311	442	341	383	410	321	140	23	.....	2
	Lobar pneumonia	2,820	173	111	31	26	20	42	89	307	436	334	377	402	313	135	22	.....	2
	Pneumonia (undefined)	62	7	.....	1	2	.....	.....	7	4	6	7	6	8	8	5	1	.....	.....
93	Pleurisy	158	15	13	3	4	1	5	5	15	17	16	19	21	13	8	3	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	47	1	1	.....	1	.....	.....	.....	1	.....	4	2	4	11	17	5	.....	.....
95	Gangrene of the lung	15	.....	.....	.....	.....	.....	.....	.....	.....	2	7	2	2	2	.....	.....	.....	.....
96	Asthma	59	3	.....	1	.....	.....	2	.....	.....	6	8	13	14	8	3	1	.....	.....
97	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	29	4	.....	.....	1	.....	.....	1	5	4	1	6	5	2	.....	.....	.....	.....
	V.—Diseases of the digestive system	4,187	1,771	256	75	42	36	96	145	192	204	292	383	319	227	131	18	.....	.....
99	Diseases of the mouth and annexa	26	2	3	2	.....	.....	2	1	3	3	6	.....	4	.....	.....	.....	.....	.....
100	Diseases of the pharynx	124	7	11	1	7	7	29	15	19	12	8	2	2	2	2	.....	.....	.....
101	Diseases of the esophagus	6	.....	.....	.....	1	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....
102	Ulcer of the stomach	161	.....	.....	.....	.....	.....	1	.....	10	19	35	44	27	18	6	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	179	70	13	9	1	1	2	2	4	9	8	9	10	17	20	4	.....	.....
104	Diarrhea and enteritis (under 2 years)	1,841	1,627	214	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	306	.....	.....	54	23	13	16	4	17	21	22	40	33	33	24	6	.....	.....
108	Appendicitis and typhlitis	456	2	3	5	6	7	33	101	82	56	59	50	29	18	5	.....	.....	.....
109	Hernia, intestinal obstruction (total)	394	52	6	2	3	2	6	8	19	25	54	59	70	52	32	4	.....	.....
	Hernia	178	9	.....	.....	.....	1	.....	1	3	9	23	44	37	34	15	2	.....	.....
	Intestinal obstruction	216	43	6	2	3	1	6	7	16	16	31	15	33	18	17	2	.....	.....
110	Other diseases of the intestines	75	3	1	.....	.....	1	.....	6	9	8	11	11	11	7	6	1	.....	.....
111	Acute yellow atrophy of the liver	14	.....	.....	.....	.....	1	1	1	4	2	.....	3	2	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	210	.....	.....	.....	.....	1	.....	3	5	15	26	64	51	30	15	.....	.....	.....
114	Biliary calculi	164	.....	.....	.....	.....	.....	.....	.....	2	17	23	50	46	18	8	.....	.....	.....
115	Other diseases of the liver	155	3	1	.....	.....	1	1	1	8	11	25	37	26	27	12	2	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	46	5	4	2	1	2	4	3	4	1	4	8	5	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	28	.....	.....	.....	.....	.....	1	.....	6	3	9	5	3	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,515	39	13	11	7	3	13	52	137	233	384	550	783	814	437	33	1	.....
119	Acute nephritis	154	19	8	6	2	2	7	11	10	18	21	20	10	12	7	1	.....	.....
120	Bright's disease	2,775	6	.....	1	2	1	4	39	84	148	274	462	677	683	363	30	1	.....
122	Other diseases of the kidneys and annexa	103	10	5	3	2	.....	2	.....	13	7	11	17	18	9	6	.....	.....	.....
123	Calculi of the urinary passages	21	1	.....	.....	.....	.....	.....	.....	.....	2	2	4	6	4	2	.....	.....	.....
124	Diseases of the bladder	45	.....	.....	1	.....	.....	.....	.....	1	1	2	4	5	15	12	4	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	1	.....	.....	.....	.....
126	Diseases of the prostate	189	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	16	50	76	44	2	.....	.....
127	Nonvenereal diseases of the male genital organs	7	2	.....	.....	1	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	81	.....	.....	.....	.....	.....	.....	.....	1	21	35	10	5	7	1	1	.....	.....
130	Other diseases of the uterus	31	.....	.....	.....	.....	.....	.....	.....	11	3	11	3	3	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	31	.....	.....	.....	.....	.....	.....	.....	2	7	7	7	2	4	2	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	60	.....	.....	.....	.....	.....	.....	1	15	24	17	2	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
	VII.—The puerperal state	684	.....	.....	.....	.....	.....	.....	22	309	301	52	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	96	.....	.....	.....	.....	.....	.....	1	38	52	5	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	74	.....	.....	.....	.....	.....	.....	3	21	38	12	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	106	.....	.....	.....	.....	.....	.....	5	45	47	9	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	219	.....	.....	.....	.....	.....	.....	7	118	79	15	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	144	.....	.....	.....	.....	.....	.....	4	68	63	9	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	39	.....	.....	.....	.....	.....	.....	2	16	19	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MASSACHUSETTS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	166	41	7	1	.....	.....	.....	5	5	4	13	15	24	23	26	2	.....	.....
142	Gangrene	45	3	2	.....	.....	.....	.....	.....	.....	.....	.....	3	4	11	21	1	.....	.....
143	Furuncle	42	10	1	.....	.....	.....	.....	2	2	2	7	7	6	3	2	.....	.....	.....
144	Acute abscess	40	14	2	1	.....	.....	.....	2	2	1	3	5	5	3	1	1	.....	.....
145	Other diseases of the skin and annexa	39	14	2	.....	.....	.....	.....	1	1	1	3	.....	9	6	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	155	11	7	3	2	3	19	32	14	14	17	13	12	5	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	133	9	7	3	1	3	18	29	12	14	11	11	9	3	3	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	22	2	.....	.....	1	.....	1	3	2	.....	6	2	3	2	.....	.....	.....	.....
	X.—Malformations	784	713	32	9	7	2	8	6	1	3	3	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	784	713	32	9	7	2	8	6	1	3	3	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	73	48	11	6	2	1	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	491	456	16	2	3	1	4	6	.....	1	2	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	220	209	5	1	2	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,853	2,853	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,012	2,012	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,617	1,617	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	395	395	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	834	834	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	496	496	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	338	338	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	191	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	48	84	50	3	.....
154	Senility	191	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	48	84	50	1	.....
	XIII.—External causes	2,911	72	64	64	72	51	233	233	350	331	359	327	272	248	198	33	1	3
	Suicide (total)	393	.....	.....	.....	.....	.....	.....	10	58	66	89	71	58	29	10	1	.....	1
155	By poison	37	.....	.....	.....	.....	.....	.....	1	7	7	8	6	5	2	1	.....	.....	.....
156	By asphyxia	103	.....	.....	.....	.....	.....	.....	3	12	15	25	20	18	8	2	.....	.....	.....
157	By hanging or strangulation	64	.....	.....	.....	.....	.....	.....	4	9	12	12	11	11	5	.....	.....	.....	.....
158	By drowning	37	.....	.....	.....	.....	.....	.....	.....	2	9	10	8	6	1	.....	.....	.....	1
159	By firearms	107	.....	.....	.....	.....	.....	.....	2	21	18	20	17	14	9	6	.....	.....	.....
160	By cutting or piercing instruments	29	.....	.....	.....	.....	.....	.....	.....	4	2	11	4	2	4	1	1	.....	.....
161	By jumping from high places	14	.....	.....	.....	.....	.....	.....	.....	3	3	2	4	2	.....	.....	.....	.....	.....
162	By crushing	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,436	61	64	64	71	50	231	221	267	244	257	253	212	219	188	32	1	1
164	Poisoning by food	15	1	.....	1	.....	.....	2	2	.....	3	1	1	2	1	1	.....	.....	.....
165	Other acute poisonings	43	2	4	4	1	.....	1	2	7	6	6	4	4	2	.....	.....	.....	.....
166	Conflagration	49	3	7	.....	4	2	4	2	2	3	3	5	1	7	4	2	.....	.....
167	Burns (conflagration excepted)	270	12	37	32	32	21	34	9	15	16	18	16	7	11	10	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	212	29	4	1	1	1	5	6	19	22	32	32	22	25	11	2	.....	.....
169	Accidental drowning	220	.....	2	9	6	4	42	67	42	17	11	13	4	2	.....	.....	.....	1
170	Traumatism by firearms	31	.....	.....	1	1	.....	1	15	8	.....	2	1	1	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
172	Traumatism by fall	534	3	4	4	6	1	10	11	24	34	33	52	70	112	142	27	1	.....
173	Traumatism in mines and quarries (total)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	65	.....	.....	.....	.....	.....	.....	11	8	11	14	15	4	2	.....	.....	.....	.....
175	Traumatism by other crushing (total)	780	1	2	9	17	20	122	81	116	99	101	82	79	36	14	1	.....	.....
	Railroad accidents and injuries	172	.....	1	.....	1	.....	10	7	28	37	31	25	25	6	1	.....	.....	.....
	Street-car accidents and injuries	70	.....	.....	.....	5	1	5	5	9	6	9	10	7	10	3	.....	.....	.....
	Automobile accidents and injuries	454	1	1	6	9	17	98	57	63	49	46	37	42	19	9	.....	.....	.....
	Injuries by other vehicles	69	.....	.....	3	2	2	9	12	11	5	11	7	4	1	1	1	.....	.....
	Aeroplane accidents and injuries	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	10	.....	.....	.....	.....	.....	.....	.....	2	1	4	2	1	.....	.....	.....	.....	.....
176	Injuries by animals	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	1	.....	.....	.....	.....
177	Starvation	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
178	Excessive cold	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	3	1	.....	.....	.....
179	Effects of heat	13	2	2	.....	.....	.....	1	.....	.....	1	1	2	1	2	1	.....	.....	.....
180	Lightning	8	.....	.....	.....	.....	.....	.....	2	1	2	2	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	29	.....	.....	.....	.....	.....	.....	4	8	9	3	5	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	13	1	.....	.....	.....	.....	1	1	1	1	3	2	1	1	1	.....	.....	.....
186	Other external violence	133	6	2	3	3	1	7	8	16	17	25	16	14	13	2	.....	.....	.....
	Homicide (total)	82	11	.....	.....	1	1	2	2	25	21	13	3	2	.....	.....	.....	.....	1
182	By firearms	40	.....	.....	.....	.....	1	.....	1	17	13	8	.....	.....	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	9	1	.....	.....	.....	.....	.....	.....	2	2	3	1	.....	.....	.....	.....	.....	.....
184	By other means	33	10	.....	.....	1	.....	2	1	6	6	2	2	2	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	178	50	9	1	.....	.....	4	9	5	12	22	16	22	19	5	1	.....	3
187	Ill-defined organic disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
188	Sudden death	29	8	.....	.....	.....	.....	.....	2	1	3	2	1	5	3	4	.....	.....	.....
189	Not specified or ill-defined (total)	148	42	9	1	.....	.....	4	7	4	9	20	15	16	16	1	1	.....	3
	Ill-defined	126	33	9	1	.....	.....	4	4	2	8	18	15	14	15	1	1	.....	1
	Not specified or unknown	22	9	.....	.....	.....	.....	.....	3	2	1	2	.....	2	1	.....	.....	.....	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown ages.
	MICHIGAN.																		
	All causes	51,549	8,504	1,729	785	576	437	1,410	2,211	4,387	4,594	3,915	4,661	6,422	7,227	4,059	572	28	32
	I.—General diseases	14,109	1,010	645	377	295	199	687	959	1,871	1,805	1,375	1,482	1,654	1,284	469	45	.....	11
1	Typhoid fever	294	1	2	2	1	3	25	69	77	52	28	13	14	7	.....	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Malaria	8	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	3	.....	.....	.....	.....
5	Smallpox	11	2	1	.....	.....	.....	.....	1	2	.....	1	1	3	.....	.....	.....	.....	.....
6	Measles	439	105	134	55	23	9	59	21	11	9	6	.....	4	1	.....	.....	.....	2
7	Scarlet fever	303	18	25	39	38	29	82	38	18	8	3	3	1	.....	.....	.....	.....	1
8	Whooping cough	513	260	134	46	26	13	30	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	885	43	98	108	101	78	282	99	31	18	12	8	6	1	.....	.....	.....	.....
10	Influenza	3,018	274	154	64	55	32	78	203	618	639	288	178	177	178	66	14	.....	.....
13	Cholera nostras	18	2	2	.....	.....	.....	1	3	3	3	2	1	1	.....	.....	.....	.....	.....
14	Dysentery	77	18	7	5	1	2	.....	2	.....	3	3	6	5	11	12	2	.....	.....
18	Erysipelas	176	41	7	1	.....	.....	1	6	11	13	16	24	17	24	13	2	.....	.....
19	Other epidemic diseases	21	6	4	2	2	.....	4	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
20	Purulent infection and septicemia	96	25	1	.....	1	.....	3	8	9	11	9	9	10	7	3	.....	.....	.....
22	Anthrax	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....	.....	.....
24	Tetanus	32	.....	1	1	.....	1	6	9	1	5	1	5	1	1	.....	.....	.....	.....
25	Mycoses	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....
26	Pellagra	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	1	.....	.....	.....
	Tuberculosis (total)	3,101	49	48	37	30	21	60	369	921	658	367	272	170	76	18	2	.....	3
28	Tuberculosis of the lungs	2,582	15	15	12	9	5	24	279	829	592	330	235	151	68	15	1	.....	2
29	Acute miliary tuberculosis	90	4	3	.....	2	.....	2	19	23	21	5	6	2	3	.....	.....	.....	.....
30	Tuberculous meningitis	196	25	28	25	18	13	24	34	12	12	4	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	109	4	1	.....	.....	.....	3	16	34	13	12	10	11	5	.....	.....	.....	.....
32	Pott's disease	44	.....	1	.....	1	2	.....	7	2	8	8	12	2	.....	.....	1	.....	.....
33	White swellings	16	.....	.....	.....	.....	1	2	5	3	2	.....	1	.....	.....	2	.....	.....	.....
34	Tuberculosis of other organs	46	1	.....	.....	.....	.....	5	5	13	6	6	6	2	.....	1	.....	.....	1
35	Disseminated tuberculosis	18	.....	.....	.....	.....	.....	.....	4	5	4	2	1	2	.....	.....	.....	.....	.....
36	Rickets	30	22	4	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
37	Syphilis	360	69	3	3	1	.....	2	6	35	64	82	42	38	14	.....	.....	.....	1
38	Gonococcus infection	35	4	.....	.....	.....	.....	.....	4	11	8	5	1	2	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	3,099	3	6	2	4	2	9	12	39	170	351	669	872	707	228	22	.....	3
39	Of the buccal cavity	114	.....	.....	.....	1	.....	.....	.....	.....	5	8	15	31	33	15	1	.....	.....
40	Of the stomach, liver	1,267	.....	.....	.....	.....	1	.....	3	5	32	119	259	398	341	97	7	.....	2
41	Of the peritoneum, intestines, rectum	373	.....	.....	.....	1	.....	2	1	10	15	34	95	93	92	25	.....	.....	.....
42	Of the female genital organs	426	.....	.....	.....	.....	.....	1	2	5	61	81	119	103	46	7	1	.....	.....
43	Of the breast	271	.....	.....	.....	.....	.....	.....	.....	2	17	48	71	71	39	23	.....	.....	.....
44	Of the skin	94	1	.....	.....	.....	.....	1	.....	1	2	11	15	18	25	16	3	.....	1
45	Of other organs or of organs not specified	554	2	6	2	2	1	5	6	16	38	50	95	153	123	45	10	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	20	.....	.....	.....	.....	.....	1	.....	1	1	3	3	5	2	4	.....	.....	.....
47	Acute articular rheumatism	145	.....	1	1	3	1	14	32	10	12	14	9	17	21	10	.....	.....	.....
48	Chronic rheumatism and gout	55	.....	.....	.....	.....	.....	.....	3	1	1	2	3	12	23	10	.....	.....	.....
49	Scurvy	11	3	2	.....	.....	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	605	.....	1	3	3	1	13	39	32	50	76	96	155	113	22	1	.....	.....
51	Exophthalmic goiter	97	.....	.....	.....	.....	.....	.....	3	9	12	20	29	12	11	1	.....	.....	.....
52	Addison's disease	21	.....	.....	.....	.....	.....	.....	.....	2	5	3	5	4	2	.....	.....	.....	.....
53	Leukemia	82	.....	2	.....	1	3	7	9	4	11	12	16	12	3	2	.....	.....	.....
54	Anemia, chlorosis	378	14	3	1	1	1	4	13	12	23	42	74	102	69	17	2	.....	.....
55	Other general diseases	97	51	5	6	4	3	4	4	.....	3	6	2	6	2	1	.....	.....	.....
56	Alcoholism (acute or chronic)	57	.....	.....	.....	.....	.....	.....	.....	3	20	19	9	2	3	.....	.....	.....	1
57	Chronic lead poisoning	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	5,252	241	95	39	25	22	57	110	165	207	370	641	1,067	1,372	750	75	4	3
60	Encephalitis	120	6	3	1	1	5	4	16	30	15	17	11	7	2	1	1	.....	.....
64	Meningitis (total)	248	47	38	19	17	8	23	27	28	13	16	7	3	2	.....	.....	.....	.....
	Simple meningitis	102	15	11	8	5	4	12	7	17	5	10	4	3	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	74	16	18	3	7	2	4	10	4	6	4	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	72	16	9	8	5	2	7	10	7	2	2	3	.....	1	.....	.....	.....	.....
62	Locomotor ataxia	71	.....	.....	.....	.....	.....	1	.....	1	2	15	18	25	6	2	1	.....	.....
63	Other diseases of the spinal cord (total)	222	8	9	1	1	4	4	18	8	12	10	23	44	50	27	3	.....	.....
	Acute anterior poliomyelitis	34	5	8	1	1	3	3	8	1	2	1	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	188	3	1	.....	.....	1	1	10	7	10	9	22	44	50	27	3	.....	.....
64	Cerebral hemorrhage, apoplexy	3,363	4	4	.....	1	.....	3	7	26	58	182	444	840	1,103	624	64	1	2
65	Softening of the brain	40	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	6	5	18	9	1	.....	.....
66	Paralysis without specified cause	342	2	.....	1	1	.....	.....	1	2	3	11	34	70	136	73	5	2	1
67	General paralysis of the insane	207	.....	.....	.....	.....	.....	.....	.....	11	37	61	47	31	16	7	.....	1	.....
68	Other forms of mental alienation	59	.....	.....	.....	.....	.....	.....	1	6	12	13	13	7	5	2	.....	.....	.....
69	Epilepsy	152	8	3	4	.....	.....	1	18	30	27	20	10	13	12	6	.....	.....	.....
70	Convulsions (nonpuerperal)	10	.....	.....	.....	.....	.....	4	1	1	1	.....	1	2	.....	.....	.....	.....	.....
71	Convulsions of infants	158	128	23	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	8	1	1	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	1	.....	.....	.....
73	Neuralgia and neuritis	22	1	.....	1	.....	.....	1	.....	.....	2	5	3	3	5	1	.....	.....	.....
74	Other diseases of the nervous system	127	10	5	1	1	.....	6	10	16	12	13	24	10	15	4	.....	.....	.....
75	Diseases of the eyes and their annexa	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
76	Diseases of the ears	100	26	9	7	1	4	10	9	6	10	6	4	5	2	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	III.—Diseases of the circulatory system.	7,779	102	11	8	6	15	55	193	206	332	524	845	1,711	2,298	1,320	140	8	5
77	Pericarditis	40					1	2	3	4	7	4	3	7	8	1			
78	Acute endocarditis	269	9	2	3	2	3	7	35	30	38	41	58	15	15	7	4		
79	Organic diseases of the heart	5,906	59	6	3	2	9	45	147	157	254	415	661	1,376	1,744	938	81	6	3
80	Angina pectoris	347				1			2	2	11	35	49	115	103	27	2		
81	Diseases of the arteries, atheroma, aneurism, etc.	992							1	2	9	5	42	171	385	323	50	2	2
82	Embolism and thrombosis	141	5	1	1		1	1	3	5	7	17	24	21	35	17	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	24	1		1				1	2	3	2	3	1	5	5			
84	Diseases of the lymphatic system (lymphangitis, etc.)	42	26	2		1	1		1	2	2	4	2		1				
85	Hemorrhage; other diseases of the circulatory system	18	2							2	1	1	3	5	2	2			
	IV.—Diseases of the respiratory system.	6,914	1,260	487	164	105	72	176	268	890	886	513	526	561	620	393	79	1	3
86	Diseases of the nasal fossæ	14	5			1			1	1	3		1			1	1		
87	Diseases of the larynx	48	7	7	6	5	1	6	2	3	1	2	2	3	2		1		
88	Diseases of the thyroid body	45							1	5	9	5	17	5	2	1			
89	Acute bronchitis	466	228	43	13	13	2	9	5	7	3	4	6	11	50	55	15	1	1
90	Chronic bronchitis	276	4	4				8	1	3	8	8	18	33	98	77	14		
91	Bronchopneumonia	2,072	731	278	88	50	35	58	49	115	122	65	97	121	151	91	21		
92	Pneumonia (total)	3,582	260	138	47	30	29	84	184	637	703	387	350	331	266	109	19		2
	Lobar pneumonia	3,239	212	123	41	24	26	65	171	590	651	362	323	298	238	98	15		2
	Pneumonia (undefined)	343	54	15	6	6	3	19	13	47	52	25	27	33	28	11	4		
93	Pleurisy	192	9	14	8	4	2	6	18	22	25	22	16	22	11	11	2		
94	Pulmonary congestion, pulmonary apoplexy	50	5	1	2	1	1		1				3	4	12	17	3		
95	Gangrene of the lung	9						2	2		1	1	1			2			
96	Asthma	118	2				2	1		2	7	13	11	28	24	26	2		
97	Pulmonary emphysema	10	3					1				3		1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	32		2		1		1	4	5	4	3	4	2	3	2	1		
	V.—Diseases of the digestive system.	4,908	1,772	343	100	56	50	161	197	246	320	293	366	430	371	175	25	1	2
99	Diseases of the mouth and annexa	41	17					3		2	2	4	6	5	1	1			
100	Diseases of the pharynx	223	16	6	10	9	6	41	39	21	24	13	11	12	10	4	1		
101	Diseases of the esophagus	7							1				2	2	2				
102	Ulcer of the stomach	161						1	4	11	20	22	34	43	18	7	1		
103	Other diseases of the stomach (cancer excepted)	397	170	24	9	5	2	5	3	9	21	16	17	30	46	33	7		
104	Diarrhea and enteritis (under 2 years)	1,759	1,468	291															
105	Diarrhea and enteritis (2 years and over)	387			67	31	30	29	12	12	23	16	35	31	61	36	3	1	
106	Ankylostomiasis	1									1								
107	Intestinal parasites	2			1					1									
108	Appendicitis and typhlitis	594	7	3	4	5	6	61	102	119	105	75	59	34	9	5			
109	Hernia, intestinal obstruction (total)	455	67	11	3	3	4	7	13	26	41	46	46	75	80	23	3		1
	Hernia	157	10	1	1				2	6	9	15	23	36	38	14	1		1
	Intestinal obstruction	298	57	10	2	3	4	7	11	20	32	31	23	39	42	15	2		
110	Other diseases of the intestines	92	11	1	2		1	2	4	6	8	9	10	13	11	8	6		
111	Acute yellow atrophy of the liver	24	3							1	3	2	5	5	3	2			
112	Hydatid tumor of the liver	1										1							
113	Cirrhosis of the liver	309		1		2		1	3	4	13	33	61	95	67	26	2		1
114	Biliary calculi	111							2	1	18	21	23	20	18	7	1		
115	Other diseases of the liver	211	2	4	1			4	3	14	20	23	38	52	36	14			
116	Diseases of the spleen	2							1					1					
117	Simple peritonitis (nonpuerperal)	112	10	2	3	1	1	7	10	17	16	9	14	9	9	3	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	19	1							2	5	3	5	3					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	3,232	53	11	10	3	10	26	54	131	234	332	451	635	808	425	48		1
119	Acute nephritis	217	22	2	7	2	1	9	18	18	26	23	15	33	27	12	2		
120	Bright's disease	2,362	11	7	2	1	8	15	27	64	115	217	367	515	653	322	37		1
122	Other diseases of the kidneys and annexa	96	13	2	1		1	2	2	3	16	6	15	8	14	8			
123	Calculi of the urinary passages	16									3	5	1	2	3	2			
124	Diseases of the bladder	88	2							1	2	1	3	13	28	32	6		
125	Diseases of the urethra, urinary abscess, etc	17									2	3	6	2	3	1			
126	Disease of the prostate	179								1	1	2	11	45	71	45	3		
127	Nonvenereal diseases of the male genital organs	5	4													1			
129	Uterine tumor (noncancerous)	87								4	19	33	20	8	3				
130	Other diseases of the uterus	49							3	8	12	12	6	6	2				
131	Cysts and other tumors of the ovary	37							1	4	8	11	5	3	3	2			
132	Salpingitis and other diseases of the female genital organs	77							3	23	29	19	2		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1								1								
	VII.—The puerperal state	864							55	435	304	70							
134	Accidents of pregnancy	147							9	71	60	7							
135	Puerperal hemorrhage	68							3	27	26	12							
136	Other accidents of labor	133							5	71	42	15							
137	Puerperal septicemia	314							19	169	107	19							
138	Puerperal albuminuria and convulsions	163							17	82	53	11							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	38							2	14	16	6							
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	180	37	3	.....	1	1	2	3	7	7	10	13	20	38	33	5	.....	.....
142	Gangrene	82	1	1	.....	1	.....	.....	1	2	.....	2	5	10	28	27	4	.....	.....
143	Furuncle	24	4	.....	.....	.....	.....	.....	.....	3	2	.....	4	5	4	1	1	.....	.....
144	Acute abscess	33	7	1	.....	.....	.....	1	2	1	4	7	1	3	2	4	.....	.....	.....
145	Other diseases of the skin and annexa	41	25	1	.....	.....	1	1	.....	1	1	1	3	2	4	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	145	6	4	5	1	4	18	19	22	11	14	19	13	6	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	129	6	4	5	1	4	18	18	22	8	12	16	12	2	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	15	.....	.....	.....	.....	.....	.....	1	.....	3	2	3	1	4	1	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	772	709	20	7	6	3	13	5	6	2	.....	.....	.....	.....	.....	.....	.....	1
150	Congenital malformations (total)	772	709	20	7	6	3	13	5	6	2	.....	.....	.....	.....	.....	.....	.....	1
	Hydrocephalus	75	57	6	.....	5	1	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	464	434	10	3	1	1	6	3	4	1	.....	.....	.....	.....	.....	.....	.....	1
	Other congenital malformations	233	218	4	4	.....	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	3,128	3,128	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,503	2,503	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	2,015	2,015	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	488	488	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	616	616	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	330	330	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	286	286	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	687	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	17	176	366	115	12	.....
154	Senility	687	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	17	176	366	115	12	.....
	XIII.—External causes	3,335	86	95	74	77	58	211	344	494	480	400	294	290	233	163	32	2	2
	Suicide (total)	356	.....	.....	.....	.....	.....	.....	12	67	60	81	58	51	23	3	1	.....	.....
155	By poison	72	.....	.....	.....	.....	.....	.....	4	19	10	12	11	11	4	1	.....	.....	.....
156	By asphyxia	27	.....	.....	.....	.....	.....	.....	.....	5	5	9	4	2	2	.....	.....	.....	.....
157	By hanging or strangulation	81	.....	.....	.....	.....	.....	.....	1	8	17	21	18	5	9	1	1	.....	.....
158	By drowning	28	.....	.....	.....	.....	.....	.....	2	5	4	7	4	3	3	.....	.....	.....	.....
159	By firearms	104	.....	.....	.....	.....	.....	.....	5	21	14	21	19	19	4	1	.....	.....	.....
160	By cutting or piercing instruments	30	.....	.....	.....	.....	.....	.....	.....	7	7	7	2	6	1	.....	.....	.....	.....
161	By jumping from high places	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....
162	By crushing	9	.....	.....	.....	.....	.....	.....	.....	.....	2	4	.....	3	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,774	84	94	73	75	58	210	317	353	351	294	227	236	207	160	31	2	2
164	Poisoning by food	51	4	2	2	4	2	3	3	8	2	7	8	4	.....	2	.....	.....	.....
165	Other acute poisonings	95	14	24	2	1	1	4	1	11	10	9	8	6	3	1	.....	.....	.....
166	Conflagration	54	7	5	.....	5	2	8	2	5	5	5	1	4	3	2	.....	.....	.....
167	Burns (conflagration excepted)	242	10	30	31	25	28	26	10	14	10	13	11	12	13	8	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	94	34	5	.....	.....	.....	2	9	14	11	6	3	5	4	1	.....	.....	.....
169	Accidental drowning	205	1	7	7	5	2	19	69	31	24	19	12	6	3	.....	.....	.....	.....
170	Traumatism by firearms	94	.....	3	2	1	2	9	40	17	10	5	2	2	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	7	.....	.....	.....	.....	1	1	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	448	3	3	3	5	.....	13	15	24	27	29	26	56	100	116	25	2	1
173	Traumatism in mines and quarries (total)	53	.....	.....	.....	.....	.....	.....	4	13	21	7	7	1	.....	.....	.....	.....	.....
	Traumatism in mines	52	.....	.....	.....	.....	.....	.....	4	13	20	7	7	1	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	98	.....	.....	1	1	.....	3	7	28	23	15	9	7	3	1	.....	.....	.....
175	Traumatism by other crushing (total)	953	3	6	12	19	16	107	114	139	155	120	100	97	48	15	2	.....	.....
	Railroad accidents and injuries	275	.....	1	1	1	1	9	27	56	54	45	38	29	8	4	1	.....	.....
	Street-car accidents and injuries	147	.....	1	3	1	.....	9	11	19	34	19	17	17	11	5	.....	.....	.....
	Automobile accidents and injuries	419	1	2	5	14	13	73	60	55	58	45	27	37	23	5	1	.....	.....
	Injuries by other vehicles	77	2	2	3	1	1	13	11	5	4	8	8	12	6	1	.....	.....	.....
	Aeroplane accidents and injuries	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	33	.....	.....	.....	1	1	3	5	3	5	3	10	2	.....	.....	.....	.....	.....
176	Injuries by animals	31	.....	1	1	1	.....	1	6	.....	4	5	4	4	3	1	.....	.....	.....
178	Excessive cold	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	2	.....	.....	.....
179	Effects of heat	7	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....
180	Lightning	21	.....	.....	.....	1	.....	.....	8	1	5	3	3	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	38	.....	.....	.....	.....	.....	1	9	11	8	8	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	46	.....	.....	.....	.....	.....	.....	3	6	3	7	.....	5	13	7	2	.....	.....
186	Other external violence	233	8	8	11	7	3	13	17	30	30	34	31	24	11	4	1	.....	1
	Homicide (total)	205	2	1	1	2	.....	1	15	74	69	25	9	3	3	.....	.....	.....	.....
182	By firearms	144	.....	1	.....	.....	.....	.....	7	62	45	20	5	2	2	.....	.....	.....	.....
183	By cutting or piercing instruments	26	.....	.....	.....	.....	.....	1	4	7	11	2	1	.....	.....	.....	.....	.....	.....
184	By other means	35	2	.....	1	2	.....	.....	4	5	13	3	3	1	1	.....	.....	.....	.....
	XIV.—Ill-defined diseases	244	100	15	1	1	3	4	4	4	5	14	23	24	21	13	8	.....	4
187	Ill-defined organic disease	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	4	3	.....
188	Sudden death	18	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	4	1	1	.....	.....
189	Not specified or ill-defined (total)	212	93	15	1	1	3	4	4	4	5	10	17	19	19	8	5	.....	4
	Ill-defined	76	8	13	1	1	1	1	3	2	2	3	10	11	15	4	1	.....	.....
	Not specified or unknown	136	85	2	.....	.....	2	3	1	2	3	7	7	8	4	4	4	.....	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MINNESOTA.																	
	All causes	25,722	3,715	598	304	235	151	637	1,185	2,271	2,459	1,974	2,710	3,368	3,547	2,142	410	5	11
	I.—General diseases	8,377	470	280	140	113	75	294	516	1,197	1,175	875	1,073	1,080	834	231	21	1	2
1	Typhoid fever	71	1	1	.....	.....	1	1	14	10	23	10	8	2	.....	.....	.....	.....	.....
5	Smallpox	17	5	.....	.....	.....	.....	2	4	2	1	1	1	.....	.....	1	.....	.....	.....
6	Measles	158	33	39	19	16	8	17	13	7	3	2	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	116	4	10	16	11	10	33	16	10	4	1	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	299	167	76	18	14	5	14	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	247	5	13	24	24	20	77	42	15	12	9	4	1	.....	1	.....	.....	.....
10	Influenza	1,677	112	88	32	18	11	60	145	364	366	147	110	101	89	29	5	.....	.....
13	Cholera nostras	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	33	10	3	3	4	1	5	1	.....	1	.....	1	1	3	.....	.....	.....	.....
18	Erysipelas	71	14	2	.....	.....	2	.....	.....	8	10	5	9	10	7	4	.....	.....	.....
19	Other epidemic diseases	10	2	3	1	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	30	5	1	1	1	.....	1	3	5	1	1	4	2	2	3	.....	.....	.....
22	Anthrax	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	28	5	1	2	.....	.....	4	6	1	3	1	2	1	2	.....	.....	.....	.....
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	Tuberculosis (total)	2,151	42	27	12	16	9	38	199	641	508	261	208	121	63	3	2	.....	1
28	Tuberculosis of the lungs	1,774	12	4	2	4	1	11	139	574	452	229	175	110	56	2	2	.....	1
29	Acute miliary tuberculosis	79	7	6	.....	2	.....	5	16	23	12	3	4	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	131	19	16	8	9	6	18	22	11	11	4	5	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	75	3	1	2	.....	2	2	11	16	15	9	9	2	3	.....	.....	.....	.....
32	Pott's disease	31	.....	.....	.....	.....	.....	.....	2	7	7	6	4	2	3	.....	.....	.....	.....
33	White swellings	13	.....	.....	.....	.....	.....	.....	4	1	2	4	1	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	41	1	.....	.....	1	.....	2	3	8	7	6	9	3	.....	1	.....	.....	.....
35	Disseminated tuberculosis	7	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	.....	1	.....	.....	.....	.....
36	Rickets	16	11	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	155	28	1	1	1	.....	.....	3	10	26	36	31	13	5	.....	.....	.....	.....
38	Gonococcus infection	12	3	.....	.....	.....	.....	.....	.....	3	4	1	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,293	1	6	2	.....	3	10	13	44	103	273	524	625	514	163	11	1	.....
39	Of the buccal cavity	92	.....	.....	.....	.....	.....	1	.....	1	3	12	22	22	21	9	1	.....	.....
40	Of the stomach, liver	1,018	.....	.....	.....	.....	.....	2	.....	6	32	98	234	309	265	69	3	.....	.....
41	Of the peritoneum, intestines, rectum	306	.....	.....	1	.....	.....	2	1	7	13	27	66	88	75	24	2	.....	.....
42	Of the female genital organs	229	.....	.....	.....	.....	.....	1	.....	8	24	47	69	50	21	9	.....	.....	.....
43	Of the breast	174	.....	.....	.....	.....	.....	.....	1	1	12	39	45	35	30	11	.....	.....	.....
44	Of the skin	47	.....	.....	.....	.....	.....	.....	1	2	1	3	6	10	13	8	2	1	.....
45	Of other organs or of organs not specified	427	1	6	1	.....	3	4	10	19	18	47	82	111	89	33	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	4	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
47	Acute articular rheumatism	77	.....	1	1	3	1	9	17	6	13	8	6	5	5	2	.....	.....	.....
48	Chronic rheumatism and gout	32	.....	.....	.....	.....	.....	.....	.....	.....	1	3	8	6	7	6	1	.....	.....
50	Diabetes	415	1	1	4	2	3	15	25	36	33	36	54	104	85	15	1	.....	.....
51	Exophthalmic goiter	94	.....	.....	.....	.....	.....	.....	4	13	28	23	18	5	3	.....	.....	.....	.....
52	Addison's disease	14	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	5	1	.....	.....	.....	.....
53	Leukemia	68	1	.....	1	3	.....	3	3	8	7	9	16	11	5	.....	.....	.....	1
54	Anemia, chlorosis	225	2	1	2	.....	.....	1	2	7	17	39	51	61	38	3	1	.....	.....
55	Other general diseases	32	17	1	1	.....	1	1	2	1	1	2	2	1	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	20	.....	.....	.....	.....	.....	.....	.....	1	5	3	8	2	1	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,272	109	30	18	13	8	39	63	74	109	173	275	477	531	305	47	.....	1
60	Encephalitis	45	2	1	3	1	.....	2	6	5	7	10	4	3	1	.....	.....	.....	.....
61	Meningitis (total)	95	15	14	3	2	2	12	20	6	5	3	7	5	1	.....	.....	.....	.....
	Simple meningitis	38	8	4	2	1	.....	2	6	1	2	1	7	3	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	31	3	7	1	.....	2	5	5	1	3	2	.....	2	.....	.....	.....	.....	.....
	Cerebrospinal fever	26	4	3	.....	1	.....	5	9	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	17	.....	.....	.....	.....	.....	.....	.....	.....	2	2	8	4	1	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	134	4	2	2	4	1	4	3	9	15	6	21	28	25	7	3	.....	.....
	Acute anterior poliomyelitis	18	2	2	2	3	1	3	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	116	2	.....	.....	1	.....	1	2	9	13	5	21	27	25	7	3	.....	.....
64	Cerebral hemorrhage, apoplexy	1,441	1	1	1	.....	.....	1	5	9	20	81	176	388	454	264	39	.....	1
65	Softening of the brain	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	5	.....	.....	.....
66	Paralysis without specified cause	76	.....	.....	.....	1	1	1	.....	1	2	3	6	13	29	15	4	.....	.....
67	General paralysis of the insane	89	.....	.....	.....	.....	.....	.....	.....	1	22	31	20	8	4	3	.....	.....	.....
68	Other forms of mental alienation	43	.....	.....	.....	.....	.....	.....	1	7	5	10	10	6	3	1	.....	.....	.....
69	Epilepsy	79	1	1	1	2	.....	4	9	19	13	7	9	6	4	3	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	83	68	6	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	3	1	1	.....	.....	.....
74	Other diseases of the nervous system	96	9	4	1	.....	1	5	13	10	17	14	9	6	2	4	1	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
76	Diseases of the ears	49	9	1	.....	2	2	9	6	4	1	5	4	4	1	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MINNESOTA—Continued.																		
	III.—Diseases of the circulatory system.	3,548	20	2	2	7	2	24	92	113	143	194	412	753	955	696	128	1	4
77	Pericarditis	15				1			1	1	3	1	2	5	1				
78	Acute endocarditis	102	2			1		2	10	12	12	11	31	8	8	4	1		
79	Organic diseases of the heart	2,732	8	2	1	3	1	21	75	98	115	151	308	606	755	501	84		3
80	Angina pectoris	136									2	9	25	45	40	12	2		1
81	Diseases of the arteries, atheroma, aneurism, etc	450	1						2		2	9	33	69	128	166	39	1	
82	Embolism and thrombosis	78	1			1			2	1	6	10	10	16	17	12	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	18								1	3	2	3	4	4	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	14	8		1	1	1		1			1			1				
85	Hemorrhage; other diseases of the circulatory system	3						1	1						1				
	IV.—Diseases of the respiratory system.	2,376	413	109	38	22	16	39	106	198	264	135	187	244	322	237	45	1	
86	Diseases of the nasal fossae	7	3	1											2	1			
87	Diseases of the larynx	24	8	6	3	2					1	1		2	1				
88	Diseases of the thyroid body	41							1	3	6	10	9	11	1				
89	Acute bronchitis	98	38	3	5	1	3		2	1	2		3	4	8	20	8		
90	Chronic bronchitis	114	2							1	1	3	7	7	40	44	8	1	
91	Bronchopneumonia	675	261	61	20	12	4	10	14	22	20	16	27	44	85	66	13		
92	Pneumonia (total)	1,223	95	36	8	6	7	27	81	153	211	98	122	141	143	81	14		
	Lobar pneumonia	1,121	75	33	7	5	6	22	76	148	208	93	108	134	126	69	11		
	Pneumonia (undefined)	102	20	3	1	1	1	5	5	5	3	5	14	7	17	12	3		
93	Pleurisy	85	4	1	2		1	2	7	15	17	4	8	11	10	2	1		
94	Pulmonary congestion, pulmonary apoplexy	33	2			1	1							5	9	14	1		
95	Gangrene of the lung	5								1	2				2				
96	Asthma	56		1							3	3	7	17	17	8			
97	Pulmonary emphysema	2											1		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	13							1	2	1		3	2	3	1			
	V.—Diseases of the digestive system	2,159	484	98	52	32	27	105	156	121	191	174	244	196	175	88	15		1
99	Diseases of the mouth and annexa	25	1					2	2		6	3	8	1	2				
100	Diseases of the pharynx	97	9	1	1	2	4	17	19	8	13	8	4	8		3			
101	Diseases of the esophagus	7									2			2	2	1			
102	Ulcer of the stomach	94						1	1	8	19	16	20	15	10	3	1		
103	Other diseases of the stomach (cancer excepted)	67	22	3	1	1	1	3	1		2		7	6	8	11	1		
104	Diarrhea and enteritis (under 2 years)	504	415	89															
105	Diarrhea and enteritis (2 years and over)	237			37	24	10	13	3	16	20	18	24	24	27	18	3		
108	Appendicitis and typhlitis	425	1	1	6	2	8	60	114	48	65	47	48	17	8				
109	Hernia, intestinal obstruction (total)	229	29	4	3	2	2	4	3	9	13	27	42	33	34	19	5		
	Hernia	97	5	2	1					5	2	12	24	17	18	9	2		
	Intestinal obstruction	132	24	2	2	2	2	4	3	4	11	15	18	16	16	10	3		
110	Other diseases of the intestines	73					2	1	6	7	10	4	8	11	13	8	3		
111	Acute yellow atrophy of the liver	13	1							2	4	2	1	2		1			
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	116	1					1		2	9	10	22	26	31	12	1		1
114	Biliary calculi	148								2	15	25	35	35	29	7			
115	Other diseases of the liver	77	2		3	1		1	4	10	6	10	15	12	8	4	1		
116	Diseases of the spleen	6								1		1	3	1					
117	Simple peritonitis (nonpuerperal)	29	3		1			2	3	5	6	2	4		3				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11								2	1	1	3	3		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,003	13	5		5	1	12	24	75	115	166	284	429	513	311	48		2
119	Acute nephritis	69	9	2		1	1	3	5	5	6	7	9	7	6	6	1		1
120	Bright's disease	1,516	1	1		3		8	15	36	67	108	232	347	402	256	39		1
122	Other diseases of the kidneys and annexa	54	2	2		1		1		7	4	10	9	9	3	5	1		
123	Calculi of the urinary passages	30							1	2	5	6	2	7	5	1	1		
124	Diseases of the bladder	26											1	2	8	11	4		
125	Diseases of the urethra, urinary abscess, etc	9								1		2	2		3		1		
126	Diseases of the prostate	169										1	15	44	79	30			
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2								2									
129	Uterine tumor (noncancerous)	48								3	10	20	7	5	2	1			
130	Other diseases of the uterus	18								3	9		2	1	2	1			
131	Cysts and other tumors of the ovary	20							2	3	3	2	2	4	3		1		
132	Salpingitis and other diseases of the female genital organs	39							1	12	11	9	3	3					
133	Nonpuerperal diseases of the breast (cancer excepted)	2								1		1							
	VII.—The puerperal state	439							26	196	186	31							
134	Accidents of pregnancy	82							3	35	40	4							
135	Puerperal hemorrhage	38							1	9	23	5							
136	Other accidents of labor	56							2	26	23	5							
137	Puerperal septicemia	161							10	78	66	7							
138	Puerperal albuminuria and convulsions	86							10	42	27	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	15								6	6	3							
140	Following childbirth (not otherwise defined)	1									1								

TABL .—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MINNESOTA—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	82	17	2	.....	.....	.....	1	1	2	2	5	7	11	11	21	2	.....	.....
142	Gangrene	37	.....	.....	.....	.....	.....	1	.....	.....	1	.....	4	5	6	18	2	.....	.....
143	Furuncle	12	2	.....	.....	.....	.....	.....	.....	2	1	1	1	2	2	1	.....	.....	.....
144	Acute abscess	16	7	1	.....	.....	.....	.....	1	.....	.....	3	.....	3	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	17	8	1	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	75	5	2	3	.....	1	5	18	10	5	9	4	5	6	1	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	62	5	2	3	.....	1	5	15	8	5	7	4	3	4	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	.....	.....	.....	.....	.....	.....	3	2	.....	2	.....	1	1	1	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
	X.—Malformations	365	327	10	7	4	1	8	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	365	327	10	7	4	1	8	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	48	38	2	3	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	177	163	3	2	1	.....	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	140	126	5	2	1	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,713	1,713	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,325	1,325	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,130	1,130	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	195	195	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	384	384	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	239	239	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	145	145	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	53	149	83	1	.....
154	Senility	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	53	149	83	1	.....
	XIII.—External causes	1,848	66	55	42	38	20	108	175	274	266	207	215	148	136	80	17	.....	1
	Suicide (total)	269	.....	.....	.....	.....	.....	.....	3	46	70	61	52	24	10	3	.....	.....	.....
155	By poison	44	.....	.....	.....	.....	.....	.....	.....	13	11	6	8	3	2	1	.....	.....	.....
156	By asphyxia	16	.....	.....	.....	.....	.....	.....	.....	3	2	4	5	2	.....	.....	.....	.....	.....
157	By hanging or strangulation	61	.....	.....	.....	.....	.....	.....	.....	10	15	18	7	8	3	.....	.....	.....	.....
158	By drowning	19	.....	.....	.....	.....	.....	.....	.....	.....	6	3	7	1	1	1	.....	.....	.....
159	By firearms	98	.....	.....	.....	.....	.....	.....	3	19	30	20	15	7	3	1	.....	.....	.....
160	By cutting or piercing instruments	20	.....	.....	.....	.....	.....	.....	.....	1	5	5	6	2	1	.....	.....	.....	.....
161	By jumping from high places	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....
162	By crushing	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,505	57	54	42	38	20	106	168	203	184	132	158	124	125	76	17	.....	1
164	Poisoning by food	15	.....	3	3	2	1	.....	1	2	1	.....	1	.....	1	.....	.....	.....	.....
165	Other acute poisonings	71	4	9	4	3	3	2	1	11	10	13	7	3	.....	1	.....	.....	.....
166	Conflagration	32	.....	.....	2	1	.....	4	2	3	3	2	6	4	4	1	.....	.....	.....
167	Burns (conflagration excepted)	122	4	13	18	12	6	12	12	6	10	10	5	7	6	1	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	86	29	3	.....	1	.....	4	6	8	7	3	10	8	6	1	.....	.....	.....
169	Accidental drowning	146	3	9	8	1	2	19	38	23	15	9	8	6	4	1	.....	.....	.....
170	Traumatism by firearms	58	1	1	.....	.....	1	5	27	8	4	2	7	1	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	8	.....	.....	.....	.....	.....	3	1	.....	.....	.....	3	.....	1	.....	.....	.....	.....
172	Traumatism by fall	236	6	3	.....	3	1	7	5	12	13	14	13	26	57	61	15	.....	.....
173	Traumatism in mines and quarries (total)	41	.....	.....	.....	.....	.....	.....	.....	10	20	7	2	2	.....	.....	.....	.....	.....
	Traumatism in mines	40	.....	.....	.....	.....	.....	.....	.....	9	20	7	2	2	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	71	.....	.....	.....	1	.....	.....	7	18	14	10	10	6	5	.....	.....	.....	.....
175	Traumatism by other crushing (total)	407	1	2	3	6	3	34	50	74	60	37	59	41	29	6	1	.....	1
	Railroad accidents and injuries	143	.....	1	.....	.....	.....	2	15	30	26	21	21	16	9	1	.....	.....	1
	Street-car accidents and injuries	29	.....	.....	.....	.....	.....	4	1	3	3	4	5	2	4	2	1	.....	.....
	Automobile accidents and injuries	178	1	1	1	6	3	22	25	33	26	8	26	13	10	3	.....	.....	.....
	Injuries by other vehicles	49	.....	.....	2	.....	.....	5	9	4	2	4	7	10	6	.....	.....	.....	.....
	Aeroplane accidents and injuries	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	6	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	31	.....	.....	1	1	.....	5	3	4	1	3	5	5	3	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
179	Effects of heat	9	.....	1	.....	.....	.....	.....	.....	2	2	.....	.....	1	2	1	.....	.....	.....
180	Lightning	15	.....	.....	.....	.....	.....	.....	2	4	5	2	1	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	21	.....	1	.....	.....	.....	.....	2	6	5	3	4	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	4	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
186	Other external violence	126	7	9	3	7	2	11	11	12	13	15	15	13	5	2	1	.....	.....
	Homicide (total)	74	9	1	.....	.....	.....	2	4	25	12	14	5	.....	1	1	.....	.....	.....
182	By firearms	44	1	1	.....	.....	.....	1	2	18	9	9	3	.....	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	4	1	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
184	By other means	26	7	.....	.....	.....	.....	1	1	7	3	3	2	.....	1	1	.....	.....	.....
	XIV.—Ill-defined diseases	173	78	5	2	1	.....	2	4	7	3	5	9	19	11	23	3	1	.....
187	Ill-defined organic disease	8	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	1	2	.....	.....	.....
188	Sudden death	15	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	5	.....	2	.....	.....	.....
189	Not specified or ill-defined (total)	150	73	5	2	1	.....	2	2	6	2	5	6	13	10	19	3	1	.....
	Ill-defined	46	10	3	.....	.....	.....	.....	.....	1	2	1	3	11	6	8	1	.....	.....
	Not specified or unknown	104	63	2	2	1	.....	2	2	5	.....	4	3	2	4	11	2	1	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (TOTAL).																		
	All causes	22,040	3,499	807	434	296	210	720	1,824	2,622	2,122	1,880	1,677	2,042	2,036	1,231	301	121	162
	I.—General diseases	7,119	483	244	167	125	103	350	846	1,296	1,009	799	522	509	380	193	37	9	47
1	Typhoid fever	333	5	5	6	3	4	30	103	76	32	39	15	10	3				2
4	Malaria	683	73	45	42	28	34	82	91	53	45	56	46	33	28	20	2	2	3
5	Smallpox	45	3				1	2	4	5	8	10	5	4	2	1			
6	Measles	18	3	4	1			1	6	1	1		1						
7	Scarlet fever	24	3	3	1	3	4	4	5	1									
8	Whooping cough	157	90	36	13	7	5	5					1						
9	Diphtheria and croup	284	27	27	41	47	26	89	20	1	1	1	1		1				2
10	Influenza	1,047	109	38	21	15	6	42	154	165	154	99	66	59	53	44	9	3	10
13	Cholera nostras	3	1	1	1														
14	Dysentery	245	40	45	13	6	5	8	7	11	13	9	9	28	24	17	5	1	4
18	Erysipelas	34	12					1	6	1	3	3	1	1	5	1			
19	Other epidemic diseases	4	2	1						1									
20	Purulent infection and septicemia	42	1					3	6	13	6	6	1	1	4	1			
24	Tetanus	56	23	1		1		3	11	2	4	4	3	2	2				
26	Pellagra	558	1	3	2	2	1	18	33	101	109	95	61	49	40	27	7		9
	Tuberculosis (total)	2,287	17	10	12	5	8	44	351	746	477	273	149	102	66	15	1	1	10
28	Tuberculosis of the lungs	2,154	12	5	11	2	8	34	335	704	458	256	144	95	64	15	1	1	9
29	Acute miliary tuberculosis	15		1					3	9	1		1						
30	Tuberculous meningitis	26	4	2	1			2	4	9		2		2					
31	Abdominal tuberculosis	46		1		1		2	3	14	13	7	3	2					
32	Pott's disease	8							2	3	1			2					
33	White swellings	10				1		2	1		3	2							1
34	Tuberculosis of other organs	27	1	1		1		4	3	7	1	6		1	2				
35	Disseminated tuberculosis	1											1						
36	Rickets	6	1	3	1	1													
37	Syphilis	278	52	9	2	2		5	11	50	48	38	26	19	9	3			4
38	Gonococcus infection	46	2						6	17	13	4	2	1	1				
	Cancer and other malignant tumors (total)	686		1	1		2	4	10	30	70	130	116	156	106	47	9	1	3
39	Of the buccal cavity	28							2	1	1	5	4	3	6	6			
40	Of the stomach, liver	200		1				3	2	4	16	36	27	57	37	14	2		1
41	Of the peritoneum, intestines, rectum	59								6	9	9	11	11	12		1		
42	Of the female genital organs	201					1		2	12	31	52	42	38	12	8	1		2
43	Of the breast	46							1	1	5	10	10	8	8	3			
44	Of the skin	51							1	4	2	3	3	13	14	8	3		
45	Of other organs or of organs not specified	101			1		1	1	2	2	6	15	19	26	17	8	2	1	
46	Other tumors (tumors of the female genital organs excepted)	6										2		1	1	1	1		
47	Acute articular rheumatism	55			1		1		9	3	6	1	1	11	13	8	1		
48	Chronic rheumatism and gout	5						1					1	1		1	1		
49	Scurvy	1	1																
50	Diabetes	103	1				1	1	6	9	12	18	9	23	17	5	1		
51	Exophthalmic goiter	7							2	1	2	1	1						
53	Leukemia	12		2	1				1	1	1	1	2	3					
54	Anemia, chlorosis	23	1	2		2		4	3	1	2	2	2	1	2	1			
55	Other general diseases	63	15	8	8	3	5	3	1	7	1	4	2	3	2	1			
56	Alcoholism (acute or chronic)	6									1	2		1	1			1	
59	Other chronic poisonings	2										1	1						
	II.—Diseases of the nervous system and of the organs of special sense	1,393	106	18	14	10	6	24	63	72	75	122	191	250	287	119	26	1	12
60	Encephalitis	31	5	1	1		2	2	5	2	5	3	2	2	1				
61	Meningitis (total)	87	23	8	5	6	2	6	12	11	2	8	1		1		1		1
	Simple meningitis	52	16	3	2	6		4	7	7	1	3	1		1		1		
	Cerebrospinal meningitis (undefined)	14	4	1	3				3	1	1	1							
	Cerebrospinal fever	21	3	4			2	2	2	3		4							1
62	Locomotor ataxia	7												3	4				
63	Other diseases of the spinal cord (total)	67	5	3	4			4	4	1	1	6	8	10	15	3	2		1
	Acute anterior poliomyelitis	17	4	3	4			3	3										
	Other diseases of the spinal cord	50	1					1	1	1	1	6	8	10	15	3	2		1
64	Cerebral hemorrhage, apoplexy	711	5		1	1		4	12	19	40	66	125	167	183	73	10		5
65	Softening of the brain	7									1	1			3	2			
66	Paralysis without specified cause	237	3			2		1	3	6	8	16	34	50	63	37	12	1	1
67	General paralysis of the insane	23							1		1	9	5	3	2	1			1
68	Other forms of mental alienation	43							2	6	5	5	7	7	7	1	1		2
69	Epilepsy	61	1	1				3	10	22	9	5	3	5	1				1
70	Convulsions (nonpuerperal)	6						1	3		1		1						
71	Convulsions of infants	64	57	2	2	1	2												
73	Neuralgia and neuritis	4							1				2		1				
74	Other diseases of the nervous system	26	2	1	1			1	4	3	2	2	3	2	4	1			
75	Diseases of the eyes and their annexa	3	1											1	1				
76	Diseases of the ears	19	4	2				2	6	2		1			1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	1,856	13	5	3	2	3	10	52	95	140	194	272	381	405	225	30	8	18
77	Pericarditis	10							1		1	1		5	2				
78	Acute endocarditis	58						2	10	12	13	10	11						
79	Organic diseases of the heart	1,527	9	4	3	2	2	7	37	72	116	150	228	322	339	192	20	7	17
80	Angina pectoris	83							1	1	3	10	18	22	17	8	2		1
81	Diseases of the arteries, atheroma, aneurism, etc.	120							1	3	3	9	10	19	44	22	8	1	
82	Embolism and thrombosis	31	3						1	5	4	9	3	4	1	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3										1		2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	5						1	1	1				1		1			
85	Hemorrhage; other diseases of the circulatory system	19	1	1			1			1		4	2	6	2	1			
	IV.—Diseases of the respiratory system.	2,123	441	127	60	34	27	82	199	255	208	169	138	142	145	69	14	3	10
86	Diseases of the nasal fossae	9	6	1	1											1			
87	Diseases of the larynx	9		1	4			2		1					1				
88	Diseases of the thyroid body	14							1	1		4	1	5	1		1		
89	Acute bronchitis	66	32	8	3	2	1	2		2		1	5	1	6	2	1		
90	Chronic bronchitis	57			1			1	4	4	3	2	5	6	16	12	2	1	
91	Bronchopneumonia	521	206	47	20	10	7	17	28	33	39	27	15	21	32	17	2		
92	Pneumonia (total)	1,320	194	67	31	20	18	56	157	197	147	118	96	88	78	35	8	1	9
	Lobar pneumonia	701	57	32	7	12	11	31	91	116	94	69	59	61	36	16	3	1	5
	Pneumonia (undefined)	619	137	35	24	8	7	25	66	81	53	49	37	27	42	19	5		4
93	Pleurisy	42	2	2		1		2	6	9	6	8	2	4					
94	Pulmonary congestion, pulmonary apoplexy	17	1			1			2	1			2	4	4	2			
95	Gangrene of the lung	9						1		2	4		1	1					
96	Asthma	27		1			1	1		1	2	1	6	6	6			1	1
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	31							1	4	7	7	5	6	1				
	V.—Diseases of the digestive system.	1,845	417	282	78	38	16	69	135	124	119	114	128	129	119	54	9	3	11
99	Diseases of the mouth and annexa	21	9	5					2				2	2	1				
100	Diseases of the pharynx	64	5	5	4	9	4	11	10	5	3	3	2		2	1			
101	Diseases of the esophagus	1	1																
102	Ulcer of the stomach	37	1						3		5	8	7	6	5	1			1
103	Other diseases of the stomach (cancer excepted)	210	31	10	3	3		9	8	10	19	26	19	25	27	14	4	2	
104	Diarrhea and enteritis (under 2 years)	578	324	254															
105	Diarrhea and enteritis (2 years and over)	238			62	16	10	15	13	13	11	10	14	17	30	20	2	1	4
106	Ankylostomiasis	5				1			4										
107	Intestinal parasites	9		2	3	2			1		1								
108	Appendicitis and typhlitis	228				1	1	16	66	54	33	26	19	8	3				1
109	Hernia, intestinal obstruction (total)	174	32	4	4	4		8	12	17	19	8	19	26	15	3	2		1
	Hernia	33	5		1						3	3	2	11	5	2	1		
	Intestinal obstruction	141	27	4	3	4		8	12	17	16	5	17	15	10	1	1		1
110	Other diseases of the intestines	26	3	1			1	2	4	2		1	4	2	2	4			
111	Acute yellow atrophy of the liver	8							1	1		2	1	1		1			1
113	Cirrhosis of the liver	80						5	1	5	7	12	18	22	15	3	1		
114	Biliary calculi	31							1		5	4	3	6	6	5			1
115	Other diseases of the liver	86	6	1	2			2	4	6	10	13	16	12	11	2			1
116	Diseases of the spleen	1														1			
117	Simple peritonitis (nonpuerperal)	36	5			1		1	5	10	6	1	3	2	1				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3				1				1			1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,762	16	9	9	11	2	18	64	114	129	198	222	356	401	175	22	6	10
119	Acute nephritis	171	8	4	7	5		6	16	25	18	27	19	11	20	3		1	1
120	Bright's disease	1,320	3	3	2	6	2	10	39	56	75	125	185	308	330	143	20	4	9
122	Other diseases of the kidneys and annexa	55	5	2				2	3	6	1	8	2	11	7	7	1		
123	Calculi of the urinary passages	2												2					
124	Diseases of the bladder	35									1	2	2	5	14	10		1	
125	Diseases of the urethra, urinary abscess, etc.	14								3	1	1	3	3	3				
126	Diseases of the prostate	56								1		1	6	12	26	10			
127	Nonvenereal diseases of the male genital organs	1										1							
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	37								2	10	17	4	4					
130	Other diseases of the uterus	19							3	4	7	2	1		1		1		
131	Cysts and other tumors of the ovary	12								3	2	5				2			
132	Salpingitis and other diseases of the female genital organs	39							2	14	14	9							
	VII.—The puerperal state	479							111	189	130	45	1						3
134	Accidents of pregnancy	41							6	17	14	3	1						
135	Puerperal hemorrhage	36							4	10	14	8							
136	Other accidents of labor	65							13	25	21	5							1
137	Puerperal septicemia	165							42	65	41	16							1
138	Puerperal albuminuria and convulsions	167							45	70	38	13							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								2	2								
140	Following childbirth (not otherwise defined)	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Death rate per 100,000
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yr. and over.	
	MISSISSIPPI (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	49	6	2	.....	3	.....	.....	3	3	2	9	4	3	8	4	.....	1	1
142	Gangrene	25	.....	1	.....	2	.....	.....	1	1	.....	5	2	2	7	3	.....	1	.....
143	Furuncle	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	10	3	.....	.....	1	.....	.....	2	1	1	1	.....	1	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	10	2	1	.....	.....	.....	.....	.....	1	1	1	1	.....	1	1	.....	.....	1
	IX.—Diseases of the bones and of the organs of locomotion	41	4	1	1	2	1	1	11	3	2	2	4	4	4	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	28	3	1	1	2	1	1	7	2	1	1	4	2	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1	.....	.....	.....	.....	.....	3	.....	1	.....	.....	2	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	103	89	5	1	3	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	103	89	5	1	3	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	18	12	1	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	45	41	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	40	36	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	818	818	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	675	675	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	550	550	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	125	125	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	141	141	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	68	68	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	73	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	539	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	15	118	223	110	67	2
154	Senility	539	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	15	118	223	110	67	2
	XIII.—External causes	1,642	98	43	49	48	36	116	262	352	221	116	92	75	58	42	12	7	17
	Suicide (total)	57	.....	.....	.....	.....	.....	.....	5	12	14	10	8	3	4	1	.....	.....	.....
155	By poison	9	.....	.....	.....	.....	.....	.....	2	4	2	1	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	1	.....	.....	.....
158	By drowning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
159	By firearms	32	.....	.....	.....	.....	.....	.....	3	5	9	6	5	2	2	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	1,231	93	42	48	45	36	114	220	201	122	68	68	56	49	40	12	7	10
164	Poisoning by food	29	3	2	5	.....	2	4	2	2	2	1	2	3	1	.....	.....	.....	.....
165	Other acute poisonings	29	3	5	3	1	.....	1	1	5	4	1	1	1	2	1	.....	.....	.....
166	Conflagration	26	.....	4	1	4	.....	3	2	3	1	3	1	1	1	.....	1	1	.....
167	Burns (conflagration excepted)	223	24	20	23	22	20	41	17	16	10	4	4	4	7	4	3	3	1
168	Absorption of deleterious gases (conflagration excepted)	39	31	1	1	.....	1	2	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
169	Accidental drowning	104	.....	.....	2	.....	1	3	43	27	13	2	6	5	1	1	.....	.....	.....
170	Traumatism by firearms	159	1	.....	2	2	2	15	60	38	19	11	5	.....	1	.....	.....	.....	3
171	Traumatism by cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	101	7	3	.....	1	2	3	6	6	3	3	10	6	18	26	4	2	1
173	Traumatism in mines and quarries (total)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	33	.....	.....	.....	.....	.....	.....	12	7	6	2	3	2	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	164	.....	1	2	1	2	13	32	45	22	21	8	9	3	2	.....	1	2
	Railroad accidents and injuries	82	.....	.....	.....	.....	1	3	17	30	9	9	3	5	3	1	.....	.....	1
	Street-car accidents and injuries	4	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....
	Automobile accidents and injuries	39	.....	.....	1	.....	1	6	7	10	6	6	1	.....	.....	.....	.....	1	.....
	Injuries by other vehicles	29	.....	.....	.....	1	.....	2	7	2	3	5	4	4	.....	.....	.....	.....	1
	Landslide, other crushing	10	.....	.....	1	.....	.....	2	1	2	3	1	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	18	.....	.....	1	2	.....	2	1	2	3	1	3	1	1	1	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Effects of heat	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....
180	Lightning	21	.....	.....	.....	.....	.....	.....	5	3	6	.....	5	1	.....	.....	.....	.....	1
181	Electricity (lightning excepted)	6	.....	.....	.....	.....	.....	.....	2	1	.....	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	7	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	2
186	Other external violence	259	23	6	7	12	6	27	36	44	31	14	15	21	9	4	4	.....	.....
	Homicide (total)	354	5	1	1	3	.....	2	37	139	85	38	16	16	5	1	.....	.....	5
182	By firearms	283	.....	.....	1	1	.....	2	26	113	71	33	13	13	5	1	.....	.....	4
183	By cutting or piercing instruments	30	.....	1	.....	.....	.....	.....	6	13	6	2	.....	2	.....	.....	.....	.....	.....
184	By other means	41	5	.....	.....	2	.....	.....	5	13	8	3	3	1	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	2,268	1,008	71	52	20	16	46	77	119	87	112	99	178	161	120	41	19	33
187	Ill-defined organic disease	77	.....	.....	2	.....	1	.....	3	3	3	12	10	11	13	13	3	1	2
188	Sudden death	79	9	2	.....	.....	.....	1	2	3	6	1	9	22	15	7	1	.....	1
189	Not specified or ill-defined (total)	2,112	999	69	50	20	15	45	72	113	78	99	80	145	133	109	37	18	36
	Ill-defined	181	47	11	7	2	1	1	10	12	10	14	15	23	12	9	4	1	2
	Not specified or unknown	1,931	952	58	43	18	14	44	62	101	68	85	65	122	121	100	33	17	34

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (WHITE).																		
	All causes	7,923	1,344	341	187	140	88	251	462	596	586	616	602	940	1,077	574	72	5	42
	I.—General diseases	2,182	140	97	65	63	52	110	154	232	247	260	185	254	212	90	10	.....	11
1	Typhoid fever	99	1	4	.....	.....	1	6	23	26	12	15	4	4	2	.....	.....	.....	1
4	Malaria	190	23	10	8	7	12	22	22	15	10	16	12	17	11	3	.....	.....	2
5	Smallpox	24	2	.....	.....	.....	1	1	1	.....	5	4	3	4	2	1	.....	.....	.....
6	Measles	5	.....	1	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
7	Scarlet fever	16	.....	2	1	2	3	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	50	28	16	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	169	7	20	30	38	21	46	2	1	1	.....	1	.....	1	.....	.....	.....	1
10	Influenza	423	35	13	5	6	2	13	41	64	67	51	32	30	34	26	1	.....	3
14	Dysentery	104	12	19	8	1	3	4	4	4	6	3	2	13	15	7	2	.....	1
18	Erysipelas	24	10	.....	.....	.....	.....	1	3	.....	.....	2	1	1	5	1	.....	.....	.....
19	Other epidemic diseases	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	12	.....	.....	.....	.....	.....	2	1	3	2	2	1	.....	.....	1	.....	.....	.....
24	Tetanus	26	6	1	.....	1	.....	3	4	1	3	1	3	1	2	.....	.....	.....	.....
26	Pellagra	101	.....	.....	1	.....	.....	1	7	8	14	20	18	11	12	6	1	.....	2
	Tuberculosis (total)	410	3	2	.....	2	.....	2	26	84	83	73	45	48	35	6	.....	.....	1
28	Tuberculosis of the lungs	377	1	.....	.....	1	.....	1	22	77	80	68	41	44	35	6	.....	.....	1
29	Acute miliary tuberculosis	6	.....	1	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	8	2	.....	.....	.....	.....	.....	2	2	.....	1	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	7	.....	1	.....	.....	.....	.....	.....	1	2	.....	2	1	.....	.....	.....	.....	.....
32	Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
33	White swellings	3	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	6	.....	.....	.....	.....	.....	1	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
36	Rickets	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	19	3	1	.....	.....	.....	.....	1	2	3	7	1	1	.....	.....	.....	.....	.....
38	Gonococcus infection	5	1	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	348	.....	.....	.....	.....	1	1	4	9	27	56	50	93	72	30	5	.....	.....
39	Of the buccal cavity	21	.....	.....	.....	.....	.....	.....	1	1	.....	4	3	2	6	4	.....	.....	.....
40	Of the stomach, liver	110	.....	.....	.....	.....	.....	1	.....	2	5	18	12	39	25	8	.....	.....	.....
41	Of the peritoneum, intestines, rectum	37	.....	.....	.....	.....	.....	.....	.....	2	4	5	7	9	9	.....	1	.....	.....
42	Of the female genital organs	51	.....	.....	.....	.....	1	.....	1	2	8	13	13	8	3	2	.....	.....	.....
43	Of the breast	23	.....	.....	.....	.....	.....	.....	1	.....	4	4	4	5	3	2	.....	.....	.....
44	Of the skin	37	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	11	10	8	2	.....	.....
45	Of other organs or of organs not specified	69	.....	.....	.....	.....	.....	.....	1	2	5	10	8	19	16	6	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
47	Acute articular rheumatism	18	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	8	3	3	.....	.....	.....
48	Chronic rheumatism and gout	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	65	.....	.....	.....	.....	1	.....	5	5	10	5	5	17	14	3	.....	.....	.....
53	Leukemia	8	.....	2	1	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....
54	Anemia, chlorosis	15	1	1	.....	1	.....	2	2	1	1	2	2	.....	1	1	.....	.....	.....
55	Other general diseases	40	8	4	8	3	5	2	.....	4	.....	1	1	2	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	634	44	11	8	5	3	8	29	22	21	48	68	126	169	65	3	.....	4
60	Encephalitis	15	3	.....	1	.....	2	1	2	1	1	1	1	1	1	.....	.....	.....	.....
61	Meningitis (total)	44	13	5	3	4	1	2	3	4	1	5	1	.....	1	.....	.....	.....	1
	Simple meningitis	27	9	2	1	4	.....	2	3	3	.....	1	1	.....	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	5	1	.....	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	12	3	3	.....	.....	1	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	1
62	Locomotor ataxia	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	40	5	3	3	.....	.....	2	2	.....	.....	5	3	7	8	1	1	.....	.....
	Acute anterior poliomyelitis	12	4	3	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	28	1	.....	.....	.....	.....	1	1	.....	.....	5	3	7	8	1	1	.....	.....
64	Cerebral hemorrhage, apoplexy	339	3	.....	1	.....	.....	2	7	6	16	22	49	88	104	37	1	.....	3
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	2	.....	.....	.....
66	Paralysis without specified cause	98	2	.....	.....	1	.....	.....	.....	.....	1	4	9	20	40	21	.....	.....	.....
67	General paralysis of the insane	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	1	1	.....	1	.....	.....	.....
68	Other forms of mental alienation	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	1	.....	.....
69	Epilepsy	26	1	.....	.....	.....	.....	1	6	9	1	3	.....	4	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
74	Other diseases of the nervous system	16	2	1	.....	.....	.....	.....	3	1	.....	2	3	1	2	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	13	4	2	.....	.....	.....	.....	4	1	.....	1	.....	.....	.....	1	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	752	6	3	3	1	2	5	21	20	25	47	87	176	222	122	10	.....	2
77	Pericarditis	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	4	1	.....	.....	.....	.....
78	Acute endocarditis	14	.....	.....	.....	.....	.....	1	5	2	2	2	2	.....	.....	.....	.....	.....	.....
79	Organic diseases of the heart	566	3	2	3	1	2	3	14	13	17	31	61	138	170	100	7	.....	1
80	Angina pectoris	63	.....	.....	.....	.....	.....	.....	.....	1	1	6	15	15	15	8	1	.....	1
81	Diseases of the arteries, atheroma, aneurism, etc.	71	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	11	34	13	2	.....	.....
82	Embolism and thrombosis	18	3	.....	.....	.....	.....	.....	1	2	2	3	3	2	1	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	10	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	5	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	826	164	44	34	16	9	31	40	71	76	73	59	69	90	43	4	.....	3
86	Diseases of the nasal fossae	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	7	.....	1	3	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	.....	.....	.....	.....
89	Acute bronchitis	24	12	2	2	1	.....	1	.....	.....	.....	1	1	.....	3	1	.....	.....	.....
90	Chronic bronchitis	34	.....	.....	1	.....	.....	.....	1	.....	.....	1	4	3	14	9	1	.....	.....
91	Bronchopneumonia	230	88	16	9	5	1	7	4	14	18	16	6	15	17	13	1	.....	.....
92	Pneumonia (total)	469	60	22	19	8	8	19	31	54	53	47	41	39	47	17	2	.....	2
	Lobar pneumonia	264	24	12	3	4	6	12	18	33	36	28	28	32	19	6	2	.....	1
	Pneumonia (undefined)	205	36	10	16	4	2	7	13	21	17	19	13	7	28	11	.....	.....	1
93	Pleurisy	18	1	2	.....	1	.....	.....	3	1	3	4	1	2	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	12	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1	3	4	2	.....	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
96	Asthma	9	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	1	3	.....	.....	.....	1
98	Other diseases of the respiratory system (tuberculosis excepted)	9	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	3	1	.....	.....	.....	.....
	V.—Diseases of the digestive system.	865	175	147	37	23	6	35	68	51	43	43	51	72	73	36	3	.....	2
99	Diseases of the mouth and annexa	8	2	1	.....	.....	.....	.....	1	.....	.....	.....	2	1	1	.....	.....	.....	.....
100	Diseases of the pharynx	27	.....	3	2	7	.....	4	5	1	2	1	.....	.....	1	1	.....	.....	.....
102	Ulcer of the stomach	20	1	.....	.....	.....	.....	.....	.....	.....	3	5	4	3	3	.....	.....	.....	1
103	Other diseases of the stomach (cancer excepted)	90	14	3	1	2	.....	7	2	5	5	6	6	13	16	9	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	273	136	137	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	118	.....	.....	31	9	5	4	7	2	1	2	9	10	20	15	2	.....	1
106	Ankylostomiasis	5	.....	.....	.....	1	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	113	.....	.....	.....	1	.....	11	38	22	16	12	8	4	1	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	82	17	3	3	2	.....	6	4	9	10	2	6	10	9	1	.....	.....	.....
	Hernia	13	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	2	1	.....	.....	.....
	Intestinal obstruction	69	13	3	3	2	.....	6	4	9	9	1	5	7	7	.....	.....	.....	.....
110	Other diseases of the intestines	12	1	.....	.....	.....	1	1	1	1	.....	1	.....	2	.....	4	.....	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	1	.....	.....	.....
113	Cirrhosis of the liver	35	.....	.....	.....	.....	.....	.....	.....	1	.....	3	4	15	10	2	.....	.....	.....
114	Biliary calculi	18	.....	.....	.....	.....	.....	.....	.....	.....	3	2	3	4	4	2	.....	.....	.....
115	Other diseases of the liver	45	4	.....	.....	.....	.....	1	3	4	3	7	8	8	6	1	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	11	.....	.....	.....	.....	.....	1	3	4	.....	.....	.....	2	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	682	7	5	7	4	.....	10	16	31	28	54	89	156	183	77	6	.....	4
119	Acute nephritis	68	2	3	6	2	.....	4	4	12	4	8	6	5	9	2	.....	.....	1
120	Bright's disease	529	2	1	1	2	.....	4	10	12	20	35	78	144	157	55	5	.....	3
122	Other diseases of the kidneys and annexa	32	3	1	.....	.....	.....	2	1	4	.....	4	2	3	5	7	.....	.....	.....
124	Diseases of the bladder	12	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	5	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	22	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	12	7	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	1	.....	.....
131	Cysts and other tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	4	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	173	.....	.....	.....	.....	.....	.....	30	65	59	17	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	23	.....	.....	.....	.....	.....	.....	2	8	10	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	16	.....	.....	.....	.....	.....	.....	1	4	7	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	22	.....	.....	.....	.....	.....	.....	6	6	10	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	40	.....	.....	.....	.....	.....	.....	5	17	11	6	.....	.....	.....	.....	.....	.....	1
138	Puerperal albuminuria and convulsions	70	.....	.....	.....	.....	.....	.....	16	29	20	4	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	23	4	2	.....	1	.....	.....	2	2	2	4	2	1	3	.....	.....	.....	.....
142	Gangrene	8	.....	1	.....	1	.....	.....	1	.....	.....	1	.....	1	3	.....	.....	.....	.....
143	Furuncle	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	5	2	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	6	1	1	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	25	3	.....	1	2	1	1	5	1	1	1	3	2	3	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	16	2	.....	1	2	1	1	3	1	.....	.....	3	1	.....	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	71	65	2	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	71	65	2	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	7	6	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	39	36	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	25	23	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	495	495	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	411	411	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	341	341	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	70	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	83	83	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	50	50	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	33	33	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	160	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	47	79	29	2	.....
154	Senility	160	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	47	79	29	2	.....
	XIII.—External causes	613	38	20	26	19	12	44	91	92	70	49	43	41	30	31	3	1	3
	Suicide (total)	45	.....	.....	.....	.....	.....	.....	4	8	9	9	7	3	4	1	.....	.....	.....
155	By poison	8	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	1	.....	.....	.....
159	By firearms	24	.....	.....	.....	.....	.....	.....	2	3	4	6	5	2	2	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	510	35	20	26	17	12	44	84	71	44	30	34	31	25	30	3	1	3
164	Poisoning by food	11	.....	2	3	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	16	2	3	2	.....	.....	.....	1	3	1	1	1	1	1	.....	.....	.....	.....
166	Conflagration	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	63	11	9	11	6	3	6	8	4	4	1	.....	1	2	2	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	18	11	.....	1	.....	1	2	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
169	Accidental drowning	25	.....	.....	1	.....	.....	2	9	5	4	.....	1	3	.....	.....	.....	.....	.....
170	Traumatism by firearms	42	.....	.....	1	.....	1	2	20	6	4	3	3	.....	1	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	60	.....	.....	.....	1	.....	1	3	4	.....	2	7	5	11	23	2	1	.....
174	Traumatism by machines	10	.....	.....	.....	.....	.....	.....	5	2	1	.....	1	.....	1	.....	.....	.....	.....
175	Traumatism by other crushing (total)	87	.....	1	1	1	2	8	17	23	8	11	6	6	.....	2	.....	.....	1
	Railroad accidents and injuries	40	.....	.....	.....	.....	1	2	7	15	1	5	2	5	.....	1	.....	.....	1
	Street-car accidents and injuries	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Automobile accidents and injuries	24	.....	.....	.....	.....	1	3	6	6	3	4	1	.....	.....	.....	.....	.....	.....
	Injuries by other vehicles	14	.....	.....	.....	1	.....	2	3	.....	2	2	3	1	.....	.....	.....	.....	.....
	Landslide, other crushing	7	.....	.....	1	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	9	.....	.....	1	1	.....	.....	.....	1	1	1	2	1	.....	1	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Effects of heat	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
180	Lightning	7	.....	.....	.....	.....	.....	.....	.....	1	3	.....	2	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1
180	Other external violence	139	10	5	4	8	3	21	18	19	16	8	7	11	6	2	1	.....	.....
	Homicide (total)	58	3	.....	.....	2	.....	.....	3	13	17	10	2	7	1	.....	.....	.....	.....
182	By firearms	46	.....	.....	.....	1	.....	.....	3	9	15	10	2	5	1	.....	.....	.....	.....
183	By cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....
184	By other means	8	3	.....	.....	1	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	422	203	10	6	6	3	4	5	9	14	20	15	40	40	30	4	2	11
187	Ill-defined organic disease	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	4	.....	.....	.....
188	Sudden death	32	6	.....	.....	.....	.....	.....	.....	1	1	.....	4	6	12	2	.....	.....	.....
189	Not specified or ill-defined (total)	383	197	10	6	6	3	4	5	8	13	19	10	34	27	24	4	2	11
	Ill-defined	65	16	3	3	2	1	1	3	1	3	5	1	12	8	4	1	.....	1
	Not specified or unknown	318	181	7	3	4	2	3	2	7	10	14	9	22	19	20	3	2	10

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (COLORED).																	
	All causes	14,117	2,155	466	247	156	122	469	1,362	2,026	1,536	1,264	1,075	1,102	1,009	660	229	110	120
	I.—General diseases	4,937	343	147	102	62	51	240	692	1,064	762	539	337	255	168	103	27	9	36
1	Typhoid fever	234	4	1	6	3	3	24	80	50	20	24	11	6	1				1
4	Malaria	493	50	35	34	21	22	60	69	38	35	40	34	16	17	17	2	2	1
5	Smallpox	21	1					1	3	5	3	6	2						
6	Measles	13	3	3	1			1	4	1									
7	Scarlet fever	8	3	1		1	1	1	1										
8	Whooping cough	107	62	20	11	5	4	4					1						
9	Diphtheria and croup	115	20	7	11	9	5	43	18			1							1
10	Influenza	624	74	25	16	9	4	29	113	101	87	48	34	29	19	18	8	3	7
13	Cholera nostras	3	1	1	1														
14	Dysentery	141	28	26	5	5	2	4	3	7	7	6	7	15	9	10	3	1	3
18	Erysipelas	10	2						3	1	3	1							
19	Other epidemic diseases	2	2																
20	Purulent infection and septicemia	30	1					1	5	10	4	4		1	4				
24	Tetanus	30	17						7	1	1	3		1					
26	Pellagra	457	1	3	1	2	1	17	26	93	95	75	43	38	23	21	6		7
	Tuberculosis (total)	1,877	14	8	12	3	8	42	325	662	394	200	104	54	31	9	1	1	9
28	Tuberculosis of the lungs	1,777	11	5	11	1	8	33	313	627	378	188	103	51	29	9	1	1	8
29	Acute miliary tuberculosis	9							3	6									
30	Tuberculous meningitis	18	2	2	1			2	2	7		1		1					
31	Abdominal tuberculosis	39				1		2	3	13	11	7	1	1					
32	Pott's disease	6							2	3	1								
33	White swellings	7						2			3	1							1
34	Tuberculosis of other organs	21	1	1		1		3	2	6	1	3		1	2				
36	Rickets	5	1	3		1													
37	Syphilis	259	49	8	2	2		5	10	48	45	31	25	18	9	3			4
38	Gonococcus infection	41	1						6	14	12	4	2	1	1				
	Cancer and other malignant tumors (total)	338		1	1		1	3	6	21	43	74	66	63	34	17	4	1	3
39	Of the buccal cavity	7							1		1	1	1	1		2			
40	Of the stomach, liver	90		1				2	2	2	11	18	15	18	12	6	2		1
41	Of the peritoneum, intestines, rectum	22								4	5	4	4	2	3				
42	Of the female genital organs	150							1	10	23	39	29	30	9	6	1		2
43	Of the breast	23								1	1	6	6	3	5	1			
44	Of the skin	14							1	4	1	1		2	4		1		
45	Of other organs or of organs not specified	32			1		1	1	1		1	5	11	7	1	2		1	
46	Other tumors (tumors of the female genital organs excepted)	3										2		1					
47	Acute articular rheumatism	37			1				7	3	6		1	3	10	5	1		
48	Chronic rheumatism and gout	4						1						1		1	1		
49	Scurvy	1	1																
50	Diabetes	38	1					1	1	4	2	13	4	6	3	2	1		
51	Exophthalmic goiter	7							2	1	2	1	1						
53	Leukemia	4							1	1	1		1						
54	Anemia, chlorosis	8		1		1		2	1		1			1	1				
55	Other general diseases	23	7	4				1	1	3	1	3	1	1	1				
56	Alcoholism (acute or chronic)	3										2						1	
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	762	62	7	6	5	3	16	34	50	54	74	123	124	118	54	23	1	8
60	Encephalitis	16	2	1				1	3	1	4	2	1	1					
61	Meningitis (total)	43	10	3	2	2	1	4	9	7	1	3					1		
	Simple meningitis	25	7	1	1	2		2	4	4	1	2					1		
	Cerebrospinal meningitis (undefined)	9	3	1	1				3	1									
	Cerebrospinal fever	9		1			1	2	2	2		1							
62	Locomotor ataxia	3												2	1				
63	Other diseases of the spinal cord (total)	27			1			2	2	1	1	1	5	3	7	2	1		1
	Acute anterior poliomyelitis	5			1			2	2										
	Other diseases of the spinal cord	22								1	1	1	5	3	7	2	1		1
64	Cerebral hemorrhage, apoplexy	372	2			1		2	5	13	24	44	76	79	79	36	9		2
65	Softening of the brain	1										1							
66	Paralysis without specified cause	139	1			1		1	3	6	7	12	25	30	23	16	12	1	1
67	General paralysis of the insane	15							1		1	4	4	2	2				1
68	Other forms of mental alienation	34							2	6	5	5	7	5	2				2
69	Epilepsy	35		1				2	4	13	8	2	3	1					1
70	Convulsions (nonpuerperal)	5						1	2		1		1						
71	Convulsions of infants	53	46	2	2	1	2												
73	Neuralgia and neuritis	1											1						
74	Other diseases of the nervous system	10			1			1	1	2	2			1	2				
75	Diseases of the eyes and their annexa	2	1												1				
76	Diseases of the ears	6						2	2	1					1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSISSIPPI (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	1,104	7	2	.....	1	1	5	31	75	115	147	185	205	183	103	20	8	16
77	Pericarditis	2												1	1				
78	Acute endocarditis	44						1	5	10	11	8	9						
79	Organic diseases of the heart	961	6	2	.....	1	.....	4	23	59	99	119	167	184	169	92	13	7	16
80	Angina pectoris	20							1		2	4	3	7	2	.....	1	.....	
81	Diseases of the arteries, atheroma, aneurism, etc.	49							1	2	1	6	5	8	10	9	6	1	
82	Embolism and thrombosis	13								3	2	6		2					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3										1		2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	3							1	1						1			
85	Hemorrhage; other diseases of the circulatory system	9	1				1					3	1	1	1	1			
	IV.—Diseases of the respiratory system.	1,297	277	83	26	18	18	51	159	184	132	96	79	73	55	26	10	3	7
86	Diseases of the nasal fossæ	5	4		1														
87	Diseases of the larynx	2			1					1									
88	Diseases of the thyroid body	8							1			2		3	1		1		
89	Acute bronchitis	42	20	6	1	1	1	1		2			4	1	3	1	1		
90	Chronic bronchitis	23						1	3	4	3	1	1	3	2	3	1	1	
91	Bronchopneumonia	291	118	31	11	5	6	10	24	19	21	11	9	6	15	4	1		
92	Pneumonia (total)	851	134	45	12	12	10	37	126	143	94	71	55	49	31	18	6	1	7
	Lobar pneumonia	437	33	20	4	8	5	19	73	83	58	41	31	29	17	10	1	1	4
	Pneumonia (undefined)	414	101	25	8	4	5	18	53	60	36	30	24	20	14	8	5	.....	3
93	Pleurisy	24	1					2	3	8	3	4	1	2					
94	Pulmonary congestion, pulmonary apoplexy	5							2	1			1	1					
95	Gangrene of the lung	5								1	3		1						
96	Asthma	18		1			1			1	2	1	3	5	3			1	
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	22								4	6	5	4	3					
	V.—Diseases of the digestive system.	980	242	135	41	15	10	34	67	73	76	71	77	57	46	18	6	3	9
99	Diseases of the mouth and annexa	13	7	4					1					1					
100	Diseases of the pharynx	37	5	2	2	2	4	7	5	4	1	2	2		1				
101	Diseases of the esophagus	1	1																
102	Ulcer of the stomach	17							3		2	3	3	3	2	1			
103	Other diseases of the stomach (cancer excepted)	120	17	7	2	1	.....	2	6	5	14	20	13	12	11	5	3	2	
104	Diarrhea and enteritis (under 2 years)	305	188	117															
105	Diarrhea and enteritis (2 years and over)	120			31	7	5	11	6	11	10	8	5	7	10	5	.....	1	3
107	Intestinal parasites	9		2	3	2			1		1								
108	Appendicitis and typhlitis	115					1	5	28	32	17	14	11	4	2				1
109	Hernia, intestinal obstruction (total)	92	15	1	1	2	.....	2	8	8	9	6	13	16	6	2	2	.....	1
	Hernia	20	1		1						2	2	1	3	3	1	1		
	Intestinal obstruction	72	14	1	.....	2	.....	2	8	8	7	4	12	3	3	1	1	.....	1
110	Other diseases of the intestines	14	2	1				1	3	1			4		2				
111	Acute yellow atrophy of the liver	3							1					1					1
113	Cirrhosis of the liver	54						5	1	4	7	9	14	7	5	1	1		
114	Biliary calculi	13							1		2	2		2	2	3			1
115	Other diseases of the liver	41	2	1	2			1	1	2	7	6	8	4	5	1			1
117	Simple peritonitis (nonpuerperal)	25	5			1			2	6	6	1	3						1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1											1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,080	9	4	2	7	2	8	48	83	101	144	133	200	213	98	16	6	6
119	Acute nephritis	103	6	1	1	3	.....	2	12	13	14	19	13	6	11	1	.....	1	
120	Bright's disease	791	1	2	1	4	2	6	29	44	55	90	107	164	173	88	15	4	6
122	Other diseases of the kidneys and annexa	23	2	1					2	2	1	4		8	2		1		
123	Calculi of the urinary passages	2												2					
124	Diseases of the bladder	23										2	1	4	10	5	.....	1	
125	Diseases of the urethra, urinary abscess, etc.	12								3	1	1	1	3	3				
126	Diseases of the prostate	34										1	6	10	14	3			
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	33								2	10	14	4	3					
130	Other diseases of the uterus	15							3	4	5	2	1						
131	Cysts and other tumors of the ovary	8								2	1	4				1			
132	Salpingitis and other diseases of the female genital organs	35							1	13	14	7							
	VII.—The puerperal state	306							81	124	71	28	1						1
134	Accidents of pregnancy	18							4	9	4	.....	1						
135	Puerperal hemorrhage	20							3	6	7	4							
136	Other accidents of labor	43							7	19	11	5							1
137	Puerperal septicemia	125							37	48	30	10							
138	Puerperal albuminuria and convulsions	97							29	41	18	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1	1								
140	Following childbirth (not otherwise defined)	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSOURI (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	26	2			2			1	1		5	2	2	5	4		1	1
142	Gangrene	17				1				1		4	2	1	4	3		1	
144	Acute abscess	5	1			1			1			1		1					
145	Other diseases of the skin and annexa	4	1												1	1			1
	IX.—Diseases of the bones and of the organs of locomotion	16	1	1					6	2	1	1	1	2	1				
146	Diseases of the bones (tuberculosis excepted)	12	1	1					4	1	1	1	1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3							2					1					
149	Other diseases of the organs of locomotion	1								1									
	X.—Malformations	32	24	3	1	3		1											
150	Congenital malformations (total)	32	24	3	1	3		1											
	Hydrocephalus	11	6	1		3		1											
	Congenital malformations of the heart	6	5	1															
	Other congenital malformations	15	13	1	1														
	XI.—Early infancy	323	323																
151	Congenital debility, icterus, and sclerema (total)	264	264																
	Premature birth	209	209																
	Congenital debility, "atrophy," "marasmus," etc	55	55																
152	Other causes peculiar to early infancy (total)	58	58																
	Injuries at birth	18	18																
	Other causes peculiar to early infancy	40	40																
153	Lack of care	1	1																
	XII.—Old age	379											4	12	71	144	81	65	2
154	Senility	379											4	12	71	144	81	65	2
	XIII.—External causes	1,029	60	23	23	29	24	72	171	260	151	67	49	34	23	11	9	6	12
	Suicide (total)	12							1	4	5	1	1						
155	By poison	1								1									
158	By drowning	1										1							
159	By firearms	8							1	2	5								
163	Other suicides	2								1			1						
	Accidental or undefined (total)	721	58	22	22	28	24	70	136	130	78	38	34	25	24	10	9	6	7
164	Poisoning by food	18	3		2			2		2	2	1	2	3	1				
165	Other acute poisonings	13	1	2	1	1		1		2	3				1	1			
166	Conflagration	21		4	1	4		3	2	1	1	2			1		1	1	
167	Burns (conflagration excepted)	155	13	11	12	16	17	35	9	12	6	3	4	3	5	2	3	3	1
168	Absorption of deleterious gases (conflagration excepted)	21	20	1															
169	Accidental drowning	79			1		1	1	34	22	9	2	5	2	1	1			
170	Traumatism by firearms	117	1		1	2	1	13	40	32	15	8	2						2
171	Traumatism by cutting or piercing instruments	2								1		1							
172	Traumatism by fall	41	7	3			2	2	3	2	3	1	3	1	7	3	2	1	1
173	Traumatism in mines and quarries (total)	1								1									
	Traumatism in mines	1								1									
174	Traumatism by machines	23							7	5	5	2	2	2					
175	Traumatism by other crushing (total)	77			1			5	15	22	14	10	2	3	3			1	1
	Railroad accidents and injuries	42						1	10	15	8	4	1		3				
	Street-car accidents and injuries	2								1	1								
	Automobile accidents and injuries	15			1			3	1	4	3	2						1	
	Injuries by other vehicles	15							4	2	1	3	1	3					1
	Landslide, other crushing	3						1			1	1							
176	Injury by animals	9				1		2	1	1	2		1		1				
179	Effects of heat	4										1		1	1	1			
180	Lightning	14							5	2	3		3						1
181	Electricity (lightning excepted)	3							2				1						
185	Fractures (cause not specified)	3										1	1						1
186	Other external violence	120	13	1	3	4	3	6	18	25	15	6	8	10	3	2	3		
	Homicide (total)	296	2	1	1	1		2	34	126	68	28	14	9	4	1			5
182	By firearms	237			1			2	23	104	56	23	11	8	4	1			4
183	By cutting or piercing instruments	26		1					6	12	5	2							
184	By other means	33	2			1			5	10	7	3	3	1					1
	XIV.—Ill-defined diseases	1,846	805	61	46	14	13	42	72	110	73	92	84	138	121	99	37	17	22
187	Ill-defined organic disease	70			2		1		3	3	3	11	9	11	12	9	3	1	2
188	Sudden death	47	3	2				1	2	2	5	1	5	16	3	5	1		1
189	Not specified or ill-defined (total)	1,729	802	59	44	14	12	41	67	105	65	80	70	111	106	85	33	16	19
	Ill-defined	116	31	8	4				7	11	7	9	14	11	4	5	3	1	1
	Not specified or unknown	1,613	771	51	40	14	12	41	60	94	58	71	56	100	102	80	30	15	18

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MISSOURI.																		
	All causes	42,638	5,309	1,368	641	420	326	1,130	2,055	3,619	3,866	3,627	4,480	5,667	6,125	3,360	495	27	123
	I.—General diseases	13,202	827	519	308	223	178	642	968	1,735	1,684	1,378	1,481	1,518	1,182	475	39	5	40
1	Typhoid fever	341	2	5	2	5	6	34	102	65	39	32	17	19	11	1	.....	.....	1
4	Malaria	137	27	3	7	2	4	8	16	19	9	5	9	12	11	2	1	.....	2
5	Smallpox	28	11	.....	.....	.....	.....	.....	4	1	3	3	1	2	3	.....	.....	.....	.....
6	Measles	286	50	73	36	19	10	47	18	13	7	5	3	5	.....	.....	.....	.....	.....
7	Scarlet fever	156	10	13	15	15	17	43	27	12	4	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	308	169	35	31	50	7	13	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	645	24	89	76	73	75	240	50	9	6	1	1	1	.....	.....	.....	.....	.....
10	Influenza	3,310	260	218	100	33	40	146	323	546	545	254	195	227	255	152	6	1	9
13	Cholera nostras	5	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
14	Dysentery	202	45	31	20	3	4	3	2	3	3	4	7	11	33	23	7	1	2
18	Erysipelas	125	30	1	.....	.....	1	2	5	10	13	7	13	12	19	10	2	.....	.....
19	Other epidemic diseases	9	3	3	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	49	4	.....	2	.....	.....	3	4	3	5	9	3	5	7	2	1	1	.....
23	Rabies	6	.....	.....	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	57	10	.....	1	1	.....	15	18	2	2	1	3	4	.....	.....	.....	.....	.....
25	Mycoses	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....
26	Pellagra	25	.....	.....	1	.....	.....	.....	.....	5	4	7	3	2	3	.....	.....	.....	.....
	Tuberculosis (total)	3,644	51	31	10	14	12	56	312	891	774	530	416	295	179	53	4	1	15
28	Tuberculosis of the lungs	3,261	28	15	4	4	5	28	269	814	711	495	384	271	162	51	4	1	15
29	Acute miliary tuberculosis	77	4	1	1	.....	3	2	8	21	18	7	6	3	3	.....	.....	.....	.....
30	Tuberculous meningitis	115	16	14	4	7	4	14	14	21	13	4	3	.....	.....	1	.....	.....	.....
31	Abdominal tuberculosis	107	1	.....	.....	1	.....	7	10	18	20	11	17	13	8	1	.....	.....	.....
32	Pott's disease	33	1	.....	.....	2	.....	3	6	7	3	4	4	2	1	.....	.....	.....	.....
33	White swellings	15	.....	.....	1	.....	.....	1	.....	4	3	2	1	2	1	.....	.....	.....	.....
34	Tuberculosis of other organs	31	1	1	.....	.....	.....	1	5	3	5	6	1	4	4	.....	.....	.....	.....
35	Disseminated tuberculosis	5	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	16	12	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	306	35	9	1	1	.....	1	8	23	57	48	37	26	7	1	.....	.....	2
38	Gonococcus infection	24	1	.....	.....	.....	.....	.....	2	8	7	4	2	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,630	1	.....	2	2	.....	7	14	56	142	368	611	703	529	175	12	1	7
39	Of the buccal cavity	121	.....	.....	.....	.....	.....	.....	1	1	4	16	31	30	20	15	2	1	.....
40	Of the stomach, liver	1,045	1	.....	.....	.....	.....	4	2	9	26	100	243	330	249	75	3	.....	3
41	Of the peritoneum, intestines, rectum	269	.....	.....	.....	.....	.....	.....	2	10	21	41	58	70	52	15	.....	.....	.....
42	Of the female genital organs	396	.....	.....	.....	.....	.....	.....	1	13	54	110	102	72	37	4	1	.....	2
43	Of the breast	232	.....	.....	.....	.....	.....	.....	.....	3	11	49	61	57	34	15	1	.....	1
44	Of the skin	95	.....	.....	.....	1	.....	.....	.....	.....	1	4	14	24	27	22	2	.....	.....
45	Of other organs or of organs not specified	472	.....	.....	2	1	.....	3	8	20	25	48	102	120	110	29	3	.....	1
46	Other tumors (tumors of the female genital organs excepted)	9	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	2	2	1	.....	.....	.....
47	Acute articular rheumatism	79	1	.....	1	.....	.....	6	15	8	8	7	10	8	9	6	.....	.....	.....
48	Chronic rheumatism and gout	33	.....	.....	.....	.....	.....	.....	1	3	.....	2	5	6	7	7	2	.....	.....
49	Scurvy	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	413	1	1	1	.....	.....	7	28	30	25	33	73	112	67	30	4	.....	1
51	Exophthalmic goiter	45	.....	.....	.....	.....	.....	.....	2	2	4	12	18	6	1	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	.....	.....	.....	.....
53	Leukemia	64	2	3	2	2	.....	.....	5	7	8	12	10	8	4	1	.....	.....	.....
54	Anemia, chlorosis	160	6	1	.....	.....	.....	2	3	4	13	23	33	44	27	4	.....	.....	.....
55	Other general diseases	51	20	1	.....	2	.....	5	5	4	.....	1	2	1	4	6	.....	.....	.....
56	Alcoholism (acute or chronic)	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	4	4	2	1	.....	.....	1
57	Chronic lead poisoning	7	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	.....	.....	1	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,876	130	40	25	12	15	52	83	100	197	332	547	788	991	491	57	1	15
60	Encephalitis	58	8	2	3	2	.....	2	5	7	7	8	5	7	2	.....	.....	.....	.....
61	Meningitis (total)	206	47	18	13	4	4	27	24	20	18	18	10	2	.....	.....	.....	.....	1
	Simple meningitis	102	26	7	3	1	1	11	12	13	7	13	6	1	.....	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	44	8	6	2	2	1	6	3	3	7	4	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	60	13	5	8	1	2	10	9	4	4	1	3	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	54	.....	.....	.....	.....	.....	.....	.....	.....	6	9	14	14	11	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	174	5	10	3	2	4	8	5	4	5	11	23	31	42	20	.....	.....	1
	Acute anterior poliomyelitis	30	3	7	2	2	4	6	2	1	.....	.....	2	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	144	2	3	1	.....	.....	2	3	3	5	11	21	31	41	20	.....	.....	1
64	Cerebral hemorrhage, apoplexy	2,534	13	.....	1	.....	1	4	10	27	55	171	383	622	799	396	44	1	7
65	Softening of the brain	39	.....	.....	.....	.....	.....	.....	.....	1	.....	2	6	4	15	9	2	.....	.....
66	Paralysis without specified cause	234	1	.....	.....	.....	.....	.....	2	.....	5	7	21	53	84	49	10	.....	2
67	General paralysis of the insane	238	.....	.....	.....	.....	.....	.....	.....	4	52	66	48	35	20	9	1	.....	3
68	Other forms of mental alienation	38	.....	.....	.....	.....	.....	.....	1	1	10	8	9	6	2	.....	.....	.....	1
69	Epilepsy	122	10	.....	.....	.....	1	1	18	20	21	23	12	6	7	3	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	32	26	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	8	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	2	.....	.....	.....	.....
73	Neuralgia and neuritis	12	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	2	2	4	.....	.....	.....
74	Other diseases of the nervous system	67	11	1	.....	1	1	4	9	9	11	4	8	3	4	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	56	9	5	4	2	3	4	7	5	3	4	6	3	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

MISSOURI—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	III.—Diseases of the circulatory system.	5,849	46	14	10	8	6	48	114	185	323	434	743	1,298	1,547	908	143	5	17
77	Pericarditis	57	1	1				1	2	1	3	9	8	11	16	2	2		
78	Acute endocarditis	282	14	3	6	5	1	18	22	31	32	29	38	37	33	11			2
79	Organic diseases of the heart	4,057	26	8	3	3	3	27	87	136	249	331	578	941	1,045	533	74	3	10
80	Angina pectoris	249								1	11	15	37	86	69	26	2		2
81	Diseases of the arteries, atheroma, aneurism, etc.	1,079								8	16	34	67	195	368	326	61	2	2
82	Embolism and thrombosis	88							2	7	11	11	11	22	12	8	3		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9						1				2	2	3	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	4	2	1		2	1	1	1		2		1			1		
85	Hemorrhage; other diseases of the circulatory system	12	1								1	1	2	2	3	2			
	IV.—Diseases of the respiratory system.	6,406	952	395	156	91	54	146	311	604	631	494	536	669	783	430	75	4	15
86	Diseases of the nasal fossae	3	1									1				1			
87	Diseases of the larynx	21	6	6	5	3	3	3			2	2			1				
88	Diseases of the thyroid body	25		1					2	1	3	4	6	7		1			
89	Acute bronchitis	263	109	26	4	5	3	3	3	2		8	9	16	31	32	12		
90	Chronic bronchitis	234	4					1	1	2	3	9	16	40	75	70	13		
91	Bronchopneumonia	2,237	568	241	86	50	21	52	83	125	123	75	131	189	282	182	25	2	2
92	Pneumonia (total)	3,359	259	116	59	30	25	82	211	459	431	367	339	381	339	179	20	2	10
	Lobar pneumonia	3,279	246	110	55	30	24	80	204	453	423	358	337	375	329	170	18	2	10
	Pneumonia (undefined)	80	13	6	4		1	2	7	6	8	9	2	6	10	9	2		
93	Pleurisy	67		3		2		2	7	10	10	9	10	6	4	4			
94	Pulmonary congestion, pulmonary apoplexy	41	2	1	1			1	1	1	1	1	2	5	14	8	3		
95	Gangrene of the lung	9								1	2	1	2	1	1				1
96	Asthma	102	1	1	1	1	1	1	2		3	13	15	18	31	11	1		2
97	Pulmonary emphysema	5												2		2	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	30	2				1	1	1	3	3	4	6	4	5				
	V.—Diseases of the digestive system.	3,411	920	300	93	39	21	89	173	210	233	255	286	326	289	143	25	1	8
99	Diseases of the mouth and annexa	18	2						1	1	2	5	3	1	2	1			
100	Diseases of the pharynx	73	3	3	2	5	3	18	16	4	5	6	4	1	1	1			1
101	Diseases of the esophagus	4						1			1				1	1			
102	Ulcer of the stomach	113	2					1	1	4	14	25	21	21	14	9	1		
103	Other diseases of the stomach (cancer excepted)	236	52	10	2		2	1	7	7	12	17	15	31	43	26	9		2
104	Diarrhea and enteritis (under 2 years)	1,072	796	276															
105	Diarrhea and enteritis (2 years and over)	342			76	26	6	18	8	18	15	18	26	34	52	35	6	1	3
107	Intestinal parasites	2							1				1						
108	Appendicitis and typhlitis	476	1	3	7	5	4	32	103	93	77	60	44	26	16	3			2
109	Hernia, intestinal obstruction (total)	359	44	4	3	1	4	11	16	30	36	39	48	52	47	21	3		
	Hernia	103	6					1	3	5	7	10	20	21	21	9			
	Intestinal obstruction	256	38	4	3	1	4	10	13	25	29	29	28	31	26	12	3		
110	Other diseases of the intestines	72	5			1		3	1	11	10	7	4	15	8	6	1		
111	Acute yellow atrophy of the liver	13	1	1					2	1	1		1	1	3	2			
113	Cirrhosis of the liver	274			1		1		5	8	18	30	56	76	68	18	3		
114	Biliary calculi	103						1		4	6	14	25	30	15	8			
115	Other diseases of the liver	148	4				1	1	2	12	21	18	29	26	24	9	1		
116	Diseases of the spleen	1			1														
117	Simple peritonitis (nonpuerperal)	88	10	3	1	1		1	8	15	14	11	6	10	5	2	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17						1	2	2	1	5	3	2		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,796	26	13	7	3	8	16	67	118	218	363	555	755	1,021	538	74	2	12
119	Acute nephritis	275	16	3	3	2	3	6	24	20	25	31	32	45	37	21	4		3
120	Bright's disease	3,080	3	5	3	1	5	9	37	59	131	268	478	657	879	471	65	2	9
122	Other diseases of the kidneys and annexa	77	4	5				1	2	4	11	13	11	7	10	9			
123	Calculi of the urinary passages	10								1	2	1	2	2	2				
124	Diseases of the bladder	65	2		1						3	1	4	12	26	12	4		
125	Diseases of the urethra, urinary abscess, etc.	15								2	1	5	4		2		1		
126	Diseases of the prostate	119										2	9	22	60	25	1		
127	Nonvenereal diseases of the male genital organs	1	1																
129	Uterine tumor (noncancerous)	52									13	25	9	2	3				
130	Other diseases of the uterus	20							1	4	8	2	1	2	1		1		
131	Cysts and other tumors of the ovary	25								6	8	5	2	4					
132	Salpingitis and other diseases of the female genital organs	57							3	22	16	10	3	2	1				
	VII.—The puerperal state	479							56	213	171	37	1						1
134	Accidents of pregnancy	48							1	17	26	4							
135	Puerperal hemorrhage	32							3	8	15	6							
136	Other accidents of labor	40							5	14	20	1							
137	Puerperal septicemia	243							29	114	82	16	1						1
138	Puerperal albuminuria and convulsions	97							18	49	22	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	17								9	6	2							
140	Following childbirth (not otherwise defined)	2								2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	111	14	1	.....	2	1	2	5	6	5	4	15	10	29	10	6	1	.....
142	Gangrene	51	2	.....	.....	2	1	.....	1	.....	1	2	3	6	19	9	4	1	.....
143	Furuncle	22	1	.....	.....	.....	.....	.....	2	2	2	1	7	2	5	.....	.....	.....	.....
144	Acute abscess	17	4	1	.....	.....	.....	2	1	1	1	1	3	1	2	.....	.....	.....	.....
145	Other diseases of the skin and annexa	21	7	.....	.....	.....	.....	.....	1	3	1	.....	2	1	3	1	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	68	4	.....	3	.....	2	5	14	9	8	7	3	6	5	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	59	3	.....	3	.....	2	5	12	9	6	7	3	5	3	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	1	.....	.....	.....	.....	.....	2	.....	1	.....	.....	1	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
	X.—Malformations	315	306	2	2	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	315	306	2	2	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	18	14	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	183	179	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	114	113	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,815	1,815	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,574	1,574	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,383	1,383	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	191	191	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	240	240	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	139	139	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	101	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	249	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	55	136	47	7	.....
154	Senility	249	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	55	136	47	7	.....
	XIII.—External causes	2,483	49	54	34	36	34	125	253	420	381	299	274	217	162	115	21	.....	9
	Suicide (total)	407	.....	.....	.....	.....	.....	.....	19	68	83	77	86	45	24	3	1	.....	1
155	By poison	97	.....	.....	.....	.....	.....	.....	10	20	18	18	14	11	6	.....	.....	.....	.....
156	By asphyxia	25	.....	.....	.....	.....	.....	.....	.....	5	6	8	2	3	1	.....	.....	.....	.....
157	By hanging or strangulation	64	.....	.....	.....	.....	.....	.....	2	5	9	8	24	12	4	.....	.....	.....	.....
158	By drowning	10	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	1	1	.....	.....	.....	.....
159	By firearms	162	.....	.....	.....	.....	.....	.....	6	32	45	29	30	12	6	2	.....	.....	.....
160	By cutting or piercing instruments	26	.....	.....	.....	.....	.....	.....	.....	2	2	5	9	1	4	1	1	.....	1
161	By jumping from high places	17	.....	.....	.....	.....	.....	.....	1	2	1	5	3	4	1	.....	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,808	44	54	34	36	32	120	224	262	218	175	171	165	136	109	20	.....	8
164	Poisoning by food	35	6	4	3	1	.....	3	4	5	1	4	1	2	.....	.....	1	.....	.....
165	Other acute poisonings	52	5	10	2	1	.....	.....	1	5	15	4	3	4	1	1	.....	.....	.....
166	Conflagration	21	.....	1	1	2	1	3	3	2	1	1	1	2	1	2	.....	.....	.....
167	Burns (conflagration excepted)	174	6	17	18	16	5	19	12	22	9	13	13	7	10	7	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	39	13	.....	.....	1	.....	.....	.....	2	4	3	10	6	.....	.....	.....	.....	.....
169	Accidental drowning	113	1	8	2	2	2	8	38	24	7	10	8	2	.....	.....	.....	.....	1
170	Traumatism by firearms	88	.....	1	.....	2	.....	10	36	20	11	5	1	2	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	357	1	3	5	4	6	11	15	23	27	25	34	39	66	80	18	.....	.....
173	Traumatism in mines and quarries (total)	42	.....	.....	.....	.....	.....	1	1	7	9	11	6	4	2	1	.....	.....	.....
	Traumatism in mines	40	.....	.....	.....	.....	.....	1	1	7	9	10	6	3	2	1	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
174	Traumatism by machines	54	.....	.....	.....	.....	.....	.....	5	15	8	6	11	6	3	.....	.....	.....	.....
175	Traumatism by other crushing (total)	564	3	1	2	3	17	49	67	88	84	70	58	67	37	12	.....	.....	6
	Railroad accidents and injuries	214	3	1	.....	.....	2	6	19	45	40	30	24	28	8	3	.....	.....	5
	Street-car accidents and injuries	45	.....	.....	.....	1	.....	5	5	6	1	9	8	2	5	2	.....	.....	1
	Automobile accidents and injuries	231	.....	.....	1	2	13	34	30	26	32	27	19	26	15	6	.....	.....	.....
	Injuries by other vehicles	56	.....	.....	1	.....	1	3	9	8	8	3	6	8	8	1	.....	.....	.....
	Aeroplane accidents and injuries	4	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Landslide, other crushing	14	.....	.....	.....	.....	.....	1	2	3	3	1	1	2	1	.....	.....	.....	.....
176	Injuries by animals	31	.....	.....	.....	3	.....	3	5	5	1	3	3	2	5	1	.....	.....	.....
178	Excessive cold	6	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
179	Effects of heat	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....
180	Lightning	34	.....	.....	.....	.....	.....	.....	7	5	7	2	5	8	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	34	.....	.....	.....	.....	.....	1	10	12	4	3	1	2	1	.....	.....	.....	.....
185	Fractures (cause not specified)	10	1	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	1	2	.....	.....	.....
180	Other external violence	146	7	9	1	1	1	11	20	24	27	10	14	9	7	3	1	.....	1
	Homicide (total)	268	5	.....	.....	.....	2	5	10	90	80	47	17	7	2	3	.....	.....	.....
182	By firearms	191	1	.....	.....	.....	.....	1	6	66	60	42	9	3	2	1	.....	.....	.....
183	By cutting or piercing instruments	32	.....	.....	.....	.....	2	3	1	10	11	2	3	.....	.....	.....	.....	.....	.....
184	By other means	45	4	.....	.....	.....	.....	1	3	14	9	3	5	4	.....	2	.....	.....	.....
	XIV.—Ill-defined diseases	578	220	30	3	5	6	5	9	18	15	24	38	77	61	52	8	1	6
187	Ill-defined organic disease	9	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	2	.....	.....
188	Sudden death	13	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	1	1	2	.....	.....
189	Not specified or ill-defined (total)	556	217	30	3	5	6	5	9	17	14	23	33	74	57	50	6	1	6
	Ill-defined	77	14	10	1	1	.....	1	1	1	3	4	5	18	8	7	3	.....	.....
	Not specified or unknown	479	203	20	2	4	6	4	8	16	11	19	28	56	49	43	3	1	6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MONTANA.																		
	All causes	5,289	862	163	68	55	47	157	283	423	619	571	640	625	488	251	29	1	7
	I.—General diseases	1,411	111	61	23	18	21	54	89	130	210	188	216	163	90	35	1		1
1	Typhoid fever	27		1		1		5	6	5	5	3	1						
5	Smallpox	2	1										1						
6	Measles	27	8	6	2	1	1	6	2	1									
7	Scarlet fever	22		5		1		5	6	4		1							
8	Whooping cough	51	38	7	3	1	1	1											
9	Diphtheria and croup	32	1	3	2	4	5	4	7	4	2								
10	Influenza	304	33	26	9	5	3	8	29	38	72	30	14	15	11	10			1
14	Dysentery	8	3	2							1		1		1				
18	Erysipelas	16	6				1				1	1	1	4		1	1		
19	Other epidemic diseases	4	1					1			1			1					
20	Purulent infection and septicemia	6	1		1							1	1	2					
22	Anthrax	1									1								
25	Mycoses	1									1								
	Tuberculosis (total)	419	8	7	4	4	6	15	29	64	85	72	80	37	4	4			
28	Tuberculosis of the lungs	354	5	1	4	1	3	8	19	51	72	69	79	36	4	2			
29	Acute miliary tuberculosis	12		1						5	4	1		1					
30	Tuberculous meningitis	23	3	3		2	3	7	3	1	1								
31	Abdominal tuberculosis	15		2					5	3	3	1				1			
32	Pott's disease	3				1					2								
33	White swellings	1									1								
34	Tuberculosis of other organs	9							1	4	2	1				1			
35	Disseminated tuberculosis	2							1				1						
37	Syphilis	39	6	1					2	1	8	10	4	4	2	1			
38	Gonococcus infection	5	1					1	1	1	1								
	Cancer and other malignant tumors (total)	282			1		1	1	1	1	18	40	81	72	50	16			
39	Of the buccal cavity	13									1	1	2	5	2	2			
40	Of the stomach, liver	106									4	12	34	27	22	7			
41	Of the peritoneum, intestines, rectum	42					1		1		1	5	11	15	6	2			
42	Of the female genital organs	31								1	7	5	9	6	3				
43	Of the breast	30									1	11	6	6	5	1			
44	Of the skin	10									1		1	3	3	2			
45	Of other organs or of organs not specified	50			1			1			3	6	18	10	9	2			
46	Other tumors (tumors of the female genital organs excepted)	6									5			1					
47	Acute articular rheumatism	15						3	3	1	4	1	1	1	1				
48	Chronic rheumatism and gout	8										1	2	2	2	1			
50	Diabetes	60		1			2	3	2	6	3	8	9	14	10	2			
51	Exophthalmic goiter	3											2		1				
52	Addison's disease	1												1					
53	Leukemia	7				1		1	1	1		3							
54	Anemia, chlorosis	46	1	1			1			2	2	11	14	6	8				
55	Other general diseases	7	3	1	1							1	1						
56	Alcoholism (acute or chronic)	10								1		4	2	3					
59	Other chronic poisonings	2										1	1						
	II.—Diseases of the nervous system and of the organs of special sense	452	21	12	3	4	4	7	11	21	30	48	70	80	95	40	6		
60	Encephalitis	10		1	2	1			1	4						1			
61	Meningitis (total)	32	8	1		1	1	2	2	4	4	5	3		1				
	Simple meningitis	10	3					1		2	1	1	1		1				
	Cerebrospinal meningitis (undefined)	7	2	1					1		2	1							
	Cerebrospinal fever	15	3			1	1	1	1	2	1	3	2						
62	Locomotor ataxia	3							1		1	1							
63	Other diseases of the spinal cord (total)	19		2	1		1	1	1	1	2	3	3	2	1	1			
	Acute anterior poliomyelitis	5		1	1		1	1		1									
	Other diseases of the spinal cord	14		1					1		2	3	3	2	1	1			
64	Cerebral hemorrhage, apoplexy	246						1	1	2	5	16	43	66	74	32	6		
65	Softening of the brain	4													3	1			
66	Paralysis without specified cause	25		1					2			1	3	4	9	5			
67	General paralysis of the insane	43								2	7	16	11	4	3				
68	Other forms of mental alienation	11								1	6	1	1	2					
69	Epilepsy	13	1	1				1	1	2	2	2	2		1				
70	Convulsions (nonpuerperal)	3								2	1								
71	Convulsions of infants	15	9	4		1	1												
73	Neuralgia and neuritis	1											1						
74	Other diseases of the nervous system	18	2	1		1	1		2	1	2	1	3	1	3				
76	Diseases of the ears	9	1	1				2		2		2		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MONTANA—Continued.																		
	III.—Diseases of the circulatory system.	586	11	.....	.....	1	.....	8	28	27	43	62	98	138	114	49	4	1	
77	Pericarditis	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
78	Acute endocarditis	53	2	.....	.....	.....	.....	2	4	3	12	10	15	4	.....	1	.....	.....	.....
79	Organic diseases of the heart	428	4	.....	.....	1	.....	6	22	23	27	48	64	105	95	29	1	1	2
80	Angina pectoris	35	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	18	5	3	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	46	.....	.....	.....	.....	.....	.....	.....	.....	2	2	9	8	12	10	3	.....	.....
82	Embolism and thrombosis	13	2	.....	.....	.....	.....	.....	1	1	.....	1	2	1	1	4	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	2	.....	.....	.....
	IV.—Diseases of the respiratory system.	655	120	41	9	9	4	23	32	61	71	62	68	58	52	39	4	.....	2
86	Diseases of the nasal fossæ	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	9	2	1	1	1	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	13	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
90	Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	.....	.....	.....
91	Bronchopneumonia	199	73	29	4	5	3	10	3	11	4	6	8	8	18	15	2	.....	.....
92	Pneumonia (total)	377	35	10	4	3	1	9	27	44	66	45	50	41	25	14	2	.....	1
	Lobar pneumonia	315	18	7	3	3	1	9	21	39	61	43	45	34	20	9	1	.....	1
	Pneumonia (undefined)	62	17	3	1	.....	.....	.....	6	5	5	2	5	7	5	5	1	.....	.....
93	Pleurisy	16	.....	1	.....	.....	.....	2	.....	4	1	3	3	2	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
96	Asthma	9	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	3	1	1	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	.....	1	.....	.....	.....
	V.—Diseases of the digestive system.	524	125	30	17	8	7	28	34	32	51	53	56	48	22	11	2	.....	.....
99	Diseases of the mouth and annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	12	.....	1	1	.....	.....	4	2	2	1	.....	1	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	23	.....	.....	.....	.....	.....	.....	.....	.....	7	2	7	4	1	1	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	24	10	2	.....	1	.....	3	.....	.....	.....	1	2	3	1	1	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	123	99	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	42	.....	.....	12	4	5	3	1	1	1	3	2	2	6	2	.....	.....	.....
108	Appendicitis and typhlitis	124	1	1	2	3	1	16	23	21	22	15	11	7	1	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	67	11	2	2	.....	.....	.....	1	2	5	10	13	13	4	3	1	.....	.....
	Hernia	26	2	1	.....	.....	.....	.....	.....	1	.....	4	8	6	2	2	.....	.....	.....
	Intestinal obstruction	41	9	1	2	.....	.....	.....	1	1	5	6	5	7	2	1	1	.....	.....
110	Other diseases of the intestines	18	2	.....	.....	.....	.....	1	1	1	4	3	2	3	1	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	37	.....	.....	.....	.....	.....	.....	2	.....	3	10	9	7	4	2	.....	.....	.....
114	Biliary calculi	17	.....	.....	.....	.....	.....	.....	.....	1	2	5	2	4	2	1	.....	.....	.....
115	Other diseases of the liver	18	1	.....	.....	.....	.....	.....	2	.....	4	3	4	3	1	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	12	.....	.....	.....	.....	1	1	2	4	2	.....	1	.....	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	334	4	2	.....	1	.....	3	6	13	29	46	52	68	66	40	4	.....	.....
119	Acute nephritis	20	2	.....	.....	.....	.....	1	2	1	3	3	1	3	1	1	2	.....	.....
120	Bright's disease	253	1	1	.....	1	.....	2	3	4	16	31	47	56	56	33	2	.....	.....
122	Other diseases of the kidneys and annexa	10	1	1	.....	.....	.....	.....	1	.....	.....	.....	2	2	2	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	5	3	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	5	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	.....	4	3	4	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	104	.....	.....	.....	.....	.....	.....	8	51	35	10	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	16	.....	.....	.....	.....	.....	.....	2	10	4	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	9	.....	.....	.....	.....	.....	.....	.....	4	5	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	14	.....	.....	.....	.....	.....	.....	1	4	7	2	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	42	.....	.....	.....	.....	.....	.....	1	24	10	7	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	15	.....	.....	.....	.....	.....	.....	3	7	5	.....	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8	.....	.....	.....	.....	.....	.....	1	2	4	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH. M	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	MONTANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	13	3	2				1			2		1	2	1	1			
142	Gangrene	5						1			1			1	1	1			
143	Furuncle	2											1	1					
144	Acute abscess	3	2								1								
145	Other diseases of the skin and annexa	3	1	2															
	IX.—Diseases of the bones and of the organs of locomotion	14						3	1	2	2	4	1	1					
146	Diseases of the bones (tuberculosis excepted)	12						3	1	1	1	4	1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1	1								
	X.—Malformations	77	71	1	1			3	1										
150	Congenital malformations (total)	77	71	1	1			3	1										
	Hydrocephalus	11	8	1	1			1											
	Congenital malformations of the heart	42	40					2											
	Other congenital malformations	24	23						1										
	XI.—Early infancy	359	359																
151	Congenital debility, icterus, and sclerema (total)	285	285																
	Premature birth	234	234																
	Congenital debility, "atrophy," "marasmus," etc	51	51																
152	Other causes peculiar to early infancy (total)	74	74																
	Injuries at birth	48	48																
	Other causes peculiar to early infancy	26	26																
	XII.—Old age	67												9	27	25	6		
154	Senility	67												9	27	25	6		
	XIII.—External causes	605	6	13	12	14	10	24	67	82	141	95	74	45	12	6	1		2
	Suicide (total)	86							6	13	15	25	13	8	4	2			
155	By poison	12							2		5	1	3	1					
157	By hanging or strangulation	11								1	1	7	2						
158	By drowning	3								1	1		1						
159	By firearms	45							3	10	7	10	4	6	3	2			
160	By cutting or piercing instruments	12							1		1	6	2	1	1				
162	By crushing	2										1	1						
163	Other suicides	1								1									
	Accidental or undefined (total)	473	4	13	12	14	10	22	58	61	107	65	55	37	8	4	1		2
164	Poisoning by food	4				1		1			1			1					
165	Other acute poisonings	11		1		3				1	1	2	1		1	1			
166	Conflagration	4						1	1				2						
167	Burns (conflagration excepted)	31		6	6	3	3		1	2	3	2	2	1	1	1			
168	Absorption of deleterious gases (conflagration excepted)	15	1						3	1	2	3	4	1					
169	Accidental drowning	53		4	3	5	1	5	16	9	5	4	1						
170	Traumatism by firearms	21						1	5	3	6	1	3	2					
171	Traumatism by cutting or piercing instruments	3								1				2					
172	Traumatism by fall	37	2	1	1			3	2	2	7	4	6	5	1	2	1		
173	Traumatism in mines and quarries (total)	71							2	13	31	15	8	1					1
	Traumatism in mines	71							2	13	31	15	8	1					1
174	Traumatism by machines	18							3	2	5	5	1	2					
175	Traumatism by other crushing (total)	138			1		3	7	12	17	34	20	24	16	3				1
	Railroad accidents and injuries	60			1			2	2	11	23	9	8	3					1
	Street-car accidents and injuries	2						1	1										
	Automobile accidents and injuries	45					1	2	8	5	11	6	8	4					
	Injuries by other vehicles	25					1	2	1			3	7	8	3				
	Landslide, other crushing	6					1			1		2	1	1					
176	Injuries by animals	10					3	1	1	2	1	1		1					
178	Excessive cold	4							1		1	1		1					
180	Lightning	10						1	2	2	2	2	1						
181	Electricity (lightning excepted)	13							3	3	3	3		1					
185	Fractures (cause not specified)	9			1			1	1	1			1	3	1				
186	Other external violence	21	1	1		2		1	5	2	5	2	1		1				
	Homicide (total)	46	2					2	3	8	19	5	6	1					
182	By firearms	39						1	3	6	18	5	6						
184	By other means	7	2					1		2	1			1					
	XIV.—Ill-defined diseases	88	31	1	3		1	3	6	4	5	3	4	12	9	5	1		
187	Ill-defined organic disease	2													1	1			
188	Sudden death	4	1						1							1	1		
189	Not specified or ill-defined (total)	82	30	1	3		1	3	5	4	5	3	4	12	8	3			
	Ill-defined	22	3					1		1	2	1	3	5	5	1			
	Not specified or unknown	60	27	1	3		1	2	5	3	3	2	1	7	3	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NEBRASKA.																		
	All causes	12,076	1,986	373	215	145	99	324	651	937	998	943	1,136	1,720	2,059	1,188	171	5	26
	I.—General diseases	3,671	335	161	90	61	41	148	248	354	376	336	418	533	411	148	7	2	2
1	Typhoid fever	58	1			1	1	3	14	15	12	4	4	3					
4	Malaria	1	1																
5	Smallpox	22	6	1	1		1	3	4	2	2			1		1			
6	Measles	121	22	26	18	12	4	15	13	6	1	2		1		1			
7	Scarlet fever	60	4	6	6	3	3	11	13	7	3	4							
8	Whooping cough	246	139	61	20	13	2	8	1			1	1						
9	Diphtheria and croup	112	6	7	8	7	13	41	27	1	1	1							
10	Influenza	747	80	41	19	17	8	32	59	130	132	61	53	43	47	22	3		
13	Cholera nostras	3	3																
14	Dysentery	34	6	7	3			1		2			1	3	4	7			
18	Erysipelas	50	15		1				1	2	2	7	5	4	4	8		1	
19	Other epidemic diseases	4	1				1		1			1							
20	Purulent infection and septicemia	18	2					1		4	2		4	3	2				
22	Anthrax	1												1					
23	Rabies	1							1										
24	Tetanus	15	2					5	2	3	2		1						
26	Pellagra	1									1								
	Tuberculosis (total)	561	13	11	6	3	3	9	57	135	114	78	51	47	25	8			1
28	Tuberculosis of the lungs	441	8	4	2		1	3	43	104	101	61	43	41	21	8			1
29	Acute miliary tuberculosis	20		1				1	2	9	1	5		1					
30	Tuberculous meningitis	33	4	4	3	2	1	3	3	9	1	1	1	1					
31	Abdominal tuberculosis	32	1	2		1			2	10	5	5	3		3				
32	Pott's disease	11			1		1		2	3	2	2							
33	White swellings	6							1		2	2		1					
34	Tuberculosis of other organs	15						2	2		2	2	4	2	1				
35	Disseminated tuberculosis	3							2					1					
36	Rickets	2	2																
37	Syphilis	77	15		1			1	2	6	13	12	15	7	3	2			
38	Gonococcus infection	5								1	2	2							
	Cancer and other malignant tumors (total)	999	1		1			7	4	10	49	106	201	282	256	77	3	1	1
39	Of the buccal cavity	30							1		1	2	6	5	12	3			
40	Of the stomach, liver	437						2		3	7	32	82	148	133	28	1	1	
41	Of the peritoneum, intestines, rectum	129									9	14	29	29	35	11	1		1
42	Of the female genital organs	113								1	14	27	30	27	8	6			
43	Of the breast	62								1	9	7	18	10	12	5			
44	Of the skin	27										3	3	7	7	7			
45	Of other organs or of organs not specified	201	1		1			5	3	5	9	21	33	56	49	17	1		
46	Other tumors (tumors of the female genital organs excepted)	7											2	1	3	1			
47	Acute articular rheumatism	51	1		1				14	5	8	4	3	5	7	3			
48	Chronic rheumatism and gout	11								1	1		2	2	2	3			
50	Diabetes	269			2	2	1	7	24	11	15	14	48	89	44	11	1		
51	Exophthalmic goiter	30							2	6	4	10	4	2	2				
52	Addison's disease	8									2	2	1	1	2				
53	Leukemia	28					1	3	4	4	2	4	3	6	1				
54	Anemia, chlorosis	79	1				2	1	3	2	5	17	15	25	6	2			
55	Other general diseases	41	14	1	3	3	1		2		1	3	1	7	3	2			
56	Alcoholism (acute or chronic)	6									2	1	3						
59	Other chronic poisonings	3								1		2							
	II.—Diseases of the nervous system and of the organs of special sense	1,282	43	9	13	8	5	19	47	34	66	64	138	295	338	182	17		4
60	Encephalitis	26	3	1				1	4	5	2	2	3	4					1
61	Meningitis (total)	70	14	4	6	4	4	7	16	5	5	2	2		1				
	Simple meningitis	28	4	1	4	2	2	1	6		4	1	2		1				
	Cerebrospinal meningitis (undefined)	14	2	1	2		1	2	2	3		1							
	Cerebrospinal fever	28	8	2		2	1	4	8	2	1								
62	Locomotor ataxia	19									3	1	7	4	2	2			
63	Other diseases of the spinal cord (total)	78	1	1	2	2		2	3	3	3	2	10	18	23	8			
	Acute anterior poliomyelitis	10	1	1	2	1		2	1	2									
	Other diseases of the spinal cord	68				1			2	1	3	2	10	18	23	8			
64	Cerebral hemorrhage, apoplexy	791	2		1	1		2	1	5	18	31	84	221	267	143	15		
65	Softening of the brain	8												1	2	5			
66	Paralysis without specified cause	82							1		1	3	6	22	28	19	2		
67	General paralysis of the insane	55							1	1	11	12	11	10	3	4			2
68	Other forms of mental alienation	24							2	1	4	3	6	4	2	1			1
69	Epilepsy	40	2						9	11	9	1	2		6				
71	Convulsions of infants	19	13	2	3	1													
72	Chorea	4			1				2					1					
73	Neuralgia and neuritis	7									1	1	1	2	2				
74	Other diseases of the nervous system	37	4	1				4	2	2	9	4	5	5	1				
75	Diseases of the eyes and their annexa	4							2			1	1						
76	Diseases of the ears	18	4				1	3	4	1		1		3	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEBRASKA—Continued.																		
	III.—Diseases of the circulatory system.	1,734	16	4	1	.....	4	15	35	51	79	111	218	370	526	238	33	1	2
77	Pericarditis	14	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	3	5	2	.....	.....	.....
78	Acute endocarditis	84	2	1	1	.....	1	6	12	4	11	12	20	6	6	2	.....	.....	.....
79	Organic diseases of the heart	1,207	8	3	.....	.....	2	8	20	39	53	74	147	271	387	176	17	.....	2
80	Angina pectoris	94	.....	.....	.....	.....	.....	.....	.....	1	3	9	16	30	27	8	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	225	.....	.....	.....	.....	.....	.....	.....	.....	3	4	17	38	78	69	15	1	.....
82	Embolism and thrombosis	89	1	.....	.....	.....	.....	1	2	6	7	10	13	19	18	11	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	2	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	8	1	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	3	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	1,342	237	77	23	15	6	33	61	117	119	95	87	116	218	112	23	.....	3
86	Diseases of the nasal fossae	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
87	Diseases of the larynx	9	3	1	.....	.....	.....	1	1	1	.....	.....	.....	1	1	.....	.....	.....	.....
88	Diseases of the thyroid body	13	.....	.....	.....	.....	.....	.....	1	2	1	3	2	2	2	.....	.....	.....	.....
89	Acute bronchitis	36	21	5	1	1	.....	.....	.....	.....	1	.....	.....	1	4	2	.....	.....	.....
90	Chronic bronchitis	56	1	1	.....	.....	.....	.....	1	3	1	1	5	7	21	14	1	.....	.....
91	Bronchopneumonia	382	138	35	12	2	2	10	7	12	15	13	14	29	57	26	9	.....	1
92	Pneumonia (total)	733	71	31	9	11	3	19	47	92	90	61	50	63	116	57	12	.....	1
	Lobar pneumonia	558	48	23	7	9	2	11	37	79	78	55	44	56	79	28	2	.....	.....
	Pneumonia (undefined)	175	23	8	2	2	1	8	10	13	12	6	6	7	37	29	10	.....	1
93	Pleurisy	40	.....	3	.....	.....	1	1	2	5	8	5	5	2	4	3	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	18	1	.....	.....	.....	.....	.....	1	.....	.....	2	.....	2	5	6	1	.....	.....
95	Gangrene of the lung	6	.....	.....	.....	1	.....	.....	.....	.....	1	3	.....	.....	1	.....	.....	.....	.....
96	Asthma	32	.....	.....	1	.....	.....	1	.....	2	1	6	7	6	5	3	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	13	1	1	.....	.....	.....	1	1	.....	1	1	3	3	1	.....	.....	.....	.....
	V.—Diseases of the digestive system.	1,248	265	76	53	35	22	54	89	76	98	106	85	117	101	59	8	1	3
99	Diseases of the mouth and annexa	9	.....	.....	.....	.....	.....	.....	.....	1	1	4	1	2	.....	.....	.....	.....	.....
100	Diseases of the pharynx	52	3	1	5	1	5	12	9	4	6	2	1	1	.....	2	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	42	.....	.....	.....	.....	.....	.....	2	2	7	10	7	7	6	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	80	29	4	3	.....	.....	.....	.....	2	2	4	4	12	13	1	5	1	.....
104	Diarrhea and enteritis (under 2 years)	269	204	65	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	128	.....	.....	34	23	5	6	3	3	5	3	2	9	16	18	1	.....	.....
107	Intestinal parasites	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	249	1	.....	5	7	10	26	61	47	35	25	15	11	6	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	146	23	5	5	3	2	6	7	4	12	13	15	16	16	10	.....	.....	.....
	Hernia	43	10	2	.....	.....	.....	.....	.....	1	1	5	4	7	7	6	.....	.....	.....
	Intestinal obstruction	103	13	3	5	3	2	6	7	3	11	8	11	9	9	13	.....	.....	.....
110	Other diseases of the intestines	31	.....	.....	1	.....	.....	.....	.....	3	3	5	1	2	5	9	.....	.....	2
111	Acute yellow atrophy of the liver	6	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	2	1	.....	.....	.....	.....
113	Cirrhosis of the liver	59	1	.....	.....	.....	.....	.....	.....	.....	3	7	8	16	17	5	2	.....	.....
114	Biliary calculi	62	.....	.....	.....	.....	.....	.....	.....	3	6	16	12	17	7	1	.....	.....	.....
115	Other diseases of the liver	80	2	1	.....	.....	.....	.....	2	1	13	12	15	18	14	2	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	24	2	.....	.....	.....	.....	2	4	5	2	2	2	3	.....	1	.....	.....	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8	.....	.....	.....	.....	.....	1	.....	.....	3	1	2	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	858	15	1	1	1	2	4	18	31	59	99	86	159	240	127	13	.....	2
119	Acute nephritis	51	5	1	.....	1	.....	2	6	4	12	6	4	4	4	2	.....	.....	.....
120	Bright's disease	627	3	.....	1	.....	2	2	7	14	21	64	73	130	187	110	11	.....	2
122	Other diseases of the kidneys and annexa	34	7	.....	.....	.....	.....	.....	1	1	1	6	3	6	8	1	.....	.....	.....
123	Calculi of the urinary passages	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	1	.....	.....	.....
124	Diseases of the bladder	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	8	3	.....	.....	.....
126	Diseases of the prostate	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	12	20	9	2	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	19	.....	.....	.....	.....	.....	.....	1	.....	6	10	.....	.....	1	1	.....	.....	.....
130	Other diseases of the uterus	15	.....	.....	.....	.....	.....	.....	.....	5	3	3	2	1	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	30	.....	.....	.....	.....	.....	.....	3	4	13	9	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	221	.....	.....	.....	.....	.....	.....	17	113	69	22	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	39	.....	.....	.....	.....	.....	.....	4	18	16	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	17	.....	.....	.....	.....	.....	.....	.....	8	5	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	34	.....	.....	.....	.....	.....	.....	1	18	11	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	76	.....	.....	.....	.....	.....	.....	9	39	21	7	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	44	.....	.....	.....	.....	.....	.....	3	27	11	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8	.....	.....	.....	.....	.....	.....	.....	1	5	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEBRASKA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	53	12	.....	.....	1	.....	1	3	4	1	.....	3	5	11	10	2	.....	.....
142	Gangrene	24	2	.....	.....	1	.....	.....	.....	1	.....	.....	1	3	8	7	1	.....	.....
143	Furuncle	11	1	.....	.....	.....	.....	.....	2	2	1	.....	.....	1	2	1	1	.....	.....
144	Acute abscess	5	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	.....
145	Other diseases of the skin and annexa	13	8	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	41	1	1	2	1	1	6	9	3	3	1	1	4	5	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	36	1	1	2	1	1	6	9	2	3	1	1	3	3	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	184	171	7	2	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	184	171	7	2	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	17	9	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	106	104	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	61	58	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	801	801	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	654	654	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	485	485	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	169	169	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	147	147	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	70	70	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	77	77	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	378	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	108	196	60	1	.....
154	Senility	378	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	108	196	60	1	.....
	XIII.—External causes	990	43	31	27	21	16	44	119	151	124	100	83	85	73	60	5	.....	8
	Suicide (total)	156	.....	.....	.....	.....	.....	.....	11	29	28	24	27	16	11	7	.....	.....	3
155	By poison	21	.....	.....	.....	.....	.....	.....	2	6	3	4	1	2	2	1	.....	.....	.....
156	By asphyxia	10	.....	.....	.....	.....	.....	.....	1	1	2	3	2	.....	1	.....	.....	.....	.....
157	By hanging or strangulation	42	.....	.....	.....	.....	.....	.....	2	2	5	6	11	8	2	5	.....	.....	1
158	By drowning	6	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	1	.....	.....	.....	.....	.....
159	By firearms	67	.....	.....	.....	.....	.....	.....	6	18	15	8	10	4	3	1	.....	.....	2
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	3	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	780	41	31	26	19	14	44	104	107	88	69	52	66	58	52	5	.....	4
164	Poisoning by food	19	3	1	1	1	3	3	1	2	.....	.....	1	1	2	.....	.....	.....	.....
165	Other acute poisonings	31	2	7	2	1	1	2	1	5	4	3	2	1	.....	.....	.....	.....	.....
166	Conflagration	21	.....	1	2	1	.....	.....	1	3	2	5	1	2	.....	2	.....	.....	1
167	Burns (conflagration excepted)	58	2	5	6	3	2	2	7	11	7	3	3	.....	4	2	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	39	19	.....	.....	.....	.....	.....	4	1	5	5	1	3	.....	1	.....	.....	.....
169	Accidental drowning	57	.....	8	4	2	.....	6	21	8	6	.....	1	1	.....	.....	.....	.....	.....
170	Traumatism by firearms	33	.....	.....	1	1	1	4	15	8	3	2	.....	2	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	121	1	1	3	1	.....	7	8	3	10	7	9	14	21	32	4	.....	.....
174	Traumatism by machines	17	.....	.....	1	.....	.....	.....	3	4	5	.....	3	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	248	5	4	3	4	5	13	30	47	30	34	21	27	18	4	.....	.....	3
	Railroad accidents and injuries	94	1	1	1	.....	1	1	9	17	15	17	8	7	11	2	.....	.....	3
	Street-car accidents and injuries	7	.....	1	.....	.....	.....	1	.....	1	.....	2	.....	2	.....	.....	.....	.....	.....
	Automobile accidents and injuries	104	3	2	1	2	2	11	14	22	10	10	7	12	6	2	.....	.....	.....
	Injuries by other vehicles	32	1	.....	1	2	2	.....	5	6	4	4	1	5	1	.....	.....	.....	.....
	Aeroplane accidents and injuries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	10	.....	.....	.....	.....	.....	.....	2	.....	1	1	5	1	.....	.....	.....	.....	.....
176	Injuries by animals	19	.....	1	1	3	.....	2	1	.....	2	2	1	3	2	1	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
178	Excessive cold	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
180	Lightning	15	1	.....	.....	.....	.....	2	3	2	3	2	2	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	11	.....	.....	.....	.....	.....	.....	2	4	5	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	28	1	.....	1	.....	.....	.....	.....	4	2	.....	1	6	7	6	.....	.....	.....
186	Other external violence	49	7	3	1	2	1	2	7	4	4	6	5	4	2	1	.....	.....	.....
	Homicide (total)	54	2	.....	1	2	2	.....	4	15	8	7	4	3	4	1	.....	.....	1
183	By firearms	36	.....	.....	.....	.....	.....	.....	2	13	5	7	3	3	2	.....	.....	.....	1
183	By cutting or piercing instruments	14	1	.....	1	2	2	.....	1	2	3	.....	1	.....	1	.....	.....	.....	.....
184	By other means	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
	XIV.—Ill-defined diseases	173	47	6	3	2	.....	.....	4	2	4	9	16	24	28	23	3	.....	2
187	Ill-defined organic disease	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	7	.....	.....	.....
188	Sudden death	10	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....	.....	.....
189	Not specified or ill-defined (total)	149	43	6	3	2	.....	.....	4	1	4	7	15	18	25	16	3	.....	2
	Ill-defined	72	4	3	1	2	.....	.....	1	1	3	7	10	15	19	5	1	.....	.....
	Not specified or unknown	77	39	3	2	.....	.....	.....	3	.....	1	.....	5	3	6	11	2	.....	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW HAMPSHIRE.																		
	All causes	6,764	875	129	59	38	34	102	223	327	407	454	659	1,107	1,296	879	135	5	35
	I. General diseases	1,706	99	53	28	20	15	48	93	131	182	186	230	271	226	110	6	.....	8
1	Typhoid fever	30	.....	.....	.....	.....	.....	1	9	6	6	5	2	1	.....	.....	.....	.....	.....
6	Measles	40	14	12	4	3	.....	3	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	9	.....	1	1	1	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	36	24	10	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	52	4	3	5	5	6	21	5	1	.....	.....	1	1	.....	.....	.....	.....	.....
10	Influenza	303	26	13	6	3	3	8	16	25	53	28	20	37	33	30	2	.....	.....
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	5	1	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
18	Erysipelas	18	6	.....	.....	.....	.....	.....	1	.....	.....	1	1	4	3	2	.....	.....	.....
19	Other epidemic diseases	7	.....	2	1	.....	1	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	8	1	.....	.....	.....	.....	.....	.....	2	.....	.....	2	3	.....	.....	.....	.....	.....
24	Tetanus	6	.....	.....	.....	1	.....	.....	1	1	.....	.....	3	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	430	14	8	10	6	2	6	46	88	80	63	50	38	12	6	.....	.....	1
28	Tuberculosis of the lungs	352	4	1	1	1	.....	1	36	78	75	58	43	35	12	6	.....	.....	1
29	Acute miliary tuberculosis	9	1	.....	1	.....	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	31	6	7	4	3	2	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	18	.....	.....	2	2	.....	2	2	4	2	2	1	1	.....	.....	.....	.....	.....
32	Potts' disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
33	White swellings	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	13	2	.....	2	.....	.....	.....	.....	2	1	.....	4	2	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
36	Rickets	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	14	4	.....	.....	.....	.....	.....	.....	.....	4	2	2	1	1	.....	.....	.....	.....
38	Gonococcus infection	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	521	.....	.....	.....	.....	.....	.....	.....	1	19	53	103	139	132	66	3	.....	5
39	Of the buccal cavity	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	4	4	3	.....	.....	.....
40	Of the stomach, liver	183	.....	.....	.....	.....	.....	.....	.....	.....	5	12	36	55	46	22	2	.....	5
41	Of the peritoneum intestines, rectum	91	.....	.....	.....	.....	.....	.....	.....	.....	4	9	17	21	25	15	.....	.....	.....
42	Of the female genital organs	71	.....	.....	.....	.....	.....	.....	.....	.....	8	14	18	13	13	5	.....	.....	.....
43	Of the breast	58	.....	.....	.....	.....	.....	.....	.....	1	.....	9	11	23	9	5	.....	.....	.....
44	Of the skin	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	10	7	1	.....	.....
45	Of other organs or of organs not specified	81	.....	.....	.....	.....	.....	.....	.....	.....	2	5	18	22	25	9	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	1	.....	.....
47	Acute articular rheumatism	15	.....	.....	.....	.....	.....	1	2	1	1	2	1	1	4	2	.....	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	1
50	Diabetes	104	.....	.....	.....	.....	.....	2	8	1	6	12	21	27	24	3	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
53	Leukemia	11	.....	.....	.....	.....	.....	1	.....	.....	4	1	2	2	1	.....	.....	.....	.....
54	Anemia, chlorosis	55	4	1	.....	.....	1	.....	.....	1	4	6	15	11	11	.....	.....	.....	1
55	Other general diseases	10	.....	2	1	.....	.....	.....	1	2	.....	3	.....	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	8	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	855	29	10	3	1	2	7	14	22	22	55	77	107	242	155	14	1	4
60	Encephalitis	8	1	1	1	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	38	9	4	1	.....	2	2	6	4	3	3	.....	1	.....	2	.....	.....	1
	Simple meningitis	17	6	.....	1	.....	1	1	3	1	2	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	9	1	2	.....	.....	.....	1	1	1	.....	2	.....	.....	.....	1	.....	.....	.....
	Cerebrospinal fever	12	2	2	.....	.....	1	.....	2	2	1	.....	.....	.....	.....	1	.....	.....	1
62	Locomotor ataxia	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	5	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	44	1	2	.....	1	.....	1	3	3	3	2	2	11	7	7	1	.....	.....
	Acute anterior poliomyelitis	11	1	2	.....	1	.....	1	2	1	2	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	33	.....	.....	.....	.....	.....	.....	1	2	1	2	1	11	7	7	1	.....	.....
64	Cerebral hemorrhage, apoplexy	622	1	2	1	.....	.....	.....	1	5	6	30	56	168	209	127	12	1	3
65	Softening of the brain	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....
66	Paralysis without specified cause	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	9	4	1	.....	.....
67	General paralysis of the insane	27	.....	.....	.....	.....	.....	.....	.....	.....	2	10	4	4	5	2	.....	.....	.....
68	Other forms of mental alienation	18	.....	.....	.....	.....	.....	.....	.....	1	1	5	5	3	1	2	.....	.....	.....
69	Epilepsy	23	.....	.....	.....	.....	.....	2	3	6	3	2	4	2	1	.....	.....	.....	.....
71	Convulsions of infants	13	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
74	Other diseases of the nervous system	15	2	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	3	6	.....	.....	.....
76	Diseases of the ears	3	3	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	III.—Diseases of the circulatory system.	1,382	8	3	.....	.....	.....	3	14	12	35	55	142	320	436	294	47	2	11
77	Pericarditis	8	1	.....	.....	.....	.....	1	1	1	.....	1	2	.....	.....	1	.....	.....	.....
78	Acute endocarditis	33	1	.....	.....	.....	.....	.....	3	1	5	9	9	2	2	1	.....	.....	.....
79	Organic diseases of the heart	908	5	2	.....	.....	.....	1	10	9	22	40	105	208	287	180	30	.....	9
80	Angina pectoris	118	.....	.....	.....	.....	.....	.....	.....	.....	3	3	12	50	37	12	.....	.....	1
81	Diseases of the arteries, atheroma, aneurism, etc.	262	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	48	96	89	17	2	1
82	Embolism and thrombosis	45	.....	.....	.....	.....	.....	.....	.....	1	3	2	5	11	14	9	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	727	98	35	13	5	6	11	23	46	47	46	56	86	129	107	19	.....	.....
87	Diseases of the larynx	5	1	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	47	21	4	.....	1	.....	.....	1	.....	2	2	2	1	4	8	1	.....	.....
90	Chronic bronchitis	59	.....	.....	.....	.....	.....	.....	2	.....	1	.....	5	6	18	23	4	.....	.....
91	Bronchopneumonia	213	52	17	10	3	1	6	2	5	5	8	10	17	34	37	6	.....	.....
92	Pneumonia (total)	367	22	11	3	1	3	4	18	41	37	34	36	59	60	33	5	.....	.....
	Lobar pneumonia	304	17	11	3	.....	2	3	13	38	30	30	31	51	49	23	3	.....	.....
	Pneumonia (undefined)	63	5	.....	.....	1	1	1	5	3	7	4	5	8	11	10	2	.....	.....
93	Pleurisy	11	2	1	.....	.....	.....	.....	.....	.....	1	1	1	1	4	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	4	3	.....	.....
96	Asthma	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	5	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
	V.—Diseases of the digestive system	528	204	21	8	6	5	18	20	16	26	24	43	51	45	37	1	.....	3
99	Diseases of the mouth and annexa	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	16	3	.....	.....	.....	1	1	1	4	2	.....	1	1	1	.....	.....	.....	1
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	19	.....	.....	.....	.....	.....	.....	.....	.....	3	7	6	1	1	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	49	15	1	.....	.....	.....	.....	.....	1	2	2	6	11	6	5	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	195	177	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	41	.....	.....	6	1	2	3	3	.....	2	2	2	2	8	9	.....	.....	1
107	Intestinal parasites	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	51	1	.....	1	2	2	9	12	5	11	1	4	.....	1	2	.....	.....	.....
109	Hernia, intestinal obstruction (total)	65	5	1	1	1	.....	.....	1	2	1	8	9	13	14	8	.....	.....	1
	Hernia	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	5	5	6	.....	.....	1
	Intestinal obstruction	41	5	1	1	1	.....	.....	1	2	1	6	4	8	9	2	.....	.....	.....
110	Other diseases of the intestines	14	1	1	.....	.....	.....	1	3	2	1	.....	.....	3	.....	1	1	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	33	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	6	13	9	4	.....	.....	.....
114	Biliary calculi	8	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	2	1	.....	.....	.....
115	Other diseases of the liver	16	.....	.....	.....	.....	.....	1	.....	1	1	.....	3	4	1	5	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	9	1	.....	.....	.....	.....	1	.....	.....	1	3	2	.....	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	517	4	1	2	.....	.....	4	5	17	30	39	67	120	136	82	6	1	3
119	Acute nephritis	27	3	1	1	.....	.....	2	.....	6	3	3	3	2	2	1	.....	.....	.....
120	Bright's disease	420	1	.....	1	.....	.....	2	4	8	22	29	56	101	117	71	5	.....	3
122	Other diseases of the kidneys and annexa	10	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	3	2	1	.....	.....	.....
123	Calculi of the urinary passages	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	3	.....	1	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	6	7	6	1	.....	.....
129	Uterine tumor (noncancerous)	11	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	3	.....	.....	.....	.....
130	Other diseases of the uterus	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	71	.....	.....	.....	.....	.....	.....	8	27	27	8	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	13	.....	.....	.....	.....	.....	.....	3	4	5	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	9	.....	.....	.....	.....	.....	.....	1	2	5	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	13	.....	.....	.....	.....	.....	.....	3	4	4	1	.....	.....	.....	.....	.....	.....	1
138	Puerperal albuminuria and convulsions	27	.....	.....	.....	.....	.....	.....	1	14	9	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW HAMPSHIRE—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	30	1						1		2	1	3	2	14	6			
142	Gangrene	18											1	1	10	6			
143	Furuncle	6									2	1	2		1				
144	Acute abscess	4							1					1	2				
145	Other diseases of the skin and annexa	2	1												1				
	IX.—Diseases of the bones and of the organs of locomotion	7	1						1		3			1	1				
146	Diseases of the bones (tuberculosis excepted)	5	1						1		2			1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2									1				1				
	X.—Malformations	74	70	2					1	1									
150	Congenital malformations (total)	74	70	2					1	1									
	Hydrocephalus	10	10																
	Congenital malformations of the heart	38	35	1					1	1									
	Other congenital malformations	26	25	1															
	XI.—Early infancy	350	350																
151	Congenital debility, icterus, and sclerema (total)	292	292																
	Premature birth	224	224																
	Congenital debility, "atrophy," "marasmus," etc	68	68																
152	Other causes peculiar to early infancy (total)	58	58																
	Injuries at birth	35	35																
	Other causes peculiar to early infancy	23	23																
	XII.—Old age	131											1	3	26	63	38	1	1
154	Senility	131											1	3	26	66	34	1	1
	XIII.—External causes	363	8	4	5	6	6	11	42	54	33	38	38	43	36	21	9		4
	Suicide (total)	50								3	4	11	10	12	7	1			2
155	By poison	2								1				1					
156	By asphyxia	7									1	2	1	3					
157	By hanging or strangulation	16								1	1	3	3	3	4	1			
158	By drowning	7										1	4	2					
159	By firearms	13								1		4	2	2	3				1
160	By cutting or piercing instruments	3									1			1					1
162	By crushing	1										1							
163	Other suicides	1									1								
	Accidental or undefined (total)	305	8	4	5	6	6	11	42	46	28	26	27	36	29	20	9		2
164	Poisoning by food	1												1					
165	Other acute poisonings	8	2		2	1						1	1	1					
166	Conflagration	3				1	1	1											
167	Burns (conflagration excepted)	20	2	3		1	2	1		3	1	3		3	1				
168	Absorption of deleterious gases (conflagration excepted)	8	3			1				1		2		1					
169	Accidental drowning	41				2	1	2	21	6	3	2	2		1				1
170	Traumatism by firearms	13		1				1	8		1	1		1					
172	Traumatism by fall	79			1		1	1	2	3	5	2	6	11	19	19	9		
173	Traumatism in mines and quarries (total)	1											1						
	Traumatism in quarries	1											1						
174	Traumatism by machines	5								1	1	1	2						
175	Traumatism by other crushing (total)	95	1		1		1	4	9	28	14	8	11	11	5	1			1
	Railroad accidents and injuries	20							2	4	4	1	4	3	2				
	Street-car accidents and injuries	3								2			1						
	Automobile accidents and injuries	50	1		1			3	5	16	8	4	5	5		1			1
	Injuries by other vehicles	20					1	1	2	5	1	3	1	3	3				
	Landslide, other crushing	2								1	1								
176	Injuries by animals	5			1							1		2	1				
178	Excessive cold	1										1							
179	Effects of heat	2										1			1				
180	Lightning	1												1					
181	Electricity (lightning excepted)	7							1	2		3	1						
185	Fractures (cause not specified)	2								1	1								
186	Other external violence	13						1	1	1	2		3	4	1				
	Homicide (total)	8								5	1	1	1						
182	By firearms	6								4	1	1							
184	By other means	2								1			1						
	XIV.—Ill-defined diseases	23	3						1	1		2	2	8	5	1			
187	Ill-defined organic disease	2											1		1				
188	Sudden death	4								1		1	1	1					
189	Not specified or ill-defined (total)	17	3						1			1		7	4	1			
	Ill-defined	13	1						1			1		7	2	1			
	Not specified or unknown	4	2												2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW JERSEY.																	
	All causes	41,326	6,668	1,531	624	435	310	965	1,557	3,089	3,530	3,871	4,746	5,581	5,422	2,614	369	12	2
	I.—General diseases	10,642	693	500	239	185	136	370	579	1,299	1,362	1,401	1,436	1,292	878	246	21	.....	.....
1	Typhoid fever	105	.....	.....	.....	1	1	9	21	27	22	11	8	4	.....	1	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
4	Malaria	6	1	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	2	.....	.....	.....	.....
6	Measles	306	82	131	39	23	9	17	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	110	4	8	16	10	11	31	14	10	5	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	413	215	114	39	21	16	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Diphtheria and croup	566	40	99	77	74	62	156	44	3	5	4	2	.....	.....	.....	.....	.....	.....
10	Influenza	1,202	97	64	26	16	10	27	60	214	237	136	115	75	95	27	3	.....	.....
13	Cholera nostras	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
14	Dysentery	40	12	5	2	1	.....	.....	.....	.....	.....	2	4	6	4	3	1	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	68	26	1	.....	.....	.....	1	1	2	5	10	8	5	9	.....	.....	.....	.....
19	Other epidemic diseases	10	3	1	.....	1	1	.....	1	.....	.....	1	.....	.....	1	1	.....	.....	.....
20	Purulent infection and septicemia	31	5	.....	.....	1	.....	1	5	1	7	2	5	3	.....	1	.....	.....	.....
22	Antrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	32	5	.....	.....	1	3	6	6	3	6	2	.....	.....	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,635	78	58	29	28	10	69	345	912	809	651	380	175	77	12	2	.....	.....
28	Tuberculosis of the lungs	3,118	26	15	4	7	1	23	296	825	733	598	349	157	73	9	2	.....	.....
29	Acute miliary tuberculosis	135	5	2	2	1	.....	3	10	43	29	24	9	7	.....	.....	.....	.....	.....
30	Tuberculous meningitis	192	37	35	21	16	7	26	14	13	12	5	2	2	1	1	.....	.....	.....
31	Abdominal tuberculosis	87	6	3	1	2	2	6	7	14	19	11	11	3	1	1	.....	.....	.....
32	Pott's disease	38	2	.....	.....	1	.....	8	7	3	9	3	4	1	.....	.....	.....	.....	.....
33	White swellings	18	1	1	.....	1	.....	2	1	3	2	3	1	2	1	.....	.....	.....	.....
34	Tuberculosis of other organs	39	.....	2	1	.....	.....	.....	9	10	4	5	3	3	1	1	.....	.....	.....
35	Disseminated tuberculosis	8	1	.....	.....	.....	.....	1	1	1	1	2	1	.....	.....	.....	.....	.....	.....
36	Rickets	22	17	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	198	61	4	1	2	.....	.....	.....	16	24	29	37	22	2	.....	.....	.....	.....
38	Gonococcus infection	7	1	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,760	.....	.....	3	2	4	3	14	41	160	411	668	751	527	161	15	.....	.....
39	Of the buccal cavity	87	.....	.....	.....	.....	.....	.....	.....	2	5	12	13	22	24	8	1	.....	.....
40	Of the stomach, liver	1,002	.....	.....	.....	.....	.....	2	1	9	46	126	270	295	206	43	4	.....	.....
41	Of the peritoneum, intestines, rectum	402	.....	.....	.....	.....	.....	.....	1	6	16	67	83	116	83	29	1	.....	.....
42	Of the female genital organs	397	.....	.....	.....	.....	.....	.....	1	9	39	108	100	83	44	12	1	.....	.....
43	Of the breast	238	.....	.....	.....	.....	.....	.....	.....	3	25	44	74	78	38	23	3	.....	.....
44	Of the skin	71	.....	.....	.....	.....	.....	.....	.....	2	.....	5	13	13	20	16	2	.....	.....
45	Of other organs or of organs not specified	513	.....	.....	3	2	4	1	11	10	29	49	115	144	112	30	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	1	.....	.....	.....
47	Acute articular rheumatism	137	2	1	1	.....	4	22	40	17	8	13	3	9	12	5	.....	.....	.....
48	Chronic rheumatism and gout	39	1	.....	.....	.....	.....	1	1	1	2	3	5	10	13	2	.....	.....	.....
49	Scurvy	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	594	2	.....	.....	1	2	9	14	26	27	59	138	179	114	23	.....	.....	.....
51	Exophthalmic goiter	33	.....	.....	.....	.....	.....	.....	1	3	9	11	6	2	1	.....	.....	.....	.....
52	Addison's disease	14	.....	.....	.....	.....	.....	.....	1	1	3	5	3	.....	1	.....	.....	.....	.....
53	Leukemia	69	2	5	4	2	1	6	3	6	7	6	11	11	3	2	.....	.....	.....
54	Anemia, chlorosis	124	4	4	.....	.....	.....	.....	3	4	12	22	28	31	13	3	.....	.....	.....
55	Other general diseases	59	35	2	2	.....	.....	4	1	1	3	2	2	4	1	2	.....	.....	.....
56	Alcoholism (acute or chronic)	28	.....	.....	.....	.....	.....	.....	.....	2	5	12	7	1	1	.....	.....	.....	.....
57	Chronic lead poisoning	8	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,240	164	59	30	22	16	57	90	84	171	355	617	948	1,076	490	59	2	.....
60	Encephalitis	80	3	5	1	1	1	6	13	8	12	20	5	2	3	.....	.....	.....	.....
61	Meningitis (total)	223	59	28	14	10	8	26	29	7	17	15	6	2	.....	2	.....	.....	.....
	Simple meningitis	103	28	14	6	3	5	7	12	4	8	11	3	1	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	41	14	4	5	1	.....	5	7	1	2	1	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	79	17	10	3	6	3	14	10	2	7	3	2	1	.....	1	.....	.....	.....
62	Locomotor ataxia	51	.....	.....	.....	.....	.....	.....	.....	.....	1	9	10	20	10	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	163	2	4	4	4	.....	5	7	6	6	16	20	45	34	8	2	.....	.....
	Acute anterior poliomyelitis	19	1	4	3	3	.....	1	3	1	.....	1	.....	2	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	144	1	.....	1	1	.....	4	4	5	6	15	20	43	34	8	2	.....	.....
64	Cerebral hemorrhage, apoplexy	2,959	8	.....	.....	1	.....	3	4	10	57	198	477	809	918	421	51	2	.....
65	Softening of the brain	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	13	13	1	.....	.....
66	Paralysis without specified cause	136	.....	1	.....	.....	.....	.....	1	3	1	4	19	23	58	23	3	.....	.....
67	General paralysis of the insane	159	.....	.....	.....	.....	.....	.....	.....	8	30	47	40	19	10	4	1	.....	.....
68	Other forms of mental alienation	70	.....	.....	.....	.....	.....	.....	2	7	11	12	13	11	11	3	.....	.....	.....
69	Epilepsy	111	10	1	4	1	2	3	12	21	20	14	11	5	6	1	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	78	59	13	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	8	5	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	.....	.....	.....
74	Other diseases of the nervous system	103	11	4	.....	.....	2	6	5	10	12	13	11	8	9	11	1	.....	.....
75	Diseases of the eyes and their annexa	6	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....
76	Diseases of the ears	52	7	3	4	3	2	7	14	2	4	4	.....	.....	2	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW JERSEY—Continued.																	
	III.—Diseases of the circulatory system	6,480	72	9	17	8	10	67	191	191	344	582	936	1,440	1,600	878	129	6	.....
77	Pericarditis	24	3	.....	.....	.....	.....	.....	2	4	2	3	5	5	2	.....	.....	.....	.....
78	Acute endocarditis	379	25	4	7	3	4	18	32	32	53	64	95	22	14	6	.....	.....	.....
79	Organic diseases of the heart	5,081	24	5	5	5	4	48	151	146	258	461	712	1,217	1,297	649	95	4	.....
80	Angina pectoris	226	.....	.....	.....	.....	.....	.....	.....	2	8	22	48	70	61	14	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	566	.....	.....	.....	.....	.....	.....	.....	3	5	16	46	79	183	199	33	2	.....
82	Embolism and thrombosis	169	10	.....	3	.....	.....	1	6	4	15	13	26	43	38	10	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	13	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	3	2	.....	.....	.....	.....
84	Diseases of the lymphatic sytsem (lymphangitis, etc.)	15	9	.....	2	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	5,828	1,270	571	185	87	55	134	173	517	621	458	459	495	471	291	40	1	.....
86	Diseases of the nasal fossae	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	34	10	5	.....	2	4	6	1	2	1	.....	1	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	11	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	1	2	.....	.....	.....	.....
89	Acute bronchitis	365	224	46	15	4	5	2	2	4	2	3	4	13	17	19	5	.....	.....
90	Chronic bronchitis	192	2	2	.....	.....	.....	3	.....	1	6	11	25	30	46	54	12	.....	.....
91	Bronchopneumonia	1,968	723	312	90	41	22	55	41	81	87	78	84	110	139	93	12	.....	.....
92	Pneumonia (total)	2,948	287	186	76	36	21	61	116	411	501	329	309	301	216	92	6	.....	.....
	Lobar pneumonia	2,715	258	168	67	32	19	52	110	387	474	306	284	286	189	80	3	.....	.....
	Pneumonia (undefined)	233	29	18	9	4	2	9	6	24	27	23	25	15	27	12	3	.....	.....
93	Pleurisy	151	15	18	4	4	3	4	8	13	13	15	20	18	12	4	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	62	6	2	.....	.....	.....	.....	.....	.....	2	3	2	5	16	21	4	1	.....
95	Gangrene of the lung	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	3	.....	.....	.....	.....
96	Asthma	52	.....	.....	.....	.....	.....	2	.....	2	3	9	5	9	16	5	1	.....	.....
97	Pulmonary emphysema	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	4	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	28	3	.....	.....	.....	.....	.....	3	2	3	5	6	5	.....	1	.....	.....	.....
	V.—Diseases of the digestive system	3,661	1,554	286	70	51	29	75	93	149	177	228	321	284	212	119	13	.....	.....
99	Diseases of the mouth and annexa	22	7	.....	.....	.....	.....	.....	.....	3	1	4	5	.....	1	1	.....	.....	.....
100	Diseases of the pharynx	36	7	7	5	6	6	17	9	10	4	4	1	7	2	1	.....	.....	.....
101	Diseases of the esophagus	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....
102	Ulcer of the stomach	111	.....	.....	1	.....	1	.....	1	11	17	27	20	17	9	6	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	165	53	10	9	1	1	4	1	2	8	12	13	13	16	21	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	1,690	1,434	256	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	300	.....	.....	46	32	10	19	3	11	26	22	19	32	43	31	3	.....	.....
107	Intestinal parasites	3	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	354	2	2	3	7	5	30	69	61	47	50	53	16	8	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	321	38	7	3	3	3	2	4	15	20	41	46	61	54	21	3	.....	.....
	Hernia	155	2	.....	.....	.....	.....	.....	.....	6	8	22	31	37	38	9	2	.....	.....
	Intestinal obstruction	166	36	7	3	3	3	2	4	9	12	19	15	24	16	12	1	.....	.....
110	Other diseases of the intestines	67	6	.....	1	.....	1	1	2	10	5	8	10	8	6	7	2	.....	.....
111	Acute yellow atrophy of the liver	9	.....	.....	.....	.....	.....	.....	.....	4	1	.....	3	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	248	.....	.....	1	.....	.....	.....	.....	3	9	25	80	73	42	14	1	.....	.....
114	Biliary calculi	114	.....	.....	.....	.....	.....	.....	.....	3	16	14	34	28	13	6	.....	.....	.....
115	Other diseases of the liver	99	4	1	.....	.....	.....	.....	1	6	9	13	25	16	16	6	2	.....	.....
116	Diseases of the spleen	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	41	3	2	.....	.....	2	2	3	6	8	6	3	5	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	25	.....	.....	.....	.....	.....	.....	.....	4	6	1	8	4	2	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,737	37	10	12	6	4	25	63	138	244	409	611	848	902	389	37	2	.....
119	Acute nephritis	266	17	6	6	5	4	12	26	31	34	37	26	28	23	11	.....	.....	.....
120	Bright's disease	3,093	8	3	4	1	.....	11	28	81	154	311	544	758	813	340	35	2	.....
122	Other diseases of the kidneys and annexa	66	7	1	2	.....	.....	2	4	5	7	12	6	10	7	3	.....	.....	.....
123	Calculi of the urinary passages	19	.....	.....	.....	.....	.....	.....	.....	2	2	5	3	4	2	1	.....	.....	.....
124	Diseases of the bladder	41	.....	.....	.....	.....	.....	.....	.....	2	.....	1	3	6	14	13	2	.....	.....
125	Diseases of the urethra, urinary abscess, etc	17	.....	.....	.....	.....	.....	.....	.....	1	3	1	4	5	3	.....	.....	.....	.....
126	Diseases of the prostate	89	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	29	36	19	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	4	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	46	.....	.....	.....	.....	.....	.....	.....	2	9	19	9	3	2	2	.....	.....	.....
130	Other diseases of the uterus	19	.....	.....	.....	.....	.....	.....	.....	4	4	7	3	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	17	.....	.....	.....	.....	.....	.....	.....	2	7	.....	4	4	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	53	.....	.....	.....	.....	.....	.....	4	7	23	16	2	.....	1	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	VII.—The puerperal state	512	.....	.....	.....	.....	.....	.....	27	235	212	38	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	49	.....	.....	.....	.....	.....	.....	4	16	26	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	55	.....	.....	.....	.....	.....	.....	.....	16	33	6	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	53	.....	.....	.....	.....	.....	.....	2	25	22	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	193	.....	.....	.....	.....	.....	.....	11	99	70	13	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	124	.....	.....	.....	.....	.....	.....	9	61	46	8	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	29	.....	.....	.....	.....	.....	.....	1	13	12	3	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	9	.....	.....	.....	.....	.....	.....	.....	5	3	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW JERSEY—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	131	32	3	1	.....	.....	2	6	6	2	12	13	16	19	14	5	.....	.....
142	Gangrene	44	.....	.....	1	.....	.....	.....	1	.....	.....	2	3	9	12	11	5	.....	.....
143	Furuncle	24	6	1	.....	.....	.....	.....	2	2	.....	4	4	4	1	.....	.....	.....	.....
144	Acute abscess	30	13	1	.....	.....	.....	1	2	3	1	3	3	.....	2	1	.....	.....	.....
145	Other diseases of the skin and annexa	33	13	1	.....	.....	.....	1	1	1	1	3	3	3	4	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	109	4	5	2	3	1	15	28	9	10	10	8	10	2	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	93	4	5	2	3	1	15	23	9	8	8	7	5	1	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	13	.....	.....	.....	.....	.....	.....	5	.....	1	2	1	3	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
	X.—Malformations	576	535	13	8	2	3	7	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	576	535	13	8	2	3	7	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	50	35	3	5	.....	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	356	338	6	3	1	1	2	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	170	162	4	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,208	2,208	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,640	1,640	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,320	1,320	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	320	320	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	561	561	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	338	338	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	223	223	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	211	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	67	89	45	1	.....
154	Senility	211	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	67	89	45	1	.....
	XIII.—External causes	2,924	67	68	57	71	55	213	302	457	385	372	339	233	191	95	19	.....	.....
	Suicide (total)	371	.....	.....	.....	.....	.....	1	14	69	62	71	72	54	21	6	1	.....	.....
155	By poison	43	.....	.....	.....	.....	.....	.....	2	10	7	10	6	4	4	.....	.....	.....	.....
156	By asphyxia	105	.....	.....	.....	.....	.....	.....	4	14	18	23	28	13	2	2	1	.....	.....
157	By hanging or strangulation	56	.....	.....	.....	.....	.....	.....	1	6	14	12	10	10	2	1	.....	.....	.....
158	By drowning	22	.....	.....	.....	.....	.....	.....	1	5	3	3	5	3	2	.....	.....	.....	.....
159	By firearms	101	.....	.....	.....	.....	.....	1	5	25	12	17	15	17	7	2	.....	.....	.....
160	By cutting or piercing instruments	23	.....	.....	.....	.....	.....	.....	.....	3	4	4	4	5	2	1	.....	.....	.....
161	By jumping from high places	13	.....	.....	.....	.....	.....	.....	.....	4	4	.....	3	.....	2	.....	.....	.....	.....
162	By crushing	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,419	63	67	57	71	54	212	283	338	290	283	253	173	170	88	17	.....	.....
164	Poisoning by food	21	1	1	2	.....	.....	1	2	2	4	2	2	1	3	.....	.....	.....	.....
165	Other acute poisonings	57	6	4	3	2	1	2	1	4	13	13	5	1	1	1	.....	.....	.....
166	Conflagration	38	2	.....	1	1	.....	7	5	3	2	3	3	2	6	2	1	.....	.....
167	Burns (conflagration excepted)	262	5	30	32	37	24	36	15	13	20	15	11	14	9	1	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	171	23	.....	.....	1	1	2	7	21	23	20	25	22	20	4	2	.....	.....
169	Accidental drowning	286	2	6	1	1	6	31	72	73	39	26	18	6	4	1	.....	.....	.....
170	Traumatism by firearms	37	.....	1	.....	.....	1	2	20	5	4	2	1	.....	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	378	5	12	4	4	1	11	16	31	26	37	38	46	77	58	12	.....	.....
173	Traumatism in mines and quarries (total)	6	.....	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....
	Traumatism in mines	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	66	.....	.....	.....	.....	.....	.....	13	14	3	15	14	6	.....	1	.....	.....	.....
175	Traumatism by other crushing (total)	880	1	7	9	24	19	111	112	131	126	117	114	56	40	11	2	.....	.....
	Railroad accidents and injuries	324	1	2	2	1	.....	6	38	78	61	59	47	12	15	1	1	.....	.....
	Street-car accidents and injuries	73	.....	1	1	5	.....	7	5	5	7	13	14	8	6	1	.....	.....	.....
	Automobile accidents and injuries	405	.....	2	5	16	18	92	58	35	42	34	46	32	16	8	1	.....	.....
	Injuries by other vehicles	64	.....	2	1	2	1	6	11	7	10	9	7	4	3	1	.....	.....	.....
	Aeroplane accidents and injuries	9	.....	.....	.....	.....	.....	.....	.....	6	3	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	5	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	9	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	3	1	.....	.....	.....	.....
178	Excessive cold	4	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
179	Effects of heat	7	2	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....
180	Lightning	11	.....	.....	.....	.....	.....	.....	1	2	2	3	.....	2	.....	1	.....	.....	.....
181	Electricity (lightning excepted)	28	.....	.....	.....	.....	.....	.....	4	14	6	3	.....	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	19	.....	.....	.....	.....	.....	.....	2	1	.....	2	3	2	5	4	.....	.....	.....
186	Other external violence	137	16	6	4	1	1	9	13	20	15	19	16	10	3	4	.....	.....	.....
	Homicide (total)	134	4	1	.....	.....	1	.....	5	50	33	18	14	6	.....	1	1	.....	.....
182	By firearms	78	.....	1	.....	.....	.....	.....	2	23	26	14	9	3	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	20	.....	.....	.....	.....	.....	.....	1	9	4	2	2	1	.....	1	.....	.....	.....
184	By other means	36	4	.....	.....	.....	1	.....	2	18	3	2	3	2	.....	.....	1	.....	.....
	XIV.—Ill-defined diseases	67	27	7	3	.....	1	.....	.....	2	2	5	6	6	4	1	1	.....	2
187	Ill-defined organic disease	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
188	Sudden death	6	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	.....
189	Not specified or ill-defined (total)	60	26	7	2	.....	1	.....	.....	.....	1	5	6	5	3	1	1	.....	2
	Ill-defined	52	22	7	2	.....	1	.....	.....	.....	1	4	6	5	3	1	.....	.....	.....
	Not specified or unknown	8	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW YORK.																	
	All causes	144,558	20,309	4,789	2,110	1,344	1,035	3,195	5,033	10,687	12,407	13,516	17,678	21,092	19,742	10,072	1,449	40	60
	I.—General diseases	39,400	2,443	1,782	940	623	489	1,313	1,969	4,591	4,979	5,048	5,789	5,243	3,165	920	93	4	0
1	Typhoid fever	379	1	1	5	2	4	23	69	93	66	47	44	20	4	.....	.....	.....	.....
4	Malaria	22	2	.....	1	.....	.....	.....	2	3	2	4	6	.....	2	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Measles	1,177	317	463	152	76	43	76	22	8	9	5	4	2	.....	.....	.....	.....	.....
7	Scarlet fever	474	20	55	61	62	52	141	45	26	7	2	3	.....	.....	.....	.....	.....	.....
8	Whooping cough	1,063	546	291	94	41	33	46	6	3	2	.....	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	1,931	146	352	321	231	200	485	134	17	21	10	10	4	.....	.....	.....	.....	.....
10	Influenza	4,719	406	269	91	78	45	100	224	834	886	478	419	375	341	148	24	1	.....
13	Cholera nostras	9	2	1	1	1	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
14	Dysentery	88	25	7	5	1	2	.....	1	.....	1	4	7	10	17	5	2	1	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
18	Erysipelas	376	156	11	3	.....	2	7	12	15	17	25	31	40	32	21	4	.....	.....
19	Other epidemic diseases	41	15	8	3	1	2	2	1	2	3	.....	1	.....	3	.....	.....	.....	.....
20	Purulent infection and septicemia	89	12	3	1	1	.....	3	8	9	8	8	12	12	8	4	.....	.....	.....
22	Anthrax	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	81	8	.....	.....	1	3	12	13	13	12	7	6	4	2	.....	.....	.....	.....
25	Mycoses	8	.....	.....	.....	1	.....	.....	2	1	.....	2	1	.....	1	.....	.....	.....	.....
26	Pellagra	12	.....	.....	.....	.....	.....	.....	.....	1	1	3	5	2	.....	.....	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	12,634	269	237	159	91	67	241	1,126	3,089	2,795	2,093	1,408	731	267	51	6	.....	4
28	Tuberculosis of the lungs	10,641	69	49	22	18	14	62	870	2,759	2,568	1,942	1,311	662	241	45	5	.....	4
29	Acute miliary tuberculosis	448	16	12	8	4	3	19	81	125	81	47	24	18	9	1	.....	.....	.....
30	Tuberculous meningitis	853	146	155	109	53	39	118	89	63	44	27	8	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	323	23	12	11	8	3	20	45	70	46	32	30	15	7	1	.....	.....	.....
32	Pott's disease	134	3	2	7	3	5	10	16	28	18	14	14	9	5	.....	.....	.....	.....
33	White swellings	59	.....	.....	.....	.....	.....	4	10	11	13	8	6	5	2	.....	.....	.....	.....
34	Tuberculosis of other organs	143	5	4	2	3	3	6	11	25	23	20	14	19	3	4	1	.....	.....
35	Disseminated tuberculosis	33	7	3	.....	2	.....	2	4	8	2	3	1	1	.....	.....	.....	.....	.....
36	Rickets	76	50	20	2	1	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
37	Syphilis	1,003	252	22	5	2	2	9	11	57	164	210	172	70	24	2	.....	.....	1
38	Gonococcus infection	77	24	.....	1	.....	1	.....	3	21	19	5	1	.....	2	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	10,554	7	11	6	7	9	17	39	154	620	1,583	2,728	2,943	1,846	537	43	1	3
39	Of the buccal cavity	376	2	.....	.....	.....	1	.....	2	4	13	59	99	97	74	21	4	.....	.....
40	Of the stomach, liver	3,785	1	2	.....	.....	1	4	3	30	142	464	1,039	1,180	747	163	5	1	3
41	Of the peritoneum, intestines, rectum	1,611	2	2	2	1	.....	1	6	24	96	187	409	494	299	85	3	.....	.....
42	Of the female genital organs	1,391	.....	1	.....	.....	.....	.....	2	29	143	337	376	302	156	44	1	.....	.....
43	Of the breast	1,052	.....	.....	.....	.....	.....	1	.....	10	80	229	292	216	147	64	13	.....	.....
44	Of the skin	235	.....	.....	.....	1	.....	2	1	4	6	11	22	57	72	51	8	.....	.....
45	Of other organs or of organs not specified	2,104	2	6	4	5	7	9	25	53	140	296	491	597	351	109	9	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	36	4	1	.....	.....	.....	.....	.....	1	6	4	5	6	5	4	.....	.....	.....
47	Acute articular rheumatism	483	6	10	1	9	3	72	117	35	58	40	49	41	29	10	2	1	.....
48	Chronic rheumatism and gout	110	.....	.....	.....	.....	.....	.....	1	2	7	8	19	30	28	14	1	.....	.....
49	Scurvy	10	7	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	2,439	5	3	9	7	6	39	79	86	112	252	593	716	433	93	5	.....	1
51	Exophthalmic goiter	192	.....	.....	.....	.....	.....	1	10	23	29	49	41	24	13	2	.....	.....	.....
52	Addison's disease	43	.....	.....	.....	.....	.....	.....	1	7	6	9	8	8	2	2	.....	.....	.....
53	Leukemia	263	9	7	9	4	5	20	26	30	23	39	32	44	11	4	.....	.....	.....
54	Anemia, chlorosis	584	15	5	4	2	3	7	8	14	44	96	148	132	86	15	5	.....	.....
55	Other general diseases	225	139	4	6	3	5	10	5	11	9	9	9	8	2	4	1	.....	.....
56	Alcoholism (acute or chronic)	123	.....	.....	.....	.....	.....	.....	3	12	31	40	20	14	3	.....	.....	.....	.....
57	Chronic lead poisoning	17	.....	.....	.....	.....	.....	.....	.....	.....	2	6	3	3	1	2	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	49	.....	.....	.....	.....	.....	.....	.....	23	16	6	.....	2	1	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	13,331	376	141	71	57	49	177	269	369	646	1,138	1,998	2,997	3,220	1,624	185	2	11
60	Encephalitis	385	15	12	8	5	7	23	52	72	65	57	37	21	7	4	.....	.....	.....
61	Meningitis (total)	544	118	59	33	20	19	67	69	42	43	32	25	11	3	2	1	.....	.....
	Simple meningitis	275	60	26	14	12	6	29	33	21	23	22	18	7	2	1	1	.....	.....
	Cerebrospinal meningitis (undefined)	130	29	16	10	5	4	17	16	11	12	5	2	2	.....	1	.....	.....	.....
	Cerebrospinal fever	139	29	17	9	3	9	21	20	10	8	5	5	2	1	.....	.....	.....	.....
62	Locomotor ataxia	243	.....	.....	.....	.....	.....	.....	.....	3	14	39	70	79	31	7	.....	.....	.....
63	Other diseases of the spinal cord (total)	621	16	11	5	9	6	19	24	27	47	57	101	152	106	39	2	.....	.....
	Acute anterior poliomyelitis	63	8	10	4	5	4	12	11	3	.....	.....	2	2	2	.....	.....	.....	.....
	Other diseases of the spinal cord	558	8	1	1	4	2	7	13	24	47	57	99	150	104	39	2	.....	.....
64	Cerebral hemorrhage, apoplexy	9,060	17	6	2	.....	.....	7	8	43	123	528	1,400	2,462	2,841	1,432	178	2	11
65	Softening of the brain	69	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	15	21	26	1	.....	.....
66	Paralysis without specified cause	356	2	.....	.....	.....	.....	.....	4	1	4	12	44	93	127	66	3	.....	.....
67	General paralysis of the insane	790	.....	.....	.....	.....	.....	.....	2	23	179	245	198	89	37	17	.....	.....	.....
68	Other forms of mental alienation	158	.....	.....	.....	.....	.....	.....	6	29	33	32	21	15	12	10	.....	.....	.....
69	Epilepsy	307	6	3	2	4	2	12	41	63	57	42	30	25	14	6	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....
71	Convulsions of infants	151	119	26	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	13	.....	.....	.....	1	.....	.....	6	3	.....	1	.....	.....	2	.....	.....	.....	.....
73	Neuralgia and neuritis	31	1	.....	.....	.....	.....	.....	.....	1	4	9	4	4	4	4	.....	.....	.....
74	Other diseases of the nervous system	327	18	6	13	9	9	15	32	39	50	54	45	20	11	5	1	.....	.....
75	Diseases of the eyes and their annexa	10	3	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	1	2	.....	.....	.....
76	Diseases of the ears	262	61	18	6	6	5	34	23	23	23	26	21	11	1	4	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NEW YORK—Continued.																		
	III.—Diseases of the circulatory system.	25,963	217	54	34	20	26	240	616	711	1,139	2,034	3,653	5,853	6,786	3,961	591	15	13
77	Pericarditis	76	3	1				2	7	6	9	7	6	8	17	8	2		
78	Acute endocarditis	1,037	88	12	10	4	9	45	90	98	131	165	285	41	42	15	2		
79	Organic diseases of the heart	19,961	68	28	17	15	16	186	506	570	878	1,564	2,749	4,803	5,306	2,870	366	10	9
80	Angina pectoris	1,158								5	53	140	274	352	245	81	8		
81	Diseases of the arteries, atheroma, aneurism, etc.	2,987							1	11	27	98	232	497	1,016	895	201	5	4
82	Embolism and thrombosis	579	6	2				1	7	16	27	48	87	132	152	89	12		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	59	1		1				1	1	8	8	16	14	7	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	92	48	10	6	1	1	6	4	4	5	4	1	1		1			
85	Hemorrhage; other diseases of the circulatory system	14	3	1							1		3	5	1				
	IV.—Diseases of the respiratory system.	19,709	3,574	1,697	578	273	170	406	656	1,912	2,147	1,608	1,768	1,925	1,818	1,013	156	3	5
86	Diseases of the nasal fossae	15	3	2				1	1	2					1	5			
87	Diseases of the larynx	65	17	11	3	6	4	7	2		5	2	4	3		1			
88	Diseases of the thyroid body	69	1	1				1	1	7	13	17	16	7	5				
89	Acute bronchitis	1,200	641	149	51	15	11	20	5	9	15	18	35	36	92	86	16	1	
90	Chronic bronchitis	572	9	4	3	1		3	2	8	17	29	50	94	179	138	34	1	
91	Bronchopneumonia	7,009	2,180	977	308	134	64	165	145	360	436	340	384	548	567	351	48		2
92	Pneumonia (total)	9,730	640	477	180	98	82	178	465	1,431	1,562	1,089	1,149	1,129	878	334	36		2
	Lobar pneumonia	9,097	582	429	165	93	75	167	432	1,385	1,491	1,027	1,065	1,051	806	296	31		2
	Pneumonia (undefined)	633	58	48	15	5	7	11	33	46	71	62	84	78	72	38	5		
93	Pleurisy	604	62	70	30	17	7	25	26	66	73	62	55	50	41	18	2		
94	Pulmonary congestion, pulmonary apoplexy	147	11	3	2		1	1	1	3	3	2	9	10	28	54	17	1	1
95	Gangrene of the lung	38						1		8	7	4	13	3	1	1			
96	Asthma	158	2	2	1	1	1	1	1	5	2	26	41	31	22	20	2		
97	Pulmonary emphysema	15	1			1				1		2	3	6		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	87	7	1				3	7	12	14	17	9	8	4	4	1		
	V.—Diseases of the digestive system.	11,727	4,437	823	253	127	92	255	360	560	663	921	1,079	1,036	778	310	33		
99	Diseases of the mouth and annexa	81	22	1	2	2	1	1	5	10	7	7	6	9	7	1			
100	Diseases of the pharynx	307	25	15	25	16	16	42	31	44	27	24	17	9	8	7	1		
101	Diseases of the esophagus	23	1		1						4	3	5	5	4				
102	Ulcer of the stomach	446	2					1	10	28	61	100	100	75	54	13	2		
103	Other disease of the stomach (cancer excepted)	465	161	13	10	9	1	5	4	12	12	22	37	63	59	50	7		
104	Diarrhea and enteritis (under 2 years)	4,785	4,041	744															
105	Diarrhea and enteritis (2 years and over)	869			179	65	40	56	26	41	57	67	66	83	100	81	8		
107	Intestinal parasites	6		2				1	1	1	1								
108	Appendicitis and typhlitis	1,430	5	10	12	14	27	100	218	271	230	228	178	102	29	6			
109	Hernia, intestinal obstruction (total)	1,178	146	24	12	10	4	23	25	48	72	127	178	240	202	61	6		
	Hernia	544	34	8	3	1		4	4	11	34	60	96	150	104	32	3		
	Intestinal obstruction	634	112	16	9	9	4	19	21	37	38	67	82	90	98	29	3		
110	Other diseases of the intestines	181	13	2	3	2		3	8	18	15	27	22	28	25	14	1		
111	Acute yellow atrophy of the liver	41	2					2	3	9	7	3	7	2	2	3	1		
112	Hydatid tumor of the liver	7							1	1		3	1	1					
113	Cirrhosis of the liver	872	2	1	2			1	2	9	51	142	209	241	168	39	5		
114	Biliary calculi	364								9	43	77	113	78	37	7			
115	Other diseases of the liver	432	3	2	1	2		3	13	30	48	57	94	85	67	25	2		
116	Diseases of the spleen	16		1				1	2	3		3	4	1	1				
117	Simple peritonitis (nonpuerperal)	135	14	8	5	7	3	15	8	19	13	13	11	9	7	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	89			1			1	3	7	15	18	31	5	8				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	13,102	103	32	24	16	14	76	182	447	815	1,468	2,266	3,079	13,043	1,375	148	7	7
119	Acute nephritis	541	50	18	18	12	8	32	39	58	48	83	58	59	39	18	1		
120	Bright's disease	10,997	12	10	3	3	5	36	116	250	542	1,113	2,008	2,788	2,734	1,229	136	6	6
122	Other diseases of the kidneys and annexa	248	28	3	3	1		6	5	22	36	37	35	27	31	13	1		
123	Calculi of the urinary passages	68						1	1	7	11	15	12	12	7	1	1		
124	Diseases of the bladder	121		1				1	2	3	4	6	8	16	45	29	5	1	
125	Diseases of the urethra, urinary abscess, etc.	44					1			1	8	10	14	7	3				
126	Diseases of the prostate	435									1	13	40	135	166	75	4		1
127	Nonvenereal diseases of the male genital organs	19	10							2		2	3	1		1			
128	Uterine hemorrhage (nonpuerperal)	6							1	3			1		1				
129	Uterine tumor (noncancerous)	246								12	59	109	45	8	8	5			
130	Other diseases of the uterus	82							2	15	22	16	15	9	3				
131	Cysts and other tumors of the ovary	100							2	12	24	21	17	15	6	3			
132	Salpingitis and other diseases of the female genital organs	188							14	62	60	41	10	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	7	3									2		1		1			
	VII.—The puerperal state	1,616							68	767	665	114	1						1
134	Accidents of pregnancy	240							4	113	115	8							
135	Puerperal hemorrhage	186							6	72	90	18							
136	Other accidents of labor	224							5	106	97	16							
137	Puerperal septicemia	530							20	272	199	37	1						1
138	Puerperal albuminuria and convulsions	372							33	174	140	25							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	60								28	22	10							
140	Following childbirth (not otherwise defined)	2								2									
141	Puerperal diseases of the breast	2									2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	421	102	4	6	2	1	7	12	14	26	34	43	43	65	46	13	2	1
142	Gangrene	140	5	1	2	.....	1	2	.....	2	3	4	8	18	48	32	11	2	1
143	Furuncle	100	32	2	1	.....	.....	.....	5	4	11	14	11	10	5	5	.....	.....	.....
144	Acute abscess	99	29	1	3	2	.....	4	6	8	7	9	12	7	6	4	1	.....	.....
145	Other diseases of the skin and annexa	82	36	.....	.....	.....	.....	1	1	.....	5	7	12	8	6	5	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	419	35	15	8	10	10	60	65	45	44	36	45	32	8	5	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	380	31	13	8	10	10	60	59	40	40	33	38	29	5	4	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	34	2	2	.....	.....	.....	.....	6	4	4	3	7	3	1	1	1	.....	.....
149	Other diseases of the organs of locomotion	5	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....
	X.—Malformations	1,510	1,392	46	17	11	6	15	10	6	4	2	1	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	1,510	1,392	46	17	11	6	15	10	6	4	2	1	.....	.....	.....	.....	.....	.....
	Hydrocephalus	170	131	14	8	7	1	5	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	851	807	20	6	.....	2	4	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	489	454	12	3	4	3	6	2	2	2	1	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	7,420	7,420	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,360	5,360	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	4,308	4,308	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,052	1,052	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	2,052	2,052	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	1,282	1,282	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	770	770	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	8	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	745	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	28	168	393	148	6	.....
154	Senility	745	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	28	168	393	148	6	.....
	XIII.—External causes	9,054	174	176	174	203	172	646	825	1,261	1,270	1,105	1,025	843	682	412	76	1	9
	Suicide (total)	1,197	.....	.....	.....	.....	.....	.....	32	190	256	253	222	141	73	24	.....	.....	1
155	By poison	142	.....	.....	.....	.....	.....	.....	7	34	30	32	17	10	9	3	.....	.....	.....
156	By asphyxia	318	.....	.....	.....	.....	.....	.....	5	45	72	63	72	42	14	5	.....	.....	.....
157	By hanging or strangulation	249	.....	.....	.....	.....	.....	.....	3	28	38	51	54	30	22	14	.....	.....	.....
158	By drowning	63	.....	.....	.....	.....	.....	.....	2	12	13	12	14	5	3	1	.....	.....	1
159	By firearms	244	.....	.....	.....	.....	.....	.....	10	44	59	57	35	23	16	.....	.....	.....	.....
160	By cutting or piercing instruments	75	.....	.....	.....	.....	.....	.....	1	7	14	19	19	10	5	.....	.....	.....	.....
161	By jumping from high places	83	.....	.....	.....	.....	.....	.....	4	15	23	19	10	9	2	1	.....	.....	.....
162	By crushing	16	.....	.....	.....	.....	.....	.....	.....	3	5	3	1	2	2	.....	.....	.....	.....
163	Other suicides	7	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	7,379	151	174	170	200	172	642	759	902	834	786	772	688	606	388	76	1	8
164	Poisoning by food	78	8	6	.....	1	3	6	8	13	9	6	5	4	7	2	.....	.....	1
165	Other acute poisonings	147	4	15	7	9	4	3	3	27	27	24	13	4	4	3	.....	.....	.....
166	Conflagration	120	3	9	.....	9	5	12	8	10	17	16	12	11	7	1	.....	.....	.....
167	Burns (conflagration excepted)	753	23	83	88	83	58	86	46	47	53	53	35	45	36	16	.....	.....	1
168	Absorption of deleterious gases (conflagration excepted)	643	69	5	2	1	3	12	22	61	96	87	98	95	62	25	4	.....	1
169	Accidental drowning	712	3	8	5	8	6	79	189	157	99	75	46	30	6	.....	.....	.....	1
170	Traumatism by firearms	89	.....	.....	1	1	.....	6	37	20	9	6	6	3	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	21	2	.....	.....	.....	2	1	1	3	.....	4	3	3	2	.....	.....	.....	.....
172	Traumatism by fall	1,489	5	23	30	28	19	62	61	89	119	124	143	173	283	268	62	.....	.....
173	Traumatism in mines and quarries (total)	13	.....	.....	.....	.....	.....	.....	1	5	4	1	1	1	.....	.....	.....	.....	.....
	Traumatism in mines	11	.....	.....	.....	.....	.....	.....	1	5	3	1	.....	1	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	252	.....	.....	.....	.....	1	3	30	57	46	41	49	14	10	.....	1	.....	.....
175	Traumatism by other crushing (total)	2,426	6	16	28	53	66	341	309	326	315	282	279	233	133	35	3	.....	1
	Railroad accidents and injuries	551	.....	2	2	2	2	13	55	124	111	85	76	51	17	8	2	.....	1
	Street-car accidents and injuries	229	1	.....	.....	4	6	14	15	32	37	39	31	25	19	6	.....	.....	.....
	Automobile accidents and injuries	1,410	3	12	20	41	53	291	209	143	129	133	143	130	85	18	.....	.....	.....
	Injuries by other vehicles	180	2	2	6	6	5	20	26	11	26	16	22	24	11	2	1	.....	.....
	Aeroplane accidents	10	.....	.....	.....	.....	.....	.....	.....	7	2	1	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	46	.....	.....	.....	.....	.....	3	4	9	10	8	7	3	1	1	.....	.....	.....
176	Injuries by animals	40	2	.....	1	1	.....	3	4	4	1	3	5	9	6	1	.....	.....	.....
177	Starvation	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
178	Excessive cold	17	.....	.....	.....	.....	.....	.....	1	.....	2	3	2	5	1	3	.....	.....	.....
179	Effects of heat	16	2	.....	.....	1	.....	1	.....	1	.....	2	3	1	3	2	.....	.....	.....
180	Lightning	18	.....	1	1	.....	.....	1	4	2	1	2	3	1	1	1	.....	.....	.....
181	Electricity (lightning excepted)	61	.....	.....	.....	.....	.....	.....	8	18	23	4	4	2	2	.....	.....	.....	.....
185	Fractures (cause not specified)	110	2	.....	.....	.....	.....	1	1	6	14	9	12	15	23	20	6	1	.....
186	Other external violence	370	21	9	7	5	5	25	26	56	49	44	53	38	18	11	.....	.....	3
	Homicide (total)	478	23	2	4	3	.....	4	34	169	130	61	31	14	3	.....	.....	.....	.....
182	By firearms	241	.....	.....	1	.....	.....	.....	14	83	82	35	21	4	1	.....	.....	.....	.....
183	By cutting or piercing instruments	59	3	.....	.....	.....	.....	.....	5	25	14	11	1	.....	.....	.....	.....	.....	.....
184	By other means	178	20	2	3	3	.....	4	15	61	34	15	9	10	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	141	36	19	5	2	6	.....	1	4	9	7	9	13	9	13	4	.....	4
187	Ill-defined organic disease	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....
188	Sudden death	9	2	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	2	.....	.....	.....
189	Not specified or ill-defined (total)	126	34	19	5	2	6	.....	1	4	8	5	7	11	7	9	4	.....	4
	Ill-defined	77	7	19	4	2	6	.....	.....	2	5	2	2	9	6	8	4	.....	1
	Not specified or unknown	49	27	.....	1	.....	.....	.....	1	2	3	3	5	2	1	1	.....	.....	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NORTH CAROLINA (TOTAL).																		
	All causes	32,654	6,909	1,585	626	381	301	807	1,924	3,214	2,925	2,447	2,407	3,241	3,457	1,719	385	98	228
	I.—General diseases	9,888	970	495	223	183	136	357	909	1,698	1,409	1,075	760	806	574	189	29	1	74
1	Typhoid fever	322	6	6	4	7	5	28	113	63	46	18	10	11	4				1
4	Malaria	210	37	19	13	8	11	20	19	18	11	14	13	18	6	3			
5	Smallpox	28	4	1					4	7	4		3	3	2				
6	Measles	62	6	19	6	7	2	6	4	4	3		2	1	2				
7	Scarlet fever	39	6	4	3	6	3	12	4	1									
8	Whooping cough	357	201	82	26	20	7	13	4	2	1								1
9	Diphtheria and croup	299	54	54	47	38	44	45	6	3	1		5	1					1
10	Influenza	2,995	387	183	72	67	39	117	285	441	483	299	184	167	163	61	13		34
13	Cholera nostras	8	3	1	2						1					1			
14	Dysentery	324	93	69	21	11	2	8	13	9	5	7	10	24	33	15	3		1
18	Erysipelas	55	21	3	1	2	1	2	3	2	2	5	2	2	6	2			1
19	Other epidemic diseases	6	1	1			1	1	1		1								
20	Purulent infection and septicemia	50	3	1		1		5	6	8	4	5	1	6	4	3	1		2
22	Anthrax	1										1							
23	Rabies	3						1		1				1					
24	Tetanus	59	26	2	2			5	12	5	2	1	3	1					
26	Pellagra	318		1		1	2	6	14	44	69	70	37	46	23	4			1
	Tuberculosis (total)	3,004	44	29	16	9	8	55	358	990	619	387	198	162	83	20	3		23
28	Tuberculosis of the lungs	2,660	16	8	6	5	1	31	301	914	580	351	190	147	70	18	3		19
29	Acute miliary tuberculosis	83	3	4	1			2	16	23	16	14	1	1	1				1
30	Tuberculous meningitis	78	19	12	6	3	3	6	9	7	6	5		2					
31	Abdominal tuberculosis	114	2	2	1		1	7	21	33	12	8	5	11	9	1			1
32	Pott's disease	20		2	1			2	3	2	1	6	1	1		1			
33	White swellings	17					2	2	3	4	2				2				2
34	Tuberculosis of other organs	29	4		1	1	1	5	4	6	2	3	1		1				
35	Disseminated tuberculosis	3		1					1	1									
36	Rickets	17	10	4	1				1	1									
37	Syphilis	165	46	4					4	22	33	29	9	11	4				3
38	Gonococcus infection	16			1				3	6	1	3	1	1					
	Cancer and other malignant tumors (total)	1,017		2	1			8	11	23	71	155	218	266	180	67	9	1	5
39	Of the buccal cavity	31							1	1	2	2	6	7	11	1			
40	Of the stomach, liver	336						1		6	15	28	76	118	63	24	1		4
41	Of the peritoneum, intestines, rectum	83		1				1	2	1	5	11	21	21	14	5	1		
42	Of the female genital organs	228								7	29	61	50	50	21	8	2		
43	Of the breast	94								1	6	29	20	19	13	5	1		
44	Of the skin	44									2	2	2	13	13	11	1		
45	Of other organs or of organs not specified	201		1	1			6	8	7	12	22	43	38	45	13	3	1	1
46	Other tumors (tumors of the female genital organs excepted)	14							1		3	4	1	4	1				
47	Acute articular rheumatism	79	2	1	1		2	2	11	4	5	8	10	11	17	5			
48	Chronic rheumatism and gout	32								3		4	2	9	10	4			
49	Scurvy	4	2						1				1						
50	Diabetes	198	1	2	1	2	3	13	22	17	17	27	26	41	23	3			
51	Exophthalmic goiter	13								3	3	4	2		1				
52	Addison's disease	5					1		2			1			1				
53	Leukemia	36	1		1	2	2	2	3	4	5	10	4	2					
54	Anemia, chlorosis	54	2	2				4	3	7	7	6	9	10	4				
55	Other general diseases	53	14	5	4	2	3	4		8	2	3		4	3	1			
58	Alcoholism (acute or chronic)	27							1	1	8	7	4	3	2				1
59	Other chronic poisonings	18								1	2	7	5	1	2				
	II.—Diseases of the nervous system and of the organs of special sense	2,895	168	51	44	8	12	45	90	91	143	218	397	599	674	283	43	9	20
60	Encephalitis	33	6	2				5	5	2	5	5	2	1					
61	Meningitis (total)	202	64	22	26	3	6	16	26	15	12	4	2	6					
	Simple meningitis	118	40	11	17	1	4	10	12	10	4	3	1	5					
	Cerebrospinal meningitis (undefined)	49	12	6	5	1	1	5	11	2	4	1		1					
	Cerebrospinal fever	35	12	5	4	1	1	1	3	3	4		1						
62	Locomotor ataxia	16									2	4	4	5	1				
63	Other diseases of the spinal cord (total)	89	5	1	7	2	1	7	6	6	4	4	14	16	12	2	1		1
	Acute anterior poliomyelitis	22	4	1	5	1	1	7	1					1					1
	Other diseases of the spinal cord	67	1		2	1			5	6	4	4	14	15	12	2	1		
64	Cerebral hemorrhage, apoplexy	1,678	8	6		1		1	10	23	60	143	291	437	480	171	26	6	15
65	Softening of the brain	23											4	6	9	3	1		
66	Paralysis without specified cause	431	1	3					5	3	14	22	53	96	132	87	11	2	2
67	General paralysis of the insane	42								2	4	3	9	4	14	4	2		
68	Other forms of mental alienation	64							2	8	7	14	6	8	12	6		1	
69	Epilepsy	106	9	2		1	2	8	22	19	17	8	2	5	5	5			1
70	Convulsions (nonpuerperal)	19						1	3	3	4	5	1		2				
71	Convulsions of infants	72	56	11	5														
72	Chorea	3	1						2										
73	Neuralgia and neuritis	10									1	1	1	2	1	3	1		
74	Other diseases of the nervous system	66	9	3	3		1	2	5	8	7	4	4	12	5	2	1		
75	Diseases of the eyes and their annexa	7			1			1		1	1		1	1	1				
76	Diseases of the ears	34	9	1	2	1	2	4	4	1	5	1	3						1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NORTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	2,833	25	8	4	4	3	21	58	134	182	246	359	622	749	334	56	9	19
77	Pericarditis	22						1	1	3	1	1	3	4	3	1	4		
78	Acute endocarditis	112	2	1			1	7	8	17	21	25	24		4	2			
79	Organic diseases of the heart	2,403	19	5	3	4	2	12	44	111	146	191	299	544	650	292	49	6	17
80	Angina pectoris	97									4	10	14	34	28	7			
81	Diseases of the arteries, atheroma, aneurism, etc.	133								1	2	7	14	27	47	28	3	3	1
82	Embolism and thrombosis	40	1						4	1	6	8	2	9	7	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7								1		1	2	3					
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	2	2										1					1
85	Hemorrhage; other diseases of the circulatory system	13	1		1			1	1		2	3	1		1	2			
	IV.—Diseases of the respiratory system.	3,130	822	241	85	52	31	97	201	271	278	211	179	223	243	145	22	8	21
86	Diseases of the nasal fossae	50	43												2	4	1		
87	Diseases of the larynx	27	5	4	6	2	3	3	1	1				1	1				
88	Diseases of the thyroid body	18							1	1	3	2	4	4	1	1		1	
89	Acute bronchitis	143	88	17	5	5	1	3	1	3	4		3	1	6	4	1		1
90	Chronic bronchitis	86	4	2				2	2	6	3	6	9	9	19	23	1		
91	Bronchopneumonia	918	415	126	46	21	14	27	22	36	30	29	19	36	50	32	6	1	8
92	Pneumonia (total)	1,708	258	85	25	23	10	56	156	206	222	154	126	159	130	70	12	5	11
	Lobar pneumonia	1,327	132	53	17	13	5	45	132	181	206	127	101	138	99	53	11	4	10
	Pneumonia (undefined)	381	126	32	8	10	5	11	24	25	16	27	25	21	31	17	1	1	1
93	Pleurisy	57	1	4	2	1	2	3	11	7	8	3	4	2	7	1			1
94	Pulmonary congestion, pulmonary apoplexy	22	2	1						1	1		2	1	9	4	1		
95	Gangrene of the lung	4			1				1	2									
96	Asthma	56	2	1				3	2	3		9	11	6	15	4			
98	Other diseases of the respiratory system (tuberculosis excepted)	41	4	1			1		4	5	7	8	1	4	3	2		1	
	V.—Diseases of the digestive system.	2,964	1,027	549	149	50	36	59	140	131	117	152	146	162	153	64	11	2	16
99	Diseases of the mouth and annexa	34	18					5	1	2		3	3	2					
100	Diseases of the pharynx	58	5	1	5	3	5	6	9	10	6	2		5	1				
101	Diseases of the esophagus	7				2			2			1			2				
102	Ulcer of the stomach	61	1						1	6	12	7	8	19	4	2			1
103	Other diseases of the stomach (cancer excepted)	301	85	16	11		1	6	5	14	18	34	29	28	31	18	2		3
104	Diarrhea and enteritis (under 2 years)	1,398	876	522															
105	Diarrhea and enteritis (2 years and over)	352			118	35	22	19	15	10	9	14	14	18	41	25	7	1	4
106	Ankylostomiasis	1							1										
107	Intestinal parasites	12	1	2	2	1	2	3	1										
108	Appendicitis and typhlitis	222			2	1	3	11	65	46	32	24	16	14	5				3
109	Hernia, intestinal obstruction (total)	176	26	3	7	5	2	5	14	17	12	18	18	16	24	7		1	1
	Hernia	53	8						2	2	2	6	8	8	12	5			
	Intestinal obstruction	123	18	3	7	5	2	5	12	15	10	12	10	8	12	2		1	1
110	Other diseases of the intestines	25	3		1					3	6	3	4	2	2	1			
111	Acute yellow atrophy of the liver	8			2					3	2		1						
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	96	2	1					7	2	5	11	22	22	19	5			
114	Biliary calculi	57							1	1	1	10	18	13	11	2			
115	Other diseases of the liver	91	6	3	1	2		2	5	6	5	13	10	18	11	3	2		4
116	Diseases of the spleen	3												2		1			
117	Simple peritonitis (nonpuerperal)	53	4	1		1	1	2	12	11	7	8	2	3	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8							1		2	4			1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	2,217	24	20	13	5	9	29	48	105	174	213	311	461	509	248	26	5	17
119	Acute nephritis	216	9	6	6	4	5	15	19	25	32	27	12	25	20	7	2		2
120	Bright's disease	1,710	7	10	2	1	3	13	18	56	114	160	262	395	422	207	21	5	14
122	Other diseases of the kidneys and annexa	74	4	3	5		1		5	4	2	2	9	10	22	6			1
123	Calculi of the urinary passages	16	1	1				1	1	2		2	1	4	3				
124	Diseases of the bladder	25									3		2	3	6	10	1		
125	Diseases of the urethra, urinary abscess, etc.	9	1							1			3	2	2				
126	Diseases of the prostate	84									1	2	12	18	32	17	2		
127	Nonvenereal diseases of the male genital organs	2	1							1									
128	Uterine hemorrhage (nonpuerperal)	2									2								
129	Uterine tumor (noncancerous)	29								4	7	11	7						
130	Other diseases of the uterus	14							2	2	2	5	2	1					
131	Cysts and other tumors of the ovary	9								3		1		2	2	1			
132	Salpingitis and other diseases of the female genital organs	26							3	7	11	3	1	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	814							124	332	275	71	2						10
134	Accidents of pregnancy	101							5	46	37	11	1						1
135	Puerperal hemorrhage	63							3	16	34	8							2
136	Other accidents of labor	154							13	67	59	11	1						3
137	Puerperal septicemia	172							32	81	49	9							1
138	Puerperal albuminuria and convulsions	308							69	117	89	31							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10								3	5	1							1
140	Following childbirth (not otherwise defined)	6							2	2	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NORTH CAROLINA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	98	19	4	2	2	1	3	8	3	5	2	11	10	13	9	5	.....	1
142	Gangrene	51	3	3	1	2	.....	.....	3	2	2	1	6	5	10	7	5	.....	1
143	Furuncle	12	1	.....	.....	.....	.....	.....	2	1	2	1	2	3	.....	.....	.....	.....	.....
144	Acute abscess	16	4	.....	1	.....	1	2	2	.....	1	.....	2	1	2	.....	.....	.....	.....
145	Other diseases of the skin and annexa	19	11	1	.....	.....	.....	1	1	.....	.....	.....	1	1	1	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	64	4	2	.....	1	3	13	19	5	2	3	3	1	4	1	1	1	1
146	Diseases of the bones (tuberculosis excepted)	55	4	2	.....	1	3	13	18	5	2	3	2	1	.....	.....	.....	.....	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	1	.....	.....
149	Other diseases of the organs of locomotion	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	.....
	X.—Malformations	274	242	16	3	1	2	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	274	242	16	3	1	2	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	37	27	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	135	122	6	.....	1	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	102	93	3	1	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,024	2,024	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,768	1,768	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,413	1,413	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	355	355	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	253	253	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	115	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	138	138	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	598	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	18	156	235	139	42	4
154	Senility	598	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	18	156	235	139	42	4
	XIII.—External causes	1,792	120	62	69	50	50	124	249	318	222	144	112	96	91	46	15	4	20
	Suicide (total)	100	.....	.....	.....	.....	.....	.....	4	13	15	35	14	12	6	.....	.....	.....	1
155	By poison	19	.....	.....	.....	.....	.....	.....	2	3	6	5	2	1	.....	.....	.....	.....	.....
156	By asphyxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	18	.....	.....	.....	.....	.....	.....	.....	3	2	5	5	1	2	.....	.....	.....	.....
158	By drowning	6	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	.....	.....	.....
159	By firearms	44	.....	.....	.....	.....	.....	.....	2	7	6	12	6	7	3	.....	.....	.....	1
160	By cutting or piercing instruments	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	1,440	114	62	69	50	49	122	213	202	154	81	83	77	83	46	15	4	16
164	Poisoning by food	43	9	4	2	1	.....	3	4	2	5	3	3	5	1	.....	.....	.....	1
165	Other acute poisonings	56	7	11	6	4	1	2	2	2	7	6	3	3	.....	1	.....	.....	1
166	Conflagration	28	3	1	1	1	2	1	2	6	2	.....	2	2	3	2	.....	.....	.....
167	Burns (conflagration excepted)	292	19	26	40	31	28	52	20	8	15	10	16	8	9	3	2	2	3
168	Absorption of deleterious gases (conflagration excepted)	56	43	.....	.....	1	.....	2	2	2	2	1	2	1	.....	.....	.....	.....	.....
169	Accidental drowning	70	.....	7	1	2	2	2	27	16	7	2	1	2	1	.....	.....	.....	.....
170	Traumatism by firearms	138	.....	1	3	2	5	14	60	31	6	7	.....	7	.....	.....	.....	.....	2
171	Traumatism by cutting or piercing instruments	6	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....
172	Traumatism by fall	147	7	1	2	1	1	6	10	12	7	8	6	15	32	27	10	1	1
173	Traumatism in mines and quarries (total)	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....
	Traumatism in mines	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....
174	Traumatism by machines	58	.....	.....	.....	.....	.....	1	12	20	10	4	7	2	.....	1	.....	.....	1
175	Traumatism by other crushing (total)	311	3	4	4	5	8	21	47	67	53	24	29	26	12	2	1	.....	5
	Railroad accidents and injuries	125	.....	2	.....	1	.....	4	15	26	26	16	13	13	4	1	.....	.....	4
	Street-car accidents and injuries	9	.....	.....	1	.....	1	1	1	.....	2	1	.....	1	.....	1	.....	.....	.....
	Automobile accidents and injuries	133	1	1	2	4	6	14	24	33	20	3	13	7	4	.....	1	.....	.....
	Injuries by other vehicles	31	1	1	1	.....	1	2	6	4	2	2	3	4	3	.....	.....	.....	1
	Aeroplane accidents and injuries	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	11	1	.....	.....	.....	.....	.....	1	3	2	2	.....	1	1	.....	.....	.....	.....
176	Injuries by animals	14	1	.....	.....	.....	.....	1	4	2	3	.....	1	.....	.....	1	.....	1	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	.....	.....	.....	.....
179	Effects of heat	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	1	.....	.....	.....	.....
180	Lightning	15	.....	.....	.....	.....	.....	2	6	3	2	1	.....	.....	.....	.....	.....	.....	1
181	Electricity (lightning excepted)	19	.....	.....	.....	.....	.....	.....	3	8	3	1	2	1	1	.....	.....	.....	.....
185	Fractures (cause not specified)	30	1	.....	.....	.....	.....	1	2	2	3	.....	1	2	9	7	2	.....	.....
186	Other external violence	140	21	7	10	2	2	12	11	17	26	9	8	3	10	1	.....	.....	1
	Homicide (total)	252	6	.....	.....	.....	1	2	32	103	53	28	15	7	2	.....	.....	.....	3
182	By firearms	202	.....	.....	.....	.....	.....	2	25	84	47	24	12	5	1	.....	.....	.....	2
183	By cutting or piercing instruments	13	.....	.....	.....	.....	.....	.....	3	5	3	1	.....	.....	.....	.....	.....	.....	1
184	By other means	37	6	.....	.....	.....	1	.....	4	14	3	3	3	2	1	.....	.....	.....	.....
	XIV.—Ill-defined diseases	3,063	1,464	137	34	25	18	54	74	126	117	112	123	243	291	165	38	17	25
187	Ill-defined organic disease	86	2	.....	.....	1	.....	1	3	4	.....	5	3	14	26	17	7	1	2
188	Sudden death	256	53	5	.....	.....	.....	2	5	13	9	25	25	48	37	27	1	2	4
189	Not specified or ill-defined (total)	2,721	1,409	132	34	24	18	51	66	109	108	82	95	181	228	121	30	14	19
	Ill-defined	388	104	42	6	5	3	11	11	17	17	27	22	45	57	14	5	.....	2
	Not specified or unknown	2,333	1,305	90	28	19	15	40	55	92	91	55	73	136	171	107	25	14	17

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
NORTH CAROLINA (WHITE).																			
	All causes	20,189	4,168	1,017	334	232	183	451	978	1,659	1,680	1,428	1,490	2,336	2,599	1,227	217	21	110
	I.—General diseases	5,986	548	317	146	116	92	207	417	875	828	645	507	620	455	150	18	1	44
1	Typhoid fever	167	3		2	5	1	12	57	30	26	15	5	9	1				1
4	Malaria	84	11	8	2	6	4	6	4	9	3	9	6	10	4	2			
5	Smallpox	21	2	1					2	6	4		2	3	1				
6	Measles	51	4	16	5	6	2	5	4	3	3		1	1	1				
7	Scarlet fever	37	5	4	3	6	3	12	4										
8	Whooping cough	205	121	46	14	11	3	6		2	1								1
9	Diphtheria and croup	245	39	46	42	28	38	38	4	2	1		5	1					1
10	Influenza	1,939	224	120	40	34	26	70	161	288	345	192	121	112	131	45	9		21
13	Cholera nostras	3	1		1											1			
14	Dysentery	222	48	43	17	9	2	4	13	6	3	4	7	23	27	12	3		1
18	Erysipelas	48	19	3	1	1	1	2	2	2	2	5		2	5	2			1
19	Other epidemic diseases	4		1			1	1	1										
20	Purulent infection and septicemia	36	2	1		1		4	4	4		4	1	6	3	3	1		2
22	Anthrax	1										1							
23	Rabies	1												1					
24	Tetanus	21	5	1	2			2	6	2			2	1					
26	Pellagra	182		1		1		5	3	12	36	45	25	37	15	2			
	Tuberculosis (total)	1,491	27	16	8	2	4	13	112	460	315	212	119	113	60	16	1		13
28	Tuberculosis of the lungs	1,318	9	4	1			8	93	429	296	189	115	101	48	14	1		10
29	Acute miliary tuberculosis	37	2	2					7	8	7	8		1	1				1
30	Tuberculous meningitis	53	14	8	4	2	2	1	4	6	5	5		2					
31	Abdominal tuberculosis	48			1			1	2	12	6	5	2	9	8	1			1
32	Pott's disease	13		2	1			1	2	2		3	1			1			
33	White swellings	5					1			1					2				1
34	Tuberculosis of other organs	17	2		1		1	2	4	2	1	2	1		1				
36	Rickets	7	6		1														
37	Syphilis	40	13	1					1	4	9	3	3	4	1				1
38	Gonococcus infection	4			1				1			1		1					
	Cancer and other malignant tumors (total)	767		1	1			6	8	11	37	96	162	226	156	57	4	1	1
39	Of the buccal cavity	24									1	1	5	5	11	1			
40	Of the stomach, liver	259						1		3	7	16	54	101	54	22			1
41	Of the peritoneum, intestines, rectum	67							2	1	2	9	17	19	13	3	1		
42	Of the female genital organs	149								1	13	34	36	41	18	5	1		
43	Of the breast	64								1	5	17	14	14	9	3	1		
44	Of the skin	43									2	2	2	12	13	11	1		
45	Of other organs or of organs not specified	161		1	1			5	6	5	7	17	34	34	38	12		1	
46	Other tumors (tumors of the female genital organs excepted)	9							1		2	2		3	1				
47	Acute articular rheumatism	43	2	1	1				5	3	4	4	3	7	10	3			
48	Chronic rheumatism and gout	31								2		4	2	9	10	4			
49	Scurvy	3	2										1						
50	Diabetes	154		2		2	3	11	18	11	11	19	21	34	20	2			
51	Exophthalmic goiter	11								3	3	3	2						
52	Addison's disease	5					1		2			1			1				
53	Leukemia	29	1		1	2	1	2	3	3	4	8	2	2					
54	Anemia, chlorosis	45	2	1				4	1	5	7	4	9	10	2				
55	Other general diseases	43	11	4	4	2	2	4		5	2	2		3	3	1			
56	Alcoholism (acute or chronic)	19								1	8	4	3	1	1				1
59	Other chronic poisonings	18								1	2	7	5	1	2				
	II.—Diseases of the nervous system and of the organs of special sense	1,981	111	38	30	6	8	33	48	46	82	123	250	434	516	218	29		9
60	Encephalitis	22	5	1				4	2	1	3	3	2	1					
61	Meningitis (total)	150	50	19	17	2	5	13	19	11	8	1	2	3					
	Simple meningitis	83	30	10	9	1	3	7	10	6	2	1	1	3					
	Cerebrospinal meningitis (undefined)	37	10	4	5		1	5	7	2	3								
	Cerebrospinal fever	30	10	5	3	1	1	1	2	3	3		1						
62	Locomotor ataxia	11										4	2	4	1				
63	Other diseases of the spinal chord (total)	68	5	1	6	2		6	3	4	2	2	12	11	10	2	1		1
	Acute anterior poliomyelitis	19	4	1	4	1		6	1					1					1
	Other diseases of the spinal cord	49	1		2	1			2	4	2	2	12	10	10	2	1		
64	Cerebral hemorrhage, apoplexy	1,161	6	6		1			3	6	33	80	176	319	370	136	19		6
65	Softening of the brain	22											4	6	8	3	1		
66	Paralysis without specified cause	286	1	2						2	6	14	32	65	94	63	5		2
67	General paralysis of the insane	32								1	2	2	6	4	13	3	1		
68	Other forms of mental alienation	35								1	4	4	5	6	10	5			
69	Epilepsy	64	5	1				5	11	14	10	5	2	4	4	3			
70	Convulsions (nonpuerperal)	10							1	1	3	4			1				
71	Convulsions of infants	32	26	4	2														
72	Chorea	2							2										
73	Neuralgia and neuritis	8										1	1	2	1	2	1		
74	Other diseases of the nervous system	44	4	3	2		1	2	4	3	6	3	3	8	3	1	1		
75	Diseases of the eyes and their annexa	5			1					1	1			1	1				
76	Diseases of the ears	29	9	1	2	1	2	3	3	1	4		3						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NORTH CAROLINA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	1,825	21	6	1	3	2	13	35	59	83	108	182	449	581	237	31	4	10
77	Pericarditis	11						1	1	2			1	2	2		2		
78	Acute endocarditis	52	1					5	4	9	6	9	13		4	1			
79	Organic diseases of the heart	1,548	17	5		3	2	6	28	46	68	81	147	391	505	209	27	3	10
80	Angina pectoris	82									3	8	12	29	27	3			
81	Diseases of the arteries, atheroma, aneurism, etc.	84										3	6	17	35	20	2	1	
82	Embolism and thrombosis	29	1						1	1	5	3	1	8	7	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5								1		1	1	2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	1															
85	Hemorrhage; other diseases of the circulatory system	12	1		1			1	1		1	3	1		1	2			
	IV.—Diseases of the respiratory system.	1,857	429	142	53	24	19	49	115	138	160	136	114	154	190	110	12		12
86	Diseases of the nasal fossae	18	12												1	4	1		
87	Diseases of the larynx	19	2	3	4	1	3	3	1	1				1					
88	Diseases of the thyroid body	11								1	2	1	3	4					
89	Acute bronchitis	75	43	7	5	4	1	2	1	1			1	1	5	3	1		
90	Chronic bronchitis	60	2	1					1			5	7	9	15	20			
91	Bronchopneumonia	563	238	74	28	7	7	12	16	21	17	22	15	26	44	29	4		3
92	Pneumonia (total)	1,008	125	52	15	11	5	30	36	108	133	94	82	104	101	48	6		8
	Lobar pneumonia	790	64	32	12	7	2	26	73	96	122	74	64	93	79	34	5		7
	Pneumonia (undefined)	218	61	20	3	4	3	4	13	12	11	20	18	11	22	14	1		1
93	Pleurisy	42	1	4	1	1	2		8	4	6	3	1	2	7	1			1
94	Pulmonary congestion, pulmonary apoplexy	12	1								1				7	3			
95	Gangrene of the lung	2							1	1									
96	Asthma	29	2	1				2				6	5	4	8	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	18	3				1		1	1	1	5		3	2	1			
	V.—Diseases of the digestive system.	1,947	621	396	101	35	24	36	90	75	69	90	106	121	119	48	8		8
99	Diseases of the mouth and annexa	16	4					3	1	2		2	3	1					
100	Diseases of the pharynx	31	2	1	4	1	4	3	5	4	2	2		2	1				
101	Diseases of the esophagus	5							2			1			2				
102	Ulcer of the stomach	39	1						1	3	9	2	7	14	1	1			
103	Other diseases of the stomach (cancer excepted)	174	50	12	5		1	5	1	7	7	8	19	21	22	14	2		
104	Diarrhea and enteritis (under 2 years)	917	542	375															
105	Diarrhea and enteritis (2 years and over)	245			82	26	12	9	8	7	8	10	11	14	33	18	4		3
106	Ankylostomiasis	1							1										
107	Intestinal parasites	3			1		1	1											
108	Appendicitis and typhlitis	166			2	1	3	9	51	35	18	18	13	11	3				2
109	Hernia, intestinal obstruction (total)	116	15	3	5	5	2	4	8	5	8	13	14	10	19	5			
	Hernia	34	3						1	2	2	5	6	4	7	4			
	Intestinal obstruction	82	12	3	5	5	2	4	7	3	6	8	8	6	12	1			
110	Other diseases of the intestines	16	1		1						6	2	3	1	2				
111	Acute yellow atrophy of the liver	6			1					3	1		1						
113	Cirrhosis of the liver	59	1	1					2	1	1	7	12	16	14	4			
114	Biliary calculi	46							1		1	8	13	10	11	2			
115	Other diseases of the liver	74	2	3		2		1	5	5	3	10	9	16	10	3	2		3
116	Diseases of the spleen	3												2		1			
117	Simple peritonitis (nonpuerperal)	26	3	1			1	1	4	3	4	4	1	3	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4									1	3							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,401	13	13	6	4	8	16	23	46	93	114	173	332	367	172	10	1	10
119	Acute nephritis	115	3	3	1	3	5	8	7	10	16	15	8	15	14	5	1		1
120	Bright's disease	1,125	5	9	1	1	2	7	10	27	65	86	147	291	311	146	8	1	8
122	Other diseases of the kidneys and annexa	52	3	1	4		1		3	2	2	2	8	7	15	3			1
123	Calculi of the urinary passages	12	1					1	1	2		2	1	1	3				
124	Diseases of the bladder	12									2		1	1	3	5			
125	Diseases of the urethra, urinary abscess, etc.	3											1	1	1				
126	Diseases of the prostate	49										1	5	12	18	12	1		
128	Uterine hemorrhage (nonpuerperal)	2									2								
129	Uterine tumor (noncancerous)	6								1		4	1						
130	Other diseases of the uterus	4										2	1	1					
131	Cysts and other tumors of the ovary	6								1				2	2	1			
132	Salpingitis and other diseases of the female genital organs	14							2	3	6	2		1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	492							55	204	178	46	2						7
134	Accidents of pregnancy	74							5	31	30	6	1						1
135	Puerperal hemorrhage	32							1	7	17	5							2
136	Other accidents of labor	96							4	44	40	6	1						1
137	Puerperal septicemia	97							13	45	30	8							1
138	Puerperal albuminuria and convulsions	185							31	75	57	20							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3									2	1							
140	Following childbirth (not otherwise defined)	5							1	2	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ages.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NORTH CAROLINA (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	55	9	3	1	1	1	2	7	3	2	1	2	6	8	5	4		
142	Gangrene	29	2	2	1	1			3	2	1		2	2	6	3	4		
143	Furuncle	8							2	1	1	1		3					
144	Acute abscess	7	1				1	2	2						1				
145	Other diseases of the skin and annexa	11	6	1										1	1	2			
	IX.—Diseases of the bones and of the organs of locomotion	47	4	2			2	12	12	3	1	2	2	1	4	1			1
146	Diseases of the bones (tuberculosis excepted)	40	4	2			2	12	11	3	1	2	1	1					1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5											1		4				
149	Other diseases of the organs of locomotion	2							1							1			
	X.—Malformations	227	206	10	3	1	1	3	2		1								
150	Congenital malformations (total)	227	206	10	3	1	1	3	2		1								
	Hydrocephalus	28	23	3	2														
	Congenital malformations of the heart	116	106	5		1		3	1										
	Other congenital malformations	83	77	2	1		1		1		1								
	XI.—Early infancy	1,407	1,407																
151	Congenital debility, icterus, and sclerema (total)	1,240	1,240																
	Premature birth	1,021	1,021																
	Congenital debility, "atrophy," "marasmus," etc	219	219																
152	Other causes peculiar to early infancy (total)	167	167																
	Injuries at birth	88	88																
	Other causes peculiar to early infancy	79	79																
	XII.—Old age	348											1	6	102	150	76	12	1
154	Senility	348											1	6	102	150	76	12	1
	XIII.—External causes	1,092	73	40	32	33	20	66	151	161	135	107	78	65	67	41	11	2	10
	Suicide (total)	87							4	10	14	32	14	8	4				1
155	By poison	19							2	3	6	5	2	1					
156	By asphyxia	3										2		1					
157	By hanging or strangulation	14								3	1	3	5		2				
158	By drowning	6									1	4		1					
159	By firearms	37							2	4	6	11	6	5	2				1
160	By cutting or piercing instruments	3										3							
161	By jumping from high places	1										1							
162	By crushing	1											1						
163	Other suicides	3										3							
	Accidental or undefined (total)	918	68	40	32	33	19	66	135	122	110	59	58	52	61	41	11	2	9
164	Poisoning by food	30	5	4	2	1		2	2	2	4	2	2	3					1
165	Other acute poisonings	32	5	4	1	2		2	1	2	3	5	3	2		1			1
166	Conflagration	10	1	1	1		2						2		1	2			
167	Burns (conflagration excepted)	144	12	13	17	21	8	23	9	5	8	5	8	5	7			1	2
168	Absorption of deleterious gases (conflagration excepted)	32	26						2	2		1	1						
169	Accidental drowning	32		5			1	2	13	5	4			2					
170	Traumatism by firearms	68		1	2	2	1	9	30	8	3	5		6					1
171	Traumatism by cutting or piercing instruments	5						2	1	1						1			
172	Traumatism by fall	115	5	1		1		1	8	11	6	5	4	9	27	26	9	1	1
173	Traumatism in mines and quarries (total)	4								1	1	1			1				
	Traumatism in mines	4								1	1	1			1				
174	Traumatism by machines	43						1	8	15	9	4	4	1		1			
175	Traumatism by other crushing (total)	248	2	4	4	4	5	16	41	52	41	21	25	20	10	1			2
	Railroad accidents and injuries	95		2					3	13	19	18	14	11	10	2	1		2
	Street-car accidents and injuries	8			1		1	1	1			2	1		1				
	Automobile accidents and injuries	109		1	2	4	3	10	21	26	17	3	12	6	4				
	Injuries by other vehicles	23	1	1	1		1	2	5	3	1	1	2	2	3				
	Aeroplane accidents and injuries	2								1	1								
	Landslide, other crushing	11	1						1	3	2	2		1	1				
176	Injuries by animals	10							3	2	3		1			1			
179	Effects of heat	2										2							
180	Lightning	10						1	5	1	2	1							
181	Electricity (lightning excepted)	17							2	7	3	1	2	1	1				
185	Fractures (cause not specified)	26	1					1	2	1	3		1	1	7	7	2		
186	Other external violence	90	11	7	5	2	2	6	8	7	20	6	5	2	7	1			1
	Homicide (total)	87	5				1		12	29	11	16	6	5	2				
182	By firearms	65							9	23	10	14	4	4	1				
183	By cutting or piercing instruments	5							2	1	1	1							
184	By other means	17	5				1		1	5		1	2	1	1				
	XIV.—Ill-defined diseases	1,524	726	50	11	9	6	14	23	49	48	56	73	148	190	95	18	1	7
187	Ill-defined organic disease	55	1					1	2	2		1	3	10	20	10	4		1
188	Sudden death	145	29	2				1	3	5	5	17	14	29	27	13			
189	Not specified or ill-defined (total)	1,324	696	48	11	9	6	12	18	42	43	38	56	109	143	72	14	1	6
	Ill-defined	254	77	15	2	3	2	3	4	13	10	17	16	35	42	10	5		
	Not specified or unknown	1,070	619	33	9	6	4	9	14	29	33	21	40	74	101	62	9	1	6

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	NORTH CAROLINA (COLORED).																		
	All causes	12,465	2,741	568	242	149	118	356	946	1,555	1,245	1,019	917	905	858	492	168	77	109
	I.—General diseases	3,902	422	178	77	67	44	150	492	823	581	430	253	186	119	39	11	.....	30
1	Typhoid fever	155	3	6	2	2	4	16	56	33	20	3	5	2	3	.....	.....	.....	.....
4	Malaria	126	26	11	11	2	7	14	15	9	8	5	7	8	2	1	.....	.....	.....
5	Smallpox	7	2	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	1	.....	.....	.....	.....
6	Measles	11	2	3	1	1	.....	1	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
7	Scarlet fever	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	152	80	36	12	9	4	7	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	54	15	8	5	10	6	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	1,056	163	63	32	33	13	47	124	153	138	107	63	55	32	16	4	.....	13
13	Cholera nostras	5	2	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	102	45	26	4	2	.....	4	.....	3	2	3	3	1	6	3	.....	.....	.....
18	Erysipelas	7	2	.....	.....	1	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....
19	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	14	1	.....	.....	.....	.....	1	2	4	4	1	.....	.....	1	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	38	21	1	.....	.....	.....	3	6	3	2	1	1	.....	.....	.....	.....	.....	.....
26	Pellagra	136	.....	.....	.....	.....	2	1	11	32	33	25	12	9	8	2	.....	.....	1
	Tuberculosis (total)	1,513	17	13	8	7	4	42	246	530	304	175	79	49	23	4	2	.....	10
28	Tuberculosis of the lungs	1,342	7	4	5	5	1	23	208	485	284	162	75	46	22	4	2	.....	9
29	Acute miliary tuberculosis	46	1	2	1	.....	.....	2	9	15	9	6	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	25	5	4	2	1	1	5	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	66	2	2	.....	.....	1	6	19	21	6	3	3	2	1	.....	.....	.....	.....
32	Pott's disease	7	.....	.....	.....	.....	.....	1	1	.....	1	3	.....	1	.....	.....	.....	.....	.....
33	White swellings	12	.....	.....	.....	.....	1	2	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	12	2	.....	.....	1	.....	3	.....	4	1	1	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	10	4	4	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	125	33	3	.....	.....	.....	.....	3	18	24	26	6	7	3	.....	.....	.....	2
38	Gonococcus infection	12	.....	.....	.....	.....	.....	.....	2	6	1	2	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	250	.....	1	.....	.....	.....	2	3	12	34	59	56	40	24	10	5	.....	4
39	Of the buccal cavity	7	.....	.....	.....	.....	.....	.....	1	1	1	1	1	2	.....	.....	.....	.....	.....
40	Of the stomach, liver	77	.....	.....	.....	.....	.....	.....	.....	3	8	12	22	17	9	2	1	.....	3
41	Of the peritoneum, intestines, rectum	16	.....	1	.....	.....	.....	1	.....	.....	3	2	4	2	1	2	.....	.....	.....
42	Of the female genital organs	79	.....	.....	.....	.....	.....	.....	.....	6	16	27	14	9	3	3	1	.....	.....
43	Of the breast	30	.....	.....	.....	.....	.....	.....	.....	.....	1	12	6	5	4	2	.....	.....	.....
44	Of the skin	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
45	Of other organs or of organs not specified	40	.....	.....	.....	.....	.....	1	2	2	5	5	9	4	7	1	3	.....	1
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
47	Acute articular rheumatism	36	.....	.....	.....	.....	2	2	6	1	1	4	7	4	7	2	.....	.....	.....
48	Chronic rheumatism and gout	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	44	1	.....	1	.....	.....	2	4	6	6	8	5	7	3	1	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
53	Leukemia	7	.....	.....	.....	.....	1	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	9	.....	1	.....	.....	.....	.....	2	2	.....	2	.....	.....	2	.....	.....	.....	.....
55	Other general diseases	10	3	1	.....	.....	1	.....	.....	3	.....	1	.....	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	8	.....	.....	.....	.....	.....	.....	1	.....	.....	3	1	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	914	57	13	14	2	4	12	42	45	61	95	147	165	158	65	14	9	11
60	Encephalitis	11	1	1	.....	.....	.....	1	3	1	2	2	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	52	14	3	9	1	1	3	7	4	4	3	.....	3	.....	.....	.....	.....	.....
	Simple meningitis	35	10	1	8	.....	1	3	2	4	2	2	.....	2	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	12	2	2	.....	1	.....	.....	4	.....	1	1	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	5	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	5	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	21	.....	.....	1	.....	1	1	3	2	2	2	2	5	2	.....	.....	.....	.....
	Acute anterior poliomyelitis	3	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	18	.....	.....	.....	.....	.....	.....	3	2	2	2	2	5	2	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	517	2	.....	.....	.....	.....	1	7	17	27	63	115	118	110	35	7	6	9
65	Softening of the brain	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
66	Paralysis without specified cause	145	.....	1	.....	.....	.....	.....	5	1	8	8	21	31	38	24	6	2	.....
67	General paralysis of the insane	10	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	.....	1	1	1	.....	.....
68	Other forms of mental alienation	29	.....	.....	.....	.....	.....	.....	2	7	3	10	1	2	2	1	.....	1	.....
69	Epilepsy	42	4	1	.....	1	2	3	11	5	7	3	.....	1	1	2	.....	.....	1
70	Convulsions (nonpuerperal)	9	.....	.....	.....	.....	.....	1	2	2	1	1	1	.....	1	.....	.....	.....	.....
71	Convulsions of infants	40	30	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
74	Other diseases of the nervous system	22	5	.....	1	.....	.....	.....	1	5	1	1	1	4	2	1	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	5	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NORTH CAROLINA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	1,008	4	2	3	1	1	8	23	75	99	138	177	173	168	97	25	5	9
77	Pericarditis	11								1	1	1	2	2	1	1	2		
78	Acute endocarditis	60	1	1			1	2	4	8	15	16	11			1			
79	Organic diseases of the heart	855	2		3	1		6	16	65	78	110	152	153	154	83	22	3	7
80	Angina pectoris	15									1	2	2	5	1	4			
81	Diseases of the arteries, atheroma, aneurism, etc.	49								1	2	4	8	10	12	8	1	2	1
82	Embolism and thrombosis	11							3		1	5	1	1					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2											1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1	1										1					1
85	Hemorrhage; other diseases of the circulatory system	1									1								
	IV.—Diseases of the respiratory system.	1,273	393	99	32	28	12	48	86	133	118	75	65	69	53	35	10	8	9
86	Diseases of the nasal fossae	32	31												1				
87	Diseases of the larynx	8	3	1	2	1									1				
88	Diseases of the thyroid body	7							1		1	1	1		1	1		1	
89	Acute bronchitis	68	45	10		1		1		2	4		2		1	1			1
90	Chronic bronchitis	26	2	1				2	1	6	3	1	2		4	3	1		
91	Bronchopneumonia	355	177	52	18	14	7	15	6	15	13	7	4	10	6	3	2	1	5
92	Pneumonia (total)	700	133	33	10	12	5	26	70	98	89	60	44	55	29	22	6	5	3
	Lobar pneumonia	537	68	21	5	6	3	19	59	85	84	53	37	45	20	19	6	4	3
	Pneumonia (undefined)	163	65	12	5	6	2	7	11	13	5	7	7	10	9	3		1	
93	Pleurisy	15			1			3	3	3	2		3						
94	Pulmonary congestion, pulmonary apoplexy	10	1	1						1			2	1	2	1	1		
95	Gangrene of the lung	2			1					1									
96	Asthma	27						1	2	3		3	6	2	7	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	23	1	1					3	4	6	3	1	1	1	1		1	
	V.—Diseases of the digestive system.	1,017	406	153	48	15	12	23	50	56	48	62	40	41	34	16	3	2	8
99	Diseases of the mouth and annexa	18	14					2				1		1					
100	Diseases of the pharynx	27	3		1	2	1	3	4	6	4			3					
101	Diseases of the esophagus	2				2													
102	Ulcer of the stomach	22								3	3	5	1	5	3	1			1
103	Other diseases of the stomach (cancer excepted)	127	35	4	6			1	4	7	11	26	10	7	9	4			3
104	Diarrhea and enteritis (under 2 years)	481	334	147															
105	Diarrhea and enteritis (2 years and over)	107			36	9	10	10	7	3	1	4	3	4	8	7	3	1	1
107	Intestinal parasites	9	1	2	1	1	1	2	1										
108	Appendicitis and typhlitis	56						2	14	11	14	6	3	3	2				1
109	Hernia, intestinal obstruction (total)	60	11		2			1	6	12	4	5	4	6	5	2		1	1
	Hernia	19	5						1			1	2	4	5	1			
	Intestinal obstruction	41	6		2			1	5	12	4	4	2	2		1		1	1
110	Other diseases of the intestines	9	2							3		1	1	1		1			
111	Acute yellow atrophy of the liver	2			1						1								
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	37	1						5	1	4	4	10	6	5	1			
114	Biliary calculi	11								1		2	5	3					
115	Other diseases of the liver	17	4		1			1		1	2	3	1	2	1				1
117	Simple peritonitis (nonpuerperal)	27	1			1		1	8	8	3	4	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4							1		1	1			1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	816	11	7	7	1	1	13	25	59	81	99	138	129	142	76	16	4	7
119	Acute nephritis	101	6	3	5	1		7	12	15	16	12	4	10	6	2	1		1
120	Bright's disease	585	2	1	1		1	6	8	29	49	74	115	104	111	61	13	4	6
122	Other diseases of the kidneys and annexa	22	1	2	1				2	2			1	3	7	3			
123	Calculi of the urinary passages	4		1										3					
124	Diseases of the bladder	13									1		1	2	3	5	1		
125	Diseases of the urethra, urinary abscess, etc.	6	1							1			2	1	1				
126	Diseases of the prostate	35									1	1	7	6	14	5	1		
127	Nonvenereal diseases of the male genital organs	2	1							1									
129	Uterine tumor (noncancerous)	23								3	7	7	6						
130	Other diseases of the uterus	10							2	2	2	3	1						
131	Cysts and other tumors of the ovary	3								2		1							
132	Salpingitis and other diseases of the female genital organs	12							1	4	5	1	1						
	VII.—The puerperal state	322							69	128	97	25							3
134	Accidents of pregnancy	27								15	7	5							
135	Puerperal hemorrhage	31							2	9	17	3							
136	Other accidents of labor	58							9	23	19	5							2
137	Puerperal septicemia	75							19	36	19	1							
138	Puerperal albuminuria and convulsions	123							38	42	32	11							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								3	3								1
140	Following childbirth (not otherwise defined)	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	NORTH CAROLINA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	43	10	1	1	1	.....	1	1	.....	3	1	9	4	5	4	1	.....	1
142	Gangrene	22	1	1	.....	1	.....	.....	.....	.....	1	1	4	3	4	4	1	.....	1
143	Furuncle	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
144	Acute abscess	9	3	.....	1	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	8	5	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	17	.....	.....	.....	1	1	1	7	2	1	1	1	.....	.....	.....	1	1	.....
146	Diseases of the bones (tuberculosis excepted)	15	.....	.....	.....	1	1	1	7	2	1	1	1	.....	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	X.—Malformations	47	36	6	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	47	36	6	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	9	4	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	19	16	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	19	16	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	617	617	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	528	528	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	392	392	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	136	136	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	86	86	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	27	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	59	59	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	250	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	12	54	85	63	30	3
154	Senility	250	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	12	54	85	63	30	3
	XIII.—External causes	700	47	22	37	17	30	58	98	157	87	37	34	31	24	5	4	2	10
	Suicide (total)	13	.....	.....	.....	.....	.....	.....	.....	3	1	3	.....	4	2	.....	.....	.....	.....
157	By hanging or strangulation	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....
159	By firearms	7	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	2	1	.....	.....	.....	.....
160	By cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	522	46	22	37	17	30	56	78	80	44	22	25	25	22	5	4	2	7
164	Poisoning by food	13	4	.....	.....	.....	.....	1	2	.....	1	1	1	2	1	.....	.....	.....	.....
165	Other acute poisonings	24	2	7	5	2	1	.....	1	.....	4	1	.....	1	.....	.....	.....	.....	.....
166	Conflagration	18	2	.....	.....	1	.....	1	2	6	2	.....	.....	2	2	.....	.....	.....	.....
167	Burns (conflagration excepted)	148	7	13	23	10	20	29	11	3	.....	5	8	3	2	3	2	1	1
168	Absorption of deleterious gases (conflagration excepted)	21	17	.....	.....	1	.....	2	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
169	Accidental drowning	38	.....	2	1	2	1	.....	14	11	3	2	1	.....	1	.....	.....	.....	.....
170	Traumatism by firearms	70	.....	.....	1	.....	4	5	30	23	3	2	.....	1	.....	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	32	2	.....	2	.....	1	5	2	1	1	3	2	6	5	1	1	.....	.....
173	Traumatism in mines and quarries (total)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	15	.....	.....	.....	.....	.....	.....	4	5	1	.....	3	1	.....	.....	.....	.....	1
175	Traumatism by other crushing (total)	63	1	.....	.....	1	3	5	6	15	12	3	4	6	2	1	1	.....	3
	Railroad accidents and injuries	30	.....	.....	.....	1	.....	1	2	7	8	2	2	3	2	.....	.....	.....	2
	Street-car accidents and injuries	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Automobile accidents and injuries	24	1	.....	.....	.....	3	4	3	7	3	.....	1	1	.....	.....	1	.....	.....
	Injuries by other vehicles	8	.....	.....	.....	.....	.....	.....	1	1	1	1	1	2	.....	.....	.....	.....	1
176	Injuries by animals	4	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	3	.....	.....	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....
180	Lightning	5	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1
181	Electricity (lightning excepted)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
186	Other external violence	50	10	.....	5	.....	.....	6	3	10	6	3	3	1	3	.....	.....	.....	.....
	Homicide (total)	165	1	.....	.....	.....	.....	2	20	74	42	12	9	2	.....	.....	.....	.....	3
182	By firearms	137	.....	.....	.....	.....	.....	2	16	61	37	10	8	1	.....	.....	.....	.....	2
183	By cutting or piercing instruments	8	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....	1
184	By other means	20	1	.....	.....	.....	.....	.....	3	9	3	2	1	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	1,539	738	87	23	16	12	40	51	77	69	56	50	95	101	70	20	16	18
187	Ill-defined organic disease	31	1	.....	.....	1	.....	.....	1	2	.....	4	.....	4	6	7	3	1	1
188	Sudden death	111	24	3	.....	.....	.....	1	2	8	4	8	11	19	10	14	1	2	4
189	Not specified or ill defined (total)	1,397	713	84	23	15	12	39	48	67	65	44	39	72	85	49	16	13	13
	Ill defined	134	27	27	4	2	1	8	7	4	7	10	6	10	15	4	.....	.....	2
	Not specified or unknown	1,263	686	57	19	13	11	31	41	63	58	34	33	62	70	45	16	13	11

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECENDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	OHIO.																		
	All causes	74,341	10,252	2,155	1,030	666	516	1,601	2,875	5,698	6,418	6,145	7,433	10,441	11,672	6,450	946	23	20
	I.—General diseases	21,392	1,363	867	487	310	248	755	1,242	2,646	2,712	2,394	2,595	2,818	2,192	693	64	2	4
1	Typhoid fever	435	3	3	6	4	5	29	102	97	71	47	24	31	11	1	.....	.....	1
4	Malaria	12	.....	.....	.....	.....	.....	1	3	2	1	.....	1	1	2	1	.....	.....	.....
5	Smallpox	17	8	.....	.....	.....	.....	.....	1	.....	1	1	3	1	2	.....	.....	.....	.....
6	Measles	750	155	232	105	50	32	83	40	17	10	12	7	3	4	.....	.....	.....	.....
7	Scarlet fever	383	10	29	52	34	27	111	52	48	9	6	2	3	.....	.....	.....	.....	.....
8	Whooping cough	845	470	188	89	41	16	34	4	.....	1	.....	.....	.....	.....	1	1	.....	.....
9	Diphtheria and croup	651	32	64	81	74	75	215	74	13	10	6	3	3	1	.....	.....	.....	.....
10	Influenza	3,808	278	214	85	60	36	96	214	621	739	323	325	294	349	163	10	1	.....
13	Choleranostras	8	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....
14	Dysentery	86	16	6	1	1	3	.....	1	1	1	4	4	10	14	19	5	.....	.....
18	Erysipelas	183	42	1	1	1	.....	1	3	7	9	16	21	25	33	19	4	.....	.....
19	Other epidemic diseases	19	8	1	1	.....	1	4	1	1	.....	1	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	64	8	1	.....	.....	2	2	1	6	9	9	9	6	5	6	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	60	8	1	.....	.....	1	11	9	5	5	6	4	6	4	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,975	109	95	51	33	32	97	562	1,548	1,232	874	588	454	239	56	3	.....	2
28	Tuberculosis of the lungs	4,953	39	38	16	14	10	27	432	1,348	1,094	764	520	390	211	47	2	.....	1
29	Acute military tuberculosis	178	4	2	1	4	.....	1	32	56	37	16	11	13	.....	1	.....	.....	.....
30	Tuberculous meningitis	314	55	48	26	12	21	39	38	30	23	9	5	6	1	1	.....	.....	.....
31	Abdominal tuberculosis	257	5	6	5	2	.....	16	27	58	32	40	21	26	14	5	.....	.....	.....
32	Pott's disease	72	.....	.....	1	1	1	3	9	17	11	10	8	8	3	.....	.....	.....	.....
33	White swellings	35	1	.....	1	.....	.....	3	6	5	5	6	4	.....	3	.....	1	.....	.....
34	Tuberculosis of other organs	104	4	1	.....	.....	.....	6	7	21	21	19	9	9	3	2	.....	.....	.....
35	Disseminated tuberculosis	62	1	.....	1	.....	.....	2	11	13	9	10	10	2	2	.....	.....	.....	1
36	Rickets	32	14	10	3	1	.....	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....
37	Syphilis	620	127	5	3	.....	.....	4	12	47	113	148	98	50	10	3	.....	.....	.....
38	Gonococcus infection	65	2	.....	.....	1	.....	.....	4	24	18	14	.....	1	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	5,171	5	2	2	1	3	12	26	69	282	679	1,092	1,419	1,209	337	31	1	1
39	Of the buccal cavity	198	1	.....	.....	.....	.....	.....	.....	2	4	18	44	49	55	23	2	.....	.....
40	Of the stomach, liver	2,012	1	.....	.....	.....	.....	2	3	15	68	185	442	597	553	134	12	.....	.....
41	Of the peritoneum, intestines, rectum	653	.....	1	.....	.....	.....	1	4	10	32	82	135	202	145	40	1	.....	.....
42	Of the female genital organs	787	.....	.....	.....	.....	.....	.....	3	15	102	203	182	171	91	18	1	1	.....
43	Of the breast	452	.....	.....	.....	.....	.....	.....	.....	5	33	93	109	103	81	22	6	.....	.....
44	Of the skin	164	.....	.....	.....	.....	1	.....	1	3	2	5	12	42	55	36	7	.....	.....
45	Of other organs or of organs not specified	905	3	1	2	1	2	9	15	19	41	93	168	255	229	64	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	19	2	.....	.....	.....	.....	.....	.....	.....	3	1	2	4	5	2	.....	.....	.....
47	Acute articular rheumatism	222	.....	1	1	2	4	25	41	33	17	23	23	22	18	12	.....	.....	.....
48	Chronic rheumatism and gout	65	.....	.....	.....	.....	.....	.....	.....	.....	3	7	9	16	19	9	2	.....	.....
49	Scurvy	5	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	1,025	2	1	1	3	5	15	53	51	74	87	211	296	179	46	1	.....	.....
51	Exophthalmic goiter	190	3	1	.....	.....	.....	.....	9	19	31	44	50	26	6	1	.....	.....	.....
52	Addison's disease	27	.....	.....	.....	.....	.....	.....	1	4	4	3	5	8	2	.....	.....	.....	.....
53	Leukemia	105	.....	2	3	.....	2	4	14	6	18	15	16	16	8	1	.....	.....	.....
54	Anemia, chlorosis	348	4	3	.....	.....	2	3	10	12	25	38	72	105	56	14	4	.....	.....
55	Other general diseases	108	52	7	2	3	2	7	3	4	4	1	6	8	6	1	2	.....	.....
56	Alcoholism (acute or chronic)	69	.....	.....	.....	.....	.....	.....	.....	5	19	24	14	2	4	1	.....	.....	.....
57	Chronic lead poisoning	11	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	1	.....	.....	1	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	8,184	267	96	46	35	25	83	144	183	347	603	1,009	1,794	2,265	1,164	120	3	.....
60	Encephalitis	110	6	2	2	2	1	3	14	24	23	18	7	4	4	.....	.....	.....	.....
61	Meningitis (total)	310	76	41	21	9	12	32	42	20	18	15	16	4	4	.....	.....	.....	.....
	Simple meningitis	154	44	17	12	5	6	11	14	12	9	9	10	3	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	81	21	10	6	3	4	6	15	4	3	3	3	1	2	.....	.....	.....	.....
	Cerebrospinal fever	75	11	14	3	1	2	15	13	4	6	3	3	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	137	.....	.....	.....	.....	.....	.....	.....	.....	12	23	33	50	18	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	305	11	10	6	2	3	11	12	6	8	23	51	55	69	35	3	.....	.....
	Acute anterior poliomyelitis	48	10	9	5	2	2	8	7	.....	1	1	.....	2	1	.....	.....	.....	.....
	Other diseases of the spinal cord	257	1	1	1	.....	1	3	5	6	7	22	51	53	68	35	3	.....	.....
64	Cerebral hemorrhage, apoplexy	5,813	8	4	2	5	1	3	16	37	119	324	715	1,488	1,954	1,030	104	3	.....
65	Softening of the brain	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	12	48	22	6	.....	.....
66	Paralysis without specified cause	219	.....	1	.....	.....	.....	1	4	4	5	9	28	54	71	38	4	.....	.....
67	General paralysis of the insane	350	.....	.....	.....	.....	.....	.....	1	8	78	93	67	53	38	11	1	.....	.....
68	Other forms of mental alienation	125	.....	.....	.....	.....	.....	.....	2	13	21	24	29	16	15	5	.....	.....	.....
69	Epilepsy	186	2	3	.....	.....	1	4	21	34	30	38	18	18	9	7	1	.....	.....
70	Convulsions (nonpuerperal)	6	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....
71	Convulsions of infants	163	127	22	7	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	46	.....	.....	.....	.....	.....	.....	1	3	1	8	8	11	10	4	.....	.....	.....
74	Other diseases of the nervous system	173	8	5	.....	4	1	8	11	21	23	19	22	22	20	8	1	.....	.....
75	Diseases of the eyes and their annexa	5	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....
76	Diseases of the ears	137	29	8	7	7	4	20	18	10	8	7	9	5	3	2	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	OHIO—Continued.																		
	III.—Diseases of the circulatory system.	11,245	54	11	12	9	16	71	201	262	439	727	1,246	2,455	3,421	2,037	279	2	3
77	Pericarditis	52	2					1	4	6	6	5	6	9	10	3			
78	Acute endocarditis	362	7	3	4	3	2	14	30	32	56	56	85	29	29	9	3		
79	Organic diseases of the heart	8,335	27	6	6	6	13	51	157	199	327	546	945	1,946	2,529	1,402	171	1	3
80	Angina pectoris	571						1	2	7	15	51	92	172	170	56	5		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,583								1	14	41	79	235	600	523	89	1	
82	Embolism and thrombosis	244	3					2	4	15	17	17	28	49	66	34	9		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	32							1		2	6	4	9	5	5			
84	Diseases of the lymphatic system (lymphangitis, etc.)	28	14	2	2		1	2	3	1	1					2			
85	Hemorrhage; other diseases of the circulatory system	38	1							1	1	5	7	6	12	3	2		
	IV.—Diseases of the respiratory system.	9,106	1,631	601	213	126	71	175	323	767	911	628	683	969	1,151	714	137	5	1
86	Diseases of the nasal fossae	9	2	1							1	1				2	2		
87	Diseases of the larynx	50	7	7	5	8	3	5	1	1	2	4	2	3	1	1			
88	Diseases of the thyroid body	39	1						1	2	5	7	6	9	6	1	1		
89	Acute bronchitis	376	147	43	9	4	4	4	1	4	10	4	9	27	49	46	14	1	
90	Chronic bronchitis	295	1		1			3	3	1	5	8	19	47	113	83	11		
91	Bronchopneumonia	3,371	1,108	373	129	55	37	86	81	111	135	104	159	255	385	297	55	1	
92	Pneumonia (total)	4,523	342	160	63	55	25	77	221	614	721	461	440	557	517	222	44	3	1
	Lobar pneumonia	4,360	320	152	63	54	25	73	211	601	704	442	428	535	500	208	41	3	
	Pneumonia (undefined)	163	22	8		1		4	10	13	17	19	12	22	17	14	3		1
93	Pleurisy	*163	10	11	6	4	2		10	24	22	16	15	23	12	6	2		
94	Pulmonary congestion, pulmonary apoplexy	80	6	3						2	2	3	2	4	22	32	4		
95	Gangrene of the lung	14		1					2	2	2	2		2	2	1			
96	Asthma	133	1	1					2	3	3	9	24	32	34	21	3		
97	Pulmonary emphysema	12	2							2			2	2	3	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	41	4	1					1	1	3	9	5	8	7	1	1		
	V.—Diseases of the digestive system.	6,021	1,789	430	130	67	51	147	245	314	396	449	515	614	561	274	37	1	1
99	Diseases of the mouth and annexa	48	11	2	3			6	2	3	5	2	9	5					
100	Diseases of the pharynx	221	10	11	9	5	14	35	39	25	27	10	13	8	11	1	2	1	
101	Diseases of the esophagus	8								1		1	1	3	2				
102	Ulcer of the stomach	209	2					1	1	11	24	39	34	44	35	17	1		
103	Other diseases of the stomach (cancer excepted)	525	170	33	13	7	3	7	10	10	16	19	28	53	78	60	18		
104	Diarrhea and enteritis (under 2 years)	1,849	1,494	355															
105	Diarrhea and enteritis (2 years and over)	439			82	39	16	19	8	14	22	31	27	38	68	69	6		
107	Intestinal parasites	6	2	1	1	1					1								
108	Appendicitis and typhlitis	755	1	3	7	4	9	53	142	151	125	102	81	52	20	5			
109	Hernia, intestinal obstruction (total)	650	66	21	9	5	7	9	17	41	51	70	92	111	104	43	4		
	Hernia	224	15	2	1			1	1	9	11	21	40	59	45	17	2		
	Intestinal obstruction	426	51	19	8	5	7	8	16	32	40	49	52	52	59	26	2		
110	Other diseases of the intestines	93	11		3	2		2	3	6	9	11	11	12	9	14			
111	Acute yellow atrophy of the liver	23	3						1	1	4	4	2	4	3	1			
112	Hydatid tumor of the liver	2								1	1								
113	Cirrhosis of the liver	526	1		1	1			5	9	28	59	103	145	140	29	5		
114	Biliary calculi	260						1		11	29	41	58	61	42	16	1		
115	Other diseases of the liver	233	8			1	1	1	2	9	24	36	47	54	36	13			1
116	Diseases of the spleen	11		1					2	2	1		1	2	1	1			
117	Simple peritonitis (nonpuerperal)	137	10	2	2	1	1	11	11	19	23	20	7	16	10	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	26		1		1		2	2		6	4	1	6	2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,284	39	14	7	10	5	32	68	170	282	498	754	1,206	1,359	753	84	2	1
119	Acute nephritis	343	25	10	4	7	4	17	19	27	31	46	35	49	42	20	7		
120	Bright's disease	4,087	5	2	3	3	1	14	41	66	151	331	616	1,035	1,142	603	72	1	1
122	Other diseases of the kidneys and annexa	110	7	2						9	12	14	12	20	21	13			
123	Calculi of the urinary passages	45						1		4	2	6	10	12	4	6			
124	Diseases of the bladder	86								1		2	6	7	31	36	2	1	
125	Diseases of the urethra, urinary abscess, etc.	15									2	3	5	4	1				
126	Diseases of the prostate	241								2	1	1	12	54	106	62	3		
127	Nonvenereal diseases of the male genital organs	4	2									1		1					
128	Uterine hemorrhage (nonpuerperal)	3								2		1							
129	Uterine tumor (noncancerous)	130								11	21	51	28	9	6	4			
130	Other diseases of the uterus	67							5	15	12	13	15	5	1	1			
131	Cysts and other tumors of the ovary	50							1	4	10	12	6	6	5	6			
132	Salpingitis and other diseases of the female genital organs	102							2	29	40	16	9	4		2			
133	Nonpuerperal diseases of the breast (cancer excepted)	1										1							
	VII.—The puerperal state	984							69	436	407	72							
134	Accidents of pregnancy	130							6	65	53	6							
135	Puerperal hemorrhage	77							4	22	39	12							
136	Other accidents of labor	120							7	56	49	8							
137	Puerperal septicemia	425							26	209	162	28							
138	Puerperal albuminuria and convulsions	181							21	70	80	10							
139	Puerperal phlegmasia alba dolens, embolus sudden death	42							4	12	18	8							
140	Following childbirth (not otherwise defined)	8							1	2	5								
141	Puerperal diseases of the breast	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	OHIO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	218	49	2	.....	3	1	1	6	3	7	9	17	23	45	42	9	.....	1
142	Gangrene	102	1	.....	.....	1	.....	.....	2	.....	3	2	5	17	25	38	8	.....	.....
143	Furuncle	21	5	.....	.....	.....	.....	.....	.....	1	2	2	5	1	3	2	.....	.....	.....
144	Acute abscess	32	8	1	.....	1	1	1	3	1	1	3	2	2	7	1	.....	.....	.....
145	Other diseases of the skin and annexa	63	35	1	.....	1	.....	.....	1	1	1	2	5	3	10	1	1	.....	1
	IX.—Diseases of the bones and of the organs of locomotion	178	7	5	4	4	5	14	22	26	24	14	11	17	18	6	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	157	7	5	4	3	5	14	21	24	23	10	8	13	15	4	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	17	.....	.....	.....	.....	.....	.....	1	1	1	4	1	4	3	2	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
	X.—Malformations	910	849	23	8	3	2	9	11	3	1	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	910	849	23	8	3	2	9	11	3	1	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	75	62	8	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	543	516	8	3	2	1	5	7	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	292	271	7	3	.....	1	3	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	3,878	3,878	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	3,035	3,035	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	2,411	2,411	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	624	624	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	830	830	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	500	500	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	330	330	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	778	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	26	208	390	143	6	1
154	Senility	778	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	26	208	390	143	6	1
	XIII.—External causes	5,644	135	88	118	99	89	308	541	871	858	706	541	461	410	340	69	2	8
	Suicide (total)	604	.....	.....	.....	.....	.....	.....	30	108	136	128	98	68	26	10	.....	.....	.....
155	By poison	116	.....	.....	.....	.....	.....	.....	14	39	26	17	10	7	3	.....	.....	.....	.....
156	By asphyxia	10	.....	.....	.....	.....	.....	.....	.....	2	3	1	3	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	137	.....	.....	.....	.....	.....	.....	1	14	35	29	25	20	9	4	.....	.....	.....
158	By drowning	47	.....	.....	.....	.....	.....	.....	2	7	8	11	12	4	2	1	.....	.....	.....
159	By firearms	229	.....	.....	.....	.....	.....	.....	13	39	52	53	34	26	11	1	.....	.....	.....
160	By cutting or piercing instruments	42	.....	.....	.....	.....	.....	.....	.....	3	8	8	11	7	1	4	.....	.....	.....
161	By jumping from high places	10	.....	.....	.....	.....	.....	.....	.....	2	3	2	2	1	.....	.....	.....	.....	.....
162	By crushing	7	.....	.....	.....	.....	.....	.....	.....	1	1	4	.....	1	.....	.....	.....	.....	.....
163	Other suicides	6	.....	.....	.....	.....	.....	.....	.....	1	.....	3	1	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	4,638	124	88	117	99	87	307	494	624	595	515	414	387	379	330	69	2	7
164	Poisoning by food	52	3	2	3	3	3	4	5	4	.....	8	5	9	3	.....	.....	.....	.....
165	Other acute poisonings	144	9	11	7	4	4	2	8	14	30	25	15	8	3	4	.....	.....	.....
166	Conflagration	92	3	4	3	4	8	9	4	12	18	8	8	5	4	2	.....	.....	.....
167	Burns (conflagration excepted)	461	12	35	61	46	29	42	19	38	56	33	28	24	22	14	2	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	149	51	2	1	1	.....	3	8	14	16	22	16	9	4	2	.....	.....	.....
169	Accidental drowning	266	1	11	10	5	3	47	99	37	19	14	5	10	2	1	.....	.....	2
170	Traumatism by firearms	120	1	1	2	3	3	16	43	20	14	9	5	3	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	12	.....	1	.....	.....	.....	.....	2	2	2	1	.....	2	1	1	.....	.....	.....
172	Traumatism by fall	877	15	10	9	4	2	16	26	44	40	49	60	91	215	236	58	2	.....
173	Traumatism in mines and quarries (total)	133	.....	.....	.....	.....	.....	.....	1	13	29	38	21	19	11	.....	.....	.....	1
	Traumatism in mines	128	.....	.....	.....	.....	.....	.....	1	11	28	38	21	17	11	.....	.....	.....	1
	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	2	.....	.....	.....	.....	.....
174	Traumatism by machines	207	.....	.....	1	.....	.....	6	17	55	52	34	24	15	2	1	.....	.....	.....
175	Traumatism by other crushing (total)	1,622	5	4	14	24	28	150	199	297	248	208	169	148	85	38	3	.....	2
	Railroad accidents and injuries	591	3	1	2	2	3	12	61	147	119	79	73	54	27	8	.....	.....	.....
	Street-car accidents and injuries	156	.....	1	2	2	.....	5	17	30	20	30	21	13	7	7	.....	.....	1
	Automobile accidents and injuries	717	2	1	10	18	24	123	98	100	85	83	58	59	37	15	3	.....	1
	Injuries by other vehicles	104	.....	.....	.....	2	1	10	19	9	11	4	12	17	13	6	.....	.....	.....
	Aeroplane accidents and injuries	7	.....	.....	.....	.....	.....	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	47	.....	1	.....	.....	.....	.....	4	6	11	12	5	5	1	2	.....	.....	.....
176	Injuries by animals	44	2	.....	1	1	1	1	4	2	4	6	6	8	6	2	.....	.....	.....
178	Excessive cold	9	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	3	.....	2	.....	.....
179	Effects of heat	14	1	1	.....	.....	.....	.....	.....	2	2	2	2	3	1	.....	.....	.....	.....
180	Lightning	22	.....	.....	.....	.....	.....	.....	6	4	3	3	3	1	1	1	.....	.....	.....
181	Electricity (lightning excepted)	57	.....	.....	.....	.....	.....	2	7	18	10	15	3	2	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	63	.....	.....	.....	.....	.....	.....	1	5	7	7	5	5	13	17	3	.....	.....
186	Other external violence	294	21	6	5	4	6	8	33	27	35	50	38	33	14	11	1	.....	2
	Homicide (total)	402	11	.....	1	.....	2	1	17	139	127	63	29	6	5	.....	.....	.....	1
182	By firearms	283	.....	.....	.....	.....	1	.....	12	100	101	43	19	5	1	.....	.....	.....	1
183	By cutting or piercing instruments	39	1	.....	.....	.....	1	.....	2	13	11	8	2	.....	1	.....	.....	.....	.....
184	By other means	80	10	.....	1	.....	.....	1	3	26	15	12	8	1	3	.....	.....	.....	.....
	XIV.—Ill-defined diseases	519	191	18	5	.....	3	6	3	17	34	44	58	58	42	37	3	.....	.....
187	Ill-defined organic disease	9	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	3	.....	.....	.....	.....
188	Sudden death	45	8	.....	.....	.....	2	1	.....	1	1	5	10	6	4	7	.....	.....	.....
189	Not specified or ill-defined (total)	465	183	18	5	.....	1	5	3	16	32	37	47	50	35	30	3	.....	.....
	Ill-defined	163	28	15	3	.....	.....	2	.....	3	14	15	22	26	16	17	2	.....	.....
	Not specified or unknown	302	155	3	2	.....	1	3	3	13	18	22	25	24	19	13	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	OREGON.																		
	All causes	9,246	924	154	75	67	56	181	423	719	943	809	1,069	1,453	1,438	790	122	6	17
	I.—General diseases	2,546	108	62	31	24	18	72	167	304	375	312	376	362	259	70	6	.....	.....
1	Typhoid fever	39	.....	.....	2	.....	.....	5	4	7	6	7	5	2	1	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Smallpox	10	4	.....	.....	.....	.....	1	1	.....	2	.....	.....	1	.....	1	.....	.....	.....
6	Measles	30	4	5	4	2	1	6	2	1	2	.....	1	1	1	.....	.....	.....	.....
7	Scarlet fever	14	.....	1	.....	3	6	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	47	30	11	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	45	.....	2	2	4	5	16	8	5	1	.....	1	.....	1	.....	.....	.....	.....
10	Influenza	481	23	20	9	7	3	15	35	89	120	60	41	25	28	4	2	.....	.....
14	Dysentery	20	6	5	2	.....	.....	.....	.....	.....	.....	1	.....	3	3	.....	.....	.....	.....
18	Erysipelas	25	9	.....	.....	.....	.....	.....	1	2	.....	4	3	1	2	3	.....	.....	.....
19	Other epidemic diseases	14	2	1	1	.....	.....	1	.....	2	.....	1	3	2	1	.....	.....	.....	.....
20	Purulent infection and septicemia	12	1	2	1	.....	.....	.....	2	1	1	1	1	.....	2	.....	.....	.....	.....
24	Tetanus	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	703	13	9	5	5	3	13	79	167	178	87	64	56	20	4	.....	.....	.....
28	Tuberculosis of the lungs	557	4	3	.....	2	2	4	60	131	156	73	54	48	18	2	.....	.....	.....
29	Acute miliary tuberculosis	21	.....	2	.....	.....	.....	.....	2	7	2	4	3	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	48	9	3	5	3	.....	8	7	5	5	.....	2	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	41	.....	.....	.....	.....	1	1	5	19	6	4	2	3	.....	.....	.....	.....	.....
32	Pott's disease	13	.....	.....	.....	.....	.....	.....	2	3	4	1	1	1	.....	1	.....	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	15	.....	1	.....	.....	.....	.....	1	2	2	3	2	1	2	1	.....	.....	.....
35	Disseminated tuberculosis	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	63	8	.....	.....	.....	.....	.....	3	2	9	16	10	10	5	.....	.....	.....	.....
38	Gonococcus infection	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	734	1	1	.....	1	.....	.....	4	6	37	104	182	195	150	49	4	.....	.....
39	Of the buccal cavity	26	.....	.....	.....	.....	.....	.....	.....	.....	2	3	4	9	4	4	.....	.....	.....
40	Of the stomach, liver	282	.....	.....	.....	.....	.....	.....	.....	.....	8	35	70	87	62	19	1	.....	.....
41	Of the peritoneum, intestines, rectum	112	.....	.....	.....	.....	.....	.....	1	1	7	14	29	28	23	9	.....	.....	.....
42	Of the female genital organs	99	.....	.....	.....	.....	.....	.....	.....	1	8	28	30	19	10	3	.....	.....	.....
43	Of the breast	61	.....	.....	.....	.....	.....	.....	.....	.....	4	8	23	16	6	3	1	.....	.....
44	Of the skin	26	.....	.....	.....	1	.....	.....	.....	.....	.....	1	6	5	7	6	.....	.....	.....
45	Of other organs or of organs not specified	128	1	1	.....	.....	.....	.....	3	4	8	15	20	31	38	5	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
47	Acute articular rheumatism	24	.....	.....	.....	.....	1	4	6	2	2	.....	6	.....	2	1	.....	.....	.....
48	Chronic rheumatism and gout	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	2	1	.....	.....	.....
50	Diabetes	138	.....	.....	2	1	.....	3	13	6	4	12	28	37	28	4	.....	.....	.....
51	Exophthalmic goiter	18	.....	.....	.....	.....	.....	.....	.....	2	4	3	6	2	1	.....	.....	.....	.....
52	Addison's disease	4	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	26	.....	1	.....	1	.....	1	3	3	.....	2	5	7	2	1	.....	.....	.....
54	Anemia, chlorosis	44	1	1	.....	.....	.....	.....	1	2	1	6	10	12	8	2	.....	.....	.....
55	Other general diseases	15	6	2	1	1	1	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	13	.....	.....	.....	.....	.....	.....	.....	2	1	4	4	1	1	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,081	22	12	5	3	4	17	31	31	64	69	165	260	240	143	15	.....	.....
60	Encephalitis	33	1	1	.....	.....	1	4	6	4	7	2	3	3	1	.....	.....	.....	.....
61	Meningitis (total)	52	9	6	4	2	2	6	5	4	5	5	2	1	1	.....	.....	.....	.....
	Simple meningitis	24	6	1	1	.....	1	3	.....	2	2	4	2	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	13	1	1	2	2	.....	2	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	15	2	4	1	.....	1	1	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	16	.....	.....	.....	.....	.....	.....	.....	.....	1	2	8	5	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	54	1	.....	.....	.....	.....	1	5	3	4	5	6	13	13	3	.....	.....	.....
	Acute anterior poliomyelitis	5	1	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	49	.....	.....	.....	.....	.....	.....	3	3	3	5	6	13	13	3	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	688	1	1	.....	.....	1	.....	1	5	17	30	110	208	191	110	13	.....	.....
65	Softening of the brain	8	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	2	1	.....	.....	.....	.....
66	Paralysis without specified cause	71	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	13	26	25	2	.....	.....
67	General paralysis of the insane	50	.....	.....	.....	.....	.....	.....	.....	1	11	14	11	7	4	2	.....	.....	.....
68	Other forms of mental alienation	22	.....	.....	.....	.....	.....	.....	1	1	5	3	6	4	.....	2	.....	.....	.....
69	Epilepsy	34	1	1	.....	1	.....	2	5	6	7	1	8	.....	1	1	.....	.....	.....
71	Convulsions of infants	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	26	2	2	1	.....	.....	1	3	2	5	3	4	2	1	.....	.....	.....	.....
76	Diseases of the ears	17	2	1	.....	.....	.....	2	4	3	2	1	1	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	OREGON—Continued.																		
	III.—Diseases of the circulatory system.	1,599	9	.....	1	2	2	13	29	31	74	111	202	404	442	246	26	4	3
77	Pericarditis	10	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	2	3	1	.....	.....	.....
78	Acute endocarditis	65	2	.....	.....	2	.....	3	10	7	10	6	12	7	5	1	.....	.....	.....
79	Organic diseases of the heart	1,139	5	.....	1	.....	2	10	18	23	57	77	146	297	323	157	18	2	3
80	Angina pectoris	117	.....	.....	.....	.....	.....	.....	.....	.....	3	9	23	34	33	15	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	208	.....	.....	.....	.....	.....	.....	.....	.....	2	7	9	48	70	62	8	2	.....
82	Embolism and thrombosis	49	.....	.....	.....	.....	.....	.....	.....	1	2	9	9	14	8	6	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
	IV.—Diseases of the respiratory system.	995	138	37	11	13	8	21	33	87	108	98	95	123	108	99	15	.....	1
87	Diseases of the larynx	4	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	22	.....	.....	.....	.....	.....	.....	1	2	2	8	6	2	1	.....	.....	.....	.....
89	Acute bronchitis	15	3	.....	1	.....	.....	1	.....	.....	1	1	2	.....	3	3	.....	.....	.....
90	Chronic bronchitis	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	8	6	3	.....	.....
91	Bronchopneumonia	296	87	27	1	8	3	8	6	10	24	14	15	29	30	27	7	.....	.....
92	Pneumonia (total)	555	44	9	8	5	3	12	22	69	77	66	62	75	52	49	2	.....	.....
	Lobar pneumonia	511	41	8	7	5	3	12	17	64	72	64	62	70	48	36	2	.....	.....
	Pneumonia (undefined)	44	3	1	1	.....	.....	.....	5	5	5	2	.....	5	4	13	.....	.....	.....
93	Pleurisy	25	1	1	.....	.....	.....	.....	2	4	2	3	5	1	3	2	.....	.....	1
94	Pulmonary congestion, pulmonary apoplexy	21	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	6	8	3	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
96	Asthma	19	.....	.....	1	.....	1	.....	.....	2	.....	3	.....	6	3	3	.....	.....	.....
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	7	.....	.....	.....	.....	.....	.....	2	.....	1	1	1	.....	1	1	.....	.....	.....
	V.—Diseases of the digestive system.	640	93	22	16	9	12	23	47	29	74	57	66	75	85	30	2	.....	.....
99	Diseases of the mouth and annexa	10	3	.....	.....	.....	.....	.....	1	2	1	1	1	.....	1	.....	.....	.....	.....
100	Diseases of the pharynx	27	1	1	.....	1	1	2	8	2	3	2	4	1	1	.....	.....	.....	.....
102	Ulcer of the stomach	25	.....	.....	.....	.....	.....	.....	.....	1	3	6	5	4	6	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	38	9	1	1	.....	.....	2	.....	.....	3	1	4	6	6	5	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	84	65	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	69	.....	.....	11	5	3	6	4	3	4	3	9	7	9	5	.....	.....	.....
108	Appendicitis and typhlitis	122	.....	1	3	2	6	10	29	15	21	12	10	8	5	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	86	12	.....	1	.....	.....	1	1	2	10	9	8	14	23	5	.....	.....	.....
	Hernia	28	1	.....	.....	.....	.....	.....	.....	.....	2	3	2	8	11	1	.....	.....	.....
	Intestinal obstruction	58	11	.....	1	.....	.....	1	1	2	8	6	6	6	12	4	.....	.....	.....
110	Other diseases of the intestines	24	1	.....	.....	.....	.....	.....	2	1	2	3	2	6	3	2	2	.....	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	50	.....	.....	.....	.....	.....	.....	.....	.....	3	5	7	14	16	5	.....	.....	.....
114	Biliary calculi	31	.....	.....	.....	.....	.....	.....	.....	2	2	8	6	3	9	1	.....	.....	.....
115	Other diseases of the liver	49	1	.....	.....	1	1	1	.....	.....	14	5	6	10	4	6	.....	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	13	1	.....	.....	.....	1	1	2	.....	4	.....	.....	1	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	648	4	1	3	.....	2	1	11	25	49	56	86	137	184	81	8	.....	.....
119	Acute nephritis	22	1	.....	1	.....	1	.....	.....	.....	3	2	3	1	4	6	.....	.....	.....
120	Bright's disease	494	1	1	2	.....	.....	1	8	10	32	37	76	110	146	63	7	.....	.....
122	Other diseases of the kidneys and annexa	18	.....	.....	.....	.....	.....	.....	1	2	5	1	3	2	3	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
124	Diseases of the bladder	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	7	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
126	Diseases of the prostate	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19	23	8	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	12	.....	.....	.....	.....	.....	.....	.....	.....	1	10	1	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	9	.....	.....	.....	.....	.....	.....	.....	3	2	3	.....	1	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	7	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	3	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	17	.....	.....	.....	.....	1	.....	1	7	4	2	2	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	141	.....	.....	.....	.....	.....	.....	11	75	48	7	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	25	.....	.....	.....	.....	.....	.....	1	13	10	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	9	.....	.....	.....	.....	.....	.....	1	3	2	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	13	.....	.....	.....	.....	.....	.....	.....	6	7	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	50	.....	.....	.....	.....	.....	.....	5	30	13	2	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	32	.....	.....	.....	.....	.....	.....	4	15	12	1	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11	.....	.....	.....	.....	.....	.....	.....	7	4	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	OREGON—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	25	3	.....	.....	.....	.....	.....	2	2	.....	2	2	3	5	5	1	.....	.....
142	Gangrene	15	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	5	4	1	.....	.....
143	Furuncle	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....
144	Acute abscess	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	5	1	.....	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	24	2	.....	.....	.....	.....	3	3	6	3	.....	3	2	1	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	20	1	.....	.....	.....	.....	3	3	5	2	.....	3	2	.....	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	119	105	5	1	2	1	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	119	105	5	1	2	1	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	8	3	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	74	67	2	1	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	37	35	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	406	406	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	307	307	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	241	241	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	66	66	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	99	99	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	53	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	46	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	192	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	53	87	40	2	.....
154	Senility	192	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	53	87	40	2	.....
	XIII.—External causes	783	15	13	6	14	8	28	87	127	145	96	71	70	57	25	9	.....	12
	Suicide (total)	109	.....	.....	.....	.....	.....	.....	6	9	27	21	21	16	6	1	1	.....	1
155	By poison	20	.....	.....	.....	.....	.....	.....	4	4	5	3	4	.....	.....	.....	.....	.....	.....
156	By asphyxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
157	By hanging or strangulation	16	.....	.....	.....	.....	.....	.....	.....	2	6	.....	2	1	3	.....	1	.....	1
158	By drowning	9	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	3	.....	.....	.....	.....	.....
159	By firearms	47	.....	.....	.....	.....	.....	.....	2	2	10	14	8	9	2	.....	.....	.....	.....
160	By cutting or piercing instruments	11	.....	.....	.....	.....	.....	.....	.....	.....	4	1	3	1	1	1	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	642	15	13	6	13	8	27	78	109	113	67	46	53	51	24	8	.....	11
164	Poisoning by food	9	.....	.....	1	1	.....	1	2	.....	1	1	1	1	.....	.....	.....	.....	.....
165	Other acute poisonings	13	.....	.....	1	.....	1	.....	.....	4	2	.....	3	2	.....	.....	.....	.....	.....
166	Conflagration	28	3	3	1	.....	.....	.....	.....	5	2	2	1	1	3	.....	.....	.....	7
167	Burns (conflagration excepted)	29	1	4	1	3	2	1	2	3	5	2	1	.....	4	.....	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	17	6	1	.....	.....	.....	1	1	1	4	.....	.....	3	.....	.....	.....	.....	.....
169	Accidental drowning	80	.....	2	1	2	2	4	21	19	13	9	2	1	3	.....	.....	.....	1
170	Traumatism by firearms	29	.....	.....	1	.....	.....	3	10	7	4	1	.....	1	2	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	91	1	.....	.....	.....	1	1	8	9	5	9	3	10	16	20	8	.....	.....
173	Traumatism in mines and quarries (total)	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Traumatism in mines	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	33	.....	.....	.....	.....	.....	.....	3	4	12	2	8	4	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	201	.....	2	.....	7	1	15	24	38	29	27	19	18	18	1	.....	.....	2
	Railroad accidents and injuries	66	.....	.....	.....	.....	1	5	8	13	12	12	7	1	5	.....	.....	.....	2
	Street-car accidents and injuries	7	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	2	1	.....	.....	.....	.....
	Automobile accidents and injuries	87	.....	1	.....	5	.....	8	12	13	13	5	8	12	9	1	.....	.....	.....
	Injuries by other vehicles	13	.....	1	.....	1	.....	2	2	.....	1	1	1	2	2	.....	.....	.....	.....
	Landslide, other crushing	28	.....	.....	.....	1	.....	.....	2	10	3	9	1	1	1	.....	.....	.....	.....
176	Injuries by animals	11	.....	.....	.....	.....	.....	1	.....	2	2	1	2	1	1	1	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....
179	Effects of heat	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	8	1	.....	.....	.....	.....	.....	1	.....	4	1	.....	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....
186	Other external violence	78	3	1	.....	.....	1	.....	5	16	27	9	5	7	2	1	.....	.....	1
	Homicide (total)	32	.....	.....	.....	1	.....	1	3	9	5	8	4	1	.....	.....	.....	.....	.....
182	By firearms	20	.....	.....	.....	.....	.....	.....	1	6	4	5	4	.....	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
184	By other means	9	.....	.....	.....	1	.....	1	.....	3	1	2	.....	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	47	19	2	1	.....	1	2	.....	2	1	1	3	7	4	3	.....	.....	1
187	Ill-defined organic disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
188	Sudden death	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
189	Not specified or ill-defined (total)	43	19	2	1	.....	1	2	.....	1	1	1	2	6	3	3	.....	.....	1
	Ill-defined	15	3	.....	.....	.....	1	.....	.....	.....	.....	1	2	6	.....	2	.....	.....	.....
	Not specified or unknown	28	16	2	1	.....	.....	2	.....	1	1	.....	.....	.....	3	1	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	PENNSYLVANIA.																		
	All causes	120,902	21,415	4,434	1,974	1,359	1,003	2,944	4,758	8,883	10,496	10,600	12,955	15,562	15,552	7,884	1,027	32	24
	I.—General diseases	32,165	2,472	1,602	838	654	456	1,240	1,872	3,798	4,065	3,747	4,098	3,848	2,612	701	68	2	2
1	Typhoid fever	503	2	2	2	5	6	35	104	138	95	51	33	23	7	.....	.....	.....	.....
4	Malaria	14	.....	.....	1	.....	.....	.....	3	2	1	3	2	2	.....	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	1,153	318	390	147	79	52	124	24	10	5	1	2	.....	1	.....	.....	.....	.....
7	Scarlet fever	497	31	42	67	65	40	130	77	26	12	5	.....	2	.....	.....	.....	.....	.....
8	Whooping cough	1,195	662	303	90	64	38	29	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	1,733	117	252	252	251	190	460	137	22	21	10	10	8	3	.....	.....	.....	.....
10	Influenza	6,114	580	344	134	82	59	150	386	1,015	1,223	679	530	420	390	151	20	.....	1
13	Cholera nostras	17	4	2	1	2	2	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....
14	Dysentery	97	28	15	6	2	2	3	.....	5	3	6	3	5	8	8	3	.....	.....
18	Erysipelas	244	88	11	1	1	1	1	3	12	14	18	25	24	30	11	4	.....	.....
19	Other epidemic diseases	28	8	7	5	4	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	92	16	2	2	1	3	7	6	6	6	12	10	13	6	2	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
23	Rabies	5	.....	.....	1	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	124	12	.....	2	1	2	32	26	5	12	8	11	8	4	1	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	9,213	268	184	91	64	40	144	867	2,198	1,904	1,420	1,015	645	306	62	4	1	.....
28	Tuberculosis of the lungs	7,653	89	62	22	14	7	61	667	1,936	1,718	1,263	914	567	273	56	4	.....	.....
29	Acute miliary tuberculosis	375	17	13	4	4	2	3	66	119	72	36	20	15	4	.....	.....	.....	.....
30	Tuberculous meningitis	506	118	87	48	26	25	55	54	42	21	13	11	5	1	.....	.....	.....	.....
31	Abdominal tuberculosis	349	24	9	9	8	4	9	47	60	45	58	33	26	13	3	.....	1	.....
32	Pott's disease	91	1	4	2	7	2	8	9	14	13	15	11	3	2	.....	.....	.....	.....
33	White swellings	53	2	.....	1	3	.....	2	8	4	5	8	7	10	2	1	.....	.....	.....
34	Tuberculosis of other organs	135	14	7	5	1	.....	4	13	15	23	22	9	14	6	2	.....	.....	.....
35	Disseminated tuberculosis	51	3	2	.....	1	.....	2	3	8	7	5	10	5	5	.....	.....	.....	.....
36	Rickets	50	36	7	1	2	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....
37	Syphilis	716	240	14	6	1	1	6	12	61	86	139	78	50	20	2	.....	.....	.....
38	Gonococcus infection	49	6	1	.....	.....	.....	.....	2	18	10	9	1	1	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	7,315	8	6	5	13	4	14	26	92	402	989	1,806	2,010	1,462	449	29	.....	.....
39	Of the buccal cavity	258	1	.....	.....	2	.....	1	2	.....	10	33	52	65	60	31	1	.....	.....
40	Of the stomach, liver	2,911	1	1	.....	1	1	3	3	19	100	292	729	910	679	165	7	.....	.....
41	Of the peritoneum, intestines, rectum	1,029	1	.....	1	3	.....	2	4	20	62	132	221	309	219	51	4	.....	.....
42	Of the female genital organs	1,108	.....	.....	.....	.....	.....	.....	1	19	122	249	311	247	110	33	2	.....	.....
43	Of the breast	667	.....	.....	.....	.....	.....	.....	1	2	51	158	186	133	95	40	1	.....	.....
44	Of the skin	211	.....	.....	.....	.....	.....	2	.....	1	3	8	32	45	60	52	8	.....	.....
45	Of other organs or of organs not specified	1,131	5	5	4	7	3	6	15	31	54	117	275	301	230	72	6	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	16	.....	1	.....	.....	.....	1	.....	.....	2	2	4	1	1	3	.....	.....	1
47	Acute articular rheumatism	369	4	1	4	4	11	52	85	31	31	37	30	32	30	16	1	.....	.....
48	Chronic rheumatism and gout	110	.....	.....	.....	.....	.....	.....	.....	4	13	14	11	22	33	13	.....	.....	.....
49	Scurvy	9	7	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
50	Diabetes	1,430	1	.....	7	2	1	20	54	74	95	154	319	404	230	66	3	.....	.....
51	Exophthalmic goiter	168	.....	.....	.....	.....	.....	.....	8	26	42	39	28	20	5	.....	.....	.....	.....
52	Addison's disease	28	.....	.....	.....	.....	.....	.....	2	2	3	7	4	5	5	.....	.....	.....	.....
53	Leukemia	146	4	3	3	4	2	15	21	9	15	21	21	17	9	1	1	.....	.....
54	Anemia, chlorosis	434	11	5	3	2	.....	6	14	21	32	63	115	110	48	3	1	.....	.....
55	Other general diseases	151	71	9	7	3	2	10	6	9	4	6	11	8	3	1	1	.....	.....
56	Alcoholism (acute or chronic)	104	.....	.....	.....	.....	.....	.....	.....	4	26	42	20	9	2	.....	1	.....	.....
57	Chronic lead poisoning	9	.....	.....	.....	.....	.....	.....	.....	2	.....	2	3	1	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	1	3	7	2	2	3	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	11,168	552	140	75	47	45	149	250	280	496	881	1,579	2,344	2,791	1,394	133	4	3
60	Encephalitis	239	11	9	7	3	2	11	36	31	49	34	26	11	4	3	.....	1	1
61	Meningitis (total)	538	155	57	27	28	19	62	67	38	35	21	15	10	4	.....	.....	.....	.....
	Simple meningitis	330	108	35	21	16	10	31	29	25	20	13	9	9	4	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	103	21	14	2	5	2	18	18	5	8	6	3	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	105	26	8	4	7	7	13	20	8	7	2	3	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	195	.....	.....	.....	.....	.....	.....	2	1	11	42	54	46	33	6	.....	.....	.....
63	Other diseases of the spinal cord (total)	424	11	13	7	5	6	11	14	15	24	33	69	95	90	29	2	.....	.....
	Acute anterior poliomyelitis	50	1	12	5	3	6	6	6	5	1	3	1	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord	374	10	1	2	2	.....	5	8	10	23	30	68	95	89	29	2	.....	.....
64	Cerebral hemorrhage, apoplexy	7,453	17	6	2	.....	1	3	15	52	129	451	1,125	1,953	2,377	1,206	112	3	1
65	Softening of the brain	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	13	30	19	2	.....	.....
66	Paralysis without specified cause	434	3	1	.....	1	2	2	1	3	10	20	60	87	145	86	13	.....	.....
67	General paralysis of the insane	524	.....	.....	.....	.....	.....	.....	2	18	115	145	117	46	55	22	3	.....	1
68	Other forms of mental alienation	122	.....	.....	.....	.....	.....	.....	5	19	23	26	22	13	11	3	.....	.....	.....
69	Epilepsy	304	9	4	3	1	4	15	53	49	57	44	22	29	11	2	1	.....	.....
70	Convulsions (nonpuerperal)	16	.....	.....	.....	.....	.....	10	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	338	279	35	14	4	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	20	.....	1	.....	.....	.....	3	9	3	1	2	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	35	.....	.....	.....	.....	1	2	1	2	2	3	6	7	6	2	3	.....	.....
74	Other diseases of the nervous system	256	16	3	2	.....	.....	14	16	30	28	49	40	24	20	12	2	.....	.....
75	Diseases of the eyes and their annexa	12	2	.....	.....	2	1	1	.....	.....	.....	.....	1	1	3	1	.....	.....	.....
76	Diseases of the ears	184	49	11	13	3	3	15	26	19	11	7	14	8	2	3	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	III.—Diseases of the circulatory system.	16,487	175	32	23	31	24	188	457	476	788	1,309	2,223	3,656	4,376	2,423	301	5	.....
77	Pericarditis	91	4	.....	1	.....	.....	4	4	8	8	4	18	13	13	12	2	.....	.....
78	Acute endocarditis	906	50	7	8	8	7	49	79	74	96	160	246	52	47	22	1	.....	.....
79	Organic diseases of the heart	12,406	86	16	12	20	15	130	358	356	601	979	1,620	2,976	3,344	1,693	198	2	.....
80	Angina pectoris	687	.....	1	.....	.....	.....	1	2	14	25	81	134	199	173	57	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	1,856	.....	.....	.....	.....	.....	.....	3	19	35	124	319	682	576	95	3	.....	.....
82	Embolism and thrombosis	412	4	.....	1	2	2	2	9	14	25	37	65	87	101	58	5	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	57	1	.....	.....	1	.....	2	1	5	10	8	8	7	11	3	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	52	30	7	1	.....	.....	.....	3	2	3	3	2	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	20	.....	1	.....	.....	.....	.....	1	.....	1	2	6	2	5	2	.....	.....	.....
	IV.—Diseases of the respiratory system.	18,571	4,107	1,420	556	256	175	397	570	1,456	1,790	1,535	1,643	1,803	1,764	960	131	6	2
86	Diseases of the nasal fossae	10	3	1	1	1	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....
87	Diseases of the larynx	120	20	19	9	11	9	19	9	5	4	6	6	1	1	1	.....	.....	.....
88	Diseases of the thyroid body	75	1	1	.....	.....	.....	.....	10	6	8	19	15	11	4	.....	.....	.....	.....
89	Acute bronchitis	847	487	78	32	7	9	12	5	7	7	10	16	37	69	53	15	3	.....
90	Chronic bronchitis	446	6	3	.....	.....	2	2	6	10	6	27	47	97	132	91	17	.....	.....
91	Bronchopneumonia	6,846	2,485	834	321	128	71	152	118	255	291	266	358	523	586	399	56	1	2
92	Pneumonia (total)	9,100	1,030	437	177	91	75	192	389	1,106	1,378	1,064	1,024	969	799	330	38	1	.....
	Lobar pneumonia	8,212	848	391	149	79	62	172	358	1,043	1,297	997	939	879	695	273	29	1	.....
	Pneumonia (undefined)	888	182	46	28	12	13	20	31	63	81	67	85	90	104	57	9	.....	.....
93	Pleurisy	446	37	38	16	13	6	17	24	39	62	55	48	37	35	18	1	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	201	31	4	.....	2	2	2	4	5	9	17	14	20	44	43	3	1	.....
95	Gangrene of the lung	24	.....	.....	.....	1	.....	.....	2	6	2	4	4	3	1	1	.....	.....	.....
96	Asthma	294	1	4	.....	.....	.....	.....	.....	6	17	39	60	78	71	17	1	.....	.....
97	Pulmonary emphysema	15	1	1	.....	1	.....	.....	.....	1	.....	.....	5	3	3	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	147	5	.....	.....	1	1	1	3	10	5	28	45	24	18	6	.....	.....	.....
	V.—Diseases of the digestive system...	11,667	5,253	927	241	116	86	256	369	398	539	683	834	846	716	359	43	.....	1
99	Diseases of the mouth and annexa	62	19	2	2	1	.....	4	1	3	8	7	9	4	1	1	.....	.....	.....
100	Diseases of the pharynx	258	27	18	12	12	10	46	46	27	21	12	11	6	4	6	.....	.....	.....
101	Diseases of the esophagus	10	1	1	.....	.....	.....	.....	.....	.....	1	.....	1	4	1	.....	1	.....	.....
102	Ulcer of the stomach	277	1	1	1	1	.....	1	6	27	39	50	44	46	43	17	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	857	282	31	10	10	5	9	12	19	34	51	84	102	99	90	18	.....	1
104	Diarrhea and enteritis (under 2 years)	5,526	4,691	835	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	902	.....	.....	194	73	44	72	21	21	38	49	69	85	134	87	15	.....	.....
106	Ankylostomiasis	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	955	6	7	4	5	9	78	221	161	174	134	90	48	17	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	979	171	21	9	8	13	16	25	51	71	102	174	144	126	45	3	.....	.....
	Hernia	315	24	2	1	.....	3	2	.....	4	18	33	82	72	58	16	.....	.....	.....
	Intestinal obstruction	664	147	19	8	8	10	14	25	47	53	69	92	72	68	29	3	.....	.....
110	Other diseases of the intestines	167	18	3	3	.....	1	6	5	14	16	17	18	27	19	16	4	.....	.....
111	Acute yellow atrophy of the liver	38	4	1	.....	.....	1	1	.....	4	2	8	2	6	7	2	.....	.....	.....
112	Hydatid tumor of the liver	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	705	4	1	.....	1	1	3	5	5	31	100	146	215	145	48	.....	.....	.....
114	Biliary calculi	317	.....	.....	.....	.....	.....	.....	1	14	29	60	83	65	49	16	.....	.....	.....
115	Other diseases of the liver	352	11	3	4	.....	1	2	7	22	46	50	66	65	49	25	1	.....	.....
116	Diseases of the spleen	18	1	1	.....	.....	.....	.....	1	1	.....	1	2	7	3	1	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	166	17	2	2	5	.....	15	17	21	21	21	16	13	13	3	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	71	.....	.....	.....	.....	.....	1	1	6	8	21	18	8	6	1	1	.....	.....
	VI.—Nonvenereal diseases of the genito urinary system and annexa	9,835	71	28	25	19	21	70	163	330	630	1,068	1,540	2,192	2,388	1,154	130	4	2
119	Acute nephritis	718	42	14	16	12	10	43	57	59	83	92	91	81	78	37	3	.....	.....
120	Bright's disease	7,951	15	11	5	5	9	22	83	173	394	789	1,311	1,942	2,080	988	118	4	2
122	Other diseases of the kidneys and annexa	170	7	3	4	.....	.....	4	7	16	18	21	33	26	22	9	.....	.....	.....
123	Calculi of the urinary passages	39	.....	.....	.....	.....	.....	1	1	3	3	4	10	6	8	3	.....	.....	.....
124	Diseases of the bladder	128	2	.....	.....	2	2	.....	1	2	4	7	14	19	39	33	3	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	23	.....	.....	.....	.....	.....	.....	.....	3	3	5	2	8	1	1	.....	.....	.....
126	Diseases of the prostate	322	.....	.....	.....	.....	.....	.....	.....	.....	1	8	24	72	138	75	4	.....	.....
127	Nonvenereal diseases of the male genital organs	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
129	Uterine tumor (noncancerous)	160	.....	.....	.....	.....	.....	.....	1	6	43	61	19	18	11	.....	1	.....	.....
130	Other diseases of the uterus	86	.....	.....	.....	.....	.....	.....	6	16	15	20	16	8	3	1	1	.....	.....
131	Cysts and other tumors of the ovary	73	.....	.....	.....	.....	.....	.....	2	7	11	20	11	11	7	4	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	150	.....	.....	.....	.....	.....	.....	4	44	53	40	7	1	1	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	7	3	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	1,710	.....	.....	.....	.....	.....	.....	130	739	683	155	3	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	232	.....	.....	.....	.....	.....	.....	10	99	109	14	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	151	.....	.....	.....	.....	.....	.....	6	38	80	26	1	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	200	.....	.....	.....	.....	.....	.....	8	91	83	17	1	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	603	.....	.....	.....	.....	.....	.....	54	266	238	44	1	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	445	.....	.....	.....	.....	.....	.....	50	212	144	39	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	69	.....	.....	.....	.....	.....	.....	1	25	28	15	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	10	.....	.....	.....	.....	.....	.....	1	8	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	PENNSYLVANIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	413	88	8	4	3	1	7	9	14	23	27	41	42	68	67	10	1	.....
142	Gangrene	184	7	.....	.....	.....	1	2	3	2	6	6	16	22	54	54	10	1	.....
143	Furuncle	62	12	1	.....	.....	.....	.....	2	6	6	8	10	9	5	3	.....	.....	.....
144	Acute abscess	89	25	5	3	3	.....	5	4	5	7	9	11	4	4	4	.....	.....	.....
145	Other diseases of the skin and annexa	78	44	2	1	.....	.....	.....	.....	1	4	4	4	7	5	6	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	284	22	12	5	10	9	45	45	26	28	28	20	21	11	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	252	20	12	5	10	9	44	43	24	25	23	13	15	8	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	27	2	.....	.....	.....	.....	1	2	1	2	5	7	3	3	1	.....	.....	.....
149	Other diseases of the organs of locomotion	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	.....	.....	.....	.....	.....
	X.—Malformations	1,949	1,837	51	10	9	6	14	12	9	.....	.....	.....	1	.....	.....	.....	.....	.....
150	Congenital malformations (total)	1,949	1,837	51	10	9	6	14	12	9	.....	.....	.....	1	.....	.....	.....	.....	.....
	Hydrocephalus	153	122	14	4	4	1	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	1,300	1,246	24	4	4	1	8	8	4	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other congenital malformations	496	469	13	2	1	4	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	6,452	6,452	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,068	5,068	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	3,982	3,982	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,086	1,086	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	1,374	1,374	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	741	741	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	633	633	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	10	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	780	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	32	214	386	135	6	1
154	Senility	780	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	32	214	386	135	6	1
	XIII.—External causes	8,887	196	170	192	208	179	575	872	1,349	1,431	1,140	903	719	555	319	65	4	10
	Suicide (total)	794	.....	.....	.....	.....	.....	.....	30	126	163	159	135	116	54	10	1	.....	.....
155	By poison	89	.....	.....	.....	.....	.....	.....	6	26	24	19	3	8	2	1	.....	.....	.....
156	By asphyxia	117	.....	.....	.....	.....	.....	.....	7	14	22	23	22	18	10	1	.....	.....	.....
157	By hanging or strangulation	163	.....	.....	.....	.....	.....	.....	3	9	23	30	43	34	20	1	.....	.....	.....
158	By drowning	43	.....	.....	.....	.....	.....	.....	2	10	8	7	6	5	4	1	.....	.....	.....
159	By firearms	286	.....	.....	.....	.....	.....	.....	12	59	57	57	47	34	16	4	.....	.....	.....
160	By cutting or piercing instruments	67	.....	.....	.....	.....	.....	.....	.....	7	19	17	8	13	2	1	.....	.....	.....
161	By jumping from high places	16	.....	.....	.....	.....	.....	.....	.....	1	7	3	2	1	.....	1	1	.....	.....
162	By crushing	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
163	Other suicides	9	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2	2	.....	.....	.....	.....	.....
	Accidental or undefined (total)	7,600	181	170	192	208	178	571	808	1,080	1,101	906	734	591	494	308	64	4	10
164	Poisoning by food	52	1	5	.....	2	4	5	5	9	6	4	3	4	2	2	.....	.....	.....
165	Other acute poisonings	156	12	22	13	6	3	4	7	24	22	21	16	4	1	1	.....	.....	.....
166	Conflagration	109	10	7	4	10	4	10	9	11	13	8	9	7	5	1	1	.....	.....
167	Burns (conflagration excepted)	919	33	83	120	105	90	118	59	62	58	53	44	33	40	15	1	1	4
168	Absorption of deleterious gases (conflagration excepted)	276	61	2	.....	.....	.....	4	18	34	38	31	36	22	22	6	.....	1	1
169	Accidental drowning	400	6	12	7	9	8	54	119	71	44	31	16	12	8	2	.....	.....	1
170	Traumatism by firearms	144	1	.....	.....	4	5	11	72	20	13	10	6	2	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	19	.....	.....	.....	1	1	1	2	1	.....	5	6	2	.....	.....	.....	.....	.....
172	Traumatism by fall	1,256	20	15	8	10	12	30	50	69	89	85	116	155	288	248	57	2	2
173	Traumatism in mines and quarries (total)	983	.....	.....	.....	.....	.....	2	80	221	291	211	124	49	5	.....	.....	.....	.....
	Traumatism in mines	948	.....	.....	.....	.....	.....	1	77	213	282	204	120	46	5	.....	.....	.....	.....
	Traumatism in quarries	35	.....	.....	.....	.....	.....	1	3	8	9	7	4	3	.....	.....	.....	.....	.....
174	Traumatism by machines	269	.....	.....	.....	.....	.....	1	26	67	54	57	39	19	6	.....	.....	.....	.....
175	Traumatism by other crushing (total)	2,442	7	14	28	57	46	304	298	405	373	320	239	232	89	23	5	.....	2
	Railroad accidents and injuries	978	.....	4	4	3	5	35	78	242	209	171	102	86	31	6	2	.....	.....
	Street-car accidents and injuries	199	.....	2	6	8	4	21	13	24	25	28	23	23	15	4	2	.....	1
	Automobile accidents and injuries	1,042	6	3	15	40	35	214	163	113	118	97	96	101	28	12	1	.....	.....
	Injuries by other vehicles	179	1	4	2	6	2	29	40	18	13	17	12	21	13	.....	.....	.....	1
	Aeroplane accidents and injuries	7	.....	.....	.....	.....	.....	.....	.....	4	1	2	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	37	.....	1	1	.....	.....	5	4	4	7	5	6	1	2	1	.....	.....	.....
176	Injuries by animals	40	.....	.....	1	.....	2	1	8	1	6	5	7	7	1	1	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	18	.....	.....	1	.....	.....	.....	.....	1	2	3	2	3	4	2	.....	.....	.....
179	Effects of heat	24	2	.....	.....	.....	.....	.....	1	2	5	3	3	4	3	1	.....	.....	.....
180	Lightning	23	.....	.....	.....	.....	.....	1	1	6	4	1	2	2	2	.....	.....	.....	.....
181	Electricity (lightning excepted)	96	.....	.....	.....	.....	.....	.....	3	11	30	24	14	12	2	.....	.....	.....	.....
185	Fractures (cause not specified)	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
186	Other external violence	368	27	10	10	4	2	22	37	47	58	43	53	31	18	6	.....	.....	.....
	Homicide (total)	493	15	.....	.....	.....	1	4	34	143	167	75	34	12	7	1	.....	.....	.....
182	By firearms	341	.....	.....	.....	.....	1	4	30	107	117	53	19	6	4	.....	.....	.....	.....
183	By cutting or piercing instruments	57	2	.....	.....	.....	.....	.....	1	17	25	4	6	1	1	.....	.....	.....	.....
184	By other means	95	13	.....	.....	.....	.....	.....	3	19	25	18	9	5	2	1	.....	.....	.....
	XIV.—Ill-defined diseases	534	190	44	5	6	1	3	9	8	23	27	65	58	57	29	6	.....	3
187	Ill-defined organic disease	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	.....	.....	.....
188	Sudden death	54	13	.....	.....	.....	.....	1	.....	4	5	4	7	8	7	2	3	.....	.....
189	Not specified or ill-defined (total)	471	177	44	5	6	1	2	9	4	18	23	58	48	46	24	3	.....	3
	Ill-defined	243	33	39	5	4	1	2	5	3	13	15	42	36	34	9	1	.....	1
	Not specified or unknown	228	144	5	.....	2	.....	.....	4	1	5	8	16	12	12	15	2	.....	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

RHODE ISLAND.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	All causes	8,696	1,386	302	151	79	63	186	284	579	743	771	971	1,232	1,223	632	86	2	6
	I.—General diseases	2,450	196	126	78	43	31	78	128	271	299	301	320	312	201	64	2	.....	.....
1	Typhoid fever	17	.....	.....	1	.....	1	.....	1	3	1	2	5	3	.....	.....	.....	.....	.....
4	Malaria	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
6	Measles	69	17	29	7	2	1	4	5	2	.....	1	.....	1	.....	.....	.....	.....	.....
7	Scarlet fever	27	2	1	5	5	2	6	.....	4	1	.....	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	92	49	24	9	3	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	129	4	15	21	13	15	40	16	1	2	.....	1	.....	.....	1	.....	.....	.....
10	Influenza	364	46	29	11	8	3	8	17	39	70	30	29	29	30	15	.....	.....	.....
14	Dysentery	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
18	Erysipelas	10	8	.....	.....	.....	.....	.....	1	.....	.....	2	3	2	.....	.....	.....	.....	.....
19	Other epidemic diseases	4	1	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	12	1	1	.....	.....	.....	2	2	1	.....	2	.....	3	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	798	35	22	20	8	4	8	67	199	163	130	81	46	12	3	.....	.....	.....
28	Tuberculosis of the lungs	642	10	5	2	2	1	2	51	175	150	120	67	42	12	3	.....	.....	.....
29	Acute miliary tuberculosis	30	2	1	.....	.....	1	1	2	12	2	4	5	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	61	18	11	13	3	2	1	7	3	.....	1	2	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	22	3	2	2	2	.....	.....	3	3	2	1	3	1	.....	.....	.....	.....	.....
32	Pott's disease	12	.....	1	2	1	.....	1	1	.....	3	.....	1	2	.....	.....	.....	.....	.....
33	White swellings	7	.....	1	.....	.....	.....	.....	2	.....	.....	2	1	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	15	1	1	1	.....	.....	2	.....	4	5	1	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	9	1	.....	.....	.....	.....	1	1	2	1	1	2	.....	.....	.....	.....	.....	.....
36	Rickets	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	49	11	.....	.....	.....	.....	.....	.....	2	9	9	5	11	1	1	.....	.....	.....
38	Gonococcus infection	5	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	606	.....	.....	1	1	.....	.....	4	6	36	93	143	154	133	34	1	.....	.....
39	Of the buccal cavity	28	.....	.....	.....	.....	.....	.....	.....	.....	2	6	8	4	7	1	.....	.....	.....
40	Of the stomach, liver	197	.....	.....	.....	.....	.....	.....	1	1	7	31	40	61	46	10	.....	.....	.....
41	Of the peritoneum, intestines, rectum	87	.....	.....	.....	.....	.....	.....	2	2	2	13	21	21	21	5	.....	.....	.....
42	Of the female genital organs	101	.....	.....	.....	.....	.....	.....	.....	1	13	25	25	17	17	3	.....	.....	.....
43	Of the breast	64	.....	.....	.....	.....	.....	.....	.....	.....	4	9	22	10	13	5	1	.....	.....
44	Of the skin	14	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	4	6	1	.....	.....	.....
45	Of other organs or of organs not specified	115	.....	.....	.....	1	.....	.....	1	2	8	7	27	37	23	9	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....
47	Acute articular rheumatism	24	1	.....	.....	.....	.....	1	6	2	1	2	6	3	.....	2	.....	.....	.....
48	Chronic rheumatism and gout	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....
50	Diabetes	123	1	.....	2	.....	1	2	4	6	10	17	23	38	15	4	.....	.....	.....
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
53	Leukemia	11	1	.....	.....	1	1	1	2	1	1	1	.....	2	.....	.....	.....	.....	.....
54	Anemia, chlorosis	34	1	1	.....	.....	.....	.....	.....	1	.....	4	13	9	3	1	1	.....	.....
55	Other general diseases	22	12	2	1	1	.....	1	1	1	1	1	.....	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	1	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	940	37	14	6	3	1	8	7	28	45	95	160	189	237	96	11	1	2
00	Encephalitis	19	2	.....	1	1	.....	2	2	2	2	2	2	2	1	.....	.....	.....	.....
01	Meningitis (total)	37	10	5	2	1	1	3	2	3	3	5	1	1	.....	.....	.....	.....	.....
	Simple meningitis	16	7	1	.....	.....	.....	2	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	6	.....	1	1	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	15	3	3	1	1	.....	1	2	1	.....	3	.....	.....	.....	.....	.....	.....	.....
02	Locomotor ataxia	20	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	5	2	1	.....	.....	.....
03	Other diseases of the spinal cord (total)	26	.....	.....	.....	.....	.....	1	.....	1	.....	5	7	7	3	2	.....	.....	.....
	Other diseases of the spinal cord	26	.....	.....	.....	.....	.....	1	.....	1	.....	5	7	7	3	2	.....	.....	.....
04	Cerebral hemorrhage, apoplexy	663	3	.....	.....	.....	.....	1	.....	3	17	49	120	158	216	83	10	1	2
05	Softening of the brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
06	Paralysis without specified cause	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	5	8	5	1	.....	.....
07	General paralysis of the insane	50	.....	.....	.....	.....	.....	.....	.....	.....	13	17	14	3	1	2	.....	.....	.....
08	Other forms of mental alienation	10	.....	.....	.....	.....	.....	.....	.....	4	.....	3	2	.....	1	.....	.....	.....	.....
09	Epilepsy	30	3	.....	.....	.....	.....	.....	1	6	5	4	4	4	1	2	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	25	14	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
74	Other diseases of the nervous system	14	1	1	.....	.....	.....	1	2	3	1	2	1	1	1	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	14	4	.....	1	.....	.....	.....	.....	4	2	2	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths of unknown age.
	RHODE ISLAND—Continued.																		
	III.—Diseases of the circulatory system.	1,380	9	2				11	25	33	63	101	189	330	390	207	18	1	1
77	Pericarditis	5							1			2	1		1				
78	Acute endocarditis	72	2	1				5	7	8	9	11	17	4	4	3	1		
79	Organic diseases of the heart	975		1				6	16	21	47	80	144	255	261	131	11	1	1
80	Angina pectoris	56								1	1	1	8	19	18	7	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	221										2	14	43	94	63	5		
82	Embolism and thrombosis	34	1							3	2	4	4	7	10	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8									3	1	1	2	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	5								1								
85	Hemorrhage; other diseases of the circulatory system	3	1						1						1				
	IV.—Diseases of the respiratory system.	1,185	237	93	37	18	9	26	32	93	129	74	94	133	121	72	17		
86	Diseases of the nasal fossae	2	1							1									
87	Diseases of the larynx	9	5	1				2					1						
88	Diseases of the thyroid body	5										2	1	1	1				
89	Acute bronchitis	59	40	6	1	2		1						2	3	2	2		
90	Chronic bronchitis	46		2				1	1		2	1	3	8	14	10	4		
91	Bronchopneumonia	396	105	48	19	10	5	10	10	24	34	15	18	29	39	23	7		
92	Pneumonia (total)	595	80	33	16	6	4	10	17	64	82	51	63	82	55	30	2		
	Lobar pneumonia	519	71	30	12	6	4	10	15	60	69	45	56	75	45	19	2		
	Pneumonia (undefined)	76	9	3	4				2	4	13	6	7	7	10	11			
93	Pleurisy	34	3	3				1	3	4	8	1	2	5		3	1		
94	Pulmonary congestion, pulmonary apoplexy	16	2										2	3	4	4	1		
96	Asthma	13						1			1	3	2	3	3				
97	Pulmonary emphysema	3									1	1			1				
98	Other diseases of the respiratory system (tuberculosis excepted)	7	1		1				1		1		2		1				
	V.—Diseases of the digestive system.	655	264	48	11	3	7	15	23	23	41	45	57	50	42	22	4		
99	Diseases of the mouth and annexa	3	1									1			1				
100	Diseases of the pharynx	16	2	1	2		1	1	2	2	2		1			1	1		
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	20								1	2	4	8	1	3	1			
103	Other diseases of the stomach (cancer excepted)	51	19	7			2		1	3	3	3	2	3	3	4	1		
104	Diarrhea and enteritis (under 2 years)	272	234	38															
105	Diarrhea and enteritis (2 years and over)	56			7	2	3	3	2	2	3	7	5	4	9	7	2		
106	Ankylostomiasis	1						1											
108	Appendicitis and typhlitis	74			1	1	1	7	18	11	15	7	10	2		1			
109	Hernia, intestinal obstruction (total)	47	5	2	1			1		1	1	6	6	11	11	2			
	Hernia	23	3					1				3	4	4	6	2			
	Intestinal obstruction	24	2	2	1					1	1	3	2	7	5				
110	Other diseases of the intestines	12								1	1		2	5	3				
111	Acute yellow atrophy of the liver	1									1								
112	Hydatid tumor of the liver	1										1							
113	Cirrhosis of the liver	38									3	6	13	11	4	1			
114	Biliary calculi	21								1	4	5	3	6	2				
115	Other diseases of the liver	22	1								4	2	3	4	3	5			
116	Diseases of the spleen	1													1				
117	Simple peritonitis (nonpuerperal)	12	2					2		1	2	1	1	1	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6										2	3	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	674	9	3		3	1	1	8	21	53	85	100	152	155	73	10		
119	Acute nephritis	35	5	2		3		1	2	2	6	3	4	2	3	2			
120	Bright's disease	553	1	1			1		4	12	29	67	92	135	137	65	9		
122	Other diseases of the kidneys and annexa	17	2							2	2	3		4	3		1		
123	Calculi of the urinary passages	3							1			1		1					
124	Diseases of the bladder	5											1	1	2	1			
125	Diseases of the urethra, urinary abscess, etc.	3											1	2					
126	Diseases of the prostate	21											1	6	9	5			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	9									5	3	1						
130	Other diseases of the uterus	6								1	2	2		1					
131	Cysts and other tumors of the ovary	5									2	2			1				
132	Salpingitis and other diseases of the female genital organs	15							1	4	7	3							
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	120							7	56	51	6							
134	Accidents of pregnancy	12							1	5	6								
135	Puerperal hemorrhage	15								6	6	3							
136	Other accidents of labor	20								8	11	1							
137	Puerperal septicemia	34							4	15	15								
138	Puerperal albuminuria and convulsions	32							2	19	10	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								3	3	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	RHODE ISLAND—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	28	9					1	2			1	3	7	3	2			
142	Gangrene	11	1						1				1	3	3	2			
143	Furuncle	3	1									1	1						
144	Acute abscess	8	3					1	1				1	2					
145	Other diseases of the skin and annexa	6	4											2					
	IX.—Diseases of the bones and of the organs of locomotion	20	2			1		2	2	2	1	3	2	2	2	1			
146	Diseases of the bones (tuberculosis excepted)	12	2			1		2	2		1	2	1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7								2		1	1	1	1	1			
149	Other diseases of the organs of locomotion	1													1				
	X.—Malformations	91	89	1	1														
150	Congenital malformations (total)	91	89	1	1														
	Hydrocephalus	8	6	1	1														
	Congenital malformations of the heart	59	59																
	Other congenital malformations	24	24																
	XI.—Early infancy	509	509																
151	Congenital debility, icterus, and sclerema (total)	362	362																
	Premature birth	243	243																
	Congenital debility, "atrophy," "marasmus," etc	119	119																
152	Other causes peculiar to early infancy (total)	145	145																
	Injuries at birth	100	100																
	Other causes peculiar to early infancy	45	45																
153	Lack of care	2	2																
	XII.—Old age	136												11	37	69	19		
154	Senility	136												11	37	69	19		
	XIII.—External causes	465	12	12	18	7	14	43	49	52	57	57	41	41	33	24	4		1
	Suicide (total)	59								7	13	14	10	7	4	4			
155	By poison	3								1	1	1							
156	By asphyxia	16								2	2	3	4	3	1	1			
157	By hanging or strangulation	7								2		2		3					
158	By drowning	8								1	2	1	2		1	1			
159	By firearms	15									4	3	3	1	2	2			
160	By cutting or piercing instruments	6								1	2	3							
161	By jumping from high places	2									1	1							
162	By crushing	1											1						
163	Other suicides	1									1								
	Accidental or undefined (total)	305	11	12	17	7	14	43	48	43	39	42	31	34	29	20	4		1
164	Poisoning by food	6			1		1		1		1	1	1						
165	Other acute poisonings	7								1	3	1	2						
166	Conflagration	5		1				1		1		1		1					
167	Burns (conflagration excepted)	56	2	6	9	4	7	10	2	1	3	4	1	2	1	3	1		
168	Absorption of deleterious gases (conflagration excepted)	19	4						2	1	3	2	2	2	3				
169	Accidental drowning	65		1	2		1	8	18	14	9	6	3	1	1				1
170	Traumatism by firearms	2							2										
172	Traumatism by fall	80	3	2	3		1	1	3	5	7	8	7	11	11	15	3		
173	Traumatism in mines and quarries (total)	1													1				
	Traumatism in quarries	1													1				
174	Traumatism by machines	10								4			2	4					
175	Traumatism by other crushing (total)	116	1	1	2	3	3	23	18	15	11	12	9	8	9	1			
	Railroad accidents and injuries	15						1	4	2	1		3	1	3				
	Street-car accidents and injuries	13						3	1	3	1	4				1			
	Automobile accidents and injuries	78	1	1	2	3	2	16	13	9	7	7	6	6	5				
	Injuries by other vehicles	10					1	3		1	2	1		1	1				
176	Injuries by animals	2									1		1						
178	Excessive cold	2										1	1						
179	Effects of heat	3					1							1	1				
180	Lightning	1								1									
181	Electricity (lightning excepted)	3							1		1			1					
185	Fractures (cause not specified)	2											1			1			
186	Other external violence	15	1	1					1			6	1	3	2				
	Homicide (total)	11	1		1				1	2	5	1							
182	By firearms	6							1	1	3	1							
183	By cutting or piercing instruments	4			1					1	2								
184	By other means	1	1																
	XIV.—Ill-defined diseases	43	13	3		1		1	1		4	3	5	5	2	2	1		2
188	Sudden death	11	3					1	1		1		2	3					
189	Not specified or ill-defined (total)	32	10	3		1					3	3	3	2	2	2	1		2
	Ill-defined	18	3	3		1					1	3	2	1	1	2	1		
	Not specified or unknown	14	7								2		1	1	1				2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

SOUTH CAROLINA (TOTAL).

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF: Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	All causes	23,767	5,531	1,250	494	292	212	666	1,510	2,643	2,258	1,898	1,715	2,129	1,942	955	177	69	26
	I.—General diseases	7,794	1,047	483	209	143	99	317	741	1,394	1,060	760	548	529	327	111	15	2	9
1	Typhoid fever	379	4	5	5	6	2	42	112	80	46	28	27	15	3	3	.....	1	.....
4	Malaria	487	69	32	21	18	8	50	63	51	40	38	32	30	22	12	.....	1	.....
5	Smallpox	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	56	19	14	2	5	4	6	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	11	.....	4	1	2	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	373	199	94	38	14	7	15	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	201	28	25	37	33	29	39	7	1	1	.....	.....	1	.....	.....	.....	.....	.....
10	Influenza	2,322	398	153	60	41	32	98	221	317	354	236	136	131	99	37	6	.....	3
13	Cholera nostras	8	.....	.....	2	1	.....	1	.....	1	.....	.....	.....	1	1	1	.....	.....	.....
14	Dysentery	407	151	117	25	10	3	8	14	3	5	4	6	15	27	16	3	.....	.....
18	Erysipelas	20	7	.....	.....	1	.....	.....	3	2	2	2	2	.....	.....	1	.....	.....	.....
19	Other epidemic diseases	10	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	2	3	1	.....	.....	.....
20	Purulent infection and septicemia	33	1	3	.....	.....	.....	1	6	4	4	3	4	5	1	1	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	57	37	2	.....	.....	1	5	6	3	3	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	306	2	1	.....	1	2	5	17	57	58	59	33	37	26	7	1	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,031	24	12	3	6	8	29	237	773	432	235	136	95	31	5	1	.....	4
28	Tuberculosis of the lungs	1,819	16	7	2	3	6	24	199	699	399	217	126	85	27	5	1	.....	3
29	Acute miliary tuberculosis	75	.....	.....	.....	.....	.....	.....	14	35	18	5	3	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	27	5	3	1	2	1	2	4	7	1	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	61	1	.....	.....	1	1	3	7	17	8	8	3	9	2	.....	.....	.....	1
32	Pott's disease	11	1	1	.....	.....	.....	.....	5	1	1	2	.....	.....	.....	.....	.....	.....	.....
33	White swellings	6	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	13	.....	1	.....	.....	.....	.....	3	1	4	1	2	.....	1	.....	.....	.....	.....
35	Disseminated tuberculosis	19	1	.....	.....	.....	.....	.....	4	9	1	1	2	1	.....	.....	.....	.....	.....
36	Rickets	9	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	215	68	6	6	1	1	3	12	43	31	17	16	10	.....	.....	.....	.....	1
38	Gonococcus infection	19	.....	.....	.....	.....	.....	.....	2	9	1	5	1	.....	.....	.....	.....	.....	1
	Cancer and other malignant tumors (total)	557	1	1	1	.....	1	4	7	19	57	100	119	142	82	19	4	.....	.....
39	Of the buccal cavity	25	.....	.....	1	.....	.....	1	.....	5	.....	3	9	4	2	.....	.....	.....	.....
40	Of the stomach, liver	176	.....	1	.....	.....	.....	2	3	4	17	30	38	47	29	3	2	.....	.....
41	Of the peritoneum, intestines, rectum	48	.....	.....	.....	.....	.....	1	.....	1	2	7	17	12	6	2	.....	.....	.....
42	Of the female genital organs	126	.....	.....	.....	.....	.....	.....	1	5	21	32	24	27	14	1	1	.....	.....
43	Of the breast	47	.....	.....	.....	.....	.....	.....	.....	1	8	9	10	10	5	3	1	.....	.....
44	Of the skin	32	.....	.....	.....	.....	.....	.....	.....	1	2	7	2	10	8	2	.....	.....	.....
45	Of other organs or of organs not specified	103	1	.....	.....	.....	1	.....	3	2	7	12	19	32	18	8	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
47	Acute articular rheumatism	64	.....	.....	.....	1	.....	4	11	8	5	8	9	5	9	4	.....	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....
49	Scurvy	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Diabetes	105	3	.....	1	.....	.....	2	7	6	8	9	19	28	19	3	.....	.....	.....
51	Exophthalmic goiter	4	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
53	Leukemia	8	1	.....	.....	.....	.....	1	.....	2	2	1	.....	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	25	.....	2	1	.....	.....	.....	1	4	2	5	4	3	2	1	.....	.....	.....
55	Other general diseases	55	23	10	5	3	.....	2	3	4	2	2	1	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	8	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	1	.....	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,794	134	25	15	11	7	29	46	72	113	199	278	386	322	133	13	3	3
60	Encephalitis	29	4	2	2	.....	.....	1	4	3	4	5	3	1	.....	.....	.....	.....	.....
61	Meningitis (total)	65	19	7	8	1	3	11	8	4	.....	1	1	.....	1	.....	.....	.....	1
	Simple meningitis	33	14	1	6	.....	2	4	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	11	2	2	.....	1	1	3	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	21	3	4	2	.....	.....	4	3	3	.....	1	.....	.....	.....	.....	.....	.....	1
62	Locomotor ataxia	7	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	2	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	51	6	3	.....	2	.....	2	2	5	2	3	4	10	10	2	.....	.....	.....
	Acute anterior poliomyelis	12	5	3	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	39	1	.....	.....	.....	.....	1	1	5	2	3	4	10	10	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	973	5	1	1	1	.....	1	4	22	58	124	196	255	212	84	6	2	1
65	Softening of the brain	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	2	.....	.....	.....
66	Paralysis without specified cause	354	1	1	1	1	.....	3	1	9	15	34	53	99	85	43	6	1	1
67	General paralysis of the insane	34	.....	.....	.....	.....	.....	.....	.....	2	2	12	10	4	2	2	.....	.....	.....
68	Other forms of mental alienation	20	.....	.....	.....	.....	.....	.....	1	3	8	3	.....	4	.....	.....	1	.....	.....
69	Epilepsy	92	4	2	.....	3	3	2	24	18	11	8	7	2	5	3	.....	.....	.....
70	Convulsions (nonpuerperal)	13	.....	.....	.....	.....	.....	6	1	2	2	.....	.....	.....	1	1	.....	.....	.....
71	Convulsions of infants	101	90	7	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	30	3	2	.....	2	1	2	1	3	3	4	1	4	3	1	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	6	2	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	Deaths at unknown age.
	SOUTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	2,151	22	3	4	.....	3	16	56	132	191	257	306	447	473	210	28	2	1
77	Pericarditis	24	.....	.....	.....	.....	.....	.....	3	2	2	9	.....	3	4	1	.....	.....	.....
78	Acute endocarditis	97	1	.....	1	.....	2	2	10	16	17	22	18	6	2	.....	.....	.....	.....
79	Organic diseases of the heart	1,641	12	3	1	.....	1	13	37	107	151	195	210	356	369	163	21	1	1
80	Angina pectoris	76	.....	.....	.....	.....	.....	.....	.....	4	10	8	16	21	10	6	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	256	.....	.....	.....	.....	.....	.....	1	1	5	18	51	57	79	37	6	1	.....
82	Embolism and thrombosis	23	.....	.....	.....	.....	.....	.....	3	2	4	3	5	1	3	2	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	6	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	25	3	.....	.....	.....	.....	1	2	.....	1	2	6	3	6	1	.....	.....	.....
	IV.—Diseases of the respiratory system.	2,284	638	165	78	37	27	66	178	262	224	159	119	141	118	59	7	2	4
86	Diseases of the nasal fossae	179	113	9	1	3	1	4	11	15	9	2	6	4	1	.....	.....	.....	.....
87	Diseases of the larynx	10	4	.....	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	69	39	7	5	2	.....	1	.....	3	1	5	.....	2	2	2	.....	.....	.....
90	Chronic bronchitis	35	2	1	.....	1	.....	.....	1	4	2	2	4	6	7	4	1	.....	.....
91	Bronchopneumonia	357	172	43	16	7	7	16	16	10	12	8	4	19	19	7	1	.....	.....
92	Pneumonia (total)	1,506	302	102	46	22	18	39	140	216	179	123	96	94	80	40	3	2	4
	Lobar pneumonia	843	91	49	28	12	8	20	88	141	130	85	67	49	53	19	.....	.....	3
	Pneumonia (undefined)	663	211	53	18	10	10	19	52	75	49	38	29	45	27	21	3	2	1
93	Pleurisy	37	1	1	1	.....	1	3	3	6	5	7	2	6	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	16	2	1	2	1	.....	1	.....	.....	1	.....	.....	3	.....	3	2	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
96	Asthma	28	.....	1	2	1	.....	1	.....	1	3	5	3	3	6	2	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	41	3	.....	1	.....	.....	.....	5	6	11	6	2	4	2	1	.....	.....	.....
	V.—Diseases of the digestive system.	2,290	977	410	106	28	27	64	83	98	112	94	86	95	75	27	5	2	1
99	Diseases of the mouth and annexa	65	43	7	1	.....	1	3	2	.....	.....	2	.....	.....	.....	.....	.....	.....	1
100	Diseases of the pharynx	47	5	1	2	1	6	9	8	5	4	3	2	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	23	.....	1	.....	1	.....	.....	.....	3	2	6	4	5	1	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	371	132	37	10	6	1	13	11	12	30	25	23	33	25	9	2	2	.....
104	Diarrhea and enteritis (under 2 years)	1,130	771	359	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	207	.....	.....	84	15	13	14	12	12	11	11	7	10	9	7	2	.....	.....
106	Ankylostomiasis	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	13	1	2	2	3	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	139	.....	.....	2	1	1	10	42	29	24	15	10	3	1	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	108	19	3	4	1	4	6	1	15	11	7	8	11	12	6	.....	.....	.....
	Hernia	24	5	1	.....	.....	.....	1	.....	2	1	1	4	2	4	3	.....	.....	.....
	Intestinal obstruction	84	14	2	4	1	4	5	1	13	10	6	4	9	8	3	.....	.....	.....
110	Other diseases of the intestines	27	.....	.....	.....	.....	.....	1	1	5	5	3	4	2	4	1	1	.....	.....
111	Acute yellow atrophy of the liver	6	.....	.....	1	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	45	.....	.....	.....	.....	.....	2	.....	4	4	5	13	11	6	.....	.....	.....	.....
114	Biliary calculi	22	.....	.....	.....	.....	.....	.....	.....	.....	4	2	6	5	5	.....	.....	.....	.....
115	Other diseases of the liver	61	1	.....	.....	.....	.....	.....	2	8	12	7	8	9	11	3	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	17	.....	.....	.....	.....	.....	2	1	3	3	3	.....	4	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,656	15	16	3	8	5	12	40	101	139	216	242	356	332	148	16	4	3
119	Acute nephritis	102	5	4	1	4	2	5	7	17	13	15	7	12	5	3	2	.....	.....
120	Bright's disease	1,316	3	8	1	.....	2	3	22	54	89	174	204	305	298	134	13	4	2
122	Other diseases of the kidneys and annexa	104	6	3	1	4	1	4	5	7	10	7	17	23	13	2	.....	.....	1
123	Calculi of the urinary passages	9	.....	.....	.....	.....	.....	.....	.....	1	3	.....	4	1	.....	.....	.....	.....	.....
124	Diseases of the bladder	18	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	6	3	5	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	8	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	1	2	.....	.....	.....	.....
126	Diseases of the prostate	23	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	4	10	4	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	24	.....	.....	.....	.....	.....	.....	1	2	9	8	2	1	1	.....	.....	.....	.....
130	Other diseases of the uterus	17	.....	.....	.....	.....	.....	.....	1	2	5	7	.....	2	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	4	12	6	2	2	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	583	.....	.....	.....	.....	.....	.....	108	239	196	38	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	48	.....	.....	.....	.....	.....	.....	2	26	17	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	35	.....	.....	.....	.....	.....	.....	.....	19	15	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	136	.....	.....	.....	.....	.....	.....	24	51	45	15	.....	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	133	.....	.....	.....	.....	.....	.....	24	58	43	8	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	220	.....	.....	.....	.....	.....	.....	57	81	70	11	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10	.....	.....	.....	.....	.....	.....	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ages.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	42	3	2	1		2		4	3	5	3	4	6	2	4	2	1	
142	Gangrene	13					1		1		2		2	1		3	2	1	
143	Furuncle	5							1	1	1		1	1					
144	Acute abscess	12	1		1		1		2	2	2			3					
145	Other diseases of the skin and annexa	12	2	2								3	1	1	2	1			
	IX.—Diseases of the bones and of the organs of locomotion	37	3	1	1	1	2	5	7	6	2	2	3	2	1	1			
146	Diseases of the bones (tuberculosis excepted)	26	3	1	1	1	1	5	3	4	1	1	3	1		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8					1		4			1		1	1				
149	Other diseases of the organs of locomotion	3								2	1								
	X.—Malformations	159	137	9	3	3	2	5											
150	Congenital malformations (total)	159	137	9	3	3	2	5											
	Hydrocephalus	35	25	5	2	1	1	1											
	Congenital malformations of the heart	76	69	2		1	1	3											
	Other congenital malformations	48	43	2	1	1		1											
	XI.—Early infancy	2,214	2,214																
151	Congenital debility, icterus, and sclerema (total)	2,011	2,011																
	Premature birth	1,630	1,630																
	Congenital debility, "atrophy," "marasmus," etc	381	381																
152	Other causes peculiar to early infancy (total)	200	200																
	Injuries at birth	72	72																
	Other causes peculiar to early infancy	128	128																
153	Lack of care	3	3																
	XII.—Old age	544											7	28	179	200	82	48	
154	Senility	544											7	28	179	200	82	48	
	XIII.—External causes	1,337	80	54	50	49	31	124	194	279	166	113	67	53	40	30	3	3	1
	Suicide (total)	59							3	16	13	10	12	4	1				
155	By poison	5								3	1		1						
156	By asphyxia	2							1		1								
157	By hanging or strangulation	2									1	1							
158	By drowning	1								1									
159	By firearms	46							2	11	9	8	11	4	1				
160	By cutting or piercing instruments	2								1		1							
163	Other suicides	1									1								
	Accidental or undefined (total)	1,020	80	54	50	49	30	121	171	152	81	69	42	46	38	30	3	3	1
164	Poisoning by food	23	3	2	1	1	1	3	2	2	1	5	2						
165	Other acute poisonings	47	2	10	6	2	1	3	6	7	2	4		4					
166	Conflagration	27	3	2	3		4	5	1	2	1		2	2	1	1			
167	Burns (conflagration excepted)	271	19	33	33	35	17	57	20	18	9	9	3	5	5	5		3	
168	Absorption of deleterious gases (conflagration excepted)	41	31			1		1	5	1	1	1							
169	Accidental drowning	87	3	3		1	1	7	38	19	4	6	1	2		2			
170	Traumatism by firearms	77		2		3	2	12	33	12	4	2	3	2	1				1
171	Traumatism by cutting or piercing instruments	5						1		1		1	1		1				
172	Traumatism by fall	86	5	1	3		1	6	3	5	4	10	5	11	14	15	3		
173	Traumatism in mines and quarries (total)	2								1	1								
	Traumatism in mines	2								1	1								
174	Traumatism by machines	31							7	11	4	5	2	1	1				
175	Traumatism by other crushing (total)	210	4	1	3	5	3	21	40	48	33	18	12	8	9	5			
	Railroad accidents and injuries	71						1	16	20	17	4	5	3	4	1			
	Street-car accidents and injuries	2						1		1									
	Automobile accidents and injuries	91		1		3	3	15	17	19	11	12	3	4	1	2			
	Injuries by other vehicles	36	2		3	1		4	7	3	4	2	3	1	4	2			
	Aeroplane accidents and injuries	4								4									
	Landslide, other crushing	6	2			1				1	1		1						
176	Injuries by animals	14						1	6		3			4					
178	Excessive cold	1													1				
179	Effects of heat	6									1	1	1	2	1				
180	Lightning	13						3	2	4	2		1	1					
181	Electricity (lightning excepted)	13								8	3		2						
185	Fractures (cause not specified)	3										1				2			
186	Other external violence	63	10		1	1		1	8	13	8	6	7	4	4				
	Homicide (total)	258					1	3	20	111	72	34	13	3	1				
182	By firearms	218					1	3	15	95	63	28	10	2	1				
183	By cutting or piercing instruments	22							2	11	6	1	2						
184	By other means	18							3	5	3	5	1	1					
	XIV.—Ill-defined diseases	882	261	82	24	12	7	28	53	57	50	57	55	86	73	27	6	2	2
187	Ill-defined organic disease	122	3	1	1	1		5	6	12	12	16	15	15	20	12	2	1	
188	Sudden death	35	15						1	2	1	3	4	3	5	1			
189	Not specified or ill-defined (total)	725	243	81	23	11	7	23	46	43	37	38	36	68	48	14	4	1	2
	Ill-defined	593	187	74	22	6	7	18	37	36	27	33	28	57	44	13	4		
	Not specified or unknown	132	56	7	1	5		5	9	7	10	5	8	11	4	1		1	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown ago.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (WHITE).																		
	All causes	9,425	1,986	521	198	134	89	212	439	782	844	667	701	1,190	1,101	484	65	4	8
	I.—General diseases	2,905	326	210	93	69	48	96	185	372	406	287	237	309	194	66	6	1	
1	Typhoid fever	131	1	1	2	1	2	10	35	22	20	14	12	8	2			1	
4	Malaria	97	10	8	2	7	2	8	13	10	8	6	6	10	4	3			
5	Smallpox	1	1																
6	Measles	35	12	9	2	4	2	1	2		1	2							
7	Scarlet fever	7		2	1	1	1		2										
8	Whooping cough	149	76	44	12	5	5	5		1				1					
9	Diphtheria and croup	129	16	15	31	22	20	22	3										
10	Influenza	907	112	66	21	16	11	28	68	97	169	107	59	69	58	23	3		
13	Cholera nostras	6			1	1		1						1	1	1			
14	Dysentery	164	48	46	12	6	2	3	5	1	3	1	1	11	14	10	1		
18	Erysipelas	16	7			1			1	2	1	2	1			1			
19	Other epidemic diseases	8						1		1				2	3	1			
20	Purulent infection and septicemia	14		2					3	3	1	2	1	1		1			
23	Rabies	2						1		1									
24	Tetanus	16	6	1			1	4	2		2								
26	Pellagra	127					1	2	6	17	28	19	17	19	14	3	1		
	Tuberculosis (total)	540	8	3	1	2	1	2	28	191	134	56	45	52	14	3			
28	Tuberculosis of the lungs	476	4	1			1	1	20	172	123	51	41	47	12	3			
29	Acute miliary tuberculosis	10							1	5	4								
30	Tuberculous meningitis	18	3	2	1	2		1	2	6	1								
31	Abdominal tuberculosis	12							2	1	2	1	1	4	1				
32	Pott's disease	5	1						1	1		2							
33	White swellings	2							1	1									
34	Tuberculosis of other organs	9							1	1	3	1	2		1				
35	Disseminated tuberculosis	8								4	1	1	1	1					
36	Rickets	4	4																
37	Syphilis	27	6	2	2				1	1	4	2	4	5					
38	Gonococcus infection	3							1			2							
	Cancer and other malignant tumors (total)	338						1	5	11	22	55	70	99	59	15	1		
39	Of the buccal cavity	16								4		2	5	4	1				
40	Of the stomach, liver	109							3	3	6	15	22	34	22	3	1		
41	Of the peritoneum, intestines, rectum	36						1		1	2	4	11	9	6	2			
42	Of the female genital organs	53								2	5	13	14	14	5				
43	Of the breast	31									4	7	7	8	3	2			
44	Of the skin	25									2	5	2	6	8	2			
45	Of other organs or of organs not specified	68							2	1	3	9	9	24	14	6			
46	Other tumors (tumors of the female genital organs excepted)	2									1			1					
47	Acute articular rheumatism	23				1		3	4		2	3	2	2	5	1			
48	Chronic rheumatism and gout	3								1			1		1				
49	Scurvy	4	1	2										1					
50	Diabetes	74	1		1			2	4	5	4	5	12	20	17	3			
51	Exophthalmic goiter	3							1	1			1						
53	Leukemia	7	1					1		2	1	1		1					
54	Anemia, chlorosis	19		1	1					3	1	4	3	3	2	1			
55	Other general diseases	38	16	8	4	2		1	1	2	1	2	1						
56	Alcoholism (acute or chronic)	7									2	3	1	1					
57	Chronic lead poisoning	2									1			1					
59	Other chronic poisonings	2										1		1					
	II.—Diseases of the nervous system and of the organs of special sense	851	48	10	9	7	3	10	19	26	38	62	125	214	192	76	9		3
60	Encephalitis	10	1					1	2		3	2	1						
61	Meningitis (total)	36	13	4	5	1	2	3	4	1		1			1				1
	Simple meningitis	19	11	1	3		1	1	2										
	Cerebrospinal meningitis (undefined)	7	2			1	1	2							1				
	Cerebrospinal fever	10		3	2				2	1		1							1
62	Locomotor ataxia	6									2	3		1					
63	Other diseases of the spinal cord (total)	25	3	1		2				1	1	1		6	8	2			
	Acute anterior poliomyelitis	6	3	1		2													
	Other diseases of the spinal cord	19								1	1	1		6	8	2			
64	Cerebral hemorrhage, apoplexy	511	5	1		1		1	2	8	18	35	94	153	135	53	4		1
65	Softening of the brain	5											1		2	2			
66	Paralysis without specified cause	137	1		1			3		2	4	6	19	42	39	15	4		1
67	General paralysis of the insane	18								1	1	6	3	4	1	2			
68	Other forms of mental alienation	6								1	2			2			1		
69	Epilepsy	37	2			1			9	10	3	3	4	1	2	2			
70	Convulsions (nonpuerperal)	3						1	1		1								
71	Convulsions of infants	30	23	3	3	1													
72	Chorea	2											1						
73	Neuralgia and neuritis	6								1	1	1		3					
74	Other diseases of the nervous system	16		1		1	1	1	1	1		4	1	2	3				
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	2									1		1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (WHITE)—Continued.																	
	III.—Diseases of the circulatory system.	1,038	16	.....	3	.....	3	5	20	42	61	90	128	260	286	113	10	.....	1
77	Pericarditis	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	.....	.....	.....	.....
78	Acute endocarditis	38	1	.....	.....	.....	2	.....	3	5	7	5	8	6	1	.....	.....	.....	.....
79	Organic diseases of the heart	763	10	.....	1	.....	1	5	12	33	45	70	86	201	207	83	8	.....	1
80	Angina pectoris	51	.....	.....	.....	.....	.....	.....	.....	3	4	5	9	17	9	4	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	146	.....	.....	.....	.....	.....	.....	1	.....	3	7	20	32	53	23	2	.....	.....
82	Embolism and thrombosis	12	.....	.....	.....	.....	.....	.....	2	1	2	1	2	.....	2	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	15	1	.....	.....	.....	.....	.....	2	.....	.....	1	3	2	5	1	.....	.....	.....
	IV.—Diseases of the respiratory system.	834	197	66	28	16	11	17	50	73	86	55	46	72	75	36	4	.....	2
86	Diseases of the nasal fossae	25	13	.....	.....	2	.....	1	.....	4	2	.....	1	2	.....	.....	.....	.....	.....
87	Diseases of the larynx	5	1	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	26	16	.....	1	.....	.....	.....	.....	1	.....	2	.....	2	2	2	.....	.....	.....
90	Chronic bronchitis	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	6	3	1	.....	.....
91	Bronchopneumonia	177	71	24	7	4	3	6	7	3	6	3	3	14	18	7	1	.....	.....
92	Pneumonia (total)	546	94	39	15	9	7	9	41	63	75	43	38	42	47	22	.....	.....	2
	Lobar pneumonia	382	42	26	10	7	4	6	30	50	64	34	29	29	36	13	.....	.....	2
	Pneumonia (undefined)	164	52	13	5	2	3	3	11	13	11	9	9	13	11	9	.....	.....	.....
93	Pleurisy	19	1	1	1	.....	1	1	1	2	1	4	.....	5	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	9	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	2	.....	2	2	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
96	Asthma	5	.....	1	.....	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system.	911	338	205	45	16	12	27	31	31	37	27	28	55	37	19	2	1	.....
99	Diseases of the mouth and annexa	9	4	1	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	15	.....	.....	2	1	3	3	.....	2	2	2	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	12	.....	.....	.....	1	.....	.....	.....	1	1	2	3	4	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	98	32	7	3	3	1	2	.....	1	7	4	5	17	9	5	1	1	.....
104	Diarrhea and enteritis (under 2 years)	489	294	195	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	83	.....	.....	35	8	5	8	4	3	2	3	1	4	4	6	.....	.....	.....
106	Ankylostomiasis	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	70	.....	.....	1	1	1	7	21	13	12	5	5	2	1	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	44	7	2	2	1	1	2	.....	4	2	2	3	8	5	5	.....	.....	.....
	Hernia	8	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	3	.....	.....	.....
	Intestinal obstruction	36	6	2	2	1	1	2	.....	4	1	2	1	7	5	2	.....	.....	.....
110	Other diseases of the intestines	10	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	1	2	1	1	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	1	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	16	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	4	6	.....	.....	.....	.....
114	Biliary calculi	16	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	4	4	.....	.....	.....	.....
115	Other diseases of the liver	27	.....	.....	.....	.....	.....	.....	1	1	5	4	2	8	5	1	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	9	.....	.....	.....	.....	.....	2	1	1	1	1	.....	2	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	731	7	3	.....	2	1	4	8	33	43	62	83	202	202	76	5	.....	.....
119	Acute nephritis	27	1	.....	.....	2	.....	3	1	5	3	.....	1	9	1	1	.....	.....	.....
120	Bright's disease	622	2	1	.....	.....	1	.....	7	16	30	53	70	180	185	72	5	.....	.....
122	Other diseases of the kidneys and annexa	27	4	1	.....	.....	.....	1	.....	2	2	2	6	5	4	.....	.....	.....	.....
123	Calculi of the urinary passages	7	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	1	.....	.....	.....	.....	.....
124	Diseases of the bladder	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	.....	.....	.....
126	Diseases of the prostate	16	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	9	3	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....
130	Other diseases of the uterus	3	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	.....	5	3	2	.....	1	.....	.....	.....	.....	.....
	VII.—The puerperal state	214	.....	.....	.....	.....	.....	.....	21	89	87	16	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	26	.....	.....	.....	.....	.....	.....	.....	14	11	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	19	.....	.....	.....	.....	.....	.....	.....	10	9	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	33	.....	.....	.....	.....	.....	.....	4	12	12	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	44	.....	.....	.....	.....	.....	.....	3	19	18	4	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	86	.....	.....	.....	.....	.....	.....	14	33	32	6	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	22	1	1			2		4	1	2		1	3	2	3	2		
142	Gangrene	7					1		1					1		2	2		
143	Furuncle	5							1	1	1		1	1					
144	Acute abscess	5					1		2		1			1					
145	Other diseases of the skin and annexa	5	1	1											2	1			
	IX.—Diseases of the bones and of the organs of locomotion	23	2	1			1	3	6	2	1	1	3	2	1				
146	Diseases of the bones (tuberculosis excepted)	16	2	1			1	3	2	2	1		3	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7							4			1		1	1				
	X.—Malformations	109	100	2	1	3		3											
150	Congenital malformations (total)	109	100	2	1	3		3											
	Hydrocephalus	12	10		1	1													
	Congenital malformations of the heart	62	57	1		1		3											
	Other congenital malformations	35	33	1		1													
	XI.—Early infancy	857	857																
151	Congenital debility, icterus, and sclerema (total)	754	754																
	Premature birth	639	639																
	Congenital debility, "atrophy," "marasmus," etc	115	115																
152	Other causes peculiar to early infancy (total)	103	103																
	Injuries at birth	42	42																
	Other causes peculiar to early infancy	61	61																
	XII.—Old age	158											1	8	58	66	23	2	
154	Senility	158											1	8	58	66	23	2	
	XIII.—External causes	565	35	15	17	19	8	44	82	106	72	54	36	33	23	18	3		
	Suicide (total)	49							2	13	9	9	11	4	1				
155	By poison	5								3	1		1						
156	By asphyxia	2							1		1								
157	By hanging or strangulation	2									1	1							
158	By drowning	1								1									
159	By firearms	38							1	9	6	7	10	4	1				
160	By cutting or piercing instruments	1										1							
	Accidental or undefined (total)	438	35	15	17	19	8	42	75	72	37	31	19	26	21	18	3		
164	Poisoning by food	14	3	1	1	1	1	1	2		1	1	2						
165	Other acute poisonings	19		5	3			1	1	4	1	1		3					
166	Conflagration	7	1		1		1	1		2	1								
167	Burns (conflagration excepted)	73	6	6	9	11	3	11	6	8	2	3	1	3	2	2			
168	Absorption of deleterious gases (conflagration excepted)	24	19			1			2	1	1								
169	Accidental drowning	50	1	2		1		5	22	9	2	6	1	1					
170	Traumatism by firearms	25					1	5	14	1	2	1	1						
171	Traumatism by cutting or piercing instruments	1						1											
172	Traumatism by fall	55			1			2	3	2	2	5	2	9	12	14	3		
173	Traumatism in mines and quarries (total)	2								1	1								
	Traumatism in mines	2								1	1								
174	Traumatism by machines	11							2	5	2		2						
175	Traumatism by other crushing (total)	115	2	1	1	5	2	13	18	27	18	12	6	4	5	1			
	Railroad accidents and injuries	32							5	10	10	1	3	1	2				
	Street-car accidents and injuries	1						1											
	Automobile accidents and injuries	62		1		3	2	9	11	13	7	10	2	2	1	1			
	Injuries by other vehicles	13	1		1	1		3	2		1	1		1	2				
	Aeroplane accidents and injuries	4								4									
	Landslide, other crushing	3	1			1							1						
176	Injuries by animals	3												3					
179	Effects of heat	2									1			1					
180	Lightning	7						2	1	1	1		1	1					
181	Electricity (lightning excepted)	8								5	1		2						
185	Fractures (cause not specified)	1														1			
180	Other external violence	21	3		1				4	6	1	2	1	1	2				
	Homicide (total)	78						2	5	21	26	14	6	3	1				
182	By firearms	66						2	4	20	21	11	5	2	1				
183	By cutting or piercing instruments	4									3		1						
184	By other means	8							1	1	2	3		1					
	XIV.—Ill-defined diseases	207	59	8	2	2		3	13	7	11	13	13	32	31	11	1		1
187	Ill-defined organic disease	22						1	1		2	1	3	4	7	3			
188	Sudden death	13	2								1	2	2	3	3				
189	Not specified or ill-defined (total)	172	57	8	2	2		2	12	7	8	10	8	25	21	8	1		1
	Ill-defined	130	34	7	1			2	10	7	6	9	6	19	20	8	1		
	Not specified or unknown	42	23	1	1	2			2		2	1	2	6	1				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
SOUTH CAROLINA (COLORED).																		
	All causes	14,342	3,545	729	296	158	123	454	1,071	1,861	1,414	1,231	1,014	939	841	471	112	65	18
	I.—General diseases	4,889	721	273	116	74	51	221	556	1,022	654	473	311	220	133	45	9	1	9
1	Typhoid fever	248	3	4	3	5	.....	32	77	58	26	14	15	7	1	3	.....	.....	.....
4	Malaria	390	59	24	19	11	6	42	50	41	32	32	26	20	18	9	.....	1	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	21	7	5	.....	1	2	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	4	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	224	123	50	26	9	2	10	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	72	12	10	6	11	9	17	4	1	1	.....	.....	1	.....	.....	.....	.....	.....
10	Influenza	1,415	286	87	39	25	21	70	153	220	185	129	77	62	41	14	3	.....	3
13	Cholera nostras	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	243	103	71	13	4	1	5	9	2	2	3	5	4	13	6	2	.....	.....
18	Erysipelas	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
19	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	19	1	1	.....	.....	.....	1	3	1	3	1	3	4	1	.....	.....	.....	.....
24	Tetanus	41	31	1	.....	.....	.....	1	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	179	2	1	.....	1	1	3	11	40	30	40	16	18	12	4	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,491	16	9	2	4	7	27	209	582	298	179	91	43	17	2	1	.....	4
28	Tuberculosis of the lungs	1,343	12	6	2	3	5	23	179	527	276	166	85	38	15	2	1	.....	3
29	Acute miliary tuberculosis	65	.....	.....	.....	.....	.....	.....	13	30	14	5	3	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	9	2	1	.....	.....	1	1	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	49	1	.....	.....	1	1	3	5	16	6	7	2	5	1	.....	.....	.....	1
32	Pott's disease	6	.....	1	.....	.....	.....	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
33	White swellings	4	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	4	.....	1	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	11	1	.....	.....	.....	.....	.....	4	5	.....	.....	1	.....	.....	.....	.....	.....	.....
36	Rickets	5	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	188	62	4	4	1	1	3	11	42	27	15	12	5	.....	.....	.....	.....	1
38	Gonococcus infection	16	.....	.....	.....	.....	.....	.....	1	9	1	3	1	.....	.....	.....	.....	.....	1
	Cancer and other malignant tumors (total)	219	1	1	1	.....	1	3	2	8	35	45	49	43	23	4	3	.....	.....
39	Of the buccal cavity	9	.....	.....	1	.....	.....	1	.....	1	.....	1	4	.....	1	.....	.....	.....	.....
40	Of the stomach, liver	67	.....	1	.....	.....	.....	2	.....	1	11	15	16	13	7	.....	1	.....	.....
41	Of the peritoneum, intestines, rectum	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	3	.....	.....	.....	.....	.....
42	Of the female genital organs	73	.....	.....	.....	.....	.....	.....	1	3	16	19	10	13	9	1	1	.....	.....
43	Of the breast	16	.....	.....	.....	.....	.....	.....	.....	1	4	2	3	2	2	1	1	.....	.....
44	Of the skin	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	4	.....	.....	.....	.....	.....
45	Of other organs or of organs not specified	35	1	.....	.....	.....	1	.....	1	1	4	3	10	8	4	2	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	41	.....	.....	.....	.....	.....	1	7	8	3	5	7	3	4	3	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
50	Diabetes	31	2	.....	.....	.....	.....	.....	3	1	4	4	7	8	2	.....	.....	.....	.....
51	Exophthalmic goiter	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
53	Leukemia	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	6	.....	1	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
55	Other general diseases	17	7	2	1	1	.....	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	943	86	15	6	4	4	19	27	46	75	137	153	172	130	62	4	3	.....
60	Encephalitis	19	3	2	2	.....	.....	.....	2	3	1	3	2	1	.....	.....	.....	.....	.....
61	Meningitis (total)	29	6	3	3	.....	1	8	4	3	.....	.....	1	.....	.....	.....	.....	.....	.....
	Simple meningitis	14	3	.....	3	.....	1	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	4	.....	2	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	11	3	1	.....	.....	.....	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	26	3	2	.....	.....	.....	2	2	4	1	2	4	4	2	.....	.....	.....	.....
	Acute anterior poliomyelitis	6	2	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	20	1	.....	.....	.....	.....	1	1	4	1	2	4	4	2	.....	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	462	.....	.....	1	.....	.....	.....	2	14	40	89	102	102	77	31	2	2	.....
65	Softening of the brain	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
66	Paralysis without specified cause	217	.....	1	.....	1	.....	.....	1	7	11	28	34	57	46	28	2	1	.....
67	General paralysis of the insane	16	.....	.....	.....	.....	.....	.....	.....	1	1	6	7	.....	1	.....	.....	.....	.....
68	Other forms of mental alienation	14	.....	.....	.....	.....	.....	.....	1	2	6	3	.....	2	.....	.....	.....	.....	.....
69	Epilepsy	55	2	2	.....	2	3	2	15	8	8	5	3	1	3	1	.....	.....	.....
70	Convulsions (nonpuerperal)	10	.....	.....	.....	.....	.....	5	.....	2	1	.....	.....	.....	1	1	.....	.....	.....
71	Convulsions of infants	71	67	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	14	3	1	.....	1	.....	1	.....	2	3	.....	.....	2	.....	1	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	4	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	1,113	6	3	1	.....	.....	11	36	90	130	167	178	187	187	97	18	2	.....
77	Pericarditis	17	.....	.....	.....	.....	.....	.....	3	2	2	8	.....	1	.....	1	.....	.....	.....
78	Acute endocarditis	59	.....	.....	1	.....	.....	2	7	11	10	17	10	.....	1	.....	.....	.....	.....
79	Organic diseases of the heart	878	2	3	.....	.....	.....	8	25	74	106	125	124	155	162	80	13	1	.....
80	Angina pectoris	25	.....	.....	.....	.....	.....	.....	.....	1	6	3	7	4	1	2	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	110	.....	.....	.....	.....	.....	.....	.....	1	2	11	31	25	21	14	4	1	.....
82	Embolism and thrombosis	11	.....	.....	.....	.....	.....	.....	1	1	2	2	3	1	1	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	10	2	.....	.....	.....	.....	1	.....	.....	1	1	3	1	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	1,450	441	99	50	21	16	49	128	189	138	104	73	69	43	23	3	2	2
86	Diseases of the nasal fossae	154	100	9	1	1	1	3	11	11	7	2	5	2	1	.....	.....	.....	.....
87	Diseases of the larynx	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	4	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	43	23	7	4	2	.....	1	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....
90	Chronic bronchitis	18	2	1	.....	1	.....	.....	1	4	2	1	3	1	1	1	.....	.....	.....
91	Bronchopneumonia	180	101	19	9	3	4	10	9	7	6	5	1	5	1	.....	.....	.....	.....
92	Pneumonia (total)	960	208	63	31	13	11	30	99	153	104	80	58	52	33	18	3	2	2
	Lobar pneumonia	461	49	23	18	5	4	14	53	91	66	51	38	20	17	6	.....	.....	1
	Pneumonia (undefined)	499	159	40	13	8	7	16	41	62	38	29	20	32	16	12	3	2	1
93	Pleurisy	18	.....	.....	.....	.....	.....	2	2	4	4	3	2	1	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	7	2	.....	1	1	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
96	Asthma	23	.....	.....	2	.....	.....	1	.....	1	3	4	2	3	5	2	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	37	2	.....	1	.....	.....	.....	5	6	10	5	1	4	2	1	.....	.....	.....
	V.—Diseases of the digestive system.	1,379	639	205	61	12	15	37	52	67	75	67	58	40	38	8	3	1	1
99	Diseases of the mouth and annexa	56	44	6	1	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	1
100	Diseases of the pharynx	32	5	1	.....	.....	3	6	8	3	2	1	2	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	11	.....	1	.....	.....	.....	.....	.....	2	1	4	1	1	1	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	273	100	30	7	3	.....	11	11	11	23	21	18	16	16	4	1	1	.....
104	Diarrhea and enteritis (under 2 years)	641	477	164	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	124	.....	.....	49	7	8	6	8	9	9	8	6	6	5	1	2	.....	.....
107	Intestinal parasites	10	.....	2	1	2	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	69	.....	.....	1	.....	.....	3	21	16	12	10	5	1	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	64	12	1	2	.....	3	4	1	11	9	5	5	3	7	1	.....	.....	.....
	Hernia	16	4	1	.....	.....	.....	1	.....	2	.....	1	2	1	4	.....	.....	.....	.....
	Intestinal obstruction	48	8	.....	2	.....	3	3	1	9	9	4	3	2	3	1	.....	.....	.....
110	Other diseases of the intestines	17	.....	.....	.....	.....	.....	1	.....	3	3	3	4	1	2	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	1	.....	3	4	4	10	7	.....	.....	.....	.....	.....
114	Biliary calculi	6	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	1	.....	.....	.....	.....
115	Other diseases of the liver	34	1	.....	.....	.....	.....	.....	1	7	7	3	6	1	6	2	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	8	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	2	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	925	8	13	3	6	4	8	32	68	96	154	159	154	130	72	11	4	3
119	Acute nephritis	75	4	4	1	2	2	2	6	12	10	15	6	3	4	2	2	.....	.....
120	Bright's disease	694	1	7	1	.....	1	3	15	38	59	121	134	125	113	62	8	4	2
122	Other diseases of the kidneys and annexa	77	2	2	1	4	1	3	5	5	8	5	11	18	9	2	.....	.....	1
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	15	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	3	5	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	1	1	9	6	1	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	14	.....	.....	.....	.....	.....	.....	1	1	5	5	.....	2	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	4	7	3	.....	2	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	369	.....	.....	.....	.....	.....	.....	87	150	109	22	.....	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	22	.....	.....	.....	.....	.....	.....	2	12	6	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	16	.....	.....	.....	.....	.....	.....	.....	9	6	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	103	.....	.....	.....	.....	.....	.....	20	39	33	10	.....	.....	.....	.....	.....	.....	1
137	Puerperal septicemia	89	.....	.....	.....	.....	.....	.....	21	39	25	4	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	134	.....	.....	.....	.....	.....	.....	43	48	38	5	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	SOUTH CAROLINA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	20	2	1	1					2	3	3	3	3		1		1	
142	Gangrene	6									2		2			1		1	
144	Acute abscess	7	1		1					2	1			2					
145	Other diseases of the skin and annexa	7	1	1								3	1	1					
	IX.—Diseases of the bones and of the organs of locomotion	14	1		1	1	1	2	1	4	1	1				1			
146	Diseases of the bones (tuberculosis excepted)	10	1		1	1		2	1	2		1				1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1					1												
149	Other diseases of the organs of locomotion	3								2	1								
	X.—Malformations	50	37	7	2		2	2											
150	Congenital malformations (total)	50	37	7	2		2	2											
	Hydrocephalus	23	15	5	1		1	1											
	Congenital malformations of the heart	14	12	1			1												
	Other congenital malformations	13	10	1	1			1											
	XI.—Early infancy	1,357	1,357																
151	Congenital debility, icterus, and sclerema (total)	1,257	1,257																
	Premature birth	991	991																
	Congenital debility, "atrophy," "marasmus," etc.	266	266																
152	Other causes peculiar to early infancy (total)	97	97																
	Injuries at birth	30	30																
	Other causes peculiar to early infancy	67	67																
153	Lack of care	3	3																
	XII.—Old age	386											6	20	121	134	59	46	
154	Senility	386											6	20	121	134	59	46	
	XIII.—External causes	772	45	39	33	30	23	80	112	173	94	59	31	20	17	12		3	1
	Suicide (total)	10							1	3	4	1	1						
159	By firearms	8							1	2	3	1	1						
160	By cutting or piercing instruments	1								1									
163	Other suicides	1									1								
	Accidental or undefined (total)	582	45	39	33	30	22	79	96	80	44	38	23	20	17	12		3	1
164	Poisoning by food	9		1				2		2		4							
165	Other acute poisonings	28	2	5	3	2	1	2	5	3	1	3		1					
166	Conflagration	20	2	2	2		3	4	1				2	2	1	1			
167	Burns (conflagration excepted)	198	13	27	24	24	14	46	11	10	7	6	2	2	3	3		3	
168	Absorption of deleterious gases (conflagration excepted)	17	12					1	3			1							
169	Accidental drowning	37	2	1			1	2	16	10	2		1		2				
170	Traumatism by firearms	52		2		3	1	7	19	11	2	1	2	2	1				1
171	Traumatism by cutting or piercing instruments	4								1		1	1		1				
172	Traumatism by fall	31	5	1	2		1	4		3	2	5	3	2	2	1			
174	Traumatism by machines	20							5	6	2	5		1	1				
175	Traumatism by other crushing (total)	95	2		2		1	8	22	21	15	6	6	4	4	4			
	Railroad accidents and injuries	39						1	11	10	7	3	2	2	2	1			
	Street-car accidents and injuries	1								1									
	Automobile accidents and injuries	29					1	6	6	6	4	2	1	2		1			
	Injuries by other vehicles	23	1		2			1	5	3	3	1	3		2	2			
	Landslide, other crushing	3	1							1	1								
176	Injuries by animals	11						1	6		3			1					
178	Excessive cold	1													1				
179	Effects of heat	4										1	1	1	1				
180	Lightning	6						1	1	3	1								
181	Electricity (lightning excepted)	5								3	2								
185	Fractures (cause not specified)	2										1				1			
186	Other external violence	42	7			1		1	4	7	7	4	6	3	2				
	Homicide (total)	180					1	1	15	90	46	20	7						
182	By firearms	152					1	1	11	75	42	17	5						
183	By cutting or piercing instruments	18							2	11	3	1	1						
184	By other means	10							2	4	1	2	1						
	XIV.—Ill-defined diseases	675	202	74	22	10	7	25	40	50	39	44	42	54	42	16	5	2	1
187	Ill-defined organic disease	100	3	1	1	1		4	5	12	10	15	12	11	13	9	2	1	
188	Sudden death	22	13						1	2		1	2		2	1			
189	Not specified or ill-defined (total)	553	186	73	21	9	7	21	34	36	29	28	28	43	27	6	3	1	1
	Ill-defined	463	153	67	21	6	7	16	27	29	21	24	22	38	24	5	3		
	Not specified or unknown	90	33	6		3		5	7	7	8	4	6	5	3	1		1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (TOTAL).																		
	All causes	28,396	4,409	1,052	523	370	234	803	1,810	3,055	2,787	2,486	2,506	3,094	3,227	1,606	257	79	98
	I.—General diseases	10,503	782	446	269	203	117	408	925	1,726	1,392	1,118	1,001	988	763	275	36	10	44
1	Typhoid fever	434	3	3	7	7	8	42	136	86	57	31	25	15	8	2	.....	.....	4
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	183	18	7	6	6	7	12	18	23	16	26	12	15	9	5	.....	1	2
5	Smallpox	12	3	1	.....	.....	.....	.....	.....	1	.....	3	2	.....	1	1	.....	.....	.....
6	Measles	250	41	49	31	17	7	34	34	11	7	10	2	4	2	.....	.....	.....	1
7	Scarlet fever	53	5	5	6	11	2	14	6	3	.....	.....	1	.....	.....	.....	.....	.....	.....
8	Whooping cough	295	180	60	24	12	2	15	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
9	Diphtheria and croup	389	47	60	68	75	34	88	12	1	2	1	.....	.....	.....	.....	.....	.....	1
10	Influenza	2,412	254	132	57	39	29	87	205	331	388	200	138	186	185	95	17	7	12
13	Cholera nostras	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	300	43	58	22	8	6	15	13	13	9	11	15	26	35	23	2	1	.....
18	Erysipelas	67	14	1	1	2	1	.....	2	4	11	6	3	6	11	5	.....	.....	.....
19	Other epidemic diseases	5	3	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	42	6	1	.....	1	.....	1	6	8	.....	1	5	6	3	4	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
23	Rabies	4	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	51	9	1	1	1	.....	11	7	5	5	3	4	1	3	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	302	.....	1	.....	.....	.....	1	9	43	47	61	54	57	24	3	1	.....	1
27	Beriberi	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,860	71	50	34	19	15	74	413	1,087	676	488	353	328	193	39	3	.....	17
28	*Tuberculosis of the lungs*	3,271	32	15	14	10	6	29	341	963	605	427	317	294	165	35	2	.....	16
29	Acute miliary tuberculosis	134	2	3	3	.....	1	5	29	43	19	17	5	3	2	1	.....	.....	1
30	Tuberculous meningitis	127	26	20	11	5	4	22	11	9	13	5	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	196	3	6	2	2	1	6	15	52	24	26	20	19	18	2	.....	.....	.....
32	Pott's disease	29	2	1	1	1	.....	2	3	4	5	4	.....	4	2	.....	.....	.....	.....
33	White swellings	20	1	1	.....	1	.....	4	3	5	1	1	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	63	4	3	3	.....	3	5	11	10	7	5	6	6	4	1	.....	.....	.....
35	Disseminated tuberculosis	15	1	1	.....	.....	.....	1	.....	1	2	3	3	1	1	.....	1	.....	.....
36	Rickets	3	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	205	52	5	2	.....	1	1	9	23	40	25	26	16	3	2	.....	.....	.....
38	Gonococcus infection	19	2	.....	.....	.....	.....	.....	4	7	4	1	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,094	.....	1	2	1	3	1	12	34	86	181	241	228	214	79	8	.....	3
39	Of the buccal cavity	40	.....	.....	.....	.....	1	.....	.....	2	2	4	8	7	11	5	.....	.....	.....
40	Of the stomach, liver	299	.....	.....	.....	.....	.....	.....	1	7	9	38	72	86	68	17	.....	.....	1
41	Of the peritoneum, intestines, rectum	107	.....	.....	.....	.....	.....	1	1	5	9	18	21	24	27	1	.....	.....	.....
42	Of the female genital organs	251	.....	.....	.....	.....	.....	.....	1	7	41	79	66	33	19	3	.....	.....	2
43	Of the breast	100	.....	.....	.....	.....	.....	.....	.....	2	11	22	24	20	18	2	1	.....	.....
44	Of the skin	88	.....	.....	.....	1	.....	.....	.....	.....	1	3	13	18	22	27	3	.....	.....
45	Of other organs or of organs not specified	209	.....	1	2	.....	2	.....	9	11	13	17	37	40	49	24	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
47	Acute articular rheumatism	99	.....	.....	.....	1	.....	5	19	9	8	14	5	16	15	5	1	.....	1
48	Chronic rheumatism and gout	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	12	10	5	1	.....	1
49	Scurvy	3	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	145	1	.....	1	1	1	5	8	12	7	14	25	42	23	4	1	.....	.....
51	Exophthalmic goiter	28	.....	.....	.....	.....	.....	.....	2	8	2	6	6	4	.....	.....	.....	.....	.....
52	Addison's disease	8	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	3	.....	.....	.....	.....
53	Leukemia	20	.....	.....	1	.....	1	.....	1	1	5	7	3	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	73	4	1	1	.....	.....	.....	4	5	8	13	9	14	10	2	1	1	.....
55	Other general diseases	55	21	8	3	1	.....	1	2	2	2	2	5	4	3	.....	1	.....	.....
56	Alcoholism (acute or chronic)	21	.....	.....	.....	.....	.....	.....	.....	4	6	6	3	.....	2	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	19	.....	.....	.....	.....	.....	.....	.....	1	3	5	3	2	4	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,039	143	33	15	13	4	41	59	71	93	188	281	419	439	204	21	6	9
60	Encephalitis	44	9	2	.....	.....	.....	5	6	3	3	4	8	2	2	.....	.....	.....	.....
61	Meningitis (total)	162	54	14	9	8	3	17	17	10	12	7	4	5	1	1	.....	.....	.....
	Simple meningitis	70	32	4	3	.....	1	5	6	2	5	4	3	3	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	43	11	3	3	5	1	4	7	2	4	3	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	49	11	7	3	3	1	8	4	6	3	.....	1	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	10	4	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	123	9	5	2	.....	1	5	1	6	2	10	16	30	19	16	.....	1	.....
	Acute anterior poliomyelitis	18	8	3	1	.....	1	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	105	1	2	1	.....	.....	2	1	5	2	9	16	30	19	16	.....	1	.....
64	Cerebral hemorrhage, apoplexy	1,033	11	4	.....	1	.....	3	5	14	44	105	177	256	277	116	12	4	4
65	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	9	13	10	.....	.....	.....
66	Paralysis without specified cause	310	.....	1	.....	.....	.....	4	1	3	8	14	42	76	94	54	8	1	4
67	General paralysis of the insane	39	.....	.....	.....	.....	.....	.....	.....	.....	3	14	5	12	4	1	.....	.....	.....
68	Other forms of mental alienation	35	.....	.....	.....	.....	.....	.....	3	6	3	4	5	7	6	1	.....	.....	.....
69	Epilepsy	66	3	.....	2	1	.....	.....	8	17	10	10	3	2	7	1	1	.....	1
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	49	45	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	7	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	17	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	6	5	2	.....	.....	.....
74	Other diseases of the nervous system	62	8	2	1	.....	.....	1	4	5	7	11	5	8	8	2	.....	.....	.....
76	Diseases of the ears	33	4	3	.....	2	.....	4	11	2	.....	2	4	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system.	2,525	25	6	.....	3	2	20	73	92	159	233	340	518	687	309	38	11	9
77	Pericarditis	25	.....	.....	.....	.....	.....	2	.....	2	2	3	1	6	3	5	1	.....	.....
78	Acute endocarditis	94	6	1	.....	.....	2	4	12	12	14	16	19	3	4	1	.....	.....	.....
79	Organic diseases of the heart	2,018	17	3	.....	3	.....	12	55	67	125	182	272	421	575	240	27	10	9
80	Angina pectoris	122	.....	.....	.....	.....	.....	.....	2	.....	6	15	21	38	28	11	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	194	.....	.....	.....	.....	.....	.....	1	2	5	13	20	35	67	43	7	1	.....
82	Embolism and thrombosis	48	.....	.....	.....	.....	.....	.....	3	5	6	3	7	11	7	5	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	2	1	.....	1	.....	.....
84	Diseases of the lymphatics system (lymphangitis, etc.)	7	2	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	9	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	2	3	.....	.....	.....
	IV.—Diseases of the respiratory system.	3,150	512	166	76	36	37	117	191	327	306	256	227	319	370	172	23	5	10
86	Diseases of the nasal fossae	8	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....
87	Diseases of the larynx	13	2	.....	2	1	1	1	.....	2	1	.....	.....	2	.....	1	.....	.....	.....
88	Diseases of the thyroid body	18	.....	.....	.....	.....	.....	.....	.....	3	3	6	5	1	.....	.....	.....	.....	.....
89	Acute bronchitis	73	26	12	4	1	1	1	2	7	2	2	2	2	6	4	1	.....	.....
90	Chronic bronchitis	97	.....	2	1	.....	.....	1	7	3	6	2	11	12	30	17	3	1	1
91	Bronchopneumonia	994	297	87	36	15	13	40	39	46	54	46	47	81	123	63	5	2	.....
92	Pneumonia (total)	1,756	170	60	32	18	19	68	132	248	221	185	140	137	178	76	13	1	8
	Lobar pneumonia	1,510	112	40	25	13	15	56	116	227	209	174	127	162	161	58	9	.....	6
	Pneumonia (undefined)	246	58	20	7	5	4	12	16	21	12	11	13	25	17	18	4	1	2
93	Pleurisy	56	1	2	.....	1	1	3	8	13	7	4	4	4	7	.....	.....	1	.....
94	Pulmonary congestion, pulmonary apoplexy	22	2	.....	.....	.....	.....	1	1	.....	2	1	1	4	7	3	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1
96	Asthma	68	7	3	1	.....	2	1	.....	2	8	3	7	18	12	4	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	42	2	.....	.....	.....	.....	1	2	3	2	6	8	8	6	4	.....	.....	.....
	V.—Diseases of the digestive system.	2,372	583	288	88	49	29	82	143	173	164	177	170	175	148	89	7	2	5
99	Diseases of the mouth and annexa	20	5	1	.....	.....	.....	2	2	.....	3	2	2	1	1	.....	.....	.....	1
100	Diseases of the pharynx	59	.....	4	3	4	3	8	8	4	6	5	8	3	2	1	.....	.....	.....
102	Ulcer of the stomach	64	2	1	.....	.....	.....	.....	1	9	9	10	11	10	9	.....	1	.....	1
103	Other diseases of the stomach (cancer excepted)	285	73	18	7	4	4	10	9	9	15	28	23	32	27	21	3	1	1
104	Diarrhea and enteritis (under 2 years)	719	467	252	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	333	.....	.....	74	28	16	24	12	14	18	14	24	33	38	36	2	.....	.....
107	Intestinal parasites	7	.....	2	1	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	330	.....	.....	.....	4	3	22	80	79	58	34	27	11	7	5	.....	.....	.....
109	Hernia, intestinal obstruction (total)	207	28	4	.....	5	.....	8	14	23	18	32	20	23	22	7	.....	1	2
	Hernia	46	7	.....	.....	.....	.....	.....	2	3	1	7	8	11	6	1	.....	.....	.....
	Intestinal obstruction	161	21	4	.....	5	.....	8	12	20	17	25	12	12	16	6	.....	1	2
110	Other diseases of the intestines	44	3	1	2	.....	.....	1	2	2	3	10	6	4	5	5	.....	.....	.....
111	Acute yellow atrophy of the liver	11	.....	.....	.....	.....	.....	.....	1	7	.....	.....	1	2	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	93	.....	.....	.....	.....	.....	.....	1	6	6	14	15	26	16	8	1	.....	.....
114	Biliary calculi	56	.....	.....	.....	.....	.....	.....	1	2	6	10	14	14	8	1	.....	.....	.....
115	Other diseases of the liver	82	1	1	1	1	1	2	2	8	13	13	13	11	11	4	.....	.....	.....
116	Diseases of the spleen	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	54	4	3	.....	2	2	4	8	10	8	4	4	2	2	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	3	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,922	15	12	4	4	4	10	36	83	133	219	260	405	429	218	30	5	5
119	Acute nephritis	160	5	2	2	3	2	7	16	8	24	16	19	28	17	10	.....	.....	1
120	Bright's disease	1,379	4	7	2	1	1	3	10	24	79	148	210	334	349	172	26	5	4
122	Other diseases of the kidneys and annexa	49	5	2	.....	.....	.....	.....	2	6	6	5	5	5	6	6	1	.....	.....
123	Calculi of the urinary passages	16	.....	.....	.....	.....	.....	.....	.....	3	3	4	1	3	.....	2	.....	.....	.....
124	Diseases of the bladder	47	1	1	.....	.....	1	.....	.....	1	1	1	5	11	13	12	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	13	.....	.....	.....	.....	.....	.....	.....	.....	4	3	1	2	2	.....	1	.....	.....
126	Diseases of the prostate	89	.....	.....	.....	.....	.....	.....	.....	.....	1	3	10	20	33	15	2	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	55	.....	.....	.....	.....	.....	.....	1	4	27	17	3	1	2	.....	.....	.....	.....
130	Other diseases of the uterus	25	.....	.....	.....	.....	.....	.....	3	6	6	6	4	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	20	.....	.....	.....	.....	.....	.....	1	4	8	3	1	1	1	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	64	.....	.....	.....	.....	.....	.....	2	26	23	12	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	478	.....	.....	.....	.....	.....	.....	81	200	160	34	1	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	68	.....	.....	.....	.....	.....	.....	6	29	31	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	36	.....	.....	.....	.....	.....	.....	2	9	17	8	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	63	.....	.....	.....	.....	.....	.....	7	28	24	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	178	.....	.....	.....	.....	.....	.....	29	75	63	10	.....	.....	.....	.....	.....	.....	1
138	Puerperal albuminuria and convulsions	120	.....	.....	.....	.....	.....	.....	34	55	22	8	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10	.....	.....	.....	.....	.....	.....	2	3	3	2	.....	.....	.....	.....	.....	.....	.....
140	Following child birth (nototherwise defined)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	71	16			1		2	4	2	4	7	8	11	7	3	3	1	2
142	Gangrene	32	1			1		1		1	1	4	4	7	6	2	2	1	1
143	Furuncle	12	2						2		1	1	2	2	1				1
144	Acute abscess	9	2					1	2	1	1	1	1						
145	Other diseases of the skin and annexa	18	11								1	1	1	2		1	1		
	IX.—Diseases of the bones and of the organs of locomotion	69	3			2	1	11	17	7	6	8	5	6	2	1			
146	Diseases of the bones (tuberculosis excepted)	58	3			2	1	10	13	6	5	7	4	5	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7						1	3		1	1		1					
149	Other diseases of the organs of locomotion	4							1	1			1			1			
	X.—Malformations	180	159	7	5	4	2	2		1									
150	Congenital malformations (total)	180	159	7	5	4	2	2		1									
	Hydrocephalus	19	14	3	2														
	Congenital malformations of the heart	83	79	1	1	1		1											
	Other congenital malformations	78	66	3	2	3	2	1		1									
	XI.—Early infancy	1,274	1,274																
151	Congenital debility, icterus, and sclerema (total)	1,049	1,049																
	Premature birth	776	776																
	Congenital debility, "atrophy," "marasmus," etc.	273	273																
152	Other causes peculiar to early infancy (total)	221	221																
	Injuries at birth	112	112																
	Other causes peculiar to early infancy	109	109																
153	Lack of care	4	4																
	XII.—Old age	421										2	2	17	113	186	73	28	
154	Senility	421										2	2	17	113	186	73	28	
	XIII.—External causes	1,757	84	42	37	48	27	86	248	297	274	176	131	109	116	67	7	3	5
	Suicide (total)	126							8	16	26	29	24	11	10	2			
155	By poison	20								5	6	4	3		2				
156	By asphyxia	2								1			1						
157	By hanging or strangulation	28								5	4	9	3	4	3				
158	By drowning	4									1	1	2						
159	By firearms	52							7	4	12	10	11	4	3	1			
160	By cutting or piercing instruments	14							1	1	3	2	4	2	1				
161	By jumping from high places	3												1	1	1			
162	By crushing	1										1							
163	Other suicides	2										2							
	Accidental or undefined (total)	1,307	81	42	36	48	26	86	206	159	155	108	90	89	104	64	7	3	3
164	Poisoning by food	36	5	5	2	1	1	2	1	2	7	1	3	2	4				
165	Other acute poisonings	43	3	6	2	3		1	4	7	6	5	4	1	1				
166	Conflagration	17	1	1	2	1		2	2	3	1			2	2				
167	Burns (conflagration excepted)	200	18	14	21	27	16	32	14	10	13	7	6	10	6	6			
168	Absorption of deleterious gases (conflagration excepted)	40	29					1	1	2	2		3		1	1			
169	Accidental drowning	60		6	2	2		2	23	13	4		2	4	1	1			
170	Traumatism by firearms	101					5	9	38	16	18	6	5	3	1				
171	Traumatism by cutting or piercing instruments	8							3	1	1	1		1		1			
172	Traumatism by fall	190	6	2	3			5	15	8	7	12	13	15	49	47	5	3	
173	Traumatism in mines and quarries (total)	26							1	6	6	6	5	1					1
	Traumatism in mines	25							1	6	6	6	5						1
	Traumatism in quarries	1												1					
174	Traumatism by machines	44							6	13	11	8	3	2	1				
175	Traumatism by other crushing (total)	324	2	2	2	7	3	22	69	49	48	38	25	34	18	3	1		1
	Railroad accidents and injuries	131			1			3	22	22	23	21	11	17	10		1		
	Street-car accidents and injuries	17		1				4	1	2	3		1	3	1				1
	Automobile accidents and injuries	130	1	1	1	4	3	13	32	21	17	10	7	13	5	2			
	Injuries by other vehicles	35	1			3		2	12	1	2	4	6	1	2	1			
	Aeroplane accidents and injuries	2								1		1							
	Landslide, other crushing	9							2	2	3	2							
176	Injuries by animals	20		1		1		2	3	1	2	1	4	1	3		1		
177	Starvation	2									1		1						
178	Excessive cold	2												1	1				
179	Effects of heat	5											2	2	1				
180	Lightning	18						2	6	5	2	2	1						
181	Electricity (lightning excepted)	20							6	6	6	2							
185	Fractures (cause not specified)	10				1				2	1	2	1		2	1			
186	Other external violence	141	17	5	2	5	1	6	14	15	19	17	12	10	13	4			1
	Homicide (total)	324	3		1		1		34	122	93	39	17	9	2	1			2
182	By firearms	258	2		1		1		24	100	77	31	13	6	1	1			1
183	By cutting or piercing instruments	39							8	15	8	6	1		1				
184	By other means	27	1						2	7	8	2	3	3					1
	XIV.—Ill-defined diseases	1,635	813	52	29	7	11	24	33	76	46	68	80	127	153	82	19	8	7
187	Ill-defined organic disease	46	1	2						4		2	2	14	9	9	2	1	
188	Sudden death	124	30	2					2	8	7	9	20	18	18	7		1	2
189	Not specified or ill-defined (total)	1,465	782	48	29	7	11	24	31	64	39	57	58	95	126	66	17	6	5
	Ill-defined	406	152	15	12	1	3	9	4	29	11	20	24	39	56	27	1	2	1
	Not specified or unknown	1,059	630	33	17	6	8	15	27	35	28	37	34	56	70	39	16	4	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Death at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (WHITE).																	
	All causes	20,226	3,321	820	416	295	186	597	1,100	1,795	1,719	1,594	1,690	2,332	2,718	1,346	163	12	57
	I.—General diseases	7,477	570	361	221	165	103	305	527	1,031	918	792	731	817	656	232	24	2	22
1	Typhoid fever	311	.....	3	6	6	4	26	92	65	41	27	16	14	7	2	.....	.....	2
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	104	12	5	6	4	6	8	12	8	13	11	5	5	5	4	.....	.....	.....
5	Smallpox	9	3	1	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....	.....
6	Measles	234	38	45	30	16	7	33	29	11	7	10	2	4	2	.....	.....	.....	.....
7	Scarlet fever	47	5	4	6	10	2	13	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	217	136	45	18	5	2	9	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
9	Diphtheria and croup	345	41	50	61	70	30	83	7	1	1	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	1,778	173	107	42	29	26	64	130	248	289	142	130	144	156	78	10	2	8
13	Cholera nostras	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	248	31	55	21	8	6	15	9	6	3	9	13	22	30	18	2	.....	.....
18	Erysipelas	59	14	1	1	2	1	.....	2	3	6	5	3	5	11	5	.....	.....	.....
19	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	29	6	.....	.....	.....	.....	1	3	5	.....	1	5	2	2	4	.....	.....	.....
23	Rabies	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	29	7	.....	.....	1	.....	5	5	2	3	1	4	.....	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	202	.....	.....	.....	.....	.....	.....	4	18	30	41	37	49	20	2	.....	.....	1
27	Beriberi	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,451	46	35	19	9	13	37	187	596	427	343	258	274	167	31	2	.....	7
28	Tuberculosis of the lungs	2,091	18	7	6	5	5	7	155	537	385	308	235	244	143	28	1	.....	7
29	Acute miliary tuberculosis	47	1	1	.....	.....	1	2	12	16	6	3	1	2	1	1	.....	.....	.....
30	Tuberculous meningitis	95	19	17	8	1	4	18	8	7	8	4	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	123	1	5	2	1	.....	3	5	22	17	19	13	18	15	2	.....	.....	.....
32	Pott's disease	22	2	1	1	1	.....	2	1	3	2	3	.....	4	2	.....	.....	.....	.....
33	White swellings	14	1	1	.....	1	.....	2	1	4	1	.....	1	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	47	3	2	2	.....	3	3	5	7	6	4	4	4	4	.....	.....	.....	.....
35	Disseminated tuberculosis	12	1	1	.....	.....	.....	.....	.....	.....	2	2	3	1	1	.....	1	.....	.....
36	Rickets	3	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	83	32	2	1	.....	1	.....	1	5	12	10	11	6	2	.....	.....	.....	.....
38	Gonococcus infection	7	.....	.....	.....	.....	.....	.....	2	3	1	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	905	.....	1	2	1	3	.....	12	26	52	136	192	208	190	73	7	.....	2
39	Of the buccal cavity	37	.....	.....	.....	.....	1	.....	.....	1	2	4	8	6	10	5	.....	.....	.....
40	Of the stomach, liver	259	.....	.....	.....	.....	.....	.....	1	5	7	29	57	81	62	16	.....	.....	1
41	Of the peritoneum, intestines, rectum	94	.....	.....	.....	.....	.....	.....	1	5	7	14	19	22	25	1	.....	.....	.....
42	Of the female genital organs	167	.....	.....	.....	.....	.....	.....	1	4	20	56	47	25	12	1	.....	.....	1
43	Of the breast	74	.....	.....	.....	.....	.....	.....	.....	1	5	17	18	17	14	2	.....	.....	.....
44	Of the skin	86	.....	.....	.....	1	.....	.....	.....	.....	1	3	12	18	22	26	3	.....	.....
45	Of other organs or of organs not specified	188	.....	1	2	.....	2	.....	9	10	10	13	31	39	45	22	4	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
47	Acute articular rheumatism	61	.....	.....	.....	1	.....	5	12	3	3	8	1	13	12	3	.....	.....	.....
48	Chronic rheumatism and gout	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	10	9	4	1	.....	1
49	Scurvy	2	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	116	1	.....	1	1	1	4	8	7	6	9	20	33	21	4	.....	.....	.....
51	Exophthalmic goiter	21	.....	.....	.....	.....	.....	.....	2	6	1	4	4	4	.....	.....	.....	.....	.....
52	Addison's disease	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	3	.....	.....	.....	.....
53	Leukemia	18	.....	.....	1	.....	1	.....	1	1	4	6	3	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	62	3	.....	1	.....	.....	.....	2	4	6	13	8	14	8	2	1	.....	.....
55	Other general diseases	47	19	6	3	1	.....	1	1	2	2	2	3	3	3	.....	1	.....	.....
56	Alcoholism (acute or chronic)	15	.....	.....	.....	.....	.....	.....	.....	2	6	3	3	.....	1	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	1	3	5	2	2	4	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,546	109	24	8	11	3	30	48	50	61	108	190	341	377	171	11	1	3
60	Encephalitis	38	8	1	.....	.....	.....	3	5	2	3	4	8	2	2	.....	.....	.....	.....
61	Meningitis (total)	138	50	12	5	6	2	13	16	9	10	5	3	5	1	1	.....	.....	.....
	Simple meningitis	59	30	4	2	.....	.....	3	5	2	3	3	2	3	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	37	10	3	2	3	1	3	7	2	4	2	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	42	10	5	1	3	1	7	4	5	3	.....	1	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	9	3	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	83	7	5	1	.....	1	3	1	3	.....	5	8	23	13	12	.....	1	.....
	Acute anterior poliomyelitis	13	6	3	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	70	1	2	.....	.....	.....	1	1	3	.....	5	8	23	13	12	.....	1	.....
64	Cerebral hemorrhage, apoplexy	800	9	2	.....	1	.....	2	2	8	27	58	122	212	249	160	7	.....	1
65	Softening of the brain	34	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	8	12	10	.....	.....	.....
66	Paralysis without specified cause	209	.....	.....	.....	.....	.....	3	.....	1	1	6	20	56	74	43	3	.....	2
67	General paralysis of the insane	21	.....	.....	.....	.....	.....	.....	.....	.....	1	6	3	8	3	.....	.....	.....	.....
68	Other forms of mental alienation	24	.....	.....	.....	.....	.....	.....	1	3	2	2	5	6	4	1	.....	.....	.....
69	Epilepsy	50	1	.....	1	1	.....	.....	6	14	9	8	3	2	3	1	1	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	27	25	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	16	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	6	5	2	.....	.....	.....
74	Other diseases of the nervous system	52	6	.....	1	.....	.....	1	4	5	7	7	4	8	8	1	.....	.....	.....
76	Diseases of the ears	30	3	3	.....	2	.....	4	10	2	.....	2	3	.....	1	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	1,775	21	4	.....	2	2	14	50	51	69	112	202	380	570	263	26	2	7
77	Pericarditis	17	.....	.....	.....	.....	.....	1	.....	1	1	1	1	5	2	4	1	.....	.....
78	Acute endocarditis	61	4	.....	.....	.....	2	3	11	9	6	7	11	3	4	1	.....	.....	.....
79	Organic diseases of the heart	1,375	16	3	.....	2	.....	9	34	35	53	81	152	297	470	198	16	2	7
80	Angina pectoris	110	.....	.....	.....	.....	.....	.....	1	.....	3	12	20	36	26	11	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	155	.....	.....	.....	.....	.....	.....	1	.....	1	7	14	28	58	40	6	.....	.....
82	Embolism and thrombosis	40	.....	.....	.....	.....	.....	.....	3	4	4	3	4	9	7	5	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	1	.....	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	8	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	2	3	.....	.....	.....
	IV.—Diseases of the respiratory system.	2,161	351	114	59	28	22	84	115	166	182	153	161	235	321	150	15	.....	5
86	Diseases of the nasal fossae	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
87	Diseases of the larynx	9	2	.....	1	1	1	1	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	10	.....	.....	.....	.....	.....	.....	.....	.....	2	5	2	1	.....	.....	.....	.....	.....
89	Acute bronchitis	36	14	4	2	.....	1	1	.....	1	.....	1	.....	1	6	4	1	.....	.....
90	Chronic bronchitis	68	.....	1	1	.....	.....	.....	2	.....	1	.....	7	9	28	17	2	.....	.....
91	Bronchopneumonia	752	218	67	31	12	11	26	24	25	33	31	37	64	111	58	4	.....	.....
92	Pneumonia (total)	1,153	106	30	23	14	6	51	32	132	137	106	100	137	148	61	7	.....	4
	Lobar pneumonia	969	70	23	17	10	2	40	68	120	130	97	88	115	134	46	6	.....	3
	Pneumonia (undefined)	184	36	16	6	4	4	11	14	12	7	9	12	22	14	15	1	.....	1
93	Pleurisy	34	1	2	.....	1	1	2	5	5	3	2	3	2	7	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	19	2	.....	.....	.....	.....	1	1	.....	1	1	1	3	6	3	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1
96	Asthma	45	6	1	1	.....	2	1	.....	.....	3	1	4	12	10	4	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	29	.....	.....	.....	.....	.....	1	1	3	1	5	6	5	5	2	.....	.....	.....
	V.—Diseases of the digestive system.	1,770	450	240	75	41	22	67	104	106	101	110	106	131	128	80	5	.....	4
99	Diseases of the mouth and annexa	12	2	1	.....	.....	.....	2	.....	.....	1	2	2	.....	1	.....	.....	.....	1
100	Diseases of the pharynx	46	.....	4	3	4	3	5	7	4	4	3	4	2	2	1	.....	.....	.....
102	Ulcer of the stomach	42	1	1	.....	.....	.....	.....	1	5	3	7	7	8	8	.....	.....	.....	1
103	Other diseases of the stomach (cancer excepted)	191	65	13	5	4	2	8	2	5	6	9	9	21	20	18	3	.....	1
104	Diarrhea and enteritis (under 2 years)	566	354	212	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	275	.....	.....	65	21	13	22	9	9	16	7	14	28	34	35	2	.....	.....
107	Intestinal parasites	6	.....	1	1	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	246	.....	.....	.....	3	3	18	68	50	38	25	21	9	7	4	.....	.....	.....
109	Hernia, intestinal obstruction (total)	143	21	3	.....	5	.....	6	8	14	10	20	12	19	19	5	.....	.....	1
	Hernia	30	4	.....	.....	.....	.....	.....	1	2	1	4	4	9	4	1	.....	.....	.....
	Intestinal obstruction	113	17	3	.....	5	.....	6	7	12	9	16	8	10	15	4	.....	.....	1
110	Other diseases of the intestines	27	3	.....	1	.....	.....	1	1	1	3	7	1	.....	5	4	.....	.....	.....
111	Acute yellow atrophy of the liver	8	.....	.....	.....	.....	.....	.....	1	5	.....	.....	1	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	66	.....	.....	.....	.....	.....	.....	.....	4	3	10	8	19	15	7	.....	.....	.....
114	Biliary calculi	48	.....	.....	.....	.....	.....	.....	.....	.....	5	8	13	13	8	1	.....	.....	.....
115	Other diseases of the liver	57	1	1	.....	1	.....	1	1	5	6	9	11	8	9	4	.....	.....	.....
116	Diseases of the spleen	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	33	3	3	.....	2	1	3	5	4	6	3	1	1	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,256	11	10	4	4	3	5	17	40	80	115	142	293	334	175	19	.....	4
119	Acute nephritis	87	4	2	2	3	2	4	5	7	8	8	7	15	13	6	.....	.....	1
120	Bright's disease	947	3	5	2	1	1	1	5	16	33	80	118	248	271	139	16	.....	3
122	Other diseases of the kidneys and annexa	41	3	2	.....	.....	.....	.....	2	3	5	5	4	5	6	5	1	.....	.....
123	Calculi of the urinary passages	13	.....	.....	.....	.....	.....	.....	.....	.....	3	4	1	3	.....	2	.....	.....	.....
124	Diseases of the bladder	31	1	1	.....	.....	.....	.....	.....	.....	.....	.....	3	4	12	10	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....
126	Diseases of the prostate	62	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	14	30	12	2	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	1	.....	5	9	2	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	18	.....	.....	.....	.....	.....	.....	2	4	5	4	3	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	10	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	1	1	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	23	.....	.....	.....	.....	.....	.....	1	8	11	3	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	328	.....	.....	.....	.....	.....	.....	39	145	118	24	.....	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	57	.....	.....	.....	.....	.....	.....	4	26	27	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	26	.....	.....	.....	.....	.....	.....	1	8	12	5	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	44	.....	.....	.....	.....	.....	.....	3	21	16	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	112	.....	.....	.....	.....	.....	.....	13	49	42	7	.....	.....	.....	.....	.....	.....	1
138	Puerperal albuminuria and convulsions	79	.....	.....	.....	.....	.....	.....	16	37	19	6	.....	.....	.....	.....	.....	.....	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9	.....	.....	.....	.....	.....	.....	2	3	2	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	53	14			1		2	4	1	3	5	5	6	6	2	3		1
142	Gangrene	18	1			1		1				2	2	2	5	2	2		
143	Furuncle	12	2						2		1	1	2	2	1				1
144	Acute abscess	9	2					1	2	1	1	1	1						
145	Other diseases of the skin and annexa	14	9								1	1		2			1		
	IX.—Diseases of the bones and of the organs of locomotion	58	3			2		9	15	7	4	7	3	5	2	1			
146	Diseases of the bones (tuberculosis excepted)	50	3			2		8	12	6	4	6	3	4	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5						1	2			1		1					
149	Other diseases of the organs of locomotion	3							1	1						1			
	X.—Malformations	169	151	7	3	3	2	2		1									
150	Congenital malformations (total)	169	151	7	3	3	2	2		1									
	Hydrocephalus	19	14	3	2														
	Congenital malformations of the heart	77	74	1		1		1											
	Other congenital malformations	73	63	3	1	2	2	1		1									
	XI.—Early infancy	1,031	1,031																
151	Congenital debility, icterus, and sclerema (total)	840	840																
	Premature birth	627	627																
	Congenital debility, "atrophy," "marasmus," etc.	213	213																
152	Other causes peculiar to early infancy (total)	188	188																
	Injuries at birth	96	96																
	Other causes peculiar to early infancy	92	92																
153	Lack of care	3	3																
	XII.—Old age	314										1	1	11	92	154	52	3	
154	Senility	314										1	1	11	92	154	52	3	
	XIII.—External causes	1,217	60	34	28	33	21	63	165	166	165	128	99	86	102	58	4	1	4
	Suicide (total)	115							7	14	23	27	23	10	9	2			
155	By poison	20								5	6	4	3		2				
156	By asphyxia	2								1			1						
157	By hanging or strangulation	26							4	4	9	3	4	2					
158	By drowning	3									1	2							
159	By firearms	48							6	3	11	9	11	4	3	1			
160	By cutting or piercing instruments	12							1	1	2	2	3	2	1				
161	By jumping from high places	2													1	1			
163	Other suicides	2										2							
	Accidental or undefined (total)	969	57	34	28	33	21	63	150	109	106	82	64	68	91	55	4	1	3
164	Poisoning by food	29	4	5	2		1	2		2	5	1	1	2	4				
165	Other acute poisonings	31	2	4	2	2		1	2	6	3	4	4	1					
166	Conflagration	6	1					1	1	1	1			1					
167	Burns (conflagration excepted)	136	13	10	17	16	11	22	8	7	9	6	1	6	6	4			
168	Absorption of deleterious gases (conflagration excepted)	25	21							1			2		1				
169	Accidental drowning	44		5	2	2			17	11	2		2	2	1				
170	Traumatism by firearms	71					5	7	30	9	10	5	2	2	1				
171	Traumatism by cutting or piercing instruments	4							2	1	1								
172	Traumatism by fall	167	5	2	1			3	12	8	5	9	11	14	45	47	4	1	
173	Traumatism in mines and quarries (total)	19							1	4	4	4	5						1
	Traumatism in mines	19							1	4	4	4	5						1
174	Traumatism by machines	27							3	5	8	7	3		1				
175	Traumatism by other crushing (total)	255	1	2	2	6	3	20	53	36	34	29	20	29	17	2			1
	Railroad accidents and injuries	97			1			3	14	16	15	16	8	14	10				
	Street-car accidents and injuries	15		1				4	1	1	3		1	2	1				1
	Automobile accidents and injuries	108	1	1	1	4	3	11	25	16	14	8	6	12	5	1			
	Injuries by other vehicles	29				2		2	11	1	2	3	5	1	1	1			
	Aeroplane accidents and injuries	2								1		1							
	Landslide, other crushing	4							2	1		1							
176	Injuries by animals	17		1		1		1	3	1	2	1	3	1	3				
177	Starvation	1									1								
178	Excessive cold	1													1				
179	Effects of heat	3											1	1	1				
180	Lightning	16						2	4	5	2	2	1						
181	Electricity (lightning excepted)	14							4	4	5	1							
185	Fractures (cause not specified)	6				1					1	1			2	1			
186	Other external violence	97	10	5	2	5	1	4	10	8	13	12	8	9	8	1			1
	Homicide (total)	133	3						8	43	36	19	12	8	2	1			1
182	By firearms	112	2						7	39	31	15	11	5	1	1			
183	By cutting or piercing instruments	10							1	3	1	4			1				
184	By other means	11	1							1	4		1	3					1
	XIV.—Ill-defined diseases	1,071	550	26	18	5	8	16	16	31	18	39	50	87	130	60	9	3	5
187	Ill-defined organic disease	27		2									1	8	8	6	2		
188	Sudden death	88	24	2					1	6	4	5	10	16	15	3		1	1
189	Not specified or ill-defined (total)	956	526	22	18	5	8	16	15	25	14	34	39	63	107	51	7	2	4
	Ill-defined	300	112	10	9	1	2	7	2	13	6	16	18	25	52	24	1	1	1
	Not specified or unknown	656	414	12	9	4	6	9	13	12	8	18	21	38	55	27	6	1	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (COLORED).																		
	All causes	8,170	1,088	232	107	75	48	206	710	1,260	1,068	892	816	702	509	260	89	67	41
	I.—General diseases	3,026	212	85	48	38	14	103	398	695	474	326	270	171	107	43	12	8	22
1	Typhoid fever	123	3		1	1	4	16	44	21	16	4	9	1	1				2
4	Malaria	79	6	2		2	1	4	6	15	3	15	7	10	4	1		1	2
5	Smallpox	3										2			1				
6	Measles	16	3	4	1	1		1	5										1
7	Scarlet fever	6		1		1		1	2				1						
8	Whooping cough	78	44	15	6	7		6											
9	Diphtheria and croup	44	6	10	7	5	4	5	5		1								1
10	Influenza	634	81	25	15	10	3	23	75	83	99	58	58	42	29	17	7	5	4
13	Cholera nostras	2	2																
14	Dysentery	52	12	3	1				4	7	6	2	2	4	5	5		1	
18	Erysipelas	8								1	5	1		1					
19	Other epidemic diseases	3	2						1										
20	Purulent infection and septicemia	13		1		1			3	3				4	1				
22	Anthrax	1											1						
23	Rabies	1		1															
24	Tetanus	22	2	1	1			6	2	3	2	2		1	2				
26	Pellagra	100		1				1	5	25	17	20	17	8	4	1	1		
	Tuberculosis (total)	1,409	25	15	15	10	2	37	226	491	249	145	95	54	26	8	1		10
28	Tuberculosis of the lungs	1,180	14	8	8	5	1	22	186	426	220	119	82	50	22	7	1		9
29	Acute miliary tuberculosis	87	1	2	3			3	17	27	13	14	4	1	1				1
30	Tuberculous meningitis	32	7	3	3	4		4	3	2	5	1							
31	Abdominal tuberculosis	73	2	1		1	1	3	10	30	7	7	7	1	3				
32	Pott's disease	7							2	1	3	1							
33	White swellings	6						2	2	1		1							
34	Tuberculosis of other organs	21	1	1	1			2	6	3	1	1	2	2		1			
35	Disseminated tuberculosis	3						1		1		1							
37	Syphilis	122	20	3	1			1	8	18	28	15	15	10	1	2			
38	Gonococcus infection	12	2						2	4	3			1					
	Cancer and other malignant tumors (total)	189						1		8	34	45	49	20	24	6	1		1
39	Of the buccal cavity	3								1				1	1				
40	Of the stomach, liver	40								2	2	9	15	5	6	1			
41	Of the peritoneum, intestines, rectum	13						1			2	4	2	2	2				
42	Of the female genital organs	84								3	21	23	19	8	7	2			1
43	Of the breast	26								1	6	5	6	3	4		1		
44	Of the skin	2											1			1			
45	Of other organs or of organs not specified	21								1	3	4	6	1	4	2			
47	Acute articular rheumatism	38							7	6	5	6	4	3	3	2	1		1
48	Chronic rheumatism and gout	5											1	2	1	1			
49	Scurvy	1	1																
50	Diabetes	29						1		5	1	5	5	9	2		1		
51	Exophthalmic goiter	7								2	1	2	2						
52	Addison's disease	1									1								
53	Leukemia	2									1	1							
54	Anemia, chlorosis	11	1	1					2	1	2		1		2			1	
55	Other general diseases	8	2	2					1				2	1					
56	Alcoholism (acute or chronic)	6								2		3			1				
59	Other chronic poisonings	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	493	34	9	7	2	1	11	11	21	32	80	91	78	62	33	10	5	6
60	Encephalitis	6	1	1				2	1	1									
61	Meningitis (total)	24	4	2	4	2	1	4	1	1	2	2	1						
	Simple meningitis	11	2		1		1	2	1		2	1	1						
	Cerebrospinal meningitis (undefined)	6	1		1	2		1				1							
	Cerebrospinal fever	7	1	2	2			1		1									
62	Locomotor ataxia	3										1	1	1					
63	Other diseases of the spinal cord (total)	40	2		1			2		3	2	5	8	7	6	4			
	Acute anterior poliomyelitis	5	2					1		1		1							
	Other diseases of the spinal cord	35			1			1		2	2	4	8	7	6	4			
64	Cerebral hemorrhage, apoplexy	233	2	2				1	3	6	17	47	55	44	28	16	5	4	3
65	Softening of the brain	3										1		1	1				
66	Paralysis without specified cause	101		1				1	1	2	7	8	22	20	20	11	5	1	2
67	General paralysis of the insane	18									2	8	2	4	1	1			
68	Other forms of mental alienation	11							2	3	1	2		1	2				
69	Epilepsy	16	2		1				2	3	1	2			4				1
71	Convulsions of infants	22	20	1	1														
72	Chorea	2						1		1									
73	Neuralgia and neuritis	1								1									
74	Other diseases of the nervous system	10	2	2								4	1			1			
76	Diseases of the ears	3	1						1				1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	TENNESSEE (COLORED)—Continued.																	
	III.—Diseases of the circulatory system.	750	4	2	.....	1	.....	6	23	41	90	121	138	138	117	46	12	9	2
77	Pericarditis	8	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	1	1	1	.....	.....	.....
78	Acute endocarditis	33	2	1	.....	.....	.....	1	1	3	8	9	8	.....	.....	.....	.....	.....	.....
79	Organic diseases of the heart	643	1	.....	.....	1	.....	3	21	32	72	101	120	124	105	42	11	8	2
80	Angina pectoris	12	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	2	2	.....	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	39	.....	.....	.....	.....	.....	.....	.....	2	4	6	6	7	9	3	1	1	.....
82	Embolism and thrombosis	8	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	2	.....	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	989	161	52	17	8	15	33	76	161	124	103	66	84	49	22	8	5	5
86	Diseases of the nasal fossae	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
87	Diseases of the larynx	4	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	8	.....	.....	.....	.....	.....	.....	.....	3	1	1	3	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	37	12	8	2	1	.....	2	6	2	1	2	1	.....	.....	.....	.....	.....	.....
90	Chronic bronchitis	29	.....	1	.....	.....	.....	1	5	3	5	2	4	3	2	.....	1	1	1
91	Bronchopneumonia	242	79	20	5	3	2	14	15	21	21	15	10	17	12	5	1	2	.....
92	Pneumonia (total)	603	64	21	9	4	13	17	50	116	84	79	40	50	30	15	6	1	4
	Lobar pneumonia	541	42	17	8	3	13	16	48	107	79	77	39	47	27	12	3	.....	3
	Pneumonia (undefined)	62	22	4	1	1	.....	1	2	9	5	2	1	3	3	3	3	1	1
93	Pleurisy	22	.....	.....	.....	.....	.....	1	3	8	4	2	1	2	.....	.....	.....	1	.....
94	Pulmonary congestion, pulmonary apoplexy	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
96	Asthma	23	1	2	.....	.....	.....	.....	.....	2	5	2	3	6	2	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	13	2	.....	.....	.....	.....	.....	1	.....	1	1	2	3	1	2	.....	.....	.....
	V.—Diseases of the digestive system	602	133	48	13	8	7	15	39	67	63	67	64	44	20	9	2	2	1
99	Diseases of the mouth and annexa	8	3	.....	.....	.....	.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	13	.....	.....	.....	.....	.....	3	1	.....	2	2	4	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	22	1	.....	.....	.....	.....	.....	.....	4	6	3	4	2	1	.....	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	94	8	5	2	.....	2	2	7	4	9	19	14	11	7	3	.....	1	.....
104	Diarrhea and enteritis (under 2 years)	153	113	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	58	.....	.....	9	7	3	2	3	5	2	7	10	5	4	1	.....	.....	.....
107	Intestinal parasites	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	84	.....	.....	.....	1	.....	4	12	29	20	9	6	2	.....	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	64	7	1	.....	.....	.....	2	6	9	8	12	8	4	3	2	.....	1	1
	Hernia	16	3	.....	.....	.....	.....	.....	1	1	.....	3	4	2	2	.....	.....	.....	.....
	Intestinal obstruction	48	4	1	.....	.....	.....	2	5	8	8	9	4	2	1	2	.....	1	1
110	Other diseases of the intestines	17	.....	1	1	.....	.....	.....	1	1	.....	3	5	4	.....	1	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	27	.....	.....	.....	.....	.....	.....	1	2	3	4	7	7	1	1	1	.....	.....
114	Biliary calculi	8	.....	.....	.....	.....	.....	.....	1	2	1	2	1	1	.....	.....	.....	.....	.....
115	Other diseases of the liver	25	.....	.....	1	.....	1	1	1	3	7	4	2	3	2	.....	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	21	1	.....	.....	.....	1	1	3	6	2	1	3	1	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	666	4	2	.....	.....	1	5	19	43	103	104	118	112	95	43	11	5	1
119	Acute nephritis	73	1	.....	.....	.....	.....	3	11	1	16	8	12	13	4	4	.....	.....	.....
120	Bright's disease	432	1	2	.....	.....	.....	2	5	8	41	68	92	86	78	33	10	5	1
122	Other diseases of the kidneys and annexa	8	2	.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	1	.....	.....	.....
123	Calculi of the urinary passages	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	16	.....	.....	.....	.....	1	.....	.....	1	1	1	2	7	1	2	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	9	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	1	.....	1	.....	.....
126	Diseases of the prostate	27	.....	.....	.....	.....	.....	.....	.....	.....	1	3	6	6	8	3	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	37	.....	.....	.....	.....	.....	.....	.....	4	22	8	1	.....	2	.....	.....	.....	.....
130	Other diseases of the uterus	7	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	10	.....	.....	.....	.....	.....	.....	1	2	5	1	1	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	41	.....	.....	.....	.....	.....	.....	1	18	12	9	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	150	.....	.....	.....	.....	.....	.....	42	55	42	10	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	11	.....	.....	.....	.....	.....	.....	2	3	4	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	10	.....	.....	.....	.....	.....	.....	1	1	5	3	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	19	.....	.....	.....	.....	.....	.....	4	7	8	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	66	.....	.....	.....	.....	.....	.....	16	26	21	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	41	.....	.....	.....	.....	.....	.....	18	18	3	2	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
																	M		
	TENNESSEE (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	18	2							1	1	2	3	5	1	1		1	1
142	Gangrene	14								1	1	2	2	5	1			1	1
145	Other diseases of the skin and annexa	4	2										1			1			
	IX.—Diseases of the bones and of the organs of locomotion	11					1	2	2		2	1	2	1					
146	Diseases of the bones (tuberculosis excepted)	8					1	2	1		1	1	1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1		1								
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	11	8		2	1													
150	Congenital malformations (total)	11	8		2	1													
	Congenital malformations of the heart	6	5		1														
	Other congenital malformations	5	3		1	1													
	XI.—Early infancy	243	243																
151	Congenital debility, icterus, and sclerema (total)	209	209																
	Premature birth	149	149																
	Congenital debility, "atrophy," "marasmus," etc	60	60																
152	Other causes peculiar to early infancy (total)	33	33																
	Injuries at birth	16	16																
	Other causes peculiar to early infancy	17	17																
153	Lack of care	1	1																
	XII.—Old age	107										1	1	6	21	32	21	25	
154	Senility	107										1	1	6	21	32	21	25	
	XII.—External causes	540	24	8	9	15	6	23	83	131	109	48	32	23	14	9	3	2	1
	Suicide (total)	11							1	2	3	2	1	1	1				
157	By hanging or strangulation	2								1					1				
158	By drowning	1									1								
159	By firearms	4							1	1	1	1							
160	By cutting or piercing instruments	2									1		1						
161	By jumping from high places	1												1					
162	By crushing	1										1							
	Accidental or undefined (total)	338	24	8	8	15	5	23	56	50	49	26	26	21	13	9	3	2	
164	Poisoning by food	7	1			1			1		2		2						
165	Other acute poisonings	12	1	2		1			2	1	3	1			1				
166	Conflagration	11		1	2	1		1	1	2				1	2				
167	Burns (conflagration excepted)	64	5	4	4	11	5	10	6	3	4	1	5	4		2			
168	Absorption of deleterious gases (conflagration excepted)	15	8					1	1	1	2		1			1			
169	Accidental drowning	16		1				2	6	2	2			2		1			
170	Traumatism by firearms	30						2	8	7	8	1	3	1					
171	Traumatism by cutting or piercing instruments	4							1			1		1		1			
172	Traumatism by fall	23	1		2			2	3		2	3	2	1	4		1	2	
173	Traumatism in mines and quarries (total)	7								2	2	2		1					
	Traumatism in mines	6								2	2	2							
	Traumatism in quarries	1												1					
174	Traumatism by machines	17							3	8	3	1		2					
175	Traumatism by other crushing (total)	69	1			1		2	16	13	14	9	5	5	1	1	1		
	Railroad accidents and injuries	34							8	6	8	5	3	3			1		
	Street-car accidents and injuries	2								1				1					
	Automobile accidents and injuries	22						2	7	5	3	2	1	1		1			
	Injuries by other vehicles	6	1			1			1			1	1		1				
	Landslide, other crushing	5								1	3	1							
176	Injuries by animals	3						1					1				1		
177	Starvation	1											1						
178	Excessive cold	1												1					
179	Effects of heat	2											1	1					
180	Lightning	2							2										
181	Electricity (lightning excepted)	6							2	2	1	1							
185	Fractures (cause not specified)	4								2		1	1						
186	Other external violence	44	7					2	4	7	6	5	4	1	5	3			
	Homicide (total)	191			1		1		26	79	57	20	5	1					1
182	By firearms	146			1		1		17	61	46	16	2	1					1
183	By cutting or piercing instruments	29							7	12	7	2	1						
184	By other means	16							2	6	4	2	2						
	XIV.—Ill-defined diseases	564	263	26	11	2	3	8	17	45	28	29	30	40	23	22	10	5	2
187	Ill-defined organic disease	19	1							4		2	1	6	1	3		1	
188	Sudden death	36	6						1	2	3	4	10	2	3	4			1
189	Not specified or ill-defined (total)	509	256	26	11	2	3	8	16	39	25	23	19	32	19	15	10	4	1
	Ill-defined	106	40	5	3		1	2	2	16	5	4	6	14	4	3		1	
	Not specified or unknown	403	216	21	8	2	2	6	14	23	20	19	13	18	15	12	10	3	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	UTAH.																		
	All causes	5,198	1,011	198	103	45	49	151	297	459	564	418	458	545	503	338	59		
	I.—General diseases	1,456	168	81	42	17	16	58	99	135	219	161	147	141	85	32	5		
1	Typhoid fever	31		2	1		1	2	8	10	1	2	3		1				
3	Relapsing fever	1							1										
5	Smallpox	13	3	1				1		1	2	1	1	2	1				
6	Measles	16	3	4	1	2		4	2										
7	Scarlet fever	7			1	1	1	2	2										
8	Whooping cough	112	70	23	11	2	2	2	1	1									
9	Diphtheria and croup	33	3	4	2	1	4	10	5	2		1		1					
10	Influenza	573	58	34	19	6	6	27	47	107	137	64	30	21	10	6	1		
14	Dysentery	14	7	3	1			1		1				1					
18	Erysipelas	19	9	4	1							2		1	1		1		
19	Other epidemic diseases	5	1	1				1					2						
20	Purulent infection and septicemia	4							1	1			1			1			
24	Tetanus	2				1			1										
	Tuberculosis (total)	177	5	2	3	3	1	2	12	33	35	32	25	14	10				
28	Tuberculosis of the lungs	133	1		1				8	26	30	26	21	11	9				
29	Acute miliary tuberculosis	12	2	1	1		1			3		3		1					
30	Tuberculous meningitis	10	2	1	1	2		2	1			1							
31	Abdominal tuberculosis	14							2	3	3	2	2	1	1				
32	Pott's disease	6				1				1	2		2						
33	White swellings	1							1										
34	Tuberculosis of other organs	1												1					
37	Syphilis	48	2							3	11	13	7	10	2				
38	Gonococcus infection	4							1	1	2								
	Cancer and other malignant tumors (total)	250							2	7	13	32	64	64	49	17	2		
39	Of the buccal cavity	3										1	1		1				
40	Of the stomach, liver	114								1	5	13	28	32	28	6	1		
41	Of the peritoneum, intestines, rectum	32								2		5	11	7	5	2			
42	Of the female genital organs	24									2	5	8	8		1			
43	Of the breast	21								1	1	3	7	6	3				
44	Of the skin	13									1		1	1	6	3	1		
45	Of other organs or of organs not specified	43							2	3	4	5	8	10	6	5			
47	Acute articular rheumatism	20				1		4	4	5	4	1					1		
48	Chronic rheumatism and gout	8								1	1	1	1		2	2			
50	Diabetes	60		1				2	8	7	7	2	6	15	8	4			
51	Exophthalmic goiter	14							2	3	3	4	1	1					
52	Addison's disease	2										1		1					
53	Leukemia	3									1	2							
54	Anemia, chlorosis	18	1	1	1					1	1	2	4	6	1				
55	Other general diseases	13	6	1	1		1		2					1		1			
56	Alcoholism (acute or chronic)	5										2	1	2					
57	Chronic lead poisoning	2											1	1					
59	Other chronic poisonings	2										1				1			
	II.—Diseases of the nervous system and of the organs of special sense	345	24	6	6	3	1	10	13	13	12	22	43	76	65	45	6		
60	Encephalitis	7						1	1	1	1	1	1	1					
61	Meningitis (total)	32	10	2	3	2		7	4	1	1		2						
	Simple meningitis	15	4		1	2		4	1	1	1		1						
	Cerebrospinal meningitis (undefined)	11	4	1	2			1	2				1						
	Cerebrospinal fever	6	2	1				2	1										
62	Locomotor ataxia	4										2	1	1					
63	Other diseases of the spinal cord (total)	15	1						1		1	3	2	3	3	1			
	Acute anterior poliomye'itis	1	1																
	Other diseases of the spinal cord	14							1		1	3	2	3	3	1			
64	Cerebral hemorrhage, apoplexy	218		1					1		5	11	35	59	58	42	6		
66	Paralysis without specified cause	9											2	2	3	2			
67	General paralysis of the insane	2												2					
68	Other forms of mental a'ienation	7								1		2		4					
69	Epilepsy	12					1		2	6	1	1		1					
71	Convulsions of infants	12	10	1	1														
72	Chorea	1									1								
73	Neuralgia and neuritis	2										1			1				
74	Other diseases of the nervous system	6	1		1				1	2	1								
75	Diseases of the eyes and their annexa	2						2											
76	Diseases of the ears	16	2	2	1	1			3	2	1	1		3					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	UTAH—Continued.																		
	III.—Diseases of the circulatory system.	589	5		2		1	20	45	34	43	46	73	119	115	76	10		
77	Pericarditis	2								1				1					
78	Acute endocarditis	30	2				1	4	4	2	4	6	2	2	3				
79	Organic diseases of the heart	484	2		2			16	41	31	35	36	57	98	97	60	9		
80	Angina pectoris	19	1								1		7	6	2	2			
81	Diseases of the arteries, atheroma, aneurism, etc	36									1		2	9	10	13	1		
82	Embolism and thrombosis	14									2	4	2	3	2	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2											2						
84	Diseases of the lymphatic system (lymphangitis, etc.)	1											1						
85	Hemorrhage; other diseases of the circulatory system	1													1				
	IV.—Diseases of the respiratory system.	683	172	43	17	6	6	16	27	55	69	52	49	42	63	61	5		
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	10	1	2	3		3	1											
88	Diseases of the thyroid body	8							3		3	2							
89	Acute bronchitis	35	25			1			1			1	1			6			
90	Chronic bronchitis	19										1	1	3	7	7			
91	Bronchopneumonia	235	110	24	8	1	2	7	3	4	6	8	13	7	20	21	1		
92	Pneumonia (total)	336	34	13	6	4	1	7	18	49	56	35	30	27	31	22	3		
	Lobar pneumonia	304	32	11	5	4	1	7	18	45	54	33	28	24	29	12	1		
	Pneumonia (undefined)	32	2	2	1					4	2	2	2	3	2	10	2		
93	Pleurisy	14		3				1	2	2	1	1	2	1		1			
94	Pulmonary congestion, pulmonary apoplexy	6	1	1											2	1	1		
96	Asthma	11										1	2	3	2	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	8									3	3		1	1				
	V.—Diseases of the digestive system	488	109	37	21	8	16	19	44	30	47	40	37	35	34	8	3		
99	Diseases of the mouth and annexa	3							1	1			1						
100	Diseases of the pharynx	24	4			2	3	1	4	4	1	1	1	1	2				
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	25							2	2	8	3	4	3	2	1			
103	Other diseases of the stomach (cancer excepted)	24	9		2		1	1				1	1	5	4				
104	Diarrhea and enteritis (under 2 years)	118	83	35															
105	Diarrhea and enteritis (2 years and over)	45			15	4	3	1		1	4	6	2	2	5	1	1		
108	Appendicitis and typhlitis	109			4		4	15	31	14	19	11	8	3					
109	Hernia, intestinal obstruction (total)	59	10	2			3	1	2	3	7	7	3	7	10	2	2		
	Hernia	22	2						1	1	1	5	1	6	3	1	1		
	Intestinal obstruction	37	8	2			3	1	1	2	6	2	2	1	7	1	1		
110	Other diseases of the intestines	5				1				1	1		1	1					
111	Acute yellow atrophy of the liver	4									2			1	1				
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	16									2	2	4	5	3				
114	Biliary calculi	24							1		1	5	8	2	5	2			
115	Other diseases of the liver	20	1				1		1	2	1	4	3	4	1	2			
117	Simple peritonitis (nonpuerperal)	9	2				1		2	2	1			1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1				1													
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	356	3	4			1	6	13	14	35	27	51	74	77	44	7		
119	Acute nephritis	25	1	3				3	2	1	5		3	5	1	1			
120	Bright's disease	278	2				1	3	10	8	18	24	44	58	69	35	6		
122	Other diseases of the kidneys and annexa	4		1						1	2								
123	Calculi of the urinary passages	4								1	1		1			1			
124	Diseases of the bladder	3												1		2			
125	Diseases of the urethra, urinary abscess, etc.	1									1								
126	Diseases of the prostate	25									1		2	9	7	5	1		
129	Uterine tumor (noncancerous)	6									1	3	1	1					
130	Other diseases of the uterus	2							1	1									
131	Cysts and other tumors of the ovary	3								1	2								
132	Salpingitis and other diseases of the female genital organs	5								1	4								
	VII.—The puerperal state	112							7	46	49	10							
134	Accidents of pregnancy	17							1	9	7								
135	Puerperal hemorrhage	14								4	8	2							
136	Other accidents of labor	24								13	8	3							
137	Puerperal septicemia	28							4	11	11	2							
138	Puerperal albuminuria and convulsions	20							2	8	10								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								1	5	1							
140	Following childbirth (not otherwise defined)	2										2							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	UTAH—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	8	1	1									1	2	1	2			
142	Gangrene	2												1		1			
144	Acute abscess	2		1										1					
145	Other diseases of the skin and annexa	4	1										1		1	1			
	IX.—Diseases of the bones and of the organs of locomotion	11	1					3	1	1	1	2	2						
146	Diseases of the bones (tuberculosis excepted)	10	1					3	1	1	1	2	1						
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	73	71	1	1														
150	Congenital malformations (total)	73	71	1	1														
	Hydrocephalus	2	1		1														
	Congenital malformations of the heart	55	54	1															
	Other congenital malformations	16	16																
	XI.—Early infancy	413	413																
151	Congenital debility, icterus, and sclerema (total)	339	339																
	Premature birth	301	301																
	Congenital debility, "atrophy," "marasmus," etc	38	38																
152	Other causes peculiar to early infancy (total)	74	74																
	Injuries at birth	43	43																
	Other causes peculiar to early infancy	31	31																
	XII.—Old age	92												4	25	45	18		
154	Senility	92												4	25	45	18		
	XIII.—External causes	444	17	22	13	11	8	19	46	75	79	51	37	31	20	12	3		
	Suicide (total)	35								4	12	8	5	4	1	1			
155	By poison	4								1	3								
157	By hanging or strangulation	3									1		2						
158	By drowning	1									1								
159	By firearms	19								2	5	7	2	2		1			
160	By cutting or piercing instruments	3								1	1			1					
161	By jumping from high places	2											1		1				
163	Other suicides	3									1	1		1					
	Accidental or undefined (total)	386	16	22	13	11	7	18	46	67	61	37	29	26	19	11	3		
164	Poisoning by food	8	1	2		1				1	1		2						
165	Other acute poisonings	15	2	2	2	1	1		2	1		1	2			1			
166	Conflagration	2				1								1					
167	Burns (conflagration excepted)	24	1	2	3	2	2	2	1	2	1	4		1	2	1			
168	Absorption of deleterious gases (conflagration excepted)	7	4								2	1							
169	Accidental drowning	28	2	9	3	1		2	4	5			1			1			
170	Traumatism by firearms	17				2		2	7	6									
172	Traumatism by fall	45	1		1	1		2	6		2	3	3	7	8	8	3		
173	Traumatism in mines and quarries (total)	56							4	17	23	7	5						
	Traumatism in mines	55							4	16	23	7	5						
	Traumatism in quarries	1								1									
174	Traumatism by machines	15						2	2	5	4	1	1						
175	Traumatism by other crushing (total)	126		2	3	1	4	5	15	22	23	18	11	16	6				
	Railroad accidents and injuries	43			1		1	2	2	7	11	7	5	6	1				
	Street-car accidents and injuries	6							1		2	2		1					
	Automobile accidents and injuries	51		1	1	1		3	8	11	7	4	5	7	3				
	Injuries by other vehicles	14		1	1		2		3	2		2		2	1				
	Landslide, other crushing	12					1		1	2	3	3	1		1				
176	Injuries by animals	8		2				1	2		1		1		1				
178	Excessive cold	1													1				
179	Effects of heat	1	1																
180	Lightning	3							1	1	1								
181	Electricity (lightning excepted)	8								5	2	1							
186	Other external violence	22	4	3	1	1		2	2	2	1	1	3	1	1				
	Homicide (total)	23	1				1	1		4	6	6	3	1					
182	By firearms	18					1	1		4	5	5	2						
183	By cutting or piercing instruments	1									1								
184	By other means	4	1									1	1	1					
	XIV.—Ill-defined diseases	128	27	3	1				2	6	10	7	18	21	18	13	2		
187	Ill-defined organic disease	1													1				
188	Sudden death	4	2											2					
189	Not specified or ill-defined (total)	123	25	3	1				2	6	10	7	18	19	17	13	2		
	Ill-defined	104	19	2	1				2	5	10	5	16	17	13	12	2		
	Not specified or unknown	19	6	1						1		2	2	2	4	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VERMONT.																	
	All causes	5,536	713	92	54	37	19	72	185	286	325	399	574	816	1,115	725	119	4	1
	I.—General diseases	1,360	69	25	18	12	8	27	83	123	128	175	191	208	203	75	14	.....	1
1	Typhoid fever	37	.....	.....	1	1	.....	2	11	7	6	3	4	1	1	.....	.....	.....	.....
6	Measles	18	8	3	.....	1	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....	.....	.....
7	Scarlet fever	15	1	.....	2	1	1	3	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	27	12	6	2	2	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	24	1	4	2	1	2	8	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
10	Influenza	297	22	8	7	3	1	7	29	40	53	32	16	17	36	18	8	.....	.....
13	Cholera nostras	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
14	Dysentery	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
18	Erysipelas	12	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	3	2	.....	.....	.....
19	Other epidemic diseases	4	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	8	.....	.....	.....	.....	.....	.....	1	1	.....	3	1	.....	2	.....	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	6	.....	.....	.....	.....	1	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	288	14	3	2	1	.....	1	24	59	41	53	45	31	12	1	.....	.....	1
28	Tuberculus of the lungs	230	4	.....	2	.....	.....	.....	14	52	35	43	42	28	9	.....	.....	.....	1
29	Acute miliary tuberculosis	6	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	25	7	3	.....	1	.....	1	4	1	1	4	1	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	12	.....	.....	.....	.....	.....	.....	2	3	2	3	.....	.....	2	.....	.....	.....	.....
32	Pott's disease	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	8	2	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	1	.....	.....	.....
35	Disseminated tuberculosis	5	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
36	Rickets	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	10	3	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	1	.....	.....	.....	.....
38	Gonococcus infection	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	444	.....	.....	.....	.....	.....	.....	1	3	15	60	88	120	110	42	5	.....	.....
39	Of the buccal cavity	18	.....	.....	.....	.....	.....	.....	.....	.....	1	1	5	6	5	.....	.....	.....	.....
40	Of the stomach, liver	163	.....	.....	.....	.....	.....	.....	.....	.....	4	12	40	47	44	15	1	.....	.....
41	Of the peritoneum, intestines, rectum	74	.....	.....	.....	.....	.....	.....	.....	1	1	9	11	18	25	9	.....	.....	.....
42	Of the female genital organs	62	.....	.....	.....	.....	.....	.....	.....	1	5	21	13	11	8	3	.....	.....	.....
43	Of the breast	44	.....	.....	.....	.....	.....	.....	.....	1	2	4	8	12	8	7	2	.....	.....
44	Of the skin	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	4	2	2	.....	.....
45	Of other organs or of organs not specified	68	.....	.....	.....	.....	.....	.....	1	.....	2	10	11	22	16	6	.....	.....	.....
47	Acute articular rheumatism	11	.....	.....	.....	.....	.....	2	1	.....	.....	2	1	.....	3	2	.....	.....	.....
48	Chronic rheumatism and gout	10	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	5	4	.....	.....	.....	.....
50	Diabetes	69	.....	.....	2	2	.....	.....	4	4	3	4	9	17	19	4	1	.....	.....
51	Exophthalmic goiter	9	.....	.....	.....	.....	.....	.....	.....	3	1	1	2	.....	2	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
53	Leukemia	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	1	.....	.....	.....	.....
54	Anemia, chlorosis	41	.....	.....	.....	.....	.....	1	.....	.....	.....	5	13	8	12	2	.....	.....	.....
55	Other general diseases	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
56	Alcoholism (acute or chronic)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	671	16	5	6	2	1	6	9	12	19	34	74	142	192	134	19	.....	.....
60	Encephalitis	7	1	.....	.....	.....	.....	.....	2	1	.....	1	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	35	8	5	3	1	1	2	3	4	2	2	2	.....	.....	1	1	.....	.....
	Simple meningitis	23	6	3	2	1	.....	.....	1	2	2	2	2	.....	.....	1	1	.....	.....
	Cerebrospinal meningitis (undefined)	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	10	2	2	1	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	32	1	.....	1	.....	.....	2	.....	.....	2	2	6	6	6	6	.....	.....	.....
	Acute anterior poliomyelitis	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	29	.....	.....	.....	.....	.....	1	.....	.....	2	2	6	6	6	6	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	503	.....	.....	1	.....	.....	2	.....	2	5	22	52	117	165	121	16	.....	.....
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	.....	.....	.....
66	Paralysis without specified cause	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	8	2	1	.....	.....
67	General paralysis of the insane	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	1	.....	.....	.....	.....
68	Other forms of mental alienation	16	.....	.....	.....	.....	.....	.....	.....	1	1	2	3	6	2	1	.....	.....	.....
69	Epilepsy	11	.....	.....	1	.....	.....	.....	2	3	5	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
74	Other diseases of the nervous system	16	1	.....	.....	1	.....	.....	.....	1	1	2	2	4	4	.....	.....	.....	.....
76	Diseases of the ears	6	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	1	.....	1	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VERMONT—Continued.																		
	III.—Diseases of the circulatory system.	1,138	13	3	.....	1	2	2	13	16	25	57	118	217	300	244	35	2	.....
77	Pericarditis	5	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....
78	Acute endocarditis	35	1	.....	.....	.....	1	1	4	3	2	5	8	5	1	3	1	.....	.....
79	Organic diseases of the heart	805	9	2	.....	1	1	1	6	13	21	43	87	165	285	151	19	1	.....
80	Angina pectoris	69	.....	.....	.....	.....	.....	.....	1	.....	.....	5	13	18	23	7	2	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	190	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	25	68	76	13	1	.....
82	Embolism and thrombosis	27	1	.....	.....	.....	.....	.....	1	.....	1	1	5	3	8	7	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system.	662	101	26	14	7	4	11	20	44	71	42	61	71	97	74	19	.....	.....
87	Diseases of the larynx	4	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....
88	Diseases of the thyroid body	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	52	20	5	2	2	1	.....	.....	.....	1	2	1	4	2	9	3	.....	.....
90	Chronic bronchitis	39	.....	1	.....	.....	.....	1	.....	1	1	1	4	3	8	15	4	.....	.....
91	Bronchopneumonia	188	59	15	5	3	2	2	2	6	8	7	12	19	25	21	2	.....	.....
92	Pneumonia (total)	349	19	5	5	1	1	8	16	37	57	31	41	41	57	25	5	.....	.....
	Lobar pneumonia	219	12	2	3	.....	1	7	11	25	35	19	30	24	34	13	3	.....	.....
	Pneumonia (undefined)	130	7	3	2	1	.....	1	5	12	22	12	11	17	23	12	2	.....	.....
93	Pleurisy	6	1	.....	2	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	.....
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
96	Asthma	8	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	1	.....	.....
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system.	403	132	23	9	9	1	11	18	22	17	23	32	34	38	26	8	.....	.....
99	Diseases of the mouth and annexa	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	10	1	.....	.....	2	.....	2	1	2	1	.....	.....	.....	.....	.....	1	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	13	.....	.....	.....	.....	.....	.....	1	2	1	3	1	1	3	1	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	32	16	3	1	2	.....	1	.....	.....	.....	.....	2	.....	2	4	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	125	107	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	46	.....	.....	7	4	1	5	2	1	4	3	2	3	3	7	4	.....	.....
108	Appendicitis and typhlitis	50	.....	1	1	.....	.....	2	11	12	4	7	8	4	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	47	4	.....	.....	1	.....	1	2	2	3	2	3	7	12	9	1	.....	.....
	Hernia	15	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	5	3	.....	.....	.....
	Intestinal obstruction	32	4	.....	.....	1	.....	1	2	1	2	1	1	5	7	6	1	.....	.....
110	Other diseases of the intestines	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
111	Acute yellow atrophy of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	22	.....	.....	.....	.....	.....	.....	.....	1	.....	2	7	5	6	1	.....	.....	.....
114	Biliary calculi	15	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	4	2	1	.....	.....
115	Other diseases of the liver	23	1	.....	.....	.....	.....	.....	.....	1	.....	1	5	8	5	2	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	11	1	1	.....	.....	.....	.....	1	1	1	1	1	2	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	454	3	1	.....	1	.....	2	9	11	16	27	61	98	135	84	6	.....	.....
119	Acute nephritis	27	2	.....	.....	1	.....	1	1	2	3	2	5	2	7	1	.....	.....	.....
120	Bright's disease	364	1	1	.....	.....	.....	1	6	6	9	19	50	90	112	63	6	.....	.....
122	Other diseases of the kidneys and annexa	8	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	4	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
124	Diseases of the bladder	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	9	.....	.....	.....
126	Diseases of the prostate	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	7	10	.....	.....	.....
129	Uterine tumor (noncancerous)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
130	Other diseases of the uterus	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	6	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	2	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	52	.....	.....	.....	.....	.....	.....	6	21	18	7	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	6	.....	.....	.....	.....	.....	.....	.....	3	1	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	8	.....	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	14	.....	.....	.....	.....	.....	.....	2	4	5	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	18	.....	.....	.....	.....	.....	.....	3	8	5	2	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	.....	.....	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VERMONT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	22	1						3	1				3	10	2	2		
142	Gangrene	11												2	5	2	2		
143	Furuncle	3							1	1					1				
144	Acute abscess	4	1						2						1				
145	Other diseases of the skin and annexa	4												1	3				
	IX.—Diseases of the bones and of the organs of locomotion	13	1	1						1	1	4	1	2	1	1			
146	Diseases of the bones (tuberculosis excepted)	9	1	1						1		4		1		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1		1		1				
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	57	53	1	2						1								
150	Congenital malformations (total)	57	53	1	2						1								
	Hydrocephalus	4	3		1														
	Congenital malformations of the heart	35	32	1	1						1								
	Other congenital malformations	18	18																
	XI.—Early infancy	302	302																
151	Congenital debility, icterus, and sclerema (total)	248	248																
	Premature birth	178	178																
	Congenital debility, "atrophy," "marasmus," etc.	70	70																
152	Other causes peculiar to early infancy (total)	53	53																
	Injuries at birth	32	32																
	Other causes peculiar to early infancy	21	21																
153	Lack of care	1	1																
	XII.—Old age	88												3	19	53	11	2	
154	Senility	88												3	19	53	11	2	
	XIII.—External causes	302	13	7	5	5	3	13	24	35	29	30	36	36	29	32	5		
	Suicide (total)	44								6	8	10	7	9	3	1			
155	By poison	5								2	2	1							
157	By hanging or strangulation	7								1	1	2		1	2				
158	By drowning	5									1	1	2		1				
159	By firearms	22								3	4	4	3	8					
160	By cutting or piercing instruments	5										2	2			1			
	Accidental or undefined (total)	250	12	6	5	5	3	13	24	29	20	16	28	27	26	31	5		
164	Poisoning by food	6		1		1		2				1			1				
165	Other acute poisonings	8		1						1			3	1	1	1			
166	Conflagration	3				1					1				1				
167	Burns (conflagration excepted)	9	1	1	2	2								1		1	1		
168	Absorption of deleterious gases (conflagration excepted)	8	3										1			1			
169	Accidental drowning	28		1				3	14	5	1	3	1						
170	Tramatism by firearms	5						1	2		1	1							
172	Tramatism by fall	64	3					2		1	1	3	6	6	13	25	4		
173	Traumatism in mines and quarries (total)	6							1	4	1								
	Traumatism in mines	2								2									
	Traumatism in quarries	4							1	2	1								
174	Traumatism by machines	7								1	2		2	2					
175	Traumatism by other crushing (total)	67	1	1	2		3	4	4	15	8	6	10	6	7				
	Railroad accidents and injuries	20							2	4	4	4	3	3					
	Street-car accidents and injuries	4	1		1				1		1								
	Automobile accidents and injuries	30		1	1		3	3	1	8	2	1	4	2	4				
	Injuries by other vehicles	10								2	1	1	2	1	3				
	Landslide, other crushing	3						1		1			1						
176	Injuries by animals	6							1		1		1	2	1				
178	Excessive cold	3												2		1			
179	Effects of heat	3							1						1	1			
181	Electricity (lightning excepted)	2							1	1									
186	Other external violence	25	4	1	1	1		1		1	4	1	2	7	1	1			
	Homicide (total)	8	1	1							1	4	1						
182	By firearms	6		1							1	3	1						
184	By other means	2	1									1							
	XIV.—Ill-defined diseases	12	9											2	1				
187	Ill-defined organic disease	1													1				
188	Sudden death	2	2																
189	Not specified or ill-defined (total)	9	7											2					
	Ill-defined	2												2					
	Not specified or unknown	7	7																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths, age unknown.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (TOTAL).																		
	All causes	30,514	5,500	1,094	556	330	208	667	1,619	2,894	2,766	2,615	2,892	3,555	3,584	1,771	353	57	53
	I.—General diseases	9,512	844	404	256	169	115	317	806	1,603	1,310	1,016	901	890	633	191	36	3	18
1	Typhoid fever	260	3	1	8	5	2	14	73	62	41	18	14	12	6	.....	.....	.....	1
4	Malaria	51	5	1	4	1	2	1	4	4	4	4	5	7	7	1	1	.....	.....
5	Smallpox	12	3	.....	.....	.....	.....	.....	.....	1	2	2	2	2	.....	.....	.....	.....	.....
6	Measles	94	17	18	11	10	1	14	13	3	1	1	1	2	2	.....	.....	.....	.....
7	Scarlet fever	32	3	2	2	3	6	7	4	1	3	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	463	262	88	40	20	15	28	9	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria	334	47	33	61	46	39	77	20	5	3	.....	.....	3	.....	.....	.....	.....	.....
10	Influenza	2,311	249	156	71	48	33	68	211	351	418	228	145	142	120	55	11	2	3
13	Cholera nostras	8	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	.....	.....	.....
14	Dysentery	231	53	35	21	9	4	9	10	10	5	6	11	17	22	12	7	.....	.....
18	Erysipelas	46	17	1	.....	.....	.....	3	.....	2	.....	4	4	3	7	5	.....	.....	.....
19	Other epidemic diseases	7	3	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	34	1	1	1	.....	.....	3	6	6	3	3	3	2	4	.....	.....	.....	1
24	Tetanus	37	8	.....	.....	.....	1	6	8	5	2	4	1	2	.....	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
26	Pellagra	134	.....	.....	.....	1	.....	.....	7	24	25	27	18	17	14	1	.....	.....	.....
	Tuberculosis (total)	3,319	54	39	27	19	9	65	380	1,003	608	418	294	231	135	26	2	.....	9
28	Tuberculosis of the lungs	2,888	26	21	11	8	7	40	325	898	553	376	266	209	114	24	2	.....	8
29	Acute miliary tuberculosis	106	.....	.....	1	.....	.....	3	23	40	20	10	6	2	.....	.....	.....	.....	1
30	Tuberculous meningitis	98	22	16	11	4	1	15	7	13	3	2	2	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	127	2	1	1	5	.....	5	9	33	19	15	9	11	15	2	.....	.....	.....
32	Pott's disease	26	2	.....	.....	1	.....	1	5	5	5	3	2	.....	2	.....	.....	.....	.....
33	White swellings	15	.....	.....	.....	.....	.....	.....	4	4	2	1	1	.....	3	.....	.....	.....	.....
34	Tuberculosis of other organs	50	2	1	3	1	1	1	4	9	4	9	8	6	1	.....	.....	.....	.....
35	Disseminated tuberculosis	9	.....	.....	.....	.....	.....	.....	3	1	2	2	.....	1	.....	.....	.....	.....	.....
36	Rickets	32	20	7	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	238	62	13	3	.....	.....	.....	8	38	32	34	25	15	5	1	.....	.....	2
38	Gonococcus infection	16	1	.....	.....	.....	.....	.....	2	6	4	2	.....	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,299	3	.....	2	2	1	2	8	31	100	201	297	338	235	68	9	1	1
39	Of the buccal cavity	49	1	.....	.....	.....	.....	.....	.....	1	1	7	14	8	11	6	.....	.....	.....
40	Of the stomach, liver	428	.....	.....	.....	.....	1	1	2	6	19	40	108	139	92	18	2	.....	.....
41	Of the peritoneum, intestines, rectum	139	.....	.....	.....	1	.....	.....	.....	4	16	17	25	36	29	9	2	.....	.....
42	Of the female genital organs	274	.....	.....	.....	.....	.....	.....	1	6	34	77	77	50	21	7	1	.....	.....
43	Of the breast	122	.....	.....	.....	.....	.....	.....	.....	.....	11	25	26	32	21	4	2	.....	1
44	Of the skin	49	.....	.....	.....	.....	.....	.....	.....	1	1	2	8	9	11	15	2	.....	.....
45	Of other organs or of organs not specified	238	2	.....	2	1	.....	1	5	13	18	33	39	64	50	9	.....	1	.....
46	Other tumors (tumors of the female genital organs excepted)	7	1	.....	.....	.....	.....	1	.....	.....	1	.....	2	1	1	.....	.....	.....	.....
47	Acute articular rheumatism	127	1	.....	.....	.....	.....	10	20	18	4	14	9	15	26	7	2	.....	1
48	Chronic rheumatism and gout	33	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	12	8	5	1	.....	.....
50	Diabetes	217	.....	.....	1	.....	1	5	12	19	27	21	41	46	34	8	2	.....	.....
51	Exophthalmic goiter	13	.....	.....	.....	.....	.....	.....	1	.....	4	3	4	1	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
53	Leukemia	30	.....	2	1	1	.....	.....	2	5	2	7	4	3	2	1	.....	.....	.....
54	Anemia, chlorosis	53	3	1	.....	.....	.....	3	3	7	5	5	14	10	2	.....	.....	.....	.....
55	Other general diseases	45	25	5	1	1	1	.....	4	.....	3	1	1	.....	1	1	1	.....	.....
56	Alcoholism (acute or chronic)	18	.....	.....	.....	.....	.....	.....	.....	.....	10	5	2	1	.....	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,062	188	53	29	14	7	43	81	89	149	301	482	651	635	288	38	3	11
60	Encephalitis	38	7	3	.....	.....	.....	1	4	9	3	6	1	3	.....	.....	.....	.....	1
61	Meningitis (total)	177	61	25	15	5	1	27	16	10	5	4	1	3	3	.....	.....	.....	1
	Simple meningitis	83	32	8	7	3	.....	14	5	6	2	2	.....	.....	3	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	53	19	12	3	.....	1	7	4	2	.....	1	1	3	.....	.....	.....	.....	.....
	Cerebrospinal fever	41	10	5	5	2	.....	6	7	2	3	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	34	.....	.....	.....	.....	.....	.....	.....	.....	2	7	9	4	9	3	.....	.....	.....
63	Other diseases of the spinal cord (total)	119	6	7	4	2	1	4	3	4	6	11	10	26	27	6	2	.....	.....
	Acute anterior poliomyelitis	25	5	7	3	2	1	2	2	.....	1	.....	.....	2	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	94	1	.....	1	.....	.....	2	1	4	5	11	10	24	27	6	2	.....	.....
64	Cerebral hemorrhage, apoplexy	1,803	4	2	.....	.....	1	.....	4	23	71	184	368	480	430	212	16	3	5
65	Softening of the brain	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	9	15	6	1	.....	.....
66	Paralysis without specified cause	385	1	.....	.....	.....	1	1	3	4	8	27	47	96	120	55	19	.....	3
67	General paralysis of the insane	59	.....	.....	.....	.....	.....	.....	1	1	5	10	17	11	14	.....	.....	.....	.....
68	Other forms of mental alienation	39	.....	.....	.....	.....	.....	.....	1	10	8	7	4	3	4	2	.....	.....	.....
69	Epilepsy	123	9	2	.....	3	.....	1	30	13	21	19	14	4	5	1	.....	.....	1
70	Convulsions (nonpuerperal)	9	.....	.....	.....	.....	.....	2	2	.....	4	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	107	88	10	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	6	.....	.....	1	.....	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	11	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	2	2	.....	.....	.....	.....
74	Other diseases of the nervous system	81	8	.....	2	2	.....	5	7	9	10	16	6	9	5	2	.....	.....	.....
75	Diseases of the eyes and their annexa	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....
76	Diseases of the ears	31	4	4	2	.....	1	1	4	4	4	6	.....	1	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	3,564	18	6	3	1	2	24	77	130	189	351	537	805	902	440	73	2	4
77	Pericarditis	14							1	3	1	2	1	3		3			
78	Acute endocarditis	110			1	1		3	10	16	7	31	31	6	1	2	1		
79	Organic diseases of the heart	2,896	14	4	1		2	20	64	98	165	275	425	679	745	349	51	2	2
80	Angina pectoris	176							2	5	7	20	46	38	45	11	1		1
81	Diseases of the arteries, atheroma, aneurism, etc	276						1		3	4	9	23	65	91	63	16		1
82	Embolism and thrombosis	67								5	5	10	11	9	17	9	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10										3		3	2	1	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2	1															
85	Hemorrhage; other diseases of the circulatory system	12	2	1	1							1		2	1	2	2		
	IV.—Diseases of the respiratory system	2,918	629	200	87	35	28	71	154	242	298	233	214	264	275	156	24	2	6
86	Diseases of the nasal fossae	26	18		1			2		1	1	1	1				1		
87	Diseases of the larynx	25	7	4	5	1	1	1	1		1	2	2						
88	Diseases of the thyroid body	18							2	2	4	4	2	2	1		1		
89	Acute bronchitis	116	67	8	5	1	2	1	3	4	2	3	1	3	5	9	1	1	
90	Chronic bronchitis	98	3					3	2	3	5	7	3	17	30	21	3		1
91	Bronchopneumonia	806	309	115	49	18	14	15	23	26	29	22	27	38	67	44	9		1
92	Pneumonia (total)	1,596	206	68	26	14	7	47	113	192	228	166	147	169	137	63	9	1	3
	Lobar pneumonia	1,198	88	34	11	9	4	35	93	172	208	145	132	125	96	38	4	1	3
	Pneumonia (undefined)	398	118	34	15	5	3	12	20	20	20	21	15	44	41	25	5		
93	Pleurisy	85	6	1		1	1		8	9	12	14	9	12	7	4			1
94	Pulmonary congestion, pulmonary apoplexy	43	8	3	1					1	4		5	1	11	9			
95	Gangrene of the lung	5								1		2	1		1				
96	Asthma	49	2	1			1		2	2	4	5	10	14	7	1			
97	Pulmonary emphysema	8					1					3	1	2	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	43	3				1	2		1	8	4	5	6	8	5			
	V.—Diseases of the digestive system	2,444	840	291	80	36	18	57	89	125	160	162	178	176	151	64	14	1	2
99	Diseases of the mouth and annexa	34	14	2						5	2	4	3	3	1				
100	Diseases of the pharynx	59	7	1	1	4	1	10	8	8	7	3	1		4	4			
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	61							1	6	13	17	13	8	3				
103	Other diseases of the stomach (cancer excepted)	275	72	14	4	6	1	6	3	12	33	21	29	36	26	10	1		1
104	Diarrhea and enteritis (under 2 years)	948	696	252															
105	Diarrhea and enteritis (2 years and over)	312			71	21	9	15	5	17	25	25	24	33	34	22	10	1	
107	Intestinal parasites	11	1	5		1	1	1	1	1									
108	Appendicitis and typhlitis	194	2	2		1	1	18	48	39	27	22	16	10	8				
109	Hernia, intestinal obstruction (total)	219	35	14		3	4	4	5	16	19	24	29	31	24	10	1		
	Hernia	70	3	3						5	7	10	13	14	10	4	1		
	Intestinal obstruction	149	32	11		3	4	4	5	11	12	14	16	17	14	6			
110	Other diseases of the intestines	35	3					1	5	2	2	3	4	4	4	6	1		
111	Acute yellow atrophy of the liver	10	2		1				1	2	2	1	1						
113	Cirrhosis of the liver	103							4	1	6	18	25	25	20	2	1		1
114	Biliary calculi	62									8	11	15	15	11	2			
115	Other diseases of the liver	74	7		2				2	6	9	9	14	5	12	8			
116	Diseases of the spleen	3					1						1	1					
117	Simple peritonitis (nonpuerperal)	33	1	1	1			2	5	10	5	1	1	2	4				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10							1		2	3	2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,412	23	14	10	8	4	14	36	85	171	252	373	542	593	246	27	9	5
119	Acute nephritis	177	7	6	8	3	1	8	8	17	20	26	32	21	15	4			1
120	Bright's disease	1,924	7	3	2	3	3	5	22	45	106	186	323	469	509	203	26	8	4
122	Other diseases of the kidneys and annexa	71	7	4		2		1	1	1	7	3	5	15	17	8			
123	Calculi of the urinary passages	10							1			1	1	3	3	1			
124	Diseases of the bladder	33	2	1					2	1	2	1	1	5	10	8			
125	Diseases of the urethra, urinary abscess, etc.	11								3	2	4	1		1				
126	Diseases of the prostate	83											3	21	36	22		1	
127	Nonvenereal diseases of the male genital organs	2							1				1						
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	39								1	12	17	2	6			1		
130	Other diseases of the uterus	17								4	5	4	1	2	1				
131	Cysts and other tumors of the ovary	12								1	4	4	2		1				
132	Salpingitis and other diseases of the female genital organs	29							1	10	12	6							
133	Nonpuerperal diseases of the breast (cancer excepted)	3								1	1		1						
	VII.—The puerperal state	569							81	242	191	53	1						1
134	Accidents of pregnancy	81							6	39	32	4							
135	Puerperal hemorrhage	44							3	18	21	2							
136	Other accidents of labor	86							9	36	30	11							
137	Puerperal septicemia	149							19	67	49	14							
138	Puerperal albuminuria and convulsions	194							43	75	55	20	1						
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								7	4	1							
140	Following childbirth (not otherwise defined)	2							1			1							
141	Puerperal diseases of the breast	1																	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	97	13			2			1	2	2	9	19	8	17	17	7		
142	Gangrene	52	3			1					1	3	11	4	9	14	6		
143	Furuncle	9	1							1		3	3		1				
144	Acute abscess	22	6			1			1		1	2	3	3	3	2			
145	Other diseases of the skin and annexa	14	3							1		1	2	1	4	1	1		
	IX.—Diseases of the bones and of the organs of locomotion	71	4	2	2	1		7	15	7	5	8	7	8	2	2	1		
146	Diseases of the bones (tuberculosis excepted)	58	4	2	2	1		5	14	6	4	7	4	7	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10						1	1	1	1	1	2			2	1		
149	Other diseases of the organs of locomotion	3						1					1	1					
	X.—Malformations	288	262	6	3	6	2	4	5										
150	Congenital malformations (total)	288	262	6	3	6	2	4	5										
	Hydrocephalus	23	17	2		2	1		1										
	Congenital malformations of the heart	148	140	2		1		3	2										
	Other congenital malformations	117	105	2	3	3	1	1	2										
	XI.—Early infancy	2,006	2,006																
151	Congenital debility, icterus, and sclerema (total)	1,704	1,704																
	Premature birth	1,260	1,260																
	Congenital debility, "atrophy," marasmus," etc.	444	444																
152	Other causes peculiar to early infancy (total)	294	294																
	Injuries at birth	165	165																
	Other causes peculiar to early infancy	129	129																
153	Lack of care	8	8																
	XII.—Old age	530											4	12	156	226	102	20	1
154	Senility	530											4	12	156	226	102	20	1
	XIII.—External causes	1,884	91	70	62	50	29	115	257	343	259	182	113	92	119	83	15	2	2
	Suicide (total)	128							5	16	25	35	22	15	9	1			
155	By poison	25							4	2	3	11	2	3					
156	By asphyxia	7								1	1	4	1						
157	By hanging or strangulation	8								1	2	2	1	1	1				
158	By drowning	5								3	1			1					
159	By firearms	73							1	9	14	16	16	10	7				
160	By cutting or piercing instruments	5									3		1		1				
161	By jumping from high places	2										1	1						
163	Other suicides	3									1	1				1			
	Accidental or undefined (total)	1,496	85	70	61	50	29	110	221	240	160	113	75	73	108	82	15	2	2
164	Poisoning by food	26	5	2			1	1	1	2	4	3	2	1	3	1			
165	Other acute poisonings	51	3	7	8	4	1	1	4	4	6	6	4	2	1				
166	Conflagration	53	2	5	3	2	5	10	4	1	5	1	3	3	2	6	1		
167	Burns (conflagration excepted)	228	8	28	30	34	13	32	16	16	12	6	5	9	8	8	2	1	
168	Absorption of deleterious gases (conflagration excepted)	54	36	1				1	4	4	2	1	1	2	1	1			
169	Accidental drowning	147	1	5	5	2	1	8	45	51	13	11		1	2				2
170	Traumatism by firearms	108			3	1	1	17	52	20	7	4			3				
171	Traumatism by cutting or piercing instruments	4						1		1	1			1					
172	Traumatism by fall	230	11	7	3	1	2	7	16	22	12	10	10	16	50	52	10	1	
173	Traumatism in mines and quarries (total)	64							8	22	16	14	3	1					
	Traumatism in mines	52							8	16	14	12	2						
	Traumatism in quarries	12								6	2	2	1	1					
174	Traumatism by machines	40						1	7	9	4	10	4	2	3				
175	Traumatism by other crushing (total)	312		5	5	4	3	21	47	65	54	40	22	23	16	5	2		
	Railroad accidents and injuries	142		1	1	1		2	20	31	33	22	13	9	5	3	1		
	Street-car accidents and injuries	22		2				3	1	2	4	2	1	5	2				
	Automobile accidents and injuries	97			3	2	3	16	17	20	9	13	3	4	5	2			
	Injuries by other vehicles	32		2	1				6	4	5	3	2	5	3		1		
	Aeroplane accidents and injuries	5							2	3									
	Landslide, other crushing	14				1			1	5	3		3		1				
176	Injuries by animals	13				1		2	2	2	1	1	2		1	1			
178	Excessive cold	8					1			1	1				3	2			
179	Effects of heat	8	2							1	1				4				
180	Lightning	15						1	4	2	1	1	3	2	1				
181	Electricity (lightning excepted)	12							3	3	4	1	1						
185	Fractures (cause not specified)	14	1								2		3	2	2	4			
186	Other external violence	109	16	10	4	1	1	7	8	14	14	4	12	8	8	2			
	Homicide (total)	260	6		1			5	31	87	74	34	16	4	2				
182	By firearms	208			1			3	27	68	63	28	14	3	1				
183	By cutting or piercing instruments	18						1	1	10	4	1			1				
184	By other means	34	6					1	3	9	7	5	2	1					
	XIV.—Ill-defined diseases	1,157	582	48	24	8	3	15	17	26	32	48	63	107	101	58	16	6	3
187	Ill-defined organic disease	54			1	1		2		2	4	4	5	8	17	9	1		
188	Sudden death	102	21	2	1			2	1	4	3	15	11	15	15	10	2		
189	Not specified or ill-defined (total)	1,001	561	46	22	7	3	11	16	20	25	29	47	84	69	39	13	6	3
	Ill-defined	304	87	31	7	3	2	5	5	6	15	13	29	49	33	15	4		
	Not specified or unknown	697	474	15	15	4	1	6	11	14	10	16	18	35	36	24	9	6	3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over	
	VIRGINIA (WHITE)																	
	All causes	18,353	3,241	629	357	204	136	429	799	1,395	1,470	1,328	1,565	2,419	2,753	1,380	222	7	19
	I.—General diseases	5,567	467	237	171	121	84	203	345	718	739	558	575	659	514	146	24	.....	6
1	Typhoid fever	157	1	.....	3	3	1	5	39	35	30	14	12	9	4	.....	.....	.....	1
4	Malaria	16	.....	.....	1	.....	1	.....	1	.....	1	2	2	3	5	.....	.....	.....	.....
5	Smallpox	9	2	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....	.....
6	Measles	69	12	13	7	8	.....	9	10	3	1	1	1	2	2	.....	.....	.....	.....
7	Scarlet fever	27	3	2	1	3	6	5	3	1	2	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	265	153	37	23	14	10	19	8	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	281	34	31	54	39	34	63	16	4	3	.....	.....	3	.....	.....	.....	.....	.....
10	Influenza	1,432	131	98	50	34	24	42	118	218	286	121	71	91	93	45	8	.....	2
13	Cholera nostras	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
14	Dysentery	167	33	25	15	8	3	9	9	6	2	5	8	13	18	7	6	.....	.....
18	Erysipelas	38	14	1	.....	.....	.....	3	.....	2	.....	2	3	3	5	5	.....	.....	.....
19	Other epidemic diseases	6	2	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	24	1	.....	1	.....	.....	2	4	5	2	2	2	1	3	.....	.....	.....	1
21	Tetanus	18	2	.....	.....	.....	1	6	4	.....	2	2	.....	1	.....	.....	.....	.....	.....
25	Mycoses	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
26	Pellagra	60	.....	.....	.....	1	.....	.....	.....	8	10	8	10	14	9	.....	.....	.....	.....
	Tuberculosis (total)	1,545	27	19	12	8	2	23	95	368	289	219	191	162	111	18	.....	.....	1
28	Tuberculosis of the lungs	1,333	8	6	3	5	1	8	75	338	266	200	174	141	91	16	.....	.....	1
29	Acute miliary tuberculosis	37	.....	.....	.....	.....	.....	2	4	15	6	3	5	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	66	16	13	8	2	.....	11	5	5	2	1	1	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	60	2	.....	.....	1	.....	.....	2	6	9	7	6	10	15	2	.....	.....	.....
32	Pott's disease	16	1	.....	.....	.....	.....	1	4	1	3	2	2	.....	2	.....	.....	.....	.....
33	White swellings	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
34	Tuberculosis of other organs	24	.....	.....	1	.....	1	1	2	3	1	5	3	6	1	.....	.....	.....	.....
35	Disseminated tuberculosis	5	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	.....	.....	.....	.....
36	Rickets	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	85	19	3	.....	.....	.....	.....	2	10	10	17	13	8	3	.....	.....	.....	.....
38	Gonococcus infection	5	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	948	2	.....	1	2	.....	2	5	21	53	121	204	267	205	57	7	.....	1
39	Of the buccal cavity	40	1	.....	.....	.....	.....	.....	.....	1	.....	5	11	7	10	5	.....	.....	.....
40	Of the stomach, liver	329	.....	.....	.....	.....	.....	1	1	3	9	27	76	115	83	13	1	.....	.....
41	Of the peritoneum, intestines, rectum	108	.....	.....	.....	1	.....	.....	.....	4	11	10	17	28	27	9	1	.....	.....
42	Of the female genital organs	164	.....	.....	.....	.....	.....	.....	1	3	19	41	46	31	18	4	1	.....	.....
43	Of the breast	76	.....	.....	.....	.....	.....	.....	.....	.....	2	14	15	24	15	3	2	.....	1
44	Of the skin	45	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	8	11	15	2	.....	.....
45	Of other organs or of organs not specified	186	1	.....	1	1	.....	1	3	10	11	23	32	54	41	8	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	6	1	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	66	1	.....	.....	.....	.....	7	14	6	1	5	5	8	16	2	1	.....	.....
48	Chronic rheumatism and gout	24	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	12	5	4	1	.....	.....
50	Diabetes	170	.....	.....	1	.....	1	5	11	18	22	12	27	40	27	6	.....	.....	.....
51	Exophthalmic goiter	11	.....	.....	.....	.....	.....	.....	1	.....	3	3	3	1	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
53	Leukemia	26	.....	2	.....	.....	.....	.....	2	5	1	7	3	3	2	1	.....	.....	.....
54	Anemia, chlorosis	40	3	.....	.....	.....	.....	2	.....	2	4	5	13	9	2	.....	.....	.....	.....
55	Other general diseases	33	19	3	1	1	1	.....	2	.....	1	1	1	.....	1	1	1	.....	.....
56	Alcoholism (acute or chronic)	17	.....	.....	.....	.....	.....	.....	.....	.....	10	5	1	1	.....	.....	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,868	99	39	21	7	5	28	44	42	67	124	216	441	484	231	16	1	3
60	Encephalitis	30	6	3	.....	.....	.....	1	1	8	2	5	1	3	.....	.....	.....	.....	.....
61	Meningitis (total)	128	46	16	13	4	.....	15	10	9	4	3	1	3	3	.....	.....	.....	1
	Simple meningitis	59	22	6	7	3	.....	8	2	5	1	1	.....	.....	3	.....	.....	.....	1
	Cerebrospinal meningitis (undefined)	37	15	7	2	.....	.....	3	3	2	.....	1	1	3	.....	.....	.....	.....	.....
	Cerebrospinal fever	32	9	3	4	1	.....	4	5	2	3	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	7	4	8	3	.....	.....	.....
63	Other diseases of the spinal cord (total)	82	5	5	4	1	1	3	3	2	2	5	7	17	21	5	1	.....	.....
	Acute anterior poliomyelitis	19	4	5	3	1	1	1	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	63	1	.....	1	.....	.....	2	1	2	2	5	7	15	21	5	1	.....	.....
64	Cerebral hemorrhage, apoplexy	1,099	2	2	.....	.....	1	.....	4	7	25	60	159	327	333	172	6	1	.....
65	Softening of the brain	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	5	13	5	1	.....	.....
66	Paralysis without specified cause	227	.....	.....	.....	.....	1	1	1	1	3	13	17	56	84	40	8	.....	2
67	General paralysis of the insane	40	.....	.....	.....	.....	.....	.....	1	1	4	4	7	11	12	.....	.....	.....	.....
68	Other forms of mental alienation	21	.....	.....	.....	.....	.....	.....	.....	4	3	6	2	2	2	2	.....	.....	.....
69	Epilepsy	61	2	2	.....	2	.....	1	15	2	15	10	5	3	3	1	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	41	31	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
74	Other diseases of the nervous system	48	4	.....	.....	.....	.....	4	3	5	4	9	6	8	3	2	.....	.....	.....
75	Diseases of the eyes and their annexa	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....
76	Diseases of the ears	23	3	4	2	.....	1	1	3	3	3	3	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system.	2,213	13	3	2	.....	1	15	46	45	68	143	256	543	685	347	45	.....	.....
77	Pericarditis	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	2	.....	.....	.....
78	Acute endocarditis	47	.....	.....	1	.....	.....	2	4	6	4	8	15	5	1	1	.....	.....	.....
79	Organic diseases of the heart	1,786	11	2	1	.....	1	13	40	33	58	111	192	455	565	274	30	.....	.....
80	Angina pectoris	135	.....	.....	.....	.....	.....	.....	1	1	2	11	34	34	41	10	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	175	.....	.....	.....	.....	.....	.....	.....	1	1	3	6	37	64	52	11	.....	.....
82	Embolism and thrombosis	49	.....	.....	.....	.....	.....	.....	.....	4	3	7	9	6	12	7	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	2	.....	1	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....
	IV.—Diseases of the respiratory system.	1,600	281	90	47	19	11	38	78	120	152	107	114	169	215	137	20	.....	2
86	Diseases of the nasal fossae	10	5	.....	.....	.....	.....	2	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....
87	Diseases of the larynx	14	2	3	4	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	12	.....	.....	.....	.....	.....	.....	2	2	2	2	1	1	1	.....	1	.....	.....
89	Acute bronchitis	46	27	1	2	.....	1	.....	.....	.....	.....	1	.....	1	3	9	1	.....	.....
90	Chronic bronchitis	58	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	9	24	20	2	.....	.....
91	Bronchopneumonia	412	135	49	23	10	4	4	7	12	17	13	13	26	52	40	7	.....	.....
92	Pneumonia (total)	919	99	33	17	8	5	31	59	100	119	78	86	113	109	52	8	.....	2
	Lobar pneumonia	691	43	15	5	6	4	26	52	88	111	65	78	82	78	33	3	.....	2
	Pneumonia (undefined)	228	56	18	12	2	1	5	7	12	8	13	8	31	31	19	5	.....	.....
93	Pleurisy	55	6	1	.....	.....	.....	.....	7	5	6	5	6	9	6	4	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	29	6	2	1	.....	.....	.....	.....	1	1	.....	1	.....	9	8	.....	.....	.....
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
96	Asthma	20	1	1	.....	.....	.....	.....	2	.....	2	.....	4	6	4	.....	.....	.....	.....
97	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	18	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	3	6	4	.....	.....	.....
	V.—Diseases of the digestive system	1,409	455	184	55	17	12	44	55	60	69	74	96	114	119	46	9	.....	.....
99	Diseases of the mouth and annexa	18	4	1	.....	.....	.....	.....	.....	.....	4	.....	3	3	2	1	.....	.....	.....
100	Diseases of the pharynx	39	4	1	1	1	1	9	7	7	1	1	1	.....	3	2	.....	.....	.....
102	Ulcer of the stomach	29	.....	.....	.....	.....	.....	.....	1	2	6	7	6	5	• 2	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	140	47	12	2	4	.....	3	2	1	8	6	11	19	18	6	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	528	372	156	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	174	.....	.....	51	10	6	11	1	3	7	6	10	18	25	19	7	.....	.....
107	Intestinal parasites	5	.....	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	130	2	1	.....	1	1	16	30	25	18	13	8	8	7	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	120	16	9	.....	1	2	3	4	6	7	12	19	19	15	7	.....	.....	.....
	Hernia	32	.....	.....	.....	.....	.....	.....	.....	2	2	4	8	9	4	3	.....	.....	.....
	Intestinal obstruction	88	16	9	.....	1	2	3	4	4	5	8	11	10	11	4	.....	.....	.....
110	Other diseases of the intestines	23	3	.....	.....	.....	.....	.....	4	.....	2	2	2	3	4	3	.....	.....	.....
111	Acute yellow atrophy of the liver	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	59	.....	.....	.....	.....	.....	.....	1	.....	1	5	12	20	17	2	1	.....	.....
114	Biliary calculi	52	.....	.....	.....	.....	.....	.....	.....	.....	8	8	11	13	11	1	.....	.....	.....
115	Other diseases of the liver	52	6	.....	.....	.....	.....	.....	2	3	6	6	9	2	12	6	.....	.....	.....
116	Diseases of the spleen	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	24	1	1	1	.....	.....	1	3	7	2	1	1	2	4	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,531	12	11	5	7	4	13	25	33	68	131	194	355	463	183	17	2	3
119	Acute nephritis	79	4	4	5	3	1	7	7	6	7	6	11	7	9	1	.....	.....	1
120	Bright's disease	1,267	5	3	.....	2	3	5	16	20	44	104	174	316	400	154	17	2	2
122	Other diseases of the kidneys and annexa	53	3	3	.....	2	.....	1	1	1	5	2	4	9	14	8	.....	.....	.....
123	Calculi of the urinary passages	10	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	3	3	1	.....	.....	.....
124	Diseases of the bladder	17	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	2	6	6	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	28	18	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	15	.....	.....	.....	.....	.....	.....	.....	.....	2	9	1	3	.....	.....	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	1	4	1	.....	1	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	4	3	2	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	341	.....	.....	.....	.....	.....	.....	34	152	124	29	1	.....	.....	.....	.....	.....	1
134	Accidents of pregnancy	53	.....	.....	.....	.....	.....	.....	4	29	22	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	30	.....	.....	.....	.....	.....	.....	1	11	16	2	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	53	.....	.....	.....	.....	.....	.....	3	23	20	7	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	86	.....	.....	.....	.....	.....	.....	10	38	31	7	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	106	.....	.....	.....	.....	.....	.....	15	48	32	10	1	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	52	7						1	1	1	4	5	4	14	11	4		
142	Gangrene	24	2										2	1	7	9	3		
143	Furuncle	9	1							1		3	3		1				
144	Acute abscess	13	3						1		1	1		2	3	2			
145	Other diseases of the skin and annexa	6	1											1	3		1		
	IX.—Diseases of the bones and of the organs of locomotion	54	3	2	1	1		6	13	2	4	6	4	7	2	2	1		
146	Diseases of the bones (tuberculosis excepted)	44	3	2	1	1		4	12	1	3	6	3	6	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7						1	1	1	1					2	1		
149	Other diseases of the organs of locomotion	3						1					1	1					
	X.—Malformations	230	213	4	2	3	2	3	3										
150	Congenital malformations (total)	230	213	4	2	3	2	3	3										
	Hydrocephalus	16	12	1		1	1		1										
	Congenital malformations of the heart	121	115	2		1		2	1										
	Other congenital malformations	93	86	1	2	1	1	1	1										
	XI.—Early infancy	1,347	1,347																
151	Congenital debility, icterus, and sclerema (total)	1,141	1,141																
	Premature birth	911	911																
	Congenital debility, "atrophy," "marasmus," etc	230	230																
152	Other causes peculiar to early infancy (total)	201	201																
	Injuries at birth	129	129																
	Other causes peculiar to early infancy	72	72																
153	Lack of care	5	5																
	XII.—Old age	334											2	3	95	165	65	3	1
154	Senility	334											2	3	95	165	65	3	1
	XIII.—External causes	1,233	49	44	44	25	16	70	152	212	163	132	77	66	98	71	12		2
	Suicide (total)	112							4	11	19	32	21	15	9	1			
155	By poison	23							4	2	3	9	2	3					
156	By asphyxia	7								1	1	4	1						
157	By hanging or strangulation	8								1	2	2	1	1	1				
158	By drowning	3								2				1					
159	By firearms	62								5	10	15	15	10	7				
160	By cutting or piercing instruments	4									2		1		1				
161	By jumping from high places	2										1	1						
163	Other suicides	3									1	1				1			
	Accidental or undefined (total)	999	45	44	43	25	16	66	135	164	109	86	47	48	87	70	12		2
164	Poisoning by food	14	5	2				1			1	2	1	1		1			
165	Other acute poisonings	31	1	3	4	1	1	1	4	4	5	4	2	1					
166	Conflagration	17			1		3	1	1	1	4		1	2	2	1			
167	Burns (conflagration excepted)	133	3	15	25	18	5	13	8	14	10	5	3	5	4	4	1		
168	Absorption of deleterious gases (conflagration excepted)	33	20	1				1	3	2	1	1	1	2	1				
169	Accidental drowning	94	1	5	4	2	1	6	24	31	8	8			2				2
170	Traumatism by firearms	54					1	12	22	10	4	2			3				
171	Traumatism by cutting or piercing instruments	1												1					
172	Traumatism by fall	192	7	7	1		1	4	13	18	10	9	6	9	46	52	9		
173	Traumatism in mines and quarries (total)	52							8	17	12	11	3	1					
	Traumatism in mines	45							8	16	10	9	2						
	Traumatism in quarries	7								1	2	2	1	1					
174	Traumatism by machines	24						1	4	3	2	6	3	2	3				
175	Traumatism by other crushing (total)	241		4	5	3	3	18	35	52	37	32	15	17	13	5	2		
	Railroad accidents and injuries	93			1			1	10	21	24	15	9	6	2	3	1		
	Street-car accidents and injuries	19		2				3	1	1	4	2	1	3	2				
	Automobile accidents and injuries	89			3	2	3	14	17	20	5	12	3	3	5	2			
	Injuries by other vehicles	28		2	1				5	4	3	3	1	5	3		1		
	Aeroplane accidents and injuries	5							2	3									
	Landslide, other crushing	7				1				3	1		1		1				
176	Injuries by animals	9						2	1		1	1	2		1	1			
178	Excessive cold	1								1									
179	Effects of heat	4													4				
180	Lightning	10							3	1	1	1	1	2	1				
181	Electricity (lightning excepted)	9							2	3	2	1	1						
185	Fractures (cause not specified)	12									1		3	2	2	4			
186	Other external violence	68	8	7	3	1	1	6	7	7	10	3	5	3	5	2			
	Homicide (total)	122	4		1			4	13	37	35	14	9	3	2				
182	By firearms	99			1			2	10	33	30	13	7	2	1				
183	By cutting or piercing instruments	3						1		1					1				
184	By other means	20	4					1	3	3	5	1	2	1					
	XIV.—Ill-defined diseases	574	295	15	9	4	1	9	3	10	15	20	25	58	64	36	8	1	
187	Ill-defined organic disease	27						1		1	1	2	3	4	9	6			
188	Sudden death	61	12	1					2	3	8	5	10	10	9	1			
189	Not specified or ill-defined (total)	486	283	14	9	4	1	8	3	7	11	10	17	44	45	21	7	1	1
	Ill-defined	158	49	8	2	1	1	3	2	2	7	6	12	28	27	8	2		
	Not specified or unknown	328	234	6	7	3		5	1	5	4	4	5	16	18	13	5	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ages.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (COLORED).																	
	All causes	12,161	2,259	465	199	126	72	238	820	1,499	1,296	1,287	1,327	1,136	831	391	131	50	34
	I.—General diseases	3,945	377	167	85	48	31	114	461	885	571	458	326	231	119	45	12	3	12
1	Typhoid fever	103	2	1	5	2	1	9	34	27	11	4	2	3	2				
4	Malaria	35	5	1	3	1	1	1	3	4	3	2	3	4	2	1	1		
5	Smallpox	3	1											2					
6	Measles	25	5	5	4	2	1	5	3										
7	Scarlet fever	5			1			2	1		1								
8	Whooping cough	198	109	51	17	6	5	9	1										
9	Diphtheria and croup	53	13	2	7	7	5	14	4	1									
10	Influenza	879	118	58	21	14	9	26	93	133	132	107	74	51	27	10	3	2	1
13	Cholera nostras	2							1				1						
14	Dysentery	64	20	10	6	1	1		1	4	3	1	3	4	4	5	1		
18	Erysipelas	8	3									2	1		2				
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	10		1				1	2	1	1	1	1	1	1				
24	Tetanus	19	6						4	5		2	1	1					
26	Pellagra	74							7	16	15	19	8	3	5	1			
	Tuberculosis (total)	1,774	27	20	15	11	7	42	285	635	319	199	103	69	24	8	2		8
28	Tuberculosis of the lungs	1,555	18	15	8	3	6	32	250	560	287	176	92	68	23	8	2		7
29	Acute miliary tuberculosis	69			1			1	19	25	14	7	1						1
30	Tuberculous meningitis	32	6	3	3	2	1	4	2	8	1	1	1						
31	Abdominal tuberculosis	67		1	1	4		5	7	27	10	8	3	1					
32	Pott's disease	10	1			1			1	4	2	1							
33	White swellings	11							2	4	2	1	1		1				
34	Tuberculosis of other organs	26	2	1	2	1			2	6	3	4	5						
35	Disseminated tuberculosis	4							2	1		1							
36	Rickets	26	16	5	1	3		1											
37	Syphilis	153	43	10	3				6	28	22	17	12	7	2	1			2
38	Gonococcus infection	11	1						1	3	4	2							
	Cancer and other malignant tumors (total)	351	1		1		1		3	10	47	80	93	71	30	11	2	1	
39	Of the buccal cavity	9									1	2	3	1	1	1			
40	Of the stomach, liver	99					1		1	3	10	13	32	24	9	5	1		
41	Of the peritoneum, intestines, rectum	31									5	7	8	8	2		1		
42	Of the female genital organs	110								3	15	36	31	19	3	3			
43	Of the breast	46									9	11	11	3	6	1			
44	Of the skin	4								1		1	1	1					
45	Of other organs or of organs not specified	52	1		1				2	3	1	10	7	10	9	1		1	
46	Other tumors (tumors of the female genital organs excepted)	1												1					
47	Acute articular rheumatism	61						3	6	12	3	9	4	7	10	5	1		1
48	Chronic rheumatism and gout	9										3	2		3	1			
50	Diabetes	47							1	1	5	9	14	6	7	2	2		
51	Exophthalmic goiter	2									1		1						
52	Addison's disease	1										1							
53	Leukemia	4			1	1							1						
54	Anemia, chlorosis	13		1				1	3	5	1		1	1					
55	Other general diseases	12	6	2					2		2								
56	Alcoholism (acute or chronic)	1											1						
	II.—Diseases of the nervous system and of the organs of special sense	1,194	89	14	8	7	2	15	37	47	82	177	266	210	151	57	22	2	8
60	Encephalitis	8	1						3	1	1	1							1
61	Meningitis (total)	49	15	9	2	1	1	12	6	1	1	1							
	Simple meningitis	24	10	2				6	3	1	1	1							
	Cerebrospinal meningitis (undefined)	16	4	5	1		1	4	1										
	Cerebrospinal fever	9	1	2	1	1		2	2										
62	Locomotor ataxia	7									2	2	2		1				
63	Other diseases of the spinal cord (total)	37	1	2		1		1		2	4	6	3	9	6	1	1		
	Acute anterior poliomyelitis	6	1	2		1		1			1								
	Other diseases of the spinal cord	31								2	3	6	3	9	6	1	1		
64	Cerebral hemorrhage, apoplexy	704	2							16	46	124	209	153	97	40	10	2	5
65	Softening of the brain	9										1	1	4	2	1			
66	Paralysis without specified cause	158	1						2	3	5	14	30	40	30	15	11		1
67	General paralysis of the insane	19									1	6	10		2				
68	Other forms of mental alineation	18							1	6	5	1	2	1	2				
69	Epilepsy	62	7			1			15	11	6	9	9	1	2				1
70	Convulsions (nonpuerperal)	7						1	2		3	1							
71	Convulsions of infants	66	57	3	3	2	1												
72	Chorea	1			1														
73	Neuralgia and neuritis	7							2	2	1	1			1				
74	Other diseases of the nervous system	33	4		2	2		1	4	4	6	7		1	2				
75	Diseases of the eyes and their annexa	1							1										
76	Diseases of the ears	8	1						1	1	1	3		1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system.	1,351	5	3	1	1	1	9	31	85	121	208	281	262	217	93	27	2	4
77	Pericarditis	9								3	1	2	1	1		1			
78	Acute endocarditis	63				1		1	6	10	3	23	16	1		1	1		
79	Organic diseases of the heart	1,110	3	2			1	7	24	65	107	164	233	224	180	75	21	2	2
80	Angina pectoris	41							1	4	5	9	12	4	4	1			1
81	Diseases of the arteries, atheroma, aneurism, etc	101						1		2	3	6	17	28	27	11	5		1
82	Embolism and thrombosis	18								1	2	3	2	3	5	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2												1		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1	1															
85	Hemorrhage: other diseases of the circulatory system	5	1		1							1			1	1			
	IV.—Diseases of the respiratory system.	1,318	348	110	40	16	17	33	76	122	146	126	100	95	60	19	4	2	4
86	Diseases of the nasal fossae	16	13		1					1			1						
87	Diseases of the larynx	11	5	1	1			1				1	2						
88	Diseases of the thyroid body	6									2	2	1	1					
89	Acute bronchitis	70	40	7	3	1	1	1	3	4	2	2	1	2	2		1		
90	Chronic bronchitis	40	3					3	2	3	4	6	2	8	6	1	1		1
91	Bronchopneumonia	394	174	66	26	8	10	11	16	14	12	9	14	12	15	4	2		1
92	Pneumonia (total)	677	107	35	9	6	2	16	54	92	109	88	61	56	28	11	1	1	1
	Lobar pneumonia	507	45	19	6	3		9	41	84	97	80	54	43	18	5	1	1	1
	Pneumonia (undefined)	170	62	16	3	3	2	7	13	8	12	8	7	13	10	6			
93	Pleurisy	30				1	1		1	4	6	9	3	3	1				1
94	Pulmonary congestion, pulmonary apoplexy	14	2	1							3		4	1	2	1			
95	Gangrene of the lung	3								1			1		1				
96	Asthma	29	1				1			2	2	5	6	8	3	1			
97	Pulmonary emphysema	3					1					1		1					
98	Other diseases of the respiratory system (tuberculosis excepted)	25	3				1	1		1	6	3	4	3	2	1			
	V.—Diseases of the digestive system	1,035	385	107	25	19	6	13	34	65	91	88	82	62	32	18	5	1	2
99	Diseases of the mouth and annexa	16	10	1						1	2	1		1					
100	Diseases of the pharynx	20	3			3		1	1	1	6	2			1	2			
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	32								4	7	10	7	3	1				
103	Other diseases of the stomach (cancer excepted)	135	25	2	2	2	1	3	1	11	25	15	18	17	8	4			1
104	Diarrhea and enteritis (under 2 years)	420	324	96															
105	Diarrhea and enteritis (2 years and over)	138			20	11	3	4	4	14	18	19	14	15	9	3	3	1	
107	Intestinal parasites	6	1	2		1			1	1									
108	Appendicitis and typhlitis	64		1				2	18	14	9	9	8	2	1				
109	Hernia, intestinal obstruction (total)	99	19	5		2	2	1	1	10	12	12	10	12	9	3	1		
	Hernia	38	3	3						3	5	6	5	5	6	1	1		
	Intestinal obstruction	61	16	2		2	2	1	1	7	7	6	5	7	3	2			
110	Other diseases of the intestines	12						1	1	2		1	2	1		3	1		
111	Acute yellow atrophy of the liver	5	2		1				1		1								
113	Cirrhosis of the liver	44							3	1	5	13	13	5	3				1
114	Biliary calculi	10										3	4	2		1			
115	Other diseases of the liver	22	1		2					3	3	3	5	3		2			
117	Simple peritonitis (nonpuerperal)	9						1	2	3	3								
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2							1				1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	881	11	3	5	1		1	11	52	103	121	179	187	130	58	10	7	2
119	Acute nephritis	98	3	2	3			1	1	11	13	20	21	14	6	3			
120	Bright's disease	657	2		2	1			6	25	62	82	149	153	109	49	9	6	2
122	Other diseases of the kidneys and annexa	18	4	1							2	1	1	6	3				
124	Diseases of the bladder	16	2						2	1	1		1	3	4	2			
125	Diseases of the urethra, urinary abscess, etc.	8								3	2	2	1						
126	Diseases of the prostate	23											3	7	8	4		1	
127	Nonvenereal diseases of the male genital organs	1							1										
129	Uterine tumor (noncancerous)	24								1	10	8	1	3			1		
130	Other diseases of the uterus	9								3	1	3	1	1					
131	Cysts and other tumors of the ovary	5								1	3	1							
132	Salpingitis and other diseases of the female genital organs	20							1	6	9	4							
133	Nonpuerperal diseases of the breast (cancer (excepted)	2								1			1						
	VII.—The puerperal state	228							47	90	67	24							
134	Accidents of pregnancy	23							2	10	10	1							
135	Puerperal hemorrhage	14							2	7	5								
136	Other accidents of labor	33							6	13	10	4							
137	Puerperal septicemia	63							9	29	18	7							
138	Puerperal albuminuria and convulsions	88							28	27	23	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								4	1	1							
140	Following childbirth (not otherwise defined)	1										1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	VIRGINIA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	45	6			2				1	1	5	14	4	3	6	3		
142	Gangrene	28	1			1					1	3	9	3	2	5	3		
144	Acute abscess	9	3			1						1	3	1					
145	Other diseases of the skin and annexa	8	2							1		1	2		1	1			
	IX.—Diseases of the bones and of the organs of locomotion	17	1		1			1	2	5	1	2	3	1					
146	Diseases of the bones (tuberculosis excepted)	14	1		1			1	2	5	1	1	1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3										1	2						
	X.—Malformations	58	49	2	1	3		1	2										
150	Congenital malformations (total)	58	49	2	1	3		1	2										
	Hydrocephalus	7	5	1		1													
	Congenital malformations of the heart	27	25					1	1										
	Other congenital malformations	24	19	1	1	2			1										
	XI.—Early infancy	659	659																
151	Congenital debility, icterus, and sclerema (total)	563	563																
	Premature birth	349	349																
	Congenital debility, "atrophy," "marasmus," etc	214	214																
152	Other causes peculiar to early infancy (total)	93	93																
	Injuries at birth	36	36																
	Other causes peculiar to early infancy	57	57																
153	Lack of care	3	3																
	XII.—Old age	196											2	9	61	61	37	26	
154	Senility	196											2	9	61	61	37	26	
	XIII.—External causes	651	42	26	18	25	13	45	105	131	96	50	36	26	21	12	3	2	
	Suicide (total)	16							1	5	6	3	1						
155	By poison	2										2							
158	By drowning	2								1	1								
159	By firearms	11							1	4	4	1	1						
160	By cutting or piercing instruments	1									1								
	Accidental or undefined (total)	497	40	26	18	25	13	44	86	76	51	27	28	25	21	12	3	2	
164	Poisoning by food	12					1		1	2	3	1	1		3				
165	Other acute poisonings	20	2	4	4	3					1	2	2	1	1				
166	Conflagration	36	2	5	2	2	2	9	3		1	1	2	1		5	1		
167	Burns (conflagration excepted)	95	5	13	5	16	8	19	8	2	2	1	2	4	4	4	1	1	
168	Absorption of deleterious gases (conflagration excepted)	21	16						1	2	1					1			
169	Accidental drowning	53			1			2	21	20	5	3		1					
170	Traumatism by firearms	54			3	1		5	30	10	3	2							
171	Traumatism by cutting or piercing instruments	3						1		1	1								
172	Traumatism by fall	38	4		2	1	1	3	3	4	2	1	4	7	4		1	1	
173	Traumatism in mines and quarries (total)	12								5	4	3							
	Traumatism in mines	7									4	3							
	Traumatism in quarries	5								5									
174	Traumatism by machines	16							3	6	2	4	1						
175	Traumatism by other crushing (total)	71		1		1		3	12	13	17	8	7	6	3				
	Railroad accidents and injuries	49		1		1		1	10	10	9	7	4	3	3				
	Street-car accidents and injuries	3								1				2					
	Automobile accidents and injuries	8						2			4	1		1					
	Injuries by other vehicles	4							1		2		1						
	Landslide, other crushing	7							1	2	2		2						
176	Injuries by animals	4				1			1	2									
178	Excessive cold	7					1				1				3	2			
179	Effects of heat	4	2							1	1								
180	Lightning	5						1	1	1			2						
181	Electricity (lightning excepted)	3							1		2								
185	Fractures (cause not specified)	2	1								1								
186	Other external violence	41	8	3	1			1	1	7	4	1	7	5	3				
	Homicide (total)	138	2					1	18	50	39	20	7	1					
182	By firearms	109						1	17	35	33	15	7	1					
183	By cutting or piercing instruments	15							1	9	4	1							
184	By other means	14	2							6	2	4							
	XIV.—Ill-defined diseases	583	287	33	15	4	2	6	14	16	17	28	38	49	37	22	8	5	2
187	Ill-defined organic disease	27			1	1		1		1	3	2	2	4	8	3	1		
188	Sudden death	41	9	1	1			2	1	2		7	6	5	5	1	1		
189	Not specified or ill-defined (total)	515	278	32	13	3	2	3	13	13	14	19	30	40	24	18	6	5	2
	Ill-defined	146	38	23	5	2	1	2	3	4	8	7	17	21	6	7	2		
	Not specified or unknown	369	240	9	8	1	1	1	10	9	6	12	13	19	18	11	4	5	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WASHINGTON.																		
	All causes	15,164	1,797	319	154	113	98	375	788	1,381	1,623	1,546	1,796	2,161	1,868	943	139	7	56
	I.—General diseases	4,786	248	138	76	54	52	171	359	641	704	633	587	613	401	91	10	1	7
1	Typhoid fever	76					1	1	19	16	16	9	7	6	1				
4	Malaria	1						1											
5	Smallpox	18	6	1	1		1	1	1		4			2		1			
6	Measles	75	16	19	16	1	3	11	3	2	1	1	1			1			
7	Scarlet fever	59	2	3	7	3	4	15	15	4	4	1	1						
8	Whooping cough	102	69	24	3		3	2		1									
9	Diphtheria and croup	126	6	8	10	12	15	40	29	4			2						
10	Influenza	1,121	64	47	20	18	8	34	90	201	271	126	77	72	61	26	3	1	2
13	Cholera nostras	1										1							
14	Dysentery	8	2			1		1				1		1	1	1			
17	Leprosy	1										1							
18	Erysipelas	50	12					1	2	1	2	6	6	7	8	3	1		1
19	Other epidemic diseases	1						1											
20	Purulent infection and septicemia	35	5			2		3	2	3	2	5	2	8	2		1		
24	Tetanus	13	1	1				3	2	1	2			3					
25	Mycoses	2											1	1					
	Tuberculosis (total)	1,346	26	27	17	7	13	33	158	355	265	193	114	81	47	7	1		2
28	Tuberculosis of the lungs	1,078	4	5	4	3	6	13	121	299	235	162	93	75	44	6	1		2
29	Acute miliary tuberculosis	37	1	2	1			3	6	16	3	3	2						
30	Tuberculous meningitis	97	19	17	9	3	5	11	12	10	1	6	3	1					
31	Abdominal tuberculosis	65	2	1	3	1	2	1	12	16	12	7	5	2	1				
32	Pott's disease	15						3	2	3	2	2	1	2					
33	White swellings	6		1					2	2	1								
34	Tuberculosis of other organs	38		1				1	2	7	10	9	4	1	2	1			
35	Disseminated tuberculosis	10						1	1	2	1	4	1						
36	Rickets	6	3	1		1									1				
37	Syphilis	131	10	1				1		7	26	37	30	11	7		1		
38	Gonococcus infection	16	1						1	5	5	1	2	1					
	Cancer and other malignant tumors (total)	1,123	2	1		5			5	13	51	186	268	325	222	41	2		2
39	Of the buccal cavity	51	1			1			1		1	3	11	14	14	4	1		
40	Of the stomach, liver	470		1						1	14	58	109	164	101	21			1
41	Of the peritoneum, intestines, rectum	144								1	12	26	34	42	25	4			
42	Of the female genital organs	147							1	4	8	48	40	32	13	1			
43	Of the breast	85									5	28	25	19	8				
44	Of the skin	25										2	4	3	12	3	1		
45	Of other organs or of organs not specified	201	1			4			3	7	11	21	45	51	49	8			1
46	Other tumors (tumors of the female genital organs excepted)	4					1				1		1	1					
47	Acute articular rheumatism	46			1	1		11	11	1	5	6	3	3	3	1			
48	Chronic rheumatism and gout	19							1		1	2		7	5	3			
49	Scurvy	1				1													
50	Diabetes	190		1		1		6	12	10	15	24	38	43	32	7	1		
51	Exophthalmic goiter	30							1	5	5	8	6	4	1				
52	Addison's disease	7								1	3		2	1					
53	Leukemia	27			1	1	1	1	2	2	7	3	6	3					
54	Anemia, chlorosis	76	3	2			1	2	3	2	5	10	14	27	7				
55	Other general diseases	31	20	2			1	3		3		1			1				
56	Alcoholism (acute or chronic)	35							1	2	12	11	5	4					
57	Chronic lead poisoning	2							1					1					
59	Other chronic poisonings	7								2	1		1	1	2				
	II.—Diseases of the nervous system and of the organs of special sense	1,518	49	14	6	8	2	26	44	56	78	145	243	339	339	148	17	1	3
60	Encephalitis	82	4	2	1	3		3	12	13	10	11	15	6		2			
61	Meningitis (total)	64	16	6	3	3		9	9	3	6	4	2	3					
	Simple meningitis	22	4	3	1			3	3	1	2	2	1	2					
	Cerebrospinal meningitis (undefined)	22	6	1		2		5	3	1	2	2							
	Cerebrospinal fever	20	6	2	2	1		1	3	1	2		1	1					
62	Locomotor ataxia	15								1		2	7	4	1				
63	Other diseases of the spinal cord (total)	74	1	1			1	2	3	4	6	6	11	16	15	8			
	Acute anterior poliomyelitis	4					1	1	2										
	Other diseases of the spinal cord	70	1	1				1	1	4	6	6	11	16	15	8			
64	Cerebral hemorrhage, apoplexy	919	2					2	2	4	12	62	160	270	276	113	14	1	1
65	Softening of the brain	6								1			2	2	1				
66	Paralysis without specified cause	74		1		1		1	1	3		3	6	14	24	19	1		
67	General paralysis of the insane	82									16	33	14	12	4	2	1		
68	Other forms of mental alienation	73							2	9	17	16	13	6	6	1	1		2
69	Epilepsy	43		1	1	1			7	13	7	4	4	2	2	1			
70	Convulsions (non-puerperal)	5						2		1	1		1						
71	Convulsions of infants	21	19	2															
72	Chorea	1							1										
73	Neuralgia and neuritis	2									1				1				
74	Other diseases of the nervous system	34	3	1	1			2	5	2		3	4	4	8	1			
76	Diseases of the ears	23	4				1	5	2	2	2	1	4		1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WASHINGTON—Continued.																		
	III.—Diseases of the circulatory system.	2,115	29	5	3	4	2	13	54	63	80	156	310	525	533	297	32	1	8
77	Pericarditis	7								1	1		2	2		1			
78	Acute endocarditis	112	9	2	1	2	2	3	5*	3	12	15	23	14	14	5	1		1
79	Organic diseases of the heart	1,584	13	2	2	1		8	49	49	57	114	229	406	400	225	23	1	5
80	Angina pectoris	112								3	3	11	20	40	30	4			1
81	Diseases of the arteries, atheroma, aneurism, etc.	221								2	1	8	22	49	73	58	7		1
82	Embolism and thrombosis	56						1		1	4	5	12	12	16	4	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7								1	2	2	1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	14	7	1		1		1		1		1	1	1					
85	Hemorrhage; other diseases of the circulatory system	2								2									
	IV.—Diseases of the respiratory system.	1,488	255	83	29	11	6	32	67	126	188	122	125	148	168	93	24	1	5
86	Diseases of the nasal fossae	2														2			
87	Diseases of the larynx	5	2	1	1				1										
88	Diseases of the thyroid body	15			1				1	1	5	4	1	1	1				
89	Acute bronchitis	28	15	3	1						1			5		2			1
90	Chronic bronchitis	44										1	3	3	20	13	4		
91	Bronchopneumonia	431	170	45	10	4		8	14	14	21	16	21	33	42	25	5	1	2
92	Pneumonia (total)	850	64	32	13	6	6	19	48	99	149	92	88	85	88	48	11		2
	Lobar pneumonia	783	50	27	11	6	6	17	41	95	140	87	85	79	82	45	10		2
	Pneumonia (undefined)	67	14	5	2			2	7	4	9	5	3	6	6	3	1		
93	Pleurisy	50	3	1	3	1		3	3	8	5	4	5	8	6				
94	Pulmonary congestion, pulmonary apoplexy	11									1		1		2	5	2		
95	Gangrene of the lung	3									2			1					
96	Asthma	31		1						2	2	4	3	7	8	2	2		
97	Pulmonary emphysema	1						1											
98	Other diseases of the respiratory system (tuberculosis excepted)	17	1					1		2	2	1	3	5	1	1			
	V.—Diseases of the digestive system.	1,010	179	38	25	16	13	39	60	64	84	127	129	114	84	34	3		1
99	Diseases of the mouth and annexa	9						1				3	3	1	1				
100	Diseases of the pharynx	38	1	2	1	2	1	6	11	4	3	4	2	1					
101	Diseases of the esophagus	7	1				1						2		3				
102	Ulcer of the stomach	54							4	3	5	11	11	10	9	1			
103	Other diseases of the stomach (cancer excepted)	55	19	2	2					2	2	6	5	6	5	4	2		
104	Diarrhea and enteritis (under 2 years)	166	137	29															
105	Diarrhea and enteritis (2 years and over)	92			18	11	3	7	3	1	7	10	9	6	12	5			
108	Appendicitis and typhlitis	200	1	1	1	1	5	21	32	35	31	31	23	13	3	2			
109	Hernia, intestinal obstruction (total)	123	12	3	1	1	3	3	3	5	13	20	18	14	16	10	1		
	Hernia	44	6					1		1	2	7	6	6	8	6	1		
	Intestinal obstruction	79	6	3	1	1	3	2	3	4	11	13	12	8	8	4			
110	Other diseases of the intestines	32	3		1				2	1	9	2	5	6	3				
111	Acute yellow atrophy of the liver	8	2							2		2		2					
113	Cirrhosis of the liver	57								1	1	9	14	21	8	2			1
114	Biliary calculi	56									3	12	19	11	10	1			
115	Other diseases of the liver	62			1					4	5	9	11	16	11	5			
116	Diseases of the spleen	1										1							
117	Simple peritonitis (nonpuerperal)	38	2	1		1		1	5	5	4	5	4	4	2	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1							1	1	2	3	3	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,064	12			2	2	12	21	49	78	110	187	254	206	113	13	1	4
119	Acute nephritis	73	9			1	2	8	7	9	5	6	11	6	5	4			
120	Bright's disease	771				1		4	10	18	36	71	145	209	170	92	12		3
122	Other diseases of the kidneys and annexa	26	1						1	2	2	4	7	4	1	3		1	
123	Calculi of the urinary passages	7								1	2	1	1	1	1				
124	Diseases of the bladder	12											2	5	3	2			
125	Diseases of the urethra, urinary abscess, etc.	4									1		1	1					1
126	Diseases of the prostate	64									1	3	5	21	21	12	1		
127	Nonvenereal diseases of the male genital organs	3	2							1									
128	Uterine hemorrhage (nonpuerperal)	2								1				1					
129	Uterine tumor (noncancerous)	32								2	9	12	6	2	1				
130	Other diseases of the uterus	19							1	5	5	4	2	2					
131	Cysts and other tumors of the ovary	16								1	3	3	3	2	4				
132	Salpingitis and other diseases of the female genital organs	35							2	9	14	6	4						
	VII.—The puerperal state	249							17	114	97	20	1						
134	Accidents of pregnancy	59							1	23	30	5							
135	Puerperal hemorrhage	24								10	11	3							
136	Other accidents of labor	36							4	15	16		1						
137	Puerperal septicemia	62							5	35	18	4							
138	Puerperal albuminuria and convulsions	55							7	25	16	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								6	5	1							
141	Puerperal diseases of the breast	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WASHINGTON—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	33	3	1				2	1	2	1	2	4	3	6	6	2		
142	Gangrene	17										1	2	2	5	5	2		
143	Furuncle	6						1	1	1		1	2						
144	Acute abscess	6	1	1				1		1	1			1					
145	Other diseases of the skin and annexa	4	2												1	1			
	IX.—Diseases of the bones and of the organs of locomotion	51	1	2				4	12	6	6	5	7	6	2				
146	Diseases of the bones (tuberculosis excepted)	44	1	2				4	10	5	5	5	6	5	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5							2	1	1		1						
149	Other diseases of the organs of locomotion	2												1	1				
	X.—Malformations	203	179	11	1	1	1	5	4	1									
150	Congenital malformations (total)	203	179	11	1	1	1	5	4	1									
	Hydrocephalus	14	5	3	1	1		2	2										
	Congenital malformations of the heart	130	124	3				1	2										
	Other congenital malformations	59	50	5			1	2		1									
	XI.—Early infancy	764	764																
151	Congenital debility, icterus, and sclerema (total)	603	603																
	Premature birth	517	517																
	Congenital debility, "atrophy," "marmus," etc	86	86																
152	Other causes peculiar to early infancy (total)	161	161																
	Injuries at birth	103	103																
	Other causes peculiar to early infancy	58	58																
	XII.—Old age	180										1	1	5	51	88	33	1	
154	Senility	180										1	1	5	51	88	33	1	
	XIII.—External causes	1,566	32	27	14	16	18	70	145	251	297	216	192	140	69	51	4		24
	Suicide (total)	246							4	32	55	53	46	32	14	6	1		3
155	By poison	34							3	9	2	6	7	3	3	1			
156	By asphyxia	21								3	5	4	2	6			1		
157	By hanging or strangulation	37								2	11	3	6	6	2	1			1
158	By drowning	25								5	4	3	10		1	2			
159	By firearms	93							1	12	24	25	15	12	7	1			1
160	By cutting or piercing instruments	24								1	7	6	4	3	1	1			1
161	By jumping from high places	5									2		2	1					
162	By crushing	2										1		1					
	Accidental or undefined (total)	1,250	32	27	14	16	18	67	137	203	230	146	133	105	55	45	3		19
164	Poisoning by food	14	1	1			1		3		1	1	2	2	2				
165	Other acute poisonings	47	1	4	1	1	1	3	2	5	8	6	8	4	1				2
166	Conflagration	35	2		3	1		1	3	4	5	3	7	4	2				
167	Burns (conflagration excepted)	48	4	3	7	4	3	6	5	1	6	3	3		1	2			
168	Absorption of deleterious gases (conflagration excepted)	38	13	1						5	2	5	10	1	1				
169	Accidental drowning	154		8		1	4	24	31	30	23	10	1	7	1	2			12
170	Traumatism by firearms	44				1	2		22	8	6	2		1		2			
171	Traumatism by cutting or piercing instruments	2	1						1										
172	Traumatism by fall	154	2	4		3		5	7	11	19	9	14	18	25	33	3		1
173	Traumatism in mines and quarries (total)	28								2	12	7	3	3	1				
	Traumatism in mines	26								2	12	6	3	2	1				
	Traumatism in quarries	2										1		1					
174	Traumatism by machines	60						1	5	13	11	14	9	7					
175	Traumatism by other crushing (total)	411	2	2	2	3	6	23	44	80	81	54	50	46	12	2			4
	Railroad accidents and injuries	100		2	1			1	3	21	23	16	17	11	4	1			
	Street-car accidents and injuries	29						1	1	4	3	7	6	5	1				1
	Automobile accidents and injuries	184	1		1	3	6	14	28	28	36	21	18	22	3	1			2
	Injuries by other vehicles	30						5	5	4	3	1	2	5	4				1
	Aeroplane accidents and injuries	5						1		1	3								
	Landslide, other crushing	63	1					1	7	22	13	9	7	3					
176	Injuries by animals	17		2		1	1	2	2	1	4	2	1		1				
177	Starvation	3												1	2				
178	Excessive cold	2									1	1							
179	Effects of heat	3									1		1		1				
180	Lightning	1								1									
181	Electricity (lightning excepted)	17			1				3	2	8	2	1						
185	Fractures (cause not specified)	6								1	2			1	1	1			
180	Other external violence	166	6	2		1		2	9	39	40	27	23	10	4	3			
	Homicide (total)	70						3	4	16	12	17	13	3					2
182	By firearms	51						1	2	14	11	11	10	1					1
183	By cutting or piercing instruments	6						2	1	2		1							
184	By other means	13							1		1	5	3	2					1
	XIV.—Ill-defined diseases	137	46			1	2	1	4	8	10	9	10	14	9	17	1	1	4
187	Ill-defined organic disease	2											1			1			
188	Sudden death	6										1	1	2		2			
189	Not specified or ill-defined (total)	129	46			1	2	1	4	8	10	8	8	12	9	14	1	1	4
	Ill-defined	43	5						1	1	3	5	7	8	6	7			
	Not specified or unknown	86	41			1	2	1	3	7	7	3	1	4	3	7	1	1	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WISCONSIN.																		
	All causes	29,675	4,493	717	365	313	242	748	1,336	2,252	2,344	2,029	2,921	3,989	4,466	2,920	502	21	17
	I.—General diseases	9,034	569	307	169	167	126	390	633	1,141	1,119	803	1,082	1,220	947	326	30	1	4
1	Typhoid fever	65	1	1	.....	1	.....	4	21	13	6	4	10	4	.....	.....	.....	.....	.....
5	Smallpox	10	5	.....	.....	.....	.....	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	234	60	71	26	12	17	26	12	5	1	2	1	1	.....	.....	.....	.....	.....
7	Scarlet fever	257	8	23	27	36	36	79	32	10	5	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	299	187	62	17	12	4	11	3	1	.....	.....	.....	.....	1	.....	1	.....	.....
9	Diphtheria and croup	383	12	27	37	48	37	129	72	10	6	2	3	.....	.....	.....	.....	.....	.....
10	Influenza	1,726	135	75	35	31	11	42	152	359	379	134	107	107	87	65	5	.....	2
13	Cholera nostras	5	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	45	15	3	2	3	2	4	.....	1	2	1	1	1	4	6	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	86	20	1	.....	.....	.....	1	1	5	5	13	17	11	8	4	.....	.....	.....
19	Other epidemic diseases	5	2	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	41	8	.....	1	1	1	.....	3	4	12	3	5	1	2	.....	.....	.....	.....
24	Tetanus	22	3	.....	1	.....	.....	7	2	1	.....	1	6	1	.....	.....	.....	.....	.....
25	Mycoses	5	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,267	35	32	16	10	12	47	232	605	508	288	224	177	67	11	2	.....	1
28	Tuberculosis of the lungs	1,886	10	13	3	2	4	18	180	524	464	252	192	153	54	9	2	.....	1
29	Acute miliary tuberculosis	72	.....	3	3	.....	.....	8	9	25	9	9	3	2	1	.....	.....	.....	.....
30	Tuberculous meningitis	133	19	10	9	8	7	16	23	19	9	5	4	3	1	.....	.....	.....	.....
31	Abdominal tuberculosis	81	2	3	.....	.....	1	4	10	24	12	10	10	2	3	.....	.....	.....	.....
32	Pott's disease	25	1	1	1	.....	.....	1	2	3	1	6	5	4	.....	.....	.....	.....	.....
33	White swellings	12	.....	.....	.....	.....	.....	.....	4	1	2	1	1	2	.....	1	.....	.....	.....
34	Tuberculosis of other organs	39	.....	1	.....	.....	.....	.....	4	4	9	5	7	3	5	1	.....	.....	.....
35	Disseminated tuberculosis	19	3	1	.....	.....	.....	.....	.....	5	2	.....	2	3	3	.....	.....	.....	.....
36	Rickets	17	12	2	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	102	23	2	.....	1	.....	.....	3	12	14	16	14	9	6	2	.....	.....	.....
38	Gonococcus infection	5	2	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,335	5	.....	4	2	1	5	6	24	88	223	507	660	599	191	18	1	1
39	Of the buccal cavity	74	.....	.....	.....	1	.....	.....	.....	.....	1	4	12	20	20	13	2	1	.....
40	Of the stomach, liver	1,103	.....	.....	1	.....	.....	.....	1	3	20	67	239	353	321	93	5	.....	.....
41	Of the peritoneum, intestines, rectum	322	.....	.....	.....	1	.....	.....	2	4	15	25	70	81	99	23	2	.....	.....
42	Of the female genital organs	219	.....	.....	.....	.....	.....	.....	.....	4	24	40	64	45	36	5	1	.....	.....
43	Of the breast	152	.....	.....	.....	.....	.....	.....	.....	2	10	34	44	35	16	9	1	.....	1
44	Of the skin	62	1	.....	1	.....	.....	.....	1	1	1	6	5	14	17	11	4	.....	.....
45	Of other organs or of organs not specified	403	4	.....	2	.....	1	5	2	10	17	47	73	112	90	37	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	7	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	4	.....	.....	.....	.....	.....
47	Acute articular rheumatism	122	.....	.....	.....	1	1	7	31	11	5	7	18	16	14	11	.....	.....	.....
48	Chronic rheumatism and gout	30	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	7	6	10	2	.....	.....
49	Scurvy	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	495	.....	5	.....	4	2	16	45	37	33	36	77	121	100	18	1	.....	.....
51	Exophthalmic goiter	83	.....	.....	.....	.....	.....	.....	4	20	16	17	16	7	2	1	.....	.....	.....
52	Addison's disease	14	.....	.....	.....	1	.....	.....	3	2	3	1	2	1	1	.....	.....	.....	.....
53	Leukemia	59	1	.....	.....	1	.....	2	4	6	11	9	7	12	5	.....	1	.....	.....
54	Anemia, chlorosis	245	6	1	1	2	.....	2	4	4	15	38	56	71	39	6	.....	.....	.....
55	Other general diseases	39	27	2	.....	1	.....	2	1	.....	.....	1	1	2	1	1	.....	.....	.....
56	Alcholism (acute or chronic)	21	.....	.....	.....	.....	.....	.....	1	3	4	4	4	2	3	.....	.....	.....	.....
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	3	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,122	174	29	17	19	13	46	73	84	142	216	395	624	787	453	49	.....	1
60	Encephalitis	56	8	1	5	1	1	3	5	4	7	10	7	1	2	1	.....	.....	.....
61	Meningitis (total)	137	29	8	6	10	7	19	18	10	9	6	9	4	1	1	.....	.....	.....
	Simple meningitis	69	15	4	4	6	3	5	6	6	4	4	7	3	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	27	7	2	.....	1	1	7	3	1	1	2	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	41	7	2	2	3	3	7	9	3	4	.....	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	32	.....	.....	.....	.....	.....	.....	.....	2	4	7	4	4	9	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	162	3	1	2	2	.....	6	6	5	12	13	29	36	34	12	1	.....	.....
	Acute anterior poliomyelitis	18	2	1	1	1	.....	5	4	2	1	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord	144	1	.....	1	1	.....	1	2	3	11	13	29	35	34	12	1	.....	.....
64	Cerebral hemorrhage, apoplexy	2,015	3	1	.....	2	.....	3	2	14	32	91	270	500	656	339	41	.....	1
65	Softening of the brain	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	8	3	2	.....	.....
66	Paralysis without specified cause	95	.....	.....	.....	.....	.....	.....	1	.....	2	3	7	20	39	20	3	.....	.....
67	General paralysis of the insane	143	.....	.....	.....	.....	.....	.....	.....	5	33	47	28	15	9	5	1	.....	.....
68	Other forms of mental alienation	85	.....	.....	.....	.....	.....	.....	1	7	13	17	19	12	12	3	1	.....	.....
69	Epilepsy	94	.....	1	.....	.....	1	6	22	17	15	8	4	7	10	3	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	138	122	11	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	15	.....	.....	.....	.....	1	.....	.....	3	1	1	1	5	1	2	.....	.....	.....
74	Other diseases of the nervous system	88	2	2	1	2	1	3	13	12	11	13	10	13	4	1	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
76	Diseases of the ears	38	7	4	.....	1	1	4	4	4	3	.....	5	3	2	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WISCONSIN—Continued.																		
	III.—Diseases of the circulatory system.	4,133	40	8	3	2	4	28	86	76	140	224	464	900	1,166	868	119	4	1
77	Pericarditis	14								2	1	2	2	2	4	1			
78	Acute endocarditis	243	12	4		2	1	12	20	16	22	38	66	15	24	11			
79	Organic diseases of the heart	3,053	10	2	2		2	16	62	55	100	145	320	718	916	625	77	2	1
80	Angina pectoris	174									7	13	29	55	41	28	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	485									2	10	26	75	148	185	37	2	
82	Embolism and thrombosis	119	3	1	1				1	3	6	12	14	31	27	16	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	21									1	4	6	4	5	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	20	15	1			1		2						1				
85	Hemorrhage; other diseases of the circulatory system	4							1		1		1			1			
	IV.—Diseases of the respiratory system.	3,671	630	185	72	44	24	72	133	302	319	228	312	379	542	352	71	4	2
86	Diseases of the nasal fossæ	5	1	1									2		1				
87	Diseases of the larynx	15	3	1	2	2		1		1	1		1		3				
88	Diseases of the thyroid body	32	6						1	4	5	3	8	4	1				
89	Acute bronchitis	201	85	18	5	4	2	2				4	5	14	22	31	9		
90	Chronic bronchitis	173	2	2				1		2	2	1	13	21	47	62	19	1	
91	Bronchopneumonia	1,079	342	87	36	17	6	14	22	61	46	35	44	80	172	101	15	1	
92	Pneumonia (total)	1,910	181	69	27	20	13	46	103	219	246	162	207	225	242	122	24	2	2
	Lobar pneumonia	1,577	141	53	21	16	10	36	85	202	228	143	177	181	192	76	13	1	2
	Pneumonia (undefined)	333	40	16	6	4	3	10	18	17	18	19	30	44	50	46	11	1	
93	Pleurisy	89	4	3	1	1	3	5	2	13	11	12	11	6	12	5			
94	Pulmonary congestion, pulmonary apoplexy	42	3						3	1	2	1	1	4	12	12	3		
95	Gangrene of the lung	7										3	2	2					
96	Asthma	86	1	3	1			3	1	1	4	4	10	16	24	17	1		
97	Pulmonary emphysema	4	1										1		1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	28	1	1					1		2	3	7	7	5	1			
	V.—Diseases of the digestive system.	2,463	784	133	57	38	36	79	137	145	137	149	188	236	222	105	15	1	1
99	Diseases of the mouth and annexa	18	2	1	1	1			1	1	3	1	1	5	1				
100	Diseases of the pharynx	94	4	5	4	3	8	8	20	13	5	8	6	3	5	2			
101	Diseases of the esophagus	1											1						
102	Ulcer of the stomach	80	2							10	10	13	12	11	13	9			
103	Other diseases of the stomach (cancer excepted)	167	76	6	6		1	3	1	4	2	5	2	17	20	20	4		
104	Diarrhea and enteritis (under 2 years)	746	639	107															
105	Diarrhea and enteritis (2 years and over)	209			39	24	15	24	5	12	6	10	12	24	21	13	4		
108	Appendicitis and typhlitis	394	1	4	2	7	5	35	93	73	58	47	36	17	15				1
109	Hernia, intestinal obstruction (total)	274	40	5	3	2	4	3	7	14	21	14	26	45	59	27	4		
	Hernia	69	6			1				2	5	1	10	16	14	12	2		
	Intestinal obstruction	205	34	5	3	1	4	3	7	12	16	13	16	29	45	15	2		
110	Other diseases of the intestines	37	9	2			1	2	1	2	3	3	4	3	3	4			
111	Acute yellow atrophy of the liver	10	3								1		1		3	1	1		
112	Hydatid tumor of the liver	2											1	1					
113	Cirrhosis of the liver	188						1	3		9	20	35	55	48	16	1		
114	Biliary calculi	92								4	9	11	25	23	17	3			
115	Other diseases of the liver	99	3	1	1			1	3	6	7	11	17	26	14	7	1	1	
116	Diseases of the spleen	3								1				2					
117	Simple peritonitis (nonpuerperal)	35	5	2	1	1	2	2	3	3	3	4	3		3	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	14								2		2	6	4					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,924	19	5	2	2		11	39	60	93	163	274	416	481	304	51	1	3
119	Acute nephritis	102	11	1	1			4	12	14	8	11	14	13	3	7	2		1
120	Bright's disease	1,535	5	3		2		5	18	31	56	112	228	369	420	241	42	1	2
122	Other diseases of the kidneys and annexa	48	2	1				1	2	3	6	8	9	8	5	3			
123	Calculi of the urinary passages	10									1	2	1	1	2	3			
124	Diseases of the bladder	38			1			1	3					4	14	13	2		
125	Diseases of the urethra, urinary abscess, etc.	1													1				
126	Diseases of the prostate	100								1	2	1	6	16	35	34	5		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2									1		1						
129	Uterine tumor (noncancerous)	34								2	6	16	5	1	1	3			
130	Other diseases of the uterus	19								3	3	6	5	2					
131	Cysts and other tumors of the ovary	13							1	1	3	2	4	2					
132	Salpingitis and other diseases of the female genital organs	21							3	5	7	5	1						
	VII.—The puerperal state	395							21	190	150	34							
134	Accidents of pregnancy	52							2	25	20	5							
135	Puerperal hemorrhage	45								12	26	7							
136	Other accidents of labor	66							3	34	20	9							
137	Puerperal septicemia	123							8	65	41	9							
138	Puerperal albuminuria and convulsions	88							8	44	33	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	19								10	8	1							
140	Following childbirth (not otherwise defined)	2									2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 yrs. and over.	
	WISCONSIN—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	121	26	1	.....	.....	1	3	7	8	5	6	9	7	24	23	1	.....	.....
142	Gangrene	48	.....	.....	.....	.....	.....	1	.....	.....	2	1	3	5	17	18	1	.....	.....
143	Furuncle	17	5	.....	.....	.....	.....	.....	4	1	1	1	3	.....	1	1	.....	.....	.....
144	Acute abscess	16	5	.....	.....	.....	.....	2	1	3	1	3	.....	.....	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	40	16	1	.....	.....	1	.....	2	4	1	1	3	2	5	4	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	68	6	3	1	1	2	6	11	6	9	3	5	6	4	4	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	60	6	3	1	1	1	6	9	5	9	3	4	5	3	3	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	.....	.....	.....	.....	1	.....	2	.....	.....	.....	1	1	1	1	.....	.....	.....
149	Other diseases of the organs of lomocotion	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	349	329	4	4	3	3	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (total)	349	329	4	4	3	3	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	28	23	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	202	192	1	2	1	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	119	114	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,805	1,805	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,397	1,397	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,164	1,164	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	233	233	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	406	406	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	224	224	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy	182	182	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	756	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	17	173	401	154	9	.....
154	Senility	756	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	17	173	401	154	9	.....
	XIII.—External causes	1,704	52	35	38	36	32	109	187	235	229	198	175	168	112	81	11	1	5
	Suicide (total)	265	.....	.....	.....	.....	.....	.....	4	31	51	60	56	33	22	5	3	.....	.....
155	By poison	36	.....	.....	.....	.....	.....	.....	1	6	6	11	7	3	2	.....	.....	.....	.....
156	By asphyxia	11	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	2	.....	1	.....	.....	.....
157	By hanging or strangulation	91	.....	.....	.....	.....	.....	.....	1	11	15	22	15	15	9	1	2	.....	.....
158	By drowning	17	.....	.....	.....	.....	.....	.....	.....	1	3	4	4	1	4	.....	.....	.....	.....
159	By firearms	81	.....	.....	.....	.....	.....	.....	2	11	20	18	18	7	4	1	.....	.....	.....
160	By cutting or piercing instruments	18	.....	.....	.....	.....	.....	.....	.....	.....	3	3	5	3	2	1	1	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
163	Other suicides	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,395	49	35	38	36	32	105	181	189	170	131	116	134	90	76	8	1	4
164	Poisoning by food	24	4	1	2	.....	1	3	1	3	2	1	4	2	.....	.....	.....	.....	.....
165	Other acute poisonings	31	2	3	5	.....	2	1	1	3	5	5	1	2	.....	1	.....	.....	.....
166	Conflagration	22	2	2	3	2	2	2	1	1	1	1	.....	.....	2	2	1	.....	.....
167	Burns (conflagration excepted)	118	3	11	14	9	8	16	8	13	8	6	7	8	2	5	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	60	22	2	1	.....	.....	.....	1	9	4	2	6	7	2	4	.....	.....	.....
169	Accidental drowning	175	4	7	5	4	1	21	51	32	14	11	8	10	2	4	.....	.....	1
170	Traumatism by firearms	46	.....	.....	.....	1	1	6	22	7	3	4	.....	2	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
172	Traumatism by fall	235	3	2	3	5	4	3	13	15	17	15	16	39	43	50	6	.....	1
173	Traumatism in mines and quarries (total)	8	.....	.....	.....	.....	.....	.....	.....	3	3	.....	1	1	.....	.....	.....	.....	.....
	Traumatism in mines	5	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
174	Traumatism by machines	74	.....	.....	.....	.....	.....	1	13	15	19	7	14	3	1	.....	.....	.....	1
175	Traumatism by other crushing (total)	398	2	3	2	11	11	40	43	65	55	50	40	41	24	9	1	.....	1
	Railroad accidents and injuries	126	.....	1	.....	2	1	5	15	24	20	17	17	13	7	2	1	.....	1
	Street-car accidents and injuries	31	.....	.....	.....	1	.....	2	1	1	9	5	3	4	4	1	.....	.....	.....
	Automobile accidents and injuries	167	2	1	2	5	10	29	17	31	16	18	13	11	8	4	.....	.....	.....
	Injuries by other vehicles	55	.....	1	.....	3	.....	3	9	7	3	8	5	10	4	2	.....	.....	.....
	Aeroplane accidents and injuries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	18	.....	.....	.....	.....	.....	1	1	2	6	2	2	3	1	.....	.....	.....	.....
176	Injuries by animals	27	.....	.....	.....	.....	.....	3	5	1	2	2	5	6	3	.....	.....	.....	.....
178	Excessive cold	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....
179	Effects of heat	8	2	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	2	.....	.....	.....	.....
180	Lightning	14	.....	.....	.....	.....	1	2	5	1	2	2	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	34	.....	.....	.....	.....	.....	1	4	10	11	5	3	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	13	.....	.....	.....	.....	.....	1	3	.....	.....	3	2	3	1	.....	.....	.....	.....
186	Other external violence	102	5	4	3	4	1	5	7	11	24	15	7	9	6	1	.....	.....	.....
	Homicide (total)	44	3	.....	.....	.....	.....	4	2	15	8	7	3	1	.....	.....	.....	.....	1
182	By firearms	25	.....	.....	.....	.....	.....	2	2	10	1	7	2	.....	.....	.....	.....	.....	1
183	By cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
184	By other means	14	3	.....	.....	.....	.....	2	.....	4	3	.....	1	1	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	130	59	7	2	1	1	2	6	4	1	5	15	16	8	3	.....	.....	.....
187	Ill-defined organic disease	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....
188	Sudden death	13	4	.....	.....	.....	.....	1	1	.....	.....	3	1	2	1	.....	.....	.....	.....
189	Not specified or ill-defined (total)	114	55	7	2	1	1	1	5	4	1	2	14	14	5	2	.....	.....	.....
	Ill-defined	30	10	6	.....	.....	1	.....	4	2	.....	.....	1	4	1	1	.....	.....	.....
	Not specified or unknown	84	45	1	2	1	.....	1	1	2	1	2	13	10	4	1	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920.

[The numbers in parentheses after the causes of death correspond to those of the 1909 revision of the detailed International List. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920, are shown by color, except when the deaths for colored numbered less than 500.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (TOTAL).																		
All causes	2,982	484	107	37	12	21	63	216	434	408	375	284	274	181	75	7	3	1
Typhoid fever (1)	27	.....	1	1	.....	.....	1	10	9	3	.....	2	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	5	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	1	.....	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	29	18	8	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	12	1	2	1	.....	2	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	212	22	13	6	2	3	4	15	36	28	29	18	20	12	3	.....	1	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	18	7	2	1	1	.....	1	.....	.....	1	.....	1	3	1	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	254	.....	1	.....	.....	.....	7	41	90	55	33	13	9	5	.....	.....	.....	.....
Tuberculous meningitis (30)	10	3	1	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	28	1	1	.....	.....	.....	1	3	7	4	1	7	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	107	.....	.....	.....	.....	.....	2	4	4	13	18	18	32	11	5	.....	.....	.....
Meningitis (61)	12	3	3	1	1	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	154	.....	.....	.....	.....	.....	1	.....	6	15	36	27	36	21	12	.....	.....	.....
Organic diseases of the heart (79)	225	1	.....	.....	1	1	2	2	15	25	38	39	46	36	17	2	.....	.....
Acute bronchitis (89)	5	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....	2	.....	.....	.....	.....
Pneumonia (92)	245	23	6	4	1	1	1	18	51	49	35	25	12	12	6	.....	1	.....
Bronchopneumonia (91)	95	46	9	4	1	2	3	3	2	5	6	3	1	10	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	23	.....	1	1	.....	.....	1	2	1	6	5	3	1	1	1	.....	.....	.....
Diseases of the stomach (102, 103)	29	11	.....	.....	.....	.....	.....	2	2	1	6	1	4	.....	1	1	.....	.....
Diarrhea and enteritis (104, 105)	106	52	35	4	1	1	2	.....	2	4	1	2	1	1	.....	.....	.....	.....
Appendicitis and typhlitis (108)	78	.....	.....	.....	.....	.....	2	24	13	17	11	7	3	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	31	1	2	1	1	.....	.....	1	6	3	5	5	2	4	.....	.....	.....	.....
Cirrhosis of the liver (113)	16	.....	.....	.....	.....	.....	.....	.....	2	1	2	3	7	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	176	5	.....	.....	.....	.....	2	4	11	23	29	33	36	24	6	2	1	.....
Diseases of the female genital organs (128–132)	28	.....	.....	.....	.....	.....	.....	.....	11	8	6	3	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	18	.....	.....	.....	.....	.....	.....	3	11	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	48	.....	.....	.....	.....	.....	.....	8	23	15	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	193	191	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	8	2	.....	.....
Violent deaths (suicide excepted) (164–186)	261	7	4	6	1	5	16	33	72	51	23	21	12	7	3	.....	.....	.....
Suicide (155–163)	13	.....	.....	.....	.....	.....	.....	3	3	4	1	1	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	17	7	3	.....	.....	.....	2	1	1	1	.....	1	.....	.....	.....	.....	.....	1
All other causes	474	81	10	5	1	4	7	35	50	68	83	47	46	26	11	.....	.....	.....
BIRMINGHAM, ALA. (WHITE).																		
All causes	1,361	213	51	16	10	11	31	82	139	141	145	133	199	137	49	3	.....	1
Typhoid fever (1)	5	.....	1	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	1	.....	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	12	7	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	11	1	1	1	.....	2	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	87	6	3	2	1	.....	1	3	13	14	16	8	12	7	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 4–19)	14	2	2	1	1	.....	1	.....	.....	1	.....	.....	3	1	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	54	.....	1	.....	.....	.....	1	7	9	7	14	5	6	4	.....	.....	.....	.....
Tuberculous meningitis (30)	3	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	.....	1	.....	.....	.....	1	2	1	3	1	4	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	71	.....	.....	.....	.....	.....	1	3	.....	7	9	12	26	9	4	.....	.....	.....
Meningitis (61)	10	2	3	1	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	59	.....	.....	.....	.....	.....	.....	.....	2	2	4	9	24	12	6	.....	.....	.....
Organic diseases of the heart (79)	107	.....	.....	.....	1	.....	2	2	2	3	10	13	33	29	11	1	.....	.....
Acute bronchitis (89)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Pneumonia (92)	96	4	.....	1	1	1	1	5	13	21	16	10	9	10	4	.....	.....	.....
Bronchopneumonia (91)	37	11	4	1	1	1	.....	2	1	3	1	2	1	9	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	9	.....	1	1	.....	.....	.....	1	.....	3	.....	.....	1	1	1	.....	.....	.....
Diseases of the stomach (102, 103)	15	5	.....	.....	.....	.....	.....	1	1	.....	3	.....	3	.....	1	1	.....	.....
Diarrhea and enteritis (104, 105)	56	28	21	1	1	1	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
Appendicitis and typhlitis (108)	51	.....	.....	.....	.....	.....	2	17	6	8	9	5	3	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	19	1	1	1	1	.....	.....	.....	2	2	3	3	2	3	.....	.....	.....	.....
Cirrhosis of the liver (113)	11	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	5	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119–120)	85	2	.....	.....	.....	.....	.....	1	3	11	8	11	27	18	3	1	.....	.....
Diseases of the female genital organs (128–130)	6	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	11	.....	.....	.....	.....	.....	.....	.....	9	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	29	.....	.....	.....	.....	.....	.....	1	18	9	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	100	98	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	7	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	121	3	1	3	.....	1	10	18	28	17	12	11	9	5	3	.....	.....	.....
Suicide (155–163)	11	.....	.....	.....	.....	.....	.....	3	3	3	1	1	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
All other causes	224	35	4	3	1	3	4	14	19	22	30	32	32	19	6	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (COLORED).																		
All causes	1,621	271	56	21	2	10	32	134	295	267	230	151	75	44	26	4	3	.....
Typhoid fever (1)	22	.....	.....	1	.....	.....	1	10	6	2	.....	2	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	5	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	17	11	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	125	16	10	4	1	3	3	12	23	14	13	10	8	5	2	.....	1	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	200	.....	.....	.....	.....	.....	6	34	81	48	19	8	3	1	.....	.....	.....	.....
Tuberculous meningitis (30)	7	3	1	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	12	1	.....	.....	.....	.....	.....	1	6	1	.....	3	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	36	.....	.....	.....	.....	.....	1	1	4	6	9	6	6	2	1	.....	.....	.....
Meningitis (61)	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64–65)	95	.....	.....	.....	.....	.....	1	.....	4	13	32	18	12	9	6	.....	.....	.....
Organic diseases of the heart (79)	118	1	.....	.....	.....	1	.....	.....	13	22	28	26	13	7	6	1	.....	.....
Acute bronchitis (89)	4	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	.....
Pneumonia (92)	149	19	6	3	.....	.....	.....	13	38	28	19	15	3	2	2	.....	1	.....
Bronchopneumonia (91)	58	35	5	3	.....	1	3	1	1	2	5	1	.....	1	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	14	.....	.....	.....	.....	.....	1	1	1	3	5	3	.....	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	14	6	.....	.....	.....	.....	.....	1	1	1	3	1	1	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	50	24	14	3	.....	.....	2	.....	2	3	1	1	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	27	.....	.....	.....	.....	.....	.....	7	7	9	2	2	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	12	.....	1	.....	.....	.....	.....	1	4	1	2	2	.....	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	91	3	.....	.....	.....	.....	2	3	8	12	21	22	9	6	3	1	1	.....
Diseases of the female genital organs (128–132)	22	.....	.....	.....	.....	.....	.....	.....	9	7	3	3	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	7	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	19	.....	.....	.....	.....	.....	.....	7	5	6	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....
Violent deaths (suicide excepted) (164–186)	140	4	3	3	1	4	6	15	44	34	11	10	3	2	.....	.....	.....	.....
Suicide (155–163)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	12	4	3	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	250	46	6	2	.....	1	3	21	31	46	53	15	14	7	5	.....	.....	.....
LOS ANGELES, CALIF. (TOTAL).																		
All causes	8,274	830	177	79	56	38	175	302	646	843	876	1,104	1,319	1,169	588	68	4	.....
Typhoid fever (1)	15	.....	.....	.....	.....	.....	2	2	3	4	3	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	36	6	12	5	3	2	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	5	.....	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	53	30	14	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	72	3	8	4	3	10	26	11	3	.....	3	1	.....	.....	.....	.....	.....	.....
Influenza (10)	204	4	7	1	3	.....	5	18	40	52	36	16	13	7	2	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	24	2	2	1	.....	1	1	1	.....	4	2	2	2	5	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	974	5	3	4	4	1	13	73	239	243	154	117	76	29	12	1	.....	.....
Tuberculous meningitis (30)	40	8	3	2	2	2	3	10	6	.....	3	1	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	71	2	1	.....	1	2	5	8	13	12	11	10	6	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	796	1	2	1	1	1	2	1	13	48	120	185	217	152	48	4	.....	.....
Meningitis (61)	33	11	1	2	1	.....	5	3	1	4	2	2	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	580	2	1	.....	.....	.....	1	1	6	12	33	89	154	190	87	4	.....	.....
Organic diseases of the heart (79)	1,084	3	.....	.....	.....	.....	4	14	27	51	100	164	288	265	155	13	.....	.....
Acute bronchitis (89)	41	21	6	3	2	.....	1	.....	1	.....	1	.....	2	.....	3	1	.....	.....
Chronic bronchitis (90)	35	1	.....	.....	.....	.....	.....	.....	.....	.....	1	6	6	11	9	1	.....	.....
Pneumonia (92)	265	22	7	1	5	1	10	10	33	51	28	25	35	23	14	.....	.....	.....
Bronchopneumonia (91)	230	53	23	12	4	3	20	6	15	19	13	21	12	19	8	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	68	1	.....	1	1	.....	.....	4	7	6	13	8	10	9	7	1	.....	.....
Diseases of the stomach (102, 103)	67	4	1	.....	.....	.....	.....	1	3	3	13	11	13	10	7	1	.....	.....
Diarrhea and enteritis (104, 105)	324	210	51	12	6	2	4	1	3	1	4	6	6	13	5	.....	.....	.....
Appendicitis and typhlitis (108)	86	1	1	.....	2	.....	4	7	15	14	13	17	5	6	1	.....	.....	.....
Hernia, intestinal obstruction (109)	77	8	2	.....	1	.....	1	1	1	8	9	16	11	13	5	1	.....	.....
Cirrhosis of the liver (113)	67	.....	1	.....	.....	.....	1	1	1	2	10	20	16	12	3	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	610	5	.....	1	.....	1	2	10	10	37	78	100	145	144	68	9	.....	.....
Diseases of the female genital organs (128, 132)	68	.....	.....	.....	.....	.....	.....	.....	10	23	18	10	4	3	.....	.....	.....	.....
Puerperal septicemia (137)	38	.....	.....	.....	.....	.....	.....	3	17	15	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	56	.....	.....	.....	.....	.....	.....	4	15	31	6	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	319	304	5	2	1	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	16	25	11	1	.....
Violent deaths (suicide excepted) (164–186)	554	9	10	10	10	5	27	58	84	89	61	51	55	48	30	7	.....	.....
Suicide (155–163)	116	.....	.....	1	.....	.....	.....	4	18	30	18	18	18	4	6	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
All other causes	1,202	113	15	10	5	5	28	46	60	82	118	206	217	190	92	12	3	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOS ANGELES, CALIF. (WHITE).																		
All causes	7,735	741	159	70	43	33	164	231	570	762	800	1,039	1,275	1,148	578	68	1	
Typhoid fever (1)	12						2	2	2	2	3	1						
Typhus fever (2)	1							1										
Malaria (4)																		
Smallpox (5)																		
Measles (6)	35	6	11	5	3	2	6	1			1							
Scarlet fever (7)	5		1					1	1	2								
Whooping cough (8)	45	24	13	6	1	1												
Diphtheria and croup (9)	69	3	6	4	3	10	25	11	3		3	1						
Influenza (10)	187	3	7	1	3		5	17	36	47	32	14	13	7	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	22	1	2	1		1	1			4	2	2	2	5	1			
Tuberculosis of the lungs (28, 29)	867	5	2	4	2		9	64	205	221	136	111	69	27	11	1		
Tuberculous meningitis (30)	34	6	3	2	1	2	3	10	4		2	1						
Other forms of tuberculosis (31-35)	64	2	1			2	4	8	9	12	11	10	5					
Cancer and other malignant tumors (39-45)	772	1	2	1	1	1	2	1	12	46	116	175	212	150	48	4		
Meningitis (61)	26	8		2	1		3	3	1	4	2	1	1					
Cerebral hemorrhage and softening (64, 65)	564	2	1				1		6	11	30	82	152	188	87	4		
Organic diseases of the heart (79)	1,032	3					4	12	26	45	91	153	276	259	150	13		
Acute bronchitis (89)	37	17	6	3	2		1		1		1		2		3	1		
Chronic bronchitis (90)	33										1	6	5	11	9	1		
Pneumonia (92)	240	16	5		5	1	9	10	30	44	25	24	34	23	14			
Bronchopneumonia (91)	211	49	21	10	3	1	20	6	15	15	9	21	12	19	8	2		
Other diseases, respiratory system (86-88, 93-98)	65	1		1	1			4	6	6	12	7	10	9	7	1		
Diseases of the stomach (102, 103)	59	2					1	2	3	13	9	11	10	7	1			
Diarrhea and enteritis (104, 105)	292	186	47	11	5	2	4		3	1	4	5	6	13	5			
Appendicitis and typhlitis (108)	81	1	1		2		4	7	13	12	12	17	5	6	1			
Hernia, intestinal obstruction (109)	75	8	2		1		1	1	1	7	9	15	11	13	5	1		
Cirrhosis of the liver (113)	64		1				1	1	1	2	10	19	14	12	3			
Acute nephritis and Bright's disease (119, 120)	580	5		1		1	2	8	10	35	69	94	137	141	68	9		
Diseases of the female genital organs (128-132)	60								8	20	16	10	3	3				
Puerperal septicemia (137)	31							3	14	11	3							
Other puerperal causes (134-136, 138-141)	48							4	11	28	5							
Congenital debility and malformations (150, 151)	291	277	5	1	1	1	4	1	1									
Senility (154)	58												6	16	25	11		
Violent deaths (suicide excepted) (164-186)	522	9	9	8	8	5	26	58	74	83	56	48	54	47	30	7		
Suicide (155-163)	111							3	17	29	17	17	18	4	6			
Unknown or ill-defined diseases (187-189)	3	1									1	1						
All other causes	1,139	105	13	9	5	3	27	43	58	72	108	195	215	185	88	12	1	
LOS ANGELES, CALIF. (COLORED).																		
All causes	539	89	18	9	8	5	11	21	76	81	76	65	46	21	10		3	
Typhoid fever (1)	3								1	2								
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	1		1															
Scarlet fever (7)																		
Whooping cough (8)	8	6	1	1														
Diphtheria and croup (9)	3		2				1											
Influenza (10)	17	1						1	4	5	4	2						
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	2	1						1										
Tuberculosis of the lungs (28, 29)	107		1		2	1	4	9	34	22	18	6	7	2	1			
Tuberculous meningitis (30)	6	2			1				2		1							
Other forms of tuberculosis (31-35)	7				1		1		4				1					
Cancer and other malignant tumors (39-45)	24								1	2	4	10	5	2				
Meningitis (61)	7	3	1				2					1						
Cerebral hemorrhage and softening (64, 65)	16							1		1	3	7	2	2				
Organic diseases of the heart (79)	52							2	1	6	9	11	12	6	5			
Acute bronchitis (89)	4	4																
Chronic bronchitis (90)	2	1											1					
Pneumonia (92)	25	6	2	1			1		3	7	3	1	1					
Bronchopneumonia (91)	19	4	2	2	1	2				4	4							
Other diseases, respiratory system, (86-88, 93-98)	3								1		1	1						
Diseases of the stomach (102, 103)	8	2	1						1			2	2					
Diarrhea and enteritis (104, 105)	32	24	4	1	1			1				1						
Appendicitis and typhlitis (108)	5								2	2	1							
Hernia, intestinal obstruction (109)	2									1		1						
Cirrhosis of the liver (113)	3											1	2					
Acute nephritis and Bright's disease (119, 120)	30							2		2	9	6	8	3				
Diseases of the female genital organs (128-132)	8								2	3	2		1					
Puerperal septicemia (137)	7								3	4								
Other puerperal causes (134-136, 138-141)	8								4	3	1							
Congenital debility and malformations (150, 151)	28	27		1														
Senility (154)	2												1				1	
Violent deaths (suicide excepted) (164-186)	32		1	2	2		1		10	6	5	3	1	1				
Suicide (155-163)	5							1	1	1	1	1						
Unknown or ill-defined diseases (187-189)																		
All other causes	63	8	2	1		2	1	3	2	10	10	11	2	5	4		2	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OAKLAND, CALIF.																		
All causes	2,585	293	54	32	23	18	56	101	193	218	262	332	402	353	207	40	1	.....
Typhoid fever (1)	13	.....	.....	.....	.....	.....	1	.....	8	1	3	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	22	5	8	2	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	1	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	11	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	26	2	4	2	3	4	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	160	5	8	4	2	2	6	8	38	39	15	11	13	6	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	10	4	1	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	182	2	.....	4	1	1	1	19	46	24	29	34	13	7	1	.....	.....	.....
Tuberculous meningitis (30)	21	2	4	4	1	1	3	2	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	1	1	.....	.....	.....	1	3	3	1	4	1	.....	.....	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	219	.....	.....	.....	.....	.....	.....	.....	1	8	34	55	59	48	13	1	.....	.....
Meningitis (61)	13	.....	1	.....	1	1	1	3	2	.....	1	1	1	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	181	.....	.....	.....	.....	.....	.....	.....	1	2	16	31	57	39	30	5	.....	.....
Organic diseases of the heart (79)	436	1	.....	.....	.....	.....	2	4	7	23	36	71	98	115	66	13	.....	.....
Acute bronchitis (89)	15	8	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	1	1	2	.....	.....
Chronic bronchitis (90)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....	.....
Pneumonia (92)	139	9	2	.....	2	1	6	9	12	28	16	15	14	11	13	1	.....	.....
Bronchopneumonia (91)	101	41	10	6	2	3	5	4	2	3	3	4	5	9	3	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	17	2	.....	1	1	.....	1	1	3	1	.....	1	2	1	2	1	.....	.....
Diseases of the stomach (102, 103)	23	3	1	.....	.....	.....	.....	.....	.....	.....	8	4	4	3	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	56	36	7	3	1	1	1	.....	1	.....	2	1	1	1	1	.....	.....	.....
Appendicitis and typhlitis (108)	28	.....	.....	.....	.....	.....	6	1	5	9	3	3	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	28	3	.....	.....	.....	.....	.....	.....	.....	3	7	1	5	4	5	.....	.....	.....
Cirrhosis of the liver (113)	24	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	8	9	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	196	1	.....	2	.....	.....	1	.....	9	14	29	33	50	35	17	5	.....	.....
Diseases of the female genital organs (128–132)	16	.....	.....	.....	.....	.....	.....	.....	2	4	7	2	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	6	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	22	.....	.....	.....	.....	.....	.....	4	12	6	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	102	101	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....
Violent deaths (suicide excepted) (164–186)	127	6	2	1	4	2	5	21	11	21	16	7	11	7	12	1	.....	.....
Suicide (155–163)	42	.....	.....	.....	.....	.....	.....	1	9	8	6	9	9	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	314	52	3	2	2	.....	4	15	16	14	21	43	49	50	35	7	1	.....
SAN FRANCISCO, CALIF.																		
All causes	7,259	558	116	69	40	41	136	256	599	842	918	1,125	1,152	934	408	62	.....	3
Typhoid fever (1)	15	.....	.....	.....	.....	.....	.....	4	2	5	3	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Malaria (4)	4	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	30	4	11	3	2	3	4	.....	.....	1	1	.....	.....	.....	.....	.....	.....	1
Scarlet fever (7)	9	.....	.....	.....	1	2	2	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (8)	30	15	7	5	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	91	3	7	9	7	9	40	9	2	2	2	.....	1	.....	.....	.....	.....	.....
Influenza (10)	387	17	7	4	2	4	10	23	82	127	53	23	20	11	4	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	29	10	1	1	.....	.....	1	.....	2	2	3	3	5	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	579	7	2	2	1	2	3	35	131	128	119	84	54	10	1	.....	.....	.....
Tuberculous meningitis (30)	49	5	6	8	3	4	5	4	11	1	.....	1	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	54	1	.....	.....	1	1	3	5	13	11	10	4	3	2	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	773	1	2	.....	.....	.....	1	4	15	61	128	212	203	97	41	3	.....	.....
Meningitis (61)	53	11	3	1	1	.....	3	12	9	10	1	1	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	446	1	.....	.....	.....	.....	.....	2	5	13	38	88	117	116	60	6	.....	.....
Organic diseases of the heart (79)	1,085	.....	.....	.....	.....	1	2	18	28	55	90	198	255	302	120	16	.....	.....
Acute bronchitis (89)	23	4	1	1	1	.....	1	.....	2	1	.....	1	1	1	8	1	.....	.....
Chronic bronchitis (90)	28	.....	.....	.....	.....	.....	1	.....	.....	1	2	1	2	11	7	3	.....	.....
Pneumonia (92)	363	21	13	6	1	3	6	29	46	68	54	42	33	27	10	4	.....	.....
Bronchopneumonia (91)	250	61	20	9	4	3	9	15	12	20	16	13	23	32	12	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	60	2	1	1	.....	1	3	3	2	6	6	11	10	6	6	2	.....	.....
Diseases of the stomach (102, 103)	49	7	.....	1	.....	1	1	1	1	6	9	13	3	5	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	129	64	12	6	2	2	3	3	9	7	6	7	3	3	2	.....	.....	.....
Appendicitis and typhlitis (108)	95	2	2	1	.....	.....	6	7	18	18	16	19	6	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	77	8	1	.....	.....	.....	1	.....	4	6	15	11	17	9	5	.....	.....	.....
Cirrhosis of the liver (113)	61	.....	.....	.....	.....	.....	.....	.....	1	1	7	18	14	14	6	.....	.....	.....
Acute nephritis and Bright's disease (119–120)	547	1	.....	1	.....	.....	2	8	30	46	86	98	133	97	41	4	.....	.....
Diseases of the female genital organs (128–132)	46	.....	.....	.....	.....	.....	.....	2	7	11	16	7	.....	2	1	.....	.....	.....
Puerperal septicemia (137)	27	.....	.....	.....	.....	.....	.....	2	17	8	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	57	.....	.....	.....	.....	.....	.....	5	31	19	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	219	212	4	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	8	9	9	.....	.....
Violent deaths (suicide excepted) (164–186)	438	4	5	4	7	3	12	22	44	81	71	58	59	45	19	2	.....	2
Suicide (155–163)	131	.....	.....	.....	.....	.....	.....	5	22	25	29	25	16	4	5	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
All other causes	994	96	10	6	6	2	14	31	51	102	135	183	166	131	50	11	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DENVER, COLO.																		
All causes	4,484	463	92	49	27	20	78	188	544	574	487	544	589	546	244	39		
Typhoid fever (1)	14							3	6	3		2						
Typhus fever (2)																		
Malaria (4)	1											1						
Smallpox (5)	1							1										
Measles (6)	25	2	9	5	1		6		1				1					
Scarlet fever (7)	7		1			1	4			1								
Whooping cough (8)	51	29	8	3	4	3	3			1								
Diphtheria and croup (9)	60	1	7	7	7	4	19	10	3		1			1				
Influenza (10)	218	12	6	3	1		4	9	47	44	35	30	10	10	6	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	16	5	1	1	1				2	1		1		3	1			
Tuberculosis of the lungs (28, 29)	766	4	2	3				38	252	249	107	68	30	12	1			
Tuberculous meningitis (30)	27	5	6	4		2		4	5	1								
Other forms of tuberculosis (31–35)	30	3			1			4	5	7	4	4	1	1				
Cancer and other malignant tumors (39–45)	283						2	3	3	24	41	75	72	47	15	1		
Meningitis (61)	9	2	3				1			2		1						
Cerebral hemorrhage and softening (64, 65)	216	1								5	14	43	66	52	29	6		
Organic diseases of the heart (79)	357	3				1	4	13	13	21	45	33	89	102	28	5		
Acute bronchitis (89)	15	2	5	1					1		2		1	1	2			
Chronic bronchitis (90)	15											3	3	6	2	1		
Pneumonia (92)	461	16	6	3	2	3	5	18	52	56	60	56	88	66	26	4		
Bronchopneumonia (91)	222	48	10	9	6	2	4	2	9	11	13	14	33	34	23	4		
Other diseases, respiratory system (86–88, 93–98)	54		2	1			3	1	2	7	5	10	10	6	5	2		
Diseases of the stomach (102, 103)	42	9	1						4	1	9	7	6	2	2	1		
Diarrhea and enteritis (104, 105)	71	41	16	3				1	1		1	2	1	2	2	1		
Appendicitis and typhlitis (103)	85			2	2	1	3	15	19	13	11	14	3	2				
Hernia, intestinal obstruction (109)	38	5	1				1	3	5	3	3	6	4	4	3			
Cirrhosis of the liver (113)	13									1	1	5	2	3	1			
Acute nephritis and Bright's disease (119, 120)	247	1					1	6	5	11	17	47	58	70	29	2		
Diseases of the female genital organs (128–132)	29								1	15	7	3	2	1				
Puerperal septicemia (137)	25							2	14	7	2							
Other puerperal causes (134–136, 138–141)	32							2	19	9	1	1						
Congenital debility and malformations (150, 151)	197	196			1													
Senility (154)	41											1	1	15	19	5		
Violent deaths (suicide excepted) (164–186)	211	10	6	3		1	9	27	32	28	26	15	18	23	12	1		
Suicide (155–163)	54							4	8	7	14	14	5	2				
Unknown or ill-defined diseases (187–189)	4	1								1		1	1					
All other causes	547	67	2	1	1	2	9	22	35	45	68	87	84	81	38	5		
BRIDGEPORT, CONN.																		
All causes	1,872	384	75	42	21	18	57	66	150	186	181	212	230	165	74	11		
Typhoid fever (1)	3										2	1						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	11	4	4	1	1		1											
Scarlet fever (7)	7		1	3		1	1	1										
Whooping cough (8)	24	14	6	3			1											
Diphtheria and croup (9)	44	3	5	8	9	7	11	1										
Influenza (10)	118	5	7	2	1			6	28	31	11	13	6	6	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	13	5	1		1		1			1	1	1		2				
Tuberculosis of the lungs (28, 29)	124	1	2					17	33	27	23	11	8	2				
Tuberculous meningitis (30)	21	5	3	3	1		5	2	2									
Other forms of tuberculosis (31–35)	8			2						3	3							
Cancer and other malignant tumors (39–45)	135								1	7	24	37	37	22	7			
Meningitis (61)	17	3	1	2		1	2	2			3	1	2					
Cerebral hemorrhage and softening (64, 65)	98	1			1					3	7	18	29	24	15			
Organic diseases of the heart (79)	171						1	5	5	7	16	28	46	41	18	4		
Acute bronchitis (89)	10	7											1		1	1		
Chronic bronchitis (90)	3												2	1				
Pneumonia (92)	122	17	12	1		1	3	3	15	25	12	12	9	9	3			
Bronchopneumonia (91)	111	52	12	3	2	2	5		2	4	2	4	8	5	5	5		
Other diseases, respiratory system (86–88, 93–98)	11				2		1		1	1	2	2	1	1				
Diseases of the stomach (102, 103)	13	2	1							2		2	3		3			
Diarrhea and enteritis (104, 105)	98	75	12	5		1			1	2		1	1					
Appendicitis and typhlitis (103)	13			1		1		1	2	6		1		1				
Hernia, intestinal obstruction (109)	13	3							1	1	1	1	5	1				
Cirrhosis of the liver (113)	8			1							1	3	1	2				
Acute nephritis and Bright's disease (119, 120)	113	1			1		2	1	2	16	18	24	27	15	5	1		
Diseases of the female genital organs (128–132)	3								2	1								
Puerperal septicemia (137)	10								8	2								
Other puerperal causes, (134–136, 138–141)	20							1	10	9								
Congenital debility and malformations (150, 151)	131	128	1	2														
Senility (154)	1													1				
Violent deaths (suicide excepted) (164–186)	117	4	3	2	1	4	15	16	15	15	20	8	10	2	2			
Suicide (155–163)	20							1	4	3	5	3	2		2			
Unknown or ill-defined diseases (187–189)	7	1							2		1	1	1	1				
All other causes	254	53	4	3	1		8	9	16	20	29	40	31	29	11			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
HARTFORD, CONN.																		
All causes	2,296	416	71	34	18	13	53	62	157	218	230	317	305	261	125	15	.....	1
Typhoid fever (1)	10	.....	.....	.....	.....	.....	.....	.....	6	2	.....	2	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	4	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	12	2	6	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	28	3	8	3	2	1	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	74	14	6	1	1	1	2	2	11	16	4	8	3	3	1	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	10	3	.....	.....	.....	1	.....	.....	.....	.....	2	1	1	2	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	108	3	.....	.....	2	.....	.....	12	30	30	12	12	6	1	.....	.....	.....	.....
Tuberculous meningitis (30)	23	3	.....	7	.....	2	1	2	4	1	1	2	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	10	1	1	2	.....	1	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	198	.....	.....	.....	.....	.....	.....	.....	2	14	39	54	48	37	4	.....	.....	.....
Meningitis (61)	12	1	.....	1	1	.....	4	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	149	.....	1	.....	.....	.....	1	.....	.....	1	6	30	45	41	22	2	.....	.....
Organic diseases of the heart (79)	239	2	.....	.....	.....	.....	.....	6	3	13	27	40	55	50	30	4	.....	.....
Acute bronchitis (89)	10	6	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....
Chronic bronchitis (90)	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	3	1	.....	.....
Pneumonia (92)	186	15	10	2	2	1	1	2	25	33	21	30	19	14	10	1	.....	.....
Bronchopneumonia (91)	121	33	13	5	1	.....	5	3	4	11	6	5	17	11	7	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	9	.....	1	.....	.....	.....	.....	1	.....	1	1	4	1	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	8	3	.....	.....	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	103	80	10	1	1	.....	.....	1	.....	1	1	4	1	1	2	.....	.....	.....
Appendicitis and typhlitis (108)	22	.....	.....	.....	1	.....	1	4	4	3	2	6	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	18	3	.....	.....	.....	.....	.....	.....	1	4	2	2	4	2	.....	.....	.....	.....
Cirrhosis of the liver (113)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	189	1	.....	1	1	.....	3	1	5	10	24	43	41	33	19	2	.....	.....
Diseases of the female genital organs (128–132)	11	.....	.....	.....	.....	.....	.....	1	.....	3	4	1	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	16	.....	.....	.....	.....	.....	.....	1	7	7	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	28	.....	.....	.....	.....	.....	.....	.....	15	11	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	161	156	2	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	155	5	5	6	2	5	15	8	22	19	17	18	15	11	6	1	.....	.....
Suicide (155–163)	16	.....	.....	.....	.....	.....	.....	.....	3	4	4	3	1	1	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	5	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
All other causes	337	75	4	1	3	.....	7	12	13	26	49	45	45	36	18	3	.....	.....
NEW HAVEN, CONN.																		
All causes	2,375	368	105	32	31	19	61	80	152	190	220	289	357	300	153	17	1	.....
Typhoid fever (1)	11	.....	.....	.....	.....	.....	1	.....	3	2	2	3	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	34	8	16	4	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	7	.....	1	1	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	30	18	7	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	19	.....	3	3	2	2	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	149	9	7	1	1	.....	.....	5	21	29	17	17	14	15	12	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	7	1	1	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	1	.....	.....	.....
Tuberculosis of the lungs (28–29)	110	3	4	2	.....	.....	.....	8	29	22	24	11	4	3	.....	.....	.....	.....
Tuberculous meningitis (30)	19	5	3	3	.....	2	2	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	2	2	2	3	1	.....	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	200	.....	.....	.....	.....	.....	1	2	3	12	29	49	56	40	8	.....	.....	.....
Meningitis (61)	21	8	1	1	3	.....	3	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	153	1	.....	.....	.....	.....	.....	.....	1	3	8	28	47	44	20	1	.....	.....
Organic diseases of the heart (79)	263	.....	.....	.....	.....	.....	1	13	4	14	24	42	70	60	32	2	1	.....
Acute bronchitis (89)	17	8	2	.....	.....	1	.....	.....	1	.....	.....	1	.....	2	2	.....	.....	.....
Chronic bronchitis (90)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	3	1	1	.....	.....
Pneumonia (92)	184	18	17	3	4	1	7	6	16	22	14	21	21	21	12	1	.....	.....
Bronchopneumonia (91)	111	32	18	3	1	1	.....	3	2	5	6	4	17	15	4	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	17	5	2	.....	.....	.....	2	.....	1	1	2	3	1	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	26	6	.....	.....	1	1	.....	.....	1	1	4	5	4	1	1	1	.....	.....
Diarrhea and enteritis (104, 105)	93	73	9	.....	1	.....	.....	.....	.....	1	1	.....	2	1	2	3	.....	.....
Appendicitis and typhlitis (108)	26	.....	.....	1	.....	.....	2	7	3	5	4	2	2	.....	.....	.....	.....	.....
Hernia, intenstinal obstruction (109)	23	2	.....	.....	.....	.....	.....	.....	1	2	1	6	3	1	6	1	.....	.....
Cirrhosis of the liver (113)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	147	.....	.....	.....	.....	.....	.....	.....	7	9	6	34	37	39	15	.....	.....	.....
Diseases of the female genital organs (128–132)	15	.....	.....	.....	.....	.....	.....	.....	1	5	6	2	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	11	.....	.....	.....	.....	.....	.....	2	2	5	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	11	.....	.....	.....	.....	.....	.....	1	7	1	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150–151)	113	110	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Senility (154)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....
Violent deaths (suicide excepted) (164–186)	146	2	2	3	4	4	19	11	14	11	15	20	17	12	10	2	.....	.....
Suicide (155–163)	18	.....	.....	.....	.....	.....	.....	.....	3	5	1	3	4	.....	2	.....	.....	.....
Unknown or ill-defined diseases (187–189)	5	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
All other causes	355	57	9	2	4	3	12	16	23	30	43	39	53	39	22	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WILMINGTON, DEL.																		
All causes	1,563	322	60	37	24	19	31	65	102	142	133	157	187	186	86	11	1	
Typhoid fever (1)	16							5	4	5	1	1						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	14	4	6	1	1		2											
Scarlet fever (7)	27	2	3	6	6	5	2	1	1	1								
Whooping cough (8)	6	4		1	1													
Diphtheria and croup (9)	16	2	1	4	3	1	4	1										
Influenza (10)	25	3		1				2	2	7	4	1	3	2				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	5	2								1	1		1					
Tuberculosis of the lungs (28, 29)	103	2		2				13	26	19	20	9	8	2	2			
Tuberculous meningitis (30)	6	1	1	1			2			1								
Other forms of tuberculosis (31–35)	14	1	1				1	2	1	2		2	1		3			
Cancer and other malignant tumors (39–45)	102									9	18	20	24	24	6	1		
Meningitis (61)	9	2	1	1		1		2			2							
Cerebral hemorrhage and softening (64, 65)	126			1						2	1	11	21	34	30	24	2	
Organic diseases of the heart (79)	145	2	2				1	3	6	10	13	28	33	33	14			
Acute bronchitis (89)	9	5	1	1		1											1	
Chronic bronchitis (90)	9	1					1					3		1	2	1		
Pneumonia (92)	154	20	9	3	1	2	2	6	20	27	15	11	18	15	4	1		
Bronchopneumonia (91)	83	39	13	5	4		3		1	2		2	4	5	3	2		
Other diseases, respiratory system (86–88, 93–98)	6	2			1								1	1	1			
Diseases of the stomach (102, 103)	22	2		2					1	4	3	2	4	4				
Diarrhea and enteritis (104, 105)	97	72	15	4		1		1	2	1		1						
Appendicitis and typhlitis (108)	17							6	2	1	2	4	1	1				
Hernia, intestinal obstruction (109)	12	1			1				2	1		1	3	3				
Cirrhosis of the liver (113)	5											2	2		1			
Acute nephritis and Bright's disease (119–120)	120		2				1	1	2	9	14	18	28	38	7			
Diseases of the female genital organs (128–132)	9								2	1	2	3	1					
Puerperal septicemia (137)	13							1	6	5	1							
Other puerperal causes (134–136, 138–141)	12							3	5	4								
Congenital debility and malformations (150, 151)	115	114			1													
Senility (154)	6													2	3	1		
Violent deaths (suicide excepted) (164–186)	92	3	1	1	3	6	9	11	11	15	13	7	3	5	4			
Suicide (155–163)	11								2	4	1	4						
Unknown or ill-defined diseases (187–189)	1		1															
All other causes	156	38	3	3	2	2	3	7	4	12	12	17	18	20	12	3		
WASHINGTON, D. C. (TOTAL).																		
All causes	6,463	803	136	52	49	36	127	255	574	674	745	826	859	822	427	74	4	
Typhoid fever (1)	29							8	7	6	3	5						
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)																		
Measles (6)	3	1	1			1												
Scarlet fever (7)	9			1			3	2	1	2								
Whooping cough (8)	18	7	9	2														
Diphtheria and croup (9)	63	3	4	9	8	3	24	8	2	2								
Influenza (10)	219	17	8	2	1	2	2	10	30	46	36	19	17	22	5	2		
Asiatic cholera (12)																		
Cholera nostras (13)	1										1							
Other epidemic diseases (3, 11, 14–19)	29	9	3		1	1	2	2	1	1	1	2	4	1		1		
Tuberculosis of the lungs (28, 29)	524	4	3	1		2	3	53	141	136	92	53	26	10				
Tuberculous meningitis (30)	21		5	2	3	1	4	3	1	2								
Other forms of tuberculosis (31–35)	46					2	6	4	13	8	5	6	1	1				
Cancer and other malignant tumors (39–45)	431				1	1	1		6	27	67	117	110	76	21	4		
Meningitis (61)	26	4	3			2	5	1	2	5	1	1	2					
Cerebral hemorrhage and softening (64, 65)	477								2	11	42	91	127	130	65	8	1	
Organic diseases of the heart (79)	783	2			2		3	11	18	54	81	118	178	191	108	16	1	
Acute bronchitis (89)	41	16	7	2			1	1	1	1	1	2		2	6	1		
Chronic bronchitis (90)	25	1								1		1	4	8	9	1		
Pneumonia (92)	444	17	9	2	3	1	7	23	79	67	78	52	51	41	12	2		
Bronchopneumonia (91)	374	101	41	9	9	3	11	11	18	31	24	25	31	37	20	3		
Other diseases, respiratory system (86–88, 93–98)	70	4	4			3	1	3	7	6	13	8	7	7	6	1		
Diseases of the stomach (102, 103)	55	1					1	2	6	7	10	9	8	6	4	1		
Diarrhea and enteritis (104, 105)	204	124	20	10	7		1	2	2	6	8	6	5	9	4			
Appendicitis and typhlitis (108)	66					2	5	9	13	5	13	10	6	3				
Hernia, intestinal obstruction (109)	64	2	1	1	1	1	2	2	7	10	8	7	9	8	4	1		
Cirrhosis of the liver (113)	21										4	5	8	3	1			
Acute nephritis and Bright's disease (119, 120)	486	2	1	1			1	8	21	36	60	95	101	94	57	9		
Diseases of the female genital organs (128–132)	48							1	8	12	18	5	4					
Puerperal septicemia (137)	25							4	14	6	1							
Other puerperal causes (134–136, 138–141)	53							7	21	23	2							
Congenital debility and malformations (150, 151)	349	348							1									
Senility (154)	54											1	5	15	24	8	1	
Violent deaths (suicide excepted) (164–186)	348	3	6	1	6	10	28	48	58	46	36	28	29	33	10	6		
Suicide (155–163)	43							2	9	12	8	7	5					
Unknown or ill-defined diseases (187–189)	7	2	3									1	1					
All other causes	1,006	135	8	9	7	1	16	29	85	105	132	152	120	125	71	10	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WASHINGTON, D. C. (WHITE).																		
All causes	4,163	455	63	31	32	24	83	117	309	348	416	530	625	690	377	61	2	
Typhoid fever (1)	18							3	6	4	2	3						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	3	1	1			1												
Scarlet fever (7)	8			1			3	2	1	1								
Whooping cough (8)	12	6	5	1														
Diphtheria and croup (9)	49	3	4	8	6	3	18	5	2									
Influenza (10)	159	12	7	1	1	1	2	6	22	31	23	14	14	19	4	2		
Asiatic cholera (12)																		
Cholera nostras (13)	1										1							
Other epidemic diseases (3, 11, 14–19)	12	2					1	1	1	1	1	2	2	1				
Tuberculosis of the lungs (28, 29)	250	3	1				2	11	57	70	56	29	15	6				
Tuberculous meningitis (30)	15		3	2	2	1	3	1	1	2								
Other forms of tuberculosis (31–35)	17						2		4	4	2	3	1	1				
Cancer and other malignant tumors (39–45)	351				1	1	1		6	15	46	99	89	70	20	3		
Meningitis (61)	22	4	2			2	4	1	1	4	1	1	2					
Cerebral hemorrhage and softening (64, 65)	354								7	24	58	91	112	55	7			
Organic diseases of the heart (79)	574	2			2		2	7	11	22	38	74	138	163	100	15		
Acute bronchitis (89)	15	4								1		1		2	6	1		
Chronic bronchitis (90)	21	1										1	3	8	8			
Pneumonia (92)	227	5	2	1	2		4	9	42	34	23	24	30	35	10	1		
Bronchopneumonia (91)	198	47	14	3	3	2	4	2	9	14	13	14	24	32	15	2		
Other diseases, respiratory system (86–88, 93–98)	40	2	1			3		3	4	4	6	4	6	2	4	1		
Diseases of the stomach (102, 103)	26	1					1	1	1	3	4	4	3	3	4	1		
Diarrhea and enteritis (104–105)	108	63	12	7	6		1		1	1	4	2	1	6	4			
Appendicitis and typhlitis (108)	47					2	4	6	10	3	7	6	6	3				
Hernia, intestinal obstruction (109)	31	1	1	1	1	1	2		2	4	2	2	5	4	4	1		
Cirrhosis of the liver (113)	20										4	4	8	3	1			
Acute nephritis and Bright's disease (119, 120)	303	2	1	1			1	5	11	15	25	47	61	75	52	7		
Diseases of the female genital organs (128–132)	26								5	5	10	3	3					
Puerperal septicemia (137)	12							1	5	5	1							
Other puerperal causes (134–136, 138–141)	30							3	13	13	1							
Congenital debility and malformations (150, 151)	209	208							1									
Senility (154)	40											1	3	11	19	5	1	
Violent deaths (suicide excepted) (164–186)	241	3	4	1	3	6	18	34	31	24	26	23	22	30	10	6		
Suicide (155–163)	37							2	6	10	7	7	5					
Unknown or ill-defined diseases (187–189)	3	2	1															
All other causes	684	83	4	4	5	1	10	14	56	51	84	104	93	104	61	9	1	
WASHINGTON, D. C. (COLORED).																		
All causes	2,300	348	73	21	17	12	44	138	265	326	329	296	234	132	50	13	2	
Typhoid fever (1)	11							5	1	2	1	2						
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)																		
Measles (6)																		
Scarlet fever (7)	1									1								
Whooping cough (8)	6	1	4	1														
Diphtheria and croup (9)	14			1	2		6	3		2								
Influenza (10)	60	5	1	1		1		4	8	15	13	5	3	3	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	17	7	3		1	1	1	1					2			1		
Tuberculosis of the lungs (28–29)	274	1	2	1		2	1	42	84	66	36	24	11	4				
Tuberculous meningitis (30)	6		2		1		1	2										
Other forms of tuberculosis (31–35)	29					2	4	4	9	4	3	3						
Cancer and other malignant tumors (39–45)	80									12	21	18	21	6	1	1		
Meningitis (61)	4		1				1		1	1								
Cerebral hemorrhage and softening (64, 65)	123								2	4	18	33	36	18	10	1	1	
Organic diseases of the heart (79)	209						1	4	7	32	43	44	40	28	8	1	1	
Acute bronchitis (89)	26	12	7	2			1	1	1		1	1						
Chronic bronchitis (90)	4									1			1		1	1		
Pneumonia (92)	217	12	7	1	1	1	3	14	37	33	50	28	21	6	2	1		
Bronchopneumonia (91)	176	54	27	6	6	1	7	9	9	17	11	11	7	5	5	1		
Other diseases, respiratory system (86–88, 93–98)	30	2	3				1		3	2	7	4	1	5	2			
Diseases of the stomach (102–103)	29							1	5	4	6	5	5	3				
Diarrhea and enteritis (104, 105)	96	61	8	3	1			2	1	5	4	4	4	3				
Appendicitis and typhlitis (108)	19						1	3	3	2	6	4						
Hernia, intestinal obstruction (109)	33	1						2	5	6	6	5	4	4				
Cirrhosis of the liver (113)	1											1						
Acute nephritis and Bright's disease (119, 120)	183							3	10	21	35	48	40	19	5	2		
Diseases of the female genital organs (128–132)	22							1	3	7	8	2	1					
Puerperal septicemia (137)	13							3	9	1								
Other puerperal causes (134–136, 138–141)	23							4	8	10	1							
Congenital debility and malformations (150–151)	140	140																
Senility (154)	14												2	4	5	3		
Violent deaths (suicide excepted) (164–186)	107		2		3	4	10	14	27	22	10	5	7	3				
Suicide (155–163)	6								3	2	1							
Unknown or ill-defined diseases (187–189)	4		2									1	1					
All other causes	322	52	4	5	2		6	15	29	54	48	48	27	21	10	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (TOTAL).																		
All causes	3,485	475	126	63	34	29	86	182	445	437	432	427	338	292	104	11	2	2
Typhoid fever (1)	28	.....	.....	.....	1	.....	2	6	7	3	3	4	2	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	6	1	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	19	2	6	3	4	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	.....	.....	2	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	58	37	8	8	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	23	3	4	1	3	6	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	243	17	13	10	7	2	4	12	43	53	32	20	15	10	4	.....	1	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	19	3	3	.....	.....	.....	1	1	3	2	1	3	2	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	194	2	.....	.....	.....	1	1	33	68	38	25	9	12	5	.....	.....	.....	.....
Tuberculous meningitis (30)	5	.....	.....	1	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	21	.....	.....	1	1	.....	1	1	4	3	4	6	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	174	.....	.....	.....	.....	.....	1	.....	9	18	40	44	33	26	3	.....	.....	.....
Meningitis (61)	16	2	3	.....	.....	1	2	2	4	2	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	217	.....	1	1	.....	.....	.....	2	6	9	29	44	62	47	15	1	.....	.....
Organic diseases of the heart (79)	242	2	.....	.....	1	.....	3	4	15	22	31	55	47	47	15	.....	.....	.....
Acute bronchitis (89)	24	9	5	1	.....	.....	1	1	4	.....	.....	1	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	8	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	1	.....	.....	.....	.....
Pneumonia (92)	247	25	10	6	1	2	4	19	45	44	33	28	11	12	6	1	.....	.....
Bronchopneumonia (91)	142	55	18	7	1	2	6	8	8	5	12	3	10	6	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	44	1	1	2	2	.....	.....	3	12	10	5	4	.....	4	.....	.....	.....	.....
Diseases of the stomach (102, 103)	64	5	.....	1	.....	.....	.....	3	6	14	13	12	7	2	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	128	58	32	5	.....	1	1	4	5	5	6	3	1	3	3	1	.....	.....
Appendicitis and typhlitis (108)	60	.....	.....	.....	.....	.....	8	3	15	9	10	11	4	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	38	2	2	1	.....	.....	3	3	6	7	3	6	3	2	.....	.....	.....	.....
Cirrhosis of the liver (113)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	2	1	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	323	3	2	1	1	.....	1	6	11	25	54	75	58	58	26	2	.....	.....
Diseases of the female genital organs (128–132)	29	.....	.....	.....	.....	.....	.....	.....	7	12	9	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	32	.....	.....	.....	.....	.....	.....	7	17	7	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	45	.....	.....	.....	.....	.....	.....	3	20	17	4	.....	.....	.....	.....	.....	.....	1
Congenital debility and malformations (150, 151)	155	152	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	8	1	.....	.....
Violent deaths (suicide excepted) (164–186)	289	8	6	8	5	6	18	31	70	51	29	18	13	15	9	1	1	.....
Suicide (155–163)	21	.....	.....	.....	.....	.....	.....	.....	6	5	4	2	4	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	61	16	3	2	.....	2	2	1	3	4	9	3	7	8	.....	1	.....	.....
All other causes	478	72	8	3	1	2	16	24	47	67	70	71	43	38	12	3	.....	1
ATLANTA, GA. (WHITE).																		
All causes	2,028	294	77	31	27	18	56	82	185	218	201	236	261	250	84	8	.....	.....
Typhoid fever (1)	23	.....	.....	.....	1	.....	2	5	4	3	2	4	2	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	5	1	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	12	1	3	1	3	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	.....	.....	2	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	45	28	7	5	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	18	1	4	1	3	6	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	152	11	8	7	7	2	3	9	28	30	15	10	11	7	4	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	12	2	2	.....	.....	.....	1	1	1	1	.....	2	2	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	101	2	.....	.....	.....	.....	.....	12	27	23	16	8	8	5	.....	.....	.....	.....
Tuberculous meningitis (30)	4	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	13	.....	.....	1	1	.....	.....	.....	2	2	2	5	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	134	.....	.....	.....	.....	.....	1	.....	5	9	27	35	31	23	3	.....	.....	.....
Meningitis (61)	11	1	3	.....	.....	1	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	135	.....	1	.....	.....	.....	.....	1	1	3	9	24	46	39	11	.....	.....	.....
Organic diseases of the heart (79)	141	2	.....	.....	1	.....	2	1	6	10	7	25	33	43	11	.....	.....	.....
Acute bronchitis (89)	7	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Chronic bronchitis (90)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
Pneumonia (92)	96	13	5	2	.....	1	1	7	7	15	12	13	7	8	5	.....	.....	.....
Bronchopneumonia (91)	63	27	10	3	.....	.....	1	3	1	2	3	1	6	5	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	24	.....	1	1	2	.....	.....	1	5	5	3	3	.....	3	.....	.....	.....	.....
Diseases of the stomach (102, 103)	17	4	.....	.....	.....	.....	.....	.....	1	4	1	4	.....	2	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	64	37	19	1	.....	1	.....	.....	.....	.....	1	1	.....	1	3	.....	.....	.....
Appendicitis and typhlitis (108)	43	.....	.....	.....	.....	.....	7	1	12	4	7	8	4	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	20	1	2	1	.....	.....	1	.....	3	5	2	1	3	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	206	3	1	1	1	.....	2	5	8	18	41	50	52	22	2	.....	.....	.....
Diseases of the female genital organs (128–132)	15	.....	.....	.....	.....	.....	.....	2	5	7	1	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	20	.....	.....	.....	.....	.....	3	10	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	30	.....	.....	.....	.....	.....	1	12	13	4	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	101	100	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	1	.....	.....
Violent deaths (suicide excepted) (164–186)	156	5	6	5	1	1	12	18	27	23	16	7	12	13	9	1	.....	.....
Suicide (155–163)	20	.....	.....	.....	.....	.....	.....	.....	6	4	4	2	4	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	20	2	.....	2	.....	1	1	1	.....	.....	2	.....	4	6	.....	1	.....	.....
All other causes	293	49	3	.....	1	1	13	13	16	37	39	40	37	34	7	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (COLORED).																		
All causes	1,457	181	49	32	7	11	30	100	260	219	231	191	77	42	20	3	2	2
Typhoid fever (1)	5							1	3		1							
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)																		
Measles (6)	7	1	3	2	1													
Scarlet fever (7)																		
Whooping cough (8)	13	9	1	3														
Diphtheria and croup (9)	5	2					2	1										
Influenza (10)	91	6	5	3			1	3	15	23	17	10	4	3			1	
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	7	1	1						2	1	1	1						
Tuberculosis of the lungs (28, 29)	93					1	1	21	41	15	9	1	4					
Tuberculous meningitis (30)	1			1														
Other forms of tuberculosis (31–35)	8						1	1	2	1	2	1						
Cancer and other malignant tumors (39–45)	40								4	9	13	9	2	3				
Meningitis (61)	5	1						1	2	1								
Cerebral hemorrhage and softening (64, 65)	82			1				1	5	6	20	20	16	8	4	1		
Organic diseases of the heart (79)	101						1	3	9	12	24	30	14	4	4			
Acute bronchitis (89)	17	5	3	1			1	1	4			1	1					
Chronic bronchitis (90)	5							1	2		1	1						
Pneumonia (92)	151	12	5	4	1	1	3	12	38	29	21	15	4	4	1	1		
Bronchopneumonia (91)	79	28	8	4	1	2	5	5	7	3	9	2	4	1				
Other diseases, respiratory system (86–88, 93–98)	20	1		1				2	7	5	2	1		1				
Diseases of the stomach (102, 103)	47	1		1				3	5	10	12	8	7					
Diarrhea and enteritis (104, 105)	64	21	13	4			1	4	5	5	5	2	1	2		1		
Appendicitis and typhlitis (108)	17						1	2	3	5	3	3						
Hernia, intestinal obstruction (109)	18	1					2	3	3	2	1	5		1				
Cirrhosis of the liver (113)	5										1	2	1		1			
Acute nephritis and Bright's disease (119, 120)	117		1				1	4	6	17	36	34	8	6	4			
Diseases of the female genital organs (128, 132)	14								5	7	2							
Puerperal septicemia (137)	12							4	7	1								
Other puerperal causes (134–136, 138–141)	15							2	8	4								1
Congenital debility and malformations (150–151)	54	52	1	1														
Senility (154)	3												1	1	1			
Violent deaths (suicide excepted) (164–186)	133	3		3	4	5	6	13	43	28	13	11	1	2			1	
Suicide (155–163)	1									1								
Unknown or ill-defined diseases (187–189)	41	14	3			1	1		3	4	7	3	3	2				
All other causes	185	23	5	3		1	3	11	31	30	31	31	6	4	5			1
CHICAGO, ILL. (TOTAL).																		
All causes	34,848	5,675	1,283	582	439	340	1,035	1,366	3,101	3,651	3,705	4,415	4,312	3,268	1,432	229	5	1
Typhoid fever (1)	31		1	1				6	6	8	5	2	2					
Typhus fever (2)																		
Malaria (4)	6	1	3									1		1				
Smallpox (5)	1										1							
Measles (6)	96	18	41	10	10	5	11	1										
Scarlet fever (7)	191	5	27	28	29	23	46	14	14	3	2							
Whooping cough (8)	157	63	58	15	6	7	7	1										
Diphtheria and croup (9)	629	36	78	80	88	78	204	46	9	4	2	3	1					
Influenza (10)	1,725	96	92	34	34	21	34	77	380	404	201	153	114	62	21	2		
Asiatic cholera (12)																		
Cholera nostras (13)	2	2																
Other epidemic diseases (3, 11, 14–19)	102	28	6	3	4		3	4	8	11	7	11	8	5	2	2		
Tuberculosis of the lungs (28, 29)	2,332	18	14	6	5	4	16	228	690	620	379	226	99	24	3			
Tuberculous meningitis (30)	164	17	22	12	15	8	30	20	19	11	6	3	1					
Other forms of tuberculosis (31, 35)	162	5	6	2		5	10	24	42	26	21	16	3	2				
Cancer and other malignant tumors (39–45)	2,600		1	1	2	2	4	13	54	184	472	727	680	359	96	5		
Meningitis (61)	101	20	5	8	7	5	11	13	8	12	5	4		2	1			
Cerebral hemorrhage and softening (64, 65)	1,389	4					1	5	11	40	131	270	365	381	153	23		
Organic diseases of the heart (79)	4,324	10	7	4	7	12	64	132	179	282	493	694	976	877	463	63	1	
Acute bronchitis (89)	332	197	53	21	8	2	5	3	1	1	2	4	6	13	10	5	1	
Chronic bronchitis (90)	139	6	1	1			4	1	5	4	9	9	21	41	30	7		
Pneumonia (92)	2,591	114	88	53	31	25	52	98	392	464	380	362	302	171	50	9		
Bronchopneumonia (91)	1,792	640	294	107	56	38	62	24	73	81	79	101	95	94	40	8		
Other diseases, respiratory system (86–88, 93–98)	319	21	22	22	7	7	20	10	25	44	36	30	33	26	9	2		
Diseases of the stomach (102, 103)	153	15	2	1				4	11	22	30	33	18	11	4	2		
Diarrhea and enteritis (104, 105)	2,555	1,981	335	73	35	17	22	3	14	14	17	17	13	10	4			
Appendicitis and typhlitis (108)	468	1	1	4	5	8	52	70	84	93	78	42	22	7	1			
Hernia, intestinal obstruction (109)	308	40	9	5	1	3	8	10	14	36	35	64	42	26	14	1		
Cirrhosis of the liver (113)	238						1	2	11	11	33	72	63	37	8			
Acute nephritis and Bright's disease (119, 120)	2,643	23	12	9	11	4	29	47	99	176	273	542	615	521	240	41	1	
Diseases of the female genital organs (128–132)	245							4	61	73	73	20	10	3	1			
Puerperal septicemia (137)	178							15	85	65	13							
Other puerperal causes (134–136, 138–141)	256							16	108	111	21							
Congenital debility and malformations (150, 151)	1,503	1,463	15	8	2	2	7	6										
Senility (154)	36										2	2	4	8	15	5		
Violent deaths (suicide excepted) (164–186)	2,198	43	35	40	46	45	187	201	305	359	284	264	200	122	57	9		1
Suicide (155–163)	365							10	63	82	85	66	30	23	6			
Unknown or ill-defined diseases (187–189)	2									1			1					
All other causes	4,515	308	55	34	30	28	145	208	330	409	525	677	583	442	199	40	2	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CHICAGO, ILL. (WHITE).																		
All causes	32,549	5,378	1,157	547	416	340	988	1,265	2,759	3,243	3,340	4,123	4,167	3,201	1,400	219	5	1
Typhoid fever (1)	30		1	1				6	5	8	5	2	2					
Typhus fever (2)																		
Malaria (4)	5	1	2									1		1				
Smallpox (5)	1										1							
Measles (6)	93	18	40	9	10	5	10	1										
Scarlet fever (7)	189	5	26	28	20	23	46	14	13	3	2							
Whooping cough (8)	128	58	43	10	4	7	5	1										
Diphtheria and croup (9)	613	34	77	79	85	77	198	45	9	4	2	2	1					
Influenza (10)	1,558	80	80	31	28	20	32	73	347	364	173	140	109	58	21	2		
Asiatic cholera (12)																		
Cholera nostras (13)	2	2																
Other epidemic diseases (3, 11, 14–19)	97	28	5	3	4		3	4	8	10	6	9	8	5	2	2		
Tuberculosis of the lungs (28, 29)	2,023	15	11	5	5	4	10	194	576	546	340	200	90	24	3			
Tuberculous meningitis (30)	133	17	16	11	13	8	21	17	16	7	4	2	1					
Other forms of tuberculosis (31–35)	131	5	5	1		5	7	17	33	21	17	15	3	2				
Cancer and other malignant tumors (39–45)	2,507		1	1	2	2	4	12	48	171	448	693	670	354	96	5		
Meningitis (61)	94	20	5	8	7	5	11	11	7	9	4	4		2	1			
Cerebral hemorrhage and softening (64, 65)	1,338	4					1	4	11	36	121	250	356	379	153	23		
Organic diseases of the heart (79)	4,047	9	7	4	7	12	63	177	170	240	431	621	937	856	448	64	1	
Acute bronchitis (89)	311	185	46	20	7	2	5	3	1	1	2	4	6	13	10	5	1	
Chronic bronchitis (90)	137	6	1	1			4	1	4	4	9	8	21	41	30	7		
Pneumonia (92)	2,372	108	80	49	30	25	49	94	349	406	331	335	289	168	50	9		
Bronchopneumonia (91)	1,606	563	241	98	53	36	59	23	63	71	73	98	92	91	38	7		
Other diseases, respiratory system (86–88, 93–98)	304	19	22	22	7	7	20	10	24	35	35	30	37	26	8	2		
Diseases of the stomach (102, 103)	150	15	2	1				4	11	20	30	33	18	11	3	2		
Diarrhea and enteritis (104, 105)	2,481	1,928	325	66	34	17	22	3	14	12	17	17	12	10	4			
Appendicitis and typhlitis (108)	446		1	4	5	7	49	65	80	89	75	41	22	7	1			
Hernia, intestinal obstruction (109)	293	37	9	5	1	3	8	8	13	35	33	59	41	26	14	1		
Cirrhosis of the liver (113)	230						1	2	10	11	31	71	59	37	8			
Acute nephritis and Bright's disease (119, 120)	2,503	23	12	9	11	4	28	46	92	155	244	509	592	508	236	38	1	
Diseases of the female genital organs (128–132)	198							4	43	57	61	19	10	3	1			
Puerperal septicemia (137)	163							11	77	62	13							
Other puerperal causes (134–136, 138–141)	244							13	102	109	20							
Congenital debility and malformations (150, 151)	1,439	1,400	14	8	2	2	7	6										
Senility (154)	34										1	1	4	8	15	5		
Violent deaths (suicide excepted) (164–186)	2,047	38	34	39	44	42	181	186	267	324	264	254	194	115	57	7		1
Suicide (155–163)	353							9	61	80	80	65	30	22	6			
Unknown or ill-defined diseases (187–189)	2									1			1					
All other causes	4,242	760	51	34	28	27	144	201	305	352	467	640	562	434	195	40	2	
CHICAGO, ILL. (COLORED).																		
All causes	2,299	297	126	35	23	9	47	101	342	408	365	292	145	67	32	10		
Typhoid fever (1)	1								1									
Typhus fever (2)																		
Malaria (4)	1		1															
Smallpox (5)																		
Measles (6)	3		1	1			1											
Scarlet fever (7)	2		1						1									
Whooping cough (8)	29	5	15	5	2		2											
Diphtheria and croup (9)	16	2	1	1	3	1	6	1				1						
Influenza (10)	167	16	12	3	6	1	2	4	33	40	28	13	5	4				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	5		1							1	1	2						
Tuberculosis of the lungs (28, 29)	309	3	3	1			6	34	114	74	39	26	9					
Tuberculous meningitis (30)	31		6	1	2		9	3	3	4	2	1						
Other forms of tuberculosis (31–35)	31		1	1			3	7	9	5	4	1						
Cancer and other malignant tumors (39–45)	93							1	6	13	24	34	10	5				
Meningitis (61)	7							2	1	3	1							
Cerebral hemorrhage and softening (64, 65)	51							1		4	10	20	9	2	5			
Organic diseases of the heart (79)	277	1					1	5	9	42	67	73	39	21	15	4		
Acute bronchitis (89)	21	12	7	1	1													
Chronic bronchitis (90)	2								1			1						
Pneumonia (92)	219	6	8	4	1		3	4	43	58	49	27	13	3				
Bronchopneumonia (91)	186	77	53	9	3	2	3	1	10	10	6	3	3	3	2	1		
Other diseases, respiratory system (86–88, 93–98)	15	2							1	9	1		1		1			
Diseases of the stomach (102–103)	3									2					1			
Diarrhea and enteritis (104, 105)	74	53	10	7	1					2			1					
Appendicitis and typhlitis (108)	22	1				1	3	5	4	4	3	1						
Hernia, intestinal obstruction (109)	15	3						2	1	1	2	5	1					
Cirrhosis of the liver (113)	8								1		2	1	4					
Acute nephritis and Bright's disease (119, 120)	135						1	1	7	21	29	33	23	13	4	3		
Diseases of the female genital organs (128, 132)	47								18	16	12	1						
Puerperal septicemia (137)	15							4	8	3								
Other puerperal causes (134–136, 138–141)	12							3	6	2	1							
Congenital debility and malformations (150, 151)	64	63	1															
Senility (154)	2										1	1						
Violent deaths (suicide excepted) (164–186)	151	5	1	1	2	3	6	15	38	35	20	10	6	7		2		
Suicide (155–163)	12							1	2	2	5	1		1				
Unknown or ill-defined diseases (187–189)																		
All other causes	273	48	4		2	1	1	7	25	57	58	37	21	8	4			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 years.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (TOTAL).																		
All causes	4,636	623	131	55	38	29	109	190	391	427	491	587	645	603	277	35	4	1
Typhoid fever (1)	18						1	3	3	7	1	2	1					
Typhus fever (2)																		
Malaria (4)	1											1						
Smallpox (5)																		
Measles (6)	28	9	6	4	2	2	3	2										
Scarlet fever (7)	13			1	1	3	8											
Whooping cough (8)	28	13	8	4	1	1		1										
Diphtheria and croup (9)	27		5	2	3	3	11	1	1	1								
Influenza (10)	198	14	7	6	6	2	4	9	27	40	25	16	19	19	3	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	18	3		1			1			2		2	2	3	3	1		
Tuberculosis of the lungs (28, 29)	349	4	4	2	1	1	6	45	112	62	52	33	19	8				
Tuberculous meningitis (30)	29	5	3	2	3		5	6	3	1		1						
Other forms of tuberculosis (31–35)	37					1	2	5	8	6	7	5	2	1				
Cancer and other malignant tumors (39–45)	312						1	2	5	23	61	66	87	57	9	1		
Meningitis (61)	21	5	1		1	1	1	1	8	2	1							
Cerebral hemorrhage and softening (64, 65)	263							1	2	9	21	49	70	73	33	4	1	
Organic diseases of the heart (79)	541	1	1			3	5	4	18	36	58	86	127	126	67	9		
Acute bronchitis (89)	22	7	2	1			1			1		2	1	7				
Chronic bronchitis (90)	17									1	2		5	7	1	1		
Pneumonia (92)	312	32	11	4		3	6	14	45	41	39	40	40	26	10			1
Bronchopneumonia (91)	256	64	29	10	7	2	9	4	9	22	14	23	19	27	16	1		
Other diseases, respiratory system (86–88, 93–98)	46	2	1		1	1		2	3	3	7	6	8	5	6	1		
Diseases of the stomach (102, 103)	35	6	1	2			1	1	2	2	7	4	5	3		1		
Diarrhea and enteritis (104, 105)	204	128	40	8	3		3			3	6	6	2	2	3			
Appendicitis and typhlitis (108)	66		1		1		2	10	17	10	8	10	5	1	1			
Hernia, intestinal obstruction (109)	43	2						1	4	1	9	8	7	8	3			
Cirrhosis of the liver (113)	34								1	1	7	9	8	7	1			
Acute nephritis and Bright's disease (119, 120)	357	2					3	5	12	17	38	74	88	78	36	3	1	
Diseases of the female genital organs (128–132)	43							1	8	9	12	9	2	2				
Puerperal septicemia (137)	36							8	17	10	1							
Other puerperal causes (134–136, 138–141)	30							3	13	13	1							
Congenital debility and malformations (150, 151)	247	244	2			1												
Senility (154)	9													2	4	2	1	
Violent deaths (suicide excepted) (164–186)	223	7	2	3	6	4	16	21	31	29	23	27	16	23	14	1		
Suicide (155–163)	50							5	4	13	5	16	3	2	2			
Unknown or ill-defined diseases (187–189)																		
All other causes	723	75	7	5	2	1	20	35	38	62	86	92	109	116	65	9	1	
INDIANAPOLIS, IND. (WHITE).																		
All causes	3,894	509	102	49	31	27	86	142	294	336	393	486	588	558	259	31	2	1
Typhoid fever (1)	12						1	1	2	6		1	1					
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	25	9	4	4	1	2	3	2										
Scarlet fever (7)	13			1	1	3	8											
Whooping cough (8)	22	10	6	3	1	1		1										
Diphtheria and croup (9)	27		5	2	3	3	11	1	1	1								
Influenza (10)	170	13	6	6	5	2	3	8	24	34	17	13	18	18	2	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	18	3		1			1			2		2	2	3	3	1		
Tuberculosis of the lungs (28, 29)	237	3	3	2		1	1	23	72	42	41	23	19	7				
Tuberculous meningitis (30)	26	5	3	1	3		4	6	2	1		1						
Other forms of tuberculosis (31–35)	25						2	2	7	3	5	4	1	1				
Cancer and other malignant tumors (39–45)	286						1	2	5	22	57	57	77	55	9	1		
Meningitis (61)	18	5	1		1	1		1	6	2	1							
Cerebral hemorrhage and softening (64, 65)	227								2	7	14	41	62	66	30	4	1	
Organic diseases of the heart (79)	461	1	1			3	5	4	11	25	45	64	118	115	61	8		
Acute bronchitis (89)	15	4		1			1			1		2		6				
Chronic bronchitis (90)	12												4	6	1	1		
Pneumonia (92)	244	22	4	3		3	5	11	31	35	29	33	36	22	9			1
Bronchopneumonia (91)	202	42	20	10	4	2	7	3	7	17	13	18	18	24	16	1		
Other diseases, respiratory system (86–88, 93–98)	40	2	1		1	1		1	2	3	5	4	8	5	6	1		
Diseases of the stomach (102, 103)	31	6	1	2			1	1	2		5	4	5	3		1		
Diarrhea and enteritis (104, 105)	171	110	35	5	2					2	4	6	2	2	3			
Appendicitis and typhlitis (108)	58		1		1		1	9	15	9	7	9	5	1				
Hernia, intestinal obstruction (109)	35	2						1	2		7	7	6	7	3			
Cirrhosis of the liver (113)	31								1	1	5	8	8	7	1			
Acute nephritis and Bright's disease (119, 120)	309	1					3	4	8	13	31	63	78	71	35	2		
Diseases of the female genital organs (128–132)	32							1	5	5	8	9	2	2				
Puerperal septicemia (137)	28							5	15	7	1							
Other puerperal causes (134–136, 138–141)	25							3	11	11								
Congenital debility and malformations (150–151)	205	202	2			1												
Senility (154)	5													1	3	1		
Violent deaths (suicide excepted) (164–186)	184	5	2	3	6	3	12	18	28	20	16	22	12	23	13	1		
Suicide (155–163)	49							4	4	13	5	16	3	2	2			
Unknown or ill-defined diseases (187–189)																		
All other causes	651	64	7	5	2	1	16	30	31	54	77	79	103	111	62	8	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (COLORED).																		
All causes	742	114	29	6	7	2	23	48	97	91	98	101	57	45	18	4	2	
Typhoid fever (1)	6							2	1	1	1	1						
Typhus fever (2)																		
Malaria (4)	1											1						
Smallpox (5)																		
Measles (6)	3		2		1													
Scarlet fever (7)																		
Whooping cough (8)	6	3	2	1														
Diphtheria and croup (9)																		
Influenza (10)	28	1	1		1		1	1	3	6	8	3	1	1	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)																		
Tuberculosis of the lungs (28, 29)	112	1	1		1		5	22	40	20	11	10		1				
Tuberculous meningitis (30)	3			1			1		1									
Other forms of tuberculosis (31–35)	12					1		3	1	3	2	1	1					
Cancer and other malignant tumors (39–45)	26									1	4	9	10	2				
Meningitis (61)	3						1		2									
Cerebral hemorrhage and softening (64, 65)	36							1		2	7	8	8	7	3			
Organic diseases of the heart (79)	80								7	11	13	22	9	11	6	1		
Acute bronchitis (89)	7	3	2										1	1				
Chronic bronchitis (90)	5									1	2		1	1				
Pneumonia (92)	68	10	7	1			1	3	14	6	10	7	4	4	1			
Bronchopneumonia (91)	54	22	9		3		2	1	2	5	1	5	1	3				
Other diseases, respiratory system (86–88, 93–98)	6							1	1		2	2						
Diseases of the stomach (102, 103)	4									2	2							
Diarrhea and enteritis (104, 105)	33	18	5	3	1		3			1	2							
Appendicitis and typhlitis (108)	8						1	1	2	1	1	1		1				
Hernia, intestinal obstruction (109)	8								2	1	2	1	1	1				
Cirrhosis of the liver (113)	3										2	1						
Acute nephritis and Bright's disease (119, 120)	48	1						1	4	4	7	11	10	7	1	1	1	
Diseases of the female genital organs (128–132)	11								3	4	4							
Puerperal septicemia (137)	8							3	2	3								
Other puerperal causes (134–136, 138–141)	5								2	2	1							
Congenital debility and malformations (150, 151)	42	42																
Senility (151)	4													1	1	1	1	
Violent deaths (suicide excepted) (164–186)	39	2				1	4	3	3	9	7	5	4		1			
Suicide (155–163)	1							1										
Unknown or ill-defined diseases (187–189)																		
All other causes	72	11					4	5	7	8	9	13	6	5	3	1		
KANSAS CITY, KANS.																		
All causes	1,478	243	69	27	14	14	27	76	127	147	152	161	158	180	68	15		
Typhoid fever (1)	7	1				1		1	1	1		1	1					
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	16	4	5	4		1	1	1										
Scarlet fever (7)	4	1		1	1				1									
Whooping cough (8)	24	15	4	4			1											
Diphtheria and croup (9)	17		2	3		5	5	1	1									
Influenza (10)	107	8	12	4	4	3	1	4	19	18	9	12	6	6		1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	3									1	1		1					
Tuberculosis of the lungs (28, 29)	97							12	26	19	20	11	6	3				
Tuberculous meningitis (30)	3		2					1										
Other forms of tuberculosis (31–35)	11						1	1	1	2	3	1	1	1				
Cancer and other malignant tumors (39–45)	81								3	2	18	19	21	13	5			
Meningitis (61)	11	2	2	1			1	3		1		1						
Cerebral hemorrhage and softening (64, 65)	72								2	2	5	13	21	21	8			
Organic diseases of the heart (79)	121	1					2	7	4	14	11	13	28	31	9	1		
Acute bronchitis (89)	14	7	4		1	1								1				
Chronic bronchitis (90)	9							1		1			1	4	1	1		
Pneumonia (92)	113	13	2	1	3	1	1	7	12	18	16	18	10	7	4			
Bronchopneumonia (91)	75	28	11	3	1	2	1		5	4	3	4	2	4	7			
Other diseases, respiratory system (86–88, 93–98)	14	1	3						2	1	1	2	2		2			
Diseases of the stomach (102, 103)	13	4	1					1		3	1	1	1	1				
Diarrhea and enteritis (104, 105)	77	51	13	1	2		2		1	1	3	1			1	1		
Appendicitis and typhlitis (108)	15			1	1		1	6	2	2	2							
Hernia, intestinal obstruction (109)	11	2							3			2	2	1	1			
Cirrhosis of the liver (113)	8										1	1	2	3	1			
Acute nephritis and Bright's disease (119, 120)	127	2		1				2	4	5	14	22	26	37	10	4		
Diseases of the female genital organs (128–132)	18							1	4	3	7	2				1		
Puerperal septicemia (137)	9							2	2	5								
Other puerperal causes (134–136, 138–141)	11							1	5	4	1							
Congenital debility and malformations (150, 151)	66	62	3		1													
Senility (151)	10													4	4	2		
Violent deaths (suicide excepted) (164–186)	34	4	1	1			6	9	17	15	11	8	4	5	3			
Suicide (155–163)	15							1	2	4	4	3	1					
Unknown or ill-defined diseases (187–189)	1											1						
All other causes	214	37	4	2			4	14	10	21	21	25	22	38	12	4		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOUISVILLE, KY. (TOTAL).																		
All causes	3,582	409	76	38	22	26	72	153	327	357	394	464	512	474	218	33	4	3
Typhoid fever (1)	13			1			1	3	2	1	3	2						
Typhus fever (2)																		
Malaria (4)	3	1							1		1							
Smallpox (5)	1										1							
Measles (6)	7	1	1	3			1	1										
Scarlet fever (7)	5			2				1	1	1								
Whooping cough (8)	24	11	5	3	3		2											
Diphtheria and croup (9)	32	1	3	2	3	5	12	5	1									
Influenza (10)	101	7	6	2		1	9	4	21	22	10	7	4	6	1	1		
Asiatic cholera (12)																		
Cholera nostras (13)	2											2						
Other epidemic diseases (3, 11, 14–19)	22	7	1						2		4		3	4	1			
Tuberculosis of the lungs (28, 29)	278	2				1	2	33	92	64	42	24	13	4	1			
Tuberculous meningitis (30)	23	6	2		1	1	5	2	1	3		1	1					
Other forms of tuberculosis (31–35)	32							6	8	6	6	4	2					
Cancer and other malignant tumors (39–45)	254							1	2	18	44	64	78	36	10	1		
Meningitis (61)	15	3	1			1		1		2	2	4	1					
Cerebral hemorrhage and softening (64, 65)	217							1	1	14	16	42	59	53	26	4	1	
Organic diseases of the heart (79)	369		1			2		8	15	30	39	66	99	86	19	4		
Acute bronchitis (89)	25	12	6	2								2		1	1	1		
Chronic bronchitis (90)	49	1					1	5	6	2	5	2	10	13	4			
Pneumonia (92)	218	17	7	6	6	1	3	17	16	32	26	31	30	20	6			
Bronchopneumonia (91)	145	39	18	4	3	3	5	6	6	13	3	7	12	15	9	2		
Other diseases, respiratory system (86–88, 93–98)	38	1		1		1		2	1	4	9	9	3	5		2		
Diseases of the stomach (102, 103)	43	5						2	7	7	4	7	6	4		1		
Diarrhea and enteritis (104, 105)	118	81	12	1				1	3	3	7	3	4	2	1			
Appendicitis and typhlitis (108)	34	1					1	9	8	5	3	2	5					
Hernia, intestinal obstruction (109)	38	4		1	1	2			3	5	4	5	4	6	3			
Cirrhosis of the liver (113)	12									1	4	3	1	2	1			
Acute nephritis and Bright's disease (119, 120)	304	1	1	2			2	5	15	13	39	54	63	73	32	4		
Diseases of the female genital organs (128–132)	33							1	11	7	8	2	3	1				
Puerperal septicemia (137)	21								10	8	3							
Other puerperal causes (134–136, 138–141)	23							1	14	7	1							
Congenital debility and malformations (150, 151)	148	148																
Senility (154)	72												1	28	39	3	1	
Violent deaths (suicide excepted) (164–186)	204	5	3	5	2	5	13	19	34	24	28	16	15	21	8	2	2	2
Suicide (155–163)	46							2	11	6	5	7	11	3	1			
Unknown or ill-defined diseases (187–189)	4	2								1						1		
All other causes	609	53	9	3	3	3	15	17	35	58	77	93	84	91	55	7		1
LOUISVILLE, KY. (WHITE).																		
All causes	2,693	305	57	31	14	23	53	103	236	215	240	323	441	419	200	28	2	3
Typhoid fever (1)	10			1			1	3	1	1	2	1						
Typhus fever (2)																		
Malaria (4)	1								1									
Smallpox (5)	1										1							
Measles (6)	6		1	3			1	1										
Scarlet fever (7)	5			2				1	1	1								
Whooping cough (8)	14	9		2	2		1											
Diphtheria and croup (9)	25	1	3	2	2	5	8	3	1									
Influenza (10)	76	3	6	2		1	8	2	18	18	8	1	3	5	1			
Asiatic cholera (12)																		
Cholera nostras (13)	1											1						
Other epidemic diseases (3, 11, 14–19)	16	4	1						1		3		3	3	1			
Tuberculosis of the lungs (28, 29)	186	1				1		19	62	39	27	20	13	3	1			
Tuberculous meningitis (30)	23	6	2		1	1	5	2	1	3		1	1					
Other forms of tuberculosis (31–35)	17							1	7	1	4	2	2					
Cancer and other malignant tumors (39–45)	217							1	1	9	34	53	73	36	9	1		
Meningitis (61)	11	2	1			1		1		2	1	2	1					
Cerebral hemorrhage and softening (64, 65)	174							1	1	5	10	30	47	51	24	4	1	
Organic diseases of the heart (79)	265		1			2		6	6	14	18	40	86	70	18	4		
Acute bronchitis (89)	13	5	3									2		1	1	1		
Chronic bronchitis (90)	28	1									2	1	8	13	3			
Pneumonia (92)	133	10	6	6	3	1	3	10	12	19	10	15	20	16	2			
Bronchopneumonia (91)	106	28	12	2		1	3	5	5	7	1	5	11	15	9	2		
Other diseases, respiratory system (86–88, 93–98)	29	1		1		1		2	1	3	5	8	2	3		2		
Diseases of the stomach (102, 103)	27	3						2	5	2	1	5	6	3				
Diarrhea and enteritis (104, 105)	36	60	10	1				1		3	3	2	3	2	1			
Appendicitis and typhlitis (108)	27	1					1	8	7	3	1	2	4					
Hernia, intestinal obstruction (109)	33	4		1	1	2			3	3	3	4	3	6	3			
Cirrhosis of the liver (113)	7										3	2	1	1				
Acute nephritis and Bright's disease (119, 120)	237	1	1				1	5	11	9	23	35	54	63	30	4		
Diseases of the female genital organs (128–132)	18								7	3	4	1	2	1				
Puerperal septicemia (137)	13								7	4	2							
Other puerperal causes (134–136, 138–141)	20							1	12	6	1							
Congenital debility and malformations (150, 151)	118	118																
Senility (154)	67												1	26	37	3		
Violent deaths (suicide excepted) (164–186)	162	5	2	5	2	4	10	16	26	17	18	10	15	19	8	2	1	2
Suicide (155–163)	44							2	11	6	4	6	11	3	1			
Unknown or ill-defined diseases (187–189)	3	2								1								
All other causes	474	40	8	3	3	3	11	10	28	36	51	74	71	79	51	5		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOUISVILLE, KY. (COLORED).																		
All causes	889	104	19	7	8	3	19	50	91	142	154	141	71	55	18	5	2	
Typhoid fever (1)	3								1		1	1						
Typhus fever (2)																		
Malaria (4)	2	1									1							
Smallpox (5)																		
Measles (6)	1	1																
Scarlet fever (7)																		
Whooping cough (8)	10	2	5	1	1		1											
Diphtheria and croup (9)	7				1		4	2										
Influenza (10)	25	4					1	2	3	4	2	6	1	1		1		
Asiatic cholera (12)																		
Cholera nostras (13)	1											1						
Other epidemic diseases (3, 11, 14–19)	6	3							1		1			1				
Tuberculosis of the lungs (28, 29)	92	1					2	14	30	25	15	4		1				
Tuberculous meningitis (30)																		
Other forms of tuberculosis (31–35)	15							5	1	5	2	2						
Cancer and other malignant tumors (39–45)	37								1	9	10	11	5		1			
Meningitis (61)	4	1									1	2						
Cerebral hemorrhage and softening (64, 65)	43									9	6	12	12	2	2			
Organic diseases of the heart (79)	104							2	9	16	21	26	13	16	1			
Acute bronchitis (89)	12	7	3	2														
Chronic bronchitis (90)	21						1	5	6	2	3	1	2		1			
Pneumonia (92)	85	7	1		3			7	4	13	16	16	10	4	4			
Bronchopneumonia (91)	39	11	6	2	3	2	2	1	1	6	2	2	1					
Other diseases, respiratory system (86–88, 93–98)	9									1	4	1	1	2				
Diseases of the stomach (102, 103)	16	2							2	5	3	2		1		1		
Diarrhea and enteritis (104, 105)	32	21	2						3		4	1	1					
Appendicitis and typhlitis (108)	7							1	1	2	2		1					
Hernia, intestinal obstruction (109)	5									2	1	1	1					
Cirrhosis of the liver (113)	5									1	1	1		1	1			
Acute nephritis and Bright's disease (119, 120)	67			2			1		4	4	16	19	9	10	2			
Diseases of the female genital organs (128–132)	15							1	4	4	4	1	1					
Puerperal septicemia (137)	8								3	4	1							
Other puerperal causes (134–136, 138–141)	3								2	1								
Congenital debility and malformations (150–151)	30	30																
Senility (154)	5													2	2		1	
Violent deaths (suicide excepted) (164–186)	42		1			1	3	3	3	7	10	6		2			1	
Suicide (155–163)	2										1	1						
Unknown or ill-defined diseases (187–189)	1															1		
All other causes	135	13	1				4	7	7	22	26	24	13	12	4	2		
NEW ORLEANS, LA. (TOTAL).																		
All causes	6,869	785	133	63	49	27	127	346	741	877	900	920	905	650	286	54	4	2
Typhoid fever (1)	27					1	1	11	9	2		1	2					
Typhus fever (2)																		
Malaria (4)	4									1		1	2					
Smallpox (5)	134	5	1		3		1	8	30	38	32	9	6	1				
Measles (6)	14	1	3	1	3		2	2	2									
Scarlet fever (7)	8			1			3	1	1		1	1						
Whooping cough (8)	21	10	8	3														
Diphtheria and croup (9)	21	1	2	4	2	1	8	2			1							
Influenza (10)	142	16	5	3	1	2	4	7	26	28	13	18	11	6	2			
Asiatic cholera (12)																		
Cholera nostras (13)	1						1											
Other epidemic diseases (3, 11, 14–19)	40	3						2	10	9	4	4	2	6				
Tuberculosis of the lungs (28, 29)	761	3		1			2	57	195	195	145	94	57	11	1			
Tuberculous meningitis (30)	12		2	1	1	1	2	2	1	1			1					
Other forms of tuberculosis (31–35)	40	1	1		1			6	6	8	7	7	3					
Cancer and other malignant tumors (39–45)	413	2	1				1	1	7	46	79	98	105	57	15	1		
Meningitis (61)	33	5	5	3	1	1	6	5	4		3							
Cerebral hemorrhage and softening (64, 65)	352	1	1					2	7	15	32	87	94	74	35	3	1	
Organic diseases of the heart (79)	766	2					1	9	26	57	99	150	192	141	71	17	1	
Acute bronchitis (89)	19	12			1				1				1	2	1	1		
Chronic bronchitis (90)	27						1	1	1		2	6	4	6	4	2		
Pneumonia (92)	404	43	19	7	4	2	15	32	68	59	52	33	35	24	9	2		
Bronchopneumonia (91)	319	107	40	8	10	3	9	12	28	26	14	15	20	14	11	2		
Other diseases, respiratory system (86–88, 93–98)	49		1	2	2	2		4	7	10	6	3	7	3	2			
Diseases of the stomach (102, 103)	60	5	2	1	2		1		5	7	10	14	6	6	1			
Diarrhea and enteritis (104, 105)	278	149	23	9	4	5	1	2	7	14	12	13	13	11	12		1	
Appendicitis and typhlitis (108)	92				2	1	5	20	20	17	15	7	3	2				
Hernia, intestinal obstruction (109)	70	3	1				3	3	7	12	9	15	11	4	1	1		
Cirrhosis of the liver (113)	74						2	1	1	9	22	15	17	6	1			
Acute nephritis and Bright's disease (119, 120)	672	5		2	2		3	19	33	73	114	122	129	119	41	4		1
Diseases of the female genital organs (128–132)	64							2	19	20	17	1	4	1				
Puerperal septicemia (137)	48							3	22	17	6							
Other puerperal causes (134–136, 138–141)	63							12	29	20	2							
Congenital debility and malformations (150, 151)	288	283	4					1										
Senility (154)	35													18	11	5	1	
Violent deaths (suicide excepted) (164–186)	421	9	6	11	6	5	26	73	77	68	41	34	29	27	9			
Suicide (155–163)	41							1	12	6	11	1	6	2	1			1
Unknown or ill-defined diseases (187–189)	1															1		
All other causes	1,057	119	8	6	4	3	24	45	80	119	151	171	145	109	58	15		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over	
NEW ORLEANS, LA. (WHITE).																		
All causes	4,182	435	75	42	29	21	81	172	372	420	486	591	694	498	227	36	1	2
Typhoid fever (1)	19					1	1	8	5	2			2					
Typhus fever (2)																		
Malaria (4)	4									1		1	2					
Smallpox (5)	45	4			1			2	13	12	6	3	3	1				
Measles (6)	14	1	3	1	3		2	2	2									
Scarlet fever (7)	7			1			3	1	1			1						
Whooping cough (8)	14	5	7	2														
Diphtheria and croup (9)	18	1	2	2	1	1	8	2			1							
Influenza (10)	92	10	2	2		2	4	3	19	15	7	13	7	6	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	23	1						2	7	3	2	4	1	3				
Tuberculosis of the lungs (28, 29)	423	3					1	21	87	111	79	69	42	10				
Tuberculous meningitis (30)	11		2	1	1	1	1	2	1	1			1					
Other forms of tuberculosis (31–35)	18	1			1			1	1	3	3	6	2					
Cancer and other malignant tumors (39–45)	315		1				1	1	6	24	55	75	91	48	12	1		
Meningitis (61)	16		2	2	1	1	3	4	3									
Cerebral hemorrhage and softening (64, 65)	238		1					1	4	4	15	54	73	53	31	1	1	
Organic diseases of the heart (79)	507	1					1	2	11	20	47	96	147	111	53	13		
Acute bronchitis (89)	10	4			1				1					2	1	1		
Chronic bronchitis (90)	13										1		3	5	2	2		
Pneumonia (92)	177	10	5	2	2	2	6	13	32	19	22	12	28	19	5			
Bronchopneumonia (91)	189	62	21	5	5	2	6	6	12	12	8	10	18	11	9	2		
Other diseases, respiratory system (86–88, 93–98)	33			2	2	2		2	3	4	4	3	7	2	2			
Diseases of the stomach (102, 103)	37	4	2	1	1				4	2	5	7	5	5	1			
Diarrhea and enteritis (104, 105)	166	95	19	7	4	1			2	2	3	5	10	7	11			
Appendicitis and typhlitis (108)	67				2	1	5	15	12	13	10	6	2	1				
Hernia, intestinal obstruction (109)	44	1					1	1	5	7	6	8	9	4	1	1		
Cirrhosis of the liver (113)	49						1			4	14	9	15	5	1			
Acute nephritis and Bright's disease (119, 120)	422	3		2			4	13	14	32	59	76	86	93	32	2		1
Diseases of the female genital organs (128–132)	28							2	8	7	7	1	3					
Puerperal septicemia (137)	19								7	9	3							
Other puerperal causes (134–136, 138–141)	41							6	20	13	2							
Congenital debility and malformations (150, 151)	158	155	2					1										
Senility (154)	25													10	10	5		
Violent deaths (suicide excepted) (164–186)	272	6	3	8	2	5	19	42	47	41	26	22	21	23	7			
Suicide (155–163)	39							1	11	6	10	1	6	2	1			1
Unknown or ill-defined diseases (187–189)																		
All other causes	629	68	3	4	2	2	14	18	34	53	91	109	110	72	41	8		
NEW ORLEANS, LA. (COLORED).																		
All causes	2,687	350	58	21	20	6	46	174	369	457	414	329	211	152	59	18	3	
Typhoid fever (1)	8							3	4			1						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)	89	1	1		2		1	6	17	26	26	6	3					
Measles (6)																		
Scarlet fever (7)	1										1							
Whooping cough (8)	7	5	1	1														
Diphtheria and croup (9)	3			2	1													
Influenza (10)	50	6	3	1	1			4	7	13	6	5	4					
Asiatic cholera (12)																		
Cholera nostras (13)	1						1											
Other epidemic diseases (3, 11, 14–19)	17	2							3	6	2		1	3				
Tuberculosis of the lungs (28, 29)	338			1			1	36	108	84	66	25	15	1	1			
Tuberculous meningitis (30)	1						1											
Other forms of tuberculosis (31–35)	22		1					5	5	5	4	1	1					
Cancer and other malignant tumors (39–45)	98	2							1	22	24	23	14	9	3			
Meningitis (61)	17	5	3	1			3	1	1		3							
Cerebral hemorrhage and softening (64, 65)	114	1						1	3	11	17	33	21	21	4	2		
Organic diseases of the heart (79)	259	1						7	15	37	52	54	45	30	13	4	1	
Acute bronchitis (89)	9	8											1					
Chronic bronchitis (90)	14						1	1	1		1	6	1	1	2			
Pneumonia (92)	227	33	14	5	2		9	19	36	40	30	21	7	5	4	2		
Bronchopneumonia (91)	130	45	19	3	5	1	3	6	16	14	6	5	2	3	2			
Other diseases, respiratory system (86–88, 93–98)	16		1					2	4	6	2			1				
Diseases of the stomach (102, 103)	23	1			1		1		1	5	5	7	1	1				
Diarrhea and enteritis (104, 105)	110	54	4	2		4	1	2	5	12	9	8	3	4	1		1	
Appendicitis and typhlitis (108)	25							5	8	4	5	1	1	1				
Hernia, intestinal obstruction (109)	26	2	1				2	2	2	5	3	7	2					
Cirrhosis of the liver (113)	25						1	1	1	5	8	6	2	1				
Acute nephritis and Bright's disease (119, 120)	250	2			2		4	6	19	41	55	46	43	21	9	2		
Diseases of the female genital organs (128–132)	36								11	13	10		1	1				
Puerperal septicemia (137)	29							3	15	8	3							
Other puerperal causes (134–136, 138–141)	22							6	9	7								
Congenital debility and malformations (150, 151)	130	128	2															
Senility (154)	10													8	1		1	
Violent deaths (suicide excepted) (164–186)	149	3	3	3	4		7	31	30	27	15	12	8	4	2			
Suicide (155–163)	2								1		1							
Unknown or ill-defined diseases (187–189)	1															1		
All other causes	428	51	5	2	2	1	10	27	46	66	60	62	35	37	17	7		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 years.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BALTIMORE, MD. (TOTAL).																		
All causes	11,356	1,961	378	144	102	58	201	383	964	1,032	1,172	1,449	1,567	1,323	537	81	3	1
Typhoid fever (1)	35							8	13	6	6	1	1					
Typhus fever (2)																		
Malaria (4)	1													1				
Smallpox (5)																		
Measles (6)	48	12	19	10	2	2	3											
Scarlet fever (7)	14		2	3	3		2	1	2	1								
Whooping cough (8)	56	33	15	3	2	1	2											
Diphtheria and croup (9)	101	10	24	18	18	13	15		2	1								
Influenza (10)	324	29	28	4	4	2	6	22	52	54	43	36	26	16	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	59	24	4	2	1	1	2	1	2	4	2	2	6	4	3	1		
Tuberculosis of the lungs (28, 29)	987	13	12	9	1	2	7	79	291	209	163	103	74	21	3			
Tuberculous meningitis (30)	42	12	6	7	3		5	4	1	1	3							
Other forms of tuberculosis (31–35)	76	3		2	1	1	5	9	17	12	7	9	7	3				
Cancer and other malignant tumors (39–45)	824	1	2		1		1	5	17	55	151	211	214	139	23	3	1	
Meningitis (61)	44	11	7	4	1	2	4	1	4	5	1	4						
Cerebral hemorrhage and softening (64, 65)	800	2						2	4	21	69	151	240	221	77	12	1	
Organic diseases of the heart (79)	1,307	2	2				11	38	50	91	156	236	238	289	142	21		1
Acute bronchitis (89)	86	40	7	3	4		1	1	1	4	1	1	7	5	10	1		
Chronic bronchitis (90)	32						1		1	2	1	4	4	7	10	2		
Pneumonia (92)	695	46	25	8	9	3	12	25	110	127	97	101	73	45	13	1		
Bronchopneumonia (91)	672	228	79	25	13	6	14	15	40	32	34	40	56	59	24	7		
Other diseases, respiratory system (86–88, 93–98)	52	3	2	1	1	1	4	1	4	5	4	4	7	10	4	1		
Diseases of the stomach (102, 103)	56	3	2	1				2	2	9	13	11	8	3	2			
Diarrhea and enteritis (104, 105)	758	564	97	18	10	2	8	4	7	10	6	8	6	10	5	3		
Appendicitis and typhlitis (108)	96		1	3		1	4	19	27	14	15	7	3	2				
Hernia, intestinal obstruction (109)	96	8	1	1			1	3	7	13	10	17	17	16		2		
Cirrhosis of the liver (113)	54								1	2	10	12	18	8	3			
Acute nephritis and Bright's disease (119, 120)	1,067	5		1			1	15	37	71	125	219	253	246	84	10		
Diseases of the female genital organs (128–132)	44							1	4	12	13	10	2	2				
Puerperal septicemia (137)	51							10	24	13	4							
Other puerperal causes (134–136, 138–141)	89							11	47	27	4							
Congenital debility and malformations (150, 151)	664	652	4	2	1		4	1										
Senility (154)	53											1	2	18	27	5		
Violent deaths (suicide excepted) (164–186)	572	16	18	10	19	18	62	52	33	71	52	55	52	37	24	3		
Suicide (155–163)	89							8	13	20	19	17	6	4	2			
Unknown or ill-defined diseases (187–189)	6	2								2		1			1			
All other causes	1,406	242	21	9	8	3	26	45	101	138	163	188	217	157	78	9	1	
BALTIMORE, MD. (WHITE).																		
All causes	8,782	1,489	270	101	80	46	162	267	647	694	809	1,112	1,319	1,213	498	73	1	1
Typhoid fever (1)	23							6	9	4	3		1					
Typhus fever (2)																		
Malaria (4)	1													1				
Smallpox (5)																		
Measles (6)	42	10	17	8	2	2	3											
Scarlet fever (7)	14		2	3	3		2	1	2	1								
Whooping cough (8)	33	18	10	2	1	1	1											
Diphtheria and croup (9)	97	10	24	17	15	13	15		2	1								
Influenza (10)	236	14	17	2	4	2	4	16	40	42	32	23	22	16	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	50	19	4	2	1	1	2	1	1	2	2	2	5	4	3	1		
Tuberculosis of the lungs (28, 29)	642	6	6	2	1	1	5	36	168	132	115	86	60	21	3			
Tuberculous meningitis (30)	28	5	6	5	2		3	3	1	1	2							
Other forms of tuberculosis (31–35)	44	2		1	1	1		4	9	8	4	6	6	2				
Cancer and other malignant tumors (39–45)	722	1	1		1		1	5	13	44	120	179	198	133	22	3	1	
Meningitis (61)	38	9	6	2	1	2	4	1	3	5	1	4						
Cerebral hemorrhage and softening (64, 65)	635	1						1	4	8	33	106	198	202	71	11		
Organic diseases of the heart (79)	1,006	2					8	27	32	58	88	164	212	261	133	20		1
Acute bronchitis (89)	59	26	4	1	2				1	3	1	1	5	5	10			
Chronic bronchitis (90)	28						1		1	1		3	4	7	10	1		
Pneumonia (92)	516	32	16	4	8	2	8	15	71	96	65	81	63	42	12	1		
Bronchopneumonia (91)	492	151	49	17	10	1	11	12	32	25	21	32	49	56	19	7		
Other diseases, respiratory system (86–88, 93–98)	47	3	2	1		1	3	1	4	3	4	4	7	9	4	1		
Diseases of the stomach (102, 103)	32	3	2	1				1		3	6	5	6	3	2			
Diarrhea and enteritis (104, 105)	597	461	68	10	6	2	5	2	5	5	4	8	5	8	5	3		
Appendicitis and typhlitis (108)	71		1	3		1	4	18	17	9	7	6	3	2				
Hernia, intestinal obstruction (109)	72	6	1	1			1	1	5	8	7	14	13	13		2		
Cirrhosis of the liver (113)	47								1	2	8	9	16	8	3			
Acute nephritis and Bright's disease (119, 120)	341	3		1			1	14	23	46	82	158	208	222	76	7		
Diseases of the female genital organs (128–132)	30							1	3	6	10	8	2					
Puerperal septicemia (137)	33							5	16	8	4							
Other puerperal causes (134–136, 138–141)	74							6	40	24	4							
Congenital debility and malformations (150–151)	521	510	4	2	1		3	1										
Senility (154)	43											1		14	24	4		
Violent deaths (suicide excepted) (164–186)	455	14	15	8	15	13	54	38	63	49	39	42	44	35	23	3		
Suicide (155–163)	87							8	13	18	19	17	6	4	2			
Unknown or ill-defined diseases (187–189)	4	2													1			
All other causes	1,122	181	15	8	6	3	23	43	68	81	128	153	186	145	73	9		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BALTIMORE, MD. (COLORED).																		
All causes	2,574	472	108	43	22	12	39	116	317	338	363	337	248	110	39	8	2	.....
Typhoid fever (1)	12	.....	.....	.....	.....	.....	.....	2	4	2	3	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	6	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	23	15	5	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	4	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	88	15	11	2	.....	.....	2	6	12	12	11	13	4	.....	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	9	5	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	345	7	6	7	.....	1	2	43	123	77	48	17	14	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	14	7	.....	2	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31, 35)	32	1	.....	1	.....	.....	5	5	8	4	3	3	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	102	.....	1	.....	.....	.....	.....	.....	4	11	31	32	16	6	1	.....	.....	.....
Meningitis (61)	6	2	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	165	1	.....	.....	.....	.....	.....	1	.....	13	36	45	42	19	6	1	1	.....
Organic diseases of the heart (79)	301	.....	2	.....	.....	.....	3	11	18	33	68	72	56	28	9	1	.....	.....
Acute bronchitis (89)	27	14	3	2	2	.....	1	1	.....	1	.....	.....	2	.....	.....	1	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....
Pneumonia (92)	179	14	9	4	1	1	4	10	39	31	32	20	10	3	1	.....	.....	.....
Bronchopneumonia (91)	180	77	30	8	3	5	3	3	8	7	13	8	7	3	5	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	5	.....	.....	.....	1	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....
Diseases of the stomach (102, 103)	24	.....	.....	.....	.....	.....	.....	1	2	6	7	6	2	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	161	103	29	8	4	.....	3	2	2	5	2	.....	1	2	.....	.....	.....	.....
Appendicitis and typhlitis (108)	25	.....	.....	.....	.....	.....	.....	1	10	5	8	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	24	2	.....	.....	.....	.....	.....	2	2	5	3	3	4	3	.....	.....	.....	.....
Cirrhosis of the liver (113)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	226	2	.....	.....	.....	.....	.....	1	14	25	43	61	45	24	8	3	.....	.....
Diseases of the female genital organs (128–132)	14	.....	.....	.....	.....	.....	.....	.....	1	6	3	2	.....	2	.....	.....	.....	.....
Puerperal septicemia (137)	18	.....	.....	.....	.....	.....	.....	5	8	5	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	15	.....	.....	.....	.....	.....	.....	5	7	3	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	143	142	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	1	.....	.....
Violent deaths (suicide excepted) (164–186)	117	2	3	2	4	5	8	14	20	22	13	13	8	2	1	.....	.....	.....
Suicide (155–163)	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
All other causes	284	61	6	1	2	.....	3	2	33	57	35	35	31	12	5	.....	1	.....
BOSTON, MASS.																		
All causes	11,604	1,966	434	164	128	81	278	355	823	935	1,205	1,474	1,618	1,400	644	97	1	1
Typhoid fever (1)	11	.....	.....	.....	.....	.....	1	.....	3	1	4	1	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Measles (6)	71	19	30	7	5	2	5	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	71	4	12	14	7	5	13	5	8	2	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	151	76	50	5	9	4	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	148	24	20	18	17	10	47	8	1	1	1	1	.....	.....	.....	.....	.....	.....
Influenza (10)	370	23	15	4	2	7	3	13	69	86	54	31	27	23	12	.....	.....	1
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	47	20	.....	1	.....	1	.....	.....	5	3	5	3	5	3	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	827	17	10	7	5	.....	8	66	201	183	158	107	49	15	1	.....	.....	.....
Tuberculous meningitis (30)	86	21	12	9	4	6	9	10	6	4	3	2	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	57	5	2	4	2	1	5	3	16	4	7	3	3	2	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	975	.....	2	1	2	.....	.....	2	10	50	174	279	245	161	44	5	.....	.....
Meningitis (61)	58	11	7	3	6	2	7	10	4	1	3	3	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	659	1	.....	.....	.....	.....	.....	.....	2	13	50	107	202	190	77	17	.....	.....
Organic diseases of the heart (79)	1,756	3	2	2	3	2	16	52	44	74	163	291	423	436	207	32	1	.....
Acute bronchitis (89)	68	37	7	1	2	.....	1	.....	.....	.....	1	2	2	7	8	.....	.....	.....
Chronic bronchitis (90)	37	.....	1	1	.....	.....	.....	1	1	.....	.....	4	3	11	12	3	.....	.....
Pneumonia (92)	743	48	33	6	9	5	15	19	81	118	96	104	110	63	31	5	.....	.....
Bronchopneumonia (91)	743	294	104	31	12	6	13	12	22	19	26	37	43	80	39	5	.....	.....
Other diseases, respiratory system (86–88, 93–98)	83	7	8	2	.....	.....	4	1	10	10	3	9	14	4	5	1	.....	.....
Diseases of the stomach (102, 103)	53	5	1	2	.....	.....	.....	.....	1	6	10	14	10	3	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	441	334	52	7	2	1	2	.....	6	3	7	10	6	6	3	2	.....	.....
Appendicitis and typhlitis (108)	119	.....	1	3	1	1	9	20	27	14	17	13	8	5	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	127	15	4	1	.....	1	.....	3	9	9	18	21	26	14	6	.....	.....	.....
Cirrhosis of the liver (113)	37	.....	.....	.....	.....	.....	.....	.....	1	4	9	10	4	3	6	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	458	7	2	2	.....	.....	1	9	15	30	53	78	116	95	44	6	.....	.....
Diseases of the female genital organs (128–132)	53	.....	.....	.....	.....	.....	.....	1	3	20	19	3	3	3	1	.....	.....	.....
Puerperal septicemia (137)	71	.....	.....	.....	.....	.....	.....	5	38	23	5	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	114	.....	.....	.....	.....	.....	.....	5	46	53	10	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	612	594	10	3	3	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Senility (154)	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	6	.....	.....
Violent deaths (suicide excepted) (164–186)	558	19	14	13	17	9	54	32	67	61	79	69	51	44	28	1	.....	.....
Suicide (155–163)	100	.....	.....	.....	.....	.....	.....	.....	21	20	24	19	10	5	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	17	6	.....	.....	.....	.....	1	.....	.....	1	1	3	1	4	.....	.....	.....	.....
All other causes	1,871	376	35	17	20	18	57	77	103	122	198	250	249	220	115	14	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CAMBRIDGE, MASS.																		
All causes	1,636	274	53	20	10	11	32	49	96	117	153	238	236	205	119	22	1	
Typhoid fever (1)	3							1	1	1								
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	14	4	6	2	1					1								
Scarlet fever (7)	4						2		1			1						
Whooping cough (8)	24	12	4	4	2	1	1											
Diphtheria and croup (9)	7					1	5	1										
Influenza (10)	35	2	2	2	1			1	8	5	3	1	4	4	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	8	5				1				1					1			
Tuberculosis of the lungs (28, 29)	133	2					1	12	29	29	30	21	8	1				
Tuberculous meningitis (30)	7	2	2		1			2										
Other forms of tuberculosis (31–35)	6	1				1					1	2		1				
Cancer and other malignant tumors (39–45)	181							1	3	9	29	58	40	25	15	1		
Meningitis (61)	6	1	1	1			1		1		1							
Cerebral hemorrhage and softening (64, 65)	112	1							1	3	10	18	25	38	13	3		
Organic diseases of the heart (79)	225							4	6	10	10	29	62	57	36	11		
Acute bronchitis (89)	15	9	3							1	1		1					
Chronic bronchitis (90)	13											4	1	2	5	1		
Pneumonia (92)	79	4	4	1	1		2	2	11	14	7	13	10	8	1	1		
Bronchopneumonia (91)	107	38	17	3		3	1	2	2	7	6	6	8	7	7			
Other diseases, respiratory system (86–88, 93–98)	14	3		1						1	2	2	1	3	1			
Diseases of the stomach (102, 103)	9	2					1		1	1	2	1	1					
Diarrhea and enteritis (104, 105)	67	58	8										1					
Appendicitis and typhlitis (108)	13					2	1	2	1		3	3			1			
Hernia, intestinal obstruction (109)	12	1						1		2		4	4					
Cirrhosis of the liver (113)	6									1	1	4						
Acute nephritis and Bright's disease (119, 120)	88							4	4	4	17	24	14	13	8			
Diseases of the female genital organs (128–132)	10							1	2	2	4	1						
Puerperal septicemia (137)	6								2	4								
Other puerperal causes (134–136, 138–141)	15							1	8	5	1							
Congenital debility and malformations (150, 151)	94	93	1															
Senility (154)	1															1		
Violent deaths (suicide excepted) (164–186)	73	3		4	2	2	12	8	6	5	6	8	7	7	3			
Suicide (155–163)	9							1	3	1	2	1		1				
Unknown or ill-defined diseases (187–189)	1		1															
All other causes	239	33	4	2	2		5	5	6	10	17	37	49	38	26	4	1	
FALL RIVER, MASS.																		
All causes	1,772	458	96	32	28	14	41	59	75	108	138	179	244	194	93	13		
Typhoid fever (1)	6							2		1	1	1	1					
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	18	5	11	1			1											
Scarlet fever (7)	4			3			1											
Whooping cough (8)	14	7	3	2	2													
Diphtheria and croup (9)	39	5	5	6	9	6	6	2										
Influenza (10)	33	4	3	1		1			6	3	6	3	3	2		1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	8	3	1			1								2	1			
Tuberculosis of the lungs (28, 29)	108	2	1	1	1			13	21	25	24	11	7	2				
Tuberculous meningitis (30)	13	2	2	1	1		2	1	1	2		1						
Other forms of tuberculosis (31–35)	5		1	1				1		1	1							
Cancer and other malignant tumors (39–45)	124							1	1	11	21	35	33	18	3	1		
Meningitis (61)	15	3	1		1		5	3		1		1						
Cerebral hemorrhage and softening (64, 65)	100									2	4	15	34	35	10			
Organic diseases of the heart (79)	163						4	9	4	7	10	24	45	35	23	2		
Acute bronchitis (89)	21	10	3	1	1									3	2	1		
Chronic bronchitis (90)	16										1	1	6	4	4			
Pneumonia (92)	54	2	2	1	1		2	3	6	6	9	6	8	5	3			
Bronchopneumonia (91)	138	61	32	4	3	3	3	3	5	1	3	2	5	8	5			
Other diseases, respiratory system (86–88, 93–98)	22	6	1					1	1	2	1	2	5	3				
Diseases of the stomach (102, 103)	17	7	1						1	2		2	1	2		1		
Diarrhea and enteritis (104, 105)	198	162	22	6	1		1	1	1	1				2	1			
Appendicitis and typhlitis (108)	15							4	1	1	3	4	2					
Hernia, intestinal obstruction (109)	19	1		1						2	2	2	5	2	4			
Cirrhosis of the liver (113)	7					1				1	2		2	1				
Acute nephritis and Bright's disease (119, 120)	120		1				1	2	1	11	17	21	35	19	12			
Diseases of the female genital organs (128–132)	6								1	1	2		1		1			
Puerperal septicemia (137)	6								3	2	1							
Other puerperal causes (134–136, 138–141)	20								7	11	2							
Congenital debility and malformations (150, 151)	115	114	1															
Senility (154)	10													3	1	1		
Violent deaths (suicide excepted) (164–186)	60	3	3	2	3		7	7	5	4	4	8	6	5	2	1		
Suicide (155–163)	10								1		2	4	2		1			
Unknown or ill-defined diseases (187–189)	8	2					1	1	1		1	2						
All other causes	260	59	2	1	5	2	7	5	8	10	21	34	43	38	20	5		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOWELL, MASS.																		
All causes	1,771	425	105	30	17	10	43	54	98	123	129	202	223	187	113	11	1	
Typhoid fever (1)	3								2		1							
Typhus fever (2)																		
Malaria (4)	1											1						
Smallpox (5)																		
Measles (6)	44	16	20	3	3	2												
Scarlet fever (7)	2			1			1											
Whooping cough (8)	21	13	3	2	1		2											
Diphtheria and croup (9)	21	1	6	5	2	4	3											
Influenza (10)	36	4	3				1	1	5	9	1	6	5	1				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)																		
Tuberculosis of the lungs (28, 29)	85	1	1	1		1	1	6	21	21	15	11	5	1				
Tuberculous meningitis (30)	27	10	5	2	1	1	4	4										
Other forms of tuberculosis (31–35)	8								4	1	1	2						
Cancer and other malignant tumors (39–45)	100									7	10	25	24	29	5			
Meningitis (61)	9	2		2		1	1	1	1	1								
Cerebral hemorrhage and softening (64, 65)	112									3	10	27	34	25	13			
Organic diseases of the heart (79)	173							6	7	10	20	28	57	28	14	3		
Acute bronchitis (89)	39	23	7	2							1	1	1	1	3			
Chronic bronchitis (90)	16											1		10	3	2		
Pneumonia (92)	98	5	6	2	1		4	2	13	17	15	15	7	7	4			
Bronchopneumonia (91)	120	44	26	3	1	1	3	2	2	2	6	6	8	6	9		1	
Other diseases, respiratory system (86–88, 93–98)	16	1			1				3	4	1	2	2	1	1			
Diseases of the stomach (102, 103)	13	1		1				1	1	2	1	3	2		1			
Diarrhea and enteritis (104, 105)	150	119	21	3	2		1		2			1		1				
Appendicitis and typhlitis (108)	25				1		1	9	6	4	3			1				
Hernia, and intestinal obstruction (109)	16	3			1		1				1	2	3	2	2	1		
Cirrhosis of the liver (113)	10										1	3	3	3				
Acute nephritis and Bright's disease (119, 120)	83	2	1	1				1	3	12	10	20	13	15	5			
Diseases of the female genital organs (128–132)	8								1	3	2	1	1					
Puerperal septicemia (137)	5								2	3								
Other puerperal causes (134–136, 138–141)	21								9	10	2							
Congenital debility and malformations (150, 151)	134	132	1	1														
Senility (154)	9													2	6	1		
Violent deaths (suicide excepted) (164–186)	65	3	1		2		11	10	9	7	5	5	7	2	3			
Suicide (155–163)	10									1	5	3		1				
Unknown or ill-defined diseases (187–189)	1										1							
All other causes	290	45	4	1	1		9	11	7	6	17	39	51	51	44	4		
NEW BEDFORD, MASS.																		
All causes	1,745	429	131	36	29	19	38	74	105	132	140	173	175	168	78	17		1
Typhoid fever (1)	8							1	3	1	1	2						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	23	5	10	4	1	2	1											
Scarlet fever (7)	3		1	1			1											
Whooping cough (8)	13	9	3	1														
Diphtheria and croup (9)	32		4	5	4	5	12	2										
Influenza (10)	68	3	6	1	1	1	2	4	9	20	10	3	4	4				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	5	1						1		1	1		1					
Tuberculosis of the lungs (28, 29)	134		3	1	3		2	22	36	30	19	11	6		1			
Tuberculous meningitis (30)	24	6	7	2	5		3	1										
Other forms of tuberculosis (31–35)	7		2				1	2			1	1						
Cancer and other malignant tumors (39–45)	95				1				2	3	16	34	22	10	6	1		
Meningitis (61)	17	4	2	1	1	2	2	3		2								
Cerebral hemorrhage and softening (64–65)	117	1	1		1					4	3	28	41	26	11	1		
Organic diseases of the heart (79)	150	1					1	3	3	10	17	15	37	40	18	5		
Acute bronchitis (89)	41	28	10								1		1		1			
Chronic bronchitis (90)	5		1									2		1		1		
Pneumonia (92)	46	2	2	1				5	6	9	7	3	3	7		1		
Bronchopneumonia (91)	185	67	57	10	5	3	4	1	4	7	5	4	4	7	4	3		
Other diseases, respiratory system (86–88, 93–98)	15		3			1	1	2	3		2	1		1	1			
Diseases of the stomach (102, 103)	6							1		2		1		2				
Diarrhea and enteritis (104, 105)	164	144	9	4	2			1		3	1							
Appendicitis and typhlitis (108)	8							2		1	1	3		1				
Hernia, intestinal obstruction (109)	8	3							2	1				2				
Cirrhosis of the liver (113)	2												2					
Acute nephritis and Bright's disease (119, 120)	83	2		1				4	5	5	12	22	14	14	4			
Diseases of the female genital organs (128–132)	9								1	3	5							
Puerperal septicemia (137)	10								5	5								
Other puerperal causes (134–136, 138–141)	8								5	2	1							
Congenital debility and malformations (150, 151)	71	69	1						1									
Senility (154)	3														1	2		
Violent deaths (suicide excepted) (164–186)	58	1			4	2	3	10	5	4	9	8	4	5	3			
Suicide (155–163)	13							1	4	3	1	1	2	1				
Unknown or ill-defined diseases (187–189)	39	11	2				1	1		6	8	3	2	4				1
All other causes	275	72	7	4	1	3	4	7	11	10	19	31	32	43	28	3		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SPRINGFIELD, MASS.																		
All causes	1,709	290	60	24	20	16	37	57	122	135	168	191	229	202	135	21	1	1
Typhoid fever (1)	6	.....	1	.....	.....	.....	.....	1	2	.....	1	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	11	2	5	1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	22	.....	3	3	4	2	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	18	12	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	16	2	.....	1	3	3	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	57	3	4	.....	.....	1	.....	5	11	13	11	5	1	1	2	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	6	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	81	.....	.....	.....	.....	.....	1	9	24	16	18	5	6	2	.....	.....	.....	.....
Tuberculous meningitis (30)	13	2	4	4	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	11	.....	1	2	1	.....	.....	1	2	1	1	1	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	131	.....	.....	.....	.....	.....	.....	1	3	1	18	33	34	31	9	1	.....	.....
Meningitis (61)	8	2	2	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	139	2	.....	.....	.....	.....	.....	.....	.....	.....	15	25	35	37	22	3	.....	.....
Organic diseases of the heart (79)	198	3	1	.....	.....	.....	2	7	8	8	13	23	40	58	26	9	.....	.....
Acute bronchitis (89)	9	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....
Chronic bronchitis (90)	5	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
Pneumonia (92)	72	3	5	1	1	.....	1	2	11	20	5	6	9	2	5	1	.....	.....
Bronchopneumonia (91)	98	33	10	10	1	2	.....	1	6	8	10	4	2	6	4	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	17	4	1	.....	.....	2	.....	.....	.....	4	1	1	.....	1	2	1	.....	.....
Diseases of the stomach (102, 103)	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	1	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	61	45	9	.....	1	.....	.....	.....	2	.....	1	.....	1	1	1	.....	.....	.....
Appendicitis and typhlitis (108)	15	.....	.....	.....	1	1	2	1	4	2	1	.....	2	.....	1	.....	.....	.....
Hernia, intestinal obstruction (109)	15	2	.....	.....	.....	.....	.....	1	.....	2	3	3	2	1	1	.....	.....	.....
Cirrhosis of the liver (113)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	173	2	.....	.....	.....	.....	1	3	5	15	24	27	44	23	27	2	.....	.....
Diseases of the female genital organs (128–132)	12	.....	.....	.....	.....	.....	.....	.....	.....	5	5	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	6	.....	.....	.....	.....	.....	.....	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	9	.....	.....	.....	.....	.....	.....	2	5	2	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	118	117	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	101	1	4	1	4	3	10	7	14	12	14	10	5	4	11	.....	1	.....
Suicide (155–163)	11	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	1	1	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
All other causes	254	50	2	1	3	.....	5	11	12	22	21	37	39	29	19	3	.....	.....
WORCESTER, MASS.																		
All causes	2,668	410	60	32	15	23	55	74	180	236	248	343	412	357	190	33	.....	.....
Typhoid fever (1)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	22	.....	5	5	3	1	3	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	11	7	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	14	1	.....	2	2	1	6	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Influenza (10)	85	8	1	1	.....	3	1	3	14	18	20	5	3	5	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	15	4	.....	.....	.....	.....	1	.....	.....	.....	1	1	3	2	2	1	.....	.....
Tuberculosis of the lungs (28, 29)	169	4	2	2	.....	.....	3	12	47	31	28	17	17	5	1	.....	.....	.....
Tuberculous meningitis (30)	21	3	5	1	2	2	5	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	17	2	2	.....	.....	.....	2	1	2	5	2	.....	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	220	.....	.....	.....	.....	.....	.....	2	3	11	32	58	59	47	6	2	.....	.....
Meningitis (61)	10	2	2	1	.....	.....	.....	1	1	.....	1	.....	2	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	167	.....	.....	.....	.....	.....	.....	.....	.....	3	10	19	57	43	33	2	.....	.....
Organic diseases of the heart (79)	413	.....	.....	.....	.....	.....	.....	8	13	14	30	73	99	108	57	11	.....	.....
Acute bronchitis (89)	21	8	1	3	.....	.....	.....	.....	.....	.....	1	2	1	2	3	.....	.....	.....
Chronic bronchitis (90)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	1	2	.....	.....	.....
Pneumonia (92)	175	7	5	1	1	.....	3	4	14	29	14	28	31	25	11	2	.....	.....
Bronchopneumonia (91)	179	49	14	8	3	2	1	2	7	12	9	12	23	19	17	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	13	2	.....	.....	.....	.....	.....	.....	1	1	4	.....	1	2	1	1	.....	.....
Diseases of the stomach (102, 103)	7	2	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	103	79	8	.....	1	2	1	.....	2	2	1	3	3	1	.....	.....	.....	.....
Appendicitis and typhlitis (108)	33	.....	.....	.....	.....	.....	5	5	8	2	4	5	3	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	17	2	.....	.....	.....	.....	1	.....	1	1	2	2	5	3	.....	.....	.....	.....
Cirrhosis of the liver (113)	8	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	3	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	111	.....	1	.....	1	.....	.....	1	4	11	8	14	34	28	8	1	.....	.....
Diseases of the female genital organs (128–132)	15	.....	.....	.....	.....	.....	.....	.....	2	4	5	4	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	13	.....	.....	.....	.....	.....	.....	.....	7	5	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	38	.....	.....	.....	.....	.....	.....	.....	15	19	4	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	152	143	3	1	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	141	6	5	3	2	6	11	8	14	14	14	21	12	11	11	3	.....	.....
Suicide (155–163)	12	.....	.....	.....	.....	.....	.....	.....	3	1	3	1	1	2	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
All other causes	444	80	3	3	.....	4	10	18	18	47	45	74	54	46	33	9	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DETROIT, MICH. (TOTAL).																		
All causes	13,700	2,885	622	284	200	152	456	581	1,712	1,700	1,209	1,203	1,182	978	467	61	7	1
Typhoid fever (1)	55		1				4	14	13	13	6	2	2					
Typhus fever (2)																		
Malaria (4)	2										1			1				
Smallpox (5)	4	1	1								1		1					
Measles (6)	88	18	35	8	4	3	14	5					1					
Scarlet fever (7)	103	6	11	15	15	11	25	7	10	3								
Whooping cough (8)	135	69	33	16	7	4	5	1										
Diphtheria and croup (9)	377	28	56	65	44	31	112	22	11	5		1	2					
Influenza (10)	859	72	46	18	18	10	13	53	221	189	92	54	32	31	9	1		
Asiatic cholera (12)																		
Cholera nostras (13)	1	1																
Other epidemic diseases (3, 11, 14–19)	66	21	8	2	1		3	1	2	9	2	8	5	3	1			
Tuberculosis of the lungs (28, 29)	866	10	5	7	4	1	9	96	297	228	93	72	33	10	1			
Tuberculous meningitis (30)	87	8	19	10	9	6	11	14	5	2	3							
Other forms of tuberculosis (31–35)	63	3	2		1	1	1	9	21	8	10	4	3					
Cancer and other malignant tumors (39–45)	640	1	1			1	4		11	54	114	172	164	92	25	1		
Meningitis (61)	85	20	13	5	5	2	8	7	7	6	8	3	1					
Cerebral hemorrhage and softening (64, 65)	438		1				1	1	7	16	41	72	118	112	62	7		
Organic diseases of the heart (79)	1,141	12	3	1	1	3	19	47	62	110	129	170	239	221	105	16	3	
Acute bronchitis (89)	111	54	10	4	5		1	3	3	1	3	3	4	6	13	1		
Chronic bronchitis (90)	72	1					2	1	1	2	3	7	7	33	14	1		
Pneumonia (92)	1,499	123	60	19	10	10	25	54	338	342	179	147	107	58	24	3		
Bronchopneumonia (91)	870	338	126	34	28	13	22	16	63	66	26	47	37	33	15	1		
Other diseases, respiratory system (86–88, 93–98)	154	4	11	4	5	2	4	11	17	17	23	21	15	7	13			
Diseases of the stomach (102, 103)	113	37	2	2			2	2	5	13	10	13	17	10				
Diarrhea and enteritis (104, 105)	758	571	95	24	5	12	7	3	7	7	4	6	8	7	2			
Appendicitis and typhilitis (108)	211	1	2	2	2	2	13	26	57	42	36	21	6	1				
Hernia, intestinal obstruction (109)	119	23	3	1		1	2	3	15	13	10	16	16	14	2			
Cirrhosis of the liver (113)	70			2				1	3	5	9	12	20	16	2			
Acute nephritis and Bright's disease (119, 120)	516	10	1	5		1	9	14	33	57	71	89	91	92	35	8		
Diseases of the female genital organs (128–132)	97							2	17	33	31	7	5	1	1			
Puerperal septicemia (137)	99							5	57	32	5							
Other puerperal causes (134–136, 138–141)	162							7	86	61	8							
Congenital debility and malformations (150, 151)	1,053	1,039	7	2	2		2	1										
Senility (154)	67												1	20	33	10	3	
Violent deaths (suicide excepted) (164–186)	871	19	29	22	23	21	85	77	162	157	96	61	60	38	17	4		
Suicide (155–163)	89							1	25	14	19	17	10	2	1			
Unknown or ill-defined diseases (187–189)	12	3	3			1					2	2			1			
All other causes	1,747	392	38	18	9	16	53	77	156	195	174	176	177	165	91	8	1	1
DETROIT, MICH. (WHITE).																		
All causes	12,660	2,734	574	270	191	146	438	531	1,477	1,474	1,067	1,130	1,149	951	462	61	4	1
Typhoid fever (1)	51						3	14	12	12	6	2	2					
Typhus fever (2)																		
Malaria (4)	2										1			1				
Smallpox (5)	4	1	1								1		1					
Measles (6)	87	18	35	7	4	3	14	5					1					
Scarlet fever (7)	101	6	11	14	15	11	24	7	10	3								
Whooping cough (8)	126	67	29	14	6	4	5	1										
Diphtheria and croup (9)	366	28	52	65	43	29	109	22	10	5		1	2					
Influenza (10)	796	68	44	18	17	9	13	48	208	171	81	49	32	28	9	1		
Asiatic cholera (12)																		
Cholera nostras (13)	1	1																
Other epidemic diseases (3, 11, 14–19)	60	21	6	2	1		3	1	1	6	2	8	5	3	1			
Tuberculosis of the lungs (28, 29)	765	10	5	3	2	1	8	85	250	208	83	66	33	10	1			
Tuberculous meningitis (30)	78	7	18	9	9	6	9	12	5	2	1							
Other forms of tuberculosis (31–35)	49	3	2		1	1	1	5	14	5	10	4	3					
Cancer and other malignant tumors (39–45)	623	1	1			1	4		11	50	109	167	162	91	25	1		
Meningitis (61)	79	17	13	5	5	1	7	7	6	6	8	3	1					
Cerebral hemorrhage and softening (64, 65)	422		1				1	1	6	15	35	68	115	111	62	7		
Organic diseases of the heart (79)	1,040	11	3	1	1	3	17	42	53	89	112	152	229	209	101	16	1	
Acute bronchitis (89)	103	51	9	3	5		1	2	2		3	3	4	6	13	1		
Chronic bronchitis (90)	68						1	1	1	2	3	6	7	32	14	1		
Pneumonia (92)	1,232	105	50	17	9	10	22	46	251	276	137	129	97	56	24	3		
Bronchopneumonia (91)	800	307	114	33	26	13	21	15	59	57	22	42	37	38	15	1		
Other diseases, respiratory system (86–88, 93–98)	145	4	11	4	5	2	4	11	15	14	20	21	14	7	13			
Diseases of the stomach (102, 103)	109	36	2	2			2	2	4	12	10	12	17	10				
Diarrhea and enteritis (104, 105)	728	548	89	23	5	12	7	3	7	7	4	6	8	7	2			
Appendicitis and typhlitis (108)	203	1	2	2	2	2	13	25	53	41	34	21	6	1				
Hernia, intestinal obstruction (109)	108	23	3	1		1	2	2	11	11	8	15	16	13	2			
Cirrhosis of the liver (113)	65			2				1	3	4	8	10	19	16	2			
Acute nephritis and Bright's disease (119, 120)	492	10	1	5		1	9	13	30	48	64	89	89	90	35	8		
Diseases of the female genital organs (128–132)	85							2	14	27	28	7	5	1	1			
Puerperal septicemia (137)	96							5	56	30	5							
Other puerperal causes (134–136, 138–141)	155							7	82	58	8							
Congenital debility and malformations (150, 151)	1,009	995	7	2	2		2	1										
Senility (154)	65												1	19	33	10	2	
Violent deaths (suicide excepted) (164–186)	797	19	27	22	22	20	84	73	140	130	82	60	59	38	17	4		
Suicide (155–163)	87							1	25	14	19	15	10	2	1			
Unknown or ill-defined diseases (187–189)	8	3	2								2	1						
All other causes	1,655	373	36	18	9	16	52	71	138	171	161	173	174	162	91	8	1	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DETROIT, MICH. (COLORED).																		
All causes	1,040	151	48	14	9	6	18	50	235	226	142	73	33	27	5	.....	3	.....
Typhoid fever (1)	4	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	9	2	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	11	.....	4	.....	1	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	63	4	2	.....	1	1	.....	5	13	18	11	5	.....	3	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	6	.....	2	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	101	.....	.....	4	2	.....	1	11	47	20	10	6	.....	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	9	1	1	1	.....	.....	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	14	.....	.....	.....	.....	.....	.....	4	7	3	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	17	.....	.....	.....	.....	.....	.....	.....	.....	4	5	5	2	1	.....	.....	.....	.....
Meningitis (61)	6	3	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	16	.....	.....	.....	.....	.....	.....	.....	1	1	6	4	3	1	.....	.....	.....	.....
Organic diseases of the heart (79)	101	1	.....	.....	.....	.....	2	5	9	21	17	18	10	12	4	.....	2	.....
Acute bronchitis (89)	8	3	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Pneumonia (92)	267	18	10	2	1	.....	3	8	87	66	42	18	10	2	.....	.....	.....	.....
Bronchopneumonia (91)	70	31	12	1	2	.....	1	1	4	9	4	5	.....	.....	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	9	.....	.....	.....	.....	.....	.....	.....	2	3	3	.....	1	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	30	23	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	8	.....	.....	.....	.....	.....	.....	1	4	1	2	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	11	.....	.....	.....	.....	.....	.....	1	4	2	2	1	.....	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	24	.....	.....	.....	.....	.....	.....	1	3	9	7	.....	2	2	.....	.....	.....	.....
Diseases of the female genital organs (128–132)	12	.....	.....	.....	.....	.....	.....	.....	3	6	3	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	7	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	44	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
Violent deaths (suicide excepted) (164–186)	74	.....	2	.....	1	1	1	4	22	27	14	1	1	.....	.....	.....	.....	.....
Suicide (155–163)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
All other causes	92	19	2	.....	.....	.....	1	6	18	24	13	3	3	3	.....	.....	.....	.....
GRAND RAPIDS, MICH.																		
All causes	1,826	310	60	13	13	18	59	66	121	137	140	175	261	270	153	29	1	.....
Typhoid fever (1)	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	24	9	8	2	1	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	4	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	24	12	8	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	39	1	3	.....	1	4	16	10	.....	1	.....	2	1	.....	.....	.....	.....	.....
Influenza (10)	38	1	4	.....	.....	.....	1	.....	9	11	1	4	1	5	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	11	4	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	1	.....	1	.....	.....
Tuberculosis of the lungs (28, 29)	83	1	.....	.....	.....	.....	2	10	31	20	14	4	6	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	6	.....	1	.....	.....	.....	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	139	.....	.....	.....	.....	1	.....	1	.....	10	13	34	34	32	12	2	.....	.....
Meningitis (61)	8	.....	1	.....	3	.....	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	115	.....	.....	.....	.....	.....	.....	.....	1	.....	7	13	36	33	21	4	.....	.....
Organic diseases of the heart (79)	216	3	.....	.....	.....	.....	1	5	4	5	19	20	69	55	34	1	.....	.....
Acute bronchitis (89)	19	6	1	.....	2	.....	.....	.....	.....	.....	.....	1	1	3	3	2	.....	.....
Chronic bronchitis (90)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	1	.....	.....
Pneumonia (92)	96	6	3	2	.....	.....	2	5	13	14	10	14	13	8	5	1	.....	.....
Bronchopneumonia (91)	70	21	9	1	1	5	2	.....	6	4	2	1	5	7	5	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	28	4	1	.....	2	.....	.....	1	3	2	.....	1	4	6	2	2	.....	.....
Diseases of the stomach (102, 103)	24	4	1	.....	.....	.....	.....	.....	1	2	4	4	2	3	2	1	.....	.....
Diarrhea and enteritis (104, 105)	98	77	12	2	.....	.....	2	.....	.....	2	1	.....	1	1	.....	.....	.....	.....
Appendicitis and typhlitis (108)	29	2	.....	.....	.....	.....	6	5	3	5	2	3	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	23	4	1	.....	.....	.....	.....	.....	.....	4	3	1	4	5	1	.....	.....	.....
Cirrhosis of the liver (113)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	1	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	138	3	.....	.....	.....	.....	2	6	5	3	11	20	27	38	20	3	.....	.....
Diseases of the female genital organs (128–132)	10	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	3	.....	.....	.....	.....	.....
Puerperal septicemia (137)	7	.....	.....	.....	.....	.....	.....	.....	3	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	18	.....	.....	.....	.....	.....	.....	2	7	8	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	105	103	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	5	7	1	.....
Violent deaths (suicide excepted (164–186)	80	2	3	3	.....	3	6	7	13	8	12	6	7	6	4	.....	.....	.....
Suicide (155–163)	20	.....	.....	.....	.....	.....	.....	.....	4	6	4	1	1	4	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	305	47	3	2	.....	3	12	11	12	22	29	35	39	52	35	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MINNEAPOLIS, MINN.																		
All causes	4,713	600	100	55	35	26	103	193	475	528	403	583	679	556	321	55	.....	1
Typhoid fever (1)	10	.....	.....	.....	.....	.....	.....	2	3	2	.....	3	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	22	5	4	1	2	1	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	26	.....	2	5	2	.....	11	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	48	18	16	7	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	44	4	4	3	6	4	8	3	4	5	3	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	328	10	19	3	3	3	6	22	85	82	29	23	20	20	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	29	7	1	.....	.....	.....	.....	.....	1	4	2	5	3	5	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	364	2	4	.....	.....	.....	3	25	125	103	35	37	26	4	.....	.....	.....	.....
Tuberculous meningitis (30)	21	2	3	2	1	1	3	4	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	30	.....	.....	.....	.....	.....	.....	4	5	7	6	4	3	.....	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	443	.....	1	.....	.....	1	3	.....	11	22	72	110	122	77	23	1	.....	.....
Meningitis (61)	24	4	1	.....	.....	.....	1	8	4	2	.....	3	.....	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	223	.....	.....	.....	.....	.....	.....	2	1	2	14	27	61	75	35	6	.....	.....
Organic diseases of the heart (79)	501	1	.....	.....	1	.....	5	12	21	28	37	56	138	108	80	13	.....	1
Acute bronchitis (89)	10	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	2	.....	.....
Chronic bronchitis (90)	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	7	6	2	.....	.....
Pneumonia (92)	245	14	5	.....	.....	.....	4	8	38	39	20	32	29	33	20	3	.....	.....
Bronchopneumonia (91)	163	56	19	6	3	1	3	3	3	4	5	7	13	21	16	3	.....	.....
Other diseases, respiratory system (86–88, 93–98)	33	2	.....	2	.....	.....	1	3	1	8	4	2	3	3	3	1	.....	.....
Diseases of the stomach (102, 103)	25	.....	.....	1	.....	.....	.....	.....	1	3	6	5	3	2	3	1	.....	.....
Diarrhea and enteritis (104, 105)	81	46	7	4	2	.....	.....	.....	3	6	3	4	3	1	2	.....	.....	.....
Appendicitis and typhlitis (108)	86	.....	.....	.....	.....	3	12	18	11	18	5	17	.....	2	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	47	5	1	.....	.....	1	.....	.....	2	6	5	11	9	5	2	.....	.....	.....
Cirrhosis of the liver (113)	17	.....	.....	.....	.....	.....	.....	.....	.....	2	4	5	1	4	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	262	1	.....	.....	.....	.....	.....	.....	4	8	22	55	70	55	41	6	.....	.....
Diseases of the female genital organs (128–132)	42	.....	.....	.....	.....	.....	.....	.....	11	9	10	4	7	.....	1	.....	.....	.....
Puerperal septicemia (137)	34	.....	.....	.....	.....	.....	.....	1	15	17	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	40	.....	.....	.....	.....	.....	.....	3	12	24	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	309	298	3	4	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	9	5	.....	.....
Violent deaths (suicide excepted) (164–186)	285	14	4	8	6	6	25	32	37	34	22	29	23	29	14	2	.....	.....
Suicide (155–163)	71	.....	.....	.....	.....	.....	.....	1	18	19	9	17	7	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	811	106	6	9	4	3	11	36	49	70	86	125	136	101	59	10	.....	.....
ST. PAUL, MINN.																		
All causes	2,958	378	64	34	29	11	83	139	310	306	256	374	438	326	186	23	1	.....
Typhoid fever (1)	5	.....	.....	.....	.....	.....	.....	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	17	4	4	2	3	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	15	.....	2	3	1	.....	4	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	26	11	10	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	58	1	3	6	6	2	23	8	3	2	1	3	.....	.....	.....	.....	.....	.....
Influenza (10)	167	6	7	1	.....	.....	5	7	56	44	16	13	6	3	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	9	4	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	224	4	3	1	1	.....	.....	24	72	53	34	20	7	5	.....	.....	.....	.....
Tuberculous meningitis (30)	18	.....	2	1	2	2	4	2	2	1	1	.....	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	25	.....	.....	1	.....	.....	.....	6	4	6	4	4	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	287	.....	1	.....	.....	.....	1	2	6	19	32	67	77	61	20	.....	1	.....
Meningitis (61)	13	2	2	1	.....	.....	3	2	1	.....	.....	1	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	151	.....	.....	1	.....	.....	.....	1	.....	2	15	24	41	42	24	1	.....	.....
Organic diseases of the heart (79)	253	.....	.....	.....	.....	1	2	11	6	13	12	41	75	51	37	4	.....	.....
Acute bronchitis (89)	8	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
Chronic bronchitis (90)	8	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	2	.....	.....
Pneumonia (92)	186	10	5	1	1	.....	3	14	31	43	12	17	29	11	7	2	.....	.....
Bronchopneumonia (91)	64	21	8	3	2	.....	1	1	.....	6	.....	3	2	10	6	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	33	3	.....	.....	.....	.....	1	1	5	1	1	5	9	6	1	.....	.....	.....
Diseases of the stomach (102, 103)	16	1	2	.....	.....	.....	.....	.....	2	1	.....	4	5	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	64	37	4	4	2	1	1	.....	3	.....	4	.....	4	3	1	.....	.....	.....
Appendicitis and typhlitis (108)	52	.....	.....	1	.....	.....	7	13	7	7	2	8	6	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	31	4	.....	.....	.....	.....	.....	.....	.....	3	3	8	6	4	3	.....	.....	.....
Cirrhosis of the liver (113)	19	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	8	3	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	251	1	1	.....	2	.....	3	4	7	18	22	47	67	46	27	6	.....	.....
Diseases of the female genital organs (128–132)	24	.....	.....	.....	.....	.....	.....	.....	5	5	8	1	2	3	.....	.....	.....	.....
Puerperal septicemia (137)	14	.....	.....	.....	.....	.....	.....	.....	6	8	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	32	.....	.....	.....	.....	.....	.....	2	14	13	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	192	190	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	12	2	.....	.....
Violent deaths (suicide excepted) (164–186)	190	8	5	2	3	2	9	15	38	17	27	27	20	11	6	.....	.....	.....
Suicide (155–163)	22	.....	.....	.....	.....	.....	.....	.....	4	3	7	4	4	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	467	65	4	4	4	1	12	21	33	34	49	74	66	61	34	5	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
KANSAS CITY, MO. (TOTAL).																		
All causes	5,279	765	149	54	26	37	102	240	625	649	544	637	655	539	219	36	1	1
Typhoid fever (1)	26	1					5	5	7	5	2	1						
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)	3	1						2										
Measles (6)	30	6	6	3	1	1	2	4	6	1								
Scarlet fever (7)	17		2	1	1	2	1	6	3	1								
Whooping cough (8)	38	19	13	3	1	1	1											
Diphtheria and croup (9)	46	2	5	6	3	7	16	4	2	1								
Influenza (10)	349	24	19	8	1	3	12	36	118	56	22	23	16	9	1	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	15	3		1					2		2	4		1	1	1		
Tuberculosis of the lungs (28, 29)	330	7	2				3	28	85	85	56	39	15	9	1			
Tuberculous meningitis (30)	13	1	1		1	1	1	1	4	1	1	1						
Other forms of tuberculosis (31-35)	26						3	3	3	6	5	3	2	1				
Cancer and other malignant tumors (39-45)	336						1	3	13	35	59	84	86	46	9			
Meningitis (61)	20	2	2				3	1	3	3	3	2	1					
Cerebral hemorrhage and softening (64, 65)	248	2							3	12	16	46	67	71	26	5		
Organic diseases of the heart (79)	538	5	1	1			1	10	30	54	67	98	115	107	41	8		
Acute bronchitis (89)	26	8	2	2		1					1		2	5	1	4		
Chronic bronchitis (90)	15	1									1	1	4	3	5			
Pneumonia (92)	507	53	13	9	4	4	7	23	95	84	57	53	48	37	16	3	1	
Bronchopneumonia (91)	305	71	30	9	5	4	6	17	42	26	12	16	29	20	17	1		
Other diseases, respiratory system (86-88, 93-98)	37		3					3	8	5	1	2	7	6	2			
Diseases of the stomach (102, 103)	27	5						2	1	2	1	5	7	2	1	1		
Diarrhea and enteritis (104, 105)	256	196	29	2	3	1	1	2	1	4	2	5	2	7	1			
Appendicitis and typhlitis (108)	95	1			2		6	15	24	24	13	5	4	1				
Hernia, intestinal obstruction (109)	48	3	1			1	1	3	4	12	9	6	3	4	1			
Cirrhosis of the liver (113)	24			1				1		3	1	5	5	8				
Acute nephritis and Bright's disease (119, 120)	362	3	1	1			1	10	13	21	50	75	76	70	38	3		
Diseases of the female genital organs (128-132)	36							1	7	11	10	3	3	1				
Puerperal septicemia (137)	34							5	14	14	1							
Other puerperal causes (134-136, 138-141)	22							4	12	6								
Congenital debility and malformations (150, 151)	250	248	2															
Senility (154)	5													4	1			
Violent deaths (suicide excepted) (164-186)	324	7	3	1	2	8	17	18	69	69	41	32	26	19	11	1		
Suicide (155-163)	59							4	12	18	8	13	3	1				
Unknown or ill-defined diseases (187-189)	12	2	1						2		1	2	3					1
All other causes	799	94	13	6	2	3	14	28	42	90	102	113	131	107	46	8		
KANSAS CITY, MO. (WHITE).																		
All causes	4,501	681	127	48	20	36	90	203	513	490	427	540	583	505	207	29	1	1
Typhoid fever (1)	22	1					5	4	5	4	2	1						
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)	3	1						2										
Measles (6)	27	5	5	2	1	1	2	4	6	1								
Scarlet fever (7)	16		1	1	1	2	1	6	3	1								
Whooping cough (8)	31	17	9	3		1	1											
Diphtheria and croup (9)	46	2	5	6	3	7	16	4	2	1								
Influenza (10)	321	18	14	8	1	3	12	36	113	53	18	18	16	9	1	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	14	2		1					2		2	4		1	1	1		
Tuberculosis of the lungs (28, 29)	214	7	2				1	15	46	50	40	32	11	9	1			
Tuberculous meningitis (30)	9	1	1		1	1		1	3	1								
Other forms of tuberculosis (31-35)	15						2	1	2	3	4	2		1				
Cancer and other malignant tumors (39-45)	312						1	3	12	29	53	78	82	45	9			
Meningitis (61)	19	2	2				3	1	3	2	3	2	1					
Cerebral hemorrhage and softening (64, 65)	223	2							2	7	14	41	59	67	26	5		
Organic diseases of the heart (79)	432	4	1	1			1	7	24	33	44	81	92	103	34	7		
Acute bronchitis (89)	21	5	2			1					1		2	5	1	4		
Chronic bronchitis (90)	14	1									1	1	3	3	5			
Pneumonia (92)	398	37	11	7	2	4	5	17	73	63	44	40	44	32	16	2	1	
Bronchopneumonia (91)	271	59	24	8	3	4	4	17	42	22	10	14	28	18	17	1		
Other diseases, respiratory system (86-88, 93-98)	31		3					3	6	4	1	1	6	5	2			
Diseases of the stomach (102, 103)	23	5						2	1	2		4	5	2	1	1		
Diarrhea and enteritis (104, 105)	240	184	27	2	3	1	1	2	1	4	2	3	2	7	1			
Appendicitis and typhlitis (108)	88	1			2		5	15	22	22	11	5	4	1				
Hernia, intestinal obstruction (109)	39	3	1			1		3	2	10	7	4	3	4	1			
Cirrhosis of the liver (113)	20			1						2	1	3	5	8				
Acute nephritis and Bright's disease (119, 120)	304	2	1	1			1	6	10	17	36	63	68	64	35			
Diseases of the female genital organs (128-132)	25							1	6	7	6	2	2	1				
Puerperal septicemia (137)	26							4	11	10	1							
Other puerperal causes (134-136, 138-141)	19							3	11	5								
Congenital debility and malformations (150, 151)	234	232	2															
Senility (154)	5													4	1			
Violent deaths (suicide excepted) (164-186)	277	5	2	1	1	8	16	17	58	51	35	29	24	19	10	1		
Suicide (155-163)	56							3	12	16	8	13	3	1				
Unknown or ill-defined diseases (187-189)	10	2	1						2			2	2					1
All other causes	695	83	13	6	2	2	13	25	33	70	83	97	121	96	45	6		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown ages.
		Under 1 year.	1 years.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
KANSAS CITY, MO. (COLORED).																		
All causes	778	84	22	6	6	1	12	37	112	159	117	97	72	34	12	7		
Typhoid fever (1)	4							1	2	1								
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	3	1	1	1														
Scarlet fever (7)	1		1															
Whooping cough (8)	7	2	4		1													
Diphtheria and croup (9)																		
Influenza (10)	28	6	5						5	3	4	5						
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	1	1																
Tuberculosis of the lungs (28, 29)	116						2	13	39	35	16	7	4					
Tuberculous meningitis (30)	4						1		1		1	1						
Other forms of tuberculosis (31–35)	11						1	2	1	3	1	1	2					
Cancer and other malignant tumors (39–45)	24								1	6	6	6	4	1				
Meningitis (61)	1									1								
Cerebral hemorrhage and softening (64, 65)	25								1	5	2	5	8	4				
Organic diseases of the heart (79)	106	1						3	6	21	23	17	23	4	7	1		
Acute bronchitis (89)	5	3		2														
Chronic bronchitis (90)	1												1					
Pneumonia (92)	109	16	2	2	2		2	6	22	21	13	13	4	5		1		
Bronchopneumonia (91)	34	12	6	1	2		2			4	2	2	1	2				
Other diseases, respiratory system (86–88, 93–98)	6								2	1		1	1	1				
Diseases of the stomach (102, 103)	4										1	1	2					
Diarrhea and enteritis (104, 105)	16	12	2									2						
Appendicitis and typhlitis (108)	7						1		2	2	2							
Hernia, intestinal obstruction (109)	9						1		2	2	2	2						
Cirrhosis of the liver (113)	4							1		1		2						
Acute nephritis and Bright's disease (119, 120)	58	1						4	3	4	14	12	8	6	3	3		
Diseases of the female genital organs (128–132)	11								1	4	4	1	1					
Puerperal septicemia (137)	8							1	3	4								
Other puerperal causes (134–136, 138–141)	3							1	1	1								
Congenital debility and malformations (150, 151)	16	16																
Senility (154)																		
Violent deaths (suicide excepted) (164–186)	47	2	1		1		1	1	11	18	6	3	2		1			
Suicide (155–163)	3							1		2								
Unknown or ill-defined diseases (187–189)	2										1		1					
All other causes	104	11				1	1	3	9	20	19	16	10	11	1	2		
ST. LOUIS, MO. (TOTAL).																		
All causes	10,931	1,153	267	144	113	69	325	429	937	1,125	1,185	1,505	1,627	1,346	614	86	6	
Typhoid fever (1)	20						1	10	1	3	4	1						
Typhus fever (2)																		
Malaria (4)	13	2			1			1	1	1	1	1	2	2	1			
Smallpox (5)																		
Measles (6)	92	9	32	16	9	2	20	3		1								
Scarlet fever (7)	25		3	3	3	4	7	3	2									
Whooping cough (8)	34	19	7	4	3		1											
Diphtheria and croup (9)	241	5	12	22	28	15	126	26	3	3		1						
Influenza (10)	396	26	13	12	7	1	12	31	87	86	45	28	20	19	9			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	52	14		2		1		3	1	5	4	5	6	8	2	1		
Tuberculosis of the lungs (28, 29)	680	1	4	2	1	6	4	65	183	170	114	83	33	11	3			
Tuberculous meningitis (30)	49	3	6	2	1	1	5	8	13	8	2							
Other forms of tuberculosis (31–35)	38						3	3	11	10	6	2	2	1				
Cancer and other malignant tumors (39–45)	852				1		2	5	21	47	156	247	226	122	25			
Meningitis (61)	47	6	4	2			9	6	6	8	3	3						
Cerebral hemorrhage and softening (64, 65)	570	2				1	2		9	9	59	123	147	138	72	7	1	
Organic diseases of the heart (79)	1,220	8	1			1	12	27	50	102	130	200	299	248	124	16	2	
Acute bronchitis (89)	104	47	13		1		2	2	1		5	5	5	14	9			
Chronic bronchitis (90)	81	2						1	1	2	4	9	18	24	17	3		
Pneumonia (92)	891	50	29	19	6	7	11	40	109	154	127	120	124	72	19	3	1	
Bronchopneumonia (91)	757	180	78	27	21	6	15	20	32	55	25	62	79	107	44	6		
Other diseases, respiratory system (86–88, 93–98)	98	3	1	1	1		2	4	6	13	17	14	16	15	5			
Diseases of the stomach (102, 103)	66	4		1		1			4	11	17	9	11	5	2	1		
Diarrhea and enteritis (104, 105)	281	183	31	9	4		5		10	5	7	6	6	8	6	1		
Appendicitis and typhlitis (108)	144		1	1	2	1	8	30	29	20	22	14	10	6				
Hernia, intestinal obstruction (109)	119	12	1			1	4	6	16	9	12	20	19	16	3			
Cirrhosis of the liver (113)	111					1		2	5	5	15	26	31	19	7			
Acute nephritis and Bright's disease (119, 120)	1,055	3		2	1	2	5	17	30	77	119	219	245	212	105	17	1	
Diseases of the female genital organs (128–132)	57							1	10	17	20	8	1					
Puerperal septicemia (137)	56							10	26	16	3	1						
Other puerperal causes (134–136, 138–141)	58							3	32	18	5							
Congenital debility and malformations (150, 151)	423	420		1		1		1										
Senility (154)	17												1	4	10	1	1	
Violent deaths (suicide excepted) (164–186)	555	11	7	8	12	9	36	39	107	86	66	62	54	34	19	5		
Suicide (155–163)	126							6	27	28	24	19	16	6				
Unknown or ill-defined diseases (187–189)	10	2	3							1			1	2	1			
All other causes	1,593	141	21	10	11	8	33	56	104	155	173	217	255	253	131	25		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (WHITE.)																		
All causes	9,502	964	203	126	101	60	306	354	762	916	954	1,314	1,519	1,265	583	78	3	
Typhoid fever (1)	13							5	1	2	4	1						
Typhus fever (2)																		
Malaria (4)	11	2			1			1			1	1	2	2	1			
Smallpox (5)																		
Measles (5)	88	8	32	14	9	2	19	3		1								
Scarlet fever (7)	25		3	3	3	4	7	3	2									
Whooping cough (8)	19	10	3	4	2													
Diphtheria and croup (9)	239	5	12	21	28	15	126	25	3	3		1						
Influenza (10)	368	20	11	12	7	1	9	29	82	82	42	25	20	19	9			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	48	14		2		1		3	1	4	2	4	6	8	2	1		
Tuberculosis of the lungs (28, 29)	494	1	1	1		2	2	40	126	129	86	67	29	8	2			
Tuberculous meningitis (30)	39	3	5	2	1	1	5	6	9	5	2							
Other forms of tuberculosis (31-35)	27							3	7	7	6	1	2	1				
Cancer and other malignant tumors (39-45)	799				1		2	5	17	45	137	228	222	118	24			
Meningitis (61)	40	4	3	2			9	5	6	7	2	2						
Cerebral hemorrhage and softening (64, 65)	494	2				1	2		7	8	39	104	132	126	67	6		
Organic diseases of the heart (79)	1,056	7	1			1	12	25	37	77	89	170	272	232	117	15	1	
Acute bronchitis (89)	82	37	9		1		2	1			2	4	5	12	9			
Chronic bronchitis (90)	74	1						1	1	2	2	6	18	24	16	3		
Pneumonia (92)	718	39	18	14	6	5	10	30	90	118	93	98	110	67	19	1		
Bronchopneumonia (91)	644	137	50	21	16	4	13	18	30	49	21	57	74	106	43	5		
Other diseases, respiratory system (86-88, 93-98)	85	2	1				2	4	5	10	15	14	13	14	5			
Diseases of the stomach (102, 103)	56	4		1		1			3	9	15	7	9	4	2	1		
Diarrhea and enteritis (104, 105)	252	166	25	9	4		5		9	5	4	6	6	8	4	1		
Appendicitis and typhlitis (108)	129			1	2	1	8	28	23	20	20	11	9	6				
Hernia, intestinal obstruction (109)	104	9	1			1	4	3	12	9	10	20	19	14	2			
Cirrhosis of the liver (113)	98							1	4	1	13	24	29	19	7			
Acute nephritis and Bright's disease (119, 120)	923	1		2	1	2	5	12	24	54	96	189	225	197	99	15	1	
Diseases of the female genital organs (128-132)	44							1	6	13	16	7	1					
Puerperal septicemia (137)	50							8	24	15	2	1						
Other puerperal causes (134-136, 138-141)	55							2	30	18	5							
Congenital debility and malformations (150, 151)	369	366		1		1		1										
Senility (154)	17													1	4	10	1	1
Violent deaths (suicide excepted) (164-186)	495	8	7	7	10	9	34	37	90	70	59	55	52	33	19	5		
Suicide (155-163)	124							5	27	27	24	19	16	6				
Unknown or ill-defined diseases (187-189)	9	1	3							1			1	2	1			
All other causes	1,420	117	18	9	9	8	30	49	86	125	147	192	246	235	125	24		
ST. LOUIS, MO. (COLORED.)																		
All causes	1,423	189	64	18	12	9	19	75	175	209	231	191	108	81	31	8	3	
Typhoid fever (1)	7						1	5		1								
Typhus fever (2)																		
Malaria (4)	2								1	1								
Smallpox (5)																		
Measles (6)	4	1		2			1											
Scarlet fever (7)																		
Whooping cough (8)	15	9	4		1		1											
Diphtheria and croup (9)	2			1				1										
Influenza (10)	28	6	2				3	2	5	4	3	3						
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14-19)	4									1	2	1						
Tuberculosis of the lungs (28, 29)	186		3	1	1	4	2	25	57	41	28	16	4	3	1			
Tuberculous meningitis (30)	10		1					2	4	3								
Other forms of tuberculosis (31-35)	11						3		4	3		1						
Cancer and other malignant tumors (39-45)	53							4	2	19	19	4	4	1				
Meningitis (61)	7	2	1					1		1	1	1						
Cerebral hemorrhage and softening (64, 65)	76								2	1	20	19	15	12	5	1	1	
Organic diseases of the heart (79)	164	1						2	13	25	41	30	27	16	7	1	1	
Acute bronchitis (89)	22	10	4					1	1		3	1		2				
Chronic bronchitis (90)	7	1									2	3			1			
Pneumonia (92)	173	11	11	5		2	1	10	19	36	34	22	14	5		2	1	
Bronchopneumonia (91)	113	43	28	6	5	2	2	2	2	6	4	5	5	1	1	1		
Other diseases, respiratory system (86-88, 93-98)	13	1		1	1				1	3	2		3	1				
Diseases of the stomach (102, 103)	10								1	2	2	2	2	1				
Diarrhea and enteritis (104, 105)	29	17	6						1		3				2			
Appendicitis and typhlitis (108)	15		1					2	6		2	3	1					
Hernia, intestinal obstruction (109)	15	3						3	4		2			2	1			
Cirrhosis of the liver (113)	13					1		1	1	4	2	2	2					
Acute nephritis and Bright's disease (119, 120)	132	2						5	6	23	23	30	20	15	6	2		
Diseases of the female genital organs (128-132)	13								4	4	4	1						
Puerperal septicemia (137)	6							2	2	1	1							
Other puerperal causes (134-136, 138-141)	3							1	2									
Congenital debility and malformation (150, 151)	54	54																
Senility (154)																		
Violent deaths (suicide excepted) (164-186)	60	3		1	2		2	2	17	16	7	7	2	1				
Suicide (155-163)	2							1		1								
Unknown or ill-defined diseases (187-189)	1	1																
All other causes	173	24	3	1	2		3	7	18	30	26	25	9	18	6	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OMAHA, NEBR.																	
All causes	2,771	415	80	36	17	18	83	140	235	307	315	319	362	298	133	13		
Typhoid fever (1)	15						1	2	3	5	2	2						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)	4			1		1	1	1										
Measles (6)	15	3	7	1	1		2		1									
Scarlet fever (7)	12	2	1				2	2	3	1	1							
Whooping cough (8)	44	25	12		2		4	1										
Diphtheria and croup (9)	49	3	3	4	2	6	18	12		1								
Influenza (10)	114	9	8	1	3		6	2	18	25	16	9	8	6	3			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	18	6						1	2	1	1	3	3	1				
Tuberculosis of the lungs (28, 29)	130	1	2	1			3	10	34	39	18	10	10	2				
Tuberculous meningitis (30)	17	1	2	1	1		2	1	5	1	1	1	1					
Other forms of tuberculosis (31–35)	18							5	5	2	3	1	1	1				
Cancer and other malignant tumors (39–45)	243						1	4	4	16	33	63	73	36	13			
Meningitis (61)	6		1		2			1		2								
Cerebral hemorrhage and softening (64, 65)	117	2							2	4	8	19	36	31	14	1		
Organic diseases of the heart (79)	250	3	1			1	3	9	10	19	29	40	56	60	18	1		
Acute bronchitis (89)	4	1	2	1														
Chronic bronchitis (90)	7							1		1		1		2	2			
Pneumonia (92)	210	12	9	1	1	1	5	12	28	35	33	16	22	23	11	1		
Bronchopneumonia (91)	113	42	13	2	1			2	6	8	6	4	12	10	6	1		
Other diseases, respiratory system (86–88, 93–98)	34	1	1				1	3	3	3	5	4	5	3	5			
Diseases of the stomach (102, 103)	24	2	2						1	4	5	2	4	2		2		
Diarrhea and enteritis (104, 105)	84	52	11	4	1	1	1			1	2	1	5	4	1			
Appendicitis and typhlitis (108)	56					2	6	9	18	8	8	2	1	2				
Hernia, intestinal obstruction (109)	39	7	2	2	1	1	2	2	1	2	4	4	6	3	2			
Cirrhosis of the liver (113)	13									1	1	6	2	2	1			
Acute nephritis and Bright's disease (119, 120)	118	1		1			1	3	4	9	18	17	24	26	12	2		
Diseases of the female genital organs (128–132)	35							2	6	9	12	1	3	2				
Puerperal septicemia (137)	13							1	7	3	2							
Other puerperal causes (134–136, 138–141)	29							2	12	12	3							
Congenital debility and malformations (150, 151)	170	167	1	2														
Senility (154)	24												2	10	9	3		
Violent deaths (suicide excepted) (164–186)	191	8	1	3	1	4	9	19	25	37	24	29	13	7	10	1		
Suicide (155–163)	42							4	8	9	7	11	1	1	1			
Unknown or ill-defined diseases (187–189)	2	1			1													
All other causes	511	66	1	11		1	15	30	30	48	73	75	74	62	24	1		
CAMDEN, N. J.																		
All causes	1,731	364	83	19	19	9	56	80	131	145	161	184	219	192	63	6		
Typhoid fever (1)	9						1	2	2	1	1	2						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	18	4	9	1	2		2											
Scarlet fever (7)	2						1		1									
Whooping cough (8)	14	6	6		2													
Diphtheria and croup (9)	18	2	1	3	4	1	6	1										
Influenza (10)	41	7	1	1	1		3	3	8	7	3	2	2	3				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	4	2											1	1				
Tuberculosis of the lungs (28, 29)	87		2		1			9	16	14	25	13	5	2				
Tuberculous meningitis (30)	3	2							1									
Other forms of tuberculosis (31–35)	5	1							1	2		1						
Cancer and other malignant tumors (39–45)	104					1				8	18	24	29	21	3			
Meningitis (61)	8	4		1				2			1							
Cerebral hemorrhage and softening (64, 65)	99									1	9	19	31	28	10	1		
Organic diseases of the heart (79)	203	1	1				7	5	8	17	29	34	57	30	13	1		
Acute bronchitis (89)	10	6	2						1		1							
Chronic bronchitis (90)	9										1		1	5	2			
Pneumonia (92)	134	18	13	3	1	1	7	4	23	19	12	9	12	9	3			
Bronchopneumonia (91)	120	35	21	3	3		6	4	12	8	5	8	2	8	4	1		
Other diseases, respiratory system (86–88, 93–98)	10	1	1							1	2	1		3	1			
Diseases of the stomach (102, 103)	4	2									1	1						
Diarrhea and enteritis (104, 105)	97	73	11	1	3		2		1		1		1	4				
Appendicitis and typhlitis (108)	15	1					1	3	4	2	2	2						
Hernia, intestinal obstruction (109)	14	4						1	1	1	2	4		1				
Cirrhosis of the liver (113)	11										1	5	2	3				
Acute nephritis and Bright's disease (119, 120)	159	1					1	7	6	14	11	23	44	37	13	2		
Diseases of the female genital organs (128–132)	7							1		3	3							
Puerperal septicemia (137)	11							2	3	5	1							
Other puerperal causes (134–136, 138–141)	22							1	10	9	2							
Congenital debility and malformations (150, 151)	149	146	1			1		1										
Senility (154)	4													2	2			
Violent deaths (suicide excepted) (164–186)	146	3	8	6	2	2	10	24	25	23	15	9	10	7	1	1		
Suicide (155–163)	14							2	1	1	4	4		2				
Unknown or ill-defined diseases (187–189)	1												1					
All other causes	179	45	6			3	9	8	7	9	11	23	21	26	11			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
JERSEY CITY, N. J.																		
All causes	4,221	758	216	88	57	37	109	156	373	368	407	496	543	418	175	20		
Typhoid fever (1)	12						4	2	2	3	1							
Typhus fever (2)																		
Malaria (4)	2											1		1				
Smallpox (5)																		
Measles (6)	48	5	29	10	2	1	1											
Scarlet fever (7)	8	1		1	2	2	2											
Whooping cough (8)	57	22	20	8	3	4												
Diphtheria and croup (9)	71	5	11	13	10	7	20	3	1			1						
Influenza (10)	124	9	13	4	2	4	2	2	27	16	11	14	12	8				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	6	3									1	1	1					
Tuberculosis of the lungs (28, 29)	305	1			1		2	37	88	62	56	30	17	10	1			
Tuberculous meningitis (30)	17	5	1	4	1		2		1	2			1					
Other forms of tuberculosis (31–35)	22	1					3	3	5	1	3	4		2				
Cancer and other malignant tumors (39–45)	275							1	8	15	35	83	79	44	10			
Meningitis (61)	25	2	5	2		2	2	4	1	3	4							
Cerebral hemorrhage and softening (64, 65)	211	1								2	26	44	56	59	23			
Organic diseases of the heart (79)	500	2	2			2	6	15	15	34	51	79	134	102	52	6		
Acute bronchitis (89)	53	33	6	2	2	2			2				3	2	1			
Chronic bronchitis (90)	16		1									2	3	6	3	1		
Pneumonia (92)	301	25	18	7	4		2	18	51	51	43	34	26	16	5	1		
Bronchopneumonia (91)	276	93	45	18	9	3	9	3	25	19	7	11	14	11	7	2		
Other diseases, respiratory system (86–88, 93–98)	37	1	2	1		1	1	1	3	5	4	4	3	3	8			
Diseases of the stomach (102, 103)	24	7			1				3	1	8	1	2	1				
Diarrhea and enteritis (104, 105)	294	221	42	8	5		6		2	2			3	5				
Appendicitis and typhlitis (108)	58				2		4	8	16	9	7	11		1				
Hernia, intestinal obstruction (109)	54	8	3		1				2	3	6	8	9	10	3	1		
Cirrhosis of the liver (113)	29									1	4	10	11	3				
Acute nephritis and Bright's disease (119, 120)	304	2	2		2		4	8	14	23	36	49	69	69	23	3		
Diseases of the female genital organs (128–132)	21							1	4	7	4	3	1	1				
Puerperal septicemia (137)	24								15	8	1							
Other puerperal causes (134–136, 138–141)	42							1	17	18	6							
Congenital debility and malformations (150, 151)	213	208	2	1			1				1							
Senility (154)	14												1	6	4	3		
Violent deaths (suicide excepted) (164–186)	270	7	9	4	8	6	27	29	39	43	35	34	15	8	6			
Suicide (155–163)	23								6	2	6	5	4					
Unknown or ill-defined diseases (187–189)	9	5	1							1	1	1						
All other causes	476	91	4	5	2	3	11	20	26	37	50	66	79	50	29	3		
NEWARK, N. J.																		
All causes	5,372	993	244	90	65	32	118	211	425	458	554	683	703	546	215	34	1	
Typhoid fever (1)	8							2	3	2	1							
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	56	18	26	5	4	2	1											
Scarlet fever (7)	11		1	2	2	1	4			1								
Whooping cough (8)	59	40	8	6	3	2												
Diphtheria and croup (9)	47	5	14	5	6	5	10	2										
Influenza (10)	157	12	12	2	1		5	8	25	32	19	22	4	12	2	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	26	10	3	1					1		4	2	1	3	1			
Tuberculous of the lungs (28, 29)	337	4	1	1	1		2	42	86	70	73	37	14	5	1			
Tuberculous meningitis (30)	34	8	7	3	4		5		5	1		1						
Other forms of tuberculosis (31–35)	32	1	1	1	1		4	5	2	6	6	3	2					
Cancer and other malignant tumors (39–45)	377			1				2	5	17	66	103	98	68	11	1		
Meningitis (61)	34	8	5	3		2	6	4		2	2	2						
Cerebral hemorrhage and softening (64, 65)	308	1						1	1	15	28	47	89	84	36	6		
Organic diseases of the heart (79)	678	9	1	1	1		3	31	28	36	60	126	172	142	58	10		
Acute bronchitis (89)	78	55	10	3				1	1		1	2	2	1	2			
Chronic bronchitis (90)	18								1	1	1	3	2	4	5	1		
Pneumonia (92)	475	36	33	12	6	3	10	18	80	84	66	46	48	24	7	2		
Bronchopneumonia (91)	264	101	59	13	7	2	4	7	8	11	16	9	13	6	7	1		
Other diseases, respiratory system (86–88, 93–98)	48	9	6	1	1		1		6	3	5	5	2	4	3	2		
Diseases of the stomach (102, 103)	26	6	1					2	1	4	2	6	1	1	2			
Diarrhea and enteritis (104, 105)	281	208	35	8	5	1	1		2	6	1	4	6	2	2			
Appendicitis and typhlitis (108)	61			1	2	1	5	11	10	4	10	11	3	3				
Hernia, intestinal obstruction (109)	25	3				1			2	2	6	5	4	1	1			
Cirrhosis of the liver (113)	34								2		4	10	10	4	4			
Acute nephritis and Bright's disease (119, 120)	427	4	2	3	1	1	5	7	21	33	50	82	101	84	31	2		
Diseases of the female genital organs (128–132)	17									5	9	1	1	1				
Puerperal septicemia (137)	37							3	16	14	4							
Other puerperal causes (134–136, 138–141)	44							1	22	19	2							
Congenital debility and malformations (150, 151)	332	324	1	2			2	3										
Senility (154)	12												3	2	5	2		
Violent deaths (suicide excepted) (164–186)	319	11	3	10	12	7	35	23	46	35	39	37	26	24	10	1		
Suicide (155–163)	49							3	11	7	6	12	4	5	1			
Unknown or ill-defined diseases (187–189)	3	1	2															
All other causes	658	119	13	6	8	4	15	35	40	48	73	102	97	66	26	5	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PATERSON, N. J.																		
All causes	1,746	249	61	27	14	15	38	62	115	162	186	212	255	232	104	14	.....	.....
Typhoid fever (1)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	16	7	5	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	5	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	29	3	8	1	5	4	6	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	47	5	.....	1	.....	.....	1	3	10	8	8	6	2	2	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	4	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	146	2	.....	.....	.....	.....	.....	10	33	50	32	14	4	1	.....	.....	.....	.....
Tuberculous meningitis (30)	7	2	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	9	.....	.....	.....	.....	.....	2	.....	1	4	1	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	141	.....	.....	.....	.....	.....	.....	2	1	7	26	35	44	20	6	.....	.....	.....
Meningitis (61)	9	1	1	2	.....	.....	2	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	122	.....	.....	.....	.....	.....	1	.....	.....	1	13	22	34	37	11	3	.....	.....
Organic diseases of the heart (79)	214	1	.....	.....	.....	.....	2	9	13	8	18	24	55	54	28	2	.....	.....
Acute bronchitis (89)	14	8	.....	.....	1	1	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
Chronic bronchitis (90)	11	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	7	1	.....	.....	.....
Pneumonia (92)	113	9	9	6	1	2	2	2	12	10	16	12	17	12	3	.....	.....	.....
Bronchopneumonia (91)	97	31	16	3	.....	.....	4	2	5	5	4	4	4	12	6	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	21	1	3	.....	1	.....	1	1	.....	1	1	3	3	4	2	.....	.....	.....
Diseases of the stomach (102, 103)	8	1	.....	.....	.....	.....	.....	.....	1	1	1	.....	1	.....	3	.....	.....	.....
Diarrhea and enteritis (104, 105)	65	46	7	.....	1	1	.....	.....	2	2	.....	1	2	1	2	.....	.....	.....
Appendicitis and typhlitis (108)	20	.....	1	.....	.....	1	1	5	1	1	4	6	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	21	1	1	.....	.....	.....	.....	.....	.....	1	4	5	7	1	.....	1	.....	.....
Cirrhosis of the liver (113)	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	1	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	126	.....	.....	1	.....	.....	1	1	5	6	12	17	32	32	19	.....	.....	.....
Diseases of the female genital organs (128–132)	9	.....	.....	.....	.....	.....	.....	.....	1	.....	6	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	11	.....	.....	.....	.....	.....	.....	.....	3	6	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	8	.....	.....	.....	.....	.....	.....	.....	2	6	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	81	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	2	2	.....	.....
Violent deaths (suicide excepted) (164–186)	106	5	1	4	1	2	7	14	11	11	14	15	6	4	7	4	.....	.....
Suicide (155–163)	14	.....	.....	.....	.....	.....	.....	1	1	2	4	3	3	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	247	42	5	4	1	3	5	11	11	28	18	37	33	37	11	1	.....	.....
TRENTON, N. J.																		
All causes	1,886	337	61	20	18	20	51	67	102	176	173	234	263	210	77	16	1	.....
Typhoid fever (1)	10	.....	.....	.....	.....	.....	.....	1	3	2	3	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	9	4	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	8	1	4	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	50	6	.....	2	.....	.....	2	3	10	14	4	2	2	5	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	7	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....
Tuberculosis of the lungs (28, 29)	138	1	.....	.....	.....	.....	2	10	38	35	25	19	6	2	.....	.....	.....	.....
Tuberculous meningitis (30)	11	.....	3	3	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	4	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	92	.....	.....	.....	.....	.....	.....	2	2	6	15	21	23	21	2	.....	.....	.....
Meningitis (61)	11	3	1	1	1	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	109	.....	.....	.....	.....	.....	.....	1	.....	1	7	22	35	36	7	.....	.....	.....
Organic diseases of the heart (79)	214	.....	.....	.....	.....	.....	4	2	6	14	25	24	67	48	21	3	.....	.....
Acute bronchitis (89)	11	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	1	.....	.....	.....
Pneumonia (92)	120	22	8	1	1	1	.....	1	14	17	13	13	15	12	2	.....	.....	.....
Bronchopneumonia (91)	103	34	18	4	.....	4	2	7	8	4	4	8	4	7	4	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	20	.....	.....	.....	.....	.....	1	2	.....	2	3	3	6	2	1	.....	.....	.....
Diseases of the stomach (102, 103)	11	2	1	.....	.....	.....	.....	.....	.....	2	.....	2	3	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	111	70	15	1	3	2	3	.....	3	4	4	1	2	2	1	.....	.....	.....
Appendicitis and typhlitis (108)	24	.....	.....	1	.....	.....	3	5	6	2	2	4	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	18	2	.....	.....	1	.....	2	1	1	2	2	3	2	2	.....	.....	.....	.....
Cirrhosis of the liver (113)	15	.....	.....	.....	.....	.....	.....	.....	.....	1	3	7	2	2	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	165	3	2	.....	1	.....	1	1	5	10	11	41	37	37	12	3	1	.....
Diseases of the female genital organs (128–132)	7	.....	.....	.....	.....	.....	.....	.....	3	1	2	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	9	.....	.....	.....	.....	.....	.....	.....	6	3	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	28	.....	.....	.....	.....	.....	.....	2	12	12	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	127	125	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....
Violent deaths (suicide excepted) (164–186)	116	2	3	4	2	8	18	12	14	14	11	9	7	6	6	.....	.....	.....
Suicide (155–163)	17	.....	.....	.....	.....	.....	.....	.....	5	3	2	5	1	1	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	300	53	4	1	2	1	7	13	25	23	33	46	46	23	16	7	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ALBANY, N. Y.																		
All causes	1,785	176	39	11	11	13	20	54	107	140	165	263	334	296	140	16	.....	.....
Typhoid fever (1)	5	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	8	6	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	12	1	1	1	2	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	43	.....	2	1	.....	2	1	1	4	9	2	6	6	6	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	132	1	1	.....	.....	1	3	7	30	34	24	15	11	4	1	.....	.....	.....
Tuberculous meningitis (30)	14	4	3	1	.....	.....	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	1	2	.....	.....	.....	1	2	5	1	3	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	164	.....	1	.....	.....	.....	.....	2	.....	7	23	34	57	31	9	.....	.....	.....
Meningitis (61)	8	1	1	.....	.....	1	.....	1	2	.....	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	133	.....	1	.....	.....	.....	.....	.....	1	1	7	26	45	40	10	2	.....	.....
Organic diseases of the heart (79)	260	1	.....	.....	.....	.....	1	6	8	8	20	31	56	83	38	8	.....	.....
Acute bronchitis (89)	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....
Chronic bronchitis (90)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....
Pneumonia (92)	93	2	5	1	1	1	1	5	8	13	8	11	20	10	6	1	.....	.....
Bronchopneumonia (91)	71	15	6	2	2	.....	.....	2	1	4	4	4	12	10	9	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	23	.....	.....	.....	.....	1	1	.....	3	1	3	7	2	1	3	1	.....	.....
Diseases of the stomach (102, 103)	7	2	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	33	15	6	2	2	.....	.....	.....	1	1	.....	2	.....	2	2	.....	.....	.....
Appendicitis and typhlitis (108)	18	.....	.....	.....	.....	.....	1	1	4	4	2	3	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	23	.....	1	.....	.....	.....	.....	.....	1	2	5	4	5	3	2	.....	.....	.....
Cirrhosis of the liver (113)	7	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	4	.....	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	186	1	.....	.....	.....	.....	.....	1	7	13	18	37	42	47	18	2	.....	.....
Diseases of the female genital organs (128–132)	20	.....	.....	.....	.....	.....	.....	1	.....	6	5	6	2	.....	.....	.....	.....	.....
Puerperal septicemia (137)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	6	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	84	80	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....
Violent deaths (suicide excepted) (164–186)	75	3	2	2	3	.....	1	6	9	6	10	13	9	5	5	1	.....	.....
Suicide (155–163)	13	.....	.....	.....	.....	.....	.....	.....	2	2	3	4	.....	2	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	311	41	2	1	1	2	5	14	14	20	22	51	64	46	28	.....	.....	.....
BUFFALO, N. Y.																		
All causes	7,475	1,371	263	128	89	69	232	260	589	634	715	870	1,000	809	389	55	1	1
Typhoid fever (1)	25	.....	.....	.....	.....	.....	3	5	9	6	1	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	43	7	16	7	3	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	22	.....	1	3	5	4	6	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	45	23	12	7	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	307	31	41	43	34	25	99	27	.....	4	1	2	.....	.....	.....	.....	.....	.....
Influenza (10)	186	15	9	2	1	1	2	13	48	39	23	19	8	5	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	31	8	.....	2	1	.....	2	1	2	1	2	4	.....	4	3	1	.....	.....
Tuberculosis of the lungs (28, 29)	505	7	3	2	2	.....	4	46	150	119	80	59	25	5	2	.....	.....	1
Tuberculous meningitis (30)	36	6	2	4	1	4	5	6	4	2	2	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	30	2	1	.....	1	.....	1	3	9	4	3	3	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	497	1	1	.....	.....	.....	.....	1	7	32	82	131	145	75	22	.....	.....	.....
Meningitis (61)	21	2	4	2	1	.....	2	2	2	6	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	426	1	.....	.....	.....	.....	1	.....	3	10	32	94	125	96	54	10	.....	.....
Organic diseases of the heart (79)	867	7	2	1	2	3	8	15	32	34	70	108	245	202	121	17	.....	.....
Acute bronchitis (89)	67	39	7	3	1	.....	.....	.....	1	2	1	3	2	6	1	1	.....	.....
Chronic bronchitis (90)	18	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	7	4	.....	.....	.....
Pneumonia (92)	448	27	17	3	3	4	8	18	72	81	61	58	41	32	22	1	.....	.....
Bronchopneumonia (91)	306	89	38	9	7	5	5	5	13	16	25	21	31	28	13	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	74	7	4	3	.....	.....	1	2	8	7	9	11	10	2	5	4	1	.....
Diseases of the stomach (102, 103)	49	5	3	.....	.....	.....	.....	1	1	5	11	10	9	3	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	530	392	76	22	9	4	7	1	1	6	1	4	4	2	1	.....	.....	.....
Appendicitis and typhlitis (108)	103	.....	.....	.....	1	.....	5	15	19	16	22	19	3	3	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	53	3	.....	2	.....	1	1	2	5	5	7	9	8	7	3	.....	.....	.....
Cirrhosis of the liver (113)	43	.....	.....	.....	.....	.....	.....	.....	1	3	8	9	11	11	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	581	5	1	1	2	1	7	9	20	26	69	104	144	138	46	8	.....	.....
Diseases of the female genital organs (128–132)	37	.....	.....	.....	.....	.....	.....	1	7	12	10	5	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	30	.....	.....	.....	.....	.....	.....	2	18	10	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	64	.....	.....	.....	.....	.....	.....	.....	34	28	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	437	433	1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....
Violent deaths (suicide excepted) (164–186)	369	8	7	4	7	5	34	39	43	59	41	40	32	27	16	2	.....	.....
Suicide (155–163)	49	.....	.....	.....	.....	.....	.....	1	11	10	16	7	3	1	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	1,168	253	17	7	7	6	24	42	63	90	135	149	145	152	70	8	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (TOTAL).																	
All causes	73,393	11,319	3,206	1,360	784	624	1,878	2,782	6,243	7,070	7,832	9,754	9,923	7,322	2,888	387	15	9
Typhoid fever (1)	144	.....	.....	2	1	2	8	25	42	30	19	13	1	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	9	2	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	806	223	339	106	50	26	48	8	3	1	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever (7)	242	13	32	38	32	33	72	12	9	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	647	330	191	55	23	19	22	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	1,066	9	257	199	124	110	226	40	6	6	5	3	1	.....	.....	.....	.....	.....
Influenza (10)	2,296	211	187	54	38	27	55	97	454	441	245	186	167	102	27	5	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	271	131	23	5	1	2	3	7	11	13	11	24	22	15	3	.....	.....	.....
Tuberculosis of the lungs (28, 29)	6,343	59	46	21	14	10	45	561	1,612	1,487	1,199	811	350	110	16	2	.....	.....
Tuberculous meningitis (30)	556	89	101	70	37	25	82	54	40	30	19	8	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	338	25	6	10	9	8	25	52	66	51	30	26	23	6	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	5,339	3	6	4	5	7	9	22	89	382	936	1,522	1,431	743	169	10	1	.....
Meningitis (61)	324	74	32	22	10	16	43	41	28	25	16	11	4	1	1	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	2,961	10	3	.....	.....	.....	1	6	17	61	250	611	871	802	295	33	1	.....
Organic diseases of the heart (79)	9,507	19	12	8	10	16	142	353	368	569	1,006	1,611	2,353	2,032	878	127	3	.....
Acute bronchitis (89)	693	391	103	37	12	7	13	4	5	8	9	15	19	38	30	2	.....	.....
Chronic bronchitis (90)	228	6	1	3	.....	.....	2	1	6	8	15	30	35	73	37	11	.....	.....
Pneumonia (92)	6,035	471	365	141	71	53	126	301	931	974	668	689	630	410	136	19	.....	.....
Bronchopneumonia (91)	4,412	1,482	739	223	89	36	109	88	238	278	214	241	293	251	119	11	.....	1
Other diseases, respiratory system (86–88, 93–98)	566	64	64	20	15	4	18	17	63	56	68	61	41	32	38	5	.....	.....
Diseases of the stomach (102, 103)	310	63	4	6	1	1	.....	6	18	37	68	50	32	16	7	1	.....	.....
Diarrhea and enteritis (104, 105)	3,049	2,289	405	92	24	17	20	9	23	33	30	27	27	35	18	.....	.....	.....
Appendicitis and typhlitis (108)	809	2	5	10	8	20	50	131	152	120	140	102	51	16	2	.....	.....	.....
Hernia, intestinal obstruction (109)	622	84	11	6	7	1	15	9	27	37	76	113	132	82	21	1	.....	.....
Cirrhosis of the liver (113)	450	2	.....	2	.....	.....	.....	1	5	28	89	129	116	65	11	2	.....	.....
Acute nephritis and Bright's disease (119, 120)	6,049	22	13	9	8	2	36	83	188	372	714	1,222	1,534	1,280	516	45	3	2
Diseases of the female genital organs (128–132)	361	.....	.....	.....	.....	.....	.....	7	73	95	115	52	14	5	.....	.....	.....	.....
Puerperal septicemia (137)	306	.....	.....	.....	.....	.....	.....	7	161	115	22	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	558	.....	.....	.....	.....	.....	.....	20	265	238	35	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	3,423	3,354	29	11	8	3	7	7	1	2	.....	1	.....	.....	.....	.....	.....	.....
Senility (154)	229	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	12	64	117	31	4	.....
Violent deaths (suicide excepted) (164–186)	3,970	81	92	99	119	116	421	382	554	547	472	420	321	240	86	18	.....	2
Suicide (155–163)	676	.....	.....	.....	.....	.....	.....	19	115	158	148	124	71	31	10	.....	.....	.....
Unknown or ill-defined diseases (187–189)	25	1	13	2	.....	.....	.....	.....	1	3	1	2	1	.....	.....	1	.....	.....
All other causes	9,772	1,729	127	105	68	63	280	409	617	862	1,210	1,645	1,368	872	350	63	3	1
NEW YORK, N. Y. (WHITE).																		
All causes	70,207	10,666	3,020	1,308	763	599	1,824	2,615	5,756	6,578	7,392	9,480	9,741	7,214	2,854	376	15	6
Typhoid fever (1)	140	.....	.....	2	1	2	8	24	40	30	19	12	1	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	9	2	.....	.....	.....	.....	.....	1	1	1	.....	4	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	792	221	330	104	50	25	48	8	3	1	1	.....	1	.....	.....	.....	.....	.....
Scarlet fever (7)	238	13	31	38	31	33	71	12	9	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	597	306	174	52	23	18	20	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	1,053	85	253	198	123	108	225	40	6	6	5	3	1	.....	.....	.....	.....	.....
Influenza (10)	2,224	202	182	54	38	27	54	93	440	424	233	181	166	99	26	5	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	260	124	22	5	1	2	3	7	11	12	11	22	22	15	3	.....	.....	.....
Tuberculosis of the lungs (28, 29)	5,807	50	39	16	9	8	35	493	1,448	1,357	1,116	770	341	108	16	1	.....	.....
Tuberculous meningitis (30)	523	85	98	67	34	23	78	49	35	27	18	8	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	299	21	6	9	6	8	23	45	56	47	26	23	22	6	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	5,235	3	6	4	5	7	9	22	83	359	908	1,492	1,420	738	168	10	1	.....
Meningitis (61)	315	72	29	22	10	16	42	41	27	24	15	11	4	1	1	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	2,888	9	3	.....	.....	.....	1	6	17	56	233	593	855	789	292	33	1	.....
Organic diseases of the heart (79)	9,233	17	11	8	10	15	141	344	347	531	944	1,556	2,300	2,003	873	125	3	.....
Acute bronchitis (89)	658	373	94	35	11	7	12	4	5	7	8	15	18	37	30	2	.....	.....
Chronic bronchitis (90)	222	5	1	2	.....	.....	2	1	6	8	15	30	33	71	37	11	.....	.....
Pneumonia (92)	5,658	427	344	134	68	50	120	280	893	892	609	670	614	404	135	18	.....	.....
Bronchopneumonia (91)	4,118	1,353	675	204	86	32	105	78	223	265	199	234	283	216	118	11	.....	1
Other diseases, respiratory system (86–88, 93–98)	544	60	62	19	15	4	17	14	56	55	67	60	41	32	33	4	.....	.....
Diseases of the stomach (102, 103)	298	59	4	6	1	1	.....	5	17	35	68	48	31	15	7	1	.....	.....
Diarrhea and enteritis (104, 105)	2,930	2,187	391	90	23	17	20	9	23	31	29	27	27	35	18	.....	.....	.....
Appendicitis and typhlitis (108)	778	2	5	10	8	18	49	124	143	115	137	99	50	16	2	.....	.....	.....
Hernia, intestinal obstruction (109)	599	78	10	4	7	1	15	9	24	36	73	110	130	80	21	1	.....	.....
Cirrhosis of the liver (113)	433	2	.....	2	.....	.....	.....	1	2	24	86	126	115	63	10	2	.....	.....
Acute nephritis and Bright's disease (119, 120)	5,875	21	13	9	8	2	34	81	178	345	678	1,191	1,506	1,257	503	44	3	2
Diseases of the female genital organs (128–132)	315	.....	.....	.....	.....	.....	.....	6	62	85	99	46	13	4	.....	.....	.....	.....
Puerperal septicemia (137)	275	.....	.....	.....	.....	.....	.....	6	141	106	21	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	531	.....	.....	.....	.....	.....	.....	20	249	228	34	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	3,264	3,198	27	11	8	2	7	7	1	2	.....	1	.....	.....	.....	.....	.....	.....
Senility (154)	224	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	11	64	113	31	4	.....
Violent deaths (suicide excepted) (164–186)	3,827	76	90	99	119	112	413	366	511	514	457	415	315	236	85	17	.....	2
Suicide (155–163)	662	.....	.....	.....	.....	.....	.....	19	110	154	145	123	70	31	10	.....	.....	.....
Unknown or ill-defined diseases (187–189)	19	1	8	2	.....	.....	.....	.....	1	3	1	1	1	.....	.....	1	.....	.....
All other causes	9,363	1,614	109	102	68	61	272	399	586	797	1,136	1,608	1,343	858	347	59	3	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (COLORED).																		
All causes	3,186	653	186	52	21	25	54	167	487	492	440	274	182	108	34	11	.....	.....
Typhoid fever (1)	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	14	2	9	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	4	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	50	24	17	3	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	13	4	4	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	72	9	5	.....	.....	.....	1	4	14	17	12	5	1	3	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	11	7	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	536	9	7	5	5	2	10	68	164	130	83	41	9	2	.....	1	.....	.....
Tuberculous meningitis (30)	33	4	3	3	3	2	4	5	5	3	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	39	4	.....	1	3	.....	2	7	10	4	4	3	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	104	.....	.....	.....	.....	.....	.....	.....	6	23	28	30	11	5	1	.....	.....	.....
Meningitis (61)	9	2	3	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	73	1	.....	.....	.....	.....	.....	.....	.....	5	17	18	16	13	3	.....	.....	.....
Organic diseases of the heart (79)	274	2	1	.....	.....	1	1	9	21	38	62	55	53	24	5	2	.....	.....
Acute bronchitis (89)	35	18	9	2	1	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	6	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....
Pneumonia (92)	377	44	21	7	3	3	6	21	88	82	59	19	16	6	1	1	.....	.....
Bronchopneumonia (91)	294	129	64	19	3	4	4	10	15	13	15	7	5	5	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	22	4	2	1	.....	.....	1	3	7	1	1	1	.....	.....	.....	1	.....	.....
Diseases of the stomach (102, 103)	12	4	.....	.....	.....	.....	.....	1	1	2	.....	2	1	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	119	102	11	2	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	31	.....	.....	.....	.....	2	1	7	9	5	3	3	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	23	6	1	2	.....	.....	.....	.....	3	1	3	3	2	2	.....	.....	.....	.....
Cirrhosis of the liver (113)	17	.....	.....	.....	.....	.....	.....	.....	3	4	3	3	1	2	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	174	1	.....	.....	.....	.....	2	2	10	27	36	31	28	23	13	1	.....	.....
Diseases of the female genital organs (128–132)	46	.....	.....	.....	.....	.....	.....	1	11	10	16	6	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	31	.....	.....	.....	.....	.....	.....	1	20	9	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	27	.....	.....	.....	.....	.....	.....	.....	16	10	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	159	156	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	143	5	2	.....	.....	4	8	16	43	33	15	5	6	4	1	1	.....	.....
Suicide (155–163)	14	.....	.....	.....	.....	.....	.....	.....	5	4	3	1	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	6	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
All other causes	409	115	18	3	.....	2	8	10	31	65	74	37	25	14	3	4	.....	.....
NEW YORK, N. Y. (BRONX BOROUGH).																		
All causes	7,903	1,115	243	141	75	53	232	312	709	784	843	1,084	1,149	818	308	36	.....	1
Typhoid fever (1)	11	.....	.....	.....	.....	.....	1	1	4	3	2	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	66	24	24	5	4	3	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	16	.....	2	4	1	1	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	69	25	22	12	.....	2	6	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	98	10	21	20	12	14	17	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
Influenza (10)	291	25	18	8	3	1	7	15	60	64	31	28	19	8	2	2	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	25	9	4	.....	.....	.....	.....	.....	.....	1	1	4	4	2	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	713	6	3	.....	1	2	2	56	182	178	133	88	46	14	2	.....	.....	.....
Tuberculous meningitis (30)	61	11	7	10	2	3	11	4	7	3	2	1	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	36	2	.....	3	1	.....	3	10	8	4	1	2	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	684	1	1	2	1	1	.....	4	14	49	122	193	186	90	20	.....	.....	.....
Meningitis (61)	48	8	4	3	3	1	7	9	5	5	3	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	316	1	1	.....	.....	.....	1	.....	.....	6	37	66	97	73	29	5	.....	.....
Organic diseases of the heart (79)	1,039	2	.....	.....	2	2	16	49	39	60	102	166	279	226	85	11	.....	.....
Acute bronchitis (89)	40	24	1	.....	.....	1	2	.....	1	.....	1	.....	2	4	4	1	.....	.....
Chronic bronchitis (90)	17	1	.....	.....	.....	.....	1	.....	.....	.....	2	4	4	2	2	1	.....	.....
Pneumonia (92)	639	42	26	15	5	5	16	42	133	105	71	70	57	40	11	1	.....	.....
Bronchopneumonia (91)	397	149	46	19	12	1	12	7	11	27	9	19	33	29	21	1	.....	1
Other diseases, respiratory system (86–88, 93–98)	68	4	6	5	1	.....	6	4	7	8	7	6	7	2	5	.....	.....	.....
Diseases of the stomach (102, 103)	35	7	.....	.....	.....	.....	.....	1	2	7	9	2	4	1	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	232	168	24	7	2	2	1	.....	5	3	1	7	7	2	3	.....	.....	.....
Appendicitis and typhlitis (108)	98	.....	1	4	.....	3	8	17	19	15	17	9	3	2	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	82	14	1	.....	2	.....	2	2	4	3	6	16	14	16	2	.....	.....	.....
Cirrhosis of the liver (113)	42	.....	.....	.....	.....	.....	.....	.....	1	.....	8	10	12	10	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	656	1	1	.....	1	.....	4	12	24	33	67	129	176	139	65	4	.....	.....
Diseases of the female genital organs (128–132)	39	.....	.....	.....	.....	.....	.....	.....	7	11	15	5	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	30	.....	.....	.....	.....	.....	.....	.....	13	16	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	68	.....	.....	.....	.....	.....	.....	.....	24	40	4	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	377	367	4	2	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	14	5	.....	.....
Violent deaths (suicide excepted) (164–186)	344	10	12	9	7	7	49	36	47	40	36	31	27	23	9	1	.....	.....
Suicide (155–163)	78	.....	.....	.....	.....	.....	.....	5	11	13	22	16	6	4	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	1,156	203	12	13	14	4	46	35	78	89	132	211	164	120	30	5	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
All causes	25,613	3,949	1,134	507	287	231	650	1,022	2,129	2,301	2,560	3,324	3,563	2,720	1,080	148	6	2
Typhoid fever (1)	52	.....	.....	1	1	.....	5	15	9	8	7	4	1	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	4	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	254	65	106	39	16	9	17	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Scarlet fever (7)	72	4	9	16	8	10	23	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	200	106	49	18	8	8	8	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	382	29	88	76	45	41	78	20	1	1	1	1	1	.....	.....	.....	.....	.....
Influenza (10)	734	81	74	17	23	15	26	31	127	107	80	62	50	33	7	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	100	44	7	2	1	2	1	5	4	6	6	7	8	5	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	1,984	9	13	8	3	1	10	199	545	465	369	222	94	45	1	.....	.....	.....
Tuberculous meningitis (30)	167	35	34	20	12	7	17	18	8	10	3	3	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	107	8	2	1	3	4	13	16	22	7	10	8	12	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	1,737	2	2	1	3	2	3	4	22	115	301	487	492	246	55	2	.....	.....
Meningitis (61)	82	20	10	6	2	6	8	11	7	8	1	2	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,053	3	1	.....	.....	.....	.....	2	7	12	71	217	316	312	100	11	1	.....
Organic diseases of the heart (79)	3,698	10	5	5	2	7	50	136	156	212	371	618	941	780	361	43	1	.....
Acute bronchitis (89)	268	148	43	16	5	1	9	2	1	4	5	4	7	18	5	.....	.....	.....
Chronic bronchitis (90)	90	1	1	2	.....	.....	.....	1	2	3	3	15	13	30	13	6	.....	.....
Pneumonia (92)	2,164	173	139	59	23	14	38	117	365	328	219	249	231	156	47	6	.....	.....
Bronchopneumonia (91)	1,525	534	254	83	33	18	47	36	80	89	67	89	70	82	33	5	.....	.....
Other diseases, respiratory system (86–88, 93–98)	188	28	24	4	4	3	6	5	23	15	22	15	11	13	14	1	.....	.....
Diseases of the stomach (102, 103)	84	10	2	4	1	.....	.....	2	8	12	15	16	10	2	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	1,142	846	169	42	9	7	7	6	5	9	11	6	6	13	6	.....	.....	.....
Appendicitis and typhlitis (108)	278	1	1	1	3	6	20	53	59	43	35	32	18	5	1	.....	.....	.....
Hernia, intestinal obstruction (109)	209	25	2	1	4	1	5	5	8	13	25	33	48	33	6	.....	.....	.....
Cirrhosis of the liver (113)	162	1	.....	2	.....	.....	.....	.....	2	12	24	52	36	20	2	2	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,449	7	6	4	2	1	14	31	83	152	323	463	611	516	212	22	1	1
Diseases of the female genital organs (128, 132)	119	.....	.....	.....	.....	.....	.....	2	24	31	39	17	4	2	.....	.....	.....	.....
Puerperal septicemia (137)	106	.....	.....	.....	.....	.....	.....	4	56	38	8	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	219	.....	.....	.....	.....	.....	.....	8	105	93	13	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,201	1,166	17	7	1	2	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	43	15	2	.....
Violent deaths (suicide excepted) (164, 186)	1,350	31	34	31	48	41	141	129	172	197	155	134	108	90	28	10	.....	1
Suicide (155–163)	197	.....	.....	.....	.....	.....	.....	4	31	44	31	39	31	10	7	.....	.....	.....
Unknown or ill-defined diseases (187–189)	5	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	3,149	560	38	35	27	25	100	155	194	264	345	528	441	277	135	24	1	.....
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
All causes	24,885	3,823	1,088	491	282	226	638	979	2,022	2,201	2,470	3,257	3,504	2,684	1,069	143	6	2
Typhoid fever (1)	52	.....	.....	1	1	.....	5	15	9	8	7	4	1	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	4	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	246	63	102	38	16	8	17	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Scarlet fever (7)	72	4	9	16	8	10	23	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	189	100	47	17	8	8	7	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	379	28	88	75	45	40	78	20	1	1	1	1	1	.....	.....	.....	.....	.....
Influenza (10)	714	76	71	17	23	15	26	28	123	105	79	62	49	32	7	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	99	44	7	2	1	2	1	5	4	6	6	6	8	5	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	1,869	9	11	6	2	1	10	180	510	441	350	211	92	45	1	.....	.....	.....
Tuberculous meningitis (30)	162	34	34	20	12	7	16	16	8	9	3	3	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	98	8	2	1	2	4	12	13	20	6	10	7	12	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	1,711	2	2	1	3	2	3	4	21	111	293	480	488	244	55	2	.....	.....
Meningitis (61)	78	20	9	6	2	6	7	11	6	7	1	2	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,034	3	1	.....	.....	.....	.....	2	7	11	68	213	311	306	100	11	1	.....
Organic diseases of the heart (79)	3,668	10	5	5	2	7	50	134	150	202	355	600	921	774	359	43	1	.....
Acute bronchitis (89)	263	147	40	16	4	1	9	2	1	4	5	4	7	18	5	.....	.....	.....
Chronic bronchitis (90)	87	1	1	1	.....	.....	.....	1	2	3	3	15	12	29	13	6	.....	.....
Pneumonia (92)	2,081	163	134	57	23	13	38	113	341	311	208	246	228	153	47	6	.....	.....
Bronchopneumonia (91)	1,462	513	239	83	32	16	45	34	76	87	63	85	70	81	33	5	.....	.....
Other diseases, respiratory system (86–88, 93–98)	182	27	24	4	4	3	6	3	20	15	22	15	11	13	14	1	.....	.....
Diseases of the stomach (102, 103)	82	10	2	4	1	.....	.....	2	7	12	15	16	9	2	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	1,103	815	163	41	8	7	7	6	5	9	11	6	6	13	6	.....	.....	.....
Appendicitis and typhlitis (108)	275	1	1	1	3	6	19	52	59	42	35	32	18	5	1	.....	.....	.....
Hernia, intestinal obstruction (109)	203	24	2	.....	4	1	5	5	7	13	25	33	47	31	6	.....	.....	.....
Cirrhosis of the liver (113)	154	1	.....	2	.....	.....	.....	.....	.....	9	24	51	36	27	2	2	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,395	6	6	4	2	1	14	31	78	146	313	456	600	509	206	21	1	1
Diseases of the female genital organs (128–132)	115	.....	.....	.....	.....	.....	.....	2	23	31	37	17	3	2	.....	.....	.....	.....
Puerperal septicemia (137)	101	.....	.....	.....	.....	.....	.....	3	54	37	7	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	208	.....	.....	.....	.....	.....	.....	8	101	86	13	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,164	1,131	15	7	1	2	4	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	80	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	42	15	2	.....
Violent deaths (suicide excepted) (164–186)	1,318	31	34	31	48	41	138	128	166	187	150	134	105	88	27	9	.....	1
Suicide (155–163)	195	.....	.....	.....	.....	.....	.....	4	29	44	31	39	31	10	7	.....	.....	.....
Unknown or ill-defined diseases (187–189)	4	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	3,087	550	36	34	27	25	98	153	191	255	335	518	435	274	134	21	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF POP100,000ULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																		
All causes	728	126	46	16	5	5	12	43	107	100	90	67	59	36	11	5	.....	.....
Typhoid fever (1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	8	2	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	11	6	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	3	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	20	5	3	.....	.....	.....	.....	3	4	2	1	.....	1	1	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	115	.....	2	2	1	.....	.....	19	35	24	19	11	2	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	5	1	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	9	.....	.....	.....	1	.....	1	3	2	1	.....	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	26	.....	.....	.....	.....	.....	.....	.....	1	4	8	7	4	2	.....	.....	.....	.....
Meningitis (61)	4	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	19	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	5	6	.....	.....	.....	.....
Organic diseases of the heart (79)	80	.....	.....	.....	.....	.....	.....	2	6	10	16	18	20	6	2	.....	.....	.....
Acute bronchitis (89)	5	1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Pneumonia (92)	83	10	5	2	.....	1	.....	4	24	17	11	3	3	3	.....	.....	.....	.....
Bronchopneumonia (91)	63	21	15	5	1	2	2	2	4	2	4	4	.....	1	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	6	1	.....	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	39	31	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	3	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	6	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....
Cirrhosis of the liver (113)	8	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	2	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	54	1	.....	.....	.....	.....	.....	.....	5	6	10	7	11	7	6	1	.....	.....
Diseases of the female genital organs (128–132)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	5	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	11	.....	.....	.....	.....	.....	.....	.....	4	7	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	37	35	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	32	.....	.....	.....	.....	.....	3	1	6	10	5	.....	3	2	1	1	.....	.....
Suicide (155–163)	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	62	10	2	1	.....	.....	2	2	3	9	10	10	6	3	1	3	.....	.....
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
All causes	32,595	5,217	1,605	593	348	278	791	1,164	2,815	3,286	3,651	4,446	4,205	2,931	1,111	145	9	.....
Typhoid fever (1)	58	.....	.....	1	.....	2	2	7	23	13	4	6	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	443	124	193	57	26	11	23	6	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	133	6	20	18	20	21	36	5	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	309	162	98	19	12	8	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	444	43	135	80	50	41	74	11	4	3	2	1	.....	.....	.....	.....	.....	.....
Influenza (10)	1,071	33	81	25	12	9	18	39	231	243	107	82	78	51	11	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	126	68	10	3	.....	.....	1	2	6	6	4	10	8	7	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	2,981	39	28	13	8	3	27	246	705	699	569	426	164	43	9	2	.....	.....
Tuberculous meningitis (30)	291	41	53	37	20	13	45	30	22	13	13	3	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	165	11	3	4	5	3	9	21	31	34	17	15	7	4	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	2,384	.....	2	1	1	4	4	13	51	188	417	713	605	306	73	5	1	.....
Meningitis (61)	173	41	16	10	4	6	23	21	16	12	12	7	3	1	1	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,196	6	1	.....	.....	.....	.....	4	7	32	109	261	350	308	109	9	.....	.....
Organic diseases of the heart (79)	3,821	6	7	2	4	6	63	138	138	235	438	684	916	815	318	49	2	.....
Acute bronchitis (89)	330	182	57	20	7	5	2	2	3	4	3	7	6	11	20	1	.....	.....
Chronic bronchitis (90)	103	3	.....	1	.....	.....	1	.....	3	4	9	10	18	30	20	4	.....	.....
Pneumonia (92)	2,713	228	185	56	35	29	58	116	412	433	315	309	284	176	65	12	.....	.....
Bronchopneumonia (91)	2,096	666	373	96	34	12	37	37	129	141	118	117	167	118	46	5	.....	.....
Other diseases, respiratory system (86–88, 93–98)	267	31	29	9	10	1	6	6	32	28	33	31	18	13	16	4	.....	.....
Diseases of the stomach (102, 103)	154	44	1	2	.....	.....	.....	3	7	13	34	22	18	8	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	1,439	1,116	182	28	11	7	9	3	12	16	15	11	10	14	5	.....	.....	.....
Appendicitis and typhlitis (108)	338	1	2	4	4	10	16	43	52	47	73	52	24	9	1	.....	.....	.....
Hernia, intestinal obstruction (109)	267	33	6	3	1	.....	4	2	13	18	36	56	61	23	10	1	.....	.....
Cirrhosis of the liver (113)	184	1	.....	.....	.....	.....	.....	1	2	14	49	46	51	14	6	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,255	10	5	4	3	1	13	30	57	151	244	500	562	467	192	14	2	.....
Diseases of the female genital organs (128–132)	167	.....	.....	.....	.....	.....	.....	5	37	35	56	24	8	2	.....	.....	.....	.....
Puerperal septicemia (137)	143	.....	.....	.....	.....	.....	.....	2	78	50	12	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	205	.....	.....	.....	.....	.....	.....	9	111	69	16	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,467	1,446	7	2	4	1	.....	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Senility (154)	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	9	25	27	8	2	.....
Violent deaths (suicide excepted) (164–186)	1,844	27	38	49	53	57	197	164	260	252	231	215	156	104	37	4	.....	.....
Suicide (155–163)	333	.....	.....	.....	.....	.....	.....	9	64	91	71	59	26	11	2	.....	.....	.....
Unknown or ill-defined diseases (187–189)	16	.....	7	1	.....	.....	.....	.....	.....	3	1	2	1	.....	.....	1	.....	.....
All other causes	4,603	799	66	48	24	28	115	182	300	436	641	773	654	371	139	25	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																	
All causes	30,385	4,735	1,473	561	333	258	754	1,052	2,481	2,924	3,341	4,258	4,101	2,875	1,091	139	9	.....
Typhoid fever (1)	54	.....	.....	1	.....	2	2	6	21	13	4	5	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	438	124	189	56	26	11	23	6	1	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	129	6	19	18	19	21	35	5	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	275	145	83	18	12	7	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	434	40	131	80	49	40	73	11	4	3	2	1	.....	.....	.....	.....	.....	.....
Influenza (10)	1,021	79	79	25	12	9	17	38	221	228	98	77	78	49	10	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	116	61	9	3	.....	.....	1	2	6	5	4	9	8	7	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	2,601	30	24	10	4	1	19	203	592	593	510	401	153	41	9	1	.....	.....
Tuberculous meningitis (30)	266	38	50	34	17	11	43	27	18	12	12	3	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	137	7	3	3	3	3	8	17	24	31	14	13	6	4	1	.....	.....	.....
Cancer and other malignant tumors (39–45)	2,313	.....	2	1	1	4	4	13	46	171	399	692	599	303	72	5	1	.....
Meningitis (61)	168	39	14	10	4	6	23	21	16	12	11	7	3	1	1	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,147	5	1	.....	.....	.....	.....	4	7	29	96	247	341	302	106	9	.....	.....
Organic diseases of the heart (79)	3,650	4	6	2	4	5	62	132	125	209	399	649	887	802	315	47	2	.....
Acute bronchitis (89)	303	167	51	19	7	5	1	2	3	3	2	7	5	10	20	1	.....	.....
Chronic bronchitis (90)	100	2	.....	1	.....	.....	1	.....	3	4	9	10	17	29	20	4	.....	.....
Pneumonia (92)	2,446	195	169	51	33	27	52	101	357	372	272	295	273	173	65	11	.....	.....
Bronchopneumonia (91)	1,887	568	328	84	32	10	35	29	119	131	109	115	162	115	45	5	.....	.....
Other diseases, respiratory system (86–88, 93–98)	251	28	27	8	10	1	5	5	28	27	32	30	18	13	16	3	.....	.....
Diseases of the stomach (102, 103)	145	41	1	2	.....	.....	.....	2	7	11	34	20	18	7	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	1,365	1,050	178	27	11	7	9	3	12	14	14	11	10	14	5	.....	.....	.....
Appendicitis and typhlitis (108)	314	1	2	4	4	8	16	38	46	43	70	49	23	9	1	.....	.....	.....
Hernia, intestinal obstruction (109)	252	29	5	2	1	.....	4	2	11	17	33	54	60	23	10	1	.....	.....
Cirrhosis of the liver (113)	175	1	.....	.....	.....	.....	.....	1	1	13	46	44	50	14	5	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,159	10	5	4	3	1	12	28	53	133	221	479	552	456	186	14	2	.....
Diseases of the female genital organs (128–132)	130	.....	.....	.....	.....	.....	.....	4	28	27	44	18	8	1	.....	.....	.....	.....
Puerperal septicemia (137)	120	.....	.....	.....	.....	.....	.....	2	62	43	12	1	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	190	.....	.....	.....	.....	.....	.....	9	99	67	15	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,355	1,335	7	2	4	.....	.....	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Senility (154)	69	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	8	25	25	8	2	.....
Violent deaths (suicide excepted) (164–186)	1,750	24	36	49	53	53	192	151	228	233	223	211	153	103	37	4	.....	.....
Suicide (155–163)	322	.....	.....	.....	.....	.....	.....	9	62	87	63	53	25	11	2	.....	.....	.....
Unknown or ill-defined diseases (187–189)	11	.....	3	1	.....	.....	.....	.....	.....	3	1	1	1	.....	.....	1	.....	.....
All other causes	4,288	706	51	46	24	26	109	174	273	383	585	748	637	363	137	24	2	.....
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																		
All causes	2,210	482	132	32	15	20	37	112	334	362	310	188	104	56	20	6	.....	.....
Typhoid fever (1)	4	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	5	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	4	.....	1	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	34	17	15	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	10	3	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	50	4	2	.....	.....	.....	1	1	10	15	9	5	.....	2	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	10	7	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	380	9	4	3	4	2	8	43	113	101	59	25	6	2	.....	1	.....	.....
Tuberculous meningitis (30)	25	3	3	3	3	2	2	3	4	1	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	28	4	.....	1	2	.....	1	4	7	3	3	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	71	.....	.....	.....	.....	.....	.....	.....	5	17	18	21	6	3	1	.....	.....	.....
Meningitis (61)	5	2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	49	1	.....	.....	.....	.....	.....	.....	.....	3	13	14	9	6	3	.....	.....	.....
Organic diseases of the heart (79)	171	2	1	.....	.....	1	1	6	13	26	39	35	29	13	3	2	.....	.....
Acute bronchitis (89)	27	15	6	1	.....	.....	1	.....	.....	1	1	.....	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Pneumonia (92)	267	33	16	5	2	2	6	15	55	61	43	14	11	3	.....	1	.....	.....
Bronchopneumonia (91)	209	98	45	12	2	2	2	8	10	10	9	2	5	3	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	16	3	2	1	.....	.....	1	1	4	1	1	1	.....	.....	1	.....	.....	.....
Diseases of the stomach (102, 103)	9	3	.....	.....	.....	.....	.....	1	.....	2	.....	2	.....	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	74	66	4	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	24	.....	.....	.....	.....	2	.....	5	6	4	3	3	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	15	4	1	1	.....	.....	.....	.....	2	1	3	2	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	9	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	1	.....	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	96	.....	.....	.....	.....	.....	1	2	4	18	23	21	10	11	6	.....	.....	.....
Diseases of the female genital organs (128–132)	37	.....	.....	.....	.....	.....	.....	1	9	8	12	6	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	23	.....	.....	.....	.....	.....	.....	.....	16	7	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	15	.....	.....	.....	.....	.....	.....	.....	12	2	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	112	111	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	94	3	2	.....	.....	4	5	13	32	19	8	4	3	1	.....	.....	.....	.....
Suicide (155–163)	11	.....	.....	.....	.....	.....	.....	.....	2	4	3	1	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
All other causes	315	93	15	2	.....	2	6	8	27	53	56	25	17	8	2	1	.....	.....

TABLE 9.—DEATHS(EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (QUEENS BOROUGH).																		
All causes	5,501	781	171	93	61	50	163	223	417	524	605	718	786	614	256	38	.....	1
Typhoid fever (1)	15	.....	.....	.....	.....	.....	.....	2	3	4	3	3	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	29	7	13	3	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	16	3	1	.....	2	1	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	52	25	17	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	111	6	6	17	14	11	48	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	153	19	11	4	.....	1	3	10	24	18	22	14	18	6	2	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	16	8	2	.....	.....	.....	1	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....
Tuberculosis of the lungs (23, 29)	487	3	1	.....	1	3	5	46	125	106	99	58	32	6	2	.....	.....	.....
Tuberculous meningitis (30)	29	2	5	2	3	1	8	1	3	3	.....	1	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	26	3	1	2	.....	1	.....	5	3	5	2	1	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	418	.....	.....	.....	.....	.....	2	1	2	25	85	100	109	79	15	.....	.....	.....
Meningitis (61)	15	3	1	1	1	3	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	300	.....	.....	.....	.....	.....	.....	2	7	25	51	88	81	40	6	.....	.....	.....
Organic diseases of the heart (79)	697	1	.....	1	1	1	12	21	28	44	72	122	167	137	75	15	.....	.....
Acute bronchitis (89)	40	24	2	1	.....	.....	.....	.....	.....	.....	.....	3	3	5	1	1	.....	.....
Chronic bronchitis (90)	18	1	.....	.....	.....	.....	.....	1	1	1	1	1	.....	11	2	.....	.....	.....
Pneumonia (92)	412	21	15	8	6	4	10	22	55	87	48	53	47	29	7	.....	.....	.....
Bronchopneumonia (91)	314	105	51	20	8	5	11	6	15	15	17	10	19	18	14	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	31	1	4	2	.....	.....	.....	1	.....	5	4	5	4	2	3	.....	.....	.....
Diseases of the stomach (102, 103)	31	2	.....	.....	.....	1	.....	.....	.....	4	8	9	.....	5	1	1	.....	.....
Diarrhea and enteritis (104, 105)	171	115	20	10	2	1	2	.....	1	4	3	2	4	5	2	.....	.....	.....
Appendicitis and typhlitis (108)	74	.....	1	1	1	1	4	16	16	9	13	6	6	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	45	9	1	.....	.....	.....	1	.....	2	3	8	7	5	7	2	.....	.....	.....
Cirrhosis of the liver (113)	52	.....	.....	.....	.....	.....	.....	.....	.....	2	6	20	14	10	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	510	1	1	1	2	.....	4	9	19	24	63	105	136	113	29	3	.....	.....
Diseases of the female genital organs (128–132)	31	.....	.....	.....	.....	.....	.....	.....	5	15	5	4	2	.....	.....	.....	.....	.....
Puerperal septicemia (137)	21	.....	.....	.....	.....	.....	.....	.....	10	10	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	54	.....	.....	.....	.....	.....	.....	2	19	31	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	285	283	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	23	2	.....	.....
Violent deaths (suicide excepted) (164–186)	302	7	6	8	10	9	24	38	48	42	33	29	22	17	7	2	.....	.....
Suicide (155–163)	54	.....	.....	.....	.....	.....	.....	1	5	8	19	8	7	6	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	657	132	11	6	3	5	15	31	31	51	66	103	96	68	31	7	.....	1
NEW YORK, N. Y. (RICHMOND BOROUGH).																		
All causes	1,781	257	53	26	13	12	42	61	173	175	173	182	220	239	133	20	.....	2
Typhoid fever (1)	8	.....	.....	.....	.....	.....	.....	.....	3	2	3	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	14	3	3	2	1	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	5	.....	.....	.....	1	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	17	12	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	31	1	7	6	3	3	9	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	47	3	3	.....	.....	1	1	2	12	9	5	.....	2	4	5	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	4	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	178	2	1	.....	1	1	1	14	55	39	29	17	14	2	2	.....	.....	.....
Tuberculous meningitis (30)	8	.....	2	1	.....	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	4	1	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	116	.....	1	.....	.....	.....	.....	.....	.....	5	11	29	39	22	6	3	.....	.....
Meningitis (61)	6	2	1	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	96	.....	.....	.....	.....	.....	.....	.....	1	4	8	16	20	28	17	2	.....	.....
Organic diseases of the heart (79)	252	.....	.....	.....	1	.....	1	9	7	18	23	21	50	74	39	9	.....	.....
Acute bronchitis (89)	15	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Chronic bronchitis (90)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pneumonia (92)	107	7	.....	3	2	1	4	4	16	21	15	8	11	9	6	.....	.....	.....
Bronchopneumonia (91)	80	28	15	.....	2	.....	2	2	3	6	3	6	4	4	5	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	12	.....	1	.....	.....	.....	.....	1	1	.....	2	4	1	2	.....	.....	.....	.....
Diseases of the stomach (102, 103)	6	.....	1	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	65	44	10	5	.....	.....	1	.....	.....	1	.....	1	.....	1	2	.....	.....	.....
Appendicitis and typhlitis (108)	21	.....	.....	.....	.....	.....	2	2	6	6	2	3	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	19	3	1	2	.....	.....	3	.....	.....	.....	1	1	4	3	1	.....	.....	.....
Cirrhosis of the liver (113)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	2	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	179	3	.....	.....	.....	.....	1	1	5	12	17	25	49	45	18	2	.....	1
Diseases of the female genital organs (128–132)	5	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	6	.....	.....	.....	.....	.....	.....	1	4	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	12	.....	.....	.....	.....	.....	.....	1	6	5	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	93	92	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	1	.....	.....
Violent deaths (suicide excepted) (164–186)	130	6	2	2	1	2	10	15	27	16	17	11	8	6	5	1	.....	1
Suicide (155–163)	14	.....	.....	.....	.....	.....	.....	.....	4	2	5	2	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	207	35	.....	3	.....	1	4	6	14	22	26	30	13	36	15	2	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ROCHESTER, N. Y.																		
All causes	3,765	567	97	42	46	35	94	112	199	289	317	491	637	541	263	34	1	
Typhoid fever (1)	3								1		2							
Typhus fever (2)																		
Malaria (4)	1										1							
Smallpox (5)																		
Measles (6)	30	6	9	3	3	1	5		2	1								
Scarlet fever (7)	28		5	4	1	3	8	3	3		1							
Whooping cough (8)	22	8	9			2	2					1						
Diphtheria and croup (9)	83	2	8	13	10	7	25	14	2	1		1						
Influenza (10)	66	6		2	2	1	5	2	12	11	9	3	7	3	2	1		
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	15	9					1					2	1	2				
Tuberculosis of the lungs (28, 29)	202	1			1		1	21	43	57	32	27	15	4				
Tuberculous meningitis (30)	23	4	6	1	4	2	4	1	1									
Other forms of tuberculosis (31–35)	14	1					2	1	5	3		1	1					
Cancer and other malignant tumors (39–45)	342						1		4	20	52	89	92	65	19			
Meningitis (61)	12	3				1		2	1	3		1	1					
Cerebral hemorrhage and softening (64, 65)	288						1		5	2	13	40	87	77	55	7		
Organic diseases of the heart (79)	524		1	1		1	3	10	9	18	23	65	148	154	80	10	1	
Acute bronchitis (89)	18	11					1	1	1					2	2			
Chronic bronchitis (90)	11											1	3	2	5			
Pneumonia (92)	176	10	8	4		1		6	18	30	17	32	30	14	5	1		
Bronchopneumonia (91)	135	47	17	7	3	6	1	2	4	6	4	5	11	11	7	4		
Other diseases, respiratory system (86–88, 93–98)	43	2	2		2		3		3	2	6	11	6	4	1	1		
Diseases of the stomach (102, 103)	22	1	3				1	1	3	3		3	3	2	2			
Diarrhea and enteritis (104, 105)	167	127	18	2	3	1			2	1	1	2	5	2	3			
Appendicitis and typhlitis (108)	57	1			2	2	5	5	10	14	5	6	6		1			
Hernia, intestinal obstruction (109)	20	2	1						1		2	2	7	4	1			
Cirrhosis of the liver (113)	30									2	7	11	8	2				
Acute nephritis and Bright's disease (119, 120)	363	1	1	1		1	3	4	7	24	34	66	94	86	33	3		
Diseases of the female genital organs (128–132)	26								2	3	15	4	1	1				
Puerperal septicemia (137)	13							1	8	2	2							
Other puerperal causes (134–136, 138–141)	30							2	11	16	1							
Congenital debility and malformations (150, 151)	236	230	2			1	1			1	1							
Senility (154)																		
Violent deaths (suicide excepted) (164–186)	167	3	1	3	8	3	9	14	14	21	17	22	24	17	8	3		
Suicide (155–163)	32								8	8	10	3	3					
Unknown or ill-defined diseases (187–189)	1		1															
All other causes	565	92	5	1	7	2	12	22	19	40	62	93	84	89	33	4		
SYRACUSE, N. Y.																		
All causes	2,640	438	83	45	28	19	50	70	195	245	236	309	373	336	179	33	1	
Typhoid fever (1)	7		1						3	1	1	1						
Typhus fever (2)																		
Malaria (4)	1								1									
Smallpox (5)																		
Measles (6)	23	6	10	4	3													
Scarlet fever (7)	16	1	1	1	4	2	4		2	1								
Whooping cough (8)	10	4	2	1	1	1	1											
Diphtheria and croup (9)	30	3	1	7	3	5	10			1								
Influenza (10)	52	3	3		2		1	1	12	15	3	4	3	4	1			
Asiatic cholera (12)																		
Cholera nostras (13)	1			1														
Other epidemic diseases (3, 11, 14–19)	6	5							1									
Tuberculosis of the lungs (28, 29)	89	1	1			1		8	31	25	9	5	6	2				
Tuberculous meningitis (30)	15	3	2	5	2			1		1	1							
Other forms of tuberculosis (31–35)	21		1	1			2	1	4	4	5	3						
Cancer and other malignant tumors (39–45)	164							1	1	12	28	44	49	20	8	1		
Meningitis (61)	13	5	1	1			1	2	1	1		1						
Cerebral hemorrhage and softening (64, 65)	186			1					2	4	18	26	57	52	23	3		
Organic diseases of the heart (79)	375	4	2					3	7	17	27	53	90	96	68	8		
Acute bronchitis (89)	9	6	1	2														
Chronic bronchitis (90)	11	1	1									1	1	3	2	2		
Pneumonia (92)	198	3	7	2			3	8	37	42	21	17	29	20	8	1		
Bronchopneumonia (91)	178	52	19	7	4	2	2	4	12	15	8	13	10	17	11	2		
Other diseases, respiratory system (86–88, 93–98)	18	2					1		1	3	3	1	2		3	2		
Diseases of the stomach (102, 103)	20	6							2	2	1	2	4	2	1			
Diarrhea and enteritis (104, 105)	155	112	22	2		3	1	1	1	3	1	1	1	4	2	1		
Appendicitis and typhlitis (108)	34						1	3	10	5	8	4	2	1				
Hernia, intestinal obstruction (109)	28	1					2	1	4	3	2	3	8	4				
Cirrhosis of the liver (113)	18									1	4	3	6	3	1			
Acute nephritis and Bright's disease (119, 120)	169	1	1	2				3	3	13	29	41	27	37	9	3		
Diseases of the female genital organs (128–132)	11								1	7		3						
Puerperal septicemia (137)	7								5	2								
Other puerperal causes (134–136, 138–141)	32							1	15	15	1							
Congenital debility and malformations (150, 151)	152	149					1		2									
Senility (154)	9													2	6	1		
Violent deaths (suicide excepted) (164–186)	162	2	2	5	7	4	8	19	14	16	18	18	15	17	15	2		
Suicide (155–163)	23								4	5	3	4	6		1			
Unknown or ill-defined diseases (187–189)	5	2		2							1							
All other causes	392	66	5	1	2	1	12	13	19	31	44	61	57	52	20	7	1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
YONKERS, N. Y.																		
All causes	1,153	212	34	19	17	11	29	45	81	115	122	120	149	142	51	6		
Typhoid fever (1)																		
Typhus fever (2)																		
Malaria (4)	1							1										
Smallpox (5)																		
Measles (6)	9	1	5	1	1		1											
Scarlet fever (7)	3	1					2											
Whooping cough (8)	14	8	2	2	1		1											
Diphtheria and croup (9)	23		2	4	3	4	9	1										
Influenza (10)	28	4	1		1	1		3	5	3	1	2	1	5	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	2	1	1															
Tuberculosis of the lungs (28, 29)	123	1		1	1		1	10	29	35	25	14	4	2				
Tuberculous meningitis (30)	11	3	2	1		2		3										
Other forms of tuberculosis (31–35)	9						1		3	1	3	1						
Cancer and other malignant tumors (39–45)	88	1		1	1					9	10	24	25	14	3			
Meningitis (61)	1	1																
Cerebral hemorrhage and softening (64, 65)	68									3	10	6	19	24	4	2		
Organic diseases of the heart (79)	129							4	5	5	17	15	29	37	15	2		
Acute bronchitis (89)	9	6	1				1								1			
Chronic bronchitis (90)	4												1		3			
Pneumonia (92)	82	6	4	2	1	1	1	5	13	17	8	6	10	4	4			
Bronchopneumonia (91)	55	24	4	2	1	1	1	1	1	1	1	5	7	5		1		
Other diseases, respiratory system (86–88, 93–98)	7				1	1			1	1	1	1			1			
Diseases of the stomach (102, 103)	11		1						1		3		5		1			
Diarrhea and enteritis (104, 105)	57	47	6		1	1					1		1					
Appendicitis and typhlitis (108)	13						2		1	3	3	2	2					
Hernia, intestinal obstruction (109)	8	1							1	1	2		1	2				
Cirrhosis of the liver (113)	9										3	2	3	1				
Acute nephritis and Bright's disease (119–120)	84		3	1					1	5	11	20	15	20	8			
Diseases of the female genital organs (128–132)	1											1						
Puerperal septicemia (137)	2									2								
Other puerperal causes (134–136, 138–141)	13							1	2	8	2							
Congenital debility and malformations (150, 151)	66	66																
Senility (154)	1														1			
Violent deaths (suicide excepted) (164–186)	54		2	2	3		5	6	6	6	6	5	5	5	2	1		
Suicide (165–163)	2									1			1					
Unknown or ill-defined diseases (187–189)																		
All other causes	166	41	1	1	2		4	10	12	14	15	16	20	23	7			
AKRON, OHIO.																		
All causes	2,443	452	91	50	44	28	72	157	410	286	204	190	203	172	71	13		
Typhoid fever (1)	8								2	2	2	1	1					
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)	1							1										
Measles (6)	36	13	9	3	4		5	2										
Scarlet fever (7)	58	1	6	7	7	1	8	9	15	2	2							
Whooping cough (8)	20	11	7		1	1												
Diphtheria and croup (9)	37	1	4	5	3	5	11	4	3		1							
Influenza (10)	183	9	5	4	4	2	2	20	58	41	13	10	3	10	2			
Asiatic cholera (12)																		
Cholera nostras (13)	1													1				
Other epidemic diseases (3, 11, 14–19)	14	5					1				2	2		3		1		
Tuberculosis of the lungs (28, 29)	104	4		2	2			11	34	24	11	9	4	2	1			
Tuberculous meningitis (30)	9	2	1	1	1			1	2	1								
Other forms of tuberculosis (31–35)	11			1	1			3	3	1	1	1						
Cancer and other malignant tumors (39–45)	88	2							4	8	19	17	24	11	2	1		
Meningitis (61)	13	5	2	1			2	1				2						
Cerebral hemorrhage and softening (64, 65)	103							1			7	15	33	32	14	1		
Organic diseases of the heart (79)	197	1			2		4	4	17	19	28	25	31	37	25	4		
Acute bronchitis (89)	8	5	1							2								
Chronic bronchitis (90)	4	1					1	1		1								
Pneumonia (92)	312	19	11	2	4	2	4	34	93	47	29	31	21	10	4	1		
Bronchopneumonia (91)	190	63	25	13	4	5	6	17	21	17	5	5	4	2	2	1		
Other diseases, respiratory system (86–88, 93–98)	27	4	3	1	1	1	2		5	1	1	4	2		2			
Diseases of the stomach (102, 103)	11	6				1			1	1			2					
Diarrhea and enteritis (104, 105)	55	38	8	3	2	1			1			1	1					
Appendicitis and typhlitis (108)	30		1				3	5	9	6	2	2	1	1				
Hernia, intestinal obstruction (109)	21	6				1			3	5	2	1		3				
Cirrhosis of the liver (113)	13									1	1	4	4	3				
Acute nephritis and Bright's disease (119, 120)	74		1		1			2	5	4	6	15	19	14	6	1		
Diseases of the female genital organs (128–132)	10								2	6	1		1					
Puerperal septicemia (137)	38							2	23	9	4							
Other puerperal causes (134–136, 138–141)	30							3	12	11	4							
Congenital debility and malformations (150, 151)	187	186					1											
Senility (154)	5											1	1	1	1	1		
Violent deaths (suicide excepted) (164–186)	218	7	3	6	4	7	13	15	59	37	30	15	12	7	2	1		
Suicide (165–163)	20							2	6	5	3	2	2					
Unknown or ill-defined diseases (187–189)	4	2	1					1										
All other causes	303	61	3	1	3	1	9	18	32	35	30	27	37	35	10	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 749.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (TOTAL).																		
All causes	6,073	644	159	65	44	32	127	202	484	552	617	812	965	862	444	63	1	.....
Typhoid fever (1)	13	.....	.....	.....	.....	.....	.....	1	4	5	2	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	76	15	29	11	6	5	7	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	31	.....	2	5	2	2	14	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	24	11	9	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	53	4	5	6	10	4	20	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	233	9	23	4	1	2	6	11	35	44	25	24	19	18	12	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	19	2	.....	.....	.....	.....	.....	2	1	2	3	3	3	3	3	.....	.....	.....
Tuberculosis of the lungs (28, 29)	562	4	3	.....	3	.....	3	39	155	126	96	75	42	12	4	.....	.....	.....
Tuberculous meningitis (30)	40	7	6	4	1	1	6	4	3	4	1	1	2	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	49	.....	.....	.....	.....	.....	6	2	14	2	13	7	3	2	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	533	.....	.....	.....	.....	1	1	2	8	36	74	131	161	96	21	1	1	.....
Meningitis (61)	19	2	4	1	.....	.....	1	5	.....	.....	2	3	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	486	.....	1	.....	1	.....	.....	3	4	11	35	95	124	142	61	9	.....	.....
Organic diseases of the heart (79)	783	3	.....	.....	.....	.....	2	17	20	38	69	111	100	211	100	13	.....	.....
Acute bronchitis (89)	44	15	8	1	1	.....	.....	1	1	1	.....	.....	6	6	3	1	.....	.....
Chronic bronchitis (90)	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	6	12	5	1	.....	.....
Pneumonia (92)	332	18	13	7	6	3	4	15	30	53	35	37	62	33	12	4	.....	.....
Bronchopneumonia (91)	195	65	23	10	2	3	5	4	4	4	5	8	14	25	21	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	27	.....	1	1	.....	.....	.....	1	1	4	.....	6	2	6	4	1	.....	.....
Diseases of the stomach (102, 103)	34	3	1	.....	.....	.....	.....	2	4	6	5	3	1	2	5	2	.....	.....
Diarrhea and enteritis (104, 105)	152	113	14	2	3	1	2	.....	1	.....	1	2	5	4	3	1	.....	.....
Appendicitis and typhlitis (108)	85	.....	.....	1	.....	.....	6	15	21	13	17	6	5	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	83	4	2	.....	.....	.....	2	.....	9	8	8	12	13	12	6	2	.....	.....
Cirrhosis of the liver (113)	46	.....	.....	.....	.....	.....	.....	.....	3	5	5	12	14	6	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	491	2	.....	.....	.....	.....	3	10	11	23	47	87	130	116	57	5	.....	.....
Diseases of the female genital organs (128–132)	48	.....	.....	.....	.....	.....	.....	1	5	13	19	9	.....	.....	1	.....	.....	.....
Puerperal septicemia (137)	34	.....	.....	.....	.....	.....	.....	2	14	15	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	41	.....	.....	.....	.....	.....	.....	5	18	13	5	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	258	253	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senilty (154)	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	7	6	.....	.....
Violent deaths (suicide excepted) (164–186)	301	8	4	5	4	4	19	34	52	35	31	28	28	25	22	2	.....	.....
Suicide (155–163)	47	.....	.....	.....	.....	.....	.....	.....	5	11	10	12	6	3	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	15	5	.....	.....	.....	.....	.....	.....	1	2	1	5	.....	.....	1	.....	.....	.....
All other causes	869	101	8	5	1	6	20	20	53	78	104	131	121	122	86	13	.....	.....
CINCINNATI, OHIO (WHITE).																		
All causes	5,336	548	124	53	41	28	107	166	371	447	503	724	903	835	431	55	.....	.....
Typhoid fever (1)	8	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	70	15	28	11	5	2	6	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	31	.....	2	5	2	2	14	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	17	9	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	51	3	5	6	10	4	19	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	191	6	18	2	1	2	5	8	30	35	20	17	18	17	12	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	16	2	.....	.....	.....	.....	.....	.....	.....	1	2	2	3	3	3	.....	.....	.....
Tuberculosis of the lungs (28, 29)	432	4	2	.....	3	.....	.....	23	108	94	78	66	38	11	3	.....	.....	.....
Tuberculous meningitis (30)	33	6	5	3	1	1	4	4	2	3	1	1	2	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	34	.....	.....	.....	.....	.....	3	1	10	2	11	4	2	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	505	.....	.....	.....	.....	1	1	2	7	33	64	127	156	92	21	1	.....	.....
Meningitis (61)	17	1	3	1	.....	.....	1	5	.....	.....	2	3	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	452	.....	1	.....	1	.....	.....	3	2	9	30	84	117	139	59	7	.....	.....
Organic diseases of the heart (79)	708	3	.....	.....	.....	.....	2	15	18	25	48	98	178	203	105	13	.....	.....
Acute bronchitis (89)	36	10	6	1	1	.....	.....	.....	1	1	.....	.....	6	6	3	1	.....	.....
Chronic bronchitis (90)	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	5	12	5	1	.....	.....
Pneumonia (92)	262	9	8	6	5	2	3	11	18	42	23	33	56	31	11	4	.....	.....
Bronchopneumonia (91)	152	47	12	5	2	3	4	4	3	3	3	7	12	24	21	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	22	.....	.....	1	.....	.....	.....	1	.....	3	.....	6	.....	6	4	1	.....	.....
Diseases of the stomach (102, 103)	29	3	1	.....	.....	.....	.....	1	2	4	5	3	1	2	5	2	.....	.....
Diarrhea and enteritis (104, 105)	133	100	14	2	2	1	.....	.....	1	.....	1	2	3	3	3	1	.....	.....
Appendicitis and typhlitis (108)	81	.....	.....	1	.....	.....	6	15	19	12	16	6	5	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	76	3	2	.....	.....	.....	2	.....	8	7	6	11	17	12	6	2	.....	.....
Cirrhosis of the liver (113)	40	.....	.....	.....	.....	.....	.....	.....	2	3	4	11	13	6	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	454	2	.....	.....	.....	.....	3	10	11	20	39	74	123	113	55	4	.....	.....
Diseases of the female genital organs (128–132)	40	.....	.....	.....	.....	.....	.....	.....	4	10	17	8	.....	.....	1	.....	.....	.....
Puerperal septicemia (137)	29	.....	.....	.....	.....	.....	.....	2	11	13	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	32	.....	.....	.....	.....	.....	.....	3	14	11	4	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformation (150, 151)	234	229	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	6	3	.....	.....
Violent deaths (suicide excepted) (164–186)	265	6	4	5	4	4	16	30	43	31	26	23	26	24	22	1	.....	.....
Suicide (155–163)	46	.....	.....	.....	.....	.....	.....	.....	5	10	10	12	6	3	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	8	2	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	1	.....	.....	.....
All other causes	790	88	5	3	1	6	18	20	45	70	87	117	113	121	84	12	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (COLORED).																		
All causes	737	96	35	12	3	4	20	36	113	105	114	88	62	27	13	8	1	.....
Typhoid fever (1)	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	6	.....	1	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	7	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	42	3	5	2	.....	.....	1	3	5	9	5	7	1	1	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	130	.....	1	.....	.....	.....	3	16	47	32	18	7	4	1	1	.....	.....	.....
Tuberculous meningitis (30)	7	1	1	1	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	15	.....	.....	.....	.....	.....	3	1	4	.....	2	3	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	28	.....	.....	.....	.....	.....	.....	.....	1	3	10	4	5	4	.....	.....	1	.....
Meningitis (61)	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	34	.....	.....	.....	.....	.....	.....	.....	2	2	5	11	7	3	2	2	.....	.....
Organic diseases of the heart (79)	75	.....	.....	.....	.....	.....	.....	2	2	13	21	13	12	8	4	.....	.....	.....
Acute bronchitis (89)	8	5	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
Pneumonia (92)	70	9	5	1	1	1	1	4	12	11	12	4	6	2	1	.....	.....	.....
Bronchopneumonia (91)	43	18	11	5	.....	.....	1	.....	1	1	2	1	2	1	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	5	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	5	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	19	13	.....	.....	1	.....	2	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Appendicitis and typhlitis (108)	4	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	7	1	.....	.....	.....	.....	.....	.....	1	1	2	1	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	6	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	37	.....	.....	.....	.....	.....	.....	.....	.....	3	8	13	7	3	2	1	.....	.....
Diseases of the female genital organs (128–132)	8	.....	.....	.....	.....	.....	.....	1	1	3	2	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	9	.....	.....	.....	.....	.....	.....	2	4	2	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	24	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....
Violent deaths (suicide excepted) (164–186)	36	2	.....	.....	.....	.....	3	4	9	4	5	5	2	1	.....	1	.....	.....
Suicide (165–163)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	7	3	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....
All other causes	79	13	3	2	.....	.....	2	.....	8	8	17	14	8	1	2	1	.....	.....
CLEVELAND, OHIO (TOTAL).																		
All causes	9,985	1,692	373	197	123	97	276	393	926	1,177	1,061	1,089	1,141	948	419	71	2	.....
Typhoid fever (1)	24	1	.....	.....	.....	.....	.....	3	6	9	5	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	80	15	38	15	4	3	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	69	1	3	9	10	8	19	11	5	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	78	40	15	13	6	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	131	6	15	10	20	21	50	6	1	1	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	402	31	15	16	3	2	12	11	75	101	41	38	25	25	7	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	35	8	.....	2	1	1	1	2	1	1	3	4	3	4	4	.....	.....	.....
Tuberculosis of the lungs (28, 29)	769	7	7	2	3	2	4	67	240	199	125	66	35	10	2	.....	.....	.....
Tuberculous meningitis (30)	56	9	6	3	2	4	8	9	5	7	3	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	58	.....	1	2	.....	.....	4	10	11	13	9	3	5	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	668	1	.....	2	1	.....	4	3	11	59	127	154	176	96	34	.....	.....	.....
Meningitis (61)	36	4	5	1	2	.....	7	6	1	4	2	3	.....	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	532	2	.....	1	1	.....	.....	1	6	15	53	88	134	144	75	12	.....	.....
Organic disease of the heart (79)	836	2	2	1	1	4	11	33	34	58	66	121	213	192	85	13	.....	.....
Acute bronchitis (89)	104	50	18	2	1	1	3	.....	2	4	1	2	5	11	3	1	.....	.....
Chronic bronchitis (90)	37	.....	.....	.....	.....	.....	1	.....	.....	2	.....	5	11	13	4	1	.....	.....
Pneumonia (92)	686	52	34	10	11	5	17	25	108	115	85	79	73	55	11	6	.....	.....
Bronchopneumonia (91)	554	195	76	30	12	2	8	11	21	24	27	43	46	35	20	4	.....	.....
Other diseases, respiratory system (86–88, 93–98)	98	8	9	4	2	1	.....	4	7	13	12	12	10	10	5	1	.....	.....
Diseases of the stomach (102, 103)	78	17	5	7	1	.....	1	1	6	5	13	5	5	6	5	1	.....	.....
Diarrhea and enteritis (104, 105)	487	359	68	13	9	3	5	3	3	5	6	4	3	2	4	.....	.....	.....
Appendicitis and typhlitis (108)	140	1	.....	2	1	.....	12	19	28	34	20	14	8	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	93	9	3	1	2	.....	2	2	6	9	13	16	19	8	3	.....	.....	.....
Cirrhosis of the liver (113)	69	.....	.....	.....	1	.....	.....	.....	2	4	16	20	10	12	4	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	590	5	1	2	2	1	3	11	23	32	81	103	144	122	48	11	1	.....
Diseases of the female genital organs (128–132)	54	.....	.....	.....	.....	.....	.....	.....	10	17	16	6	2	2	1	.....	.....	.....
Puerperal septicemia (137)	65	.....	.....	.....	.....	.....	.....	4	36	21	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	67	.....	.....	.....	.....	.....	.....	5	26	33	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	564	551	4	3	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	13	9	1	.....
Violent deaths (suicide excepted) (164–186)	740	14	16	25	16	24	68	71	108	155	104	61	26	33	16	3	.....	.....
Suicide (155–163)	103	.....	.....	.....	.....	.....	.....	9	21	36	20	10	5	1	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	176	45	2	4	.....	3	2	.....	9	17	20	33	24	14	3	.....	.....	.....
All other causes	1,470	259	30	17	11	9	27	62	114	181	185	198	158	139	71	9	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO (WHITE).																	
All causes	9,216	1,579	341	186	120	89	266	360	769	1,023	956	1,023	1,105	926	406	67	.....	.....
Typhoid fever (1)	20	1	.....	.....	.....	.....	.....	3	4	7	5	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	80	15	38	15	4	3	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	66	1	3	9	10	8	17	10	5	3	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	69	35	13	12	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	127	6	14	10	20	20	49	6	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	361	27	14	14	3	2	12	10	63	86	38	36	24	25	7	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	33	8	.....	2	1	.....	1	1	1	1	3	4	3	4	4	.....	.....	.....
Tuberculosis of the lungs (28, 29)	638	5	7	1	3	1	2	57	185	169	106	57	34	10	1	.....	.....	.....
Tuberculous meningitis (30)	51	9	5	3	2	4	8	8	3	6	3	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	45	.....	1	1	.....	.....	3	9	9	8	6	3	5	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	652	1	.....	1	1	.....	4	3	10	56	125	151	172	94	34	.....	.....	.....
Meningitis (61)	34	4	4	1	1	.....	7	6	1	4	2	3	.....	1	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	509	2	.....	1	1	.....	.....	.....	6	11	50	86	128	140	74	10	.....	.....
Organic diseases of the heart (79)	781	2	2	1	1	3	11	32	29	47	55	113	204	186	82	13	.....	.....
Acute bronchitis (89)	98	46	16	2	1	1	3	.....	2	4	1	2	5	11	3	1	.....	.....
Chronic bronchitis (90)	35	.....	.....	.....	.....	.....	1	.....	.....	2	.....	5	9	13	4	1	.....	.....
Pneumonia (92)	611	46	30	9	11	4	15	22	85	101	74	73	71	53	11	6	.....	.....
Bronchopneumonia (91)	504	173	67	29	11	2	8	11	17	21	23	40	46	35	17	4	.....	.....
Other diseases, respiratory system (86–88, 93–98)	91	6	9	4	2	1	.....	4	7	12	10	10	10	10	5	1	.....	.....
Diseases of the stomach (102, 103)	72	17	5	7	1	.....	1	1	4	5	11	4	5	5	5	1	.....	.....
Diarrhea and enteritis (104, 105)	469	350	62	13	9	2	5	1	3	5	6	4	3	2	4	.....	.....	.....
Appendicitis and typhlitis (108)	136	1	.....	2	1	.....	12	18	23	31	20	14	8	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	85	8	3	1	2	.....	2	2	5	8	10	15	19	7	3	.....	.....	.....
Cirrhosis of the liver (113)	63	.....	.....	.....	1	.....	.....	.....	1	3	14	19	10	12	3	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	551	4	1	2	2	1	3	11	19	24	74	94	140	119	46	11	.....	.....
Diseases of the female genital organs (128–132)	41	.....	.....	.....	.....	.....	.....	.....	8	11	13	4	2	2	1	.....	.....	.....
Puerperal septicemia (137)	58	.....	.....	.....	.....	.....	.....	3	31	20	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	64	.....	.....	.....	.....	.....	.....	5	24	32	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150–151)	527	514	4	3	.....	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	12	9	.....	.....
Violent deaths (suicide excepted) (164–186)	676	12	16	25	16	24	67	68	86	134	94	59	24	33	15	3	.....	.....
Suicide (155–163)	103	.....	.....	.....	.....	.....	.....	9	21	36	20	10	5	1	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	157	39	1	3	.....	3	2	.....	7	12	19	30	24	14	3	.....	.....	.....
All other causes	1,375	247	26	15	11	7	26	56	105	163	166	186	153	136	71	7	.....	.....
CLEVELAND, OHIO (COLORED).																		
All causes	769	113	32	11	3	8	10	33	157	154	105	66	36	22	13	4	2	.....
Typhoid fever (1)	4	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	9	5	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	4	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	41	4	1	2	.....	.....	.....	1	12	15	3	2	1	.....	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	131	2	.....	1	.....	1	2	10	55	30	19	9	1	.....	1	.....	.....	.....
Tuberculous meningitis (30)	5	.....	1	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	13	.....	.....	1	.....	.....	1	1	2	5	3	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	16	.....	.....	1	.....	.....	.....	.....	1	3	2	3	4	2	.....	.....	.....	.....
Meningitis (61)	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	23	.....	.....	.....	.....	.....	.....	1	.....	4	3	2	6	4	1	2	.....	.....
Organic diseases of the heart (79)	55	.....	.....	.....	.....	1	.....	1	5	11	11	8	9	6	3	.....	.....	.....
Acute bronchitis (89)	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Pneumonia (92)	75	6	4	1	.....	1	2	3	23	14	11	6	2	2	.....	.....	.....	.....
Bronchopneumonia (91)	50	22	9	1	1	.....	.....	.....	4	3	4	3	.....	.....	3	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	7	2	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	6	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	18	9	6	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	4	.....	.....	.....	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	8	1	.....	.....	.....	.....	.....	.....	1	1	3	1	.....	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	39	1	.....	.....	.....	.....	.....	.....	4	8	7	9	4	3	2	.....	1	.....
Diseases of the female genital organs (128–132)	13	.....	.....	.....	.....	.....	.....	.....	2	6	3	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	7	.....	.....	.....	.....	.....	.....	1	5	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	37	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Violent deaths (suicide excepted) (164–186)	64	2	.....	.....	.....	.....	1	3	22	21	10	2	2	.....	1	.....	.....	.....
Suicide (155–163)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	19	6	1	1	.....	.....	.....	.....	2	5	1	3	.....	.....	.....	.....	.....	.....
All other causes	95	12	4	2	.....	2	1	6	9	18	19	12	5	3	.....	2	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
COLUMBUS, OHIO.																		
All causes	3,546	453	76	31	29	19	65	155	283	365	417	440	509	444	233	23	1	.....
Typhoid fever (1)	7	.....	.....	.....	.....	.....	.....	3	.....	3	.....	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	29	5	6	5	4	1	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	14	1	.....	1	.....	3	5	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
Whooping cough (8)	27	19	4	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	17	3	2	2	3	2	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	232	11	10	1	6	.....	3	10	49	45	25	35	24	10	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	12	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	3	.....	.....	.....
Tuberculosis of the lungs (28, 29)	226	2	2	.....	3	.....	3	20	61	45	34	29	19	6	2	.....	.....	.....
Tuberculous meningitis (30)	11	2	.....	1	.....	2	3	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	42	.....	.....	.....	.....	.....	2	12	7	10	4	2	4	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	246	.....	.....	.....	.....	.....	1	1	2	10	46	65	66	45	10	.....	.....	.....
Meningitis (61)	13	6	1	1	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	230	.....	.....	.....	2	.....	.....	1	2	11	21	35	69	65	22	2	.....	.....
Organic diseases of the heart (79)	360	4	.....	1	.....	.....	3	9	14	21	44	50	85	91	35	3	.....	.....
Acute bronchitis (89)	10	3	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis (90)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	4	.....	.....	.....
Pneumonia (92)	173	13	2	.....	1	1	3	14	27	29	26	18	17	16	6	.....	.....	.....
Bronchopneumonia (91)	178	48	18	7	2	1	9	5	5	6	8	8	20	18	21	1	1	.....
Other diseases, respiratory system (86–88, 93–98)	29	.....	3	1	.....	1	.....	3	1	3	5	4	4	2	2	.....	.....	.....
Diseases of the stomach (102, 103)	19	4	.....	.....	.....	.....	.....	.....	1	4	2	4	1	.....	3	.....	.....	.....
Diarrhea and enteritis (104, 105)	76	48	12	4	1	.....	2	.....	2	.....	2	.....	3	2	.....	.....	.....	.....
Appendicitis and typhlitis (108)	55	.....	.....	.....	.....	2	.....	17	8	10	11	5	2	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	39	1	.....	.....	.....	.....	.....	2	5	7	9	6	3	5	1	.....	.....	.....
Cirrhosis of the liver (113)	21	.....	.....	.....	.....	.....	.....	.....	.....	2	5	6	3	5	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	189	.....	.....	.....	.....	.....	3	4	3	12	29	26	51	37	23	1	.....	.....
Diseases of the female genital organs (128–132)	46	.....	.....	.....	.....	.....	.....	4	9	9	13	9	2	.....	.....	.....	.....	.....
Puerperal septicemia (137)	17	.....	.....	.....	.....	.....	.....	.....	11	6	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	30	.....	.....	.....	.....	.....	.....	2	12	13	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	212	210	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	27	37	13	.....	.....
Violent deaths (suicide excepted) (164–186)	221	4	2	5	3	3	12	20	29	38	27	22	18	20	16	2	.....	.....
Suicide (155–163)	13	.....	.....	.....	.....	.....	.....	1	4	3	4	1	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	7	2	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	654	63	6	1	1	2	6	21	29	75	94	111	110	90	44	1	.....	.....
DAYTON, OHIO.																		
All causes	1,883	275	42	24	9	17	58	74	139	177	166	211	278	273	119	21	.....	.....
Typhoid fever (1)	11	.....	.....	.....	.....	1	2	4	1	1	2	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	19	5	3	3	2	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	10	.....	1	2	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	25	15	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	16	1	1	1	.....	2	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	83	7	4	2	.....	1	1	2	13	19	2	14	8	6	4	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	6	2	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	116	.....	3	1	.....	.....	.....	8	31	32	13	15	8	4	1	.....	.....	.....
Tuberculous meningitis (30)	12	1	.....	1	2	1	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	.....	.....	.....	.....	.....	4	4	4	1	2	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	165	1	.....	.....	.....	.....	.....	1	4	11	25	37	45	32	6	3	.....	.....
Meningitis (61)	15	5	.....	3	.....	1	1	1	1	1	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	127	2	.....	.....	.....	.....	1	.....	.....	4	11	14	36	37	20	2	.....	.....
Organic diseases of the heart (79)	203	.....	.....	.....	.....	.....	.....	6	7	5	15	33	49	59	27	2	.....	.....
Acute bronchitis (89)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
Chronic bronchitis (90)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....
Pneumonia (92)	99	9	4	1	.....	.....	1	5	9	22	10	7	18	9	2	2	.....	.....
Bronchopneumonia (91)	90	31	8	1	.....	.....	1	3	3	4	3	9	8	10	7	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	14	.....	.....	.....	.....	.....	.....	.....	1	.....	4	1	2	3	2	1	.....	.....
Diseases of the stomach (102, 103)	27	4	.....	.....	.....	.....	.....	.....	1	2	5	6	4	3	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	51	32	7	1	.....	2	.....	.....	1	1	.....	.....	3	3	1	.....	.....	.....
Appendicitis and typhlitis (108)	25	.....	.....	.....	.....	1	2	6	3	3	4	3	3	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	20	3	.....	.....	.....	.....	1	.....	.....	2	8	2	3	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	12	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	3	2	.....	1	.....	.....
Acute nephritis and Bright's disease (119, 120)	114	.....	.....	.....	.....	.....	1	1	1	6	13	13	25	38	15	1	.....	.....
Diseases of the female genital organs (128–132)	21	.....	.....	.....	.....	.....	.....	1	4	4	4	4	.....	2	2	.....	.....	.....
Puerperal septicemia (137)	12	.....	.....	.....	.....	.....	.....	2	8	2	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	17	.....	.....	.....	.....	.....	.....	3	6	8	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	114	113	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	6	1	.....	.....
Violent deaths (suicide excepted) (164–186)	127	2	3	3	3	2	8	6	14	17	12	11	10	23	9	4	.....	.....
Suicide (155–163)	20	.....	.....	.....	.....	.....	.....	1	7	7	1	3	1	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	4	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
All other causes	269	40	4	2	.....	3	14	12	14	23	28	36	48	32	11	2	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
TOLEDO, OHIO.																		
All causes	3,413	473	85	44	31	26	83	119	286	374	349	399	475	441	193	23	2	.....
Typhoid fever (1)	19	1	.....	1	.....	1	2	4	2	6	1	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Measles (6)	36	7	13	3	4	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	24	.....	1	6	1	1	7	3	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	26	14	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	51	.....	4	8	5	2	18	8	2	2	.....	1	1	.....	.....	.....	.....	.....
Influenza (10)	102	6	1	2	1	.....	2	10	16	23	9	9	9	11	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	22	1	.....	.....	.....	.....	.....	.....	1	3	2	4	4	4	1	2	.....	.....
Tuberculosis of the lungs (28, 29)	306	1	4	1	.....	.....	1	31	81	88	51	25	15	7	1	.....	.....	.....
Tuberculous meningitis (30)	13	3	2	.....	1	4	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	16	.....	.....	.....	.....	.....	.....	.....	6	2	5	1	1	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	224	.....	.....	.....	.....	.....	1	1	2	23	35	62	50	41	8	1	.....	.....
Meningitis (61)	11	1	1	.....	1	2	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	275	.....	.....	.....	.....	.....	.....	.....	.....	4	10	40	90	89	38	3	1	.....
Organic diseases of the heart (79)	356	.....	.....	1	1	1	3	4	15	14	44	49	88	93	40	3	.....	.....
Acute bronchitis (89)	11	6	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....
Chronic bronchitis (90)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	2	1	.....	.....
Pneumonia (92)	157	16	3	1	3	1	1	5	22	31	15	16	20	17	4	1	1	.....
Bronchopneumonia (91)	152	47	18	6	3	1	10	2	4	5	5	7	12	17	14	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	29	4	.....	.....	.....	.....	.....	1	4	3	3	4	5	4	1	.....	.....	.....
Diseases of the stomach (102, 103)	22	1	1	.....	.....	.....	.....	.....	.....	3	6	2	5	3	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	149	96	18	4	1	3	1	.....	1	2	4	3	5	5	5	1	.....	.....
Appendicitis and typhlitis (108)	32	.....	.....	.....	.....	.....	.....	5	7	9	3	3	3	1	1	.....	.....	.....
Hernia, intestinal obstruction (109)	39	4	3	.....	1	.....	1	1	1	2	2	3	16	3	2	.....	.....	.....
Cirrhosis of the liver (113)	30	.....	.....	1	.....	.....	.....	.....	.....	4	3	4	11	7	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	193	.....	.....	.....	.....	.....	1	2	3	12	22	38	44	42	24	5	.....	.....
Diseases of the female genital organs (128–132)	19	.....	.....	.....	.....	.....	.....	.....	4	4	8	2	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	26	.....	.....	.....	.....	.....	.....	2	12	8	4	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	30	.....	.....	.....	.....	.....	.....	3	14	12	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	185	183	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	11	15	6	.....	.....
Violent deaths (suicide excepted) (164–186)	231	3	3	3	5	5	16	20	33	34	35	29	17	12	10	1	.....	.....
Suicide (155–163)	33	.....	.....	.....	.....	.....	.....	1	8	7	4	8	2	2	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	549	79	4	3	2	2	10	13	37	73	75	86	71	65	27	2	.....	.....
YOUNGSTOWN, OHIO.																		
All causes	1,738	375	77	39	19	17	52	60	171	254	149	159	171	141	48	4	2	.....
Typhoid fever (1)	15	.....	.....	.....	.....	.....	1	.....	3	3	4	4	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Measles (6)	5	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	22	2	1	4	3	2	7	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	16	6	8	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	11	.....	4	2	1	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	87	5	5	4	1	.....	1	3	25	21	5	8	3	5	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases, (3, 11, 14–19)	10	6	1	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	85	2	.....	1	.....	.....	.....	6	19	33	13	5	6	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	17	3	5	.....	.....	.....	4	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	11	.....	1	.....	.....	.....	1	1	3	1	4	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	82	.....	.....	.....	.....	.....	.....	.....	2	5	17	18	25	13	2	.....	.....	.....
Meningitis (61)	9	1	5	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	72	.....	.....	.....	.....	.....	.....	.....	1	4	2	17	18	25	5	.....	.....	.....
Organic diseases of the heart (79)	109	1	.....	.....	.....	1	2	7	3	10	4	14	32	28	6	1	.....	.....
Acute bronchitis (89)	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....
Pneumonia (92)	197	16	5	5	.....	1	3	9	19	51	23	20	17	19	2	1	.....	.....
Bronchopneumonia (91)	160	68	22	11	.....	4	7	2	3	14	5	2	10	7	4	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	13	1	2	.....	.....	.....	.....	.....	2	2	2	.....	2	1	1	.....	.....	.....
Diseases of the stomach (102, 103)	17	5	.....	.....	2	.....	.....	.....	.....	1	3	2	1	3	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	92	81	9	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Appendicitis and typhlitis (108)	25	.....	.....	2	.....	.....	1	5	7	3	4	2	.....	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	14	4	.....	1	1	.....	.....	1	.....	.....	.....	3	2	1	1	.....	.....	.....
Cirrhosis of the liver (113)	13	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	5	2	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	52	1	.....	.....	.....	.....	2	2	2	3	6	15	12	4	5	.....	.....	.....
Diseases of the female genital organs (128–132)	11	.....	.....	.....	.....	.....	.....	.....	3	1	3	3	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	22	.....	.....	.....	.....	.....	.....	.....	11	11	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	15	.....	.....	.....	.....	.....	.....	.....	3	10	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	108	107	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	7	1	1	.....
Violent deaths (suicide excepted) (164–186)	185	5	2	6	9	5	11	16	37	48	19	12	9	2	4	.....	.....	.....
Suicide (155–163)	13	.....	.....	.....	.....	.....	.....	1	3	6	1	.....	2	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	15	9	.....	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
All other causes	211	48	4	.....	1	3	6	4	17	21	28	24	23	23	8	.....	1	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PORTLAND, OREG.																		
All causes	3,164	310	56	18	31	19	62	109	247	338	341	421	503	453	229	26	1	.....
Typhoid fever (1)	9	.....	.....	1	.....	.....	.....	.....	2	1	4	.....	.....	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	13	3	3	1	1	1	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	21	12	5	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	15	.....	1	.....	3	2	5	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	98	1	4	1	1	1	3	1	27	35	12	6	4	2	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	17	7	.....	1	.....	.....	.....	1	1	.....	2	1	.....	2	2	.....	.....	.....
Tuberculosis of the lungs (28, 29)	160	1	3	.....	1	.....	1	18	37	40	22	14	20	3	.....	.....	.....	.....
Tuberculous meningitis (30)	21	5	.....	2	2	.....	3	3	2	4	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	33	.....	.....	.....	.....	.....	.....	3	15	6	6	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	320	.....	.....	.....	1	.....	.....	1	3	21	57	80	84	60	12	1	.....	.....
Meningitis (61)	13	2	2	1	.....	.....	1	.....	2	2	2	.....	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	233	2	.....	.....	.....	1	.....	.....	2	7	11	35	72	54	46	3	.....	.....
Organic diseases of the heart (79)	375	2	.....	.....	.....	1	6	8	14	24	39	62	92	79	43	5	.....	.....
Acute bronchitis (89)	9	.....	.....	1	.....	.....	1	.....	.....	1	.....	2	.....	2	2	.....	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....
Pneumonia (92)	220	15	3	4	2	1	3	4	35	25	29	34	31	24	10	.....	.....	.....
Bronchopneumonia (91)	106	27	12	1	3	.....	4	1	3	9	10	4	9	9	12	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	50	2	1	.....	.....	2	.....	2	4	3	10	6	7	6	6	1	.....	.....
Diseases of the stomach (102, 103)	19	3	.....	.....	.....	.....	.....	.....	1	3	3	3	3	2	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	49	18	6	1	1	1	3	.....	1	3	1	5	3	4	2	.....	.....	.....
Appendicitis and typhlitis (108)	52	.....	1	.....	1	2	4	9	7	9	7	6	3	3	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	30	4	.....	.....	.....	.....	.....	.....	1	2	3	4	7	9	.....	.....	.....	.....
Cirrhosis of the liver (113)	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	4	5	2	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	189	.....	.....	2	.....	.....	.....	3	9	17	16	37	42	43	17	3	.....	.....
Diseases of the female genital organs (128–132)	24	.....	.....	.....	.....	1	.....	2	2	5	11	1	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	13	.....	.....	.....	.....	.....	.....	2	6	5	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	24	.....	.....	.....	.....	.....	.....	2	9	10	3	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	136	131	2	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	12	17	7	.....	.....
Violent deaths (suicide excepted) (164–186)	192	6	5	.....	6	1	9	17	30	37	23	17	13	19	7	2	.....	.....
Suicide (165–163)	45	.....	.....	.....	.....	.....	.....	2	3	14	6	9	8	3	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
All other causes	613	67	8	.....	6	2	15	29	29	50	62	87	95	110	50	2	1	.....
PHILADELPHIA, PA. (TOTAL).																		
All causes	26,511	3,956	868	400	274	239	603	933	2,178	2,466	2,691	3,350	3,784	3,168	1,388	200	10	3
Typhoid fever (1)	62	.....	1	1	.....	.....	2	16	13	11	14	3	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	177	47	61	11	11	16	25	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever (7)	122	8	18	21	19	13	26	8	8	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	100	56	24	8	6	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	416	37	75	65	60	50	103	18	2	2	2	2	.....	.....	.....	.....	.....	.....
Influenza (10)	873	44	43	15	13	4	21	51	176	166	108	87	63	60	18	3	1	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	59	26	2	.....	1	.....	1	.....	5	3	3	5	4	4	5	.....	.....	.....
Tuberculosis of the lungs (28, 29)	2,227	17	21	8	2	3	15	174	602	525	418	263	127	44	6	2	.....	.....
Tuberculous meningitis (30)	140	25	26	11	8	10	18	13	10	10	4	3	1	1	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	157	6	3	5	4	1	6	30	25	25	21	18	10	3	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	1,811	3	3	1	.....	.....	1	7	30	99	291	529	495	282	67	3	.....	.....
Meningitis (61)	101	30	6	2	7	3	14	14	7	8	3	2	5	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,240	4	1	1	.....	1	.....	2	10	23	96	237	352	351	148	13	1	.....
Organic diseases of the heart (79)	3,345	17	1	3	4	7	36	91	106	200	295	480	884	811	362	46	2	.....
Acute bronchitis (89)	197	87	18	11	2	3	4	2	2	6	3	9	11	19	16	2	2	.....
Chronic bronchitis (90)	120	.....	1	.....	.....	.....	1	1	4	2	5	10	36	30	25	5	.....	.....
Pneumonia (92)	1,934	161	87	36	20	11	38	77	308	344	233	233	204	136	43	3	.....	.....
Bronchopneumonia (91)	1,590	538	206	87	29	21	39	37	78	87	73	77	107	131	66	13	.....	1
Other diseases, respiratory system (86–88, 93–98)	296	30	17	8	7	6	7	9	21	37	45	31	33	22	21	1	1	.....
Diseases of the stomach (102, 103)	234	44	7	4	3	2	.....	3	11	26	30	39	25	24	15	1	.....	.....
Diarrhea and enteritis (104, 105)	1,302	969	154	37	13	13	7	6	7	7	12	17	20	27	11	2	.....	.....
Appendicitis and typhlitis (108)	243	.....	.....	1	1	2	21	46	52	41	35	29	10	5	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	248	35	5	1	1	3	5	5	16	19	24	60	37	31	6	.....	.....	.....
Cirrhosis of the liver (113)	145	.....	.....	.....	.....	1	1	1	3	7	22	35	46	23	6	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,599	19	4	4	5	6	12	49	60	147	286	462	644	574	276	50	1	.....
Diseases of the female genital organs (128–132)	150	.....	.....	.....	.....	.....	.....	3	28	45	38	19	8	7	.....	2	.....	.....
Puerperal septicemia (137)	118	.....	.....	.....	.....	.....	.....	9	57	46	6	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	214	.....	.....	.....	.....	.....	.....	11	105	78	20	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,264	1,249	10	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	101	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	40	40	18	.....	.....
Violent deaths (suicide excepted) (164–186)	1,303	22	23	30	43	41	110	110	188	172	139	145	138	97	40	9	.....	1
Suicide (165–163)	200	.....	.....	.....	.....	.....	.....	6	34	41	33	38	28	15	5	.....	.....	.....
Unknown or ill-defined diseases (187–189)	21	1	10	2	.....	.....	.....	.....	.....	1	.....	3	3	1	.....	.....	.....	.....
All other causes	3,395	481	41	25	14	18	88	130	205	288	431	514	489	429	212	27	2	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PHILADELPHIA, PA. (WHITE).																		
All causes	23,584	3,391	744	348	253	219	554	778	1,753	2,023	2,261	3,075	3,586	3,055	1,342	193	6	3
Typhoid fever (1)	49	.....	1	1	.....	.....	2	15	9	9	9	2	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	162	41	58	10	9	16	22	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....
Scarlet fever (7)	119	7	18	21	19	13	25	8	7	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	80	45	18	7	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	402	36	73	64	59	47	97	18	2	2	2	2	.....	.....	.....	.....	.....	.....
Influenza (10)	770	35	41	14	11	4	20	44	146	152	90	78	60	57	15	3	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	51	23	1	.....	.....	.....	.....	.....	5	3	2	5	4	4	4	.....	.....	.....
Tuberculosis of the lungs (28, 29)	1,790	11	11	5	2	1	11	122	455	414	349	235	122	44	6	2	.....	.....
Tuberculous meningitis (30)	113	20	23	9	5	9	12	11	7	9	3	3	1	1	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	115	5	2	4	3	.....	3	18	16	20	17	17	7	3	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	1,717	3	3	1	.....	.....	1	6	23	84	267	511	474	277	64	3	.....	.....
Meningitis (61)	92	25	6	1	7	3	13	13	6	8	3	2	5	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	1,134	4	.....	1	.....	1	.....	2	6	15	67	208	335	338	145	11	1	.....
Organic diseases of the heart (79)	3,091	16	1	2	4	7	35	80	93	169	249	430	828	774	349	44	1	.....
Acute bronchitis (89)	169	72	16	8	1	2	3	2	.....	6	2	8	10	10	16	2	2	.....
Chronic bronchitis (90)	115	.....	.....	.....	.....	.....	1	1	4	2	3	10	36	29	25	4	.....	.....
Pneumonia (92)	1,669	128	71	31	20	10	35	64	258	285	191	211	192	129	41	3	.....	.....
Bronchopneumonia (91)	1,312	413	158	66	26	19	35	28	63	65	58	71	102	129	65	13	.....	1
Other diseases, respiratory system (86–88, 93–98)	243	23	15	7	7	6	6	8	15	28	29	29	28	20	20	1	1	.....
Diseases of the stomach (102, 103)	196	39	5	4	3	2	.....	2	10	15	19	34	25	21	13	1	.....	.....
Diarrhea and enteritis (104, 105)	1,177	875	145	32	12	12	5	6	7	5	10	14	18	26	8	2	.....	.....
Appendicitis and typhlitis (108)	207	.....	.....	1	1	2	21	36	43	30	29	29	10	5	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	228	27	5	1	.....	3	5	5	13	16	21	59	36	31	6	.....	.....	.....
Cirrhosis of the liver (113)	142	.....	.....	.....	.....	1	1	1	3	7	21	34	46	22	6	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	2,396	16	3	4	5	6	11	43	48	124	247	408	604	536	270	50	1	.....
Diseases of the female genital organs (128–132)	121	.....	.....	.....	.....	.....	.....	2	21	37	29	15	8	7	.....	2	.....	.....
Puerperal septicemia (137)	108	.....	.....	.....	.....	.....	.....	9	52	41	6	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	189	.....	.....	.....	.....	.....	.....	8	95	67	19	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	1,117	1,103	9	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	39	40	17	.....	.....
Violent deaths (suicide excepted) (164–186)	1,172	19	21	27	38	35	104	99	150	144	125	135	135	92	39	8	.....	1
Suicide (155–163)	192	.....	.....	.....	.....	.....	.....	6	30	39	31	38	28	15	5	.....	.....	.....
Unknown or ill-defined diseases (187–189)	15	1	6	1	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....
All other causes	3,032	404	34	24	14	17	85	117	162	227	362	475	466	412	205	27	.....	1
PHILADELPHIA, PA. (COLORED).																		
All causes	2,927	565	124	52	21	20	49	155	425	443	430	275	198	113	46	7	4	.....
Typhoid fever (1)	13	.....	.....	.....	.....	.....	.....	1	4	2	5	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	15	6	3	1	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	20	11	6	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	14	1	2	1	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	103	9	2	1	2	.....	1	7	30	14	18	9	3	3	3	.....	1	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	8	3	1	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	437	6	10	3	.....	2	4	52	147	111	69	28	5	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	27	5	3	2	3	1	6	2	3	1	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	42	1	1	1	1	1	3	12	9	5	4	1	3	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	94	.....	.....	.....	.....	.....	.....	1	7	15	24	18	21	5	3	.....	.....	.....
Meningitis (61)	9	5	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	106	.....	1	.....	.....	.....	.....	.....	4	8	29	29	17	13	3	2	.....	.....
Organic diseases of the heart (79)	254	1	.....	1	.....	.....	1	11	13	31	46	41	56	37	13	2	1	.....
Acute bronchitis (89)	28	15	2	3	1	1	1	.....	2	.....	1	1	1	.....	.....	.....	.....	.....
Chronic bronchitis (90)	5	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....
Pneumonia (92)	265	33	16	5	.....	1	3	13	50	59	42	22	12	7	2	.....	.....	.....
Bronchopneumonia (91)	278	125	48	21	3	2	4	9	15	22	15	6	5	2	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	53	7	2	1	.....	.....	1	1	6	9	16	2	5	2	1	.....	.....	.....
Diseases of the stomach (102, 103)	38	5	2	.....	.....	.....	.....	1	1	11	11	5	.....	.....	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	125	94	9	5	1	1	2	.....	.....	2	2	3	2	1	3	.....	.....	.....
Appendicitis and typhlitis (108)	36	.....	.....	.....	.....	.....	.....	10	9	11	6	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	20	8	.....	.....	1	.....	.....	.....	3	3	3	1	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	203	3	1	.....	.....	.....	1	6	12	23	39	54	40	18	6	.....	.....	.....
Diseases of the female genital organs (128–132)	29	.....	.....	.....	.....	.....	.....	1	7	8	9	4	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	10	.....	.....	.....	.....	.....	.....	.....	5	5	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	25	.....	.....	.....	.....	.....	.....	3	10	11	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	147	146	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....
Violent deaths (suicide excepted) (164–186)	136	3	2	3	5	6	6	11	38	28	14	10	3	5	1	1	.....	.....
Suicide (155–163)	8	.....	.....	.....	.....	.....	.....	.....	4	2	2	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	6	.....	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	363	77	7	1	.....	1	3	13	43	61	69	30	23	17	7	.....	2	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (TOTAL).																	
All causes	9,678	1,641	391	180	110	99	290	399	893	1,088	1,064	1,134	1,153	843	353	39	1	.....
Typhoid fever (1)	33	.....	.....	.....	1	.....	2	6	8	8	4	2	2	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	105	27	32	19	4	8	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	21	.....	2	.....	2	1	11	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	34	11	22	7	7	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	119	12	16	23	16	15	29	2	.....	3	2	1	.....	.....	.....	.....	.....	.....
Influenza (10)	566	30	27	9	4	9	19	34	99	129	66	61	47	25	7	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	3	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	25	8	2	3	1	1	.....	.....	1	3	1	1	3	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	579	7	7	6	3	1	5	57	172	123	82	78	30	7	1	.....	.....	.....
Tuberculous meningitis (30)	60	13	14	8	4	5	6	6	1	1	2	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	70	2	2	2	3	1	4	9	8	12	13	10	4	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	523	.....	1	.....	.....	.....	3	4	15	31	87	136	150	78	18	.....	.....	.....
Meningitis (61)	40	12	5	1	3	1	2	3	4	5	2	1	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	403	2	2	.....	.....	.....	1	2	7	13	36	69	123	96	46	6	.....	.....
Organic diseases of the heart (79)	779	5	1	1	1	1	17	30	36	59	99	142	167	160	52	8	.....	.....
Acute bronchitis (89)	63	27	10	2	.....	.....	.....	1	3	.....	1	3	4	6	5	1	.....	.....
Chronic bronchitis (90)	36	1	1	.....	.....	1	.....	.....	2	2	1	2	9	10	7	.....	.....	.....
Pneumonia (92)	1,266	75	48	20	7	11	22	51	155	213	200	168	157	108	27	4	.....	.....
Bronchopneumonia (91)	751	206	82	31	16	10	19	9	29	50	49	59	74	66	45	6	.....	.....
Other diseases, respiratory system (86–88, 93–98)	111	1	6	1	3	.....	5	1	12	9	14	15	21	19	3	1	.....	.....
Diseases of the stomach (102, 103)	63	14	2	.....	.....	.....	1	1	4	6	5	7	12	8	3	.....	.....	.....
Diarrhea and enteritis (104, 105)	518	376	78	22	11	3	5	2	1	.....	3	5	3	4	5	.....	.....	.....
Appendicitis and typhlitis (108)	119	1	1	.....	.....	1	11	26	20	21	18	9	9	2	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	68	10	2	1	.....	1	1	4	2	6	7	19	8	6	1	.....	.....	.....
Cirrhosis of the liver (113)	61	.....	.....	.....	.....	.....	.....	1	.....	3	12	15	16	10	4	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	475	5	2	3	.....	.....	2	7	23	47	70	87	102	84	39	4	.....	.....
Diseases of the female genital organs (128–132)	54	.....	.....	.....	.....	.....	.....	1	11	18	19	1	3	1	.....	.....	.....	.....
Puerperal septicemia (137)	87	.....	.....	.....	.....	.....	.....	6	37	36	8	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	90	.....	.....	.....	.....	.....	.....	6	38	42	4	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	554	546	3	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	13	2	1	.....
Violent deaths (suicide excepted) (164–186)	671	14	5	9	15	17	63	70	111	110	90	67	47	33	16	4	.....	.....
Suicide (155–163)	52	.....	.....	.....	.....	.....	.....	1	14	15	10	4	5	2	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	6	1	2	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
All other causes	1,194	204	16	11	8	7	41	56	79	121	157	171	155	105	60	3	.....	.....
PITTSBURGH, PA. (WHITE).																		
All causes	8,813	1,508	349	164	102	90	275	343	774	944	949	1,034	1,091	812	340	37	1	.....
Typhoid fever (1)	31	.....	.....	.....	1	.....	2	5	7	8	4	2	2	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	104	26	32	19	4	8	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	19	.....	2	.....	2	1	10	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	68	36	17	6	5	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	114	11	16	21	16	15	27	2	.....	3	2	1	.....	.....	.....	.....	.....	.....
Influenza (10)	521	27	27	9	4	9	18	32	91	119	59	53	44	23	6	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	21	6	1	3	1	1	.....	.....	1	3	1	.....	3	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	480	4	6	4	3	.....	4	37	140	103	76	67	28	7	1	.....	.....	.....
Tuberculous meningitis (30)	58	13	13	8	4	5	6	6	1	.....	2	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	57	2	2	1	3	1	4	3	6	10	11	10	4	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	498	.....	.....	1	.....	.....	3	4	15	26	82	128	146	75	18	.....	.....	.....
Meningitis (61)	36	11	4	1	3	1	2	3	3	4	2	1	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	377	2	2	.....	.....	.....	1	2	6	9	28	65	118	93	45	6	.....	.....
Organic diseases of the heart (79)	707	5	1	1	1	1	16	28	29	43	77	128	160	154	50	8	.....	.....
Acute bronchitis (89)	54	23	8	2	.....	.....	.....	1	2	.....	1	3	3	5	5	1	.....	.....
Chronic bronchitis (90)	36	1	1	.....	.....	1	.....	.....	2	2	1	2	9	10	7	.....	.....	.....
Pneumonia (92)	1,105	65	42	18	7	11	21	43	127	163	169	155	147	103	26	3	.....	.....
Bronchopneumonia (91)	678	183	67	26	11	8	16	9	27	47	45	54	70	66	43	6	.....	.....
Other diseases, respiratory system (86–88, 93–98)	102	1	6	1	2	.....	5	1	12	8	11	14	19	18	3	1	.....	.....
Diseases of the stomach (102, 103)	56	13	1	.....	.....	.....	1	1	4	4	4	6	11	8	3	.....	.....	.....
Diarrhea and enteritis (104, 105)	478	347	70	21	11	3	5	2	1	.....	3	3	3	4	5	.....	.....	.....
Appendicitis and typhlitis (108)	114	1	1	.....	.....	1	10	24	20	21	17	8	9	2	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	63	10	2	1	.....	1	1	4	2	6	5	17	7	6	1	.....	.....	.....
Cirrhosis of the liver (113)	59	.....	.....	.....	.....	.....	.....	1	.....	3	11	14	16	10	4	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	438	5	2	3	.....	.....	2	7	21	42	63	79	93	80	38	3	.....	.....
Diseases of the female genital organs (128–132)	46	.....	.....	.....	.....	.....	.....	1	8	15	17	1	3	1	.....	.....	.....	.....
Puerperal septicemia (137)	78	.....	.....	.....	.....	.....	.....	4	31	35	8	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	82	.....	.....	.....	.....	.....	.....	6	35	37	4	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	516	509	2	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	13	2	1	.....
Violent deaths (suicide excepted) (164–186)	609	13	5	9	15	15	60	61	99	92	85	60	44	33	14	4	.....	.....
Suicide (155–163)	52	.....	.....	.....	.....	.....	.....	1	14	15	10	4	5	2	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	6	1	2	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....
All other causes	1,119	192	16	9	8	7	40	53	69	114	149	158	145	99	57	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (COLORED).																		
All causes	865	133	42	16	8	9	15	56	119	144	115	100	62	31	13	2	.....	.....
Typhoid fever (1)	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	16	5	5	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	5	1	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	45	3	.....	.....	.....	.....	1	2	8	10	7	8	3	2	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	99	3	1	2	.....	1	1	20	32	20	6	11	2	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	13	.....	.....	1	.....	.....	.....	6	2	2	2	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	25	.....	.....	.....	.....	.....	.....	.....	.....	5	5	8	4	3	.....	.....	.....	.....
Meningitis (61)	4	1	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	26	.....	.....	.....	.....	.....	.....	.....	1	4	8	4	5	3	1	.....	.....	.....
Organic diseases of the heart (79)	72	.....	.....	.....	.....	.....	1	2	7	11	22	14	7	6	2	.....	.....	.....
Acute bronchitis (89)	9	4	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Pneumonia (92)	161	10	6	2	.....	.....	1	8	28	45	31	13	10	5	1	1	.....	.....
Bronchopneumonia (91)	73	23	15	5	5	2	3	.....	2	3	4	5	4	.....	2	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	9	.....	.....	.....	1	.....	.....	.....	.....	1	3	1	2	1	.....	.....	.....	.....
Diseases of the stomach (102, 103)	7	1	1	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	40	29	8	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	5	.....	.....	.....	.....	.....	1	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	37	.....	.....	.....	.....	.....	.....	.....	2	5	7	8	9	4	1	1	.....	.....
Diseases of the female genital organs (128–132)	8	.....	.....	.....	.....	.....	.....	.....	3	3	2	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	9	.....	.....	.....	.....	.....	.....	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	8	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	38	37	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	62	1	.....	.....	.....	2	3	9	12	18	5	7	3	.....	2	.....	.....	.....
Suicide (155–163)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	75	12	.....	2	.....	.....	1	3	10	7	8	13	10	6	3	.....	.....	.....
READING, PA.																		
All causes	1,564	256	30	15	8	6	27	70	115	112	141	199	233	215	123	8	1	.....
Typhoid fever (1)	7	.....	.....	.....	.....	.....	.....	2	2	1	.....	1	.....	1	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	11	6	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	18	1	3	4	1	2	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	67	5	1	1	.....	.....	.....	1	12	12	10	13	2	8	2	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	77	2	1	.....	1	.....	.....	15	21	14	5	8	8	2	.....	.....	.....	.....
Tuberculous meningitis (30)	5	1	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	8	1	1	.....	.....	.....	.....	3	.....	1	2	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	109	.....	.....	.....	.....	.....	.....	.....	2	7	14	27	29	21	9	.....	.....	.....
Meningitis (61)	6	2	1	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	124	.....	.....	.....	.....	.....	1	.....	.....	5	9	20	20	41	26	2	.....	.....
Organic diseases of the heart (79)	166	3	.....	.....	.....	.....	.....	5	5	7	12	23	48	37	25	1	.....	.....
Acute bronchitis (89)	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
Chronic bronchitis (90)	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	2	.....	.....	.....	.....
Pneumonia (92)	101	7	2	.....	1	.....	4	5	17	17	15	7	15	8	3	.....	.....	.....
Bronchopneumonia (91)	61	16	4	2	2	1	1	.....	4	2	1	5	10	4	9	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	15	3	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	4	4	.....	.....	.....
Diseases of the stomach (102, 103)	14	1	.....	.....	.....	.....	.....	.....	1	.....	3	2	1	3	2	1	.....	.....
Diarrhea and enteritis (104, 105)	97	73	8	3	.....	.....	.....	1	.....	1	.....	3	1	3	3	1	.....	.....
Appendicitis and typhlitis (108)	26	.....	.....	.....	.....	.....	1	6	7	5	4	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	13	1	.....	1	.....	.....	.....	.....	2	.....	.....	2	4	2	1	.....	.....	.....
Cirrhosis of the liver (113)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	153	.....	.....	.....	.....	.....	2	2	7	7	19	29	39	26	20	2	.....	.....
Diseases of the female genital organs (128, 132)	12	.....	.....	.....	.....	.....	.....	.....	1	1	8	.....	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	9	.....	.....	.....	.....	.....	.....	.....	5	1	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	15	.....	.....	.....	.....	.....	.....	2	7	4	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	85	84	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....
Violent deaths (suicide excepted) (164–186)	100	6	1	1	3	2	6	11	7	14	11	9	16	5	7	1	.....	.....
Suicide (155–163)	25	.....	.....	.....	.....	.....	.....	.....	3	4	6	6	4	2	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
All other causes	208	36	2	2	.....	.....	5	13	8	8	17	34	30	39	14	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SCRANTON, PA.																		
All causes	2,057	352	77	45	20	25	55	89	153	202	241	266	241	202	77	12	.....	.....
Typhoid fever (1)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	22	7	6	5	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	13	.....	2	3	1	3	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	17	9	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	23	1	3	3	2	4	6	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	146	4	4	1	.....	1	3	11	28	37	25	15	7	6	4	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	5	1	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	86	1	2	.....	.....	.....	1	8	23	17	17	10	6	1	.....	.....	.....	.....
Tuberculous meningitis (30)	10	4	.....	2	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	7	1	.....	.....	1	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	130	.....	1	.....	.....	1	1	.....	1	9	25	31	38	21	2	.....	.....	.....
Meningitis (61)	15	2	1	3	1	1	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	127	1	.....	.....	.....	.....	.....	.....	2	2	7	33	30	34	14	4	.....	.....
Organic diseases of the heart (79)	152	.....	.....	.....	.....	.....	2	7	6	6	22	24	39	34	9	3	.....	.....
Acute bronchitis (89)	18	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....
Chronic bronchitis (90)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	4	1	.....	.....	.....
Pneumonia (92)	162	13	6	5	2	3	3	2	16	23	23	29	15	12	10	.....	.....	.....
Bronchopneumonia (91)	123	43	14	9	.....	2	5	1	8	2	8	6	14	5	5	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	31	3	4	.....	2	2	.....	1	2	3	2	3	3	6	.....	.....	.....	.....
Diseases of the stomach (102, 103)	19	5	1	.....	1	.....	.....	.....	4	3	2	1	1	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	115	80	17	3	.....	.....	.....	2	.....	1	2	3	2	4	1	.....	.....	.....
Appendicitis and typhlitis (108)	29	.....	1	.....	.....	.....	2	8	6	4	5	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	28	3	1	1	.....	.....	.....	.....	1	3	3	5	4	4	2	1	.....	.....
Cirrhosis of the liver (113)	11	.....	.....	.....	1	.....	.....	.....	.....	1	3	2	4	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	105	1	.....	.....	.....	2	2	2	2	8	14	29	17	17	11	.....	.....	.....
Diseases of the female genital organs (128–132)	16	.....	.....	.....	.....	.....	.....	.....	2	4	6	3	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	9	.....	.....	.....	.....	.....	.....	.....	3	6	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	28	.....	.....	.....	.....	.....	.....	2	10	15	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	115	112	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....
Violent deaths (suicide excepted) (164–186)	175	3	4	4	2	4	13	21	15	28	33	20	15	9	4	.....	.....	.....
Suicide (165–163)	12	.....	.....	.....	.....	.....	.....	.....	3	3	1	3	2	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	4	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	286	40	2	1	5	2	8	16	17	24	37	43	38	38	13	2	.....	.....
PROVIDENCE, R. I.																		
All causes	3,692	586	128	62	37	26	79	127	249	357	346	472	515	458	217	31	1	1
Typhoid fever (1)	9	.....	.....	.....	.....	1	.....	1	.....	1	1	4	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	26	7	13	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	14	1	1	2	2	2	3	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (8)	34	20	5	6	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	69	3	12	8	6	8	19	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	133	19	9	4	1	3	3	3	18	31	9	14	7	10	2	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	15	6	.....	.....	1	.....	.....	1	.....	.....	2	3	2	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	214	6	3	.....	1	.....	1	19	52	44	39	25	18	5	1	.....	.....	.....
Tuberculous meningitis (30)	23	6	7	3	1	1	.....	1	2	.....	.....	2	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	34	4	3	3	3	.....	1	3	3	6	4	2	2	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	280	.....	.....	.....	1	.....	.....	3	2	17	50	75	73	42	17	.....	.....	.....
Meningitis (61)	16	6	1	1	1	.....	.....	1	2	2	1	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	261	2	.....	.....	.....	.....	.....	.....	1	5	20	52	59	79	37	5	1	.....
Organic diseases of the heart (79)	419	.....	.....	.....	.....	.....	3	10	10	19	31	73	113	103	51	6	.....	.....
Acute bronchitis (89)	26	12	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....
Chronic bronchitis (90)	12	.....	1	.....	.....	.....	.....	1	.....	2	.....	1	1	4	1	1	.....	.....
Pneumonia (92)	275	31	13	8	3	.....	4	8	36	44	29	27	35	26	11	.....	.....	.....
Bronchopneumonia (91)	193	48	20	9	5	.....	5	2	16	23	11	15	11	16	10	2	.....	.....
Other diseases, respiratory system (86–88, 93–98)	43	4	2	.....	.....	.....	2	2	3	8	4	8	5	3	2	.....	.....	.....
Diseases of the stomach (102, 103)	23	1	1	.....	.....	.....	.....	.....	2	4	5	6	1	1	2	.....	.....	.....
Diarrhea and enteritis (104, 105)	119	80	15	1	1	1	2	1	.....	1	3	2	1	1	3	1	.....	.....
Appendicitis and typhlitis (108)	50	.....	.....	1	.....	.....	3	10	6	13	4	10	2	.....	1	.....	.....	.....
Hernia, intestinal obstruction (109)	23	2	.....	.....	.....	.....	1	.....	1	1	4	3	6	5	.....	.....	.....	.....
Cirrhosis of the liver (113)	19	.....	.....	.....	.....	.....	.....	.....	.....	2	3	7	6	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	248	3	1	.....	2	.....	.....	3	4	19	26	41	53	67	26	3	.....	.....
Diseases of the female genital organs (128, 132)	25	.....	.....	.....	.....	.....	.....	1	3	11	7	1	1	1	.....	.....	.....	.....
Puerperal septicemia (137)	22	.....	.....	.....	.....	.....	.....	3	12	7	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	54	.....	.....	.....	.....	.....	.....	2	25	26	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	189	188	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	9	4	.....	.....
Violent deaths (suicide excepted) (164–186)	185	6	5	8	4	7	16	20	17	19	23	15	21	14	7	3	.....	.....
Suicide (165–163)	30	.....	.....	.....	.....	.....	.....	.....	2	8	10	6	2	1	1	.....	.....	.....
Unknown or ill-defined diseases (187–189)	23	6	2	.....	1	.....	.....	1	.....	2	.....	4	4	1	.....	1	.....	1
All other causes	570	119	9	4	3	2	13	19	29	42	59	74	88	70	35	4	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (TOTAL).																		
All causes	3,255	403	63	42	22	19	81	224	491	471	414	352	323	228	89	12	9	12
Typhoid fever (1)	14						3	5	4	1		1						
Typhus fever (2)																		
Malaria (4)	36	1	1			1	2	2	10	3	8	3	5					
Smallpox (5)																		
Measles (6)	1				1													
Scarlet fever (7)	3			1			2											
Whooping cough (8)	11	7	4															
Diphtheria and croup (9)	20	1	4	2	2	2	7	1		1								
Influenza (10)	146	11	4	6			2	17	24	29	21	9	14	4	4			1
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	31	3			1		2	3	6	7	3	1	3	1	1			
Tuberculosis of the lungs (28, 29)	292	3	2	3	2	1	5	33	96	54	45	26	18	3	1			
Tuberculous meningitis (30)	14	2	1	1	1			4		4	1							
Other forms of tuberculosis (31–35)	32	1		1			1	8	11	5	3	1	1					
Cancer and other malignant tumors (39–45)	132			1			1		6	19	23	33	25	19	5			
Meningitis (61)	18	6	2		1	1		3	2	1	1	1						
Cerebral hemorrhage and softening (64, 65)	91	2						1	1	7	17	14	20	21	7		1	
Organic diseases of the heart (79)	185				1		1	5	9	24	23	33	33	35	16		2	3
Acute bronchitis (89)	7	3	1					1			1		1					
Chronic bronchitis (90)	6							1		3				2				
Pneumonia (92)	264	13	6	5	2	4	5	15	63	46	41	26	19	12		3		4
Bronchopneumonia (91)	99	27	4	3		2	2	3	11	11	6	6	11	12	1			
Other diseases, respiratory system (86–88, 93–98)	45	3	1				2	1	8	8	7	4	8	1	1		1	
Diseases of the stomach (102, 103)	32	4	1	1				2	2	6	10	4	1					1
Diarrhea and enteritis (104, 105)	101	53	16	4	1	1	2	3	2	5	6	3	2	3				
Appendicitis and typhlitis (108)	94				2	2	6	14	24	23	11	6	4	1	1			
Hernia, intestinal obstruction (109)	42	3	1		1		2	2	7	7	4	5	6	4				
Cirrhosis of the liver (113)	10								1			4	5					
Acute nephritis and Bright's disease (119, 120)	271	1					2	7	9	30	46	64	45	42	20	4	1	
Diseases of the female genital organs (128–132)	72							3	18	31	15	4		1				
Puerperal septicemia (137)	21							3	9	8	1							
Other puerperal causes (134–136, 138–141)	41							14	16	10	1							
Congenital debility and malformations (150, 151)	127	126							1									
Senility (154)	17										1		1	6	7	2		
Violent deaths (suicide excepted) (164–186)	327	10	5	8	7	2	19	43	76	61	32	23	21	15	3		1	1
Suicide (155–163)	15							1	3	2	3	3	1	2				
Unknown or ill-defined diseases (187–189)	121	47	2	2		1		5	7	10	11	9	17	5	3		1	1
All other causes	517	76	8	4		2	15	24	65	55	73	69	62	39	19	3	2	1
MEMPHIS, TENN. (WHITE).																		
All causes	1,595	201	30	23	16	13	43	78	175	178	190	180	207	180	65	6		10
Typhoid fever (1)	4							2	2									
Typhus fever (2)																		
Malaria (4)	7					1	1	1	1	1	2							
Smallpox (5)																		
Measles (6)	1				1													
Scarlet fever (7)	2			1			1											
Whooping cough (8)	6	4	2															
Diphtheria and croup (9)	12		3		1	1	6	1										
Influenza (10)	71	5	2	3				6	11	18	9	2	9	3	3			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	15	2			1		2		1	2	1	1	3	1	1			
Tuberculosis of the lungs (28, 29)	93		1	1	1	1	2	3	22	15	18	13	12	3	1			
Tuberculous meningitis (30)	6	1		1				3			1							
Other forms of tuberculosis (31–35)	12	1		1			1	2	4	1	1		1					
Cancer and other malignant tumors (39–45)	94			1					3	9	17	21	23	17	3			
Meningitis (61)	13	3	1		1	1		3	2	1		1						
Cerebral hemorrhage and softening (64, 65)	66	2							1	3	11	8	15	19	7			
Organic diseases of the heart (79)	106						1	2	5	8	3	17	26	29	12			3
Acute bronchitis (89)	2	2																
Chronic bronchitis (90)	3							1						2				
Pneumonia (92)	103	2	1	2	2	4	1	6	20	19	15	12	9	5		1		4
Bronchopneumonia (91)	47	10	2	2					3	6	2	5	5	11	1			
Other diseases, respiratory system (86–88, 93–98)	18	1					1		2	2	5	2	3	1	1			
Diseases of the stomach (102, 103)	9	2		1					1		3	1						1
Diarrhea and enteritis (104, 105)	67	36	10	3	1	1	1	2	1	5	3	1	2	1				
Appendicitis and typhlitis (108)	60				1	2	4	11	12	12	8	5	3	1	1			
Hernia, intestinal obstruction (109)	23	2			1		1	2	2	2	2	2	5	4				
Cirrhosis of the liver (113)	7											2	5					
Acute nephritis and Bright's disease (119, 120)	138						1		6	8	19	32	26	28	16	2		
Diseases of the female genital organs (128–132)	25							1	5	11	4	4						
Puerperal septicemia (137)	5								4	1								
Other puerperal causes (134–136, 138–141)	22							3	12	6	1							
Congenital debility and malformations (150, 151)	73	72							1									
Senility (154)	12										1		1	5	3	2		
Violent deaths (suicide excepted) (164–186)	137	3	2	4	6		12	13	21	22	19	10	13	10	2			
Suicide (155–163)	12								2	2	3	3		2				
Unknown or ill-defined diseases (187–189)	39	8		1		1		3	1	1	5	4	8	5	1			1
All other causes	285	45	6	2		1	8	13	30	23	37	34	38	33	13	1		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MEMPHIS, TENN. (COLORED).																		
All causes	1,660	202	33	19	6	6	38	146	316	293	224	172	116	48	24	6	9	2
Typhoid fever (1)	10						3	3	2	1		1						
Typhus fever (2)																		
Malaria (4)	29	1	1				1	1	9	2	6	3	5					
Smallpox (5)																		
Measles (6)																		
Scarlet fever (7)	1						1											
Whooping cough (8)	5	3	2															
Diphtheria and croup (9)	8	1	1	2	1	1	1			1								
Influenza (10)	75	6	2	3			2	11	13	11	12	7	5	1	1			1
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	16	1						3	5	5	2							
Tuberculosis of the lungs (28, 29)	199	3	1	2	1		3	30	74	39	27	13	6					
Tuberculous meningitis (30)	8	1	1		1			1		4								
Other forms of tuberculosis (31–35)	20							6	7	4	2	1						
Cancer and other malignant tumors (39–45)	38						1		3	10	6	12	2	2	2			
Meningitis (61)	5	3	1								1							
Cerebral hemorrhage and softening (64, 65)	25							1		4	6	6	5	2			1	
Organic diseases of the heart (79)	79				1			3	4	16	20	16	7	6	4		2	
Acute bronchitis (89)	5	1	1					1			1		1					
Chronic bronchitis (90)	3									3								
Pneumonia (92)	161	11	5	3			4	9	43	27	26	14	10	7		2		
Bronchopneumonia (91)	52	17	2	1		2	2	3	8	5	4	1	6	1				
Other diseases, respiratory system (86–88, 93–98)	27	2	1				1	1	6	6	2	2	5				1	
Diseases of the stomach (102, 103)	23	2	1					2	1	6	7	3	1					
Diarrhea and enteritis (104, 105)	34	17	6	1			1	1	1		3	2		2				
Appendicitis and typhlitis (108)	34				1		2	3	12	11	3	1	1					
Hernia, intestinal obstruction (109)	19	1	1				1		5	5	2	3	1					
Cirrhosis of the liver (113)	3								1			2						
Acute nephritis and Bright's disease (119, 120)	133	1					1	7	3	22	27	32	19	14	4	2	1	
Diseases of the female genital organs (128–132)	47							2	13	20	11			1				
Puerperal septicemia (137)	16							3	5	7	1							
Other puerperal causes (134–136, 138–141)	19							11	4	4								
Congenital debility and malformations (150, 151)	54	54																
Senility (154)	5													1	4			
Violent deaths (suicide excepted) (164–186)	190	7	3	4	1	2	7	30	55	39	13	13	8	5	1		1	1
Suicide (155–163)	3							1	1				1					
Unknown or ill-defined diseases (187–189)	82	39	2	1				2	6	9	6	5	9		2		1	
All other causes	232	31	2	2		1	7	11	35	32	36	35	24	6	6	2	2	
NASHVILLE, TENN. (TOTAL).																		
All causes	2,147	294	52	18	16	10	54	136	234	256	252	267	255	196	88	17	1	1
Typhoid fever (1)	12						2	4	2	2	1		1					
Typhus fever (2)																		
Malaria (4)	1										1							
Smallpox (5)																		
Measles (6)	5	2	1		1	1												
Scarlet fever (7)	1						1											
Whooping cough (8)	31	22	6	2	1													
Diphtheria and croup (9)	12		1	1	2	1	6	1										
Influenza (10)	146	18	5	3	5	1	9	5	15	26	14	19	8	9	7	2		
Asiatic cholera (12)																		
Cholera nostras (13)	1	1																
Other epidemic diseases (3, 11, 14–19)	14	3	2						1			1	2	4	1			
Tuberculosis of the lungs (28, 29)	207			2			1	31	65	48	29	20	8	3				
Tuberculous meningitis (30)	9	2	1	2			2	1	1									
Other forms of tuberculosis (31–35)	32	1					1	6	10	4	4	4		2				
Cancer and other malignant tumors (39–45)	119			1		1				13	25	33	25	19	2			
Meningitis (61)	12			1			2	4	1	1	2	1						
Cerebral hemorrhage and softening (64, 65)	95							1	4	4	17	25	20	16	7	1		
Organic diseases of the heart (79)	210	1	1					3	9	21	28	31	48	46	18	3	1	
Acute bronchitis (89)	11	4	2						2	1				1		1		
Chronic bronchitis (90)	8							1				3	1	2		1		
Pneumonia (92)	146	14	6	2	1	1	3	9	26	20	11	17	14	12	7	1		
Bronchopneumonia (91)	70	27	7	1			3		3	5	2	1	7	10	3	1		
Other diseases, respiratory system (86–88, 93–98)	20	1							3	2	4	4	5	1				
Diseases of the stomach (102, 103)	26	5							1	7	2	7	1	2		1		
Diarrhea and enteritis (104, 105)	77	42	15	1	1			1	1	1	3	5	4	2	1			
Appendicitis and typhlitis (108)	61						6	18	18	7	6	5	1					
Hernia, intestinal obstruction (109)	31	2					2	2	4	5	8	2	6					
Cirrhosis of the liver (113)	11									2	3	3	2	1				
Acute nephritis and Bright's disease (119, 120)	156							6	3	12	24	26	45	23	15	2		
Diseases of the female genital organs (128–132)	29								4	14	9	2						
Puerperal septicemia (137)	15							2	8	3	2							
Other puerperal causes (134–136, 138–141)	19							1	9	6	3							
Congenital debility and malformations (150, 151)	105	105																
Senility (154)	15												1	3	9	2		
Violent deaths (suicide excepted) (164–186)	117	3	2	2	3	5	7	17	16	20	9	11	9	7	5			1
Suicide (155–163)	10								1	1	6	2						
Unknown or ill-defined diseases (187–189)	31	10			1				1	2	5	6	3	1	1	1		
All other causes	282	31	3		1		7	23	26	29	34	39	44	32	12	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NASHVILLE, TENN. (WHITE.)																		
All causes	1,292	199	35	7	9	7	41	76	118	122	128	133	173	156	74	8	.....	1
Typhoid fever (1)	6	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	5	2	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	19	14	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	11	.....	1	1	2	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	83	9	4	2	1	1	8	3	9	14	8	6	5	7	5	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	10	2	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	1	.....	.....	.....
Tuberculosis of the lungs (28, 29)	90	.....	.....	1	.....	.....	.....	8	24	22	14	12	7	2	.....	.....	.....	.....
Tuberculous meningitis (30)	5	1	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	14	.....	.....	.....	.....	.....	1	2	4	2	2	2	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	91	.....	.....	.....	.....	1	.....	.....	.....	10	18	22	22	16	2	.....	.....	.....
Meningitis (61)	10	.....	.....	.....	.....	.....	2	4	1	.....	2	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	55	.....	.....	.....	.....	.....	.....	.....	2	1	6	14	13	13	6	.....	.....	.....
Organic diseases of the heart (79)	106	1	1	.....	.....	.....	.....	3	3	6	5	9	27	36	15	.....	.....	.....
Acute bronchitis (89)	6	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....
Pneumonia (92)	77	6	2	.....	1	.....	3	3	12	14	2	9	9	10	5	1	.....	.....
Bronchopneumonia (91)	38	12	4	.....	.....	.....	2	.....	1	.....	1	.....	5	9	3	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	11	1	.....	.....	.....	.....	.....	.....	1	2	2	2	2	1	.....	.....	.....	.....
Diseases of the stomach (102, 103)	13	5	.....	.....	.....	.....	.....	.....	1	2	.....	4	.....	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	49	26	11	1	.....	.....	.....	1	.....	1	1	2	3	2	1	.....	.....	.....
Appendicitis and typhlitis (108)	49	.....	.....	.....	.....	.....	5	17	13	4	5	4	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	22	1	.....	.....	.....	.....	2	.....	3	4	5	2	5	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	80	.....	.....	.....	.....	.....	.....	2	2	1	10	10	28	15	11	1	.....	.....
Diseases of the female genital organs (128–132)	13	.....	.....	.....	.....	.....	.....	.....	2	4	6	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	9	.....	.....	.....	.....	.....	.....	.....	5	3	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	14	.....	.....	.....	.....	.....	.....	1	7	4	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150–151)	87	87	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	9	2	.....	.....
Violent deaths (suicide excepted) (164–186)	74	2	1	1	2	3	4	13	9	8	6	6	7	7	4	.....	.....	1
Suicide (155–163)	9	.....	.....	.....	.....	.....	.....	.....	1	1	5	2	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	18	3	.....	.....	1	.....	.....	.....	1	1	4	2	3	1	1	1	.....	.....
All other causes	192	24	3	.....	1	.....	5	15	15	16	20	25	31	26	11	.....	.....	.....
NASHVILLE, TENN. (COLORED.)																		
All causes	855	95	17	11	7	3	13	60	116	134	124	129	82	40	14	0	1	.....
Typhoid fever (1)	6	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	12	8	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	63	9	1	1	4	.....	1	2	6	12	6	13	3	2	2	1	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	117	.....	.....	1	.....	.....	1	23	41	26	15	8	1	1	.....	.....	.....	.....
Tuberculous meningitis (30)	4	1	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	18	1	.....	.....	.....	.....	.....	4	6	2	2	2	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	28	.....	.....	1	.....	.....	.....	.....	.....	3	7	11	3	3	.....	.....	.....	.....
Meningitis (61)	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	40	.....	.....	.....	.....	.....	.....	1	2	3	11	11	7	3	1	1	.....	.....
Organic diseases of the heart (79)	104	.....	.....	.....	.....	.....	.....	.....	6	15	23	22	21	10	3	3	1	.....
Acute bronchitis (89)	5	1	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....
Pneumonia (92)	69	8	4	2	.....	1	2	6	14	6	9	8	5	2	2	.....	.....	.....
Bronchopneumonia (91)	32	15	3	1	.....	.....	1	.....	2	5	1	1	2	1	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	9	.....	.....	.....	.....	.....	.....	.....	2	.....	2	2	3	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	13	.....	.....	.....	.....	.....	.....	.....	.....	5	2	3	1	1	.....	1	.....	.....
Diarrhea and enteritis (104, 105)	28	16	4	.....	1	.....	.....	.....	1	.....	2	3	1	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	12	.....	.....	.....	.....	.....	1	1	5	3	1	1	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	9	1	.....	.....	.....	.....	.....	2	1	1	3	.....	1	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	76	.....	.....	.....	.....	.....	.....	4	1	11	14	16	17	8	4	1	.....	.....
Diseases of the female genital organs (128, 132)	16	.....	.....	.....	.....	.....	.....	.....	2	10	3	1	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	6	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	5	.....	.....	.....	.....	.....	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	43	1	1	1	1	2	3	4	7	12	3	5	2	.....	1	.....	.....	.....
Suicide (155–163)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	13	7	.....	.....	.....	.....	.....	.....	.....	1	1	4	.....	.....	.....	.....	.....	.....
All other causes	90	7	.....	.....	.....	.....	2	8	11	13	14	14	13	6	1	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DALLAS, TEX. (TOTAL).																		
All causes	2,166	294	75	27	16	14	57	111	263	285	238	231	257	209	73	14	2	
Typhoid fever (1)	23					1	2	3	6	3	3	2	2	1				
Typhus fever (2)																		
Malaria (4)	22	3					1		4	3	4	3	3	1				
Smallpox (5)																		
Measles (6)	4		2	1						1								
Scarlet fever (7)	2				1				1									
Whooping cough (8)	8	3	3		1	1												
Diphtheria and croup (9)	24	2	3	2	2	3	10	1	1									
Influenza (10)	129	14	7	2	1	1	2	10	29	22	11	11	8	8	3			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	28	10	5	2	1		2	1	1	1	3		1	1				
Tuberculosis of the lungs (28, 29)	156						1	19	52	35	23	8	14	3	1			
Tuberculous meningitis (30)	8	1		1			2	1	1		1		1					
Other forms of tuberculosis (31–35)	16						1	4	4	2	3	1	1					
Cancer and other malignant tumors (39–45)	127			1	1			3	2	12	21	24	38	21	4			
Meningitis (61)	16	3		1			3	2	2	3	1	1						
Cerebral hemorrhage and softening (64, 65)	98		1					2	4	5	14	18	23	16	13	2		
Organic diseases of the heart (79)	150	4			1		1	2	5	16	15	32	33	30	10	1		
Acute bronchitis (89)	6	1						2			1			1	1			
Chronic bronchitis (90)	6							1	1	1			2	1				
Pneumonia (92)	133	10	10	1		1	4	11	28	24	13	9	10	5	6	1		
Bronchopneumonia (91)	59	10	8	1				2	8	7	4	6	3	8	1	1		
Other diseases, respiratory system (86–88, 93–98)	20	1	1		1	2	2		1	2	2	2	1	4	1			
Diseases of the stomach (102, 103)	36	11	1					1	1	4	1	7	4	5	1			
Diarrhea and enteritis (104, 105)	84	47	16	6	1		2	1	1	1	1	2	2	1	3			
Appendicitis and typhlitis (108)	46						3	6	8	11	8	8	2					
Hernia, intestinal obstruction (109)	27	4	1					1	2	4	3	5	2	4	1			
Cirrhosis of the liver (113)	13											2	5	5	1			
Acute nephritis and Bright's disease (119, 120)	157		1	1				3	6	12	27	32	27	38	9	1		
Diseases of the female genital organs (128–132)	23							1	4	10	3	4	1					
Puerperal septicemia (128–132)	10								5	4	1							
Other puerperal causes (134–136, 138–141)	24							6	9	9								
Congenital debility and malformations (150, 151)	125	123	1			1												
Senility (154)	22												1	7	9	3	2	
Violent deaths (suicide excepted) (164–186)	175	5	4	5	2	2	14	18	34	33	23	10	12	9	3	1		
Suicide (155–163)	20							1	5	7	4	1	2					
Unknown or ill-defined diseases (187–189)	4		4															
All other causes	365	42	7	3	4	2	7	9	38	53	48	43	59	40	6	4		
DALLAS, TEX. (WHITE).																		
All causes	1,663	243	64	25	14	11	47	75	156	189	168	174	222	195	68	12		
Typhoid fever (1)	15					1	1	1	5	2	1	2	1	1				
Typhus fever (2)																		
Malaria (4)	19	2							4	3	3	3	3	1				
Smallpox (5)																		
Measles (6)	4		2	1						1								
Scarlet fever (7)	2				1				1									
Whooping cough (8)	8	3	3		1	1												
Diphtheria and croup (9)	22	2	2	2	2	2	10	1	1									
Influenza (10)	96	9	7	2	1	1	1	7	20	17	6	9	6	7	3			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	23	10	3	2			2	1		1	2		1	1				
Tuberculosis of the lungs (28, 29)	80						1	11	16	18	18	4	9	2	1			
Tuberculous meningitis (30)	7	1		1			1	1	1		1		1					
Other forms of tuberculosis (31–35)	10						1	4	1		2	1	1					
Cancer and other malignant tumors (39–45)	116			1	1			3	1	10	21	19	37	19	4			
Meningitis (61)	10	2		1			2	1		2	1	1						
Cerebral hemorrhage and softening (64, 65)	81							2	1	3	12	13	22	16	11	1		
Organic diseases of the heart (79)	116	4			1			2	3	10	7	22	29	28	9	1		
Acute bronchitis (89)	4	1						1						1	1			
Chronic bronchitis (90)	3												2	1				
Pneumonia (92)	95	7	8	1		1	4	8	19	16	8	5	6	5	6	1		
Bronchopneumonia (91)	45	8	6	1				2	7	3	3	3	2	8	1	1		
Other diseases, respiratory system (86–88, 93–98)	16		1		1		2		1	2	2	1	1	4	1			
Diseases of the stomach (102, 103)	27	7	1					1		4	1	5	3	4	1			
Diarrhea and enteritis (104, 105)	66	34	15	5	1		2		1	1	1	1	2	1	2			
Appendicitis and typhlitis (108)	40						3	6	6	10	5	8	2					
Hernia, intestinal obstruction (109)	24	4	1						2	4	1	5	2	4	1			
Cirrhosis of the liver (113)	11											1	4	5	1			
Acute nephritis and Bright's disease (119, 120)	107		1	1				1	2	7	9	22	21	34	8	1		
Diseases of the female genital organs (128–132)	13								1	8	1	3						
Puerperal septicemia (137)	8								4	3	1							
Other puerperal causes (134–136, 138–141)	17							4	7	6								
Congenital debility and malformations (150, 151)	112	110	1			1												
Senility (154)	17													6	9	2		
Violent deaths (suicide excepted) (164–186)	133	5	3	4	1	2	10	12	20	25	20	8	10	9	3	1		
Suicide (155–163)	15							1	4	4	3	1	2					
Unknown or ill-defined diseases (187–189)	3		3															
All other causes	298	34	7	3	4	2	7	5	28	29	39	37	55	38	6	4		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DALLAS, TEX. (COLORED).																		
All causes	503	51	11	2	2	3	10	36	107	96	70	57	35	14	5	2	2	.....
Typhoid fever (1)	8	.....	.....	.....	.....	.....	1	2	1	1	2	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	3	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	33	5	.....	.....	.....	.....	1	3	9	5	5	2	2	1	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	5	.....	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	76	.....	.....	.....	.....	.....	.....	8	36	17	5	4	5	1	.....	.....	.....	.....
Tuberculous meningitis (30)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	6	.....	.....	.....	.....	.....	.....	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	11	.....	.....	.....	.....	.....	.....	.....	1	2	.....	5	1	2	.....	.....	.....	.....
Meningitis (61)	6	1	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	17	.....	1	.....	.....	.....	.....	.....	3	2	2	5	1	.....	2	1	.....	.....
Organic diseases of the heart (79)	34	.....	.....	.....	.....	.....	1	.....	2	6	8	10	4	2	1	.....	.....	.....
Acute bronchitis (89)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Pneumonia (92)	38	3	2	.....	.....	.....	.....	3	9	8	5	4	4	.....	.....	.....	.....	.....
Bronchopneumonia (91)	14	2	2	.....	.....	.....	.....	.....	1	4	1	3	1	.....	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	4	1	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	9	4	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	18	13	1	1	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Appendicitis and typhlitis (108)	6	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	.....	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Cirrhosis of the liver (113)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	50	.....	.....	.....	.....	.....	.....	2	4	5	18	10	6	4	1	.....	.....	.....
Diseases of the female genital organs (128–132)	10	.....	.....	.....	.....	.....	.....	1	3	2	2	1	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	7	.....	.....	.....	.....	.....	.....	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	13	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	2	.....
Violent deaths (suicide excepted) (164–186)	42	.....	1	1	1	.....	4	6	14	8	3	2	2	.....	.....	.....	.....	.....
Suicide (155–163)	5	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	67	8	.....	.....	.....	.....	.....	4	10	24	9	6	4	2	.....	.....	.....	.....
HOUSTON, TEX. (TOTAL).																		
All causes	1,944	234	38	26	8	12	41	99	252	258	238	235	223	179	61	11	8	21
Typhoid fever (1)	19	.....	.....	.....	.....	.....	1	5	4	3	5	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	32	.....	.....	2	.....	1	1	4	6	5	7	2	3	.....	.....	.....	.....	1
Smallpox (5)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	7	1	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	6	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	14	1	3	1	1	2	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	108	10	3	3	.....	1	3	6	13	30	17	11	5	3	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	14	1	3	2	.....	.....	.....	1	1	1	3	.....	.....	1	.....	.....	1	.....
Tuberculosis of the lungs (28, 29)	138	2	.....	.....	.....	.....	1	12	45	30	20	15	7	5	.....	.....	.....	1
Tuberculous meningitis (30)	6	2	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	11	.....	.....	.....	.....	.....	.....	.....	2	6	1	2	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	92	.....	.....	.....	.....	.....	.....	.....	3	12	15	23	19	18	2	.....	.....	.....
Meningitis (61)	11	2	1	.....	.....	1	.....	1	3	2	.....	.....	1	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	102	2	.....	.....	.....	.....	.....	.....	4	5	10	20	25	29	4	2	.....	1
Organic diseases of the heart (79)	139	3	.....	.....	.....	.....	3	3	5	8	20	20	42	18	5	.....	2	1
Acute bronchitis (89)	6	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis (90)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	2	1	.....	.....	.....
Pneumonia (92)	136	16	4	.....	.....	.....	3	13	29	18	16	12	10	5	3	.....	.....	7
Bronchopneumonia (91)	29	9	2	.....	2	1	2	2	1	5	.....	.....	1	3	1	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	20	1	.....	.....	.....	1	.....	1	2	6	4	2	1	2	.....	.....	.....	.....
Diseases of the stomach (102, 103)	42	4	1	.....	.....	.....	1	2	6	5	4	6	4	4	4	.....	.....	1
Diarrhea and enteritis (104, 105)	70	36	12	5	1	.....	.....	.....	3	3	2	1	1	3	1	.....	.....	2
Appendicitis and typhlitis (108)	26	.....	.....	.....	.....	.....	1	2	7	8	5	2	1	.....	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	24	2	.....	.....	.....	.....	.....	1	6	4	3	2	2	3	1	.....	.....	.....
Cirrhosis of the liver (113)	16	.....	.....	.....	.....	.....	.....	.....	.....	1	7	3	4	1	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	149	1	1	1	.....	.....	.....	1	7	22	21	28	40	15	9	1	1	1
Diseases of the female genital organs (128–132)	19	.....	.....	.....	.....	.....	.....	2	7	3	4	2	.....	.....	.....	.....	.....	1
Puerperal septicemia (137)	11	.....	.....	.....	.....	.....	.....	1	5	3	2	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	24	.....	.....	.....	.....	.....	.....	.....	13	8	2	1	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	55	55	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	10	4	2	.....
Violent deaths (suicide excepted) (164–186)	138	6	1	1	1	1	5	25	30	20	16	12	8	6	6	.....	.....	.....
Suicide (155–163)	14	.....	.....	.....	.....	.....	.....	.....	3	3	2	3	2	1	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	161	35	3	1	.....	.....	4	3	14	15	22	19	15	16	6	4	1	3
All other causes	273	40	3	6	1	3	8	14	28	29	20	39	30	35	4	.....	1	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
HOUSTON, TEX. (WHITE).																		
All causes	1,304	178	30	15	4	11	28	59	125	154	135	155	186	155	54	7	2	6
Typhoid fever (1)	11						1	2	3	2	2	1						
Typhus fever (2)																		
Malaria (4)	16			1		1		2	3	3	3		2					1
Smallpox (5)																		
Measles (6)	7	1		1	2		2		1									
Scarlet fever (7)																		
Whooping cough (8)	5	2	1	1		1												
Diphtheria and croup (9)	13		3	1	1	2	6											
Influenza (10)	54	5	2	2		1	2	2	8	13	5	6	4	2	2			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	8	1	1						1	1	2			1			1	
Tuberculosis of the lungs (28, 29)	72	1						5	14	17	10	13	7	5				
Tuberculous meningitis (30)	6	2		1					2	1								
Other forms of tuberculosis (31–35)	8									5	1	2						
Cancer and other malignant tumors (39–45)	77								1	8	13	20	17	16	2			
Meningitis (61)	10	2	1			1		1	2	2			1					
Cerebral hemorrhage and softening (64, 65)	74	1							1	2	6	14	19	26	4	1		
Organic diseases of the heart (79)	98	3					3	3	2	2	6	20	38	17	4			
Acute bronchitis (89)	4	3													1			
Chronic bronchitis (90)	3													2	1			
Pneumonia (92)	77	12	3				1	8	18	8	5	6	8	4	3			1
Bronchopneumonia (91)	21	6	2			1	2	2	1	4				2	1			
Other diseases, respiratory system (86–88, 93–98)	13					1		1	1	4	1	2	1	2				
Diseases of the stomach (102, 103)	24	3	1					2	3	1	3	3	1	3	4			
Diarrhea and enteritis (104, 105)	55	27	10	5	1				1	2	2	1		3	1			2
Appendicitis and typhlitis (108)	19						1	1	3	7	4	2	1					
Hernia, intestinal obstruction (109)	13	2							2	2	1	1	2	3				
Cirrhosis of the liver (113)	13									1	5	2	4	1				
Acute nephritis and Bright's disease (119, 120)	107	1	1	1				1	3	16	12	14	36	12	9	1		
Diseases of the female genital organs (128–132)	12							1	4	1	3	2						1
Puerperal septicemia (137)	9							1	4	3	1							
Other puerperal causes (134–136, 138–141)	18								8	7	2	1						
Congenital debility and malformations (150, 151)	52	52																
Senility (154)	23												2	6	10	4	1	
Violent deaths (suicide excepted) (164–186)	90	4	1			1	3	15	16	15	15	6	5	4	5			
Suicide (155–163)	13								2	3	2	3	2	1				
Unknown or ill-defined diseases (187–189)	91	19	3				3	1	7	6	11	9	12	13	5	1		1
All other causes	188	31	1	2		2	4	11	14	18	20	27	24	32	2			
HOUSTON, TEX. (COLORED).																		
All causes	640	56	8	11	4	1	13	40	127	104	103	80	37	24	7	4	6	15
Typhoid fever (1)	8							3	1	1	3							
Typhus fever (2)																		
Malaria (4)	16			1			1	2	3	2	4	2	1					
Smallpox (5)	1								1									
Measles (6)																		
Scarlet fever (7)																		
Whooping cough (8)	1			1														
Diphtheria and croup (9)	1	1																
Influenza (10)	54	5	1	1			1	4	5	17	12	5	1	1	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	6		2	2				1			1							
Tuberculosis of the lungs (23–29)	66	1					1	7	31	13	10	2						1
Tuberculous meningitis (30)																		
Other forms of tuberculosis (31–35)	3								2	1								
Cancer and other malignant tumors (39–45)	15								2	4	2	3	2	2				
Meningitis (61)	1								1									
Cerebral hemorrhage and softening (64, 65)	28	1							3	3	4	6	6	3		1		1
Organic diseases of the heart (79)	41								3	6	14	9	4	1	1		2	1
Acute bronchitis (89)	2									2								
Chronic bronchitis (90)	2								1		1							
Pneumonia (92)	59	4	1				2	5	11	10	11	6	2	1				6
Bronchopneumonia (91)	8	3			2					1			1	1				
Other diseases, respiratory system (86–88, 93–98)	7	1							1	2	3							
Diseases of the stomach (102, 103)	18	1					1		3	4	1	3	3	1				1
Diarrhea and enteritis (104, 105)	15	9	2						2	1			1					
Appendicitis and typhlitis (108)	7							1	4	1	1							
Hernia, intestinal obstruction (109)	11							1	4	2	2	1			1			
Cirrhosis of the liver (113)	3										2	1						
Acute nephritis and Bright's disease (119, 120)	42								4	6	9	14	4	3			1	1
Diseases of the female genital organs (128–132)	7							1	3	2	1							
Puerperal septicemia (137)	2								1		1							
Other puerperal causes (134–136, 138–141)	6								5	1								
Congenital debility and malformations (150, 151)	3	3																
Senility (154)	3													2			1	
Violent deaths (suicide excepted) (164–186)	48	2		1	1		2	10	14	5	1	6	3	2	1			
Suicide (155–163)	1								1									
Unknown or ill-defined diseases (187–189)	70	16		1			1	2	7	9	11	10	3	3	1	3	1	2
All other causes	85	9	2	4	1	1	4	3	14	11	9	12	6	4	2		1	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown ages.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SAN ANTONIO, TEX.																		
All causes	2,663	529	93	46	20	16	42	141	311	203	269	290	250	227	103	19	4	5
Typhoid fever (1)	16							5	2	3	2	2	2					
Typhus fever (2)																		
Malaria (4)	20	1	2					3		5	3	4		1	1			
Smallpox (5)																		
Measles (6)	2			1	1													
Scarlet fever (7)	1							1										
Whooping cough (8)	19	13		3	1	1	1											
Diphtheria and croup (9)	24	3	4	4	4	3	5	1										
Influenza (10)	124	12	6	5			4	6	28	30	12	7	6	5	1	1		1
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3,11, 14–19)	32	11	2	2		1		1	1	2	5	3	2		2			
Tuberculosis of the lungs (28, 29)	435	7	1	1	2		6	59	140	89	61	42	21	5				1
Tuberculous meningitis (30)	5		1	1	1	1				1								
Other forms of tuberculosis (31–35)	13	3							3	2	3	1		1				
Cancer and other malignant tumors (39–45)	162							1	7	15	27	48	36	22	5	1		
Meningitis (61)	20	6	2	2	1			3	3	3								
Cerebral hemorrhage and softening (64, 65)	82								3	1	9	16	18	22	12	1		
Organic diseases of the heart (79)	155	1				1		6	7	11	18	29	29	40	12	1		
Acute bronchitis (89)	19	8	2	3				1					2	1	2			
Chronic bronchitis (90)	16	1						1		1		1	1	5	5	1		
Pneumonia (92)	98	8	3	4			4	7	10	13	15	11	11	10	1			1
Bronchopneumonia (91)	98	31	5	5	1			1	10	15	8	5	6	7	3	1		
Other diseases, respiratory system (86–88, 93–98)	23	2				1		1	2	1	5	1	2	3	4	1		
Diseases of the stomach (102, 103)	48	3	2	2					2	3	9	8	6	4	7	2		
Diarrhea and enteritis (104, 105)	327	211	53	9	3	3	3		4	4	7	5	10	11	2		2	
Appendicitis and typhlitis (108)	27							5	7	6	4	1	2	2				
Hernia, intestinal obstruction (109)	23	2						3	1	3	6	3	4	1				
Cirrhosis of the liver (113)	22								2	1	1	11	3	3	1			
Acute nephritis and Bright's disease (119, 120)	134	1						2	10	11	15	23	24	32	12	2		2
Diseases of the female genital organs (128–132)	7								2	2	2		1					
Puerperal septicemia (137)	23							3	8	12								
Other puerperal causes (134–136, 138–141)	23							6	9	5	3							
Congenital debility and malformations (150, 151)	146	146																
Senility (154)	35												3	8	19	3	2	
Violent deaths (suicide excepted) (164–186)	112	3	3	2	2	1	12	10	19	19	9	10	11	7	3	1		
Suicide (155–163)	13								5	3	4	1						
Unknown or ill-defined diseases (187–189)	30	6	3		1		1	3	1		3	5	6		1			
All other causes	329	50	4	2	3	4	6	12	25	32	38	53	44	37	15	4		
SALT LAKE CITY, UTAH.																		
All causes	1,704	241	48	24	17	16	50	101	160	101	179	188	204	168	103	14		
Typhoid fever (1)	9						1	2	4		1	1						
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)	5	2							1		1		1					
Measles (6)	6		2		3		1											
Scarlet fever (7)	2				1	1												
Whooping cough (8)	16	8	3	2	1		2											
Diphtheria and croup (9)	11		1			2	3	2	1		1		1					
Influenza (10)	140	11	5	2	4	1	9	14	30	33	14	9	5	2	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	17	7	4	2			2		1		1							
Tuberculosis of the lungs (28, 29)	76	3		1		1		1	14	16	20	11	6	3				
Tuberculous meningitis (30)	3		1				1	1										
Other forms of tuberculosis (31–35)	9							1	1	3		3		1				
Cancer and other malignant tumors (39–45)	102							1	1	8	18	22	30	18	4			
Meningitis (61)	12	3					2	2	1		1	3						
Cerebral hemorrhage and softening (64, 65)	64									2	4	16	18	14	8	2		
Organic diseases of the heart (79)	145						7	11	8	11	12	17	29	27	21	2		
Acute bronchitis (89)	11	4			1			1				1			4			
Chronic bronchitis (90)	6										1	1		2	2			
Pneumonia (92)	102	7	2	1			2	5	13	16	15	14	12	7	8			
Bronchopneumonia (91)	81	27	9	2	1	2	1	1	1	1	4	9	3	8	12			
Other diseases, respiratory system (86–88, 93–98)	19	1	2					3	1	2	3	2		2	2	1		
Diseases of the stomach (102, 103)	15	1							1	4	2	2	2	3				
Diarrhea and enteritis (104, 105)	57	33	9	2	2	2			1	2	4			1		1		
Appendicitis and typhlitis (108)	48			2		2	6	12	8	10	4	2	2					
Hernia, intestinal obstruction (109)	28	4	1			1		1	3	2	5	2	3	5		1		
Cirrhosis of the liver (113)	8									1		2	2	3				
Acute nephritis and Bright's disease (119, 120)	110		1				2	6	3	7	11	17	21	29	11	2		
Diseases of the female genital organs (128–132)	9								3	2	2	1	1					
Puerperal septicemia (137)	8								4	4								
Other puerperal causes (134–136, 138–141)	30								12	13	5							
Congenital debility and malformations (150, 151)	88	87					1											
Senility (154)	15												1	4	7	3		
Violent deaths (suicide excepted) (164–186)	114	6	3	5	1	1	4	15	16	17	18	8	9	9	2			
Suicide (155–163)	13								2	6	1	1	2	1				
Unknown or ill-defined diseases (187–189)	80	10	1	1				1	4	7	6	13	15	12	9	1		
All other causes	245	27	4	4	3	3	6	21	26	24	25	31	41	17	12	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORFOLK, VA. (TOTAL).																		
All causes	1,782	285	59	25	14	3	24	111	242	237	237	238	162	102	37	5	1	
Typhoid fever (1)	17				2			4	6	4	1							
Typhus fever (2)																		
Malaria (4)	4								1		1		1	1				
Smallpox (5)																		
Measles (6)	5	1	1	1			1	1										
Scarlet fever (7)																		
Whooping cough (8)	7	4	2	1														
Diphtheria and croup (9)	9	1	1	4	1		2											
Influenza (10)	132	15	8	2	2		1	10	27	27	19	13	1	6	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	7	1							3			2	1					
Tuberculosis of the lungs (28, 29)	173	2	2	1			4	19	58	30	34	16	3	4				
Tuberculous meningitis (30)	13	3	3	4				1	1			1						
Other forms of tuberculosis (31–35)	16			1				3	7	4	1							
Cancer and other malignant tumors (39–45)	84			1					2	12	16	21	22	7	2	1		
Meningitis (61)	5	1		1				1		2								
Cerebral hemorrhage and softening (64, 65)	141	1							6	9	22	50	37	13	3			
Organic diseases of the heart (79)	163	1				1		3	5	15	27	41	32	30	6	2		
Acute bronchitis (89)	16	9	3					1	1	1					1			
Chronic bronchitis (90)	3												1	1	1			
Pneumonia (92)	103	10	4				1	9	16	26	15	11	5	5	1			
Bronchopneumonia (91)	59	28	11	3	1		1	3	2	4	3		2		1			
Other diseases, respiratory system (86–88, 93–98)	16		1					2	1	2	2	3	1	2	2			
Diseases of the stomach (102, 103)	19	3						1	1	5	4	3	2					
Diarrhea and enteritis (104, 105)	54	36	7		1				1	4		1	2	2				
Appendicitis and typhilitis (108)	26						3	3	8	5	4	3						
Hernia, intestinal obstruction (109)	29	5	2						4	5	2	4	3	3	1			
Cirrhosis of the liver (113)	10									3	3	2	2					
Acute nephritis and Bright's disease (119, 120)	114	1	1		1		1	3	8	13	22	27	17	14	5		1	
Diseases of the female genital organs (128–132)	15								2	7	5		1					
Puerperal septicemia (137)	9							3	5	1								
Other puerperal causes (134–136, 138–141)	22							4	7	9	2							
Congenital debility and malformations (150, 151)	113	112		1														
Senility (154)	4												1	2	1			
Violent deaths (suicide excepted) (164–186)	152	7	4	4	5		10	22	41	27	13	8	7	2	2			
Suicide (155–163)	6								2	1	1	2						
Unknown or ill-defined diseases (187–189)	2		1			1												
All other causes	234	44	8	1	1	1		18	27	21	40	30	21	10	10	2		
NORFOLK, VA. (WHITE).																		
All causes	870	126	19	11	6	1	16	54	87	99	89	121	116	86	35	3	1	
Typhoid fever (1)	9				1			1	2	4	1							
Typhus fever (2)																		
Malaria (4)	3										1		1	1				
Smallpox (5)																		
Measles (6)	2	1						1										
Scarlet fever (7)																		
Whooping cough (8)	3	1	2															
Diphtheria and croup (9)	8	1	1	3	1		2											
Influenza (10)	57	1	5		1			6	11	16	3	7	1	5	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	4								2			1	1					
Tuberculosis of the lungs (28, 29)	59						2	2	12	10	16	12	1	4				
Tuberculous meningitis (30)	8	2	2	2				1				1						
Other forms of tuberculosis (31–35)	2								1	1								
Cancer and other malignant tumors (39–45)	63			1					2	8	8	15	21	6	2			
Meningitis (61)	5	1		1				1		2								
Cerebral hemorrhage and softening (64, 65)	56								2	1	3	16	22	9	3			
Organic diseases of the heart (79)	87							2	1	1	8	19	24	24	6	2		
Acute bronchitis (89)	2	1													1			
Chronic bronchitis (90)	2													1	1			
Pneumonia (92)	45	3						7	8	11	4	4	3	4	1			
Bronchopneumonia (91)	17	7	2				1		1	2	1		2		1			
Other diseases, respiratory system (86–88, 93–98)	7							2				1	1	2	1			
Diseases of the stomach (102, 103)	6	3								2			1					
Diarrhea and enteritis (104, 105)	18	11	1							2			2	2				
Appendicitis and typhilitis (108)	17						3	2	5	3	3	1						
Hernia, intestinal obstruction (109)	8								1		1	1	1	3	1			
Cirrhosis of the liver (113)	4									1	1		2					
Acute nephritis and Bright's disease (119, 120)	74	1	1		1		1	3	1	5	10	19	13	13	5		1	
Diseases of the female genital organs (128–132)	2									1	1							
Puerperal septicemia (137)	3							1	2									
Other puerperal causes (134–136, 138–141)	11							1	5	4	1							
Congenital debility and malformations (150, 151)	75	74		1														
Senility (154)	3													2	1			
Violent deaths (suicide excepted) (164–186)	82	3	1	3	2		7	12	22	12	9	3	4	2	2			
Suicide (155–163)	4								1		1	2						
Unknown or ill-defined diseases (187–189)	1					1												
All other causes	123	16	4					12	8	13	17	19	16	8	9	1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NORFOLK, VA. (COLORED).																		
All causes	912	159	40	14	8	2	8	57	155	138	148	117	46	16	2	2		
Typhoid fever (1)	8				1			3	4									
Typhus fever (2)																		
Malaria (4)	1								1									
Smallpox (5)																		
Measles (6)	3		1	1			1											
Scarlet fever (7)																		
Whooping cough (8)	4	3		1														
Diphtheria and croup (9)	1			1														
Influenza (10)	75	14	3	2	1		1	4	16	11	16	6		1				
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	3	1							1			1						
Tuberculosis of the lungs (28, 29)	114	2	2	1			2	17	46	20	18	4	2					
Tuberculous meningitis (30)	5	1	1	2					1									
Other forms of tuberculosis (31–35)	14			1				3	6	3	1							
Cancer and other malignant tumors (39–45)	21									4	8	6	1	1		1		
Meningitis (61)																		
Cerebral hemorrhage and softening (64, 65)	85	1							4	8	19	34	15	4				
Organic diseases of the heart (79)	76	1				1		1	4	14	19	22	8	6				
Acute bronchitis (89)	14	8	3					1	1	1								
Chronic bronchitis (90)	1												1					
Pneumonia (92)	58	7	4				1	2	8	15	11	7	2	1				
Bronchopneumonia (91)	42	21	9	3	1			3	1	2	2							
Other diseases, respiratory system (86–88, 93–98)	9		1						1	2	2	2			1			
Diseases of the stomach (102 103)	13							1	1	3	4	3	1					
Diarrhea and enteritis (104, 105)	36	25	6		1				1	2		1						
Appendicitis and typhlitis (108)	9							1	3	2	1	2						
Hernia, intestinal obstruction (109)	21	5	2						3	5	1	3	2					
Cirrhosis of the liver (113)	6									2	2	2						
Acute nephritis and Bright's disease (119, 120)	40								7	8	12	8	4	1				
Diseases of the female genital organs (128–132)	13								2	6	4		1					
Puerperal septicemia (137)	6							2	3	1								
Other puerperal causes (134–136, 138–141)	11							3	2	5	1							
Congenital debility and malformations (150, 151)	38	38																
Senility (154)	1												1					
Violent deaths (suicide excepted) (164–186)	70	4	3	1	3		3	10	19	15	4	5	3					
Suicide (155–163)	2								1	1								
Unknown or ill-defined diseases (187–189)	1		1															
All other causes	111	28	4	1	1	1		6	19	8	23	11	5	2	1	1		
RICHMOND, VA. (TOTAL).																		
All causes	2,847	479	95	30	19	20	56	109	270	287	334	345	380	264	140	19		
Typhoid fever (1)	11					1		1	6	2			1					
Typhus fever (2)																		
Malaria (4)	3									1		1	1					
Smallpox (5)																		
Measles (6)	10	2	4		1		1	2										
Scarlet fever (7)																		
Whooping cough (8)	40	24	9	4	1		2											
Diphtheria and croup (9)	20	1	2	2	1	9	4	1										
Influenza (10)	97	3	5	4	2	1	1	6	13	27	20	7	6	1	1			
Asiatic cholera (12)																		
Cholera nostras (13)																		
Other epidemic diseases (3, 11, 14–19)	1	1																
Tuberculosis of the lungs (28, 29)	236	1	1			1	6	26	71	51	36	25	12	5	1			
Tuberculous meningitis (30)	13	6	4	1			1		1									
Other forms of tuberculosis (31–35)	22	2	1				1	1	7	3	3	3		1				
Cancer and other malignant tumors (39–45)	143								10	14	23	43	32	14	7			
Meningitis (61)	15	2	1	3	1		4	1	3									
Cerebral hemorrhage and softening (64, 65)	215								1	8	37	44	72	33	19	1		
Organic diseases of the heart (79)	276							2	10	18	38	40	74	60	34			
Acute bronchitis (89)	11	6	1						2		1					1		
Chronic bronchitis (90)	13						1			1	1		1	5	4			
Pneumonia (92)	187	11	7	1	1	2		13	26	29	41	29	15	9	3			
Bronchopneumonia (91)	129	64	22	4	1	2	4		3	3	5	2	7	8	3	1		
Other diseases, respiratory system (86–88, 93–98)	46	4	2					1	3	11	7	7	5	4	1	1		
Diseases of the stomach (102, 103)	29	10		2			1		1	5	5	2	3					
Diarrhea and enteritis (104, 105)	87	54	14	2	1				1	4	5	4		1	1			
Appendicitis and typhlitis (108)	43	1			1		5	7	8	9	4	1	3	4				
Hernia, intestinal obstruction (109)	26	5							2	2	5	3	4	4	1			
Cirrhosis of the liver (113)	21							1		1	5	8	3	2	1			
Acute nephritis and Bright's disease (119, 120)	240	2		1			1	1	7	10	26	49	66	46	28	3		
Diseases of the female genital organs (128–132)	12								4	3	4		1					
Puerperal septicemia (137)	20							2	10	8								
Other puerperal causes (134–136, 138–141)	36							7	17	12								
Congenital debility and malformations (150, 151)	197	192	1		2		1	1										
Senility (154)	32												3	12	12	5		
Violent deaths (suicide excepted) (164–186)	138	4	7	2	4	3	12	21	15	22	9	12	9	13	5			
Suicide (155–163)	13								1		8	2	1	1				
Unknown or ill-defined diseases (187–189)	36	10	4	2		1			2	2	6	4	5					
All other causes	429	74	10	2	3		11	15	46	41	45	59	56	41	19	7		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RICHMOND, VA. (WHITE).																		
All causes	1,586	228	50	12	8	13	32	47	122	131	155	165	248	227	132	16	.....	.....
Typhoid fever (1)	7	.....	.....	.....	.....	1	.....	.....	3	2	.....	.....	1	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	7	1	2	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	8	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	16	1	2	2	.....	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	51	.....	5	3	1	.....	1	2	6	14	10	4	3	1	1	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	116	1	.....	.....	.....	.....	1	5	24	27	24	18	10	5	1	.....	.....	.....
Tuberculous meningitis (30)	9	5	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	11	.....	.....	.....	.....	.....	.....	.....	5	1	2	2	.....	1	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	95	.....	.....	.....	.....	.....	.....	.....	4	6	14	25	25	14	7	.....	.....	.....
Meningitis (61)	13	1	1	2	1	.....	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	112	.....	.....	.....	.....	.....	.....	.....	.....	2	7	14	43	26	19	1	.....	.....
Organic diseases of the heart (79)	189	.....	.....	.....	.....	.....	.....	2	5	6	20	15	53	54	34	.....	.....	.....
Acute bronchitis (89)	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Chronic bronchitis (90)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	.....	.....	.....
Pneumonia (92)	79	3	3	1	.....	2	.....	5	10	8	16	16	5	7	3	.....	.....	.....
Bronchopneumonia (91)	40	11	7	1	.....	.....	.....	.....	.....	1	3	1	4	8	3	1	.....	.....
Other diseases, respiratory system (86–88, 93–98)	21	2	2	.....	.....	.....	.....	1	.....	4	2	1	3	4	1	1	.....	.....
Diseases of the stomach (102, 103)	13	9	.....	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	41	26	8	1	1	.....	.....	.....	.....	1	1	1	.....	1	1	.....	.....	.....
Appendicitis and typhlitis (108)	30	1	.....	.....	1	.....	5	6	5	5	2	1	1	3	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	11	2	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	3	1	.....	.....	.....
Cirrhosis of the liver (113)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	1	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	171	1	.....	1	.....	.....	1	1	4	4	14	28	47	41	26	3	.....	.....
Diseases of the female genital organs (128–132)	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	10	.....	.....	.....	.....	.....	.....	.....	6	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	18	.....	.....	.....	.....	.....	.....	2	9	7	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	122	118	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8	11	3	.....	.....
Violent deaths (suicide excepted) (164–186)	75	1	7	.....	1	2	6	11	7	11	2	6	6	11	4	.....	.....	.....
Suicide (155–163)	13	.....	.....	.....	.....	.....	.....	.....	1	.....	8	2	1	1	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	9	.....	1	.....	.....	.....	.....	.....	1	1	3	2	1	.....	.....	.....	.....	.....
All other causes	253	36	7	.....	.....	.....	8	7	28	23	24	24	41	33	16	6	.....	.....
RICHMOND, VA. (COLORED.)																		
All causes	1,261	251	45	18	11	7	24	62	148	156	179	180	132	37	8	3	.....	.....
Typhoid fever (1)	4	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Smallpox (5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	32	19	7	4	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	4	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	46	3	.....	1	1	1	.....	4	7	13	10	3	3	.....	.....	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	120	.....	1	.....	.....	1	5	21	47	24	12	7	2	.....	.....	.....	.....	.....
Tuberculous meningitis (30)	4	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	11	2	1	.....	.....	.....	1	1	2	2	1	1	.....	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	48	.....	.....	.....	.....	.....	.....	.....	6	8	9	18	7	.....	.....	.....	.....	.....
Meningitis (61)	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	103	.....	.....	.....	.....	.....	.....	.....	1	6	30	30	29	7	.....	.....	.....	.....
Organic diseases of the heart (79)	87	.....	.....	.....	.....	.....	.....	.....	5	12	18	25	21	6	.....	.....	.....	.....
Acute bronchitis (89)	7	3	1	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Chronic bronchitis (90)	6	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	1	1	1	.....	.....	.....
Pneumonia (92)	108	8	4	.....	1	.....	.....	8	16	21	25	13	10	2	.....	.....	.....	.....
Bronchopneumonia (91)	89	53	15	3	1	2	4	.....	3	2	2	1	3	.....	.....	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	25	2	.....	.....	.....	.....	.....	.....	3	7	5	6	2	.....	.....	.....	.....	.....
Diseases of the stomach (102, 103)	16	1	.....	.....	.....	.....	.....	.....	1	4	5	1	2	.....	.....	.....	.....	.....
Diarrhea and enteritis (104, 105)	46	28	6	1	.....	.....	.....	.....	1	3	4	3	.....	.....	.....	.....	.....	.....
Appendicitis and typhlitis (108)	13	.....	.....	.....	.....	.....	.....	1	3	4	2	.....	2	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	15	3	.....	.....	.....	.....	.....	.....	2	1	4	1	3	1	.....	.....	.....	.....
Cirrhosis of the liver (113)	15	.....	.....	.....	.....	.....	.....	1	.....	1	5	6	2	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	69	1	.....	.....	.....	.....	.....	.....	3	6	12	21	19	5	2	.....	.....	.....
Diseases of the female genital organs (128–132)	8	.....	.....	.....	.....	.....	.....	.....	3	2	2	.....	1	.....	.....	.....	.....	.....
Puerperal septicemia (137)	10	.....	.....	.....	.....	.....	.....	2	4	4	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	18	.....	.....	.....	.....	.....	.....	5	8	5	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	75	74	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	1	2	.....	.....
Violent deaths (suicide excepted) (164–186)	63	3	.....	2	3	1	6	10	8	11	7	6	3	2	1	.....	.....	.....
Suicide (155–163)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	27	10	3	2	.....	1	.....	.....	1	1	3	2	4	.....	.....	.....	.....	.....
All other causes	176	38	3	2	3	.....	3	8	18	18	21	35	15	8	3	1	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SEATTLE, WASH.																		
All causes	3,401	349	72	34	29	21	74	134	294	394	436	499	528	351	160	25	1	.....
Typhoid fever (1)	7	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Measles (6)	17	1	6	5	.....	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	13	1	.....	1	1	.....	3	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	20	12	5	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	34	.....	2	4	5	4	11	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	194	3	9	2	3	1	5	6	37	62	26	20	8	8	4	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	8	4	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	208	.....	1	3	.....	1	5	21	54	36	36	28	13	5	5	.....	.....	.....
Tuberculous meningitis (30)	42	9	7	4	1	1	4	5	8	.....	1	1	1	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	33	.....	.....	1	.....	1	2	6	10	9	6	2	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	341	.....	.....	.....	1	.....	.....	.....	3	10	68	93	98	53	14	1	.....	.....
Meningitis (61)	18	3	3	1	.....	.....	1	2	2	3	2	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	204	.....	.....	.....	.....	.....	1	.....	.....	1	20	48	63	57	13	1	.....	.....
Organic diseases of the heart (79)	383	4	1	.....	.....	.....	4	10	19	17	35	60	109	66	51	6	1	.....
Acute bronchitis (89)	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Chronic bronchitis (90)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	5	.....	2	.....	.....
Pneumonia (92)	205	11	8	3	4	2	5	13	23	45	24	19	24	18	6	.....	.....	.....
Bronchopneumonia (91)	104	42	9	1	1	.....	1	1	4	7	6	8	11	11	2	.....	.....	.....
Other diseases, respiratory system (86–88, 93–98)	47	2	.....	3	.....	.....	.....	2	4	9	7	4	5	7	3	1	.....	.....
Diseases of the stomach (102, 103)	27	3	.....	1	.....	.....	.....	.....	.....	3	7	6	4	2	.....	1	.....	.....
Diarrhea and enteritis (104, 105)	48	23	5	1	2	1	1	2	.....	3	1	3	1	4	1	.....	.....	.....
Appendicitis and typhlitis (108)	61	.....	1	.....	1	2	2	6	11	10	14	8	5	1	.....	.....	.....	.....
Hernia, intestinal obstruction (109)	36	1	.....	1	.....	1	1	1	2	7	9	5	5	3	.....	.....	.....	.....
Cirrhosis of the liver (113)	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	10	3	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	213	.....	.....	.....	2	1	.....	3	9	14	31	47	49	37	17	3	.....	.....
Diseases of the female genital organs (128–132)	29	.....	.....	.....	.....	.....	.....	1	4	11	8	4	.....	1	.....	.....	.....	.....
Puerperal septicemia (137)	22	.....	.....	.....	.....	.....	.....	1	12	6	3	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	35	.....	.....	.....	.....	.....	.....	3	14	16	2	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	164	158	4	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	10	9	4	.....	.....
Violent deaths (suicide excepted) (164–186)	217	2	3	1	2	3	10	17	34	38	36	31	22	5	11	2	.....	.....
Suicide (155–163)	73	.....	.....	.....	.....	.....	.....	1	10	23	15	12	9	3	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	9	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
All other causes	522	60	7	1	6	2	11	19	30	59	72	91	86	51	23	4	.....	.....
SPOKANE, WASH.																		
All causes	1,481	174	30	18	9	6	45	82	121	172	152	196	216	150	93	9	2	1
Typhoid fever (1)	7	.....	.....	.....	.....	.....	.....	3	2	1	.....	1	.....	.....	.....	.....	.....	.....
Typhus fever (2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Smallpox (5)	4	.....	.....	1	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	13	3	1	5	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	3	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	10	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Diphtheria and croup (9)	13	.....	.....	1	2	2	6	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Influenza (10)	108	7	8	2	2	.....	3	8	22	23	11	5	9	5	3	.....	.....	.....
Asiatic cholera (12)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Cholera nostras (13)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Other epidemic diseases (3, 11, 14–19)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....
Tuberculosis of the lungs (28, 29)	59	.....	.....	.....	1	.....	.....	8	17	17	4	5	4	3	.....	.....	.....	.....
Tuberculous meningitis (30)	6	.....	2	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Other forms of tuberculosis (31–35)	9	.....	.....	.....	.....	.....	1	.....	3	3	1	.....	1	.....	.....	.....	.....	.....
Cancer and other malignant tumors (39–45)	126	.....	.....	.....	.....	.....	.....	.....	4	6	24	36	37	14	5	.....	.....	.....
Meningitis (61)	7	4	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
Cerebral hemorrhage and softening (64, 65)	68	1	.....	.....	.....	.....	.....	.....	.....	.....	4	14	17	19	10	2	1	.....
Organic diseases of the heart (79)	145	1	.....	.....	.....	.....	2	7	6	3	11	16	48	27	22	2	.....	.....
Acute bronchitis (89)	5	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Chronic bronchitis (90)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....
Pneumonia (92)	111	11	3	1	.....	.....	6	2	9	17	16	15	9	12	8	1	.....	1
Bronchopneumonia (91)	44	24	5	1	1	.....	1	2	.....	.....	1	1	1	5	1	.....	1	.....
Other diseases, respiratory system (86–88, 93–98)	12	1	1	.....	.....	.....	1	1	.....	2	1	3	1	1	.....	.....	.....	.....
Diseases of the stomach (102, 103)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	3	2	1	.....	.....	.....
Diarrhea and enteritis (104, 105)	29	14	3	3	1	.....	.....	.....	.....	1	3	.....	1	1	2	.....	.....	.....
Appendicitis and typhlitis (108)	34	.....	.....	.....	.....	.....	4	7	7	4	5	4	2	.....	1	.....	.....	.....
Hernia, intestinal obstruction (109)	17	2	.....	.....	.....	.....	.....	1	.....	2	2	4	1	3	2	.....	.....	.....
Cirrhosis of the liver (113)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
Acute nephritis and Bright's disease (119, 120)	89	4	.....	.....	.....	.....	3	1	4	9	9	10	21	15	13	.....	.....	.....
Diseases of the female genital organs (128–132)	18	.....	.....	.....	.....	.....	.....	1	5	7	3	2	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	8	.....	.....	.....	.....	.....	.....	.....	5	3	.....	.....	.....	.....	.....	.....	.....	.....
Other puerperal causes (134–136, 138–141)	21	.....	.....	.....	.....	.....	.....	1	7	13	.....	.....	.....	.....	.....	.....	.....	.....
Congenital debility and malformations (150, 151)	70	66	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Senility (154)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Violent deaths (suicide excepted) (164–186)	91	2	1	.....	1	.....	4	11	9	15	11	13	9	10	5	.....	.....	.....
Suicide (155–163)	23	.....	.....	.....	.....	.....	.....	1	2	10	4	4	2	.....	.....	.....	.....	.....
Unknown or ill-defined diseases (187–189)	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
All other causes	305	25	.....	.....	1	2	12	23	17	31	37	58	45	32	19	3	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH REGISTRATION CITY OF 100,000 POPULATION OR MORE IN 1920, BY CAUSE OF DEATH AND BY AGE OF DECEDENT: 1920—Continued.

[See note at head of this table, p. 479.]

CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
MILWAUKEE, WIS.																		
All causes	5,415	990	181	95	67	57	166	245	451	483	395	608	710	613	309	43	1	1
Typhoid fever (1)	10						1	4	2	2	1							
Typhus fever (2)																		
Malaria (4)																		
Smallpox (5)																		
Measles (6)	55	19	16	6	4	2	8											
Scarlet fever (7)	29		3	1	3	6	12	2	2									
Whooping cough (8)	61	33	18	7	2	1												
Diphtheria and croup (9)	124	5	13	14	12	15	41	22		2								
Influenza (10)	208	13	14	3	4	2	4	10	53	55	20	9	12	5	4			
Asiatic cholera (12)																		
Cholera nostras (13)	2				1		1											
Other epidemic diseases (3, 11, 14–19)	18	4				1	1	1		1	3	5	1	1				
Tuberculosis of the lungs (28, 29)	320	2	3	3	1		6	46	97	77	38	35	17	5				
Tuberculous meningitis (30)	32	3	1	2	4	1	7	4	4	5		1						
Other forms of tuberculosis (31–35)	39	2	2				2	4	7	6	8	6	1	1				
Cancer and other malignant tumors (39–45)	433	1		1				3	4	19	50	110	130	85	27	3		
Meningitis (61)	27	8	2	2	3	2	2	3	3	1	1							
Cerebral hemorrhage and softening (64, 65)	281								2	4	25	48	71	87	40	4		
Organic diseases of the heart (79)	528	1		2		1	4	20	13	27	31	70	127	139	82	11		
Acute bronchitis (89)	51	26	6	2	1	1	1				1	1	2	5	4	1		
Chronic bronchitis (90)	27		2						1			2	6	6	8	2		
Pneumonia (92)	472	39	22	5	3	3	13	23	70	72	52	62	46	50	9	3		
Bronchopneumonia (91)	316	93	31	14	9	2	4	10	25	20	15	17	27	35	12	1	1	
Other diseases, respiratory system (85–88, 93–98)	63	2	3	1	1	1	4	3	3	9	4	12	6	11	3			
Diseases of the stomach (102, 103)	30	13	1				2		2	1	4	1	1	3	1	1		
Diarrhea and enteritis (104, 105)	271	205	28	11	8	1	4		2	1	1	2	5	1	2			
Appendicitis and typhlitis (108)	70		1	1	2		7	8	19	16	6	4	4	1				1
Hernia, intestinal obstruction (109)	39	5		1	1		1	1	1	3	3	4	12	5	2			
Cirrhosis of the liver (113)	51						1	1		4	7	10	20	7	1			
Acute nephritis and Bright's disease (119, 120)	317	6	1				3	9	10	18	25	81	76	56	28	4		
Diseases of the female genital organs (128–132)	23							1	2	6	9	4		1				
Puerperal septicemia (137)	36							1	18	14	3							
Other puerpal causes (134–136, 138–141)	49							5	27	16	1							
Congenital debility and malformations (150, 151)	328	325	2				1											
Senility (154)	72												2	24	37	9		
Violent deaths (suicide excepted) (164–186)	238	7	2	9	3	11	20	21	35	33	29	21	24	14	9			
Suicide (155–163)	55							1	7	11	11	13	5	5	1	1		
Unknown or ill-defined diseases (187–189)	5	1	3	1														
All other causes	725	177	7	9	5	7	16	42	42	60	47	90	115	66	39	3		

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920.

[The numbers in parentheses after the cause of death correspond to those of the 1909 revision of the detailed International List. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920, are shown by color, except when the deaths for colored numbered less than 500.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY.													
THE REGISTRATION AREA. (Exclusive of Hawaii.)													
All causes	1,142,558	111,919	107,164	116,379	93,474	91,189	79,924	77,442	77,869	76,821	80,452	82,223	87,762
Typhoid fever (1)	6,805	439	347	284	307	354	480	693	828	1,006	879	677	511
Malaria (4)	3,136	132	94	100	92	159	229	324	457	576	538	296	139
Measles (6)	7,712	761	1,453	1,243	1,125	1,114	718	374	157	90	141	215	321
Scarlet fever (7)	4,004	434	573	483	348	369	230	133	126	155	280	379	485
Whooping cough (8)	10,968	744	1,552	1,144	994	994	909	990	922	680	671	617	742
Diphtheria and croup (9)	13,395	1,527	1,259	1,055	857	765	642	560	603	883	1,542	1,914	1,783
Influenza (10)	62,097	6,573	35,530	12,203	2,808	1,329	621	362	297	282	464	630	980
Tuberculosis of the lungs (28, 29)	88,195	8,096	9,895	9,061	8,393	8,256	7,220	6,827	6,280	5,834	6,001	6,014	6,418
Other forms of tuberculosis (30–35)	11,721	1,017	1,034	1,136	1,122	1,110	1,114	959	932	820	825	702	860
Meningitis (61)	5,281	531	570	565	495	466	406	365	412	353	365	360	393
Bronchitis (89, 90)	11,609	1,518	2,115	1,340	1,156	995	621	426	398	489	673	824	1,045
Pneumonia (92)	72,362	11,687	24,160	9,032	5,145	4,179	2,234	1,415	1,294	1,558	2,465	3,777	5,416
Bronchopneumonia (91)	47,746	6,644	11,817	6,041	4,167	3,706	2,005	1,371	1,292	1,512	2,183	2,935	4,023
Diarrhea and enteritis (under 2 years) (104)	38,514	1,809	2,005	2,046	1,985	2,401	2,802	4,158	6,351	6,248	4,580	2,502	1,618
Diarrhea and enteritis (2 years and over) (105)	9,091	511	512	518	513	621	749	1,025	1,257	1,103	976	678	523
Puerperal septicemia (137)	5,800	513	587	619	591	527	490	428	420	377	389	415	485
Other puerperal causes (134–136, 138–141)	10,976	1,060	2,220	1,194	857	783	812	742	697	654	689	668	760
Congenital debility (151b)	9,465	801	899	900	791	739	683	680	751	868	946	716	691
Violent deaths (suicide excepted) (164–186)	68,697	5,525	4,684	5,383	4,993	5,506	6,036	6,590	6,388	6,807	5,979	6,012	5,814
Suicide (155–163)	8,959	609	674	759	759	884	770	771	749	751	771	726	736
All other causes	646,025	60,958	65,184	61,264	55,971	55,932	50,183	48,249	47,189	46,691	49,097	51,237	54,070
REGISTRATION STATES.[1]													
All causes	1,118,070	109,758	103,787	113,988	91,578	89,162	77,985	75,507	76,153	75,120	78,732	80,436	85,864
Typhoid fever (1)	6,582	427	336	282	299	342	452	659	799	966	859	660	501
Malaria (4)	2,960	125	91	95	85	153	215	305	433	544	510	271	133
Measles (6)	7,600	759	1,438	1,219	1,096	1,090	709	370	154	90	140	214	321
Scarlet fever (7)	3,976	430	567	481	346	368	229	132	126	154	235	376	482
Whooping cough (8)	10,742	735	1,531	1,129	976	969	875	952	895	675	662	606	737
Diphtheria and croup (9)	13,211	1,492	1,240	1,046	849	762	634	554	590	873	1,514	1,891	1,766
Influenza (10)	60,693	6,455	34,773	11,924	2,734	1,289	602	349	283	267	455	613	914
Tuberculosis of the lungs (28, 29)	85,866	7,896	9,639	8,849	8,174	8,029	7,023	6,631	6,136	5,682	5,827	5,748	6,232
Other forms of tuberculosis (30–35)	11,500	991	1,012	1,120	1,106	1,084	1,094	938	917	807	811	775	845
Meningitis (61)	5,151	520	557	552	474	458	394	357	406	339	356	355	383
Bronchitis (89, 90)	11,391	1,485	2,082	1,317	1,140	981	604	416	385	478	661	816	1,026
Pneumonia (92)	70,771	11,462	23,651	8,792	5,043	4,113	2,191	1,380	1,251	1,522	2,403	3,677	5,271
Bronchopneumonia (91)	46,974	6,550	11,620	5,933	4,117	3,659	1,970	1,338	1,262	1,481	2,142	2,950	3,952
Diarrhea and enteritis (under 2 years) (104)	37,344	1,762	1,951	2,007	1,887	2,227	2,597	3,986	6,241	6,156	4,521	2,444	1,666
Diarrhea and enteritis (2 years and over) (105)	8,747	517	490	497	490	585	704	981	1,226	1,164	948	638	607
Puerperal septicemia (137)	5,616	494	570	605	575	512	446	407	418	345	372	406	466
Other puerperal causes (134–136, 138–141)	10,704	1,040	2,169	1,163	839	760	800	719	675	635	672	652	680
Congenital debility (151b)	9,252	784	885	877	777	714	667	659	733	852	925	703	676
Violent deaths (suicide excepted) (164–186)	66,948	5,362	4,539	5,230	4,874	5,375	5,902	6,449	6,238	5,652	5,825	5,855	5,647
Suicide (155–163)	8,790	594	663	745	743	865	757	754	741	740	759	703	721
All other causes	633,252	59,878	63,983	60,125	54,954	54,827	49,120	47,171	46,220	45,698	48,080	50,178	53,009
CITIES IN REGISTRATION STATES.[2]													
All causes	589,020	62,059	57,785	57,043	48,651	47,225	40,708	38,560	39,587	38,843	40,489	42,209	45,856
Typhoid fever (1)	2,309	157	114	105	129	119	160	227	272	337	292	218	179
Malaria (4)	356	22	16	10	11	19	29	34	44	66	52	35	18
Measles (6)	4,312	467	795	643	644	643	417	210	92	52	74	113	157
Scarlet fever (7)	2,237	234	322	249	206	214	149	61	80	84	135	206	297
Whooping cough (8)	4,888	376	738	531	464	456	378	426	469	344	242	291	263
Diphtheria and croup (9)	7,871	905	821	711	585	543	466	327	330	421	754	966	1,042
Influenza (10)	25,548	4,186	15,734	3,017	843	464	215	128	91	91	172	240	367
Tuberculosis of the lungs (28, 29)	42,576	4,024	4,836	4,315	4,059	4,012	3,367	3,166	3,013	2,836	2,856	2,901	3,188
Other forms of tuberculosis (30–35)	6,874	609	593	691	678	656	647	554	547	478	487	456	478
Meningitis (61)	2,715	293	290	289	235	262	197	190	228	170	176	181	204
Bronchitis (89, 90)	6,419	858	1,238	756	686	540	336	208	210	245	351	439	552
Pneumonia (92)	41,150	7,387	13,906	4,237	2,990	2,451	1,356	840	782	927	1,315	2,031	2,868
Bronchopneumonia (91)	29,172	4,149	7,694	3,520	2,619	2,200	1,288	850	776	908	1,241	1,632	2,106
Diarrhea and enteritis (under 2 years) (104)	21,780	1,141	1,335	1,345	1,236	1,244	1,313	2,279	3,770	3,345	2,410	1,396	966
Diarrhea and enteritis (2 years and over) (105)	4,104	279	275	282	244	262	315	476	534	490	376	312	279
Puerperal septicemia (137)	3,240	285	303	339	344	308	257	245	245	202	215	223	240
Other puerperal causes (134–136, 138–141)	5,333	588	1,008	502	397	384	441	353	334	331	339	291	305
Congenital debility (151b)	4,387	384	422	413	374	363	283	294	362	441	396	327	328
Violent deaths (suicide excepted) (164–186)	35,570	2,920	2,461	2,913	2,569	2,841	3,087	3,247	3,169	2,902	3,188	3,000	3,114
Suicide (155–163)	5,012	357	388	433	406	456	419	435	405	433	448	411	421
All other causes	333,167	32,429	34,436	31,733	28,932	28,608	25,588	24,010	23,834	23,680	24,970	26,532	28,325
RURAL PART OF REGISTRATION STATES.[3]													
All causes	529,050	47,699	46,002	56,940	42,927	41,937	37,277	36,947	36,566	36,277	38,243	38,227	40,008
Typhoid fever (1)	4,273	270	222	177	170	223	292	432	527	629	567	442	322
Malaria (4)	2,604	103	75	85	74	134	186	271	389	478	458	236	115
Measles (6)	3,288	292	643	571	452	447	292	100	62	38	66	101	164
Scarlet fever (7)	1,739	196	245	232	140	154	80	71	46	70	150	170	185
Whooping cough (8)	5,854	359	793	598	512	513	497	526	426	331	420	405	474
Diphtheria and croup (9)	5,340	587	419	335	264	219	168	227	260	452	760	925	724
Influenza (10)	35,145	2,269	19,039	8,907	1,891	825	387	221	197	176	283	373	577
Tuberculosis of the lungs (28, 29)	43,290	3,872	4,803	4,534	4,115	4,017	3,656	3,465	3,123	2,849	2,971	2,844	3,044
Other forms of tuberculosis (30–35)	4,626	382	419	429	428	428	447	384	370	329	324	310	347
Meningitis (61)	2,436	227	267	263	239	196	197	167	178	169	180	174	170
Bronchitis (89, 90)	4,972	627	844	561	454	441	268	208	175	233	310	377	474
Pneumonia (92)	29,621	4,075	9,685	4,555	2,053	1,662	835	540	479	595	1,093	1,646	2,403
Bronchopneumonia (91)	17,802	2,401	3,926	2,404	1,498	1,369	682	488	486	573	901	1,318	1,756
Diarrhea and enteritis (under 2 years) (104)	15,564	621	616	662	651	983	1,284	1,707	2,471	2,811	2,111	1,048	699
Diarrhea and enteritis (2 years and over) (105)	4,643	238	215	215	246	323	389	505	692	674	572	329	248
Puerperal septicemia (137)	2,376	209	267	266	231	204	189	162	173	143	157	178	197
Other puerperal causes (134–136, 138–141)	5,371	452	1,161	661	442	376	359	366	341	304	333	261	315
Congenital debility (151b)	4,865	400	463	464	403	351	384	365	371	411	529	376	349
Violent deaths (suicide excepted) (164–186)	31,378	2,433	2,078	2,317	2,305	2,534	2,815	3,202	3,069	2,690	2,637	2,765	2,533
Suicide (155–163)	3,778	237	275	312	337	409	338	319	336	307	311	297	360
All other causes	300,085	27,449	29,547	28,302	26,022	26,129	23,532	23,161	22,395	22,018	23,110	23,645	24,634

[1] Includes District of Columbia.
[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[3] The term "rural" embraces the cases outside of municipalities of 10,000 inhabitants or more in 1920.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
SUMMARY—Continued.													
REGISTRATION CITIES IN NONREGISTRATION STATES.													
All causes	24,488	2,161	3,377	2,391	1,896	2,027	1,939	1,935	1,656	1,701	1,720	1,787	1,898
Typhoid fever (1)	223	12	11	2	8	12	28	34	29	40	20	17	10
Malaria (4)	176	7	3	5	7	6	14	19	24	32	28	25	6
Measles (6)	112	2	15	24	29	24	9	4	3	.....	1	1	.....
Scarlet fever (7)	28	4	6	2	2	1	1	1	.....	1	4	3	3
Whooping cough (8)	226	9	21	15	18	25	34	38	27	14	9	11	5
Diphtheria and croup (9)	184	35	19	9	8	3	8	6	13	15	28	23	17
Influenza (10)	1,404	113	757	279	74	40	19	13	9	15	9	26	45
Tuberculosis of the lungs (28, 29)	2,329	200	256	212	219	227	197	196	144	152	174	166	186
Other forms of tuberculosis (30–35)	221	26	22	16	16	26	20	21	15	13	14	17	15
Meningitis (61)	130	11	13	13	21	8	12	8	6	14	9	5	10
Bronchitis (89, 90)	218	33	33	32	16	14	17	10	13	11	12	8	19
Pneumonia (92)	1,591	225	509	240	102	66	43	35	33	36	57	100	145
Bronchopneumonia (91)	772	94	197	108	50	47	35	33	30	31	41	35	71
Diarrhea and enteritis (under 2 years) (104)	1,170	47	54	39	98	174	205	172	110	92	68	58	53
Diarrhea and enteritis (2 years and over) (105)	344	24	22	21	28	36	45	44	31	29	23	20	16
Puerperal septicemia (137)	184	19	17	14	16	15	14	21	11	12	17	9	19
Other puerperal causes (134–136, 138–141)	272	20	51	31	18	23	12	23	22	19	17	16	20
Congenital debility (151b)	213	17	14	23	14	25	16	21	18	16	21	13	15
Violent deaths (suicide excepted) (164–186)	1,749	163	145	153	119	131	134	141	150	155	134	157	167
Suicide (155–163)	169	15	11	14	16	19	13	17	8	11	12	18	15
All other causes	12,773	1,080	1,201	1,139	1,017	1,105	1,063	1,078	960	993	1,017	1,059	1,061
ALL REGISTRATION CITIES.[1]													
All causes	613,508	64,220	91,162	59,439	50,547	49,252	42,647	40,495	41,243	40,544	42,209	43,996	47,754
Typhoid fever (1)	2,532	169	125	107	137	131	188	261	301	377	312	235	189
Malaria (4)	532	29	19	15	18	25	43	53	68	98	80	60	24
Measles (6)	4,424	469	810	672	673	667	426	214	95	52	75	114	157
Scarlet fever (7)	2,265	238	328	251	208	215	150	62	80	35	139	209	300
Whooping cough (8)	5,114	385	759	546	432	481	412	464	496	358	251	212	268
Diphtheria and croup (9)	8,055	940	840	720	593	546	474	333	343	436	782	989	1,059
Influenza (10)	26,952	4,304	16,491	3,296	917	504	234	141	100	106	181	266	412
Tuberculosis of the lungs (28, 29)	44,905	4,224	5,092	4,527	4,278	4,239	3,564	3,362	3,157	2,988	3,030	3,070	3,374
Other forms of tuberculosis (30–35)	7,095	635	615	707	694	682	667	575	562	491	501	473	493
Meningitis (61)	2,845	304	303	302	256	270	209	198	234	184	185	186	214
Bronchitis (89, 90)	6,637	891	1,271	788	702	554	353	218	223	256	363	447	571
Pneumonia (92)	42,741	7,612	14,475	4,477	3,092	2,517	1,390	875	815	963	1,372	2,131	3,013
Bronchopneumonia (91)	29,944	4,243	7,891	3,637	2,659	2,337	1,323	883	806	939	1,282	1,667	2,267
Diarrhea and enteritis (under 2 years) (104)	22,950	1,188	1,389	1,384	1,334	1,418	1,518	2,451	3,880	3,437	2,478	1,454	1,019
Diarrhea and enteritis (2 years and over) (105)	4,448	303	297	303	272	298	360	520	565	519	404	332	275
Puerperal septicemia (137)	3,424	304	320	353	360	323	271	266	256	214	232	237	288
Other puerperal causes (134–136, 138–141)	5,605	608	1,059	533	415	407	453	376	356	350	356	307	385
Congenital debility (151b)	4,600	401	436	436	388	388	299	315	380	457	417	340	343
Violent deaths (suicide excepted) (164–186)	37,319	3,092	2,606	3,066	2,688	2,972	3,221	3,388	3,319	3,117	3,322	3,247	3,281
Suicide (155–163)	5,131	372	399	447	422	475	432	452	413	444	460	429	436
All other causes	345,940	33,509	35,637	32,872	29,949	29,803	26,651	25,088	24,794	24,673	25,987	27,591	29,386
REGISTRATION STATES.													
CALIFORNIA.													
All causes	47,196	4,609	5,881	4,550	3,660	3,744	3,477	3,509	3,441	3,161	3,458	3,639	4,067
Typhoid fever (1)	166	11	6	9	5	9	11	18	27	18	27	13	12
Malaria (4)	24	1	2	2	.....	2	.....	4	5	4	3	1	.....
Measles (6)	220	31	47	32	25	16	12	25	17	3	3	2	7
Scarlet fever (7)	92	10	13	10	6	9	4	4	2	.....	9	11	14
Whooping cough (8)	410	25	32	37	59	60	57	56	34	15	14	8	13
Diphtheria and croup (9)	461	29	40	32	33	39	32	27	23	36	48	63	59
Influenza (10)	2,185	250	1,319	355	68	33	27	24	11	14	17	20	47
Tuberculosis of the lungs (28, 29)	4,935	470	489	487	447	404	383	405	351	352	370	375	402
Other forms of tuberculosis (30–35)	620	64	45	71	49	61	55	47	43	40	43	48	54
Meningitis (61)	236	24	24	19	25	20	15	14	22	15	16	20	22
Bronchitis (89, 90)	345	38	52	34	26	35	23	18	23	17	19	26	34
Pneumonia (92)	2,077	355	572	217	124	118	93	73	59	82	83	140	161
Bronchopneumonia (91)	1,463	216	247	176	121	109	78	65	61	48	79	94	169
Diarrhea and enteritis (under 2 years) (104)	1,197	71	61	54	69	99	122	162	165	135	114	75	70
Diarrhea and enteritis (2 years and over) (105)	368	16	26	23	21	30	30	41	53	34	30	36	28
Puerperal septicemia (137)	177	21	10	14	16	10	22	13	10	9	17	18	17
Other puerperal causes (134–136, 138–141)	340	29	48	51	25	20	23	30	23	25	20	19	27
Congenital debility (151b)	235	21	25	12	16	20	31	28	20	11	17	13	21
Violent deaths (suicide excepted) (164–186)	3,327	258	234	245	245	259	284	314	353	261	323	274	277
Suicide (155–163)	698	54	66	74	56	71	49	60	60	60	58	48	42
All other causes	27,620	2,615	2,523	2,596	2,224	2,320	2,126	2,081	2,079	1,982	2,148	2,335	2,591
COLORADO.													
All causes	13,717	1,265	2,368	1,153	1,070	1,017	874	957	1,034	1,022	922	923	1,102
Typhoid fever (1)	87	2	3	4	5	2	6	9	16	12	10	12	6
Malaria (4)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
Measles (6)	93	3	15	10	12	17	15	11	4	1	1	2	7
Scarlet fever (7)	42	8	9	3	3	4	7	2	.....	.....	2	1	3
Whooping cough (8)	250	16	46	18	36	27	30	18	19	14	3	6	17
Diphtheria and croup (9)	138	9	3	8	10	8	4	5	14	13	20	25	19
Influenza (10)	1,049	107	705	116	40	13	6	8	8	4	10	8	24
Tuberculosis of the lungs (28, 29)	2,012	221	305	180	154	152	156	130	150	147	142	129	146
Other forms of tuberculosis (30–35)	122	6	6	11	15	7	11	14	14	15	8	4	11
Meningitis (61)	51	10	4	5	1	2	2	5	6	2	4	5	5
Bronchitis (89, 90)	102	9	23	10	9	6	8	4	2	4	3	10	14
Pneumonia (92)	1,092	150	356	94	67	53	31	36	22	39	52	70	122
Bronchopneumonia (91)	577	77	134	44	53	41	23	18	16	27	31	39	74
Diarrhea and enteritis (under 2 years) (104)	422	7	14	14	14	19	19	64	106	93	50	12	10
Diarrhea and enteritis (2 years and over) (105)	80	3	2	2	1	4	5	12	17	22	7	10	4
Puerperal septicemia (137)	79	6	9	11	6	7	9	10	4	2	4	5	6
Other puerperal causes (134–136, 138–141)	133	13	39	12	15	10	10	3	8	5	7	2	9
Congenital debility (151b)	97	5	6	13	9	6	5	8	3	11	8	15	8
Violent deaths (suicide excepted) (164–186)	901	46	53	58	68	73	81	115	78	107	87	67	68
Suicide (155–163)	149	11	16	7	15	14	10	13	14	16	11	13	9
All other causes	6,225	556	620	538	537	552	436	472	532	488	461	493	540

[1] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
CONNECTICUT.													
All causes	18,916	1,831	2,805	1,806	1,573	1,522	1,309	1,264	1,368	1,329	1,303	1,378	1,443
Typhoid fever (1)	57	2	.....	.....	4	2	3	1	7	12	9	11	6
Malaria (4)	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....
Measles (6)	135	19	32	18	19	12	11	7	3	2	5	6	1
Scarlet fever (7)	75	7	10	8	11	16	9	3	.....	4	4	4	2
Whooping cough (8)	218	14	30	21	18	23	14	13	31	20	12	10	12
Diphtheria and croup (9)	237	37	35	22	20	17	9	15	4	10	14	23	31
Influenza (10)	918	91	579	129	47	22	7	6	4	1	2	14	16
Tuberculosis of the lungs (28, 29)	1,448	138	151	146	133	140	125	116	94	93	102	103	102
Other forms of tuberculosis (30–35)	218	18	24	15	16	19	28	14	19	15	22	15	13
Meningitis (61)	133	7	17	11	11	20	9	13	17	9	5	9	5
Bronchitis (89, 90)	229	33	34	23	28	22	13	9	8	13	10	20	16
Pneumonia (92)	1,277	192	457	138	91	71	48	27	31	29	25	63	105
Bronchopneumonia (91)	894	106	203	98	82	81	60	22	23	30	45	72	72
Diarrhea and enteritis (under 2 years) (104)	730	33	24	33	24	33	37	78	179	139	89	42	19
Diarrhea and enteritis (2 years and over) (105)	131	7	3	3	10	6	7	15	25	24	8	11	12
Puerperal septicemia (137)	76	8	4	11	12	10	9	3	4	4	4	4	3
Other puerperal causes (134–136, 138–141)	156	14	50	15	9	3	13	10	14	8	8	6	6
Congenital debility (151b)	149	10	16	15	11	9	5	11	9	14	17	13	19
Violent deaths (suicide excepted) (164–186)	1,080	83	66	85	66	71	96	116	102	97	91	105	102
Suicide (155–163)	155	11	8	11	11	18	11	15	20	12	16	15	7
All other causes	10,595	1,001	1,062	1,004	950	927	795	770	773	790	819	819	894
DELAWARE.													
All causes	3,265	325	381	339	251	283	257	222	244	254	224	245	240
Typhoid fever (1)	25	1	1	.....	4	1	2	2	3	5	1	2	3
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	36	1	5	12	6	8	3	.....	.....	.....	1	.....	.....
Scarlet fever (7)	33	1	4	2	.....	5	7	3	1	.....	4	5	1
Whooping cough (8)	30	5	2	3	3	.....	3	3	4	1	2	1	3
Diphtheria and croup (9)	27	4	2	2	3	2	.....	.....	1	2	6	2	3
Influenza (10)	64	4	30	16	5	3	1	.....	.....	.....	.....	.....	5
Tuberculosis of the lungs (28, 29)	295	26	32	27	31	29	24	15	22	25	24	22	18
Other forms of tuberculosis (30–35)	32	5	2	2	2	3	3	2	3	2	4	2	2
Meningitis (61)	14	2	2	1	2	1	.....	1	2	.....	.....	.....	3
Bronchitis (89, 90)	36	8	2	1	5	3	2	2	2	.....	3	4	4
Pneumonia (92)	253	36	72	58	16	19	9	1	3	6	4	9	20
Bronchopneumonia (91)	147	14	34	19	12	10	5	7	3	9	10	8	16
Diarrhea and enteritis (under 2 years) (104)	156	4	8	3	2	3	14	21	43	21	17	12	6
Diarrhea and enteritis (2 years and over) (105)	30	1	.....	1	.....	2	3	5	6	5	2	3	2
Puerperal septicemia (137)	18	2	.....	2	1	2	2	1	1	2	1	2	2
Other puerperal causes (134–136, 138–141)	28	3	7	1	2	3	3	3	2	1	.....	2	1
Congenital debility (151b)	53	3	2	4	6	3	4	5	4	5	9	4	4
Violent deaths (suicide excepted) (164–186)	182	17	9	14	8	27	17	11	22	20	8	16	13
Suicide (155–163)	17	.....	1	1	1	1	3	3	3	1	1	1	1
All other causes	1,788	188	166	170	142	158	152	137	119	145	127	150	131
FLORIDA (TOTAL).													
All causes	12,720	1,240	1,449	1,598	971	907	909	872	886	866	948	1,024	1,0 0
Typhoid fever (1)	143	8	9	13	8	9	13	19	18	15	15	4	12
Malaria (4)	344	28	14	17	11	19	30	42	54	44	44	24	17
Measles (6)	13	2	1	4	1	2	1	1	1	.....	.....	.....	.....
Scarlet fever (7)	9	2	.....	1	1	.....	1	.....	.....	1	2	.....	1
Whooping cough (8)	69	8	8	9	2	9	3	5	6	8	4	4	3
Diphtheria and croup (9)	70	9	4	4	4	1	3	3	5	8	5	16	8
Influenza (10)	827	67	274	330	56	20	10	6	9	4	13	18	20
Tuberculosis of the lungs (28, 29)	932	67	88	116	77	76	68	79	73	64	61	88	75
Other forms of tuberculosis (30–35)	89	11	10	8	8	9	12	3	4	5	6	7	6
Meningitis (61)	57	7	7	4	3	3	4	8	5	5	2	3	6
Bronchitis (89, 90)	75	17	10	7	4	5	4	3	4	3	8	5	5
Pneumonia (92)	538	112	148	128	42	10	17	7	13	9	29	33	49
Bronchopneumonia (91)	196	29	32	45	10	12	7	8	12	5	8	10	18
Diarrhea and enteritis (under 2 years) (104)	405	26	26	36	47	66	31	30	28	30	27	31	27
Diarrhea and enteritis (2 years and over) (105)	180	16	13	12	22	21	15	9	10	12	17	18	16
Puerperal septicemia (137)	68	5	4	8	7	6	6	4	5	5	4	10	4
Other puerperal causes (134–136, 138–141)	180	17	27	22	9	15	7	11	13	17	13	9	20
Congenital debility (151b)	135	17	14	9	9	4	9	12	10	16	10	11	14
Violent deaths (suicide excepted) (164–186)	1,017	101	70	106	77	81	82	75	87	73	74	87	104
Suicide (155–163)	53	1	7	7	6	7	4	3	3	3	3	5	4
All other causes	7,270	690	683	712	567	532	582	544	526	539	603	641	651

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
FLORIDA (WHITE).													
All causes	7,581	803	938	983	576	524	535	464	592	492	553	606	605
Typhoid fever (1)	86	6	9	8	5	7	7	15	9	7	5	2	6
Malaria (4)	195	17	10	9	7	11	21	22	31	22	26	13	6
Measles (6)	11	2	1	3	1	1	1	1	1				
Scarlet fever (7)	9	2		1	1		1			1	2		1
Whooping cough (8)	44	5	4	7	2	8	2	3	4	4	3	1	1
Diphtheria and croup (9)	54	7	2	4	2	1	2	2	4	8	4	12	6
Influenza (10)	531	49	190	208	31	7	4	5	6	3	9	9	10
Tuberculosis of the lungs (28, 29)	387	27	40	55	30	31	26	28	30	28	24	36	32
Other forms of tuberculosis (30–35)	48	6	8	4	6	4	8	1	3	2		3	3
Meningitis (61)	45	7	5	4	2	2	4	5	4	3	1	3	5
Bronchitis (89, 90)	52	11	6	5	4	1	4	2	1	2	7	4	5
Pneumonia (92)	329	63	88	72	25	5	5	2	6	5	21	19	18
Bronchopneumonia (91)	135	23	21	33	7	7	6	7	8	2	4	7	10
Diarrhea and enteritis (under 2 years) (104)	254	19	12	22	29	42	18	16	19	23	17	20	17
Diarrhea and enteritis (2 years and over) (105)	127	14	8	9	14	17	10	6	7	7	12	12	11
Puerperal septicemia (137)	30	2	3	2	2	2	3	2	2	2	3	4	3
Other puerperal causes (134–136, 138–141)	108	8	19	15	3	12	3	8	7	10	7	7	9
Congenital debility (151b)	74	9	6	5	6	2	7	8	7	5	5	6	8
Violent deaths (suicide excepted) (164–186)	556	53	42	61	38	44	43	33	51	39	38	43	65
Suicide (155–163)	45	1	6	6	5	5	3	2	3	2	3	5	4
All other causes	4,461	466	458	450	356	315	357	296	299	317	362	400	385
FLORIDA (COLORED).													
All causes	5,139	437	511	615	395	333	374	408	384	374	395	418	445
Typhoid fever (1)	57	2		5	3	2	6	4	9	8	10	2	6
Malaria (4)	149	11	4	8	4	8	9	20	23	22	18	11	11
Measles (6)	2			1		1							
Scarlet fever (7)													
Whooping cough (8)	25	3	4	2		1	1	2	2	4	1	3	2
Diphtheria and croup (9)	16	2	2		2		1	1	1		1	4	2
Influenza (10)	296	18	84	122	25	13	6	1	3	1	4	9	10
Tuberculosis of the lungs (28, 29)	545	40	48	61	47	45	42	51	43	36	37	52	43
Other forms of tuberculosis (30–35)	41	5	2	4	2	5	4	2	1	3	6	4	3
Meningitis (61)	12		2		1	1		3	1	2	1		1
Bronchitis (89, 90)	23	6	4	2		4		1	3	1	1	1	
Pneumonia (92)	259	49	60	56	17	5	12	5	7	4	8	14	22
Bronchopneumonia (91)	61	6	11	12	3	5	1	1	4	3	4	3	8
Diarrhea and enteritis (under 2 years) (104)	151	7	14	14	18	24	13	14	9	7	10	11	10
Diarrhea and enteritis (2 years and over) (105)	53	2	5	3	8	4	5	3	3	5	5	6	4
Puerperal septicemia (137)	38	3	1	6	5	4	3	2	3	3	1	6	1
Other puerperal causes (134–136, 138–141)	72	9	8	7	6	3	4	3	6	7	6	2	11
Congenital debility (151b)	61	8	8	4	3	2	2	4	3	11	5	5	6
Violent deaths (suicide excepted) (164–186)	461	42	28	45	39	37	39	42	36	34	36	44	39
Suicide (155–163)	8		1	1	1	2	1	1		1			
All other causes	2,809	224	225	262	211	217	225	248	227	222	241	241	266
ILLINOIS.													
All causes	82,296	10,536	12,065	7,907	6,697	6,363	5,486	5,120	5,233	5,278	5,542	5,948	6,121
Typhoid fever (1)	380	35	24	22	12	15	18	38	34	53	58	47	24
Malaria (4)	76	6	2	3	3	4	8	14	7	8	11	8	2
Measles (6)	496	47	112	72	59	59	37	22	9	4	15	25	35
Scarlet fever (7)	370	50	55	55	29	33	22	8	4	13	24	41	36
Whooping cough (8)	553	44	83	50	43	56	29	47	47	22	35	41	56
Diphtheria and croup (9)	1,128	121	106	68	83	76	47	44	47	64	126	181	165
Influenza (10)	5,192	1,478	2,692	569	152	73	27	23	22	17	37	48	54
Tuberculosis of the lungs (23, 29)	5,818	570	672	561	563	551	476	456	415	405	362	382	405
Other forms of tuberculosis (30–35)	750	69	65	70	63	77	87	68	53	45	61	49	43
Meningitis (61)	248	29	29	23	22	17	19	21	21	18	18	18	13
Bronchitis (89, 90)	957	166	179	121	93	75	51	37	22	32	41	59	81
Pneumonia (92)	5,305	1,474	1,435	508	344	304	142	93	89	96	160	291	369
Bronchopneumonia (91)	3,425	744	734	385	334	279	125	86	82	81	113	188	274
Diarrhea and enteritis (under 2 years) (104)	3,532	286	270	288	290	249	188	217	410	514	405	226	189
Diarrhea and enteritis (2 years and over) (105)	615	54	48	42	32	34	26	54	76	82	69	57	41
Puerperal septicemia (137)	425	31	60	41	53	34	32	28	33	23	21	32	37
Other puerperal causes (134–136, 138–141)	716	124	178	67	36	38	50	37	36	34	47	28	41
Congenital debility (151b)	404	54	38	42	30	38	18	27	24	37	46	26	24
Violent deaths (suicide excepted) (164–186)	5,112	361	367	409	376	394	459	484	497	415	450	469	431
Suicide (155–163)	760	59	53	70	73	71	68	57	57	69	63	60	60
All other causes	46,034	4,734	4,863	4,441	4,007	3,886	3,557	3,259	3,248	3,246	3,380	3,672	3,741

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
INDIANA.													
All causes	39,430	3,922	5,751	4,154	3,259	3,284	2,725	2,681	2,540	2,614	2,758	2,756	2,936
Typhoid fever (1)	284	17	20	14	9	17	21	22	32	34	42	29	27
Malaria (4)	20	1	.....	1	.....	4	.....	3	2	2	4	1	2
Measles (6)	348	20	66	79	67	72	27	7	.....	2	.....	2	6
Scarlet fever (7)	212	18	44	33	18	23	11	9	4	3	12	19	18
Whooping cough (8)	311	16	29	29	21	31	29	31	19	13	25	31	31
Diphtheria and croup (9)	362	42	26	25	23	25	11	16	9	18	49	49	69
Influenza (10)	2,295	279	1,200	458	137	66	33	19	12	7	17	21	46
Tuberculosis of the lungs (28, 29)	2,733	263	349	290	291	268	216	198	195	156	164	165	178
Other forms of tuberculosis (30-35)	468	40	39	37	43	40	40	42	35	44	43	32	33
Meningitis (61)	207	16	29	17	16	20	11	18	18	19	18	13	12
Bronchitis (89, 90)	339	41	56	42	30	31	21	10	12	13	24	23	36
Pneumonia (92)	2,400	382	857	309	142	160	71	40	42	30	55	118	194
Bronchopneumonia (91)	1,535	232	368	199	129	133	55	43	32	32	69	92	116
Diarrhea and enteritis (under 2 years) (104)	1,164	51	53	65	44	51	45	75	178	248	219	89	41
Diarrhea and enteritis (2 years and over) (105)	300	10	21	25	24	15	9	21	53	43	39	25	15
Puerperal septicemia (137)	260	23	34	39	33	28	16	11	18	10	7	19	22
Other puerperal causes (134-136, 138-141)	307	27	67	34	25	25	22	18	18	16	18	19	18
Congenital debility (151b)	212	18	21	19	22	17	17	12	7	20	29	15	15
Violent deaths (suicide excepted) (164-186)	2,304	173	151	216	162	195	197	229	200	197	221	190	173
Suicide (155-163)	332	21	29	29	26	30	31	43	23	26	25	25	19
All other causes	23,037	2,232	2,287	2,194	1,997	2,028	1,842	1,814	1,626	1,681	1,678	1,773	1,885
KANSAS.													
All causes	20,267	1,824	3,317	1,987	1,565	1,462	1,388	1,432	1,397	1,360	1,370	1,494	1,671
Typhoid fever (1)	141	7	5	4	2	6	12	13	19	29	17	15	12
Malaria (4)	13	.....	.....	1	1	.....	2	3	.....	1	3	.....	2
Measles (6)	80	4	6	16	12	15	10	4	2	1	2	2	6
Scarlet fever (7)	112	13	16	12	7	9	5	2	7	2	10	12	17
Whooping cough (8)	213	12	28	23	14	24	23	29	26	10	7	10	7
Diphtheria and croup (9)	246	15	12	15	12	5	12	5	5	23	45	58	39
Influenza (10)	1,473	95	991	227	52	26	8	13	9	9	10	11	22
Tuberculosis of the lungs (28, 29)	730	75	75	63	63	82	71	57	48	43	52	52	49
Other forms of tuberculosis (30-35)	125	10	15	9	12	12	12	12	6	5	8	13	11
Meningitis (61)	89	8	12	16	11	7	5	6	2	4	4	6	8
Bronchitis (89, 90)	174	20	36	21	19	7	9	9	9	4	11	10	19
Pneumonia (92)	1,031	147	424	118	63	35	22	13	16	20	30	53	90
Bronchopneumonia (91)	697	73	211	98	54	46	15	11	22	9	24	54	80
Diarrhea and enteritis (under 2 years) (104)	543	13	30	24	22	26	35	81	110	98	60	25	19
Diarrhea and enteritis (2 years and over) (105)	207	4	9	7	10	6	10	39	43	32	28	8	11
Puerperal septicemia (137)	137	11	15	11	17	9	10	9	7	8	10	11	19
Other puerperal causes (134-136, 138-141)	197	13	45	17	16	16	13	15	8	12	13	13	16
Congenital debility (151b)	263	21	23	23	20	17	19	27	14	23	20	26	30
Violent deaths (suicide excepted) (164-186)	1,260	102	80	111	69	105	145	121	109	96	90	112	120
Suicide (155-163)	189	13	22	12	11	24	13	15	17	19	22	10	11
All other causes	12,347	1,168	1,262	1,159	1,078	985	937	948	918	912	904	993	1,083
KENTUCKY (TOTAL).													
All causes	28,564	2,558	3,870	3,654	2,345	2,056	1,800	2,005	1,975	1,965	2,170	2,085	2,081
Typhoid fever (1)	490	44	28	36	22	27	19	38	45	65	72	50	44
Malaria (4)	60	3	5	3	6	1	3	5	8	6	13	2	5
Measles (6)	270	37	62	64	43	21	11	7	3	4	5	7	6
Scarlet fever (7)	62	6	7	8	5	6	1	2	4	5	8	6	4
Whooping cough (8)	386	22	40	45	30	24	12	22	29	29	53	39	41
Diphtheria and croup (9)	425	45	28	24	11	10	5	9	19	26	80	99	69
Influenza (10)	1,838	68	796	680	119	45	18	14	8	12	15	24	39
Tuberculosis of the lungs (28, 29)	3,245	296	356	364	323	284	268	283	221	193	221	209	227
Other forms of tuberculosis (30-35)	460	42	41	56	52	33	45	35	35	32	33	32	24
Meningitis (61)	240	18	24	28	29	14	14	23	17	17	19	13	24
Bronchitis (89, 90)	278	37	47	33	27	19	19	15	11	9	16	17	23
Pneumonia (92)	1,912	266	536	376	120	107	47	31	27	50	84	127	141
Bronchopneumonia (91)	1,036	126	193	224	77	61	28	20	21	37	54	88	107
Diarrhea and enteritis (under 2 years) (104)	873	29	15	28	22	21	34	102	163	193	167	70	29
Diarrhea and enteritis (2 years and over) (105)	289	24	9	11	13	12	14	45	45	50	36	19	11
Puerperal septicemia (137)	175	19	27	20	19	15	7	9	4	14	15	10	16
Other puerperal causes (134-136, 138-141)	230	17	47	25	22	21	15	15	15	10	16	10	17
Congenital debility (151b)	266	18	24	25	23	19	17	14	26	24	35	22	19
Violent deaths (suicide excepted) (164-186)	1,574	155	136	128	107	110	125	136	143	127	131	155	141
Suicide (155-163)	180	10	13	12	20	11	22	20	18	12	17	12	13
All other causes	14,275	1,276	1,436	1,464	1,255	1,195	1,076	1,160	1,113	1,050	1,080	1,074	1,096
KENTUCKY (WHITE).													
All causes	24,004	2,159	3,301	3,102	1,929	1,724	1,455	1,645	1,639	1,671	1,843	1,763	1,770
Typhoid fever (1)	419	40	25	33	16	21	14	36	34	53	60	47	40
Malaria (4)	48	2	4	1	6	1	3	2	6	6	12	1	4
Measles (6)	258	35	61	59	43	20	10	6	3	4	4	7	6
Scarlet fever (7)	60	6	7	8	5	6	1	2	4	4	8	5	4
Whooping cough (8)	323	20	36	39	22	19	9	16	23	24	47	35	33
Diphtheria and croup (9)	402	44	27	22	9	10	4	9	18	22	76	95	66
Influenza (10)	1,636	62	709	617	99	38	14	11	6	11	15	20	34
Tuberculosis of the lungs (28, 29)	2,481	222	280	292	238	215	210	212	165	146	171	160	170
Other forms of tuberculosis (30-35)	370	35	36	46	41	26	31	24	27	25	30	23	21
Meningitis (61)	216	15	24	25	27	14	13	19	14	14	16	13	22
Bronchitis (89, 90)	213	30	35	26	24	16	12	8	7	7	13	14	21
Pneumonia (92)	1,553	223	436	301	91	89	38	21	22	45	66	100	121
Bronchopneumonia (91)	861	112	164	179	64	50	21	17	19	28	45	71	91
Diarrhea and enteritis (under 2 years) (104)	782	28	14	26	18	16	24	87	153	172	160	57	27
Diarrhea and enteritis (2 years and over) (105)	259	21	9	8	10	11	12	42	39	48	33	17	9
Puerperal septicemia (137)	146	15	22	17	19	13	5	6	4	9	15	8	13
Other puerperal causes (134-136, 138-141)	205	15	43	23	18	20	13	14	14	9	12	9	15
Congenital debility (151b)	231	12	23	18	20	19	17	11	22	19	33	21	16
Violent deaths (suicide excepted) (164-186)	1,331	134	114	106	95	95	97	114	132	112	106	125	101
Suicide (155-163)	174	10	13	12	19	10	22	18	17	12	17	12	12
All other causes	12,036	1,078	1,219	1,244	1,045	1,015	885	970	910	904	904	918	944

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
KENTUCKY (COLORED).													
All causes	4,560	399	569	552	416	332	345	360	336	291	327	322	311
Typhoid fever (1)	71	4	3	3	6	6	5	2	11	12	12	3	4
Malaria (4)	12	1	1	2	.....	.....	.....	3	2	.....	1	1	1
Measles (6)	12	2	1	5	.....	1	1	1	.....	.....	1	.....	.....
Scarlet fever (7)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
Whooping cough (8)	63	2	4	6	8	5	3	6	6	5	6	4	8
Diphtheria and croup (9)	28	1	1	2	2	.....	1	.....	1	4	4	4	3
Influenza (10)	202	6	37	63	20	7	4	3	2	1	.....	4	5
Tuberculosis of the lungs (28, 29)	764	74	76	72	85	69	58	71	56	47	50	49	57
Other forms of tuberculosis (30–35)	90	7	5	10	11	7	14	11	8	7	3	4	3
Meningitis (61)	24	3	.....	3	2	.....	1	4	3	3	3	.....	2
Bronchitis (89, 90)	65	7	12	7	3	3	7	7	4	2	3	3	7
Pneumonia (92)	359	43	100	75	29	18	9	10	5	5	18	27	20
Bronchopneumonia (91)	175	14	29	45	13	11	7	3	2	9	9	17	16
Diarrhea and enteritis (under 2 years) (104)	91	1	1	2	4	5	10	15	10	21	7	13	2
Diarrhea and enteritis (2 years and over) (105)	30	3	.....	3	3	1	2	3	6	2	3	2	2
Puerperal septicemia (137)	29	4	5	3	.....	2	2	3	.....	5	.....	2	3
Other puerperal causes (134–136, 138–141)	25	2	4	2	4	1	2	1	1	1	4	1	2
Congenital debility (151 b)	35	6	1	7	3	.....	.....	3	4	5	2	1	3
Violent deaths (suicide excepted) (164–186)	243	21	22	22	12	15	28	22	11	15	25	30	20
Suicide (155–163)	6	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	1
All other causes	2,239	198	217	220	210	180	191	190	203	146	176	156	152
LOUISIANA (TOTAL).													
All causes	21,553	1,934	2,317	2,379	1,641	1,659	1,676	1,647	1,636	1,588	1,610	1,716	1,750
Typhoid fever (1)	280	20	13	12	12	19	35	37	38	43	16	17	18
Malaria (4)	586	21	12	12	6	25	43	63	93	121	104	64	22
Measles (6)	43	2	7	4	8	1	1	3	.....	1	2	4	10
Scarlet fever (7)	15	1	1	2	2	1	1	.....	3	1	.....	2	1
Whooping cough (8)	184	13	24	16	25	20	26	20	15	6	8	7	4
Diphtheria and croup (9)	111	11	13	10	7	4	2	6	6	11	12	16	13
Influenza (10)	916	70	315	366	68	17	10	5	9	3	17	13	23
Tuberculosis of the lungs (28, 29)	2,396	205	226	248	216	230	199	197	184	164	158	184	185
Other forms of tuberculosis (30–35)	154	14	11	15	9	17	15	13	18	9	12	11	10
Meningitis (61)	111	21	19	13	12	4	7	4	3	9	5	7	7
Bronchitis (89, 90)	142	18	23	13	11	9	6	4	4	10	14	15	15
Pneumonia (92)	1,238	171	268	254	101	40	29	29	39	31	63	66	147
Bronchopneumonia (91)	715	94	130	132	54	34	25	14	28	26	42	50	86
Diarrhea and enteritis (under 2 years) (104)	692	40	28	40	50	98	104	69	68	50	52	60	33
Diarrhea and enteritis (2 years and over) (105)	240	17	20	15	10	26	35	17	23	25	20	14	18
Puerperal septicemia (137)	135	9	19	6	14	7	12	9	13	15	13	8	10
Other puerperal causes (134–136, 138–141)	308	28	28	34	29	27	27	23	22	27	20	26	17
Congenital debility (151 b)	198	10	9	25	16	10	15	26	19	19	12	21	16
Violent deaths (suicide excepted) (164–186)	1,425	113	91	100	115	122	134	143	123	123	105	128	128
Suicide (155–163)	85	6	4	9	8	4	8	8	7	7	9	6	9
All other causes	11,579	1,050	1,056	1,053	868	944	942	957	921	887	926	997	978
LOUISIANA (WHITE).													
All causes	10,805	984	1,236	1,171	790	779	773	818	797	812	815	895	935
Typhoid fever (1)	129	11	2	7	7	10	14	19	16	21	7	8	7
Malaria (4)	314	13	6	5	1	9	19	35	46	65	58	40	17
Measles (6)	34	2	6	4	5	.....	1	1	.....	1	1	3	10
Scarlet fever (7)	14	1	1	2	1	1	1	.....	3	1	.....	2	1
Whooping cough (8)	93	8	10	5	13	9	17	9	9	2	4	4	3
Diphtheria and croup (9)	74	10	8	6	4	1	1	4	2	9	9	10	10
Influenza (10)	497	35	182	205	27	9	4	1	4	1	8	8	13
Tuberculosis of the lungs (28, 29)	822	64	89	84	71	70	61	63	61	57	57	69	76
Other forms of tuberculosis (30–35)	72	8	5	6	4	6	6	7	8	6	5	8	3
Meningitis (61)	70	15	11	7	7	3	2	4	2	7	4	5	3
Bronchitis (89, 90)	69	10	16	4	4	4	2	1	2	4	6	6	10
Pneumonia (92)	609	72	137	127	41	15	15	12	19	11	37	36	87
Bronchopneumonia (91)	416	65	76	68	31	19	12	10	12	16	18	33	56
Diarrhea and enteritis (under 2 years) (104)	337	20	15	20	27	61	69	37	36	27	24	30	21
Diarrhea and enteritis (2 years and over) (105)	121	7	9	9	4	13	20	7	12	10	11	7	12
Puerperal septicemia (137)	61	4	7	3	7	3	5	4	4	8	5	4	7
Other puerperal causes (134–136, 138–141)	159	13	19	16	14	11	14	13	13	10	14	13	9
Congenital debility (151b)	85	5	5	17	5	7	5	12	7	6	4	6	6
Violent deaths (suicide excepted) (164–186)	740	59	43	48	61	64	62	77	62	64	52	80	68
Suicide (155–163)	79	5	3	8	7	4	8	7	7	7	9	5	9
All other causes	5,960	557	586	520	449	460	435	495	472	479	482	518	507
LOUISIANA (COLORED).													
All causes	10,748	950	1,081	1,208	851	880	903	829	839	776	795	821	815
Typhoid fever (1)	151	9	11	5	5	9	21	18	22	22	9	9	11
Malaria (4)	272	8	6	7	5	16	24	28	47	56	46	24	5
Measles (6)	9	.....	1	.....	3	1	.....	2	.....	.....	1	1	.....
Scarlet fever (7)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	91	5	14	11	12	11	9	11	6	4	4	3	1
Diphtheria and croup (9)	37	1	5	4	3	3	1	2	4	2	3	6	3
Influenza (10)	419	35	133	161	41	8	6	4	5	2	9	5	10
Tuberculosis of the lungs (28, 29)	1,574	141	137	164	145	160	138	134	123	107	101	115	109
Other forms of tuberculosis (30–35)	82	6	6	9	5	11	9	6	10	3	7	3	7
Meningitis (61)	41	6	8	6	5	1	5	.....	1	2	1	2	4
Bronchitis (89, 90)	73	8	7	9	7	5	4	3	2	6	8	9	5
Pneumonia (92)	629	99	131	127	60	25	14	17	20	20	26	30	60
Bronchopneumonia (91)	299	29	54	64	23	15	13	4	16	10	24	17	30
Diarrhea and enteritis (under 2 years) (104)	305	20	13	20	23	37	35	32	32	23	28	30	12
Diarrhea and enteritis (2 years and over) (105)	119	10	11	6	6	13	15	10	11	15	9	7	6
Puerperal septicemia (137)	74	5	12	3	7	4	7	5	9	7	8	4	3
Other puerperal causes (134–136, 138–141)	149	15	9	18	15	16	13	10	9	17	6	13	8
Congenital debility (151b)	113	5	4	8	11	3	10	14	12	13	8	15	10
Violent deaths (suicide excepted) (164–186)	685	54	48	52	54	58	72	66	61	59	53	48	60
Suicide (155–163)	6	1	1	1	1	.....	.....	1	.....	.....	.....	1	.....
All other causes	5,619	493	470	533	419	484	507	462	449	408	444	479	471

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MAINE.													
All causes	11,872	1,067	1,716	1,148	992	959	800	807	879	923	865	800	911
Typhoid fever (1)	69	14	8	1	3	7	4	3	.....	8	9	6	6
Malaria (4)	2	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	30	1	3	1	.....	2	4	2	3	3	3	3	5
Scarlet fever (7)	23	5	4	5	2	.....	1	1	2	.....	.....	3	.....
Whooping cough (8)	126	15	32	21	11	6	8	4	6	9	4	3	7
Diphtheria and croup (9)	64	9	5	4	5	4	8	2	3	3	5	5	11
Influenza (10)	591	25	316	142	46	22	9	3	3	3	5	6	11
Tuberculosis of the lungs (28, 29)	655	56	76	67	71	63	47	55	45	37	44	44	50
Other forms of tuberculosis (30–35)	144	13	11	14	16	16	7	11	22	16	6	3	9
Meningitis (61)	43	4	5	7	5	2	3	2	3	6	3	1	2
Bronchitis (89, 90)	127	16	17	19	10	13	7	4	6	6	7	5	17
Pneumonia (92)	672	90	227	96	59	44	28	16	10	8	25	25	44
Bronchopneumonia (91)	496	68	132	52	37	57	23	19	7	10	24	34	33
Diarrhea and enteritis (under 2 years) (104)	405	14	15	7	5	13	9	21	117	118	61	18	7
Diarrhea and enteritis (2 years and over) 105)	93	3	2	4	4	4	7	3	21	17	16	9	3
Puerperal septicemia (137)	27	3	4	.....	2	2	2	3	2	3	3	1	2
Other puerperal causes (134–136, 138–141)	120	7	28	15	11	5	12	11	10	2	13	2	4
Congenital debility (151b)	148	14	12	12	7	11	10	12	15	16	15	12	12
Violent deaths (suicide excepted) (164–186)	483	30	36	35	27	33	35	58	45	47	43	59	35
Suicide (155–163)	80	3	9	9	10	5	9	9	8	5	6	6	1
All other causes	7,474	677	773	637	661	650	567	563	551	610	573	555	652
MARYLAND (TOTAL).													
All causes	21,362	1,940	3,091	2,045	1,686	1,625	1,389	1,570	1,628	1,585	1,549	1,604	1,650
Typhoid fever (1)	100	9	.....	6	3	3	2	12	13	14	18	13	7
Malaria (4)	4	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1
Measles (6)	94	2	11	25	11	21	11	4	2	1	1	3	2
Scarlet fever (7)	36	8	6	6	3	2	3	1	1	1	2	1	2
Whooping cough (8)	145	13	23	7	11	8	10	13	13	13	13	6	15
Diphtheria and croup (9)	192	34	21	15	17	7	9	5	2	15	19	39	18
Influenza (10)	691	54	448	120	29	8	4	3	2	1	4	7	11
Tuberculosis of the lungs (28, 29)	1,925	169	232	186	182	169	128	160	134	141	141	146	137
Other forms of tuberculosis (30–35)	214	13	19	24	28	16	23	21	22	17	8	14	9
Meningitis (61)	93	10	9	12	9	2	11	6	8	5	9	4	8
Bronchitis (89, 90)	276	32	58	31	15	15	20	13	5	20	28	17	22
Pneumonia (92)	1,177	147	488	163	86	67	30	15	16	13	27	47	78
Bronchopneumonia (91)	1,057	114	306	142	67	98	55	28	24	42	43	66	72
Diarrhea and enteritis (under 2 years) (104)	1,184	37	32	34	35	38	46	185	259	208	157	101	49
Diarrhea and enteritis (2 years and over) (105)	193	15	8	15	7	14	10	22	29	32	14	14	13
Puerperal septicemia (137)	87	6	8	14	7	8	4	10	4	6	6	7	7
Other puerperal causes (134–136, 138–141)	187	21	36	20	17	12	15	18	17	5	11	9	6
Congenital debility (151b)	209	13	23	13	16	13	16	11	24	21	24	20	15
Violent deaths (suicide excepted) (164–186)	1,126	119	66	73	85	71	90	116	103	110	83	110	95
Suicide (155–163)	138	4	11	5	12	17	10	10	14	17	7	18	13
All other causes	12,234	1,119	1,286	1,134	1,046	1,036	892	916	936	902	929	968	1,070
MARYLAND (WHITE).													
All causes	16,152	1,499	2,329	1,514	1,252	1,237	1,037	1,144	1,211	1,193	1,191	1,243	1,297
Typhoid fever (1)	68	8	.....	5	2	2	1	7	8	8	13	8	6
Malaria (4)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	82	2	9	23	9	19	10	3	1	1	.....	3	2
Scarlet fever (7)	36	8	6	6	3	2	3	1	1	1	2	1	2
Whooping cough (8)	84	6	14	4	6	4	8	4	9	10	7	3	9
Diphtheria and croup (9)	181	32	19	14	16	7	9	5	2	14	19	23	10
Influenza (10)	514	37	354	80	17	4	1	2	1	1	4	5	8
Tuberculosis of the lungs (28, 29)	1,208	108	146	114	117	94	82	106	80	90	99	95	86
Other forms of tuberculosis (30–35)	129	8	8	15	20	10	12	12	14	11	7	8	4
Meningitis (61)	76	9	7	11	7	2	9	3	7	5	6	2	8
Bronchitis (89, 90)	172	20	38	17	7	8	15	8	3	13	20	9	14
Pneumonia (92)	854	108	357	112	65	48	18	11	8	10	20	33	59
Bronchopneumonia (91)	760	82	227	94	47	74	37	22	11	31	31	46	58
Diarrhea and enteritis (under 2 years) (104)	888	27	21	26	27	24	33	137	197	163	117	79	37
Diarrhea and enteritis (2 years and over) (105)	146	10	3	11	5	10	7	18	22	24	12	13	11
Puerperal septicemia (137)	53	2	5	11	1	5	3	8	2	4	3	4	5
Other puerperal causes (134–136, 138–141)	141	15	32	12	14	8	10	11	12	4	9	8	6
Congenital debility (151b)	139	9	19	8	10	8	11	7	13	16	15	15	8
Violent deaths (suicide excepted) (164–186)	892	90	49	55	63	58	71	93	82	91	71	93	76
Suicide (155–163)	134	4	11	4	12	16	10	9	14	17	7	18	12
All other causes	9,594	913	1,004	892	804	834	687	677	724	634	738	767	870
MARYLAND (COLORED).													
All causes	5,210	441	762	531	434	388	352	426	417	387	353	361	353
Typhoid fever (1)	32	1	.....	1	1	1	1	5	5	6	5	5	1
Malaria (4)	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1
Measles (6)	12	.....	2	2	2	2	1	1	1	.....	1	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	61	7	9	3	5	4	2	9	4	3	6	3	6
Diphtheria and croup (9)	11	2	2	1	1	.....	.....	.....	.....	1	.....	2	2
Influenza (10)	177	17	94	40	12	4	3	1	1	.....	.....	2	3
Tuberculosis of the lungs (28, 29)	717	61	86	72	65	75	46	54	54	51	51	51	51
Other forms of tuberculosis (30–35)	85	5	11	9	8	6	11	9	8	6	1	6	5
Meningitis (61)	17	1	2	1	2	.....	2	3	1	.....	3	2	.....
Bronchitis (89, 90)	104	12	20	14	8	7	5	5	2	7	8	8	8
Pneumonia (92)	323	39	131	51	21	19	12	4	8	3	7	9	19
Bronchopneumonia (91)	297	32	79	43	20	24	18	6	13	11	12	20	14
Diarrhea and enteritis (under 2 years) (104)	296	10	11	8	8	14	13	48	62	45	40	25	12
Diarrhea and enteritis (2 years and over) (105)	47	5	5	4	2	4	3	4	7	8	2	1	2
Puerperal septicemia (137)	34	4	3	3	6	3	1	2	2	2	3	3	2
Other puerperal causes (134–136, 138–141)	46	6	4	8	3	4	5	7	5	1	2	1	.....
Congenital debility (151b)	70	4	4	5	6	5	5	4	11	5	9	6	7
Violent deaths (suicide excepted) (164–186)	234	29	17	18	22	13	19	23	21	19	17	17	19
Suicide (155–163)	4	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	1
All other causes	2,640	206	282	242	242	202	205	239	212	218	191	201	200

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MASSACHUSETTS.													
All causes	53,498	5,123	7,638	5,432	4,555	4,321	3,593	3,364	3,644	3,749	3,888	3,920	4,271
Typhoid fever (1)	95	8	5	8	3	2	6	12	11	17	10	4	9
Malaria (4)	4	1									2	1	
Measles (6)	355	45	44	29	42	50	39	30	12	13	9	17	25
Scarlet fever (7)	218	23	38	23	27	21	13	8	9	7	9	20	20
Whooping cough (8)	536	45	102	72	55	67	24	29	50	31	19	15	27
Diphtheria and croup (9)	586	103	69	55	31	33	42	31	27	29	54	46	66
Influenza (10)	1,594	96	1,107	244	53	28	9	5	2	9	8	7	16
Tuberculosis of the lungs (28,29)	3,757	323	446	383	374	365	296	289	266	256	241	252	236
Other forms of tuberculosis (30-35)	655	60	51	72	67	68	50	43	48	51	49	46	50
Meningitis (61)	249	28	32	19	17	23	15	19	15	27	22	10	22
Bronchitis (89,90)	701	95	122	97	81	48	29	16	16	22	50	58	67
Pneumonia (92)	2,882	401	1,007	381	216	157	92	56	38	63	100	147	224
Bronchopneumonia (91)	3,169	393	808	436	283	243	136	79	83	104	157	203	244
Diarrhea and enteritis (under 2 years) (104)	1,841	80	94	91	80	67	65	148	419	376	224	130	67
Diarrhea and enteritis (2 years and over) (105)	306	13	15	20	20	24	20	27	41	50	31	20	25
Puerperal septicemia (137)	219	21	14	28	19	33	17	14	17	11	17	18	10
Other puerperal causes (134-136, 138-141)	465	45	86	58	35	30	44	27	30	24	28	26	32
Congenital debility (151b)	395	37	45	39	33	41	25	27	23	36	34	23	32
Violent deaths (suicide excepted) (164-186)	2,518	192	179	172	187	202	200	244	236	196	241	238	231
Suicide (155-163)	393	29	35	26	24	33	49	29	29	26	39	36	38
All other causes	32,570	3,035	3,339	3,179	2,908	2,786	2,422	2,231	2,272	2,401	2,544	2,603	2,800
MICHIGAN.													
All causes	51,549	5,306	8,986	4,927	4,379	4,365	3,519	3,213	3,202	3,292	3,438	3,388	3,534
Typhoid fever (1)	294	25	20	16	27	20	24	20	27	28	27	34	26
Malaria (4)	8	1			1		4		1	1			
Measles (6)	439	77	113	68	54	59	29	18	8	3	1	5	4
Scarlet fever (7)	303	26	46	26	21	33	11	14	13	16	26	31	40
Whooping cough (8)	513	46	102	56	48	41	39	39	39	27	24	26	26
Diphtheria and croup (9)	385	80	73	75	47	64	53	41	56	59	86	119	132
Influenza (10)	3,018	394	2,057	319	88	62	27	12	9	7	11	12	20
Tuberculosis of the lungs (28,29)	2,672	254	323	273	265	263	214	211	187	184	186	135	177
Other forms of tuberculosis (30-35)	429	32	42	33	49	48	49	29	40	26	24	26	31
Meningitis (61)	248	24	32	25	23	27	16	14	24	18	20	13	12
Bronchitis (89,90)	742	85	193	86	74	78	37	23	20	20	28	30	62
Pneumonia (92)	3,582	584	1,492	356	253	245	105	69	48	62	86	128	154
Bronchopneumonia (91)	2,072	305	684	233	199	179	72	39	42	38	67	96	118
Diarrhea and enteritis (under 2 years) (104)	1,759	98	119	108	85	109	97	160	219	272	271	142	79
Diarrhea and enteritis (2 years and over) (105)	387	27	36	26	20	26	17	27	36	56	60	37	19
Puerperal septicemia (137)	314	34	27	34	35	27	31	21	23	17	18	18	29
Other puerperal causes (134-136, 138-141)	550	67	147	50	37	38	42	20	44	25	22	24	34
Congenital debility (151b)	488	41	42	54	53	47	39	34	29	33	50	38	28
Violent deaths (suicide excepted) (164-186)	2,979	210	186	226	231	280	283	303	286	264	280	233	197
Suicide (155-163)	356	14	30	28	34	37	31	33	29	40	25	19	36
All other causes	29,511	2,882	3,222	2,835	2,735	2,682	2,299	2,086	2,022	2,096	2,126	2,216	2,310
MINNESOTA.													
All causes	25,722	2,520	3,883	2,423	2,129	2,247	1,849	1,785	1,679	1,666	1,791	1,854	1,896
Typhoid fever (1)	71	4	7	4	2	4	4	8	7	9	10	4	8
Malaria (4)													
Measles (6)	158	18	30	20	20	35	21	7	1			2	4
Scarlet fever (7)	116	15	15	8	14	11	6	5	2	6	8	11	15
Whooping cough (8)	299	16	46	20	29	40	21	25	18	24	23	17	20
Diphtheria and croup (9)	247	26	23	18	17	20	14	20	19	15	26	29	20
Influenza (10)	1,677	219	1,137	172	61	26	14	8	7	3	8	11	11
Tuberculosis of the lungs (28,29)	1,853	171	200	198	188	209	162	147	132	105	112	114	115
Other forms of tuberculosis (30-35)	298	32	26	33	29	22	26	30	24	19	18	16	23
Meningitis (61)	95	8	7	15	10	8	7	4	8	2	11	9	6
Bronchitis (89,90)	212	23	37	22	31	26	13	6	6	3	12	15	18
Pneumonia (92)	1,223	200	401	110	95	94	42	23	19	31	31	86	91
Bronchopneumonia (91)	675	87	127	72	66	65	47	24	25	17	33	52	60
Diarrhea and enteritis (under 2 years) (104)	504	27	38	56	46	39	26	24	37	56	78	49	28
Diarrhea and enteritis (2 years and over) (105)	237	18	12	21	14	11	18	14	17	30	43	21	18
Puerperal septicemia (137)	161	8	14	17	26	10	14	14	15	11	11	8	13
Other puerperal causes (134-136, 138-141)	278	26	72	34	18	14	17	22	19	14	14	11	17
Congenital debility (151b)	195	18	21	18	23	16	15	15	10	21	18	12	8
Violent deaths (suicide excepted) (164-186)	1,579	104	72	110	103	163	137	199	160	140	141	133	117
Suicide (155-163)	269	20	21	19	26	24	26	27	22	17	28	22	17
All other causes	15,575	1,480	1,577	1,456	1,311	1,410	1,219	1,163	1,131	1,143	1,166	1,232	1,287
MISSISSIPPI (TOTAL).													
All causes	22,040	1,745	2,079	2,525	1,918	1,794	1,975	1,750	1,714	1,582	1,700	1,634	1,624
Typhoid fever (1)	333	14	15	13	15	24	34	56	46	37	40	22	17
Malaria (4)	683	15	15	14	24	36	48	59	109	143	125	69	26
Measles (6)	18			4	3	2	4	1		2		1	1
Scarlet fever (7)	24	2		5		4			1	4	2	2	4
Whooping cough (8)	157	6	7	10	11	12	24	30	14	8	17	12	6
Diphtheria and croup (9)	284	26	6	7	5	2	8	10	21	38	55	68	38
Influenza (10)	1,047	73	308	445	95	31	12	10	10	13	11	12	27
Tuberculosis of the lungs (28,29)	2,169	179	181	253	200	239	232	173	147	133	148	143	141
Other forms of tuberculosis (30-35)	118	6	9	6	9	13	13	10	17	7	7	11	10
Meningitis (61)	87	11	10	9	8	9	8	3	7	3	4	8	7
Bronchitis (89,90)	123	16	15	10	14	4	6	8	6	8	9	13	14
Pneumonia (92)	1,320	193	281	286	110	34	37	17	30	23	60	107	142
Bronchopneumonia (91)	521	53	104	116	46	22	10	12	15	19	31	50	43
Diarrhea and enteritis (under 2 years) (104)	578	12	14	18	20	71	141	96	69	47	34	38	18
Diarrhea and enteritis (2 years and over) (105)	238	7	13	10	14	24	51	36	25	13	18	16	11
Puerperal septicemia (137)	165	7	8	19	16	10	16	13	17	17	12	15	15
Other puerperal causes (134-136, 138-141)	314	35	34	36	23	32	22	28	20	20	32	13	19
Congenital debility (151b)	125	9	11	9	11	9	16	12	11	5	14	5	13
Violent deaths (suicide excepted) (164-186)	1,585	125	97	143	254	135	140	125	113	97	114	99	143
Suicide (155-163)	57	5	5	6	3	6	3	5	6	3	6	2	7
All other causes	12,094	951	946	1,106	1,037	1,075	1,150	1,046	1,030	942	901	928	922

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
MISSISSIPPI (WHITE).													
All causes	7,923	671	786	929	665	604	660	585	570	556	604	623	665
Typhoid fever (1)	99	5	3	3	5	6	7	18	15	13	10	11	3
Malaria (4)	190	5	5	4	4	9	11	13	30	42	34	21	12
Measles (6)	5	.....	.....	1	1	.....	1	.....	.....	2	.....	.....	.....
Scarlet fever (7)	16	2	.....	3	.....	2	.....	.....	.....	4	1	2	2
Whooping cough (8)	50	4	4	7	4	3	4	10	4	1	2	4	3
Diphtheria and croup (9)	169	16	2	3	1	1	3	8	14	18	33	41	29
Influenza (10)	423	31	138	178	37	7	1	1	3	2	3	5	17
Tuberculosis of the lungs (28, 29)	383	29	30	45	43	40	32	21	23	31	27	25	32
Other forms of tuberculosis (30–35)	27	2	1	1	2	3	3	4	6	.....	1	3	1
Meningitis (61)	44	5	6	5	4	3	2	3	3	2	3	4	4
Bronchitis (89, 90)	58	7	6	1	5	2	1	7	3	3	6	8	9
Pneumonia (92)	469	72	107	96	31	14	14	6	7	7	24	41	50
Bronchopneumonia (91)	230	25	45	47	14	7	3	6	5	9	21	25	22
Diarrhea and enteritis (under 2 years) (104)	273	8	5	10	7	36	58	45	29	25	21	19	10
Diarrhea and enteritis (2 years and over) (105)	118	5	8	6	6	11	22	20	11	6	8	5	10
Puerperal septicemia (137)	40	1	3	8	1	1	6	2	4	6	2	4	2
Other puerperal causes (134–136, 138–141)	133	13	19	13	11	11	9	13	8	6	15	6	9
Congenital debility (151b)	70	5	3	5	7	4	8	5	5	1	13	4	10
Violent deaths (suicide excepted) (164–186)	568	42	32	37	121	50	46	40	36	33	32	42	57
Suicide (155–163)	45	4	4	5	3	5	2	5	4	2	4	1	6
All other causes	4,513	390	365	451	358	389	427	358	353	343	344	356	377
MISSISSIPPI (COLORED).													
All causes	14,117	1,074	1,293	1,596	1,253	1,190	1,315	1,165	1,144	1,026	1,096	1,006	969
Typhoid fever (1)	234	9	12	10	10	18	27	38	31	24	30	11	14
Malaria (4)	493	10	10	10	20	27	37	46	79	101	91	48	14
Measles (6)	13	.....	.....	3	2	2	3	1	.....	.....	.....	1	1
Scarlet fever (7)	8	.....	.....	2	.....	2	.....	.....	1	.....	1	.....	2
Whooping cough (8)	107	2	3	3	7	9	20	20	10	7	15	8	3
Diphtheria and croup (9)	115	10	4	4	4	1	5	2	7	20	22	27	9
Influenza (10)	624	42	170	267	58	24	11	9	7	11	8	7	10
Tuberculosis of the lungs (28, 29)	1,786	150	151	208	157	199	200	152	119	102	121	118	109
Other forms of tuberculosis (30–35)	91	4	8	5	7	10	10	6	11	7	6	8	9
Meningitis (61)	43	6	4	4	4	6	6	.....	4	1	1	4	3
Bronchitis (89, 90)	65	9	9	9	9	2	5	1	3	5	3	5	5
Pneumonia (92)	851	121	174	190	79	20	23	11	23	16	36	66	92
Bronchopneumonia (91)	291	28	59	69	32	15	7	6	10	10	10	24	21
Diarrhea and enteritis (under 2 years) (104)	305	4	9	8	13	35	83	51	40	22	13	10	8
Diarrhea and enteritis (2 years and over) (105)	120	2	5	4	8	13	29	16	14	7	10	11	1
Puerperal septicemia (137)	125	6	5	11	15	9	10	11	13	11	10	11	13
Other puerperal causes (134–136, 138–141)	181	22	15	23	12	21	13	15	12	14	17	7	10
Congenital debility (151b)	55	4	8	4	4	5	8	7	6	4	1	1	3
Violent deaths (suicide excepted) (164–186)	1,017	83	65	106	133	85	94	85	77	64	82	57	86
Suicide (155–163)	12	1	1	1	.....	1	1	.....	2	1	2	1	1
All other causes	7,581	561	581	655	679	686	723	688	675	599	617	572	545
MISSOURI.													
All causes	42,638	4,505	7,362	4,397	3,318	2,988	2,763	2,879	2,737	2,608	2,871	2,920	3,191
Typhoid fever (1)	341	19	15	17	16	9	16	24	43	57	45	43	37
Malaria (4)	137	3	7	10	8	7	8	15	15	18	24	13	9
Measles (6)	236	26	86	66	43	26	15	6	2	4	5	2	5
Scarlet fever (7)	156	22	20	30	12	7	2	4	5	2	10	18	24
Whooping cough (8)	308	40	43	29	17	23	22	23	23	10	25	24	23
Diphtheria and croup (9)	645	73	36	45	32	24	26	21	24	51	86	120	97
Influenza (10)	3,310	372	2,079	527	99	48	23	17	17	9	23	39	57
Tuberculosis of the lungs (28, 29)	3,338	307	407	320	332	277	267	259	237	226	227	229	250
Other forms of tuberculosis (30–35)	306	22	29	35	25	24	30	20	23	28	21	23	21
Meningitis (61)	206	15	13	24	25	16	19	13	21	20	13	10	17
Bronchitis (89, 90)	497	76	86	58	42	44	21	15	19	24	33	34	42
Pneumonia (92)	3,359	645	1,341	411	191	128	61	38	61	53	89	137	206
Bronchopneumonia (91)	2,237	369	588	248	205	165	81	57	65	74	74	131	180
Diarrhea and enteritis (under 2 years) (104)	1,072	44	45	40	41	41	67	156	184	197	162	56	39
Diarrhea and enteritis (2 years and over) (105)	342	15	19	20	17	20	27	60	61	48	24	19	12
Puerperal septicemia (137)	243	23	21	35	22	20	11	21	18	14	13	23	18
Other puerperal causes (134–136, 138–141)	236	26	33	18	19	20	19	15	22	14	17	18	15
Congenital debility (151b)	191	20	19	18	14	6	7	11	21	21	20	11	13
Violent deaths (suicide excepted) (164–186)	2,076	162	147	171	146	164	167	210	167	167	198	193	179
Suicide (155–163)	407	29	32	28	29	38	38	33	39	27	36	35	43
All other causes	22,945	2,194	2,296	2,246	1,983	1,881	1,836	1,861	1,670	1,634	1,712	1,733	1,899
MONTANA.													
All causes	5,289	448	737	533	414	461	354	355	385	397	363	419	423
Typhoid fever (1)	27	1	1	.....	1	2	1	4	5	1	3	4	4
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	27	3	1	3	4	.....	4	.....	1	.....	3	3	5
Scarlet fever (7)	22	4	6	3	2	2	1	1	.....	.....	2	1	.....
Whooping cough (8)	51	.....	1	3	1	4	2	8	3	8	4	5	12
Diphtheria and croup (9)	32	3	3	5	.....	3	3	2	1	1	3	4	4
Influenza (10)	304	11	174	76	16	6	3	3	4	3	1	2	5
Tuberculosis of the lungs (28, 29)	366	31	50	37	34	46	27	26	21	20	17	36	21
Other forms of tuberculosis (30–35)	53	4	5	1	5	6	5	5	7	5	1	6	3
Meningitis (61)	32	.....	5	.....	2	.....	4	5	8	2	1	1	4
Bronchitis (89, 90)	24	4	2	2	1	4	2	2	2	.....	2	1	2
Pneumonia (92)	377	42	97	60	29	37	19	10	8	10	16	20	29
Bronchopneumonia (91)	199	16	30	31	26	15	7	8	2	12	11	15	26
Diarrhea and enteritis (under 2 years) (104)	123	10	10	11	1	3	4	9	14	29	18	8	6
Diarrhea and enteritis (2 years and over) (105)	42	2	2	1	2	3	1	3	11	9	7	1	.....
Puerperal septicemia (137)	42	6	5	4	3	1	5	3	4	2	3	3	3
Other puerperal causes (134–136, 138–141)	62	5	19	8	3	1	2	3	3	4	2	7	5
Congenital debility (151b)	51	6	5	7	3	4	6	1	2	4	1	6	6
Violent deaths (suicide excepted) (164–186)	519	30	40	27	36	42	44	56	57	49	43	54	41
Suicide (155–163)	86	6	8	5	8	12	5	5	6	9	4	12	6
All other causes	2,850	264	273	249	237	270	209	201	226	229	221	230	241

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
NEBRASKA.													
All causes	12,976	1,097	1,857	1,406	1,121	1,049	945	865	836	938	935	928	999
Typhoid fever (1)	58	4	3	5	2	3	1	2	9	9	9	8	3
Malaria (4)	1									1			
Measles (6)	121	3	8	20	21	30	23	10	1		2		3
Scarlet fever (7)	60	3	12	13	10	5			1	1	4	6	5
Whooping cough (8)	246	6	31	31	24	24	22	26	33	16	15	9	9
Diphtheria and croup (9)	112	10	7	7	10	5		2	10	10	19	16	16
Influenza (10)	747	48	423	162	41	18	15	3	6	7	3	8	13
Tuberculosis of the lungs (28, 29)	461	36	54	51	48	39	37	29	40	32	26	36	33
Other forms of tuberculosis (30-35)	100	8	7	11	13	4	10	8	9	3	10	7	10
Meningitis (61)	70	12	11	10	2	5	6	1	3	5	5	5	5
Bronchitis (89, 90)	92	11	16	12	12	7	5	3	3	4	3	6	10
Pneumonia (92)	733	90	252	97	51	44	28	16	12	15	27	44	57
Bronchopneumonia (91)	382	26	106	52	30	30	17	6	9	22	17	31	36
Diarrhea and enteritis (under 2 years) (104)	269	22	15	19	16	14	16	25	29	50	38	14	11
Diarrhea and enteritis (2 years and over) (105)	128	7	5	2	5	7	4	13	29	24	20	6	6
Puerperal septicemia (137)	76	4	8	7	4	5	8	10	6	5	5	4	10
Other puerperal causes (134-136, 138-141)	145	7	41	12	17	8	8	9	6	10	9	5	13
Congenital debility (151b)	169	11	23	16	15	17	15	6	11	14	17	15	9
Violent deaths (suicide excepted) (164-186)	834	66	52	58	53	75	71	85	75	87	70	69	73
Suicide (155-163)	156	15	9	14	6	24	9	9	13	15	14	10	18
All other causes	8,016	708	774	807	741	685	650	602	531	608	622	629	659
NEW HAMPSHIRE.													
All causes	6,764	606	866	729	555	584	441	467	485	532	468	514	517
Typhoid fever (1)	30	4		2		1	1	1	5	5	4	3	4
Malaria (4)													
Measles (6)	40	2	6	7	1	6	7	2		2		1	6
Scarlet fever (7)	9	1		3		2	1					1	1
Whooping cough (8)	36	2	4	5	1	1	5	3	4	6	1	4	
Diphtheria and croup (9)	52	6	6	3	4	3	2		2	6	3	8	9
Influenza (10)	303	7	156	84	16	14	7	1	2	5	3	4	4
Tuberculosis of the lungs (28, 29)	361	25	38	32	28	42	26	34	28	29	25	29	25
Other forms of tuberculosis (30-35)	69	7	5	8	5	6	8	5	11	2	7	3	2
Meningitis (61)	38	4	5	8	3	4	2	2	1		1	7	1
Bronchitis (89, 90)	106	7	17	18	10	13	3	6	4	3	4	7	14
Pneumonia (92)	367	49	103	69	37	27	11	2	3	8	16	16	26
Bronchopneumonia (91)	213	23	50	31	20	19	8	6	3	6	10	14	23
Diarrhea and enteritis (under 2 years) (104)	195	4	6	11	11	9	7	20	31	47	23	10	16
Diarrhea and enteritis (2 years and over) (105)	41	3	3	2	4	3	1		6	7	7	2	3
Puerperal septicemia (137)	13	3	2	2	1	1	1					1	2
Other puerperal causes (134-136, 138-141)	58	4	10	12	7	5	5	2	3	2	3	3	2
Congenital debility (151b)	68	2	8	12	8	4	8	2	3	7	5	6	3
Violent deaths (suicide excepted) (164-186)	313	14	22	21	15	28	14	31	43	40	27	34	24
Suicide (155-163)	50	3	3	4	6	3	4	4	2	4	3	6	8
All other causes	4,402	436	422	395	378	393	320	346	334	353	326	355	344
NEW JERSEY.													
All causes	41,326	4,194	5,854	3,868	3,457	3,377	2,842	2,904	2,961	2,738	2,842	3,013	3,286
Typhoid fever (1)	105	9	5	4	4	6	3	11	14	14	11	9	15
Malaria (4)	6					1			2	2			1
Measles (6)	306	23	46	53	39	68	34	16	7	3	4	3	10
Scarlet fever (7)	110	14	11	5	9	8	8	3	5	6	4	17	20
Whooping cough (8)	413	30	67	42	35	28	26	28	38	34	29	24	32
Diphtheria and croup (9)	566	61	64	50	44	50	36	25	30	26	48	69	63
Influenza (10)	1,202	197	701	155	44	29	10	7	3	8	12	12	24
Tuberculosis of the lungs (28, 29)	3,253	283	361	334	321	283	281	267	234	214	220	224	231
Other forms of tuberculosis (30-35)	382	32	29	44	32	36	31	26	37	26	31	26	32
Meningitis (61)	223	33	17	22	20	16	15	20	13	16	18	17	16
Bronchitis (89, 90)	557	71	96	66	64	41	32	20	20	28	22	41	56
Pneumonia (92)	2,948	475	1,060	305	227	173	94	56	51	57	83	142	225
Bronchopneumonia (91)	1,968	245	580	254	171	145	76	54	33	68	75	108	159
Diarrhea and enteritis (under 2 years) (104)	1,690	88	106	81	80	79	96	241	351	237	164	110	57
Diarrhea and enteritis (2 years and over) (105)	300	26	11	22	17	23	20	37	49	32	26	20	17
Puerperal septicemia (137)	193	15	19	21	21	16	17	21	20	8	8	9	18
Other puerperal causes (134-136, 138-141)	319	30	57	25	23	27	32	17	22	28	24	14	20
Congenital debility (151b)	320	16	28	36	27	26	25	22	26	29	37	18	30
Violent deaths (suicide excepted) (164-186)	2,553	200	178	185	177	217	241	254	279	192	202	220	208
Suicide (155-163)	371	24	23	27	24	33	29	45	39	32	31	37	27
All other causes	23,541	2,312	2,395	2,137	2,078	2,072	1,736	1,734	1,688	1,678	1,703	1,893	2,025
NEW YORK.													
All causes	144,558	15,372	21,060	13,873	12,269	12,010	9,844	9,326	9,944	9,621	9,925	10,048	11,266
Typhoid fever (1)	379	16	12	13	30	17	23	43	49	68	48	27	33
Malaria (4)	22	2	2	3	1	2	1	4	3	1	3		
Measles (6)	1,177	158	245	171	192	139	73	47	23	13	26	34	56
Scarlet fever (7)	474	41	52	30	37	46	29	23	21	29	33	42	91
Whooping cough (8)	1,063	73	153	117	90	76	81	97	112	97	64	35	68
Diphtheria and croup (9)	1,931	232	259	224	174	142	131	73	73	71	136	189	227
Influenza (10)	4,719	839	2,838	527	163	91	39	19	20	21	36	41	85
Tuberculosis of the lungs (28, 29)	11,089	1,019	1,242	1,099	1,064	1,074	894	831	813	737	740	747	829
Other forms of tuberculosis (30-35)	1,545	138	170	149	145	148	141	121	113	103	100	103	114
Meningitis (61)	544	64	51	64	49	58	41	29	48	21	34	46	39
Bronchitis (89, 90)	1,772	224	345	201	201	161	96	61	53	80	80	130	140
Pneumonia (92)	9,730	1,848	3,276	963	759	626	325	190	173	229	272	406	663
Bronchopneumonia (91)	7,009	979	2,015	843	599	534	290	222	189	207	300	367	464
Diarrhea and enteritis (under 2 years) (104)	4,785	238	304	315	283	238	233	486	911	780	518	261	218
Diarrhea and enteritis (2 years and over) (105)	869	55	47	67	60	48	71	107	117	117	79	57	44
Puerperal septicemia (137)	530	47	60	56	43	62	45	31	38	29	39	38	42
Other puerperal causes (134-136, 138-141)	1,098	127	208	91	89	70	90	72	64	60	68	58	91
Congenital debility (151b)	1,052	99	115	115	108	101	56	50	101	85	95	59	68
Violent deaths (suicide excepted) (164-186)	7,857	645	474	573	542	627	694	743	766	782	678	675	653
Suicide (155-163)	1,197	83	81	90	112	119	104	102	100	99	106	93	108
All other causes	85,728	8,445	9,113	8,162	7,528	7,631	6,387	5,975	6,157	5,992	6,470	6,640	7,228

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
NORTH CAROLINA (TOTAL).													
All causes	32,654	2,855	4,815	3,723	2,379	2,339	2,601	2,473	2,294	2,129	2,323	2,325	2,333
Typhoid fever (1)	322	12	9	2	7	12	23	43	70	56	45	31	12
Malaria (4)	210	9	12	4	3	8	16	18	32	43	33	22	10
Measles (6)	62	5	17	10	8	3	3	4	6	.....	4	.....	2
Scarlet fever (7)	39	2	6	2	2	3	2	2	2	4	8	3	3
Whooping cough (8)	357	27	56	28	21	21	37	43	26	18	25	33	22
Diphtheria and croup (9)	299	42	23	15	14	6	1	3	9	31	43	55	57
Influenza (10)	2,995	128	1,537	913	157	53	37	12	14	13	29	21	31
Tuberculosis of the lungs (28, 29)	2,743	276	285	307	270	227	201	194	218	173	187	190	215
Other forms of tuberculosis (30–35)	261	21	22	28	27	22	29	29	12	15	18	15	23
Meningitis (61)	202	17	17	25	14	25	26	11	10	12	14	18	10
Bronchitis (89, 90)	229	30	36	24	11	17	8	6	11	20	17	23	26
Pneumonia (92)	1,708	252	558	280	113	69	41	27	27	31	56	94	150
Bronchopneumonia (91)	918	144	170	128	54	48	38	22	24	43	62	93	92
Diarrhea and enteritis (under 2 years) (104)	1,398	27	27	27	31	86	292	283	225	160	122	75	43
Diarrhea and enteritis (2 years and over) (105)	352	14	14	11	10	34	70	70	37	30	29	21	12
Puerperal septicemia (137)	172	9	17	16	15	15	17	19	19	11	9	15	10
Other puerperal causes (134–136, 138–141)	642	38	122	82	65	54	54	59	31	42	43	21	31
Congenital debility (151b)	355	34	30	36	19	27	39	26	28	29	33	29	25
Violent deaths (suicide excepted) (164–186)	1,692	176	126	139	131	120	143	146	135	111	134	176	155
Suicide (155–163)	100	8	9	7	7	10	13	5	10	4	6	8	13
All other causes	17,598	1,584	1,672	1,639	1,400	1,479	1,511	1,451	1,348	1,283	1,411	1,381	1,439
NORTH CAROLINA (WHITE).													
All causes	20,189	1,786	3,109	2,229	1,431	1,455	1,554	1,493	1,390	1,321	1,417	1,453	1,540
Typhoid fever (1)	167	7	8	1	6	7	14	14	30	33	19	20	8
Malaria (4)	84	4	4	1	.....	3	8	7	9	22	14	8	4
Measles (6)	51	4	14	10	7	1	2	3	5	.....	3	.....	2
Scarlet fever (7)	37	2	6	2	2	3	1	2	1	4	8	3	3
Whooping cough (8)	205	17	32	16	15	13	21	25	14	10	10	14	12
Diphtheria and croup (9)	245	34	17	12	11	4	1	2	7	26	34	50	47
Influenza (10)	1,939	85	1,105	548	87	27	12	6	9	11	18	13	18
Tuberculosis of the lungs (28, 29)	1,355	140	150	149	144	105	98	84	106	76	101	90	112
Other forms of tuberculosis (30–35)	136	9	9	15	15	10	16	16	6	7	8	8	17
Meningitis (61)	150	15	11	19	7	20	21	8	6	10	10	11	12
Bronchitis (89, 90)	135	16	23	12	4	9	5	3	8	11	12	17	15
Pneumonia (92)	1,008	149	328	156	67	41	24	15	15	16	30	64	103
Bronchopneumonia (91)	563	88	112	70	32	22	21	14	15	23	41	64	62
Diarrhea and enteritis (under 2 years) (104)	917	21	16	18	17	56	186	191	149	102	83	43	30
Diarrhea and enteritis (2 years and over) (105)	245	7	13	8	8	17	44	51	25	24	21	18	9
Puerperal septicemia (137)	97	8	12	5	12	7	9	11	12	2	3	10	6
Other puerperal causes (134–136, 138–141)	395	22	85	52	38	32	30	35	21	24	25	13	18
Congenital debility (151b)	219	21	23	23	11	15	23	13	20	18	22	15	15
Violent deaths (suicide excepted) (164–186)	1,005	96	72	77	78	74	88	79	82	72	90	102	95
Suicide (155–163)	87	6	8	5	7	10	11	4	8	4	5	7	12
All other causes	11,149	1,035	1,061	1,030	863	979	919	915	842	826	849	834	946
NORTH CAROLINA (COLORED).													
All causes	12,465	1,069	1,706	1,494	948	884	1,047	975	904	808	911	872	847
Typhoid fever (1)	155	5	1	1	1	5	9	29	40	23	26	11	4
Malaria (4)	126	5	8	3	3	5	8	11	23	21	19	14	6
Measles (6)	11	1	3	.....	1	2	1	1	1	.....	1	.....	.....
Scarlet fever (7)	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
Whooping cough (8)	152	10	24	12	6	8	16	18	12	8	9	19	10
Diphtheria and croup (9)	54	8	6	3	3	2	.....	1	2	5	9	5	10
Influenza (10)	1,056	43	482	365	70	26	25	6	5	2	11	8	13
Tuberculosis of the lungs (28, 29)	1,388	136	135	158	126	122	103	110	112	97	86	100	101
Other forms of tuberculosis (30–35)	125	12	13	13	12	12	13	13	6	8	10	7	6
Meningitis (61)	52	2	6	6	7	5	5	3	4	2	4	4	4
Bronchitis (89, 90)	94	14	13	12	7	8	3	3	3	9	5	6	11
Pneumonia (92)	700	103	230	124	46	28	17	12	12	15	26	34	53
Bronchopneumonia (91)	355	56	58	58	22	26	17	8	9	20	21	30	30
Diarrhea and enteritis (under 2 years) (104)	481	6	11	9	14	30	106	92	76	53	34	32	13
Diarrhea and enteritis (2 years and over) (105)	107	7	1	3	2	17	26	19	12	6	8	3	3
Puerperal septicemia (137)	75	1	5	11	3	8	8	8	7	9	6	5	4
Other puerperal causes (134–136, 138–141)	247	16	37	30	27	22	24	24	10	18	18	8	13
Congenital debility (151b)	136	13	7	13	8	12	16	13	8	11	11	14	10
Violent deaths (suicide excepted) (164–186)	687	80	54	62	53	46	55	67	53	39	44	74	60
Suicide (155–163)	13	2	1	2	.....	.....	2	1	2	.....	1	1	1
All other causes	6,449	549	611	609	537	500	592	536	506	457	562	407	493
OHIO.													
All causes	74,341	6,940	11,502	7,498	6,288	6,283	5,213	4,796	4,801	4,882	5,133	5,364	5,641
Typhoid fever (1)	435	30	34	20	23	20	24	28	47	56	57	59	37
Malaria (4)	12	1	.....	.....	1	.....	2	1	2	1	.....	2	2
Measles (6)	750	73	166	123	143	130	71	20	8	3	3	6	4
Scarlet fever (7)	383	50	64	48	33	29	21	8	13	15	23	33	46
Whooping cough (8)	845	57	131	114	105	87	73	79	39	50	25	35	50
Diphtheria and croup (9)	651	76	61	60	37	29	21	27	26	36	86	99	93
Influenza (10)	3,808	302	2,399	593	183	100	49	28	26	19	18	33	58
Tuberculosis of the lungs (28, 29)	5,131	497	623	493	463	515	433	365	327	333	366	344	372
Other forms of tuberculosis (30–35)	844	60	71	84	76	81	89	81	64	55	67	55	61
Meningitis (61)	310	23	27	35	35	35	25	15	27	20	25	22	21
Bronchitis (89, 90)	671	83	143	76	67	83	33	23	28	19	24	40	52
Pneumonia (92)	4,523	620	1,739	513	341	268	134	92	74	94	145	195	308
Bronchopneumonia (91)	3,371	445	884	432	319	299	161	71	92	95	132	191	250
Diarrhea and enteritis (under 2 years) (104)	1,849	71	89	111	89	101	76	119	276	393	306	131	87
Diarrhea and enteritis (2 years and over) (105)	439	20	30	31	27	32	27	29	68	63	53	30	29
Puerperal septicemia (137)	425	44	37	48	49	44	28	20	33	24	29	29	40
Other puerperal causes (134–136, 138–141)	559	51	142	59	32	35	35	42	22	34	37	25	45
Congenital debility (151b)	624	59	56	42	50	48	41	48	38	72	62	71	37
Violent deaths (suicide excepted) (164–186)	5,040	413	340	417	356	389	454	500	447	438	431	426	420
Suicide (155–163)	604	27	36	69	47	71	48	43	52	54	61	53	43
All other causes	43,067	3,938	4,421	4,130	3,812	3,887	3,368	3,157	3,092	3,003	3,183	3,485	3,595

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
OREGON.													
All causes	9,246	867	1,305	929	749	746	724	640	656	595	701	627	707
Typhoid fever (1)	39	3	.....	1	1	3	2	3	3	8	5	7	3
Malaria (4)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
Measles (6)	30	.....	3	1	2	3	9	3	.....	1	.....	1	7
Scarlet fever (7)	14	2	1	3	1	1	2	1	.....	.....	.....	.....	3
Whooping cough (8)	47	2	4	.....	5	3	6	7	5	4	4	2	5
Diphtheria and croup (9)	45	8	2	.....	6	.....	2	2	1	6	5	6	7
Influenza (10)	481	23	284	116	20	13	4	2	1	4	4	4	6
Tuberculosis of the lungs (28, 29)	578	52	69	61	55	54	51	52	34	36	40	32	42
Other forms of tuberculosis (30–35)	125	13	7	8	15	15	13	7	10	6	9	10	12
Meningitis (61)	52	7	6	10	1	1	9	1	2	3	5	1	6
Bronchitis (89, 90)	42	6	8	4	1	1	2	2	2	1	6	4	5
Pneumonia (92)	555	83	188	72	31	34	28	8	9	11	21	29	41
Bronchopneumonia (91)	296	45	63	40	16	22	13	9	13	9	12	19	35
Diarrhea and enteritis (under 2 years) (104)	84	9	6	9	6	9	2	6	10	9	7	4	7
Diarrhea and enteritis (2 years and over) (105)	69	6	4	4	5	4	5	3	7	13	5	3	10
Puerperal septicemia (137)	50	4	7	5	4	9	5	4	1	1	3	6	1
Other puerperal causes (134–136, 138–141)	91	9	18	14	10	3	5	7	5	4	10	5	1
Congenital debility (151b)	66	8	9	6	3	6	6	2	5	2	7	6	6
Violent deaths (suicide excepted) (164–186)	674	40	44	42	53	58	65	70	82	69	69	53	29
Suicide (155–163)	109	10	7	7	8	14	12	6	13	8	9	6	9
All other causes	5,798	537	575	526	506	493	482	445	453	400	480	429	472
PENNSYLVANIA.													
All causes	120,902	10,858	19,048	12,097	10,079	9,707	8,043	7,707	8,131	8,080	8,559	9,002	9,591
Typhoid fever (1)	503	33	35	25	27	35	40	34	46	74	64	46	44
Malaria (4)	14	.....	1	.....	2	.....	4	2	2	1	1	1	.....
Measles (6)	1,153	120	184	142	163	168	123	57	25	11	27	62	71
Scarlet fever (7)	497	40	68	66	41	40	28	10	13	18	38	66	69
Whooping cough (8)	1,195	75	213	146	127	119	89	69	88	72	61	67	69
Diphtheria and croup (9)	1,733	202	178	151	126	101	94	77	71	110	181	223	219
Influenza (10)	6,114	294	4,016	1,020	251	143	51	33	21	22	59	80	124
Tuberculosis of the lungs (28, 29)	8,028	716	934	900	784	747	674	561	548	505	544	525	590
Other forms of tuberculosis (30–35)	1,185	90	109	113	123	114	95	104	99	81	77	90	90
Meningitis (61)	538	41	71	52	53	54	39	41	48	32	31	35	41
Bronchitis (89, 90)	1,203	154	235	155	129	103	78	42	39	60	81	103	114
Pneumonia (92)	9,100	1,014	3,198	992	672	645	297	203	178	210	405	558	728
Bronchopneumonia (91)	6,846	794	1,681	844	636	562	310	221	206	224	339	439	590
Diarrhea and enteritis (under 2 years) (104)	5,526	249	315	308	274	326	301	462	1,005	1,018	657	370	241
Diarrhea and enteritis (2 years and over) (105)	902	60	51	46	57	57	60	103	146	110	79	70	63
Puerperal septicemia (137)	603	47	59	66	62	50	50	44	45	43	39	43	55
Other puerperal causes (134–136, 138–141)	1,107	101	197	124	103	79	66	71	80	76	78	65	67
Congenital debility (151 b)	1,086	72	86	102	105	73	66	71	101	117	125	92	76
Violent deaths (suicide excepted) (164–186)	3,093	693	565	668	558	643	755	732	692	673	707	674	728
Suicide (155–163)	794	54	61	71	72	66	68	65	71	69	74	57	66
All other causes	64,592	6,004	6,791	6,106	5,714	5,582	4,755	4,705	4,607	4,554	4,892	5,336	5,546
RHODE ISLAND.													
All causes	8,696	816	1,347	891	700	612	630	583	607	589	597	621	703
Typhoid fever (1)	17	1	1	.....	3	1	1	1	4	.....	2	2	1
Malaria (4)	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	69	1	11	9	15	13	9	4	1	2	1	2	1
Scarlet fever (7)	27	5	5	7	2	2	.....	1	1	1	2	.....	1
Whooping cough (8)	92	14	14	6	6	5	7	9	10	2	4	2	13
Diphtheria and croup (9)	129	16	19	15	7	17	8	6	9	10	4	8	10
Influenza (10)	364	20	254	65	8	2	2	3	1	.....	2	5	2
Tuberculosis of the lungs (28, 29)	672	53	68	68	65	46	60	68	49	43	43	51	58
Other forms of tuberculosis (30–35)	126	16	13	13	14	9	15	4	11	10	6	5	10
Meningitis (61)	37	3	5	2	.....	3	3	5	3	4	6	3	.....
Bronchitis (89, 90)	105	16	20	16	10	7	4	4	1	6	5	6	10
Pneumonia (92)	595	71	201	81	63	40	23	13	10	6	12	30	45
Bronchopneumonia (91)	396	44	128	44	34	21	18	14	6	8	18	25	36
Diarrhea and enteritis (under 2 years) (104)	272	8	11	11	8	8	8	27	72	60	39	16	4
Diarrhea and enteritis (2 years and over) (105)	56	4	1	6	1	4	4	2	9	11	7	3	4
Puerperal septicemia (137)	34	2	4	3	4	3	2	7	1	2	2	3	1
Other puerperal causes (134–136, 138–141)	86	6	20	14	3	5	4	7	6	3	6	8	4
Congenital debility (151 b)	119	11	14	11	5	8	7	6	7	15	15	7	13
Violent deaths (suicide excepted) (164–186)	406	32	34	21	21	25	45	49	32	30	45	33	39
Suicide (155–163)	59	5	2	9	5	5	.....	4	5	5	5	8	6
All other causes	5,033	487	522	490	426	388	410	349	369	370	373	404	445
SOUTH CAROLINA (TOTAL).													
All causes	23,767	1,886	2,820	2,782	1,827	1,907	2,019	1,796	1,608	1,860	1,875	1,721	1,666
Typhoid fever (1)	379	19	10	8	9	19	45	54	45	65	48	38	19
Malaria (4)	487	21	12	15	13	32	30	45	66	97	91	40	25
Measles (6)	56	5	9	8	4	4	8	3	4	1	4	3	3
Scarlet fever (7)	11	2	1	2	.....	1	1	.....	1	1	2	.....	.....
Whooping cough (8)	373	9	33	37	25	41	55	46	33	26	32	18	18
Diphtheria and croup (9)	201	16	6	6	5	4	2	7	14	42	45	35	19
Influenza (10)	2,322	130	904	883	205	57	32	11	7	19	18	22	34
Tuberculosis of the lungs (28, 29)	1,894	156	169	185	174	172	178	172	145	141	154	108	140
Other forms of tuberculosis (30-35)	137	15	11	13	18	16	14	9	3	5	13	3	17
Meningitis (61)	65	7	5	5	9	6	5	.....	5	7	5	6	5
Bronchitis (89, 90)	104	16	12	9	8	6	2	3	4	11	14	10	9
Pneumonia (92)	1,506	207	362	277	114	84	48	32	24	45	72	98	143
Bronchopneumonia (91)	357	56	34	21	28	32	12	13	10	25	34	52	40
Diarrhea and enteritis (under 2 years) (104)	1,130	32	32	31	54	157	208	151	125	157	89	63	31
Diarrhea and enteritis (2 years and over) (105)	207	5	10	6	12	31	34	29	20	16	24	10	10
Puerperal septicemia (137)	133	12	12	8	14	10	12	13	14	14	10	7	7
Other puerperal causes (134–136, 138–141)	450	30	58	50	37	40	40	37	37	33	37	28	23
Congenital debility (151 b)	381	27	25	26	25	31	45	39	28	40	33	32	30
Violent deaths (suicide excepted) (164–186)	1,278	116	112	102	84	98	98	102	90	83	109	129	155
Suicide (155–163)	59	6	7	6	.....	1	6	5	1	4	4	15	4
All other causes	12,237	999	996	1,084	989	1,065	1,144	1,025	932	1,028	1,037	1,004	934

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
SOUTH CAROLINA (WHITE).													
All causes	9,425	802	1,220	1,043	691	712	757	679	623	756	774	695	673
Typhoid fever (1)	131	11	4	3	7	3	17	16	10	21	19	12	8
Malaria (4)	97	5	1	6	1	8	4	5	12	24	15	11	5
Measles (6)	35	2	4	5	2	4	5	3	4	.....	3	1	2
Scarlet fever (7)	7	1	1	2	.....	1	1	.....	.....	1	.....	.....	.....
Whooping cough (8)	149	3	19	17	7	14	20	19	15	13	11	5	6
Diphtheria and croup (9)	129	10	3	6	4	.....	2	5	5	22	29	23	15
Influenza (10)	907	62	418	201	66	16	7	1	3	8	13	11	11
Tuberculosis of the lungs (28, 29)	486	46	60	68	41	34	37	36	29	35	33	27	35
Other forms of tuberculosis (30–35)	54	6	2	4	8	9	7	2	1	3	4	.....	8
Meningitis (61)	36	4	1	3	5	1	4	.....	4	5	2	4	3
Bronchitis (89, 90)	43	5	7	.....	3	1	1	1	2	7	10	3	3
Pneumonia (92)	546	75	165	93	24	27	18	11	13	22	22	23	48
Bronchopneumonia (91)	177	33	14	7	14	12	8	5	4	13	18	29	20
Diarrhea and enteritis (under 2 years) (104)	489	15	7	13	20	54	88	70	50	82	42	29	19
Diarrhea and enteritis (2 years and over) (105)	33	.....	2	3	3	16	15	12	9	5	10	5	3
Puerperal septicemia (137)	44	3	5	1	8	3	4	3	5	4	3	3	2
Other puerperal causes (134–136, 138–141)	170	8	28	18	12	14	15	13	15	14	15	8	10
Congenital debility (151b)	115	9	9	7	9	12	12	8	9	15	8	10	7
Violent deaths (suicide excepted) (164–186)	516	36	52	36	42	33	34	43	44	35	49	51	61
Suicide (155–163)	49	5	6	6	.....	1	5	4	1	2	4	12	3
All other causes	5,162	463	412	454	415	449	453	422	379	425	459	418	413
SOUTH CAROLINA (COLORED).													
All causes	14,342	1,084	1,600	1,739	1,136	1,195	1,262	1,117	985	1,104	1,101	1,026	993
Typhoid fever (1)	248	8	6	5	2	16	28	38	35	44	29	20	11
Malaria (4)	390	16	11	9	12	24	26	40	54	73	76	22	20
Measles (6)	21	3	5	3	2	.....	3	.....	.....	1	1	2	1
Scarlet fever (7)	4	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....
Whooping cough (8)	224	6	14	20	18	27	35	27	18	13	21	13	12
Diphtheria and croup (9)	72	6	3	.....	1	4	.....	2	9	20	16	7	4
Influenza (10)	1,415	68	486	592	139	41	25	10	4	11	5	11	23
Tuberculosis of the lungs (28, 29)	1,408	110	109	117	133	138	141	136	116	106	116	81	105
Other forms of tuberculosis (30–35)	83	9	9	9	10	7	7	7	2	2	9	3	9
Meningitis (61)	29	3	4	2	4	5	1	.....	1	2	3	2	2
Bronchitis (89, 90)	61	11	5	9	5	5	1	2	2	4	4	7	6
Pneumonia (92)	960	132	197	184	90	57	30	21	11	23	50	70	95
Bronchopneumonia (91)	180	23	20	14	14	20	4	8	6	12	16	23	20
Diarrhea and enteritis (under 2 years) (104)	641	17	25	18	34	103	120	81	66	75	47	34	21
Diarrhea and enteritis (2 years and over) (105)	124	5	8	3	9	15	19	17	11	11	14	5	7
Puerperal septicemia (137)	89	9	7	7	6	7	8	10	9	10	7	4	5
Other puerperal causes (134–136, 138–141)	280	22	30	32	25	26	25	24	22	19	22	20	13
Congenital debility (151b)	266	18	16	19	16	19	33	31	19	25	25	22	23
Violent deaths (suicide excepted) (164–186)	762	80	60	66	42	65	64	59	46	48	60	78	94
Suicide (155–163)	10	1	1	.....	.....	.....	1	1	.....	2	.....	3	1
All other causes	7,075	536	584	630	574	616	691	603	553	603	578	580	521
TENNESSEE (TOTAL).													
All causes	28,396	2,512	3,795	3,655	2,211	2,086	1,979	2,133	1,993	1,861	2,136	1,953	2,077
Typhoid fever (1)	434	25	16	10	13	16	33	56	66	68	71	41	19
Malaria (4)	183	9	4	9	4	10	12	18	24	34	37	16	6
Measles (6)	250	12	66	87	28	21	14	12	1	2	2	1	4
Scarlet fever (7)	53	7	5	5	5	5	3	2	2	5	4	2	8
Whooping cough (8)	295	12	23	34	22	17	18	32	26	19	32	25	35
Diphtheria ann croup (9)	389	38	34	25	9	6	7	6	17	41	86	69	51
Influenza (10)	2,412	133	936	902	167	66	39	17	14	14	39	33	47
Tuberculosis of the lungs (28, 29)	3,405	295	341	394	325	340	270	287	253	204	214	210	272
Other forms of tuberculosis (30–35)	455	49	29	40	36	40	41	35	46	47	26	32	34
Meningitis (61)	162	24	11	23	15	10	15	15	8	6	8	15	12
Bronchitis (89, 90)	170	17	13	24	20	14	5	10	12	7	20	12	16
Pneumonia (92)	1,756	259	477	368	122	71	37	24	40	34	83	105	136
Bronchopneumonia (91)	994	135	210	175	78	52	22	27	30	39	74	52	100
Diarrhea and enteritis (under 2 years) (104)	719	27	25	20	20	30	86	160	125	103	73	31	19
Diarrhea and enteritis (2 years and over) (105)	333	13	6	8	14	20	49	71	43	40	35	23	11
Puerperal septicemia (137)	178	21	20	21	17	15	11	13	11	9	14	16	10
Other puerperal causes (134–136, 138–141)	300	24	55	49	22	27	27	15	17	20	9	17	18
Congenital debility (151b)	273	26	42	17	16	15	13	22	34	33	24	17	14
Violent deaths (suicide excepted) (164–186)	1,631	141	151	125	123	101	155	134	131	140	143	152	135
Suicide (155–163)	126	12	8	10	15	21	9	8	6	7	4	10	16
All other causes	13,878	1,233	1,323	1,309	1,140	1,189	1,113	1,169	1,092	989	1,138	1,069	1,114
TENNESSEE (WHITE).													
All causes	20,226	1,787	2,736	2,667	1,542	1,448	1,371	1,525	1,387	1,343	1,516	1,410	1,494
Typhoid fever (1)	311	19	10	7	11	13	18	46	40	49	56	26	16
Malaria (4)	104	4	4	4	2	6	5	11	12	12	29	10	5
Measles (6)	234	9	63	82	28	20	12	12	1	2	1	1	3
Scarlet fever (7)	47	6	5	5	5	4	3	1	2	4	4	2	6
Whooping cough (8)	217	11	17	28	19	16	13	26	12	14	19	22	20
Diphtheria and croup (9)	345	30	33	23	7	5	5	6	14	37	79	61	45
Influenza (10)	1,778	90	698	684	120	43	26	9	8	13	32	25	29
Tuberculosis of the lungs (28, 29)	2,138	192	230	251	205	197	163	168	146	133	132	133	158
Other forms of tuberculosis (30–35)	313	32	19	28	25	28	28	24	26	35	18	25	25
Meningitis (61)	138	22	8	21	11	9	12	14	6	6	6	12	11
Bronchitis (89, 90)	104	12	6	17	14	9	3	7	8	3	8	8	9
Pneumonia (92)	1,153	174	304	241	72	43	23	12	23	25	60	77	94
Bronchopneumonia (91)	752	113	153	134	56	33	16	21	23	30	58	38	77
Diarrhea and enteritis (under 2 years) (104)	566	21	19	17	13	18	64	130	101	83	57	23	15
Diarrhea and enteritis (2 years and over) (105)	275	9	5	6	7	18	39	64	37	36	27	21	6
Puerperal septicemia (137)	112	13	15	13	11	13	10	10	3	4	3	11	6
Other puerperal causes (134–136, 138–141)	216	19	41	40	16	16	18	8	10	16	6	13	13
Congenital debility (151b)	213	18	38	13	13	11	8	16	28	21	19	13	12
Violent deaths (suicide excepted) (164–186)	1,102	92	105	81	76	71	111	94	89	94	100	99	90
Suicide (155–163)	115	11	8	9	14	19	9	8	6	6	4	9	12
All other causes	9,993	890	955	963	817	856	735	838	787	717	793	775	812

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
TENNESSEE (COLORED).													
All causes	8,170	725	1,059	988	669	638	608	608	611	518	620	543	583
Typhoid fever (1)	123	6	6	3	2	3	15	10	26	19	15	15	3
Malaria (4)	79	5		5	2	4	7	7	12	22	8	6	1
Measles (6)	16	3	3	5		1	2				1		1
Scarlet fever (7)	6	1				1		1		1			2
Whooping cough (8)	78	1	6	6	3	1	5	6	14	5	13	3	15
Diphtheria and croup (9)	44	8	1	2	2	1	2		3	4	7	8	6
Influenza (10)	634	43	233	218	47	23	13	8	6	1	7	12	18
Tuberculosis of the lungs (28, 29)	1,267	103	111	143	120	143	107	119	107	71	82	77	84
Other forms of tuberculosis (30–35)	142	17	10	12	11	12	13	11	20	12	8	7	9
Meningitis (61)	24	2	3	2	4	1	3	1	2		2	3	1
Bronchitis (89, 90)	66	5	7	7	6	5	2	3	4	4	12	4	7
Pneumonia (92)	603	85	173	127	50	28	14	12	12	9	23	28	42
Bronchopneumonia (91)	242	22	57	41	22	19	6	6	7	9	16	14	23
Diarrhea and enteritis (under 2 years) (104)	153	6	6	3	7	12	22	30	24	20	16	3	4
Diarrhea and enteritis (2 years and over) (105)	58	4	1	2	7	2	10	7	6	4	8	2	5
Puerperal septicemia (137)	66	8	5	8	6	2	1	3	8	5	11	5	4
Other puerperal causes (134–136, 138–141)	84	5	14	9	6	11	9	7	7	4	3	4	5
Congenital debility (151b)	60	8	4	4	3	4	5	6	6	9	5	4	2
Violent deaths (suicide excepted) (164–186)	529	49	46	44	47	30	44	40	42	46	43	53	45
Suicide (155–163)	11	1		1	1	2				1		1	4
All other causes	3,885	343	368	346	323	333	328	331	305	272	340	294	302
UTAH.													
All causes	5,198	490	1,059	469	421	372	316	346	334	310	349	317	415
Typhoid fever (1)	31	1	3	3	2	1	2	1	3	3	7	2	3
Malaria (4)													
Measles (6)	16				1	1	1	1				4	8
Scarlet fever (7)	7	2		2			1			1			1
Whooping cough (8)	112		10	4	8	8	15	14	11	14	11	6	11
Diphtheria and croup (9)	33	2	4	2	2	1	2	7	3	1	3	2	4
Influenza (10)	573	35	456	43	10	9	3	5				4	3
Tuberculosis of the lungs (28, 29)	145	12	23	10	15	14	9	12	10	10	8	11	11
Other forms of tuberculosis (30–35)	32	3	2	5	3	2	2	4	5	1	2	2	1
Meningitis (61)	32	3	4	2	3	3	1	3	2	4	1	3	3
Bronchitis (89, 90)	54	6	10	3	6	3	1	2	2	3	5	3	10
Pneumonia (92)	336	50	134	24	21	23	12	5	7	7	19	13	21
Bronchopneumonia (91)	235	43	43	21	26	26	7	12	4	9	5	13	26
Diarrhea and enteritis (under 2 years) (104)	118	2	4	10	8	3	9	7	12	23	21	13	6
Diarrhea and enteritis (2 years and over) (105)	45	2	3	3	3	1	3	4	4	8	8	3	3
Puerperal septicemia (137)	28	2	4	2	3	1	2	3	3		2	4	2
Other puerperal causes (134–136, 138–141)	84	4	32	4	7	8	5	4	3	5	1	2	9
Congenital debility (151b)	38	1	5	7	1	2	3	1	2	3	8	1	4
Violent deaths (suicide excepted) (164–186)	409	26	28	38	31	35	27	55	51	29	34	26	31
Suicide (155–163)	35	1	4	6	3	2	1	4	1	5	2	2	4
All other causes	2,835	295	292	275	268	229	210	202	211	184	212	203	254
VERMONT.													
All causes	5,536	498	663	684	466	515	407	364	337	399	388	396	414
Typhoid fever (1)	37	2	4		2	2	1	6	2	6	1	7	4
Malaria (4)													
Measles (6)	18	4	1	1	1	3	3	1	1	1	1		1
Scarlet fever (7)	15	1	3		5	1	1	2					2
Whooping cough (8)	27	5	4	4		5		2	1	2	2	1	1
Diphtheria and croup (9)	24	4	1		4		1	4		2	5	1	2
Influenza (10)	297	15	105	124	15	11	8	2	3	1	1	5	7
Tuberculosis of the lungs (28, 29)	236	22	30	26	24	26	15	16	17	10	16	17	17
Other forms of tuberculosis (30–35)	52	3	5	3	5	6	6	5	4	3	1	5	6
Meningitis (61)	35	7	4	4	2	5	4	2		2	1	2	2
Bronchitis (89, 90)	91	10	18	10	11	8	3	1	4	6	7	6	7
Pneumonia (92)	349	50	88	71	25	29	22	6	3	7	17	10	21
Bronchopneumonia (91)	188	23	40	25	22	18	7	10	3	6	6	10	18
Diarrhea and enteritis (under 2 years) (104)	125	3	4	8	8	12	5	5	13	34	20	9	4
Diarrhea and enteritis (2 years and over) (105)	46	2	2	2	3	1	6	2		13	10	2	3
Puerperal septicemia (137)	14		1	3		2	1	2			1		4
Other puerperal causes (134–136, 138–141)	38	2	8	3	4	4	1	1	4	5	2	4	
Congenital debility (151b)	70	13	11	7	8	4	4	5	3	6	2	2	5
Violent deaths (suicide excepted) (164–186)	258	17	17	17	15	21	18	37	31	23	27	20	15
Suicide (155–163)	44	7	1	4	1	7	5	5	4	6	2	1	1
All other causes	3,572	308	321	372	311	350	296	250	244	266	266	294	294
VIRGINIA (TOTAL).													
All causes	30,514	2,828	4,405	3,351	2,368	2,259	2,087	2,227	2,260	2,038	2,176	2,144	2,371
Typhoid fever (1)	260	17	14	6	10	15	13	27	34	49	33	27	15
Malaria (4)	51	1	1	1	1	2	3	8	6	11	9	5	3
Measles (6)	94	4	8	24	11	10	7	8	3	3	3	6	7
Scarlet fever (7)	32	4	4	3	2	1	2	2	1	1	8	2	2
Whooping cough (8)	463	30	54	41	24	27	27	50	38	33	40	51	48
Diphtheria and croup (9)	334	38	31	17	17	16	8	8	4	17	48	78	52
Influenza (10)	2,311	157	1,257	612	125	54	27	10	5	8	13	21	22
Tuberculosis of the lungs (28, 29)	2,994	300	319	320	275	249	218	220	235	210	248	199	201
Other forms of tuberculosis (30–35)	325	24	34	23	25	30	35	31	31	20	25	20	27
Meningitis (61)	177	11	21	16	15	15	8	17	16	17	11	15	15
Bronchitis (89, 90)	214	28	33	21	19	20	11	9	9	6	18	19	21
Pneumonia (92)	1,596	232	480	287	91	67	43	33	32	34	57	99	141
Bronchopneumonia (91)	806	126	158	91	66	43	27	24	23	35	50	80	83
Diarrhea and enteritis (under 2 years) (104)	948	33	26	17	22	37	92	200	205	151	97	53	15
Diarrhea and enteritis (2 years and over) (105)	312	15	23	8	11	16	28	42	61	33	40	18	17
Puerperal septicemia (137)	149	20	19	11	12	15	7	8	6	17	13	4	17
Other puerperal causes (134–136, 138–141)	420	33	91	54	34	29	35	29	22	20	23	25	25
Congenital debility (151b)	444	41	37	57	26	25	32	34	42	39	45	36	30
Violent deaths (suicide excepted) (164–186)	1,756	148	142	142	118	130	145	143	187	127	156	148	170
Suicide (155–163)	128	7	8	16	14	12	14	5	8	10	8	15	11
All other causes	16,700	1,559	1,645	1,594	1,450	1,446	1,305	1,319	1,292	1,197	1,231	1,223	1,449

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION STATES—Continued.													
VIRGINIA (WHITE).													
All causes	18,353	1,730	2,728	2,062	1,390	1,348	1,194	1,259	1,348	1,212	1,347	1,304	1,431
Typhoid fever (1)	157	10	12	4	6	9	7	13	21	28	21	18	8
Malaria (4)	16	.....	1	.....	.....	.....	2	2	2	3	3	2	1
Measles (6)	69	3	8	22	8	6	4	5	.....	2	3	4	4
Scarlet fever (7)	27	3	3	3	1	1	2	2	.....	1	8	1	2
Whooping cough (8)	265	20	43	34	11	12	7	24	20	19	21	33	21
Diphtheria and croup (9)	281	32	27	15	12	15	7	7	3	15	39	68	41
Influenza (10)	1,432	100	802	401	61	22	8	6	2	.....	6	11	13
Tuberculosis of the lungs (28, 29)	1,370	137	156	140	122	115	109	94	101	99	113	90	94
Other forms of tuberculosis (30–35)	175	11	19	11	14	23	23	20	10	8	12	6	18
Meningitis (61)	128	10	16	12	13	8	3	12	13	15	5	10	11
Bronchitis (89, 90)	104	19	20	10	10	9	1	2	4	3	10	7	9
Pneumonia (92)	919	126	283	184	48	38	23	15	14	17	35	56	80
Bronchopneumonia (91)	412	79	76	47	25	21	10	7	12	15	29	42	49
Diarrhea and enteritis (under 2 years) (104)	528	13	12	8	11	15	39	102	132	91	58	39	8
Diarrhea and enteritis (2 years and over (105)	174	6	13	6	5	12	16	22	38	20	22	4	10
Puerperal septicemia (137)	86	11	11	7	6	10	4	4	4	9	8	1	11
Other puerperal causes (134–136, 138–141)	255	23	67	33	17	12	22	15	14	13	14	11	14
Congenital debility (151b)	230	22	17	31	13	12	15	18	22	20	25	19	16
Violent deaths (suicide excepted) (164–186)	1,121	96	82	89	82	85	93	91	127	76	95	102	103
Suicide (155–163)	112	6	7	13	11	12	12	3	7	9	8	14	10
All other causes	10,492	1,003	1,053	992	914	911	787	795	802	749	812	766	908
VIRGINIA (COLORED).													
All causes	12,161	1,098	1,677	1,289	978	911	893	968	912	826	829	840	910
Typhoid fever (1)	103	7	2	2	4	6	6	14	13	21	12	9	7
Malaria (4)	35	1	.....	1	1	2	1	6	4	8	6	3	2
Measles (6)	25	1	.....	2	3	4	3	3	3	1	.....	2	3
Scarlet fever (7)	5	1	1	.....	1	.....	.....	.....	1	.....	.....	1	.....
Whooping cough (8)	198	10	11	7	13	15	20	26	18	14	19	18	27
Diphtheria and croup (9)	53	6	4	2	5	1	1	1	1	2	9	10	11
Influenza (10)	879	57	455	211	64	32	19	4	3	8	7	10	9
Tuberculosis of the lungs (28, 29)	1,624	163	163	180	153	134	109	126	134	111	135	109	157
Other forms of tuberculosis (30–35)	150	13	15	12	11	7	12	11	21	12	13	14	9
Meningitis (61)	49	1	5	4	2	7	5	5	3	2	6	5	4
Bronchitis (89, 90)	110	9	13	11	9	11	10	7	5	3	8	12	12
Pneumonia (92)	677	106	197	103	43	29	20	18	18	17	22	43	61
Bronchopneumonia (91)	394	47	82	44	41	22	17	17	11	20	21	38	34
Diarrhea and enteritis (under 2 years) (104)	420	20	14	9	11	22	53	98	73	60	30	14	7
Diarrhea and enteritis (2 years and over) (105)	138	9	10	2	6	4	12	20	23	13	18	14	7
Puerperal septicemia (137)	63	9	8	4	6	5	3	4	2	8	5	3	6
Other puerperal causes (134–136, 138–141)	165	10	24	21	17	17	13	14	8	7	9	14	11
Congenital debility (151b)	214	19	20	26	13	13	17	16	20	19	20	17	14
Violent deaths (suicide excepted) (164–186)	635	52	60	53	36	45	52	52	60	51	61	46	67
Suicide (155–163)	16	1	1	3	3	.....	2	2	1	1	.....	1	1
All other causes	6,208	556	592	592	536	535	518	524	490	448	419	457	541
WASHINGTON.													
All causes	15,164	1,361	2,370	1,608	1,302	1,237	1,123	1,064	1,045	987	992	1,013	1,032
Typhoid fever (1)	76	3	5	1	6	3	6	5	5	16	11	11	4
Malaria (4)	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	75	3	6	9	13	20	16	3	2	2	1	.....	.....
Scarlet fever (7)	59	6	6	12	14	5	4	2	1	1	3	2	3
Whooping cough (8)	102	6	11	21	19	7	13	5	10	4	.....	1	5
Diphtheria and croup (9)	126	19	14	5	5	13	9	8	6	12	13	12	10
Influenza (10)	1,121	50	743	201	39	34	10	9	8	1	3	13	10
Tuberculosis of the lungs (28, 29)	1,115	106	130	147	97	97	93	76	87	70	72	59	76
Other forms of tuberculosis (30–35)	231	16	12	29	26	22	27	19	11	21	16	16	16
Meningitis (61)	64	5	8	7	5	4	10	7	3	1	6	5	3
Bronchitis (89, 90)	72	14	15	5	9	5	1	2	1	1	9	7	3
Pneumonia (92)	850	94	319	112	67	47	39	24	17	21	31	35	44
Bronchopneumonia (91)	431	51	94	37	40	33	34	23	17	12	24	26	40
Diarrhea and enteritis (under 2 years) (104)	166	16	12	6	6	13	9	19	17	22	15	15	10
Diarrhea and enteritis (2 years and over) (105)	92	12	4	6	6	5	4	5	9	22	10	5	4
Puerperal septicemia (137)	62	4	4	8	7	8	4	6	6	4	5	3	3
Other puerperal causes (134–136, 138–141)	187	10	52	27	11	13	14	10	12	11	6	11	10
Congenital debility (151b)	86	8	14	6	10	8	5	4	8	7	3	3	10
Violent deaths (suicide excepted) (164–186)	1,320	108	75	107	108	113	106	136	150	100	103	120	94
Suicide (155–163)	246	21	18	13	18	22	22	26	14	22	26	17	27
All other causes	8,682	809	827	849	796	765	692	675	661	637	635	682	654
WISCONSIN.													
All causes	29,675	3,007	4,456	2,865	2,451	2,548	2,189	1,955	1,848	1,818	2,121	2,183	2,234
Typhoid fever (1)	65	7	4	2	7	9	2	4	3	6	9	8	4
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	234	8	21	27	24	51	53	24	4	2	6	5	9
Scarlet fever (7)	257	25	34	40	21	32	21	9	7	8	22	14	24
Whooping cough (8)	290	31	44	28	29	25	23	24	20	9	22	25	19
Diphtheria and croup (9)	383	34	22	28	20	19	19	37	28	26	45	52	53
Influenza (10)	1,726	245	1,093	214	53	39	18	8	10	6	5	25	10
Tuberculosis of the lungs (28, 29)	1,958	173	246	179	168	199	182	159	140	141	121	115	135
Other forms of tuberculosis (30–35)	309	31	31	33	37	35	17	29	15	24	21	14	22
Meningitis (61)	137	16	10	15	12	18	14	5	8	8	11	8	12
Bronchitis (89, 90)	374	48	61	37	38	44	26	19	12	13	23	21	32
Pneumonia (92)	1,910	335	619	182	138	133	69	46	28	52	60	115	133
Bronchopneumonia (91)	1,079	174	216	112	93	101	64	30	22	34	51	68	114
Diarrhea and enteritis (under 2 years) (104)	746	48	64	70	62	52	66	39	40	69	112	73	51
Diarrhea and enteritis (2 years and over) (105)	209	14	14	12	11	11	7	9	16	38	43	24	10
Puerperal septicemia (137)	123	14	9	12	9	14	10	9	12	4	10	9	11
Other puerperal causes (134–136, 138–141)	272	40	60	21	21	21	18	27	15	14	11	10	14
Congenital debility (151b)	233	19	23	21	24	22	24	22	18	12	19	14	15
Violent deaths (suicide excepted) (164–186)	1,439	92	67	107	104	147	126	143	147	117	139	144	106
Suicide (155–163)	265	12	12	27	29	30	20	29	17	21	24	21	29
All other causes	17,657	1,641	1,806	1,698	1,551	1,546	1,410	1,283	1,286	1,211	1,367	1,418	1,440

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920.													
BIRMINGHAM, ALA. (TOTAL).													
All causes	2,982	252	425	320	216	212	237	224	224	219	201	222	230
Typhoid fever (1)	27	3	.....	1	.....	2	2	4	1	8	4	2	.....
Malaria (4)	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	.....
Measles (6)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	1
Whooping cough (8)	29	3	3	2	1	4	5	3	1	1	2	4	.....
Diphtheria and croup (9)	12	2	1	.....	.....	1	2	.....	.....	3	3	.....	.....
Influenza (10)	212	13	97	63	17	6	3	2	1	.....	.....	4	6
Tuberculosis of the lungs (28, 29)	254	28	21	22	24	17	22	24	18	15	18	24	21
Other forms of tuberculosis (30–35)	38	2	4	2	3	3	4	4	3	7	.....	3	3
Meningitis (61)	12	.....	2	2	1	2	1	.....	1	3	.....	.....	.....
Bronchitis (89, 90)	13	.....	.....	2	.....	1	1	1	1	.....	4	.....	3
Pneumonia (92)	245	37	84	45	13	8	4	7	3	7	8	11	18
Bronchopneumonia (91)	95	3	25	17	7	5	6	5	6	4	6	5	6
Diarrhea and enteritis (under 2 years) (104)	87	5	4	.....	3	4	21	15	12	10	6	2	5
Diarrhea and enteritis (2 years and over) (105)	19	2	.....	1	.....	3	5	2	.....	3	1	1	1
Puerperal septicemia (137)	18	3	1	1	2	1	3	1	1	.....	2	2	1
Other puerperal causes (134–136, 138–141)	48	3	8	7	6	3	3	3	5	4	2	1	3
Congenital debility (151b)	19	3	2	2	2	1	1	1	3	1	3	.....	.....
Violent deaths (suicide excepted) (164–186)	261	27	22	22	14	19	16	14	20	24	23	26	34
Suicide (155–163)	13	3	.....	1	.....	.....	1	1	2	1	1	.....	3
All other causes	1,568	115	150	129	120	131	137	136	145	128	118	134	125
BIRMINGHAM, ALA. (WHITE).													
All causes	1,361	131	196	147	88	90	115	90	96	99	89	96	124
Typhoid fever (1)	5	1	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	6	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	1
Whooping cough (8)	12	3	2	.....	.....	1	4	.....	.....	.....	2	.....	.....
Diphtheria and croup (9)	11	2	1	.....	.....	.....	2	.....	.....	3	3	.....	.....
Influenza (10)	87	5	40	27	5	1	1	.....	1	.....	.....	3	4
Tuberculosis of the lungs (28, 29)	54	5	7	10	4	1	7	4	3	2	3	2	6
Other forms of tuberculosis (30–35)	19	1	2	1	1	2	1	1	2	3	.....	3	2
Meningitis (61)	10	.....	2	2	1	2	.....	.....	1	2	.....	.....	.....
Bronchitis (89, 90)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2
Pneumonia (92)	96	21	34	16	2	2	2	2	2	4	2	3	6
Bronchopneumonia (91)	37	3	10	4	3	.....	1	1	4	2	5	2	2
Diarrhea and enteritis (under 2 years) (104)	49	3	2	.....	.....	2	13	7	6	8	2	1	5
Diarrhea and enteritis (2 years and over) (105)	7	2	.....	.....	.....	2	.....	.....	.....	1	1	1	.....
Puerperal septicemia (137)	11	2	.....	1	.....	.....	3	1	1	.....	.....	2	1
Other puerperal causes (134–136, 138–141)	29	1	5	5	4	3	2	2	.....	3	1	.....	3
Congenital debility (151b)	7	1	.....	1	1	.....	.....	.....	1	1	2	.....	.....
Violent deaths (suicide excepted) (164–186)	121	14	10	11	4	5	10	6	7	13	15	14	12
Suicide (155–163)	11	3	.....	.....	.....	.....	1	1	2	.....	1	.....	3
All other causes	784	64	88	68	60	68	66	64	65	57	51	64	77
BIRMINGHAM, ALA. (COLORED).													
All causes	1,621	121	229	173	128	122	122	134	128	120	112	126	106
Typhoid fever (1)	22	2	.....	1	.....	2	.....	3	1	8	4	1	.....
Malaria (4)	5	.....	.....	.....	.....	.....	.....	1	1	.....	.....	3	.....
Measles (6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	17	.....	1	2	1	3	1	3	1	1	.....	4	.....
Diphtheria and croup (9)	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	125	8	57	36	12	5	2	2	.....	.....	.....	1	2
Tuberculosis of the lungs (28, 29)	200	23	14	12	20	16	15	20	15	13	15	22	15
Other forms of tuberculosis (30–35)	19	1	2	1	2	1	3	3	1	4	.....	.....	1
Meningitis (61)	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
Bronchitis (89, 90)	9	.....	.....	2	.....	1	1	1	.....	.....	3	.....	1
Pneumonia (92)	149	16	50	29	11	6	2	5	1	3	6	8	12
Bronchopneumonia (91)	58	.....	15	13	4	5	5	4	2	2	1	3	4
Diarrhea and enteritis (under 2 years) (104)	38	2	2	.....	3	2	8	8	6	2	4	1	.....
Diarrhea and enteritis (2 years and over) (105)	12	.....	.....	1	.....	1	5	2	.....	2	.....	.....	1
Puerperal septicemia (137)	7	1	1	.....	2	1	.....	.....	.....	.....	2	.....	.....
Other puerperal causes (134–136, 138–141)	19	2	3	2	2	.....	1	1	5	1	1	1	.....
Congenital debility (151b)	12	2	2	1	1	1	1	1	2	.....	1	.....	.....
Violent deaths (suicide excepted) (164–186)	140	13	12	11	10	14	6	8	13	11	8	12	22
Suicide (155–163)	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
All other causes	784	51	70	61	60	63	71	72	80	71	67	70	48
LOS ANGELES, CALIF. (TOTAL).													
All causes	8,274	754	957	799	632	668	654	624	573	581	606	653	773
Typhoid fever (1)	15	1	1	.....	2	.....	.....	1	4	2	1	1	2
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	36	1	.....	1	3	2	4	13	5	1	2	1	3
Scarlet fever (7)	5	2	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....
Whooping cough (8)	53	5	2	9	8	11	7	4	4	1	2	.....	.....
Diphtheria and croup (9)	72	2	5	5	7	6	4	6	3	6	6	12	10
Influenza (10)	204	14	131	30	8	4	3	6	1	1	2	2	2
Tuberculosis of the lungs (28, 29)	974	78	97	99	85	82	70	79	78	79	66	73	79
Other forms of tuberculosis (30–35)	111	9	7	9	12	7	12	6	11	7	7	8	16
Meningitis (61)	33	4	2	4	3	5	2	1	4	3	3	2	.....
Bronchitis (89, 90)	76	7	12	8	7	9	2	4	3	4	6	9	5
Pneumonia (92)	265	42	72	25	17	15	14	9	10	12	16	12	21
Bronchopneumonia (91)	230	27	51	30	21	17	17	5	5	6	13	13	25
Diarrhea and enteritis (under 2 years) (104)	261	11	15	10	11	27	31	31	34	23	26	21	21
Diarrhea and enteritis (2 years and over) (105)	63	1	4	6	6	4	7	7	4	7	5	7	5
Puerperal septicemia (137)	38	5	2	4	2	2	8	2	1	1	4	4	3
Other puerperal causes (134–136, 138–141)	56	3	4	11	5	4	3	7	5	4	1	3	6
Congenital debility (151b)	36	4	5	4	2	4	5	2	1	2	2	3	2
Violent deaths (suicide excepted) (164–186)	554	50	50	40	40	51	43	46	32	42	48	57	55
Suicide (155–163)	116	4	11	15	7	9	9	12	9	15	10	8	7
All other causes	5,076	484	486	489	384	409	404	383	359	365	386	416	511

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
LOS ANGELES, CALIF. (WHITE).													
All causes	7,735	696	889	752	593	619	609	594	527	543	576	618	719
Typhoid fever (1)	12	1	1		2				4	1		1	2
Malaria (4)													
Measles (6)	35			1	3	2	4	13	5	1	2	1	3
Scarlet fever (7)	5	2			2							1	
Whooping cough (8)	45	2	2	6	8	11	6	4	3	1	2		
Diphtheria and croup (9)	69	2	5	5	7	5	4	6	3	6	6	11	9
Influenza (10)	137	14	122	26	7	3	1	6	1	1	2	2	2
Tuberculosis of the lungs (28, 29)	867	68	83	91	74	73	67	72	73	70	58	67	71
Other forms of tuberculosis (30–35)	98	7	7	9	12	7	11	6	10	7	6	5	11
Meningitis (61)	26	3	1	3	2	4	2	1	4	2	2	2	
Bronchitis (89, 90)	70	7	11	8	7	9	1	4	2	1	5	8	4
Pneumonia (92)	240	40	63	23	16	11	13	8	8	11	15	12	20
Bronchopneumonia (91)	211	24	48	26	17	16	17	5	5	6	12	11	24
Diarrhea and enteritis (under 2 years) (104)	233	8	13	8	10	23	29	27	32	20	25	21	17
Diarrhea and enteritis (2 years and over) (105)	59	1	4	6	6	4	7	7	3	7	4	7	3
Puerperal septicemia (137)	31	4	2	1	2	1	7	2	1	1	3	4	3
Other puerperal causes (134–136, 138–141)	48	2	4	10	4	3	3	7	5	4		2	4
Congenital debility (151b)	29	1	4	3	1	4	5	2	1	2	2	2	2
Violent deaths (suicide excepted) (164–186)	522	47	47	38	38	47	41	45	28	40	47	55	49
Suicide (155–163)	111	4	11	15	6	9	9	11	9	13	10	7	7
All other causes	4,837	459	461	473	369	387	382	368	330	346	375	399	483
LOS ANGELES, CALIF. (COLORED).													
All causes	539	58	68	47	39	40	45	30	46	38	30	35	54
Typhoid fever (1)	3							1		1	1		
Malaria (4)													
Measles (6)	1	1											
Scarlet fever (7)													
Whooping cough (8)	8	3		3		1		1					
Diphtheria and croup (9)	3				1							1	1
Influenza (10)	17		9	4	1	1	2						
Tuberculosis of the lungs (28, 29)	107	10	14	8	11	9	12	7	5	9	8	6	8
Other forms of tuberculosis (30–35)	13	2					1		1		1	3	5
Meningitis (61)	7	1	1	1	1	1				1	1		
Bronchitis (89, 90)	6		1			1			1		1	1	1
Pneumonia (92)	25	2	9	2	1	4	1	1	2	1	1		1
Bronchopneumonia (91)	19	3	3	4	4	1					1	2	1
Diarrhea and enteritis (under 2 years) (104)	28	3	2	2	1	4	2	4	2	3	1		4
Diarrhea and enteritis (2 years and over) (105)	4								1		1		2
Puerperal septicemia (137)	7	1		3		1	1				1		
Other puerperal causes (134–136, 138–141)	8	1		1	1	1					1	1	2
Congenital debility (151b)	7	3	1	1	1							1	
Violent deaths (suicide excepted) (164–186)	32	3	3	2	2	4	2	1	4	2	1	2	6
Suicide (155–163)	5				1			1		2		1	
All other causes	239	25	25	16	15	22	22	15	29	19	11	17	23
OAKLAND, CALIF.													
All causes	2,585	253	396	273	189	205	185	171	171	167	179	184	212
Typhoid fever (1)	13	1	1	1		1		1	2	1	2	1	2
Malaria (4)	2			1				1					
Measles (6)	22	3	11	5	2				1				
Scarlet fever (7)	6	1	1			1					1		2
Whooping cough (8)	11	1	2		2		1	3	1				1
Diphtheria and croup (9)	26	1	4	4	2	3	2	2	2	3	2		1
Influenza (10)	160	19	103	21	5	1	3	2		1	2	1	3
Tuberculosis of the lungs (28, 29)	182	19	18	18	13	20	14	10	15	14	11	11	16
Other forms of tuberculosis (30–35)	37	2	2	8		5	4	3	1	4	2	4	2
Meningitis (61)	13		1	1		4	1		1	1		1	3
Bronchitis (89, 90)	20	1	5	2	1	3	2	1	3				2
Pneumonia (92)	139	24	47	18	3	6	3	2	2	5	5	15	9
Bronchopneumonia (91)	101	17	19	9	6	9	8	1	5	5	7	5	10
Diarrhea and enteritis (under 2 years) (104)	43	4	2	3	1	2	1	9	5	5	4	6	1
Diarrhea and enteritis (2 years and over) (105)	13		4		1	1		2	1	1		2	1
Puerperal septicemia (137)	6		2	1			1		1			1	
Other puerperal causes (134–135, 138–141)	22	1	3	6		2	1	4		1		2	2
Congenital debility (151b)	15	1			1	1	2	4	2	1	2	1	
Violent deaths (suicide excepted) (164–186)	127	11	13	6	10	12	10	15	11	13	10	6	10
Suicide (155–163)	42	4	4	6	2	4	4	3	4	3	2	5	1
All other causes	1,585	143	154	163	140	130	128	108	114	109	126	123	147
SAN FRANCISCO, CALIF.													
All causes	7,259	793	1,003	713	560	573	498	523	481	497	513	519	586
Typhoid fever (1)	15	3		4				1	1	3	3		
Malaria (4)	4		2							1	1		
Measles (6)	30	14	8	3	3	1					1		
Scarlet fever (7)	9	1	2	2	3		1						
Whooping cough (8)	30	1	3	1	2	4	2	2	3	5	4	2	1
Diphtheria and croup (9)	91	3	9	9	6	11	9	2	1	9	8	17	7
Influenza (10)	387	51	256	46	8	5	4	3			3	4	7
Tuberculosis of the lungs (28, 29)	579	56	54	57	58	52	39	47	39	45	37	45	50
Other forms of tuberculosis (30–35)	103	12	8	13	11	13	7	9	6	5	8	7	4
Meningitis (61)	53	5	9	3	12	2	4	1	2	3	3	2	7
Bronchitis (89, 90)	51	6	8	6	3	4	6		2	2	2	2	10
Pneumonia (92)	333	67	112	34	16	19	15	15	12	19	13	21	20
Bronchopneumonia (91)	250	42	50	37	18	16	7	12	14	8	13	11	22
Diarrhea and enteritis (under 2 years) (104)	76	7	6	5	7	3	8	7	7	9	6	4	7
Diarrhea and enteritis (2 years and over) (105)	53	6	7	6	2	1	3	5	6	1	4	7	5
Puerperal septicemia (137)	27	5	1	2	5		2	2	1	2	2	3	3
Other puerperal causes (134–136, 138–141)	57	10	5	4	2	1	7	3	8	6	5	3	3
Congenital debility (151b)	15	1	2	1		2	2	4		3			
Violent deaths (suicide excepted) (164–186)	438	43	29	42	26	36	30	30	45	33	49	28	47
Suicide (155–163)	131	11	16	17	6	11	4	10	13	13	15	8	7
All other causes	4,497	449	416	421	372	392	318	370	321	330	336	385	387

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
DENVER, COLO.													
All causes	4,494	458	748	351	371	330	262	279	315	332	301	320	417
Typhoid fever (1)	14	.....	1	.....	.....	.....	1	2	3	4	1	.....	2
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Measles (6)	25	1	2	2	2	6	8	2	1	1	.....	.....	.....
Scarlet fever (7)	7	2	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
Whooping cough (8)	51	6	9	4	3	7	6	9	4	2	.....	.....	1
Diphtheria and croup (9)	60	6	2	4	6	4	.....	3	4	5	11	6	9
Influenza (10)	218	36	146	14	2	1	1	.....	1	2	4	3	8
Tuberculosis of the lungs (28, 29)	766	83	117	65	62	59	51	40	65	60	53	47	64
Other forms of tuberculosis (30–35)	57	5	2	5	8	4	3	7	5	9	3	2	4
Meningitis (61)	9	2	.....	1	.....	.....	.....	2	1	1	.....	.....	2
Bronchitis (89, 90)	30	4	6	3	4	2	3	2	1	.....	1	2	2
Pneumonia (92)	461	73	141	33	21	19	12	12	12	15	21	42	60
Bronchopneumonia (91)	222	32	72	12	22	14	7	8	6	11	8	11	19
Diarrhea and enteritis (under 2 years) (104)	57	3	3	2	4	2	3	2	13	14	7	2	2
Diarrhea and enteritis (2 years and over) (105)	14	.....	1	.....	1	1	2	1	1	4	1	2	.....
Puerperal septicemia (137)	25	2	2	4	1	1	1	4	2	.....	2	3	3
Other puerperal causes (134–136, 138–141)	32	1	9	2	6	.....	4	2	.....	2	2	2	2
Congenital debility (151b)	23	1	1	4	1	.....	1	2	.....	4	.....	5	4
Violent deaths (suicide excepted) (164–186)	211	8	14	13	17	19	10	24	20	26	28	11	21
Suicide (155–163)	54	5	9	2	7	2	3	4	3	7	2	5	5
All other causes	2,147	188	210	181	203	187	146	152	172	165	157	177	209
BRIDGEPORT, CONN.													
All causes	1,872	180	304	165	153	153	124	119	132	110	144	138	150
Typhoid fever (1)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	11	4	2	.....	1	1	1	1	.....	.....	.....	1	.....
Scarlet fever (7)	7	.....	.....	1	2	2	1	.....	.....	.....	1	.....	.....
Whooping cough (8)	24	.....	.....	1	1	2	.....	4	8	4	2	2	.....
Diphtheria and croup (9)	44	8	10	2	6	2	2	1	.....	.....	2	5	6
Influenza (10)	118	8	86	13	5	2	2	.....	.....	.....	.....	1	1
Tuberculosis of the lungs (28,29)	124	13	7	14	11	12	9	11	9	11	12	7	8
Other forms of tuberculosis (30-35)	29	2	4	.....	4	3	2	2	1	2	5	2	2
Meningitis (61)	17	1	2	3	2	4	1	1	2	.....	.....	1	.....
Bronchitis (89, 90)	13	1	3	1	2	2	1	1	.....	.....	1	.....	1
Pneumonia (92)	122	17	45	11	10	4	4	2	8	4	3	9	5
Bronchopneumonia (91)	111	13	26	10	6	10	10	5	4	2	6	9	10
Diarrhea and enteritis (under 2 years) (104)	37	4	4	6	3	5	4	8	21	13	13	3	3
Diarrhea and enteritis (2 years and over) (105)	11	.....	.....	.....	1	1	.....	.....	2	2	1	1	3
Puerperal septicemia (137)	10	2	.....	.....	2	1	1	.....	1	1	.....	1	1
Other puerperal causes (134–136, 138–141)	20	4	5	2	1	1	.....	3	1	.....	1	1	1
Congenital debility (151b)	15	2	1	3	1	.....	.....	.....	.....	1	3	2	2
Violent deaths (suicide excepted) (164–186)	117	5	6	6	6	8	12	15	9	12	18	11	9
Suicide (155–163)	20	3	1	1	1	4	2	2	3	.....	.....	3	.....
All other causes	969	93	102	91	88	89	72	63	62	58	75	78	98
HARTFORD, CONN.													
All causes	2,296	175	350	178	204	182	175	146	184	190	159	177	176
Typhoid fever (1)	10	.....	.....	.....	1	.....	1	.....	1	4	1	1	1
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	6	.....	.....	.....	1	3	.....	1	.....	1	.....	.....	.....
Scarlet fever(7)	4	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
Whooping cough (8)	12	.....	4	.....	.....	2	1	.....	1	2	.....	1	1
Diphtheria and croup (9)	28	2	5	1	4	3	1	.....	1	2	1	5	3
Influenza (10)	74	2	54	5	3	4	.....	1	1	.....	1	2	1
Tuberculosis of the lungs (28, 29)	108	9	11	9	14	10	13	6	6	9	5	10	6
Other forms of tuberculosis (30–35)	33	1	6	4	1	3	6	1	1	2	4	1	3
Meningitis (61)	12	1	.....	2	2	1	3	1	.....	.....	.....	2	.....
Bronchitis (89, 90)	18	2	3	.....	1	2	.....	2	2	1	1	3	1
Pneumonia (92)	186	26	78	11	15	7	8	2	5	5	2	9	18
Bronchopneumonia (91)	121	14	28	8	10	17	14	2	.....	8	6	7	7
Diarrhea and enteritis (under 2 years) (104)	90	1	5	2	3	6	2	8	26	15	16	3	3
Diarrhea and enteritis (2 years and over) (105)	13	1	.....	1	1	.....	1	5	2	1	1	.....	.....
Puerperal septicemia (137)	16	1	3	2	1	3	1	1	.....	1	2	1	.....
Other puerperal causes (134-136, 138-141)	28	2	9	2	3	.....	4	1	3	2	1	1	.....
Congenital debility (151b)	16	.....	2	.....	.....	.....	1	2	1	2	4	1	3
Violent deaths (suicide excepted) (164–186)	155	9	8	9	7	9	18	16	17	21	9	16	16
Suicide (155–163)	16	1	1	2	2	1	.....	.....	1	4	1	1	2
All other causes	1,350	102	132	119	135	111	100	97	116	110	104	113	111
NEW HAVEN, CONN.													
All causes	2,375	216	408	240	219	192	152	162	154	138	146	158	190
Typhoid fever (1)	11	.....	.....	.....	.....	1	1	.....	1	3	1	3	1
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	34	8	11	3	8	1	.....	2	1	.....	.....	.....	.....
Scarlet fever (7)	7	.....	2	.....	1	2	.....	.....	.....	1	1	.....	.....
Whooping cough (8)	30	1	5	2	3	4	1	2	2	1	3	4	2
Diphtheria and croup (9)	19	5	4	.....	2	2	1	2	.....	.....	1	.....	2
Influenza (10)	149	10	104	18	13	1	.....	1	.....	.....	.....	1	1
Tuberculosis of the lungs (28, 29)	110	11	13	11	11	8	10	8	7	6	8	9	8
Other forms of tuberculosis (30–35)	35	2	4	3	3	2	5	4	1	1	4	4	2
Meningitis (61)	21	.....	5	2	.....	6	.....	.....	4	1	2	1	.....
Bronchitis (89, 90)	26	4	4	2	5	3	.....	.....	3	.....	1	2	2
Pneumonia (92)	184	25	55	26	17	10	12	4	1	2	1	14	17
Bronchopneumonia (91)	111	12	22	18	10	8	10	4	3	4	2	8	10
Diarrhea and enteritis (under 2 years) (104)	82	1	.....	5	3	6	1	24	20	11	7	4	.....
Diarrhea and enteritis (2 years and over) (105)	11	.....	.....	.....	2	1	3	.....	1	2	.....	2	.....
Puerperal septicemia (137)	11	2	.....	3	.....	3	1	.....	1	1	.....	.....	.....
Other puerperal causes (134-136, 138-141)	11	.....	6	.....	.....	.....	.....	1	.....	4	.....	.....	.....
Congenital debility (151b)	10	.....	1	1	1	1	1	1	.....	.....	1	1	3
Violent deaths (suicide excepted) (164–186)	146	11	13	18	14	10	12	10	10	15	10	8	15
Suicide (155–163)	18	2	1	2	1	1	.....	4	2	2	1	1	1
All other causes	1,349	122	158	126	126	122	94	95	97	84	103	96	126

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
WILMINGTON, DEL.													
All causes	1,563	150	202	148	128	136	108	109	118	113	104	120	127
Typhoid fever (1)	16	1	1		4		1	1	3	3		1	1
Malaria (4)													
Measles (6)	14	1		4	3	6							
Scarlet fever (7)	27		2	1		5	7	3	1		4	3	1
Whooping cough (8)	6			2			1		1	1			1
Diphtheria and croup (9)	16	2		1	3	2			1	2	4		1
Influenza (10)	25		17	3	2								3
Tuberculosis of the lungs (28, 29)	103	7	12	10	15	8	6	2	8	8	10	8	9
Other forms of tuberculosis (30–35)	20	2	2	1	1	2	2	2	2	1	3	1	1
Meningitis (61)	9		2	1	1			1	2				2
Bronchitis (89, 90)	18	3	2		2	1	1	2	1		2	2	2
Pneumonia (92)	154	20	52	26	8	14	6		1	4	2	3	18
Bronchopneumonia (91)	83	6	18	8	6	7	4	5	3	7	5	4	10
Diarrhea and enteritis (under 2 years) (104)	87	4	4	3	2	1	8	18	24	9	7	4	3
Diarrhea and enteritis (2 years and over) (105)	10	1		1		1		2	1		2	1	1
Puerperal septicemia (137)	13	1		2		2	2		1	2		2	1
Other puerperal causes (134–136, 138–141)	12	1	2		2	1		2	2			2	
Congenital debility (151b)	20	1		1	3	2	2	2	1	1	3	2	2
Violent deaths (suicide excepted) (164–186)	92	7	4	6	6	14	4	5	13	14	4	8	7
Suicide (155–163)	11		1	1	1	1	1	2	2		1		1
All other causes	827	93	83	77	69	69	63	62	51	61	57	79	63
WASHINGTON, D. C. (TOTAL).													
All causes	6,463	883	864	598	512	474	439	429	386	409	432	496	541
Typhoid fever (1)	29		1	1		1	1	4	3	6	5	4	3
Malaria (4)	1										1		
Measles (6)	3				1	2							
Scarlet fever (7)	9	4	1		1	1					1		1
Whooping cough (8)	18		1	2	1		2	3	5	1	2		1
Diphtheria and croup (9)	63	12	4	4	5	6	3		1	4	5	6	13
Influenza (10)	219	79	94	14	6	7	3		1		1	1	13
Tuberculosis of the lungs (28, 29)	524	54	49	44	54	58	37	32	36	45	31	43	41
Other forms of tuberculosis (30–35)	67	4	5	4	9	7	10	2	3	4	8	6	5
Meningitis (61)	26	1	4	4	5	1	2	4	2				3
Bronchitis (89, 90)	66	10	12	6	4	4	3	5	3	2	2	10	5
Pneumonia (92)	444	146	138	36	22	10	17	9	2	6	13	19	26
Bronchopneumonia (91)	374	81	83	33	30	19	14	14	15	19	18	20	28
Diarrhea and enteritis (under 2 years) (104)	144	3	4	3	12	7	7	38	26	16	15	9	4
Diarrhea and enteritis (2 years and over) (105)	60	7	4	3	3	6	6	5	13	3	4	3	3
Puerperal septicemia (137)	25		5	1	2	3	1	1	4	1	4	3	
Other puerperal causes (134–136, 138–141)	53	7	9	5	3	2	5	1	2	5	4	7	3
Congenital debility (151b)	54	2	3	3	5	7	4	6	7	5	6	2	4
Violent deaths (suicide excepted) (164–186)	348	49	25	39	23	21	29	34	19	25	23	29	32
Suicide (155–163)	43	3	4	7	3	2	3	1	5	3	4	4	4
All other causes	3,893	421	418	389	323	310	292	270	239	263	286	330	352
WASHINGTON, D. C. (WHITE).													
All causes	4,163	563	582	393	312	308	289	269	241	249	279	321	357
Typhoid fever (1)	18		1				1	3	3	4	3	2	1
Malaria (4)													
Measles (6)	3				1	2							
Scarlet fever (7)	8	4	1		1	1							1
Whooping cough (8)	12			1	1		2	2	3	1	1		1
Diphtheria and croup (9)	49	6	4	2	4	5	2		1	2	5	6	12
Influenza (10)	159	60	67	9	5	4	1		1		1		11
Tuberculosis of the lungs (28, 29)	250	29	23	23	28	31	23	13	17	16	12	15	20
Other forms of tuberculosis (30–35)	32	3	1	3	2	4	4	2	1	2	3	5	2
Meningitis (61)	22	1	3	3	4	1	2	3	2				3
Bronchitis (89, 90)	36	8	4	1	2	3	1	4	1	1	2	7	2
Pneumonia (92)	227	76	81	10	12	5	10	5	1	1	8	5	13
Bronchopneumonia (91)	198	42	53	18	18	9	5	6	8	7	9	7	16
Diarrhea and enteritis (under 2 years) (104)	75	2	3	2	10	5	5	16	8	7	9	5	3
Diarrhea and enteritis (2 years and over) (105)	33	5	4	2	2	2	4	2	7	3	1	1	
Puerperal septicemia (137)	12		2		1	3		1	2		1	2	
Other puerperal causes (134–136, 138–141)	30	4	4	4		2	3		1	4	1	6	1
Congenital debility (151b)	29	2	3	3	1	4		3	5	2	3	2	1
Violent deaths (suicide excepted) (164–186)	241	31	18	30	13	14	21	23	15	19	14	21	22
Suicide (155–163)	37	3	2	4	3	1	3	1	5	3	4	4	4
All other causes	2,692	287	308	278	204	212	202	185	160	177	202	233	244
WASHINGTON, D. C. (COLORED).													
All causes	2,300	320	282	205	200	166	150	160	145	160	153	175	184
Typhoid fever (1)	11			1		1		1		2	2	2	2
Malaria (4)	1										1		
Measles (6)													
Scarlet fever (7)	1									1			
Whooping cough (8)	6		1	1				1	2		1		
Diphtheria and croup (9)	14	6		2	1	1	1			2			1
Influenza (10)	60	19	27	5	1	3	2					1	2
Tuberculosis of the lungs (28, 29)	274	25	26	21	26	27	14	19	19	29	19	28	21
Other forms of tuberculosis (30–35)	35	1	4	1	7	3	6		2	2	5	1	3
Meningitis (61)	4		1	1	1			1					
Bronchitis (89, 90)	30	2	8	5	2	1	2	1	2	1		3	3
Pneumonia (92)	217	70	57	26	10	5	7	4	1	5	5	14	13
Bronchopneumonia (91)	176	39	30	15	12	10	9	8	7	12	9	13	12
Diarrhea and enteritis (under 2 years) (104)	69	1	1	1	2	2	2	22	18	9	6	4	1
Diarrhea and enteritis (2 years and over) (105)	27	2		1	1	4	2	3	6		3	2	3
Puerperal septicemia (137)	13		3	1	1		1		2	1	3	1	
Other puerperal causes (134–136, 138–141)	23	3	5	1	3		2	1	1	1	3	1	2
Congential debility (151b)	25				4	3	4	3	2	3	3		3
Violent deaths (suicide excepted) (164–186)	107	18	7	9	10	7	8	11	4	6	9	8	10
Suicide (155–163)	6		2	3		1							
All other causes	1,201	134	110	111	119	98	90	85	79	86	84	97	108

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
ATLANTA, GA. (TOTAL).													
All causes	3,485	284	537	335	242	267	277	248	236	255	267	271	266
Typhoid fever (1)	28	2		1			2	1	5	8	3	4	2
Malaria (4)	6				1			1	1	1		2	
Measles (6)	19	1		2	6	4	1	1	2		1	1	
Scarlet fever (7)	6		1								2	1	2
Whooping cough (8)	58	5	11	2	4	6	11	9	2	2	1	4	1
Diphtheria and croup (9)	23	4	1	1	1				2	3	2	4	5
Influenza (10)	243	10	166	37	7	4	3	3	2		3	4	4
Tuberculosis of the lungs (28, 29)	194	13	23	12	16	21	17	16	12	14	16	21	13
Other forms of tuberculosis (30-35)	26	3	4	2	5	5	1		1	1	2	1	1
Meningitis (61)	16	2	1		4	1	2			5		1	
Bronchitis (89,90)	32	1	4	6	2	2	2	2	2	4	4	2	1
Pneumonia (92)	247	26	76	34	14	15	9	9	6	6	10	20	22
Bronchopneumonia (91)	142	25	25	23	7	6	4	6	8	9	10	9	10
Diarrhea and enteritis (under 2 years) (104)	90	4	2	2	3	7	16	14	8	16	10	3	5
Diarrhea and enteritis (2 years and over) (105)	38		4	2	2	2	8	4	4	2	5	3	2
Puerperal septicemia (137)	32	3	5	4	4	2		5	3	1	1	2	2
Other puerperal causes (134-136, 138-141)	45	2	6	7	2	4	3	6	2	3	2	4	4
Congenital debility (151b)	29	2	5	1	1	3		4	2	3	7	1	
Violent deaths (suicide excepted) (164-186)	289	29	29	22	14	18	18	28	30	25	26	27	23
Suicide (155-163)	21	3	2	1		1	2	2		2	2	4	2
All other causes	1,901	149	172	176	149	166	178	137	144	150	160	153	167
ATLANTA, GA. (WHITE).													
All causes	2,028	165	322	201	146	133	170	132	134	156	149	164	156
Typhoid fever (1)	23	2		1			2		4	6	2	4	2
Malaria (4)	5							1	1	1		2	
Measles (6)	12	1		2	6	1			1			1	
Scarlet fever (7)	6		1								2	1	2
Whooping cough (8)	45	2	10	2	2	5	8	7	2	1	1	4	1
Diphtheria and croup (9)	18	4	1		1				2	2	2	4	2
Influenza (10)	152	5	114	25	1		2				1	3	1
Tuberculosis of the lungs (28, 29)	101	6	11	7	8	12	8	6	8	9	10	11	5
Other forms of tuberculosis (30-35)	17	1	4	1	2	4	1			1	2	1	
Meningitis (61)	11	2			2	1	2			3		1	
Bronchitis (89, 90)	10	1	1	2		1					3	1	1
Pneumonia (92)	96	10	33	14	7	4	3	2	3	1	1	7	11
Bronchopneumonia (91)	63	10	14	8	2	3	3	1	3	6	3	5	5
Diarrhea and enteritis (under 2 years) (104)	56	3	1	2	2	4	10	8	4	10	6	2	4
Diarrhea and enteritis (2 years and over) (105)	8		1	1			1	1		1	1	2	
Puerperal septicemia (137)	20	2	3	4	3			1	3	1		2	1
Other puerperal causes (134-136, 138-141)	30	2	6	7	1	2	2	2	1	2	2	2	1
Congenital debility (151b)	18	2	3	1	1	1		4	1		5		
Violent deaths (suicide excepted) (164-186)	156	13	15	11	7	9	9	12	20	15	16	16	13
Suicide (155-163)	20	3	2	1		1	2	2		2	1	4	2
All other causes	1,161	96	102	112	101	85	117	85	81	95	91	91	105
ATLANTA, GA. (COLORED).													
All causes	1,457	119	215	134	96	134	107	116	102	99	118	107	110
Typhoid fever (1)	5							1	1	2	1		
Malaria (4)	1				1								
Measles (6)	7					3	1	1	1		1		
Scarlet fever (7)													
Whooping cough (8)	13	3	1		2	1	3	2		1			
Diphtheria and croup (9)	5			1						1			3
Influenza (10)	91	5	52	12	6	4	1	3	2		2	1	3
Tuberculosis of the lungs (28, 29)	93	7	12	5	8	9	9	10	4	5	6	10	8
Other forms of tuberculosis (30-35)	9	2		1	3	1			1				1
Meningitis (61)	5		1		2					2			
Bronchitis (89, 90)	22		3	4	2	1	2	2	2	4	1	1	
Pneumonia (92)	151	16	43	20	7	11	6	7	3	5	9	13	11
Bronchopneumonia (91)	79	15	11	15	5	3	1	5	5	3	7	4	5
Diarrhea and enteritis (under 2 years) (104)	34	1	1		1	3	6	6	4	6	4	1	1
Diarrhea and enteritis (2 years and over) (105)	30		3	1	2	2	7	3	4	1	4	1	2
Puerperal septicemia (137)	12	1	2		1	2		4			1		1
Other puerperal causes (134-136,138-141)	15				1	2	1	4	1	1		2	3
Congenital debility (151b)	11		2			2			1	3	2	1	
Violent deaths (suicide excepted) (164-186)	133	16	14	11	7	9	9	16	10	10	10	11	10
Suicide (155-163)	1										1		
All other causes	740	53	70	64	48	81	61	52	63	55	69	62	62
CHICAGO, ILL. (TOTAL).													
All causes	34,848	5,435	4,471	3,264	2,884	2,749	2,320	2,081	2,188	2,182	2,251	2,474	2,549
Typhoid fever (1)	31	3	1	2		3	1	3	3	4	5	4	2
Malaria (4)	6				1	1					3	1	
Measles (6)	96	12	14	8	7	7	11	8	2	1	3	10	13
Scarlet fever (7)	191	25	30	34	14	16	15	3	2	9	10	16	17
Whooping cough (8)	157	23	26	22	11	17	10	13	11	5	5	8	6
Diphtheria and croup (9)	629	70	53	43	56	48	33	28	27	33	58	86	94
Influenza (10)	1,725	887	646	104	25	13	5	1	3	4	11	11	15
Tuberculosis of the lungs (28, 29)	2,332	254	233	255	207	218	188	176	173	180	131	154	163
Other forms of tuberculosis (30-35)	326	29	24	33	27	32	37	35	25	18	26	22	18
Meningitis (61)	101	11	13	12	10	7	4	12	6	6	8	6	6
Bronchitis (89, 90)	471	96	83	61	55	38	28	11	11	16	17	29	26
Pneumonia (92)	2,591	919	514	218	184	167	75	52	50	52	68	135	157
Bronchopneumonia (91)	1,792	448	373	183	198	159	72	33	35	40	54	80	117
Diarrhea and enteritis (under 2 years) (104)	2,316	217	211	207	223	182	133	130	256	279	229	122	127
Diarrhea and enteritis (2 years and over) (105)	239	24	28	17	13	15	12	18	22	24	26	25	15
Puerperal septicemia (137)	178	14	14	15	27	12	9	17	14	13	10	15	18
Other puerperal causes (134-136, 138-141)	256	70	48	17	13	12	24	10	13	11	19	5	14
Congenital debility (151b)	105	13	10	11	10	10	4	5	6	10	11	4	11
Violent deaths (suicide excepted) (164-186)	2,198	146	150	178	161	188	185	203	196	187	201	207	196
Suicide (155-163)	365	30	22	34	33	34	28	28	26	38	30	31	31
All other causes	18,743	2,144	1,978	1,810	1,609	1,570	1,446	1,295	1,307	1,252	1,326	1,503	1,503

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
CHICAGO, ILL. (WHITE).													
All causes	32,549	5,054	4,217	3,025	2,698	2,581	2,145	1,937	2,034	2,047	2,123	2,330	2,858
Typhoid fever (1)	30	3	1	2	.....	3	1	2	3	4	5	4	2
Malaria (4)	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	3	1
Measles (6)	93	12	14	7	7	7	10	7	2	1	3	10	13
Scarlet fever (7)	189	25	20	33	14	16	15	3	2	9	10	16	17
Whooping cough (8)	128	19	20	20	8	15	8	10	7	5	5	7	4
Diphtheria and croup (9)	613	69	52	43	54	47	33	26	27	31	56	82	93
Influenza (10)	1,558	800	592	90	24	11	5	1	1	4	9	11	10
Tuberculosis of the lungs (28, 29)	2,023	228	210	221	178	193	163	143	152	162	108	132	133
Other forms of tuberculosis (30–35)	264	22	21	31	24	26	23	26	20	15	23	17	16
Meningitis (61)	94	11	11	11	9	7	4	12	6	6	6	5	6
Bronchitis (89, 90)	448	90	77	59	51	37	27	11	9	16	16	29	26
Pneumonia (92)	2,372	834	486	195	165	155	68	48	44	49	59	121	148
Bronchopneumonia (91)	1,606	405	347	154	178	145	58	23	33	34	51	73	105
Diarrhea and enteritis (under 2 years) (104)	2,253	210	208	200	216	178	133	125	252	267	222	118	121
Diarrhea and enteritis (2 years and over) (105)	228	23	26	15	12	14	12	18	22	23	25	24	14
Puerperal septicemia (137)	163	12	14	13	24	12	9	14	13	12	9	15	16
Other puerperal causes (134–136, 138–141)	244	67	46	17	12	11	24	9	13	10	17	5	13
Congenital debility (151b)	98	13	10	11	10	9	4	4	5	10	11	3	8
Violent deaths (suicide excepted) (164–186)	2,047	136	137	165	148	176	175	196	178	174	103	191	175
Suicide (155–163)	353	30	22	33	30	34	27	28	24	36	30	29	30
All other causes	17,740	2,045	1,894	1,705	1,534	1,484	1,346	1,231	1,221	1,179	1,262	1,434	1,405
CHICAGO, ILL. (COLORED).													
All causes	2,299	381	254	239	186	168	175	144	154	135	123	144	191
Typhoid fever (1)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	3	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
Scarlet fever (7)	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	20	4	6	2	3	2	2	3	4	.....	.....	1	2
Diphtheria and croup (9)	16	1	1	.....	2	1	.....	2	.....	2	2	4	1
Influenza (10)	167	87	54	14	1	2	.....	.....	2	.....	2	.....	5
Tuberculosis of the lungs (28, 29)	309	26	23	34	29	25	25	33	21	18	23	22	30
Other forms of tuberculosis (30–35)	62	7	3	2	3	6	14	9	5	3	3	5	2
Meningitis (61)	7	.....	2	1	1	.....	.....	.....	.....	.....	2	1	.....
Bronchitis (89, 90)	23	6	6	2	4	1	1	.....	2	.....	1	.....	.....
Pneumonia (92)	219	85	28	23	19	12	7	4	6	3	9	14	9
Bronchopneumonia (91)	186	43	26	29	20	14	14	10	2	6	3	7	12
Diarrhea and enteritis (under 2 years) (104)	63	7	3	7	7	4	.....	5	4	12	7	4	3
Diarrhea and enteritis (2 years and over) (105)	11	1	2	2	1	1	.....	.....	.....	1	1	1	1
Puerperal septicemia (137)	15	2	.....	2	3	.....	.....	3	1	1	1	.....	2
Other puerperal causes (134–136, 138–141)	12	3	2	.....	1	1	.....	1	.....	1	2	.....	1
Congenital debility (151b)	7	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	3
Violent deaths (suicide excepted) (164–186)	151	10	13	13	13	12	10	7	18	13	8	13	21
Suicide (155–163)	12	.....	.....	1	3	.....	1	.....	2	2	.....	2	1
All other causes	1,003	99	84	105	75	86	100	64	86	73	64	69	98
INDIANAPOLIS, IND. (TOTAL).													
All causes	4,636	442	685	429	386	423	340	336	299	346	301	318	331
Typhoid fever (1)	18	2	3	3	.....	.....	1	1	2	.....	2	2	2
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	28	.....	1	2	5	14	6	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	13	.....	3	2	1	3	.....	.....	.....	.....	.....	3	1
Whooping cough (8)	28	1	4	2	2	2	5	4	.....	2	.....	.....	4
Diphtheria and croup (9)	27	4	.....	3	2	4	2	1	1	1	3	3	3
Influenza (10)	198	18	119	32	15	4	1	1	2	.....	1	2	3
Tuberculosis of the lungs (28, 29)	349	26	32	27	39	44	30	30	24	25	18	26	24
Other forms of tuberculosis (30–35)	66	3	5	4	5	10	7	6	4	9	3	6	4
Meningitis (61)	21	1	1	3	1	4	3	1	.....	1	2	2	2
Bronchitis (89, 90)	39	5	8	4	3	3	5	1	1	2	3	.....	4
Pneumonia (92)	312	44	125	30	27	25	15	7	4	5	7	9	14
Bronchopneumonia (91)	256	38	65	36	15	30	14	10	2	5	8	14	19
Diarrhea and enteritis (under 2 years) (104)	168	12	12	5	3	7	10	20	33	30	22	11	3
Diarrhea and enteritis (2 years and over) (105)	36	2	3	3	1	.....	1	6	8	6	3	2	1
Puerperal septicemia (137)	36	4	3	5	4	3	3	1	5	1	.....	4	3
Other puerperal causes (134–136, 138–141)	30	.....	7	2	6	3	.....	2	3	1	1	1	4
Congenital debility (151b)	19	.....	4	1	1	2	1	2	1	2	3	2	.....
Violent deaths (suicide excepted) (164–186)	223	15	15	20	20	20	20	18	29	14	17	16	19
Suicide (155–163)	50	4	3	5	9	4	3	5	2	3	7	2	3
All other causes	2,718	263	272	240	227	241	216	219	174	240	199	213	214
INDIANAPOLIS, IND. (WHITE).													
All causes	3,894	372	580	370	325	364	286	275	238	291	259	260	274
Typhoid fever (1)	12	1	2	1	.....	.....	1	1	2	.....	1	1	2
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	25	.....	1	2	5	13	4	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	13	.....	3	2	1	3	.....	.....	.....	.....	.....	3	1
Whooping cough (8)	22	1	4	2	2	2	1	4	1	.....	2	.....	3
Diphtheria and croup (9)	27	4	.....	3	2	4	2	1	1	1	3	3	3
Influenza (10)	170	13	98	32	13	4	1	1	2	.....	1	2	3
Tuberculosis of the lungs (28, 29)	237	20	24	17	30	31	19	22	16	11	11	18	18
Other forms of tuberculosis (30–35)	51	3	5	3	4	8	6	4	2	7	1	5	3
Meningitis (61)	18	.....	1	2	1	3	3	1	.....	1	2	2	2
Bronchitis (89, 90)	27	2	8	3	2	2	3	1	.....	2	1	.....	3
Pneumonia (92)	244	39	101	21	18	18	12	3	2	5	7	8	10
Bronchopneumonia (91)	202	32	51	31	10	27	10	5	1	5	6	11	13
Diarrhea and enteritis (under 2 years) (104)	145	11	11	5	3	7	6	17	28	26	21	8	2
Diarrhea and enteritis (2 years and over) (105)	26	2	3	3	1	.....	1	3	5	4	2	1	1
Puerperal septicemia (137)	28	4	3	4	4	2	2	.....	2	1	.....	4	2
Other puerperal causes (134–136, 138–141)	25	.....	6	1	6	3	.....	2	1	1	1	1	3
Congenital debility (151b)	16	.....	3	1	1	1	1	2	1	2	2	2	.....
Violent deaths (suicide excepted) (164–186)	184	10	11	14	16	17	18	15	24	13	15	14	17
Suicide (155–163)	49	4	3	5	9	4	3	4	2	3	7	2	3
All other causes	2,373	226	242	218	197	215	193	189	148	209	176	175	185

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
INDIANAPOLIS, IND. (COLORED).													
All causes	742	70	105	59	61	59	54	61	61	55	42	58	57
Typhoid fever (1)	6	1	1	2							1	1	
Malaria (4)	1									1			
Measles (6)	3					1	2						
Scarlet fever (7)													
Whooping cough (8)	6						1	1	3				1
Diphtheria and croup (9)													
Influenza (10)	28	5	21		2								
Tuberculosis of the lungs (28, 29)	112	6	8	10	9	13	11	8	8	14	7	8	10
Other forms of tuberculosis (30–35)	15			1	1	2	1	2	2	2	2	1	1
Meningitis (01)	3	1		1		1							
Bronchitis (89, 90)	12	3		1	1	1	2		1		2		1
Pneumonia (92)	68	5	24	9	9	7	3	4	2			1	4
Bronchopneumonia (91)	54	6	14	5	5	3	4	5	1		2	3	6
Diarrhea and enteritis (under 2 years) (104)	23	1	1				4	3	5	4	1	3	1
Diarrhea and enteritis (2 years and over) (105)	10							3	3	2	1	1	
Puerperal septicemia (137)	3			1		1	1	1	3				1
Other puerperal causes (134–136, 138–141)	5		1	1					2				1
Congenital debility (151b)	3		1			1					1		
Violent deaths (suicide excepted) (164–186)	39	5	4	6	4	3	2	3	5	1	2	2	2
Suicide (155–163)	1							1					
All other causes	345	37	30	22	30	26	23	30	26	31	23	38	29
KANSAS CITY, KANS.													
All causes	1,478	140	252	153	119	117	89	110	99	102	88	97	112
Typhoid fever (1)	7	1	1						1	2	1	1	
Malaria (4)													
Measles (6)	16	1	1	1	5	2	3	1	1				1
Scarlet fever (7)	4		1			1						1	1
Whooping cough (8)	24	3	3	4	2	2	3	4	2	1			
Diphtheria and croup (9)	17	1	1		2	1	3		1		2	2	4
Influenza (10)	107	15	75	5	3	4		1		1		2	1
Tuberculosis of the lungs (28, 29)	97	11	8	9	7	10	9	9	10	7	5	4	8
Other forms of tuberculosis (30–35)	14		1	2		2	2	3		1	2		1
Meningitis (01)	11	1	1	5		1			1	1			1
Bronchitis (89, 90)	23	4	5	3	3	2	2					2	2
Pneumonia (92)	113	23	34	19	7	4	2	1	2	2	7	5	7
Bronchopneumonia (91)	75	8	23	14	4	9		3	3		3	4	4
Diarrhea and enteritis (under 2 years) (104)	64	3	3	3	2	4	7	13	12	16	1		
Diarrhea and enteritis (2 years and over) (105)	13				1	1		2	5	1	3		
Puerperal septicemia (137)	9	1	2		2	1						1	2
Other puerperal causes (134–136, 138–141)	11	1	1			3		2		2			2
Congenital debility (151b)	10	1	1	1			1	1		3		1	1
Violent deaths (suicide excepted) (164–186)	84	8	3	8	6	7	12	5	5	4	5	9	12
Suicide (155–163)	15	2	1	1	2	2	2		1		1	1	2
All other causes	764	56	87	78	73	61	43	65	55	61	58	64	63
LOUISVILLE, KY. (TOTAL).													
All causes	3,582	336	482	377	290	261	280	238	237	221	288	274	298
Typhoid fever (1)	13	1	1			2		1		2	3	1	2
Malaria (4)	3							1	1			1	
Measles (6)	7		1		2		3	1					
Scarlet fever (7)	5		1		2	1			1				
Whooping cough (8)	24	4	2	1	6	1	1		4	1	2		2
Diphtheria and croup (9)	32	5	2	5	2		1	1	2		2	9	3
Influenza (10)	101	8	65	18	4	2							4
Tuberculosis of the lungs (28, 29)	278	28	24	39	24	20	17	26	19	12	27	17	25
Other forms of tuberculosis (30–35)	55	7	5	8	4	4	5	7	4	4	4	2	1
Meningitis (01)	15	1	1	1	2	1	2		1	1	2	1	2
Bronchitis (89, 90)	74	8	18	7	3	3	9	4	3	1	4	4	10
Pneumonia (92)	218	33	61	29	10	14	6	3	7	7	7	19	22
Bronchopneumonia (91)	145	17	37	21	15	6	9	3	3	7	8	8	11
Diarrhea and enteritis (under 2 years) (104)	93	3	2	3	2	1	2	11	14	13	21	12	9
Diarrhea and enteritis (2 years and over) (105)	25	2	2	2	2	1	1	3	3	1	3	3	2
Puerperal septicemia (137)	21	3	3	2	3	2	1			3	1	1	2
Other puerperal causes (134–136, 138–141)	23	2	6		3	3	2	2		2	2		1
Congenital debility (151b)	23	4		2	2	2	1	1	1	3	1	5	1
Violent deaths (suicide excepted) (164–186)	204	16	12	16	12	17	18	15	23	12	29	21	13
Suicide (155–163)	46	1	1	5	5	1	7	6	5	1	7	2	5
All other causes	2,177	193	238	218	187	180	195	153	146	151	165	168	183
LOUISVILLE, KY. (WHITE).													
All causes	2,693	253	362	285	219	202	207	185	175	160	216	205	219
Typhoid fever (1)	10	1				2		1		1	2	1	2
Malaria (4)	1								1				
Measles (6)	6		1		2		2	1					
Scarlet fever (7)	5		1		2	1			1				
Whooping cough (8)	14	3	1	1	5	1	1		2				
Diphtheria and croup (9)	25	5	2	4	2		1	1	1			7	2
Influenza (10)	76	7	52	12	2	1							2
Tuberculosis of the lungs (28, 29)	186	18	18	30	17	15	12	17	9	7	17	11	15
Other forms of tuberculosis (30–35)	40	4	4	6	3	3	5	4	2	3	4	1	1
Meningitis (01)	11	1			1	1	2		1		2	1	2
Bronchitis (89, 90)	41	3	11	6	3	2	3		2		3	3	5
Pneumonia (92)	133	25	37	15	4	9	3	2	4	5	3	12	14
Bronchopneumonia (91)	106	15	31	12	9	5	7	2	3	6	4	5	7
Diarrhea and enteritis (under 2 years) (104)	70	3	1	3	1		1	10	10	5	19	8	9
Diarrhea and enteritis (2 years and over) (105)	16		2	1	2	1	1	2	3	1	1	1	1
Puerperal septicemia (137)	13	3	1	2	3		1			1	1		0
Other puerperal causes (134–136, 138–141)	20	2	5		3	3	1	2		2	1		1
Congenital debility (151b)	21	4		1	2	2	1	1	1	2	1	5	1
Violent deaths (suicide excepted) (164–186)	162	12	8	15	10	13	13	11	21	9	23	17	11
Suicide (155–163)	44	1	1	5	4	1	7	6	5	1	7	2	4
All other causes	1,693	151	186	172	144	142	146	125	109	117	128	131	142

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
LOUISVILLE, KY. (COLORED).													
All causes	889	78	120	92	71	59	73	53	62	61	72	69	79
Typhoid fever (1)	3		1							1	1		
Malaria (4)	2							1				1	
Measles (6)	1						1						
Scarlet fever (7)													
Whooping cough (8)	10	1	1		1				2	1	2		2
Diphtheria and croup (9)	7			1					1		2	2	1
Influenza (10)	25	1	13	6	2	1							2
Tuberculosis of the lungs (28, 29)	92	10	6	9	7	5	5	9	10	5	10	6	10
Other forms of tuberculosis (30–35)	15	3	1	2	1	1		3	2	1		1	
Meningitis (61)	4		1	1	1					1			
Bronchitis (89, 90)	33	5	7	1		1	6	4	1	1	1	1	5
Pneumonia (92)	85	8	24	14	6	5	3	1	3	2	4	7	8
Bronchopneumonia (91)	39	2	6	9	6	1	2	1		1	4	3	4
Diarrhea and enteritis (under 2 years) (104)	23		1		1	1	1	1	4	8	2	4	
Diarrhea and enteritis (2 years and over) (105)	9	2		1				1			2	2	1
Puerperal septicemia (137)	8		2			2				2		1	1
Other puerperal causes (134–136, 138–141)	3		1				1				1		
Congenital debility (151b)	2			1						1			
Violent deaths (suicide excepted) (164–186)	42	4	4	1	2	4	5	4	2	3	6	4	3
Suicide (155–163)	2				1								1
All other causes	484	42	52	46	43	38	49	28	37	34	37	37	41
NEW ORLEANS, LA. (TOTAL).													
All causes	6,869	658	817	791	516	466	513	521	481	460	472	559	615
Typhoid fever (1)	27	1		1	1		2	3	4	6	3	3	3
Malaria (4)	4	1									1	1	1
Measles (6)	14		2	1						1	1	1	8
Scarlet fever (7)	8	1	1	1	1	1			2				1
Whooping cough (8)	21				3	4	3	3	4		2	2	
Diphtheria and croup (9)	21	2	2	3	1	1		2		2		5	3
Influenza (10)	142	14	65	48	8	1	4						2
Tuberculosis of the lungs (28, 29)	761	68	71	77	68	62	64	66	61	55	49	59	61
Other forms of tuberculosis (30–35)	52	4	3	5	3	4	7	5	5	4	5	3	4
Meningitis (61)	33	5	8	5	1	2	3		1	3	1	2	2
Bronchitis (89, 90)	46	5	8	4	4	5	3		1	5	2	4	5
Pneumonia (92)	404	53	109	72	24	15	10	15	10	10	18	23	45
Bronchopneumonia (91)	319	39	77	65	25	15	11	6	7	9	19	15	31
Diarrhea and enteritis (under 2 years) (104)	172	14	8	13	13	19	28	22	16	7	10	11	11
Diarrhea and enteritis (2 years and over) (105)	104	12	10	8	4	7	14	7	12	9	7	8	6
Puerperal septicemia (137)	48	5	11	2	4	2	4	2	3	5	3	2	5
Other puerperal causes (134–136, 138–141)	63	5	5	7	6	6	8	5	1	9	2	6	2
Congenital debility (151b)	39	2	3	4	3	1	3	9	2	3	2	3	4
Violent deaths (suicide excepted) (164–186)	421	29	17	32	28	37	43	44	34	36	41	42	38
Suicide (155–163)	41	4	1	4	4	2	4	4	4	4	4	3	3
All other causes	4,129	394	416	439	315	282	302	328	314	292	302	366	379
NEW ORLEANS, LA. (WHITE).													
All causes	4,182	401	512	452	307	250	290	319	320	295	234	350	402
Typhoid fever (1)	19	1		1	1		1	2	4	4	2	1	2
Malaria (4)	4	1									1	1	1
Measles (6)	14		2	1						1	1	1	8
Scarlet fever (7)	7	1	1	1		1			2				1
Whooping cough (8)	14				2	2	3	1	3		1	2	
Diphtheria and croup (9)	18	2	2	3	1	1		2		1		3	3
Influenza (10)	91	9	43	35	2	1	2						
Tuberculosis of the lungs (28, 29)	423	34	44	43	35	28	32	40	38	29	26	32	42
Other forms of tuberculosis (30–35)	29	3	3	2	3		3	4	2	3	3	3	
Meningitis (61)	16	1	4	2	1	2	1		1	2	1	1	
Bronchitis (89, 90)	23	3	6	2	1	2	1		1	2		2	3
Pneumonia (92)	177	19	55	29	13	5	4	5	4	1	7	11	24
Bronchopneumonia (91)	189	30	45	29	15	10	5	4	5	7	8	10	21
Diarrhea and enteritis (under 2 years) (104)	114	11	4	10	9	11	22	12	11	5	4	6	9
Diarrhea and enteritis (2 years and over) (105)	52	6	5	6	1	3	4	3	5	3	4	6	6
Puerperal septicemia (137)	19	2	3	2	2		2	1	1	2	1		3
Other puerperal causes (134–136, 138–141)	41	4	4	5	4	3	4	4	1	7	2	2	1
Congenital debility (151b)	22	1	3	2	1	1	2	6		2	1	2	1
Violent deaths (suicide excepted) (164–186)	272	17	12	19	21	22	25	27	24	25	25	31	24
Suicide (155–163)	39	3	1	4	4	2	4	3	4	4	4	3	3
All other causes	2,598	253	275	256	191	156	175	205	214	197	193	233	250
NEW ORLEANS, LA. (COLORED).													
All causes	2,687	257	305	339	209	216	223	202	161	165	188	209	213
Typhoid fever (1)	8						1	1		2	1	2	1
Malaria (4)													
Measles (6)													
Scarlet fever (7)	1				1								
Whooping cough (8)	7				1	2		2	1		1		
Diphtheria and croup (9)	3									1		2	
Influenza (10)	50	5	22	13	6		2						2
Tuberculosis of the lungs (28, 29)	338	34	27	34	33	34	32	26	23	26	23	27	10
Other forms of tuberculosis (30–35)	23	1		3		4	4	1	3	1	2		4
Meningitis (61)	17	4	4	3			2			1		1	2
Bronchitis (89, 90)	23	2	2	2	3	3	2			3	2	2	2
Pneumonia (92)	227	34	54	43	11	10	6	10	6	9	11	12	21
Bronchopneumonia (91)	130	9	32	36	10	5	6	2	2	2	11	5	10
Diarrhea and enteritis (under 2 years) (104)	58	3	4	3	4	8	6	10	5	2	6	5	2
Diarrhea and enteritis (2 years and over) (105)	52	6	5	2	3	4	10	4	7	6	3	2	
Puerperal septicemia (137)	29	3	8		2	2	2	1	2	3	2	2	2
Other puerperal causes (134–136, 138–141)	22	1	1	2	2	3	4	1		2		4	2
Congenital debility (151b)	17	1		2	2		1	3	2	1	1	1	3
Violent deaths (suicide excepted) (164–186)	149	12	5	13	7	15	18	17	10	11	16	11	14
Suicide (155–163)	2	1						1					
All other causes	1,531	141	141	183	124	126	127	123	100	95	109	133	129

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
BALTIMORE, MD. (TOTAL).													
All causes	11,356	1,002	1,736	1,028	895	893	767	883	862	786	762	835	907
Typhoid fever (1)	35	6	.....	1	.....	2	1	7	4	3	7	3	1
Malaria (4)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	48	2	2	11	4	13	9	3	1	1	1	1	.....
Scarlet fever (7)	14	3	1	3	1	.....	1	1	1	1	1	.....	1
Whooping cough (8)	56	3	11	.....	1	4	3	4	5	8	7	4	6
Diphtheria and croup (9)	101	23	11	10	11	3	5	3	.....	4	10	14	7
Influenza (10)	324	26	227	36	10	4	1	3	2	1	2	6	6
Tuberculosis of the lungs (28, 29)	987	96	127	96	90	91	59	91	59	64	72	71	71
Other forms of tuberculosis (30–35)	118	10	10	15	13	8	16	12	8	12	2	8	4
Meningitis (61)	44	6	6	9	5	1	4	1	2	2	1	1	6
Bronchitis (89, 90)	118	11	32	9	5	8	9	8	4	6	10	4	12
Pneumonia (92)	695	89	317	83	54	32	22	9	8	7	13	25	36
Bronchopneumonia (91)	672	58	201	76	46	69	43	22	17	29	29	37	45
Diarrhea and enteritis (under 2 years) (104)	661	24	23	24	29	21	32	125	156	98	48	51	30
Diarrhea and enteritis (2 years and over) (105)	97	8	4	8	5	7	4	15	12	16	4	7	7
Puerperal septicemia (137)	51	4	4	8	3	1	4	7	3	5	3	3	6
Other puerperal causes (134–136, 138–141)	89	10	13	8	10	10	7	6	9	3	4	4	5
Congenital debility (151b)	73	4	12	4	7	6	4	5	7	8	7	5	4
Violent deaths (suicide excepted) (164–186)	572	59	37	46	51	33	40	57	49	44	55	54	47
Suicide (155–163)	89	2	9	5	6	13	6	8	7	8	5	12	8
All other causes	6,511	557	689	576	544	567	497	496	508	466	481	525	605
BALTIMORE, MD. (WHITE.)													
All causes	8,782	790	1,325	789	689	704	578	672	656	610	586	657	726
Typhoid fever (1)	23	5	.....	1	.....	2	.....	4	2	1	6	1	1
Malaria (4)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	42	2	2	9	4	12	8	2	1	1	.....	1	.....
Scarlet fever (7)	14	3	1	3	1	.....	1	1	1	1	1	.....	1
Whooping cough (8)	33	1	6	.....	1	2	2	.....	5	7	4	2	3
Diphtheria and croup (9)	97	23	9	10	10	3	5	3	.....	4	10	14	6
Influenza (10)	236	18	173	22	5	2	.....	2	1	1	2	5	5
Tuberculosis of the lungs (28, 29)	642	63	86	59	64	50	37	60	41	41	46	45	50
Other forms of tuberculosis (30–35)	72	6	3	11	10	4	9	7	5	9	1	5	2
Meningitis (61)	38	5	5	8	4	1	4	1	1	2	.....	1	6
Bronchitis (89, 90)	87	9	24	7	4	5	7	6	3	4	8	2	8
Pneumonia (92)	516	65	240	61	40	23	14	7	3	5	12	20	26
Bronchopneumonia (91)	492	43	150	55	31	52	30	17	8	22	22	25	37
Diarrhea and enteritis (under 2 years) (104)	529	18	13	18	23	12	25	102	129	88	41	37	23
Diarrhea and enteritis (2 years and over) (105)	68	4	1	5	4	5	3	11	9	12	3	6	5
Puerperal septicemia (137)	33	1	3	7	.....	1	3	5	2	4	2	1	4
Other puerperal causes (134–136, 138–141)	74	8	13	5	8	8	4	4	8	3	4	4	5
Congenital debility (151b)	60	4	9	4	7	4	4	4	4	7	4	5	4
Violent deaths (suicide excepted) (164–186)	455	47	27	36	37	26	31	48	37	36	45	48	37
Suicide (155–163)	87	2	9	4	6	13	6	7	7	8	5	12	8
All other causes	5,183	462	551	464	430	479	385	381	389	354	370	423	495
BALTIMORE, MD. (COLORED).													
All causes	2,574	212	411	239	206	189	189	211	206	176	176	178	181
Typhoid fever (1)	12	1	.....	.....	.....	.....	1	3	2	2	1	2	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	6	.....	.....	2	.....	1	1	1	.....	.....	1	.....	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	23	2	5	.....	.....	2	1	4	.....	1	3	2	3
Diphtheria and croup (9)	4	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1
Influenza (10)	88	8	54	14	5	2	1	1	1	.....	1	1	1
Tuberculosis of the lungs (28, 29)	345	33	41	37	26	41	22	31	18	23	26	26	21
Other forms of tuberculosis (30–35)	45	4	7	4	3	4	7	5	3	3	1	3	2
Meningitis (61)	6	1	1	1	1	.....	.....	.....	1	.....	1	.....	.....
Bronchitis (89, 90)	31	2	8	2	1	3	2	2	1	2	2	2	4
Pneumonia (92)	179	24	77	22	14	9	8	2	5	2	1	5	10
Bronchopneumonia (91)	180	15	51	21	15	17	13	5	9	7	7	12	8
Diarrhea and enteritis (under 2 years) (104)	132	6	10	6	6	9	7	23	27	10	7	14	7
Diarrhea and enteritis (2 years and over) (105)	29	4	3	3	1	2	1	4	3	4	1	1	2
Puerperal septicemia (137)	18	3	1	1	3	.....	1	2	1	1	1	2	2
Other puerperal causes (134–136, 138–141)	15	2	.....	3	2	2	3	2	1	.....	.....	.....	.....
Congenital debility (151b)	13	.....	3	.....	.....	2	.....	1	3	1	3	.....	.....
Violent deaths (suicide excepted) (164–186)	117	12	10	10	14	7	9	9	12	8	10	6	10
Suicide (155–163)	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
All other causes	1,328	95	138	112	114	88	112	115	119	112	111	102	110
BOSTON, MASS.													
All causes	11,604	1,177	1,808	1,095	999	930	781	692	818	780	796	832	896
Typhoid fever (1)	11	1	.....	1	1	.....	2	1	1	1	1	2	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	71	14	10	8	13	16	1	3	2	.....	.....	2	2
Scarlet fever (7)	71	12	11	5	9	7	5	2	1	4	2	5	8
Whooping cough (8)	151	17	25	17	13	22	10	11	17	7	4	.....	8
Diphtheria and croup (9)	148	18	15	14	10	11	14	9	6	4	13	11	23
Influenza (10)	370	27	306	23	7	3	.....	.....	.....	.....	1	.....	3
Tuberculosis of the lungs (28, 29)	827	73	114	85	78	84	68	62	55	63	42	53	50
Other forms of tuberculosis (30–35)	143	18	9	11	14	12	15	14	9	7	10	11	13
Meningitis (61)	58	9	4	6	1	5	6	7	5	5	.....	1	9
Bronchitis (89, 90)	105	15	16	15	11	7	10	1	3	4	6	7	10
Pneumonia (92)	743	116	250	83	50	47	22	20	9	18	24	43	61
Bronchopneumonia (91)	743	93	197	85	68	45	32	21	25	28	48	47	54
Diarrhea and enteritis (under 2 years) (104)	386	18	19	27	19	20	18	26	89	80	36	19	15
Diarrhea and enteritis (2 years and over) (105)	55	2	5	4	5	8	2	3	7	6	9	4	.....
Puerperal septicemia (137)	71	8	3	10	5	14	4	1	6	2	5	10	3
Other puerperal causes (134–136, 138–141)	114	11	25	13	6	10	9	8	4	4	7	6	11
Congenital debility (151b)	74	8	11	8	9	12	4	7	1	5	4	1	4
Violent deaths (suicide excepted) (164–186)	558	48	43	38	53	49	43	51	53	36	48	49	47
Suicide (155–163)	100	12	9	7	6	5	11	7	8	7	11	5	12
All other causes	6,805	657	736	635	621	553	505	438	517	499	525	556	563

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
CAMBRIDGE, MASS.													
All causes	1,636	171	229	162	142	137	113	104	100	114	125	116	123
Typhoid fever (1)	3	1				1							1
Malaria (4)													
Measles (6)	14	2	2	2	1	2	1	2	1		1		
Scarlet fever (7)	4		1	1							1	1	
Whooping cough (8)	24	3	4	7	6	1	1			1	1		
Diphtheria and croup (9)	7	2	1	1		2		1					
Influenza (10)	35	3	24	3	2	3							
Tuberculosis of the lungs (28, 29)	133	16	14	13	14	9	10	10	7	11	12	9	8
Other forms of tuberculosis (30–35)	13	1		1		1		1	4	2	1	1	1
Meningitis (61)	6	1	1			2			1				1
Bronchitis (89, 90)	28	4	3	3	4	2	1	1	2	2	2	2	2
Pneumonia (92)	79	18	31	7	6	2	2		1	1	2	2	7
Bronchopneumonia (91)	107	12	24	16	11	11	6	3	3	6	7	2	6
Diarrhea and enteritis (under 2 years) (104)	66	4	2	3	4	1	1	5	15	17	9	4	1
Diarrhea and enteritis (2 years and over) (105)	1				1								
Puerperal septicemia (137)	6			1		2	1		1		1		
Other puerperal causes (134–136, 138–141)	15	2	3	1		3	2	2	1		1		
Congenital debility (151b)	7	1			1		2			1	1	1	
Violent deaths (suicide excepted) (164–186)	73	1	7	6	7	7	3	11	1	6	10	10	4
Suicide (155–163)	9		3				1		3			2	
All other causes	1,006	100	109	97	85	88	82	68	60	67	76	82	92
FALL RIVER, MASS.													
All causes	1,772	150	192	181	137	131	127	108	145	161	140	145	146
Typhoid fever (1)	6								2	2	2		
Malaria (4)													
Measles (6)	18	2	1	3	1					1	2	3	5
Scarlet fever (7)	4	1		2				1					
Whooping cough (8)	14		2	1			1			4		2	4
Diphtheria and croup (9)	39	8	4	2	2	2	2		3	1	7	3	5
Influenza (10)	33		24	8									1
Tuberculosis of the lungs (28, 29)	108	10	8	13	6	13	8	13	11	5	6	7	8
Other forms of tuberculosis (30–35)	18		1	1	3		3	1	2	1	3	3	
Meningitis (61)	15	1	4			1		3		3	2	1	
Bronchitis (89, 90)	37	7	9	4	5		1			2	2	4	3
Pneumonia (92)	54	10	13	7	3	3	1		2	1	1	2	11
Bronchopneumonia (91)	138	22	30	25	8	8	7	1	2	4	4	15	12
Diarrhea and enteritis (under 2 years) (104)	184	7	10	8	7	7	7	11	40	40	26	17	4
Diarrhea and enteritis (2 years and over) (105)	14	1	1		1			3	1	4	1	1	1
Puerperal septicemia (137)	6	1		1		3					1		
Other puerperal causes (134–136, 138–141)	20	1	3	2	2		2	1	1	1	3	3	1
Congenital debility (151b)	13	4	2	1			1	3				1	1
Violent deaths (suicide excepted) (164–186)	60	1	4	2	6	8	4	3	3	6	5	12	6
Suicide (155–163)	10		2	1			2	1			1		3
All other causes	981	74	74	100	93	86	88	67	78	86	83	71	81
LOWELL, MASS.													
All causes	1,771	143	237	209	157	133	105	129	105	135	143	125	150
Typhoid fever (1)	3							2	1				
Malaria (4)	1											1	
Measles (6)	44					1	4	3	4	5	5	8	14
Scarlet fever (7)	2		1	1									
Whooping cough (8)	21	2	2	1	2	3	1		2	2	2	3	1
Diphtheria and croup (9)	21	7	2		1	2	1		1	2	3	1	1
Influenza (10)	36	3	23	7	2			1					
Tuberculosis of the lungs (28, 29)	85	5	13	10	9	8	7	9	4	3	5	4	8
Other forms of tuberculosis (30–35)	35		4	6	4	3	1	2	4		4	3	4
Meningitis (61)	9	2	1	1				1	1	2	1		
Bronchitis (89, 90)	55	4	6	12	14		1	1		1	4	5	7
Pneumonia (92)	93	10	44	16	10	2	5	1	1		1	6	2
Bronchopneumonia (91)	120	8	26	23	19	7	4	4	2	4	6	8	9
Diarrhea and enteritis (under 2 years) (104)	140	7	7	3	2	7	3	19	26	34	19	10	3
Diarrhea and enteritis (2 years and over) (105)	10			2	3		1	1	1	1			1
Puerperal septicemia (137)	5			1	2				1	1			
Other puerperal causes (134–136, 138–141)	21	2	4	4	2	1	2	4		1	1		
Congenital debility (151b)	31	1	5	4	4	2	1	2	1	2	4	1	4
Violent deaths (suicide excepted) (164–186)	65	7	3	6	2	5	9	5	9	6	5	7	1
Suicide (155–163)	10		1			1	4		2			1	1
All other causes	959	85	95	112	81	91	61	74	45	71	83	67	91
NEW BEDFORD, MASS.													
All causes	1,745	171	287	186	135	142	108	95	154	111	120	117	119
Typhoid fever (1)	8	1			2					4			1
Malaria (4)													
Measles (6)	23	12	4	2	3	2							
Scarlet fever (7)	3	1							1		1		
Whooping cough (8)	13		2	1	1			2	1		2	4	
Diphtheria and croup (9)	32	4	3	2				2	1	5	5	5	5
Influenza (10)	68	1	51	11	1					1	1	1	1
Tuberculosis of the lungs (28, 29)	134	16	11	18	12	15	13	9	13	9	5	5	8
Other forms of tuberculosis (30–35)	31	3	1	5	4	4	1	1	5	2	1	2	2
Meningitis (61)	17	2	3	2	1	1		1	2	2		1	2
Bronchitis (89, 90)	46	7	5	9	6	3	1	1	2	1	2	4	5
Pneumonia (92)	46	8	26	5	4	1						1	1
Bronchopneumonia (91)	185	20	66	27	17	12	11	2	2	2	5	10	11
Diarrhea and enteritis (under 2 years) (104)	153	1	1	7	4	3	5	24	57	23	14	11	3
Diarrhea and enteritis (2 years and over) (105)	11				1	1	1		2	2	2	2	
Puerperal septicemia (137)	10	1	2			2			2	1	1	1	
Other puerperal causes (134–136, 138–141)	8	2	1		2	2	1						
Congenital debility (151b)	9		1	1		3	2		1		1		
Violent deaths (suicide excepted) (164–186)	58	6	6	5	2	4	4	6	6	6	4	5	4
Suicide (155–163)	13		2			1			1		5	2	2
All other causes	877	86	102	91	75	88	69	47	58	53	71	63	74

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
SPRINGFIELD, MASS.													
All causes	1,709	137	243	167	157	121	118	116	122	118	128	119	163
Typhoid fever (1)	6			1			1	2	1	1			
Malaria (4)													
Measles (6)	11		1	1	4	2	1	1	1				
Scarlet fever (7)	22		1					4	4		4	6	3
Whooping cough (8)	18	2	1	1	1	5		1	2	2	1		2
Diphtheria and croup (9)	16	1	3	2	2	1	2				1		4
Influenza (10)	57	3	34	13	4	2					1		
Tuberculosis of the lungs (28, 29)	81	2	9	10	7	7	5	5	6	10	4	12	4
Other forms of tuberculosis (30–35)	24	6	1	1	3	2		1		5	3	1	1
Meningitis (61)	8		1		1	2		1			2		1
Bronchitis (89, 90)	14	4	3	2	1	1			1				2
Pneumonia (92)	72	4	24	11	8	4	3			1	5	3	9
Bronchopneumonia (91)	98	7	26	10	4	6	6	8	3	2	9	7	10
Diarrhea and enteritis (under 2 years) (104)	54	1	3	2	3	4	2	4	19	10	2	1	3
Diarrhea and enteritis (2 years and over) (105)	7		1	1			2	1	1				1
Puerperal septicemia (137)	6	1	1	2							2		
Other puerperal causes (134–136, 138–141)	9		1	1	1		2		1	1	1		1
Congenital debility (151b)	9				2				2		2	1	2
Violent deaths (suicide excepted) (164–186)	101	7	4	2	7	12	9	9	8	12	6	13	12
Suicide (155–163)	11		3		1	2	2	1	1	1			
All other causes	1,085	99	126	107	108	71	83	78	72	73	85	75	108
WORCESTER, MASS.													
All causes	2,668	246	382	291	219	225	182	163	181	196	188	196	199
Typhoid fever (1)	3								1	2			
Malaria (4)													
Measles (6)	3								1	2			
Scarlet fever (7)	22	3	4	3	3	5	1		1	1			1
Whooping cough (8)	11	1	3			1	1		1	2			2
Diphtheria and croup (9)	14	2	1	2	1	1	1		2	2	2		
Influenza (10)	85	4	57	18	4			1					1
Tuberculosis of the lungs (28, 29)	169	9	22	14	21	20	14	16	11	10	13	12	7
Other forms of tuberculosis (30–35)	38	1	3	4	6	6	4	1	2	2	3	2	4
Meningitis (61)	10		3	1	2	2			1	1			
Bronchitis (89, 90)	29	5	2	3	4	2	3	1		1		7	1
Pneumonia (92)	175	15	49	28	17	5	9	5	6	7	10	8	16
Bronchopneumonia (91)	179	20	44	30	20	16	9	3	9	7	8	6	7
Diarrhea and enteritis (under 2 years) (104)	87	4	3	5	3	5	2	12	12	18	14	6	3
Diarrhea and enteritis (2 years and over) (105)	16	3	1	1	1		1	2	2	2	1	1	1
Puerperal septicemia (137)	13	3	2	2	1		1	1		2			1
Other puerperal causes (134–136, 138–141)	38	5	4	4		3	3	2	7	2	3	3	2
Congenital debility (151b)	11	2	1	1			1	1	1	1	2		1
Violent deaths (suicide excepted) (164–186)	141	14	14	9	8	8	9	7	13	10	18	16	15
Suicide (155–163)	12		1			1	2	3		1		3	1
All other causes	1,612	155	168	166	128	150	121	108	111	123	114	132	136
DETROIT, MICH. (TOTAL).													
All causes	13,700	1,791	2,524	1,255	1,162	1,052	882	823	841	833	826	829	882
Typhoid fever (1)	55	5	4	1	4	6	2	4	5	8	8	3	5
Malaria (4)	2				1		1						
Measles (6)	88	15	21	8	14	7	13	3	2	2	1	1	1
Scarlet fever (7)	103	14	17	9	6	6	3	5	5	2	8	12	16
Whooping cough (8)	135	19	23	5	15	9	9	13	9	11	7	7	8
Diphtheria and croup (9)	377	25	40	50	22	35	33	15	24	18	22	32	61
Influenza (10)	859	239	536	36	21	6	6	2	2	1	2	4	4
Tuberculosis of the lungs (28, 29)	866	105	98	76	89	89	64	60	65	49	57	47	67
Other forms of tuberculosis (30–35)	150	12	12	7	24	16	16	11	10	13	10	9	10
Meningitis (61)	85	10	14	9	7	11	4	6	8	7	4	2	3
Bronchitis (89, 90)	183	23	52	18	20	10	10	7	5	5	5	14	14
Pneumonia (92)	1,499	326	537	151	119	102	47	24	25	27	34	51	56
Bronchopneumonia (91)	870	145	293	100	84	61	22	23	20	18	24	39	41
Diarrhea and enteritis (under 2 years) (104)	666	34	53	43	30	35	44	87	91	98	77	44	30
Diarrhea and enteritis (2 years and over) (105)	92	9	5	8	1	5	6	8	13	16	6	11	4
Puerperal septicemia (137)	99	12	5	11	11	7	9	10	7	3	10	6	8
Other puerperal causes (134–136, 138–141)	162	35	37	9	11	12	14	2	12	9	8	6	7
Congenital debility (151b)	131	13	10	12	16	14	7	8	8	11	11	13	8
Violent deaths (suicide excepted) (164–186)	871	64	51	67	70	89	73	93	85	82	78	69	50
Suicide (155–163)	89	4	17	6	6	6	7	14	8	8	3	5	5
All other causes	6,318	682	699	629	591	526	492	428	437	445	451	454	484
DETROIT, MICH. (WHITE).													
All causes	12,660	1,614	3,339	1,146	1,078	967	808	762	783	782	762	788	831
Typhoid fever (1)	51	5	4	1	4	5	2	3	4	8	7	3	5
Malaria (4)	2				1		1						
Measles (6)	87	15	21	8	14	7	12	3	2	2	1	1	1
Scarlet fever (7)	101	13	17	9	6	6	3	4	5	2	8	12	16
Whooping cough (8)	126	16	22	5	13	7	9	13	9	11	6	7	8
Diphtheria and croup (9)	366	24	39	49	20	33	32	15	23	17	22	32	60
Influenza (10)	796	209	513	34	15	6	6	2	2	1	2	3	3
Tuberculosis of the lungs (28, 29)	765	95	93	68	79	76	51	50	57	45	51	44	56
Other forms of tuberculosis (30–35)	127	12	11	7	21	12	11	9	9	11	8	9	7
Meningitis (61)	79	10	11	9	7	10	3	6	8	7	4	2	2
Bronchitis (89, 90)	171	21	47	17	20	10	10	7	4	5	4	13	13
Pneumonia (92)	1,232	259	458	119	99	82	34	18	17	23	26	46	51
Bronchopneumonia (91)	800	126	273	94	79	56	20	22	19	17	21	34	39
Diarrhea and enteritis (under 2 years) (104)	637	33	51	38	28	33	43	83	88	93	74	44	29
Diarrhea and enteritis (2 years and over) (105)	91	9	5	7	1	5	6	8	13	16	6	11	4
Puerperal septicemia (137)	96	12	5	10	11	7	8	9	7	3	10	6	8
Other puerperal causes (134–136, 138–141)	155	34	35	9	10	12	12	2	12	9	8	5	7
Congenital debility (151b)	120	12	10	10	14	14	5	8	6	10	10	13	8
Violent deaths (suicide excepted) (164–186)	797	58	44	59	66	82	71	83	77	72	73	65	47
Suicide (155–163)	87	4	16	6	6	6	7	13	8	8	3	5	5
All other causes	5,974	647	664	587	564	498	462	404	413	422	418	433	462

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
DETROIT, MICH. (COLORED).													
All causes	1,040	177	185	109	84	85	74	61	58	51	64	41	51
Typhoid fever (1)	4					1		1	1		1		
Malaria (4)													
Measles (6)	1						1						
Scarlet fever (7)	2	1						1					
Whooping cough (8)	9	3	1		2	2					1		
Diphtheria and croup (9)	11	1	1	1	2	2	1		1	1			1
Influenza (10)	63	30	23	2	6							1	1
Tuberculosis of the lungs (28, 29)	101	10	5	8	10	13	13	10	8	4	6	3	11
Other forms of tuberculosis (30–35)	23		1		3	4	5	2	1	2	2		3
Meningitis (61)	6		3			1	1						1
Bronchitis (89, 90)	12	2	5	1					1		1	1	1
Pneumonia (92)	287	67	79	32	20	20	13	6	8	4	8	5	5
Bronchopneumonia (91)	70	19	20	6	5	5	2	1	1	1	3	5	2
Diarrhea and enteritis (under 2 years) (104)	29	1	2	5	2	2	1	4	3	5	3		1
Diarrhea and enteritis (2 years and over) (105)	1			1									
Puerperal septicemia (137)	3			1			1	1					
Other puerperal causes (134–136, 138–141)	7	1	2		1		2					1	
Congenital debility (151b)	11	1		2	2		2		2	1	1		
Violent deaths (suicide excepted) (164–186)	74	6	7	8	4	7	2	10	8	10	5	4	3
Suicide (155–163)	2		1					1					
All other causes	344	35	35	42	27	28	30	24	24	23	33	21	22
GRAND RAPIDS, MICH.													
All causes	1,826	137	270	184	158	200	144	120	107	113	117	134	142
Typhoid fever (1)	3	1					2						
Malaria (4)													
Measles (6)	24			6	4	9	3	1					1
Scarlet fever (7)	4			3								1	
Whooping cough (8)	24		3	3	5	5	4	2	2				
Diphtheria and croup (9)	39	3	1		1	1	5	3	4	4	8	5	4
Influenza (10)	38		25	9	2		1	1					
Tuberculosis of the lungs (28, 29)	88	7	11	8	6	12	9	8	6	9	5	4	3
Other forms of tuberculosis (30–35)	12	1		1	3		2	1	2			1	1
Meningitis (61)	8	2	3		2				1				
Bronchitis (89, 90)	26	4	5	3		4	1		2	1	1	2	3
Pneumonia (92)	96	8	49	11	9	4		2	4	1	3		5
Bronchopneumonia (91)	70	7	21	6	7	9	6	1	1	1	2	5	4
Diarrhea and enteritis (under 2 years) (104)	89	1	3	7	3	13	7	7	4	11	16	13	4
Diarrhea and enteritis (2 years and over) (105)	9	3	1				1	3					1
Puerperal septicemia (137)	7	1	2			1		1				2	
Other puerperal causes (134–136, 138–141)	18	1	7			1	3		3		1		2
Congenital debility (151b)	16	2	1		2	1	1		4	3	1	1	
Violent deaths (suicide excepted) (164–186)	80	5	11	10	5	1	7	11	3	7	6	7	7
Suicide (155–163)	20	1	1		3	3	3		2	1	1	2	3
All other causes	1,155	90	126	117	106	136	89	79	69	75	73	91	104
MINNEAPOLIS, MINN.													
All causes	4,713	484	713	423	401	420	365	316	313	295	310	321	319
Typhoid fever (1)	10	1		1	2	1		1		2	2		
Malaria (4)													
Measles (6)	22	1	4		2	9	4	2					
Scarlet fever (7)	26	2	4	1	4	3	1	1		1	3		6
Whooping cough (8)	48	4	9	2	8	4	6	5	2	2	3	3	
Diphtheria and croup (9)	44	2	5	7	3	5	3	2	3		2	6	6
Influenza (10)	328	61	226	24	5	4	2	2	1		2	1	
Tuberculosis of the lungs (28, 29)	364	34	28	30	44	51	29	31	30	20	17	25	25
Other forms of tuberculosis (30–35)	51	7	4	9	2	2	4	6	4	6	3		4
Meningitis (61)	24	2	2	4	2	3			3		2	4	2
Bronchitis (89, 90)	29	4	4	4	5	3	3		1		2		3
Pneumonia (92)	245	53	68	12	17	20	12	5	3	8	7	13	27
Bronchopneumonia (91)	163	18	34	19	16	13	14	5	3	4	7	13	17
Diarrhea and enteritis (under 2 years) (104)	53	4	5	4	6	3	4	4	2	7	6	3	5
Diarrhea and enteritis (2 years and over) (105)	28		1	2	3	2	2	3	4	6	2	1	2
Puerperal septicemia (137)	34	1	1	3	3	4	1	4	4	4	4	4	1
Other puerperal causes (134–136, 138–141)	40	6	13	3	4	1	2	3		3	2	2	1
Congenital debility (151b)	22	4	2		4	3	2		1	2	3	1	
Violent deaths (suicide excepted) (164–186)	285	21	7	23	26	32	14	30	23	20	32	33	24
Suicide (155–163)	71	6	3	4	10	5	9	7	5	6	8	3	5
All other causes	2,826	253	293	271	235	252	253	205	224	204	203	212	221
ST. PAUL, MINN.													
All causes	2,958	359	402	268	248	282	204	190	205	189	162	213	236
Typhoid fever (1)	5							2		1	1	1	
Malaria (4)													
Measles (6)	17	1	1	1	2	9	2	1					
Scarlet fever (7)	15	1	2	1	1	4		2	1				3
Whooping cough (8)	26	1	2	4	3	6	2	1	2	2	2		1
Diphtheria and croup (9)	58	7	4	2	4	2	2	6	7	5	6	6	7
Influenza (10)	167	60	91	4	7	1	1				1	2	
Tuberculosis of the lungs (28, 29)	224	15	28	19	18	29	19	14	26	14	7	14	21
Other forms of tuberculosis (30–35)	43	5	2	6	4	5	2	3	2	6	4	2	2
Meningitis (61)	13	1		2	1	2	2		1	2	1		1
Bronchitis (89, 90)	16	3	2	1	7		1			1			1
Pneumonia (92)	186	50	49	20	10	13	5	3	3	3	3	15	12
Bronchopneumonia (91)	64	9	10	10	5	8	5	3	2	1	1	4	6
Diarrhea and enteritis (under 2 years) (104)	41	2	4	4	8	2	3	2	3	3	2	6	2
Diarrhea and enteritis (2 years and over) (105)	23	2	1	3	1	1	1	3	4		2	2	3
Puerperal septicemia (137)	14	1	2	2			3	2	2	1			1
Other puerperal causes (134–136, 138–141)	32	5	9	2	2	2	1	1	3	3		2	2
Congenital debility (151b)	15	2			1	3	1	1	2	3	2		
Violent deaths (suicide excepted) (164–186)	190	10	10	24	16	18	20	13	16	13	13	15	22
Suicide (155–163)	22	4	3	1	1	5	2		3		1	1	1
All other causes	1,787	180	182	162	157	172	132	133	128	131	116	143	151

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
KANSAS CITY, MO. (TOTAL).													
All causes	5,279	739	889	475	398	364	344	325	374	327	322	358	364
Typhoid fever (1)	26	.....	1	.....	.....	2	1	4	7	7	2	1	1
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	30	11	6	2	2	3	1	.....	1	2	1	1	.....
Scarlet fever (7)	17	3	1	3	2	1	.....	.....	.....	.....	1	2	4
Whooping cough (8)	38	6	4	4	3	2	4	4	6	1	1	2	1
Diphtheria and croup (9)	46	6	2	1	3	2	2	3	1	3	7	10	6
Influenza (10)	349	118	177	25	5	7	4	2	.....	2	1	3	5
Tuberculosis of the lungs (28, 29)	330	33	30	34	43	21	26	28	28	25	19	21	22
Other forms of tuberculosis (30-35)	39	5	2	5	2	4	1	2	4	3	4	3	4
Meningitis (61)	20	1	.....	2	3	2	1	3	.....	2	2	3	1
Bronchitis (89, 90)	41	5	10	7	2	5	1	.....	2	3	1	4	1
Pneumonia (92)	507	111	206	56	24	17	17	7	14	5	8	22	20
Bronchopneumonia (91)	305	77	93	26	24	14	6	4	14	7	5	11	19
Diarrhea and enteritis (under 2 years) (104)	225	18	15	8	13	9	14	23	53	31	25	9	7
Diarrhea and enteritis (2 years and over) (105)	31	5	4	4	2	1	4	6	1	1	1	2	.....
Puerperal septicemia (137)	34	6	5	2	3	3	1	4	4	2	1	1	2
Other puerperal causes (134-136, 138-141)	22	1	1	.....	3	6	1	1	3	1	2	2	1
Congenital debility (151b)	14	1	2	1	.....	.....	.....	.....	.....	3	3	1	3
Violent deaths (suicide excepted) (164-186)	324	24	24	31	15	28	33	22	27	22	33	32	33
Suicide (155-163)	59	3	5	7	4	4	7	5	1	4	5	5	9
All other causes	2,821	305	296	257	245	233	220	207	208	202	200	223	225
KANSAS CITY, MO. (WHITE).													
All causes	4,501	659	740	405	336	305	292	275	310	283	271	306	319
Typhoid fever (1)	22	.....	1	.....	.....	2	1	4	6	4	2	1	1
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
Measles (6)	27	11	6	1	2	1	1	.....	1	2	1	1	.....
Scarlet fever (7)	16	3	1	3	2	1	.....	.....	.....	.....	.....	2	4
Whooping cough (8)	31	6	3	4	3	1	3	3	5	1	1	1	.....
Diphtheria and croup (9)	46	6	2	1	3	2	2	3	1	3	7	10	6
Influenza (10)	321	116	160	22	4	7	2	2	.....	1	.....	2	5
Tuberculosis of the lungs (28, 29)	214	23	20	21	26	13	16	18	20	16	11	13	17
Other forms of tuberculosis (30-35)	24	4	2	3	2	2	1	.....	2	2	2	2	2
Meningitis (61)	19	1	.....	2	2	2	1	3	.....	2	2	3	1
Bronchitis (89, 90)	35	4	7	7	2	3	1	.....	2	3	1	4	1
Pneumonia (92)	398	89	157	47	21	15	14	5	9	4	5	17	15
Bronchopneumonia (91)	271	72	88	22	17	13	5	3	12	6	5	10	18
Diarrhea and enteritis (under 2 years) (104)	211	18	15	8	13	9	12	20	43	29	24	8	7
Diarrhea and enteritis (2 years and over) (105)	29	5	4	4	.....	1	4	6	1	1	1	2	.....
Puerperal septicemia (137)	26	4	4	2	3	3	.....	2	4	1	.....	1	2
Other puerperal causes (134-136, 138-141)	19	.....	1	.....	3	6	1	.....	3	1	1	2	1
Congenital debility (151b)	11	1	1	1	.....	.....	.....	.....	.....	2	2	1	3
Violent deaths (suicide excepted) (164-186)	277	22	19	25	14	26	28	19	18	20	28	27	31
Suicide (155-163)	56	2	5	7	4	4	6	5	1	3	5	5	9
All other causes	2,447	272	244	225	215	194	194	182	177	181	173	194	196
KANSAS CITY, MO. (COLORED).													
All causes	778	80	149	70	62	59	52	50	64	44	51	52	45
Typhoid fever (1)	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	3	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Whooping cough (8)	7	.....	1	.....	.....	1	1	1	1	.....	.....	1	1
Diphtheria and croup (9)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	28	2	17	3	1	.....	2	.....	.....	1	1	1	.....
Tuberculosis of the lungs (28, 29)	116	10	10	13	17	8	10	10	8	9	8	8	5
Other forms of tuberculosis (30-35)	15	1	.....	2	.....	2	.....	2	2	1	2	1	2
Meningitis (61)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Bronchitis (89, 90)	6	1	3	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
Pneumonia (92)	109	22	49	9	3	2	3	2	5	1	3	5	5
Bronchopneumonia (91)	34	5	10	4	7	1	1	1	2	1	.....	1	1
Diarrhea and enteritis (under 2 years) (104)	14	.....	.....	.....	.....	.....	2	3	5	2	1	1	.....
Diarrhea and enteritis (2 years and over) (105)	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
Puerperal septicemia (137)	8	2	1	.....	.....	.....	1	2	.....	1	1	.....	.....
Other puerperal causes (134-136, 138-141)	3	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....
Congenital debility (151b)	3	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....
Violent deaths (suicide excepted) (164-186)	47	2	5	6	1	2	5	3	9	2	5	5	2
Suicide (155-163)	3	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
All other causes	374	33	52	32	30	39	26	25	31	21	27	29	29
ST. LOUIS, MO. (TOTAL).													
All causes	10,931	1,379	1,622	1,090	889	841	755	697	631	670	793	762	802
Typhoid fever (1)	20	2	1	2	.....	1	2	1	3	5	1	2	.....
Malaria (4)	13	.....	1	1	.....	1	1	1	1	2	3	2	.....
Measles (6)	92	2	38	29	8	4	3	6	1	.....	.....	.....	1
Scarlet fever (7)	25	6	2	6	3	2	2	.....	.....	1	1	.....	2
Whooping cough (8)	34	3	2	2	3	3	4	4	3	2	4	3	1
Diphtheria and croup (9)	241	33	17	22	18	12	14	11	7	13	30	34	30
Influenza (10)	396	97	254	27	1	.....	2	1	3	.....	5	2	4
Tuberculosis of the lungs (28, 29)	650	62	80	68	64	60	49	46	40	52	51	50	58
Other forms of tuberculosis (30-35)	87	7	8	9	11	4	7	8	6	4	7	8	8
Meningitis (61)	47	5	2	7	3	5	7	2	5	5	1	2	3
Bronchitis (89, 90)	185	33	33	25	19	17	8	2	6	8	14	9	11
Pneumonia (92)	891	240	274	79	56	45	21	10	19	15	32	43	57
Bronchopneumonia (91)	757	134	168	61	81	68	32	33	30	36	31	33	50
Diarrhea and enteritis (under 2 years) (104)	214	8	12	12	8	12	14	29	28	40	26	12	13
Diarrhea and enteritis (2 years and over) (105)	67	2	7	4	5	6	5	9	7	9	4	4	5
Puerperal septicemia (137)	56	6	2	11	4	5	2	4	3	4	5	6	4
Other puerperal causes (134-136, 138-141)	58	13	10	5	3	5	1	4	4	3	3	4	3
Congenital debility (151b)	42	.....	2	8	2	1	4	5	7	2	7	4	.....
Violent deaths (suicide excepted) (164-186)	555	44	41	59	41	42	43	34	42	42	64	52	51
Suicide (155-163)	126	17	10	9	5	17	9	7	11	6	12	13	10
All other causes	6,345	665	658	644	554	531	525	480	405	421	492	479	491

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
ST. LOUIS, MO. (WHITE).													
All causes	9,508	1,193	1,441	953	773	723	631	588	553	575	690	671	717
Typhoid fever (1)	13	1	1	2			1	1	2	2	1	2	
Malaria (4)	11		1	1		1			1	2	3	2	
Measles (6)	88	2	38	28	8	4	2	5	1				
Scarlet fever (7)	25	6	2	6	3	2	2			1	1		2
Whooping cough (8)	19		1	1	1	2	2	4	1		4	2	1
Diphtheria and croup (9)	239	32	17	22	18	12	14	11	7	13	29	34	30
Influenza (10)	368	86	241	26	1		1	1	3		5		4
Tuberculosis of the lungs (28, 29)	494	47	62	54	46	41	32	35	28	39	31	33	46
Other forms of tuberculosis (30-35)	66	7	7	9	8	2	3	4	6	2	6	6	6
Meningitis (61)	40	4	2	6	2	5	6	2	4	4	1	2	2
Bronchitis (89, 90)	156	29	30	19	16	17	6	1	4	6	11	7	10
Pneumonia (92)	718	197	226	57	43	35	14	7	15	9	26	37	52
Bronchopneumonia (91)	644	112	143	52	70	54	27	23	23	33	25	28	44
Diarrhea and enteritis (under 2 years) (104)	191	8	11	10	7	11	12	25	25	35	21	11	12
Diarrhea and enteritis (2 years and over) (105)	61	2	7	3	5	6	3	9	7	6	4	4	5
Puerperal septicemia (137)	50	6	2	9	4	5	1	4	3	4	3	5	4
Other puerperal causes (134-136, 138-141)	55	13	9	5	3	4	1	4	4	2	3	4	3
Congenital debility (151b)	36		2	7	2	1	3	3	6	2	6	4	
Violent deaths (suicide excepted) (164-186)	495	39	39	53	38	37	38	29	34	38	55	40	46
Suicide (155-163)	124	16	10	9	5	16	9	7	11	6	12	13	10
All other causes	5,615	586	590	574	493	468	454	408	363	371	440	423	440
ST. LOUIS, MO. (COLORED).													
All causes	1,423	136	181	137	116	118	124	109	78	95	103	91	85
Typhoid fever (1)	7	1				1	1		1	3			
Malaria (4)	2						1	1					
Measles (6)	4			1			1	1					1
Scarlet fever (7)													
Whooping cough (8)	15	3	1	1	2	1	2		2	2		1	
Diphtheria and croup (9)	2	1									1		
Influenza (10)	28	11	13	1			1					2	
Tuberculosis of the lungs (28, 29)	186	15	18	14	18	19	17	11	12	13	20	17	12
Other forms of tuberculosis (30-35)	21		1		3	2	4	4		2	1	2	2
Meningitis (61)	7	1		1	1		1		1	1			1
Bronchitis (89, 90)	29	4	3	6	3		2	1	2	2	3	2	1
Pneumonia (92)	173	43	48	22	13	10	7	3	4	6	6	6	5
Bronchopneumonia (91)	113	22	25	9	11	14	5	5	2	3	6	5	6
Diarrhea and enteritis (under 2 years) (104)	23		1	2	1	1	2	4	3	5	2	1	1
Diarrhea and enteritis (2 years and over) (105)	6			1			2			3			
Puerperal septicemia (137)	6			2			1				2	1	
Other puerperal causes (134-136, 138-141)	3		1			1				1			
Congenital debility (151b)	6			1			1	2	1		1		
Violent deaths (suicide excepted) (164-186)	60	5	2	6	3	5	5	5	8	4	9	3	5
Suicide (155-163)	2	1				1							
All other causes	730	79	68	70	61	63	71	72	42	50	52	51	51
OMAHA, NEBR.													
All causes	2,771	262	348	262	246	224	214	187	178	230	210	193	212
Typhoid fever (1)	15	2			1	2		1	2	2	2	3	
Malaria (4)													
Measles (6)	15		1	2	2	5	4				1		
Scarlet fever (7)	12	1	5	2	2	1						1	
Whooping cough (8)	44		8	3	6	4	4	4	5	4	4	1	1
Diphtheria and croup (9)	49	5	1	3	1	1		1	8	9	10	6	4
Influenza (10)	114	18	49	11	13	6	8			2	1		6
Tuberculosis of the lungs (28, 29)	130	7	16	8	21	10	10	10	7	17	6	7	11
Other forms of tuberculosis (30-35)	35	2	1	3	5	2	4	4	3		4	5	2
Meningitis (61)	6		1	1		1			1	2			
Bronchitis (89, 90)	11		1	1	3	1	1	1		2			1
Pneumonia (92)	210	39	74	22	15	13	7	6	6	3	6	8	11
Bronchopneumonia (91)	113	10	30	17	10	11	6	2	1	5	4	9	8
Diarrhea and enteritis (under 2 years) (104)	63	8	3	7	4	3	4	8	5	9	6	4	2
Diarrhea and enteritis (2 years and over) (105)	21	2	1		2	4		1	6	4			1
Puerperal septicemia (137)	13		1	2	1	1		3	1	1	1	1	1
Other puerperal causes (134-136, 138-141)	29		6	3	2	2	3	3		3	4	1	2
Congenital debility (151b)	40	5	2	4	2	4	4	1	4	6	3	4	1
Violent deaths (suicide excepted) (164-186)	191	14	10	15	9	18	22	19	15	20	18	14	17
Suicide (155-163)	42	1	2	3	2	4	4	2	3	5	5	5	6
All other causes	1,618	148	136	155	145	131	133	121	111	136	135	129	134
CAMDEN, N. J.													
All causes	1,731	179	275	136	136	129	116	113	138	111	125	126	147
Typhoid fever (1)	9	2			1			1	2	1	1	1	
Malaria (4)													
Measles (6)	18	1	1	2	2	8	4						
Scarlet fever (7)	2							1		1			
Whooping cough (8)	14			2	1	3	1	2	1	1	1	2	
Diphtheria and croup (9)	18	1	1	2	2	2	2		2		2	2	2
Influenza (10)	41	5	26	2		1	1				2	1	3
Tuberculosis of the lungs (28, 29)	87	10	11	5	9	9	7	6	3	2	7	9	9
Other forms of tuberculosis (30-35)	8		1	1	1	1	1			1		1	1
Meningitis (61)	8	1	1				1	2	1		1	1	
Bronchitis (89, 90)	19	2	3	2	3	1			1	2	1		4
Pneumonia (92)	134	14	50	14	9	5	6	6	1	2	6	10	11
Bronchopneumonia (91)	120	12	49	7	10	10	5	3	2	3	6	5	8
Diarrhea and enteritis (under 2 years) (104)	84	1	6	2	2	3	6	11	26	11	6	3	7
Diarrhea and enteritis (2 years and over) (105)	13	2		1	1		2	1	2	2	1		1
Puerperal septicemia (137)	11	2	1	2	1					1	1	3	
Other puerperal causes (134-136, 138-141)	22	3	5	2	2	1	2	1	1	1	1	1	2
Congenital debility (151b)	23	1	3	2	1	1	3	4	1	6			1
Violent deaths (suicide excepted) (164-186)	146	9	10	11	11	9	10	16	28	4	15	11	12
Suicide (155-163)	14	1			2	1		1	3	4	1	1	
All other causes	940	112	107	79	78	74	65	58	64	69	73	75	86

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
JERSEY CITY, N. J.													
All causes	4,221	480	677	388	390	350	241	273	254	266	304	272	326
Typhoid fever (1)	12	1					1	1		1	2	1	5
Malaria (4)	2					1							1
Measles (6)	48	3	7	15	5	13	2	2					1
Scarlet fever (7)	8					3	2	2	1				
Whooping cough (8)	57	12	19	6	4	1	3	1	4	2		3	2
Diphtheria and croup (9)	71	5	7	4	8	12	5	3	6	7	5	5	4
Influenza (10)	124	23	68	12	5	4	3	1		2	3	2	1
Tuberculosis of the lungs (28, 29)	305	35	38	31	36	26	25	30	11	18	16	16	23
Other forms of tuberculosis (30–35)	39	2	4	2	4	9	1	4	2	4	2	3	2
Meningitis (61)	25	1	6	5	1	2		1	1	2		4	2
Bronchitis (89, 90)	69	5	10	17	14	2	1	1		2	4	5	8
Pneumonia (92)	301	58	113	26	16	10	10	5	6	3	11	13	30
Bronchopneumonia (91)	276	42	109	36	21	18	6	3	2	11	10	7	11
Diarrhea and enteritis (under 2 years) (104)	263	12	26	18	12	13	16	38	38	39	31	14	6
Diarrhea and enteritis (2 years and over) (105)	31	1	1	1	3	1	4	5	5	2	2	2	4
Puerperal septicemia (137)	24	3	1	2	3	3	2	2		1		2	5
Other puerperal causes (134–136, 138–141)	42	5	8	2	2	4	3	3	2	3	5	1	4
Congenital debility (151b)	26	3	3	3	4	1	1	3		1		2	5
Violent deaths (suicides excepted) (164–186)	270	27	28	23	20	26	25	26	24	15	15	24	17
Suicide (155–163)	23	2	2	2	1	2	3	2	1	2	3	1	2
All other causes	2,205	240	227	183	231	199	128	140	151	151	195	167	193
NEWARK, N. J.													
All causes	5,372	604	838	514	445	459	349	354	344	335	355	362	413
Typhoid fever (1)	8		1			1			2	3			1
Malaria (4)													
Measles (6)	56	5	8	8	10	7	8	1	5		1		3
Scarlet fever (7)	11	1	1		2		2			1	1	2	1
Whooping cough (8)	59		5	12	5	4	6	7	5	4	6	3	2
Diphtheria and croup (9)	47	6	11	5	6	2		3	2	1	4	3	4
Influenza (10)	157	25	106	17	4	2						1	2
Tuberculosis of the lungs (28, 29)	337	45	41	27	30	26	34	19	30	22	22	17	24
Other forms of tuberculosis (30–35)	66	4	7	12	8	5	2	5	7	2	8	3	3
Meningitis (61)	34	7	3	1	4	4	2	3	3	1	1	1	4
Bronchitis (89, 90)	96	14	23	12	10	5	5	4	4	4	2	8	5
Pneumonia (92)	475	77	172	50	41	29	13	8	6	12	14	20	33
Bronchopneumonia (91)	264	35	81	35	29	20	7	8	3	11	4	8	23
Diarrhea and enteritis (under 2 years) (104)	243	18	19	8	8	12	6	41	37	36	20	24	14
Diarrhea and enteritis (2 years and over) (105)	38	4		2		5	1	7	8	4	2	5	
Puerperal septicemia (137)	37		4	10	3	3	2	6	2	1		2	4
Other puerperal causes (134–136, 138–141)	44	2	5	7	2	7	6	2	3	6		1	3
Congenital debility (151 b)	44	2	4	4	3	7	4	2	2	3		6	7
Violent deaths (suicide excepted) (164–186)	319	32	33	21	23	29	30	27	25	23	30	23	23
Suicide (155–163)	49	2	3	1	5	4	2	7	7	7	2	8	1
All other causes	2,988	325	311	282	252	287	219	204	193	194	238	227	256
PATERSON, N. J.													
All causes	1,746	181	244	162	156	146	120	117	114	97	101	160	148
Typhoid fever (1)	1								1				
Malaria (4)													
Measles (6)	16	1		2	2	4	2	4					1
Scarlet fever (7)	3												3
Whooping cough (8)	5								1	3		1	
Diphtheria and croup (9)	29	3	5		2	1	1	2	3	2	2	3	5
Influenza (10)	47	5	34	5	1								2
Tuberculosis of the lungs (28, 29)	146	13	16	16	18	17	14	6	10	6	11	10	9
Other forms of tuberculosis (30–35)	16	3	1	1	1	1		1	3	1	1	1	2
Meningitis (61)	9	1		2	1	1	1	1					2
Bronchitis (89, 90)	25	3	4	2	3	2	2	1	1		2	3	2
Pneumonia (92)	113	17	42	11	15	5	3	1	1	4	3	5	6
Bronchopneumonia (91)	97	21	19	13	4	8	5	4	3	1	1	8	10
Diarrhea and enteritis (under 2 years) (104)	53	3	3	3	3	3	2	13	10	3	5	5	
Diarrhea and enteritis (2 years and over) (105)	12	1		3		1		2		2		2	1
Puerperal septicemia (137)	11	2			1	1	1	1	5				
Other puerperal causes (134–136, 138–141)	8	1	2		2		1			1		1	
Congenital debility (151b)	21	1	1	2		3	2	3	1	2	4	1	1
Violent deaths (suicide excepted) (164–186)	106	14	4	2	6	11	13	7	11	4	7	13	14
Suicide (155–163)	14	3	2	1	1	1		1	1		3	1	
All other causes	1,014	89	111	99	96	87	73	70	63	68	62	106	90
TRENTON, N. J.													
All causes	1,886	174	269	183	156	125	134	136	158	130	157	118	146
Typhoid fever (1)	10	1	1	1					1	1		2	2	1
Malaria (4)														
Measles (6)	2		1	1										
Scarlet fever (7)	3		1	1										1
Whooping cough (8)	9		1	1		4		1			2			
Diphtheria and croup (9)	8	2		1	1	1	1					1	1	
Influenza (10)	50	4	30	9	3		3		1					
Tuberculosis of the lungs (28, 29)	138	8	15	16	12	10	12	14	10	9	13	8	11	
Other forms of tuberculosis (30–35)	15	2	3	3		1	1	1	2		1	1		
Meningitis (61)	11	2		2	1		1		1	2	2			
Bronchitis (89, 90)	15	1	3	5		1	1				2	1	1	
Pneumonia (92)	120	16	48	14	8	11	3	1	1	1	5	5	7	
Bronchopneumonia (91)	108	12	39	16	9	5	4	1	2	4	4	6	6	
Diarrhea and enteritis (under 2 years) (104)	85	3	4	4	3	1	2	11	27	17	9	3	1	
Diarrhea and enteritis (2 years and over) (105)	26	2	2	3	2	1	1	1	5	2	4	2	1	
Puerperal septicemia (137)	9	2	1		1		2	2			1			
Other puerperal causes (134–136, 138–141)	28	4	7	1	1	1	7	1	2		3		1	
Congenital debility (151b)	13	1	2	3	1				1	1	2		2	
Violent deaths (suicide excepted) (164–186)	116	8	7	5	11	5	12	13	14	11	16	6	8	
Suicide (155–163)	17	1	1	3			5	1	1	2	1	1	1	
All other causes	1,103	105	103	94	103	84	79	88	90	81	90	82	104	

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
ALBANY, N. Y.													
All causes	1,785	172	238	176	142	164	134	103	129	146	123	117	141
Typhoid fever (1)	5						2		1				2
Malaria (4)													
Measles (6)	2						1	1					
Scarlet fever (7)	2		1									1	
Whooping cough (8)	8				2	1	1		2	2			
Diphtheria and croup (9)	12	2	2	1		1	1				1	1	3
Influenza (10)	43	7	27	4	1	2	1						1
Tuberculosis of the lungs (28, 29)	132	12	20	11	16	14	11	11	5	7	4	10	11
Other forms of tuberculosis (30–35)	30	3	4	2	3	4	1	1	3	2		2	5
Meningitis (61)	8		1	2	2			1	1	1			
Bronchitis (89, 90)	9		1		1	2	1			2	1	1	
Pneumonia (92)	93	10	37	8	10	6	2	2		5	3	2	8
Bronchopneumonia (91)	71	6	17	11	1	9	4	1	2	4	5	4	7
Diarrhea and enteritis (under 2 years) (104)	21		2		1	2	2	3	6	2	2	1	
Diarrhea and enteritis (2 years and over) (105)	12	2	1	2				1	3	1	1	1	
Puerperal septicemia (137)	1		1										
Other puerperal causes (134–136, 138–141)	6							1		1	3		1
Congenital debility (151b)	10			1	1	1	1	1	1		1	1	2
Violent deaths (suicide excepted) (164–186)	75	9	3	5	4	8	9	7	7	9	3	5	6
Suicide (155–163)	13			2	2	1		2	1	2	1		2
All other causes	1,232	121	121	127	98	113	97	71	97	103	98	88	93
BUFFALO, N. Y.													
All causes	7,475	608	1,157	753	648	608	477	464	537	515	540	545	623
Typhoid fever (1)	25	1	1		2	1	6	2	2	3	5		2
Malaria (4)													
Measles (6)	43	1	3	3	5	10	3	6	3		1	6	2
Scarlet fever (7)	22	4		1		3	2		1	2	2	4	3
Whooping cough (8)	45	2	3	2	4	3	4	3	5	4	1	2	12
Diphtheria and croup (9)	307	25	38	33	26	28	12	3	15	13	41	34	39
Influenza (10)	186	7	146	22	3	1	1			2		2	2
Tuberculosis of the lungs (28, 29)	505	37	60	52	57	41	34	35	41	40	32	33	43
Other forms of tuberculosis (30–35)	66	4	9	4	5	8	3	8	3	6	3	5	8
Meningitis (61)	21	2	2	3	7				3		3	1	
Bronchitis (89, 90)	85	6	20	12	11	10	5	3	1		5	6	6
Pneumonia (92)	448	28	197	52	43	34	17	3	9	15	10	12	28
Bronchopneumonia (91)	306	18	91	57	33	19	12	9	4	9	10	14	30
Diarrhea and enteritis (under 2 years) (104)	468	20	42	46	43	23	14	25	63	72	55	39	26
Diarrhea and enteritis (2 years and over) (105)	62	6	7	3	1	1	4	13	10	10	1	6	
Puerperal septicemia (137)	30	5	1	2	4	4	4	2		2	2	1	3
Other puerperal causes (134–136, 138–141)	64	5	21	5	2	2	6	6	5	4	1	3	4
Congenital debility (151b)	28	2	4	2	1	1	2	2	3	2	3	4	2
Violent deaths (suicide excepted) (164–186)	369	19	21	25	21	38	35	35	36	38	43	34	24
Suicide (155–163)	49	3	4	6	4	6	3	4	2	6	2	4	5
All other causes	4,346	413	487	423	376	375	310	305	331	287	320	335	384
NEW YORK, N. Y. (TOTAL).													
All causes	73,393	8,965	11,155	6,964	6,271	5,857	4,743	4,533	4,883	4,605	4,722	5,006	5,599
Typhoid fever (1)	144	7	3	7	5	6	3	16	26	33	13	13	12
Malaria (4)	9			2		1		2	1	1	2		
Measles (6)	806	137	204	135	144	90	39	15	5	4	8	6	19
Scarlet fever (7)	242	16	21	14	22	30	11	10	13	16	16	17	56
Whooping cough (8)	647	53	102	76	55	51	44	58	66	62	37	21	22
Diphtheria and croup (9)	1,066	136	155	134	114	90	80	39	32	32	45	94	115
Influenza (10)	2,296	640	1,349	149	51	28	12	6	4	6	13	13	25
Tuberculosis of the lungs (28, 29)	6,343	624	711	658	605	594	487	469	457	414	423	433	463
Other forms of tuberculosis (30–35)	894	79	96	82	92	89	79	78	63	59	63	66	68
Meningitis (61)	324	41	39	38	22	37	20	18	26	13	19	32	19
Bronchitis (89, 90)	921	124	186	112	114	72	47	29	24	35	38	63	77
Pneumonia (92)	6,035	1,424	1,902	504	475	321	190	113	122	143	170	261	410
Bronchopneumonia (91)	4,412	705	1,296	487	354	294	171	147	137	132	179	242	263
Diarrhea and enteritis (under 2 years) (104)	2,694	154	175	180	153	125	138	345	571	360	242	142	109
Diarrhea and enteritis (2 years and over) (105)	355	23	17	16	34	25	36	52	46	37	25	25	19
Puerperal septicemia (137)	306	26	29	34	27	38	26	18	25	10	23	22	23
Other puerperal causes (134–136, 138–141)	558	76	107	40	49	34	40	27	37	33	30	34	51
Congenital debility (151b)	638	61	74	72	69	67	35	37	60	52	45	25	41
Violent deaths (suicide excepted) (164–186)	3,970	381	256	330	291	310	332	323	341	339	310	360	317
Suicide (155–163)	676	52	49	46	58	64	56	54	55	53	66	60	63
All other causes	40,057	4,206	4,384	3,848	3,537	3,491	2,897	2,677	2,772	2,721	2,955	3,177	3,302
NEW YORK, N. Y. (WHITE).													
All causes	70,207	8,562	10,707	6,639	6,019	5,601	4,535	4,293	4,666	4,425	4,512	4,872	5,376
Typhoid fever (1)	140	7	3	6	5	6	3	15	25	32	13	13	12
Malaria (4)	9			2		1		2	1	1	2		
Measles (6)	792	134	203	135	141	86	39	13	4	4	8	6	19
Scarlet fever (7)	238	16	21	14	22	30	9	10	12	16	16	17	55
Whooping cough (8)	597	49	99	72	52	46	41	48	59	59	32	20	20
Diphtheria and croup (9)	1,053	133	155	133	110	89	80	37	32	32	45	93	114
Influenza (10)	2,224	615	1,309	144	51	27	12	6	4	6	13	12	25
Tuberculosis of the lungs (28, 29)	5,807	566	660	610	562	542	451	418	415	385	381	386	431
Other forms of tuberculosis (30–35)	822	72	89	75	86	80	73	73	59	55	60	59	50
Meningitis (61)	315	40	39	36	20	37	19	17	26	13	19	31	18
Bronchitis (89, 90)	880	119	179	107	107	70	44	27	22	34	35	61	75
Pneumonia (92)	5,658	1,339	1,792	464	442	300	172	102	117	135	150	249	337
Bronchopneumonia (91)	4,118	659	1,229	450	327	276	158	136	123	125	164	220	251
Diarrhea and enteritis (under 2 years) (104)	2,581	150	169	170	148	117	131	324	548	345	237	137	105
Diarrhea and enteritis (2 years and over) (105)	349	23	17	15	34	24	35	51	45	37	24	25	19
Puerperal septicemia (137)	275	21	27	32	23	35	20	18	25	9	22	17	26
Other puerperal causes (134–136, 138–141)	531	75	103	37	46	32	38	26	33	32	28	33	48
Congenital debility (151b)	603	60	70	70	67	60	34	36	55	47	44	22	33
Violent deaths (suicide excepted) (164–186)	3,827	367	242	315	280	299	323	307	331	378	295	351	339
Suicide (155–163)	662	51	49	46	57	63	54	53	53	52	63	59	62
All other causes	38,726	4,066	4,252	3,706	3,439	3,381	2,799	2,574	2,677	2,628	2,852	3,070	3,282

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (COLORED).													
All causes	3,186	403	448	325	252	256	208	240	217	180	210	224	223
Typhoid fever (1)	4			1				1	1	1			
Malaria (4)													
Measles (6)	14	3	1		3	4		2	1				
Scarlet fever (7)	4						2		1				1
Whooping cough (8)	50	4	3	4	3	5	3	10	7	3	5	1	2
Diphtheria and croup (9)	13	3		1	4	1		2				1	1
Influenza (10)	72	25	40	5		1						1	
Tuberculosis of the lungs (28, 29)	536	58	51	48	43	52	36	51	42	29	42	47	37
Other forms of tuberculosis (30–35)	72	7	7	7	6	9	6	5	4	4	3	6	8
Meningitis (61)	9	1		2	2		1	1				1	1
Bronchitis (89, 90)	41	5	7	5	7	2	3	2	2	1	3	2	2
Pneumonia (92)	377	85	110	40	33	21	18	11	5	8	11	12	23
Bronchopneumonia (91)	294	46	67	37	27	18	13	11	14	7	15	22	17
Diarrhea and enteritis (under 2 years) (104)	113	4	6	10	5	8	7	21	23	15	5	5	4
Diarrhea and enteritis (2 years and over) (105)	6			1		1	1	1	1		1		
Puerperal septicemia (137)	31	5	2	2	4	3	6			1	1	5	2
Other puerperal causes (134–136, 138–141)	27	1	4	3	3	2	2	1	4	1	2	1	3
Congenital debility (151b)	35	1	4	2	2	7	1	1	5	5	1	3	3
Violent deaths (suicide excepted) (164–186)	143	14	14	15	11	11	9	16	10	11	15	9	8
Suicide (155–163)	14	1			1	1	2	1	2	1	3	1	1
All other causes	1,331	140	132	142	98	110	98	103	95	93	103	107	110
NEW YORK, N. Y. (BRONX BOROUGH).													
All causes	7,903	988	1,261	698	623	645	542	515	511	486	489	554	591
Typhoid fever (1)	11	1	1			1			3	3	1	1	
Malaria (4)													
Measles (6)	66	19	19	10	11	3	3				1		
Scarlet fever (7)	16	1	2		3	2		1	1	1		1	4
Whooping cough (8)	69	8	14	8	3	2	2	7	6	10	5	1	3
Diphtheria and croup (9)	98	13	13	19	7	7	8	6	1	5	2	8	9
Influenza (10)	291	75	179	15	11	7	1					1	2
Tuberculosis of the lungs (28, 29)	713	78	85	66	74	71	56	58	46	48	35	42	54
Other forms of tuberculosis (30–35)	97	10	15	7	4	8	7	7	10	4	9	3	13
Meningitis (61)	48	6	5	6	1	6	1	4	6	2	4	4	3
Bronchitis (89, 90)	57	9	11	6	10	6	3		2	2	2	2	4
Pneumonia (92)	639	159	225	31	45	26	16	10	15	13	24	27	48
Bronchopneumonia (91)	397	54	117	43	27	23	16	13	14	19	21	32	18
Diarrhea and enteritis (under 2 years) (104)	192	17	17	10	6	6	10	20	39	32	22	7	6
Diarrhea and enteritis (2 years and over) (105)	40	1		3	4	4	5	9	2	4	5	2	1
Puerperal septicemia (137)	30	2	4	4	3	2		2	3	1	3	2	4
Other puerperal causes (134–136, 138–141)	68	7	11	8	5	6	3	6	3	1	2	8	8
Congenital debility (151b)	50	2	5	3	9	5	4	5	8	3		1	5
Violent deaths (suicide excepted) (164–186)	344	34	25	23	18	30	37	26	34	29	28	35	25
Suicide (155–163)	78	8	2	5	7	5	4	11	11	6	6	3	10
All other causes	4,599	484	511	431	375	425	366	330	307	303	319	374	374
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
All causes	25,613	3,036	3,992	2,495	2,182	2,089	1,663	1,516	1,688	1,581	1,646	1,778	1,947
Typhoid fever (1)	52	3		2	1	2	2	5	8	10	7	6	6
Malaria (4)	4			1				1			2		
Measles (6)	254	22	49	45	60	44	19	6	3		3		3
Scarlet fever (7)	72	8	6	7	2	4	2	2	4	3	5	7	22
Whooping cough (8)	200	17	33	31	15	14	20	14	17	14	9	9	7
Diphtheria and croup (9)	382	48	55	41	40	42	29	9	12	12	16	33	45
Influenza (10)	734	160	440	66	21	9	7	3	1	3	8	4	12
Tuberculosis of the lungs (28, 29)	1,984	184	230	212	195	165	147	152	131	115	141	149	163
Other forms of tuberculosis (30–35)	274	19	25	18	36	31	25	29	21	18	20	17	15
Meningitis (61)	82	14	11	11	4	10	6	3	5	1	4	9	4
Bronchitis (89, 90)	358	45	76	42	48	31	13	10	9	17	14	26	27
Pneumonia (92)	2,164	501	713	182	168	122	65	45	46	53	48	94	127
Bronchopneumonia (91)	1,525	255	441	171	117	112	52	53	42	45	55	76	106
Diarrhea and enteritis (under 2 years) (104)	1,015	63	69	72	66	37	59	107	195	140	111	55	41
Diarrhea and enteritis (2 years and over) (105)	127	16	5	5	10	9	18	16	9	11	11	10	7
Puerperal septicemia (137)	106	11	11	10	6	12	13	5	6	5	9	7	11
Other puerperal causes (134–136, 138–141)	219	32	38	15	19	14	16	9	15	14	16	12	19
Congenital debility (151b)	189	18	21	17	12	23	8	16	17	20	17	9	11
Violent deaths (suicide excepted) (164–186)	1,350	136	90	122	98	126	110	106	105	135	88	116	118
Suicide (155–163)	197	12	16	9	12	21	26	9	19	18	17	18	20
All other causes	14,325	1,472	1,663	1,416	1,252	1,261	1,026	916	1,023	947	1,045	1,121	1,183
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
All causes	24,885	2,937	3,886	2,404	2,120	2,020	1,608	1,473	1,647	1,545	1,609	1,727	1,909
Typhoid fever (1)	52	3		2	1	2	2	5	8	10	7	6	6
Malaria (4)	4			1				1			2		
Measles (6)	246	20	49	45	58	41	19	5	3		3		3
Scarlet fever (7)	72	8	6	7	2	4	2	2	4	3	5	7	22
Whooping cough (8)	189	16	32	28	14	14	18	13	17	13	8	9	7
Diphtheria and croup (9)	379	47	55	41	39	41	29	9	12	12	16	33	45
Influenza (10)	714	155	430	63	21	8	7	3	1	3	8	3	12
Tuberculosis of the lungs (28, 29)	1,869	170	219	197	185	153	139	143	125	111	132	141	154
Other forms of tuberculosis (30–35)	260	19	24	16	35	31	23	26	19	16	20	16	15
Meningitis (61)	78	14	11	9	3	10	5	3	5	1	4	9	4
Bronchitis (89, 90)	350	45	76	40	46	30	11	10	9	17	14	25	27
Pneumonia (92)	2,081	478	692	174	163	116	60	39	44	52	47	92	124
Bronchopneumonia (91)	1,462	240	426	164	109	109	52	52	42	44	53	70	101
Diarrhea and enteritis (under 2 years) (104)	978	62	65	68	65	32	55	105	189	136	109	52	40
Diarrhea and enteritis (2 years and over) (105)	125	16	5	5	10	9	18	15	9	11	10	10	7
Puerperal septicemia (137)	101	10	11	10	6	12	11	5	6	5	9	5	11
Other puerperal causes (134–136, 138–141)	208	31	37	13	17	14	16	9	14	14	15	12	16
Congenital debility (151b)	178	17	20	16	11	22	8	15	16	18	16	9	10
Violent deaths (suicide excepted) (164–186)	1,318	130	90	119	96	120	107	103	104	131	86	115	117
Suicide (155–163)	195	12	16	9	12	21	26	9	19	18	16	17	20
All other causes	14,026	1,444	1,622	1,377	1,227	1,231	1,000	901	1,001	930	1,029	1,096	1,168

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
All causes	728	99	106	91	62	69	55	43	41	36	37	51	38
Typhoid fever (1)													
Malaria (4)													
Measles (6)	8	2			2	3		1					
Scarlet fever (7)													
Whooping cough (8)	11	1	1	3	1		2	1		1	1		
Diphtheria and croup (9)	3	1			1	1							
Influenza (10)	20	5	10	3		1						1	
Tuberculosis of the lungs (28, 29)	115	14	11	15	10	12	8	9	6	4	9	8	9
Other forms of tuberculosis (30–35)	14		1	2	1		2	3	2	2		1	
Meningitis (61)	4			2	1		1						
Bronchitis (89, 90)	8			2	2	1	2					1	
Pneumonia (92)	83	23	21	8	5	6	5	6	2	1	1	2	3
Bronchopneumonia (91)	63	15	15	7	8	3		1		1	2	6	5
Diarrhea and enteritis (under 2 years) (104)	37	1	4	4	1	5	4	2	6	4	2	3	1
Diarrhea and enteritis (2 years and over) (105)	2							1			1		
Puerperal septicemia (137)	5	1					2					2	
Other puerperal causes (134–136, 138–141)	11	1	1	2	2				1		1		3
Congenital debility (151b)	11	1	1	1	1	1		1	1	2	1		1
Violent deaths (suicide excepted) (164–186)	32	6		3	2	6	3	3	1	4	2	1	1
Suicide (155–163)	2										1	1	
All other causes	299	28	41	39	25	30	26	15	22	17	16	25	15
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
All causes	32,595	4,139	4,857	3,140	2,823	2,568	2,039	2,025	2,165	2,053	2,039	2,235	2,482
Typhoid fever (1)	58	3	1	4	3	1	1	10	11	14	5	3	2
Malaria (4)	4			1		1		1		1			
Measles (6)	443	86	123	72	67	40	17	8	2	3	4	6	15
Scarlet fever (7)	133	6	9	7	13	22	9	5	7	12	11	8	24
Whooping cough (8)	309	23	39	30	30	29	17	29	40	34	19	9	10
Diphtheria and croup (9)	444	57	76	59	55	32	26	16	16	8	17	36	46
Influenza (10)	1,071	355	609	55	13	12	3	2	2	2	4	4	10
Tuberculosis of the lungs (28, 29)	2,981	307	309	319	279	239	237	215	225	195	201	204	201
Other forms of tuberculosis (30–35)	456	45	50	49	48	46	41	37	26	30	30	27	27
Meningitis (61)	173	19	22	21	13	19	13	9	13	8	8	16	12
Bronchitis (89, 90)	433	53	85	60	39	32	28	17	12	15	10	32	41
Pneumonia (92)	2,713	642	793	247	220	154	89	52	52	66	84	115	169
Bronchopneumonia (91)	2,096	353	613	226	173	134	94	75	72	51	80	112	113
Diarrhea and enteritis (under 2 years) (104)	1,298	65	81	88	73	70	62	195	302	157	88	64	53
Diarrhea and enteritis (2 years and over) (105)	141	5	10	6	14	9	12	18	27	15	4	12	9
Puerperal septicemia (137)	143	11	13	17	16	19	9	7	14	4	10	11	12
Other puerperal causes (134–136, 138–141)	205	24	44	10	21	12	18	9	14	17	8	11	17
Congenital debility (151b)	314	34	37	43	39	31	15	13	27	22	23	12	18
Violent deaths (suicide excepted) (164–186)	1,844	182	118	161	148	114	152	139	158	180	152	177	163
Suicide (155–163)	333	28	25	29	31	30	19	28	22	26	34	30	31
All other causes	17,003	1,841	1,800	1,636	1,528	1,472	1,177	1,140	1,123	1,193	1,263	1,316	1,479
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
All causes	30,385	3,859	4,555	2,936	2,652	2,393	1,905	1,853	2,008	1,921	1,918	2,072	2,313
Typhoid fever (1)	54	3	1	3	3	1	1	9	10	13	5	3	2
Malaria (4)	4			1		1		1		1			
Measles (6)	438	85	123	72	66	39	17	7	1	3	4	6	15
Scarlet fever (7)	129	6	9	7	13	22	7	5	6	12	11	8	23
Whooping cough (8)	275	20	37	30	29	24	16	22	34	32	15	8	8
Diphtheria and croup (9)	434	55	76	58	52	32	26	14	16	8	17	35	45
Influenza (10)	1,021	335	580	54	13	12	3	2	2	2	4	4	10
Tuberculosis of the lungs (28, 29)	2,601	268	274	287	252	254	211	178	194	171	170	169	173
Other forms of tuberculosis (30–35)	403	39	46	45	43	37	38	35	24	28	27	22	19
Meningitis (61)	168	18	22	21	12	19	13	8	13	8	8	15	11
Bronchitis (89, 90)	403	50	79	57	34	31	27	15	10	14	16	31	39
Pneumonia (92)	2,446	584	712	220	196	139	76	47	49	60	75	105	183
Bronchopneumonia (91)	1,887	324	566	199	156	119	82	67	60	47	70	96	101
Diarrhea and enteritis (under 2 years) (104)	1,228	62	79	82	69	68	59	180	285	147	85	62	50
Diarrhea and enteritis (2 years and over) (105)	137	5	10	5	14	8	11	18	26	15	4	12	9
Puerperal septicemia (137)	120	7	11	17	12	16	6	7	14	3	9	8	10
Other puerperal causes (134–136, 138–141)	190	24	41	9	20	11	16	8	11	16	7	10	17
Congenital debility (151b)	294	34	36	42	38	25	15	13	23	19	23	9	17
Violent deaths (suicide excepted) (164–186)	1,750	174	105	152	140	109	147	123	151	174	142	170	153
Suicide (155–163)	322	27	25	29	30	29	17	28	20	25	32	30	30
All other causes	16,081	1,739	1,723	1,546	1,460	1,397	1,117	1,061	1,059	1,123	1,194	1,269	1,393
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
All causes	2,210	280	302	204	171	175	134	172	157	132	151	163	169
Typhoid fever (1)	4			1				1	1	1			
Malaria (4)													
Measles (6)	5	1			1	1		1	1				
Scarlet fever (7)	4						2		1				1
Whooping cough (8)	34	3	2		1	5	1	7	6	2	4	1	2
Diphtheria and croup (9)	10	2		1	3			2				1	1
Influenza (10)	50	20	29	1									
Tuberculosis of the lungs (28, 29)	330	39	35	32	27	35	26	37	31	24	31	35	23
Other forms of tuberculosis (30–35)	53	6	4	4	5	9	3	2	2	2	3	5	8
Meningitis (61)	5	1			1			1				1	1
Bronchitis (89, 90)	30	3	6	3	5	1	1	2	2	1	3	1	2
Pneumonia (92)	267	58	81	27	24	15	13	5	3	6	9	10	16
Bronchopneumonia (91)	209	29	47	27	17	15	12	8	12	4	10	16	12
Diarrhea and enteritis (under 2 years) (104)	70	3	2	6	4	2	3	15	17	10	3	2	3
Diarrhea and enteritis (2 years and over) (105)	4			1		1	1		1				
Puerperal septicemia (137)	23	4	2		4	3	3			1	1	3	2
Other puerperal causes (134–136, 138–141)	15		3	1	1	1	2	1	3	1	1	1	
Congenital debility (151b)	20		1	1	1	6			4	3		3	1
Violent deaths (suicide excepted) (164–186)	94	8	13	9	8	5	5	11	7	6	10	7	5
Suicide (155–163)	11	1			1	1	2		2	1	2		1
All other causes	922	102	77	90	68	75	60	79	64	70	74	77	83

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NEW YORK, N. Y. (QUEENS BOROUGH).													
All causes	5,501	607	802	470	493	436	363	365	380	347	396	404	438
Typhoid fever (1)	15	.....	1	1	1	1	.....	1	4	2	.....	.....	4
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	29	6	9	4	5	2	.....	1	.....	1	.....	.....	1
Scarlet fever (7)	16	1	3	.....	3	.....	.....	1	1	.....	.....	1	6
Whooping cough (8)	52	5	13	7	6	5	4	5	1	1	4	.....	1
Diphtheria and croup (9)	111	14	8	11	9	7	12	8	2	5	9	14	12
Influenza (10)	153	39	88	11	6	.....	.....	1	1	1	1	4	1
Tuberculosis of the lungs (28, 29)	487	46	62	41	45	44	32	31	43	40	37	31	35
Other forms of tuberculosis (30–35)	55	4	4	7	3	2	6	5	4	5	4	9	2
Meningitis (61)	15	.....	.....	.....	3	2	.....	2	1	1	3	3	.....
Bronchitis (89, 90)	58	14	11	4	12	3	1	2	1	1	2	3	4
Pneumonia (92)	412	93	134	36	38	16	16	5	7	10	10	19	28
Bronchopneumonia (91)	314	29	102	38	26	23	7	4	9	13	19	20	24
Diarrhea and enteritis (under 2 years) (104)	135	7	6	6	8	7	5	20	20	21	16	13	6
Diarrhea and enteritis (2 years and over) (105)	36	1	2	2	5	1	1	7	6	5	3	1	2
Puerperal septicemia (137)	21	2	1	1	2	4	3	4	2	.....	1	1	.....
Other puerperal causes (134–136, 138–141)	54	11	13	6	3	2	2	2	4	.....	3	3	5
Congenital debility (151b)	58	5	10	6	6	7	2	3	5	4	2	1	7
Violent deaths (suicide excepted) (164–186)	302	21	18	17	19	29	20	40	28	31	32	20	27
Suicide (155–163)	54	3	5	1	7	7	7	4	1	3	8	6	2
All other causes	3,124	306	312	271	286	274	245	219	240	203	242	255	271
NEW YORK, N. Y. (RICHMOND BOROUGH).													
All causes	1,781	195	243	161	150	119	136	112	139	138	122	125	141
Typhoid fever (1)	8	.....	.....	.....	.....	1	.....	.....	.....	4	.....	3	.....
Malaria (4)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
Measles (6)	14	4	4	4	1	1	.....	.....	.....	.....	.....	.....	.....
Scarlet fever (7)	5	.....	1	.....	1	2	.....	1	.....	.....	.....	.....	.....
Whooping cough (8)	17	.....	3	.....	1	1	1	3	2	3	.....	2	1
Diphtheria and croup (9)	31	4	3	4	3	2	5	.....	1	2	1	3	3
Influenza (10)	47	11	33	2	.....	.....	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	178	9	25	20	12	25	15	13	12	16	9	7	15
Other forms of tuberculosis (30–35)	12	1	2	1	1	2	.....	.....	2	2	.....	.....	1
Meningitis (61)	6	2	1	.....	1	.....	.....	.....	1	1	.....	.....	.....
Bronchitis (89, 90)	15	3	3	.....	5	.....	2	.....	.....	.....	1	.....	1
Pneumonia (92)	107	29	37	8	4	3	4	1	2	1	4	6	8
Bronchopneumonia (91)	80	14	23	9	11	2	2	2	.....	4	4	2	7
Diarrhea and enteritis (under 2 years) (104)	54	2	2	4	.....	5	2	3	15	10	5	3	3
Diarrhea and enteritis (2 years and over) (105)	11	.....	.....	.....	1	2	.....	2	2	2	2	.....	.....
Puerperal septicemia (137)	6	.....	.....	2	.....	1	1	.....	.....	.....	.....	1	1
Other puerperal causes (134–136, 138–141)	12	2	1	1	1	.....	1	1	1	1	1	.....	2
Congenital debility (151b)	27	2	1	3	3	1	6	.....	3	3	3	2	.....
Violent deaths (suicide excepted) (164–186)	130	8	5	7	8	11	13	12	16	14	10	12	14
Suicide (155–163)	14	1	1	2	1	1	.....	2	2	.....	1	3	.....
All other causes	1,006	103	98	94	96	59	83	72	79	75	81	81	85
ROCHESTER, N. Y.													
All causes	3,765	363	440	353	322	375	271	260	269	277	297	261	277
Typhoid fever (1)	3	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
Malaria (4)	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	30	5	8	1	8	3	4	1	.....	.....	.....	.....	.....
Scarlet fever (7)	28	3	3	2	.....	2	2	.....	.....	1	2	5	8
Whooping cough (8)	22	2	2	1	1	.....	2	.....	7	2	2	.....	3
Diphtheria and croup (9)	83	4	8	16	2	4	8	6	4	4	9	8	10
Influenza (10)	66	13	39	8	4	1	1	.....	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	202	13	21	21	15	28	9	15	17	12	14	20	17
Other forms of tuberculosis (30–35)	37	5	1	3	4	1	4	3	2	5	3	4	2
Meningitis (61)	12	1	1	1	2	2	1	.....	.....	.....	2	1	1
Bronchitis (89, 90)	29	2	2	7	2	5	1	2	3	1	1	3	.....
Pneumonia (92)	176	33	49	19	18	20	8	3	5	3	4	7	7
Bronchopneumonia (91)	135	21	33	18	20	13	5	6	2	3	7	3	4
Diarrhea and enteritis (under 2 years) (104)	145	6	7	12	11	17	5	13	16	27	16	9	6
Diarrhea and enteritis (2 years and over) (105)	22	2	1	1	2	1	2	3	3	2	1	3	1
Puerperal septicemia (137)	13	1	1	.....	1	1	.....	.....	2	3	.....	4	.....
Other puerperal causes (134–136, 138–141)	30	4	.....	1	3	4	3	3	2	3	2	2	3
Congenital debility (151b)	7	1	.....	1	.....	2	.....	.....	1	1	1	.....	.....
Violent deaths (suicide excepted) (164–186)	167	15	15	15	9	12	12	18	15	17	19	12	8
Suicide (155–163)	32	1	1	4	3	4	3	3	1	3	3	2	4
All other causes	2,525	230	248	222	216	255	201	182	189	190	211	178	203
SYRACUSE, N. Y.													
All causes	2,640	253	397	232	238	229	197	153	192	194	183	153	219
Typhoid fever (1)	7	1	.....	.....	1	1	.....	.....	1	1	2	.....	.....
Malaria (4)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	23	.....	.....	.....	1	4	4	6	3	2	2	.....	1
Scarlet fever (7)	16	2	5	1	.....	.....	2	.....	.....	.....	.....	.....	6
Whooping cough (8)	10	.....	.....	.....	2	.....	1	1	2	.....	2	.....	2
Diphtheria and croup (9)	30	1	3	2	7	1	2	1	.....	2	1	3	7
Influenza (10)	52	6	38	2	4	.....	.....	1	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	89	9	18	5	6	10	6	5	6	8	4	5	7
Other forms of tuberculosis (30–35)	36	4	2	4	3	3	1	1	5	5	2	4	2
Meningitis (61)	13	.....	.....	2	2	4	1	.....	2	.....	1	.....	1
Bronchitis (89, 90)	20	4	2	1	3	3	2	1	.....	2	.....	1	1
Pneumonia (92)	198	27	78	21	18	18	7	4	2	3	4	5	11
Bronchopneumonia (91)	178	30	69	13	11	13	8	1	4	6	6	8	9
Diarrhea and enteritis (under 2 years) (104)	134	4	4	3	8	5	7	12	33	25	22	5	6
Diarrhea and enteritis (2 years and over) (105)	21	.....	.....	2	.....	1	3	4	2	3	3	1	2
Puerperal septicemia (137)	7	.....	1	.....	.....	1	.....	1	1	1	1	.....	1
Other puerperal causes (134–136, 138–141)	32	3	7	1	2	5	4	4	1	1	2	.....	2
Congenital debility (151b)	22	2	1	2	4	2	1	.....	2	2	2	1	3
Violent deaths (suicide excepted) (164–186)	162	9	9	13	19	8	12	12	18	17	17	8	20
Suicide (155–163)	23	2	2	2	1	1	4	.....	3	5	1	1	1
All other causes	1,566	148	158	158	146	149	132	99	106	111	111	111	137

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
YONKERS, N. Y.													
All causes	1,153	115	179	93	87	105	73	75	75	92	83	76	100
Typhoid fever (1)													
Malaria (4)	1							1					
Measles (6)	9	1		2	3	1	2						
Scarlet fever (7)	3		1										2
Whooping cough (8)	14	1	2	3	1	1	1	1	2		1		1
Diphtheria and croup (9)	23	4	2	2	1	1	1	1	2		2	1	6
Influenza (10)	28	4	16	3	1	1						1	2
Tuberculosis of the lungs (28, 29)	123	14	11	13	11	13	9	4	10	12	6	8	12
Other forms of tuberculosis (30–35)	20		7	2	1			1	2	2	1	3	1
Meningitis (61)	1	1											
Bronchitis (89, 90)	13	1	2	1	2		1			1		1	4
Pneumonia (92)	82	10	38	7	7	2	2	3		3		2	8
Bronchopneumonia (91)	55	4	11	9	2	6			3	2	6	5	7
Diarrhea and enteritis (under 2 years) (104)	53	1	3	4	2	2	2	3	6	13	8	5	4
Diarrhea and enteritis (2 years and over) (105)	4						1		1		2		
Puerperal septicemia (137)	2		1				1						
Other puerperal causes (134–136, 138–141)	13	4		1	3	1			1		1	1	
Congenital debility (151b)	8			2	1	2		1			1		1
Violent deaths (suicide excepted) (164–186)	54	6	4	3	3	5	4	4	5	8	6	3	3
Suicide (155–163)	2		1			1							
All other causes	645	64	80	41	49	69	48	56	43	51	49	46	49
AKRON, OHIO.													
All causes	2,443	312	545	226	218	196	149	114	128	151	123	144	137
Typhoid fever (1)	8		1			1		1	1		1	3	
Malaria (4)													
Measles (6)	36	7	15	4	6	2	1				1		
Scarlet fever (7)	58	11	18	14	4	2	1		1	1		1	5
Whooping cough (8)	20	1	7	4	3	2	1	1			1		
Diphtheria and croup (9)	37	4	8	2	4	1	1	1	1	4	2	5	4
Influenza (10)	183	31	129	14	3	3	2					1	
Tuberculosis of the lungs (28, 29)	104	12	9	6	11	8	6	9	12	7	5	8	11
Other forms of tuberculosis (30–35)	20	3	2	1	4	1	3	3	1	1	1		
Meningitis (61)	13	1	1	1	3		2	1		1	1		2
Bronchitis (89, 90)	12	1	4	2	1	3				1			
Pneumonia (92)	312	80	140	18	19	13	7	6	2	5	4	9	9
Bronchopneumonia (91)	190	36	68	21	19	21	3	1	4	3	1	8	6
Diarrhea and enteritis (under 2 years) (104)	46	2	4	1	5	2	4	4	6	6	6	3	3
Diarrhea and enteritis (2 years and over) (105)	9	1	1		1			1	2	2	1		
Puerperal septicemia (137)	33	6	4	4	6	5	2	2	4	2	2	1	
Other puerperal causes (134–136, 138–141)	30	4	10	3	3	1	2	2		1			4
Congenital debility (151b)	23	2	4	1	2	1	1	1	1	3	2	3	2
Violent deaths (suicide excepted) (164–186)	218	16	16	20	19	22	18	18	12	20	19	24	14
Suicide (155–163)	20		1	5	2		2		3	4	1	2	
All other causes	1,066	94	103	105	103	108	93	63	78	90	75	76	78
CINCINNATI, OHIO (TOTAL).													
All causes	6,073	589	853	610	490	538	442	393	408	405	448	426	471
Typhoid fever (1)	13		1		3	1	1	2		2	1	1	1
Malaria (4)	1											1	
Measles (6)	76	4	18	19	7	19	8		1				
Scarlet fever (7)	31	7	4	5	2	2	2			1	2	3	3
Whooping cough (8)	24	2		1	5	3	1	4	1	3	2	2	
Diphtheria and croup (9)	53	2	4	7	4	2	3	2	2	1	9	4	13
Influenza (10)	233	3	130	62	12	8	4	5	2	1		3	3
Tuberculosis of the lungs (28, 29)	562	63	59	60	50	63	43	27	28	47	46	34	42
Other forms of tuberculosis (30–35)	89	7	7	6	8	12	9	9	3	2	9	8	9
Meningitis (61)	19	3	2		1	4	1	1	2		2	2	1
Bronchitis (89, 90)	74	6	19	8	4	7	5	2	9	2	3	2	7
Pneumonia (92)	332	43	111	49	28	19	12	3	11	7	12	14	23
Bronchopneumonia (91)	195	30	49	26	26	20	6	4	8	3	6	8	9
Diarrhea and enteritis (under 2 years) (104)	127	7	4	7	4	3	7	18	27	17	19	5	9
Diarrhea and enteritis (2 years and over) (105)	25	1	5	1	1		4	1	5		4	1	2
Puerperal septicemia (137)	34	4	6	4	1	4		3	1	4	1	3	3
Other puerperal causes (134–136, 138–141)	41	3	5	4	2	3	5	3	2	5	3	2	4
Congenital debility (151b)	27	1	3	1	4	2	1	1	4	5	2	1	2
Violent deaths (suicide excepted) (164–186)	301	37	18	22	13	22	32	26	37	24	23	21	26
Suicide (155–163)	47	1	1	2	2	8	3	5	5	3	6	5	6
All other causes	3,769	365	407	326	313	336	295	277	260	278	298	306	303
CINCINNATI, OHIO (WHITE).													
All causes	5,336	521	736	539	423	484	399	339	358	358	389	373	417
Typhoid fever (1)	8		1		1	1	1	2		1	1		
Malaria (4)													
Measles (6)	70	4	17	17	5	18	8		1				
Scarlet fever (7)	31	7	4	5	2	2	2			1	2	3	3
Whooping cough (8)	17	2		1	4	3	1	1		1	2	2	
Diphtheria and croup (9)	51	2	4	6	4	2	2	2	2	1	9	4	13
Influenza (10)	191	3	106	53	9	7	3	3	1	1		3	2
Tuberculosis of the lungs (28, 29)	432	53	44	51	36	50	34	20	19	34	38	23	30
Other forms of tuberculosis (30–35)	67	6	6	5	7	8	8	5	3	2	6	6	5
Meningitis (61)	17	3	2			4	1	1	1		2	2	1
Bronchitis (89, 90)	63	4	16	7	3	7	5	1	8	1	3	2	6
Pneumonia (92)	262	31	88	41	20	15	10	3	8	7	8	12	19
Bronchopneumonia (91)	152	24	38	24	20	12	6	3	6	2	6	4	7
Diarrhea and enteritis (under 2 years) (104)	114	5	4	7	4	3	7	14	22	17	18	5	8
Diarrhea and enteritis (2 years and over) (105)	19	1	3		1		3	1	5		2	1	2
Puerperal septicemia (137)	29	3	5	3	1	4		2		4	1	3	3
Other puerperal causes (134–136, 138–141)	32	2	3	3	1	2	5	3	2	3	2	2	4
Congenital debility (151b)	22		3	1	4	1	1		2	5	2	1	2
Violent deaths (suicide excepted) (164–186)	265	32	16	18	12	21	29	22	33	22	23	15	22
Suicide (155–163)	46	1	1	2	2	8	2	5	5	3	6	5	6
All other causes	3,448	338	375	295	287	316	271	251	240	253	258	230	234

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
CINCINNATI, OHIO (COLORED).													
All causes	737	68	117	71	67	54	43	54	50	47	59	53	54
Typhoid fever (1)	5				2					1		1	1
Malaria (4)	1											1	
Measles (6)	6		1	2	2	1							
Scarlet fever (7)													
Whooping cough (8)	7				1			3	1	2			
Diphtheria and croup (9)	2			1			1						
Influenza (10)	42		24	9	3	1	1	2	1				1
Tuberculosis of the lungs (28, 29)	130	10	15	9	14	13	9	7	9	13	8	11	12
Other forms of tuberculosis (30–35)	22	1	1	1	1	4	1	4			3	2	4
Meningitis (61)	2				1				1				
Bronchitis (89, 90)	11	2	3	1	1			1	1	1			1
Pneumonia (92)	70	12	23	8	8	4	2		3		4	2	4
Bronchopneumonia (91)	43	6	11	2	6	8		1	2	1		4	2
Diarrhea and enteritis (under 2 years) (104)	13	2						4	5		1		1
Diarrhea and enteritis (2 years and over) (105)	6		2	1			1				2		
Puerperal septicemia (137)	5	1	1	1				1	1				
Other puerperal causes (134–136, 138–141)	9	1	2	1	1	1				2	1		
Congenital debility (151b)	5	1				1		1	2				
Violent deaths (suicide excepted) (164–186)	36	5	2	4	1	1	3	4	4	2		6	4
Suicide (155–163)	1						1						
All other causes	321	27	32	31	26	20	24	26	20	25	40	26	24
CLEVELAND, OHIO (TOTAL).													
All causes	9,985	827	1,559	1,016	837	846	675	606	686	708	721	739	765
Typhoid fever (1)	24				2	3		3	8	1	5	2	
Malaria (4)													
Measles (6)	80	20	20	10	13	7	3	1	1			2	3
Scarlet fever (7)	69	4	3	4	2	5	3	2	4	6	8	10	18
Whooping cough (8)	78	6	15	13	6	9	4	7	3	7	3	3	2
Diphtheria and croup (9)	131	16	11	16	10	6	4	5	11	3	13	14	22
Influenza (10)	402	28	296	27	20	13	2	4	3		1	2	6
Tuberculosis of the lungs (28, 29)	769	72	82	72	71	73	69	59	51	51	52	63	54
Other forms of tuberculosis (30–35)	114	7	8	16	11	9	14	11	12	4	9	3	10
Meningitis (61)	36	1	5	6	1	4	4		2	2	3	3	5
Bronchitis (89, 90)	141	16	29	22	15	19	6	3	8	5	5	5	8
Pneumonia (92)	686	74	253	76	56	42	21	26	14	23	22	28	51
Broncho-pneumonia (91)	554	43	150	86	69	49	23	13	18	15	22	27	39
Diarrhea and enteritis (under 2 years) (104)	427	15	28	34	21	28	18	25	70	86	56	29	17
Diarrhea and enteritis (2 years and over) (105)	60	2	6	3	4	8	5	3	4	8	4	8	5
Puerperal septicemia (137)	65	4	7	6	7	10	5	2	5	3	5	3	8
Other puerperal causes (134–136, 138–141)	67	6	9	10	5	3	4	8	3	3	5	5	6
Congenital debility (151b)	53	5	4	1	2	5	4	4	1	10	9	4	4
Violent deaths (suicide excepted) (164–186)	740	53	37	47	53	52	70	79	71	76	71	63	68
Suicide (155–163)	103	6	11	7	7	11	5	6	9	9	13	11	8
All other causes	5,386	449	585	560	462	490	411	345	388	396	415	454	431
CLEVELAND, OHIO (WHITE).													
All causes	9,216	759	1,446	953	766	781	625	543	642	654	670	674	703
Typhoid fever (1)	20				2	3			7	1	5	2	
Malaria (4)													
Measles (6)	80	20	20	10	13	7	3	1	1			2	3
Scarlet fever (7)	66	4	3	4	2	5	3	2	4	6	8	9	16
Whooping cough (8)	69	5	15	10	5	9	4	6	2	5	3	3	2
Diphtheria and croup (9)	127	15	11	16	10	5	4	4	11	3	13	13	22
Influenza (10)	361	25	267	23	19	11	1	3	3		1	2	6
Tuberculosis of the lungs (28, 29)	638	60	74	59	62	60	62	46	41	38	42	51	43
Other forms of tuberculosis (30–35)	96	7	7	15	10	8	9	9	10	2	8	2	9
Meningitis (61)	34	1	5	5	1	4	4		1	2	3	3	5
Bronchitis (89, 90)	133	16	26	22	14	19	6	3	7	5	4	4	7
Pneumonia (92)	611	61	234	73	46	35	17	21	13	18	19	25	49
Bronchopneumonia (91)	504	36	136	83	62	45	19	11	18	15	20	26	39
Diarrhea and enteritis (under 2 years) (104)	412	13	27	33	20	23	16	25	69	85	54	28	14
Diarrhea and enteritis (2 years and over) (105)	57	1	6	3	4	8	4	3	4	7	4	8	5
Puerperal septicemia (137)	58	2	5	6	7	9	5	2	4	3	5	3	7
Other puerperal causes (134–136, 138–141)	64	6	9	9	4	3	4	8	3	3	4	5	6
Congenital debility (151b)	51	5	4	1	2	5	4	4	1	9	8	4	4
Violent deaths (suicide excepted) (164–186)	676	51	33	47	50	46	65	70	65	69	64	54	62
Suicide (155–163)	103	6	11	7	7	11	5	6	9	9	13	11	8
All other causes	5,056	425	553	527	426	460	390	319	369	374	392	425	396
CLEVELAND, OHIO (COLORED).													
All causes	769	68	113	63	71	65	50	63	44	54	51	65	62
Typhoid fever (1)	4							3	1				
Malaria (4)													
Measles (6)													
Scarlet fever (7)	3											1	2
Whooping cough (8)	9	1		3	1			1	1	2			
Diphtheria and croup (9)	4	1				1		1				1	
Influenza (10)	41	3	29	4	1	2	1	1					
Tuberculosis of the lungs (28, 29)	131	12	8	13	9	13	7	13	10	13	10	12	11
Other forms of tuberculosis (30–35)	18		1	1	1	1	5	2	2	2	1	1	1
Meningitis (61)	2			1					1				
Bronchitis (89, 90)	8		3		1				1		1	1	1
Pneumonia (92)	75	13	19	3	10	7	4	5	1	5	3	3	2
Bronchopneumonia (91)	50	7	14	3	7	4	4	2			2	7	
Diarrhea and enteritis (under 2 years) (104)	15	2	1	1	1		2		1	1	2	1	3
Diarrhea and enteritis (2 years and over) (105)	3	1					1			1			
Puerperal septicemia (137)	7	2	2			1			1				1
Other puerperal causes (134–136, 138–141)	3			1	1						1		
Congenital debility (151b)	2									1	1		
Violent deaths (suicide excepted) (164–186)	64	2	4		3	6	5	9	6	7	7	9	6
Suicide (155–163)													
All other causes	330	24	32	33	36	30	21	26	19	22	23	29	35

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
COLUMBUS, OHIO.													
All causes	3,546	316	593	327	301	276	250	229	220	242	228	273	201
Typhoid fever (1)	7	2							1		1	1	2
Malaria (4)	1						1						
Measles (6)	29	1	3	4	9	6	6						
Scarlet fever (7)	14	3	2		2	1	1					1	4
Whooping cough (8)	27		1	1	5	5	2	4	2	6		1	
Diphtheria and croup (9)	17	1	1	2	2		1	1	1		2	3	3
Influenza (10)	232	15	161	21	9	7	5	3	1			5	5
Tuberculosis of the lungs (23, 29)	226	13	43	25	19	23	13	23	14	12	8	14	19
Other forms of tuberculosis (30–35)	53	1	1	5	5	8	10	2	6	3	4	5	3
Meningitis (61)	13	1		1	1	2	1	3	1	1	2		
Bronchitis (89, 90)	19	4	6		4		1	1	1			1	1
Pneumonia (92)	173	23	66	16	12	9	5	5	4	7	5	11	10
Bronchopneumonia (91)	178	26	50	17	18	14	14	2	6	3	9	7	12
Diarrhea and enteritis (under 2 years) (104)	60		4	5	1	2	3	3	10	17	7	4	4
Diarrhea and enteritis (2 years and over) (105)	16			2	1	1	3	1	2	1	3	1	1
Puerperal septicemia (137)	17	2	1	1	2	1			2	2	3	1	2
Other puerperal causes (134–136, 138–141)	30	1	9	2	2	4	4		1	3	2	1	1
Congenital debility (151b)	65	6	7	9	4	2	4	1	4	13	9	4	2
Violent deaths (suicide excepted) (164–186)	221	21	21	17	19	15	10	28	16	18	19	22	15
Suicide (155–163)	13	1		1	1	2		1	2	1	2	2	
All other causes	2,135	195	217	198	185	174	166	151	146	155	152	189	207
DAYTON, OHIO.													
All causes	1,883	254	250	188	164	151	122	126	110	117	124	116	152
Typhoid fever (1)	11				1			4		4	1		1
Malaria (4)													
Measles (6)	19		1	5	9	3						1	
Scarlet fever (7)	10	3	1	1	1		1						3
Whooping cough (8)	25	3	5	8	2	2	3			1	1		
Diphtheria and croup (9)	16	2		2	1	1	1	2		2		3	2
Influenza (10)	83	30	35	10	4		1			1	1	1	
Tuberculosis of the lungs (28, 29)	116	14	17	12	9	13	9	8	8	8	5	6	7
Other forms of tuberculosis (30–35)	28	1	4	3	3	2	3	4	3	2	1		2
Meningitis (61)	15	2	2	2		1	1		1	3	3		
Bronchitis (89, 90)	10	2	1	1		1				1		1	3
Pneumonia (92)	99	40	31	5	3	6	1		2		4	2	5
Bronchopneumonia (91)	90	17	18	11	12	5	2	2	2	2	3	6	10
Diarrhea and enteritis (under 2 years) (104)	39	4	1		2	1		2	6	12	8	1	2
Diarrhea and enteritis (2 years and over) (105)	12		1		2	1	1	2	1		1	3	
Puerperal septicemia (137)	12	3		4			1		3	1			
Other puerperal causes (134–136, 138–141)	17		2			2	2	2		2	1	1	5
Congenital debility (151b)	15	2	2	1		2	2	1		3		2	
Violent deaths (suicide excepted) (164–186)	127	9	15	14	8	15	7	11	14	5	8	11	10
Suicide (155–163)	20	3	1		4	3		2		3	3	1	
All other causes	1,119	119	113	109	103	93	87	86	79	67	84	77	102
TOLEDO, OHIO.													
All causes	3,413	334	493	345	277	272	250	225	224	225	255	247	266
Typhoid fever (1)	19		1	2	2	1	2		2	2	4	1	2
Malaria (4)													
Measles (6)	36	6	14	7	7	1			1				
Scarlet fever (7)	24	1	4	5	3	4	2		2	1	1	1	
Whooping cough (8)	26	6	7	6	3		1	1	1		1		
Diphtheria and croup (9)	51	9	2	4		2	1		1	5	6	12	9
Influenza (10)	102	12	69	13	2	2						2	2
Tuberculosis of the lungs (28, 29)	306	33	36	26	21	29	33	29	18	15	24	18	24
Other forms of tuberculosis (30–35)	29	5	3	2	1	4	3	4	1		4		2
Meningitis (61)	11	2	3	1	1				2			1	1
Bronchitis (89, 90)	20	3	3	2	2	6	2					2	
Pneumonia (92)	157	17	69	14	16	7	5	3	3	4	6	7	6
Bronchopneumonia (91)	152	26	40	19	14	17	4	1	2	6	11	7	5
Diarrhea and enteritis (under 2 years) (104)	114	2	5	8	5	1	2	5	17	29	17	11	12
Diarrhea and enteritis (2 years and over) (105)	35	3	2	2	1	4	1	3	6	2	6	3	2
Puerperal septicemia (137)	26	1		4	7	1	1		2	1	2	5	2
Other puerperal causes (134–136, 138–141)	30	4	7	1	2	3	2	2	2	1	2	2	2
Congenital debility (151b)	32	7	3		3	3	2	4		2	2	6	
Violent deaths (suicide excepted) (164–186)	231	20	21	19	14	27	16	16	23	16	16	15	24
Suicide (155–163)	33	2	2	3	3	1	3	2	1	5	2	4	5
All other causes	1,979	175	202	207	170	159	170	155	140	136	151	150	164
YOUNGSTOWN, OHIO.													
All causes	1,738	195	286	175	134	116	114	97	112	131	120	111	147
Typhoid fever (1)	15	2	3	2	1			1	1	2	1	2	
Malaria (4)													
Measles (6)	5		1		1		1	2					
Scarlet fever (7)	22	3	1	1	1		3		1	1	1	6	4
Whooping cough (8)	16	1	2	2	1			2		3	2		3
Diphtheria and croup (9)	11	1	1	2	1					1	1	1	3
Influenza (10)	87	17	59	3	3	2	1			1		1	
Tuberculosis of the lungs (28, 29)	85	11	13	7	6	8	7	3	2	6	5	5	12
Other forms of tuberculosis (30–35)	28	4	4	3	2	2	4	2	2	2	2	1	
Meningitis (61)	9	1			3	1			1	2			1
Bronchitis (89, 90)	10		3	2				3				1	1
Pneumonia (92)	197	39	47	26	20	12	8	4	5	5	5	13	13
Bronchopneumonia (91)	160	18	52	17	11	8	10	3	4	7	14	5	11
Diarrhea and enteritis (under 2 years) (104)	90	3	8	8	3	2	8	4	17	14	14	4	5
Diarrhea and enteritis (2 years and over) (105)	2			1						1			
Puerperal septicemia (137)	22		1	2	2	3	4		1	3	1		5
Other puerperal causes (134–136, 138–141)	15	4	1	3	1			1	1	1	2		1
Congenital debility (151b)	19	1	2	1	2	2		2	2	2	1	1	3
Violent deaths (suicide excepted) (164–186)	185	25	12	19	7	18	9	15	16	20	22	9	13
Suicide (155–163)	13					1	2	1	2	2	1	3	1
All other causes	747	65	76	76	69	57	57	54	57	58	48	59	71

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
PORTLAND, OREG.													
All causes	3,164	318	471	281	254	256	268	227	227	193	238	202	229
Typhoid fever (1)	9			1				1		2		3	2
Malaria (4)	1						1						
Measles (6)	13		3	1	2	1	2	2		1			1
Scarlet fever (7)	3			1		1	1						
Whooping cough (8)	21		3		1	2	3	3	1	3	2	1	2
Diphtheria and croup (9)	15	2	2		2			2			2	4	1
Influenza (10)	98	3	74	12	5	2	1				1		
Tuberculosis of the lungs (28, 29)	160	12	20	12	11	17	16	19	11	10	11	11	10
Other forms of tuberculosis (30–35)	54	6	1	2	8	6	5	2	5	3	5	6	5
Meningitis (61)	13	2	2				3	1			3		2
Bronchitis (89, 90)	13	1	4	1						1	1	3	2
Pneumonia (92)	220	29	76	26	13	15	14	4	2	4	9	12	16
Bronchopneumonia (91)	106	18	23	11	4	6	6	5	4	4	5	10	10
Diarrhea and enteritis (under 2 years) (104)	24	5	4	4	1	3	1		2	3	1		
Diarrhea and enteritis (2 years and over) (105)	25	3		2	2	1	2	3	2	3		2	5
Puerperal septicemia (137)	13		2	1	1	3	2				1	2	1
Other puerperal causes (134–136, 138–141)	24	3	3	1	5		3	3	1	2	1	2	
Congenital debility (151b)	12		3	1		1	2		1	1	1	2	
Violent deaths (suicide excepted) (164–186)	192	13	12	17	16	17	23	13	29	13	20	13	6
Suicide (155–163)	45	5	7	3	3	8	2	4	5	2	1	3	2
All other causes	2,103	216	232	185	180	173	181	165	164	141	174	128	164
PHILADELPHIA, PA. (TOTAL).													
All causes	26,511	2,595	4,237	2,667	2,261	2,088	1,831	1,597	1,678	1,654	1,829	1,954	2,120
Typhoid fever (1)	62	5	4	2	2	7	6	6	6	9	8	3	4
Malaria (4)	2								1	1			
Measles (6)	177	18	31	31	33	25	27	7	2	1	1	1	
Scarlet fever (7)	122	11	24	16	15	3	7	1	2	6	9	12	16
Whooping cough (8)	100	1	4	4	4	4	5	12	22	19	11	7	7
Diphtheria and croup (9)	416	63	54	41	38	36	29	16	19	17	19	36	48
Influenza (10)	873	65	602	95	25	24	5	6	7	6	10	10	18
Tuberculosis of the lungs (28, 29)	2,227	201	260	250	233	209	170	142	140	142	166	144	170
Other forms of tuberculosis (30–35)	297	26	29	25	27	30	37	20	26	21	17	20	19
Meningitis (61)	101	12	12	10	9	13	8	9	9	3	6	3	7
Bronchitis (89, 90)	317	38	70	37	36	29	11	9	9	10	19	26	23
Pneumonia (92)	1,934	239	795	174	136	114	62	35	26	42	72	104	135
Bronchopneumonia (91)	1,590	190	394	200	164	122	71	55	54	46	64	102	128
Diarrhea and enteritis (under 2 years) (104)	1,123	47	73	79	69	76	74	121	185	150	112	88	49
Diarrhea and enteritis (2 years and over) (105)	179	12	11	4	10	13	18	23	20	25	15	13	15
Puerperal septicemia (137)	118	7	8	14	13	9	15	11	9	6	7	6	13
Other puerperal causes (134–136, 138–141)	214	22	33	26	14	18	16	14	19	13	15	14	10
Congenital debility (151b)	237	18	17	28	19	15	14	14	29	29	18	23	13
Violent deaths (suicide excepted) (164–186)	1,308	116	103	131	87	92	128	104	95	105	106	109	132
Suicide (155–163)	200	16	20	15	20	12	15	17	14	20	23	11	17
All other causes	14,914	1,488	1,693	1,485	1,307	1,237	1,113	975	984	983	1,131	1,222	1,296
PHILADELPHIA, PA. (WHITE).													
All causes	23,584	2,326	3,767	2,381	2,035	1,853	1,619	1,408	1,492	1,449	1,632	1,743	1,879
Typhoid fever (1)	49	4	4	2	2	5	6	5	3	7	6	2	3
Malaria (4)	1								1				
Measles (6)	162	17	28	27	30	25	25	6	1	1	1	1	
Scarlet fever (7)	119	11	21	16	15	3	7	1	2	6	9	12	16
Whooping cough (8)	80		3	4	2	3	4	9	20	15	8	7	5
Diphtheria and croup (9)	402	62	53	37	33	35	25	15	18	17	19	35	48
Influenza (10)	770	59	541	78	23	19	3	5	6	4	8	9	15
Tuberculosis of the lungs (28, 29)	1,790	157	209	200	197	161	137	104	117	117	132	116	143
Other forms of tuberculosis (30–35)	228	21	24	16	19	23	26	19	22	17	13	14	14
Meningitis (61)	92	11	12	10	8	11	7	8	8	2	6	2	7
Bronchitis (89, 90)	284	35	63	33	33	26	8	8	7	8	18	24	21
Pneumonia (92)	1,669	203	697	148	124	106	50	28	21	37	53	83	119
Bronchopneumonia (91)	1,312	169	317	169	144	105	60	39	39	35	49	83	103
Diarrhea and enteritis (under 2 years) (104)	1,020	44	63	71	66	72	65	107	167	132	107	83	43
Diarrhea and enteritis (2 years and over) (105)	157	11	10	4	10	12	16	22	15	21	13	12	11
Puerperal septicemia (137)	108	7	8	12	11	8	12	11	8	6	7	6	12
Other puerperal causes (134–136, 138–141)	189	21	26	24	12	17	12	13	18	12	12	13	9
Congenital debility (151b)	195	15	12	24	14	13	9	13	28	24	17	17	9
Violent deaths (suicide excepted) (164–186)	1,172	106	90	119	74	79	116	98	88	91	98	100	113
Suicide (155–163)	192	16	18	15	17	11	15	16	14	19	23	11	17
All other causes	13,593	1,357	1,568	1,372	1,196	1,119	1,016	881	889	878	1,033	1,113	1,171
PHILADELPHIA, PA. (COLORED).													
All causes	2,927	269	470	286	226	235	212	189	186	205	197	211	241
Typhoid fever (1)	13	1				2		1	3	2	2	1	1
Malaria (4)	1									1			
Measles (6)	15	1	3	4	3		2	1	1				
Scarlet fever (7)	3		3										
Whooping cough (8)	20	1	1		2	1	1	3	2	4	3		2
Diphtheria and croup (9)	14	1	1	4		1	4	1	1			1	
Influenza (10)	103	6	61	17	2	5	2	1	1	2	2	1	3
Tuberculosis of the lungs (28, 29)	437	44	51	50	36	48	33	38	23	25	34	28	27
Other forms of tuberculosis (30–35)	69	5	5	9	8	7	11	1	4	4	4	6	5
Meningitis (61)	9	1			1	2	1	1	1	1		1	
Bronchitis (89, 90)	33	3	7	4	3	3	3	1	2	2	1	2	2
Pneumonia (92)	265	36	98	26	12	8	12	7	5	5	19	21	16
Bronchopneumonia (91)	278	21	77	31	20	17	11	16	15	11	15	19	25
Diarrhea and enteritis (under 2 years) (104)	103	3	10	8	3	4	9	14	18	18	5	5	6
Diarrhea and enteritis (2 years and over) (105)	22	1	1			1	2	1	5	4	2	1	4
Puerperal septicemia (137)	10			2	2	1	3		1				1
Other puerperal causes (134–136, 138–141)	25	1	7	2	2	1	4	1	1	1	3	1	1
Congenital debility (151b)	42	3	5	4	5	2	5	1	1	5	1	6	4
Violent deaths (suicide excepted) (164–186)	136	10	13	12	13	13	12	6	7	14	8	9	19
Suicide (155–163)	8		2		3	1		1		1			
All other causes	1,321	131	125	113	111	118	97	94	95	105	98	109	125

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
PITTSBURGH, PA. (TOTAL).													
All causes	9,678	853	1,786	952	767	779	633	623	622	625	623	673	752
Typhoid fever (1)	33	1	5	1	1	1	4	2	5	7	2	2	2
Malaria (4)	1						1						
Measles (6)	105	1	12	10	14	28	22	9	3	2		4	
Scarlet fever (7)	21	2	1	2	1		2		2		2	6	3
Whooping cough (8)	84	6	17	16	15	6	9	3	4	4	2		2
Diphtheria and croup (9)	119	9	15	12	6	7	4	9	4	7	15	15	16
Influenza (10)	566	20	427	71	15	9	1	2	2	2	5	2	10
Tuberculosis of the lungs (28, 29)	579	64	66	54	51	50	54	39	39	37	36	36	53
Other forms of tuberculosis (30–35)	130	12	12	18	14	10	7	11	9	7	13	7	10
Meningitis (61)	40	3	5	5	5	3	4	1	4	2	1	3	4
Bronchitis (89, 90)	99	10	32	11	7	4	6	3	2	3	6	8	7
Pneumonia (92)	1,266	139	403	101	103	111	38	33	37	33	88	78	97
Bronchopneumonia (91)	751	86	214	88	78	65	40	30	20	29	30	35	42
Diarrhea and enteritis (under 2 years) (104)	454	15	27	26	21	26	29	60	97	62	36	33	24
Diarrhea and enteritis (2 years and over) (105)	64	2	2	6	2	4	4	12	15	6	3	5	3
Puerperal septicemia (137)	87	3	5	9	11	6	10	4	5	7	9	8	10
Other puerperal causes (134–136, 138–141)	90	8	16	9	5	7	5	7	1	8	5	6	9
Congenital debility (151b)	35	2	1	5	1	3	3	2	4	1	4	4	5
Violent deaths (suicide excepted) (164–186)	671	58	61	65	36	62	55	56	62	63	48	49	56
Suicide (155–163)	52	2	6	5	4	1	6	3	6	7	2	5	5
All other causes	4,431	416	459	438	377	376	329	337	301	333	317	352	396
PITTSBURGH, PA. (WHITE).													
All causes	8,813	786	1,641	876	699	713	572	564	563	567	565	584	664
Typhoid fever (1)	31	1	5	1	1	1	3	2	5	7	2	2	1
Malaria (4)	1						1						
Measles (6)	104	1	11	10	14	28	22	9	3	2		4	
Scarlet fever (7)	19	2	1	2	1		2		2		2	6	1
Whooping cough (8)	68	4	15	11	13	4	8	2	4	4	2		1
Diphtheria and croup (9)	114	9	15	12	5	7	4	8	4	7	15	13	15
Influenza (10)	521	19	394	67	13	9	1	1	2	1	4	1	9
Tuberculosis of the lungs (28, 29)	480	57	56	45	42	44	42	29	29	30	31	29	46
Other forms of tuberculosis (30–35)	115	11	12	15	13	8	6	9	9	6	12	6	8
Meningitis (61)	36	3	4	5	5	3	3	1	3	2	1	3	3
Bronchitis (89, 90)	90	9	29	9	6	4	5	3	2	3	6	8	6
Pneumonia (92)	1,105	124	361	87	92	86	33	27	30	34	78	67	86
Bronchopneumonia (91)	678	76	194	78	68	64	35	27	16	27	24	20	39
Diarrhea and enteritis (under 2 years) (104)	417	15	25	24	20	22	26	57	92	57	32	23	19
Diarrhea and enteritis (2 years and over) (105)	61	2	2	5	2	4	4	10	15	6	3	5	3
Puerperal septicemia (137)	78	3	4	8	10	6	8	4	3	6	9	7	10
Other puerperal causes (134–136, 138–141)	82	7	16	9	4	7	5	5		7	9	6	7
Congenital debility (151b)	29	1	1	4	1	2	3	2	2	1	4	3	5
Violent deaths (suicide excepted) (164–186)	609	52	59	61	32	59	51	50	58	52	43	41	51
Suicide (155–163)	52	2	6	5	4	1	6	3	6	7	2	5	5
All other causes	4,123	388	431	418	353	354	304	315	278	303	236	320	368
PITTSBURGH, PA. (COLORED).													
All causes	865	67	145	76	68	66	61	59	59	58	63	74	69
Typhoid fever (1)	2						1						
Malaria (4)													
Measles (6)	1		1										
Scarlet fever (7)	2												2
Whooping cough (8)	16	2	2	5	2	2	1	1					1
Diphtheria and croup (9)	5				1			1				2	1
Influenza (10)	45	1	33	4	2			1		1	1	1	1
Tuberculosis of the lungs (28, 29)	99	7	10	9	9	6	12	10	10	7	5	7	7
Other forms of tuberculosis (30–35)	15	1		3	1	2	1	2		1	1	1	2
Meningitis (61)	4		1				1		1				1
Bronchitis (89, 90)	9	1	3	2	1		1						1
Pneumonia (92)	161	15	42	14	11	25	5	6	7	4	10	11	11
Bronchopneumonia (91)	73	4	20	10	10	1	5	3	4	2	6	5	3
Diarrhea and enteritis (under 2 years) (104)	37		2	2	1	4	3	3	5	5	4	5	3
Diarrhea and enteritis (2 years and over) (105)	3			1				2					
Puerperal septicemia (137)	9		1	1	1		2		2	1		1	
Other puerperal causes (134–136, 138–141)	8	1			1			2	1	1			2
Congenital debility (151b)	6	1		1		1			2			1	
Violent deaths (suicide excepted) (164–186)	62	6	2	4	4	3	4	6	4	11	5	8	5
Suicide (155–163)													
All other causes	308	28	28	20	24	22	25	22	23	25	31	32	28
READING, PA.													
All causes	1,564	164	196	149	119	119	113	95	129	107	98	132	143
Typhoid fever (1)	7	1			2				3			1	
Malaria (4)													
Measles (6)	1	1											
Scarlet fever (7)													
Whooping cough (8)	11							1	5	1		2	2
Diphtheria and croup (9)	18	2	4	1	2		1			2	1	2	3
Influenza (10)	67	9	39	3		4	2	1		1	1	4	3
Tuberculosis of the lungs (28, 29)	77	11	10	10	6	6	5	7	8	5	3	3	3
Other forms of tuberculosis (30–35)	13	2	1	1			1	2	1	2		1	2
Meningitis (61)	6		1		1	1	2						1
Bronchitis (89, 90)	12			2	1	1		2	1	1	1		3
Pneumonia (92)	101	17	32	11	5	6	5	1	1		3	11	9
Bronchopneumonia (91)	61	9	12	3	2	6	3	1	1	7	2	4	11
Diarrhea and enteritis (under 2 years) (104)	81	3	7	7	4	4	5	5	29	9	5	2	1
Diarrhea and enteritis (2 years and over) (105)	16		2		1	1		2	1	3	2	2	2
Puerperal septicemia (137)	9		3	1	1		1		1	1	1		
Other puerperal causes (134–136, 138–141)	15	2	2	3	2	1	1		1	1	1		1
Congenital debility (151b)	9			2	2	2			1		1		1
Violent deaths (suicide excepted (164–186)	100	5	6	10	1	8	15	10	10	9	8	10	8
Suicide (155–163)	25	2	2	4	2	2	3	1	1	2	4	2	
All other causes	935	100	75	91	87	77	69	62	65	63	65	88	93

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov,	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
SCRANTON, PA.													
All causes	2,057	197	319	162	168	168	155	144	155	123	155	139	172
Typhoid fever (1)	2										1		1
Malaria (4)													
Measles (6)	22	3	1	3	1	3	5	5	1				
Scarlet fever (7)	13	2	1	2			1				1	3	3
Whooping cough (8)	17		1		1	2	1	1	5	1	1	3	1
Diphtheria and croup (9)	23	3	3		2	1	1	1	2	2	2	2	4
Influenza (10)	146	8	116	8	5	1				1	2	1	4
Tuberculosis of the lungs (28, 29)	86	4	10	8	4	14	10	3	6	6	7	6	8
Other forms of tuberculosis (30–35)	17	1	1	1	3	1	2	1	4	2	1		
Meningitis (61)	15	2	4		1	2		1	2		1	2	
Bronchitis (89, 90)	28	2	1	3	3	1	1	2		1	2	5	7
Pneumonia (92)	162	24	43	16	18	7	6	6	7	5	6	9	15
Bronchopneumonia (91)	123	11	20	17	7	12	8	7	5	2	14	7	13
Diarrhea and enteritis (under 2 years) (104)	97	6	5	4	7	4	3	10	13	24	11	3	2
Diarrhea and enteritis (2 years and over) (105)	18	2	1	2	2			4	3		2	1	1
Puerperal septicemia (137)	9				2			1			2		4
Other puerperal causes (134–136, 138–141)	28	2	2	3	2	2	1	3	1	4	5	2	1
Congenital debility (151b)	18		2	2	2	1	1	1	2	2	2	1	2
Violent deaths (suicide excepted) (164–186)	175	20	10	10	13	19	20	15	14	10	15	9	20
Suicide (155–163)	12	1	1	1	3	1	2	2					1
All other causes	1,046	106	97	82	92	97	93	81	85	63	80	85	85
PROVIDENCE, R. I.													
All causes	3,692	370	661	372	268	275	258	233	247	232	240	255	281
Typhoid fever (1)	9				1	1	1	1	3		2		
Malaria (4)	1	1											
Measles (6)	26		6	3	5	5	2	2			1	2	
Scarlet fever (7)	14		3	3	2	1		1	1	2	1		
Whooping cough (8)	34	6	4	3	2	1	3	5	3	1	3	1	2
Diphtheria and croup (9)	69	11	13	5	5	8	3	4	6	8		3	3
Influenza (10)	133	7	106	14	1	1	1	1	1		1	1	
Tuberculosis of the lungs (28, 29)	214	21	21	28	12	20	17	24	20	8	10	17	16
Other forms of tuberculosis (30–35)	57	8	9	4	3	6	7	3	7	2	3	3	2
Meningitis (61)	16	3	3			2	1		1	2	3	1	
Bronchitis (89, 90)	32	3	6	2	1	2	3	1		1	1	3	4
Pneumonia (92)	275	33	103	33	30	14	9	6	6	1	6	13	16
Bronchopneumonia (91)	193	17	72	19	22	14	8	5	4	2	6	7	17
Diarrhea and enteritis (under 2 years) (104)	101	3	5	5	3	4	4	10	18	23	20	4	2
Diarrhea and enteritis (2 years and over) (105)	18	1	1	3		1			2	2	3	1	4
Puerperal septicemia (137)	22	1	2	2	3	2	2	3	1	2		3	1
Other puerperal causes (134–136, 138–141)	54	6	14	5	2	3	1	4	1	3	4	7	4
Congenital debility (151b)	36	4	6		1	2	1	3	3	8		3	5
Violent deaths (suicide excepted (164–186)	185	17	22	10	12	13	23	18	9	11	16	14	20
Suicide (155–163)	30	1	2	7	3	3		2	2	2	3	3	2
All other causes	2,173	222	258	226	160	172	172	140	159	154	158	169	183
MEMPHIS, TENN. (TOTAL).													
All causes	3,255	306	444	298	279	269	259	226	238	204	221	230	281
Typhoid fever (1)	14	2	1	1			3	3	1	1	1	1	
Malaria (4)	36	1		1	3	3	4	3	6	9	3	3	
Measles (6)	1											1	
Scarlet fever (7)	3	1											2
Whooping cough (8)	11						1	5	2	2			1
Diphtheria and croup (9)	20	3			3		1			2	4	4	3
Influenza (10)	146	10	87	24	9	3	2	1		1		4	5
Tuberculosis of the lungs (28, 29)	292	25	32	26	23	31	22	25	26	12	22	27	21
Other forms of tuberculosis (30–35)	46	5	2	9	4	2	4	3	5	5	2	1	4
Meningitis (61)	18	2	1	3	1	1	1	1	2		1	1	4
Bronchitis (89, 90)	13	2	1	3	2	1	1		2	1			
Pneumonia (92)	264	29	95	38	28	11	4	3	8	7	8	13	20
Bronchopneumonia (91)	99	9	21	14	8	11	2	4	2	4	7	2	15
Diarrhea and enteritis (under 2 years) (104)	69	5	2	3	3	5	9	8	10	7	6	8	3
Diarrhea and enteritis (2 years and over) (105)	32	5			3	6	3	7	3	1	3	1	
Puerperal septicemia (137)	21	5	1	1	1	2	3		4	1	1	1	1
Other puerperal causes (134–136, 138–141)	41	2	2	5	4	5	2	5	4	5	1	2	4
Congenital debility (151b)	13	3	2	1	1	1			3	2			
Violent deaths (suicide excepted) (164–186)	327	26	33	25	25	22	22	21	25	27	28	31	42
Suicide (155–163)	15	1	1		4	3	1	1				2	2
All other causes	1,774	170	163	144	157	162	174	136	135	117	134	128	154
MEMPHIS, TENN. (WHITE).													
All causes	1,595	153	230	132	120	130	140	122	111	85	105	130	137
Typhoid fever (1)	4	1						1		1	1		
Malaria (4)	7			1	1		1	1	1	2			
Measles (6)	1											1	
Scarlet fever (7)	2	1											1
Whooping cough (8)	6							4	1	1			
Diphtheria and croup (9)	12	2			2					1	3	3	1
Influenza (10)	71	4	52	8	4							1	2
Tuberculosis of the lungs (28, 29)	93	6	17	7	5	13	9	7	4	2	6	11	6
Other forms of tuberculosis (30–35)	18	2	1	3	2	1	3		1	1	1	1	2
Meningitis (61)	13	2		2		1	1	1	1		1		4
Bronchitis (89, 90)	5			1	2	1	1						
Pneumonia (92)	103	17	46	10	5	4	3		4	3	1	5	5
Bronchopneumonia (91)	47	6	11	7	1	3	1	2	1	1	4	2	8
Diarrhea and enteritis (under 2 years) (104)	46	5	1	2	2	3	7	4	3	2	3	6	3
Diarrhea and enteritis (2 years and over) (105)	21	2				5	3	6	2	1	1	1	
Puerperal septicemia (137)	5	1				1	3						
Other puerperal causes (134–136, 138–141)	22	1	1	1	3	2	1	2	2	4	1	1	3
Congenital debility (151b)	5		2						2	1			
Violent deaths (suicide excepted) (164–186)	137	13	14	11	8	8	8	8	10	10	13	18	16
Suicide (155–163)	12	1	1		3	2	1	1				2	1
All other causes	965	89	84	79	82	86	98	85	74	55	70	78	85

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
MEMPHIS, TENN. (COLORED).													
All causes	1,660	153	214	166	159	139	119	104	127	119	116	100	144
Typhoid fever (1)	10	1	1	1			3	2	1			1	
Malaria (4)	29	1			2	3	3	2	5	7	3	3	
Measles (6)													
Scarlet fever (7)	1												1
Whooping cough (8)	5						1	1	1	1			1
Diphtheria and croup (9)	8	1			1		1			1	1	1	2
Influenza (10)	75	6	35	16	5	3	2	1		1		3	3
Tuberculosis of the lungs (28, 29)	199	19	15	19	18	18	13	18	22	10	16	16	15
Other forms of tuberculosis (30–35)	28	3	1	6	2	1	1	3	4	4	1		2
Meningitis (61)	5		1	1	1				1			1	
Bronchitis (89, 90)	8	2	1	2					2	1			
Pneumonia (92)	161	12	49	28	23	7	1	3	4	4	7	8	15
Bronchopneumonia (91)	52	3	10	7	7	8	1	2	1	3	3		7
Diarrhea and enteritis (under 2 years) (104)	23		1	1	1	2	2	4	2	5	3	2	
Diarrhea and enteritis (2 years and over) (105)	11	3			3	1		1	1		2		
Puerperal septicemia (137)	16	4	1	1	1	1			4	1	1	1	1
Other puerperal causes (134–136, 138–141)	19	1	1	4	1	3	1	3	2	1		1	1
Congenital debility (151b)	8	3		1	1	1			1	1			
Violent deaths (suicide excepted) (164–186)	190	13	19	14	17	14	14	13	15	17	15	13	26
Suicide (155–163)	3				1	1							1
All other causes	809	81	79	65	75	76	76	51	61	62	64	50	69
NASHVILLE, TENN. (TOTAL).													
All causes	2,147	165	299	211	181	151	158	182	163	130	166	161	171
Typhoid fever (1)	12			1		1		1	5	1	2	1	
Malaria (4)	1						1						
Measles (6)	5						2	3					
Scarlet fever (7)	1												1
Whooping cough (8)	31				1	4	5	4	5	2	3		7
Diphtheria and croup (9)	12	3	3						1	2	1	1	1
Influenza (10)	146	6	77	38	12	6	2	1		2	1		1
Tuberculosis of the lungs (28, 29)	207	10	24	21	23	28	19	21	11	13	8	9	20
Other forms of tuberculosis (30–35)	41	2	1	3	3	2	6	5	8	1	3	5	2
Meningitis (61)	12			3	3	1			1		1	2	1
Bronchitis (89, 90)	19	1		4	2	2	1		2	1	2	2	2
Pneumonia (92)	146	17	48	25	12	5		1	6	3	7	10	12
Bronchopneumonia (91)	70	12	17	9	9	4		2	2	3	1	2	9
Diarrhea and enteritis (under 2 years) (104)	57	2	1	2	4	1	5	15	7	8	7		5
Diarrhea and enteritis (2 years and over) (105)	20	1			1	1	6	3	2	1	2	1	2
Puerperal septicemia (137)	15	3		3	1		1	1		1	3	2	
Other puerperal causes (134–136, 138–141)	19		7	4	2	1	1	1		1	1		1
Congenital debility (151b)	47	4	7	2	2	3	2	2	9	3	5	5	3
Violent deaths (suicide excepted) (164–186)	117	9	11	15	5	4	11	6	10	18	9	11	8
Suicide (155–163)	10	1		1	1	2	1		1	2			1
All other causes	1,159	94	103	80	100	86	95	116	93	77	110	110	95
NASHVILLE, TENN. (WHITE).													
All causes	1,292	111	175	121	111	91	90	107	101	85	94	103	103
Typhoid fever (1)	6							1	3		2		
Malaria (4)													
Measles (6)	5						2	3					
Scarlet fever (7)	1												1
Whooping cough (8)	19				1	4	3	4	3		2		2
Diphtheria and croup (9)	11	3	3							2	1	1	1
Influenza (10)	83	4	41	24	6	4	2			2			
Tuberculosis of the lungs (28, 29)	90	6	13	7	13	14	5	6	3	8	5	2	8
Other forms of tuberculosis (30–35)	19		1	3	1		3	3	3		1	2	2
Meningitis (61)	10			3	3	1					1	1	1
Bronchitis (89, 90)	10			1	1	2	1		1		1	2	1
Pneumonia (92)	77	9	28	14	3	2			3	2	4	6	6
Bronchopneumonia (91)	38	9	9	2	7	1		1	1	2		2	4
Diarrhea and enteritis (under 2 years) (104)	37	2	1		4		2	8	3	7	6		4
Diarrhea and enteritis (2 years and over) (105)	12	1			1		3	2	2	1		1	1
Puerperal septicemia (137)	9	1		3	1		1			1		2	
Other puerperal causes (134–136, 138–141)	14		6	3	2		1	1					1
Congenital debility (151b)	37	4	7	1	2	2		1	8	2	4	3	3
Violent deaths (suicide excepted) (164–186)	74	5	6	10	3	2	7	3	9	13	5	7	4
Suicide (155–163)	9	1		1	1	2	1		1	2			
All other causes	731	66	60	49	62	57	59	74	61	43	62	74	64
NASHVILLE, TENN. (COLORED).													
All causes	855	54	124	90	70	60	68	75	62	54	72	53	69
Typhoid fever (1)	6			1		1			2	1		1	
Malaria (4)	1						1						
Measles (6)													
Scarlet fever (7)													
Whooping cough (8)	12						2		2	2	1		5
Diphtheria and croup (9)	1								1				
Influenza (10)	63	2	36	14	6	2		1			1		1
Tuberculosis of the lungs (28, 29)	117	4	11	14	10	14	14	15	8	5	3	7	12
Other forms of tuberculosis (30–35)	22	2			2	2	3	2	5	1	2	3	
Meningitis (61)	2								1			1	
Bronchitis (89, 90)	9	1		3	1				1	1	1		1
Pneumonia (92)	69	8	20	11	9	3		1	3	1	3	4	6
Bronchopneumonia (91)	32	3	8	7	2	3		1	1	1	1		5
Diarrhea and enteritis (under 2 years) (104)	20			2		1	3	7	4	1	1		1
Diarrhea and enteritis (2 years and over) (105)	8					1	3	1			2		1
Puerperal septicemia (137)	6	2						1			3		
Other puerperal causes (134–136, 138–141)	5		1	1		1				1	1		
Congenital debility (151b)	10			1		1	2	1	1	1	1	2	
Violent deaths (suicide excepted) (164–186)	43	4	5	5	2	2	4	3	1	5	4	4	4
Suicide (155–163)	1												1
All other causes	428	28	43	31	38	29	36	42	32	34	48	36	31

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
DALLAS, TEX. (TOTAL).													
All causes	2,166	228	320	191	161	176	181	178	140	132	143	167	149
Typhoid fever (1)	23		1		2	3	1	5	3	6			2
Malaria (4)	22	2		1		1	1	2	2	3	7	3	
Measles (6)	4		2			1	1						
Scarlet fever (7)	2	1						1					
Whooping cough (8)	8		1		1		1	2		1	1		1
Diphtheria and croup (9)	24	6	1	1	1	1	1	2	1	1	5	4	
Influenza (10)	129	22	65	16	4	5	1	2	1	2		6	5
Tuberculosis of the lungs (28, 29)	156	17	22	13	16	19	15	15	5	6	7	11	10
Other forms of tuberculosis (30–35)	24	3	4	2	2	3	1	1	2	1	3	1	1
Meningitis (61)	16	1	1	1	1		2	1	2	2	1	1	3
Bronchitis (89, 90)	12	4		3					1	1		2	1
Pneumonia (92)	133	26	57	9	8	3	2	1	2	4	3	8	10
Bronchopneumonia (91)	59	7	20	9	1	1	3	1	1	4	4	3	5
Diarrhea and enteritis (under 2 years) (104)	63		4	1	3	5	13	13	8	7	4	2	3
Diarrhea and enteritis (2 years and over) (105)	21	1	1	1	2	6	4	3	1		1		1
Puerperal septicemia (137)	10	3		2	2	1		1			1		
Other puerperal causes (134–136, 138–141)	24	1	8	3	2	1	1	2	1	2	1	1	1
Congenital debility (151b)	20	2	1	3	1	2	1	3	1	1		2	3
Violent deaths (suicide excepted) (164–186)	175	21	12	18	15	14	19	15	14	12	4	17	14
Suicide (155–163)	20	2		1	3	3	2	3	1		2	1	2
All other causes	1,221	109	120	107	97	107	112	105	94	79	99	105	87
DALLAS, TEX. (WHITE).													
All causes	1,663	176	241	151	125	129	132	145	102	113	109	131	109
Typhoid fever (1)	15					2		3	3	6			1
Malaria (4)	19	2		1		1	1	2		2	7	3	
Measles (6)	4		2			1	1						
Scarlet fever (7)	2	1						1					
Whooping cough (8)	8		1		1		1	2		1	1		1
Diphtheria and croup (9)	22	6	1	1	1	1	1	2	1	1	4	3	
Influenza (10)	96	19	48	12	4	3	1	2	1	1		1	4
Tuberculosis of the lungs (28, 29)	80	10	14	9	6	7	6	8	1	3	2	7	7
Other forms of tuberculosis (30–35)	17	3	4	2	1	1	1		2	1	2		
Meningitis (61)	10	1	1		1			1	1	2	1	1	1
Bronchitis (89, 90)	7	3		1						1		2	
Pneumonia (92)	95	19	40	6	5	3	1	1	2	4	2	6	6
Bronchopneumonia (91)	45	6	13	5	1	1	2	1	1	4	3	3	5
Diarrhea and enteritis (under 2 years) (104)	49		4		3	3	9	11	7	6	3	2	1
Diarrhea and enteritis (2 years and over) (105)	17	1	1	1	2	5	3	2	1		1		
Puerperal septicemia (137)	8	2		2	2	1		1					
Other puerperal causes (134–136, 138–141)	17	1	4	3	2		1	2	1	2	1		
Congenital debility (151b)	19	2	1	2	1	2	1	3	1	1		2	3
Violent deaths (suicide excepted) (164–186)	133	14	8	16	13	9	14	11	9	9	4	15	11
Suicide (155–163)	15	2		1	2	2	2	3			2		1
All other causes	985	84	99	89	80	87	87	89	71	69	76	86	68
DALLAS, TEX. (COLORED).													
All causes	503	52	79	40	36	47	49	33	38	19	34	36	40
Typhoid fever (1)	8		1		2	1	1	2					1
Malaria (4)	3								2	1			
Measles (6)													
Scarlet fever (7)													
Whooping cough (8)													
Diphtheria and croup (9)	2										1	1	
Influenza (10)	33	3	17	4		2				1		5	1
Tuberculosis of the lungs (28, 29)	76	7	8	4	10	12	9	7	4	3	5	4	3
Other forms of tuberculosis (30–35)	7				1	2		1			1	1	1
Meningitis (61)	6			1			2		1				2
Bronchitis (89, 90)	5	1		2					1				1
Pneumonia (92)	38	7	17	3	3		1				1	2	4
Bronchopneumonia (91)	14	1	7	4			1				1		
Diarrhea and enteritis (under 2 years) (104)	14			1		2	4	2	1	1	1		2
Diarrhea and enteritis (2 years and over) (105)	4					1	1	1					1
Puerperal septicemia (137)	2	1									1		
Other puerperal causes (134–136, 138–141)	7		4			1						1	1
Congenital debility (151b)	1			1									
Violent deaths (suicide excepted) (164–186)	42	7	4	2	2	5	5	4	5	3		2	3
Suicide (155–163)	5				1	1			1			1	1
All other causes	236	25	21	18	17	20	25	16	23	10	23	19	19
HOUSTON, TEX. (TOTAL).													
All causes	1,944	170	267	177	168	161	142	169	129	139	125	136	161
Typhoid fever (1)	19		3				2	5	1	3	1	1	3
Malaria (4)	32	1	2	1	3		2	3	8	3	4	4	1
Measles (6)	7		5	2									
Scarlet fever (7)													
Whooping cough (8)	6		3		1		1	1		1		1	1
Diphtheria and croup (9)	14	1			1		1		1	1		1	5
Influenza (10)	108	11	59	20	7	5	1		1	1		1	2
Tuberculosis of the lungs (28, 29)	138	12	17	13	20	14	12	12	7	9	10	8	4
Other forms of tuberculosis (30–35)	17	2	2	1	1	1	3	1			4	2	
Meningitis (61)	11		2	1	2			2			1		3
Bronchitis (89, 90)	11	3	3		1					2	1		1
Pneumonia (92)	136	19	46	21	8	5	3	5	4	4	5	5	11
Bronchopneumonia (91)	29	5	7	3	1	4	1		1	2	3		2
Diarrhea and enteritis (under 2 years) (104)	48	2	2	1	4	9	7	10	6	1	2	3	1
Diarrhea and enteritis (2 years and over) (105)	22	3	3			2		4	3	4	2		1
Puerperal septicemia (137)	11		1		1		1	1		3	2		2
Other puerperal causes (134–136, 138–141)	24		3	1		5	1	1	3	2	3	3	2
Congenital debility (151b)	11	1			1	1	1	3	1	2			1
Violent deaths (suicide excepted) (164–186)	138	14	7	12	12	10	9	16	13	10	10	9	16
Suicide (155–163)	14	1			2	1	2			1	3	3	1
All other causes	1,148	95	102	101	103	104	94	105	80	9.	74	95	104

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
HOUSTON, TEX. (WHITE).													
All causes	1,304	113	160	119	112	115	84	115	80	93	94	106	113
Typhoid fever (1)	11		2				1	2		3	1		2
Malaria (4)	16	1	2					3		2	3	4	1
Measles (6)	7		5	2									
Scarlet fever (7)													
Whooping cough (8)	5				1			1		1		1	1
Diphtheria and croup (9)	13	1	3		1		1		1	1		1	4
Influenza (10)	54	7	32	9	3	3							
Tuberculosis of the lungs (28, 29)	72	8	8	4	11	6	6	6	5	5	5	5	3
Other forms of tuberculosis (30–35)	14	1	1	1	1	1	3	1			4	1	
Meningitis (61)	10		2	1	2			2			1		2
Bronchitis (89, 90)	7	1	2		1					2			1
Pneumonia (92)	77	7	25	11	4	2	2	5	3	3	5	2	8
Bronchopneumonia (91)	21	3	4	2		3	1		1	2	3		2
Diarrhea and enteritis (under 2 years) (104)	37	2	1	1	2	8	4	9	4	1	1	3	1
Diarrhea and enteritis (2 years and over) (105)	18	3	2			2		4	3	3	1		
Puerperal septicemia (137)	9				1		1	1		3	2		1
Other puerperal causes (134-136, 138-141)	18		2			5			3	1	2	3	2
Congenital debility (151b)	10	1			1	1	1	2	1	2			1
Violent deaths (suicide excepted) (164-186)	90	10	5	10	8	9	5	9	6	5	7	7	9
Suicide (155-163)	13	1			2	1	2			1	3	2	1
All other causes	802	67	64	78	74	74	57	70	53	53	56	77	74
HOUSTON, TEX. (COLORED).													
All causes	640	57	107	58	56	46	58	54	49	46	31	30	48
Typhoid fever (1)	8		1				1	3	1			1	1
Malaria (4)	16			1	3		2		8	1	1		
Measles (6)													
Scarlet fever (7)													
Whooping cough (8)	1						1						
Diphtheria and croup (9)	1												1
Influenza (10)	54	4	27	11	4	2	1		1	1		1	2
Tuberculosis of the lungs (28, 29)	66	4	9	9	9	8	6	6	2	4	5	3	1
Other forms of tuberculosis (30–35)	3	1	1									1	
Meningitis (61)	1												1
Bronchitis (89, 90)	4	2	1								1		
Pneumonia (92)	59	12	21	10	4	3	1		1	1		3	3
Bronchopneumonia (91)	8	2	3	1	1	1							
Diarrhea and enteritis (under 2 years) (104)	11		1		2	1	3	1	2		1		
Diarrhea and enteritis (2 years and over) (105)	4		1							1	1		1
Puerperal septicemia (137)	2		1										1
Other puerperal causes (134-136, 138-141)	6		1	1			1	1		1	1		
Congenital debility (151b)	1							1					
Violent deaths (suicide excepted) (164-186)	48	4	2	2	4	1	4	7	7	5	3	2	7
Suicide (155-163)	1											1	
All other causes	346	28	38	23	29	30	38	35	27	32	18	18	30
SAN ANTONIO, TEX.													
All causes	2,663	253	346	239	248	259	205	192	167	173	183	178	220
Typhoid fever (1)	16	1	1		1	1	1	5	1	3	1	1	
Malaria (4)	20			2		2	1	4	3	4	3	1	
Measles (6)	2					2							
Scarlet fever (7)	1	1											
Whooping cough (8)	19			3	2	3	1	4	5	1			
Diphtheria and croup (9)	24	7	2	3	3		2	1	1	2			3
Influenza (10)	124	12	66	22	5	5	1	1	1	4	1	2	4
Tuberculosis of the lungs (28, 29)	435	40	39	40	42	51	27	32	28	34	33	32	37
Other forms of tuberculosis (30–35)	18	1	2		1	1	1	4	1	1	2	2	2
Meningitis (61)	20	2	3	1	5			2	2	1	1	1	2
Bronchitis (89, 90)	35	8	8	3	2		5		3	1	1	1	3
Pneumonia (92)	98	17	36	10	9	2	4	1		1	4	5	9
Bronchopneumonia (91)	98	14	30	11	7	3	4	4	3	2	4	2	14
Diarrhea and enteritis (under 2 years) (104)	264	10	21	14	39	55	36	24	18	9	9	17	12
Diarrhea and enteritis (2 years and over) (105)	63	9	6	5	10	7	7	2	3	3	4	2	5
Puerperal septicemia (137)	23	3	2	1	3	1	2		1	1	4	3	2
Other puerperal causes (134-136, 138-141)	23	3	4	1		2	2	1	3	1	3		3
Congenital debility (151b)	13		2		1	3	3	1	2	1			
Violent deaths (suicide excepted) (164-186)	112	12	9	9	10	9	7	7	11	11	10	7	10
Suicide (155-163)	13		1	1	2	2	1	3		2		1	
All other causes	1,242	113	114	113	106	110	100	96	81	91	103	101	114
SALT LAKE CITY, UTAH.													
All causes	1,704	168	346	128	135	126	98	132	98	105	125	105	138
Typhoid fever (1)	9	1	1	2				1			3	1	
Malaria (4)													
Measles (6)	6					1		1				2	2
Scarlet fever (7)	2	1											1
Whooping cough (8)	16		1		1	2	3	3	1	2	1		2
Diphtheria and croup (9)	11		1			1	1	5	1		2		
Influenza (10)	140	11	116	5	2	1	2	1				1	1
Tuberculosis of the lungs (28, 29)	76	5	14	5	6	9	4	7	3	8	2	6	7
Other forms of tuberculosis (30–35)	12	1	1		2	1	1	2	2		1	1	
Meningitis (61)	12	1	2	1				1	1	2	1	1	2
Bronchitis (89, 90)	17	4	4		1	1		1	2		1	1	2
Pneumonia (92)	102	20	46	5	6	3	3	2	3	1	4	2	7
Bronchopneumonia (91)	81	13	23	8	2	9	3	1	2	4	3	3	10
Diarrhea and enteritis (under 2 years) (104)	42		1	3	3	1	3	1	4	7	11	6	2
Diarrhea and enteritis (2 years and over) (105)	15		1	1	1			2	1	4	5		
Puerperal septicemia (137)	8		1		2		2		1		1		1
Other puerperal causes (134-136, 138-141)	30	2	8	1	4	3	2	2	1	2	1		4
Congenital debility (151b)	6		1				1		1	1		1	1
Violent deaths (suicide excepted) (164-186)	114	4	11	10	8	10	3	20	10	9	10	9	10
Suicide (155-163)	13		2	3			1	2		1	1	1	2
All other causes	992	105	112	84	97	84	69	80	65	64	78	70	84

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July,	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
NORFOLK, VA. (TOTAL).													
All causes	1,782	162	299	162	132	139	128	123	137	124	114	123	139
Typhoid fever (1)	17	6				2	1	2	2		2	1	1
Malaria (4)	4								1			2	1
Measles (6)	5			1½		1			1	1		1	
Scarlet fever (7)													
Whooping cough (8)	7	1	2		1		1			1			1
Diphtheria and croup (9)	9		3			2				1½	1	2	
Influenza (10)	132	3	95	18	6	5	3					1	1
Tuberculosis of the lungs (28, 29)	173	16	20	17	14	10	7	15	20	11	16½	13	14
Other forms of tuberculosis (30–35)	29	3	2	3	2	1	6		2	5	3½	1	1
Meningitis (61)	5	1	1					1	1			1	
Bronchitis (89, 90)	19	1	1	3	2	2		1			3	2	4
Pneumonia (92)	103	16	42	11	5	2	3	3	2	1	3	7	8
Bronchopneumonia (91)	59	5	12	9	10	4	1		1	3	4	3	7
Diarrhea and enteritis (under 2 years) (104)	43	3	4			1	8	10	4	8	4	1	
Diarrhea and enteritis (2 years and over) (105)	11		3			1	2		2		2	1	
Puerperal septicemia (137)	9	1	1		1	1		2		1	1		1
Other puerperal causes (134–136, 138–141)	22	1	4	1	3	3	1	3		2	3	1	
Congenital debility (151b)	14	1	3	1			1	1	1	3	1	1	1
Violent deaths (suicide excepted) (164–186)	152	16	17	15	6	13	11	11	20	11	14	10	8
Suicide (155–163)	6		1		1						1	1	2
All other causes	963	88	88	83	81	91	83	74	80	76	56	74	89
NORFOLK, VA. (WHITE).													
All causes	870	74	147	77	62	67	67	55	69	65	60	60	67
Typhoid fever (1)	9	3				1	1	1			1	1	1
Malaria (4)	3								1			1	1
Measles (6)	2			1								1	
Scarlet fever (7)													
Whooping cough (8)	3		1							1			1
Diphtheria and croup (9)	8		2			2				1	1	2	
Influenza (10)	57	3	44	8	1							1	
Tuberculosis of the lungs (28, 29)	59	5	5	8	6	3	5	4	5	4	6	3	5
Other forms of tuberculosis (30–35)	10		1		1		3		1	2	2		
Meningitis (61)	5	1	1					1	1			1	
Bronchitis (89, 90)	4	1		1							1	1	
Pneumonia (92)	45	6	19	5	3	1	2	1	1		1	2	4
Bronchopneumonia (91)	17	2	8	2	2	1							2
Diarrhea and enteritis (under 2 years) (104)	12		1				2	4		2	2	1	
Diarrhea and enteritis (2 years and over) (105)	6		2			1			2		1		
Puerperal septicemia (137)	3		1								1		1
Other puerperal causes (134–136, 138–141)	11	1	2			1	1	2		2	2		
Congenital debility (151b)	8	1	2	1				1		2		1	
Violent deaths (suicide excepted) (164–186)	82	6	7	9	5	6	7	5	13	6	7	5	6
Suicide (155–163)	4										1	1	2
All other causes	522	45	51	42	44	51	46	36	45	45	34	39	44
NORFOLK, VA. (COLORED).													
All causes	912	88	152	85	70	72	61	68	68	59	54	63	72
Typhoid fever (1)	8	3				1		1	2		1		
Malaria (4)	1											1	
Measles (6)	3					1			1	1			
Scarlet fever (7)													
Whooping cough (8)	4	1	1		1		1						
Diphtheria and croup (9)	1		1										
Influenza (10)	75		51	10	5	5	3						1
Tuberculosis of the lungs (28, 29)	114	11	15	9	8	7	2	11	15	7	10	10	9
Other forms of tuberculosis (30–35)	19	3	1	3	1	1	3		1	3	1	1	1
Meningitis (61)													
Bronchitis (89, 90)	15		1	2	2	2		1			2	1	4
Pneumonia (92)	58	10	23	6	2	1	1	2	1	1	2	5	4
Bronchopneumonia (91)	42	3	4	7	8	3	1		1	3	4	3	5
Diarrhea and enteritis (under 2 years) (104)	31	3	3			1	6	6	4	6	2		
Diarrhea and enteritis (2 years and over) (105)	5		1				2				1	1	
Puerperal septicemia (137)	6	1			1	1		2		1			
Other puerperal causes (134–136, 138–141)	11		2	1	3	2		1			1	1	
Congenital debility (151b)	6		1				1		1	1	1		1
Violent deaths (suicide excepted) (164–186)	70	10	10	6	1	7	4	6	7	5	7	5	2
Suicide (155–163)	2		1		1								
All other causes	441	43	37	41	37	40	37	38	35	31	22	35	45
RICHMOND, VA. (TOTAL).													
All causes	2,847	282	362	237	240	218	226	238	211	191	213	208	221
Typhoid fever (1)	11	1	3					4		1	1	1	
Malaria (4)	3							1		1	1		
Measles (6)	10		2	2	2	2	1	1					
Scarlet fever (7)													
Whooping cough (8)	40		1		3	3	1	7	7	6	4	4	4
Diphtheria and croup (9)	20	3	3		1	2				1	5	2	3
Influenza (10)	97	12	63	9	1	4	3					1	4
Tuberculosis of the lungs (28, 29)	236	28	26	22	18	18	17	20	20	13	17	21	16
Other forms of tuberculosis (30–35)	35	1	4	2	3	4	2	5	2	1	4	2	5
Meningitis (61)	15	1	1		1	1	2	1	1	3	1	2	1
Bronchitis (89, 90)	24	2	3		3	2	2	2	4	2	3		1
Pneumonia (92)	187	36	52	17	11	11	6	9	6	4	7	11	17
Bronchopneumonia (91)	129	12	23	19	8	8	6	14	5	3	10	12	9
Diarrhea and enteritis (under 2 years) (104)	68	2		1	1		11	15	18	12	7	1	
Diarrhea and enteritis (2 years and over) (105)	19	2	1	1	2		1	3	4	1	2		2
Puerperal septicemia (137)	20	3	1	2	4	3	1	1	1		1		3
Other puerperal causes (134–136, 138–141)	36	4	3	2	4	4	2	5	1	3	4	2	2
Congenital debility (151b)	63	5	4	10	2	1	4	2	10	8	8	6	3
Violent deaths (suicide excepted) (164–186)	138	9	11	11	15	4	19	10	11	12	11	13	12
Suicide (155–163)	13	1	1	3	2	1	1		1	1	1	1	
All other causes	1,683	160	160	136	159	150	147	138	120	119	126	129	139

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
RICHMOND, VA. (WHITE).													
All causes	1,586	158	197	132	147	119	122	131	114	109	122	122	113
Typhoid fever (1)	7	1	3					1		1	1		
Malaria (4)	2							1			1		
Measles (6)	7		2	2	2		1						
Scarlet fever (7)													
Whooping cough (8)	8		1		1			2	1	2		1	
Diphtheria and croup (9)	16	2	3			2				1	4	2	2
Influenza (10)	51	5	36	6		1	1						2
Tuberculosis of the lungs (28, 29)	116	11	15	9	8	10	8	8	12	7	6	12	10
Other forms of tuberculosis (30–35)	20		2	1	1	4	1	2	1	1	3		4
Meningitis (61)	13	1	1		1	1	1	1	1	3	1	1	1
Bronchitis (89, 90)	11	2	1		2	1			1	1	2		1
Pneumonia (92)	79	17	28	11	4	5	1	3	1		1	4	4
Bronchopneumonia (91)	40	7	4	5	2	3		4		2	5	5	3
Diarrhea and enteritis (under 2 years) (104)	34	2					5	11	8	5	2	1	
Diarrhea and enteritis (2 years and over) (105)	7	1			1			1	1	1	1		1
Puerperal septicemia (137)	10	2	1	1	2	2			1				1
Other puerperal causes (134–136, 138–141)	18	1	3	1	3		1	3	1		3	2	
Congenital debility (151b)	22	1	1	5	1		1		3	3	3	4	
Violent deaths (suicide excepted) (164–186)	75	6	6	5	11	1	11	5	5	5	6	8	6
Suicide (155–163)	13	1	1	3	2	1	1		1	1	1	1	
All other causes	1,037	98	89	83	106	88	90	89	77	76	82	81	76
RICHMOND, VA. (COLORED).													
All causes	1,261	124	165	105	93	99	104	107	97	82	91	86	108
Typhoid fever (1)	4							3				1	
Malaria (4)	1									1			
Measles (6)	3					2		1					
Scarlet fever (7)													
Whooping cough (8)	32				2	3	1	5	6	4	4	3	4
Diphtheria and croup (9)	4	1			1						1		1
Influenza (10)	46	7	27	3	1	3	2					1	2
Tuberculosis of the lungs (28, 29)	120	17	11	13	10	8	9	12	8	6	11	9	6
Other forms of tuberculosis (30–35)	15	1	2	1	2		1	3	1		1	2	1
Meningitis (61)	2						1					1	
Bronchitis (89, 90)	13		2		1	1	2	2	3	1	1		
Pneumonia (92)	108	19	24	6	7	6	5	6	5	4	6	7	13
Bronchopneumonia (91)	89	5	19	14	6	5	6	10	5	1	5	7	6
Diarrhea and enteritis (under 2 years) (104)	34			1	1		6	4	10	7	5		
Diarrhea and enteritis (2 years and over) (105)	12	1	1	1	1		1	2	3		1		1
Puerperal septicemia (137)	10	1		1	2	1	1	1			1		2
Other puerperal causes (134–136, 138–141)	18	3		1	1	4	1	2		3	1		2
Congenital debility (151b)	41	4	3	5	1	1	3	2	7	5	5	2	3
Violent deaths (suicide excepted) (164–186)	63	3	5	6	4	3	8	5	6	7	5	5	6
Suicide (155–163)													
All other causes	646	62	71	53	53	62	57	49	43	43	44	48	61
SEATTLE, WASH.													
All causes	3,401	329	537	381	333	284	238	216	221	198	212	215	237
Typhoid fever (1)	7	2			1			2			1	1	
Malaria (4)													
Measles (6)	17	2	2	5	2	2	3	1					
Scarlet fever (7)	13	2	1	3	4		1		1	1			
Whooping cough (8)	20	4	5	4	5		1	1					
Diphtheria and croup (9)	34	2	4	2		4	3	2	1	4	5	3	4
Influenza (10)	194	7	138	29	6	7		1				6	
Tuberculosis of the lungs (28, 29)	208	22	22	23	20	17	20	14	24	8	13	8	17
Other forms of tuberculosis (30–35)	80	8	4	15	10	11	11	5	3	5	2	1	5
Meningitis (61)	18	1	3	3	1	2	3	2	1			2	
Bronchitis (89, 90)	14	6	1					2			3	1	1
Pneumonia (92)	205	16	93	26	22	9	10	4	6	3	5	4	7
Bronchopneumonia (91)	104	12	13	12	15	7	5	6	5	4	3	6	16
Diarrhea and enteritis (under 2 years) (104)	28	5	1	3	3	3	2	2	2	2	1	2	2
Diarrhea and enteritis (2 years and over) (105)	20	2			3	2	1	2	1	1	6	1	1
Puerperal septicemia (137)	22			4	1	5	2	3	4	1	1		1
Other puerperal causes (134–136, 138–141)	35	1	13	2	4	2	4	2	3	3		1	
Congenital debility (151b)	9	2	1	2					1	1			2
Violent deaths (suicide excepted) (164–186)	217	17	19	27	25	14	15	12	16	16	16	15	25
Suicide (155–163)	73	8	6	6	7	7	3	3	5	5	8	6	9
All other causes	2,083	210	211	215	204	192	154	152	148	144	148	158	147
SPOKANE, WASH.													
All causes	1,481	135	258	133	125	110	109	113	93	94	100	108	103
Typhoid fever (1)	7				1	1			2	2	1		
Malaria (4)													
Measles (6)	13		1	2	5	3	1	1					
Scarlet fever (7)	3		1	1			1						
Whooping cough (8)	10		1	1			3	2	1	1			1
Diphtheria and croup (9)	13	1			1	1	3		1	1		4	1
Influenza (10)	108	1	84	12	2	5	2	1	1				
Tuberculosis of the lungs (28, 29)	59	10	8	7	4	10	5	2	1	1	3	5	3
Other forms of tuberculosis (30–35)	15	1		2	1	1	2			1	2	1	4
Meningitis (61)	7	2					4						1
Bronchitis (89, 90)	9	3	4		1								
Pneumonia (92)	111	18	41	9	8	3	7	5	1	3	5	5	6
Bronchopneumonia (91)	44	3	9	3	3	7	6	2	1		2	5	3
Diarrhea and enteritis (under 2 years) (104)	17	1	2			2		2	2	3	1	1	3
Diarrhea and enteritis (2 years and over) (105)	12		2	1			2	1	1	2	1	2	
Puerperal septicemia (137)	8		3		2			1				1	1
Other puerperal causes (134–136, 138–141)	21	2	6	2	2	1	2		3		1		2
Congenital debility (151b)	6				1					2		1	2
Violent deaths (suicide excepted) (164–186)	91	6	1	6	9	5	7	6	10	10	9	12	4
Suicide (155–163)	23	2	2		2	1	2	3		2	3	2	4
All other causes	904	85	93	87	83	70	62	87	63	66	71	69	68

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920—Continued.

[See note at head of this table, p. 540.]

AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.													
MILWAUKEE, WIS.													
All causes	5,415	711	737	515	436	463	388	347	318	309	361	407	423
Typhoid fever (1)	10	5	.....	.....	.....	1	1	1	.....	1	.....	.....	1
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	55	3	.....	4	3	20	15	4	1	.....	2	.....	3
Scarlet fever (7)	29	2	5	4	2	.....	4	1	1	.....	4	3	3
Whooping cough (8)	61	4	11	4	12	10	6	4	4	3	3	.....	.....
Diphtheria and croup (9)	124	14	8	8	3	6	6	6	8	12	16	21	16
Influenza (10)	208	90	88	14	2	6	2	.....	1	.....	1	2	2
Tuberculosis of the lungs (28, 29)	330	37	41	25	28	31	29	28	22	25	20	18	26
Other forms of tuberculosis (30–35)	71	6	8	6	6	6	5	6	4	8	7	3	6
Meningitis (61)	27	3	4	1	2	2	2	2	1	1	2	1	6
Bronchitis (89, 90)	78	7	11	7	7	13	4	8	2	2	5	5	7
Pneumonia (92)	472	126	147	35	43	22	12	10	5	12	11	26	23
Bronchopneumonia (91)	316	64	78	31	22	23	24	12	8	10	8	16	20
Diarrhea and enteritis (under 2 years) (104)	233	17	22	21	17	19	21	13	11	24	31	20	17
Diarrhea and enteritis (2 years and over) (105)	38	4	2	5	1	3	.....	3	2	7	2	5	4
Puerperal septicemia (137)	36	4	4	3	2	3	1	5	3	1	4	3	3
Other puerperal causes (134–136, 138–141)	49	9	13	4	3	3	2	6	1	1	2	2	3
Congenital debility (151b)	42	5	4	2	5	2	3	4	4	2	5	3	3
Violent deaths (suicide excepted) (164–186)	238	9	8	21	24	22	14	19	33	14	25	26	23
Suicide (155–163)	55	4	2	3	8	5	4	9	5	2	2	6	5
All other causes	2,943	298	281	317	246	266	233	206	202	184	211	247	252

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920.

[The numbers in parentheses after the causes of death correspond to those of the 1909 revision of the detailed International List. The cities are arranged alphabetically by states; those in which the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920, are shown by color, except when the deaths for colored at all ages numbered less than 500.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
SUMMARY.															
THE REGISTRATION AREA (exclusive of Hawaii).															
All causes	174,710	29,729	9,235	6,916	13,150	59,030	11,215	7,608	6,284	84,137	14,885	11,581	26,814	20,417	16,876
Measles (6)	1,831	3	2	2	4	11	25	33	23	92	86	79	267	538	769
Scarlet fever (7)	188	.....	.....	.....	1	1	7	4	5	17	13	7	29	51	71
Whooping cough (8)	6,091	3	3	3	8	17	24	117	237	395	874	740	1,477	1,318	1,287
Diphtheria and croup (9)	933	1	7	2	18	28	31	27	23	109	68	47	167	211	331
Influenza (10)	5,633	31	20	39	107	197	194	142	142	675	435	427	1,385	1,391	1,320
Dysentery (14)	873	.....	4	2	9	15	27	15	19	76	59	75	251	218	194
Erysipelas (18)	833	2	.....	.....	12	14	50	81	105	250	229	97	138	71	48
Tetanus (24)	372	2	4	10	116	132	181	21	9	343	11	3	6	2	7
Tuberculosis of the lungs (28, 29)	792	7	2	1	4	14	13	14	16	57	46	57	219	213	200
Tuberculous meningitis (30)	940	1	.....	.....	10	11	5	8	7	31	52	43	253	292	269
Other forms of tuberculosis (31–35)	280	.....	.....	.....	4	4	7	5	9	25	22	28	59	67	79
Syphilis (37)	1,921	147	80	45	126	398	168	114	112	792	302	256	320	149	102
Meningitis (61)	1,312	3	6	12	64	85	60	37	41	223	106	96	336	307	244
Convulsions (71)	1,814	67	91	127	331	616	181	103	71	971	158	111	283	186	109
Organic diseases of the heart (79)	621	7	8	7	43	65	51	35	40	191	95	77	108	75	75
Acute bronchitis (89)	3,502	9	16	31	88	144	196	205	200	745	567	377	797	578	438
Pneumonia (92)	6,701	26	38	64	199	327	245	227	219	1,018	686	593	1,675	1,386	1,363
Bronchopneumonia (91)	15,941	43	68	107	389	607	622	684	628	2,541	1,818	1,453	3,780	3,394	2,955
Diseases of the stomach (102, 103)	2,207	7	16	31	104	158	151	147	123	579	362	290	541	262	173
Diarrhea and enteritis (104)	30,944	22	54	108	511	695	846	1,078	1,154	3,773	3,443	3,461	9,131	6,678	4,558
Congenital malformations (150)	12,229	2,668	1,185	1,128	2,013	6,994	1,245	715	468	9,422	878	461	762	439	267
Premature birth (151a)	38,359	19,079	4,832	2,656	3,817	30,384	3,407	1,792	1,052	36,635	1,009	309	322	64	20
Congenital debility, etc. (151b, 152b, 153)	15,158	2,791	1,157	1,069	2,301	7,318	1,632	943	730	10,623	1,482	999	1,352	480	222
Injuries at birth (152a)	7,437	3,425	1,009	870	1,370	6,674	476	132	67	7,349	67	21	.....	.....	.....
External causes (164–186)	2,155	128	64	49	125	366	73	69	86	594	273	225	424	286	353
Unknown or ill-defined diseases (187–189)	5,532	1,126	454	359	746	2,685	586	360	300	3,931	763	481	785	336	236
All other causes	9,111	131	115	194	630	1,070	712	500	398	2,680	931	768	1,962	1,525	1,195
REGISTRATION STATES.[1]															
All causes	170,911	29,148	9,069	6,792	12,844	57,853	10,936	7,458	6,164	82,411	14,576	11,315	26,175	19,930	16,504
Measles (6)	1,811	3	2	2	4	11	25	33	23	92	84	79	264	531	761
Scarlet fever (7)	188	.....	.....	.....	1	1	7	4	5	17	13	7	29	51	71
Whooping cough (8)	5,957	1	3	3	8	15	23	117	236	391	859	716	1,440	1,286	1,265
Diphtheria and croup (9)	922	1	7	2	18	28	30	27	23	108	66	47	167	209	325
Influenza (10)	5,493	29	20	38	106	193	190	141	140	664	422	414	1,344	1,360	1,289
Dysentery (14)	832	.....	4	2	9	15	25	14	17	71	57	75	237	209	183
Erysipelas (18)	820	2	.....	.....	12	14	49	79	104	246	224	97	136	71	46
Tetanus (24)	309	2	4	6	90	102	151	20	9	282	10	3	5	2	7
Tuberculosis of the lungs (28, 29)	771	6	2	1	4	13	12	12	16	53	45	56	213	206	198
Tuberculous meningitis (30)	927	1	.....	.....	10	11	5	8	7	31	51	43	249	286	267
Other forms of tuberculosis (31–35)	274	.....	.....	.....	4	4	5	5	9	23	21	28	59	66	77
Syphilis (37)	1,817	139	78	44	120	381	159	106	103	749	285	242	304	139	93
Meningitis (61)	1,286	3	6	12	63	84	59	37	40	220	101	94	332	302	237
Convulsions (71)	1,789	65	89	124	327	605	177	102	70	954	155	110	287	184	99
Organic diseases of the heart (79)	608	7	8	7	41	63	51	34	40	188	92	75	106	73	74
Acute bronchitis (89)	3,445	8	15	30	86	139	193	205	199	736	556	373	783	565	427
Pneumonia (92)	6,519	25	38	63	192	318	233	219	212	982	667	575	1,607	1,354	1,334
Bronchopneumonia (91)	15,681	42	67	106	380	595	609	674	619	2,497	1,783	1,433	3,715	3,346	2,907
Diseases of the stomach (102, 103)	2,148	7	16	29	100	152	149	145	121	567	353	280	528	252	168
Diarrhea and enteritis (104)	30,078	21	52	107	490	670	819	1,056	1,126	3,671	3,370	3,373	8,866	6,371	4,427
Congenital malformations (150)	12,050	2,626	1,164	1,107	1,987	6,884	1,229	706	464	9,283	866	455	746	435	265
Premature birth (151a)	37,564	18,686	4,749	2,606	3,728	29,769	3,336	1,744	1,032	35,881	990	299	311	63	20
Congenital debility, etc. (151b, 152b, 153)	14,843	2,727	1,130	1,050	2,255	7,162	1,585	927	717	10,391	1,457	981	1,327	471	216
Injuries at birth (152a)	7,331	3,384	990	860	1,344	6,578	470	128	67	7,243	67	21	.....	.....	.....
External causes (164–186)	2,111	123	64	48	121	356	72	69	84	581	267	220	418	280	345
Unknown or ill-defined diseases (187–189)	6,424	1,111	447	353	725	2,636	575	355	292	3,858	753	474	775	330	234
All other causes	8,913	129	114	192	619	1,054	698	491	389	2,632	962	745	1,922	1,488	1,164
CITIES [2] IN REGISTRATION STATES.															
All causes	89,939	14,740	4,765	3,542	6,588	29,635	5,339	3,783	3,234	41,991	7,375	5,908	14,059	11,277	9,329
Measles (6)	1,054	1	.....	1	3	5	5	8	8	26	22	29	133	359	494
Scarlet fever (7)	85	.....	.....	.....	.....	.....	2	2	3	7	5	2	10	23	38
Whooping cough (8)	2,597	.....	.....	1	1	2	4	31	89	126	303	296	610	620	642
Diphtheria and croup (9)	478	.....	.....	.....	4	4	2	10	10	26	25	19	68	137	203
Influenza (10)	1,878	6	7	13	21	47	50	36	37	170	129	133	468	482	496
Dysentery (14)	207	.....	1	1	1	3	9	3	6	21	8	18	58	55	47
Erysipelas (18)	484	1	.....	.....	5	6	23	50	69	148	138	57	75	44	22
Tetanus (24)	105	1	1	3	35	40	51	6	4	101	1	.....	.....	2	1
Tuberculosis of the lungs (28, 29)	399	1	1	1	3	6	8	3	7	24	22	31	105	110	107
Tuberculous meningitis (30)	557	1	.....	.....	5	6	3	2	5	16	20	20	153	173	175
Other forms of tuberculosis (31–35)	159	.....	.....	.....	3	3	.....	2	2	7	12	18	33	41	49
Syphilis (37)	1,263	96	58	29	82	265	112	71	73	521	204	160	220	96	62
Meningitis (61)	610	1	.....	4	22	27	21	19	16	83	35	38	179	159	116
Convulsions (71)	760	18	36	49	130	233	59	42	27	361	58	52	133	97	59
Organic diseases of the heart (79)	291	1	2	4	20	27	20	15	16	78	35	37	50	41	50
Acute bronchitis (89)	2,132	6	10	13	45	74	115	120	124	433	333	233	461	370	297
Pneumonia (92)	3,204	12	15	33	75	135	98	84	93	410	267	237	744	758	783
Bronchopneumonia (91)	9,731	25	44	69	219	357	334	330	343	1,414	1,001	838	2,277	2,248	1,953
Diseases of the stomach (102, 103)	804	1	7	10	28	46	41	56	41	184	161	112	209	92	46
Diarrhea and enteritis (104)	18,333	11	27	65	275	378	470	647	732	2,227	2,088	2,104	5,486	3,873	2,555
Congenital malformations (150)	6,722	1,395	638	596	1,151	3,780	674	402	265	5,121	486	259	441	244	171
Premature birth (151a)	19,597	9,410	2,560	1,391	1,955	15,316	1,767	952	597	18,632	563	179	173	40	10
Congenital debility, etc. (151b, 152b, 153)	7,545	1,383	595	549	1,132	3,634	729	441	367	5,171	773	540	694	250	117
Injuries at birth (152a)	4,659	2,134	610	542	903	4,189	289	79	47	4,604	44	11	.....	.....	.....
External causes (164–186)	865	65	33	26	55	179	25	28	30	262	92	78	178	103	152
Unknown or ill-defined diseases (187–189)	666	123	47	35	58	263	50	41	23	377	82	54	78	47	23
All other causes	4,754	73	73	107	357	610	378	253	200	1,441	463	353	1,023	822	526

[1] Includes District of Columbia.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1920.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

SUMMARY—Continued.

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
RURAL PART OF REGISTRATION STATES.[1]															
All causes	80,972	14,408	4,304	3,250	6,256	28,218	5,597	3,675	2,930	40,420	7,201	5,407	12,116	8,653	7,175
Measles (6)	757	2	2	1	1	6	20	25	15	66	62	50	131	181	267
Scarlet fever (7)	103				1	1	5	2	2	10	8	5	19	28	33
Whooping cough (8)	3,360	1	3	2	7	13	19	86	147	265	556	420	830	666	623
Diphtheria and croup (9)	444	1	7	2	14	24	28	17	13	82	41	28	99	72	122
Influenza (10)	3,615	23	13	25	85	146	140	105	103	494	293	281	876	878	793
Dysentery (14)	625		3	1	8	12	16	11	11	50	49	57	179	154	136
Erysipelas (18)	336	1			7	8	26	29	35	98	86	40	61	27	24
Tetanus (24)	204	1	3	3	55	62	100	14	5	181	9	3	5		6
Tuberculosis of the lungs (28, 29)	372	5	1		1	7	4	9	9	29	23	25	108	96	91
Tuberculous meningitis (30)	370				5	5	2	6	2	15	31	23	96	113	92
Other forms of tuberculosis (31–35)	115				1	1	5	3	7	16	9	10	26	25	29
Syphilis (37)	554	43	20	15	38	116	47	35	30	228	81	82	84	43	36
Meningitis (61)	676	2	6	8	41	57	38	18	24	137	66	56	153	143	121
Convulsions (71)	1,029	47	53	75	197	372	118	60	43	593	97	58	154	87	40
Organic diseases of the heart (79)	317	6	6	3	21	36	31	19	24	110	57	38	56	32	24
Acute bronchitis (89)	1,313	2	5	17	41	65	78	85	75	303	218	140	327	195	130
Pneumonia (92)	3,315	13	23	30	117	183	135	135	119	572	400	338	863	596	546
Bronchopneumonia (91)	5,950	17	23	37	161	238	275	294	276	1,083	782	595	1,438	1,098	954
Diseases of the stomach (102, 103)	1,344	6	9	19	72	106	108	89	80	383	192	168	319	160	122
Diarrhea and enteritis (104)	11,745	10	25	42	215	292	349	409	394	1,444	1,282	1,269	3,380	2,498	1,872
Congenital malformations (150)	5,328	1,231	526	511	836	3,104	555	304	199	4,162	380	196	305	191	94
Premature birth (151a)	17,967	9,276	2,189	1,215	1,773	14,453	1,569	792	435	17,249	427	120	138	23	10
Congenital debility, etc. (151b, 152b, 153)	7,298	1,369	535	501	1,123	3,528	856	486	350	5,220	684	441	633	221	99
Injuries at birth (152a)	2,672	1,250	380	318	441	2,389	181	49	20	2,639	23	10			
External causes (164–186)	1,246	58	31	22	66	177	47	41	54	319	175	142	240	177	193
Unknown or ill-defined diseases (187–189)	5,758	988	400	318	667	2,373	525	314	269	3,481	671	420	697	283	206
All other causes	4,159	56	41	85	262	444	320	238	189	1,191	499	392	899	666	512
REGISTRATION CITIES[2] IN NONREGISTRATION STATES.															
All causes	3,799	581	166	124	306	1,177	279	150	120	1,726	309	266	639	487	372
Measles (6)	20										2		3	7	8
Scarlet fever (7)															
Whooping cough (8)	134	2				2	1		1	4	15	24	37	32	22
Diphtheria and croup (9)	11						1			1	2			2	6
Influenza (10)	140	2		1	1	4	4	1	2	11	13	13	41	31	31
Dysentery (14)	41						2	1	2	5	2		14	9	11
Erysipelas (18)	13						1	2	1	4	5		2		2
Tetanus (24)	63			4	26	30	30	1		61	1		1		
Tuberculosis of the lungs (28, 29)	21	1				1	1	2		4	1	1	6	7	2
Tuberculous meningitis (30)	13										1		4	6	2
Other forms of tuberculosis (31–35)	6						2			2	1			1	2
Syphilis (37)	104	8	2	1	6	17	9	8	9	43	17	14	16	10	4
Meningitis (61)	26				1	1	1		1	3	5	2	4	5	7
Convulsions (71)	25	2	2	3	4	11	4	1	1	17	3	1	1	2	1
Organic diseases of the heart (79)	13				2	2		1		3	3	2	2	2	1
Acute bronchitis (89)	57	1	1	1	2	5	3		1	9	11	4	9	13	11
Pneumonia (92)	182	1		1	7	9	12	8	7	36	19	18	48	32	29
Bronchopneumonia (91)	260	1	1	1	9	12	13	10	9	44	35	20	65	48	48
Diseases of the stomach (102, 103)	59			2	4	6	2	2	2	12	9	10	13	10	5
Diarrhea and enteritis (104)	866	1	2	1	21	25	27	22	28	102	73	88	265	207	131
Congenital malformations (150)	179	42	21	21	26	110	16	9	4	139	12	6	16	4	2
Premature births (151a)	795	393	83	50	89	615	71	48	20	754	19	10	11	1	
Congenital debility, etc. (151b, 152b, 153)	315	64	27	19	46	156	47	16	13	232	25	18	25	9	6
Injuries at birth (152b)	106	41	19	10	26	96	6	4		106					
External causes (164–186)	44	5		1	4	10	1		2	13	6	5	6	6	8
Unknown or ill-defined diseases (187–189)	108	15	7	6	21	49	11	5	8	73	10	7	10	6	2
All other causes	198	2	1	2	11	16	14	9	9	48	19	23	40	37	31
ALL REGISTRATION CITIES.[3]															
All causes	93,738	15,321	4,931	3,666	6,894	30,812	5,618	3,933	3,354	43,717	7,684	6,174	14,698	11,764	9,701
Measles (6)	1,074	1		1	3	5	5	8	8	26	24	29	136	357	502
Scarlet fever (7)	85						2	2	3	7	5	2	10	23	38
Whooping cough (8)	2,731	2		1	1	4	5	31	90	130	318	320	647	652	664
Diphtheria and croup (9)	489				4	4	3	10	10	27	27	19	68	139	209
Influenza (10)	2,018	8	7	14	22	51	54	37	39	181	142	146	509	513	527
Dysentery (14)	243		1	1	1	3	11	4	8	26	10	18	72	64	58
Erysipelas (18)	497	1			5	6	24	52	70	152	143	57	77	44	24
Tetanus (24)	168	1	1	7	61	70	81	7	4	162	2		1	2	1
Tuberculosis of the lungs (28, 29)	420	2	1	1	3	7	9	5	7	28	28	32	111	117	109
Tuberculous meningitis (30)	570	1			5	6	3	2	5	16	21	20	157	179	177
Other forms of tuberculosis (31–35)	165				3	3	2	2	2	9	13	18	33	42	50
Syphilis (37)	1,367	104	60	30	88	282	121	79	82	564	221	174	236	106	66
Meningitis (61)	636	1		4	23	28	22	19	17	86	40	40	183	164	123
Convulsions (71)	785	20	38	52	134	244	63	43	28	378	61	53	134	99	60
Organic diseases of the heart (79)	304	1	2	4	22	29	20	16	16	81	38	39	52	43	51
Acute bronchitis (89)	2,189	7	11	14	47	79	118	120	125	442	349	237	470	383	308
Pneumonia (92)	3,386	13	15	34	82	144	110	92	100	446	286	255	792	790	817
Bronchopneumonia (91)	9,991	26	45	70	228	369	347	390	352	1,458	1,036	858	2,342	2,296	2,001
Diseases of the stomach (102, 103)	863	1	7	12	32	52	43	58	43	196	170	122	222	102	51
Diarrhea and enteritis (104)	19,199	12	29	66	296	403	497	669	760	2,329	2,161	2,192	5,751	4,080	2,686
Congenital malformations (150)	6,901	1,437	659	617	1,177	3,890	690	411	269	5,260	498	265	457	248	173
Premature birth (151a)	20,392	9,803	2,643	1,441	2,044	15,931	1,838	1,000	617	19,386	582	189	184	41	10
Congenital debility, etc. (151b, 152b, 153)	7,860	1,422	622	568	1,178	3,790	776	457	380	5,403	798	558	719	259	123
Injuries at birth (152a)	4,765	2,175	629	552	929	4,285	295	83	47	4,710	44	11			
External causes (164–186)	909	70	33	27	59	189	26	28	32	275	93	83	184	109	160
Unknown or ill-defined diseases (187–189)	774	138	54	41	79	312	61	46	31	450	92	61	88	53	30
All other causes	4,952	75	74	109	368	626	392	262	209	1,489	482	376	1,063	859	683

[1] The term "rural" embraces the area outside of municipalities of 10,000 inhabitants or more in 1920.
[2] A list of these cities will be found on p. —.
[3] Includes District of Columbia and municipalities of 10,000 inhabitants of more in 1920.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES.															
CALIFORNIA.															
All causes	4,998	951	260	196	359	1,766	294	203	165	2,428	457	337	776	545	455
Measles (6)	45		1			1	2		2	5	3	2	5	12	18
Scarlet fever (7)	3								1	1		1	1		
Whooping cough (8)	242			1		1		5	7	13	43	34	68	47	41
Diphtheria and croup (9)	13							1		1	1		3	5	3
Influenza (10)	118	4	3	1	6	14	2	1	2	19	10	8	28	26	27
Dysentery (14)	19								1	1	1	1	5	7	4
Erysipelas (18)	23	1			1	2		3	1	6	7	1	3	3	3
Tetanus (24)	3				1	1	2			3					
Tuberculosis of the lungs (28, 29)	40										2	1	12	13	12
Tuberculous meningitis (30)	52										4		11	22	15
Other forms of tuberculosis (31–35)	17				1	1	1		1	3	3	2	3	1	1
Syphilis (37)	70	6	2	5	10	23	6	5	3	37	13	4	11	2	3
Meningitis (61)	49				3	3		2	3	8	2	4	10	16	9
Convulsions (71)	17	2		4	2	8		2	1	11	1	1	1	1	2
Organic diseases of the heart (79)	9				1	1	1	1		3		2	3	1	
Acute bronchitis (89)	79				3	3	4	6	4	17	16	9	14	13	10
Pneumonia (92)	193		1	4	7	12	5	8	7	32	26	20	47	24	44
Bronchopneumonia (91)	441	3	3	5	10	21	20	25	17	83	56	38	108	88	68
Diseases of the stomach (102, 103)	53			2	1	3	1	2	3	9	12	13	6	9	4
Diarrhea and enteritis (104)	982	4	5	2	22	33	39	37	41	150	112	117	298	184	121
Congenital malformations (150)	393	91	32	36	58	217	39	22	15	293	25	19	33	12	11
Premature birth (151a)	1,144	622	140	69	112	943	91	44	25	1,103	27	7	5	2	
Congenital debility, etc, (151b, 152b, 153)	414	93	34	25	74	226	47	18	15	306	42	21	30	9	6
Injuries at birth (152a)	226	118	35	27	26	206	9	2	3	220	4	2			
External causes (164–186)	90	3		5	5	13	4	2	3	22	13	11	18	11	15
Unknown or ill-defined diseases (187–189	14	4		2	3	9				9	4		1		
All other causes	249		4	8	13	25	21	17	10	73	30	19	52	41	31
COLORADO.															
All causes	1,972	346	86	46	127	605	130	81	72	888	175	136	333	257	183
Measles (6)	23								1	1	3	1	4	7	7
Scarlet fever (7)	2												1	1	
Whooping cough (8)	153						1	1	4	6	20	26	36	35	30
Diphtheria and croup (9)	6										2		2	1	1
Influenza (10)	83			1	4	5	6	2	4	17	8	11	16	17	14
Dysentery (14)	10								1	1			1	6	2
Erysipelas (18)	16						2			2	7	2	4		1
Tetanus (24)	1			1		1				1					
Tuberculosis of the lungs (28, 29)	10						1		1	2		1	3	2	2
Tuberculous meningitis (30)	9										1		2	2	4
Other forms of tuberculosis (31–35)	4												1		3
Syphilis (37)	27				1	1	1	2	5	9	9	1	4	3	1
Meningitis (61)	15				1	1	1	1		3	3	1	5		3
Convulsions (71)	6	1			3	4				4		1	1		
Organic diseases of the heart (79)	6								1	1	1	1	2		1
Acute bronchitis (89)	19	1			2	3		3	1	7	2	1	5	2	2
Pneumonia (92)	85		2	1	3	6	5	5	7	23	5	8	15	18	16
Bronchopneumonia (91)	214	2	2	2	6	12	10	18	12	52	21	18	55	42	26
Diseases of the stomach (102, 103)	32		1		2	3	4	3	2	12	7	1	8	2	2
Diarrhea and enteritis (104)	345				3	3	8	13	9	33	31	31	109	90	51
Congenital malformations (150)	115	32	8	10	21	71	14	8	1	94	4	5	8	2	2
Premature birth (151a)	439	255	46	15	34	350	44	14	10	418	15	2	4		
Congenital debility, etc. (151b, 152b, 153)	154	23	17	6	30	76	25	4	9	114	17	11	11	1	
Injuries at birth (152a)	57	27	8	7	7	49	5	1	1	56	1				
External causes (164–186)	23	1	2			3	1			4	4	2	7	2	4
Unknown or ill-defined diseases(187–189)	12	3			3	6		2		8	1		1	1	1
All other causes	106	1		3	7	11	2	4	3	20	13	12	28	23	10
CONNECTICUT.															
All causes	3,134	477	262	100	195	1,034	214	143	120	1,511	260	209	482	375	297
Measles (6)	40										1	1	9	12	17
Scarlet fever (7)	1														1
Whooping cough (8)	113						1	2	4	7	18	12	29	24	23
Diphtheria and croup (9)	19										1	1	3	7	7
Influenza (10)	83			1		1	5	3	6	15	6	5	21	15	21
Dysentery (14)	3												1	1	1
Erysipelas (18)	15						3	3	2	8	3	2	2		
Tetanus (24)	1				1	1				1					
Tuberculosis of the lungs (28, 29)	12										2		2	2	6
Tuberculous meningitis (30)	24				1	1				1		2	6	6	9
Other forms of tuberculosis (31–35)	9											1		3	5
Syphilis (37)	33	2	3	2	1	8	1	1	3	13	2	6	5	4	3
Meningitis (61)	31				3	3	2	2		7	1	6	9	6	2
Convulsions (71)	39	2	1		4	7	5	1		13	5	6	8	3	4
Organic diseases of the heart (79)	8				1	1	1			2	1	3	2		
Acute bronchitis (89)	81	1			1	2	7	5	5	19	16	7	18	15	6
Pneumonia (92)	106			1	3	4	2	5	1	12	3	10	31	25	25
Bronchopneumonia (91)	279		1	2	3	6	19	8	12	45	42	29	67	51	45
Diseases of the stomach (102, 103)	35		1		3	4	1	2	3	10	6	2	10	4	3
Diarrhea and enteritis (104)	636		3		3	6	13	29	34	82	68	73	133	143	87
Congenital malformations (150)	206	44	21	11	35	111	27	15	7	160	13	7	13	8	5
Premature birth (151a)	660	258	148	40	61	507	58	30	22	617	29	7	4	3	
Congenital debility, etc. (151b, 152b, 153)	264	48	21	17	29	115	32	23	12	182	25	19	28	6	4
Injuries at birth (152a)	255	116	57	22	33	228	17	7	2	254	1				
External causes (164–186)	31	3	2		4	9	2	1		12	3	2	5	3	6
Unknown or ill-defined diseases(187–189)	11		1			1	1			2	1	3	3	1	1
All other causes	139	3	3	4	9	19	17	6	7	49	13	5	23	33	16

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
DELAWARE.															
All causes	597	89	30	22	36	177	37	29	21	264	41	41	115	78	58
Measles (6)	10								1	1			1	2	6
Scarlet fever (7)	2													1	1
Whooping cough (8)	17										3	1	5	5	3
Diphtheria and croup (9)	4		1			1				1			1	1	1
Influenza (10)	9							1		1	1		2	3	2
Dysentery (14)	3												1	2	
Erysipelas (18)	2								1	1					1
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	6											1	3	1	1
Tuberculous meningitis (30)	3										1				2
Other forms of tuberculosis (31–35)	1											1			
Syphilis (37)	6						1		1	2		2	2		
Meningitis (61)	4							1		1	1			1	1
Convulsions (71)	9	2		1	1	4	1	1		6			2	1	
Organic diseases of the heart (79)	2				1	1				1					1
Acute bronchitis (89)	11						1	1		2	1	2	5		1
Pneumonia (92)	30				2	2	1		2	5	3		12	7	3
Bronchopneumonia (91)	67	1		1	2	4	2		2	8	7	3	19	16	14
Diseases of the stomach (102, 103)	6							1	1	2			1	3	
Diarrhea and enteritis (104)	126				4	4	1	7	5	17	10	19	41	28	11
Congenital malformations (150)	36	8	3	6	4	21	5		3	29	2		3	1	1
Premature birth (151a)	116	60	20	7	9	96	10	6	2	114	1		1		
Congenital debility, etc. (151b, 152b, 153)	69	6	3	5	7	21	9	8	2	40	4	8	11	5	1
Injuries at birth (152a)	20	9	3	1	5	18	2			20					
External causes (164–186)	9	2			1	3			1	4	2		2		1
Unknown or ill-defined diseases (177–189)	2										2				
All other causes	26	1		1		2	3	3		8	3	4	3	1	7
FLORIDA (TOTAL).															
All causes	1,834	344	107	80	192	723	156	73	52	1,004	141	109	231	194	155
Measles (6)	1							1		1					
Scarlet fever (7)	1												1		
Whooping cough (8)	40				1	1		2	4	7	9	6	7	7	4
Diphtheria and croup (9)	8				3	3				3	1		2	1	1
Influenza (10)	70	3			2	5	8	2	2	17	5	10	13	15	10
Dysentery (14)	28						4			4	1	4	8	3	8
Erysipelas (18)	4						1			1	1		1	1	
Tetanus (24)	36				13	13	19	3		35				1	
Tuberculosis of the lungs (28, 29)	5	1				1				1				1	3
Tuberculous meningitis (30)	4											1	1	1	1
Other forms of tuberculosis (31–35)	3				1	1				1				2	
Syphilis (37)	26		2		5	7	2	3	2	14	3	3	3		3
Meningitis (61)	16							1		1	2		6	3	4
Convulsions (71)	20		1	2	7	10	1		3	14		3	3		
Organic diseases of the heart (79)	2										1			1	
Acute bronchitis (89)	19							1	1	2	4	1	5	5	2
Pneumonia (92)	84	1		2	3	6	9	2	5	22	18	8	16	11	9
Bronchopneumonia (91)	69			1	3	4	3	3	4	14	12	9	12	13	9
Diseases of the stomach (102,103)	24			2	3	5	1	1		7	1	4	5	4	3
Diarrhea and enteritis (104)	258	1	2	4	11	18	7	10	4	39	16	19	72	59	53
Congenital malformations (150)	77	18	6	7	18	49	5	2	2	58	2	1	6	7	3
Premature birth (151a)	425	207	59	26	52	344	38	16	8	406	12	3	3	1	
Congenital debility, etc. (151b, 152b, 153)	194	46	10	13	33	102	22	6	5	135	17	12	17	10	3
Injuries at birth (152a)	32	10	4	8	4	26	4	2		32					
External causes (164–186)	28	4	1	1	2	8		1	1	10	4	2	6	2	4
Unknown or ill-defined diseases (187–189)	217	50	19	10	26	105	20	9	9	143	20	11	18	18	7
All other causes	143	3	3	4	5	15	12	8	2	37	12	12	26	28	28

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
FLORIDA (WHITE).															
All causes	1,042	238	62	47	96	443	74	30	25	572	79	66	132	99	94
Measles (6)															
Scarlet fever (7)	1												1		
Whooping cough (8)	26								2	2	6	5	4	6	3
Diphtheria and croup (9)	3				1	1				1			1		1
Influenza (10)	34	1				1	8	2	1	12	1	4	7	6	4
Dysentery (14)	12						1			1		2	5		4
Erysipelas (18)	4						1			1	1		1	1	
Tetanus (24)	9				3	3	4	2		9					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	4											1	1	1	1
Other forms of tuberculosis (31–35)	3				1	1				1				2	
Syphilis (37)	7		1		3	4				4		2	1		
Meningitis (61)	15						1			1	2		6	2	4
Convulsions (71)	9			2	3	5	1		1	7		1	1		
Organic diseases of the heart (79)	1										1				
Acute bronchitis (89)	8								1	1	4		2	1	
Pneumonia (92)	46				2	2	3	2	3	10	11	6	12	4	3
Bronchopneumonia (91)	42				3	3	3		3	9	9	4	5	10	5
Diseases of the stomach (102, 103)	13			1	1	2				2		3	4	2	2
Diarrhea and enteritis (104)	157			3	3	6	4	4	3	17	9	10	43	32	41
Congenital malformations (150)	68	17	4	6	17	44	5	2	1	52	2	1	4	6	3
Premature birth (151a)	284	151	38	14	32	235	20	9	5	269	10	2	2	1	
Congenital debility, etc. (151b, 152b, 153)	103	29	6	9	14	58	11	3		72	7	10	9	4	1
Injuries at birth (152a)	22	7	3	6	3	19	3			22					
External causes (164–186)	12	1				1			1	2	2		3	1	4
Unknown or ill-defined diseases (187–189)	92	30	9	4	7	50	5	3	2	60	7	8	5	8	4
All other causes	67	2	1	2	3	8	5	2	2	17	7	7	10	12	14
FLORIDA (COLORED).															
All causes	792	106	45	33	96	280	82	43	27	432	62	43	99	93	61
Measles (6)	1							1		1					
Scarlet fever (7)															
Whooping cough (8)	14				1	1		2	2	5	3	1	3	1	1
Diphtheria and croup (9)	5				2	2				2	1		1	1	
Influenza (10)	36	2			2	4			1	5	4	6	6	9	6
Dysentery (14)	16						3			3	1	2	3	3	4
Erysipelas (18)															
Tetanus (24)	27				10	10	15	1		26				1	
Tuberculosis of the lungs (28, 29)	5	1				1				1				1	3
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	19		1		2	3	2	3	2	10	3	1	2		3
Meningitis (61)	1													1	
Convulsions (71)	11		1		4	5			2	7		2	2		
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	11							1		1		1	3	4	2
Pneumonia (92)	38	1		2	1	4	6		2	12	7	2	4	7	6
Bronchopneumonia (91)	27			1		1		3	1	5	3	5	7	3	4
Diseases of the stomach (102, 103)	11			1	2	3	1	1		5	1	1	1	2	1
Diarrhea and enteritis (104)	101	1	2	1	8	12	3	6	1	22	7	9	24	27	12
Congenital malformations (150)	9	1	2	1	1	5			1	6			2	1	
Premature birth (151a)	141	56	21	12	20	109	18	7	3	137	2	1	1		
Congenital debility, etc. (151b, 152b, 153)	91	17	4	4	19	44	11	3	5	63	10	2	8	6	2
Injuries at birth (152a)	10	3	1	2	1	7	1	2		10					
External causes (164–186)	16	3	1	1	2	7		1		8	2	2	3	1	
Unknown or ill-defined diseases (187–189)	125	20	10	6	19	55	15	6	7	83	13	3	13	10	3
All other causes	76	1	2	2	2	7	7	6		20	5	5	16	16	14

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
ILLINOIS.															
All causes	11,641	1,981	586	470	883	3,920	776	473	415	5,584	939	734	1,856	1,386	1,142
Measles (6)	99	.....	1	.....	.....	1	2	3	2	8	8	7	13	23	40
Scarlet fever (7)	13	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	5	3
Whooping cough (8)	304	.....	.....	.....	.....	.....	.....	6	8	14	42	33	79	71	65
Diphtheria and croup (9)	53	1	.....	.....	1	2	1	.....	2	5	4	.....	8	17	19
Influenza (10)	396	1	1	5	7	14	12	4	8	38	23	21	89	117	108
Dysentery (14)	23	.....	.....	.....	.....	.....	.....	.....	1	1	4	2	7	4	5
Erysipelas (18)	60	.....	.....	.....	1	1	2	6	11	20	16	6	11	5	2
Tetanus (24)	8	.....	.....	.....	2	2	5	.....	1	8	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	37	.....	.....	.....	.....	.....	.....	2	.....	2	3	2	11	9	10
Tuberculous meningitis (30)	50	.....	.....	.....	1	1	1	.....	.....	2	1	.....	17	15	15
Other forms of tuberculosis (31–35)	10	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	1	4
Syphilis (37)	132	7	9	5	9	30	15	13	6	64	20	20	11	12	5
Meningitis (61)	50	.....	.....	1	3	4	2	2	1	9	4	3	13	13	8
Convulsions (71)	63	7	4	7	9	27	9	5	3	44	7	2	6	4	.....
Organic diseases of the heart (79)	31	.....	.....	1	3	4	2	1	.....	7	4	4	6	6	4
Acute bronchitis (89)	295	2	1	4	12	19	21	8	15	63	47	40	68	40	37
Pneumonia (92)	303	1	2	5	11	19	9	6	3	37	27	20	78	49	92
Bronchopneumonia (91)	1,139	2	7	13	36	58	44	38	48	188	109	95	259	265	223
Diseases of the stomach (102, 103)	53	.....	1	2	5	8	3	3	2	16	11	11	8	4	3
Diarrhea and enteritis (104)	2,949	2	7	18	64	91	109	108	142	450	344	331	875	566	383
Congenital malformations (150)	936	223	98	95	167	583	89	58	34	764	75	31	69	35	12
Premature birth (151a)	2,370	1,198	285	152	234	1,869	229	113	56	2,267	61	18	20	4	.....
Congenital debility, etc. (151b, 152b, 153)	794	174	70	61	141	446	126	45	31	648	58	27	44	8	9
Injuries at birth (152a)	695	337	89	79	125	630	40	9	7	686	6	3	.....	.....	.....
External causes (164–186)	111	8	4	5	2	19	5	7	6	37	9	14	21	8	22
Unknown or ill-defined diseases (187–189)	84	12	4	8	12	36	7	6	5	54	12	5	7	4	2
All other causes	533	6	3	9	38	56	43	29	22	150	42	38	131	101	71
INDIANA.															
All causes	5,301	970	342	246	430	1,988	348	234	192	2,762	429	312	749	555	494
Measles (6)	86	.....	.....	.....	.....	.....	1	5	2	8	4	7	13	28	26
Scarlet fever (7)	8	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	2	.....	3
Whooping cough (8)	176	.....	.....	1	.....	1	.....	4	13	18	30	19	45	29	35
Diphtheria and croup (9)	15	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	3	4	7
Influenza (10)	225	5	1	.....	2	8	8	3	4	23	21	21	51	48	61
Dysentery (14)	22	.....	.....	.....	.....	.....	.....	1	.....	1	1	4	7	4	5
Erysipelas (18)	33	.....	.....	.....	.....	.....	1	2	8	11	13	1	5	3	.....
Tetanus (24)	6	.....	.....	.....	1	1	3	.....	.....	4	.....	.....	1	.....	1
Tuberculosis of the lungs (28, 29)	36	.....	.....	.....	.....	.....	1	.....	2	3	2	4	8	11	8
Tuberculous meningitis (30)	27	.....	.....	.....	.....	.....	.....	1	1	2	2	1	8	6	8
Other forms of tuberculosis (31–35)	16	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	6	2	3
Syphilis (37)	49	7	2	1	4	14	3	2	4	23	12	8	5	1	.....
Meningitis (61)	48	.....	.....	1	3	4	7	1	4	16	3	4	4	12	9
Convulsions (71)	23	.....	3	2	6	11	3	1	1	16	.....	1	3	3	.....
Organic diseases of the heart (79)	34	.....	.....	1	4	5	4	.....	2	11	6	3	5	5	4
Acute bronchitis (89)	59	.....	1	.....	1	2	4	5	7	18	11	4	14	6	6
Pneumonia (92)	263	1	.....	3	12	16	10	12	2	40	35	20	73	40	55
Bronchopneumonia (91)	450	1	6	5	21	33	17	20	18	88	51	52	106	82	71
Diseases of the stomach (102, 103)	93	.....	1	.....	6	7	9	7	6	29	18	11	23	6	11
Diarrhea and enteritis (104)	885	.....	3	4	18	25	23	35	29	112	102	97	248	189	137
Congenital malformations (150)	496	118	58	60	82	318	52	28	21	419	18	8	27	18	6
Premature birth (151a)	1,294	647	182	92	133	1,054	120	52	28	1,254	26	5	5	3	1
Congenital debility, etc. (151b, 152b, 153)	421	89	44	42	68	243	47	26	23	339	20	16	31	12	3
Injuries at birth (152a)	208	89	36	28	42	195	7	5	.....	207	1	.....	.....	.....	.....
External causes (164–186)	70	3	2	3	4	12	3	2	4	21	8	6	13	14	8
Unknown or ill-defined diseases (187–189)	17	7	2	1	2	12	2	1	.....	15	.....	.....	2	.....	.....
All other causes	236	3	1	2	21	27	21	20	12	80	42	18	41	29	26
KANSAS.															
All causes	2,898	660	185	110	230	1,185	196	115	90	1,586	230	172	374	277	259
Measles (6)	20	.....	.....	.....	.....	.....	1	3	.....	4	.....	2	4	6	4
Scarlet fever (7)	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	5
Whooping cough (8)	128	.....	.....	.....	.....	.....	1	1	5	7	24	25	31	19	22
Diphtheria and croup (9)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	1
Influenza (10)	116	.....	1	.....	3	4	6	.....	1	11	8	6	34	24	33
Dysentery (14)	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	6	2
Erysipelas (18)	18	.....	.....	.....	.....	.....	1	3	2	6	7	1	2	1	1
Tetanus (24)	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
Tuberculous meningitis (30)	4	.....	.....	.....	1	1	.....	.....	.....	1	.....	2	.....	.....	1
Other forms of tuberculosis (31–35)	4	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	2
Syphilis (37)	24	2	4	.....	3	9	2	.....	.....	11	7	3	3	.....	.....
Meningitis (61)	17	.....	1	.....	1	2	5	.....	.....	7	1	1	2	3	3
Convulsions (71)	23	2	1	2	7	12	3	1	.....	16	1	.....	3	1	2
Organic diseases of the heart (79)	24	1	.....	.....	4	5	1	2	3	11	5	3	3	1	1
Acute bronchitis (89)	24	.....	.....	.....	2	2	1	5	.....	8	4	3	2	4	3
Pneumonia (92)	110	.....	1	.....	1	2	3	6	3	14	11	16	31	17	21
Bronchopneumonia (91)	201	.....	2	1	8	11	8	7	10	36	23	19	49	38	36
Diseases of the stomach (102, 103)	69	.....	2	1	10	13	7	3	4	27	12	5	16	8	1
Diarrhea and enteritis (104)	403	.....	.....	.....	8	8	10	11	20	49	36	35	109	96	78
Congenital malformations (150)	206	58	29	14	28	129	23	7	5	164	14	4	17	5	2
Premature birth (151a)	756	462	88	38	58	646	53	22	13	734	14	5	3	.....	.....
Congenital debility, etc. (151b, 152b, 154)	354	80	34	27	61	202	50	24	11	287	27	12	17	7	4
Injuries at birth (152a)	108	42	19	19	13	93	8	3	3	107	1	.....	.....	.....	.....
External causes (164–186)	52	1	.....	3	2	6	.....	4	4	14	7	10	9	4	8
Unknown or ill-defined diseases (187–189)	56	10	1	4	2	17	2	3	3	25	6	7	9	5	4
All other causes	152	2	2	1	17	22	10	10	3	45	18	10	26	28	25

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
KENTUCKY (TOTAL).															
All causes	4,597	792	298	172	349	1,611	325	211	180	2,327	364	288	651	495	472
Measles (6)	43				1	1	1	2	1	5	8	1	11	6	12
Scarlet fever (7)	6							1		1		1	1	2	1
Whooping cough (8)	193	1		1	2	4		10	13	27	28	25	45	30	38
Diphtheria and croup (9)	68		1		2	3	7	7	1	18	7	8	12	6	17
Influenza (10)	196	1		1	6	8	9	10	5	32	13	16	41	39	55
Dysentery (14)	61				1	1	1	1	2	5		7	19	12	18
Erysipelas (18)	13				2	2			2	4	5	1	3		
Tetanus (24)	11		1	1	1	3	7	1		11					
Tuberculosis of the lungs (28, 29)	37	2				2	1		2	5	2	1	13	9	7
Tuberculous meningitis (30)	49										3		14	17	15
Other forms of tuberculosis (31–35)	13								1	1	2		6	2	2
Syphilis (37)	25	1	1	1	1	4	2		1	7	5	3	4	4	2
Meningitis (61)	81		1	1	8	10	6	1	4	21	8	4	16	15	17
Convulsions (71)	47	5	2	1	8	16	7	2	3	28	4	2	7	3	3
Organic diseases of the heart (79)	13		1			1	3	1		5	3	2	2	1	
Acute bronchitis (89)	61		1		2	3	6	5	3	17	7	7	12	12	6
Pneumonia (92)	218	1	4	1	5	11	10	5	10	36	33	24	51	40	34
Bronchopneumonia (91)	312	3	2		12	17	15	17	18	67	44	27	56	62	56
Diseases of the stomach (102, 103)	85			1	1	2	8	6	5	21	7	9	20	14	14
Diarrhea and enteritis (104)	619			3	6	9	15	20	13	57	44	53	183	155	122
Congenital malformations (150)	194	48	23	18	33	122	20	8	4	154	13	3	17	2	5
Premature birth (151a)	1,138	551	178	89	120	938	94	44	34	1,110	18	6	3		1
Congenital debility, etc. (151b, 152b, 153)	402	70	33	19	62	184	45	37	23	289	38	17	30	16	12
Injuries at birth (152a)	123	59	24	9	22	114	4	2	1	121	1	1			
External causes (164–186)	71	2		2	5	9	5	3	5	22	12	7	15	12	3
Unknown or ill-defined diseases (187–189)	325	45	22	16	35	118	43	21	20	202	40	31	33	10	9
All other causes	193	3	4	8	14	29	16	7	9	61	19	27	37	26	23
KENTUCKY (WHITE).															
All causes	4,025	731	266	152	299	1,448	288	190	164	2,090	312	248	553	412	410
Measles (6)	41						1	2	1	4	8	1	11	6	11
Scarlet fever (7)	5							1		1		1	1	1	1
Whooping cough (8)	167	1		1	2	4		10	12	26	23	23	39	24	32
Diphtheria and croup (9)	62		1		2	3	6	7	1	17	6	6	12	5	16
Influenza (10)	176	1		1	5	7	9	10	4	30	13	16	32	35	50
Dysentery (14)	53				1	1	1	1	2	5		5	17	10	16
Erysipelas (18)	13				2	2			2	4	5	1	3		
Tetanus (24)	9			1	1	2	6	1		9					
Tuberculosis of the lungs (28, 29)	27	2				2	1		1	4	1	1	12	4	5
Tuberculous meningitis (30)	45										3		12	17	13
Other forms of tuberculosis (31–35)	11										2		6	2	1
Syphilis (37)	16	1	1		1	3	2		1	6	2	2	1	3	2
Meningitis (61)	73		1	1	6	8	5	1	4	18	7	4	16	12	16
Convulsions (71)	34	4	2		6	12	6	1	2	21	4	2	3	3	1
Organic diseases of the heart (79)	13		1			1	3	1		5	3	2	2	1	
Acute bronchitis (89)	43				2	2	5	5	3	15	6	5	8	8	1
Pneumonia (92)	175	1	2	1	1	5	9	4	10	28	29	21	38	30	29
Bronchopneumonia (91)	253	2	1		11	14	12	16	16	58	38	19	42	51	45
Diseases of the stomach (102, 103)	71			1	1	2	7	6	5	20	7	7	18	10	9
Diarrhea and enteritis (104)	547			2	3	5	11	19	12	47	41	50	160	134	115
Congenital malformations (150)	186	46	22	18	32	118	18	7	4	147	12	3	17	2	5
Premature birth (151a)	1,025	510	162	76	101	849	83	37	31	1,000	15	6	3		1
Congenital debility, etc. (151b, 152b, 153)	342	60	29	17	51	157	38	31	19	245	31	13	29	13	11
Injuries at birth (152a)	113	55	20	9	21	105	4	1	1	111	1	1			
External causes (164–186)	60	2		1	5	8	4	3	5	20	8	6	12	11	3
Unknown or ill-defined diseases (187–189)	299	43	21	15	32	111	41	21	20	193	35	29	30	6	6
All other causes	166	3	3	8	13	27	16	5	8	56	12	24	29	24	21
KENTUCKY (COLORED).															
All causes	572	61	32	20	50	163	37	21	16	237	52	40	93	83	62
Measles (6)	2				1	1				1					1
Scarlet fever (7)	1													1	
Whooping cough (8)	26								1	1	5	2	6	6	6
Diphtheria and croup (9)	6						1			1	1	2		1	1
Influenza (10)	20				1	1			1	2			9	4	5
Dysentery (14)	8											2	2	2	2
Erysipelas (18)															
Tetanus (24)	2		1			1	1			2					
Tuberculosis of the lungs (28, 29)	10								1	1	1		1	5	2
Tuberculous meningitis (30)	4												2		2
Other forms of tuberculosis (31–35)	2								1	1					1
Syphilis (37)	9			1		1				1	3	1	3	1	
Meningitis (61)	8				2	2	1			3	1			3	1
Convulsions (71)	13	1		1	2	4	1	1	1	7			4		2
Organic diseases of the heart (79)															
Acute bronchitis (89)	18		1			1	1			2	1	2	4	4	5
Pneumonia (92)	43		2		4	6	1	1		8	4	3	13	10	5
Bronchopneumonia (91)	59	1	1		1	3	3	1	2	9	6	8	14	11	11
Diseases of the stomach (102, 103)	14						1			1		2	2	4	5
Diarrhea and enteritis (104)	72			1	3	4	4	1	1	10	3	8	23	21	7
Congenital malformations (150)	8	2	1		1	4	2	1		7	1				
Premature birth (151a)	113	41	16	13	19	89	11	7	3	110	3				
Congenital debility, etc. (151b, 152b, 153)	60	10	4	2	11	27	7	6	4	44	7	4	1	3	1
Injuries at birth (152a)	10	4	4		1	9		1		10					
External causes (164–186)	11			1		1	1			2	4	1	3	1	
Unknown or ill-defined diseases (187–189)	26	2	1	1	3	7	2			9	5	2	3	4	3
All other causes	27		1		1	2		2	1	5	7	3	8	2	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION STATES—Continued.															
LOUISIANA (TOTAL).															
All causes	3,203	446	142	120	274	982	205	119	113	1,419	350	254	530	374	276
Measles (6)	8											1	2	1	4
Scarlet fever (7)															
Whooping cough (8)	109						1	4	6	11	12	15	29	21	21
Diphtheria and croup (9)	18		1	1		2	1			3	2	3	1	5	4
Influenza (10)	93			1	1	2	4	2	6	14	10	4	27	29	9
Dysentery (14)	23						2			2	1		8	6	6
Erysipelas (18)	10										3	2	4		1
Tetanus (24)	64	1		1	27	29	27	3	1	60	3		1		
Tuberculosis of the lungs (28, 29)	11										2	1	4	2	2
Tuberculous meningitis (30)	7										2		1	2	2
Other forms of tuberculosis (31–35)	3										1		1	1	
Syphilis (37)	76	6	3	3	3	15	2	1	6	24	15	6	16	11	4
Meningitis (61)	20		1			1				1	3	1	5	3	7
Convulsions (71)	34	2		1	8	11	1	1	2	15	7		5	4	3
Organic diseases of the heart (79)	14				1	1	1			2	2	4	2	3	1
Acute bronchitis (89)	59		2			2	2	3	2	9	8	10	20	9	3
Pneumonia (92)	170			2	7	9	2	4	6	21	22	19	44	40	24
Bronchopneumonia (91)	262	1		2	12	15	18	10	11	54	41	28	65	44	30
Diseases of the stomach (102, 103)	40			1		1	1	1	2	5	10	9	6	4	6
Diarrhea and enteritis (104)	542			2	11	13	19	12	17	61	82	55	150	102	92
Congenital malformations (150)	206	40	18	15	35	108	18	13	8	147	14	15	14	11	5
Premature birth (151a)	491	244	59	39	60	402	32	23	11	468	12	8	3		
Congenital debility, etc. (151b, 152b, 153)	307	59	21	21	42	143	25	16	17	201	36	21	29	16	4
Injuries at birth (152a)	77	29	17	11	13	70	7			77					
External causes (164–186)	54	5	1		3	9	2		2	13	4	4	13	9	11
Unknown or ill-defined diseases (187–189)	265	55	16	17	37	125	26	16	8	175	30	14	25	11	10
All other causes	240	4	3	3	14	24	14	10	8	56	28	34	55	40	27
LOUISIANA (WHITE).															
All causes	1,618	279	75	55	124	533	89	66	65	753	186	112	240	172	155
Measles (6)	5											1	2		2
Scarlet fever (7)															
Whooping cough (8)	51						1	1	5	7	9	10	10	8	7
Diphtheria and croup (9)	8		1			1	1			2	1			2	3
Influenza (10)	50				1	1	2	1	4	8	5	2	13	17	5
Dysentery (14)	12												4	4	4
Erysipelas (18)	7										2	2	2		1
Tetanus (24)	26	1		1	11	13	10	3		26					
Tuberculosis of the lungs (28, 29)	5											1	1	2	1
Tuberculous meningitis (30)	5										2			1	2
Other forms of tuberculosis (31–35)	2										1		1		
Syphilis (37)	13	1				1	1			2	3	1	5	1	1
Meningitis (61)	10		1			1				1	3		2		4
Convulsions (71)	17	2			4	6		1	2	9	3		2	1	2
Organic diseases of the heart (79)	9				1	1				1	1	3	2	1	1
Acute bronchitis (89)	19		1			1		1	2	4	4	4	3	2	2
Pneumonia (92)	66			1	2	3		3	3	9	13	4	17	13	10
Bronchopneumonia (91)	153	1		1	8	10	12	7	10	39	27	16	30	24	17
Diseases of the stomach (102, 103)	20			1		1	1		2	4	5	3	2	1	5
Diarrhea and enteritis (104)	290				3	3	9	5	11	28	40	24	33	55	60
Congenital malformations (150)	121	30	14	8	17	69	6	8	6	89	7	8	10	5	2
Premature birth (151a)	305	165	32	20	32	249	22	13	8	292	5	6	2		
Congenital debility, etc. (151b, 152b, 153)	139	32	9	12	19	72	11	10	6	99	18	7	10	4	1
Injuries at birth (152a)	54	23	12	6	9	50	4			54					
External causes (164–186)	31	2			1	3	1		1	5	3	2	8	4	9
Unknown or ill-defined diseases (187–189)	77	21	3	3	10	37	3	8	1	49	11	1	9	5	2
All other causes	123	1	2	2	6	11	5	5	4	25	23	17	22	22	14
LOUISIANA (COLORED).															
All causes	1,585	167	67	65	150	449	116	53	48	666	164	142	290	202	121
Measles (6)	3													1	2
Scarlet fever (7)															
Whooping cough (8)	58							3	1	4	3	5	19	13	14
Diphtheria and croup (9)	10			1		1				1	1	3	1	3	1
Influenza (10)	43			1		1	2	1	2	6	5	2	14	12	4
Dysentery (14)	11						2			2	1		4	2	2
Erysipelas (18)	3										1		2		
Tetanus (24)	38				16	16	17		1	34	3		1		
Tuberculosis of the lungs (28, 29)	6										2		3		1
Tuberculous meningitis (30)	2												1	1	
Other forms of tuberculosis (31–35)	1													1	
Syphilis (37)	63	5	3	3	3	14	1	1	6	22	12	5	11	10	3
Meningitis (61)	10											1	3	3	3
Convulsions (71)	17			1	4	5	1			6	4		3	3	1
Organic diseases of the heart (79)	5						1			1	1	1		2	
Acute bronchitis (89)	40		1			1	2	2		5	4	6	17	7	1
Pneumonia (92)	104			1	5	6	2	1	3	12	9	15	27	27	14
Bronchopneumonia (91)	109			1	4	5	6	3	1	15	14	12	35	20	13
Diseases of the stomach (102, 103)	20							1		1	5	6	4	3	1
Diarrhea and enteritis (104)	252			2	8	10	10	7	6	33	42	31	67	47	32
Congenital malformations (150)	85	10	4	7	18	39	12	5	2	58	7	7	4	6	3
Premature birth (151a)	186	79	27	19	28	153	10	10	3	176	7	2	1		
Congenital debility, etc. (151b, 152b, 153)	163	27	12	9	23	71	14	6	11	102	18	14	19	12	3
Injuries at birth (152a)	23	6	5	5	4	20	3			23					
External causes (164–186)	23	3	1		2	6	1		1	8	1	2	5	5	2
Unknown or ill-defined diseases (187–189)	188	34	13	14	27	88	23	8	7	126	19	13	16	6	8
All other causes	117	3	1	1	8	13	9	5	4	31	5	17	33	18	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
MAINE.															
All causes	1,761	163	174	60	112	509	84	71	51	715	206	159	362	182	137
Measles (6)	7												2	1	4
Scarlet fever (7)	3										1		1		1
Whooping cough (8)	70				1	1		1	2	4	11	7	19	18	11
Diphtheria and croup (9)	3												1		2
Influenza (10)	72				4	4	2	2	4	12	9	8	15	13	15
Dysentery (14)	10										1	2	2	5	
Erysipelas (18)	5						1			1	1	1	1		1
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	4	1				1			1	2	1				1
Tuberculous meningitis (30)	10											1	6	2	1
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	10		1			1			1	2	3	4	1		
Meningitis (61)	15				2	2		1	1	4	2	1	4	1	3
Convulsions (71)	22			4	6	10		2		12	2	2	6		
Organic diseases of the heart (79)	6				1	1				1	2		2	1	
Acute bronchitis (89)	26			1		1	1	2	2	6	2	6	7	3	2
Pneumonia (92)	67				3	3		5	2	10	3	9	16	19	10
Bronchopneumonia (91)	133				1	1	1	7	3	12	24	18	33	17	24
Diseases of the stomach (102, 103)	40				1	1	1	3	3	8	5	9	11	4	3
Diarrhea and enteritis (104)	361		1			1	6	3	3	13	38	40	150	79	41
Congenital malformations (150)	97	9	10	9	14	42	10	7	4	63	15	3	11	3	2
Premature birth (151a)	369	113	105	20	36	274	38	15	14	341	19	4	3	1	1
Congenital debility, etc. (151b, 152b, 153)	203	17	24	14	27	82	10	13	3	108	38	25	27	3	2
Injuries at birth (152a)	66	22	23	5	9	59	4	2		65	1				
External causes (164–186)	15						1		1	2	3	2	4	1	3
Unknown or ill-defined diseases (187–189)	56	1	6	4	1	12	4	5	3	24	11	6	8	3	4
All other causes	89		4	3	6	13	4	3	4	24	14	11	26	8	6
MARYLAND (TOTAL).															
All causes	3,768	581	162	140	252	1,135	202	130	113	1,580	323	273	647	321	424
Measles (6)	25								1	1	1	1	4	5	13
Scarlet fever (7)	1														1
Whooping cough (8)	83							1	4	5	9	15	17	18	19
Diphtheria and croup (9)	18						1	2		3	1		2	5	7
Influenza (10)	67						1	1		2	7	3	18	15	22
Dysentery (14)	22										3		6	6	7
Erysipelas (18)	12				1	1	1		1	3	4	2	2	1	
Tetanus (24)	13				6	6	5	1		12					1
Tuberculosis of the lungs (28, 29)	23				1	1	3	1		5	2	2	3	6	5
Tuberculous meningitis (30)	20										1		6	7	6
Other forms of tuberculosis (31–35)	6								1	1	1			3	1
Syphilis (37)	36	6		1	2	9	5	2	2	18	4	3	4	5	2
Meningitis (61)	27										3	2	10	9	3
Convulsions (71)	53	2	2	5	12	21	9	3	2	35	1	4	11	1	1
Organic diseases of the heart (79)	12			1	1	2	1			3	3	1	3	1	1
Acute bronchitis (89)	102		1		3	4	1	2	6	13	16	14	19	23	17
Pneumonia (92)	94	2	1	1	2	6	1	2	1	10	8	8	24	23	21
Bronchopneumonia (91)	367			2	8	10	11	10	11	42	28	33	85	102	77
Diseases of the stomach (102, 103)	24		1		3	4		2		6	3	5	6	2	4
Diarrhea and enteritis (104)	1,003	2			8	10	12	20	24	66	91	116	321	235	174
Congenital malformations (150)	289	70	28	23	39	160	30	13	10	213	32	12	18	9	5
Premature birth (151a)	740	362	72	65	75	574	66	42	15	697	31	2	7	2	1
Congenital debility, etc. (151b, 152b, 153)	357	70	26	20	50	166	31	19	21	237	40	29	29	13	9
Injuries at birth (152a)	116	50	21	16	19	106	5	2	2	115	1				
External causes (164–186)	38	3	1		4	8	1	1	2	12	6	2	4	7	7
Unknown or ill-defined diseases (187–189)	89	12	9	5	11	37	8	3	6	54	12	6	14	2	1
All other causes	131	2		1	7	10	10	3	4	27	15	13	31	21	21
MARYLAND (WHITE).															
All causes	2,657	458	122	102	165	847	147	98	83	1,175	232	179	440	353	278
Measles (6)	21								1	1	1		3	5	11
Scarlet fever (7)	1														1
Whooping cough (8)	47								4	4	7	9	9	8	10
Diphtheria and croup (9)	17						1	2		3	1		1	5	7
Influenza (10)	37							1		1	5	1	10	9	11
Dysentery (14)	16										1		4	5	6
Erysipelas (18)	11				1	1	1		1	3	3	2	2	1	
Tetanus (24)	6				3	3	2	1		6					
Tuberculosis of the lungs (28, 29)	10						3	1		4		1	1	2	2
Tuberculous meningitis (30)	10										1		5	3	1
Other forms of tuberculosis (31–35)	4								1	1	1			2	
Syphilis (37)	16	2		1	1	4	1	2	1	8	2	3	1	1	1
Meningitis (61)	20										3	1	7	6	3
Convulsions (71)	35		2	3	8	13	6	1	1	21	1	3	8	1	1
Organic diseases of the heart (79)	10			1	1	2	1			3	2	1	2	1	1
Acute bronchitis (89)	52		1		2	3	1	2	4	10	10	7	6	14	5
Pneumonia (92)	54		1		1	2	1	1	1	5	5	5	12	12	15
Bronchopneumonia (91)	228			2	7	9	8	8	10	35	23	22	46	57	45
Diseases of the stomach (102, 103)	21		1		3	4		1		5	3	4	5	2	2
Diarrhea and enteritis (104)	755				6	6	7	12	20	45	69	79	247	185	139
Congenital malformations (150)	233	58	23	21	30	132	26	8	8	174	25	10	14	6	4
Premature birth (151a)	565	296	53	43	48	440	51	34	8	533	23	1	5	2	1
Congenital debility, etc. (151b, 152b, 153)	241	52	21	14	28	115	22	18	15	170	24	19	19	7	2
Injuries at birth (152a)	96	42	17	13	15	87	5	2	1	95	1				
External causes (164–186)	29	3			2	5	1	1	2	9	5	2	3	5	5
Unknown or ill-defined diseases (187–189)	34	4	3	3	4	14	3	1	3	21	6	2	5		
All other causes	88	1		1	5	7	7	2	2	18	10	7	25	14	14

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION STATES—Continued.															
MARYLAND (COLORED).															
All causes	1,111	123	40	38	87	288	55	32	30	405	91	94	207	168	146
Measles (6)	4											1	1		2
Scarlet fever (7)															
Whooping cough (8)	36							1		1	2	6	8	10	9
Diphtheria and croup (9)	1												1		
Influenza (10)	30						1			1	2	2	8	6	11
Dysentery (14)	6										2		2	1	1
Erysipelas (18)	1										1				
Tetanus (24)	7				3	3	3			6					1
Tuberculosis of the lungs (28, 29)	13				1	1				1	2	1	2	4	3
Tuberculous meningitis (30)	10												1	4	5
Other forms of tuberculosis (31–35)	2													1	1
Syphilis (37)	20	4			1	5	4		1	10	2		3	4	1
Meningitis (61)	7											1	3	3	
Convulsions (71)	18	2		2	4	8	3	2	1	14		1	3		
Organic diseases of the heart (79)	2										1		1		
Acute bronchitis (89)	50				1	1			2	3	6	7	13	9	12
Pneumonia (92)	40	2		1	1	4		1		5	3	3	12	11	6
Bronchopneumonia (91)	139				1	1	3	2	1	7	5	11	39	45	32
Diseases of the stomach (102, 103)	3							1		1		1	1		
Diarrhea and enteritis (104)	248	2			2	4	5	8	4	21	22	37	74	50	44
Congenital malformations (150)	56	12	5	2	9	28	4	5	2	39	7	2	4	3	1
Premature birth (151a)	175	66	19	22	27	134	15	8	7	164	8	1	2		
Congenital debility, etc. (151b, 152b, 153)	116	18	5	6	22	51	9	1	6	67	16	10	10	6	7
Injuries at birth (152a)	20	8	4	3	4	19			1	20					
External causes (164–186)	9		1		2	3				3	1		1	2	2
Unknown or ill-defined diseases (187–189)	55	8	6	2	7	23	5	2	3	33	6	4	9	2	1
All other causes	43	1			2	3	3	1	2	9	5	6	9	7	7
MASSACHUSETTS.															
All causes	8,337	1,276	410	336	671	2,693	466	359	291	3,809	650	556	1,347	1,053	922
Measles (6)	105							2	1	3	2	3	6	38	53
Scarlet fever (7)	8						1			1	1			2	4
Whooping cough (8)	283		1			1			9	10	25	34	71	73	70
Diphtheria and croup (9)	41										2	4	7	7	21
Influenza (10)	107						1	5	2	8	7	7	30	28	27
Dysentery (14)	12						1		1	2		1	3	5	1
Erysipelas (18)	50						3	4	7	14	18	5	5	6	2
Tetanus (24)	5				2	2		1	2	5					
Tuberculosis of the lungs (28, 29)	47										1	2	13	14	17
Tuberculous meningitis (30)	89							1		1	1	6	22	27	32
Other forms of tuberculosis (31–35)	25				1	1			1	2	2	2	3	6	10
Syphilis (37)	63	3	3	2	4	12	4	4	1	21	8	7	17	6	4
Meningitis (61)	58			2		2	1		2	5	5	6	13	15	14
Convulsions (71)	75		2	2	11	15	2	1		18	5	8	19	13	12
Organic diseases of the heart (79)	20				2	2	1	2		5	3	4	4	2	2
Acute bronchitis (89)	228			1	2	3	13	16	15	47	33	16	63	31	38
Pneumonia (92)	180				3	3	8	7	4	22	19	11	37	53	38
Bronchopneumonia (91)	1,055		3	6	24	33	26	50	34	143	96	78	268	246	224
Diseases of the stomach (102, 103)	70				3	3	1	4	2	10	17	11	16	8	8
Diarrhea and enteritis (104)	1,627		1	3	17	21	30	60	65	176	186	208	498	333	226
Congenital malformations (150)	713	124	69	65	127	385	82	43	27	537	52	24	48	29	23
Premature birth (151a)	1,617	744	222	115	182	1,263	133	88	54	1,538	42	19	15	3	
Congenital debility, etc. (151b, 152b, 153)	740	146	51	59	121	377	77	46	33	533	68	55	61	15	8
Injuries at birth (152a)	496	239	50	62	103	459	21	5	6	491	1	4			
External causes (164–186)	72	5	3	1	5	14	4		1	19	7	12	10	12	12
Unknown or ill-defined diseases (187–189)	50	7	1	1	3	12	1		3	16	13	3	8	6	4
All other causes	501	8	4	17	56	85	56	20	21	182	36	26	110	75	72
MICHIGAN.															
All causes	8,504	1,510	447	357	669	2,983	513	395	324	4,215	703	546	1,238	980	822
Measles (6)	105				1	1	2	1	3	7	6	9	19	28	36
Scarlet fever (7)	18						2			2			4	4	8
Whooping cough (8)	260						1	4	13	18	27	24	62	68	61
Diphtheria and croup (9)	43				1	1		1	1	3	4	3	10	7	16
Influenza (10)	274	1	1	1	3	6	5	5	5	21	21	19	62	78	73
Dysentery (14)	18						1		1	2	4		8	2	2
Erysipelas (18)	41						5	4	6	15	9	7	4	1	5
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	19	1				1				1	1	2	3	5	9
Tuberculous meningitis (30)	25										1		5	7	10
Other forms of tuberculosis (31–35)	5												3	1	1
Syphilis (37)	69	7	2	5	5	19	3	3	5	30	10	11	10	4	4
Meningitis (61)	47			1	1	2			2	4	2	2	13	13	13
Convulsions (71)	128	5	3	13	22	43	9	8	4	64	7	7	18	20	12
Organic diseases of the heart (79)	59	2			7	9	4	4	4	21	11	9	8	3	7
Acute bronchitis (89)	228			1	5	6	9	11	9	35	37	18	54	50	34
Pneumonia (92)	266	3	1	2	5	11	6	3	10	30	26	22	72	54	62
Bronchopneumonia (91)	731	2	4	6	18	30	21	36	18	105	33	76	157	156	154
Diseases of the stomach (102, 103)	170	1	2		4	7	13	7	20	47	24	29	40	15	15
Diarrhea and enteritis (104)	1,468	2	3	8	26	39	37	59	60	195	193	170	422	291	197
Congenital malformations (150)	709	150	75	67	114	406	80	42	28	556	47	19	40	31	16
Premature birth (151a)	2,015	1,045	241	136	181	1,603	164	110	60	1,937	46	12	19		1
Congenital debility, etc. (151b, 152b, 153)	783	130	57	60	140	387	82	44	42	555	79	47	65	28	9
Injuries at birth (152a)	330	130	40	34	90	294	23	5	3	325	4	1			
External causes (164–186)	86	1	5		7	13	3	3		19	12	13	14	17	11
Unknown or ill-defined diseases (187–189)	100	27	6	4	10	47	8	8	5	68	11	5	11	4	1
All other causes	507	3	7	19	29	58	35	37	25	155	38	41	115	93	65

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
MINNESOTA.															
All causes	3,715	966	206	180	339	1,691	266	170	141	2,268	271	194	424	300	258
Measles (6)	33							2		2		2	5	8	16
Scarlet fever (7)	4													3	1
Whooping cough (8)	167						2	6	10	18	28	20	49	20	32
Diphtheria and croup (9)	5													2	3
Influenza (10)	112	2		2	7	11	4	5	3	23	7	5	27	22	28
Dysentery (14)	10						1	1		2		1	2	3	2
Erysipelas (18)	14						1	1	1	3	3	5		2	1
Tetanus (24)	5				2	2	2		1	5					
Tuberculosis of the lungs (28, 29)	19											3	7	7	2
Tuberculous meningitis (30)	19										1	2	5	4	7
Other forms of tuberculosis (31–35)	4							1		1				1	2
Syphilis (37)	28	3			4	7	2	2	2	13	1	7	4	1	2
Meningitis (61)	15						2			2	1		9		3
Convulsions (71)	68	2	6	7	15	30	4	2	2	38	6	2	8	8	6
Organic diseases of the heart (79)	8		1			1	2	1		4		1	3		
Acute bronchitis (89)	38				2	2	4	2		8	5	2	8	9	6
Pneumonia (92)	95	2	2	3	5	12	3	1	4	20	12	6	19	21	17
Bronchopneumonia (91)	261	1	1	3	7	12	7	18	15	52	44	27	53	47	33
Diseases of the stomach (102, 103)	22				2	2	1	7	2	12	2	2	2	1	3
Diarrhea and enteritis (104)	415	1	1	2	19	23	13	27	18	81	57	53	104	80	49
Congenital malformations (150)	327	65	23	26	60	174	28	20	15	237	27	15	26	14	8
Premature birth (151a)	1,130	672	114	67	75	928	94	38	31	1,091	21	7	9	2	
Congenital debility, etc. (151b, 152b, 153)	344	84	27	26	64	201	43	16	21	281	23	12	18	7	3
Injuries at birth (152a)	239	106	24	32	48	210	22	3		235	3	1			
External causes (164–186)	66	7	2	1	5	15	1	5	5	26	5	7	14	4	10
Unknown or ill-defined diseases (187–189)	78	19	3	8	9	39	10	7	2	58	4	2	9	2	3
All other causes	189	2	2	3	15	22	20	5	9	56	21	12	43	32	25
MISSISSIPPI (TOTAL).															
All causes	3,499	613	202	138	306	1,259	257	140	111	1,767	314	241	503	385	234
Measles (6)	3													2	1
Scarlet fever (7)	3											1		1	1
Whooping cough (8)	90				1	1	2	1	6	10	17	9	24	20	10
Diphtheria and croup (9)	27				2	2	1			3	2		12	5	5
Influenza (10)	109				3	3	5	3	3	14	3	14	36	30	12
Dysentery (14)	40			1		1	3	1		5	3	2	6	10	14
Erysipelas (18)	12				1	1	1	1	1	4	4	1	2	1	
Tetanus (24)	23				6	6	12	2		20	1		2		
Tuberculosis of the lungs (28, 29)	12										1		6	1	4
Tuberculous meningitis (30)	4												1	2	1
Other forms of tuberculosis (31–35)	1											1			
Syphilis (37)	52	3	2		4	9	4	1		14	6	13	7	4	8
Meningitis (61)	23		1		1	2	2			4	3	1	3	8	4
Convulsions (71)	57	1	7	2	10	20	12	7	3	42	6	1	7		1
Organic diseases of the heart (79)	9						1	1	1	3	1	1	2	1	1
Acute bronchitis (89)	32				4	4	3		1	8	6		11	4	3
Pneumonia (92)	194	2		1	9	12	3	4	7	26	19	25	62	35	27
Bronchopneumonia (91)	206			1	2	3	9	2	10	24	23	30	58	42	29
Diseases of the stomach (102, 103)	32				4	4		1	2	7	8	4	7	4	2
Diarrhea and enteritis (104)	324			2	4	6	14	6	7	33	34	26	73	79	79
Congenital malformations (150)	89	17	11	7	17	52	4	8	1	65	7	4	4	5	4
Premature birth (151a)	550	314	57	32	63	466	33	20	6	525	16	3	5	1	
Congenital debility, etc. (151b, 152b, 153)	200	44	21	18	22	105	23	13	10	151	18	8	12	8	3
Injuries at birth (152a)	68	26	7	10	16	59	6			65	2	1			
External causes (164–186)	98	5	3	1	4	13	2	3	3	21	10	12	18	24	13
Unknown or ill-defined diseases (187–189)	1,008	197	92	60	120	469	92	54	46	661	102	64	104	47	30
All other causes	233	4	1	3	13	21	25	12	4	62	22	20	46	51	32
MISSISSIPPI (WHITE).															
All causes	1,344	321	76	61	128	586	96	58	49	789	117	78	136	116	108
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	28				1	1		1	4	6	9	5	1	4	3
Diphtheria and croup (9)	7												1	3	3
Influenza (10)	35				1	1	4	3	2	10	1	5	7	7	5
Dysentery (14)	12						1			1	1		1	4	5
Erysipelas (18)	10				1	1		1	1	3	4	1	1	1	
Tetanus (24)	6				2	2	4			6					
Tuberculosis of the lungs (28, 29)	1												1		
Tuberculous meningitis (30)	2													2	
Other forms of tuberculosis (31–35)															
Syphilis (37)	3						1			1	2				
Meningitis (61)	13		1		1	2				2	3	1	1	5	1
Convulsions (71)	11		1	2	1	4	2	1		7	2		1		1
Organic diseases of the heart (79)	3								1	1	1		1		
Acute bronchitis (89)	12				2	2	2			4	2		5	1	
Pneumonia (92)	60	1			5	6	2	1	4	13	9	9	16	6	7
Bronchopneumonia (91)	88			1	2	3	7	2	6	18	10	12	20	11	17
Diseases of the stomach (102, 103)	15				2	2		1	1	4	3	4	4		
Diarrhea and enteritis (104)	136			1	3	4	3	5	4	16	13	8	26	35	33
Congenital malformations (150)	65	16	10	5	11	42	2	8	1	53	5	3	2	1	1
Premature birth (151a)	341	198	31	18	42	289	21	14	6	330	6	1	3	1	
Congenital debility, etc. (151b, 152b, 153)	104	28	10	8	11	57	13	6	6	82	10	2	7	1	2
Injuries at birth (152a)	50	18	5	9	13	45	4			49	1				
External causes (164–186)	38	1	1		1	3			2	5	4	6	9	6	8
Unknown or ill-defined diseases (187–189)	203	57	16	16	21	110	16	8	10	144	26	9	15	5	4
All other causes	101	2	1	1	8	12	14	7	1	34	7	10	14	23	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 months
REGISTRATION STATES—Continued.															
MISSISSIPPI (COLORED).															
All causes	2,155	292	126	77	178	673	161	82	62	978	197	163	372	269	176
Measles (6)	3													2	1
Scarlet fever (7)	3											1		1	1
Whooping cough (8)	62						2		2	4	8	4	23	16	7
Diphtheria and croup (9)	20			2	2	1				3	2		11	2	2
Influenza (10)	74			2	2	1		1		4	2	9	29	23	7
Dysentery (14)	28		1		1	2	1			4	2	2	5	6	9
Erysipelas (18)	2					1				1			1		
Tetanus (21)	17			4	4	8	2			14	1		2		
Tuberculosis of the lungs (28, 29)	11										1		5	1	4
Tuberculous meningitis (30)	2												1		1
Other forms of tuberculosis (31–35)	1											1			
Syphilis (37)	49	3	2		4	9	3	1		13	6	11	7	4	8
Meningitis (61)	10						2			2			2	3	3
Convulsions (71)	46	1	6		9	16	10	6	3	35	4	1	6		
Organic diseases of the heart (79)	6						1	1		2		1	1	1	1
Acute bronchitis (89)	20			2	2	1			1	4	4		6	3	3
Pneumonia (92)	134	1		1	4	6	1	3	3	13	10	16	46	29	20
Bronchopneumonia (91)	118						2		4	6	13	18	38	31	12
Diseases of the stomach (102, 103)	17			2	2				1	3	5		3	4	2
Diarrhea and enteritis (104)	188		1	1	2	11	1	3		17	21	18	47	44	41
Congenital malformations (150)	24	1	1	2	6	10	2			12	2	1	2	4	3
Premature birth (151a)	209	116	26	14	21	177	12	6		195	10	2	2		
Congenital debility, etc. (151b, 152b, 153)	96	16	11	10	11	48	10	7	4	69	8	6	5	7	1
Injuries at birth (152a)	18	8	2	1	3	14	2			16	1	1			
External causes (164–186)	60	4	2	1	3	10	2	3	1	16	6	6	9	18	5
Unknown or ill-defined diseases (187–189)	805	140	76	44	99	359	76	46	36	517	76	55	89	42	26
All other causes	132	2		2	5	9	11	5	3	28	15	10	32	28	19
MISSOURI.															
All causes	5,309	948	272	190	403	1,813	408	246	179	2,646	507	331	744	573	508
Measles (6)	50			1		1	1	1		3	5	4	15	7	16
Scarlet fever (7)	10										1	1	1	3	5
Whooping cough (8)	169							3	7	10	27	23	36	40	33
Diphtheria and croup (9)	24				1	1				1	4	2	1	6	10
Influenza (10)	260	2	2	1	8	13	13	4	8	38	21	16	56	64	65
Dysentery (14)	45						1			1	5	2	15	10	12
Erysipelas (18)	30						2	4	5	11	7	2	6	4	
Tetanus (21)	10				1	1	3	1		5			1		4
Tuberculosis of the lungs (28, 29)	32							2	2	4	1	1	12	9	5
Tuberculous meningitis (30)	16								1	1	1	1	4	5	4
Other forms of tuberculosis (31–35)	3												1	2	
Syphilis (37)	85	4	4	1	4	13	9	5	6	33	18	12	14	3	5
Meningitis (61)	47				6	6	2	1	1	10	3	5	12	10	7
Convulsions (71)	26		2		11	13	7		1	21			3	1	1
Organic diseases of the heart (70)	26				1	1	2	3	4	10	4	2	5	4	1
Acute bronchitis (89)	109		1	1	1	3	7	9	1	20	20	14	24	20	11
Pneumonia (92)	259	2	3	2	11	18	15	11	7	51	32	14	48	51	63
Bronchopneumonia (91)	568		3	5	17	25	31	30	21	107	57	51	152	108	93
Diseases of the stomach (102, 103)	54		1	2	9	12	5	3	3	23	6	3	12	9	1
Diarrhea and enteritis (104)	706	3	1	3	15	22	19	28	37	106	134	87	217	147	105
Congenital malformations (150)	306	69	36	26	46	177	32	20	13	242	25	18	8	8	5
Premature birth (151a)	1,383	726	149	72	128	1,075	139	66	27	1,307	42	17	14	3	
Congenital debility, etc. (151b, 152b, 153)	293	50	23	32	44	149	36	20	19	224	25	15	18	6	5
Injuries at birth (152a)	139	40	25	20	33	118	16	3		137	2				
External causes (164–186)	49	3	3	1	3	10	1	4		15	6	3	7	5	13
Unknown or ill-defined diseases (187–189)	220	40	14	14	33	101	27	12	6	146	29	16	12	10	7
All other causes	300	9	5	9	31	54	40	16	10	120	33	22	50	38	37
MONTANA.															
All causes	862	192	58	35	79	364	55	37	28	484	61	62	113	69	73
Measles (6)	8										1	3		1	3
Scarlet fever (7)															
Whooping cough (8)	38							3	2	5	6	4	11	6	6
Diphtheria and croup (9)	1												1		
Influenza (10)	33			1		1		1	2	4	1	6	7	8	7
Dysentery (14)	3										1	1	1		
Erysipelas (18)	6							1	1	2	2		1	1	
Tetanus (21)															
Tuberculosis of the lungs (28, 29)	5												2	1	2
Tuberculous meningitis (30)	3										1				2
Other forms of tuberculosis (31–35)															
Syphilis (37)	6							1		1	1	1	2	1	
Meningitis (61)	8			1	1				1	2	1		2	1	2
Convulsions (71)	9	1		3	3	7	1			8			1		
Organic diseases of the heart (79)	4						1		1	2		1			1
Acute bronchitis (89)	10			2		2		1	2	5	2		1	1	1
Pneumonia (92)	35				1	1	2	2	1	6	7	2	11	4	5
Bronchopneumonia (91)	73				3	3	4	5	2	14	9	11	18	11	10
Diseases of the stomach (102, 103)	10			1		1				1	4	1	2	1	1
Diarrhea and enteritis (104)	99				4	4	3	4	3	14	12	13	29	20	11
Congenital malformations (150)	71	14	9	9	13	45	6	2	4	57	1	2	3	3	5
Premature birth (151a)	234	131	32	10	26	199	20	4	4	227	3	1	3		
Congenital debility, etc. (151b, 152b, 153)	77	14	5	5	16	40	10	7	1	58	2	7	8	2	
Injuries at birth (152a)	48	27	11	2	4	44	2	2		48					
External causes (164–186)	6										1	1	1	2	1
Unknown or ill-defined diseases (187–189)	31	5	1		5	11	4	1		16	2	2	4	2	5
All other causes	44			2	3	5	2	3	4	14	4	6	5	4	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
NEBRASKA.															
All causes	1,986	400	115	84	162	761	164	87	72	1,084	173	116	258	102	163
Measles (6)	22										3	1	4	6	8
Scarlet fever (7)	4								1	1	1		1		1
Whooping cough (8)	139							3	6	9	33	16	29	22	30
Diphtheria and croup (9)	6										1		2	3	
Influenza (10)	80		1	1	2	4	4	1	1	10	5	9	17	22	
Dysentery (14)	6								1	1	1		2	2	
Erysipelas (18)	15				1	1	1	1	1	4	4	3	2		2
Tetanus (24)	2				1	1	1			2					
Tuberculosis of the lungs (28, 29)	8											1	2	3	2
Tuberculous meningitis (30)	4											1	1	1	1
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	15	2	1		1	4	1		2	7	2	2	2	2	
Meningitis (61)	14						2		1	3	2		3	4	2
Convulsions (71)	13	1	1		3	5	2		1	8		1	2	1	1
Organic diseases of the heart (79)	8		2			2	1		1	4		2	2		
Acute bronchitis (89)	21						4	4	2	10	2	2	3	3	1
Pneumonia (92)	71				1	1	3	5	5	14	5	5	17	17	13
Bronchopneumonia (91)	138				5	5	4	3	6	18	21	16	23	31	29
Diseases of the stomach (102, 103)	29			2	3	5	4		1	10	4	1	9	3	2
Diarrhea and enteritis (104)	204		1		4	5	6	13	5	29	22	22	62	37	32
Congenital malformations (150)	171	37	20	13	21	91	25	10	9	135	11	6	12	5	2
Premature birth (151a)	485	259	59	26	40	384	50	21	12	467	12	1	4	1	
Congenital debility, etc. (151b, 152b, 153)	246	62	19	21	46	148	21	15	7	191	13	12	22	7	1
Injuries at birth (152a)	70	29	7	14	13	63	5	1		69	1				
External causes (164–186)	43	3	1		3	7	1	1	2	11	6	5	9	7	5
Unknown or ill-defined diseases (187–189)	47	6	2	4	5	17	8	2	4	31	6	1	7	1	1
All other causes	124	1	1	3	13	18	21	7	4	50	18	9	21	14	12
NEW HAMPSHIRE.															
All causes	875	144	53	31	67	295	54	36	29	414	72	75	135	99	80
Measles (6)	14	1				1				1	1	1	2	2	7
Scarlet fever (7)															
Whooping cough (8)	24							1	1	2	5	2	5	4	6
Diphtheria and croup (9)	4								1	1					3
Influenza (10)	26				3	3				3	2	1	6	9	5
Dysentery (14)	1		1			1				1					
Erysipelas (18)	6							2		2	1	1	1		1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	5										1	1		2	1
Tuberculous meningitis (30)	6											1	1	3	1
Other forms of tuberculosis (31–35)	3											1		1	1
Syphilis (37)	4							1	1	2	2				
Meningitis (61)	9	1				1	1			2			3	1	3
Convulsions (71)	12			1	3	4	1	2		7			2	2	1
Organic diseases of the heart (79)	5						1	1		2		2	1		
Acute bronchitis (89)	21				1	1	3		1	5	3	2	6	1	4
Pneumonia (92)	22						1	3	4	8	2	1	4	4	3
Bronchopneumonia (91)	52				1	1	2	1		4	6	7	14	12	9
Diseases of the stomach (102, 103)	15						1			1	5	2	6	1	
Diarrhea and enteritis (104)	177	1		1	1	3	1	6	5	15	15	27	56	42	22
Congenital malformations (150)	70	8	12	5	12	37	9	4	3	53	6	2	3	3	3
Premature birth (151a)	224	105	28	14	26	173	20	5	7	205	8	6	4		1
Congenital debility, etc. (151b, 152b, 153)	91	10	7	5	12	34	6	7	5	52	12	12	12	2	1
Injuries at birth (152a)	35	17	4	4	5	30	4	1		35					
External causes (164–186)	8				1	1				1	1	2		1	3
Unknown or ill-defined diseases (187–189)	3	1	1			2		1		3					
All other causes	38			1	2	3	4	1	1	9	2	4	9	9	5
NEW JERSEY.															
All causes	6,668	996	300	280	431	2,007	399	310	256	2,972	544	456	1,107	872	717
Measles (6)	82						1			1	1	1	7	31	41
Scarlet fever (7)	4								1	1			1	2	
Whooping cough (8)	215						1	4	7	12	28	16	51	51	57
Diphtheria and croup (9)	40							1	1	2	1	1	6	9	21
Influenza (10)	97		1			1	1	4		6	6	12	32	14	27
Dysentery (14)	12		1			1	1			2	1		2	3	4
Erysipelas (18)	26						1	4	3	8	7	1	7	2	1
Tetanus (24)	5				2	2	3			5					
Tuberculosis of the lungs (28, 29)	31				1	1		1	1	3	1	4	10	4	9
Tuberculous meningitis (30)	37	1			2	3				3	6	1	10	11	6
Other forms of tuberculosis (31–35)	10												4	3	3
Syphilis (37)	61	5		1	1	7	6	2	2	17	12	17	8	4	3
Meningitis (61)	59				1	1	4	2	4	11	3	5	10	11	10
Convulsions (71)	59	4	1	6	10	21	5	3	1	30	4	5	11	4	5
Organic diseases of the heart (79)	24						1		4	5	4	3	3	6	3
Acute bronchitis (89)	224			1	7	8	14	17	8	47	36	22	51	38	30
Pneumonia (92)	287	1	1	3	2	7	5	7	10	29	15	22	73	79	69
Bronchopneumonia (91)	723	1	3	3	10	17	20	31	31	99	74	59	183	164	141
Diseases of the stomach (102, 103)	53			1	1	2	2	3	2	9	10	4	13	11	6
Diarrhea and enteritis (104)	1,434		4	10	20	34	39	43	58	174	163	165	419	316	197
Congenital malformations (150)	535	95	49	54	83	281	58	42	28	409	46	17	29	17	17
Premature birth (151a)	1,320	607	141	118	137	1,003	127	83	47	1,260	33	18	8	1	
Congenital debility, etc. (151b, 152b, 153)	550	102	41	32	73	248	50	33	27	358	53	42	64	21	12
Injuries at birth (152a)	338	160	43	43	53	299	25	8	1	333	3	2			
External causes (164–186)	67	5	3		6	14	4	2	1	21	8	5	16	7	10
Unknown or ill-defined diseases (187–189)	27	5	1	2	2	10	4	3		17	1	3	4	2	
All other causes	348	10	11	6	20	47	27	17	19	110	28	31	76	61	42

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
NEW YORK.															
All causes	20,309	3,458	954	752	1,367	6,531	1,140	859	776	9,306	1,653	1,352	3,130	2,652	2,216
Measles (6)	317						1	2	1	4	1	9	36	108	159
Scarlet fever (7)	20						1			1	1		1	4	13
Whooping cough (8)	546							4	14	18	66	66	124	133	139
Diphtheria and croup (9)	146							2	5	7	10	6	18	48	57
Influenza (10)	406	1		3	9	13	9	9	5	36	28	18	98	114	112
Dysentery (14)	25						1	1		2		2	4	8	9
Erysipelas (18)	156						8	21	24	53	30	26	25	17	5
Tetanus (24)	8				2	2	6			8					
Tuberculosis of the lungs (28, 29)	85		2			2	1		1	4	6	8	23	26	18
Tuberculous meningitis (30)	146				2	2	3		1	6	7	7	36	51	39
Other forms of tuberculosis (31–35)	38							2		2	1	8	6	9	12
Syphilis (37)	252	12	13	2	7	34	26	21	16	97	50	32	48	13	12
Meningitis (61)	118	1				1	4	1	3	9	11	8	36	29	25
Convulsions (71)	119	2	6	10	23	41	8	4	9	62	14	9	16	11	7
Organic diseases of the heart (79)	68			1	2	3	1	1	2	7	10	5	12	10	24
Acute bronchitis (89)	641	2	3	2	16	23	33	38	49	143	110	75	131	111	71
Pneumonia (92)	640	2	5	4	9	20	13	8	14	55	42	42	116	189	196
Bronchopneumonia (91)	2 180	8	6	14	47	75	83	90	92	340	210	182	494	479	475
Diseases of the stomach (102, 103)	163			1	5	6	8	10	14	38	34	16	52	16	7
Diarrhea and enteritis (104)	4,041		5	5	36	46	83	142	154	425	452	454	1,221	912	577
Congenital malformations (150)	1,392	312	113	123	224	772	135	85	61	1,053	94	59	89	58	39
Premature birth (151a)	4,308	2,082	506	300	437	3,325	402	224	129	4,080	132	36	53	6	1
Congenital debility, etc. (151b, 152b, 153)	1,830	339	135	122	211	807	142	108	103	1,160	193	172	202	75	28
Injuries at birth (152a)	1,282	645	134	134	242	1,155	82	18	15	1,270	11	1			
External causes (164–186)	174	20	5	7	13	45	8	4	2	59	20	12	35	17	31
Unknown or ill-defined diseases (187–189)	36	15	3	3	3	24		1		25	5	2	2	2	
All other causes	1,172	17	18	21	79	135	82	63	62	342	115	97	252	206	160
NORTH CAROLINA (TOTAL).															
All causes	6,909	1,150	329	268	492	2,239	475	337	270	3,321	604	485	1,018	789	692
Measles (6)	6										2		1		3
Scarlet fever (7)	6										1		2		3
Whooping cough (8)	201						1	8	10	19	20	24	53	41	44
Diphtheria and croup (9)	54		1		3	4	3	4	3	14	7	4	11	6	12
Influenza (10)	387	1		2	4	7	12	18	9	46	29	38	100	94	80
Dysentery (14)	93		1	1	2	4	1	3		8	5	10	32	20	18
Erysipelas (18)	21							2	2	4	7	4	2	2	2
Tetanus (24)	26		2		7	9	10	1	3	23	2				1
Tuberculosis of the lungs (28, 29)	10							1		1			8	4	6
Tuberculous meningitis (30)	19							1		1	2	1	5	5	5
Other forms of tuberculosis (31–35)	6										1	2	1	1	1
Syphilis (37)	46	6		1	1	8	3	4	1	16	4	7	7	9	3
Meningitis (61)	64			1	3	4	3	4	3	14	3	8	14	15	10
Convulsions (71)	56	1	1	4	12	18	8	3	2	31	5	2	10	5	3
Organic diseases of the heart (79)	19	1			2	3	4	1	1	9		4	4	1	1
Acute bronchitis (89)	88		1	2	3	6	2	3	7	18	16	7	21	13	13
Pneumonia (92)	258	1	2	1	6	10	12	14	13	49	34	20	68	52	35
Bronchopneumonia (91)	415		1		8	9	22	20	11	62	47	43	86	96	81
Diseases of the stomach (102, 103)	86		2	2	2	6	3	3	9	21	14	11	17	13	10
Diarrhea and enteritis (104)	876		1	2	9	12	21	19	19	71	55	73	226	230	221
Congenital malformations (150)	242	49	19	21	32	121	34	20	11	186	21	8	14	9	4
Premature birth (151a)	1,413	697	171	112	141	1,121	122	66	45	1,354	36	10	7	4	2
Congenital debility, etc. (151b, 152b, 153)	496	80	29	32	73	214	49	41	19	323	63	38	40	20	12
Injuries at birth (152a)	115	50	13	18	17	98	10	4	1	113	2				
External causes (164–186)	120	9	2	1	3	15	3	2	8	28	16	15	22	22	17
Unknown or ill-defined diseases (187–189)	1,464	253	79	66	151	549	132	85	76	842	172	123	188	83	56
All other causes	313	2	4	2	13	21	20	10	17	68	40	33	79	44	49
NORTH CAROLINA (WHITE).															
All causes	4,168	821	208	174	284	1,487	266	223	182	2,158	362	294	532	423	399
Measles (6)	4										2				2
Scarlet fever (7)	5												2		3
Whooping cough (8)	121							7	9	16	14	16	30	23	22
Diphtheria and croup (9)	39				1	1	2	4	3	10	5	4	9	3	8
Influenza (10)	224			1	3	4	10	17	3	34	20	23	49	52	46
Dysentery (14)	48		1			1	1			2	2	4	18	13	9
Erysipelas (18)	19							1	2	3	6	4	2	2	2
Tetanus (24)	5				1	1		1	1	3	1				1
Tuberculosis of the lungs (28, 29)	11							1		1			5	1	4
Tuberculous meningitis (30)	14							1		1	2		4	4	3
Other forms of tuberculosis (31–35)	2											1		1	
Syphilis (37)	13	2		1		3		2	1	6	1	5	1		
Meningitis (61)	50			1	2	3	3	3	3	12	3	8	12	9	6
Convulsions (71)	26		1	3	7	11	4	1	2	18	3	1	2	1	1
Organic diseases of the heart (79)	17	1			2	3	4	1		8		4	3	1	1
Acute bronchitis (89)	43			1	1	2	1	2	3	8	13	1	11	3	7
Pneumonia (92)	125		1	1	2	4	6	8	10	28	14	14	28	21	20
Bronchopneumonia (91)	238		1		5	6	14	18	9	47	34	26	33	55	43
Diseases of the stomach (102, 103)	51			1	2	3	2	1	6	12	7	6	12	6	8
Diarrhea and enteritis (104)	342		1	2	3	6	9	10	12	37	30	54	136	138	147
Congenital malformations (150)	206	46	17	20	27	110	23	17	10	160	19	7	11	7	2
Premature birth (151a)	1,021	536	114	80	90	820	81	47	35	983	25	6	3	2	2
Congenital debility, etc. (151b, 152b, 153)	298	52	18	14	39	123	32	24	12	191	37	21	28	17	4
Injuries at birth (152a)	88	37	9	12	17	75	8	3		86	2				
External causes (164–186)	73	7			1	8	1	2	7	18	11	8	8	14	14
Unknown or ill-defined diseases (187–189)	736	140	42	36	74	292	57	46	45	440	92	64	87	24	19
All other causes	159		3	1	7	11	8	6	9	34	19	17	38	26	25

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
NORTH CAROLINA (COLORED).															
All causes	2,741	329	121	94	208	752	209	114	88	1,163	242	191	486	366	293
Measles (6)	2												1		1
Scarlet fever (7)	1										1				
Whooping cough (8)	80						1	1	1	3	6	8	23	18	22
Diphtheria and croup (9)	15		1		2	3	1			4	2		2	3	4
Influenza (10)	163	1		1	1	3	2	1	6	12	9	15	51	42	34
Dysentery (14)	45			1	2	3		3		6	3	6	14	7	9
Erysipelas (18)	2							1		1	1				
Tetanus (24)	21		2		6	8	10		2	20	1				
Tuberculosis of the lungs (28, 29)	8												3	3	2
Tuberculous meningitis (30)	5											1	1	1	2
Other forms of tuberculosis (31–35)	4										1	1	1		1
Syphilis (37)	33	4			1	5	3	2		10	3	2	6	9	3
Meningitis (61)	14				1	1		1		2			2	6	4
Convulsions (71)	30	1		1	5	7	4	2		13	2	1	8	4	2
Organic diseases of the heart (79)	2								1	1			1		
Acute bronchitis (89)	45		1	1	2	4	1	1	4	10	3	6	10	10	6
Pneumonia (92)	133	1	1		4	6	6	6	3	21	20	6	40	31	15
Bronchopneumonia (91)	177				3	3	8	2	2	15	13	17	53	41	38
Diseases of the stomach (102, 103)	35		2	1		3	1	2	3	9	7	5	5	7	2
Diarrhea and enteritis (104)	334				6	6	12	9	7	34	25	19	90	92	74
Congenital malformations (150)	36	3	2	1	5	11	11	3	1	26	2	1	3	2	2
Premature birth (151a)	392	161	57	32	51	301	41	19	10	371	11	4	4	2	
Congenital debility, etc. (151b, 152b, 153)	198	28	11	18	34	91	17	17	7	132	26	17	12	3	8
Injuries at birth (152a)	27	13	4	6		23	2	1	1	27					
External causes (164–186)	47	2	2	1	2	7	2		1	10	5	7	14	8	3
Unknown or ill-defined diseases (187–189)	738	113	37	30	77	257	75	39	31	402	80	59	101	59	37
All other causes	154	2	1	1	6	10	12	4	8	34	21	16	41	18	24
OHIO.															
All causes	10,252	1,850	569	441	839	3,699	667	447	345	5,158	825	645	1,519	1,195	910
Measles (6)	155			1		1	2	4		7	5	5	30	48	60
Scarlet fever (7)	10								1	1	2	1		3	3
Whooping cough (8)	470		1			1	1	8	19	29	74	53	113	116	85
Diphtheria and croup (9)	32				1	1		2		3	3	2	6	6	12
Influenza (10)	278	1	2	1	4	8	14	3	10	35	25	19	67	79	53
Dysentery (14)	16				1	1				1		2	1	7	5
Erysipelas (18)	42						5	3	6	14	10	7	7	2	2
Tetanus (24)	8			1	3	4	3		1	8					
Tuberculosis of the lungs (28, 29)	43							2		2	4	6	9	13	9
Tuberculous meningitis (30)	55							2		2	4	1	13	23	12
Other forms of tuberculosis (31–35)	11										1		2	6	2
Syphilis (37)	127	11	7	4	10	32	15	3	7	57	18	13	23	8	8
Meningitis (61)	76				3	3	1	6	2	12	7	4	24	19	10
Convulsions (71)	127	2	5	5	24	36	10	10	5	61	11	10	24	17	4
Organic diseases of the heart (79)	27		1	1	2	4	4	2	1	11	1	2	2	7	4
Acute bronchitis (89)	147			2	3	5	9	9	8	31	24	18	35	19	20
Pneumonia (92)	342		1	4	11	16	13	14	14	57	37	34	81	56	77
Bronchopneumonia (91)	1,108	4	7	13	27	51	48	45	46	190	129	101	262	227	109
Diseases of the stomach (102, 103)	172	1	2	3	5	11	14	20	5	50	30	25	41	17	9
Diarrhea and enteritis (104)	1,494	1		2	21	24	34	42	48	148	127	176	458	362	223
Congenital malformations (150)	849	197	74	86	168	525	71	49	25	670	55	28	53	28	15
Premature birth (151a)	2,411	1,190	298	170	227	1,885	217	112	73	2,287	65	22	30	3	4
Congenital debility, etc. (151b, 152b, 153)	967	159	73	64	182	478	104	57	43	682	91	56	103	24	11
Injuries at birth (152a)	500	225	74	55	83	437	35	12	6	490	10				
External causes (164–186)	135	5	4	5	8	22	7	8	9	46	19	12	22	15	21
Unknown or ill-defined diseases (187–189)	191	45	16	14	25	100	18	6	4	128	11	14	21	9	8
All other causes	459	9	4	10	31	54	42	28	12	136	62	34	92	81	54
OREGON.															
All causes	924	228	56	46	81	411	74	52	39	576	62	56	104	65	61
Measles (6)	4						1	1		2		1		1	
Scarlet fever (7)															
Whooping cough (8)	30							1		1	2	2	16	7	2
Diphtheria and croup (9)															
Influenza (10)	23						1			1	4	2	3	9	4
Dysentery (14)	6											2	3		1
Erysipelas (18)	9						1		1	2	3	1	2	1	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4												1	1	2
Tuberculous meningitis (30)	9								1	1	1	1	6		
Other forms of tuberculosis (31–35)															
Syphilis (37)	8	3	1		2	6			1	7			1		
Meningitis (61)	9		1		3	4				4		2		3	
Convulsions (71)	5		1		2	3				3			1	1	
Organic diseases of the heart (79)	5				1	1		1		2			2	1	
Acute bronchitis (89)	3										1			2	
Pneumonia (92)	44		1		4	5	3	3	3	14	4	4	10	5	7
Bronchopneumonia (91)	87						9	9	3	21	16	10	17	5	18
Diseases of the stomach (102, 103)	9						1		1	2	1	1	3		2
Diarrhea and enteritis (104)	65				1	1	3	4	5	13	9	8	13	15	7
Congenital malformations (150)	105	30	8	8	14	60	11	4	5	80	7	8	4	5	1
Premature birth (151a)	241	139	25	12	16	192	22	13	6	233	2	2	4		
Congenital debility, etc. (151b, 152b, 153)	112	27	11	11	22	71	13	9	8	101	2	5	2	1	1
Injuries at birth (152a)	53	23	5	13	9	50	1	2		53					
External causes (164–186)	15	1			1	2		1	3	6		1		3	5
Unknown or ill-defined diseases (187–189)	19	3	3		3	9	1	1	1	12	2	2	1	1	1
All other causes	59	2		2	3	7	7	3	1	18	3	4	15	4	10

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
PENNSYLVANIA.															
All causes	21,415	2,878	1,014	789	1,488	6,169	1,303	970	850	9,292	1,952	1,571	3,679	2,706	2,215
Measles (6)	318	1			1	2	6	1	3	12	14	11	39	103	139
Scarlet fever (7)	31				1	1	1	1		3	2		4	11	11
Whooping cough (8)	662						2	13	19	34	91	70	165	143	159
Diphtheria and croup (9)	117						3	2	3	8	2	3	19	28	57
Influenza (10)	530	4	2	4	4	14	8	15	13	50	37	42	137	143	121
Dysentery (14)	28							1	1	2	2	1	9	7	7
Erysipelas (18)	88				2	2	4	7	10	23	29	9	14	9	4
Tetanus (24)	12		1		5	6	4			10		1		1	
Tuberculosis of the lungs (28, 29)	106			1	1	2	1	3	5	11	7	8	30	26	24
Tuberculous meningitis (30)	118				1	1	1	2	3	7	3	5	38	32	33
Other forms of tuberculosis (31–35)	44							1	1	2	3	7	8	14	10
Syphilis (37)	240	22	10	4	22	58	26	21	17	122	33	18	39	19	9
Meningitis (61)	155			1	13	14	5	6	1	26	9	11	44	41	24
Convulsions (71)	279	7	16	11	40	74	29	20	14	137	22	19	43	42	16
Organic diseases of the heart (79)	86	1	1	1	3	6	5	3	11	25	17	7	15	12	10
Acute bronchitis (89)	487	1		6	9	16	26	23	28	93	70	56	128	78	62
Pneumonia (92)	1,030	2	3	6	22	33	27	40	40	140	102	105	278	209	196
Bronchopneumonia (91)	2,485	9	14	12	47	82	99	92	87	360	285	254	586	538	462
Diseases of the stomach (102, 103)	283		1	4	7	12	24	23	13	72	46	37	72	34	22
Diarrhea and enteritis (104)	4,691	2	9	22	80	113	151	179	195	638	578	553	1,400	906	616
Congenital malformations (150)	1,837	358	191	170	309	1,028	196	114	76	1,414	143	73	111	56	40
Premature birth (151a)	3,082	1,854	522	296	408	3,080	372	202	128	3,782	120	35	31	11	3
Congenital debility, etc. (151b, 152b, 153)	1,729	255	119	125	261	760	180	100	101	1,141	182	134	183	65	24
Injuries at birth (152a)	741	311	94	97	156	658	52	15	9	734	4	3			
External causes (164–186)	196	2	10	4	9	25	2	3	12	42	28	20	47	20	39
Unknown or ill-defined diseases (187–189)	190	34	11	9	26	80	10	12	9	111	18	17	25	13	6
All other causes	950	15	10	16	61	102	69	71	51	293	105	72	214	145	121
RHODE ISLAND.															
All causes	1,386	210	83	55	81	429	71	59	56	615	125	100	211	182	153
Measles (6)	17										1		3	6	7
Scarlet fever (7)	2								1	1			1		
Whooping cough (8)	49							2	5	7	4	6	6	13	13
Diphtheria and croup (9)	4								1	1	1			1	1
Influenza (10)	46						1	1	1	3	2	4	16	8	13
Dysentery (14)	4										1		1		2
Erysipelas (18)	8							1	1	2	3		1	1	1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	12						1			1	1	1	2	5	2
Tuberculous meningitis (30)	18										1	1	5	6	5
Other forms of tuberculosis (31–35)	5							1		1	1		1	1	1
Syphilis (37)	11			2	2					2	2		5	1	1
Meningitis (61)	10			1	1					1	2		2	3	2
Convulsions (71)	14		1	1	3	3	2			8	1		2	2	1
Organic diseases of the heart (79)															
Acute bronchitis (89)	40			1	1		5	3		9	9	7	4	5	6
Pneumonia (92)	80	2		1	3	7	1	1		12	4	4	17	19	24
Bronchopneumonia (91)	105					3	1	4		8	13	7	22	33	22
Diseases of the stomach (102, 103)	19						1			1	4	2	7	2	3
Diarrhea and enteritis (104)	234		1	2	3	6	6	7		22	35	36	69	42	30
Congenital malformations (150)	89	24	9	9	11	53	7	5	5	70	6	5	4	2	2
Premature birth (151a)	243	97	47	21	24	189	20	11	10	230	4	4	4	1	
Congenital debility, etc. (151b, 152b, 153)	166	27	9	12	12	60	17	11	10	98	20	15	21	10	2
Injuries at birth (152a)	100	57	14	7	17	95	3		2	100					
External causes (164–186)	12				1	1		2		3		1	3	1	4
Unknown or ill-defined diseases (187–189)	13	2	2	3		7	1		1	9	2		1		1
All other causes	85	1		2	8	11	2	9	4	26	8	7	14	20	10
SOUTH CAROLINA (TOTAL).															
All causes	5,531	811	307	238	483	1,839	419	216	191	2,665	524	363	872	632	475
Measles (6)	19						1		1	2	1	1	4	5	6
Scarlet fever (7)															
Whooping cough (8)	199			2	2	2	6	10		20	27	22	43	52	35
Diphtheria and croup (9)	28		2		1	3	2			5	3	1	6	3	10
Influenza (10)	398	1		3	9	13	24	15	15	67	30	33	110	85	73
Dysentery (14)	151		1		3	4	3	3	4	14	16	20	45	32	24
Erysipelas (18)	7										4		3		
Tetanus (24)	37	1			5	6	24	4		34	3				
Tuberculosis of the lungs (28, 29)	16										1	1	6	5	3
Tuberculous meningitis (30)	5				1	1				1				2	2
Other forms of tuberculosis (31–35)	3								1	1	1				1
Syphilis (37)	68	4	3	1	3	11	6	2	2	21	6	12	19	5	5
Meningitis (61)	19			1		1	1			2	3		4	7	3
Convulsions (71)	90	3	3	2	15	23	13	5	6	47	10	12	12	6	3
Organic diseases of the heart (79)	12						2	2		4	3	2	1	2	
Acute bronchitis (89)	39			1	1	2	3	1		7	10	6	9	5	2
Pneumonia (92)	302		3	3	17	23	19	8	14	64	35	28	79	58	38
Bronchopneumonia (91)	172				4	4	6	11	5	26	31	12	40	41	22
Diseases of the stomach (102, 103)	132	2		2	5	9	15	5	3	32	16	12	42	22	8
Diarrhea and enteritis (104)	771	2	3	2	21	28	19	22	17	86	97	77	207	166	138
Congenital malformations (150)	137	29	11	5	16	61	12	9	7	89	17	12	9	8	2
Premature birth (151a)	1,630	665	227	158	241	1,291	183	61	49	1,584	30	5	8	1	2
Congenital debility, etc. (151b, 152b, 153)	512	60	34	34	83	211	46	34	25	316	72	30	57	25	12
Injuries at birth (152a)	72	32	10	10	16	68	1			69	3				
External causes (164–186)	80	1			1	2	2	4	4	12	11	10	16	15	16
Unknown or ill-defined diseases (187–189)	261	10	9	9	21	49	24	9	11	93	40	31	52	22	23
All other causes	371	1	1	8	18	28	12	13	16	69	54	36	100	65	47

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION STATES—Continued.															
SOUTH CAROLINA (WHITE).															
All causes	1,986	406	119	82	134	741	127	81	74	1,023	187	124	251	206	195
Measles (6)	12								1	1		1	3	4	3
Scarlet fever (7)															
Whooping cough (8)	76							2	4	6	17	8	14	13	18
Diphtheria and croup (9)	16		1			1	1			2	2	1	1	2	8
Influenza (10)	112			1	2	3	9	5	4	21	11	8	24	22	26
Dysentery (14)	48		1			1	1	1	2	5	4	7	14	11	7
Erysipelas (18)	7										4		3		
Tetanus (24)	6				2	2	2	1		5	1				
Tuberculosis of the lungs (28, 29)	4												1	1	2
Tuberculous meningitis (30)	3				1	1				1				1	1
Other forms of tuberculosis (31–35)	1								1	1					
Syphilis (37)	6						1			1	1	3		1	
Meningitis (61)	13			1		1				1	3		2	5	2
Convulsions (71)	23	1	1	2	3	7	3	2	2	14	2	3	1	2	1
Organic diseases of the heart (79)	10						2	2		4	3	1	1	1	
Acute bronchitis (89)	16							3		3	7	2	4		
Pneumonia (92)	94		3		6	9	7	4	8	28	13	8	15	15	15
Bronchopneumonia (91)	71						3	4	3	10	13	8	11	19	10
Diseases of the stomach (102, 103)	32	1			1	2	1	2	2	7	3	4	12	2	4
Diarrhea and enteritis (104)	294			1		1	6	6	4	17	28	28	77	71	73
Congenital malformations (150)	100	22	11	2	11	46	10	7	7	70	13	5	7	5	
Premature birth (151a)	639	326	81	50	65	522	59	20	17	618	12	4	4	1	
Congenital debility, etc. (151b,152b,153)	176	34	12	15	22	83	16	15	7	121	20	11	17	5	2
Injuries at birth (152a)	42	19	7	5	10	41				41	1				
External causes (164–186)	35							2	3	5	8	6	6	7	3
Unknown or ill-defined diseases (187–189)	59	2	2	3	6	13	3	3	4	23	9	8	12	3	4
All other causes	91	1		2	5	8	3	2	5	18	12	8	22	15	16
SOUTH CAROLINA (COLORED).															
All causes	3,545	405	188	156	349	1,098	292	135	117	1,642	337	239	621	426	239
Measles (6)	7						1			1	1		1	1	3
Scarlet fever (7)															
Whooping cough (8)	123				2	2	2	4	6	14	10	14	29	30	17
Diphtheria and croup (9)	12		1		1	2	1			3	1		5	1	2
Influenza (10)	286	1		2	7	10	15	10	11	46	19	25	86	63	47
Dysentery (14)	103				3	3	2	2	2	9	12	13	31	21	17
Erysipelas (18)															
Tetanus (24)	31	1			3	4	22	3		29	2				
Tuberculosis of the lungs (28, 29)	12										1	1	5	4	1
Tuberculous meningitis (30)	2													1	1
Other forms of tuberculosis (31–35)	2											1			1
Syphilis (37)	62	4	3	1	3	11	5	2	2	20	5	9	19	4	5
Meningitis (61)	6						1			1			2	2	1
Convulsions (71)	67	2	2		12	16	10	3	4	33	8	9	11	4	2
Organic diseases of the heart (79)	2											1		1	
Acute bronchitis (89)	23				1	1	2		1	4	3	4	5	5	2
Pneumonia (92)	208			3	11	14	12	4	6	36	22	20	64	43	23
Bronchopneumonia (91)	101				4	4	3	7	2	16	18	4	29	22	12
Diseases of the stomach (102, 103)	100	1		2	4	7	14	3	1	25	13	8	30	20	4
Diarrhea and enteritis (104)	477	2	3	1	21	27	13	16	13	69	69	49	130	95	65
Congenital malformations (150)	37	7		3	5	15	2	2		19	4	7	2	3	2
Premature birth (151a)	991	339	146	108	176	769	124	41	32	966	18	1	4		2
Congenital debility, etc. (151b,152b,153)	336	26	22	19	61	128	30	19	18	195	52	19	40	20	10
Injuries at birth (152a)	30	13	3	5	6	27	1			28	2				
External causes (164–186)	45	1			1	2	2	2	1	7	3	4	10	8	13
Unknown or ill-defined diseases (187–189)	202	8	7	6	15	36	21	6	7	70	31	23	40	19	19
All other causes	280		1	6	13	20	9	11	11	51	42	23	78	50	31
TENNESSEE (TOTAL).															
All causes	4,409	702	260	173	327	1,462	277	228	166	2,133	423	286	667	505	395
Measles (6)	41				1	1	2	2	2	7	6		7	6	15
Scarlet fever (7)	5											1		3	1
Whooping cough (8)	180						2	1	4	7	30	28	39	38	38
Diphtheria and croup (9)	47			1	2	3	4	4	2	13		3	9	12	10
Influenza (10)	254	1		4	7	12	9	7	11	39	32	21	54	63	45
Dysentery (14)	43						1	1	1	3	1	4	7	15	13
Erysipelas (18)	14							2	3	5	4	2	1	1	1
Tetanus (24)	9			1	1	2	5			7		2			
Tuberculosis of the lungs (28, 29)	34	1				1				1	3	2	12	9	7
Tuberculous meningitis (30)	26				1	1		1		2	1		4	10	9
Other forms of tuberculosis (31–35)	11						2			2			2	4	3
Syphilis (37)	52	3	1	1	5	10	5	2	3	20	6	9	10	6	1
Meningitis (61)	54	1	1	2	2	6	3	2	1	12	4	7	17	10	4
Convulsions (71)	45	1	3	2	11	17	2	2	2	23	4	2	8	5	3
Organic diseases of the heart (79)	17	2		1	1	4	2	2	2	10		3	1	2	1
Acute bronchitis (89)	26	1	1			2		2	1	5	4	1	8	5	3
Pneumonia (92)	170		1	5	5	11	11	7	2	31	21	12	47	35	24
Bronchopneumonia (91)	297	1		1	9	11	13	20	18	62	40	19	76	59	41
Diseases of the stomach (102, 103)	75	1		2	2	5	7	6	5	23	6	11	18	11	6
Diarrhea and enteritis (104)	467		1	2	3	6	9	17	7	39	41	42	134	108	104
Congenital malformations (150)	159	43	17	17	18	95	15	8	3	121	11	12	11	4	
Premature birth (151a)	776	398	109	57	82	646	48	34	19	747	18	2	6	1	2
Congenital debility, etc. (151b,152b,153)	386	83	31	18	43	175	52	29	20	276	44	20	33	9	4
Injuries at birth (152a)	112	38	21	11	21	91	12	7	2	112					
External causes (164–186)	84	4	2	3	6	15	2	2	2	21	15	9	13	13	13
Unknown or ill-defined diseases (187–189)	313	121	66	43	94	324	63	54	43	484	109	59	102	36	23
All other causes	212	3	6	2	13	24	8	16	13	61	23	15	43	40	27

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION STATES—Continued.															
TENNESSEE (WHITE).															
All causes	3,321	579	199	126	257	1,161	208	180	134	1,683	318	206	467	349	298
Measles (6)	38				1	1	2	2	2	7	5		5	6	15
Scarlet fever (7)	5											1		3	1
Whooping cough (8)	136						2	1	4	7	24	21	30	24	30
Diphtheria and croup (9)	41			1	2	3	3	4	1	11		3	6	11	10
Influenza (10)	173	1		4	7	12	5	5	9	31	24	13	34	41	30
Dysentery (14)	31						1	1	1	3	1	4	5	9	9
Erysipelas (18)	14							2	3	5	4	2	1	1	1
Tetanus (21)	7			1	1	2	3			5		2			
Tuberculosis of the lungs (28, 29)	19	1				1				1	1	1	6	6	4
Tuberculous meningitis (30)	19				1	1		1		2			3	6	8
Other forms of tuberculosis (31–35)	8						2			2			1	4	1
Syphilis (37)	32	2	1	1	4	8	1	1	3	13	4	4	6	5	
Meningitis (61)	50	1	1	2	2	6	3	2	1	12	4	6	16	8	4
Convulsions (71)	25	1	1		9	11	1	1	2	15	3		2	2	3
Organic diseases of the heart (79)	16	2		1	1	4	2	2	2	10		3	1	1	1
Acute bronchitis (80)	14							2	1	3	3	1	6	1	
Pneumonia (92)	106		1	3	5	9	6	6	2	23	15	7	26	20	15
Bronchopneumonia (91)	218	1		1	7	9	10	17	16	52	31	12	49	42	32
Diseases of the stomach (102, 103)	66	1		2	2	5	6	6	4	21	5	10	14	10	6
Diarrhea and enteritis (104)	354		1	1		2	8	12	4	26	34	32	101	81	80
Congenital malformations (150)	151	41	16	16	17	90	13	8	3	114	11	11	11	4	
Premature birth (151a)	627	329	86	42	69	526	37	25	15	603	13	2	6	1	2
Congenital debility, etc. (151b, 152b, 153)	308	69	21	16	35	141	42	22	15	220	34	15	29	6	4
Injuries at birth (152a)	96	32	19	6	20	77	11	6	2	96					
External causes (164–186)	60	3	1	2	4	10	2	2	1	15	7	9	7	10	12
Unknown or ill-defined diseases (187–189)	550	92	45	26	61	224	43	42	32	341	78	40	65	17	9
All other causes	157	3	6	1	9	19	5	10	11	45	17	7	37	30	21
TENNESSEE (COLORED).															
All causes	1,088	123	61	47	70	301	69	48	32	450	105	80	200	156	97
Measles (6)	3										1		2		
Scarlet fever (7)															
Whooping cough (8)	44										6	7	9	14	8
Diphtheria and croup (9)	6						1		1	2			3	1	
Influenza (10)	31						4	2	2	8	8	8	20	22	15
Dysentery (14)	12												2	6	4
Erysipelas (18)															
Tetanus (21)	2						2			2					
Tuberculosis of the lungs (28, 29)	15										2	1	6	3	3
Tuberculous meningitis (30)	7										1		1	4	1
Other forms of tuberculosis (31–35)	3												1		2
Syphilis (37)	20	1			1	2	4	1		7	2	5	4	1	1
Meningitis (61)	4											1	1	2	
Convulsions (71)	20		2	2	2	6	1	1		8	1	2	6	3	
Organic diseases of the heart (79)	1													1	
Acute bronchitis (80)	12	1	1			2				2	1		2	4	3
Pneumonia (92)	64			2		2	5	1		8	6	5	21	15	9
Bronchopneumonia (91)	79				2	2	3	3	2	10	9	7	27	17	9
Diseases of the stomach (102, 103)	9						1		1	2	1	1	4	1	
Diarrhea and enteritis (104)	113			1	3	4	1	5	3	13	7	10	33	27	23
Congenital malformations (150)	8	2	1	1	1	5	2			7		1			
Premature birth (151a)	149	69	23	15	13	120	11	9	4	144	5				
Congenital debility, etc. (151b, 152b, 153)	78	14	10	2	8	34	10	7	5	56	10	5	4	3	
Injuries at birth (152a)	16	6	2	5	1	14	1	1		16					
External causes (164–186)	24	1	1	1	2	5			1	6	8		6	3	1
Unknown or ill-defined diseases (187–189)	263	29	21	17	33	100	20	12	11	143	31	19	37	19	14
All other causes	55			1	4	5	3	6	2	16	6	8	11	10	4
UTAH.															
All causes	1,011	277	34	38	81	430	50	44	29	553	97	51	113	89	108
Measles (6)	3											1	1		1
Scarlet fever (7)															
Whooping cough (8)	70						1		2	3	18	7	15	12	15
Diphtheria and croup (9)	3													1	2
Influenza (10)	58			1	2	3	2		1	6	3	5	9	16	10
Dysentery (14)	7													5	2
Erysipelas (18)	9								1	1	1		2	1	4
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3												1		2
Tuberculous meningitis (30)	2											1		1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1				1				1			1		
Meningitis (61)	10								1	1	1	1	2	1	4
Convulsions (71)	10		1	3	1	5	1	1		7	1	1	1		
Organic diseases of the heart (79)	2							1		1			1		
Acute bronchitis (80)	25						3	3	6	12	3	1	4	1	4
Pneumonia (92)	34						1	2	1	4	6		10	6	8
Bronchopneumonia (91)	110				3	3	3	9	10	25	28	6	27	14	10
Diseases of the stomach (102, 103)	9						3	1		4	1	3		1	
Diarrhea and enteritis (104)	83				3	3	1	6	1	11	11	9	17	12	23
Congenital malformations (150)	71	20	6	4	18	48	3	1		52	7	3	3	4	2
Premature birth (151a)	301	210	14	17	22	263	17	12	4	296	3	1	1		
Congenital debility, etc. (151b, 152b, 153)	69	16	7	9	13	45	7	5		57	6	4	2		
Injuries at birth (152a)	43	25	5	4	6	40	2			42	1				
External causes (164–186)	17	2	1		1	4			1	5	1	2	3	2	4
Unknown or ill-defined diseases (187–189)	27	3			7	10	2	1	1	14	3		4	3	3
All other causes	43				5	5	4	2		11	3	6	9	9	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
VERMONT.															
All causes	713	112	54	23	69	258	58	32	28	376	67	58	103	60	49
Measles (6)	8										1	1		2	4
Scarlet fever (7)	1														1
Whooping cough (8)	12							1		1	3	3	3	1	1
Diphtheria and croup (9)	1														1
Influenza (10)	22			1	1	2	2	1		5	4	2	4	5	2
Dysentery (14)	1												1		
Erysipelas (18)	2				1	1	1			2					
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4										1	1	1	1	1
Tuberculous meningitis (30)	7										1	1	2	3	
Other forms of tuberculosis (31–35)	3						1			1					2
Syphilis (37)	3				1	1				1		1	1		
Meningitis (61)	8										2	1	1	1	3
Convulsions (71)	5										2		1	2	
Organic diseases of the heart (79)	9				1	1	1		1	3	2		2	1	1
Acute bronchitis (89)	20				2	2		2		4	2	2	6	3	3
Pneumonia (92)	19			1	1	2	1			3	3	4	2	3	4
Bronchopneumonia (91)	59				2	2	5	1	3	11	7	6	15	12	8
Diseases of the stomach (102, 103)	16				3	3	1	1		5		1	8	1	1
Diarrhea and enteritis (104)	107				6	6	3	5	4	18	11	14	37	16	11
Congenital malformations (150)	53	14	6	3	8	31	8	5	2	46	4			2	1
Premature birth (151a)	178	72	37	11	17	137	15	4	10	166	8	3	1		
Congenital debility, etc. (151b,152b,153)	92	11	4	5	12	32	15	12	6	65	9	10	7	1	
Injuries at birth (152a)	32	14	7	2	5	28	2			30	1	1			
External causes (164–186)	13	1			3	4	2		1	7	1	1		1	3
Unknown or ill-defined diseases (187–189)	9				4	4	1			5	1		2		1
All other causes	29				2	2			1	3	5	6	9	5	1
VIRGINIA (TOTAL).															
All causes	5,500	1,054	308	220	368	1,950	358	222	170	2,700	470	347	857	610	516
Measles (6)	17						1		1	2	2		3	5	5
Scarlet fever (7)	3												1	2	
Whooping cough (8)	262		1			1	1	6	17	25	40	28	59	54	56
Diphtheria and croup (9)	47		1		1	2	6	1	3	12	5	4	15	6	5
Influenza (10)	249		3	1	2	6	7	9	4	26	17	17	71	46	72
Dysentery (14)	53				2	2	3		1	6	3	1	20	15	8
Erysipelas (18)	17				1	1	1	1	1	4	5	2	4	2	
Tetanus (24)	8				1	1	5	2		8					
Tuberculosis of the lungs (28, 29)	26				1	1	3			4		3	2	6	11
Tuberculous meningitis (30)	22										4	2	6	5	5
Other forms of tuberculosis (31–35)	6						1			1		1	2	1	1
Syphilis (37)	62	9	4	4	2	19	4	2	1	26	6	9	7	6	8
Meningitis (61)	61				2	2	1	2	4	9	3	2	14	18	15
Convulsions (71)	88	3	3	8	8	22	8	7	3	40	12	4	15	11	6
Organic diseases of the heart (79)	14		1			1	2		1	4	4	1	2	1	2
Acute bronchitis (89)	67		1	2		3	9	6		18	14	4	15	9	7
Pneumonia (92)	206		2		6	8	12	12	4	36	20	24	55	37	24
Bronchopneumonia (91)	309	1	1	1	7	10	7	10	7	34	37	32	81	76	40
Diseases of the stomach (102,103)	72	1			3	4	3	5	1	13	14	10	18	10	7
Diarrhea and enteritis (104)	696			3	9	12	12	8	21	53	48	72	222	173	123
Congenital malformations (150)	262	67	24	23	38	152	25	12	10	199	20	15	13	11	4
Premature birth (151a)	1,260	644	149	84	127	1,004	103	64	34	1,205	33	10	8	4	
Congenital debility, etc. (151b,152b,153)	581	104	47	43	69	263	67	36	22	388	66	32	60	20	15
Injuries at birth (152a)	165	107	17	12	16	152	12	1		165					
External causes (164–186)	91	8	2	3	5	18	3	2	1	24	11	6	27	12	11
Unknown or ill-defined diseases (187–189)	582	108	49	31	59	247	48	23	23	341	72	42	79	27	21
All other causes	274	2	3	5	9	19	14	13	11	57	34	26	58	53	46
VIRGINIA (WHITE).															
All causes	3,241	772	185	141	220	1,318	213	136	102	1,769	271	205	421	296	279
Measles (6)	12						1		1	2	2		1	3	4
Scarlet fever (7)	3												1	2	
Whooping cough (8)	153		1			1	1	5	13	20	26	24	32	22	29
Diphtheria and croup (9)	34		1			1	6	1	2	10	5	3	8	3	5
Influenza (10)	131		1	1		2	3	6	4	15	11	9	32	23	41
Dysentery (14)	33				1	1	2		1	4	1		11	9	8
Erysipelas (18)	14				1	1	1	1	1	4	4	1	3	2	
Tetanus (24)	2						1	1		2					
Tuberculosis of the lungs (28, 29)	8						2			2				2	4
Tuberculous meningitis (30)	16										1	2	5	4	4
Other forms of tuberculosis (31–35)	3											1	2		
Syphilis (37)	19	3		2		5	2		1	8	2	3	3	2	1
Meningitis (61)	46				1	1		2	4	7	3	2	13	13	8
Convulsions (71)	31	3	1	3	3	10	4	3	1	18	3	3	4	3	
Organic diseases of the heart (79)	11		1			1	1		1	3	3	1	1	1	2
Acute bronchitis (89)	27			2		2	3	2		7	11	2	3	1	3
Pneumonia (92)	99		2		4	6	8	7	2	23	7	11	25	15	18
Bronchopneumonia (91)	135		1	1	4	6	5	8	4	23	20	16	27	27	22
Diseases of the stomach (102, 103)	47				1	1	2	3	1	7	9	9	13	5	4
Diarrhea and enteritis (104)	372			2	1	3	2	3	9	17	25	43	118	91	78
Congenital malformations (150)	213	57	19	18	30	124	22	8	10	164	17	12	10	7	3
Premature birth (151a)	911	513	96	58	81	748	74	39	16	877	18	7	6	3	
Congenital debility, etc. (151b,152b,153)	307	58	27	22	37	144	32	21	8	205	34	19	32	9	8
Injuries at birth (152a)	129	84	12	9	14	119	9	1		129					
External causes (164–186)	49	5	1	2	2	10	2	2	1	15	5	1	15	6	7
Unknown or ill-defined diseases (187–189)	295	47	21	17	37	122	22	15	16	175	46	27	27	15	5
All other causes	141	2	1	4	3	10	8	8	6	32	18	9	20	23	25

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION STATES—Continued.															
VIRGINIA (COLORED).															
All causes	2,259	282	123	79	148	632	145	86	68	931	199	142	436	314	237
Measles (6)	5												2	2	1
Scarlet fever (7)															
Whooping cough (8)	109							1	4	5	14	4	27	32	27
Diphtheria and croup (9)	13				1	1			1	2		1	7	3	
Influenza (10)	118		2		2	4	4	3		11	6	8	39	23	31
Dysentery (14)	20				1	1	1			2	2	1	9	6	
Erysipelas (18)	3										1	1	1		
Tetanus (24)	6				1	1	4	1		6					
Tuberculosis of the lungs (28, 29)	18				1	1	1			2		3	2	4	7
Tuberculous meningitis (30)	6										3		1	1	1
Other forms of tuberculosis (31–35)	3						1			1				1	1
Syphilis (37)	43	6	4	2	2	14	2	2		18	4	6	4	4	7
Meningitis (61)	15				1	1	1			2			1	5	7
Convulsions (71)	57		2	5	5	12	4	4	2	22	9	1	11	8	6
Organic diseases of the heart (79)	3						1			1	1		1		
Acute bronchitis (89)	40		1			1	6	4		11	3	2	12	8	4
Pneumonia (92)	107				2	2	4	5	2	13	13	13	30	22	16
Bronchopneumonia (91)	174	1			3	4	2	2	3	11	17	16	54	49	27
Diseases of the stomach (102, 103)	25	1			2	3	1	2		6	5	1	5	5	3
Diarrhea and enteritis (104)	324			1	8	9	10	5	12	36	23	29	104	82	50
Congenital malformations (150)	49	10	5	5	8	28	3	4		35	3	3	3	4	1
Premature birth (151a)	349	131	53	26	46	256	29	25	18	328	15	3	2	1	
Congenital debility, etc. (151b, 152b, 153)	274	46	20	21	32	119	35	15	14	183	32	13	28	11	7
Injuries at birth (152a)	36	23	5	3	2	33	3			36					
External causes (164–186)	42	3	1	1	3	8	1			9	6	5	12	6	4
Unknown or ill-defined diseases (187–189)	287	61	28	14	22	125	26	8	7	166	26	15	52	12	16
All other causes	133		2	1	6	9	6	5	5	25	16	17	29	25	21
WASHINGTON.															
All causes	1,797	415	99	109	190	813	133	90	52	1,088	148	95	203	151	112
Measles (6)	16								1	1	2	1	2	6	4
Scarlet fever (7)	2													2	
Whooping cough (8)	69							2	1	3	10	10	18	14	14
Diphtheria and croup (9)	6												2	1	3
Influenza (10)	64		1		1	2	3	3	3	11	7	3	9	19	15
Dysentery (14)	2											1		1	
Erysipelas (18)	12				1	1	1	2	1	5	1	1	3	1	1
Tetanus (24)	1			1		1				1					
Tuberculosis of the lungs (28, 29)	5												1	3	1
Tuberculous meningitis (30)	19											1	7	2	9
Other forms of tuberculosis (31–35)	2												2		
Syphilis (37)	10	1			1	2	1	2		5		1	2	2	
Meningitis (61)	16				2	2	1		1	4	1	1	6	3	1
Convulsions (71)	19		4	5	2	11	2			13		1	4		1
Organic diseases of the heart (79)	13		1		2	3	1	2		6	2	2	3		
Acute bronchitis (89)	15				1	1		2	1	4	2	2	2	3	2
Pneumonia (92)	64	1	2	1	7	11	3	3		17	10	7	13	9	8
Bronchopneumonia (91)	170	1	1	3	7	12	5	7	9	33	28	8	49	28	24
Diseases of the stomach (102, 103)	19						1	2	3	6	3	2	6	1	1
Diarrhea and enteritis (104)	137			2	8	10	7	9	9	35	21	14	30	29	8
Congenital malformations (150)	179	40	8	25	34	107	20	8	8	143	9	5	10	6	6
Premature birth (151a)	517	279	50	41	53	423	46	23	8	500	9	4	4		
Congenital debility, etc. (151b, 152b, 153)	144	28	11	9	29	77	23	11	3	114	10	12	3	4	1
Injuries at birth (152a)	103	52	12	11	17	92	8	1		101	2				
External causes (164–186)	32	3	1	1	2	7	1	1		9	5	6	7	2	3
Unknown or ill-defined diseases (187–189)	46	5	3	5	7	20	3	6		29	8	3	4	1	1
All other causes	115	5	5	5	16	31	7	6	4	48	18	10	16	14	9
WISCONSIN.															
All causes	4,493	977	250	212	364	1,803	314	211	152	2,480	351	268	607	435	352
Measles (6)	60	1				1		3		4	2	2	12	15	25
Scarlet fever (7)	8						1			1	1		2	1	3
Whooping cough (8)	187				1	1	3	3	4	11	28	30	36	37	45
Diphtheria and croup (9)	12										1		1	4	6
Influenza (10)	135	1	1	2	2	6	2	1	2	11	10	7	34	37	36
Dysentery (14)	15						1	1	2	4	1	3	6	1	
Erysipelas (18)	20	1				1	1	1	1	4	5	1	5	2	3
Tetanus (24)	3						2			2	1				
Tuberculosis of the lungs (28, 29)	10								1	1	1	1	2	2	3
Tuberculous meningitis (30)	19										1	1	6	6	5
Other forms of tuberculosis (31–35)	6								1	1			4		1
Syphilis (37)	23	2			2	4	2			6	4	6	6	1	
Meningitis (61)	29			1		1	3	1		5	2	3	5	6	8
Convulsions (71)	122	7	9	9	26	51	11	6	2	70	17	4	21	9	1
Organic diseases of the heart (79)	10						1	2		3	2	1	2		2
Acute bronchitis (89)	85		2	5	1	8	3	3	10	24	10	11	14	16	10
Pneumonia (92)	181	1		4	7	12	7	4	5	28	17	20	45	41	30
Bronchopneumonia (91)	342			4	7	11	8	15	19	53	35	26	95	71	62
Diseases of the stomach (102, 103)	78	1	1		7	9	6	9	4	28	11	13	17	7	2
Diarrhea and enteritis (104)	639			5	23	28	42	44	36	150	80	67	171	104	67
Congenital malformations (150)	329	83	36	35	64	218	33	11	8	270	18	12	13	10	6
Premature birth (151a)	1,164	660	133	68	78	939	98	51	23	1,111	27	10	12	4	
Congenital debility, etc. (151b, 152b, 153)	417	101	27	35	70	233	44	30	12	319	35	22	25	12	4
Injuries at birth (152a)	224	104	28	28	44	204	11	5	3	223		1			
External causes (164–186)	52	3	4	1	1	9	2	1		12	9	3	15	5	8
Unknown or ill-defined diseases (187–189)	59	6	5	10	6	27	5	3	3	38	3	2	13	3	
All other causes	264	6	4	5	25	40	28	17	16	101	30	22	45	41	25

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920															
BIRMINGHAM, ALA. (TOTAL).															
All causes	484	136	17	15	33	201	19	21	10	251	31	24	73	56	49
Measles (6)	1										1				
Scarlet fever (7)															
Whooping cough (8)	18											4	5	7	2
Diphtheria and croup (9)	1														1
Influenza (10)	22			1	1	2	1			3		2	8	5	4
Dysentery (14)	4													1	3
Erysipelas (18)	1												1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	3												2	1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	26	5	1	1	1	8	2	2	1	13	3	1	5	3	1
Meningitis (61)	3										1	1			1
Convulsions (71)	4				1	1				1	1	1		1	
Organic diseases of the heart (79)	1				1	1				1					
Acute bronchitis (89)	2										1			1	
Pneumonia (92)	23	1				1		1	1	3		3	10	4	3
Bronchopneumonia (91)	46				1	1	4	1	1	7	5	3	14	8	9
Diseases of the stomach (102, 103)	11				1	1				1	1	3	3	1	2
Diarrhea and enteritis (104)	52				1	1		2	2	5	3		15	17	12
Congenital malformations (150)	22	9	2	1	4	16	1	1		18	2	1		1	
Premature birth (151a)	150	94	9	9	13	125	6	11	1	143	6		1		
Congenital debility, etc. (151b, 152b, 153)	36	16	4	1	2	23	2	2	1	28	3	2	1	1	1
Injuries at birth (152a)	13	8	1		3	12	1			13					
External causes (164–186)	7	2			1	3				3				1	3
Unknown or ill-defined diseases (187–189)	7	1		2	1	4		1		5	1		1		
All other causes	30				2	2	2		3	7	3	3	7	4	6
BIRMINGHAM, ALA. (WHITE).															
All causes	213	66	9	11	15	101	9	7	4	121	16	7	20	27	22
Measles (6)	1										1				
Scarlet fever (7)															
Whooping cough (8)	7											2		5	
Diphtheria and croup (9)	1														1
Influenza (10)	6			1		1				1			2	2	1
Dysentery (14)	2														2
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	8	1				1	1	1	1	4	1		2	1	
Meningitis (61)	2										1	1			
Convulsions (71)	2				1	1				1	1				
Organic diseases of the heart (79)															
Acute bronchitis (89)	1										1				
Pneumonia (92)	4	1				1				1			2		1
Bronchopneumonia (91)	11				1	1	3			4	1		1	3	2
Diseases of the stomach (102, 103)	5											1	2	1	1
Diarrhea and enteritis (104)	28				1	1		1	1	3	1		8	9	7
Congenital malformations (150)	16	8	1	1	3	13				13	2			1	
Premature birth (151a)	75	48	5	7	4	64	3	4	1	72	3				
Congenital debility, etc. (151b, 152b, 153)	10	3	2	1	1	7				7	1	1	1		
Injuries at birth (152a)	9	4	1		3	8	1			9					
External causes (164–186)	3	1				1				1				1	1
Unknown or ill-defined diseases (187–189)	3			1	1	2		1		3					
All other causes	19						1		1	2	3	2	4	3	5
BIRMINGHAM, ALA. (COLORED).															
All causes	271	70	8	4	18	100	10	14	6	130	15	17	53	29	27
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	11											2	5	2	2
Diphtheria and croup (9)															
Influenza (10)	16				1	1	1			2		2	6	3	3
Dysentery (14)	2													1	1
Erysipelas (18)	1												1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	3												2	1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	18	4	1	1	1	7	1	1		9	2	1	5	1	
Meningitis (61)	1														1
Convulsions (71)	2											1		1	
Organic diseases of the heart (79)	1				1	1				1					
Acute bronchitis (89)	1													1	
Pneumonia (92)	19							1	1	2		3	8	4	2
Bronchopneumonia (91)	35						1	1	1	3	4	3	13	5	7
Diseases of the stomach (102, 103)	6				1	1				1	1	2	1		1
Diarrhea and enteritis (104)	24							1	1	2	2		7	8	5
Congenital malformations (150)	6	1	1		1	3	1	1		5		1			
Premature birth (151a)	75	46	4	2	9	61	3	7		71	3		1		
Congenital debility, etc. (151b, 152b, 153)	26	13	2		1	16	2	2	1	21	2	1		1	1
Injuries at birth (152a)	4	4				4				4					
External causes (164–186)	4	1			1	2				2					2
Unknown or ill-defined diseases (187–189)	4	1		1		2				2	1		1		
All other causes	11				2	2	1		2	5		1	3	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
LOS ANGELES, CALIF. (TOTAL).															
All causes	830	158	57	28	59	302	51	34	28	415	64	63	114	93	81
Measles (6)	6													3	3
Scarlet fever (7)															
Whooping cough (8)	30										5	6	6	7	6
Diphtheria and croup (9)	3							1		1				2	
Influenza (10)	4											1		2	1
Dysentery (14)															
Erysipelas (18)	1												1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	5												1	4	
Tuberculous meningitis (30)	8												1	5	2
Other forms of tuberculosis (31–35)	2										1				1
Syphilis (37)	14			2	2	4	2			6	5		2		1
Meningitis (61)	11				2	2		1		3		1	2	3	2
Convulsions (71)	3				1	1		1		2					1
Organic diseases of the heart (79)	3											1	2		
Acute bronchitis (89)	21				1	1		3	1	5	5	2	4	1	4
Pneumonia (92)	22				2	2	1	1	1	5	2		4	5	6
Bronchopneumonia (91)	53	1	1		1	3		1	3	7	5	4	18	10	9
Diseases of the stomach (102, 103)	4							1		1	1	2			
Diarrhea and enteritis (104)	210	1	3	1	8	13	14	8	9	44	17	29	56	31	33
Congenital malformations (150)	70	14	6	7	7	34	7	3	6	50	2	6	3	5	4
Premature birth (151a)	198	108	27	6	17	158	16	10	6	190	3	2	2	1	
Congenital debility, etc. (151b, 152b, 153)	74	12	12	4	13	41	8	3	1	53	10	5	4	1	1
Injuries at birth (152a)	41	22	7	7	4	40	1			41					
External causes (164–186)	9							1		1	1	1	1	4	1
Unknown or ill-defined diseases (187–189)	1				1	1				1					
All other causes	37		1	1		2	2		1	5	7	3	7	9	6
LOS ANGELES, CALIF. (WHITE).															
All causes	741	150	51	25	52	278	45	31	21	375	52	55	106	82	71
Measles (6)	6													3	3
Scarlet fever (7)															
Whooping cough (8)	24										4	4	6	5	5
Diphtheria and croup (9)	3							1		1				2	
Influenza (10)	3											1		1	1
Dysentery (14)															
Erysipelas (18)	1												1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	5												1	4	
Tuberculous meningitis (30)	6													4	2
Other forms of tuberculosis (31–35)	2										1				1
Syphilis (37)	14			2	2	4	2			6	5		2		1
Meningitis (61)	8				1	1		1		2		1	1	2	2
Convulsions (71)	3				1	1		1		2					1
Organic diseases of the heart (79)	3											1	2		
Acute bronchitis (89)	17							2	1	3	4	2	4	1	3
Pneumonia (92)	16				2	2	1	1	1	5	2		2	3	4
Bronchopneumonia (91)	49	1	1		1	3		1	2	6	5	4	17	9	8
Diseases of the stomach (102, 103)	2							1		1		1			
Diarrhea and enteritis (104)	186	1	3		7	11	11	8	7	37	13	25	53	29	29
Congenital malformations (150)	66	14	5	7	7	33	7	3	3	46	2	6	3	5	4
Premature birth (151a)	182	102	26	6	14	148	13	8	5	174	3	2	2	1	
Congenital debility, etc. (151b, 152b, 153)	65	12	8	4	12	36	8	3	1	48	7	4	4	1	1
Injuries at birth (152a)	37	20	7	5	4	36	1			37					
External causes (164–186)	9							1		1	1	1	1	4	1
Unknown or ill-defined diseases (187–189)	1				1	1				1					
All other causes	33		1	1		2	2		1	5	5	3	7	8	5
LOS ANGELES, CALIF. (COLORED).															
All causes	89	8	6	3	7	24	6	3	7	40	12	8	8	11	10
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	6										1	2		2	1
Diphtheria and croup (9)															
Influenza (10)	1													1	
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	2												1	1	
Other forms of tuberculosis (31–35)															
Syphilis (37)															
Meningitis (61)	3				1	1				1			1	1	
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	4				1	1		1		2	1				1
Pneumonia (92)	6												2	2	2
Bronchopneumonia (91)	4								1	1			1	1	1
Diseases of the stomach (102, 103)	2										1	1			
Diarrhea and enteritis (104)	24			1	1	2	3		2	7	4	4	3	2	4
Congenital malformations (150)	4		1			1			3	4					
Premature birth (151a)	16	6	1		3	10	3	2	1	16					
Congenital debility, etc. (151b, 152b, 153)	9		4		1	5				5	3	1			
Injuries at birth (152a)	4	2		2		4				4					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	4										2			1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
OAKLAND, CALIF.															
All causes	293	49	13	14	23	99	19	13	8	139	25	19	48	28	34
Measles (6)	5														5
Scarlet fever (7)	1								1	1					
Whooping cough (8)	8										2		2	1	3
Diphtheria and croup (9)	2													1	1
Influenza (10)	5												2	2	1
Dysentery (14)	1											1			
Erysipelas (18)	3	1				1				1	1				1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2												1		1
Tuberculous meningitis (30)	2													2	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	2				1	1				1	1				
Meningitis (61)															
Convulsions (71)															
Organic diseases of the heart (79)	1							1		1					
Acute bronchitis (89)	8										2	1	3	1	1
Pneumonia (92)	9												6	1	2
Bronchopneumonia (91)	41		1		1	2	2	1	2	7	2	5	11	9	7
Diseases of the stomach (102, 103)	3			1		1				1	1		1		
Diarrhea and enteritis (104)	36						2			2	6	5	15	4	4
Congenital malformations (150)	23	7	2	2	2	13	3		1	17	3	1	1	1	
Premature birth (151a)	63	33	4	5	7	49	6	2	2	59	3			1	
Congenital debility, etc. (151b, 152b, 153)	29	3	3	2	7	15	2	4		21	2	3	1	1	1
Injuries at birth (152a)	17	5	3	3	3	14	1		1	16		1			
External causes (164–186)	6						1			1		1	1	1	2
Unknown or ill-defined diseases (187–189)															
All other causes	25			1	2	3	2	5	1	11	2	1	4	3	4
SAN FRANCISCO, CALIF.															
All causes	558	128	36	26	43	233	32	24	17	306	43	29	80	54	46
Measles (6)	4						1			1				2	1
Scarlet fever (7)															
Whooping cough (8)	15										3	2	3	4	3
Diphtheria and croup (9)	3										1			2	
Influenza (10)	17								1	1	1	3	4	2	6
Dysentery (14)	2												1	1	
Erysipelas (18)	8							1		1	4		1	2	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	7												5	1	1
Tuberculous meningitis (30)	5												1	3	1
Other forms of tuberculosis (31–35)	1										1				
Syphilis (37)	10	2		3		5	1	1	1	8			2		
Meningitis (61)	11								1	1		1	3	5	1
Convulsions (71)	4	1		1		2				2			1		1
Organic diseases of the heart (79)															
Acute bronchitis (89)	4								1	1	1			2	
Pneumonia (92)	21				1	1		1	1	3		2	5	1	10
Bronchopneumonia (91)	61	2		1		3	3	5	1	12	9	4	16	10	10
Diseases of the stomach (102, 103)	7						1		1	2	2	2	1		
Diarrhea and enteritis (104)	64		1		1	2	3	3	4	12	10	9	17	11	5
Congenital malformations (150)	57	12	3	3	12	30	4	3	2	39	3	3	9	3	
Premature birth (151a)	140	68	22	11	14	115	12	8	1	136	4				
Congenital debility, etc. (151b, 152b, 153)	46	19	5	5	7	36	4	1	1	42	2		1		1
Injuries at birth (152a)	37	23	5	2	5	35	1			36	1				
External causes (164–186)	4				1	1	1			2		1	1		
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	29				2	2	1	1	2	6	1	2	9	5	6
DENVER, COLO.															
All causes	463	105	27	10	26	168	31	15	15	229	40	35	76	44	39
Measles (6)	2														2
Scarlet fever (7)															
Whooping cough (8)	29							1		1	1	3	9	6	9
Diphtheria and croup (9)	1														1
Influenza (10)	12						1		2	3		5	1	1	2
Dysentery (14)															
Erysipelas (18)	5										2	1	2		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4						1			1			2		1
Tuberculous meningitis (30)	5										1		1	1	2
Other forms of tuberculosis (31–35)	3														3
Syphilis (37)	15							1	3	4	5	1	3	2	
Meningitis (61)	2												2		
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	3										1	1	1		
Acute bronchitis (89)	2	1				1				1				1	
Pneumonia (92)	16		1			1	1	1	1	4		1	5	4	2
Bronchopneumonia (91)	48			1	1	2	2	1	3	8	3	5	14	13	5
Diseases of the stomach (102, 103)	9						1	1		2	3	1	1	1	1
Diarrhea and enteritis (104)	41										2	9	15	10	5
Congenital malformations (150)	29	7	2	1	5	15	3	3	1	22	2		4		1
Premature birth (151a)	144	88	16	4	7	115	14	3	2	134	6	2	2		
Congenital debility, etc. (151b, 152b, 153)	38	3	4	3	8	18	6	1	3	28	5	3	2		
Injuries at birth (152a)	12	6	2	1	2	11				11	1				
External causes (164–186)	10		2			2				2	1	1	3	1	2
Unknown or ill-defined diseases (187–189)	1							1		1					
All other causes	31				2	2	2	2		6	7	2	9	4	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
BRIDGEPORT, CONN.															
All causes	384	53	30	16	24	123	23	20	20	186	25	23	64	46	40
Measles (6)	4											1		2	1
Scarlet fever (7)															
Whooping cough (8)	14											2	8	2	2
Diphtheria and croup (9)	3												1	1	1
Influenza (10)	5							1		1	1		1		2
Dysentery (14)															
Erysipelas (18)	4						1			1	2		1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	5											1		1	3
Other forms of tuberculosis (31–35)															
Syphilis (37)	2								1	1					1
Meningitis (61)	3												1	1	1
Convulsions (71)	3											1			2
Organic diseases of the heart (79)															
Acute bronchitis (89)	7							1		1	1	1	1	2	1
Pneumonia (92)	17			1	1	2		1		3		1	5	3	5
Bronchopneumonia (91)	52						2		4	6	10	3	14	11	8
Diseases of the stomach (102, 103)	2												1	1	
Diarrhea and enteritis (104)	75				1	1	1	5	5	12	3	7	24	18	11
Congenital malformations (150)	27	4	2	1	6	13	4	3	1	21	1	2	2		1
Premature birth (151a)	86	33	20	8	5	66	7	4	5	82	3	1			
Congenital debility, etc. (151b, 152b, 153)	32	4	2	4	6	16	2	3	3	24	2	2	4		
Injuries at birth (152a)	26	12	5	2	2	21	5			26					
External causes (164–186)	4				1	1		1		2			1	1	
Unknown or ill-defined diseases (187–189)	1		1			1				1					
All other causes	11				2	2	1	1	1	5	2	1		3	
HARTFORD, CONN.															
All causes	416	65	46	15	29	155	28	24	18	225	31	22	53	43	42
Measles (6)	5												2	3	
Scarlet fever (7)	1														1
Whooping cough (8)	2														2
Diphtheria and croup (9)	3												1	1	1
Influenza (10)	14								2	2	1		4	2	5
Dysentery (14)	1													1	
Erysipelas (18)	2							1		1		1			
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3														3
Tuberculous meningitis (30)	3												2	1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	7	1		1	1	3			1	4				1	2
Meningitis (61)	1										1				
Convulsions (71)	5		1			1	2			3			2		
Organic diseases of the heart (79)	2				1	1				1		1			
Acute bronchitis (89)	6										4	2			
Pneumonia (92)	15				1	1				1			3	6	5
Bronchopneumonia (91)	33				1	1	3	2	1	7	3	3	8	5	7
Diseases of the stomach (102, 103)	3							1		1			1		1
Diarrhea and enteritis (104)	80		1			1	2	3	7	13	10	10	22	17	8
Congenital malformations (150)	24	5	3	1	4	13	4	2		19	2		2	1	
Premature birth (151a)	116	40	29	5	8	82	12	10	6	110	4	2			
Congenital debility, etc. (151b, 152b, 153)	31	6	3	2	4	15	4	3		22	3	3	3		
Injuries at birth (152a)	32	11	9	4	7	31				31	1				
External causes (164–186)	5	1				1				1			1	1	2
Unknown or ill-defined diseases (187–189)	1										1				
All other causes	20	1		2	2	5	1	2	1	9	1		2	4	4
NEW HAVEN, CONN.															
All causes	368	36	31	10	27	104	20	20	15	159	30	25	56	52	46
Measles (6)	8												1	3	4
Scarlet fever (7)															
Whooping cough (8)	18										5	3	3	4	3
Diphtheria and croup (9)															
Influenza (10)	9										1	1	1	1	5
Dysentery (14)	1														1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3										1		1	1	
Tuberculous meningitis (30)	5												2	1	2
Other forms of tuberculosis (31–35)	2													1	1
Syphilis (37)	8	1		1		2		1	1	4		2	2		
Meningitis (61)	8						1	1		2		1	4	1	
Convulsions (71)	5				1	1	1			2	1	2			
Organic diseases of the heart (79)															
Acute bronchitis (89)	8						1	1	1	3	1		1	2	1
Pneumonia (92)	18							1		1	1	2	6	4	4
Bronchopneumonia (91)	32			2	1	3		2		5	5	2	8	10	2
Diseases of the stomach (102, 103)	6								1	1	2	1	1		1
Diarrhea and enteritis (104)	73				1	1	1	4	3	9	5	8	16	17	18
Congenital malformations (150)	27	4	3	1	3	11	2	3	2	18	2	1	3	2	1
Premature birth (151a)	73	21	19	4	10	54	7	3	3	67	4			2	
Congenital debility, etc. (151b, 152b, 153)	21	5	1	1	4	11	1	3	1	16	1	2	2		
Injuries at birth (152a)	18	4	6		5	15	2	1		18					
External causes (164–186)	2		1			1				1	1				
Unknown or ill-defined diseases (187–189)															
All other causes	23	1	1	1	2	5	4		3	12			5	3	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
WILMINGTON, DEL.															
All causes	322	55	20	12	21	103	15	13	14	150	19	24	58	41	30
Measles (6)	4													1	3
Scarlet fever (7)	2													1	1
Whooping cough (8)	4										1		1	2	
Diphtheria and croup (9)	2													1	1
Influenza (10)	3							1		1			2		
Dysentery (14)															
Erysipelas (18)	2								1	1					1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2											1			1
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)	1											1			
Syphilis (37)	3											1	2		
Meningitis (61)	2										1			1	
Convulsions (71)	2						1			1			1		
Organic diseases of the heart (79)	2				1	1				1					1
Acute bronchitis (89)	5						1	1		2	1	1	1		
Pneumonia (92)	20				2	2			2	4	3		8	4	1
Bronchopneumonia (91)	39				1	1	1		2	4	3	2	12	11	7
Diseases of the stomach (102, 103)	2							1		1				1	
Diarrhea and enteritis (104)	72				1	1	1	3	2	7	6	13	22	17	7
Congenital malformations (150)	24	5	2	5	2	14	4		2	20	1		2	1	
Premature birth (151a)	70	40	14	3	6	63	4	1	2	70					
Congenital debility, etc. (151b, 152b, 153)	32	4	3	2	4	13	3	4	2	22	2	3	4	1	
Injuries at birth (152a)	12	6	1	1	4	12				12					
External causes (164–186)	3								1	1	1		1		
Unknown or ill-defined diseases (187–189)															
All other causes	13			1		1		2		3		2	2		6
WASHINGTON, D. C. (TOTAL)															
All causes	803	181	55	35	48	319	48	29	25	421	65	37	112	97	71
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	7										1	1	2	1	2
Diphtheria and croup (9)	3												2	1	
Influenza (10)	17											1	4	6	6
Dysentery (14)	5											1	2	1	1
Erysipelas (18)	4						1			1			1	1	1
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)	4												1	2	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	16	1				1	2	1	2	6	3	1	2	2	2
Meningitis (61)	4												2	1	1
Convulsions (71)	7			1	1	2				2			2	3	
Organic diseases of the heart (79)	2												1		1
Acute bronchitis (89)	16				1	1	1			2	3	3	1	6	1
Pneumonia (92)	17			3		3	1			4	1	1	5	4	2
Bronchopneumonia (91)	101	1			3	4	6	5	2	17	6	3	20	30	25
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	124						4	2	4	10	15	16	42	25	16
Congenital malformations (150)	54	22	4	2	6	34	3	3	1	41	5		3	4	1
Premature birth (151a)	240	117	36	17	13	183	18	11	8	220	15	4		1	
Congenital debility, etc. (151b, 152b, 153)	85	20	5	3	13	41	9	4	8	62	9	3	5	3	3
Injuries at birth (152a)	43	19	9	5	7	40	3			43					
External causes (164–186)	3				1	1				1			2		
Unknown or ill-defined diseases (187–189)	2												1	1	
All other causes	46	1	1	4	3	9		2		11	6	3	14	5	7
WASHINGTON, D. C. (WHITE).															
All causes	455	118	33	19	28	198	30	21	10	259	34	20	63	43	36
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	6										1	1	1	1	2
Diphtheria and croup (9)	3												2	1	
Influenza (10)	12											1	4	3	4
Dysentery (14)															
Erysipelas (18)	2												1	1	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3												1	1	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	4						1			1	1		2		
Meningitis (61)	4												2	1	1
Convulsions (71)	2			1		1				1			1		
Organic diseases of the heart (79)	2												1		1
Acute bronchitis (89)	4										1	1		2	
Pneumonia (92)	5			1		1	1			2	1			2	
Bronchopneumonia (91)	47	1			2	3	6	4		13	3	1	7	13	10
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	63						4	1	2	7	9	9	21	8	9
Congenital malformations (150)	41	18	2	1	6	27	3	3	1	34	2		2	2	1
Premature birth (151a)	138	72	20	9	7	108	7	9	4	128	6	3		1	
Congenital debility, etc. (151b, 152b, 153)	47	11	3	1	6	21	6	2	3	32	5	2	5	1	2
Injuries at birth (152a)	32	15	7	4	4	30	2			32					
External causes (164–186)	3				1	1				1			2		
Unknown or ill-defined diseases (187–189)	2												1	1	
All other causes	33	1	1	2	2	6		2		8	4	2	10	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
WASHINGTON, D. C. (COLORED).															
All causes	348	63	22	16	20	121	18	8	15	162	31	17	49	54	35
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	1												1		
Diphtheria and croup (9)															
Influenza (10)	5													3	2
Dysentery (14)	5											1	2	1	1
Erysipelas (18)	2						1			1					1
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	12	1				1	1	1	2	5	2	1		2	2
Meningitis (61)															
Convulsions (71)	5				1	1				1			1	3	
Organic diseases of the heart (79)															
Acute bronchitis (89)	12				1	1	1			2	2	2	1	4	1
Pneumonia (92)	12			2		2				2		1	5	2	2
Bronchopneumonia (91)	54				1	1		1	2	4	3	2	13	17	15
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	61							1	2	3	6	7	21	17	7
Congenital malformations (150)	13	4	2	1		7				7	3		1	2	
Premature birth (151a)	102	45	16	8	6	75	11	2	4	92	9	1			
Congenital debility, etc. (151b, 152b, 153)	38	9	2	2	7	20	3	2	5	30	4	1		2	1
Injuries at birth (152a)	11	4	2	1	3	10	1			11					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	13			2	1	3				3	2	1	4		3
ATLANTA, GA. (TOTAL).															
All causes	475	68	21	18	36	143	26	24	16	209	34	37	89	65	41
Measles (6)	2												1	1	
Scarlet fever (7)															
Whooping cough (8)	37						1			1	2	8	13	9	4
Diphtheria and croup (9)	3						1			1				1	1
Influenza (10)	17							1		1	1		7	4	4
Dysentery (14)	2												1		1
Erysipelas (18)	1														1
Tetanus (24)	1										1				
Tuberculosis of the lungs (28, 29)	2												1		1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	18	1	1			2		1	2	5	4	2	4	3	
Meningitis (61)	2												1	1	
Convulsions (71)	5	2	1	1		4	1			5					
Organic diseases of the heart (79)	2							1		1		1			
Acute bronchitis (89)	9		1			1			1	2	4		2	1	
Pneumonia (92)	25			1	2	3	1		1	5	3	2	4	6	5
Bronchopneumonia (91)	55	1			4	5	1	2	2	10	4	8	13	9	11
Diseases of the stomach (102, 103)	5												2	3	
Diarrhea and enteritis (104)	58	1			1	2		2	2	6	3	6	21	15	7
Congenital malformations (150)	20	3	1	4	4	12	1			13	1	2	2	2	
Premature birth (151a)	103	41	10	8	16	75	8	11	2	96	2	1	4		
Congenital debility, etc. (151b, 152b, 153)	43	10	1	2	3	16	6	3	3	28	5	2	5	3	
Injuries at birth (152a)	18	5	5	1	3	14	3	1		18					
External causes (164–186)	8			1	1	2			1	3		1	1	2	1
Unknown or ill-defined diseases (187–189)	16	4	1		1	6	2	1	2	11	2		2		1
All other causes	23				1	1	1	1		3	2	4	5	5	4
ATLANTA, GA. (WHITE).															
All causes	294	40	15	15	21	91	14	11	9	125	20	29	58	32	30
Measles (6)	1												1		
Scarlet fever (7)															
Whooping cough (8)	28										2	8	11	3	4
Diphtheria and croup (9)	1														1
Influenza (10)	11							1		1			5	2	3
Dysentery (14)	1												1		
Erysipelas (18)	1														1
Tetanus (24)	1										1				
Tuberculosis of the lungs (28, 29)	2												1		1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	8		1			1		1	2	4	1	2		1	
Meningitis (61)	1													1	
Convulsions (71)	2	1	1			2				2					
Organic diseases of the heart (79)	2							1		1		1			
Acute bronchitis (89)	4								1	1	2		1		
Pneumonia (92)	13			1	2	3				3	3		2	2	3
Bronchopneumonia (91)	27				1	1	1	1	1	4	3	3	7	3	7
Diseases of the stomach (102, 103)	4												2	2	
Diarrhea and enteritis (104)	37				1	1			1	2	2	5	14	9	5
Congenital malformations (150)	17	3	1	4	3	11				11	1	2	1	2	
Premature birth (151a)	65	27	8	6	7	48	5	4	1	58	2	1	4		
Congenital debility, etc. (151a, 152b, 153)	28	6	1	2	3	12	3	1	3	19	1	2	3	3	
Injuries at birth (152a)	13	2	3	1	3	9	3	1		13					
External causes (164–186)	5			1		1				1		1	1	1	1
Unknown or ill-defined diseases (187–189)	2	1				1	1			2					
All other causes	20				1	1	1	1		3	2	4	4	3	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ATLANTA, GA. (COLORED).															
All causes	181	28	6	3	15	52	12	13	7	84	14	8	31	33	11
Measles (6)	1													1	
Scarlet fever (7)															
Whooping cough (8)	9						1			1			2	6	
Diphtheria and croup (9)	2						1			1				1	
Influenza (10)	6										1		2	2	1
Dysentery (14)	1														1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	10	1				1				1	3		4	2	
Meningitis (61)	1												1		
Convulsions (71)	3	1		1		2	1			3					
Organic diseases of the heart (79)															
Acute bronchitis (89)	5		1			1				1	2		1	1	
Pneumonia (92)	12						1		1	2		2	2	4	2
Bronchopneumonia (91)	28	1			3	4		1	1	6	1	5	6	6	4
Diseases of the stomach (102, 103)	1													1	
Diarrhea and enteritis (104)	21	1				1		2	1	4	1	1	7	6	2
Congenital malformations (150)	3				1	1	1			2			1		
Premature birth (151a)	38	14	2	2	9	27	3	7	1	38					
Congenital debility, etc. (151b, 152b, 153)	15	4				4	3	2		9	4		2		
Injuries at birth (152a)	5	3	2			5				5					
External causes (164–186)	3				1	1			1	2				1	
Unknown or ill-defined diseases (187–189)	14	3	1		1	5	1	1	2	9	2		2		1
All other causes	3												1	2	
CHICAGO, ILL. (TOTAL).															
All causes	5,675	772	273	219	427	1,691	346	225	206	2,468	455	377	997	777	601
Measles (6)	18											1	1	4	12
Scarlet fever (7)	5												1	2	2
Whooping cough (8)	63										10	5	13	15	20
Diphtheria and croup (9)	36						1			1	3		7	13	12
Influenza (10)	96				1	1	2	1	3	7	7	4	21	30	27
Dysentery (14)	3								1	1			1	1	
Erysipelas (18)	23				1	1		2	6	9	3		6	3	2
Tetanus (24)	2				1	1	1			2					
Tuberculosis of the lungs (28, 29)	18	1				1		1		2	2		5	5	4
Tuberculous meningitis (30)	17												4	7	6
Other forms of tuberculosis (31–35)	5												1	1	3
Syphilis (37)	73	4	7	2	4	17	10	3	4	34	14	15	4	4	2
Meningitis (61)	20				1	1	1			2	1	1	7	9	
Convulsions (71)	7			1	1	2	1	1	1	5	1			1	
Organic diseases of the heart (79)	10			1		1	1	1		3	1	1	1	1	3
Acute bronchitis (89)	197	1		2	7	10	15	7	8	40	33	27	39	30	28
Pneumonia (92)	114		1	2	4	7	1	1	3	12	9	5	24	23	41
Bronchopneumonia (91)	640	1	4	8	17	30	23	16	21	90	53	40	142	175	110
Disease of the stomach (102, 103)	15		1	1	2	4		2	1	7	3	2	2	1	
Diarrhea and enteritis (104)	1,981	2	4	13	47	66	71	77	100	314	228	222	595	375	247
Congenital malformations (150)	462	84	50	52	81	267	43	32	13	355	36	19	32	17	3
Premature birth (151a)	896	426	121	58	106	711	78	47	22	858	25	6	5	2	
Congenital debility, etc. (151b, 152b, 153)	308	73	28	29	71	201	52	17	12	282	9	6	6	2	3
Injuries at birth (152a)	358	172	53	41	64	330	20	2	4	356	2				
External causes (164–186)	43	5	2	3	2	13	1	2	1	17	2	6	5	5	8
Unknown or ill-defined diseases (187–189)															
All other causes	265	2	2	6	17	27	25	13	6	71	13	17	75	51	38
CHICAGO, ILL. (WHITE).															
All causes	5,378	753	254	211	405	1,623	330	216	196	2,365	437	362	952	711	551
Measles (6)	18											1	1	4	12
Scarlet fever (7)	5												1	2	2
Whooping cough (8)	58										9	5	12	14	18
Diphtheria and croup (9)	34						1			1	2		7	13	11
Influenza (10)	80				1	1	2	1	3	7	6	3	16	26	22
Dysentery (14)	3								1	1			1	1	
Erysipelas (18)	23				1	1		2	6	9	3		6	3	2
Tetanus (24)	2				1	1	1			2					
Tuberculosis of the lungs (28, 29)	15	1				1		1		2	2		5	3	3
Tuberculous meningitis (30)	17												4	7	6
Other forms of tuberculosis (31–35)	5												1	1	3
Syphilis (37)	56	2	4	2	3	11	8	2	1	22	13	13	4	2	2
Meningitis (61)	20				1	1	1			2	1	1	7	9	
Convulsions (71)	6			1		1	1	1	1	4	1			1	
Organic diseases of the heart (79)	9			1		1	1	1		3	1	1	1	1	2
Acute bronchitis (89)	185	1		2	7	10	14	7	7	38	33	27	38	24	25
Pneumonia (92)	108		1	2	4	7	1	1	3	12	9	3	23	22	30
Bronchopneumonia (91)	563	1	4	7	16	28	21	14	21	84	49	36	125	149	120
Diseases of the stomach (102, 103)	15		1	1	2	4		2	1	7	3	2	2	1	
Diarrhea and enteritis (104)	1,928	2	4	13	47	66	70	77	96	309	220	218	580	362	239
Congenital malformations (150)	447	82	47	51	77	257	41	32	13	343	35	18	32	16	3
Premature birth (151a)	855	415	111	57	97	680	75	44	22	821	24	6	4		
Congenital debility, etc. (151b, 152b, 153)	293	71	27	28	67	193	47	15	12	267	9	6	6	2	3
Injuries at birth (152a)	350	170	51	40	62	323	20	2	3	348	2				
External causes (164–186)	38	6	2	1	2	11	1	2		14	2	6	4	5	7
Unknown or ill-defined diseases (187–189)															
All other causes	245	2	2	5	17	26	25	12	6	69	13	16	72	43	32

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CHICAGO, ILL. (COLORED).															
All causes	297	19	19	8	22	68	16	9	10	103	18	15	45	66	50
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	5										1		1	1	2
Diphtheria and croup (9)	2										1				1
Influenza (10)	16										1	1	5	4	5
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3													2	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	17	2	3		1	6	2	1	3	12	1	2		2	
Meningitis (61)															
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	12						1		1	2			1	6	3
Pneumonia (92)	6											2	1	1	2
Bronchopneumonia (91)	77			1	1	2	2	2		6	4	4	17	26	20
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	53						1		4	5	8	4	15	13	8
Congenital malformations (150)	15	2	3	1	4	10	2			12	1	1		1	
Premature birth (151a)	41	11	10	1	9	31	3	3		37	1		1	2	
Congenital debility, etc. (151b, 152b, 153)	15	2	1	1	4	8	5	2		15					
Injuries at birth (152a)	8	2	2	1	2	7			1	8					
External causes (164–186)	5			2		2			1	3			1		1
Unknown or ill-defined diseases (187–189)															
All other causes	20			1		1		1		2		1	3	3	6
INDIANAPOLIS, IND. (TOTAL).															
All causes	623	119	35	35	56	245	42	21	20	328	52	26	87	69	61
Measles (6)	9												3	2	4
Scarlet fever (7)															
Whooping cough (8)	13								2	2			4	3	4
Diphtheria and croup (9)															
Influenza (10)	14						1			1	2		6	2	3
Dysentery (14)	1												1		
Erysipelas (18)	2								1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4						1		2	3			1		
Tuberculous meningitis (30)	5												3	1	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	10	2	1		1	4	1			5	4	1			
Meningitis (61)	5			1		1				1	1			1	2
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	1				1	1				1					
Acute bronchitis (89)	7				1	1		1		2	1		3		1
Pneumonia (92)	32				1	1		2		3	7	1	10	4	7
Bronchopneumonia (91)	64		1	2	3	6	3	3	1	13	7	3	10	18	13
Diseases of the stomach (102, 103)	6				1	1				1	2		1		2
Diarrhea and enteritis (104)	128						5	3	6	14	14	17	33	29	21
Congenital malformations (150)	66	10	8	9	11	38	11	3	1	53	2	2	6	2	1
Premature birth (151a)	159	86	20	14	17	137	9	5	2	153	5		1		
Congenital debility, etc. (151b, 152b, 153)	50	12	3	6	10	31	6	2	4	43	2	1	1	3	
Injuries at birth (152a)	20	8	1	2	7	18	1	1		20					
External causes (164–186)	7		1	1	2	4	1			5		1		1	
Unknown or ill-defined diseases (187–189)															
All other causes	19	1				1	3	1	1	6	4		5	2	2
INDIANAPOLIS, IND. (WHITE).															
All causes	509	101	25	27	47	200	39	16	18	273	41	25	67	55	48
Measles (6)	9												3	2	4
Scarlet fever (7)															
Whooping cough (8)	10								2	2			4	3	1
Diphtheria and croup (9)															
Influenza (10)	13						1			1	2		6	1	3
Dysentery (14)	1												1		
Erysipelas (18)	2								1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3						1		2	3					
Tuberculous meningitis (30)	5												3	1	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	10	2	1		1	4	1			5	4	1			
Meningitis (61)	5			1		1				1	1			1	2
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	1				1	1				1					
Acute bronchitis (89)	4							1		1	1		1		1
Pneumonia (92)	22			1		1		2		3	5	1	5	3	5
Bronchopneumonia (91)	42		1	2	2	5	3	2	1	11	4	2	6	12	7
Diseases of the stomach (102, 103)	6				1	1				1	2		1		2
Diarrhea and enteritis (104)	110						4	3	5	12	11	17	26	24	20
Congenital malformations (150)	60	9	7	9	10	35	10	1	1	47	2	2	6	2	1
Premature birth (151a)	126	72	12	8	16	108	9	3	2	122	3			1	
Congenital debility, etc. (151b, 152b, 153)	40	11	2	5	6	24	5	2	4	35	2	1		2	
Injuries at birth (152a)	18	6	1	2	7	16	1	1		18					
External causes (164–186)	5		1		1	2	1			3		1		1	
Unknown or ill-defined diseases (187–189)															
All other causes	16	1				1	3	1		5	3		5	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
INDIANAPOLIS, IND. (COLORED).															
All causes	114	18	10	8	9	45	3	5	2	55	11	1	20	14	1
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	3														3
Diphtheria and croup (9)															
Influenza (10)	1													1	
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1												1		
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)															
Meningitis (61)															
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	3				1	1				1			2		
Pneumonia (92)	10										2		5	1	2
Bronchopneumonia (91)	22				1	1		1		2	3	1	4	6	6
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	18						1		1	2	3		7	3	1
Congenital malformations (150)	6	1	1		1	3	1	2		6					
Premature birth (151a)	33	14	8	6	1	29		2		31	2				
Congenital debility, etc. (151b, 152b, 153)	10	1	1	1	4	7	1			8			1	1	
Injuries at birth (152a)	2	2				2				2					
External causes (164–186)	2			1	1	2				2					
Unknown or ill-defined diseases (187–189)															
All other causes	3								1	1	1				1
KANSAS CITY, KANS.															
All causes	243	36	10	5	16	67	21	7	7	102	20	20	37	40	24
Measles (6)	4												1	2	1
Scarlet fever (7)	1														1
Whooping cough (8)	15								1	1		2	4	6	2
Diphtheria and croup (9)															
Influenza (10)	8											1	3	2	2
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	9	1	1		2	4	1			5	3	1			
Meningitis (61)	2						1			1					1
Convulsions (71)	1													1	
Organic diseases of the heart (79)	1										1				
Acute bronchitis (89)	7			2	2		1			3		2		1	1
Pneumonia (92)	13					1		1		2	1	2	5		3
Bronchopneumonia (91)	28		1		1	2	1	1		5	1	4	7	8	3
Diseases of the stomach (102, 103)	4											1	2	1	
Diarrhea and enteritis (104)	51			1	1	2	1	1		5	6	5	12	16	7
Congenital malformations (150)	10	5	1	2	8	1				9	1				
Premature birth (151a)	42	24	4	3	4	35	3	2	1	41		1			
Congenital debility, etc. (151b, 152b, 153)	16	2	2	1	3	8	3	1	2	14	1	1			
Injuries at birth (152a)	8	3	1	1	1	6	2			8					
External causes (164–186)	4							1		1	2				1
Unknown or ill-defined diseases (187–189)															
All other causes	18	1			1	2	4			6	4		3	3	2
LOUISVILLE, KY. (TOTAL).															
All causes	409	59	31	14	33	137	29	16	15	197	18	32	71	52	39
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	11							1		1	1		4	2	3
Diphtheria and croup (9)	1														1
Influenza (10)	7												3	2	2
Dysentery (14)	5											1	2	1	1
Erysipelas (18)	2										1		1		
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	2								1	1				1	
Tuberculous meningitis (30)	6													5	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	1													1	
Meningitis (61)	3													2	1
Convulsions (71)	4	1	1			2				2			1		1
Organic diseases of the heart (79)															
Acute bronchitis (89)	12		1			1	1		2	4			2	4	2
Pneumonia (92)	17		3		1	4		2		6	1	2	4	2	2
Bronchopneumonia (91)	39		1			1	2		1	4	3	6	7	12	7
Diseases of the stomach (102, 103)	5												2	2	1
Diarrhea and enteritis (104)	81				1	1	2	2	1	6	3	15	33	16	8
Congenital malformations (150)	22	4	2	2	5	13	1	1		15	3		3		1
Premature birth (151a)	103	45	14	6	14	79	11	6	5	101	1		1		
Congenital debility, etc. (151b, 152b, 153)	44	7	4	5	4	20	8	4	1	33	3	3	3		2
Injuries at birth (152a)	13	1	5	1	5	12	1			13					
External causes (164–186)	5								2	2			2	1	
Unknown or ill-defined diseases (187–189)	2	1				1				1					1
All other causes	22				3	3	2		2	7	2	5	3	1	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
LOUISVILLE, KY. (WHITE).															
All causes	305	48	23	11	23	105	22	10	13	150	15	24	50	41	25
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	9							1		1	1		3	2	2
Diphtheria and croup (9)	1														1
Influenza (10)	3												1	1	1
Dysentery (14)	2												2		
Erysipelas (18)	2										1		1		
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)	6													5	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	1													1	
Meningitis (61)	2													1	1
Convulsions (71)	1		1			1				1					
Organic diseases of the heart (79)															
Acute bronchitis (89)	5								2	2			1	2	
Pneumonia (92)	10		2			2		1		3	1	1	2	2	1
Bronchopneumonia (91)	28		1			1	2			3	3	4	4	9	5
Diseases of the stomach (102, 103)	3												1	2	
Diarrhea and enteritis (104)	60						1	1	1	3	3	12	23	13	6
Congenital malformations (150)	20	4	2	2	5	13	1			14	2		3		1
Premature birth (151a)	77	36	11	3	8	58	7	5	5	75	1		1		
Congenital debility, etc. (151b, 152b, 153)	37	6	3	5	3	17	7	2	1	27	2	3	3		2
Injuries at birth (152a)	11	1	3	1	5	10	1			11					
External causes (164–186)	5								2	2			2	1	
Unknown or ill-defined diseases (187–189)	2	1				1				1					1
All other causes	18				2	2	2		2	6	1	4	3	1	3
LOUISVILLE, KY. (COLORED).															
All causes	104	11	8	3	10	32	7	6	2	47	3	8	21	11	14
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	2												1		1
Diphtheria and croup (9)															
Influenza (10)	4												2	1	1
Dysentery (14)	3											1		1	1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1								1	1					
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)															
Meningitis (61)	1													1	
Convulsions (71)	3	1				1				1			1		1
Organic diseases of the heart (79)															
Acute bronchitis (89)	7		1			1	1			2			1	2	2
Pneumonia (92)	7		1		1	2		1		3		1	2		1
Bronchopneumonia (91)	11								1	1		2	3	3	2
Diseases of the stomach (102, 103)	2												1		1
Diarrhea and enteritis (104)	21				1	1	1	1		3		3	10	3	2
Congenital malformations (150)	2							1		1	1				
Premature birth (151a)	26	9	3	3	6	21	4	1		26					
Congenital debility, etc. (151b, 152b, 153)	7	1	1		1	3	1	2		6	1				
Injuries at birth (152a)	2		2			2				2					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	4				1	1				1	1	1			1
NEW ORLEANS, LA. (TOTAL).															
All causes	785	108	36	36	71	251	52	27	29	359	75	66	114	98	73
Measles (6)	1												1		
Scarlet fever (7)															
Whooping cough (8)	10								1	1		2	2	2	3
Diphtheria and croup (9)	1													1	
Influenza (10)	16								1	1	1	1	3	9	1
Dysentery (14)	3						1			1			1	1	
Erysipelas (18)															
Tetanus (24)	13	1			7	8	5			13					
Tuberculosis of the lungs (28, 29)	3											1		1	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	21	1		1		2			2	4	3	2	5	5	2
Meningitis (61)	5											1	1	1	2
Convulsions (71)	7	1			4	5				5					2
Organic diseases of the heart (79)	2													1	1
Acute bronchitis (89)	12		1			1		2		3	2	1	4	2	
Pneumonia (92)	43			1	1	2	2	1	3	8	3	5	11	10	6
Bronchopneumonia (91)	107	1		1	5	7	8	1	5	21	16	14	26	19	11
Diseases of the stomach (102, 103)	5			1		1		1		2		1		1	1
Diarrhea and enteritis (104)	149				2	2	4	3	8	17	24	18	36	26	28
Congenital malformations (150)	94	10	8	7	16	41	10	7	3	61	8	9	7	6	3
Premature birth (151a)	150	72	15	13	23	123	15	4	3	145	2	3			
Congenital debility, etc. (151b, 152b, 153)	67	14	6	8	5	33	3	5	1	42	7	3	8	6	1
Injuries at birth (152a)	18	5	5	3	4	17	1			18					
External causes (164–186)	9										1		1	2	5
Unknown or ill-defined diseases (187–189)															
All other causes	48	3	1	1	4	9	3	3	2	17	8	5	7	5	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW ORLEANS, LA. (WHITE).															
All causes	435	69	18	20	36	143	24	17	18	202	47	33	54	54	45
Measles (6)	1												1		
Scarlet fever (7)															
Whooping cough (8)	5								1	1		2		1	1
Diphtheria and croup (9)	1													1	
Influenza (10)	10								1	1		1	1	6	1
Dysentery (14)	1													1	
Erysipelas (18)															
Tetanus (24)	5	1			3	4	1			5					
Tuberculosis of the lungs (28, 29)	3											1		1	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	6										1	1	2	1	1
Meningitis (61)															
Convulsions (71)	6	1			3	4				4					2
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	4										2	1	1		
Pneumonia (92)	10							1		1			4	2	3
Bronchopneumonia (91)	62	1		1	4	6	6	1	5	18	10	7	11	10	6
Diseases of the stomach (102, 103)	4			1		1				1		1		1	1
Diarrhea and enteritis (104)	95				2	2	2	2	5	11	15	9	23	19	18
Congenital malformations (150)	45	10	5	4	6	25	1	4	1	31	3	3	3	5	
Premature birth (151a)	88	45	5	6	12	68	11	2	2	83	2	3			
Congenital debility, etc. (151b, 152b, 153)	38	7	3	6	3	19	1	4	1	25	5	1	4	2	1
Injuries at birth (152a)	11	4	4	1	2	11				11					
External causes (164–186)	6										1			1	4
Unknown or ill-defined diseases (187–189)															
All other causes	32		1	1	1	3	2	3	2	10	8	3	3	3	5
NEW ORLEANS, LA. (COLORED).															
All causes	350	39	18	16	35	108	28	10	11	157	28	33	60	44	28
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	5												2	1	2
Diphtheria and croup (9)															
Influenza (10)	6										1		2	3	
Dysentery (14)	2						1			1			1		
Erysipelas (18)															
Tetanus (24)	8				4	4	4			8					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	15	1		1		2			2	4	2	1	3	4	1
Meningitis (61)	5											1	1	1	2
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	8		1			1		2		3			3	2	
Pneumonia (92)	33			1	1	2	2		3	7	3	5	7	8	3
Bronchopneumonia (91)	45				1	1	2			3	6	7	15	9	5
Diseases of the stomach (102, 103)	1							1		1					
Diarrhea and enteritis (104)	54						2	1	3	6	9	9	13	7	10
Congenital malformations (150)	49		3	3	10	16	9	3	2	30	5	6	4	1	3
Premature birth (151a)	62	27	10	7	11	55	4	2	1	62					
Congenital debility, etc. (151b, 152b, 153)	29	7	3	2	2	14	2	1		17	2	2	4	4	
Injuries at birth (152a)	7	1	1	2	2	6	1			7					
External causes (164–186)	3												1	1	1
Unknown or ill-defined diseases (187–189)															
All other causes	16	3			3	6	1			7		2	4	2	1
BALTIMORE, MD. (TOTAL).															
All causes	1,961	322	88	63	119	592	102	78	51	823	141	120	326	306	245
Measles (6)	12								1	1	1	1		2	7
Scarlet fever (7)															
Whooping cough (8)	33							1		1	3	6	4	11	8
Diphtheria and croup (9)	10							1		1	1			6	3
Influenza (10)	29										3	2	12	5	7
Dysentery (14)	15												5	4	6
Erysipelas (18)	8				1	1			1	2	3	2		1	
Tetanus (24)	4				3	3		1		4					
Tuberculosis of the lungs (28, 29)	13				1	1	3	1		5	1	1	1	3	2
Tuberculous meningitis (30)	12										1		4	3	4
Other forms of tuberculosis (31–35)	3										1			1	1
Syphilis (37)	27	4			1	5	5	2	2	14	3	1	4	3	2
Meningitis (61)	11										1	1	3	4	2
Convulsions (71)	18				3	3	3	2	1	9	1	2	4	1	1
Organic diseases of the heart (79)	2			1		1				1				1	
Acute bronchitis (89)	40				1	1	1	2	1	5	4	5	5	10	11
Pneumonia (92)	46						1	1		2	2	3	13	14	12
Bronchopneumonia (91)	228			1	5	6	4	5	7	22	14	16	52	70	54
Diseases of the stomach (102, 103)	3				1	1				1	1		1		
Diarrhea and enteritis (104)	564	2			5	7	3	12	17	39	42	56	178	146	103
Congenital malformations (150)	172	43	15	14	21	93	19	10	5	127	22	6	11	4	2
Premature birth (151a)	407	197	44	29	41	311	41	25	8	385	14		5	2	1
Congenital debility, etc. (151b, 152b, 153)	158	46	14	6	23	89	15	11	5	120	13	11	5	6	3
Injuries at birth (152a)	64	27	12	11	9	59	3	1		63	1				
External causes (164–186)	16	3	1		1	5	1	1	1	8	2	1	1	2	2
Unknown or ill-defined diseases (187–189)	2		2			2				2					
All other causes	64			1	3	4	3	2	2	11	7	6	18	8	14

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
BALTIMORE, MD. (WHITE).															
All causes	1,489	254	72	45	91	462	78	61	42	643	110	92	239	229	176
Measles (6)	10								1	1	1			2	6
Scarlet fever (7)															
Whooping cough (8)	18										3	3	1	5	6
Diphtheria and croup (9)	10							1		1	1			5	3
Influenza (10)	14										2	1	7	1	3
Dysentery (14)	11												3	3	5
Erysipelas (18)	7			1	1				1	2	2	2		1	
Tetanus (24)	3			2	2		1			3					
Tuberculosis of the lungs (28, 29)	6					3	1			4		1		1	
Tuberculous meningitis (30)	5										1		3	1	
Other forms of tuberculosis (31–35)	2										1			1	
Syphilis (37)	10					1	2	1		4	2	1	1	1	1
Meningitis (61)	9										1		3	3	2
Convulsions (71)	14			3	3	3	1			7	1	1	3	1	1
Organic diseases of the heart (79)	2		1		1					1				1	
Acute bronchitis (89)	26			1	1	1	2	1		5	2	4	3	8	4
Pneumonia (92)	32					1				1	2	2	9	9	9
Bronchopneumonia (91)	151		1	5	6	3	5	7		21	11	14	29	43	33
Diseases of the stomach (102, 103)	3			1	1					1	1		1		
Diarrhea and enteritis (104)	461			3	3	1	7	15		26	35	45	145	125	85
Congenital malformations (150)	110	34	14	12	19	79	16	6	4	105	16	6	8	3	2
Premature birth (151a)	310	158	33	16	28	235	31	21	5	292	11		4	2	1
Congenital debility, etc. (151b, 152b, 153)	124	35	12	5	17	69	12	11	5	97	9	8	4	4	2
Injuries at birth (152a)	57	24	11	9	8	52	3	1		56	1				
External causes (164–186)	14	3			1	4	1	1	1	7	1	1	1	2	2
Unknown or ill-defined diseases (187–189)	2		2			2				2					
All other causes	48			1	2	3	2	1	1	7	6	3	14	7	11
BALTIMORE, MD. (COLORED).															
All causes	472	68	16	18	28	130	24	17	9	180	31	28	87	77	69
Measles (6)	2											1			1
Scarlet fever (7)															
Whooping cough (8)	15							1		1		3	3	6	2
Diphtheria and croup (9)															
Influenza (10)	15										1	1	5	4	4
Dysentery (14)	4												2	1	1
Erysipelas (18)	1										1				
Tetanus (24)	1				1	1				1					
Tuberculosis of the lungs (28, 29)	7				1	1				1	1		1	2	2
Tuberculous meningitis (30)	7												1	2	4
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	17	4			1	5	4		1	10	1		3	2	1
Meningitis (61)	2											1		1	
Convulsions (71)	4							1	1	2		1	1		
Organic diseases of the heart (79)															
Acute bronchitis (89)	14										2	1	2	2	7
Pneumonia (92)	14							1		1		1	4	5	3
Bronchopneumonia (91)	77						1			1	3	2	23	27	21
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	103	2		2	4	2	5	2		13	7	11	33	21	18
Congenital malformations (150)	32	9	1	2	2	14	3	4	1	22	6		3	1	
Premature birth (151a)	97	39	11	13	13	76	10	4	3	93	3		1		
Congenital debility, etc. (151b, 152b, 153)	34	11	2	1	6	20	3			23	4	3	1	2	1
Injuries at birth (152a)	7	3	1	2	1	7				7					
External causes (164–186)	2		1			1				1	1				
Unknown or ill-defined diseases (187–189)															
All other causes	16				1	1	1	1	1	4	1	3	4	1	3
BOSTON, MASS.															
All causes	1,966	285	86	66	150	587	139	87	77	890	142	129	330	237	238
Measles (6)	10							1		1		1	2	4	11
Scarlet fever (7)	4										1			1	2
Whooping cough (8)	76								4	4	7	10	18	13	24
Diphtheria and croup (9)	24										2	3	5	3	11
Influenza (10)	23						1	2		3	1	1	4	6	8
Dysentery (14)	2													2	
Erysipelas (18)	16						1	1	1	3	6	2	2	1	2
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	17											2	4	7	4
Tuberculous meningitis (30)	21												3	4	14
Other forms of tuberculosis (31–35)	5													1	4
Syphilis (37)	20	1	2		2	5	1	2		8	2	3	5	1	1
Meningitis (61)	11			2		2			1	3	1		2	5	
Convulsions (71)	6				1	1				1	1		2	1	1
Organic diseases of the heart (79)	3						1	1		2				1	
Acute bronchitis (89)	37						2	7	2	11	8	1	6	6	5
Pneumonia (92)	48						4	1	2	7	7	1	10	16	7
Bronchopneumonia (91)	294			2	8	10	10	15	11	46	25	22	76	62	63
Diseases of the stomach (102, 103)	5										2	1	2		
Diarrhea and enteritis (104)	334			2	2	2	10	13	15	40	25	38	116	68	47
Congenital malformations (150)	181	24	11	13	32	80	26	10	9	125	17	7	17	8	7
Premature birth (151a)	339	143	49	14	37	243	37	22	13	315	7	9	6	2	
Congenital debility, etc. (151b, 152b, 153)	151	37	9	7	18	71	17	7	12	107	15	13	13	2	1
Injuries at birth (152a)	146	73	13	19	31	136	3	2	2	143	1	2			
External causes (164–186)	19	1	1	1		3	1			4	2	4	5	2	2
Unknown or ill-defined diseases (187–189)	6										2		1	2	1
All other causes	159	6	1	8	19	34	25	3	5	67	10	9	31	19	23

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CAMBRIDGE, MASS.															
All causes	274	43	13	14	22	92	13	15	7	127	16	14	43	31	43
Measles (6)	4													2	2
Scarlet fever (7)															
Whooping cough (8)	12								1	1	2	1	2	3	3
Diphtheria and croup (9)															
Influenza (10)	2													1	1
Dysentery (14)															
Erysipelas (18)	3								3	3					
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2														2
Tuberculous meningitis (30)	2												1	1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	1										1				
Meningitis (61)	1														1
Convulsions (71)	4												3		1
Organic diseases of the heart (79)															
Acute bronchitis (89)	9										1		3	2	3
Pneumonia (92)	4												1	2	1
Bronchopneumonia (91)	38			1	2	3	1	3	1	8	1	3	11	7	8
Diseases of the stomach (102, 103)	2													2	
Diarrhea and enteritis (104)	58				1	1	3	2	2	8	3	7	18	8	14
Congenital malformations (150)	26	4	4	3	4	15	2	4		21	1		2	1	1
Premature birth (151a)	60	32	5	6	7	50	4	4		58	2				
Congenital debility, etc. (151b, 152b, 153)	14	3	3		2	8	2			10	3	1			
Injuries at birth (152a)	14	4	1	2	6	13		1		14					
External causes (164–186)	3											1		1	1
Unknown or ill-defined diseases (187–189)															
All other causes	14			2		2	1	1		4	2	1	2	1	4
FALL RIVER, MASS.															
All causes	458	61	16	20	21	118	19	14	16	167	42	30	83	81	55
Measles (6)	5												1	2	2
Scarlet fever (7)															
Whooping cough (8)	7										1	1	3	2	
Diphtheria and croup (9)	5												1		4
Influenza (10)	4												3	1	
Dysentery (14)															
Erysipelas (18)	2										1	1			
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2										1				1
Tuberculous meningitis (30)	2												1	1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	2											1	1		
Meningitis (61)	3										1			2	
Convulsions (71)	6										1	1		2	2
Organic diseases of the heart (79)															
Acute bronchitis (89)	10										1		5		4
Pneumonia (92)	2													2	
Bronchopneumonia (91)	61							2	2	4	6	5	10	19	17
Diseases of the stomach (102, 103)	7				1	1	1			2	1	1	2		1
Diarrhea and enteritis (104)	162				1	1	1	5	7	14	22	14	46	41	22
Congenital malformations (150)	26	3	5	5	4	17	5			22		1	3		
Premature birth (151a)	75	38	7	9	7	61	5	3	3	72	2	1			
Congenital debility, etc. (151b, 152b, 153)	28	5	3	2	6	16	4	3	1	24	1	2	1		
Injuries at birth (152a)	22	15	1	4		20	2			22					
External causes (164–186)	3				1	1				1	1			1	
Unknown or ill-defined diseases (187–189)	2												1	1	
All other causes	22				1	1	1	1	3	6	3	2	5	4	2
LOWELL, MASS.															
All causes	425	63	24	9	26	122	21	16	11	170	28	33	75	62	57
Measles (6)	16												1	5	10
Scarlet fever (7)															
Whooping cough (8)	13								1	1			8	3	1
Diphtheria and croup (9)	1													1	
Influenza (10)	4												1	2	1
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	10												3	3	4
Other forms of tuberculosis (31–35)															
Syphilis (37)															
Meningitis (61)	2												1		1
Convulsions (71)	6							1		1		1		4	
Organic diseases of the heart (79)															
Acute bronchitis (89)	23						2			2	5	2	6	3	5
Pneumonia (92)	5												1	2	2
Bronchopneumonia (91)	44				1	1		4	1	6	1	6	7	13	11
Diseases of the stomach (102, 103)	1												1		
Diarrhea and enteritis (104)	119			2	2	2	3	2	3	10	11	18	33	26	16
Congenital malformations (150)	27	5	2	4	5	16	2	5		23		1	2		1
Premature birth (151a)	74	37	17	2	7	63	3	1	4	71	1	1	1		
Congenital debility, etc. (151b, 152b, 153)	56	14	3	3	7	27	9	2	2	40	9	2	4		1
Injuries at birth (152a)	9	6	2		1	9				9					
External causes (164–186)	3	1			1	2				2		1			
Unknown or ill-defined diseases (187–189)															
All other causes	11				2	2	2	1		5	1	1	1		3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW BEDFORD, MASS.															
All causes	429	52	11	16	21	100	10	13	18	141	31	31	83	78	65
Measles (6)	5										1			2	2
Scarlet fever (7)															
Whooping cough (8)	9											2	2	4	1
Diphtheria and croup (9)															
Influenza (10)	3												2		1
Dysentery (14)															
Erysipelas (18)	1													1	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	6											1	2	2	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	4				1	1				1	1	1	1		
Meningitis (61)	4														4
Convulsions (71)	4												2		2
Organic diseases of the heart (79)	1												1		
Acute bronchitis (89)	28			1		1			3	4	1	3	8	6	6
Pneumonia (92)	2												1		1
Bronchopneumonia (91)	67		1		1	2	1		1	4	2	3	19	20	19
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	144						2	5	7	14	19	19	37	34	21
Congenital malformations (150)	18	2	3	3	2	10	3	1	1	15	1		1	1	
Premature birth (151a)	42	21	4	2	3	30	2	6	1	39	1		1	1	
Congenital debility, etc. (151b, 152b, 153)	34	12	1	7	5	25	1	1	1	28	2	1	2	1	
Injuries at birth (152a)	28	14	2	3	7	26	1		1	28					
External causes (164–186)	1														1
Unknown or ill-defined diseases (187–189)	11	3			1	4			1	5	1		1	2	2
All other causes	17				1	1			2	3	2	1	3	4	4
SPRINGFIELD, MASS.															
All causes	290	67	11	20	20	118	19	10	11	158	17	16	42	34	23
Measles (6)	2												1	1	
Scarlet fever (7)															
Whooping cough (8)	12										1	1	3	2	5
Diphtheria and croup (9)	2													1	1
Influenza (10)	3										1			1	1
Dysentery (14)															
Erysipelas (18)	2							1	1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	2													2	
Other forms of tuberculosis (31–35)															
Syphilis (37)	2							1		1			1		
Meningitis (61)	2											1	1		
Convulsions (71)	2													1	1
Organic diseases of the heart (79)	3				1	1				1		1	1		
Acute bronchitis (89)	3								1	1	1	1			
Pneumonia (92)	3												1	1	1
Bronchopneumonia (91)	33						2	3		5	4	4	8	7	5
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	45			1		1		1	2	4	4	3	18	10	6
Congenital malformations (150)	37	12	1	4	3	20	3	2	5	30	2	1	3	1	
Premature birth (151a)	71	42	7	7	6	62	7	1		70		1			
Congenital debility, etc. (151b, 152b, 153)	26	5	2	3	5	15	2	2	1	20	3	1	2		
Injuries at birth (152a)	14	7	1	2	3	13	1			14					
External causes (164–186)	1	1				1				1					
Unknown or ill-defined diseases (187–189)															
All other causes	25			3	2	5	4		1	10		2	3	7	3
WORCESTER, MASS.															
All causes	410	81	17	24	47	169	18	15	8	210	34	23	61	48	34
Measles (6)	1											1			
Scarlet fever (7)															
Whooping cough (8)	7											1	2	2	2
Diphtheria and croup (9)	1											1			
Influenza (10)	8											1	2	3	2
Dysentery (14)	2											1		1	
Erysipelas (18)	1										1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4												1	2	1
Tuberculous meningitis (30)	3												2	1	
Other forms of tuberculosis (31–35)	2												1		1
Syphilis (37)	5			1	1	2				2	1	1		1	
Meningitis (61)	2											1		1	
Convulsions (71)	5		1		2	3				3		1			1
Organic diseases of the heart (79)															
Acute bronchitis (89)	8								1	1	1		4	2	
Pneumonia (92)	7										1	1	2	1	2
Bronchopneumonia (91)	49				1	1	1	3	1	6	8	2	14	15	4
Diseases of the stomach (102, 103)	2												2		
Diarrhea and enteritis (104)	79			1	1	2		3	2	7	13	10	22	14	13
Congenital malformations (150)	23	1		2	8	11	4	1	1	17	4		1		1
Premature birth (151a)	109	53	12	12	17	94	8	4	1	107	2				
Congenital debility, etc. (151b, 152b, 153)	35	13	1	3	7	24	1	3		28	2	2	2	1	
Injuries at birth (152a)	32	14	3	5	7	29	2		1	32		1		1	1	3
External causes (164–186)	6														
Unknown or ill-defined diseases (187–189)															
All other causes	19				3	3	2	1	1	7			5	3	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
DETROIT, MICH. (TOTAL).															
All causes	2,885	466	132	115	257	970	173	146	115	1,404	224	163	431	344	319
Measles (6)	18											2	5	4	7
Scarlet fever (7)	6						1			1			1	2	2
Whooping cough (8)	69								1	1	6	3	12	20	27
Diphtheria and croup (9)	28								1	1	1	2	8	4	12
Influenza (10)	72			1		1	1	2		4	7	6	14	17	21
Dysentery (14)	2										1		1		
Erysipelas (18)	16						3		1	4	5	3	1	1	2
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	10	1				1				1	1			2	4
Tuberculous meningitis (30)	8												1	1	6
Other forms of tuberculosis (31–35)	3												3		
Syphilis (37)	34	4		4	3	11	1	2	1	15	2	7	4	3	3
Meningitis (61)	20				1	1			2	3		1	3	8	5
Convulsions (71)	27			2	6	8	1			9	1		2	10	5
Organic diseases of the heart (79)	12	1			1	2	1		1	4	3	1	1		3
Acute bronchitis (89)	54				2	2	2	3	2	9	12	1	15	10	7
Pneumonia (92)	123	1		1	3	5	2	1	5	13	10	7	37	26	30
Bronchopneumonia (91)	338	2	2	2	10	16	10	16	10	52	30	32	73	76	77
Diseases of the stomach (102, 103)	37						4	2	6	12	6	8	6	4	1
Diarrhea and enteritis (104)	571	1	2	6	15	24	10	35	33	102	73	60	164	103	64
Congenital malformations (150)	224	44	29	23	38	134	23	9	5	171	18	4	13	9	9
Premature birth (151a)	684	331	69	48	71	519	67	50	20	656	15	4	9		
Congenital debility, etc. (151b, 152b, 153)	217	31	18	11	46	106	23	12	13	154	21	8	21	10	3
Injuries at birth (152a)	135	48	9	14	46	117	12	2	2	133	1	1			
External causes (164–186)	19		1		3	4		2		6	2	1	1	5	4
Unknown or ill-defined diseases (187–189)	3	1	1			2				2	1				
All other causes	155	1	1	3	12	17	12	10	12	51	8	12	36	24	21
DETROIT, MICH. (WHITE).															
All causes	2,734	444	124	114	246	928	166	139	113	1,346	213	156	409	319	291
Measles (6)	18											2	5	4	7
Scarlet fever (7)	6						1			1			1	2	2
Whooping cough (8)	67								1	1	6	3	11	20	26
Diphtheria and croup (9)	28								1	1	1	2	8	4	12
Influenza (10)	68			1		1	1	2		4	7	6	14	16	21
Dysentery (14)	2										1		1		
Erysipelas (18)	16						3		1	4	5	3	1	1	2
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	10	1				1				1	1			2	6
Tuberculous meningitis (30)	7												1	1	5
Other forms of tuberculosis (31–35)	3												3		
Syphilis (37)	28	1		4	3	8		1	1	10	2	7	3	3	3
Meningitis (61)	17				1	1			2	3		1	3	6	4
Convulsions (71)	27			2	6	8	1			9	1		2	10	5
Organic diseases of the heart (79)	11	1			1	2	1		1	4	3	1	1		2
Acute bronchitis (89)	51				2	2	2	3	2	9	12	1	14	8	7
Pneumonia (92)	105			1	3	4	2	1	5	12	9	5	31	24	24
Bronchopneumonia (91)	307	2	2	2	9	15	10	15	10	50	29	30	67	65	66
Diseases of the stomach (102, 103)	36						4	1	6	11	6	8	6	4	1
Diarrhea and enteritis (104)	548	1	1	6	14	22	10	34	32	98	68	58	160	104	60
Congenital malformations (150)	220	43	28	23	38	132	23	9	5	169	17	3	13	9	9
Premature birth (151a)	655	320	65	47	66	498	64	47	20	629	14	4	8		
Congenital debility, etc. (151b, 152b, 153)	202	30	17	11	43	101	20	12	13	146	19	8	19	8	2
Injuries at birth (152a)	130	43	9	14	46	112	12	2	2	128	1	1			
External causes (164–186)	19		1		3	4		2		6	2	1	1	5	4
Unknown or ill-defined diseases (187–189)	3	1	1			2				2	1				
All other causes	150	1		3	11	15	12	10	11	48	8	12	36	23	23
DETROIT, MICH. (COLORED).															
All causes	151	22	8	1	11	42	7	7	2	58	11	7	22	25	28
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	2												1		1
Diphtheria and croup (9)															
Influenza (10)	4													1	3
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	6	3				3	1	1		5			1		
Meningitis (61)	3													2	1
Convulsions (71)															
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	3												1	2	
Pneumonia (92)	18	1				1				1	1	2	6	2	6
Bronchopneumonia (91)	31				1	1		1		2	1	2	6	11	9
Diseases of the stomach (102, 103)	1							1		1					
Diarrhea and enteritis (104)	23		1		1	2		1	1	4	5	2	4	4	4
Congenital malformations (150)	4	1	1			2				2	1	1			
Premature birth (151a)	29	11	4	1	5	21	3	3		27	1		1		
Congenital debility, etc. (151b, 152b, 153)	15	1	1		3	5	3			8	2		2	2	1
Injuries at birth (152a)	5	5				5				5					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	5		1		1	2			1	3				1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
GRAND RAPIDS, MICH.															
All causes	310	39	19	13	28	99	15	15	20	149	23	18	53	41	26
Measles (6)	9						1			1			2	4	2
Scarlet fever (7)															
Whooping cough (8)	12								2	2	1	2	4	1	2
Diphtheria and croup (9)	1				1	1				1					
Influenza (10)	1													1	
Dysentery (14)	2												2		
Erysipelas (18)	2								1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	5	1			1	2			2	4			1		
Meningitis (61)															
Convulsions (71)	3			1		1				1		1	1		
Organic diseases of the heart (79)	3				2	2			1	3					
Acute bronchitis (89)	6								1	1	1	1	1	1	1
Pneumonia (92)	6				1	1				1	1			2	2
Bronchopneumonia (91)	21				1	1		1	2	4	2	1	4	7	3
Diseases of the stomach (102, 103)	4								3	3			1		
Diarrhea and enteritis (104)	77						2	4	2	8	9	7	23	18	12
Congenital malformations (150)	29	5	3	3	4	15	5	4	1	25	2	1	1		
Premature birth (151a)	58	28	12	2	6	48	3	3	3	57			1		
Congenital debility, etc. (151b, 152b, 153)	31	3		4	10	17	2	1	2	22	4	2	2	1	
Injuries at birth (152a)	10	2	4	2	1	9	1			10					
External causes (164–186)	2				1	1				1			1		
Unknown or ill-defined diseases (187–189)															
All other causes	27			1		1	1	2		4	2	3	9	6	3
MINNEAPOLIS, MINN.															
All causes	600	172	37	24	59	292	44	24	19	379	39	34	61	46	41
Measles (6)	5												1	2	2
Scarlet fever (7)															
Whooping cough (8)	18										3	4	3	1	7
Diphtheria and croup (9)	4													2	2
Influenza (10)	10	1				1	1			2		2	3	1	2
Dysentery (14)															
Erysipelas (18)	7						1		1	2	2	2		1	
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	2													1	1
Tuberculous meningitis (30)	2													1	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	9				1	1	2	1		4	1	3	1		
Meningitis (61)	4						1			1			2		1
Convulsions (71)	6						1			1	1		1	1	2
Organic diseases of the heart (79)	1		1			1				1					
Acute bronchitis (89)	4							1		1		1	1	1	
Pneumonia (92)	14	1		1	1	3				3	1	1	3	3	3
Bronchopneumonia (91)	56			1	2	3	2	2	2	9	6	3	15	12	11
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	46			1	1	2	3	4	3	12	5	9	10	7	3
Congenital malformations (150)	74	16	6	5	15	42	3	5	2	52	8	5	5	3	1
Premature birth (151a)	202	130	20	7	11	168	18	5	5	196	2	2	2		
Congenital debility, etc. (151b, 152b, 153)	38	7	3	3	9	22	3	2	3	30	4		2	2	
Injuries at birth (152a)	45	14	6	5	13	38	5	1		44	1				
External causes (164–186)	14	3			2	5		1	2	8	2		3		1
Unknown or ill-defined diseases (187–189)	1		1			1				1					
All other causes	37			1	4	5	3	2	1	11	3	2	9	8	4
ST. PAUL, MINN.															
All causes	378	105	20	19	36	180	27	15	18	240	22	17	43	27	29
Measles (6)	4													1	3
Scarlet fever (7)															
Whooping cough (8)	11								1	1	1	2	4		3
Diphtheria and croup (9)	1														1
Influenza (10)	6											1	3	1	1
Dysentery (14)															
Erysipelas (18)	3							1		1	1	1			
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4												1	2	1
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	6	1			1	2			1	3			2		1
Meningitis (61)	2												2		
Convulsions (71)	6			1	2	3				3			1		2
Organic diseases of the heart (79)															
Acute bronchitis (89)	4											1	1	2	
Pneumonia (92)	10			1		1			1	2	1	1	2	3	1
Bronchopneumonia (91)	21				1	1			2	3	2	3	6	3	4
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	37				2	2	2	2	2	8	6	3	8	7	5
Congenital malformations (150)	28	2	3		11	16	2	1	1	20	1	1	4	2	
Premature birth (151a)	147	80	14	10	11	115	14	6	6	141	2	1	2	1	
Congenital debility, etc. (151b, 152b, 153)	36	13	1	1	5	20	4	3	2	29	3	2		1	1
Injuries at birth (152a)	23	8	2	5	3	18	3	1		22	1				
External causes (164–186)	8	1				1		1		2			4		2
Unknown or ill-defined diseases (187–189)	2			1		1	1			2					
All other causes	18						1		2	3	3	1	3	4	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
KANSAS CITY, MO. (TOTAL).															
All causes	765	110	27	24	29	190	46	40	35	311	126	61	114	97	55
Measles (6)	6												1	2	3
Scarlet fever (7)															
Whooping cough (8)	19										2	2	4	7	4
Diphtheria and croup (9)	2											1		1	
Influenza (10)	24						1		2	3	1		4	6	10
Dysentery (14)															
Erysipelas (18)	2										2				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	7												2	4	1
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	37	1	1			2	6	2	2	12	9	7	5	2	2
Meningitis (61)	2											1	1		
Convulsions (71)															
Organic diseases of the heart (79)	5						1	2		3				2	
Acute bronchitis (89)	8						1			1	2	1	1	2	1
Pneumonia (92)	53		2			2	2	2	2	8	10	1	13	12	9
Bronchopneumonia (91)	71				1	1	2	2	2	7	10	6	19	18	11
Diseases of the stomach (102, 103)	5				1	1			1	2	1			2	
Diarrhea and enteritis (104)	196	1			4	5	2	7	18	32	53	22	46	27	11
Congenital malformations (150)	65	11	4	5	5	25	9	6	4	44	8	8	2	3	
Premature birth (151a)	169	77	15	10	11	113	19	15	3	150	8	7	3	1	
Congenital debility, etc. (151b, 152b, 153)	25	6	1	4	2	13	2	1	1	17	5		1	2	
Injuries at birth (152a)	22	13	3	5	1	22				22					
External causes (164–186)	7							1		1	1		3		2
Unknown or ill-defined diseases (187–189)	2										2				
All other causes	37	1	1		4	6	1	2		9	7	5	9	5	2
KANSAS CITY, MO. (WHITE).															
All causes	681	99	22	24	27	172	41	35	32	280	121	58	102	79	41
Measles (6)	5												1	2	2
Scarlet fever (7)															
Whooping cough (8)	17										2	2	4	6	3
Diphtheria and croup (9)	2											1		1	
Influenza (10)	18						1		2	3	1		3	3	8
Dysentery (14)															
Erysipelas (18)	1										1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	7												2	4	1
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	31						5	2	1	8	9	7	4	1	2
Meningitis (61)	2											1	1		
Convulsions (71)															
Organic diseases of the heart (79)	4						1	2		3				1	
Acute bronchitis (89)	5						1			1	2	1			1
Pneumonia (92)	37						2	1	2	5	9		11	8	4
Bronchopneumonia (91)	59				1	1	2	1	2	6	9	5	15	14	10
Diseases of the stomach (102, 103)	5				1	1			1	2	1			2	
Diarrhea and enteritis (104)	184	1			3	4	2	6	17	29	56	21	44	26	8
Congenital malformations (150)	64	11	4	5	5	25	8	6	4	43	8	8	2	3	
Premature birth (151a)	157	69	14	10	11	104	17	14	3	138	8	7	3	1	
Congenital debility, etc. (151b, 152b, 153)	21	5	1	4	2	12	1	1		14	5		1	1	
Injuries at birth (152a)	22	13	3	5	1	22				22					
External causes (164–186)	5							1		1	1		2		1
Unknown or ill-defined diseases (187–189)	2										2				
All other causes	32				3	3	1	1		5	7	5	9	5	1
KANSAS CITY, MO. (COLORED).															
All causes	84	11	5		2	18	5	5	3	31	5	3	12	18	15
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	2													1	1
Diphtheria and croup (9)															
Influenza (10)	6												1	3	2
Dysentery (14)															
Erysipelas (18)	1										1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	6	1	1			2	1		1	4			1	1	
Meningitis (61)															
Convulsions (71)															
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	3												1	2	
Pneumonia (92)	16		2			2		1		3	1	1	2	4	5
Bronchopneumonia (91)	12							1		1	1	1	4	4	1
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	12				1	1		1	1	3	2	1	2	1	3
Congenital malformations (150)	1						1			1					
Premature birth (151a)	12	8	1			9	2	1		12					
Congenital debility, etc. (151b, 152b, 153)	4	1				1	1		1	3				1	
Injuries at birth (152a)															
External causes (164–186)	2												1		1
Unknown or ill-defined diseases (187–189)															
All other causes	5	1	1		1	3		1		4					1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ST. LOUIS, MO. (TOTAL).															
All causes	1,153	209	65	45	83	402	76	47	38	563	98	57	189	130	116
Measles (6)	9												2	2	5
Scarlet fever (7)															
Whooping cough (8)	19							1	1	2	1	2	4	4	6
Diphtheria and croup (9)	5				1	1				1	1			2	1
Influenza (10)	26		1	1		2		1		3	3		5	8	7
Dysentery (14)	4						1			1			2		1
Erysipelas (18)	10						1	1	1	3	1	1	2	3	
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	3												1		2
Other forms of tuberculosis (31–35)															
Syphilis (37)	29	2	3		3	8	3	3	2	16	6	2	3		2
Meningitis (61)	6						1	1		2			3		1
Convulsions (71)	5				1	1	1		1	3			1		1
Organic diseases of the heart (79)	8							1	2	3	1	1	2	1	
Acute bronchitis (89)	47			1		1	2	2	1	6	11	4	11	9	6
Pneumonia (92)	50				3	3	4	3		10	3	3	10	10	14
Bronchopneumonia (91)	180			2	3	5	8	8	5	26	17	12	53	43	29
Diseases of the stomach (102, 103)	4			1		1				1			3		
Diarrhea and enteritis (104)	183	1		2	1	4	5	3	10	22	22	19	61	35	24
Congenital malformations (150)	68	20	10	3	13	46	6	4		56	6		3	3	
Premature birth (151a)	310	161	33	20	29	243	27	12	10	292	12	4	2		
Congenital debility, etc. (151b, 152b, 153)	74	18	6	7	14	45	7	4	3	59	4	5	3	1	2
Injuries at birth (152a)	37	5	8	6	12	31	4	1		36	1				
External causes (164–186)	11	1	2		1	4				4	2		1	1	3
Unknown or ill-defined diseases (187–189)	2	1				1			1	2					
All other causes	61		2	2	2	6	6	1	1	14	7	4	17	8	11
ST. LOUIS, MO. (WHITE).															
All causes	964	185	59	42	65	351	66	41	27	485	80	41	166	102	90
Measles (6)	8												2	2	4
Scarlet fever (7)															
Whooping cough (8)	10							1		1	1	1	2	3	2
Diphtheria and croup (9)	5				1	1				1	1			2	1
Influenza (10)	20		1	1		2		1		3	2		5	5	5
Dysentery (14)	4						1			1			2		1
Erysipelas (18)	10						1	1	1	3	1	1	2	3	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	3												1		2
Other forms of tuberculosis (31–35)															
Syphilis (37)	17	2	2			4	3	3	2	12	1	2	1		1
Meningitis (61)	4						1	1		2			1		1
Convulsions (71)	4				1	1			1	2			1		1
Organic diseases of the heart (79)	7							1	2	3	1		2	1	
Acute bronchitis (89)	37			1		1	1	2		4	9	3	11	5	5
Pneumonia (92)	39				2	2	4	2		8	3	2	9	6	11
Bronchopneumonia (91)	137			1	3	4	7	7	3	21	12	6	46	31	21
Diseases of the stomach (102, 103)	4			1		1				1			3		
Diarrhea and enteritis (104)	166	1		2		3	5	3	9	20	20	16	54	34	22
Congenital malformations (150)	64	18	10	3	11	42	6	4		52	6		3	3	
Premature birth (151a)	266	141	30	19	23	213	22	9	4	248	12	4	2		
Congenital debility, etc. (151b, 152b, 153)	62	17	5	7	9	38	5	4	3	50	4	5	2		1
Injuries at birth (152a)	37	5	8	6	12	31	4	1		36	1				
External causes (164–186)	8	1	1		1	3				3	2		1		2
Unknown or ill-defined diseases (187–189)	1								1	1					
All other causes	50		2	1	2	5	6	1	1	13	4	1	16	7	9
ST. LOUIS, MO. (COLORED).															
All causes	189	24	6	3	18	51	10	6	11	78	18	16	23	28	26
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	9								1	1		1	2	1	4
Diphtheria and croup (9)															
Influenza (10)	6										1			3	2
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	12		1		3	4				4	5		2		1
Meningitis (61)	2												2		
Convulsions (71)	1						1			1					
Organic diseases of the heart (79)	1											1			
Acute bronchitis (89)	10						1		1	2	2	1		4	1
Pneumonia (92)	11				1	1		1		2		1	1	4	3
Bronchopneumonia (91)	43			1		1	1	1	2	5	5	6	7	12	8
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	17				1	1			1	2	2	3	7	1	2
Congenital malformations (150)	4	2			2	4				4					
Premature birth (151a)	44	20	3	1	6	30	5	3	6	44					
Congenital debility, etc. (151b, 152b, 153)	12	1	1		5	7	2			9			1	1	1
Injuries at birth (152a)															
External causes (164–186)	3		1			1				1				1	1
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	11			1		1				1	3	3	1	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
OMAHA, NEBR.															
All causes	415	59	34	15	29	137	33	8	14	192	54	29	60	47	33
Measles (6)	3												2	1	
Scarlet fever (7)	2												1		1
Whooping cough (8)	25								3	3	7	2	4	2	7
Diphtheria and croup (9)	3												1	2	
Influenza (10)	9		1			1				1		1	3	2	2
Dysentery (14)	1										1				
Erysipelas (18)	4							1		1		1	2		
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	1												1		
Tuberculous meningitis (30)	1												1		
Other forms of tuberculosis (31–35)															
Syphilis (37)	5				1	1				1	2	1	1		
Meningitis (61)															
Convulsions (71)	1		1			1				1					
Organic diseases of the heart (79)	3						1			1		1	1		
Acute bronchitis (89)	1										1				
Pneumonia (92)	12								1	1	2		1	7	1
Bronchopneumonia (91)	42				1	1	1		4	6	8	4	6	11	7
Diseases of the stomach (102, 103)	2												2		
Diarrhea and enteritis (104)	52						1			1	8	6	19	7	11
Congenital malformations (150)	29	3	5	3	2	13	6	1		20	5	1		2	1
Premature birth (151a)	98	42	19	5	7	73	12	3	2	90	4	1	2	1	
Congenital debility, etc. (151b, 152b, 153)	57	7	5	2	12	26	5		2	33	8	7	7	2	
Injuries at birth (152a)	18	6	2	5	4	17	1			18					
External causes (164–186)	8	1				1		1		2	2	1		2	1
Unknown or ill-defined diseases (187–189)	1										1				
All other causes	36		1		2	3	5	2	2	12	5	3	6	8	2
CAMDEN, N. J.															
All causes	364	55	21	13	22	111	30	14	14	169	28	30	54	46	37
Measles (6)	4													2	2
Scarlet fever (7)															
Whooping cough (8)	6								1	1	1		1	1	2
Diphtheria and croup (9)	2													2	
Influenza (10)	7												4	1	2
Dysentery (14)	2												1		1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	2												1	1	
Other forms of tuberculosis (31–35)	1													1	
Syphilis (37)	3						1			1	1	1			
Meningitis (61)	4						1	2		3					1
Convulsions (71)	3											2			1
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	6								1	1	2		2		1
Pneumonia (92)	18							1		1		2	6	4	5
Bronchopneumonia (91)	35						1	1	1	3	5	5	5	12	5
Diseases of the stomach (102, 103)	2							1		1				1	
Diarrhea and enteritis (104)	73				1	1	3		4	8	7	11	19	18	10
Congenital malformations (150)	52	9	6	4	10	29	7	4	4	44	4	1	3		
Premature birth (151a)	71	33	10	4	4	51	9	3	2	65	3	3			
Congenital debility, etc. (151b, 152b, 153)	33	5	3	2	4	14	1			15	3	3	7	2	3
Injuries at birth (152a)	22	8	2	3	2	15	5	1		21		1			
External causes (164–186)	3										1		1		1
Unknown or ill-defined diseases (187–189)															
All other causes	14				1	1	2	1	1	5	1	1	4	1	2
JERSEY CITY, N. J.															
All causes	758	80	28	21	50	179	39	39	25	282	67	72	157	94	86
Measles (6)	5													2	3
Scarlet fever (7)	1												1		
Whooping cough (8)	22										1		9	4	8
Diphtheria and croup (9)	5												1		4
Influenza (10)	9											3	1	1	4
Dysentery (14)															
Erysipelas (18)	3										1		1	1	
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	1				1	1				1					
Tuberculous meningitis (30)	5	1				1				1		1	2	1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	6							1		1	1	1	2		1
Meningitis (61)	2								1	1				1	
Convulsions (71)	2											1	1		
Organic diseases of the heart (79)	2											1		1	
Acute bronchitis (89)	33				1	1	2	3	2	8	5	5	9	6	
Pneumonia (92)	25	1		2		3		1		4		2	7	7	5
Bronchopneumonia (91)	93				1	1	1	5	4	11	11	8	25	22	16
Diseases of the stomach (102, 103)	7								1	1	2		2		2
Diarrhea and enteritis (104)	221				2	2	4	7	5	18	26	34	73	37	33
Congenital malformations (150)	67	13	6	1	7	27	6	9	5	47	7	4	7		2
Premature birth (151a)	115	42	15	11	16	84	12	10	6	112	1	1	1		
Congenital debility, etc. (151b, 152b, 153)	50	10	3		8	21	6		1	28	8	4	7	2	1
Injuries at birth (152a)	32	10	4	7	8	29	2	1		32					
External causes (164–186)	7						1			1			2	1	3
Unknown or ill-defined diseases (187–189)	5	3			1	4		1		5					
All other causes	38				5	5	4	1		10	4	7	6	8	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEWARK, N. J.															
All causes	993	156	32	38	76	302	54	48	41	445	75	44	152	153	124
Measles (6)	18												2	7	9
Scarlet fever (7)															
Whooping cough (8)	40						1	2	2	5	3	6	7	11	8
Diphtheria and croup (9)	5												2	1	2
Influenza (10)	12											2	4	1	5
Dysentery (14)	3										1			2	
Erysipelas (18)	7						1	1	1	3	2		2		
Tetanus (21)															
Tuberculosis of the lungs (28, 29)	4											1		1	2
Tuberculous meningitis (30)	8				1	1				1	1		2	3	1
Other forms of tuberculosis (31–35)	1													1	
Syphilis (37)	8	1				1	1			2	2	2	2		
Meningitis (61)	8												6	1	1
Convulsions (71)	4			1		1				1			1	1	1
Organic diseases of the heart (79)	9								2	2	3		1	2	1
Acute bronchitis (89)	55				2	2	4	2		8	11	3	13	11	9
Pneumonia (92)	36							1		1		3	9	11	12
Bronchopneumonia (91)	101				1	1	2	1	4	8	5	6	25	26	31
Diseases of the stomach (102, 103)	6										3		1	2	
Diarrhea and enteritis (104)	208			6	3	9	6	10	13	38	25	12	51	49	33
Congenital malformations (150)	55	6	3	5	11	25	7	5	5	42	3		2	5	3
Premature birth (151a)	225	112	19	18	31	180	20	14	7	221	4				
Congenital debility, etc. (151b,152b,153)	71	12	5	2	13	32	6	8	4	50	3	6	9	2	1
Injuries at birth (152a)	45	22	2	3	11	38	3	2	1	44	1				
External causes (164–186)	11	1	1			2		1		3	1	2	5		
Unknown or ill-defined diseases (187–189)	1			1		1				1					
All other causes	52	2	2	2	3	9	3	1	2	15	7	1	8	16	5
PATERSON, N. J.															
All causes	249	29	19	18	13	79	10	10	9	108	26	21	32	40	22
Measles (6)	7													5	2
Scarlet fever (7)															
Whooping cough (8)	2											1			1
Diphtheria and croup (9)	3											1		1	1
Influenza (10)	5							1		1		1	2		1
Dysentery (14)															
Erysipelas (18)	1										1				
Tetanus (21)															
Tuberculosis of the lungs (28, 29)	2												1	1	
Tuberculous meningitis (30)	2										1				1
Other forms of tuberculosis (31–35)															
Syphilis (37)															
Meningitis (61)	1											1			
Convulsions (71)	2				1	1			1	2					
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	8										1		3	4	
Pneumonia (92)	9										2		2	1	4
Broncho-pneumonia (91)	31		1	1		2	1	1	1	5	1	5	5	11	4
Diseases of the stomach (102, 103)	1											1			
Diarrhea and enteritis (104)	46		2			2	1		2	5	5	7	11	12	6
Congenital malformations (150)	12	1	1		1	3	2			5	4		2	1	
Premature birth (151a)	48	16	8	8	4	36	2	4	3	45	3				
Congenital debility, etc. (151b,152b,153)	33	3	4	5	6	18	2	2	2	24	5	3	1		
Injuries at birth (152a)	15	7	3	4		14	1			15					
External causes (164–186)	5	1				1		1		2	2		1		
Unknown or ill-defined diseases (187–189)															
All other causes	15	1			1	2	1	1		4	1	1	4	3	2
TRENTON, N. J.															
All causes	337	61	23	18	32	134	28	16	9	187	9	20	59	34	28
Measles (6)	1											1			
Scarlet fever (7)															
Whooping cough (8)	4										1			3	
Diphtheria and croup (9)	1														1
Influenza (10)	6												3	1	2
Dysentery (14)															
Erysipelas (18)	3							2		2			1		
Tetanus (21)	1						1			1					
Tuberculosis of the lungs (28, 29)	1							1		1					
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1		1		2				2					
Meningitis (61)	3												3		
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	3												1		2
Pneumonia (92)	22						1			1	1	2	7	5	6
Broncho-pneumonia (91)	34				3	3	2	1	1	7	1	4	10	8	4
Diseases of the stomach (102, 103)	2												1	1	
Diarrhea and enteritis (104)	70				4	4	4	3	2	13	1	7	26	14	9
Congenital malformations (150)	38	7	4	3	8	22	5	2	3	32		3		1	2
Premature birth (151a)	74	32	8	9	10	59	9	3	1	72	1	1			
Congenital debility, etc. (151b,152b,153)	23	2	5		4	11	2	1	2	16	3	2	2		
Injuries at birth (152a)	31	17	5	4	1	27	2	2		31					
External causes (164–186)	2	1				1				1			1		
Unknown or ill-defined diseases (187–189)	1			1		1				1					
All other causes	15	1	1		2	4	2	1		7	1		4	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
ALBANY, N. Y.															
All causes	176	37	12	9	22	80	9	5	7	101	15	9	23	13	15
Measles (6)	1													1	
Scarlet fever (7)															
Whooping cough (8)	6										1	2	2	1	
Diphtheria and croup (9)	1								1	1					
Influenza (10)															
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	4										1	1	1		1
Other forms of tuberculosis (31–35)	1													1	
Syphilis (37)															
Meningitis (61)	1														1
Convulsions (71)	2								1	1				1	
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	1										1				
Pneumonia (92)	2												1		
Broncho pneumonia (91)	15			1	1	2	1		1	4	1		4	2	4
Diseases of the stomach (102, 103)	2												2		
Diarrhea and enteritis (104)	15								1	1	2		6	3	3
Congenital malformations (150)	16	2	2		6	10	1	1		12	3	1			
Premature birth (151a)	54	22	6	6	6	40	5	3	2	50	4				
Congenital debility, etc. (151b,152b,153)	17	2	3	1	4	10			1	11		4	2		
Injuries at birth (152a)	18	10	1	1	4	16	1	1		18					
External causes (164–186)	3	1				1				1			2		
Unknown or ill-defined diseases (187–189)															
All other causes	15				1	1	1			2	2	1	3	4	3
BUFFALO, N. Y.															
All causes	1,371	292	50	52	79	473	76	67	53	669	109	89	237	150	117
Measles (6)	7												2	2	3
Scarlet fever (7)															
Whooping cough (8)	23										2	1	5	5	10
Diphtheria and croup (9)	31							2	3	5	3	3	5	5	10
Influenza (10)	15							1	1	2	2		2	6	3
Dysentery (14)	2											1		1	
Erysipelas (18)	5							1	1	2			3		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	7											1	4	1	1
Tuberculous meningitis (30)	6										2			3	1
Other forms of tuberculosis (31–35)	2												1		1
Syphilis (37)	24		1			1	5		3	9	8	3	2		2
Meningitis (61)	2												1		1
Convulsions (71)	7	1	2		1	4	1			5	1		1		
Organic diseases of the heart (79)	7				1	1				1		1	2	2	1
Acute bronchitis (89)	39				1	1	3	3	2	9	5	7	6	7	5
Pneumonia (92)	27		1			1	1			2	1	3	9	5	7
Bronchopneumonia (91)	89		1		2	3	3	2	3	11	6	3	24	24	21
Diseases of the stomach (102, 103)	5										2		2	1	
Diarrhea and enteritis (104)	392			1	7	8	8	22	20	58	42	50	123	77	37
Congenital malformations (150)	109	32	6	4	17	59	8	8	1	76	13	6	7	2	5
Premature birth (151a)	296	162	27	25	23	237	28	18	6	289	5		2		
Congenital debility, etc. (151b,152b,153)	64	14	4	8	14	40	4	4	3	51	3	2	5	2	1
Injuries at birth (152a)	110	78	7	11	8	104	4	1	1	110					
External causes (164–186)	8	3				3				3	1	2	1		1
Unknown or ill-defined diseases (187–189)															
All other causes	94	2	1	3	5	11	11	5	9	36	13	6	25	7	7
NEW YORK, N. Y. (TOTAL).															
All causes	11,319	1,556	485	391	742	3,174	566	470	441	4,651	933	753	1,793	1,665	1,519
Measles (6)	223							1		1	1	5	24	75	117
Scarlet fever (7)	13													4	9
Whooping cough (8)	330							2	10	12	41	27	77	78	95
Diphtheria and croup (9)	89										3	1	8	36	41
Influenza (10)	211			2	3	5	6	3		14	13	9	57	59	59
Dysentery (14)	10						1	1		2				5	3
Erysipelas (18)	113						6	15	18	39	25	14	15	16	4
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	59		1			1			1	2	4	5	17	14	17
Tuberculous meningitis (30)	89				1	1	2			3	2	4	28	23	24
Other forms of tuberculosis (31–35)	25											8	5	7	5
Syphilis (37)	151	10	12	1	3	26	14	12	11	63	31	13	29	9	6
Meningitis (61)	74						2		3	5	7	4	24	18	10
Convulsions (71)	39		2	2	3	7	1	1	5	14	7	6	6	4	2
Organic diseases of the heart (79)	19								1	1	1	2	4	8	3
Acute bronchitis (89)	391		1	1	13	15	21	23	27	86	72	41	64	71	57
Pneumonia (92)	471	1	3	3	7	14	5	4	11	34	32	29	65	145	166
Bronchopneumonia (91)	1,482	7	5	7	34	53	50	67	62	232	137	111	315	322	365
Diseases of the stomach (102, 103)	63			1		1	3	2	5	11	14	7	24	5	2
Diarrhea and enteritis (104)	2,289		1	2	14	17	32	76	76	201	231	243	687	555	372
Congenital malformations (150)	626	121	38	56	117	332	69	40	30	471	33	31	40	29	22
Premature birth (151a)	2,090	920	255	150	243	1,568	195	122	72	1,957	76	25	30	2	
Congenital debility, etc. (151b,152b,153)	1,107	195	85	80	110	470	69	62	66	667	127	113	123	56	16
Injuries at birth (152a)	633	282	68	73	140	563	43	10	11	627	6				
External causes (164–186)	81	10	2	1	8	21	4	2	1	28	8	2	17	6	20
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	639	9	12	12	46	79	42	27	31	179	62	58	129	113	93

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (WHITE).															
All causes	10,666	1,492	448	373	707	3,020	546	437	411	4,414	885	714	1,683	1,538	1,432
Measles (6)	221							1		1	1	5	23	75	116
Scarlet fever (7)	13													4	9
Whooping cough (8)	306							2	10	12	39	26	71	72	86
Diphtheria and croup (9)	85										3		7	35	40
Influenza (10)	202			2	3	5	6	3		14	13	9	56	54	56
Dysentery (14)	8						1			1				4	3
Erysipelas (18)	108						6	12	17	35	24	14	15	16	4
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	50		1			1			1	2	4	4	13	11	16
Tuberculous meningitis (30)	85				1	1	2			3	2	3	28	25	24
Other forms of tuberculosis (31–35)	21											6	5	5	5
Syphilis (37)	129	10	11	1	2	24	12	9	9	54	26	12	24	7	6
Meningitis (61)	72						2		3	5	7	3	23	18	16
Convulsions (71)	37		2	2	3	7	1		5	13	7	5	6	4	2
Organic diseases of the heart (79)	17								1	1	1	1	4	7	3
Acute bronchitis (89)	373		1	1	13	15	20	23	27	85	68	40	60	66	54
Pneumonia (92)	427		2	3	7	12	5	3	10	30	31	27	60	123	156
Bronchopneumonia (91)	1,353	7	3	7	31	48	49	61	57	215	127	105	289	285	332
Diseases of the stomach (102, 103)	59			1		1	3	2	4	10	14	6	23	4	2
Diarrhea and enteritis (104)	2,187		1	2	13	16	32	71	71	190	224	231	654	533	355
Congenital malformations (150)	610	117	38	55	115	325	68	39	27	459	31	30	40	28	22
Premature birth (151a)	1,985	882	234	144	232	1,492	187	115	68	1,862	70	24	27	2	
Congenital debility, etc. (151b,152b,153)	1,043	186	79	73	105	443	66	60	60	629	122	105	121	53	13
Injuries at birth (152a)	608	273	64	69	134	540	41	10	11	602	6				
External causes (164–186)	76	8	2	1	7	18	4	2	1	25	8	2	16	5	20
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	589	8	10	12	41	71	40	24	29	164	57	56	118	102	92
NEW YORK, N. Y. (COLORED).															
All causes	653	64	37	18	35	154	20	33	30	237	48	44	110	127	87
Measles (6)	2												1		1
Scarlet fever (7)															
Whooping cough (8)	24										2	1	6	6	9
Diphtheria and croup (9)	4											1	1	1	1
Influenza (10)	9												1	5	3
Dysentery (14)	2							1		1				1	
Erysipelas (18)	5							3	1	4	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	9											1	4	3	1
Tuberculous meningitis (30)	4											1		3	
Other forms of tuberculosis (31–35)	4											2		2	
Syphilis (37)	22		1		1	2	2	3	2	9	5	1	5	2	
Meningitis (61)	2											1	1		
Convulsions (71)	2							1		1		1			
Organic diseases of the heart (79)	2											1		1	
Acute bronchitis (89)	18						1			1	4	1	4	5	3
Pneumonia (92)	44	1	1			2		1	1	4	1	2	5	22	10
Bronchopneumonia (91)	129		2		3	5	1	6	5	17	10	6	26	37	33
Diseases of the stomach (102, 103)	4								1	1		1	1	1	
Diarrhea and enteritis (104)	102				1	1		5	5	11	7	12	33	22	17
Congenital malformations (150)	16	4		1	2	7	1	1	3	12	2	1		1	
Premature birth (151a)	105	38	21	6	11	76	8	7	4	95	6	1	3		
Congenital debility, etc. (151b, 152b, 153)	64	9	6	7	5	27	3	2	6	38	5	8	7	3	3
Injuries at birth (152a)	25	9	4	4	6	23	2			25					
External causes (164–186)	5	2			1	3				3			1	1	
Unknown or ill-defined diseases (187–189)															
All other causes	50	1	2		5	8	2	3	2	15	5	2	11	11	6
NEW YORK, N. Y. (BRONX BOROUGH).															
All causes	1,115	191	59	44	98	392	64	44	41	541	94	70	157	143	110
Measles (6)	24												2	10	12
Scarlet fever (7)															
Whooping cough (8)	25								4	4	2	4	2	4	9
Diphtheria and croup (9)	10													5	5
Influenza (10)	25						2	1		3	2	1	11	3	5
Dysentery (14)	1													1	
Erysipelas (18)	7								1	1	5		1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	6										1	1		3	1
Tuberculous meningitis (30)	11						1			1		1	2	5	2
Other forms of tuberculosis (31–35)	2											2			
Syphilis (37)	22	3	1	1	1	6	3	1	2	12	5	2	3		
Meningitis (61)	8										3			2	3
Convulsions (71)	2										1		1		
Organic diseases of the heart (79)	2											1	1		
Acute bronchitis (89)	24						1	4	4	9	4	1	6	1	3
Pneumonia (92)	42		1		1	2	1		1	4	4	3	9	7	15
Bronchopneumonia (91)	149	2	1		4	7	5	6	7	25	16	10	38	41	19
Diseases of the stomach (102, 103)	7						1			1	2		2	1	1
Diarrhea and enteritis (104)	168			1	1	2	9	5		17	22	23	37	43	26
Congenital malformations (150)	76	13	1	10	9	33	11	5	3	52	7	3	9	3	2
Premature birth (151a)	241	106	30	21	40	197	17	9	8	231	2	3	5		
Congenital debility, etc. (151b, 152b, 153)	114	29	13	4	17	63	9	6	4	82	9	10	10	3	
Injuries at birth (152a)	81	35	10	6	19	70	9		1	80	1				
External causes (164–186)	10		1	1	1	3		1		4	1	1	3		1
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	57	2	1	1	5	9	2	2	1	14	7	5	15	10	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
All causes	3,949	508	161	160	288	1,117	232	167	151	1,667	319	249	625	556	533
Measles (6)	65										1	2	6	22	34
Scarlet fever (7)	4													1	3
Whooping cough (8)	106								3	3	14	9	23	27	30
Diphtheria and croup (9)	29										2		2	14	11
Influenza (10)	81				1	1	1	1		3	5	2	21	28	22
Dysentery (14)	3						1			1				1	1
Erysipelas (18)	39						2	2	7	11	5	8	7	7	1
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	9											2	3	3	1
Tuberculous meningitis (30)	35				1	1	1			2		1	14	9	9
Other forms of tuberculosis (31–35)	8											2	2	2	2
Syphilis (37)	31		3		1	4	3		1	8	11	2	6		4
Meningitis (61)	20						1		2	3	2	2	9	3	1
Convulsions (71)	13			1		1			2	3	4	2	2	1	1
Organic diseases of the heart (79)	10										1	1	1	5	2
Acute bronchitis (89)	148			1	3	4	10	11	9	34	25	14	21	35	19
Pneumonia (92)	173		1	2	5	8	3	1	6	18	14	11	20	47	63
Bronchopneumonia (91)	534	1	2	3	13	19	24	22	25	90	58	30	120	95	132
Diseases of the stomach (102, 103)	10						2		2	4	3	1	1	1	
Diarrhea and enteritis (104)	846			1	6	7	17	36	28	88	74	83	271	193	137
Congenital malformations (150)	250	50	21	20	52	143	30	18	9	200	11	11	11	11	6
Premature birth (151a)	727	304	81	66	84	535	79	44	30	688	23	5	11		
Congenital debility, etc. (151b, 152b, 153)	339	54	24	33	43	154	28	16	20	218	33	29	32	16	6
Injuries at birth (152a)	228	94	26	27	62	209	12	6	1	228					
External causes (164–186)	31	1			4	5	3	1		9	4	1	5	2	10
Unknown or ill-defined diseases (187–189)															
All other causes	209	4		6	13	26	14	9	6	55	24	22	37	33	33
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
All causes	3,823	493	159	158	285	1,095	228	162	144	1,629	312	239	603	530	510
Measles (6)	63										1	2	5	22	33
Scarlet fever (7)	4													1	3
Whooping cough (8)	100								3	3	14	8	23	25	27
Diphtheria and croup (9)	28										2		2	13	11
Influenza (10)	76				1	1	1	1		3	5	2	21	24	21
Dysentery (14)	3						1			1				1	1
Erysipelas (18)	39						2	2	7	11	5	8	7	7	1
Tetanus (24)	1						1			1					
Tuberculosis of the lungs (28, 29)	9											2	3	3	1
Tuberculous meningitis (30)	34				1	1	1			2		1	14	8	9
Other forms of tuberculosis (31–35)	8											2	2	2	2
Syphilis (37)	29		3		1	4	2		1	7	10	2	6		4
Meningitis (61)	20						1		2	3	2	2	9	3	1
Convulsions (71)	13			1		1			2	3	4	2	2	1	1
Organic diseases of the heart (79)	10										1	1	1	5	2
Acute bronchitis (89)	147			1	3	4	10	11	9	34	25	14	20	37	19
Pneumonia (92)	163		1	2	5	8	3	1	6	18	14	11	18	42	76
Bronchopneumonia (91)	513	1	2	3	13	19	24	22	24	89	57	37	117	90	123
Diseases of the stomach (102, 103)	10						2		2	4	3	1	1	1	
Diarrhea and enteritis (104)	815			1	6	7	17	35	26	85	71	79	260	188	132
Congenital malformations (150)	245	49	21	20	51	141	30	18	8	197	10	10	11	11	6
Premature birth (151a)	708	295	79	66	83	523	77	40	30	670	23	5	10		
Congenital debility, etc. (151b, 152b, 153)	324	51	24	31	42	148	28	16	17	209	37	27	30	16	6
Injuries at birth (152a)	226	92	26	27	62	207	12	6	1	226					
External causes (164–186)	31	1			4	5	3	1		9	4	1	5	2	10
Unknown or ill-defined diseases (187–189)															
All other causes	204	4	3	6	13	26	13	9	6	54	24	22	36	31	37
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
All causes	126	15	2	2	3	22	4	5	7	38	7	10	22	26	23
Measles (6)	2												1		1
Scarlet fever (7)															
Whooping cough (8)	6											1		2	3
Diphtheria and croup (9)	1													1	
Influenza (10)	5													4	1
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	2						1			1	1				
Meningitis (61)															
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	1														
Pneumonia (92)	10												1		
Bronchopneumonia (91)	21								1	1	1	2	2	5	3
Diseases of the stomach (102, 103)													3	5	9
Diarrhea and enteritis (104)	31							1	2	3	3	4	11	5	5
Congenital malformations (150)	5	1			1	2			1	3	1	1			
Premature birth (151a)	19	9	2		1	12	2	4		18			1		
Congenital debility, etc. (151b, 152b, 153)	15	3		2	1	6			3	9	1	2	2	1	
Injuries at birth (152a)	2	2				2				2					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	5						1			1			1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
All causes	5,217	682	216	145	292	1,335	204	225	205	1,969	439	372	839	825	773
Measles (6)	124							1		1		3	13	41	66
Scarlet fever (7)	6													2	4
Whooping cough (8)	162							2	3	5	19	8	43	38	49
Diphtheria and croup (9)	43										1	1	5	17	19
Influenza (10)	83			2	2	4	2			6	5	5	18	22	27
Dysentery (14)	4							1		1				2	1
Erysipelas (18)	60						4	13	9	26	12	6	5	8	3
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	39								1	1	2	1	13	8	14
Tuberculous meningitis (30)	41										2	2	10	14	13
Other forms of tuberculosis (31-35)	11											2	1	5	3
Syphilis (37)	83	7	8		1	16	6	10	5	37	14	7	16	8	1
Meningitis (61)	41								1	1	2	2	15	10	11
Convulsions (71)	14		2	1	2	5	1	1	1	8		3	2	1	
Organic diseases of the heart (79)	6											1	2	2	1
Acute bronchitis (89)	182		1		8	9	8	8	11	36	39	22	25	27	33
Pneumonia (92)	228	1		1	1	3	1	3	4	11	12	12	34	78	81
Bronchopneumonia (91)	666	4	2	4	16	26	17	34	27	104	52	52	125	149	184
Diseases of the stomach (102, 103)	44			1		1		2	2	5	9	6	20	3	1
Diarrhea and enteritis (104)	1,116		1	4		5	9	28	38	80	116	118	327	286	189
Congenital malformations (150)	233	45	11	18	44	118	20	16	16	170	13	13	16	9	12
Premature birth (151a)	899	406	115	49	102	672	72	59	29	832	42	14	9	2	
Congenital debility, etc. (151b, 152b, 153)	536	100	40	33	43	216	23	30	33	302	64	66	70	26	8
Injuries at birth (152a)	248	111	30	30	43	214	19	3	7	243	5				
External causes (164-186)	27	6	1		2	9	1			10	2		5	4	6
Unknown or ill-defined diseases (187-189)															
All other causes	321	2	6	5	24	37	21	14	18	90	28	28	65	63	47
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
All causes	4,735	638	184	132	267	1,221	188	199	183	1,791	400	342	758	732	712
Measles (6)	124							1		1		3	13	41	66
Scarlet fever (7)	6													2	4
Whooping cough (8)	145							2	3	5	17	8	37	34	44
Diphtheria and croup (9)	40										1		4	17	18
Influenza (10)	79			2	2	4	2			6	5	5	17	21	25
Dysentery (14)	2													1	1
Erysipelas (18)	55						4	10	8	22	11	6	5	8	3
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	30								1	1	2		9	5	13
Tuberculous meningitis (30)	38										2	1	10	12	13
Other forms of tuberculosis (31-35)	7												1	3	3
Syphilis (37)	64	7	7			14	5	7	3	29	10	6	12	6	1
Meningitis (61)	39								1	1	2	1	14	10	11
Convulsions (71)	12		2	1	2	5	1		1	7		2	2	1	
Organic diseases of the heart (79)	4												2	1	1
Acute bronchitis (89)	167		1		8	9	7	8	11	35	35	21	23	23	30
Pneumonia (92)	195			1	1	2	1	2	3	8	11	10	31	61	74
Bronchopneumonia (91)	568	4	1	4	14	23	16	28	23	90	44	48	104	122	160
Diseases of the stomach (102, 103)	41			1		1		2	2	5	9	5	19	2	1
Diarrhea and enteritis (104)	1,050		1	3		4	9	24	35	72	112	113	305	270	178
Congenital malformations (150)	222	42	11	17	43	113	19	15	14	161	12	13	16	8	12
Premature birth (151a)	819	380	96	45	92	613	66	56	25	760	37	13	7	2	
Congenital debility, etc. (151b, 152b, 153)	494	94	35	29	41	199	20	29	30	278	60	61	66	24	5
Injuries at birth (152a)	228	104	26	26	40	196	17	3	7	223	5				
External causes (164-186)	24	5	1		1	7	1			8	2		5	3	6
Unknown or ill-defined diseases (187-189)															
All other causes	282	2	4	5	20	31	20	12	16	79	23	26	56	55	43
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
All causes	482	44	32	13	25	114	16	26	22	178	39	30	81	93	61
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	17										2		6	4	5
Diphtheria and croup (9)	3											1	1		1
Influenza (10)	4												1	1	2
Dysentery (14)	2							1		1				1	
Erysipelas (18)	5							3	1	4	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	9											1	4	3	1
Tuberculous meningitis (30)	3											1		2	
Other forms of tuberculosis (31-35)	4											2		2	
Syphilis (37)	19		1		1	2	1	3	2	8	4	1	4	2	
Meningitis (61)	2											1	1		
Convulsions (71)	2							1		1		1			
Organic diseases of the heart (79)	2											1		1	
Acute bronchitis (89)	15						1			1	4	1	2	4	3
Pneumonia (92)	33	1				1		1	1	3	1	2	3	17	7
Bronchopneumonia (91)	98		1		2	3	1	6	4	14	8	4	21	27	24
Diseases of the stomach (102, 103)	3											1	1	1	
Diarrhea and enteritis (104)	66				1	1		4	3	8	4	5	22	16	11
Congenital malformations (150)	11	3		1	1	5	1	1	2	9	1			1	
Premature birth (151a)	80	26	19	4	10	59	6	3	4	72	5	1	2		
Congenital debility, etc. (151b, 152b, 153)	42	6	5	4	2	17	3	1	3	24	4	5	4	2	3
Injuries at birth (152a)	20	7	4	4	3	18	2			20					
External causes (164-186)	3	1			1	2				2				1	
Unknown or ill-defined diseases (187-189)															
All other causes	39		2		4	6	1	2	2	11	5	2	9	8	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NEW YORK, N. Y. (QUEENS BOROUGH).															
All causes	781	127	40	34	51	252	55	25	37	369	56	45	124	109	78
Measles (6)	7												2	2	3
Scarlet fever (7)	3													1	2
Whooping cough (8)	25										5	5	5	7	3
Diphtheria and croup (9)	6												1		5
Influenza (10)	19						1	1		2			6	6	5
Dysentery (14)	2													1	1
Erysipelas (18)	5								1	1	1		2	1	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3										1		1		1
Tuberculous meningitis (30)	2												2		
Other forms of tuberculosis (31–35)	3											2	1		
Syphilis (37)	12						2	1	2	5		2	3	1	1
Meningitis (61)	3						1			1				2	
Convulsions (71)	8				1	1			2	3	2			2	1
Organic diseases of the heart (79)	1								1	1					
Acute bronchitis (89)	24				1	1	2		2	5	2	1	10	5	1
Pneumonia (92)	21										1	1	2	10	7
Bronchopneumonia (91)	105				1	1	4	3	2	10	8	8	27	27	23
Diseases of the stomach (102, 103)	2								1	1			1		
Diarrhea and enteritis (104)	115		1		2	3	4	3	5	15	18	10	34	26	12
Congenital malformations (150)	55	9	3	8	10	30	7	1	2	40	1	3	3	6	2
Premature birth (151a)	170	74	25	10	15	124	22	9	5	160	6	3	1		
Congenital debility, etc. (151b, 152b, 153)	85	8	8	9	5	30	7	5	7	49	10	7	11	7	1
Injuries at birth (152a)	60	34	2	7	11	54	3	1	2	60					
External causes (164–186)	7	1			1	2			1	3			2		2
Unknown or ill-defined diseases (187–189)															
All other causes	38	1	1		4	6	2	1	4	13	1	3	10	5	6
NEW YORK, N. Y. (RICHMOND BOROUGH).															
All causes	257	48	9	8	13	78	11	9	7	105	25	22	48	32	23
Measles (6)	3												1		2
Scarlet fever (7)															
Whooping cough (8)	12										1	1	4	2	4
Diphtheria and croup (9)	1														1
Influenza (10)	3										1	1	1		
Dysentery (14)															
Erysipelas (18)	2										2				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2		1			1				1		1			
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	3								1	1	1		1		
Meningitis (61)	2													1	1
Convulsions (71)	2											1	1		
Organic diseases of the heart (79)															
Acute bronchitis (89)	13				1	1			1	2	2	3	2	3	1
Pneumonia (92)	7		1			1				1	1	2		3	
Bronchopneumonia (91)	28							2	1	3	3	2	5	10	5
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	44				1	1				1	1	9	18	7	8
Congenital malformations (150)	12	4	2		2	8	1			9	1	1	1		
Premature birth (151a)	53	30	4	4	2	40	5	1		46	3		4		
Congenital debility, etc. (151b, 152b, 153)	33	4		1	2	7	2	5	2	16	6	1	5	4	1
Injuries at birth (152a)	16	8		3	5	16				16					
External causes (164–186)	6	2				2				2	1		2		1
Unknown or ill-defined diseases (187–189)															
All other causes	14		1			1	3	1	2	7	2		2	2	1
ROCHESTER, N. Y.															
All causes	567	129	29	23	50	231	38	28	20	317	36	34	81	64	35
Measles (6)	6													3	3
Scarlet fever (7)															
Whooping cough (8)	8										1	1	3	2	1
Diphtheria and croup (9)	2													1	1
Influenza (10)	6												1	3	2
Dysentery (14)	1												1		
Erysipelas (18)	7							2	1	3	1		2		1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1						1			1					
Tuberculous meningitis (30)	4													3	1
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	5			1		1	1	1		3		1		1	
Meningitis (61)	3												1	1	1
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)															
Acute bronchitis (89)	11							3	2	5		3	1	1	1
Pneumonia (92)	10		1			1			1	2			1	5	2
Bronchopneumonia (91)	47				2	2		2	1	5	7	5	15	11	4
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	127				2	2	5	6	5	18	15	13	44	23	14
Congenital malformations (150)	55	13	6	7	11	37	1	2	5	45	4	2	3	1	
Premature birth (151a)	168	92	17	9	15	133	18	7	2	160	4	4			
Congenital debility, etc. (151b, 152b, 153)	21	2	2	1	5	10	5	2		17	1	1	1		1
Injuries at birth (152a)	44	22	2	3	12	39	4			43	1				
External causes (164–186)	3						1			1	1	1			
Unknown or ill-defined diseases (187–189)															
All other causes	35		1	2	2	5	2	3	3	13		3	8	9	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
SYRACUSE, N. Y.															
All causes	438	76	23	11	32	142	28	23	13	206	25	32	80	55	40
Measles (6)	6													2	4
Scarlet fever (7)	1						1			1					
Whooping cough (8)	4											1	1		2
Diphtheria and croup (9)	3										1		1		1
Influenza (10)	3												1		2
Dysentery (14)	2												1		1
Erysipelas (18)	2										1		1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1											1			
Tuberculous meningitis (30)	3												1		2
Other forms of tuberculosis (31–35)															
Syphilis (37)	8				1	1	1			2	1		4		1
Meningitis (61)	5						1			1	1		1		2
Convulsions (71)	1			1		1				1					
Organic diseases of the heart (79)	4										3		1		
Acute bronchitis (89)	6								1	1		2	1	2	
Pneumonia (92)	3												1	2	
Bronchopneumonia (91)	52						1	1	4	6	5	9	13	11	8
Diseases of the stomach (102, 103)	6							1		1			4	1	
Diarrhea and enteritis (104)	112				1	1	3	7	5	16	5	7	37	32	15
Congenital malformations (150)	16	4	2	1	4	11	1			12		2	2		
Premature birth (151a)	111	55	12	7	14	88	8	9	1	106	4	1			
Congenital debility, etc. (151b, 152b, 153)	35	2	4		4	10	8	2		20	2	4	8	1	
Injuries at birth (152a)	28	15	4	2	6	27				27		1			
External causes (164–186)	2											1			1
Unknown or ill-defined diseases (187–189)	2		1			1				1		1			
All other causes	22				2	2	4	3	2	11	2	2	2	4	1
YONKERS, N. Y.															
All causes	212	30	16	14	19	79	8	9	9	105	13	13	30	31	20
Measles (6)	1													1	
Scarlet fever (7)	1														1
Whooping cough (8)	8												2	3	3
Diphtheria and croup (9)															
Influenza (10)	4							1		1				1	2
Dysentery (14)															
Erysipelas (18)	1										1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)	3										1		1	1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	4							1		1			1	2	
Meningitis (61)	1													1	
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	6		1			1			2	3	1	2			
Pneumonia (92)	6			1		1				1			3		2
Bronchopneumonia (91)	24				1	1	1	1	1	4	4	4	5	4	3
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	47						1	1	4	6	4	7	10	14	6
Congenital malformations (150)	14	1	2	3	5	11		1		12			1	1	
Premature birth (151a)	44	15	8	7	7	37	4	3		44					
Congenital debility, etc. (151b, 152b, 153)	22	8	3	2	1	14	2	1	2	19	2		1		
Injuries at birth (152a)	14	6	2	1	5	14				14					
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	11												6	2	3
AKRON, OHIO.															
All causes	452	83	31	22	37	173	29	24	18	244	38	25	69	39	37
Measles (6)	13							1		1			2	3	7
Scarlet fever (7)	1														1
Whooping cough (8)	11							1		1	2		5	3	
Diphtheria and croup (9)	1														1
Influenza (10)	9										1	2	3	2	1
Dysentery (14)															
Erysipelas (18)	3							1		1	2				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4											1		2	1
Tuberculous meningitis (30)	2													1	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	9	1				1	2			3	1	2	1	2	
Meningitis (61)	5							1		1	1	1	2		
Convulsions (71)	2				1	1			1	2					
Organic diseases of the heart (79)	1										1				
Acute bronchitis (89)	5							2		2			1	1	1
Pneumonia (92)	19				1	1	1	1		3	1	1	4	4	6
Bronchopneumonia (91)	63			1	2	3	3	1	3	10	7	10	18	9	9
Diseases of the stomach (102, 103)	6						2		1	3	1	1	1		
Diarrhea and enteritis (104)	38				1	1		1	4	6	4	3	15	7	3
Congenital malformations (150)	39	10	4	2	8	24	3	3	3	33	1	2	2		1
Premature birth (151a)	124	54	14	12	11	91	12	12	3	118	3	2			1
Congenital debility, etc. (151b, 152b, 153)	38	8	5	3	5	21	3		1	25	6		6		1
Injuries at birth (152a)	21	9	6	2	4	21				21					
External causes (164–186)	7	1	2	1	1	5			1	6			1		
Unknown or ill-defined diseases (187–189)	2			1		1				1	1				
All other causes	29				3	3	3		1	7	6		8	5	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII). REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CINCINNATI, OHIO (TOTAL).															
All causes	644	124	35	22	51	232	36	21	23	312	56	46	96	77	67
Measles (6)	15												2	5	8
Scarlet fever (7)															
Whooping cough (8)	11								1	1	1	1	6		2
Diphtheria and croup (9)	4							1		1	1				2
Influenza (10)	9											2	1	2	4
Dysentery (14)															
Erysipelas (18)	2								1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4												2	2	
Tuberculous meningitis (30)	7										1		3	1	2
Other forms of tuberculosis (31–35)															
Syphilis (37)	15	1	1		3	5	1		1	7	1	2	2	2	1
Meningitis (61)	2												1		1
Convulsions (71)	8				3	3				3			2	2	1
Organic diseases of the heart (79)	3													3	
Acute bronchitis (89)	15								1	1	2	4	5	2	1
Pneumonia (92)	18							1	1	2	2	4	4	2	4
Bronchopneumonia (91)	65				1	1	3	2	2	8	6	5	20	15	11
Diseases of the stomach (102, 103)	3										1	1		1	
Diarrhea and enteritis (104)	113				2	2	4	2	7	15	8	17	30	33	10
Congenital malformations (150)	53	12	5	3	12	32	2	3	1	38	8	2	2	2	1
Premature birth (151a)	173	79	22	11	17	129	15	9	5	158	10	1	2	1	1
Congenital debility, etc. (151b, 152b, 153)	40	10	1	1	6	18	6	1	1	26	6	1	4	2	1
Injuries at birth (152a)	40	21	5	4	6	36	1			37	3				
External causes (164–186)	8			1		1				1	1		2		4
Unknown or ill-defined diseases (187–189)	5		1	1		2				2		2	1		
All other causes	31	1		1	1	3	4	2	2	11	4	4	7	2	3
CINCINNATI, OHIO (WHITE).															
All causes	548	110	33	21	44	208	34	17	19	278	51	39	79	54	47
Measles (6)	15												2	5	8
Scarlet fever (7)															
Whooping cough (8)	9										1	1	5		2
Diphtheria and croup (9)	3										1			2	2
Influenza (10)	6											2	1	1	2
Dysentery (14)															
Erysipelas (18)	2								1	1	1				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	4												2	2	
Tuberculous meningitis (30)	6										1		3	1	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	12	1	1		1	3	1		1	5	1	2	2	1	1
Meningitis (61)	1														1
Convulsions (71)	8				3	3				3			2	2	1
Organic diseases of the heart (79)	3													3	
Acute bronchitis (89)	10								1	1	1	3	4		1
Pneumonia (92)	9							1		1	2	2	2		2
Bronchopneumonia (91)	47				1	1	2	2	2	7	6	4	14	8	8
Diseases of the stomach (102, 103)	3										1	1		1	
Diarrhea and enteritis (104)	100				2	2	4	2	6	14	8	16	23	25	9
Congenital malformations (150)	53	12	5	3	12	32	2	3	1	38	8	2	2	2	1
Premature birth (151a)	154	68	20	11	15	114	15	7	5	141	9	1	2		1
Congenital debility, etc. (151b, 152b, 153)	31	8	1	1	3	13	6			19	5	1	3	2	1
Injuries at birth (152a)	37	20	5	4	6	35				35	2				
External causes (164–186)	6			1		1				1			2		3
Unknown or ill-defined diseases (187–189)	2		1	1		2				2					
All other causes	27	1			1	2	4	2	2	10	4	4	5	1	3
CINCINNATI, OHIO (COLORED).															
All causes	96	14	2	1	7	24	2	4	4	34	5	7	17	23	10
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	2								1	1			1		
Diphtheria and croup (9)	1							1		1					
Influenza (10)	3													1	2
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	3				2	2				2				1	
Meningitis (61)	1												1		
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	5										1	1	1	2	
Pneumonia (92)	9								1	1		2	2	2	2
Bronchopneumonia (91)	18						1			1		1	6	7	3
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	13								1	1		1	2	8	1
Congenital malformations (150)															
Premature birth (151a)	19	11	2		2	15		2		17	1			1	
Congenital debility, etc. (151b, 152b, 153)	9	2			3	5		1	1	7	1		1		
Injuries at birth (152a)	3	1				1	1			2	1				
External causes (164–186)	2										1				1
Unknown or ill-defined diseases (187–189)	3											2	1		
All other causes	4			1		1				1			2	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
CLEVELAND, OHIO (TOTAL).															
All causes	1,692	267	106	84	122	579	95	81	42	797	108	111	258	241	177
Measles (6)	15							1		1			3	3	8
Scarlet fever (7)	1													1	
Whooping cough (8)	40							1	1	2	5	2	12	12	7
Diphtheria and croup (9)	6							1		1		1		2	2
Influenza (10)	31								3	3	2	1	7	11	7
Dysentery (14)	2											1		1	
Erysipelas (18)	4										1		2	1	
Tetanus (24)	2						2			2					
Tuberculosis of the lungs (28, 29)	7										1	1	2	2	1
Tuberculous meningitis (30)	9												1	6	2
Other forms of tuberculosis (31–35)															
Syphilis (37)	18	1	3	1	2	7	1			8	2	2	4	1	1
Meningitis (61)	4							1		1				3	
Convulsions (71)	44	2	3	1	4	10	2	3	1	16	3	1	9	14	1
Organic diseases of the heart (79)	2											1			1
Acute bronchitis (89)	50			2	2			1	3	6	13	6	11	7	7
Pneumonia (92)	52		1	1	2			1	1	4	4	4	13	12	15
Bronchopneumonia (91)	195		4	3	7	4	5	6		22	21	13	41	47	51
Diseases of the stomach (102, 103)	17			1	1	1	2			4	1	3	5	4	
Diarrhea and enteritis (104)	359		1	4	5	10	16	7		38	26	47	104	89	55
Congenital malformations (150)	126	26	20	12	25	83	11	8	1	103	7	3	6	4	3
Premature birth (151a)	372	161	54	35	33	283	39	21	10	353	7	4	6	1	1
Congenital debility, etc. (151b, 152b, 153)	99	19	3	10	26	58	8	8	5	79	4	7	6	2	1
Injuries at birth (152a)	104	49	17	14	13	93	6	2	1	102	2				
External causes (164–186)	14				1	1				1		1	4	5	3
Unknown or ill-defined diseases (187–189)	45	8	5	4	2	19	4	2	2	27	2	5	5	3	3
All other causes	74	1	1	1	5	8	7	8	1	24	7	8	17	10	8
CLEVELAND, OHIO (WHITE).															
All causes	1,579	250	97	81	112	540	90	80	42	752	104	106	233	220	164
Measles (6)	15							1		1			3	3	8
Scarlet fever (7)	1													1	
Whooping cough (8)	35							1	1	2	5	2	11	10	5
Diphtheria and croup (9)	6							1		1		1		2	2
Influenza (10)	27								3	3	2	1	6	8	7
Dysentery (14)	2											1		1	
Erysipelas (18)	4										1		2	1	
Tetanus (24)	2						2			2					
Tuberculosis of the lungs (28, 29)	5										1	1	1	1	1
Tuberculous meningitis (30)	9												1	6	2
Other forms of tuberculosis (31–35)															
Syphilis (37)	16		3	1	2	6	1			7	1	2	4	1	1
Meningitis (61)	4							1		1				3	
Convulsions (71)	43	2	3	1	4	10	2	3	1	16	3	1	8	14	1
Organic diseases of the heart (79)	2											1			1
Acute bronchitis (89)	46				1	1		1	3	5	13	6	11	5	6
Pneumonia (92)	46			1	1	2		1	1	4	4	3	12	11	12
Bronchopneumonia (91)	173			4	1	5	4	5	6	20	20	12	33	40	48
Diseases of the stomach (102, 103)	17				1	1	1	2		4	1	3	5	4	
Diarrhea and enteritis (104)	350			1	4	5	10	16	7	38	26	46	101	86	53
Congenital malformations (150)	121	25	20	12	23	80	11	8	1	100	7	2	6	3	3
Premature birth (151a)	342	148	48	32	30	258	36	21	10	325	6	3	6	1	1
Congenital debility, etc. (151b, 152b, 153)	94	19	2	10	24	55	6	8	5	74	4	7	6	2	1
Injuries at birth (152a)	101	47	16	14	13	90	6	2	1	99	2				
External causes (164–186)	12				1	1				1		1	2	5	3
Unknown or ill-defined diseases (187–189)	39	8	4	4	2	18	4	2	2	26	1	5	2	3	2
All other causes	67	1	1	1	5	8	7	7	1	23	7	8	13	9	7
CLEVELAND, OHIO (COLORED).															
All causes	113	17	9	3	10	39	5	1		45	4	5	25	21	13
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	5												1	2	2
Diphtheria and croup (9)															
Influenza (10)	4												1	3	
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2												1	1	
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1				1				1	1				
Meningitis (61)															
Convulsions (71)	1												1		
Organic diseases of the heart (79)															
Acute bronchitis (89)	4				1	1				1				2	1
Pneumonia (92)	6											1	1	1	3
Bronchopneumonia (91)	22				2	2				2	1	1	8	7	3
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	9											1	3	3	2
Congenital malformations (150)	5	1		2		3				3		1		1	
Premature birth (151a)	30	13	6	3	3	25	3			28	1	1			
Congenital debility, etc. (151b, 152b, 153)	5		1		2	3	2			5					
Injuries at birth (152a)	3	2	1			3				3					
External causes (164–186)	2												2		
Unknown or ill-defined diseases (187–189)	6		1			1				1	1		3		1
All other causes	7							1		1			4	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months	3 to 5 months	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1290—Continued.															
COLUMBUS, OHIO.															
All causes	453	78	33	16	26	153	39	12	11	215	49	22	71	69	36
Measles (6)	5												2	1	2
Scarlet fever (7)	1										1				
Whooping cough (8)	19								1	1	2		5	7	4
Diphtheria and croup (9)	3												2		1
Influenza (10)	11						1			1	1	1	3	3	2
Dysentery (14)															
Erysipelas (18)	4										2	2			
Tetanus (24)															
Tuberculosis of the lungs (28, 19)	2													1	1
Tuberculous meningitis (30)	2												1		1
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1				1				1	1				
Meningitis (61)	6												4	1	1
Convulsions (71)	10		1			1		1		2	2	2	3	1	
Organic diseases of the heart (79)	4				1	1	1			2				1	1
Acute bronchitis (89)	3												3		
Pneumonia (92)	13						2			2	2		3	4	2
Bronchopneumonia (91)	48	1		1	1	3	3	3		9	6	3	8	11	11
Diseases of the stomach (102, 103)	4							1		1	1	1		1	
Diarrhea and enteritis (104)	48				1	1				1	6	5	8	21	7
Congenital malformations (150)	32	5	4	2	6	17	3		2	22	4		3	2	1
Premature birth (151a)	113	50	19	4	10	83	18	3	4	108	4	1			
Congenital debility, etc. (151b, 152b, 153)	87	15	7	3	4	29	7	3	2	41	15	7	20	3	1
Injuries at birth (152a)	15	3	2	6	2	13	1	1		15					
External causes (164–186)	4						1			1			3		
Unknown or ill-defined diseases (187–189)	2	1				1				1					
All other causes	15	2			1	3	2		2	7	2		2	3	1
DAYTON, OHIO.															
All causes	275	56	9	11	31	107	22	8	10	147	25	16	33	34	15
Measles (6)	5										1		1	2	1
Scarlet fever (7)															
Whooping cough (8)	15								1	1	2	4		4	4
Diphtheria and croup (9)	1														1
Influenza (10)	7	1				1				1			1	5	
Dysentery (14)															
Erysipelas (18)	1						1			1					
Tetanus (24)	1				1	1				1					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	7	1				1	1	1		3	1	1	2		
Meningitis (61)	5				1	1				1	1		2		1
Convulsions (71)	1												1		
Organic diseases of the heart (79)															
Acute bronchitis (89)	1										1				
Pneumonia (92)	9			1		1	1	1		3	1	1	1	1	2
Bronchopneumonia (91)	31	1		2	1	4	3	2	1	10	3	2	8	7	1
Diseases of the stomach (102, 103)	4											2	1	1	
Diarrhea and enteritis (104)	32						1		1	2	5	4	9	9	3
Congenital malformations (150)	27	7	3	2	5	17	2			19	3		5		
Premature birth (151a)	71	36	4	5	11	56	6	2	4	68	3				
Congenital debility, etc. (151b, 152b, 153)	23	5	1		6	12	2	1	2	17	2		4		
Injuries at birth (152a)	11	5			4	9	2			11					
External causes (164–186)	2						1			1			1		
Unknown or ill-defined diseases (187–189)	1			1		1				1					
All other causes	19		1		2	3	2	1	1	7	2	2	2	4	2
TOLEDO, OHIO.															
All causes	473	105	19	20	28	172	22	15	21	230	34	28	83	53	45
Measles (6)	7												1	4	2
Scarlet fever (7)															
Whooping cough (8)	14												2	6	6
Diphtheria and croup (9)															
Influenza (10)	6											1	1	1	3
Dysentery (14)															
Erysipelas (18)	1							1		1					
Tetanus (24)	1								1	1					
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)	3													2	1
Other forms of tuberculosis (31–35)															
Syphilis (37)	9	1			1	2			2	4	1	1	2	1	
Meningitis (61)	1										1				
Convulsions (71)	5				1	1	1	2		4	1				
Organic diseases of the heart (79)															
Acute bronchitis (89)	6						1		1	2			2	1	1
Pneumonia (92)	16			1		1				1	2	1	5	2	5
Bronchopneumonia (91)	47			1	1	2	2		3	7	6	3	13	7	11
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	96	1			1	2	1			3	11	13	38	20	11
Congenital malformations (150)	46	15	1	5	6	27	3	3	4	37	2	3	1	2	1
Premature birth (151a)	105	62	11	6	4	83	9	4	4	100	3	1	1		
Congenital debility, etc. (151b, 152b, 153)	52	10	2	5	6	23	2	4	4	33	4	3	12		
Injuries at birth (152a)	27	14	5	2	5	26				26	1				
External causes (164–186)	3	1				1			1	2				1	
Unknown or ill-defined diseases (187–189)															
All other causes	26	1			3	4	3	1	1	9	1	2	5	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
YOUNGSTOWN, OHIO.															
All causes	375	49	21	12	31	113	24	17	11	165	26	33	53	57	41
Measles (6)															
Scarlet fever (7)	2											1		1	
Whooping cough (8)	6										1		3	1	1
Diphtheria and croup (9)															
Influenza (10)	5												1	3	1
Dysentery (14)															
Erysipelas (18)	6								2	2	3	1			
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2												1	1	
Tuberculous meningitis (30)	3											1	1	1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	12		1	1	1	3	1	1		5	1	3	1		2
Meningitis (61)	1										1				
Convulsions (71)	2				1	1				1				1	
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	4						1			1			1		2
Pneumonia (92)	16						1			1		2	4	3	6
Bronchopneumonia (91)	68			1	4	5	2	3	4	14	6	6	13	19	10
Diseases of the stomach (102, 103)	5							1		1	1	1	1	1	
Diarrhea and enteritis (104)	81		1		1	2	3	3	1	9	5	14	21	17	15
Congenital malformations (150)	18	3		1	5	9	3	2	1	15	1				2
Premature birth (151a)	70	34	10	4	6	54	3	4	3	64	4		2		
Congenital debility, etc. (151b, 152b, 153)	30	5	4	1	7	17	4	2		23	3	2	1	1	
Injuries at birth (152a)	16	3	4	3	4	14	1	1		16					
External causes (164–186)	5			1	1	2				2				2	1
Unknown or ill-defined diseases (187–189)	9	4	1			5	2			7		1	1		
All other causes	13				1	1	3			4		1	2	5	1
PORTLAND, OREG.															
All causes	310	80	22	15	33	150	24	12	13	199	13	15	41	26	16
Measles (6)	3						1	1		2				1	
Scarlet fever (7)															
Whooping cough (8)	12										1		5	4	2
Diphtheria and croup (9)															
Influenza (10)	1													1	
Dysentery (14)	1												1		
Erysipelas (18)	5						1		1	2	2	1			
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)	5								1	1			4		
Other forms of tuberculosis (31–35)															
Syphilis (37)	7	3	1		2	6				6			1		
Meningitis (61)	2				1	1				1				1	
Convulsions (71)	2				1	1				1				1	
Organic diseases of the heart (79)	2												2		
Acute bronchitis (89)															
Pneumonia (92)	15				2	2	2		2	6		2	3	2	2
Bronchopneumonia (91)	27						1	1	1	3	3	5	7	3	6
Diseases of the stomach (102, 103)	3						1			1		1	1		
Diarrhea and enteritis (104)	18						1	1	1	3	2		6	5	2
Congenital malformations (150)	34	5	6	1	5	17	5		1	23	3	2	4	2	
Premature birth (151a)	85	53	7	3	5	68	7	5	2	82	1	1	1		
Congenital debility, etc. (151b, 152b, 153)	33	5	6	4	11	26	3	1	1	31		1		1	
Injuries at birth (152a)	28	12	2	7	5	26		2		28					
External causes (164–186)	6	1				1			3	4				2	
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	19				1	1	2	1		4	1	2	6	2	4
PHILADELPHIA, PA. (TOTAL).															
All causes	3,956	468	167	138	260	1,033	233	159	138	1,563	378	297	711	530	477
Measles (6)	47						1			1	1	1	6	15	23
Scarlet fever (7)	8												2	4	2
Whooping cough (8)	56								3	3	4	2	13	18	16
Diphtheria and croup (9)	37							2	1	3		1	8	4	21
Influenza (10)	44	1				1	1	3		5	2	1	11	14	11
Dysentery (14)	4												2		2
Erysipelas (18)	21				1	1	1	1	2	5	7	2	4	3	
Tetanus (24)	2						2			2					
Tuberculosis of the lungs (28, 29)	17			1	1	2				2	1	1	3	5	5
Tuberculous meningitis (30)	25							1		1	1	3	6	5	9
Other forms of tuberculosis (31–35)	6											1	2	1	2
Syphilis (37)	60	8	1	1	7	17	6	2	3	28	9	4	10	7	2
Meningitis (61)	30							1		1		3	10	9	7
Convulsions (71)	27		2		1	3	1	2	1	7	2	1	7	7	3
Organic diseases of the heart (79)	17						1	1	1	3	3	4	2	3	2
Acute bronchitis (89)	37	1		1		2	7	5	3	17	6	8	22	18	16
Pneumonia (92)	161	1	1	1	1	4		6	8	18	12	16	30	37	48
Bronchopneumonia (91)	538	1	4	3	11	19	16	13	14	62	66	50	115	129	116
Diseases of the stomach (102, 103)	44			1	1	2	2	2	1	7	6	7	12	7	5
Diarrhea and enteritis (104)	969		1	2	14	17	26	36	30	109	148	122	294	165	131
Congenital malformations (150)	348	66	26	24	58	174	44	21	13	252	28	15	30	10	13
Premature birth (151a)	664	283	90	59	59	491	74	30	29	624	23	6	7	3	1
Congenital debility, etc. (151b, 152b, 153)	380	53	18	27	64	162	28	19	14	223	42	32	58	21	4
Injuries at birth (152a)	126	49	19	14	26	108	13	3		124	1	1			
External causes (164–186)	22	1	1			2			3	5	2	3	8	2	2
Unknown or ill-defined diseases (187–189)	1														1
All other causes	215	4	4	4	16	28	10	11	12	61	14	13	49	43	35

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
PHILADELPHIA, PA. (WHITE).															
All causes	3,391	421	142	118	226	907	207	136	122	1,372	343	267	607	422	3[illegible]0
Measles (6)	41						1			1	1	1	4	14	20
Scarlet fever (7)	7												2	3	2
Whooping cough (8)	45								3	3	4	2	10	15	11
Diphtheria and croup (9)	36							2	1	3		1	8	4	20
Influenza (10)	35	1				1	1	3		5	2	1	11	9	7
Dysentery (14)	3												1		2
Erysipelas (18)	19				1	1	1	1	2	5	7	1	3	3	
Tetanus (24)	2						2			2					
Tuberculosis of the lungs (28, 29)	11			1		1				1		1	2	3	4
Tuberculous meningitis (30)	20							1		1	1	2	5	5	6
Other forms of tuberculosis (31–35)	5											1	1	1	2
Syphilis (37)	34	4	1	1	2	8	3	2	2	15	8	1	6	3	1
Meningitis (61)	25											3	9	7	6
Convulsions (71)	23		2		1	3	1	1	1	6	2	1	6	5	3
Organic diseases of the heart (79)	16						1	1	1	3	3	4	2	2	2
Acute bronchitis (89)	72	1		1		2	6	5	3	16	5	6	22	12	11
Pneumonia (92)	128	1	1		1	3		4	8	15	9	15	26	28	33
Bronchopneumonia (91)	413	1	4	2	11	18	15	8	12	53	58	42	85	90	8[illegible]
Diseases of the stomach (102, 103)	39					1	2	2	1	6	5	7	10	6	6
Diarrhea and enteritis (104)	875		1	1	12	14	22	32	29	97	139	116	263	143	117
Congenital malformations (150)	329	61	23	23	56	163	44	21	12	240	26	14	29	9	11
Premature birth (151a)	579	253	74	47	52	426	65	28	24	543	19	6	7	3	1
Congenital debility, etc. (151b, 152b, 153)	319	46	16	25	53	140	24	14	8	186	37	27	47	19	3
Injuries at birth (152a)	119	48	16	13	26	103	11	3		117	1	1			
External causes (164–186)	19	1	1			2			3	5	2	2	7	2	1
Unknown or ill-defined diseases (187–189)	1														1
All other causes	176	4	3	3	11	21	8	8	12	49	14	12	41	36	21
PHILADELPHIA, PA. (COLORED).															
All causes	565	47	25	20	34	126	26	23	16	191	35	30	104	103	97
Measles (6)	6												2	1	3
Scarlet fever (7)	1													1	
Whooping cough (8)	11												3	3	5
Diphtheria and croup (9)	1														1
Influenza (10)	9													5	4
Dysentery (14)	1												1		
Erysipelas (18)	2											1	1		
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	6				1	1				1	1		1	2	1
Tuberculous meningitis (30)	5											1	1		3
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	26	4			5	9	3		1	13	1	3	4	4	1
Meningitis (61)	5							1		1			1	2	1
Convulsions (71)	4							1		1			1	2	
Organic diseases of the heart (79)	1													1	
Acute bronchitis (89)	15						1			1	1	2		6	5
Pneumonia (92)	33			1		1		2		3	3	1	4	9	13
Bronchopneumonia (91)	125			1		1	1	5	2	9	8	8	30	30	31
Diseases of the stomach (102, 103)	5				1	1				1	1		2	1	
Diarrhea and enteritis (104)	94			1	2	3	4	4	1	12	9	6	31	22	14
Congenital malformations (150)	19	5	3	1	2	11			1	12	2	1	1	1	2
Premature birth (151a)	85	30	16	12	7	65	9	2	5	81	4				
Congenital debility, etc. (151b, 152b, 153)	61	7	2	2	11	22	4	5	6	37	5	5	11	2	1
Injuries at birth (152a)	7	1	3	1		5	2			7					
External causes (164–186)	3											1	1		1
Unknown or ill-defined diseases (187–189)															
All other causes	39		1	1	5	7	2	3		12		1	8	7	11
PITTSBURGH, PA. (TOTAL).															
All causes	1,641	260	77	63	110	510	82	66	64	722	106	111	289	241	172
Measles (6)	27	1			1	2				2		1	2	7	15
Scarlet fever (7)															
Whooping cough (8)	41							1		1	5	2	9	13	11
Diphtheria and croup (9)	12											1	1	5	5
Influenza (10)	30							1		1	2	4	7	11	5
Dysentery (14)	2										1			1	
Erysipelas (18)	6				1	1	1			2	2		1	1	
Tetanus (24)	1		1			1				1					
Tuberculosis of the lungs (28, 29)	7								1	1			2	3	1
Tuberculous meningitis (30)	13												7	2	4
Other forms of tuberculosis (31–35)	2											1		1	
Syphilis (37)	44	6	2	1	4	13	3	4	2	22	7	4	6	3	2
Meningitis (61)	12				1	1	1			2	1		6	1	2
Convulsions (71)	7				1	1	1		2	4		1		2	
Organic diseases of the heart (79)	5						1			1	1			1	2
Acute bronchitis (89)	27								2	2	3	3	6	7	6
Pneumonia (92)	75				1	1		2	2	5	5	6	29	16	14
Bronchopneumonia (91)	206		3		2	5	6	6	8	25	11	22	50	60	33
Diseases of the stomach (102, 103)	14				2	2	1		3	6	3	2	3		
Diarrhea and enteritis (104)	376		1	3	4	8	7	9	12	36	32	42	128	88	50
Congenital malformations (150)	145	26	16	9	25	76	15	10	12	113	10	4	8	7	3
Premature birth (151a)	366	178	42	29	38	287	27	19	14	347	10	5	3	1	
Congenital debility, etc. (151b, 152b, 153)	77	20	6	12	10	48	5	6	3	62	5	5	4	1	
Injuries at birth (152a)	69	29	5	8	16	58	7	3	1	69					
External causes (164–186)	14				1	1				1	2	2	2	1	6
Unknown or ill-defined diseases (187–189)	1											1			
All other causes	62		1	1	3	5	7	5	2	19	6	[illegible]	15	9	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
PITTSBURGH, PA. (WHITE).															
All causes	1,508	245	74	58	105	482	75	60	60	677	95	98	266	218	154
Measles (6)	26	1				1				1		1	2	7	15
Scarlet fever (7)															
Whooping cough (8)	36						1			1	5	2	7	12	9
Diphtheria and croup (9)	11												1	5	5
Influenza (10)	27						1			1	2	4	7	9	4
Dysentery (14)															
Erysipelas (18)	6			1	1	1				2	2		1	1	
Tetanus (24)	1		1		1					1					
Tuberculosis of the lungs (28, 29)	4												2	1	1
Tuberculous meningitis (30)	13												7	2	4
Other forms of tuberculosis (31–35)	2											1		1	
Syphilis (37)	39	6	1	1	4	12	3	3	2	20	6	3	5	3	2
Meningitis (61)	11				1	1	1			2	1		5	1	2
Convulsions (71)	7				1	1	1		2	4		1		2	
Organic diseases of the heart (79)	5						1			1	1			1	2
Acute bronchitis (89)	23								2	2	3	3	4	7	4
Pneumonia (92)	65				1	1		2	2	5	4	4	27	12	13
Bronchopneumonia (91)	183		3		2	5	6	6	8	25	10	18	46	54	30
Diseases of the stomach (102, 103)	13				2	2	1		3	6	3	1	3		
Diarrhea and enteritis (104)	347		1	3	3	7	6	9	12	34	28	39	118	82	46
Congenital malformations (150)	139	24	16	8	25	73	15	9	12	109	10	4	7	6	3
Premature birth (151a)	341	168	40	27	36	271	23	16	12	322	10	5	3	1	
Congenital debility, etc. (151b, 152b, 153)	66	17	6	10	9	42	4	5	2	53	3	5	4	1	
Injuries at birth (152a)	68	29	5	8	16	58	6	3	1	68					
External causes (164–186)	13				1	1				1	1	2	2	1	6
Unknown or ill-defined diseases (187–189)	1											1			
All other causes	61		1	1	3	5	7	5	2	19	6	4	15	9	8
PITTSBURGH, PA. (COLORED).															
All causes	133	15	3	5	5	28	7	6	4	45	11	13	23	23	18
Measles (6)	1				1	1				1					
Scarlet fever (7)															
Whooping cough (8)	5												2	1	2
Diphtheria and croup (9)	1											1			
Influenza (10)	3													2	1
Dysentery (14)	2										1			1	
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3								1	1				2	
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	5		1			1		1		2	1	1	1		
Meningitis (61)	1												1		
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	4												2		2
Pneumonia (92)	10										1	2	2	4	1
Bronchopneumonia (91)	23										1	4	4	6	8
Diseases of the stomach (102, 103)	1											1			
Diarrhea and enteritis (104)	29				1	1	1			2	4	3	10	6	4
Congenital malformations (150)	6	2		1		3		1		4			1	1	
Premature birth (151a)	25	10	2	2	2	16	4	3	2	25					
Congenital debility, etc. (151b, 152b, 153)	11	3		2	1	6	1	1	1	9	2				
Injuries at birth (152a)	1						1			1					
External causes (164–186)	1										1				
Unknown or ill-defined diseases (187–189)															
All other causes	1											1			
READING, PA.															
All causes	256	39	14	9	26	88	24	8	8	128	22	18	41	24	23
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	6										2		2	1	1
Diphtheria and croup (9)	1														1
Influenza (10)	5											1	3		1
Dysentery (14)	4										1			2	1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2													1	1
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	2				1	1				1	1				
Meningitis (61)	2						1			1		1			
Convulsions (71)	4		1			1				1			1	2	
Organic diseases of the heart (79)	3			1	1	2				2	1				
Acute bronchitis (89)	4								2	2		1	1		
Pneumonia (92)	7						1			1			4	1	1
Bronchopneumonia (91)	16				2	2	1			3	1	1	5	3	3
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	73			2	4	6	5	1	1	13	9	10	19	11	11
Congenital malformations (150)	21	1	3	3	5	12	2	1		15	2	2	1	1	
Premature birth (151a)	54	28	8	1	6	43	6	4	1	54					
Congenital debility, etc. (151b, 152b, 153)	15	3		1	2	6	3	2	1	12	1		2		
Injuries at birth (152a)	14	7	2		3	12	2			14					
External causes (164–186)	6			1	1	2			1	3		1			2
Unknown or ill-defined diseases (187–189)															
All other causes	14				1	1	3		2	6	3	1	3	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
SCRANTON, PA.															
All causes	352	57	19	17	28	121	19	9	10	159	36	19	63	52	23
Measles (6)	7												2	1	4
Scarlet fever (7)															
Whooping cough (8)	9							1	1	2	3		2	2	
Diphtheria and croup (9)	1													1	
Influenza (10)	4			1		1				1		1	2		
Dysentery (14)															
Erysipelas (18)	1										1				
Tetanus (24)	1				1	1				1					
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	4												2	1	1
Other forms of tuberculosis (31–35)	1														1
Syphilis (37)	1													1	
Meningitis (61)	2													2	
Convulsions (71)	8	1	1		2	4	1	2		7		1			
Organic diseases of the heart (79)															
Acute bronchitis (89)	12			1		1	1		1	3	2	1	4	2	
Pneumonia (92)	13								2	2	1	1	3	3	3
Bronchopneumonia (91)	43						2	2	1	5	6	5	12	10	5
Diseases of the stomach (102, 103)	5				2	2		1		3	1		1		
Diarrhea and enteritis (104)	80				2	2	4	2	2	10	12	6	21	24	7
Congenital malformations (150)	20	4		4	3	11	5			16	1		3		
Premature birth (151a)	74	36	14	7	7	64	3	1	3	71	3				
Congenital debility, etc. (151b, 152b, 153)	30	7	3	2	5	17	1			18	4	2	5	1	
Injuries at birth (152a)	12	8	1	1	2	12				12					
External causes (164–186)	3										1	1		1	
Unknown or ill-defined diseases (187–189)	4	1			2	3				3			1		
All other causes	16			1	2	3	2			5	1	1	5	3	1
PROVIDENCE, R. I.															
All causes	586	121	31	27	36	215	23	22	22	282	42	38	94	71	59
Measles (6)	7												1	3	3
Scarlet fever (7)	1								1	1					
Whooping cough (8)	20								1	1	2	4	2	5	6
Diphtheria and croup (9)	3								1	1				1	1
Influenza (10)	19						1		1	2	1		8	3	5
Dysentery (14)	1				1	1				1					
Erysipelas (18)	4							1		1	1		1	1	
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	6											1	2	1	2
Tuberculous meningitis (30)	6												3	2	1
Other forms of tuberculosis (31–35)	4										1		1	1	1
Syphilis (37)	5				1	1				1			4		
Meningitis (61)	6										1		2	3	
Convulsions (71)	5						1	1		2			1	1	1
Organic diseases of the heart (79)															
Acute bronchitis (89)	12							3		3	3	1	1	2	2
Pneumonia (92)	31						5			5	1	2	5	10	8
Bronchopneumonia (91)	48						2	1	3	6	7	4	11	13	7
Diseases of the stomach (102, 103)	1										1				
Diarrhea and enteritis (104)	86				1	1	1	2	2	6	11	15	31	11	12
Congenital malformations (150)	33	9	4	2	3	18	2	4	2	26	2	1	3	1	
Premature birth (151a)	119	59	17	10	11	97	5	5	4	111	3	2	3		
Congenital debility, etc. (151b, 152b, 153)	60	14	3	9	4	30	5	2	3	40	5	4	7	2	2
Injuries at birth (152a)	60	37	6	4	10	57	1		2	60					
External causes (164–186)	6				1	1				1			3		2
Unknown or ill-defined diseases (187–189)	6	1	1	1		3			1	4		2			
All other causes	37	1		1	4	6		3	1	10	3	2	5	11	6
MEMPHIS, TENN. (TOTAL).															
All causes	403	65	30	20	30	145	21	21	14	201	40	25	58	49	30
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	7											2		2	3
Diphtheria and croup (9)	1													1	
Influenza (10)	11						1	1		2	2		2	4	1
Dysentery (14)															
Erysipelas (18)	2							1	1	2					
Tetanus (24)	1			1		1				1					
Tuberculosis of the lungs (28, 29)	3											1	1	1	
Tuberculous meningitis (30)	2													2	
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	24	2	1		4	7	2		1	10	1	4	4	4	1
Meningitis (61)	6											1	3	2	
Convulsions (71)	4				1	1				1			3		
Organic diseases of the heart (79)															
Acute bronchitis (89)	3												2	1	
Pneumonia (92)	13			2		2	2			4	1		3	4	1
Bronchopneumonia (91)	27				2	2	1	2		5	4	1	10	6	1
Diseases of the stomach (102, 103)	4							1	1	2		1		1	
Diarrhea and enteritis (104)	53				1	1	1	1	3	6	5	4	10	14	14
Congenital malformations (150)	13	2	1	1	4	8			1	9			3	1	
Premature birth (151a)	100	43	17	10	5	75	7	5	3	90	7	1	1		1
Congenital debility, etc. (151b, 152b, 153)	23	6	2	1	2	11	2		3	16	5		2		
Injuries at birth (152a)	14	4	3	1	5	13		1		14					
External causes (164–186)	10			2		2				2	1	1	3	1	2
Unknown or ill-defined diseases (187–189)	47	8	5	1	3	17	3	5	1	26	9	5	3	2	2
All other causes	34		1	1	3	5	2	4		11	5	4	7	3	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
MEMPHIS, TENN. (WHITE).															
All causes	201	34	16	10	18	78	5	7	8	98	22	9	28	26	18
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	4											1		1	2
Diphtheria and croup (9)															
Influenza (10)	5										1			3	1
Dysentery (14)															
Erysipelas (18)	2							1	1	2					
Tetanus (24)	1			1		1				1					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	15	1	1		3	5			1	6	1	2	3	3	
Meningitis (61)	3												2	1	
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)															
Acute bronchitis (89)	2												2		
Pneumonia (92)	2												1	1	
Bronchopneumonia (91)	10				1	1		1		2	1	1	6		
Diseases of the stomach (102, 103)	2							1		1				1	
Diarrhea and enteritis (104)	36						1		1	2	5	3	5	11	10
Congenital malformations (150)	12	1	1	1	4	7			1	8			3	1	
Premature birth (151a)	55	23	8	6	3	40	3	1	3	47	5	1	1		1
Congenital debility, etc. (151b, 152b, 153)	12	4	1		1	6	1		1	8	3		1		
Injuries at birth (152a)	10	3	2		4	9		1		10					
External causes (164–186)	3			1		1				1		1			1
Unknown or ill-defined diseases (187–189)	8	2	2			4		1		5	2			1	
All other causes	16		1	1	1	3		1		4	4		3	2	3
MEMPHIS, TENN. (COLORED).															
All causes	202	31	14	10	12	67	16	14	6	103	18	16	30	23	12
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	3											1		1	1
Diphtheria and croup (9)	1													1	
Influenza (10)	6						1	1		2	1		2	1	
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3											1	1	1	
Tuberculous meningitis (30)	1													1	
Other forms of tuberculosis (31–35)															
Syphilis (37)	9	1			1	2	2			4		2	1	1	1
Meningitis (61)	3											1	1	1	
Convulsions (71)	3												3		
Organic diseases of the heart (79)															
Acute bronchitis (89)	1													1	
Pneumonia (92)	11			2		2	2			4	1		2	3	1
Bronchopneumonia (91)	17				1	1	1	1		3	3		4	6	1
Diseases of the stomach (102, 103)	2								1	1		1			
Diarrhea and enteritis (104)	17				1	1		1	2	4		1	5	3	4
Congenital malformations (150)	1	1				1				1					
Premature birth (151a)	45	20	9	4	2	35	4	4		43	2				
Congenital debility, etc. (151b, 152b, 153)	11	2	1	1	1	5	1		2	8	2		1		
Injuries at birth (152a)	4	1	1	1	1	4				4					
External causes (164–186)	7			1		1				1	1		3	1	1
Unknown or ill-defined diseases (187–189)	39	6	3	1	3	13	3	4	1	21	7	5	3	1	2
All other causes	18				2	2	2	3		7	1	4	4	1	1
NASHVILLE, TENN. (TOTAL).															
All causes	294	45	11	7	14	77	12	15	9	113	24	37	48	46	26
Measles (6)	2												1		1
Scarlet fever (7)															
Whooping cough (8)	22								1	1	1	8	4	4	4
Diphtheria and croup (9)															
Influenza (10)	18				1	1	1	1		3	1	6	4	3	1
Dysentery (14)	3											1		2	
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	2														2
Other forms of tuberculosis (31–35)	1												1		
Syphilis (37)	5						1		1	2		1		2	
Meningitis (61)															
Convulsions (71)	2				1	1				1				1	
Organic diseases of the heart (79)	1						1			1					
Acute bronchitis (89)	4								1	1	1	1			1
Pneumonia (92)	14										1	4	3	5	1
Bronchopneumonia (91)	27							1	1	2	2	4	7	7	5
Diseases of the stomach (102, 103)	5						1			1	1	2		1	
Diarrhea and enteritis (104)	42							3		3	3	3	12	14	7
Congenital malformations (150)	9	1	1		1	3	2			5	1	2	1		
Premature birth (151a)	49	29	5	1	6	41	2	2	2	47	1		1		
Congenital debility, etc. (151b, 152b, 153)	56	8	3	2	5	18	3	5	2	28	11	5	9	1	2
Injuries at birth (152a)	9	5	2	1		8		1		9					
External causes (164–186)	3						1			1	1				1
Unknown or ill-defined diseases (187–189)	10	2		2		4		1		5			2	3	
All other causes	10			1		1		1	1	3			3	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NASHVILLE, TENN. (WHITE).															
All causes	199	34	10	3	12	59	9	8	5	81	20	27	32	23	16
Measles (6)	2												1		1
Scarlet fever (7)															
Whooping cough (8)	14								1	1	1	6	3	1	2
Diphtheria and croup (9)															
Influenza (10)	9				1	1		1		2		2	3	2	
Dysentery (14)	2											1		1	
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	4								1	1		1		2	
Meningitis (61)															
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)	1						1			1					
Acute bronchitis (89)	3								1	1	1	1			
Pneumonia (92)	6											2	1	2	1
Bronchopneumonia (91)	12										2	2	2	4	2
Diseases of the stomach (102, 103)	5						1			1	1	2		1	
Diarrhea and enteritis (104)	26							2		2	3	3	8	5	3
Congenital malformations (150)	9	1	1		1	3	2			5	1	2	1		
Premature birth (151a)	41	24	5	1	5	35	2	1	1	39	1		1		
Congenital debility, etc. (151b, 152b, 153)	46	5	2	2	4	13	2	4	1	20	10	5	8	1	2
Injuries at birth (152a)	6	4	2			6				6					
External causes (164–186)	2						1			1					1
Unknown or ill-defined diseases (187–189)	3												1	2	
All other causes	6												3	2	1
NASHVILLE, TENN. (COLORED).															
All causes	95	11	1	4	2	18	3	7	4	32	4	10	16	23	10
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	8											2	1	3	2
Diphtheria and croup (9)															
Influenza (10)	9						1			1	1	4	1	1	1
Dysentery (14)	1													1	
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tubreculosis (31–35)	1												1		
Syphilis (37)	1						1			1					
Meningitis (61)															
Convulsions (71)	1													1	
Organic diseases of the heart (79)															
Acute bronchitis (89)	1														1
Pneumonia (92)	8										1	2	2	3	
Bronchopneumonia (91)	15							1	1	2		2	5	3	3
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	16							1		1			4	9	2
Congenital malformations (150)															
Premature birth (151a)	8	5			1	6		1	1	8					
Congenital debility, etc. (151b, 152b, 153)	10	3	1		1	5	1	1	1	8	1		1		
Injuries at birth (152a)	3	1		1		2		1		3					
External causes (164–186)	1										1				
Unknown or ill-defined diseases (187–189)	7	2		2		4		1		5			1	1	
All other causes	4			1		1		1	1	3				1	
DALLAS, TEX. (TOTAL).															
All causes	294	51	18	12	15	96	16	6	14	132	36	26	53	25	22
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	3										2			1	
Diphtheria and croup (9)	2										1				1
Influenza (10)	14											2	6	4	2
Dysentery (14)	10										2		5	1	2
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	6								1	1	2	2	1		
Meningitis (61)	3												1	1	1
Convulsions (71)	1														1
Organic diseases of the heart (79)	4										2		2		
Acute bronchitis (89)	1											1			
Pneumonia (92)	10								2	2	2	3	2		1
Bronchopneumonia (91)	10			1		1				1	3		5		1
Diseases of the stomach (102, 103)	11			1	1	2				2	2	2	4	1	
Diarrhea and enteritis (104)	47						1	2	2	5	4	6	15	11	6
Congenital malformations (150)	16	1	1	1	2	5	2		1	8	2	1	5		
Premature birth (151a)	87	42	13	5	4	64	6	3	5	78	4	4	1		
Congenital debility, etc. (151b, 152b, 153)	31	3	2	3	4	12	6		1	19	4	2	4	1	1
Injuries at birth (152a)	13	5	2	1	4	12		1		13					
External causes (164–186)	5										3				2
Unknown or ill-defined diseases (187–189)															
All other causes	19						1		2	3	3	3	2	5	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
DALLAS, TEX. (WHITE).															
All causes	243	45	17	9	11	82	11	5	13	111	31	18	42	23	18
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	3										2			1	
Diphtheria and croup (9)	2										1				1
Influenza (10)	9												4	3	2
Dysentery (14)	10										2		5	1	2
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	5								1	1	2	1	1		
Meningitis (61)	2													1	1
Convulsions (71)	1														1
Organic diseases of the heart (79)	4										2		2		
Acute bronchitis (89)	1											1			
Pneumonia (92)	7								2	2	1	2	1		1
Bronchopneumonia (91)	8			1		1				1	2		5		
Diseases of the stomach (102, 103)	7				1	1				1	1	1	3	1	
Diarrhea and enteritis (104)	34							2	1	3	3	5	10	10	3
Congenital malformations (150)	15	1	1	1	2	5	1		1	7	2	1	5		
Premature birth (151a)	76	37	13	4	4	58	4	2	5	69	3	3	1		
Congenital debility, etc. (151b, 152b, 153)	23	2	1	2		5	5		1	11	4	2	4	1	1
Injuries at birth (152a)	13	5	2	1	4	12		1		13					
External causes (164–186)	5										3				2
Unknown or ill-defined diseases (187–189)															
All other causes	17						1		2	3	3	2	1	5	3
DALLAS, TEX. (COLORED).															
All causes	51	6	1	3	4	14	5	1	1	21	5	8	11	2	4
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)															
Diphtheria and croup (9)															
Influenza (10)	5											2	2	1	
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	1											1			
Meningitis (61)	1												1		
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)															
Pneumonia (92)	3										1	1	1		
Bronchopneumonia (91)	2										1				1
Diseases of the stomach (102, 103)	4			1		1				1	1	1	1		
Diarrhea and enteritis (104)	13						1		1	2	1	1	5	1	3
Congenital malformations (150)	1						1			1					
Premature birth (151a)	11	5		1		6	2	1		9	1	1			
Congenital debility, etc. (151b, 152b, 153)	8	1	1	1	4	7	1			8					
Injuries at birth (152a)															
External causes (164–186)															
Unknown or ill-defined diseases (187–189)															
All other causes	2											1	1		
HOUSTON, TEX. (TOTAL).															
All causes	234	39	8	9	30	86	15	11	15	127	20	13	30	24	20
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	2										1				1
Diphtheria and croup (9)	1														1
Influenza (10)	10	1				1				1	2	1	2	2	2
Dysentery (14)															
Erysipelas (18)	1								1	1					
Tetanus (24)	4				4	4				4					
Tuberculosis of the lungs (28, 29)	2	1				1				1				1	
Tuberculous meningitis (30)	2										1				1
Other forms of tuberculosis (31–35)															
Syphilis (37)	3				1	1			1	2		1			
Meningitis (61)	2										1		1		
Convulsions (71)	3				2	2				2			1		
Organic diseases of the heart (79)	3											1		2	
Acute bronchitis (89)	3										1		1		1
Pneumonia (92)	16				1	1		2	2	5	2		3	4	2
Bronchopneumonia (91)	9								1	1	1		3	1	3
Diseases of the stomach (102, 103)	4			1		1				1	1	1	1		
Diarrhea and enteritis (104)	36				2	2	1	1	2	6	4		13	7	6
Congenital malformations (150)	7	2		1	2	5	2			7					
Premature b rth (151a)	37	20	3	4	2	29	4	1		34	1	1		1	
Congenital debility, etc. (151b, 152b, 153)	21	5	2	1	4	12	2	2	1	17		1	2		1
Injuries at birth (152a)	8	2	2	1	2	7		1		8					
External causes (164–186)	6	4				4				4			1	1	
Unknown or ill-defined diseases (187–189)	35	2	1	1	7	11	5	2	5	23	3	5	2	2	
All other causes	18	2			3	5	1	2	2	10	2	2	1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
HOUSTON, TEX. (WHITE).															
All causes	178	34	8	8	22	72	10	7	11	100	16	11	21	18	12
Measles (6)	1														1
Scarlet fever (7)															
Whooping cough (8)	2										1				1
Diphtheria and croup (9)															
Influenza (10)	5	1				1				1	1	1	1		1
Dysentery (14)															
Erysipelas (18)	1								1	1					
Tetanus (24)	1				1	1				1					
Tuberculosis of the lungs (28, 29)	1													1	
Tuberculous meningitis (30)	2										1				1
Other forms of tuberculosis (31–35)															
Syphilis (37)	2				1	1			1	2					
Meningitis (61)	2										1			1	
Convulsions (71)	2				2	2				2					
Organic diseases of the heart (79)	3											1		2	
Acute bronchitis (89)	3										1		1		1
Pneumonia (92)	12							2	2	4	2		3	2	1
Bronchopneumonia (91)	6								1	1	1		1	1	2
Diseases of the stomach (102, 103)	3			1		1				1	1	1			
Diarrhea and enteritis (104)	27				2	2		1	2	5	3		10	6	3
Congenital malformations (150)	7	2		1	2	5	2			7					
Premature birth (151a)	35	19	3	4	1	27	4	1		32	1	1		1	
Congenital debility, etc. (151b, 152b, 153)	19	5	2	1	4	12	2		1	15		1	2		1
Injuries at birth (152a)	6	1	2	1	2	6				6					
External causes (164–186)	4	2				2				2			1	1	
Unknown or ill-defined diseases (187–189)	19	2	1		5	8	2	1	1	12	1	4	1	1	
All other causes	15	2			2	4		2	2	8	2	2	1	2	
HOUSTON, TEX. (COLORED).															
All causes	56	5		1	8	14	5	4	4	27	4	2	9	6	8
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)															
Diphtheria and croup (9)	1														1
Influenza (10)	5										1		1	2	1
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)	3				3	3				3					
Tuberculosis of the lungs (28, 29)	1	1				1				1					
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	1											1			
Meningitis (61)															
Convulsions (71)	1												1		
Organic diseases of the heart (79)															
Acute bronchitis (89)															
Pneumonia (92)	4				1	1				1				2	1
Bronchopneumonia (91)	3												2		1
Diseases of the stomach (102, 103)	1												1		
Diarrhea and enteritis (104)	9						1			1	1		3	1	3
Congenital malformations (150)															
Premature birth (151a)	2	1			1	2				2					
Congenital debility, etc. (151b, 152b, 153)	2							2		2					
Injuries at birth (152a)	2	1				1		1		2					
External causes (164–186)	2	2				2				2					
Unknown or ill-defined diseases (187–189)	16			1	2	3	3	1	4	11	2	1	1	1	
All other causes	3				1	1	1			2					1
SAN ANTONIO, TEX.															
All causes	529	44	19	18	49	130	46	25	17	218	56	49	93	63	45
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	13										3	2	4	2	2
Diphtheria and croup (9)	3										1			1	1
Influenza (10)	12						1			1	1	3	3		4
Dysentery (14)	9							1	1	2			2	2	3
Erysipelas (18)	2							1		1	1				
Tetanus (24)	17			2	8	10	6			16			1		
Tuberculosis of the lungs (28, 29)	7						1	2		3	1	1	2		
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)	3						1			1	1				1
Syphilis (37)	8	1			2	3	1			4		1	2	1	
Meningitis (61)	6						1			1			1	1	3
Convulsions (71)	1										1				
Organic diseases of the heart (79)	1										1				
Acute bronchitis (89)	8											2	2	2	2
Pneumonia (92)	8						1	2		3		1	3	1	
Bronchopneumonia (91)	31						2	4	2	8	5	2	7	3	6
Diseases of the stomach (102, 103)	3										2			1	
Diarrhea and enteritis (104)	211			1	6	7	5	9	9	30	24	29	64	44	20
Congenital malformations (150)	22	3	5	1	4	13	1	1	3	18	2		1	1	
Premature birth (151a)	111	35	12	11	24	82	21	3	1	107	4				
Congenital debility, etc. (151b, 152b, 153)	19	3	1	2	3	9	4		1	14	3	2			
Injuries at birth (152a)	5	2	1	1	1	5				5					
External causes (164–186)	3											1		1	1
Unknown or ill-defined diseases (187–189)	6										2		2	2	
All other causes	20				1	1	2	1		4	4	5	4	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
SALT LAKE CITY, UTAH.															
All causes	241	58	8	9	23	98	12	9	7	126	23	14	28	22	28
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	8								1	1	2	1	1	3	
Diphtheria and croup (9)															
Influenza (10)	11											1	3	4	3
Dysentery (14)	4													2	2
Erysipelas (18)	2													1	1
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	3												1		2
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1				1				1			1		
Meningitis (61)	3								1	1			2		
Convulsions (71)	1				1	1				1					
Organic diseases of the heart (79)															
Acute bronchitis (89)	4										1	1			2
Pneumonia (92)	7								1	1	3			1	2
Bronchopneumonia (91)	27						1	3	2	6	7	2	6	2	4
Diseases of the stomach (102, 103)	1											1			
Diarrhea and enteritis (104)	33				2	2	1	3		6	3	5	7	4	8
Congenital malformations (150)	11	1	1	1	3	6				6	1		1	2	1
Premature birth (151a)	70	45	5	4	8	62	5	1	1	69	1				
Congenital debility, etc. (151b, 152b, 153)	14	1	1	4	2	8	3			11	2	1			
Injuries at birth (152a)	13	8	1		3	12	1			13					
External causes (164–186)	6				1	1			1	2		1	1	1	1
Unknown or ill-defined diseases (187–189)	10	2			2	4		1		5	2		2		1
All other causes	11				1	1	1	1		3	1	1	3	2	1
NORFOLK, VA. (TOTAL).															
All causes	285	62	19	11	14	106	12	13	4	135	25	29	49	23	24
Measles (6)	1												1		
Scarlet fever (7)															
Whooping cough (8)	4										1		1	1	1
Diphtheria and croup (9)	1											1			
Influenza (10)	15											3	4	2	6
Dysentery (14)	1												1		
Erysipelas (18)															
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)	2												1	1	
Tuberculous meningitis (30)	3												1		2
Other forms of tuberculosis (31–35)															
Syphilis (37)	6	2	1			3				3		2	1		
Meningitis (61)	1														1
Convulsions (71)	1										1				
Organic diseases of the heart (79)	1												1		
Acute bronchitis (89)	9						1	2		3		1	3	1	1
Pneumonia (92)	10						1			1		3	4	2	
Bronchopneumonia (91)	28				1	1	1	2	1	5	3	6	8	4	2
Diseases of the stomach (102, 103)	3										1	1	1		
Diarrhea and enteritis (104)	36				1	1	1			2	5	4	11	8	6
Congenital malformations (150)	10	5		1	1	7	1			8		1			1
Premature birth (151a)	88	43	13	5	9	70	4	6	2	82	4	2			
Congenital debility, etc. (151b, 152b, 153)	26	6	4	3		13	1	1		15	4	2	4		1
Injuries at birth (152a)	12	6	1	2	1	10	2			12					
External causes (164–186)	7				1	1				1	1		3		2
Unknown or ill-defined diseases (187–189)															
All other causes	19							1	1	2	5	3	4	4	1
NORFOLK, VA. (WHITE).															
All causes	126	42	14	7	5	68	6	5	1	80	10	13	12	2	9
Measles (6)	1												1		
Scarlet fever (7)															
Whooping cough (8)	1										1				
Diphtheria and croup (9)	1											1			
Influenza (10)	1														1
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	2												1		1
Other forms of tuberculosis (31–35)															
Syphilis (37)	2	1				1				1			1		
Meningitis (61)	1														1
Convulsions (71)															
Organic diseases of the heart (79)															
Acute bronchitis (89)	1												1		
Pneumonia (92)	3						1			1			1	1	
Bronchopneumonia (91)	7							1		1		4	2		
Diseases of the stomach (102, 103)	3										1	1	1		
Diarrhea and enteritis (104)	11										4	2	1	1	3
Congenital malformations (150)	8	3		1	1	5	1			6		1			1
Premature birth (151a)	58	32	10	3	4	49	3	4	1	57		1			
Congenital debility, etc. (151b, 152b, 153)	12	1	3	1		5				5	2	2	2		1
Injuries at birth (152a)	9	5	1	2		8	1			9					
External causes (164–186)	3										1		1		1
Unknown or ill-defined diseases (187–189)															
All other causes	2										1	1			

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
NORFOLK, VA. (COLORED).															
All causes	159	20	5	4	9	38	6	8	3	55	15	16	37	21	15
Measles (6)															
Scarlet fever (7)															
Whooping cough (8)	3												1	1	1
Diphtheria and croup (9)															
Influenza (10)	14											3	4	2	5
Dysentery (14)	1												1		
Erysipelas (18)															
Tetanus (24)	1							1		1					
Tuberculosis of the lungs (28, 29)	2												1	1	
Tuberculous meningitis (30)	1														1
Other forms of tuberculosis (31–35)															
Syphilis (37)	4	1	1			2				2		2			
Meningitis (61)															
Convulsions (71)	1										1				
Organic diseases of the heart (79)	1												1		
Acute bronchitis (89)	8						1	2		3		1	2	1	1
Pneumonia (92)	7											3	3	1	
Bronchopneumonia (91)	21				1	1	1	1	1	4	3	2	6	4	2
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	25				1	1	1			2	1	2	10	7	3
Congenital malformations (150)	2	2				2				2					
Premature birth (151a)	30	11	3	2	5	21	1	2	1	25	4	1			
Congenital debility, etc. (151b, 152b, 153)	14	5	1	2		8	1	1		10	2		2		
Injuries at birth (152a)	3	1			1	2	1			3					
External causes (164–186)	4				1	1				1			2		1
Unknown or ill-defined diseases (187–189)															
All other causes	17							1	1	2	4	2	4	4	1
RICHMOND, VA. (TOTAL).															
All causes	479	78	23	14	28	143	24	9	15	191	41	28	86	70	63
Measles (6)	2													2	
Scarlet fever (7)															
Whooping cough (8)	24											3	6	4	11
Diphtheria and croup (9)	1										1				
Influenza (10)	3													1	2
Dysentery (14)	1														1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	6										1		1	1	3
Other forms of tuberculosis (31–35)	2													1	1
Syphilis (37)	12			1		1	1			2	3	2	2	1	2
Meningitis (61)	2													1	1
Convulsions (71)	15		1	1		2		1		3	1		7	2	2
Organic diseases of the heart (79)															
Acute bronchitis (89)	6										2		3		1
Pneumonia (92)	11						1			1	2	1	4	1	2
Bronchopneumonia (91)	64										7	3	16	23	15
Diseases of the stomach (102, 103)	10								1	1	2	1	4	2	
Diarrhea and enteritis (104)	54								2	2	4	4	18	18	8
Congenital malformations (150)	29	5	2	4	5	16	3		2	21	2	3	2		1
Premature birth (151a)	100	51	12	3	10	76	11	3	3	93	3	2	1	1	
Congenital debility, etc. (151b, 152b, 153)	72	15	5	3	6	29	6	4	5	44	7	5	10	3	3
Injuries at birth (152a)	15	7	3	1	4	15				15					
External causes (164–186)	4				2	2				2			1	1	
Unknown or ill-defined diseases (187–189)	10						1			1	4	1	3		1
All other causes	35			1	1	2	1	1	2	6	2	3	8	8	8
RICHMOND, VA. (WHITE).															
All causes	228	56	16	8	17	97	9	4	4	114	15	15	29	23	27
Measles (6)	1													1	
Scarlet fever (7)															
Whooping cough (8)	5											2	1	1	1
Diphtheria and croup (9)	1										1				
Influenza (10)															
Dysentery (14)	1														1
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	1														1
Tuberculous meningitis (30)	5												1	1	3
Other forms of tuberculosis (31–35)															
Syphilis (37)	4						1			1	1	1			1
Meningitis (61)	1													1	
Convulsions (71)	3							1		1	1		1		
Organic diseases of the heart (79)															
Acute bronchitis (89)	3										2				1
Pneumonia (92)	3											1			2
Bronchopneumonia (91)	11										1		1	6	3
Diseases of the stomach (102, 103)	9								1	1	2	1	4	1	
Diarrhea and enteritis (104)	26										1	2	8	9	6
Congenital malformations (150)	27	5	2	4	4	15	2		2	19	2	3	2		1
Premature birth (151a)	69	40	9	2	6	57	5	1		63	2	2	1	1	
Congenital debility, etc. (151b, 152b, 153)	29	7	3		3	13		2	1	16	1	2	6	1	3
Injuries at birth (152a)	10	4	2	1	3	10				10					
External causes (164–186)	1													1	
Unknown or ill-defined diseases (187–189)															
All other causes	18			1	1	2	1			3	1	1	4	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 586.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
RICHMOND, VA. (COLORED).															
All causes	251	22	7	6	11	46	15	5	11	77	26	13	57	42	36
Measles (6)	1													1	
Scarlet fever (7)															
Whooping cough (8)	19											1	5	3	10
Diphtheria and croup (9)															
Influenza (10)	3													1	2
Dysentery (11)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	1										1				
Other forms of tuberculosis (31–35)	2													1	1
Syphilis (37)	8			1		1				1	2	1	2	1	1
Meningitis (61)	1														1
Convulsions (71)	12		1	1		2				2			6	2	2
Organic diseases of the heart (79)															
Acute bronchitis (89)	3												3		
Pneumonia (92)	8						1			1	2		4	1	
Bronchopneumonia (91)	53										6	3	15	17	12
Diseases of the stomach (102, 103)	1													1	
Diarrhea and enteritis (104)	28								2	2	3	2	10	9	2
Congenital malformations (150)	2				1	1	1			2					
Premature birth (151a)	31	11	3	1	4	19	6	2	3	30	1				
Congenital debility, etc. (151b,152b,153)	43	8	2	3	3	16	6	2	4	28	6	3	4	2	
Injuries at birth (152a)	5	3	1		1	5				5					
External causes (164–186)	3				2	2				2			1		
Unknown or ill-defined diseases (187–189)	10						1			1	4	1	3		1
All other causes	17							1	2	3	1	2	4	3	4
SEATTLE, WASH.															
All causes	349	83	26	22	39	170	19	14	14	217	28	16	38	27	23
Measles (6)	1													1	
Scarlet fever (7)	1													1	
Whooping cough (8)	12												2	5	5
Diphtheria and croup (9)															
Influenza (10)	3							1		1	1				1
Dysentery (14)	1											1			
Erysipelas (18)	3				1	1				1	1		1		
Tetanus (24)	1			1		1				1					
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)	9												3		6
Other forms of tuberculosis (31–35)															
Syphilis (37)	4							1		1		1	1	1	
Meningitis (61)	3												2	1	
Convulsions (71)	2			1		1	1			2					
Organic diseases of the heart (79)	4		1			1				1	1	1	1		
Acute bronchitis (89)	2												1		1
Pneumonia (92)	11				2	2		1		3	2	1	4	1	
Bronchopneumonia (91)	42	1			1	2	2	1	3	8	6	2	13	4	9
Diseases of the stomach (102, 103)	3								1	1		1		1	
Diarrhea and enteritis (104)	23				1	1		2	2	5	6	3	5	4	
Congenital malformations (150)	41	9	3	4	8	24	7	1	1	33	1	2	2	3	
Premature birth (151a)	108	53	14	12	15	94	5	2	4	105	2		1		
Congenital debility, etc. (151b,152b,153)	19	2	3		5	10	2	2	1	15	3			1	
Injuries at birth (152a)	25	16	3	2	3	24	1			25					
External causes (164–186)	2	1				1				1		1			
Unknown or ill-defined diseases (187–189)	8			2		2		1		3	3	1	1		
All other causes	21	1	2		3	6	1	2	2	11	2	2	1	4	1
SPOKANE, WASH.															
All causes	174	33	7	9	19	68	14	6	7	95	13	9	21	20	16
Measles (6)	3								1	1				2	
Scarlet fever (7)															
Whooping cough (8)	6											1	2	1	2
Diphtheria and croup (9)															
Influenza (10)	7											1		2	4
Dysentery (14)															
Erysipelas (18)															
Tetanus (24)															
Tuberculosis of the lungs (28, 29)															
Tuberculous meningitis (30)															
Other forms of tuberculosis (31–35)															
Syphilis (37)	1						1			1					
Meningitis (61)	4				1	1	1		1	3			1		
Convulsions (71)															
Organic diseases of the heart (79)	1											1			
Acute bronchitis (89)	2								1	1				1	
Pneumonia (92)	11		1	1	2	4		1		5		1	1	2	2
Bronchopneumonia (91)	24			2	1	3	2	1	1	7	6		3	4	4
Diseases of the stomach (102, 103)															
Diarrhea and enteritis (104)	14				1	1	1	2	1	5		1	3	5	
Congenital malformations (150)	14	2	1		3	6	1		1	8	2		2		2
Premature birth (151a)	46	27	3	2	7	39	4	2		45			1		
Congenital debility, etc. (151b,152b,153)	11	2	2	1	1	6	2			8		2	1		
Injuries at birth (152a)	6	1		2	1	4	1			5	1				
External causes (164–186)	2											1			1
Unknown or ill-defined diseases (187–189)	1	1				1				1					
All other causes	21			1	2	3	1		1	5	4	1	7	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA (EXCLUSIVE OF HAWAII), REGISTRATION STATES, AND REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920—Continued.

[See note at head of this table, p. 536.]

AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR MORE IN 1920—Continued.															
MILWAUKEE, WIS.															
All causes	990	180	61	40	75	356	85	39	33	513	54	58	155	113	97
Measles (6)	19											2	3	5	9
Scarlet fever (7)															
Whooping cough (8)	33							1		1	1	4	9	7	11
Diphtheria and croup (9)	5													3	2
Influenza (10)	13								1	1	1		4	4	3
Dysentery (14)	2								1	1		1			
Erysipelas (18)	2										2				
Tetanus (24)															
Tuberculosis of the lungs (28, 29)	2														2
Tuberculous meningitis (30)	3												1	2	
Other forms of tuberculosis (31–35)	2								1	1			1		
Syphilis (37)	10	2				2	2			4	1	1	4		
Meningitis (61)	8										1	1		3	3
Convulsions (71)	18	1	1	1	4	7	2	1		10	1		1	5	1
Organic diseases of the heart (79)	1														1
Acute bronchitis (89)	26		1	1		2		1	2	5	2	2	7	6	4
Pneumonia (92)	39			3	1	4	2	1		7	1	3	9	11	8
Bronchopneumonia (91)	93			1		1	4	1	4	10	7	6	27	22	21
Diseases of the stomach (102, 103)	13		1			1		1	1	3	1	2	3	3	1
Diarrhea and enteritis (104)	205				10	10	21	13	8	52	20	20	58	31	24
Congenital malformations (150)	53	12	5	8	11	36	6		1	43	2	3	3	2	
Premature birth (151a)	230	118	31	14	14	177	26	10	6	219	5	3	3		
Congenital debility, etc. (151b, 152b, 153)	103	25	13	6	20	64	10	8	2	84	4	8	5	1	1
Injuries at birth (152a)	46	21	5	6	10	42	3	1		46					
External causes (164–186)	7	1	1			2				2			3	2	
Unknown or ill-defined diseases (187–189)	1		1			1				1					
All other causes	56		2		5	7	9	1	6	23	5	2	14	6	6

SUPPLEMENT

HAWAII

HAWAII.

In Hawaii the number of deaths from all causes, including deaths of soldiers, sailors, and marines, during the year 1920 is 4,600 and the population as estimated by the Bureau of the Census is 259,208, making the death rate 17.7 per 1,000 population in 1920 as against a rate of 15.3 in 1919. The populations used in computing these rates are estimated by the arithmetical method, based on the Federal censuses of 1910 and 1920. The deaths are tabulated by sex, age, race, cause of death, and month of death.

The causes showing the highest rates per 100,000 population in 1920 are influenza 334.1, pneumonia (all forms) 240.3, tuberculosis (all forms) 204.8, diarrhea and enteritis (under 2 years) 147.4, and violent deaths (suicide excepted) 91; these causes together constitute 57.3 per cent of the total deaths.

Considering the deaths by age periods, the largest number occurred under 5 years and between 20 and 50 years of age; in the first group the deaths represent 34.1 per cent and in the second group 36.6 per cent of the total deaths. Of the 1,489 deaths from influenza and pneumonia (all forms), 482, or about one-third, occurred under 5 years and 696 between 20 and 50 years of age. Considering these deaths by months, 311 occurred in February and 602 in March.

The figures for influenza and pneumonia (all forms) clearly show that the influenza epidemic of 1920 was more fatal than the pandemic of 1918 and 1919, the mortality rate from these causes in 1920 being 574.4 per 100,000 population as against 315.1 in 1919 and 258.1 in 1918. This increase in influenza and pneumonia more than accounts for the total increase in the mortality of 1920 over that of 1919.

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII, BY RACE, ACCORDING TO THE CENSUS OF 1920.

RACE.	POPULATION JAN. 1, 1920.							
	Hawaii territory.	Hilo city.	Honolulu city.	Hawaii County (exclusive of Hilo city).	Honolulu County (exclusive of Honolulu city).	Kalawao County.	Kauai County.	Maui County.
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,723	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,22	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION IN THE TERRITORY OF HAWAII, BY RACE: 1920.

RACE.	DEATHS IN—								
	Hawaii territory.		Hilo city.	Honolulu city.	Hawaii County (exclusive of Hilo city).	Honolulu County (exclusive of Honolulu city).	Kalawao County.	Kauai County.	Maui County.
	Number.	Rate per 1,000 population.[1]							
Total	4,600	17.7	278	1,777	767	565	49	532	632
Hawaiian	1,057	44.8	45	402	245	80	40	75	170
Part Hawaiian	258	14.1	10	154	24	15	3	25	27
Caucasian-Hawaiian	217	19.4	8	128	20	13	3	24	21
Asiatic-Hawaiian	41	5.8	2	26	4	2	.....	1	6
Caucasian	752	13.6	37	363	103	80	3	74	92
Portuguese	393	14.4	19	167	63	33	2	45	63
Porto Rican	103	18.3	8	22	26	17	1	18	11
Other Caucasian	256	11.4	10	174	14	30	.....	10	18
Chinese	400	16.9	19	229	27	34	2	32	57
Japanese	1,647	14.9	144	488	278	248	.....	244	245
Korean	85	17.1	5	29	19	15	.....	10	8
Filipino	401	18.2	18	113	71	93	1	72	33
All others	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Estimated population, July 1, 1920.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY SEX AND BY MONTH OF DEATH: 1920.

AREA AND SEX.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Territory of Hawaii	4,600	367	599	959	411	300	263	279	283	269	276	261	333
Male	2,743	210	354	521	269	173	157	183	173	160	183	153	207
Female	1,857	157	245	438	142	127	106	96	110	109	93	108	126
Hilo city M	178	17	17	18	17	7	13	19	13	12	14	13	18
Hilo city F	100	12	8	3	10	12	11	8	7	7	7	4	11
Honolulu city M	1,063	90	175	195	93	80	61	69	57	56	61	47	79
Honolulu city F	714	58	116	177	48	48	42	36	35	44	33	44	33
Hawaii County (exclusive of Hilo city) M	445	32	44	95	56	32	24	29	20	25	23	23	42
Hawaii County (exclusive of Hilo city) F	322	28	32	72	34	23	11	20	26	15	11	21	29
Honolulu County (exclusive of Honolulu city) M	336	23	44	73	33	12	14	18	28	24	21	20	26
Honolulu County (exclusive of Honolulu city) F	229	17	28	72	15	10	9	6	15	13	12	16	16
Kalawao County M	33	1	4	3	2	2	5	5	3	1	3	3	1
Kalawao County F	16	1	2	1	1	1	1	1	1	1	2	.....	4
Kauai County M	324	19	39	103	32	21	12	23	12	21	22	10	10
Kauai County F	208	13	24	78	16	14	14	10	8	8	9	5	9
Maui County M	364	28	31	34	36	19	28	20	40	21	39	37	31
Maui County F	268	28	35	35	18	19	18	15	18	21	19	18	24

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND BY AGE OF DECEDENT: 1920.

RACE.	All deaths.	DEATHS AT AGE OF—											
		Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.	30 to 34 years.	35 to 39 years.
Total	4,600	1,083	250	102	78	54	1,567	147	74	185	271	341	266	301
Hawaiian	1,057	196	42	16	9	4	267	31	21	58	56	88	48	61
Part Hawaiian	258	98	19	6	7	1	131	5	5	11	21	15	12	14
Caucasian-Hawaiian	217	80	15	4	4	.....	103	5	4	10	19	13	12	12
Asiatic-Hawaiian	41	18	4	2	3	1	28	.....	1	1	2	2	.....	2
Caucasian	752	163	30	12	7	9	221	28	9	29	39	51	46	53
Portuguese	393	92	20	7	5	8	132	20	8	15	22	26	25	22
Porto Rican	103	36	6	2	1	1	46	1	.....	5	2	13	6	6
Other Caucasian	256	35	4	3	1	.....	43	7	1	9	15	12	15	25
Chinese	400	62	14	7	5	5	93	12	7	20	14	17	3	20
Japanese	1,647	417	119	51	44	30	661	58	30	58	73	95	128	119
Korean	85	16	5	2	1	.....	24	4	1	.....	3	2	7	11
Filipino	401	131	21	8	5	5	170	9	1	9	65	73	22	23

RACE.	DEATHS AT AGE OF—													Deaths at unknown age.
	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
Total	234	270	230	151	173	142	87	58	42	26	19	5	5	6
Hawaiian	46	71	44	42	63	51	31	22	18	15	13	5	5	1
Part Hawaiian	6	10	5	3	11	6	2	1	.....	.....	.....	.....	.....	.....
Caucasian-Hawaiian	5	9	5	2	10	5	2	1	.....	.....	.....	.....	.....	.....
Asiatic-Hawaiian	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
Caucasian	30	37	28	23	27	40	35	22	19	9	5	.....	.....	1
Portuguese	15	14	3	10	14	21	17	14	7	5	3	.....	.....	.....
Porto Rican	1	13	3	1	.....	1	2	1	1	.....	1	.....	.....	.....
Other Caucasian	14	10	22	12	13	18	16	7	11	4	1	.....	.....	1
Chinese	19	30	36	26	41	25	16	12	4	2	1	.....	.....	2
Japanese	110	104	109	53	27	16	2	1	1	.....	.....	.....	.....	2
Korean	11	9	5	2	1	4	1	.....	.....	.....	.....	.....	.....	.....
Filipino	12	9	3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION IN THE TERRITORY OF HAWAII, BY CAUSE OF DEATH: 1920.

[Numbers under causes of death correspond to those of the 1909 revision of the detailed International List.]

AREA.	All causes.	Typhoid fever. 1	Malaria. 4	Smallpox. 5	Measles. 6	Scarlet fever. 7	Whooping cough. 8	Diphtheria and croup. 9	Influenza. 10	Erysipelas. 18	Tuberculosis of the lungs. 28,29	Tuberculous meningitis. 30	Other forms of tuberculosis. 31-35	Rheumatism. 47,48	Cancer and other malignant tumors 39-45	Diabetes. 50	Meningitis. 61
	DEATHS FROM—																
Territory of Hawaii..	4,600	39	.....	.....	58	.....	4	17	866	10	476	18	37	4	150	17	27
Hilo city	278	3	.....	.....	2	.....	.....	1	17	5	62	2	2	.....	9	.....	5
Honolulu city	1,777	14	.....	.....	8	.....	1	13	349	3	223	12	13	.....	78	13	14
Hawaii County (exclusive of Hilo city)	767	14	.....	.....	1	.....	1	1	161	1	59	.....	8	3	24	2	7
Honolulu County (exclusive of Honolulu city)..	565	1	.....	.....	25	.....	1	.....	164	.....	25	.....	8	.....	7	2	.....
Kalawao County	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Kauai County	532	5	.....	.....	1	.....	.....	1	124	1	41	1	2	.....	12	.....	.....
Maui County	632	2	.....	.....	21	.....	1	1	51	.....	66	3	4	1	20	.....	1
	DEATH RATE PER 100,000 POPULATION.																
Territory of Hawaii..	1,774.6	15.0	.....	.....	22.4	.....	1.5	6.6	334.1	3.9	183.6	6.9	14.3	1.5	57.9	6.6	10.4

AREA.	Cerebral hemorrhage and softening. 64,65	Organic diseases of the heart. 79	Bronchitis. 89,90	Pneumonia (all forms). 91,92	Other diseases, respiratory system. 86-88, 93-98	Diarrhea and enteritis (under 2 years). 104	Appendicitis and typhlitis. 108	Hernia, intestinal obstruction. 109	Cirrhosis of the liver. 113	Acute nephritis and Bright's disease. 119, 120	Puerperal septicemia. 137	Other puerperal affections. 134-136, 138-141	Congenital debility and malformations. 150, 151	Violent deaths (suicide excepted). 164-186	Suicide. 155-163	Unknown or ill-defined diseases. 187-189	All other causes.
	DEATHS FROM—																
Territory of Hawaii...	139	200	68	623	18	382	35	34	21	176	25	62	233	236	53	9	503
Hilo city	10	16	6	35	.....	18	3	4	1	8	1	6	12	14	1	.....	35
Honolulu city	50	66	27	260	2	89	18	17	7	82	14	25	87	77	17	1	197
Hawaii County (exclusive of Hilo city)	23	43	16	83	6	85	5	2	2	31	4	15	38	29	9	2	92
Honolulu County (exclusive of Honolulu city) ..	8	13	15	60	.....	71	1	1	1	12	3	4	29	44	12	1	57
Kalawao County	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	47
Kauai County	15	31	.....	86	4	56	2	3	3	26	1	5	22	31	8	3	48
Maui County	33	30	4	99	6	63	6	7	7	17	2	7	44	41	6	2	87
	DEATH RATE PER 100,000 POPULATION.																
Territory of Hawaii...	53.6	77.2	26.2	240.3	6.9	147.4	13.5	13.1	8.1	67.9	9.6	23.9	89.9	91.0	20.4	3.5	217.2

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1920.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.											
			Part Hawaiian.				Caucasian.							
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.
	All causes	4,600	1,057	258	217	41	752	393	103	256	400	1,647	85	401
	I.—General diseases	1,907	490	92	79	13	248	137	38	73	171	726	40	140
1	Typhoid fever	39	11	3	2	1	2	1	1		6	16		1
6	Measles	58	2	1		1	8	6	1	1	3	41		3
8	Whooping cough	4	2								1	1		
9	Diphtheria and croup	17	2	3	3		3	2		1	4	3	1	1
10	Influenza	866	199	36	33	3	115	70	19	26	69	376	16	55
14	Dysentery	18	9	2	1	1	3	3				2	1	1
15	Plague	4	3									1		
17	Leprosy	55	43	3	3		4	2	1	1	3	1		1
18	Erysipelas	10	1									9		
19	Other epidemic diseases	1					1			1				
20	Purulent infection and septicemia	5	1				4	2		2				
24	Tetanus	13		2	2		3	2		1	1	6		1
26	Pellagra	1					1			1				
27	Beriberi	53					1		1		2	37		13
	Tuberculosis (total)	531	166	33	26	7	50	27	7	16	58	155	18	51
28	Tuberculosis of the lungs	469	146	27	23	4	43	24	7	12	55	133	16	49
29	Acute miliary tuberculosis	7	4	1	1							1		1
30	Tuberculous meningitis	18	1	3	1	2	5	2		3		8	1	
31	Abdominal tuberculosis	22	11	1		1						10		
32	Pott's disease	10		1	1		1			1	3	3	1	1
34	Tuberculosis of other organs	5	4				1	1						
37	Syphilis	30	9	1	1		8	1	3	4		8	1	3
38	Gonococcus infection	3										1		2
	Cancer and other malignant tumors (total)	150	34	3	3		31	16	4	11	18	57	3	4
39	Of the buccal cavity	7	2								3	2		
40	Of the stomach, liver	91	17	2	2		18	10	4	4	12	36	3	3
41	Of the peritoneum, intestines, rectum	9	2	1	1		2			2	2	1		1
42	Of the female genital organs	23	7				5	3		2		11		
43	Of the breast	6	3				2	1		1	1			
44	Of the skin	2					2	2						
45	Of other organs or of organs not specified	12	3				2			2		7		
46	Other tumors (tumors of the female genital organs excepted)	1	1											
47	Acute articular rheumatism	4	1									2		1
49	Scurvy	1		1	1									
50	Diabetes	17	1	4	4		7	1		6	2	2		1
51	Exophthalmic goiter	1					1			1				
52	Addison's disease	1	1											
53	Leukemia	4	1				2	1		1	1			
54	Anemia, chlorosis	6					2	1	1		1	2		1
55	Other general diseases	3					1	1				2		
56	Alcoholism (acute or chronic)	8	2				1	1				4		1
57	Chronic lead poisoning	1									1			
59	Other chronic poisonings	2	1								1			
	II.—Diseases of the nervous system and of the organs of special sense	212	55	15	15		52	24	6	22	19	60	3	8
60	Encephalitis	2					1			1		1		
61	Meningitis (total)	27	1	2	2		5	2	1	2	4	13	1	1
	Simple meningitis	16	1	1	1		3	2		1	3	8		
	Cerebrospinal meningitis (undefined)	3									1	1	1	
	Cerebrospinal fever	8		1	1		2		1	1		4		1
62	Locomotor ataxia	6					4			4	1			1
63	Other diseases of the spinal cord (total)	5	2				2		1	1		1		
	Other diseases of the spinal cord	5	2				2		1	1		1		
64	Cerebral hemorrhage, apoplexy	139	46	10	10		33	20	2	11	10	35	2	3
66	Paralysis without specified cause	3	2								1			
67	General paralysis of the insane	6	1				1	1			1	2		1
68	Other forms of mental alienation	8	3				2			2		3		
69	Epilepsy	2					1		1			1		
70	Convulsions (nonpuerperal)	1									1			
71	Convulsions of infants	3		1	1		1		1					1
74	Other diseases of the nervous system	1					1	1						
75	Diseases of the eyes and their annexa	1									1			
76	Diseases of the ears	8		2	2		1			1		4		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.											
			Part Hawaiian.				Caucasian.							
			Hawaiian.	Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.	Chinese.	Japanese.	Korean.	Filipino.
	III.—Diseases of the circulatory system	262	83	4	3	1	53	27	3	23	45	67	2	8
78	Acute endocarditis	18	3				1	1			1	12		1
79	Organic diseases of the heart	200	58	4	3	1	49	26	3	20	33	47	2	7
80	Angina pectoris	5					2			2		3		
81	Diseases of the arteries, atheroma, aneurism, etc	35	22				1			1	9	3		
82	Embolism and thrombosis	3									1	2		
84	Diseases of the lymphatic system, (lymphangitis, etc.)	1									1			
	IV.—Diseases of the respiratory system	709	187	50	39	11	91	55	12	24	51	213	7	110
87	Diseases of the larynx	3					1	1				2		
89	Acute bronchitis	53	8				6	5		1	6	26	1	6
90	Chronic bronchitis	15	2	2	2		1			1	5	3	1	1
91	Bronchopneumonia	312	83	27	20	7	45	26	9	10	13	94	3	47
92	Pneumonia (total)	311	87	21	17	4	37	23	3	11	26	83	2	55
	Lobar pneumonia	306	87	20	16	4	36	22	3	11	26	81	2	54
	Pneumonia (undefined)	5		1	1		1	1				2		1
93	Pleurisy	8	3				1			1		3		1
94	Pulmonary congestion, pulmonary apoplexy	1									1			
95	Gangrene of the lung	1	1											
96	Asthma	2	2											
97	Pulmonary emphysema	1										1		
98	Other diseases of the respiratory system (tuberculosis excepted)	2	1									1		
	V.—Diseases of the digestive system	597	97	47	40	7	112	60	12	40	26	231	10	74
99	Diseases of the mouth and annexa	1										1		
100	Diseases of the pharynx	3	1				1			1		1		
102	Ulcer of the stomach	10	3				3	2		1		4		
103	Other diseases of the stomach (cancer excepted)	15	1	2	2		6	2		4	1	2	1	2
104	Diarrhea and enteritis (under 2 years)	382	66	37	32	5	65	40	11	14	11	140	4	59
105	Diarrhea and enteritis (2 years and over)	58	8	1		1	7	5		2	6	31	1	4
108	Appendicitis and typhlitis	35	3	3	3		6	3		3	2	18	1	2
109	Hernia, intestinal obstruction (total)	34	6	1		1	13		1	12		12		2
	Hernia	11	3				5		1	4		3		
	Intestinal obstruction	23	3	1		1	8			8		9		2
110	Other diseases of the intestines	5					2	1		1	2	1		
111	Acute yellow atrophy of the liver	2										1	1	
112	Hydatid tumor of the liver	1										1		
113	Cirrhosis of the liver	21	6	2	2		3	2		1	3	5	1	1
114	Biliary calculi	6	1				2	1		1		3		
115	Other diseases of the liver	16	2				4	4			1	5	1	3
117	Simple peritonitis (nonpuerperal)	4		1	1							2		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4										4		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	194	42	9	7	2	44	20	7	17	35	55	1	8
119	Acute nephritis	17	3	1	1		3		2	1	1	6		3
120	Bright's disease	159	35	6	4	2	37	18	5	14	34	43	1	3
122	Other diseases of the kidneys and annexa	4	1									2		1
123	Calculi of the urinary passages	2					1	1						1
126	Diseases of the prostate	1					1			1				
127	Nonvenereal diseases of the male genital organs	1		1	1									
129	Uterine tumor (noncancerous)	3	1									2		
130	Other diseases of the uterus	1	1											
131	Cysts and other tumors of the ovary	2	1				1			1				
132	Salpingitis and other diseases of the female genital organs	4		1	1		1	1				2		
	VII.—The puerperal state	87	14	6	6		14	8	2	4	7	45		1
134	Accidents of pregnancy	24	4	1	1		3	2	1		3	13		
135	Puerperal hemorrhage	13	3	1	1		3	3			3	3		
136	Other accidents of labor	8	1	1	1		1	1				5		
137	Puerperal septicemia	25	4	3	3		4	1		3	1	13		
138	Puerperal albuminuria and convulsions	17	2				3	1	1	1		11		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, BY RACE AND CAUSE OF DEATH: 1920—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	RACE.											
			Hawaiian.	Part Hawaiian.			Caucasian.				Chinese.	Japanese	Korean.	Filipino.
				Total.	Caucasian-Hawaiian.	Asiatic-Hawaiian.	Total.	Portuguese.	Porto Rican.	Other Caucasian.				
	VIII.—Diseases of the skin and of the cellular tissue	24	6	2	2	.....	4	1	2	1	3	4	.....	5
142	Gangrene	3	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1
143	Furuncle	9	.....	1	1	.....	2	.....	1	1	2	2	.....	2
144	Acute abscess	7	3	.....	.....	.....	1	1	.....	.....	1	1	.....	1
145	Other diseases of the skin and annexa	5	2	1	1	.....	.....	.....	.....	.....	.....	1	.....	1
	IX.—Diseases of the bones and of the organs of locomotion	9	3	.....	.....	.....	2	1	1	.....	.....	4	.....	.....
146	Diseases of the bones (tuberculosis excepted)	7	3	.....	.....	.....	2	1	1	.....	.....	2	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	X.—Malformations	35	4	4	4	.....	9	6	2	1	4	12	.....	2
150	Congenital malformations (total)	35	4	4	4	.....	9	6	2	1	4	12	.....	2
	Hydrocephalus	5	1	.....	.....	.....	1	.....	1	.....	1	2	.....	.....
	Congenital malformations of the heart	15	2	2	2	.....	6	4	1	1	2	1	.....	2
	Other congenital malformations	15	1	2	2	.....	2	2	.....	.....	1	9	.....	.....
	XI.—Early infancy	251	39	19	15	4	44	23	11	10	18	107	5	19
151	Congenital debility, icterus, and sclerema (total)	198	29	18	14	4	30	16	9	5	17	84	4	16
	Premature birth	156	18	17	14	3	24	12	8	4	17	66	4	10
	Congenital debility, "atrophy," "marasmus," etc	42	11	1	.....	1	6	4	1	1	.....	18	.....	6
152	Other causes peculiar to early infancy (total)	51	10	1	1	.....	14	7	2	5	1	23	1	1
	Injuries at birth	20	4	.....	.....	.....	10	6	2	2	.....	6	.....	.....
	Other causes peculiar to early infancy	31	6	1	1	.....	4	1	.....	3	1	17	1	1
153	Lack of care	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	XII.—Old age	15	7	.....	.....	.....	7	4	.....	3	1	.....	.....	.....
154	Senility	15	7	.....	.....	.....	7	4	.....	3	1	.....	.....	.....
	XIII.—External causes	289	28	10	7	3	70	26	7	37	20	120	16	25
	Suicide (total)	53	1	1	1	.....	10	.....	1	9	3	29	4	5
155	By poison	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	3	1
157	By hanging or strangulation	13	1	.....	.....	.....	.....	.....	.....	.....	2	9	.....	1
158	By drowning	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....
159	By firearms	12	.....	1	1	.....	10	.....	1	9	.....	1	.....	.....
160	By cutting or piercing instruments	10	.....	.....	.....	.....	.....	.....	.....	.....	1	6	.....	3
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Accidental or undefined (total)	219	26	9	6	3	57	25	5	27	17	84	11	15
164	Poisoning by food	5	2	2	1	1	1	1	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	16	5	.....	.....	.....	1	1	.....	.....	2	5	2	1
166	Conflagration	3	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....
167	Burns (conflagration excepted)	11	2	.....	.....	.....	3	1	1	1	.....	4	1	1
168	Absorption of deleterious gases (conflagration excepted)	5	1	1	.....	1	.....	.....	.....	.....	.....	2	1	.....
169	Accidental drowning	40	5	2	2	.....	11	4	1	6	2	16	2	2
170	Traumatism by firearms	3	.....	.....	.....	.....	2	.....	.....	2	.....	1	.....	.....
172	Traumatism by fall	30	4	1	1	.....	9	2	1	6	2	10	1	3
174	Traumatism by machines	11	.....	.....	.....	.....	1	1	.....	.....	1	7	.....	2
175	Traumatism by other crushing (total)	72	4	2	2	.....	22	12	2	8	6	30	3	5
	Railroad accidents and injuries	21	1	1	1	.....	8	6	.....	2	2	7	1	1
	Street-car accidents and injuries	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	Automobile accidents and injuries	40	2	.....	.....	.....	9	2	2	5	3	21	1	4
	Injuries by other vehicles	8	.....	1	1	.....	4	4	.....	.....	1	2	.....	.....
	Landslide, other crushing	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
176	Injuries by animals	7	.....	.....	.....	.....	1	.....	.....	1	.....	4	1	1
181	Electricity (lightning excepted)	3	1	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....
186	Other external violence	13	2	1	.....	1	4	3	.....	1	3	3	.....	.....
	Homicide (total)	17	1	.....	.....	.....	3	1	1	1	.....	7	1	5
182	By firearms	3	.....	.....	.....	.....	2	.....	1	1	.....	1	.....	.....
183	By cutting or piercing instruments	9	1	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	5
184	By other means	5	.....	.....	.....	.....	1	1	.....	.....	.....	3	1	.....
	XIV.—Ill-defined diseases	9	2	.....	.....	.....	2	1	.....	1	.....	3	1	1
189	Not specified or ill-defined (total)	9	2	.....	.....	.....	2	1	.....	1	.....	3	1	1
	Ill-defined	4	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	1
	Not specified or unknown	5	2	.....	.....	.....	1	.....	.....	1	.....	1	1	.....

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes	4,600	1,083	250	102	78	54	1,567	147	74	185	271	341
	Males	2,743	618	133	56	34	26	867	65	37	79	153	167
	Females	1,857	465	117	46	44	28	700	82	37	106	118	174
	I.—General diseases	1,907	174	84	37	38	21	354	74	49	127	163	212
	Males	1,139	110	38	24	17	11	200	32	24	58	82	103
	Females	768	64	46	13	21	10	154	42	25	69	81	104
1	Typhoid fever	M 24	3					3	3	4	5	1	4
		F 15				1		1	1	3	5	1	2
6	Measles	M 23	6	10	3	3	1	23					
		F 35	9	13	4	1	1	28	7				
8	Whooping cough	M 2	2					2					
		F 2	1					1	1				
9	Diphtheria and croup	M 11		2	2	1	1	6	4	1			
		F 6		2		2	1	5		1			
10	Influenza	M 495	55	19	13	8	5	100	15	8	26	29	40
		F 371	31	24	7	12	7	81	22	11	23	32	62
14	Dysentery	M 9	1		1			2				1	
		F 9	1	1		1		3	2				
15	Plague	M 3									1		
		F 1										1	
17	Leprosy	M 36									4	2	12
		F 19									5	4	1
18	Erysipelas	M 6	6					6					
		F 4	3					3			1		
19	Other epidemic diseases	F 1											
20	Purulent infection and septicemia	F 5					1	1			1		
24	Tetanus	M 11	4				1	5	2	1		1	
		F 2	2					2					
26	Pellagra	F 1											
27	Beriberi	M 32	18					18			1	3	6
		F 21	10	2				12			1		3
	Tuberculosis (total)	M 335	4	6	3	2	3	18	7	9	21	39	43
		F 196	4	3	2	4		13	8	8	30	40	34
28	Tuberculosis of the lungs	M 294	1	4			2	7	2	4	17	34	39
		F 175	3	2	1	2		8	5	6	23	35	33
29	Acute miliary tuberculosis	M 5		1				1	1			1	1
		F 2										2	
30	Tuberculous meningitis	M 11	2	1	3	1		7	1	2	1		
		F 7	1	1	1	1		4	2			1	
31	Abdominal tuberculosis	M 12	1				1	2	2	2	1	2	2
		F 10				1		1	1		2	2	1
32	Pott's disease	M 9								1	2		1
		F 1								1			
34	Tuberculosis of other organs	M 4				1		1	1			2	
		F 1								1			
37	Syphilis	M 22	9			2		11					1
		F 8	2	1				3					1
38	Gonococcus infection	M 2										1	1
		F 1									1		
	Cancer and other malignant tumors (total)	M 92			2			2				4	
		F 58									1	3	1
39	Of the buccal cavity	M 7											
40	Of the stomach, liver	M 70										2	
		F 21											
41	Of the peritoneum, intestines, rectum	M 4											
		F 5										1	
42	Of the female genital organs	F 23									1	2	
43	Of the breast	F 6											1
44	Of the skin	M 1											
		F 1											
45	Of other organs or of organs not specified	M 10			2			2				2	
		F 2											
46	Other tumors (tumors of the female genital organs excepted)	F 1											
47	Acute articular rheumatism	M 3										1	1
		F 1								1			
49	Scurvy	F 1	1					1					
50	Diabetes	M 13											
		F 4									1		
51	Exophthalmic goiter	F 1											
52	Addison's disease	F 1											
53	Leukemia	M 4	1					1					1
54	Anemia, chlorosis	M 5	1					1	1	1			
		F 1							1				
55	Other general diseases	M 2		1		1		2					
		F 1								1			
56	Alcoholism (acute or chronic)	M 6											
		F 2											
57	Chronic lead poisoning	M 1											
59	Other chronic poisonings	M 2											

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
286	301	234	270	230	151	173	142	87	58	42	026	19	5	5	6	
128	179	155	205	182	119	130	105	63	42	31	17	12	1	1	5	
138	122	79	65	48	32	43	37	24	16	11	9	7	4	4	1	
153	182	119	130	113	71	64	38	23	16	8	3	4		1	3	
78	111	79	107	87	58	49	26	16	10	5	3	3			3	
75	71	40	23	26	13	15	12	7	6	3		1		1		
1	1		1	1												1
1		1														
																6
																8
																9
47	68	39	49	28	14	12	5	3	2	3	2	3			2	10
49	40	20	10	7	5	3	3		2					1		
			1	2		1			1		1					14
					1	2				1						
	2															15
5	3		1	1	2	2	2	1	1							17
1	3	1					1	3								
																18
												1				19
				1		1			1							20
			1		1											24
1																26
1		1	1	1			1									27
3	2															
19	27	32	36	31	21	17	7	3	4						1	
15	18	8	6	7	1	3	2	1		2						
17	26	31	35	30	20	17	7	3	4						1	
13	17	8	6	7	1	3	2	1		2						28
1																29
																30
			1													31
2	1															
1	1	1		1	1											32
																34
3		2		2		1	1									37
1	1	1			1											
																38
1	4	2	13	18	18	14	8	6		2						
3	7	8	5	11	4	4	5	3	3							
			1	1	3	1	1									39
1	2	2	12	14	14	12	5	4		2						
1	1	2		7	1	2	4	2	1							40
				2			1	1								
1	1	1							1							41
	3	4	4	4	1	2	1	1								42
	2		1		1				1							43
								1								44
		1														
	2			1	1	1	1									45
1					1											
			1													46
	1															47
																49
1		1	2	2	2	1		2	2							50
						2	1									
1																51
					1											52
	1	1														53
	1							1								54
																55
	3	1	1	1												
		1	1													56
						1										57
							2									59

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—										
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	II.—Diseases of the nervous system and of the organs of special sense		212	15	7	2	3	.....	27	7	.....	2	5	2
	Males		139	9	1	1	3	.....	14	4	.....	1	4	2
	Females		73	6	6	1	.....	.....	13	3	.....	1	1	.....
60	Encephalitis	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	M.	18	8	1	1	2	.....	12	2	.....	.....	.....	1
		F.	9	2	3	1	.....	.....	6	2	.....	.....	.....	.....
	Simple meningitis	M.	11	6	1	1	1	.....	9	1	.....	.....	.....	.....
		F.	5	.....	2	1	.....	.....	3	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	Cerebrospinal fever	M.	6	2	.....	.....	1	.....	3	1	.....	.....	.....	1
		F.	2	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
62	Locomotor ataxia	M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	Other diseases of the spinal cord	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
64	Cerebral hemorrhage, apoplexy	M.	92	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
		F.	47	1	1	.....	.....	.....	2	.....	.....	.....	1	.....
66	Paralysis without specified cause	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
67	General paralysis of the insane	M.	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
68	Other forms of mental alienation	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
69	Epilepsy	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	M.	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
71	Convulsions of infants	M.	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F.	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	M.	3	.....	.....	.....	1	.....	1	1	.....	1	.....	.....
		F.	5	1	2	.....	.....	.....	3	1	.....	.....	.....	.....
	III.—Diseases of the circulatory system		262	1	1		1	3	8	3	3	4	4	9
	Males		174	1	.....	1	.....	2	4	.....	2	2	2	2
	Females		88	.....	1	1	1	1	4	3	1	2	2	7
78	Acute endocarditis	M.	15	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
		F.	3	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....
79	Organic diseases of the heart	M.	127	.....	.....	1	.....	.....	1	.....	2	2	2	2
		F.	73	.....	.....	1	.....	.....	1	3	1	2	2	6
80	Angina pectoris	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
81	Diseases of the arteries, atheroma, aneurism, etc.	M.	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
82	Embolism and thrombosis	M.	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	F.	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system		709	246	66	24	9	15	360	22	10	13	42	50
	Males		395	128	37	14	2	5	186	7	3	5	28	22
	Females		314	118	29	10	7	10	174	15	7	8	14	23
87	Diseases of the larynx	M.	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F.	2	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
89	Acute bronchitis	M.	27	22	2	.....	.....	1	25	.....	.....	.....	.....	.....
		F.	26	21	2	.....	.....	1	24	1	.....	.....	.....	.....
90	Chronic bronchitis	M.	13	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
		F.	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
91	Bronchopneumonia	M.	168	86	26	12	2	3	129	4	2	1	2	.....
		F.	144	76	19	7	5	5	112	9	1	.....	4	7
92	Pneumonia (total)	M.	177	16	9	2	.....	1	28	3	1	4	26	21
		F.	134	17	7	3	1	4	32	3	5	8	10	21
	Lobar pneumonia	M.	175	16	9	2	.....	1	28	3	1	4	25	21
		F.	131	15	7	3	.....	4	29	3	5	8	10	21
	Pneumonia (undefined)	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	3	2	.....	.....	1	.....	3	.....	.....	.....	.....	.....
93	Pleurisy	M.	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
		F.	5	2	.....	.....	1	.....	3	2	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
95	Gangrene of the lung	F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
96	Asthma	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
97	Pulmonary emphysema	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system		597	341	65	23	13	9	451	12	3	9	8	18
	Males		358	197	42	11	5	4	259	6	2	3	6	12
	Females		239	144	23	12	8	5	192	6	1	6	2	6
99	Diseases of the mouth and annexa	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
100	Diseases of the pharynx	M.	3	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
102	Ulcer of the stomach	M.	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	M.	13	6	1	.....	1	.....	8	1	.....	.....	.....	.....
		F.	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	M.	221	182	39	.....	.....	.....	221	.....	.....	.....	.....	.....
		F.	161	139	22	.....	.....	.....	161	.....	.....	.....	.....	.....

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
7	5	15	23	20	20	22	16	17	7	8	4	3			2	
3	2	13	12	16	18	12	11	12	4	7	1	2			1	
4	3	2	11	4	2	10	5	5	3	1	3	1			1	
					2											60
1		2														61
								1								
		1														
1								1								
		1														
			2		2		1	1								62
		1														63
		1	1								1					
			1								1					
2	1	7	9	13	12	12	10	10	3	6	1	2			1	64
4	2		8	3	2	8	5	4	3	1	2	1			1	
				1				1		1						66
		2		3	1											67
	1	1							1							68
		2	1			2										
			1													69
																70
																71
					1											74
			1													75
	1															76
15	11	18	28	20	12	31	35	22	15	11	8	5				
4	5	13	18	14	8	26	27	15	13	9	7	3				
11	6	5	10	0	4	5	8	7	2	2	1	2				
2	1	5	2	2	1											78
1																
2	4	8	14	12	5	19	21	13	7	6	5	2				79
10	5	4	9	6	3	5	8	3	2	1	1	1				
			1		1											80
	1	1														
					1	7	6	2	6	3	2	1				81
					1			4		1		1				
			1													82
			1													
																84
27	43	27	27	20	9	15	14	6	9	5	4	3	1	2		
14	25	21	17	15	6	14	10	3	8	4	3	2	1	1		
13	18	6	10	5	3	1	4	3	1	1	1	1		1		
																87
					1					1						89
								1								
	1	1		2	1	2	1		2		1					90
							1									
3	4	2	2	4	2	3	2	1	3	1		2		1		91
2	1	1	2		1	1	1				1	1				
11	20	18	13	9	1	8	6	2	2	2	1		1			92
11	17	5	8	5	2		2	2	1	1				1		
11	20	17	13	9	1	8	6	2	2	2	1		1			
11	17	5	8	5	2		2	2	1	1				1		
		1														
			1													93
					1											94
																95
			1						1							96
						1										97
																98
							1				1					
8	9	10	13	14	11	6	15	3	1	4		1	1			
6	7	5	9	14	8	4	11	2		3		1				
2	2	5	4		3	2	4	1	1	1			1			
																99
1																100
1			2	1	1		1			1						102
			1				1									
1	1	1						1								103
							1									
																104

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system—Con.												
105	Diarrhea and enteritis (2 years and over)	M. 24			11	3	2	16	2			1	
		F. 34			10	7	5	22	1		2	1	1
108	Appendicitis and typhlitis	M. 23							2	1	2	2	6
		F. 12			1			1	3	1	2	1	3
109	Hernia, intestinal obstruction (total)	M. 26	6	1		1		8	1		1	1	3
		F. 8	1		1			2					1
	Hernia	M. 9	3					3	1		1		
		F. 2											1
	Intestinal obstruction	M. 17	3	1		1		5				1	3
		F. 6	1		1			2					
110	Other diseases of the intestines	M. 1	1					1					
		F. 4	2					2					
111	Acute yellow atrophy of the liver	F. 2		1				1					
112	Hydatid tumor of the liver	F. 1									1		
113	Cirrhosis of the liver	M. 17											
		F. 4	1					1					
114	Biliary calculi	M. 5											
		F. 1											
115	Other diseases of the liver	M. 14	1				1	2		1		1	3
		F. 2											1
117	Simple peritonitis (nonpuerperal)	M. 2											
		F. 2							1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	M. 1					1	1					
		F. 3				1		1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	194	6		3	5	1	15	4		6	3	7
	Males	119	2		2	4	1	9	2		2	2	4
	Females	75	4		1	1		6	2		4	1	3
119	Acute nephritis	M. 10			2			2	1		1	1	
		F. 7	3					3	2				
120	Bright's disease	M. 103				4	1	5	1		1		4
		F. 56			1	1		2			4		2
122	Other diseases of the kidneys and annexa	M. 2	1					1					
		F. 2	1					1				1	
123	Calculi of the urinary passages	M. 2										1	
126	Diseases of the prostate	M. 1											
127	Nonvenereal diseases of the male genital organs	M. 1	1					1					
129	Uterine tumor (noncancerous)	F. 3											
130	Other diseases of the uterus	F. 1											
131	Cysts and other tumors of the ovary	F. 2											1
132	Salpingitis and other diseases of the female genital organs	F. 4											
	VII.—The puerperal state	87									10	11	24
134	Accidents of pregnancy	F. 24									2	3	9
135	Puerperal hemorrhage	F. 13									1		3
136	Other accidents of labor	F. 8										1	
137	Puerperal septicemia	F. 25									5	4	8
138	Puerperal albuminuria and convulsions	F. 17									2	3	4
	VIII.—Diseases of the skin and of the cellular tissue	24	5	2	2			9	3	1		4	
	Males	11	2		1			3	1	1		3	
	Females	13	3	2	1			6	2			1	
142	Gangrene	M. 1	1					1					
		F. 2			1			1	1				
143	Furuncle	M. 5	1		1			2				2	
		F. 4		2				2	1				
144	Acute abscess	M. 3								1			
		F. 4	2					2					
145	Other diseases of the skin and annexa	M. 2							1			1	
		F. 3	1					1				1	
	IX.—Diseases of the bones and of the organs of locomotion	9	1		1		1	3	3				
	Males	4	1					1	2				
	Females	5			1		1	2	1				
146	Diseases of the bones (tuberculosis excepted)	M. 3	1					1	1				
		F. 4			1		1	2	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	M. 1							1				
149	Other diseases of the organs of locomotion	F. 1											
	X.—Malformations	35	32	3				35					
	Males	20	18	2				20					
	Females	15	14	1				15					
150	Congenital malformations (total)	M. 20	18	2				20					
		F. 15	14	1				15					
	Hydrocephalus	M. 4	3	1				4					
		F. 1	1					1					
	Congenital malformations of the heart	M. 6	5	1				6					
		F. 9	8	1				9					
	Other congenital malformations	M. 10	10					10					
		F. 5	5					5					

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Int. Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
			1	1		1	1	1								
					2	2	1	1					1			105
1	2		1	1	3	1	1									108
		1														
		1		2	1	1	4			2		1				109
		3							1	1						
						1	1			1		1				
		1														
		1		2	1		3			1						
		2							1	1						
																110
			2													
			1													111
																112
1	2		4	5	3	1	1									113
1	1						1									
		1		3			1									114
					1											
1	1	1	1	1			2									115
		1														
	1	1														117
	1															
																118
1																
12	8	16	14	24	19	26	13	10	7	3	3	1	2	1		
1	5	5	12	20	13	18	9	10	4	1	2					
11	3	11	2	4	6	8	4		3	2	1	1	2	1		
	1	2		1	1											119
1						1										
	4	3	12	18	12	18	9	10	4		2					120
9	2	4	2	4	6	7	4		3	2	1	1	2	1		
1																122
				1												123
										1						126
																127
		3														129
		1														130
		1														131
1	1	2														132
20	13	7	2													
6	3	1														134
3	5	1														135
1	2	3	1													136
6	1		1													137
4	2	2														138
		1	2	1		1	1							1		
			1	1			1									
		1	1			1								1		
																142
			1													143
		1														
				1			1									144
			1			1										
																145
														1		
1	1	1														
		1														
1	1															
		1														146
	1															
																147
1																149
																150

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII,

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	XI.—Early infancy	251	251					251					
	Males	147	147					147					
	Females	104	104					104					
151	Congenital debility, icterus, and sclerema (total) M	123	123					123					
	F	75	75					75					
	Premature birth M	98	98					98					
	F	58	58					58					
	Congenital debility, "atrophy," "marasmus," etc M	25	25					25					
	F	17	17					17					
152	Other causes peculiar to early infancy (total) M	23	23					23					
	F	28	28					28					
	Injuries at birth M	5	5					5					
	F	15	15					15					
	Other causes peculiar to early infancy M	18	18					18					
	F	13	13					13					
153	Lack of care M	1	1					1					
	F	1	1					1					
	XII.—Old age	15											
	Males	8											
	Females	7											
154	Senility M	8											
	F	7											
	XIII.—External causes	289	7	19	8	9	4	47	19	8	14	31	19
	Males	224	2	11	2	3	3	21	11	5	8	26	17
	Females	65	5	8	6	6	1	26	8	3	6	5	2
	Suicide (total) M	40									1	5	2
	F	13									2	3	2
155	By poison M	8										2	
	F	5									1	1	1
157	By hanging or strangulation M	8											1
	F	5									1	1	
158	By drowning M	2											
	F	2										1	
159	By firearms M	12										2	
160	By cutting or piercing instruments M	9									1	1	1
	F	1											1
163	Other suicides M	1											
	Accidental or undefined (total) M	172	2	11	2	2	3	20	11	5	6	20	12
	F	47	5	8	6	6	1	26	8	3	4	1	
164	Poisoning by food M	2											1
	F	3		2				2		1			
165	Other acute poisonings M	10	1	4				5	1			1	
	F	6	1	2	1			4			1		
166	Conflagration M	3											
167	Burns (conflagration excepted) M	3		2				2					
	F	8		3	2	1		6	1		1		
168	Absorption of deleterious gases (conflagration excepted) M	4										1	
	F	1	1					1					
169	Accidental drowning M	31		4		1		5	7	2	1	3	2
	F	9	1	1	1	1		4	3	1	1		
170	Traumatism by firearms M	3		1				1				2	
172	Traumatism by fall M	23	1		1			2	1			3	2
	F	7	2		1		1	4	1			1	
174	Traumatism by machines M	11			1			1			2	2	
175	Traumatism by other crushing (total) M	61			1	1	2	4	2	2	2	4	5
	F	11			1	2		3	3	1	1		
	Railroad accidents and injuries M	17									1	1	
	F	4			1			1		1			
	Street-car accidents and injuries M	1											
	Automobile accidents and injuries M	33			1	1	2	4	2	1	1	3	3
	F	7				2		2	3		1		
	Injuries by other vehicles M	8								1			2
	Landslide, other crushing M	2											
176	Injuries by animals M	7										2	
181	Electricity (lightning excepted) M	3										1	1
186	Other external violence M	11								1	1	1	1
	F	2				2		2					
	Homicide (total) M	12				1		1			1	1	3
	F	5										1	
182	By firearms M	3									1		
183	By cutting or piercing instruments M	5											3
	F	4										1	
184	By other means M	4				1		1				1	
	F	1											
	XIV.—Ill-defined diseases	9	4	3				7					
	Males	5	1	2				3					
	Females	4	3	1				4					
189	Not specified or ill-defined (total) M	5	1	2				3					
	F	4	3	1				4					
	Ill-defined M	3		2				2					
	F	1	1					1					
	Not specified or unknown M	2	1					1					
	F	3	3					3					

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1920—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
																151
																152
																153
							2	2	2	2	4	2	1			
							2	1	2	1	1	1				
								1		1	3	1	1			
							2	1	2	1	1	1				154
								1		1	3	1	1			
22	29	20	31	18	9	8	8	3	1	1					1	
21	24	18	29	15	8	7	8	3	1	1					1	
1	5	2	2	3	1	1										
5	5	3	6	7	1	3	2									
	3	2		1												
2		1	1	2												155
	1	1														
	1			2	1	2	1									157
	1	1		1												
	1						1									158
	1															
1	2	1	3	2		1										159
2		1	2	1												160
	1															163
14	19	14	21	7	7	4	6	3	1	1					1	
	2			1	1	1										
						1										164
			1	1		1										165
				1												
			1				1	1								166
	1															167
1	1				1											168
2	2	1	2		2				1						1	169
																170
1	6	1	4	1			1	1								172
					1											174
10	6	1	2	2		1	1									175
	2	9	5	3	3	1	3	1		1						
3	3	4		2	1	1	1									
	1					1										
	1															
3	2	4	5		2		2	1								
	1															
3				1						1						
1		1														
	1	1	2		1											176
	1															181
	1	1	4			1										186
2		1	2	1												
1			2	1												
			1	1												182
1		1														183
			2	1												
1			1													184
1								1								
1								1								
1								1								189
								1								
1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, BY MONTH OF DEATH: 1920.

[The numbers in parentheses after the causes of death correspond to those of the 1909 revision of the detailed International List.]

CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
All causes	4,600	367	599	959	411	300	263	279	283	269	276	261	333
Typhoid fever (1)	39	.....	2	2	2	7	6	7	6	2	2	.....	3
Malaria (4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Measles (6)	58	.....	7	12	4	3	5	8	13	3	1	2	.....
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	4	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....
Diphtheria and croup (9)	17	2	1	1	5	2	2	1	1	1	1	.....	.....
Influenza (10)	866	18	204	476	119	16	8	1	3	3	1	4	13
Tuberculosis of the lungs (28, 29)	476	51	37	60	41	41	35	37	32	23	34	36	44
Other forms of tuberculosis (30–35)	55	4	2	9	2	7	4	6	3	7	2	3	6
Meningitis (61)	27	3	3	4	1	5	1	3	1	.....	3	2	1
Bronchitis (89, 90)	68	7	3	4	4	3	6	9	7	2	4	9	10
Pneumonia (92)	311	30	77	93	24	14	7	12	11	12	7	11	13
Bronchopneumonia (91)	312	33	30	33	34	17	16	19	23	17	22	32	35
Diarrhea and enteritis (under 2 years) (104)	382	33	36	42	23	22	27	29	23	39	39	32	37
Diarrhea and enteritis (2 years and over) (105)	58	7	.....	4	7	6	4	4	3	6	4	6	7
Puerperal septicemia (137)	25	.....	6	1	2	2	2	3	1	4	1	1	2
Other puerperal causes (134–136, 138–141)	62	7	9	12	6	3	1	2	4	4	5	4	5
Congenital debility (151b)	42	3	4	7	7	1	3	5	7	3	1	.....	1
Violent deaths (suicide excepted) (164–186)	236	18	17	20	18	25	15	26	22	13	20	16	26
Suicide (155–163)	53	4	6	4	5	1	4	4	7	3	2	8	5
All other causes	1,509	147	155	175	106	125	117	103	115	122	127	93	124

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE TERRITORY OF HAWAII, FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1920.

[The numbers in parentheses after the causes of death correspond to those of the 1909 revision of the detailed International List.]

CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
		Under 1 day.	1 day.	2 days.	3 to 6 days.	Under 1 week.	1 week.	2 weeks.	3 weeks.	Under 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
All causes	1,083	110	27	29	53	219	53	44	40	356	126	112	210	154	125
Measles (6)	15	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	4	8
Scarlet fever (7)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Whooping cough (8)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....
Diphtheria and croup (9)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Influenza (10)	86	1	.....	.....	.....	1	1	3	2	7	6	4	25	26	18
Dysentery (14)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
Erysipelas (18)	9	.....	.....	.....	1	1	1	.....	2	4	2	1	2	.....	.....
Tetanus (24)	6	.....	.....	.....	3	3	1	1	.....	5	1	.....	.....	.....	.....
Tuberculosis of the lungs (28, 29)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1
Tuberculous meningitis (30)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
Other forms of tuberculosis (31–35)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
Syphilis (37)	11	.....	1	1	.....	2	1	.....	1	4	2	3	.....	1	1
Meningitis (61)	10	.....	.....	.....	.....	.....	1	.....	.....	1	.....	2	1	4	2
Convulsions (71)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1
Organic diseases of the heart (79)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Acute bronchitis (89)	43	.....	.....	2	1	3	2	2	3	10	9	6	10	7	1
Pneumonia (92)	33	1	.....	.....	.....	1	1	1	2	5	4	2	9	6	7
Bronchopneumonia (91)	162	1	1	1	2	5	4	5	5	19	19	20	49	27	28
Diseases of the stomach (102, 103)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	.....
Diarrhea and enteritis (104)	321	1	.....	2	5	8	9	8	11	36	45	47	89	59	45
Congenital malformations (150)	32	11	1	4	6	22	1	.....	1	24	2	2	3	.....	1
Premature birth (151a)	156	68	15	13	16	112	18	16	4	150	3	2	1	.....	.....
Congenital debility, etc. (151b, 152b, 153)	75	15	4	6	12	37	11	6	3	57	6	5	3	4	.....
Injuries at birth (152a)	20	11	4	.....	4	19	.....	1	.....	20	.....	.....	.....	.....	.....
External causes (164–186)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	2
Unknown or ill-defined diseases (187–189)	4	1	1	.....	1	3	.....	.....	1	4	.....	.....	.....	.....	.....
All other causes	70	.....	.....	.....	2	2	2	1	4	9	22	14	9	9	7

INDEX.

Abdominal tuberculosis, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Abscess, acute, deaths from, 264; by age, 278, 310; by color, 290, 302; by sex, 278; in cities and rural districts, 264.
—— death rate, 112.

Absorption of deleterious gases (conflagration excepted), deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.

Accidental or undefined causes, deaths from, 61, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 61, 113.

Accidents and injuries, automobile, railroad, and street-car, deaths from, 264; by age, 282, 310; by color; 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.

Addison's disease, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274. in cities and rural districts, 248.
—— death rate, 110.

Age, deaths by, 11, 140, 174, 272, 308, 479.

Airplane accidents and injuries, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.

Alcoholism (acute or chronic), deaths from, 248; by age, 274, 308; by color, 286,298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.

Amputations, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.

Anemia, chlorosis, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.

Aneurism. *See* Arteries, diseases of, etc.

Angina pectoris, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.

Ankylostomiasis, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276. in cities and rural districts, 256.
—— death rate, 112.

Anthrax, deaths from, 33, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Apoplexy. *See* Cerebral hemorrhage, etc.

Appendicitis and typhlitis, deaths from, 256; by age, 278, 309; by color, 215, 290, 302; by sex, 278; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.

Arteries, diseases of, atheroma, aneurism, etc., deaths from, 40, 256; by age, 276, 309; by color, 288, 300; by sex, 40, 276; in cities and rural districts, 256.
—— death rate, 40, 111.

Asiatic cholera, deaths from, 248; by age and sex, 272; by color, 284, 296; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 110.

Asthma, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.

Atheroma. *See* Arteries, diseases of, etc.

Atrophy. *See* Congenital debility, etc.

Australian Commonwealth, death rates of, 15; from puerperal causes, 60.

Austria, death rates of, 15.

Automobile accidents and injuries, deaths from and death rate, 61. *See also* Accidents, etc.

Autopsies and tests, 70.

Belgium, death rates of, 15.

Beriberi, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Biliary calculi, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.

Bladder, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.

Bones, diseases of (tuberculosis excepted), deaths from 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.

Bones and organs of locomotion, diseases of, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.

Breast, nonpuerperal diseases of (cancer excepted), deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.

Breast, puerperal diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.

Bright's disease and nephritis, deaths from, 54, 256; by age, 278, 309; by color, 215, 290, 302; by sex, 278; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 54, 112.

Bronchitis (acute and chronic), deaths from, 256; by age, 276, 309; by color, 215, 288, 300; by days, weeks, and months, 586; by month of death, 540; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 111.

Bronchopneumonia, deaths from, 40, 256; by age, 276, 309; by color, 288, 300; by days, weeks, and months, 586; by month of death, 540; by sex, 40, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.

Bronchopneumonia, death rate, 40, 111.

Burns (conflagration excepted), deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.

Calculi of the urinary passages, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.

Cancer and other malignant tumors, deaths from, 40, 248; by age, 274, 308; by color, 215, 286, 298; by sex, 274; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 40, 110.

Cause of death, 17, 248; by age, 272, 308; by color, 214, 284, 296; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate 18, 110.

Cellular tissue, diseases of. *See* Skin, etc.

Cerebral hemorrhage, apoplexy, deaths from, 40, 248; by age, 274, 308; by color, 286, 298; by sex, 40, 274; in cities and rural districts, 248.
—— death rate, 18, 40, 111.

Cerebral hemorrhage and softening, deaths from, by color, 215; in each city of 100,000 population or over in 1920, 479. *See also* Softening of the brain.

Cerebrospinal fever, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.

Cerebrospinal meningitis (undefined), deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.

Ceylon, death rates of, 15.

Childbirth, deaths following, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.

Children. *See* Infancy, etc.

Chile, death rates of, 15.

Chinese population, deaths of, 13; by age, 174; by sex, 10, 174.

Chlorosis. *See* Anemia, etc.

Cholera. *See* Asiatic cholera.

Cholera nostras, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 110.

Chorea, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.

Chyluria, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.

Circulatory system, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.

Circulatory system, death rate, 111.
Cirrhosis of the liver, deaths from, 256; by age, 278, 309; by color, 215, 290, 302; by sex, 278; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Cities in registration states, deaths in, 74; by age, 140, 176; by cause, 214, 248; by color, 13, 74, 127, 140, 176, 214; by days, weeks, and months, 586; by month of death, 116, 540; by nativity, 127, 176; by sex, 176.
—— death rate, 74, 110.
Cold, excessive, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Color, deaths by, 10, 127, 140, 174, 214.
Colored population, 74; deaths of, 13, 74, 127; by age, 140, 174, 296; by cause, 214, 296; by sex, 10, 174, 296; in cities and rural districts, 74.
—— death rate, 12, 74.
Conflagration, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Congenital debility, deaths from, by days, weeks, and months, 586; by month of death, 540.
Congenital debility, "atrophy," "marasmus," etc., deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Congenital debility, icterus, and sclerema, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Congenital debility and malformations, deaths from, by color, 215; in each city of 100,000 population or over in 1920, 479.
Congenital malformations (stillbirths not included), deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.
Congenital malformations of the heart, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.
Convulsions (nonpuerperal), deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.
Convulsions (puerperal). *See* Puerperal albuminuria, etc.
Convulsions of infants, deaths from, 248; by age, 274, 308; by color, 286, 298; by days, weeks, and months, 586; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.
Croup. *See* Diphtheria, etc.
Crude death rates, 9.
Crushing. *See* Landslide, etc.
Cysts and other tumors of the ovary, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.

Death rates, 9, 12, 74; by cause, 18, 110; in foreign countries, 15, 60.
Deaths, 9; by age, 11, 140, 174, 272, 308; by cause, 214, 248, 272, 308; by color, 10, 127, 140, 174, 214; by days, weeks, and months, 586; by month of death, 13, 116, 540; by nativity, 10, 127, 174; by sex, 10, 174, 272; in cities and rural districts, 74, 248; in each city of 100,000 population or over in 1920, 479.
Denmark, death rates of, 15.
Diabetes, deaths from, 248; by age, 274, 308; by color, 215, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Diarrhea and enteritis (under 2 years), deaths from, 52, 256; by age, 276, 309; by color, 215, 288, 300; by days, weeks, and months, 586; by month of death, 540; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 52, 112.
Diarrhea and enteritis (2 years and over), deaths from, 256; by age, 276, 309; by color, 288, 300; by month of death, 540; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Digestive system, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 112.
Diphtheria and croup, deaths from, 28, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 28, 110.
Disseminated tuberculosis, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Drowning, accidental, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Dysentery, deaths from, 248; by age, 272, 308; by color, 284, 296; by days, weeks, and months, 586; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Ears, diseases of, deaths from, 248; by age, 276, 308; by color, 288, 300; by sex, 276; in cities and rural districts, 248.
—— death rate, 111.
Electricity (lightning excepted), deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Embolism and thrombosis, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256;
—— death rate, 111.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248. *See also* Lethargic encephalitis.
—— death rate, 111.
Endocarditis, acute, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
England and Wales, death rates of, 15; from puerperal causes, 60; from syphilis, 39.
Enteritis. *See* Diarrhea, etc.
Epidemic diseases, deaths from, 32, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 32, 110.
Epilepsy, deaths from, 40, 248; by age, 274, 308; by color, 286, 298; by sex, 40, 274; in cities and rural districts, 248.
Epilepsy, death rate, 40, 111.
Erysipelas, deaths from, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Esophagus, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 112.
Exophthalmic goiter, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
External causes, deaths from, 264; by age, 280, 310; by color, 292, 304; by days, weeks and months, 586; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Eyes and their annexa, diseases of, deaths from, 248; by age, 276, 308; by color, 288, 300; by sex, 276; in cities and rural districts, 248.
—— death rate, 111.

Female genital organs, diseases of. *See* Salpingitis, etc.
Finland, death rates of, 15.
Foreign countries, death rates of, 15.
Foreign-born white population, deaths of, 127; by age, 174; by sex, 10, 174.
Fractures, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
France, death rates of, 15.
Furuncle, deaths from, 264; by age, 278, 310; by color, 290, 302; by sex, 278; in cities and rural districts, 264.
—— death rate, 112.

Gangrene, deaths from, 264; by age, 278, 310; by color, 290, 302; by sex, 278; in cities and rural districts, 264.
—— death rate, 112.
Gangrene of the lung, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
General diseases, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Germany, death rates of, 15.
Glanders, deaths from, 33, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Goiter. *See* Exophthalmic goiter.
Gonococcus infection, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Gout. *See* Rheumatism, chronic, etc.

Hawaii, deaths in, and death rates of, 648.
Heart, organic diseases of, deaths from, 40, 49, 256; by age, 276, 309; by color, 215, 288, 300; by days, weeks, and months, 586; by sex, 40, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 40, 49, 111.
Heat, effects of, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.

Hemorrhage, other diseases of the circulatory system, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Hemorrhoids. *See* Veins, etc., diseases of, etc.
Hernia, deaths from, 256; by age, 278, 309; by color, 215, 290, 302; by sex, 278; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Homicide, deaths from, 65, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 64, 113.
Hungary, death rates of, 15.
Hydatid tumor of the liver, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Hydrocephalus, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 65, 264; by age, 282, 310; by color, 215, 294, 306; by days, weeks, and months, 586; by sex, 282; in cities and rural districts, 264; in each city of 100,000 population or over in 1920, 479.
—— death rate, 65, 113.
Indian population, deaths of, 13; by age, 174; by sex, 10, 174.
Infancy, early, deaths in, 67, 264; by age, 67, 280, 310; by cause, 67, 586; by color, 292, 304; by days, weeks, and months, 586; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Infantile paralysis. *See* Poliomyelitis, etc.
Influenza, deaths from, 29, 31,248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 30, 31, 110.
Injuries. *See* Accidents, etc.
Injuries at birth, deaths from 264; by age, 280, 310; by color, 292, 304; by days, weeks, and months, 586; by sex, 280; in cities and rural districts, 264;
—— death rate, 113.
Injuries by animals, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
International List of Causes of Death, detailed and abridged, 17.
Intestinal obstruction, deaths from 256; by age, 278, 309; by color, 215, 290, 302; by sex, 278; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Intestinal parasites, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Intestines, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Ireland, death rates of, 15; from puerperal causes, 60.
Italy, death rates of, 15.

Jamaica, death rates of, 15; from puerperal causes, 60.
Japan, death rates of, 15.
Japanese population, deaths of, 13, 127; by age, 174; by sex, 10, 174.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 112.

Kidneys and annexa, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.

Lack of care, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Landslide, other crushing, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Larynx, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Lead poisoning, chronic, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Leprosy, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Lethargic encephalitis, deaths from, 45.
Leukemia, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Lightning, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Liver, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
See also Cirrhosis of the liver.
—— death rate, 112.
Lobar pneumonia, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Locomotor ataxia, deaths from, 39, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 39, 111.
Lymphangitis. *See* Lymphatic system, diseases of, etc.
Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 39, 111.

Malaria, deaths from, 22, 248; by age, 272, 308; by color, 214, 284, 296; by months of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 22, 110.
Male genital organs, nonvenereal diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Malformations, deaths from, 264; by age, 280, 310; by color, 292, 304; by days, weeks, and months, 586; by sex, 280; in cities and rural districts, 264. *See also* Congenital debility, etc.
—— death rate, 112.
Marasmus. *See* Congenital debility, etc.
Measles, deaths from, 24, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 24, 110.
Meningitis, deaths from, 248; by age, 274, 308; by color, 215, 286, 298; by days, weeks, and months, 586; by month of death, 540; by sex, 274; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 111.
Mental alienation, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.
Miliary fever, deaths from, 248; by age and sex, 272; by color, 284, 296; in cities and rural districts, 248.
—— death rate, 110.
Miliary tuberculosis, acute, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Mouth and annexa, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 112.
Mycoses, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Nasal fossae, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256;
—— death rate, 111.
Native white population, deaths of, 127; by age, 174; by sex, 10, 174.
Nativity, deaths by, 10, 58, 127, 174.
Negro population, deaths of, 13, 127; by age, 174; by sex, 10, 174.
—— death rate, 13.
Nephritis. *See* Bright's disease, etc.
Nervous system, diseases of, deaths from, 40. *See also* Nervous system and organs of special sense.
—— death rate, 40.
Nervous system and organs of special sense, diseases of, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 111.
Netherlands, death rates of, 15; from puerperal causes, 60.
Neuralgia and neuritis, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex 274; in cities and rural districts, 248.
—— death rate, 111.
Neuritis. *See* Neuralgia, etc.
New Zealand, death rates of, 15; from puerperal causes, 60.
Nonresidents, deaths of, 14, 77; population of, 77.
Norway, death rates of, 15.

Occupation poisonings, chronic, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Old age. *See* Senility.
Ontario, Province of, death rates of, 15.
Organs of locomotion, diseases of. *See* Bones, etc.
Organs of special sense, diseases of. *See* Nervous system, etc.

Paralysis of the insane, deaths from, 39, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 39, 111.
Paralysis without specified cause, deaths from, 40, 248; by age, 274, 308; by color, 286, 298; by sex, 40, 274; in cities and rural districts, 248.
—— death rate, 40, 111.
Parent nativity, deaths by, 10, 127, 174.

Pellagra, deaths from, 34, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Pericarditis, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Peritonitis, simple (nonpuerperal), deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Pharynx, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 112.
Phlebitis. *See* Veins, diseases of, etc.
Plague, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Pleurisy, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Pneumonia, deaths from, 29, 49, 256; by age, 30, 276, 309; by color, 215, 288, 300; by days, weeks, and months, 586; by month of death, 540; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 30, 51, 111.
Pneumonia (undefined), deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Poisoning by food, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Poisonings, acute, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Poisonings, chronic, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Poliomyelitis, acute anterior (infantile paralysis), deaths from, 48, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 48, 111.
Population of registration area, 10; by color, 74.
Pott's disease, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Pregnancy, accidents of, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Premature birth, deaths from, 264; by color, 292, 304; by days, weeks, and months, 586; by sex, 280; in cities and rural districts, 264.
—— death rate, 113.
Prostate, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Puerperal albuminuria and convulsions, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Puerperal causes, deaths from, 55, 256; by age, 59, 278, 309; by color, 215, 290, 302; by month of death, 540; by nativity, 58; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 55, 112; in foreign countries, 60.
Puerperal hemorrhage, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Puerperal septicemia, deaths from, 59, 256; by age, 59, 278, 309; by color, 215, 290, 302; by month of death, 540; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 56, 112; in foreign countries, 60.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 211.
Pulmonary emphysema, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 211.
Purulent infection and septicemia, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.

Rabies, deaths from, 34, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Railroad accidents and injuries. *See* Accidents, etc.
Registration area, 9, 10; deaths in, 9, 74; by age, 11, 140, 174, 308; by cause, 17, 248, 308; by color, 10, 13, 127, 140, 174, 214, 274; by days, weeks, and months, 586; by month of death, 116, 540; by nativity, 10, 127, 174; by sex, 10, 174; growth of, 9; population of, 10, 74; states and cities included in, 10.
—— death rate, 9, 18, 74, 110.
Registration cities, deaths in, 74, 77; by age, 140, 178; by cause, 214, 248; by color, 74, 127, 140, 178, 216; by days, weeks, and months, 587; by month of death, 116, 541; by nativity, 127, 178; by sex, 178; population of, 74.
—— death rate, 74, 110.
Registration cities in nonregistration states, 10; deaths in, 74; by age, 140, 178; by cause, 214, 248; by color, 140, 178, 214; by days, weeks, and months, 587; by month of death, 116, 541; by nativity, 127, 178; by sex, 178; population of, 74.
—— death rate, 74, 110.
Registration cities of 100,000 population or over in 1920, deaths in, by age, 479; by cause, 479; by days, weeks, and months, 606; by month of death, 555.
—— death rate, 12.
Registration cities with considerable colored population, deaths in, 216, 479, 555, 606.
Registration states, 9, 10; deaths in, 74; by age, 140, 174, 272, 311; by cause, 214, 248, 272, 311; by color, 13, 140, 174, 214, 284, 296; by days, weeks, and months, 586; by month of death, 116, 540; by nativity, 127, 174; by sex, 174, 272; population of, 74.
—— death rate, 12, 18, 74, 110.
Relapsing fever, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Respiratory system, diseases of, deaths from, 256; by age, 276, 309; by color, 215, 288, 300; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 111.
Rheumatism, acute articular, deaths from, 248; by age, 274, 308; by color, 214, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Rheumatism, chronic, and gout, deaths from, 248; by age, 274, 308; by color, 214, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Rickets, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Rumania, death rates of, 15.
Rural part of registration states, deaths in, 74, 84; by age, 140, 176; by cause, 214, 248; by color, 13, 74, 127, 140, 176, 214; by days, weeks, and months, 587; by month of death, 116, 540; by nativity, 127, 176; by sex, 176; population of, 74.
—— death rate, 74, 110.

Salpingitis and other diseases of the female genital organs, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Scarlet fever, deaths from, 25, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 25, 110.
Sclerema. *See* Congenital debility, etc.
Scotland, death rates of, 15; from puerperal causes, 60.
Scurvy, deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Senility, deaths from, 264; by age, 280, 310; by color, 292, 304; by sex, 280; in cities and rural districts, 264; in each city of 100,000 population or over in 1920, 479.
—— death rate, 113.
Septicemia. *See* Puerperal septicemia *and* Purulent infection, etc.
Sex, deaths by, 10, 174, 272.
Skin and cellular tissue, diseases of, deaths from, 264; by age, 278, 310; by color, 290, 302; by sex, 278; in cities and rural districts, 264.
—— death rate, 112.
Smallpox, deaths from, 23, 248; by age, 272, 308; by color, 214, 284, 296; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 23, 110.
Softening of the brain, deaths from, 40, 248; by age, 274, 308; by color, 286, 298; by sex, 40, 274; in cities and rural districts, 248. *See also* Cerebral hemorrhage and softening.
—— death rate, 40, 111.
Spain, death rates of, 15.
Spinal cord, diseases of, deaths from, 40, 248; by age, 274, 308; by color, 286, 298; by sex, 40, 274; in cities and rural districts, 248.
—— death rate, 40, 111.
Spleen, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Starvation, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
States. *See* Registration states.
Statistics, accuracy of, 68.

Stomach, diseases of (cancer excepted), deaths from, 256; by age, 276, 309; by color, 288, 300; by days, weeks, and months, 586; by sex, 276; in cities and rural districts, 256; in each city of 100,000 population or over in 1920, 479.
—— death rate, 112.
Street-car accidents and injuries. *See* Accidents, etc.
Sudden deaths, number of, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264. *See also* Puerperal phlegmasia alba dolens, etc.
—— death rate, 113.
Suicide, deaths from, 61, 264; by age, 280, 310; by color, 215, 292, 304; by month of death, 540; by sex, 280; in cities and rural districts, 264; in each city of 100,000 population or over in 1920, 479.
—— death rate, 61, 113.
Sweden, death rates of, 15; from puerperal causes, 60.
Switzerland, death rates of, 15.
Syphilis, deaths from, 39, 248; by age, 272, 308; by color, 284, 296; by days, weeks, and months, 586; by sex, 272; in cities and rural districts, 248.
—— death rate, 39, 110.

Tetanus, deaths from, 248; by age, 272, 308; by color, 284, 296; by days, weeks, and months, 586; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Traumatism, deaths from, 264; by age, 282, 310; by color, 294, 306; by sex, 282; in cities and rural districts, 264.
—— death rate, 113.
Tuberculosis, deaths from, 36, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 36, 110.
Tuberculosis of the lungs, deaths from, 37, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 37, 110.
Tuberculous meningitis, deaths from, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 110.
Tumors (tumors of the female genital organs excepted), deaths from, 248; by age, 274, 308; by color, 286, 298; by sex, 274; in cities and rural districts, 248.
—— death rate, 110.
Tumors, malignant. *See* Cancer, etc.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, deaths from, 20, 248; by age, 272, 308; by color, 214, 284, 296; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 21. 110.
Typhus fever, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920. 479.
—— death rate, 110.
Ulcer of the stomach, deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 112.
Undefined causes, deaths from. *See* Accidental, etc., causes.
Unknown diseases. *See* Ill-defined diseases.
Urethra, diseases of, urinary abscess, etc., deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Urinary abscess. *See* Urethra, etc.
Uterine hemorrhage (nonpuerperal), deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts. 256.
—— death rate, 112.
Uterine tumor (noncancerous), deaths from, 256; by age. 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.
Uterus, diseases of, deaths from, 256; by age, 278, 309; by color, 290, 302; in cities and rural districts, 256.
—— death rate, 112.

Varices. *See* Veins, diseases of, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 256; by age, 276, 309; by color, 288, 300; by sex, 276; in cities and rural districts, 256.
—— death rate, 111.
Violent deaths (excluding suicide), number of, 264; by age, 282, 310; by color, 215, 294, 306; by month of death, 540; by sex, 282; in cities and rural districts, 264; in each city of 100,000 population or over in 1920, 479.
—— death rate, 113.

Wales. *See* England, etc.
White population, 74; deaths of, 74, 127; by age, 140, 174, 284; by cause, 214, 284; by nativity, 127, 174; by sex, 10, 174, 284; in cities and rural districts, 74.
—— death rate, 12, 74.
White swellings, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.
Whooping cough, deaths from, 27, 248; by age, 272, 308; by color, 214, 284, 296; by days, weeks, and months, 586; by month of death, 540; by sex, 272; in cities and rural districts, 248; in each city of 100,000 population or over in 1920, 479.
—— death rate, 18, 27, 110.

Yellow atrophy of the liver, acute, deaths from, 256; by age, 278, 309; by color, 290, 302; by sex, 278; in cities and rural districts, 256.
—— death rate, 112.
Yellow fever, deaths from, 248; by age, 272, 308; by color, 284, 296; by sex, 272; in cities and rural districts, 248.
—— death rate, 110.