DEPARTMENT OF COMMERCE

HERBERT HOOVER, SECRETARY

BUREAU OF THE CENSUS

W. M. STEUART, *Director*

MORTALITY STATISTICS

1925

TWENTY-SIXTH ANNUAL REPORT

PART I

SUMMARY AND RATE TABLES AND GENERAL TABLES FOR THE DEATH REGISTRATION AREA IN CONTINENTAL UNITED STATES, WITH SUPPLEMENTAL STATISTICS FOR HAWAII AND THE VIRGIN ISLANDS

PRICE $2.00 (Buckram)

Sold only by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C.

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON
1927

LETTER OF TRANSMITTAL

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., July 9, 1927.

SIR:

I transmit herewith Part I of the annual report on Mortality Statistics for 1925; this volume includes only rate tables and general tables; the text will be presented in Part II, which will also include the text for Birth, Stillbirth, and Infant Mortality Statistics, 1925.

This is the twenty-sixth compilation of mortality statistics prepared by the Bureau of the Census. It is based on data from transcripts of death certificates received from the registration area for deaths, which included the Territory of Hawaii, the Virgin Islands, and, in continental United States, 40 States, the District of Columbia, and 24 cities in nonregistration States. The States of Alabama and West Virginia were added to the registration area in 1925.

The total number of deaths returned from this part of continental United States, which contained an estimated population of 103,108,000, or 89.4 per cent of the total, was 1,219,019, corresponding to a death rate of 11.8 per 1,000 population. Populations were estimated by the geographer's division of the Bureau of the Census.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by John B. Mitchell, supervising special agent, and Clyde D. Williams, expert chief of division.

Acknowledgment is made of the efficient service rendered in the preparation of this report by John O. Spain and Miss Maud E. Linder.

Respectfully,

W. M. STEUART,
Director of the Census.

Hon. HERBERT HOOVER,
Secretary of Commerce.

CONTENTS

SUMMARY AND RATE TABLES

Page

TABLE I A.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, by color, in urban and rural districts: 1925 2

Estimated population and death rates by color for registration area and its main subdivisions, and for urban and rural districts of each registration State.

TABLE I B.—Population, total deaths, deaths of residents, and death rates per 1,000 population, in each city and each county: 1925 4

TABLE II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, from each cause, in the registration area in continental United States: 1924 and 1925 27

NOTE.—In the report on Mortality Statistics, 1922, and in previous annual reports there appeared tables which gave death rates per 100,000 population from important causes in each registration State and in each registration city, and from each cause in urban and rural districts of each State. Although these tables have been omitted from the present report, any of the data desired may be obtained from the manuscript figures in the Bureau of the Census.

GENERAL TABLES

TABLE 1.—Deaths (exclusive of stillbirths), by months: 1925 32

Deaths in the registration area and in urban and rural districts of each registration State. [Similar data for cities which have not been shown since 1922, are retained in manuscript.]

TABLE 2.—Deaths (exclusive of stillbirths), by color, and by general and parent nativity of white: 1925 34

Deaths of white, Negroes, Japanese, and other colored, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 3.—Deaths (exclusive of stillbirths), by age and color: 1925 36

Deaths of white and colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, and in urban and rural districts of each registration State. [Similar data for cities, which have not been shown since 1922, are retained in manuscript.]

TABLE 4.—Deaths (exclusive of stillbirths), by age, sex, color, and nativity of white: 1925 42

Deaths of white, Negroes, Indians, Chinese, Japanese, and other colored, under 1 year of age, 1 to 4 years, and by 5-year age periods, in the registration area, each registration State, and the total registration States of 1920.

TABLE 5.—Deaths (exclusive of stillbirths) from important causes, by color: 1925 58

Deaths from 33 causes, in the registration area, and each registration city, and by color for urban and rural districts of each registration State.

TABLE 6.—Deaths (exclusive of stillbirths) from each cause, in urban and rural districts: 1925 88

TABLE 7.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States (including District of Columbia): 1925 110

Causes of death by single years under 5 and by 5-year age periods.

TABLE 7A.—Deaths (exclusive of stillbirths) of Negroes, Indians, Chinese, Japanese, and other colored, from each cause by sex, in the registration States (including District of Columbia): 1925 134

TABLE 8.—Deaths (exclusive of stillbirths) from each cause, by age, in the registration area and each registration State: 1925 137

Causes of death by single years under 5, and by 5 and 10 year age periods.

TABLE 9.—Deaths (exclusive of stillbirths) from important causes, by age, in large cities: 1925 282

Deaths by single years under 5 and by 5 and 10 year age periods in cities of 100,000 population or more on January 1, 1920.

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, in each registration State: 1925 315

TABLE 10A.—Deaths (exclusive of stillbirths) from important causes, by months, in large cities: 1925 333

Deaths in cities of 100,000 population or more on January 1, 1920.

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, in registion States and large cities not in the birth registration area: 1925 366

Deaths in cities of 100,000 population or more on January 1, 1920.

SUPPLEMENT

HAWAII 378

VIRGIN ISLANDS 387

APPENDIX

TABLE 1.—Deaths (exclusive of stillbirths) from each cause, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1925 396

TABLE 2.—Deaths (exclusive of stillbirths) and crude and adjusted death rates per 100,000 population, from certain causes, by age, sex, and color, in the registration States of 1920 (including District of Columbia): 1925 420

TABLE 3.—Contributory causes of death in relation to primary causes of death in the registration area in continental United States: 1925 426

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1925

[Rates are based on total deaths, including deaths of nonresidents and deaths in hospitals and institutions. "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925	
		Number	Rate per 1,000 population
The registration area in continental United States	103,108,000	1,219,019	11.8
White	94,050,400	1,053,856	11.2
Colored	9,057,600	165,163	18.2
Registration States [1]	101,319,000	1,191,809	11.8
White	92,643,000	1,035,500	11.2
Colored	8,676,000	156,309	18.0
Cities in registration States [1]	47,540,000	614,560	12.9
White	44,565,000	544,729	12.2
Colored	2,975,000	69,831	23.5
Rural part of registration States	53,779,000	577,249	10.7
White	48,078,000	490,771	10.2
Colored	5,701,000	86,478	15.2
Registration cities in nonregistration States [2]	1,789,000	27,210	15.2
White	1,407,400	18,356	13.0
Colored	381,600	8,854	23.2
All registration cities [1]	49,329,000	641,770	13.0
White	45,972,400	563,085	12.2
Colored	3,356,600	78,685	23.4
ALABAMA			
Total	2,499,000	29,140	11.7
White	1,590,600	14,964	9.4
Colored	908,400	14,176	15.6
Urban	437,900	7,771	17.7
White	266,400	3,760	14.1
Colored	171,500	4,011	23.4
Rural	2,061,100	21,369	10.4
White	1,324,200	11,204	8.5
Colored	736,900	10,165	13.8
CALIFORNIA			
Total	4,180,000	56,800	13.6
White	3,985,100	53,752	13.5
Colored	194,900	3,048	15.6
Urban	2,368,200	33,146	14.0
White	2,271,100	31,345	13.8
Colored	97,100	1,801	18.5
Rural	1,811,800	23,654	13.1
White	1,714,000	22,407	13.1
Colored	97,800	1,247	12.8
COLORADO			
Total	1,040,000	12,549	12.1
White	1,024,600	12,176	11.9
Colored	15,400	373	24.2
Urban	388,300	5,908	15.2
White	378,500	5,675	15.0
Colored	9,800	233	23.8
Rural	651,700	6,641	10.2
White	646,100	6,501	10.1
Colored	5,600	140	25.0
CONNECTICUT			
Total	1,572,000	17,680	11.2
White	1,545,700	17,191	11.1
Colored	26,300	489	18.6
Urban	1,165,600	13,362	11.5
White	1,144,300	12,933	11.3
Colored	21,300	429	20.1
Rural	406,400	4,318	10.6
White	401,400	4,258	10.6
Colored	5,000	60	12.0
DELAWARE			
Total	238,000	3,115	13.1
White	207,300	2,478	12.0
Colored	30,700	637	20.7
Urban	122,000	1,435	11.8
White	110,300	1,205	10.9
Colored	11,700	230	19.7
Rural	116,000	1,680	14.5
White	97,000	1,273	13.1
Colored	19,000	407	21.4
FLORIDA			
Total	[3] 1,263,549	16,862	13.3
White	859,158	10,160	11.8
Colored	404,391	6,702	16.6
Urban	366,216	5,941	16.2
White	256,140	3,484	13.6
Colored	110,076	2,457	22.3
Rural	897,333	10,921	12.2
White	603,018	6,676	11.1
Colored	294,315	4,245	14.4
IDAHO			
Total	508,000	3,402	6.7
White	502,000	3,253	6.5
Colored	6,000	149	24.8
Urban	41,300	492	11.9
White	40,500	477	11.8
Colored	800	15	18.8
Rural	466,700	2,910	6.2
White	461,500	2,776	6.0
Colored	5,200	134	25.8
ILLINOIS			
Total	7,092,000	81,593	11.5
White	6,860,400	75,907	11.1
Colored	231,600	5,686	24.6
Urban	4,246,100	50,717	11.9
White	4,051,900	46,095	11.4
Colored	194,200	4,622	23.8
Rural	2,845,900	30,876	10.8
White	2,808,500	29,812	10.6
Colored	37,400	1,064	28.4
INDIANA			
Total	3,095,000	38,632	12.5
White	3,000,700	36,557	12.2
Colored	94,300	2,075	22.0
Urban	1,342,300	17,192	12.8
White	1,260,600	15,450	12.3
Colored	81,700	1,742	21.3
Rural	1,752,700	21,440	12.2
White	1,740,100	21,107	12.1
Colored	12,600	333	26.4
IOWA			
Total	[3] 2,419,927	24,294	10.0
White	[4] 2,400,000	23,954	10.0
Colored	[4] 19,900	340	17.1
Urban	649,534	8,425	13.0
White	634,800	8,181	12.9
Colored	14,700	244	16.6
Rural	1,770,393	15,869	9.0
White	1,765,200	15,773	8.9
Colored	5,200	96	18.5
KANSAS			
Total	[3] 1,812,986	18,581	10.2
White	1,743,401	17,294	9.9
Colored	69,585	1,287	18.5
Urban	468,171	6,248	13.3
White	421,811	5,373	12.7
Colored	46,360	875	18.9
Rural	1,344,815	12,333	9.2
White	1,321,590	11,921	9.0
Colored	23,225	412	17.7
KENTUCKY			
Total	2,508,000	28,387	11.3
White	2,284,600	23,736	10.4
Colored	223,400	4,651	20.8
Urban	521,700	7,947	15.2
White	445,900	6,085	13.6
Colored	75,800	1,862	24.6
Rural	1,986,300	20,440	10.3
White	1,838,700	17,651	9.6
Colored	147,600	2,789	18.9
LOUISIANA			
Total	1,900,000	25,088	13.2
White	1,198,000	12,202	10.2
Colored	702,000	12,886	18.4
Urban	548,700	10,658	19.4
White	390,900	5,769	14.8
Colored	157,800	4,889	31.0
Rural	1,351,300	14,430	10.7
White	807,100	6,433	8.0
Colored	544,200	7,997	14.7
MAINE			
Total	787,000	10,792	13.7
White	784,400	10,753	13.7
Colored	2,600	39	15.0
Urban	231,800	3,460	14.9
White	231,000	3,446	14.9
Colored	800	14	17.5
Rural	555,200	7,332	13.2
White	553,400	7,307	13.2
Colored	1,800	25	13.9
MARYLAND			
Total	1,560,000	21,628	13.9
White	1,304,600	16,143	12.4
Colored	255,400	5,485	21.5
Urban	885,900	12,921	14.6
White	761,800	9,839	12.9
Colored	124,100	3,082	24.8
Rural	674,100	8,707	12.9
White	542,800	6,304	11.6
Colored	131,300	2,403	18.3
MASSACHUSETTS			
Total	[3] 4,144,205	51,721	12.5
White	[4] 4,091,700	50,722	12.4
Colored	[4] 52,500	999	19.0
Urban	3,347,051	41,844	12.5
White	3,300,900	40,956	12.4
Colored	46,200	888	19.2
Rural	797,154	9,877	12.4
White	790,800	9,766	12.3
Colored	6,300	111	17.6
MICHIGAN			
Total	4,284,000	49,419	11.5
White	4,178,600	46,978	11.2
Colored	105,400	2,441	23.2
Urban	2,350,600	26,762	11.4
White	2,257,300	24,792	11.0
Colored	93,300	1,970	21.1
Rural	1,933,400	22,657	11.7
White	1,921,300	22,186	11.5
Colored	12,100	471	38.9
MINNESOTA			
Total	2,611,000	25,436	9.7
White	2,591,200	24,973	9.6
Colored	19,800	463	23.4
Urban	909,300	11,345	12.5
White	899,300	11,128	12.4
Colored	10,000	217	21.7
Rural	1,701,700	14,091	8.3
White	1,691,900	13,845	8.2
Colored	9,800	246	25.1
MISSISSIPPI			
Total	[5] 1,790,618	22,153	12.4
White	853,962	8,218	9.6
Colored	936,656	13,935	14.9
Urban	146,700	3,288	22.4
White	85,900	1,403	16.3
Colored	60,800	1,885	31.0
Rural	1,643,900	18,865	11.5
White	768,000	6,815	8.9
Colored	875,900	12,050	13.8

See footnotes at end of table.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, BY COLOR, IN URBAN AND RURAL DISTRICTS: 1925—Continued

[See note at head of this table, p. 2]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS: 1925	
		Number	Rate per 1,000 population
MISSOURI			
Total	3,484,000	41,288	11.9
White	3,292,100	36,620	11.1
Colored	191,900	4,668	24.3
Urban	1,458,400	20,566	14.1
White	1,321,700	17,306	13.1
Colored	136,700	3,260	23.8
Rural	2,025,600	20,722	10.2
White	1,970,400	19,314	9.8
Colored	55,200	1,408	25.5
MONTANA			
Total	672,000	5,188	7.7
White	657,800	4,710	7.2
Colored	14,200	478	33.7
Urban	127,700	1,603	12.6
White	126,200	1,569	12.4
Colored	1,500	34	22.7
Rural	544,300	3,585	6.6
White	531,600	3,141	5.9
Colored	12,700	444	35.0
NEBRASKA			
Total	1,371,000	12,493	9.1
White	1,350,800	12,098	9.0
Colored	20,200	395	19.6
Urban	315,200	4,123	13.1
White	299,900	3,879	12.9
Colored	15,300	244	15.9
Rural	1,055,800	8,370	7.9
White	1,050,900	8,219	7.8
Colored	4,900	151	30.8
NEW HAMPSHIRE			
Total	452,000	6,563	14.5
White	451,200	6,556	14.5
Colored	800	7	8.8
Urban	204,900	2,861	14.0
White	204,400	2,856	14.0
Colored	500	5	10.0
Rural	247,100	3,702	15.0
White	246,800	3,700	15.0
Colored	300	2	6.7
NEW JERSEY			
Total	3,600,000	42,192	11.7
White	3,461,800	38,932	11.2
Colored	138,200	3,260	23.6
Urban	2,281,300	26,846	11.8
White	2,187,700	24,633	11.3
Colored	93,600	2,213	23.6
Rural	1,318,700	15,346	11.6
White	1,274,100	14,299	11.2
Colored	44,600	1,047	23.5
NEW YORK			
Total	[3]11,162,151	142,500	12.8
White	[4]10,933,000	136,752	12.5
Colored	[4]229,200	5,748	25.1
Urban	8,526,726	108,020	12.7
White	8,326,500	102,895	12.4
Colored	200,200	5,125	25.6
Rural	2,635,425	34,480	13.1
White	2,606,500	33,857	13.0
Colored	29,000	623	21.5
NORTH CAROLINA			
Total	2,812,000	32,548	11.6
White	1,981,600	19,702	9.9
Colored	830,400	12,846	15.5
Urban	422,900	6,580	15.6
White	283,200	3,504	12.4
Colored	139,700	3,076	22.0
Rural	2,389,100	25,968	10.9
White	1,698,400	16,198	9.5
Colored	690,700	9,770	14.1
NORTH DAKOTA			
Total	[3]641,192	5,045	7.9
White	635,707	4,817	7.6
Colored	5,485	228	41.6
Urban	52,334	672	12.8
White	52,232	664	12.7
Colored	102	8	78.4
Rural	588,858	4,373	7.4
White	583,475	4,153	7.1
Colored	5,383	220	40.9
OHIO			
Total	6,470,000	73,607	11.4
White	6,235,200	68,305	11.0
Colored	234,800	5,302	22.6
Urban	3,691,400	42,438	11.5
White	3,507,600	38,172	10.9
Colored	183,800	4,266	23.2
Rural	2,778,600	31,169	11.2
White	2,727,600	30,133	11.0
Colored	51,000	1,036	20.3
OREGON			
Total	863,000	9,629	11.2
White	850,500	9,321	11.0
Colored	12,500	308	24.6
Urban	329,600	4,407	13.4
White	325,800	4,270	13.1
Colored	3,800	137	36.1
Rural	533,400	5,222	9.8
White	524,700	5,051	9.6
Colored	8,700	171	19.7
PENNSYLVANIA			
Total	9,476,000	115,745	12.2
White	9,132,100	108,181	11.8
Colored	343,900	7,564	22.0
Urban	4,830,500	63,807	13.2
White	4,560,200	57,773	12.7
Colored	270,300	6,034	22.3
Rural	4,645,500	51,938	11.2
White	4,571,900	50,408	11.0
Colored	73,600	1,530	20.8
RHODE ISLAND			
Total	[3]679,260	8,226	12.1
White	667,808	8,009	12.0
Colored	11,452	217	18.9
Urban	560,511	6,872	12.3
White	550,476	6,680	12.1
Colored	10,035	192	19.1
Rural	118,749	1,354	11.4
White	117,332	1,329	11.3
Colored	1,417	25	17.6
SOUTH CAROLINA			
Total	1,804,000	21,990	12.2
White	910,100	8,693	9.6
Colored	893,900	13,297	14.9
Urban	191,400	4,036	21.1
White	117,300	1,810	15.4
Colored	74,100	2,226	30.0
Rural	1,612,600	17,954	11.1
White	792,800	6,883	8.7
Colored	819,800	11,071	13.5
TENNESSEE			
Total	2,448,000	27,834	11.4
White	2,003,700	19,404	9.7
Colored	444,300	8,430	19.0
Urban	507,400	9,179	18.1
White	367,500	5,116	13.9
Colored	139,900	4,063	29.0
Rural	1,940,600	18,655	9.6
White	1,636,200	14,288	8.7
Colored	304,400	4,367	14.3
UTAH			
Total	504,000	4,484	8.9
White	495,800	4,389	8.9
Colored	8,200	95	11.6
Urban	179,100	2,127	11.9
White	177,000	2,082	11.8
Colored	2,100	45	21.4
Rural	324,900	2,357	7.3
White	318,800	2,307	7.2
Colored	6,100	50	8.2
VERMONT			
Total	[5]352,428	5,137	14.6
White	351,817	5,131	14.6
Colored	611	6	9.8
Urban	49,500	822	16.6
White	49,300	820	16.6
Colored	200	2	10.0
Rural	302,900	4,315	14.2
White	302,500	4,311	14.3
Colored	400	4	10.0
VIRGINIA			
Total	2,486,000	29,343	11.8
White	1,773,500	17,523	9.9
Colored	712,500	11,820	16.6
Urban	648,700	8,470	13.1
White	441,000	4,715	10.7
Colored	207,700	3,755	18.1
Rural	1,837,300	20,873	11.4
White	1,332,500	12,808	9.6
Colored	504,800	8,065	16.0
WASHINGTON			
Total	1,510,000	15,280	10.1
White	1,470,300	14,528	9.9
Colored	39,700	752	18.9
Urban	705,300	7,798	11.1
White	686,700	7,486	10.9
Colored	18,600	312	16.8
Rural	804,700	7,482	9.3
White	783,600	7,042	9.0
Colored	21,100	440	20.9
WEST VIRGINIA			
Total	1,638,000	17,154	10.5
White	1,536,400	15,467	10.1
Colored	101,600	1,687	16.6
Urban	299,400	4,682	15.6
White	280,100	4,210	15.0
Colored	19,300	472	24.5
Rural	1,338,600	12,472	9.3
White	1,256,300	11,257	9.0
Colored	82,300	1,215	14.8
WISCONSIN			
Total	2,846,000	29,380	10.3
White	2,829,500	28,871	10.2
Colored	16,500	509	30.8
Urban	1,072,200	12,361	11.5
White	1,066,700	12,205	11.4
Colored	5,500	156	28.4
Rural	1,773,800	17,019	9.6
White	1,762,800	16,666	9.5
Colored	11,000	353	32.1
WYOMING			
Total	229,000	1,896	8.3
White	225,800	1,787	7.9
Colored	3,200	109	34.1
Urban	34,200	413	12.1
White	33,600	395	11.8
Colored	600	18	30.0
Rural	194,800	1,483	7.6
White	192,200	1,392	7.2
Colored	2,600	91	35.0

[1] Including District of Columbia.
[2] These cities are shown under the various States (indicated by footnote 1) in Table I B.
[3] Enumerated population, 1925: Iowa in January, Florida in February, Kansas in March, Massachusetts, North Dakota, and Rhode Island in April, and New York in June.
[4] Estimate; State enumeration not returned by color.
[5] Population Jan. 1, 1920; decrease between 1910 and 1920; no estimate made.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925

[Minor areas which are designated by asterisks (*) contain State insane asylums, State hospitals, etc. The term "cities" indicates municipalities of 10,000 inhabitants or more in 1920. White and colored are shown separately for areas when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA CITIES					
Anniston	20,500	315	15.4	309	15.1
White	14,000	179	12.8	176	12.6
Colored	6,500	136	20.9	133	20.5
Bessemer	22,000	467	21.2	512	23.3
White	9,600	147	15.3	162	16.9
Colored	12,400	320	25.8	350	28.2
Birmingham	206,000	3,504	17.0	3,083	15.0
White	125,000	1,583	12.7	1,287	10.3
Colored	81,000	1,921	23.7	1,796	22.2
Dothan *	14,500	248	17.1	176	12.1
White	8,600	182	21.2	116	13.5
Colored	5,900	66	11.2	60	10.2
Florence	12,700	223	17.6	191	15.0
White	10,100	157	15.5	130	12.9
Colored	2,600	66	25.4	61	23.5
Gadsden	19,600	206	10.5	170	8.7
White	14,200	143	10.1	110	7.7
Colored	5,400	63	11.7	60	11.1
Mobile	66,000	1,069	16.2	861	13.0
White	41,500	550	13.3	404	9.7
Colored	24,500	519	21.2	457	18.7
Montgomery	46,500	820	17.6	716	15.4
White	26,400	331	12.5	251	9.5
Colored	20,100	489	24.3	465	23.1
Selma *	17,000	454	26.7	332	19.5
White	8,400	182	21.7	122	14.5
Colored	8,600	272	31.6	210	24.4
Tuscaloosa *	13,100	465	35.5	424	32.4
White	8,600	306	35.6	277	32.2
Colored	4,500	159	35.3	147	32.7
ARKANSAS CITIES [1]					
Fort Smith *	31,600	486	15.4	345	10.9
White	28,500	403	14.1	264	9.3
Colored	3,100	83	26.8	81	26.1
Hot Springs *	[2] 11,695	446	38.1	276	23.6
White	8,883	316	35.6	182	20.5
Colored	2,812	130	46.2	94	33.4
Little Rock *	74,200	1,657	22.3	1,278	17.2
White	55,600	996	17.9	741	13.3
Colored	18,600	661	35.5	537	28.9
North Little Rock	15,700	183	11.7	183	11.7
White	10,500	69	6.6	69	6.6
Colored	5,200	114	21.9	114	21.9
CALIFORNIA CITIES					
Alameda	31,900	319	10.0	314	9.8
Bakersfield	23,500	389	16.6	392	16.7
Berkeley	66,200	628	9.5	584	8.8
Eureka	13,500	275	20.4	278	20.6
Fresno	58,500	531	9.1	547	9.4
Glendale *	21,300	521	24.5	512	24.0
Long Beach	91,200	1,261	13.8	1,098	12.0
Los Angeles	(3)	11,475	(3)	11,561	(3)
White	(3)	10,781	(3)	10,869	(3)
Colored	(3)	694	(3)	692	(3)
Oakland	254,000	2,586	10.2	2,589	[4] 10.2
White	239,200	2,442	10.2	2,441	[4] 10.2
Colored	14,800	144	9.7	148	10.0
Pasadena	56,700	824	14.5	827	14.6
Pomona	15,400	218	14.2	217	14.1
Richmond	22,500	123	5.5	140	6.2
Riverside	(3)	388	(3)	310	(3)
Sacramento	72,300	1,392	19.3	1,331	18.4
San Bernardino *	22,800	520	22.8	510	22.4
San Diego	106,000	1,770	16.7	1,551	14.6
San Francisco	558,000	7,397	13.3	7,119	12.8
White	541,000	7,004	12.9	6,762	12.5
Colored	17,000	393	23.1	357	21.0
San Jose	43,600	499	11.4	516	11.8
Santa Ana	19,500	272	13.9	278	14.3
CALIFORNIA CITIES—continued					
Santa Barbara	24,000	339	14.1	332	13.8
Santa Cruz	[2] 10,917	198	18.1	195	17.9
Santa Monica	19,400	361	18.6	364	18.8
Stockton *	47,300	582	12.3	627	13.3
Vallejo	26,600	173	6.5	184	6.9
Venice	14,500	105	7.2	106	7.3
COLORADO CITIES					
Boulder	11,800	160	13.6	146	12.4
Colorado Springs *	[2] 30,105	637	21.2	560	18.6
Denver	281,000	4,136	14.7	3,870	13.8
Greeley	12,500	201	16.1	145	11.6
Pueblo	43,800	594	13.6	545	12.4
Trinidad	11,000	180	16.4	180	16.4
CONNECTICUT CITIES					
Ansonia	19,100	156	8.2	219	11.5
Bridgeport	(3)	1,541	(3)	1,454	(3)
Bristol	24,700	220	8.9	241	9.8
Danbury town	[2] 22,325	367	16.4	318	14.2
Derby	12,500	189	15.1	128	10.2
East Hartford town	13,600	93	6.8	142	10.4
Enfield town	12,900	109	8.4	111	8.6
Fairfield town	14,500	95	6.6	107	7.4
Greenwich town	25,300	264	10.4	232	9.2
Hartford	160,000	2,051	12.8	1,734	10.8
Manchester town	21,000	213	10.1	203	9.7
Meriden	36,300	465	12.8	443	12.2
Middletown *	22,900	550	24.0	498	21.7
Milford town	13,500	136	10.1	138	10.2
Naugatuck	16,400	97	5.9	144	8.8
New Britain	68,000	632	9.3	665	9.8
New Haven	179,000	2,171	12.1	1,948	10.9
New London	29,100	424	14.6	365	12.5
Norwalk	29,700	406	13.7	396	13.3
Norwich town*	30,500	501	16.4	431	14.1
Orange town	[5] 19,600	268	13.7	322	16.4
Stamford town	46,400	578	12.5	559	12.0
Stonington town	10,800	109	10.1	111	10.3
Stratford town	16,100	119	7.4	174	10.8
Torrington town	26,000	198	7.6	204	7.8
Wallingford town	12,500	128	10.2	160	12.8
Waterbury	(3)	1,083	(3)	1,008	(3)
Windham town	14,500	199	13.7	175	12.1
DELAWARE CITIES					
Wilmington	122,000	1,435	11.8	1,418	11.6
White	110,300	1,205	10.9	1,183	10.7
Colored	11,700	230	19.7	235	20.1
DISTRICT OF COLUMBIA					
Washington	514,000	7,015	13.6	6,649	12.9
White	390,500	4,293	11.0	4,068	10.4
Colored	123,500	2,722	22.0	2,581	20.9
FLORIDA CITIES [6]					
Jacksonville	[7] 135,866	1,948	14.3	1,621	11.9
White	85,519	879	10.3	651	7.6
Colored	50,347	1,069	21.2	970	19.3
Key West	13,701	208	15.2	208	15.2
White	11,268	154	13.7	154	13.7
Colored	2,433	54	22.2	54	22.2
Miami	69,754	1,397	20.0	1,271	18.2
White	47,676	873	18.3	766	16.1
Colored	22,078	524	23.7	505	22.9
Pensacola	25,305	467	18.5	439	17.3
White	16,981	267	15.7	248	14.6
Colored	8,324	200	24.0	191	22.9
FLORIDA CITIES—continued					
St. Petersburg	26,847	652	24.3	448	16.7
White	18,555	482	26.0	285	15.4
Colored	8,292	170	20.5	163	19.7
Tampa	94,743	1,269	13.4	1,058	11.2
White	76,141	829	10.9	683	9.0
Colored	18,602	440	23.7	375	20.2
GEORGIA CITIES [1]					
Albany	13,500	207	15.3	180	13.3
White	6,600	78	11.8	59	8.9
Colored	6,900	129	18.7	121	17.5
Athens	18,800	267	14.2	236	12.6
White	11,600	135	11.6	116	10.0
Colored	7,200	132	18.3	120	16.7
Atlanta	(3)	3,919	(3)	3,620	(3)
White	(3)	1,979	(3)	1,735	(3)
Colored	(3)	1,940	(3)	1,885	(3)
Augusta*	55,200	1,122	20.3	920	16.7
White	32,100	524	16.3	406	12.6
Colored	23,100	598	25.9	514	22.3
Brunswick	16,800	175	10.4	173	10.3
White	8,800	73	8.3	73	8.3
Colored	8,000	102	12.8	100	12.5
Columbus	44,200	646	14.6	610	13.8
White	32,200	370	11.5	346	10.7
Colored	12,000	276	23.0	264	22.0
La Grange	23,500	246	10.5	239	10.2
White	17,500	148	8.5	145	8.3
Colored	6,000	98	16.3	94	15.7
Macon	58,200	1,099	18.9	1,012	17.4
White	33,100	466	14.1	409	12.4
Colored	25,100	633	25.2	603	24.0
Savannah*	93,100	1,589	17.1	1,430	15.4
White	50,800	581	11.4	497	9.8
Colored	42,300	1,008	23.8	933	22.1
Waycross	20,100	250	12.4	200	10.0
White	8,400	131	15.6	96	11.4
Colored	11,700	119	10.2	104	8.9
IDAHO CITIES					
Boise	23,000	311	13.5	263	11.4
Pocatello	18,300	181	9.9	163	8.9
ILLINOIS CITIES					
Alton	26,800	390	14.6	367	13.7
Aurora	40,300	527	13.1	477	11.8
Belleville	27,000	345	12.8	298	11.0
Berwyn	18,900	164	8.7	196	10.4
Bloomington	30,400	433	14.2	382	12.6
Blue Island	13,200	180	13.6	177	13.4
Cairo	15,600	301	19.3	225	14.4
White	10,800	194	18.0	127	11.8
Colored	4,800	107	22.3	98	20.4
Canton	11,000	190	17.3	169	15.4
Centralia	14,100	156	11.1	136	9.6
Champaign	18,200	236	13.0	214	11.8
Chicago	2,995,000	34,318	11.5	34,946	11.7
White	2,845,200	30,676	10.8	31,159	11.0
Colored	149,800	3,642	24.3	3,787	25.3
Chicago Heights	22,100	231	10.5	244	11.0
Cicero	62,200	349	5.6	436	7.0
Danville	37,000	571	15.4	468	12.6
Decatur	53,900	660	12.2	573	10.6
East St. Louis	71,400	890	12.5	871	12.2
White	63,100	704	11.2	683	10.8
Colored	8,300	186	22.4	188	22.7
Elgin*	33,000	705	21.4	658	19.9
Evanston	43,900	570	13.0	511	11.6
Forest Park	13,100	89	6.8	129	9.8
Freeport	20,700	308	14.9	257	12.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS CITIES—continued					
Galesburg	24,800	340	13.7	293	11.8
Granite City	18,200	224	12.3	200	11.0
Herrin	13,300	164	12.3	141	10.6
Jacksonville*	15,900	511	32.1	400	25.2
Joliet	40,600	527	13.0	475	11.7
Kankakee	18,500	248	13.4	228	12.3
Kewanee	19,700	199	10.1	172	8.7
La Salle	13,900	161	11.6	144	10.4
Lincoln*	12,400	266	21.5	234	18.9
Mattoon	14,700	199	13.5	185	12.6
Maywood	14,200	122	8.6	176	12.4
Moline	33,900	347	10.2	296	8.7
Murphysboro	12,500	295	23.6	271	21.7
White	11,200	270	24.1	247	22.1
Colored	1,300	25	19.2	24	18.5
Oak Park	51,400	759	14.8	521	10.1
Ottawa	11,500	161	14.0	171	14.9
Pekin	13,300	154	11.6	149	11.2
Peoria	81,600	1,126	13.8	1,026	12.6
Quincy	39,000	585	15.0	527	13.5
Rockford	76,500	683	8.9	644	8.4
Rock Island	40,100	325	8.1	330	8.2
Springfield	63,900	1,121	17.5	910	14.2
Streator	15,100	227	15.0	209	13.8
Urbana	11,300	147	13.0	137	12.1
Waukegan	22,000	213	9.7	194	8.8
INDIANA CITIES					
Anderson	33,900	402	11.9	396	11.7
Bloomington	12,600	211	16.7	216	17.1
Clinton	13,600	146	10.7	153	11.2
Crawfordsville	10,500	137	13.0	144	13.7
East Chicago	45,600	409	9.0	428	9.4
Elkhart	27,100	344	12.7	347	12.8
Elwood	[8] 10,890	137	12.6	149	13.7
Evansville	93,600	1,161	12.4	1,109	11.8
Fort Wayne	97,800	1,151	11.8	1,061	10.8
Frankfort	13,100	185	14.1	184	14.0
Gary	76,900	1,030	13.4	987	12.8
Hammond	50,400	510	10.1	504	10.0
Huntington	15,900	185	11.6	196	12.3
Indianapolis	359,000	4,951	13.8	4,804	13.4
White	316,700	4,152	13.1	3,999	12.6
Colored	42,300	799	18.9	805	19.0
Jeffersonville	[2] 10,098	180	17.8	181	17.9
White	8,683	137	15.8	137	15.8
Colored	1,415	43	30.4	44	31.1
Kokomo	36,900	384	10.4	370	10.0
Lafayette	23,800	460	19.3	349	14.7
La Porte	17,500	232	13.3	223	12.7
Logansport	23,100	261	11.3	251	10.9
Marion	26,300	320	12.2	326	12.4
Michigan City	20,300	293	14.4	276	13.6
Mishawaka	16,700	262	15.7	253	15.1
Muncie	42,500	473	11.1	454	10.7
New Albany	[2] 22,992	322	14.0	302	13.1
New Castle	17,000	181	10.6	192	11.3
Peru	12,700	155	12.2	162	12.8
Richmond	30,500	331	10.9	352	11.5
South Bend	80,100	968	12.1	983	12.3
Terre Haute	71,100	1,029	14.5	974	13.7
Vincennes	18,300	301	16.4	291	15.9
Whiting	12,200	81	6.6	100	8.2
IOWA CITIES [6]					
Boone	12,812	147	11.5	151	11.8
Burlington	26,375	387	14.7	354	13.4
Cedar Rapids	50,561	541	10.7	498	9.8
Clinton	26,436	401	15.2	375	14.2
Council Bluffs	39,795	528	13.3	475	11.9
Davenport	52,469	696	13.3	644	12.3
IOWA CITIES—continued					
Des Moines	141,441	1,518	10.7	1,379	9.7
Dubuque	40,996	618	15.1	554	13.5
Fort Dodge	21,702	273	12.0	254	11.7
Fort Madison	11,229	173	15.4	154	13.7
Iowa City*	15,289	458	30.0	242	15.8
Keokuk	14,501	273	18.8	226	15.6
Marshalltown	16,868	311	18.4	297	17.6
Mason City	22,682	232	10.2	199	8.8
Muscatine	16,821	236	14.0	218	13.0
Ottumwa	26,375	352	13.3	308	11.7
Sioux City	76,411	905	11.8	745	9.7
Waterloo	36,771	376	10.2	380	10.3
KANSAS CITIES [6]					
Arkansas City	14,003	185	13.2	173	12.4
Atchison	15,028	205	13.6	206	13.7
White	12,486	168	13.5	167	13.4
Colored	2,542	37	14.6	39	15.3
Chanute	9,829	138	14.0	125	12.7
Coffeyville	16,229	168	10.4	163	10.0
White	13,318	135	10.1	129	9.7
Colored	2,911	33	11.3	34	11.7
El Dorado	9,500	110	11.6	109	11.5
Emporia	12,243	215	17.6	188	15.4
Fort Scott	11,763	213	18.1	181	15.4
Hutchinson	25,970	293	11.3	255	9.8
Independence	10,900	131	12.0	126	11.6
Kansas City	116,053	1,654	14.3	1,500	12.9
White	96,655	1,231	12.7	1,101	11.4
Colored	19,398	423	21.8	399	20.6
Lawrence	12,341	184	14.9	184	14.9
White	11,016	163	14.8	163	14.8
Colored	1,325	21	15.8	21	15.8
Leavenworth	20,889	266	12.7	263	12.6
White	17,706	216	12.2	211	11.9
Colored	3,183	50	15.7	52	16.3
Parsons	14,839	221	14.9	218	14.7
Pittsburg	19,182	174	9.1	168	8.8
Salina	15,624	199	12.7	175	11.2
Topeka	55,411	799	14.4	728	13.1
Wichita	88,367	1,093	12.4	906	10.3
KENTUCKY CITIES [9]					
Ashland	24,400	375	15.4	------	------
Covington	58,300	918	15.7	------	------
Henderson	12,600	217	17.2	------	------
White	9,600	145	15.1	------	------
Colored	3,000	72	24.0	------	------
Lexington*	46,900	978	20.9	------	------
White	33,100	588	17.8	------	------
Colored	13,800	390	28.3	------	------
Louisville	302,000	4,307	14.3	------	------
White	255,900	3,288	12.8	------	------
Colored	46,100	1,019	22.1	------	------
Newport	[2] 29,317	334	11.4	------	------
Owensboro	22,000	343	15.6	------	------
White	19,200	291	15.2	------	------
Colored	2,800	52	18.6	------	------
Paducah	25,900	475	18.3	------	------
White	20,500	315	15.4	------	------
Colored	5,400	160	29.6	------	------
LOUISIANA CITIES					
Alexandria	20,700	396	19.1	330	15.9
White	11,900	192	16.1	140	11.8
Colored	8,800	204	23.2	190	21.6
Baton Rouge	27,800	286	10.3	310	11.2
White	18,000	136	7.6	125	6.9
Colored	9,800	150	15.3	185	18.9
LOUISIANA CITIES—continued					
Lake Charles	14,000	222	15.9	193	13.8
White	9,500	125	13.2	94	9.9
Colored	4,500	97	21.6	99	22.0
Monroe	14,300	412	28.8	387	27.1
White	8,600	205	23.8	184	21.4
Colored	5,700	207	36.3	203	35.6
New Orleans	414,000	7,944	19.2	6,849	16.5
White	306,600	4,549	14.8	3,942	12.9
Colored	107,400	3,395	31.6	2,907	27.1
Shreveport*	57,900	1,398	24.1	831	14.4
White	36,300	562	15.5	359	9.9
Colored	21,600	836	38.7	472	21.9
MAINE CITIES					
Auburn	18,100	211	11.7	235	13.0
Augusta*	14,600	304	20.8	282	19.3
Bangor*	26,600	494	18.6	347	13.0
Bath	[3]	132	[3]	128	[3]
Biddeford	18,500	282	15.2	235	12.7
Lewiston	34,900	604	17.3	436	12.5
Portland	75,300	1,118	14.8	907	12.0
Sanford town	11,600	130	11.2	111	9.6
Waterville	14,400	185	12.8	139	9.7
MARYLAND CITIES					
Annapolis	12,800	146	11.4	153	12.0
White	10,000	71	7.1	79	7.9
Colored	2,800	75	26.8	74	26.4
Baltimore	796,000	11,648	14.6	10,707	13.5
White	678,900	8,718	12.8	7,959	11.7
Colored	117,100	2,930	25.0	2,748	23.5
Cumberland	33,700	509	15.1	478	14.2
Frederick	12,000	258	21.5	258	21.5
White	10,900	232	21.3	229	21.0
Colored	1,100	26	23.6	29	26.4
Hagerstown	31,400	360	11.5	362	[4] 11.5
MASSACHUSETTS CITIES [6]					
Adams town	13,525	103	7.6	110	8.1
Amesbury town	11,229	123	11.0	157	14.0
Arlington town	24,943	236	9.5	267	10.7
Attleboro	20,623	261	12.7	222	10.8
Belmont town	15,256	126	8.3	145	9.5
Beverly	22,685	306	13.5	280	12.3
Boston	779,620	11,576	14.8	10,160	13.0
White	[10] 760,900	11,129	14.6	9,741	12.8
Colored	[10] 18,700	447	23.9	419	22.4
Braintree town	13,193	152	11.5	141	10.7
Brockton	65,343	748	11.4	690	10.6
Brookline town	42,681	483	11.3	481	[4] 11.3
Cambridge	119,669	1,428	11.9	1,478	12.4
Chelsea	47,247	602	12.7	622	13.2
Chicopee	41,882	348	8.3	416	9.9
Clinton town	14,180	157	11.1	147	10.4
Danvers town*	11,798	347	29.4	361	30.6
Dedham town	13,918	86	6.2	119	8.6
Easthampton town	11,587	97	8.4	123	10.6
Everett	42,072	391	9.3	506	12.0
Fall River	128,993	1,590	12.3	1,562	12.1
Fitchburg	43,609	497	11.4	500	11.5
Framingham town	21,078	286	13.6	244	11.6
Gardner town	18,730	277	14.8	257	13.7
Gloucester	23,375	285	12.2	310	13.3
Greenfield town	15,246	164	10.8	148	9.7
Haverhill	49,232	694	14.1	686	13.9
Holyoke	60,335	787	13.0	694	11.5
Lawrence	93,527	1,071	11.5	1,074	[4] 11.5
Leominster	22,120	252	11.4	250	11.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MASSACHUSETTS CITIES—con.					
Lowell	110,296	1,553	14.1	1,513	13.7
Lynn	103,081	1,169	11.3	1,227	11.9
Malden	51,789	585	11.3	653	12.6
Marlborough	16,236	216	13.3	209	12.9
Medford	47,627	427	9.0	469	9.8
Melrose	20,165	273	13.5	249	12.3
Methuen	20,606	200	9.7	220	10.7
Milford town	14,781	235	15.9	219	14.8
Natick town	12,871	153	11.9	159	12.4
New Bedford	119,539	1,395	11.7	1,416	11.8
Newburyport	15,656	220	14.1	187	11.9
Newton	53,003	522	9.8	527	9.9
North Adams	22,717	320	14.1	299	13.2
Northampton*	24,145	456	18.9	395	16.4
Northbridge town	10,051	84	8.4	75	7.5
Norwood town	14,151	138	9.8	132	9.3
Peabody	19,870	213	10.7	216	10.9
Pittsfield	46,877	547	11.7	484	10.3
Plymouth town	13,176	160	12.1	156	11.8
Quincy	60,055	480	8.0	551	9.2
Revere	33,261	219	6.6	336	10.1
Salem	42,821	549	12.8	528	12.3
Saugus town	12,743	101	7.9	136	10.7
Somerville	99,032	1,104	11.1	1,281	12.9
Southbridge town	15,489	126	8.1	150	9.7
Springfield	142,065	1,782	12.5	1,622	11.4
Taunton*	39,255	610	15.5	626	15.9
Wakefield town	15,611	141	9.0	174	11.1
Waltham	34,746	404	11.6	394	11.3
Watertown town	25,480	172	6.8	247	9.7
Webster town	13,389	125	9.3	150	11.2
Westfield	19,342	261	13.5	233	12.0
West Springfield town	15,326	123	8.0	147	9.6
Weymouth town	17,253	200	11.6	182	10.5
Winchester town	11,565	159	13.7	145	12.5
Winthrop town	16,158	163	10.1	183	11.3
Woburn	18,370	239	13.0	234	12.7
Worcester	190,757	2,547	13.4	2,340	12.3
MICHIGAN CITIES					
Adrian	12,500	201	16.1	193	15.4
Alpena	[2] 11,101	172	15.5	170	15.3
Ann Arbor*	22,200	708	31.9	358	16.1
Battle Creek	42,300	587	13.9	530	12.5
Bay City	48,900	632	12.9	617	12.6
Benton Harbor	14,000	213	15.2	200	14.3
Detroit	1,246,000	13,677	11.0	13,842	11.1
White	1,163,300	12,050	10.4	12,159	10.5
Colored	82,700	1,627	19.7	1,683	20.4
Escanaba	[2] 13,103	213	16.3	182	13.9
Flint	130,000	1,007	7.7	1,008	7.8
Grand Rapids	154,000	1,767	11.5	1,773	[4] 11.5
Hamtramck	81,700	353	4.3	407	5.0
Highland Park	72,300	558	7.7	511	7.1
Holland	13,100	111	8.5	122	9.3
Ironwood	17,400	152	8.7	148	8.5
Ishpeming	[2] 10,500	131	12.5	131	12.5
Jackson	58,000	724	12.5	689	11.9
Kalamazoo*	53,600	941	17.6	656	12.2
Lansing	70,800	746	10.5	709	10.0
Marquette	13,400	188	14.0	162	12.1
Monroe	14,200	150	10.6	155	10.9
Muskegon	43,100	510	11.8	504	11.7
Owosso	14,200	219	15.4	205	14.4
Pontiac*	47,500	671	14.1	583	12.3
Port Huron	30,000	399	13.3	405	13.5
Saginaw	72,100	923	12.8	915	12.7
Sault Ste. Marie	[2] 12,096	175	14.5	158	13.1
Traverse City*	[2] 10,925	332	30.4	309	28.3
Wyandotte	24,500	302	12.3	307	12.5
MINNESOTA CITIES					
Austin	11,900	113	9.5	100	8.4
Duluth	111,000	1,114	10.0	950	8.6
Faribault*	12,300	221	18.0	211	17.2
Hibbing	18,000	176	9.8	165	9.2
Mankato	13,700	223	16.3	159	11.6
Minneapolis	425,000	4,928	11.6	4,548	10.7
Rochester*	17,100	868	50.8	212	12.4
St. Cloud	18,800	252	13.4	208	11.1
St. Paul	246,000	3,120	12.7	2,821	11.5
Virginia	16,000	122	7.6	116	7.3
Winona	19,500	208	10.7	202	10.4
MISSISSIPPI CITIES					
Biloxi	12,600	179	14.2	174	13.8
White	10,900	142	13.0	139	12.8
Colored	1,700	37	21.8	35	20.6
Columbus	11,400	210	18.4	217	19.0
White	5,100	69	13.5	79	15.5
Colored	6,300	141	22.4	138	21.9
Greenville	15,200	362	23.8	318	20.9
White	6,200	107	17.3	83	13.4
Colored	9,000	255	28.3	235	26.1
Hattiesburg	14,100	262	18.6	247	17.5
White	8,800	142	16.1	128	14.5
Colored	5,300	120	22.6	119	22.5
Jackson*	23,700	616	26.0	462	19.5
White	14,100	271	19.2	198	14.0
Colored	9,600	345	35.9	264	27.5
Laurel	15,700	271	17.3	235	15.0
White	9,400	155	16.5	130	13.8
Colored	6,300	116	18.4	105	16.7
Meridian*	24,300	458	18.8	409	16.8
White	16,200	233	14.4	199	12.3
Colored	8,100	225	27.8	210	25.9
Natchez	13,100	278	21.2	267	20.4
White	6,200	104	16.8	94	15.2
Colored	6,900	174	25.2	173	25.1
Vicksburg*	[2] 18,072	652	36.1	510	28.2
White	8,920	180	20.2	150	16.8
Colored	9,152	472	51.6	360	39.3
MISSOURI CITIES					
Cape Girardeau	14,300	204	14.3	169	11.8
Carthage	10,400	158	15.2	160	15.4
Columbia	10,600	174	16.4	170	16.0
White	8,900	134	15.1	130	14.6
Colored	1,700	40	23.5	40	23.5
Hannibal	19,900	326	16.4	306	15.4
Independence	12,700	217	17.1	223	17.6
Jefferson City	15,800	220	13.9	220	13.9
White	13,800	185	13.4	185	13.4
Colored	2,000	35	17.5	35	17.5
Joplin	[2] 29,902	482	16.1	487	16.3
Kansas City	367,000	5,087	13.9	4,846	13.2
White	332,500	4,190	12.6	3,933	11.8
Colored	34,500	897	26.0	913	26.5
Moberly	13,900	184	13.2	179	12.9
St. Joseph*	78,300	1,314	16.8	1,133	14.5
St. Louis	822,000	11,341	13.8	10,883	13.2
White	736,700	9,393	12.8	8,932	12.1
Colored	85,300	1,948	22.8	1,951	22.9
Sedalia	22,700	265	11.7	279	12.3
Springfield	42,100	594	14.1	525	12.5
MONTANA CITIES					
Anaconda	12,500	140	11.2	140	11.2
Billings	18,000	210	11.7	199	11.1
Butte	42,900	597	13.9	605	14.1
Great Falls	29,900	278	9.3	279	[4] 9.3
Helena	[2] 12,037	164	13.6	171	14.2
Missoula	[2] 12,668	214	16.9	217	17.1
NEBRASKA CITIES					
Grand Island	15,600	226	14.5	186	11.9
Hastings	13,000	182	14.0	154	11.8
Lincoln	60,900	783	12.9	622	10.2
North Platte	13,700	119	8.7	122	8.9
Omaha	212,000	2,813	13.3	2,421	11.4
White	198,300	2,599	13.1	2,207	11.1
Colored	13,700	214	15.6	214	15.6
NEW HAMPSHIRE CITIES					
Berlin	18,600	173	9.3	161	8.7
Concord*	22,500	489	21.7	368	16.4
Dover	[2] 13,029	232	17.8	212	16.3
Keene	11,900	206	17.3	185	15.5
Laconia*	11,300	229	20.3	207	18.3
Manchester	83,100	921	11.1	982	11.8
Nashua	29,700	416	14.0	378	12.7
Portsmouth	14,900	195	13.1	214	14.4
NEW JERSEY CITIES					
Asbury Park	13,700	144	10.5	197	14.4
White	10,300	114	11.1	135	13.1
Colored	3,400	30	8.8	62	18.2
Atlantic City*	53,300	1,077	20.2	848	15.9
White	41,600	835	20.1	595	14.3
Colored	11,700	242	20.7	253	21.6
Bayonne	88,800	714	8.0	768	8.6
Belleville*	18,900	232	12.3	224	11.9
Bloomfield	26,000	188	7.2	265	10.2
Bridgeton	14,400	238	16.5	210	14.6
Camden	129,000	1,775	13.8	1,538	11.9
Carteret	14,000	76	5.4	107	7.6
Clifton	34,700	212	6.1	304	8.8
East Orange	60,000	453	7.6	618	10.3
Elizabeth	[3]	1,198	[3]	1,093	[3]
Englewood*	12,600	273	21.7	144	11.4
Garfield	24,600	141	5.7	190	7.7
Gloucester	13,700	119	8.7	159	11.6
Hackensack	19,700	419	21.3	234	11.9
Harrison	16,400	145	8.8	195	11.9
Hoboken	[2] 68,166	904	13.3	813	11.9
Irvington	33,200	328	9.9	353	10.6
Jersey City	315,000	3,675	11.7	3,762	11.9
Kearny	31,300	285	9.1	264	8.4
Long Branch*	13,600	471	34.6	230	16.9
Millville	16,000	182	11.4	181	11.3
Montclair	32,900	290	8.8	391	11.9
White	28,900	258	8.9	319	11.0
Colored	4,000	32	8.0	72	18.0
Morristown*	12,600	360	28.6	211	16.7
Newark	453,000	5,308	11.7	5,258	11.6
White	430,900	4,667	10.8	4,611	10.7
Colored	22,100	641	29.0	647	29.3
New Brunswick	38,000	495	13.0	398	10.5
Orange*	35,400	619	17.5	419	11.8
White	31,100	530	17.0	340	10.9
Colored	4,300	89	20.7	79	18.4
Passaic	69,000	726	10.5	617	8.9
Paterson	142,000	1,711	12.0	1,533	10.8
Perth Amboy	47,100	484	10.3	468	9.9
Phillipsburg	18,600	205	11.0	181	9.7
Plainfield	31,700	427	13.5	343	10.8
Rahway	12,000	162	13.5	157	13.1
Summit	11,700	168	14.4	111	9.5
Trenton	132,000	1,873	14.2	1,749	13.3
Union City	63,100	417	6.6	569	9.0
West New York	39,200	225	5.7	312	8.0
West Orange	18,200	127	7.0	182	10.0
NEW MEXICO CITIES[1]					
Albuquerque*	21,000	493	23.5	299	14.2

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK CITIES [6]					
Albany	117,820	1,845	15.7	1,581	13.4
Amsterdam	35,260	392	11.1	363	10.3
Auburn	35,677	515	14.4	468	13.1
Batavia	15,628	268	17.1	207	13.2
Beacon*	11,621	158	13.6	146	12.6
Binghamton*	71,915	1,055	14.7	1,001	13.9
Buffalo	538,016	7,434	13.8	6,978	13.0
Cohoes	23,345	292	12.5	314	13.5
Corning	15,722	185	11.8	161	10.2
Cortland	13,879	270	19.5	204	14.7
Dunkirk	19,912	221	11.1	201	10.1
Elmira	48,359	734	15.2	648	13.4
Fulton	12,571	177	14.1	173	13.8
Geneva	15,908	208	13.1	207	13.0
Glens Falls	17,851	313	17.5	253	14.2
Gloversville	22,110	372	16.8	346	15.6
Herkimer	10,910	131	12.0	133	12.2
Hornell	15,784	202	12.8	202	12.8
Hudson	11,755	288	24.5	239	20.3
Ilion	10,426	121	11.6	125	12.0
Ithaca	18,948	296	15.6	254	13.4
Jamestown	43,414	527	12.1	489	11.3
Johnstown	10,712	112	10.5	133	12.4
Kingston	28,099	547	19.5	459	16.3
Lackawanna*	20,196	345	17.1	293	14.5
Little Falls	12,428	169	13.6	177	14.2
Lockport	21,676	327	15.1	335	15.5
Middletown*	20,412	409	20.0	374	18.3
Mount Vernon	50,382	455	9.0	517	10.3
Newburgh	30,419	501	16.5	448	14.7
New Rochelle	44,222	382	8.6	403	9.1
New York	5,873,356	71,835	12.2	71,945	[4]12.2
Bronx Borough	872,168	8,295	9.5	8,223	9.4
Brooklyn Borough	2,203,235	24,824	11.3	25,138	11.4
White	[10]2,168,000	23,864	11.0	24,187	11.2
Colored	[10] 35,200	960	27.3	951	27.0
Manhattan Borough	1,945,029	29,819	15.3	29,693	[4]15.3
White	[10]1,847,800	26,851	14.5	26,717	[4] 14.5
Colored	[10] 97,200	2,968	30.5	2,976	30.6
Queens Borough	714,647	7,030	9.8	7,011	[4] 9.8
Richmond Borough	138,277	1,867	13.5	1,880	13.6
Niagara Falls	57,033	687	12.0	678	11.9
North Tonawanda	17,356	191	11.0	196	11.3
Ogdensburg*	17,047	432	25.3	354	20.8
Olean	21,332	280	13.1	240	11.3
Oneida	10,656	163	15.3	140	13.1
Oneonta	12,057	188	15.6	157	13.0
Ossining	12,769	181	14.2	181	14.2
Oswego	22,369	285	12.7	298	13.3
Peekskill	17,993	214	11.9	204	11.3
Plattsburg	11,552	230	19.9	181	15.7
Port Chester	19,283	194	10.1	202	10.5
Port Jervis	10,507	172	16.4	165	15.7
Poughkeepsie	35,670	498	14.0	449	12.6
Rensselaer	11,394	98	8.6	133	11.7
Rochester	316,786	3,839	12.1	3,704	11.7
Rome*	30,328	482	15.9	381	12.6
Saratoga Springs	13,884	301	21.7	237	17.1
Schenectady	92,786	1,057	11.4	995	10.7
Syracuse	182,003	2,292	12.6	2,111	11.6
Tonawanda	11,292	100	8.9	156	13.8
Troy	72,223	1,354	18.7	1,202	16.6
Utica*	101,604	1,516	14.9	1,417	13.9
Watertown	32,836	540	16.4	434	13.2
Watervliet	16,158	184	11.4	258	16.0
White Plains	27,428	312	11.4	305	11.1
Yonkers	113,647	1,144	10.1	1,190	10.5
NORTH CAROLINA CITIES					
Ashville*	31,500	711	22.6	586	18.6
White	23,900	478	20.0	359	15.0
Colored	7,600	233	30.7	227	29.9
Charlotte	53,300	846	15.9	737	13.8
White	37,000	438	11.8	359	9.7
Colored	16,300	408	25.0	378	23.2
Durham	42,000	584	13.9	529	12.6
White	28,400	263	9.3	242	8.5
Colored	13,600	321	23.6	287	21.1
Gastonia	16,900	216	12.8	208	12.3
White	14,000	158	11.3	149	10.6
Colored	2,900	58	20.0	59	20.3
Goldsboro*	14,200	236	16.6	216	15.2
White	8,000	118	14.8	102	12.7
Colored	6,200	118	19.0	114	18.4
Greensboro	47,100	570	12.1	527	11.2
White	35,100	338	9.6	304	8.7
Colored	12,000	232	19.3	223	18.6
High Point	23,600	322	13.6	310	13.1
White	19,600	236	12.0	228	11.6
Colored	4,000	86	21.5	82	20.5
New Bern	12,200	234	19.2	215	17.6
White	5,600	74	13.2	55	9.8
Colored	6,600	160	24.2	160	24.2
Raleigh*	30,400	672	22.1	570	18.7
White	20,200	391	19.4	344	17.0
Colored	10,200	281	27.5	226	22.2
Rocky Mount	15,100	296	19.6	240	15.9
White	9,700	149	15.4	114	11.8
Colored	5,400	147	27.2	126	23.3
Salisbury	17,700	200	11.3	202	11.4
White	13,500	117	8.7	122	9.0
Colored	4,200	83	19.8	80	19.0
Wilmington	37,100	550	14.8	462	12.5
White	23,100	255	11.0	194	8.4
Colored	14,000	295	21.1	268	19.1
Wilson	12,800	265	20.7	254	19.8
White	6,300	120	19.0	118	18.7
Colored	6,500	145	22.3	136	20.9
Winston-Salem	69,000	878	12.7	840	12.2
White	38,800	369	9.5	328	8.5
Colored	30,200	509	16.9	512	17.0
NORTH DAKOTA CITIES [6]					
Fargo	24,921	305	12.2	189	7.6
Grand Forks	15,168	151	10.0	112	7.4
Minot	12,245	216	17.6	142	11.6
OHIO CITIES					
Akron	[3]	1,901	[3]	1,878	[3]
Alliance	25,000	280	11.2	279	[4]11.2
Ashtabula	25,100	299	11.9	280	11.2
Barberton	23,300	204	8.8	197	8.5
Bellaire	16,300	175	10.7	179	11.0
Bucyrus	11,700	149	12.7	145	12.4
Cambridge	14,000	211	15.1	198	14.1
Canton	106,000	1,109	10.5	1,073	10.1
Chillicothe	16,600	236	14.2	236	14.2
Cincinnati	409,000	6,526	16.0	6,097	14.9
White	374,200	5,579	14.9	5,172	13.8
Colored	34,800	947	27.2	925	26.6
Cleveland	936,000	9,709	10.4	9,516	10.2
White	886,600	8,531	9.6	8,335	9.4
Colored	49,400	1,178	23.8	1,181	23.9
Cleveland Heights	22,200	207	9.3	210	9.5
Columbus	280,000	3,894	13.9	3,590	12.8
White	251,800	3,286	13.1	2,996	11.9
Colored	28,200	608	21.6	594	21.1
OHIO CITIES—CON.					
Coshocton	11,600	142	12.2	144	12.4
Cuyahoga Falls	13,700	110	8.0	114	8.3
Dayton	173,000	1,962	11.3	1,862	10.8
East Cleveland	37,600	212	5.6	221	5.9
East Liverpool	22,000	370	16.8	340	15.5
East Youngstown	16,000	115	7.2	139	8.7
Elyria	23,800	272	11.4	258	10.8
Findlay	18,200	267	14.7	272	14.9
Fremont	13,900	121	8.7	126	9.1
Hamilton	42,400	576	13.6	562	13.3
Ironton	14,500	228	15.7	213	14.7
Kenmore	19,400	104	5.4	110	5.7
Lakewood	56,800	430	7.6	437	7.7
Lancaster	16,000	207	12.9	207	12.9
Lima	46,700	583	12.5	550	11.8
Lorain	42,300	417	9.9	409	9.7
Mansfield	31,800	391	12.3	387	12.2
Marietta	15,300	194	12.7	181	11.8
Marion	32,500	332	10.2	341	10.5
Martins Ferry	15,500	216	13.9	198	12.8
Massillon	19,300	242	12.5	229	11.9
Middletown	30,500	285	9.3	291	9.4
Newark	30,500	379	12.4	367	12.0
New Philadelphia	12,000	99	8.3	103	8.6
Niles	16,600	106	6.4	121	7.3
Norwood	29,900	178	6.0	219	7.3
Piqua	16,000	229	14.3	223	13.9
Portsmouth	39,100	529	13.5	484	12.4
Salem	11,100	176	15.9	148	13.3
Sandusky	24,500	318	13.0	300	12.2
Springfield	68,700	893	13.0	887	12.9
White	60,500	754	12.5	750	12.4
Colored	8,200	139	17.0	137	16.7
Steubenville	32,000	460	14.4	388	12.1
Tiffin	15,600	223	14.3	215	13.8
Toledo	287,000	3,494	12.2	3,355	11.7
Warren	34,700	462	13.3	415	12.0
Youngstown	160,000	1,706	10.7	1,611	10.1
Zanesville	30,400	510	16.8	467	15.4
OKLAHOMA CITIES [1]					
Oklahoma City	[3]	1,176	[3]	1,079	[3]
OREGON CITIES					
Astoria	16,500	138	8.4	129	7.8
Eugene*	11,400	274	24.0	197	17.3
Portland	[3]	3,332	[3]	3,072	[3]
Salem (exclusive of State institutions)	19,700	321 / 342	33.7	272 / 342	31.2
PENNSYLVANIA CITIES					
Allentown	92,200	1,284	13.9	1,284	13.9
Altoona	66,100	812	12.3	811	[4]12.3
Ambridge	17,000	111	6.5	114	6.7
Beaver Falls	13,100	213	16.3	208	15.9
Berwick	14,200	131	9.2	134	9.4
Bethlehem	62,800	421	6.7	420	[4] 6.7
Braddock	21,700	323	14.9	314	14.5
Bradford	15,800	253	16.0	262	16.6
Bristol	12,800	133	10.4	140	10.9
Butler	25,200	310	12.3	311	[4]12.3
Canonsburg	13,500	114	8.4	114	8.4
Carbondale	19,500	319	16.4	318	16.3
Carlisle	11,400	179	15.7	182	16.0
Carnegie	12,400	85	6.9	97	7.8
Carrick	13,000	102	7.8	106	8.2
Chambersburg	13,900	212	15.3	211	15.2
Charleroi	12,600	87	6.9	88	7.0

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY; 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
PENNSYLVANIA CITIES—con.					
Chester	68,500	749	10.9	742	10.8
White	60,000	570	9.5	561	9.4
Colored	8,500	179	21.1	181	21.3
Coatesville	16,500	132	8.0	134	8.1
White	14,400	112	7.8	113	[4] 7.8
Colored	2,100	20	9.5	21	10.0
Columbia	[2] 10,836	159	14.7	157	14.5
Connellsville	14,300	159	11.1	160	11.2
Dickson City	12,000	106	8.8	114	9.5
Donora	17,000	121	7.1	121	7.1
Du Bois	14,300	174	12.2	169	11.8
Dunmore	21,700	259	11.9	275	12.7
Duquesne	20,900	158	7.6	160	7.7
Easton	36,800	642	17.4	652	17.7
Erie	[3]	1,295	[3]	1,308	[3]
Farrell	18,700	118	6.3	123	6.6
Greensburg	16,100	263	16.3	263	16.3
Harrisburg	83,400	1,176	14.1	1,101	13.2
Hazleton	36,100	488	13.5	492	13.6
Homestead	21,400	254	11.9	249	11.6
Jeannette	11,700	119	10.2	122	10.4
Johnstown	71,500	1,020	14.3	999	14.0
Lancaster	56,500	958	17.0	968	17.1
Lebanon	25,200	353	14.0	357	14.2
McKeesport	49,100	690	14.1	691	[4] 14.1
McKees Rocks	18,100	138	7.6	142	7.8
Mahanoy City	[2] 15,599	205	13.1	205	13.1
Meadville	15,600	270	17.3	274	17.6
Monessen	21,200	123	5.8	125	5.9
Mount Carmel	[2] 17,469	180	10.3	181	10.4
Nanticoke	24,700	366	14.8	368	14.9
New Castle	49,800	589	11.8	588	[4] 11.8
New Kensington	14,400	220	15.3	220	15.3
Norristown*	34,800	704	20.2	707	20.3
North Braddock	16,700	117	7.0	120	7.2
Oil City	23,300	271	11.6	272	11.7
Old Forge	12,800	112	8.8	111	8.7
Olyphant	11,200	113	10.1	118	10.5
Philadelphia	1,979,000	26,045	13.2	26,468	13.4
White	1,815,500	22,363	12.3	22,765	12.5
Colored	163,500	3,682	22.5	3,703	22.6
Phoenixville	[2] 10,484	148	14.1	147	14.0
Pittsburgh	632,000	9,383	14.8	9,400	14.9
White	586,400	8,302	14.2	8,306	[4] 14.2
Colored	45,600	1,081	23.7	1,094	24.0
Pittston	19,800	247	12.5	253	12.8
Plymouth	[2] 16,500	162	9.8	190	11.5
Pottstown	18,500	274	14.8	273	[4] 14.8
Pottsville	22,800	466	20.4	464	[4] 20.4
Punxsutawney	11,000	145	13.2	141	12.8
Reading	113,000	1,474	13.0	1,485	13.1
Scranton	142,000	1,957	13.8	1,902	13.4
Shamokin	21,700	203	9.4	217	10.0
Sharon	25,000	282	11.3	281	11.2
Shenandoah	[2] 24,726	288	11.6	291	11.8
Steelton	[2] 13,428	144	10.7	164	12.2
White	11,447	116	10.1	131	11.4
Colored	1,981	28	14.1	33	16.7
Sunbury	16,800	180	10.7	181	10.8
Swissvale	12,900	123	9.5	126	9.8
Tamaqua	14,000	122	8.7	123	8.8
Uniontown	[3] 19,192	414	21.6	413	21.5
Warren	15,100	201	13.3	194	12.8
Washington	23,000	395	17.2	394	17.1
West Chester*	[2] 11,717	312	26.6	285	24.3
White	9,879	258	26.1	235	23.8
Colored	1,838	54	29.4	50	27.2
Wilkes-Barre	77,600	1,169	15.1	998	12.9
PENNSYLVANIA CITIES—con.					
Wilkinsburg	27,400	354	12.9	345	12.6
Williamsport	42,700	568	13.3	568	13.3
Woodlawn	18,900	123	6.5	135	7.1
York	49,100	738	15.0	730	14.9
RHODE ISLAND CITIES[5]					
Bristol town	12,707	141	11.1	154	12.1
Central Falls	25,403	221	8.7	253	10.0
Cranston (exclusive of State institutions)	34,471	262 / 379	18.6	231 / 379	17.7
Cumberland town	10,238	99	9.7	93	9.1
East Providence town	26,088	268	10.3	269	[4] 10.3
Newport	27,757	396	14.3	385	13.9
Pawtucket	69,760	890	12.8	899	12.9
Providence	267,918	3,309	12.4	3,117	11.6
Warwick town	18,273	199	10.9	202	11.1
West Warwick town	18,215	187	10.3	190	10.4
Woonsocket	49,681	521	10.5	524	[4] 10.5
SOUTH CAROLINA CITIES[9]					
Anderson	11,100	338	30.5	------	------
White	8,200	242	29.5	------	------
Colored	2,900	96	33.1	------	------
Charleston	73,100	1,484	20.3	------	------
White	40,000	459	11.5	------	------
Colored	33,100	1,025	31.0	------	------
Columbia *	41,200	1,020	24.8	------	------
White	26,300	536	20.4	------	------
Colored	14,900	484	32.5	------	------
Florence	13,200	380	28.8	------	------
White	7,800	171	21.9	------	------
Colored	5,400	209	38.7	------	------
Greenville	27,300	393	14.4	------	------
White	18,100	176	9.7	------	------
Colored	9,200	217	23.6	------	------
Spartanburg	25,500	421	16.5	------	------
White	16,900	226	13.4	------	------
Colored	8,600	195	22.7	------	------
SOUTH DAKOTA CITIES[1]					
Sioux Falls	[6] 30,127	335	11.1	266	8.8
TENNESSEE CITIES					
Chattanooga *	66,600	1,503	22.6	1,519	22.8
White	49,000	742	15.1	754	15.4
Colored	17,600	761	43.2	765	43.5
Jackson	19,900	347	17.4	351	17.6
White	13,500	187	13.9	190	14.1
Colored	6,400	160	25.0	161	25.2
Johnson City *	14,400	292	20.3	291	20.2
White	12,700	255	20.1	254	20.0
Colored	1,700	37	21.8	37	21.8
Knoxville	95,500	1,314	13.8	1,200	12.6
White	83,500	987	11.8	884	10.6
Colored	12,000	327	27.2	316	26.3
Memphis	175,000	3,374	19.3	2,819	16.1
White	111,700	1,559	14.0	1,154	10.3
Colored	63,300	1,815	28.7	1,665	26.3
Nashville	136,000	2,349	17.3	2,096	15.4
White	97,100	1,386	14.3	1,193	12.3
Colored	38,900	963	24.8	903	23.2
TEXAS CITIES[1]					
Beaumont	50,600	582	11.5	494	9.8
White	34,200	352	10.3	274	8.0
Colored	16,400	230	14.0	220	13.4
Dallas	194,000	2,657	13.7	2,269	11.7
White	167,900	2,033	12.1	1,696	10.1
Colored	26,100	624	23.9	573	22.0
TEXAS CITIES—continued					
El Paso	105,000	1,788	17.0	1,515	14.4
Fort Worth	155,000	1,544	10.0	1,412	9.1
White	136,000	1,258	9.3	1,131	8.3
Colored	19,000	286	15.1	281	14.8
Galveston	48,400	707	14.6	664	13.7
White	37,400	463	12.4	423	11.3
Colored	11,000	244	22.2	241	21.9
Houston	[3]	2,607	[3]	2,567	[3]
White	[3]	1,699	[3]	1,666	[3]
Colored	[3]	908	[3]	901	[3]
San Antonio	198,000	3,029	15.3	2,901	14.7
White	181,300	2,743	15.1	2,611	14.4
Colored	16,700	286	17.1	290	17.4
UTAH CITIES					
Ogden	36,900	426	11.5	376	10.2
Provo	11,200	169	15.1	156	13.9
Salt Lake City	131,000	1,532	11.7	1,199	9.2
VERMONT CITIES					
Barre	[2] 10,008	157	15.7	156	15.6
Burlington	24,100	375	15.6	316	13.1
Rutland	15,800	290	18.4	251	15.9
VIRGINIA CITIES					
Alexandria	18,500	304	16.4	307	16.6
White	14,700	214	14.6	208	14.1
Colored	3,800	90	23.7	99	26.1
Charlottesville	11,200	145	12.9	143	12.8
White	8,500	93	10.9	88	10.4
Colored	2,700	52	19.3	55	20.4
Danville	23,000	341	14.8	281	12.2
White	17,600	221	12.6	177	10.1
Colored	5,400	120	22.2	104	19.3
Lynchburg	30,400	519	17.1	448	14.7
White	22,700	311	13.7	266	11.7
Colored	7,700	208	27.0	182	23.6
Newport News	47,100	351	7.5	350	7.4
White	27,900	138	4.9	137	[4] 4.9
Colored	19,200	213	11.1	213	11.1
Norfolk	169,000	1,771	10.5	1,665	9.9
White	107,900	831	7.7	753	7.0
Colored	61,100	940	15.4	912	14.9
Petersburg	35,700	540	15.1	502	14.1
White	20,600	230	11.2	208	10.1
Colored	15,100	310	20.5	294	19.5
Portsmouth	59,000	641	10.9	645	[4] 10.9
White	32,300	249	7.7	251	7.8
Colored	26,700	392	14.7	394	14.8
Richmond	186,000	2,740	14.7	2,511	13.5
White	131,300	1,572	12.0	1,391	10.6
Colored	54,700	1,168	21.4	1,120	20.5
Roanoke	58,200	839	14.4	715	12.3
White	48,200	609	12.6	498	10.3
Colored	10,000	230	23.0	217	21.7
Staunton *	10,600	279	26.3	257	24.2
White	9,300	247	26.6	227	24.4
Colored	1,300	32	24.6	30	23.1
WASHINGTON CITIES					
Aberdeen	16,200	248	15.3	211	13.0
Bellingham	26,200	382	14.6	346	13.2
Everett	29,300	333	11.4	299	10.2
Hoquiam	11,100	115	10.4	114	10.3
Seattle	[3]	3,372	[3]	3,194	[3]
White	[3]	3,170	[3]	3,005	[3]
Colored	[3]	202	[3]	189	[3]
Spokane	109,000	1,386	12.7	1,151	10.6
Tacoma	104,000	1,243	12.0	1,095	10.5
Vancouver	14,500	156	10.8	147	10.1
Walla Walla	[2] 15,503	215	13.9	195	12.6
Yakima	22,700	348	15.3	248	10.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WEST VIRGINIA CITIES					
Bluefield	19,100	257	13.5	209	10.9
White	14,500	196	13.5	159	11.0
Colored	4,600	61	13.3	50	10.9
Charleston	49,000	809	16.5	646	13.2
White	43,700	660	15.1	521	11.9
Colored	5,300	149	28.1	125	23.6
Clarksburg	30,400	381	12.5	316	10.4
Fairmont	21,000	305	14.5	311	14.8
Huntington*	63,500	930	15.4	916	14.4
Martinsburg	13,500	270	20.0	275	20.4
Morgantown	13,800	230	16.7	233	16.9
Moundsville	11,700	141	12.1	144	12.3
Parkersburg	21,300	308	14.5	306	14.4
Wheeling*	[2] 56,208	1,001	17.8	765	13.6
WISCONSIN CITIES					
Appleton	21,100	270	12.8	232	11.0
Ashland*	[2] 11,334	263	23.2	179	15.8
Beloit	24,800	258	10.4	256	10.3
Eau Claire*	22,400	386	17.2	267	11.9
Fond du Lac	26,000	397	15.3	317	12.2
Green Bay	34,300	539	15.7	419	12.2
Janesville	20,800	254	12.2	230	11.1
Kenosha	50,900	387	7.6	372	7.3
La Crosse*	30,400	521	17.1	380	12.5
Madison	46,400	597	12.9	468	10.1
Manitowoc	22,100	231	10.5	206	9.3
Marinette	[2] 13,610	171	12.6	155	11.4
Milwaukee	509,000	5,549	10.9	5,355	10.5
Oshkosh	33,200	432	13.0	383	11.5
Racine	67,700	572	8.4	555	8.2
Sheboygan	33,500	398	11.9	374	11.2
Stevens Point	12,900	139	10.8	129	10.0
Superior	[2] 39,671	458	11.5	419	10.6
Waukesha	14,700	146	9.9	142	9.7
Wausau	20,100	258	12.8	205	10.2
West Allis	18,400	135	7.3	162	8.8
WYOMING CITIES					
Casper	[3]	237	[3]	230	[3]
Cheyenne	15,500	176	11.4	168	10.8
ALABAMA COUNTIES [1]					
Autauga	[2] 18,908	218	11.5	226	12.0
White	8,212	81	9.9	88	10.7
Colored	10,696	137	12.8	138	12.9
Baldwin	22,200	268	12.1	279	12.6
White	17,600	199	11.3	210	11.9
Colored	4,600	69	15.0	69	15.0
Barbour	[2] 32,067	407	12.7	401	12.5
White	12,646	162	12.8	158	12.5
Colored	19,421	245	12.6	243	12.5
Bibb	23,300	210	9.0	224	9.6
White	15,500	121	7.8	131	8.5
Colored	7,800	89	11.4	93	11.9
Blount	27,900	124	4.4	150	5.4
Bullock	[2] 25,333	308	12.2	314	12.4
White	4,682	47	10.0	51	10.9
Colored	20,651	261	12.6	263	12.7
Butler	29,800	368	12.3	371	12.4
White	15,700	157	10.0	158	10.1
Colored	14,100	211	15.0	213	15.1
Calhoun	32,200	381	11.8	385	12.0
White	25,900	276	10.7	279	10.8
Colored	6,300	105	16.7	106	16.8
Chambers	44,100	477	10.8	481	10.9
White	23,800	242	10.2	248	10.4
Colored	20,300	235	11.6	233	11.5
ALABAMA COUNTIES—con.					
Cherokee	21,200	169	8.0	172	8.1
Chilton	[2] 22,770	203	8.9	210	9.2
White	18,807	155	8.2	161	8.6
Colored	3,963	48	12.1	49	12.4
Choctaw	22,000	190	8.6	194	8.8
White	10,600	67	6.3	72	6.8
Colored	11,400	123	10.8	122	10.7
Clarke	[2] 26,409	244	9.2	264	10.0
White	12,502	79	6.3	90	7.2
Colored	13,907	165	11.9	174	12.5
Clay	23,600	151	6.4	160	6.8
White	20,100	123	6.1	132	6.6
Colored	3,500	28	8.0	28	8.0
Cleburne	[2] 13,360	90	6.7	93	7.0
Coffee	32,300	278	8.6	292	9.0
White	25,700	214	8.3	227	8.8
Colored	6,600	64	9.7	65	9.8
Colbert	36,100	374	10.4	373	10.3
White	24,000	215	9.0	214	8.9
Colored	12,100	159	13.1	159	13.1
Conecuh	26,400	276	10.5	281	10.6
White	14,700	122	8.3	125	8.5
Colored	11,700	154	13.2	156	13.3
Coosa	[2] 14,839	98	6.6	102	6.9
White	9,033	58	6.4	60	6.6
Colored	5,806	40	6.9	42	7.2
Covington	41,500	429	10.3	431	10.4
White	33,600	343	10.2	344	[4] 10.2
Colored	7,900	86	10.9	87	11.0
Crenshaw	[2] 25,017	251	10.9	271	11.8
White	15,901	161	10.1	175	11.0
Colored	7,116	90	12.6	96	13.5
Cullman	35,700	316	8.9	331	9.3
Dale	23,300	240	10.3	251	10.8
White	18,700	170	9.1	180	9.6
Colored	4,600	70	15.2	71	15.4
Dallas	38,400	403	10.5	440	11.5
White	5,400	29	5.4	49	9.1
Colored	33,000	374	11.3	391	11.8
De Kalb	37,900	260	6.9	267	7.0
Elmore	[2] 28,085	353	12.6	378	13.5
White	16,141	137	8.5	154	9.5
Colored	11,944	216	18.1	224	18.8
Escambia	24,500	228	9.3	233	9.5
White	17,400	152	8.7	155	8.9
Colored	7,100	76	10.7	78	11.0
Etowah	32,300	272	8.4	299	9.3
White	29,700	240	8.1	263	8.9
Colored	2,600	32	12.3	36	13.8
Fayette	19,600	140	7.1	149	7.6
White	16,700	111	6.6	118	7.1
Colored	2,900	29	10.0	31	10.7
Franklin	23,500	155	6.6	166	7.1
Geneva	31,100	255	8.2	277	8.9
White	26,600	200	7.5	220	8.3
Colored	4,500	55	12.2	57	12.7
Greene	[2] 18,133	257	14.2	266	14.7
White	3,090	33	10.7	37	12.0
Colored	15,043	224	14.9	229	15.2
Hale	[2] 24,289	306	12.6	316	13.0
White	6,392	60	9.4	65	10.2
Colored	17,897	246	13.7	251	14.0
Henry	21,900	196	8.9	207	9.5
White	11,300	99	8.8	107	9.5
Colored	10,600	97	9.2	100	9.4
Houston	25,700	205	8.0	227	8.8
White	20,600	162	7.9	179	8.7
Colored	5,100	43	8.4	48	9.4
Jackson	37,500	281	7.5	284	7.6
Jefferson	130,000	1,734	13.3	1,924	14.8
White	70,000	736	10.5	870	12.4
Colored	60,000	998	16.6	1,054	17.6
ALABAMA COUNTIES—con.					
Lamar	18,500	131	7.1	135	7.3
White	15,900	99	6.2	102	6.4
Colored	2,600	32	12.3	33	12.7
Lauderdale	31,700	250	7.9	273	8.6
White	25,700	197	7.7	217	8.4
Colored	6,000	53	8.8	56	9.3
Lawrence	25,600	255	10.0	268	10.5
White	19,000	151	7.9	158	8.3
Colored	6,600	104	15.8	110	16.7
Lee	[2] 32,321	442	13.5	437	13.3
White	14,037	179	12.8	179	12.8
Colored	18,784	263	14.0	258	13.7
Limestone	33,900	376	11.1	381	11.2
White	24,600	227	9.2	232	9.4
Colored	9,300	149	16.0	149	16.0
Lowndes	[2] 25,406	252	9.9	265	10.4
White	3,390	29	8.6	33	9.7
Colored	22,016	223	10.1	232	10.5
Macon*	[2] 23,561	510	21.6	507	21.5
White	3,947	74	18.7	78	19.8
Colored	19,614	436	22.2	429	21.9
Madison	53,700	816	15.2	799	14.9
White	37,000	466	12.6	454	12.3
Colored	16,700	350	21.0	345	20.7
Marengo	[2] 36,065	412	11.4	433	12.0
White	9,953	79	7.9	87	8.7
Colored	26,112	333	12.8	346	13.3
Marion	24,600	121	4.9	125	5.1
Marshall	35,000	272	7.8	287	8.2
Mobile	45,100	647	14.3	744	16.5
White	27,000	223	8.3	296	11.0
Colored	18,100	424	23.4	448	24.8
Monroe	29,900	268	9.0	280	9.4
White	13,900	119	8.6	129	9.3
Colored	16,000	149	9.3	151	9.4
Montgomery	[2] 34,372	382	11.1	392	11.4
White	6,017	82	13.6	89	14.8
Colored	28,355	300	10.6	303	10.7
Morgan	43,800	454	10.4	442	10.1
White	36,400	331	9.1	321	8.8
Colored	7,400	123	16.6	121	16.4
Perry	[2] 25,373	331	13.0	348	13.7
White	7,114	59	8.3	69	9.7
Colored	18,259	272	14.9	279	15.3
Pickens	25,500	250	9.8	250	9.8
White	13,600	100	7.4	101	[4] 7.4
Colored	11,900	150	12.6	149	12.5
Pike	32,100	367	11.4	370	11.5
White	17,100	173	10.1	175	10.2
Colored	15,000	194	12.9	195	13.0
Randolph	28,400	239	8.4	240	8.5
White	22,400	174	7.8	174	7.8
Colored	6,000	65	10.8	66	11.0
Russell	28,300	305	10.8	309	10.9
White	7,000	83	11.9	86	12.3
Colored	21,300	222	10.4	223	10.5
St. Clair	24,900	209	8.4	240	9.6
White	20,000	158	7.9	182	9.1
Colored	4,900	51	10.4	58	11.8
Shelby	27,200	213	7.8	240	8.8
White	20,500	152	7.4	170	8.3
Colored	6,700	61	9.1	70	10.4
Sumter	[2] 25,569	335	13.1	339	13.3
White	5,735	49	8.5	52	9.1
Colored	19,831	286	14.4	287	14.5
Talladega	42,800	482	11.3	482	11.3
White	25,800	250	9.7	255	9.9
Colored	17,000	232	13.6	227	13.4
Tallapoosa	[2] 29,744	370	12.4	366	12.3
White	19,674	233	11.8	230	11.7
Colored	10,070	137	13.6	136	13.5

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ALABAMA COUNTIES—con.					
Tuscaloosa	44,100	392	8.9	419	9.5
White	28,300	224	7.9	238	8.4
Colored	15,800	168	10.6	181	11.5
Walker	58,300	561	9.6	592	10.2
White	49,200	438	8.9	463	9.4
Colored	9,100	123	13.5	129	14.2
Washington	[2] 14,279	158	11.1	166	11.6
White	8,413	69	8.2	76	9.0
Colored	5,866	89	15.2	90	15.3
Wilcox	[2] 31,080	343	11.0	365	11.7
White	6,068	59	9.7	71	11.7
Colored	25,012	284	11.4	294	11 8
Winston	15,200	111	7.3	118	7.8
CALIFORNIA COUNTIES [11]					
Alameda*	47,900	1,112	23.2	1,134	23.7
Alpine	[2] 243	------	------	------	------
White	141	------	------	------	------
Colored	102	------	------	------	------
Amador	[2] 7,793	95	12.2	108	13.9
Butte	31,600	374	11.8	373	[4] 11.8
Calaveras	[2] 6,183	77	12.5	84	13.6
Colusa	10,200	95	9.3	101	9.9
Contra Costa	43,900	391	8.9	431	9.8
Del Norte	3,000	49	16.3	49	16.3
White	2,300	45	19.6	45	19.6
Colored	700	4	5.7	4	5.7
Eldorado	[2] 6,426	118	18.4	123	19.1
Fresno	100,000	996	10.0	1,004	[4] 10.0
Glenn	14,500	79	5.4	86	5.9
Humboldt	25,900	176	6.8	182	7.0
Imperial	60,400	614	10.2	632	10.5
White	52,700	518	9.8	534	10.1
Colored	7,700	96	12.5	98	12.7
Inyo	7,100	76	10.7	78	11.0
White	6,400	54	8.4	56	8.8
Colored	700	22	31.4	22	31.4
Kern	41,100	382	9.3	388	9.4
Kings	25,300	226	8.9	234	9.2
Lake	[2] 5,402	82	15.2	85	15.7
Lassen	10,600	114	10.8	114	10.8
Los Angeles	[3]	5,303	[3]	5,384	[3]
Madera	14,400	162	11.3	155	10.8
Marin	28,600	329	11.5	349	12.2
Mariposa	[2] 2,775	51	18.4	54	19.5
Mendocino	24,200	313	12.9	319	13.2
Merced	29,900	263	8.8	272	9.1
Modoc	[2] 5,425	62	11.4	65	12.0
Mono	[2] 960	22	22.9	21	21.9
White	604	11	15.9	10	14.4
Colored	266	11	41.4	11	41.4
Monterey	30,200	335	11.1	336	[4] 11.1
Napa*	21,200	544	25.7	543	25.6
Nevada	[2] 10,850	153	14.1	159	14.7
Orange	57,200	776	13.6	774	13.5
Placer	18,800	367	19.5	258	13.7
White	16,300	348	21.3	244	15.0
Colored	2,500	19	7.6	14	5.6
Plumas	5,900	81	13.7	88	14.9
Riverside	37,500	506	13.5	569	15.2
Sacramento	31,900	209	6.6	285	8.9
White	24,800	172	6.9	226	9.1
Colored	7,100	37	5.2	59	8.3
San Benito	9,500	121	12.7	123	12.9
San Bernardino*	60,000	1,028	17.1	1,047	17.5
San Diego	34,900	625	17.9	612	17.5
San Joaquin	49,100	892	18.2	868	17.7
White	43,200	803	18.6	782	18.1
Colored	5,900	89	15.1	86	14.6
San Luis Obispo	23,300	285	12.2	297	12.7
San Mateo	42,600	584	13.7	600	14.1
Santa Barbara	24,600	229	9.3	236	9.6
Santa Clara*	66,800	1,302	19.5	1,263	18.9
Santa Cruz	15,400	221	14 4	232	15.1
Shasta	[2] 13,361	199	14.9	205	15.3
Sierra	[2] 1,783	24	13.5	26	14.6
Siskiyou	[2] 18,545	261	14.1	282	15.2
Solano	21,300	159	7.5	176	8.3
Sonoma	54,200	755	13.9	758	14.0
Stanislaus	55,500	502	9.0	500	[4] 9.0
Sutter	12,300	112	9.1	120	9.8
Tehama	13,700	159	11.6	161	11.8
Trinity	[2] 2,551	23	9.0	23	9.0
Tulare	72,400	598	8.3	612	8.5
Tuolumne	[2] 7,768	134	17.3	129	16.6
Ventura	34,600	490	14.2	495	14.3
Yolo	18,900	274	14.5	261	13.8
Yuba	10,600	145	13.7	151	14.2
COLORADO COUNTIES [11]					
Adams*	17,600	372	21.1	389	22.1
Alamosa	[12]	100	[12]	103	[12]
Arapahoe	15,800	208	13.2	219	13.9
Archuleta	3,800	25	6.6	25	6.6
Baca	12,200	18	1.5	18	1.5
Bent*	12,300	142	11.5	143	11.6
Boulder	20,900	270	12.9	298	14.3
Chaffee*	7,800	125	16.0	127	16.3
Cheyenne	3,800	28	7.4	32	8.4
Clear Creek	[2] 2,891	28	9.7	30	10.4
Conejos	[12]	25	[12]	27	[12]
Costilla	[12]	4	[12]	4	[12]
Crowley	[12]	45	[12]	48	[12]
Custer	2,300	16	7.0	16	7.0
Delta	[2] 13,668	140	10.2	142	10.4
Dolores	1,600	12	7.5	12	7.5
Douglas	3,700	35	9.5	43	11.6
Eagle	3,600	20	5.6	21	5.8
Elbert	7,900	30	3.8	35	4.4
El Paso*	14,300	228	15.9	242	16.9
Fremont	[2] 17,883	275	15.4	280	15.7
Garfield	[2] 9,304	100	10.7	104	11.2
Gilpin	[2] 1,364	22	16.1	29	21.3
Grand	3,100	19	6.1	21	6.8
Gunnison	[2] 5,590	51	9.1	53	9.5
Hinsdale	[2] 538	4	7.4	4	7.4
Huerfano	18,900	209	11.1	215	11.4
Jackson	1,500	2	1.3	3	2.0
Jefferson*	14,500	298	20.6	327	22.6
Kiowa	4,200	18	4.3	21	5.0
Kit Carson	9,700	51	5.3	61	6.3
Lake	[2] 6,630	97	14.6	100	15.1
La Plata	11,400	164	14.4	164	14.4
Larimer	29,300	327	11.2	341	11.6
Las Animas	31,000	310	10.0	315	10.2
Lincoln	9,600	31	3.2	40	4.2
Logan	23,500	137	5.8	144	6.1
Mesa	22,300	289	13.0	294	13.2
Mineral	[2] 779	7	9.0	7	9.0
Moffat	[12]	27	[12]	30	[12]
Montezuma	7,000	91	13.0	90	12.9
Montrose	12,700	110	8.7	114	9.0
Morgan	19,800	159	8.0	165	8.3
Otero	[12]	334	[12]	342	[12]
Ouray	[2] 2,620	21	8.0	21	8.0
Park	[2] 1,977	8	4.0	9	4.6
Phillips	6,800	47	6.9	49	7.2
Pitkin	[2] 2,707	31	11.5	32	11.8
Prowers	16,300	140	8.6	143	8.8
Pueblo*	16,900	462	27.3	480	28.4
Rio Blanco	3,600	32	8.9	34	9.4
Rio Grande	8,600	109	12.7	111	12.9
Routt	[12]	72	[12]	78	[12]
Saguache	4,900	29	5.9	32	6.5
San Juan	[2] 1,700	28	16.5	29	17.1
San Miguel	5,600	56	10.0	56	10.0
Sedgwick	4,900	38	7.8	43	8.8
Summit	[2] 1,724	21	12.2	22	12.8
Teller	[2] 6,696	61	9.1	64	9.6
Washington	14,200	60	4.2	62	4.4
Weld	50,000	322	6.4	395	7.9
Yuma	17,000	101	5.9	106	6.2
CONNECTICUT COUNTIES [11]					
Fairfield	[3]	565	[3]	646	[3]
Hartford	84,200	934	11.1	1,109	13.2
Litchfield	53,700	636	11.8	710	13.2
Middlesex	25,700	287	11.2	349	13.6
New Haven	48,400	502	10.4	642	13.3
New London	41,700	635	15.2	727	17.4
Tolland	27,600	301	10.9	343	12.4
Windham	40,900	458	11.2	511	12.5
DELAWARE COUNTIES [11]					
Kent	[2] 31,023	491	15.8	507	16.3
White	24,269	346	14.3	360	14.8
Colored	6,754	145	21.5	147	21.8
New Castle*	40,400	595	14.7	600	14.9
White	35,400	468	13.2	486	13.7
Colored	5,000	127	25.4	114	22.8
Sussex	[2] 43,741	594	13.6	613	14.0
White	36,479	459	12.6	472	12.9
Colored	7,262	135	18.6	141	19.4
FLORIDA COUNTIES [6,11]					
Alachua	32,584	379	11.6	378	[4] 11.6
White	18,216	184	10.1	174	9.6
Colored	14,368	195	13.6	204	14.2
Baker	5,561	50	9.0	57	10.2
White	4,108	28	6.8	34	8.3
Colored	1,453	22	15.1	23	15.8
Bay	11,873	135	11.4	143	12.0
White	8,757	93	10.6	99	11.3
Colored	3,116	42	13.5	44	14.1
Bradford	7,024	99	14.1	108	15.4
White	4,966	64	12.9	71	14.3
Colored	2,058	35	17.0	37	18.0
Brevard	12,841	205	16.0	201	15.7
White	8,522	132	15.5	124	14.6
Colored	4,319	73	16.9	77	17.8
Broward	14,242	260	18.3	257	18.0
White	9,451	148	15.7	137	14.5
Colored	4,791	112	23.4	120	25.0
Calhoun	11,365	80	7.0	80	7.0
White	7,976	55	6.9	55	6.9
Colored	3,389	25	7.4	25	7.4
Charlotte	3,390	27	8.0	29	8.6
White	2,675	21	7.9	23	8.6
Colored	715	6	8.4	6	8.4
Citrus	5,374	41	7.6	47	8.7
White	3,311	23	6.9	28	8.5
Colored	2,063	18	8.7	19	9.2
Clay	4,855	81	16.7	84	17.3
White	3,555	60	16.9	61	17.2
Colored	1,300	21	16.2	23	17.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
FLORIDA COUNTIES—continued					
Collier	1,513	6	4.0	6	4.0
White	1,121	5	4.5	5	4.5
Colored	392	1	2.6	1	2.6
Columbia	15,551	233	15.0	211	13.6
White	8,507	122	14.3	100	11.8
Colored	7,044	111	15.8	111	15.8
Dade	41,578	284	6.8	353	8.5
White	34,748	182	5.2	231	6.6
Colored	6,830	102	14.9	122	17.9
De Soto	8,061	114	14.1	108	13.4
White	6,307	84	13.3	80	12.7
Colored	1,754	30	17.1	28	16.0
Dixie	4,236	35	8.3	38	9.0
White	2,751	26	9.5	29	10.5
Colored	1,485	9	6.1	9	6.1
Duval	[7] 16,046	310	19.3	381	23.7
White	11,008	189	17.2	229	20.8
Colored	5,038	121	24.0	152	30.2
Escambia	18,152	163	9.0	186	10.2
White	14,027	103	7.3	118	8.4
Colored	4,125	60	14.5	68	16.5
Flagler	2,203	22	10.0	24	10.9
White	1,408	7	5.0	8	5.7
Colored	795	15	18.9	16	20.1
Franklin	5,239	38	7.3	41	7.8
White	3,050	20	6.6	22	7.2
Colored	2,189	18	8.2	19	8.7
Gadsden*	24,935	639	25.6	629	25.2
White	10,322	310	30.0	305	29.5
Colored	14,613	329	22.5	324	22.2
Glades	2,467	7	2.8	12	4.9
White	1,906	7	3.7	11	5.8
Colored	561			1	1.8
Hamilton	9,904	86	8.7	89	9.0
White	5,648	51	9.0	53	9.4
Colored	4,256	35	8.2	36	8.5
Hardee	10,178	64	6.3	74	7.3
White	9,271	50	5.4	59	6.4
Colored	907	14	15.4	15	16.5
Hendry	1,121	2	1.8	2	1.8
White	1,077	2	1.9	2	1.9
Colored	44				
Hernando	4,723	41	8.7	45	9.5
White	3,333	32	9.6	34	10.2
Colored	1,390	9	6.5	11	7.9
Highlands	6,752	51	7.6	48	7.1
White	5,036	34	6.8	31	6.2
Colored	1,716	17	9.9	17	9.9
Hillsborough	38,641	391	10.1	346	9.0
White	32,512	316	9.7	277	8.5
Colored	6,129	75	12.2	69	11.3
Holmes	12,422	63	5.1	70	5.6
Jackson	33,122	278	8.4	285	8.6
White	18,893	137	7.3	144	7.6
Colored	14,229	141	9.9	141	9.9
Jefferson	13,827	204	14.8	210	15.2
White	4,076	57	14.0	58	14.2
Colored	9,751	147	15.1	152	15.6
Lafayette	4,674	28	6.0	35	7.5
White	3,530	21	5.9	26	7.4
Colored	1,144	7	6.1	9	7.9
Lake	18,876	229	12.1	231	12.2
White	14,049	153	10.9	155	11.0
Colored	4,827	76	15.7	76	15.7
Lee	12,154	154	12.7	159	13.1
White	9,555	113	11.8	119	12.5
Colored	2,599	41	15.8	40	15.4
Leon	20,049	215	10.7	218	10.9
White	7,241	77	10.6	79	10.9
Colored	12,808	138	10.8	139	10.9
FLORIDA COUNTIES—continued					
Levy	10,636	133	12.5	139	13.1
White	6,584	73	11.1	76	11.5
Colored	4,052	60	14.8	63	15.5
Liberty	4,849	44	9.1	47	9.7
White	2,925	24	8.2	27	9.2
Colored	1,924	20	10.4	20	10.4
Madison	15,549	194	12.5	199	12.8
White	7,273	75	10.3	78	10.7
Colored	8,276	119	14.4	121	14.6
Manatee	22,758	280	12.3	287	12.6
White	15,318	187	12.2	184	12.0
Colored	7,440	93	12.5	103	13.8
Marion	27,152	372	13.7	367	13.5
White	13,875	167	12.0	156	11.2
Colored	13,277	205	15.4	211	15.9
Monroe	559	1	1.8	7	12.5
White	410			4	9.8
Colored	149	1	6.7	3	20.1
Nassau	9,643	94	9.7	100	10.4
White	5,374	29	5.4	33	6.1
Colored	4,269	65	15.2	67	15.7
Okaloosa	9,793	70	7.1	70	7.1
White	8,661	60	6.9	59	6.8
Colored	1,132	10	8.8	11	9.7
Okeechobee	4,163	16	3.8	22	5.3
White	2,951	10	3.4	14	4.7
Colored	1,212	6	5.0	8	6.6
Orange	38,325	611	15.9	466	12.2
White	28,844	450	15.6	307	10.6
Colored	9,481	161	17.0	159	16.8
Osceola	10,755	143	13.3	146	13.6
White	7,932	121	15.3	122	15.4
Colored	2,823	22	7.8	24	8.5
Palm Beach	37,137	698	18.8	583	15.7
White	24,024	413	17.2	327	13.6
Colored	13,113	285	21.7	256	19.5
Pasco	11,599	123	10.6	126	10.9
White	9,067	94	10.4	96	10.6
Colored	2,532	29	11.5	30	11.8
Pinellas	24,867	240	9.7	232	9.3
White	19,167	180	9.4	170	8.9
Colored	5,700	60	10.5	62	10.9
Polk	63,925	685	10.7	681	[4] 10.7
White	49,320	490	9.9	478	9.7
Colored	14,605	195	13.4	203	13.9
Putnam	17,027	241	14.2	213	12.5
White	9,328	115	12.3	120	12.9
Colored	7,699	126	16.4	93	12.1
St. Johns	16,426	251	15.3	205	12.5
White	9,748	138	14.2	106	10.9
Colored	6,678	113	16.9	99	14.8
St. Lucie	11,778	138	11.7	131	11.1
White	8,387	89	10.6	84	10.0
Colored	3,391	49	14.5	47	13.9
Santa Rosa	14,599	108	7.4	112	7.7
White	11,863	78	6.6	82	6.9
Colored	2,736	30	11.0	30	11.0
Sarasota	10,050	112	11.1	114	11.3
White	8,269	74	8.9	73	8.8
Colored	1,781	38	21.3	41	23.0
Seminole	14,738	241	16.4	234	15.9
White	8,425	112	13.3	104	12.3
Colored	6,313	129	20.4	130	20.6
Sumter	7,916	83	10.5	95	12.0
White	5,671	55	9.7	64	11.3
Colored	2,245	28	12.5	31	13.8
Suwannee	16,205	152	9.4	164	10.1
White	10,046	82	8.2	86	8.6
Colored	6,159	70	11.4	78	12.7
Taylor	13,113	91	6.9	92	7.0
White	7,671	56	7.3	55	7.2
Colored	5,442	35	6.4	37	6.8
FLORIDA COUNTIES—continued					
Union	6,133	47	7.7	49	8.0
White	3,879	31	8.0	33	8.5
Colored	2,254	16	7.1	16	7.1
Volusia	40,165	484	12.1	481	12.0
White	26,562	347	13.1	332	12.5
Colored	13,603	137	10.1	149	11.0
Wakulla	5,811	36	6.2	38	6.5
White	3,151	18	5.7	19	6.0
Colored	2,660	18	6.8	19	7.1
Walton	13,664	127	9.3	128	9.4
White	11,006	86	7.8	87	7.9
Colored	2,658	41	15.4	41	15.4
Washington	10,420	92	8.8	99	9.5
White	8,092	58	7.2	64	7.9
Colored	2,328	34	14.6	35	15.0
IDAHO COUNTIES [11]					
Ada	15,600	62	4.0	79	5.1
Adams	(12)	9	(12)	12	(12)
Bannock	(12)	48	(12)	64	(12)
Bear Lake	9,380	63	6.7	65	6.9
Benewah	(12)	76	(12)	88	(12)
Bingham	(12)	160	(12)	167	(12)
Blaine	(12)	42	(12)	43	(12)
Boise	(12)	8	(12)	16	(12)
Bonner	(12)	125	(12)	138	(12)
Bonneville	(12)	147	(12)	148	(12)
Boundary	(12)	42	(12)	45	(12)
Butte	(12)	11	(12)	15	(12)
Camas	(12)			1	(12)
Canyon	(12)	233	(12)	236	(12)
Caribou	(12)	26	(12)	25	(12)
Cassia	(12)	70	(12)	73	(12)
Clark	(12)	7	(12)	7	(12)
Clearwater	(12)	71	(12)	63	(12)
Custer	3,900	26	6.7	28	7.2
Elmore	5,300	36	6.8	41	7.7
Franklin	(12)	59	(12)	59	(12)
Fremont	(12)	46	(12)	52	(12)
Gem	(12)	42	(12)	49	(12)
Gooding	(12)	43	(12)	45	(12)
Idaho	(12)	72	(12)	76	(12)
Jefferson	(12)	37	(12)	40	(12)
Jerome	(12)	9	(12)	10	(12)
Kootenai	(12)	162	(12)	190	(12)
Latah	[2] 18,092	162	9.0	172	9.5
Lemhi	5,400	59	10.9	59	10.9
Lewis	(12)	47	(12)	53	(12)
Lincoln	(12)	17	(12)	16	(12)
Madison	(12)	60	(12)	61	(12)
Minidoka	(12)	38	(12)	41	(12)
Nez Perce	(12)	178	(12)	175	(12)
Oneida	(12)	41	(12)	46	(12)
Owyhee	5,100	13	2.5	18	3.5
Payette	(12)	50	(12)	58	(12)
Power	(12)	42	(12)	40	(12)
Shoshone	14,400	178	12.4	182	12.6
Teton	(12)	17	(12)	19	(12)
Twin Falls	36,800	212	5.8	217	5.9
Valley	(12)	18	(12)	25	(12)
Washington	(12)	46	(12)	50	(12)
ILLINOIS COUNTIES [11]					
Adams	[2] 23,226	326	14.0	354	15.2
Alexander	9,100	120	13.2	121	13.3
White	8,200	82	10.0	83	10.1
Colored	900	38	42.2	38	42.2
Bond	[2] 16,045	142	8.9	157	9.8
Boone	[2] 15,322	186	12.1	183	11.9

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
ILLINOIS COUNTIES—continued					
Brown	[2] 9,336	102	10.9	117	12.5
Bureau	[2] 42,648	437	10.2	424	9.9
Calhoun	[2] 8,245	70	8.5	77	9.3
Carroll	20,100	178	8.9	180	9.0
Cass	18,200	163	9.0	203	11.2
Champaign	30,300	297	9.8	333	11.0
Christian	40,600	423	10.4	419	10.3
Clark	[2] 21,165	216	10.2	219	10.3
Clay	[2] 17,684	206	11.6	221	12.5
Clinton	23,000	229	10.0	226	9.8
Coles	20,700	233	11.3	240	11.6
Cook*	185,400	3,289	17.7	2,628	14.2
Crawford	[2] 22,771	250	11.0	244	10.7
Cumberland	[2] 12,858	115	8.9	127	9.9
De Kalb	[2] 31,339	354	11.3	345	11.0
De Witt	19,400	194	10.0	205	10.6
Douglas	19,600	204	10.4	212	10.8
Du Page	47,000	589	12.5	662	14.1
Edgar	[2] 25,769	294	11.4	311	12.1
Edwards	[2] 9,431	95	10.1	106	11.2
Effingham	[2] 19,556	227	11.6	217	11.1
Fayette	[2] 26,187	276	10.5	293	11.2
Ford	[2] 16,466	166	10.1	184	11.2
Franklin	75,100	829	11.0	848	11.3
Fulton	[2] 37,136	368	9.9	403	10.9
Gallatin	[2] 12,856	133	10.3	139	10.8
Greene	23,200	203	8.8	232	10.0
Grundy	[2] 18,580	190	10.2	211	11.4
Hamilton	[2] 15,920	159	10.0	166	10.4
Hancock	[2] 28,523	321	11.3	351	12.3
Hardin	7,800	72	9.2	71	9.1
Henderson	9,800	82	8.4	94	9.6
Henry	27,400	272	9.9	308	11.2
Iroquois	[2] 34,841	369	10.6	381	10.9
Jackson	25,700	412	16.0	438	17.0
Jasper	[2] 16,064	158	9.8	169	10.5
Jefferson	[2] 28,480	386	13.6	365	12.8
Jersey	[2] 12,682	136	10.7	149	11.7
Jo Daviess	[2] 21,917	200	9.1	236	10.8
Johnson	[2] 12,022	112	9.3	126	10.5
Kane	30,900	403	13.0	415	13.4
Kankakee*	28,800	600	20.8	625	21.7
Kendall	[2] 10,074	92	9.1	102	10.1
Knox	22,200	203	9.1	248	11.2
Lake	63,200	590	9.3	606	9.6
La Salle	54,000	501	9.3	532	9.9
Lawrence	[2] 21,380	214	10.0	215	10.1
Lee	28,100	422	15.0	428	15.2
Livingston	[2] 39,070	352	9.0	364	9.3
Logan	[2] 17,119	143	8.4	184	10.7
McDonough	27,200	366	13.5	358	13.2
McHenry	33,500	320	9.6	353	10.5
McLean	40,900	410	10.0	431	10.5
Macon	17,500	174	9.9	204	11.7
Macoupin	61,000	463	7.6	566	9.3
Madison*	71,600	769	10.7	855	11.9
Marion	24,800	237	9.6	267	10.8
Marshall	[2] 14,760	126	8.5	142	9.6
Mason	[2] 16,634	151	9.1	168	10.1
Massac	[2] 13,559	196	14.5	200	14.8
White	11,502	158	13.7	163	14.2
Colored	2,057	38	18.5	37	18.0
Menard	[2] 11,694	95	8.1	112	9.6
Mercer	[2] 18,800	183	9.7	202	10.7
Monroe	[2] 12,839	114	8.9	128	10.0
Montgomery	44,900	504	11.2	453	10.1
Morgan	[2] 17,636	147	8.3	169	9.6
Moultrie	15,000	148	9.9	167	11.1
Ogle	[2] 26,830	298	11.1	298	11.1
Peoria*	36,600	580	15.8	606	16.6
Perry	23,406	305	13.0	299	12.8
ILLINOIS COUNTIES—continued					
Piatt	[2] 15,714	158	10.1	184	11.7
Pike	[2] 26,866	288	10.7	314	11.7
Pope	[2] 9,625	92	9.6	89	9.2
Pulaski	[2] 14,629	244	16.7	266	18.2
White	9,659	118	12.2	136	14.1
Colored	4,970	126	25.4	130	26.2
Putnam	7,600	38	5.0	50	6.6
Randolph	[2] 29,109	315	10.8	328	11.3
Richland	[2] 14,044	221	15.7	175	12.5
Rock Island*	30,700	336	10.9	387	12.6
St. Clair	47,600	506	10.6	543	11.4
Saline	43,000	450	10.5	446	10.4
Saugamon	41,600	369	8.9	414	10.0
Schuyler	[2] 13,285	134	10.1	135	10.2
Scott	[2] 9,489	98	10.3	109	11.5
Shelby	[2] 29,601	268	9.1	286	9.7
Stark	[2] 9,693	69	7.1	91	9.4
Stephenson	17,600	139	7.9	167	9.5
Tazewell	27,800	226	8.1	259	9.3
Union*	[2] 20,249	408	20.1	406	[4] 20.1
Vermilion (exclusive of) National Military Home	53,800	489 179	12.4	561 179	13.8
Wabash	[2] 14,034	143	10.2	146	10.4
Warren	[2] 21,488	213	9.9	216	10.1
Washington	[2] 18,035	199	11.0	207	11.5
Wayne	[2] 22,772	214	9.4	219	9.6
White	[2] 20,081	258	12.8	267	13.3
Whiteside	37,100	348	9.4	373	10.1
Will	57,200	686	12.0	725	12.7
Williamson	56,800	498	8.8	547	9.6
Winnebago	30,200	244	8.1	267	8.8
Woodford	[2] 19,340	157	8.1	177	9.2
INDIANA COUNTIES [11]					
Adams	[2] 20,503	216	10.5	221	10.8
Allen	28,300	277	9.8	272	9.6
Bartholomew	[2] 23,887	330	13.8	332	13.9
Benton	[2] 12,206	115	9.4	135	11.1
Blackford	[2] 14,084	175	12.4	176	12.5
Boone	[2] 23,575	293	12.4	299	12.7
Brown	[2] 7,019	70	10.0	73	10.4
Carroll	[2] 16,315	202	12.4	215	13.2
Cass*	16,300	247	15.2	248	[4] 15.2
Clark	[2] 19,283	193	10.0	198	10.3
Clay	[2] 29,447	313	10.6	324	11.0
Clinton	15,300	171	11.2	182	11.9
Crawford	[2] 11,201	105	9.4	107	9.6
Daviess	[2] 26,856	281	10.5	289	10.8
Dearborn	[2] 20,033	230	11.5	247	12.3
Decatur	[2] 17,813	264	14.8	273	15.3
De Kalb	25,900	328	12.7	331	12.8
Delaware	16,700	234	14.0	249	14.9
Dubois	20,000	198	9.9	202	10.1
Elkhart	33,500	405	12.1	411	12.3
Fayette	18,700	216	11.6	216	11.6
Floyd	7,900	84	10.6	87	11.0
Fountain	[2] 18,823	214	11.4	239	12.7
Franklin	[2] 14,806	194	13.1	204	13.8
Fulton	[2] 16,478	214	13.0	215	[4] 13.0
Gibson	[2] 29,201	374	12.8	374	12.8
Grant	[2] 25,079	395	15.8	396	[4] 15.8
Greene	[2] 36,770	396	10.8	419	11.4
Hamilton	[2] 24,222	297	12.3	307	12.7
Hancock	[2] 17,210	241	14.0	257	14.9
Harrison	[2] 18,656	196	10.5	204	10.9
Hendricks	[2] 20,291	210	10.3	235	11.6
Henry	20,500	254	12.4	263	12.8
Howard	13,200	180	13.6	186	14.1
Huntington	17,300	229	13.2	239	13.8
Jackson	[2] 24,228	311	12.8	309	[4] 12.8
INDIANA COUNTIES—continued					
Jasper	14,500	136	9.4	136	9.4
Jay	[2] 23,318	286	12.3	292	12.5
Jefferson*	20,800	382	18.4	385	18.5
Jennings	[2] 13,280	136	10.2	139	10.5
Johnson	20,900	262	12.5	281	13.4
Knox	31,900	289	9.1	305	9.6
Kosciusko	[2] 27,120	348	12.8	352	13.0
Lagrange	[2] 14,009	133	9.5	140	10.0
Lake	18,600	272	14.6	333	17.9
La Porte	15,200	154	10.1	160	10.5
Lawrence	[2] 28,228	396	14.0	404	14.3
Madison	26,600	295	11.1	306	11.5
Marion	37,100	540	14.6	497	13.4
Marshall	[2] 23,744	286	12.0	298	12.6
Martin	[2] 11,865	131	11.0	134	11.3
Miami	[2] 15,985	195	12.2	198	12.4
Monroe	12,500	164	13.1	163	13.0
Montgomery	[2] 17,960	200	11.1	212	11.8
Morgan	[2] 20,010	270	13.5	280	14.0
Newton	[2] 10,144	115	11.3	122	12.0
Noble	[2] 22,470	293	13.0	304	13.5
Ohio	[2] 4,024	39	9.7	44	10.9
Orange	[2] 16,974	207	12.2	210	12.4
Owen	[2] 12,760	160	12.5	167	13.1
Parke	[2] 18,875	202	10.7	215	11.4
Perry	[2] 16,692	158	9.5	159	[4] 9.5
Pike	[2] 18,684	253	13.5	261	14.0
Porter	[2] 20,256	252	12.4	250	12.3
Posey	[2] 19,334	231	11.9	246	12.7
Pulaski	[2] 12,385	110	8.9	115	9.3
Putnam	[2] 19,880	253	12.7	256	12.9
Randolph	[2] 26,484	339	12.8	348	13.1
Ripley	[2] 18,694	198	10.6	206	11.0
Rush	[2] 19,241	233	12.1	239	12.4
St. Joseph	17,300	254	14.7	238	13.8
Scott	[2] 7,424	76	10.2	79	10.6
Shelby	[2] 25,982	331	12.7	341	13.1
Spencer	[2] 18,400	222	12.1	236	12.8
Starke	[2] 10,278	128	12.5	133	12.9
Steuben	[2] 13,360	170	12.7	184	13.8
Sullivan	[2] 31,630	395	12.5	405	12.8
Switzerland	[2] 9,311	96	10.3	98	10.5
Tippecanoe*	20,600	275	13.3	312	15.1
Tipton	[2] 16,152	204	12.6	217	13.4
Union	[2] 6,021	85	14.1	90	14.9
Vanderburg*	7,100	294	41.4	294	41.4
Vermilion	18,900	154	8.1	170	9.0
Vigo	36,100	388	10.7	381	10.6
Wabash	27,400	303	11.1	314	11.5
Warren	[2] 9,699	100	10.3	114	11.8
Warrick	[2] 19,862	224	11.3	228	11.5
Washington	[2] 16,645	175	10.5	179	10.8
Wayne*	20,100	446	22.2	430	21.4
Wells	[2] 20,509	223	10.9	233	11.4
White	[2] 17,351	162	9.3	179	10.3
Whitley	[2] 15,660	165	10.5	184	11.7
IOWA COUNTIES [6,11]					
Adair	13,719	111	8.1	116	8.5
Adams	10,277	68	6.6	71	6.9
Allamakee	16,632	152	9.1	163	9.8
Appanoose	28,644	280	9.8	270	9.4
Audubon	12,065	80	6.6	90	7.5
Benton	23,189	192	8.3	207	8.9
Black Hawk	20,458	196	9.6	191	9.3
Boone	16,643	153	9.2	168	10.1
Bremer	16,807	163	9.7	156	9.3
Buchanan*	18,231	225	12.3	227	12.5
Buena Vista	18,543	149	8.0	158	8.5
Butler	17,990	146	8.1	166	9.2

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
IOWA COUNTIES—continued					
Calhoun	17,771	140	7.9	148	8.3
Carroll	21,790	230	10.6	224	10.3
Cass	19,111	183	9.6	186	9.7
Cedar	16,869	145	8.6	167	9.9
Cerro Gordo	14,676	102	7.0	106	7.2
Cherokee *	16,616	241	14.5	237	14.3
Chickasaw	15,109	147	9.7	151	10.0
Clarke	10,045	134	13.3	132	13.1
Clay	15,483	122	7.9	119	7.7
Clayton	24,406	268	11.0	283	11.6
Clinton	18,881	154	8.2	189	10.0
Crawford	20,351	153	7.5	165	8.1
Dallas	25,340	257	10.1	268	10.6
Davis	12,074	136	11.3	144	11.9
Decatur	15,375	124	8.1	133	8.7
Delaware	17,927	171	9.5	176	9.8
Des Moines	11,514	89	7.7	102	8.9
Dickinson	10,736	75	7.0	91	8.5
Dubuque	18,733	133	7.1	148	7.9
Emmet	12,944	98	7.6	89	6.9
Fayette	29,432	236	8.0	250	8.5
Floyd	17,859	167	9.4	171	9.6
Franklin	15,987	156	9.8	157	[4] 9.8
Fremont	15,001	138	9.2	153	10.2
Greene	16,094	121	7.5	136	8.5
Grundy	14,025	78	5.6	90	6.4
Guthrie	17,007	131	7.7	142	8.3
Hamilton	20,638	184	8.9	189	9.2
Hancock	14,527	95	6.5	108	7.4
Hardin	22,320	196	8.8	209	9.4
Harrison	23,695	218	9.2	249	10.5
Henry *	17,174	287	16.7	293	17.1
Howard	13,311	132	9.9	138	10.4
Humboldt	12,701	97	7.6	107	8.4
Ida	11,618	84	7.2	88	7.6
Iowa	18,009	146	8.1	152	8.4
Jackson	19,353	218	11.3	227	11.7
Jasper	28,642	259	9.0	278	9.7
Jefferson	16,385	196	12.0	200	12.2
Johnson	14,573	187	12.8	125	8.6
Jones	17,818	200	11.2	197	11.1
Keokuk	20,025	195	9.7	208	10.4
Kossuth	25,107	173	6.9	177	7.0
Lee	12,858	105	8.2	120	9.3
Linn	29,578	242	8.2	286	9.7
Louisa	11,732	121	10.3	135	11.5
Lucas	15,570	132	8.5	144	9.2
Lyon	15,484	124	8.0	128	8.3
Madison	14,668	139	9.5	147	10.0
Mahaska	26,644	237	8.9	235	8.8
Marion	24,694	256	10.4	278	11.3
Marshall	16,189	129	8.0	154	9.5
Mills	13,664	109	8.0	119	8.7
Mitchell	14,387	123	8.5	132	9.2
Monona	16,750	137	8.2	154	9.2
Monroe	20,431	223	10.9	229	11.2
Montgomery	16,572	169	10.2	177	10.7
Muscatine	12,284	113	9.2	124	10.1
O'Brien	18,276	122	6.7	123	[4] 6.7
Osceola	10,031	80	8.0	76	7.6
Page *	23,371	339	14.5	351	15.0
Palo Alto	15,135	121	8.0	128	8.5
Plymouth	23,729	181	7.6	192	8.1
Pocahontas	15,270	103	6.7	110	7.2
Polk	27,705	223	8.0	261	9.4
Pottawattamie	25,575	161	6.3	200	7.8
Poweshiek	18,188	175	9.6	177	9.7
Ringgold	12,035	113	9.4	119	9.9
Sac	17,262	136	7.9	143	8.3
Scott	17,407	133	7.6	158	9.1
Shelby	16,189	111	6.9	130	8.0
IOWA COUNTIES—continued					
Sioux	26,695	183	6.9	191	7.2
Story	29,676	258	8.7	265	8.9
Tama	22,065	179	8.1	190	8.6
Taylor	15,224	153	10.0	163	10.7
Union	17,055	204	12.0	202	11.8
Van Buren	13,646	143	10.5	156	11.4
Wapello	16,411	121	7.4	149	9.1
Warren	17,509	169	9.7	189	10.8
Washington	19,370	199	10.3	214	11.0
Wayne	14,660	129	8.8	134	9.1
Webster	18,430	133	7.2	148	8.0
Winnebago	13,332	104	7.8	115	8.6
Winneshiek	21,503	202	9.4	212	9.9
Woodbury	21,204	171	8.1	228	10.8
Worth	11,332	86	7.6	97	8.6
Wright	20,353	167	8.2	185	9.1
KANSAS COUNTIES [6,11]					
Allen	23,541	232	9.9	240	10.2
Anderson	13,224	122	9.2	122	9.2
Atchison	10,427	83	8.0	90	8.6
Barber	9,467	68	7.2	79	8.3
Barton	20,151	174	8.6	168	8.3
Bourbon	12,247	90	7.3	107	8.7
Brown	21,213	173	8.2	186	8.8
Butler	25,816	156	6.0	181	7.0
Chase	6,891	63	9.1	65	9.4
Chautauqua	10,417	89	8.5	100	9.6
Cherokee	33,999	387	11.4	388	[4] 11.4
Cheyenne	6,205	33	5.3	32	5.2
Clark	4,716	18	3.8	24	5.1
Clay	15,107	133	8.8	133	8.8
Cloud	18,020	215	11.9	219	12.2
Cofley	15,014	129	8.6	138	9.2
Comanche	4,936	31	6.3	37	7.5
Cowley	27,851	306	11.0	289	10.4
Crawford	40,869	366	9.0	370	9.1
Decatur	8,483	59	7.0	63	7.4
Dickinson	25,067	234	9.3	240	9.6
Doniphan	13,420	130	9.7	149	11.1
Douglas	11,465	104	9.1	114	9.9
Edwards	7,022	48	6.8	60	8.5
Elk	9,101	77	8.5	88	9 7
Ellis	15,433	160	10.4	114	7.4
Ellsworth	10,058	104	10.3	110	10.9
Finney	8,293	86	10.4	81	9.8
Ford	15,262	207	13.6	193	12.6
Franklin	20,580	204	9.9	206	10.0
Geary	13,244	131	9.9	130	9.8
Gove	5,470	37	6.8	44	8.0
Graham	7,992	51	6.4	55	6.9
Grant	1,882	14	7.4	14	7.4
Gray	5,125	31	6.0	36	7.0
Greeley	1,440	12	8.3	16	11.1
Greenwood	18,553	168	9.1	194	10.5
Hamilton	2,512	24	9.6	26	10.4
Harper	12,886	118	9.2	123	9.5
Harvey	20,505	282	13.8	220	10.7
Haskell	2,026	5	2.5	9	4.4
Hodgeman	3,611	20	5.5	24	6.6
Jackson	15,016	145	9.7	151	10.1
Jefferson	14,412	113	7.8	123	8.5
Jewell	15,697	137	8.7	139	8.9
Johnson	21,815	193	8.8	226	10.4
Kearny	2,816	25	8.9	28	9.9
Kingman	11,573	86	7.4	98	8.5
KANSAS COUNTIES—continued					
Kiowa	6,006	40	6.7	45	7.5
Labette *	17,140	224	13.1	226	13.2
Lane	3,071	12	3.9	15	4.9
Leavenworth (exclusive of National Military Home)	20,473	180 260	21.5	198 260	22.4
Lincoln	10,035	66	6.6	68	6.8
Linn	13,922	120	8.6	128	9.2
Logan	3,884	23	5.9	25	6.4
Lyon	14,437	95	6.6	109	7.6
McPherson	21,055	180	8.5	188	8.9
Marion	22,190	178	8.0	200	9.0
Marshall	23,112	196	8.5	210	9.1
Meade	5,593	34	6.1	39	7.0
Miami *	18,287	272	14.9	277	15.1
Mitchell	12,702	122	9.6	129	10.2
Montgomery	23,019	228	9.9	235	10.2
Morris	11,147	111	10.0	120	10.8
Morton	3,440	29	8.4	26	7.6
Nemaha	18,295	161	8.8	159	8.7
Neosho	12,838	112	8.7	124	9.7
Ness	7,636	46	6.0	56	7.3
Norton	11,421	130	11.4	122	10.7
Osage	20,744	177	8.5	192	9.3
Osborne	12,317	85	6.9	86	7.0
Ottawa	10,482	97	9.3	108	10.3
Pawnee	9,219	126	13.7	126	13.7
Phillips	12,563	77	6.1	81	6.4
Pottawatomie	15,331	128	8.3	140	9.1
Pratt	12,771	99	7.8	99	7.8
Rawlins	7,360	55	7.5	57	7.7
Reno	20,610	164	8.0	194	9.4
Republic	15,405	143	9.3	146	9.5
Rice	14,187	148	10.4	145	10.2
Riley	19,719	145	7.4	151	7.7
Rooks	10,104	81	8.0	88	8.7
Rush	8,781	68	7.7	75	8.5
Russell	11,324	83	7.3	97	8.6
Saline	9,957	63	6.3	68	6.8
Scott	3,512	34	9.7	30	8.5
Sedgwick	21,541	124	5.8	166	7.7
Seward	5,990	85	14.2	78	13.0
Shawnee	20,784	349	16.8	337	16.2
Sheridan	6,073	39	6.4	39	6.4
Sherman	6,204	50	8.1	51	8.2
Smith	14,130	116	8.2	115	8.1
Stafford	10,988	89	8.1	97	8.8
Stanton	1,434	3	2.1	3	2.1
Stevens	4,193	19	4.5	20	4.8
Sumner	28,385	255	9.0	262	9.2
Thomas	6,860	48	7.0	54	7.9
Trego	6,338	41	6.5	55	8.7
Wabaunsee	10,710	77	7.2	84	7.8
Wallace	2,538	13	5.1	14	5.5
Washington	17,463	131	7.5	137	7.8
Wichita	2,210	7	3.2	9	4.1
Wilson	19,581	188	9.6	192	9.8
Woodson	8,799	79	9.0	87	9.9
Wyandotte	15,635	155	9.9	188	12.0
White	13,909	122	8.8	148	10.6
Colored	1,726	33	19.1	40	23.2
KENTUCKY COUNTIES [9,11]					
Adair	17,700	152	8.6	------	------
Allen	17,800	179	10.1	------	------
Anderson	[2] 9,982	94	9.4	------	------
Ballard	[2] 12,045	111	9.2	------	------
White	10,659	93	8.7	------	------
Colored	1,386	18	13.0	------	------

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
KENTUCKY COUNTIES—con.					
Barren	25,400	325	12.8		
White	22,300	267	12.0		
Colored	3,100	58	18.7		
Bath	[2] 11,996	138	11.5		
Bell	37,100	323	8.7		
Boone	9,700	91	9.4		
Bourbon	[2] 19,000	249	13.1		
White	14,500	152	10.5		
Colored	4,500	97	21.6		
Boyd	8,200	156	19.0		
Boyle	15,200	207	13.6		
White	12,500	140	11.2		
Colored	2,700	67	24.8		
Bracken	[2] 10,210	133	13.0		
Breathitt	22,400	114	5.1		
Breckinridge	[2] 19,652	207	10.5		
Bullitt	[2] 9,328	109	11.7		
Butler	[2] 15,197	103	6.8		
Caldwell	[2] 13,975	146	10.4		
White	12,067	115	9.5		
Colored	1,908	31	16.2		
Calloway	21,300	169	7.9		
Campbell	34,000	417	12.3		
Carlisle	[2] 8,231	86	10.4		
Carroll	8,500	117	13.8		
Carter	22,800	218	9.6		
Casey	18,200	137	7.5		
Christian*	[2] 35,883	702	19.6		
White	22,971	442	19.2		
Colored	12,912	260	20.1		
Clark	[2] 17,901	248	13.9		
White	14,209	167	11.8		
Colored	3,692	81	21.9		
Clay	20,900	100	4.8		
Clinton	8,800	72	8.2		
Crittenden	[2] 13,125	97	7.4		
Cumberland	11,100	103	9.3		
Daviess	[2] 18,705	188	10.1		
Edmonson	11,100	95	8.6		
Elliott	[2] 8,887	59	6.6		
Estill	17,400	112	6.4		
Fayette	11,700	107	9.1		
White	9,500	75	7.9		
Colored	2,200	32	14.5		
Fleming	[2] 15,614	146	9.4		
Floyd	32,400	221	6.8		
Franklin	[2] 19,357	247	12.8		
White	16,495	188	11.4		
Colored	2,862	59	20.6		
Fulton	15,800	202	12.8		
White	12,700	132	10.4		
Colored	3,100	70	22.6		
Gallatin	[2] 4,664	47	10.1		
Garrard	12,800	123	9.6		
White	11,100	89	8.0		
Colored	1,700	34	20.0		
Grant	[2] 10,435	134	12.8		
Graves	[2] 32,483	338	10.4		
Grayson	[2] 19,927	155	7.8		
Green	[2] 11,391	80	7.0		
Greenup	21,000	195	9.3		
Hancock	[2] 6,945	100	14.4		
Hardin	25,200	204	8.1		
Harlan	43,400	470	10.8		
Harrison	[2] 15,798	201	12.7		
Hart	18,800	140	7.4		
Henderson	[2] 15,035	168	11.2		
White	12,283	139	11.3		
Colored	2,752	29	10.5		
KENTUCKY COUNTIES—con.					
Henry	[2] 13,411	151	11.3		
White	11,923	128	10.7		
Colored	1,488	23	15.5		
Hickman	[2] 10,244	109	10.6		
White	8,996	79	8.8		
Colored	1,248	30	24.0		
Hopkins	[2] 34,133	446	13.1		
White	28,096	349	12.4		
Colored	6,037	97	16.1		
Jackson	12,200	23	18.9		
Jefferson*	40,400	575	14.2		
Jessamine	[2] 12,205	118	9.7		
White	9,928	84	8.5		
Colored	2,277	34	14.9		
Johnson	20,800	184	8.8		
Kenton	16,900	191	11.3		
Knott	12,100	86	7.1		
Knox	25,300	279	11.0		
Larue	[2] 10,004	90	9.0		
Laurel	[2] 19,814	130	6.6		
Lawrence	[2] 17,643	162	9.2		
Lee	13,300	35	2.6		
Leslie	10,700	67	6.3		
Letcher	32,300	188	5.8		
Lewis	[2] 15,829	185	11.7		
Lincoln	[2] 16,481	247	15.0		
White	14,290	195	13.6		
Colored	2,191	52	23.7		
Livingston	[2] 9,732	89	9.1		
Logan	[2] 23,633	266	11.3		
White	19,329	200	10.3		
Colored	4,304	66	15.3		
Lyon	[2] 8,795	72	8.2		
White	7,611	50	6.6		
Colored	1,184	22	18.6		
McCracken	12,600	152	12.1		
White	11,500	144	12.5		
Colored	1,100	8	7.3		
McCreary	[12]	63	[12]		
McLean	[2] 12,502	145	11.6		
Madison	[2] 26,284	273	10.4		
White	21,373	207	9.7		
Colored	4,911	66	13.4		
Magoffin	14,000	83	5.9		
Marion	[2] 15,527	172	11.1		
White	13,826	130	9.4		
Colored	1,701	42	24.7		
Marshall	[2] 15,215	121	8.0		
Martin	7,900	41	5.2		
Mason	[2] 17,760	260	14.6		
White	15,207	203	13.3		
Colored	2,553	57	22.3		
Meade	[2] 9,442	98	10.4		
Menifee	[2] 5,779	48	8.3		
Mercer	15,200	171	11.3		
White	13,600	135	9.9		
Colored	1,600	36	22.5		
Metcalfe	[2] 10,075	104	10.3		
Monroe	14,500	141	9.7		
Montgomery	[2] 12,245	158	12.9		
White	9,728	104	10.7		
Colored	2,517	54	21.5		
Morgan	16,700	103	6.2		
Muhlenberg	36,000	434	12.1		
Nelson	[2] 16,137	185	11.5		
White	14,068	144	10.2		
Colored	2,069	41	19.8		
Nicholas	[2] 9,894	96	9.7		
Ohio	[2] 26,473	247	9.3		
KENTUCKY COUNTIES—con.					
Oldham	7,900	107	13.5		
White	6,900	97	14.1		
Colored	1,000	10	10.0		
Owen	[2] 12,554	145	11.6		
Owsley	[2] 7,820	44	5.6		
Pendleton	[2] 11,719	131	11.2		
Perry	34,400	306	8.9		
Pike	59,600	596	10.0		
Powell	7,000	39	5.6		
Pulaski	[12]	349	[12]		
Robertson	[2] 3,871	43	11.1		
Rockcastle	15,900	89	5.6		
Rowan	9,500	83	8.7		
Russell	12,400	72	5.8		
Scott	[2] 15,318	170	11.1		
White	12,259	124	10.1		
Colored	3,059	46	15.0		
Shelby	18,800	236	12.6		
White	16,000	187	11.7		
Colored	2,800	49	17.5		
Simpson	[2] 11,150	132	11.8		
White	9,241	96	10.4		
Colored	1,909	36	18.9		
Spencer	7,900	56	7.1		
Taylor	12,400	149	12.0		
White	11,200	130	11.6		
Colored	1,200	19	15.8		
Todd	[2] 15,694	172	11.0		
White	11,214	119	10.6		
Colored	4,480	53	11.8		
Trigg	[2] 14,208	144	10.1		
White	11,261	105	9.3		
Colored	2,947	39	13.2		
Trimble	[2] 6,011	51	8.5		
Union	[2] 18,040	223	12.4		
White	15,847	170	10.7		
Colored	2,193	53	24.2		
Warren	31,000	391	12.6		
White	26,700	293	11.0		
Colored	4,300	98	22.8		
Washington	15,200	77	5.1		
White	13,600	66	4.9		
Colored	1,600	11	6.9		
Wayne	[12]	91	[12]		
Webster	20,762	252	12.1		
White	17,839	213	11.9		
Colored	2,923	39	13.3		
Whitley	[12]	281	[12]		
Wolfe	[2] 8,783	53	6.0		
Woodford	[2] 11,784	135	11.5		
White	8,751	99	11.3		
Colored	3,033	36	11.9		
LOUISIANA PARISHES[11]					
Acadia	36,500	388	10.6	404	11.1
White	28,400	248	8.7	255	9.0
Colored	8,100	140	17.3	149	18.4
Allen	[12]	160	[12]	187	[12]
White	[12]	89	[12]	102	[12]
Colored	[12]	71	[12]	85	[12]
Ascension	[2] 22,155	216	9.7	244	11.0
White	12,664	86	6.8	103	8.1
Colored	9,491	130	13.7	141	14.9
Assumption	[2] 17,912	221	12.3	236	13.2
White	10,424	105	10.1	115	11.0
Colored	7,488	116	15.5	121	16.2
Avoyelles	36,000	260	7.2	279	7.8
White	26,500	123	4.6	138	5.2
Colored	9,500	137	14.4	141	14.8
Beauregard	[12]	151	[12]	174	[12]
White	[12]	93	[12]	99	[12]
Colored	[12]	58	[12]	75	[12]

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
LOUISIANA PARISHES—con.					
Bienville	[2] 20,977	250	11.9	289	13.8
White	12,358	120	9.7	141	11.4
Colored	8,619	130	15.1	148	17.2
Bossier	22,600	146	6.5	196	8.7
White	7,400	50	6.8	59	8.0
Colored	15,200	96	6.3	137	9.0
Caddo	39,600	539	13.6	681	17.2
White	22,400	148	6.6	186	8.3
Colored	17,200	391	22.7	495	28.8
Calcasieu	(12)	186	(12)	214	(12)
White	(12)	111	(12)	131	(12)
Colored	(12)	75	(12)	83	(12)
Caldwell	10,000	89	8.9	95	9.5
White	7,300	48	6.6	54	7.4
Colored	2,700	41	15.2	41	15.2
Cameron	[2] 3,952	35	8.9	35	8.9
White	3,366	30	8.9	30	8.9
Colored	586	5	8.5	5	8.5
Catahoula	11,400	91	8.0	100	8.8
White	6,400	50	7.8	57	8.9
Colored	5,000	41	8.2	43	8.6
Claiborne	29,500	271	9.2	286	9.7
White	14,800	106	7.2	109	7.4
Colored	14,700	165	11.2	177	12.0
Concordia	[2] 12,466	126	10.1	132	10.6
White	2,643	13	4.9	17	6.4
Colored	9,823	113	11.5	115	11.7
De Soto	30,300	342	11.3	378	12.5
White	12,400	99	8.0	109	8.8
Colored	17,900	243	13.6	269	15.0
East Baton Rouge	22,300	494	22.2	477	21.4
White	8,100	162	20.0	151	18.6
Colored	14,200	332	23.4	326	23.0
East Carroll	[2] 11,231	174	15.5	185	16.5
White	1,527	17	11.1	17	11.1
Colored	9,704	157	16.2	168	17.3
East Feliciana*	[2] 17,487	287	16.4	306	17.5
White	5,481	104	19.0	111	20.3
Colored	12,006	183	15.2	195	16.2
Evangeline	(12)	83	(12)	94	(12)
White	(12)	66	(12)	71	(12)
Colored	(12)	17	(12)	23	(12)
Franklin	31,000	285	9.2	310	10.0
White	17,100	115	6.7	129	7.5
Colored	13,900	170	12.2	181	13.0
Grant	[2] 14,403	150	10.4	177	12.3
White	10,356	88	8.5	106	10.2
Colored	4,047	62	15.3	71	17.5
Iberia	[2] 26,855	339	12.6	357	13.3
White	15,943	148	9.3	153	9.6
Colored	10,912	191	17.5	204	18.7
Iberville	[2] 26,806	392	14.6	419	15.6
White	11,425	113	9.9	122	10.7
Colored	15,381	279	18.1	297	19.3
Jackson	14,900	92	6.2	104	7.0
White	10,900	57	5.2	64	5.9
Colored	4,000	35	8.8	40	10.0
Jefferson	23,400	290	12.4	428	18.3
White	18,000	175	9.7	273	15.2
Colored	5,400	115	21.3	155	28.7
Jefferson Davis	(12)	183	(12)	192	(12)
White	(12)	118	(12)	124	(12)
Colored	(12)	65	(12)	68	(12)
La Salle	10,100	84	8.3	99	9.8
White	8,800	59	6.7	71	8.1
Colored	1,300	25	19.2	28	21.5
Lafayette	32,000	410	12.8	430	13.4
White	21,200	187	8.8	196	9.2
Colored	10,800	223	20.6	234	21.6
Lafourche	[2] 30,344	318	10.5	383	12.6
White	24,450	218	8.9	265	10.8
Colored	5,894	100	17.0	118	20.0
LOUISIANA PARISHES—con.					
Lincoln	[2] 16,962	163	9.6	187	11.0
White	10,651	97	9.1	108	10.1
Colored	6,311	66	10.5	79	12.5
Livingston	12,200	117	9.6	149	12.2
White	10,400	83	8.0	109	10.5
Colored	1,800	34	18.9	40	22.2
Madison	10,900	82	7.5	92	8.4
White	2,100	19	9.0	22	10.5
Colored	8,800	63	7.2	70	8.0
Morehouse	19,600	309	15.8	333	17.0
White	6,900	71	10.3	86	12.5
Colored	12,700	238	18.7	247	19.4
Natchitoches	39,800	477	12.0	509	12.8
White	18,900	162	8.6	180	9.5
Colored	20,900	315	15.1	329	15.7
Ouachita	18,500	208	11.2	228	12.3
White	10,600	104	9.8	111	10.5
Colored	7,900	104	13.2	117	14.8
Plaquemines	[2] 10,194	145	14.2	178	17.5
White	4,789	55	11.5	75	15.7
Colored	5,405	90	16.7	103	19.1
Pointe Coupee	[2] 24,697	250	10.1	274	11.1
White	9,715	56	5.8	64	6.6
Colored	14,982	194	12.9	210	14.0
Rapides*	47,200	538	11.4	583	12.4
White	29,100	276	9.5	296	10.2
Colored	18,100	262	14.5	287	15.9
Red River	17,500	107	6.1	131	7.5
White	9,100	48	5.3	60	6.6
Colored	8,400	59	7.0	71	8.5
Richland	23,700	272	11.5	296	12.5
White	10,900	70	6.4	81	7.4
Colored	12,800	202	15.8	215	16.8
Sabine	21,200	147	6.9	166	7.8
White	16,700	107	6.4	117	7.0
Colored	4,500	40	8.9	49	10.9
St. Bernard	[2] 4,968	65	13.1	92	18.5
White	3,370	35	10.4	53	15.7
Colored	1,598	30	18.8	39	24.4
St. Charles	[2] 8,586	114	13.3	143	16.7
White	4,239	43	10.1	58	13.7
Colored	4,347	71	16.3	85	19.6
St. Helena	[2] 8,427	51	6.1	56	6.6
White	4,198	22	5.2	25	6.0
Colored	4,229	29	6.9	31	7.3
St. James	[2] 21,228	266	12.5	296	13.9
White	9,624	99	10.3	109	11.3
Colored	11,604	167	14.4	187	16.1
St. John the Baptist	[2] 11,896	171	14.4	196	16.5
White	5,478	54	9.9	64	11.7
Colored	6,418	117	18.2	132	20.6
St. Landry	(12)	705	(12)	744	(12)
White	(12)	240	(12)	255	(12)
Colored	(12)	465	(12)	489	(12)
St. Martin	[2] 21,990	171	7.8	178	8.1
White	14,088	82	5.8	91	6.5
Colored	7,902	89	11.3	87	11.0
St. Mary	[2] 30,754	426	13.9	453	14.7
White	15,493	144	9.3	152	9.8
Colored	15,261	282	18.5	301	19.7
St. Tammany	21,600	203	9.4	238	11.0
White	13,400	133	9.9	152	11.3
Colored	8,200	70	8.5	86	10.5
Tangipahoa	32,700	302	9.2	391	12.0
White	24,000	194	8.1	252	10.5
Colored	8,700	108	12.4	139	16.0
Tensas	[2] 12,085	168	13.9	173	14.3
White	1,769	20	11.3	23	13.0
Colored	10,316	148	14.3	150	14.5
Terrebonne	[2] 26,974	321	11.9	343	12.7
White	17,586	182	10.3	195	11.1
Colored	9,388	139	14.8	148	15.8
LOUISIANA PARISHES—con.					
Union	[2] 19,621	180	9.2	191	9.7
White	13,507	114	8.4	121	9.0
Colored	6,114	66	10.8	70	11.4
Vermilion	26,500	327	12.3	331	12.5
White	21,900	250	11.4	253	11.6
Colored	4,600	77	16.7	78	17.0
Vernon	22,300	196	8.8	224	10.0
White	16,400	125	7.6	139	8.5
Colored	5,900	71	12.0	85	14.4
Washington	27,200	281	10.3	284	10.4
White	18,700	163	8.7	161	8.6
Colored	8,500	118	13.9	123	14.5
Webster	27,800	206	7.4	237	8.5
White	15,600	90	5.8	108	6.9
Colored	12,200	116	9.5	129	10.6
West Baton Rouge	[2] 11,092	128	11.5	143	12.9
White	3,607	18	5.0	23	6.4
Colored	7,485	110	14.7	120	16.0
West Carroll	10,300	43	4.2	46	4.5
White	8,200	33	4.0	35	4.3
Colored	2,100	10	4.8	11	5.2
West Feliciana	[2] 12,303	119	9.7	122	9.9
White	2,116	17	8.0	18	8.5
Colored	10,187	102	10.0	104	10.2
Winn	[2] 16,119	120	7.4	145	9.0
White	12,732	81	6.4	97	7.6
Colored	3,387	39	11.5	48	14.2
MAINE COUNTIES [11]					
Androscoggin	16,200	213	13.1	245	15.1
Aroostook	85,700	868	10.1	868	10.1
Cumberland	56,000	713	12.7	750	13.4
Franklin	20,200	290	14.4	284	14.1
Hancock	[2] 30,361	392	12.9	388	12.8
Kennebec (exclusive of) National Military Home	35,400	550 / 73	17.6	572 / 73	18.2
Knox	[2] 26,245	448	17.1	449	[4] 17.1
Lincoln	[2] 15,976	268	16.8	267	16.7
Oxford	38,500	524	13.6	523	[4] 13.6
Penobscot	62,400	706	11.3	769	12.3
Piscataquis	20,900	248	11.9	249	[4] 11.9
Sagadahoc	(3)	116	(3)	124	(3)
Somerset	37,700	525	13.9	519	13.8
Waldo	[2] 21,328	308	14.4	323	15.1
Washington	[2] 41,709	504	12.1	529	12.7
York	41,800	586	14.0	602	14.4
MARYLAND COUNTIES [11]					
Allegany	40,500	413	10.2	422	10.4
Anne Arundel*	36,200	494	13.6	538	14.9
White	24,800	239	9.6	273	11.0
Colored	11,400	255	22.4	265	23.2
Baltimore	81,400	1,115	13.7	1,408	17.3
White	70,700	979	13.8	1,197	16.9
Colored	10,700	136	12.7	211	19.7
Calvert	[2] 9,744	160	16.4	169	17.3
White	4,955	67	13.5	73	14.7
Colored	4,789	93	19.4	96	20.0
Caroline	[2] 18,652	249	13.3	262	14.0
White	14,207	173	12.2	185	13.0
Colored	4,445	76	17.1	77	17.3
Carroll	34,400	612	17.8	615	17.9
Cecil	[2] 23,612	349	14.8	356	15.1
White	20,703	307	14.8	313	15.1
Colored	2,909	42	14.4	43	14.8
Charles	18,500	176	9.5	206	11.1
White	10,400	64	6.2	79	7.6
Colored	8,100	112	13.8	127	15.7

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MARYLAND COUNTIES—con.					
Dorchester*	[2] 27,895	416	14.9	425	15.2
White	19,175	251	13.1	256	13.4
Colored	8,720	165	18.9	169	19.4
Frederick	[2] 40,506	555	13.7	533	13.2
Garrett	[2] 19,678	202	10.3	206	10.5
Harford	30,000	389	13.0	433	14.4
White	25,700	303	11.8	342	13.3
Colored	4,300	86	20.0	91	21.2
Howard	[2] 15,826	168	10.6	213	13.5
White	12,316	122	9.9	157	12.7
Colored	3,510	46	13.1	56	16.0
Kent	[2] 15,026	203	13.5	212	14.1
White	9,780	107	10.9	111	11.3
Colored	5,246	96	18.3	101	19.3
Montgomery	36,500	475	13.0	529	14.5
White	28,800	344	11.9	373	13.0
Colored	7,700	131	17.0	156	20.3
Prince Georges	47,400	469	9.9	616	13.0
White	35,000	289	8.3	388	11.1
Colored	12,400	180	14.5	228	18.4
Queen Annes	[2] 16,001	219	13.7	229	14.3
White	10,846	121	11.2	126	11.6
Colored	5,155	98	19.0	103	20.0
St. Marys	[2] 16,112	228	14.2	250	15.5
White	9,674	111	11.5	123	12.7
Colored	6,438	117	18.2	127	19.7
Somerset	[2] 24,602	366	14.9	383	15.6
White	15,713	196	12.5	210	13.4
Colored	8,889	170	19.1	173	19.5
Talbot	[2] 18,306	311	17.0	313	17.1
White	12,138	186	15.3	189	15.6
Colored	6,168	125	20.3	124	20.1
Washington	34,000	373	11.0	377	11.1
Wicomico	28,900	461	16.0	456	15.8
White	22,500	315	14.0	316	[4] 14.0
Colored	6,400	146	22.8	140	21.9
Worcester	22,600	304	13.5	315	13.9
White	15,200	162	10.7	167	11.0
Colored	7,400	142	19.2	148	20.0
MASSACHUSETTS COUNTIES [6,11]					
Barnstable	29,782	479	16.1	525	17.6
Berkshire	38,136	425	11.1	485	12.7
Bristol	75,385	780	10.3	864	11.5
Dukes	4,862	97	20.0	90	18.5
Essex	70,209	932	13.3	968	13.8
Franklin	34,352	384	11.2	422	12.3
Hampden	48,138	537	11.2	638	13.3
Hampshire	39,390	380	9.6	451	11.4
Middlesex*	120,605	1,735	14.4	1,972	16.4
Nantucket	3,152	57	18.1	55	17.4
Norfolk	100,814	1,036	10.3	1,263	12.5
Plymouth	85,738	1,203	14.0	1,271	14.8
Worcester	146,591	1,832	12.5	1,975	13.5
MICHIGAN COUNTIES [11]					
Alcona	6,000	56	9.3	60	10.0
Alger	11,300	99	8.8	105	9.3
Allegan	[2] 37,540	429	11.4	466	12.4
Alpena	[2] 6,768	47	6.9	51	7.5
Antrim	[2] 11,543	126	10.9	142	12.3
Arenac	[2] 9,460	89	9.4	92	9.7
Baraga	8,500	66	7.8	79	9.3
Barry	[2] 21,383	296	13.8	301	14.1
Bay	21,400	183	8.6	194	9.1
Benzie	[2] 6,947	78	11.2	87	12.5
Berrien	53,800	653	12.1	698	13.0
Branch	[2] 23,997	361	15.0	369	15.4
Calhoun	39,800	546	13.7	532	13.4
Cass	[2] 20,395	291	14.3	298	14.6
Charlevoix	[2] 15,788	187	11.8	197	12.5
Cheboygan	[2] 13,991	170	12.2	179	12.8
Chippewa	12,900	108	8.4	121	9.4
Clare	[2] 8,250	69	8.4	75	9.1
Clinton	[2] 23,110	277	12.0	296	12.8
Crawford	4,100	65	15.9	61	14.9
Delta	18,300	157	8.6	195	10.7
Dickinson	[2] 19,456	338	17.4	362	18.6
Eaton	[2] 29,377	413	14.1	439	14.9
Emmet	[2] 15,639	240	15.3	217	13.9
Genesee	30,000	371	12.4	391	13.0
Gladwin	9,100	56	6.2	65	7.1
Gogebic	21,400	183	8.6	184	[4] 8.6
Grand Traverse	[2] 8,593	79	9.2	82	9.5
Gratiot	36,800	369	10.0	375	10.2
Hillsdale	[2] 28,161	424	15.1	440	15.6
Houghton	[2] 71,930	703	9.8	702	[4] 9.8
Huron	[2] 32,786	359	10.9	354	10.8
Ingham	26,800	357	13.3	381	14.2
Ionia	[2] 33,087	460	13.9	491	14.8
Iosco	[2] 8,199	93	11.3	101	12.3
Iron	26,000	178	6.8	177	[4] 6.8
Isabella	[2] 22,610	290	12.8	293	13.0
Jackson	25,400	307	12.1	339	13.3
Kalamazoo	23,700	340	14.3	392	16.5
Kalkaska	[2] 5,577	60	10.8	72	12.9
Kent*	42,900	898	20.9	869	20.3
Keweenaw	[2] 6,322	56	8.9	59	9.3
Lake	[2] 4,437	42	9.5	40	9.0
Lapeer*	[2] 25,782	379	14.7	391	15.2
Leelanau	[2] 9,061	95	10.5	100	11.0
Lenawee	[2] 35,259	478	13.6	494	14.0
Livingston*	[2] 17,522	257	14.7	266	15.2
Luce*	7,400	131	17.7	127	17.2
Mackinac	[2] 8,026	116	14.5	126	15.7
Macomb	41,200	664	16.1	674	16.4
Manistee	[2] 20,899	256	12.2	261	12.5
Marquette	[2] 21,880	222	10.1	247	11.3
Mason	[2] 19,831	219	11.0	231	11.6
Mecosta	[2] 17,765	225	12.7	238	13.4
Menominee	[2] 23,778	298	12.5	292	12.3
Midland	19,100	155	8.1	168	8.8
Missaukee	[2] 9,004	77	8.6	83	9.2
Monroe	25,300	265	10.5	295	11.7
Montcalm	[2] 30,441	380	12.5	391	12.8
Montmorency	4,300	35	8.1	38	8.8
Muskegon	31,600	300	9.5	313	9.9
Newaygo	[2] 17,378	198	11.4	205	11.8
Oakland	65,500	890	13.6	984	15.0
Oceana	[2] 15,601	192	12.3	202	12.9
Ogemaw	[2] 7,786	78	10.0	85	10.9
Ontonagon	14,600	115	7.9	126	8.6
Osceola	[2] 15,221	166	10.9	175	11.5
Oscoda	[2] 1,783	17	9.5	17	9.5
Otsego	[2] 6,043	46	7.6	50	8.3
Ottawa	35,900	361	10.1	379	10.6
Presque Isle	12,600	121	9.6	129	10.2
Roscommon	[2] 2,032	27	13.3	29	14.3
Saginaw	34,400	317	9.2	331	9.6
St. Clair	31,300	399	12.7	415	13.3
St. Joseph	27,600	352	12.8	378	13.7
Sanilac	[2] 31,237	336	10.8	350	11.2
Schoolcraft	10,700	95	8.9	97	9.1
Shiawassee	23,200	258	11.1	275	11.9
Tuscola	[2] 33,320	415	12.5	428	12.8
Van Buren	[2] 30,715	390	12.7	450	14.7
Washtenaw	30,100	462	15.3	503	16.7
Wayne*	119,000	1,640	13.8	1,469	12.3
Wexford	[2] 18,207	261	14.3	260	[4] 14.3
MINNESOTA COUNTIES [11]					
Aitkin	17,700	120	6.8	151	8.5
Anoka*	17,400	186	10.7	200	11.5
Becker	25,100	255	10.2	251	10.0
Beltrami	[12]	252	[12]	245	[12]
Benton	13,400	86	6.4	102	7.6
Big Stone	10,000	115	11.5	99	9.9
Blue Earth	19,000	132	6.9	167	8.8
Brown	23,700	266	11.2	246	10.4
Carlton	20,400	164	8.0	187	9.2
Carver	[2] 16,946	133	7.8	151	8.9
Cass	18,300	174	9.5	179	9.8
Chippewa	17,000	145	8.5	133	7.8
Chisago	15,000	130	8.7	149	9.9
Clay	23,000	159	6.9	181	7.9
Clearwater	9,500	65	6.8	71	7.5
Cook	2,100	20	9.5	26	12.4
White	1,900	15	7.9	21	11.1
Colored	200	5	25.0	5	25.0
Cottonwood	15,700	105	6.7	109	6.9
Crow Wing	28,900	269	9.3	262	9.1
Dakota	31,100	267	8.6	305	9.8
Dodge	12,800	96	7.5	108	8.4
Douglas	19,800	213	10.8	217	11.0
Faribault	21,600	166	7.7	189	8.7
Fillmore	[2] 25,330	236	9.3	268	10.6
Freeborn	26,100	229	8.8	215	8.2
Goodhue	[2] 30,799	341	11.1	323	10.5
Grant	10,200	75	7.4	88	8.6
Hennepin	36,400	454	12.5	471	12.9
Houston	[2] 14,013	129	9.2	142	10.1
Hubbard	10,300	83	8.1	94	9.1
Isanti	13,700	127	9.3	141	10.3
Itasca	27,700	236	8.5	259	9.4
Jackson	16,800	119	7.1	122	7.3
Kanabec	10,600	61	5.8	63	5.9
Kandiyohi	23,800	236	9.9	232	9.7
Kittson	11,200	62	5.5	66	5.9
Koochiching	17,500	149	8.5	159	9.1
Lac qui Parle	15,600	120	7.7	115	7.4
Lake	8,400	76	9.0	72	8.6
Lake of the Woods	[12]	53	[12]	56	[12]
Le Sueur	[2] 17,870	143	8.0	169	9.5
Lincoln	12,100	71	5.9	72	6.0
Lyon	20,600	145	7.0	159	7.7
McLeod	21,400	162	7.6	170	7.9
Mahnomen	7,900	56	7.1	59	7.5
White	6,600	17	2.6	20	3.0
Colored	1,300	39	30.0	39	30.0
Marshall	21,200	151	7.1	157	7.4
Martin	23,100	142	6.1	146	6.3
Meeker	18,700	182	9.7	185	9.9
Mille Lacs	16,100	129	8.0	140	8.7
Morrison	26,900	242	9.0	248	9.2
Mower	16,000	86	5.4	103	6.4
Murray	14,700	84	5.7	87	5.9
Nicollet*	15,600	248	15.9	264	16.9
Nobles	19,500	135	6.9	145	7.4
Norman	15,700	114	7.3	130	8.3
Olmsted	14,100	108	7.7	130	9.2
Otter Tail*	53,500	576	10.8	561	10.5
Pennington	13,600	93	6.8	83	6.1
Pine	24,100	201	8.3	213	8.8
Pipestone	13,500	66	4.9	71	5.3
Polk	37,700	354	9.4	347	9.2
Pope	14,100	133	9.4	136	9.6
Ramsey	10,400	148	14.2	178	17.1
Red Lake	7,700	69	9.0	77	10.0
Redwood	22,300	121	5.4	139	6.2
Renville	23,900	164	6.9	187	7.8
Rice	17,400	152	8.7	166	9.5
Rock	11,400	59	5.2	59	5.2
Roseau	14,400	119	8.3	121	8.4

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MINNESOTA COUNTIES—con.					
St. Louis	86,300	606	7.0	714	8.3
Scott	[2] 14,245	144	10.1	159	11.2
Sherburne	9,600	80	8.3	85	8.9
Sibley	15,700	111	7.1	126	8.0
Stearns	44,400	379	8.5	415	9.3
Steele	19,100	179	9.4	184	9.6
Stevens	10,600	61	5.8	70	6.6
Swift	16,300	135	8.3	139	8.5
Todd	27,600	198	7.2	215	7.8
Traverse	[2] 7,943	58	7.3	61	7.7
Wabasha	[2] 17,919	204	11.4	207	11.6
Wadena	11,900	140	11.8	137	11.5
Waseca	14,500	130	9.0	143	9.9
Washington	[2] 23,761	248	10.4	275	11.6
Watonwan	13,100	99	7.6	103	7.9
Wilkin	10,800	76	7.0	74	6.9
Winona	14,300	106	7.4	119	8.3
Wright	29,000	273	9.4	298	10.3
Yellow Medicine	17,200	107	6.2	109	6.3
MISSISSIPPI COUNTIES [11]					
Adams	[2] 9,113	267	29.3	272	29.8
White	723	65	89.9	69	95.4
Colored	8,390	202	24.1	203	24.2
Alcorn	23,200	251	10.8	253	10.9
White	19,200	178	9.3	180	9.4
Colored	4,000	73	18.3	73	18.3
Amite	[2] 18,960	168	8.9	175	9.2
White	9,617	71	7.4	75	7.8
Colored	9,343	97	10.4	100	10.7
Attala	[2] 24,831	220	8.9	230	9.3
White	14,663	116	7.9	123	8.4
Colored	10,168	104	10.2	107	10.5
Benton	[2] 9,851	96	9.7	96	9.7
White	5,231	46	8.8	46	8.8
Colored	4,620	50	10.8	50	10.8
Bolivar	62,600	765	12.2	800	12.8
White	12,300	96	7.8	111	9.0
Colored	50,300	669	13.3	689	13.7
Calhoun	[2] 16,823	116	6.9	116	6.9
White	13,936	91	6.5	91	6.5
Colored	2,887	25	8.7	25	8.7
Carroll	[2] 20,324	136	6.7	138	6.8
White	8,970	54	6.0	55	6.1
Colored	11,354	82	7.2	83	7.3
Chickasaw	[2] 22,212	300	13.5	299	[4] 13.5
White	11,155	134	12.0	134	12.0
Colored	11,057	166	15.0	165	14.9
Choctaw	[2] 12,491	103	8.2	104	8.3
White	8,940	72	8.1	72	8.1
Colored	3,551	31	8.7	32	9.0
Claiborne	[2] 13,019	166	12.8	173	13.3
White	3,425	37	10.8	41	12.0
Colored	9,594	129	13.4	132	13.8
Clarke	[2] 17,927	201	11.2	209	11.7
White	10,700	86	8.0	89	8.3
Colored	7,227	115	15.9	120	16.6
Clay	[2] 17,490	219	12.5	220	12.6
White	7,003	77	11.0	78	11.1
Colored	10,487	142	13.5	142	13.5
Coahoma	45,600	711	15.6	733	16.1
White	7,600	76	10.0	82	10.8
Colored	38,000	635	16.7	651	17.1
Copiah	[2] 28,672	241	8.4	263	9.2
White	13,567	109	8.0	121	8.9
Colored	15,105	132	8.7	142	9.4
Covington	[2] 14,869	129	8.7	134	9.0
White	10,593	81	7.6	85	8.0
Colored	4,276	48	11.2	49	11.5
MISSISSIPPI COUNTIES—con.					
De Soto	25,100	327	13.0	339	13.5
White	6,100	48	7.9	55	9.0
Colored	19,000	279	14.7	284	14.9
Forrest	7,400	51	6.9	64	8.6
White	5,700	41	7.2	51	8.9
Colored	1,700	10	5.9	13	7.6
Franklin	[2] 14,156	133	9.4	139	9.8
White	8,539	68	8.0	73	8.5
Colored	5,617	65	11.6	66	11.8
George	[2] 5,564	55	9.9	63	11.3
White	4,645	36	7.8	43	9.3
Colored	919	19	20.7	20	21.8
Greene	12,900	73	5.7	80	6.2
White	9,500	48	5.1	53	5.6
Colored	3,400	25	7.4	27	7.9
Grenada	[2] 13,607	217	15.9	219	16.1
White	5,160	57	11.0	59	11.4
Colored	8,447	160	18.9	160	18.9
Hancock	[2] 10,380	136	13.1	143	13.8
White	7,679	76	9.9	79	10.3
Colored	2,701	60	22.2	64	23.7
Harrison	(12)	393	(12)	387	(12)
White	(12)	260	(12)	256	(12)
Colored	(12)	133	(12)	131	(12)
Hinds	33,412	722	21.6	731	21.9
White	7,267	201	27.7	208	28.6
Colored	26,145	521	19.9	523	20.0
Holmes	(12)	406	(12)	425	(12)
White	(12)	66	(12)	73	(12)
Colored	(12)	340	(12)	352	(12)
Humphreys	(12)	336	(12)	344	(12)
White	(12)	48	(12)	54	(12)
Colored	(12)	288	(12)	290	(12)
Issaquena	7,618	101	13.3	104	13.7
White	702	11	15.7	12	17.1
Colored	6,916	90	13.0	92	13.3
Itawamba	16,300	124	7.6	125	7.7
Jackson	21,300	171	8.0	183	8.6
White	17,800	111	6.2	120	6.7
Colored	3,500	60	17.1	63	18.0
Jasper	18,500	177	9.6	184	9.9
White	9,700	71	7.3	76	7.8
Colored	8,800	106	12.0	108	12.3
Jefferson	[2] 15,946	186	11.7	189	11.9
White	3,987	42	10.5	43	10.8
Colored	11,959	144	12.0	146	12.2
Jefferson Davis	[2] 12,755	125	9.8	130	10.2
White	6,004	50	8.3	52	8.7
Colored	6,751	75	11.1	78	11.6
Jones	18,900	123	6.5	133	7.0
White	15,700	97	6.2	106	6.8
Colored	3,200	26	8.1	27	8.4
Kemper	[2] 19,619	192	9.8	193	[4] 9.8
White	8,417	64	7.6	66	7.8
Colored	11,202	128	11.4	127	11.3
Lafayette	[2] 19,243	189	9.8	195	10.1
White	11,279	90	8.0	96	8.5
Colored	7,964	99	12.4	99	12.4
Lamar	13,500	110	8.1	116	8.6
White	10,400	61	5.9	66	6.3
Colored	3,100	49	15.8	50	16.1
Lauderdale	[2] 21,585	266	12.3	273	12.6
White	10,964	120	10.9	123	11.2
Colored	10,621	146	13.7	150	14.1
Lawrence	[2] 12,663	90	7.1	93	7.3
White	7,678	44	5.7	46	6.0
Colored	4,985	46	9.2	47	9.4
Leake	[2] 16,973	134	7.9	138	8.1
White	11,021	69	6.3	73	6.6
Colored	5,952	65	10.9	65	10.9
MISSISSIPPI COUNTIES—con.					
Lee	30,000	270	9.0	278	9.3
White	20,800	165	7.9	170	8.2
Colored	9,200	105	11.4	108	11.7
Leflore	37,800	476	12.6	486	12.9
White	9,600	97	10.1	102	10.6
Colored	28,200	379	13.4	384	13.6
Lincoln	[2] 24,652	310	12.6	316	12.8
White	15,677	166	10.6	170	10.8
Colored	8,975	144	16.0	146	16.3
Lowndes	[2] 16,274	131	8.0	136	8.4
White	4,569	28	6.1	29	6.3
Colored	11,705	103	8.8	107	9.1
Madison	[2] 29,292	386	13.2	404	13.8
White	6,446	77	11.9	79	12.3
Colored	22,846	309	13.5	325	14.2
Marion	(12)	199	(12)	201	(12)
White	(12)	105	(12)	103	(12)
Colored	(12)	94	(12)	98	(12)
Marshall	[2] 26,105	349	13.4	351	[4] 13.4
White	7,264	89	12.3	87	12.0
Colored	18,841	260	13.8	264	14.0
Monroe	[2] 32,613	398	12.2	400	12.3
White	17,260	201	11.6	202	11.7
Colored	15,353	197	12.8	198	12.9
Montgomery	[2] 13,805	148	10.7	149	10.8
White	8,072	74	9.2	75	9.3
Colored	5,733	74	12.9	74	12.9
Neshoba	20,100	119	5.9	125	6.2
White	16,600	74	4.5	79	4.8
Colored	3,500	45	12.9	46	13.1
Newton	[2] 20,727	192	9.3	207	10.0
White	13,663	99	7.2	108	7.9
Colored	7,064	93	13.2	99	14.0
Noxubee	[2] 23,710	291	12.3	296	12.5
White	4,906	33	6.7	36	7.3
Colored	18,804	258	13.7	260	13.8
Oktibbeha	[2] 16,872	204	12.1	207	12.3
White	6,820	69	10.1	70	10.3
Colored	10,052	135	13.4	137	13.6
Panola	[2] 27,845	400	14.4	415	14.9
White	10,093	80	7.9	88	8.7
Colored	17,752	320	18.0	327	18.4
Pearl River	18,200	170	9.3	178	9.8
White	12,900	108	8.4	114	8.8
Colored	5,300	62	11.7	64	12.1
Perry	9,700	62	6.4	64	6.6
White	6,500	28	4.3	30	4.6
Colored	3,200	34	10.6	34	10.6
Pike	(12)	314	(12)	329	(12)
White	(12)	141	(12)	150	(12)
Colored	(12)	173	(12)	179	(12)
Pontotoc	20,100	142	7.1	149	7.4
White	16,100	97	6.0	104	6.5
Colored	4,000	45	11.2	45	11.3
Prentiss	18,000	170	9.4	170	9.4
White	15,800	135	8.5	135	8.5
Colored	2,200	35	15.9	35	15.9
Quitman	24,500	263	10.7	274	11.2
White	6,000	58	9.7	62	10.3
Colored	18,500	205	11.1	212	11.5
Rankin	[2] 20,272	226	11.1	243	12.0
White	8,969	74	8.3	83	9.3
Colored	11,303	152	13.4	160	14.2
Scott	[2] 16,420	153	9.3	163	9.9
White	10,230	86	8.4	94	9.2
Colored	6,190	67	10.8	69	11.1
Sharkey	(12)	168	(12)	179	(12)
White	(12)	21	(12)	24	(12)
Colored	(12)	147	(12)	155	(12)
Simpson	18,600	218	11.7	226	12.2
White	12,600	130	10.3	133	10.6
Colored	6,000	88	14.7	93	15.5

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MISSISSIPPI COUNTIES—con.					
Smith	[2] 16,178	129	8.0	135	8.3
White	13,584	105	7.7	111	8.2
Colored	2,594	24	9.3	24	9.3
Stone	(12)	62	(12)	71	(12)
White	(12)	33	(12)	40	(12)
Colored	(12)	29	(12)	31	(12)
Sunflower	(12)	671	(12)	695	(12)
White	(12)	138	(12)	151	(12)
Colored	(12)	533	(12)	544	(12)
Tallahatchie	39,800	491	12.3	505	12.7
White	11,600	93	8.0	102	8.8
Colored	28,200	398	14.1	403	14.3
Tate	[2] 19,636	236	12.0	246	12.5
White	8,066	58	7.2	64	7.9
Colored	11,570	178	15.4	182	15.7
Tippah	15,900	136	8.6	138	8.7
White	13,700	108	7.9	110	8.0
Colored	2,200	28	12.7	28	12.7
Tishomingo	16,200	125	7.7	127	7.8
Tunica	21,400	285	13.3	300	14.0
White	2,400	16	6.7	20	8.3
Colored	19,000	269	14.2	280	14.7
Union	20,600	193	9.4	202	9.8
White	16,300	123	7.5	131	8.0
Colored	4,300	70	16.3	71	16.5
Walthall	(12)	77	(12)	81	(12)
White	(12)	37	(12)	40	(12)
Colored	(12)	40	(12)	41	(12)
Warren	[2] 15,290	101	6.6	135	8.8
White	3,125	13	4.2	23	7.4
Colored	12,165	88	7.2	112	9.2
Washington	(12)	391	(12)	427	(12)
White	(12)	31	(12)	39	(12)
Colored	(12)	360	(12)	387	(12)
Wayne	15,900	126	7.9	131	8.2
White	10,700	61	5.7	65	6.1
Colored	5,200	65	12.5	66	12.7
Webster	[2] 12,644	92	7.3	95	7.5
White	10,285	58	5.6	60	5.8
Colored	2,359	34	14.4	35	14.8
Wilkinson	[2] 15,319	146	9.5	148	9.7
White	4,005	30	7.5	31	7.7
Colored	11,314	116	10.3	117	10.3
Winston	18,700	159	8.5	169	9.0
White	12,500	78	6.2	86	6.9
Colored	6,200	81	13.1	83	13.4
Yalobusha	[2] 18,738	227	12.1	233	12.4
White	10,271	101	9.8	107	10.4
Colored	8,467	126	14.9	126	14.9
Yazoo	(12)	533	(12)	547	(12)
White	(12)	106	(12)	113	(12)
Colored	(12)	427	(12)	434	(12)
MISSOURI COUNTIES [11]					
Adair	[2] 21,404	264	12.3	248	11.6
Andrew	[2] 14,075	154	10.9	144	10.2
Atchison	[2] 13,008	107	8.2	115	8.8
Audrain	[2] 20,589	263	12.8	264	12.8
Barry	[2] 23,473	179	7.6	188	8.0
Barton	17,000	149	8.8	154	9.1
Bates	[2] 23,933	238	9.9	249	10.4
Benton	[2] 12,989	84	6.5	86	6.6
Bollinger	[2] 13,909	75	5.4	83	6.0
Boone	[2] 19,038	154	8.1	158	8.3
Buchanan	15,700	121	7.7	149	9.5
Butler	26,100	332	12.7	341	13.1
Caldwell	[2] 13,849	129	9.3	146	10.5
Callaway*	[2] 23,007	359	15.6	329	14.3
White	19,776	274	13.9	255	12.9
Colored	3,231	85	26.3	73	22.6
Camden	[2] 10,474	69	6.6	70	6.7
Cape Girardeau	16,800	143	8.5	161	9.6
Carroll	[2] 20,480	185	9.0	191	9.3
Carter	8,600	35	4.1	38	4.4
Cass	[2] 21,536	222	10.3	236	11.0
Cedar	[2] 13,933	134	9.6	137	9.8
Chariton	[2] 21,769	199	9.1	208	9.6
Christian	[2] 15,252	93	6.1	97	6.4
Clark	[2] 11,874	108	9.1	123	10.4
Clay	20,500	317	15.5	310	15.1
Clinton	[2] 14,461	164	11.3	183	12.7
Cole	10,400	77	7.4	82	7.9
Cooper	[2] 19,308	209	10.8	210	10.9
White	16,904	162	9.6	163	9.6
Colored	2,404	47	19.6	47	19.6
Crawford	[2] 12,355	77	6.2	88	7.1
Dade	[2] 14,173	103	7.3	108	7.6
Dallas	[2] 12,033	64	5.3	69	5.7
Daviess	[2] 16,641	146	8.8	155	9.3
De Kalb	[2] 11,694	91	7.8	100	8.6
Dent	[2] 12,318	82	6.7	84	6.8
Douglas	[2] 15,436	49	3.2	55	3.6
Dunklin	34,200	482	14.1	496	14.5
Franklin	[2] 28,427	336	11.8	366	12.9
Gasconade	[2] 12,381	137	11.1	145	11.7
Gentry	[2] 15,634	152	9.7	161	10.3
Greene	29,300	302	10.3	324	11.1
Grundy	18,000	175	9.7	176	9.8
Harrison	[2] 19,719	162	8.2	177	9.0
Henry	[2] 25,116	257	10.2	266	10.6
Hickory	[2] 7,033	49	7.0	51	7.3
Holt	[2] 14,084	136	9.7	143	10.2
Howard	[2] 13,997	137	9.8	146	10.4
White	11,831	105	8.9	113	9.6
Colored	2,166	32	14.8	33	15.2
Howell	21,100	178	8.4	185	8.8
Iron	10,000	85	8.5	88	8.8
Jackson	35,400	421	11.9	467	13.2
Jasper	[2] 35,601	383	10.8	395	11.1
Jefferson	[2] 26,555	302	11.4	333	12.5
Johnson	[2] 24,899	279	11.2	293	11.8
Knox	[2] 10,783	86	8.0	90	8.3
Laclede	[2] 16,857	124	7.4	134	7.9
Lafayette	[2] 30,006	306	10.2	326	10.9
Lawrence	[2] 24,211	271	11.2	266	11.0
Lewis	[2] 13,465	159	11.8	177	13.1
Lincoln	[2] 15,956	148	9.3	157	9.8
Linn	[2] 24,778	264	10.7	272	11.0
Livingston	[2] 18,857	225	11.9	229	12.1
McDonald	15,300	66	4.3	72	4.7
Macon	[2] 27,518	276	10.0	279	10.1
Madison	[2] 10,721	106	9.9	112	10.4
Maries	[2] 9,500	78	8.2	80	8.4
Marion	[2] 10,375	98	9.4	111	10.7
Mercer	[2] 11,281	80	7.1	84	7.4
Miller	[2] 15,567	108	6.9	114	7.3
Mississippi	[2] 12,860	227	17.7	244	19.0
White	11,549	143	12.4	156	13.5
Colored	1,311	84	64.1	88	67.1
Moniteau	[2] 13,532	154	11.4	159	11.7
Monroe	[2] 16,414	139	8.5	144	8.8
Montgomery	[2] 15,233	144	9.5	157	10.3
Morgan	[2] 12,015	75	6.2	79	6.6
New Madrid	28,400	304	10.7	315	11.1
Newton	[2] 24,886	234	9.4	239	9.6
Nodaway	[2] 27,744	267	9.6	279	10.1
Oregon	[2] 12,889	62	4.8	66	5.1
Osage	[2] 13,559	106	7.8	114	8.4
Ozark	[2] 11,125	62	5.6	64	5.8
Pemiscot	30,600	295	9.6	312	10.2
White	25,500	175	6.9	189	7.4
Colored	5,100	120	23.5	123	24.1
Perry	[2] 14,434	143	9.9	149	10.3
Pettis	14,100	94	6.7	97	6.9
Phelps	[2] 14,941	173	11.6	180	12.0
Pike	[2] 20,345	239	11.7	250	12.3
White	17,739	192	10.8	202	11.4
Colored	2,606	47	18.0	48	18.4
Platte	[2] 13,996	109	7.8	121	8.6
Polk	[2] 20,351	165	8.1	174	8.5
Pulaski	[2] 10,490	101	9.6	105	10.0
Putnam	[2] 13,115	111	8.5	118	9.0
Ralls	[2] 10,412	76	7.3	86	8.3
Randolph	14,600	143	9.8	149	10.2
Ray	[2] 20,508	194	9.5	202	9.8
Reynolds	10,400	38	3.7	41	3.9
Ripley	[2] 12,061	113	9.4	116	9.6
St. Charles	[2] 22,828	257	11.3	251	11.0
St. Clair	[2] 15,341	126	8.2	140	9.1
St. Francois	[2] 31,403	415	13.2	401	12.8
St. Louis*	111,000	1,682	15.2	1,779	16.0
Ste. Genevieve	[2] 9,809	85	8.7	94	9.6
Saline	[2] 28,826	332	11.5	347	12.0
White	25,699	273	10.6	287	11.2
Colored	3,127	59	18.9	60	19.2
Schuyler	[2] 8,383	68	8.1	77	9.2
Scotland	[2] 10,700	93	8.7	99	9.3
Scott	24,000	295	12.3	315	13.1
Shannon	12,100	78	6.4	79	6.5
Shelby	[2] 13,617	167	12.3	173	12.7
Stoddard	30,900	326	10.6	336	10.9
Stone	12,200	92	7.5	94	7.7
Sullivan	[2] 17,781	139	7.8	149	8.4
Taney	[2] 8,178	66	8.1	68	8.3
Texas	[2] 20,548	148	7.2	159	7.7
Vernon	[2] 26,069	421	16.1	356	13.7
Warren	[2] 8,490	75	8.8	81	9.5
Washington	14,000	128	9.1	133	9.5
Wayne	[2] 13,012	90	6.9	95	7.3
Webster	[2] 16,609	160	9.6	171	10.3
Worth	[2] 7,642	57	7.5	62	8.1
Wright	[2] 17,733	111	6.3	115	6.5
MONTANA COUNTIES [11]					
Beaverhead	7,900	58	7.3	59	7.5
Big Horn	(12)	115	(12)	118	(12)
White	(12)	31	(12)	34	(12)
Colored	(12)	84	(12)	84	(12)
Blaine	(12)	106	(12)	108	(12)
White	(12)	40	(12)	42	(12)
Colored	(12)	66	(12)	66	(12)
Broadwater	[2] 3,239	25	7.7	25	7.7
Carbon	(12)	104	(12)	110	(12)
Carter	(12)	23	(12)	23	(12)
Cascade	(12)	73	(12)	75	(12)
Chouteau	(12)	40	(12)	43	(12)
Custer	(12)	112	(12)	109	(12)
Daniels	(12)	40	(12)	42	(12)
Dawson	(12)	78	(12)	80	(12)
Deer Lodge*	4,100	175	42.7	152	37.1
Fallon	(12)	34	(12)	34	(12)
Fergus	(12)	148	(12)	152	(12)
Flathead	(12)	199	(12)	207	(12)
Gallatin	16,900	142	8.4	144	8.5
Garfield	(12)	20	(12)	21	(12)
Glacier	(12)	106	(12)	101	(12)
White	(12)	19	(12)	14	(12)
Colored	(12)	87	(12)	87	(12)
Golden Valley	(12)	9	(12)	9	(12)
Granite	4,900	27	5.5	30	6.1
Hill	(12)	109	(12)	104	(12)

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
MONTANA COUNTIES—con.					
Jefferson	[2] 5,203	53	10.2	55	10.6
Judith Basin	(12)	21	(12)	21	(12)
Lake	(12)	79	(12)	79	(12)
Lewis and Clark	[2] 6,623	77	11.6	75	11.3
Liberty	(12)	12	(12)	12	(12)
Lincoln	10,200	56	5.5	65	6.4
McCone	(12)	14	(12)	14	(12)
Madison	7,600	50	6.6	54	7.1
Meagher	(12)	16	(12)	18	(12)
Mineral	(12)	18	(12)	20	(12)
Missoula	(12)	45	(12)	46	(12)
White	(12)	41	(12)	42	(12)
Colored	(12)	4	(12)	4	(12)
Musselshell	(12)	69	(12)	72	(12)
Park	11,700	106	9.1	106	9.1
Phillips	(12)	45	(12)	50	(12)
Pondera	(12)	64	(12)	62	(12)
Powder River	(12)	12	(12)	15	(12)
Powell	7,500	52	6.9	53	7.1
Prairie	(12)	16	(12)	16	(12)
Ravalli	[2] 10,098	75	7.4	80	7.9
Richland	(12)	68	(12)	71	(12)
Roosevelt	(12)	106	(12)	116	(12)
White	(12)	62	(12)	71	(12)
Colored	(12)	44	(12)	45	(12)
Rosebud	(12)	96	(12)	101	(12)
Sanders	5,600	51	9.1	52	9.3
Sheridan	(12)	52	(12)	59	(12)
Silver Bow	19,400	229	11.8	231	11.9
Stillwater	(12)	43	(12)	44	(12)
Sweet Grass	(12)	39	(12)	42	(12)
Teton	(12)	41	(12)	42	(12)
Toole	(12)	34	(12)	35	(12)
Treasure	(12)	13	(12)	13	(12)
Valley	(12)	64	(12)	67	(12)
Wheatland	(12)	24	(12)	28	(12)
Wibaux	(12)	16	(12)	21	(12)
Yellowstone	(12)	86	(12)	89	(12)
NEBRASKA COUNTIES [11]					
Adams*	10,600	146	13.8	162	15.3
Antelope	15,900	125	7.9	135	8.5
Arthur	(12)	3	(12)	3	(12)
Banner	[2] 1,435	3	2.1	5	3.5
Blaine	1,800	6	3.3	7	3.9
Boone	14,700	97	6.6	105	7.1
Box Butte	9,700	80	8.2	77	7.9
Boyd	[2] 8,243	78	9.5	77	9.3
Brown	7,100	45	6.3	49	6.9
Buffalo*	24,900	228	9.2	196	7.9
Burt	[2] 12,559	111	8.8	121	9.6
Butler	[2] 14,606	87	6.0	101	6.9
Cass	[2] 18,029	152	8.4	198	11.0
Cedar	16,800	100	6.0	118	7.0
Chase	5,700	31	5.4	34	6.0
Cherry	12,500	67	5.4	72	5.8
Cheyenne	10,600	83	7.8	84	7.9
Clay	[2] 14,486	116	8.0	124	8.6
Colfax	11,600	78	6.7	88	7.6
Cuming	[2] 13,769	132	9.6	136	9.9
Custer	26,800	208	7.8	216	8.1
Dakota	8,300	56	6.7	81	9.8
Dawes	11,200	76	6.8	82	7.3
Dawson	16,000	131	8.2	143	8.9
Deuel	4,100	23	5.6	25	6.1
Dixon	12,000	73	6.1	91	7.6
Dodge	23,800	222	9.3	228	9.6
Douglas	13,100	59	4.5	89	6.8
Dundy	5,300	42	7.9	43	8.1
Fillmore	[2] 13,671	107	7.8	121	8.9
NEBRASKA COUNTIES—con.					
Franklin	[2] 10,067	90	8.9	94	9.3
Frontier	[2] 8,540	46	5.4	54	6.3
Furnas	[2] 11,657	111	9.5	108	9.3
Gage	[2] 29,721	352	11.8	359	12.1
Garden	(12)	24	(12)	26	(12)
Garfield	3,500	31	8.9	35	10.0
Gosper	[2] 4,669	34	7.3	35	7.5
Grant	1,700	12	7.1	16	9.4
Greeley	9,000	59	6.6	69	7.7
Hall	10,000	69	6.9	78	7.8
Hamilton	[2] 13,237	95	7.2	96	7.3
Harlan	[2] 9,220	80	8.7	81	8.8
Hayes	3,500	17	4.9	18	5.1
Hitchcock	6,400	59	9.2	59	9.2
Holt	18,100	129	7.1	134	7.4
Hooker	1,600	8	5.0	12	7.5
Howard	[2] 10,739	65	6.1	74	6.9
Jefferson	[2] 16,140	153	9.5	148	9.2
Johnson	[2] 8,940	78	8.7	87	9.7
Kearney	[2] 8,533	79	9.2	84	9.8
Keith	6,200	45	7.3	48	7.7
Keyapaha	3,700	11	3.0	12	3.2
Kimball	5,900	32	5.4	32	5.4
Knox	19,200	133	6.9	137	7.1
Lancaster*	31,800	320	10.1	384	12.1
Lincoln	14,100	71	5.0	74	5.2
Logan	1,600	10	6.3	11	6.9
Loup	[2] 1,946	8	4.1	8	4.1
McPherson	(12)	7	(12)	7	(12)
Madison*	24,400	301	12.3	278	11.4
Merrick	11,000	82	7.5	83	[4] 7.5
Morrill	11,700	61	5.2	64	5.5
Nance	[2] 8,712	75	8.6	81	9.3
Nemaha	[2] 12,547	106	8.4	116	9.2
Nuckolls	13,400	109	8.1	115	8.6
Otoe	19,600	156	8.0	168	8.6
Pawnee	[2] 9,578	98	10.2	96	10.0
Perkins	4,800	20	4.2	22	4.6
Phelps	[2] 9,900	89	9.0	95	9.6
Pierce	11,000	76	6.9	80	7.3
Platte	19,700	195	9.9	171	8.7
Polk	10,800	80	7.4	88	8.1
Redwillow	11,600	119	10.3	117	10.1
Richardson	19,800	161	8.1	164	8.3
Rock	3,700	14	3.8	20	5.4
Saline	[2] 16,514	138	8.4	154	9.3
Sarpy	9,400	55	5.9	68	7.2
Saunders	[2] 20,589	162	7.9	189	9.2
Scotts Bluff	27,700	178	6.4	174	6.3
Seward	[2] 15,867	145	9.1	160	10.1
Sheridan	10,900	70	6.4	77	7.1
Sherman	9,200	52	5.7	57	6.2
Sioux	[2] 4,528	16	3.5	17	3.8
Stanton	7,900	31	3.9	36	4.6
Thayer	[2] 13,976	132	9.4	134	9.6
Thomas	2,100	5	2.4	7	3.3
Thurston	10,100	153	15.1	162	16.0
White	8,700	61	7.0	67	7.7
Colored	1,400	92	65.7	95	67.9
Valley	10,000	60	6.0	60	6.0
Washington	[2] 12,180	101	8.3	117	9.6
Wayne	[2] 9,725	62	6.4	67	6.9
Webster	[2] 10,922	89	8.1	94	8.6
Wheeler	2,700	15	5.6	17	6.3
York	[2] 17,146	171	10.0	179	10.4
NEW HAMPSHIRE COUNTIES [11]					
Belknap	[2] 9,878	149	15.1	186	18.8
Carroll	[2] 15,017	227	15.1	240	16.0
Cheshire	19,300	223	11.6	250	13.0
Coos	20,600	251	12.2	247	12.0
Grafton	[2] 40,572	651	16.0	606	14.9
NEW HAMPSHIRE COUNTIES—con.					
Hillsborough	28,000	515	18.4	469	16.8
Merrimack	[2] 29,224	451	15.4	469	16.0
Rockingham	37,800	619	16.4	688	18.2
Strafford	[2] 25,517	304	11.9	345	13.5
Sullivan	21,800	312	14.3	302	13.9
NEW JERSEY COUNTIES [11]					
Atlantic	37,400	556	14.9	539	14.4
Bergen	195,000	1,745	8.9	2,215	11.4
Burlington	90,400	1,070	11.8	1,116	12.3
Camden	75,600	1,024	13.5	1,100	14.6
Cape May	[2] 19,460	398	20.5	339	17.4
Cumberland	34,500	484	14.0	464	13.4
Essex*	53,900	1,022	19.0	854	15.8
Gloucester	54,400	675	12.4	709	13.0
Hudson*	59,000	1,096	18.6	994	16.8
Hunterdon	[2] 32,885	422	12.8	474	14.4
Mercer	47,300	634	13.4	595	12.6
Middlesex	90,300	770	8.5	950	10.5
Monmouth	83,400	1,159	13.9	1,256	15.1
Morris*	74,700	1,055	14.1	1,106	14.8
Ocean	22,600	383	16.9	371	16.4
Passaic	38,300	396	10.3	470	12.3
Salem	42,000	426	10.1	435	10.4
White	37,700	364	9.7	369	9.8
Colored	4,300	62	14.4	66	15.3
Somerset	53,200	629	11.8	702	13.2
Sussex	[2] 24,905	359	14.4	371	14.9
Union	(3)	670	(3)	793	(3)
Warren	27,500	373	13.6	384	14.0
NEW YORK COUNTIES [5,11]					
Albany	39,815	413	10.4	509	12.8
Allegany	36,815	496	13.5	543	14.7
Broome	63,145	786	12.4	775	12.3
Cattaraugus	52,446	667	12.7	702	13.4
Cayuga	29,667	402	13.6	445	15.0
Chautauqua	64,774	754	11.6	817	12.6
Chemung	23,933	242	10.1	291	12.2
Chenango	35,610	636	17.9	645	18.1
Clinton	34,593	390	11.3	416	12.0
Columbia	30,971	433	14.0	467	15.1
Cortland	17,172	255	14.8	304	17.7
Delaware	43,452	630	14.5	657	15.1
Dutchess*	51,737	1,026	19.8	1,014	19.6
Erie	124,112	1,385	11.2	1,607	12.9
Essex	32,042	510	15.9	435	13.6
Franklin*	45,915	819	17.8	622	13.5
Fulton	13,206	187	14.2	197	14.9
Genesee	27,792	305	11.0	358	12.9
Greene	28,207	381	13.5	425	15.1
Hamilton	4,242	53	12.5	56	13.2
Herkimer	32,944	432	13.1	455	13.8
Jefferson	52,940	717	13.5	802	15.1
Lewis	24,713	256	10.4	291	11.8
Livingston	39,264	624	15.9	641	16.3
Madison	30,151	459	15.2	500	16.6
Monroe	75,388	768	10.2	808	10.7
Montgomery	26,125	344	13.2	372	14.2
Nassau	207,640	1,869	9.0	1,978	9.5
Niagara	37,372	440	11.8	444	11.9
Oneida	64,554	744	11.5	906	14.0
Onondaga	85,006	973	11.4	1,078	12.7
Ontario	39,332	635	16.1	561	14.3
Orange	64,291	848	13.2	822	12.8
Orleans	30,692	414	13.5	449	14.6
Oswego	36,464	591	16.2	628	17.2
Otsego	35,347	559	15.8	603	17.1

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NEW YORK COUNTIES—con.					
Putnam	12,500	163	13.0	177	14.2
Rensselaer	34,812	520	14.9	550	15.8
Rockland	56,479	728	12.9	717	12.7
St. Lawrence	74,759	902	12.1	979	13.1
Saratoga	51,722	610	11.8	726	14.0
Schenectady	23,922	240	10.0	264	11.0
Schoharie	21,565	319	14.8	353	16.4
Schuyler	13,456	228	16.9	236	17.5
Seneca*	25,363	538	21.2	538	21.2
Steuben	50,669	835	16.5	835	16.5
Suffolk*	143,208	2,333	16.3	2,305	16.1
Sullivan*	40,192	593	14.8	488	12.1
Tioga	26,111	359	13.7	380	14.6
Tompkins	20,611	266	12.9	302	14.7
Ulster	54,953	733	13.3	818	14.9
Warren	16,219	221	13.6	242	14.9
Washington	46,661	612	13.1	667	14.3
Wayne	51,785	671	13.0	712	13.7
Westchester	140,074	1,480	10.6	1,443	10.3
Wyoming	30,827	406	13.2	409	13.3
Yates	17,668	280	15.8	294	16.6
NORTH CAROLINA COUNTIES [11]					
Alamance	35,000	321	9.2	329	9.4
White	27,300	231	8.5	236	8.6
Colored	7,700	90	11.7	93	12.1
Alexander	12,600	139	11.0	141	11.2
Alleghany	[2] 7,403	53	7.2	56	7.6
Anson	30,000	357	11.9	359	12.0
White	14,200	134	9.4	134	9.4
Colored	15,800	223	14.1	225	14.2
Ashe	22,100	174	7.9	179	8.1
Avery	[12]	94	[12]	102	[12]
Beaufort	31,100	441	14.2	440	14.1
White	19,500	216	11.1	213	10.9
Colored	11,600	225	19.4	227	19.6
Bertie	24,500	332	13.6	340	13.9
White	10,800	102	9.4	103	9.5
Colored	13,700	230	16.8	237	17.3
Bladen	20,800	221	10.6	233	11.2
White	12,800	109	8.5	119	9.3
Colored	8,000	112	14.0	114	14.3
Brunswick	15,100	129	8.5	134	8.9
White	9,800	71	7.2	74	7.6
Colored	5,300	58	10.9	60	11.3
Buncombe	40,800	561	13.8	546	13.4
Burke *	24,400	311	12.7	296	12.1
White	21,700	280	12.9	269	12.4
Colored	2,700	31	11.5	27	10.0
Cabarrus	38,000	394	10.4	406	10.7
White	31,500	276	8.8	289	9.2
Colored	6,500	118	18.2	117	18.0
Caldwell	[12]	193	[12]	203	[12]
Camden	[2] 5,382	55	10.2	56	10.4
White	3,257	24	7.4	24	7.4
Colored	2,125	31	14.6	32	15.1
Carteret	16,300	186	11.4	192	11.8
White	13,900	140	10.1	145	10.4
Colored	2,400	46	19.2	47	19.6
Caswell	16,300	157	9.6	163	10.0
White	8,300	71	8.6	76	9.2
Colored	8,000	86	10.8	87	10.9
Catawba	37,200	344	9.2	348	9.4
White	33,600	270	8.0	273	8.1
Colored	3,600	74	20.6	75	20.8
Chatham	24,500	287	11.7	295	12.0
White	16,600	154	9.3	161	9.7
Colored	7,900	133	16.8	134	17.0
Cherokee	15,900	115	7.2	116	7.3
NORTH CAROLINA COUNTIES—con.					
Chowan	[2] 10,649	159	14.9	161	15.1
White	5,350	57	10.7	59	11.0
Colored	5,299	102	19.2	102	19.2
Clay	5,100	36	7.1	36	7.1
Cleveland	37,000	334	9.0	337	9.1
White	30,800	258	8.4	260	[4] 8.4
Colored	6,200	76	12.3	77	12.4
Columbus	31,300	340	10.9	360	11.5
White	21,300	195	9.2	209	9.8
Colored	10,000	145	14.5	151	15.1
Craven	18,800	241	12.8	253	13.5
White	9,700	87	9.0	104	10.7
Colored	9,100	154	16.9	149	16.4
Cumberland	[13]	474	[12]	472	[12]
White	[13]	292	[12]	287	[12]
Colored	[13]	182	[12]	185	[12]
Currituck	[2] 7,268	110	15.1	117	16.1
White	4,630	57	12.3	64	13.8
Colored	2,638	53	20.1	53	20.1
Dare	5,300	60	11.3	65	12.3
Davidson	38,500	393	10.2	404	10.5
White	35,000	325	9.3	335	9.6
Colored	3,500	68	19.4	69	19.7
Davie	13,700	140	10.2	144	10.5
White	11,800	115	9.7	119	10.1
Colored	1,900	25	13.2	25	13.2
Duplin	32,900	350	10.6	367	11.2
White	20,800	225	10.8	234	11.2
Colored	12,100	125	10.3	133	11.0
Durham	[3]	168	[3]	174	[3]
White	[3]	109	[3]	107	[3]
Colored	[3]	59	[3]	67	[3]
Edgecombe	33,800	472	14.0	491	14.5
White	13,100	176	13.4	187	14.3
Colored	20,700	296	14.3	304	14.7
Forsyth	25,200	297	11.8	321	12.7
White	22,500	218	9.7	242	10.8
Colored	2,700	79	29.3	79	29.3
Franklin	27,800	330	11.9	342	12.3
White	15,800	160	10.1	167	10.6
Colored	12,000	170	14.2	175	14.6
Gaston	42,400	450	10.6	475	11.2
White	35,600	343	9.6	363	10.2
Colored	6,800	107	15.7	112	16.5
Gates	10,600	94	8.9	104	9.8
White	5,300	51	9.6	57	10.8
Colored	5,300	43	8.1	47	8.9
Graham	4,900	24	4.9	24	4.9
Granville	27,800	285	10.3	293	10.5
White	14,800	146	9.9	154	10.4
Colored	13,000	139	10.7	139	10.7
Greene	18,000	177	9.8	177	9.8
White	8,600	89	10.3	90	10.5
Colored	9,400	88	9.4	87	9.3
Guilford	19,100	355	18.6	389	20.4
White	16,700	256	15.3	277	16.6
Colored	2,400	99	41.3	112	46.7
Halifax	47,200	564	11.9	572	12.1
White	20,400	214	10.5	216	10.6
Colored	26,800	350	13.1	356	13.3
Harnett	31,800	292	9.2	290	9.1
White	23,100	188	8.1	186	[4] 8.1
Colored	8,700	104	12.0	104	12.0
Haywood	24,900	189	7.6	196	7.9
Henderson	19,400	270	13.9	271	14.0
Hertford	16,800	246	14.6	261	15.5
White	6,300	86	13.7	91	14.4
Colored	10,500	160	15.2	170	16.2
Hoke	[12]	176	[12]	169	[12]
White	[12]	51	[12]	48	[12]
Colored	[12]	125	[12]	121	[12]
NORTH CAROLINA COUNTIES—con.					
Hyde	[2] 8,386	59	7.0	62	7.4
White	5,120	29	5.7	32	6.2
Colored	3,266	30	9.2	30	9.2
Iredell	40,000	435	10.9	419	10.5
White	32,700	320	9.8	302	9.2
Colored	7,300	115	15.8	117	16.0
Jackson	13,600	151	11.1	145	10.7
Johnston	53,300	554	10.4	571	10.7
White	41,000	395	9.6	402	9.8
Colored	12,300	159	12.9	169	13.7
Jones	10,600	106	10.0	108	10.2
White	5,900	64	10.8	65	11.0
Colored	4,700	42	8.9	43	9.1
Lee	14,500	169	11.7	166	11.4
White	10,500	110	10.5	104	9.9
Colored	4,000	59	14.8	62	15.5
Lenoir	33,400	447	13.4	446	[4] 13.4
White	18,700	219	11.7	219	11.7
Colored	14,700	228	15.5	227	15.4
Lincoln	18,300	183	10.0	185	10.1
White	16,400	147	9.0	151	9.2
Colored	1,900	36	18.9	34	17.9
McDowell	18,600	172	9.2	171	[4] 9.2
White	16,700	138	8.3	137	8.2
Colored	1,900	34	17.9	34	17.9
Macon	13,300	115	8.6	113	8.5
Madison	[2] 20,083	175	8.7	179	8.9
Martin	22,500	294	13.1	295	[4] 13.1
White	12,300	136	11.1	138	11.2
Colored	10,200	158	15.5	157	15.4
Mecklenburg	35,100	381	10.9	420	12.0
White	24,100	233	9.7	256	10.6
Colored	11,000	148	13.5	164	14.9
Mitchell	[12]	99	[12]	102	[12]
Montgomery	[2] 14,607	146	10.0	155	10.6
White	11,322	93	8.2	101	8.9
Colored	3,285	53	16.1	54	16.4
Moore	23,900	220	9.2	225	9.4
White	17,100	138	8.1	131	7.7
Colored	6,800	82	12.1	94	13.8
Nash	37,700	449	11.9	476	12.6
White	20,500	204	10.0	222	10.8
Colored	17,200	245	14.2	254	14.8
New Hanover	8,400	128	15.2	124	14.8
White	5,200	72	13.8	67	12.9
Colored	3,200	56	17.5	57	17.8
Northampton	23,700	252	10.6	261	11.0
White	9,400	89	9.5	97	10.3
Colored	14,300	163	11.4	164	11.5
Onslow	15,000	149	9.9	154	10.3
White	10,500	106	10.1	111	10.6
Colored	4,500	43	9.6	43	9.6
Orange	19,500	201	10.3	218	11.2
White	13,500	123	9.1	126	9.3
Colored	6,000	78	13.0	92	15.3
Pamlico	[2] 9,060	103	11.4	109	12.0
White	5,846	51	8.7	56	9.6
Colored	3,214	52	16.2	53	16.5
Pasquotank	18,200	287	15.8	283	15.5
White	10,700	129	12.1	126	11.8
Colored	7,500	158	21.1	157	20.9
Pender	[2] 14,788	181	12.2	205	13.9
White	7,470	86	11.5	94	12.6
Colored	7,318	95	13.0	111	15.2
Perquimans	11,200	115	10.3	118	10.5
White	5,800	57	9.8	60	10.3
Colored	5,400	58	10.7	58	10.7
Person	19,900	245	12.3	248	12.5
White	11,300	141	12.5	143	12.7
Colored	8,600	104	12.1	105	12.2
Pitt	50,800	659	13.0	673	13.2
White	25,000	284	11.4	290	11.6
Colored	25,800	375	14.5	383	14.8

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
NORTH CAROLINA COUNTIES—con.					
Polk	9,500	99	10.4	92	9.7
White	7,800	78	10.0	71	9.1
Colored	1,700	21	12.4	21	12.4
Randolph	31,600	348	11.0	359	11.4
White	28,000	297	10.6	309	11.0
Colored	3,600	51	14.2	50	13.9
Richmond	28,900	348	12.0	347	[4]12.0
White	17,600	180	10.2	184	10.5
Colored	11,300	168	14.9	163	14.4
Robeson	(12)	709	(12)	716	(12)
White	(12)	333	(12)	334	(12)
Colored	(12)	376	(12)	382	(12)
Rockingham	48,500	461	9.5	470	9.7
White	37,800	307	8.1	313	8.3
Colored	10,700	154	14.4	157	14.7
Rowan	30,100	284	9.4	294	9.8
White	25,000	210	8.4	217	8.7
Colored	5,100	74	14.5	77	15.1
Rutherford	33,100	358	10.8	345	10.4
White	28,600	297	10.4	287	10.0
Colored	4,500	61	13.6	58	12.9
Sampson	39,400	443	11.2	456	11.6
White	25,800	254	9.8	267	10.3
Colored	13,600	189	13.9	189	13.9
Scotland	15,700	228	14.5	230	14.6
White	5,600	91	16.2	93	16.6
Colored	10,100	137	13.6	137	13.6
Stanly	31,700	248	7.8	259	8.2
White	27,300	193	7.1	201	7.4
Colored	4,400	55	12.5	58	13.2
Stokes	20,800	178	8.6	182	8.8
White	18,700	161	8.6	165	8.8
Colored	2,100	17	8.1	17	8.1
Surry	34,000	395	11.6	401	11.8
Swain	14,800	133	9.0	140	9.5
Transylvania	10,500	62	5.9	60	5.7
Tyrrell	[2]4,849	56	11.5	56	11.5
White	3,373	37	11.0	37	11.0
Colored	1,476	19	12.9	19	12.9
Union	37,600	383	10.2	391	10.4
White	29,300	259	8.8	265	9.0
Colored	8,300	124	14.9	126	15.2
Vance	24,700	316	12.8	313	12.7
White	14,400	167	11.6	166	11.5
Colored	10,300	149	14.5	147	14.3
Wake	51,500	551	10.7	611	11.9
White	30,600	260	8.5	298	9.7
Colored	20,900	291	13.9	313	15.0
Warren	22,300	286	12.8	300	13.5
White	8,200	88	10.7	94	11.5
Colored	14,100	198	14.0	206	14.6
Washington	11,600	163	14.1	167	14.4
White	6,000	62	10.3	66	11.0
Colored	5,600	101	18.0	101	18.0
Watauga	(12)	107	(12)	102	(12)
Wayne *	33,900	543	16.0	550	16.2
White	19,200	243	12.7	259	13.5
Colored	14,700	300	20.4	291	19.8
Wilkes	34,000	310	9.1	313	9.2
Wilson	28,800	336	11.7	352	12.2
White	16,800	151	9.0	160	9.5
Colored	12,000	185	15.4	192	16.0
Yadkin	16,900	169	10.0	169	10.0
Yancey	16,800	89	5.3	93	5.5
NORTH DAKOTA COUNTIES [6,11]					
Adams	5,494	28	5.1	27	4.9
Barnes	18,480	132	7.1	140	7.6
Benson	13,247	132	10.0	144	10.9
Billings	2,919	16	5.5	16	5.5
Bottineau	13,957	115	8.2	116	8.3
Bowman	4,527	24	5.3	27	6.0
Burke	9,309	52	5.6	59	6.3
Burleigh *	17,058	268	15.7	143	8.4
Cass	19,129	136	7.1	171	8.9
Cavalier	14,189	83	5.8	94	6.6
Dickey	10,213	64	6.3	65	6.4
Divide	9,464	34	3.6	38	4.0
Dunn	9,418	46	4.9	62	6.6
Eddy	6,117	50	8.2	48	7.8
Emmons	11,575	57	4.9	72	6.2
Foster	5,840	49	8.4	52	8.9
Golden Valley	4,332	30	6.9	32	7.4
Grand Forks	14,402	114	7.9	126	8.7
Grant	9,474	70	7.4	76	8.0
Griggs	6,920	46	6.6	54	7.8
Hetinger	7,672	47	6.1	54	7.0
Kidder	7,588	38	5.0	55	7.2
La Moure	11,454	90	7.9	98	8.6
Logan	7,882	34	4.3	36	4.6
McHenry	15,048	95	6.3	111	7.4
McIntosh	9,231	76	8.2	78	8.4
McKenzie	8,724	51	5.8	61	7.0
McLean	16,171	137	8.5	157	9.7
Mercer	9,255	46	5.0	56	6.1
Morton	18,897	166	8.8	185	9.8
Mountrail	12,740	69	5.4	85	6.7
Nelson	10,133	74	7.3	78	7.7
Oliver	4,202	23	5.5	28	6.7
Pembina	14,315	103	7.2	108	7.5
Pierce	8,642	56	6.5	55	6.4
Ramsey	15,769	143	9.1	143	9.1
Ransom	10,875	77	7.1	95	8.7
Renville	7,330	23	3.1	33	4.5
Richland	20,822	137	6.6	142	6.8
Rolette	9,031	95	10.5	77	8.5
White	7,936	66	8.3	47	5.9
Colored	1,095	29	26.5	30	27.4
Sargent	9,250	51	5.5	65	7.0
Sheridan	7,135	34	4.8	39	5.5
Sioux	3,363	71	21.1	73	21.7
White	2,320	10	4.3	12	5.2
Colored	1,043	61	58.5	61	58.5
Slope	4,001	18	4.5	18	4.5
Stark	14,178	133	9.4	127	9.0
Steele	7,145	55	7.7	61	8.5
Stutsman	24,585	262	10.7	262	10.7
Towner	8,054	47	5.8	53	6.6
Traill	12,295	113	9.2	124	10.1
Walsh	19,292	154	8.0	170	8.8
Ward	17,075	119	7.0	147	8.6
Wells	12,936	71	5.5	78	6.0
Williams	17,704	119	6.7	128	7.2
OHIO COUNTIES [11]					
Adams	[2]22,403	242	10.8	246	11.0
Allen	28,100	316	11.2	337	11.6
Ashland	25,600	342	13.4	346	13.5
Ashtabula	43,900	555	12.6	593	13.5
Athens	51,900	586	11.3	609	11.7
Auglaize	[2]29,527	294	10.0	307	10.4
Belmont	70,600	659	9.3	731	10.4
Brown	[2]22,621	287	12.7	297	13.1
Butler	23,300	277	11.9	298	12.8
Carroll	16,000	162	10.1	180	11.3
Champaign	[2]25,071	314	12.5	335	13.4
Clark	20,100	232	11.5	246	12.2
Clermont	[2]28,291	356	12.6	386	13.6
Clinton	[2]23,036	312	13.5	324	14.1
Columbiana	53,800	520	9.7	579	10.8
Coshocton	[2]18,043	193	10.7	199	11.0
Crawford	25,500	293	11.5	304	11.9
Cuyahoga	63,900	904	14.1	979	15.3
Darke	[2]42,911	466	10.9	477	11.1
Defiance	24,600	255	10.4	257	[4]10.4
Delaware	[2]26,013	301	11.6	306	11.8
Erie *	16,100	267	16.6	286	17.8
Fairfield	25,200	283	11.2	289	11.5
Fayette	[2]21,518	233	10.8	247	11.5
Franklin	39,500	648	16.4	705	17.8
Fulton	[2]23,445	299	12.8	304	13.0
Gallia *	[2]23,311	404	17.3	401	17.2
Geauga	15,200	165	10.9	178	11.7
Greene	32,100	422	13.1	432	13.5
White	28,400	339	11.9	346	12.2
Colored	3,700	83	22.4	86	23.2
Guernsey	32,800	290	8.8	305	9.3
Hamilton	73,100	655	9.0	790	10.8
Hancock	20,500	205	10.0	206	[4]10.0
Hardin	[2]29,167	356	12.2	365	12.5
Harrison	19,900	222	11.2	242	12.2
Henry	[2]23,362	257	11.0	261	11.2
Highland	[2]27,610	360	13.0	365	13.2
Hocking	[2]23,291	243	10.4	257	11.0
Holmes	[2]16,965	203	12.0	209	12.3
Huron	[2]32,424	479	14.8	481	[4]14.8
Jackson	[2]27,342	277	10.1	296	10.8
Jefferson	52,500	531	10.1	596	11.4
Knox	[2]29,580	395	13.4	399	13.5
Lake	31,900	395	12.4	411	12.9
Lawrence	25,100	318	12.7	327	13.0
Licking	26,400	305	11.6	334	12.7
Logan	30,100	359	11.9	366	12.2
Lorain	32,800	401	12.2	435	13.3
Lucas	35,400	310	8.8	340	9.6
Madison	[2]19,662	250	12.7	272	13.8
Mahoning	50,100	475	9.5	517	10.3
Marion	14,000	178	12.7	183	13.1
Medina	27,500	355	12.9	378	13.7
Meigs	26,500	298	11.2	308	11.6
Mercer	[2]26,872	287	10.7	294	10.9
Miami	34,400	459	13.3	472	13.7
Monroe	[2]20,660	209	10.1	223	10.8
Montgomery* (exclusive of Nat'l Military Home)	62,500	859 292	18.4	873 292	18.6
Morgan	[2]14,555	230	15.8	226	15.5
Morrow	[2]15,570	187	12.0	201	12.9
Muskingum	27,800	295	10.6	330	11.9
Noble	[2]17,849	181	10.1	185	10.4
Ottawa	[2]22,193	277	12.5	286	12.9
Paulding	[2]18,736	190	10.1	199	10.6
Perry	36,500	348	9.5	388	10.6
Pickaway	[2]25,788	324	12.6	342	13.3
Pike	[2]14,151	173	12.2	183	12.9
Portage	39,600	480	12.1	507	12.8
Preble	[2]23,238	256	11.0	275	11.8
Putnam	[2]27,751	280	10.1	281	[4]10.1
Richland	27,600	362	13.1	374	13.6
Ross	25,700	312	12.1	308	12.0
Sandusky	24,300	270	11.1	286	11.8
Scioto	31,900	346	10.8	377	11.8
Seneca	28,100	381	13.6	398	14.2
Shelby	26,600	253	9.5	269	10.1
Stark *	57,400	846	14.7	874	15.2
Summit	(3)	402	(3)	422	(3)
Trumbull	50,300	538	10.7	594	11.8
Tuscarawas	55,300	655	11.8	660	11.9
Union	[2]20,918	211	10.1	223	10.7
Van Wert	[2]28,210	283	10.0	287	10.2
Vinton	[2]12,075	104	8.6	109	9.0
Warren	26,400	297	11.3	326	12.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
OHIO COUNTIES—continued					
Washington	[2] 27,788	330	11.9	342	12.3
Wayne	43,200	554	12.8	576	13.3
Williams	[2] 24,627	260	10.6	273	11.1
Wood	[2] 44,892	536	11.9	571	12.7
Wyandot	[2] 19,481	198	10.2	211	10.8
OREGON COUNTIES [11]					
Baker	[2] 17,929	163	9.1	164	[4] 9.1
Benton	15,500	133	8.6	138	8.9
Clackamas	42,100	404	9.6	442	10.5
Clatsop	10,400	76	7.3	92	8.8
Columbia	15,900	164	10.3	189	11.9
Coos	24,700	334	13.5	326	13.2
Crook	(12)	20	(12)	23	(12)
Curry	3,600	28	7.8	32	8.9
Deschutes	(12)	145	(12)	143	(12)
Douglas	22,300	207	9.3	233	10.4
Gilliam	4,100	23	5.6	27	6.6
Grant	[2] 5,496	40	7.3	46	8.4
Harney	[2] 3,992	38	9.5	40	10.0
Hood River	8,500	75	8.8	83	9.8
Jackson	[2] 20,405	303	14.8	302	[4] 14.8
Jefferson	(12)	12	(12)	16	(12)
White	(12)	4	(12)	8	(12)
Colored	(12)	8	(12)	8	(12)
Josephine	[2] 7,655	110	14.4	110	14.4
Klamath	13,000	178	13.7	168	12.9
Lake	[2] 3,991	38	9.5	39	9.8
Lane	26,100	233	8.9	298	11.4
Lincoln	6,400	91	14.2	103	16.1
Linn	25,600	276	10.8	287	11.2
Malheur	12,200	75	6.1	70	5.7
Marion	31,700	217	6.8	289	9.1
Morrow	6,300	33	5.2	40	6.3
Multnomah	(3)	292	(3)	346	(3)
Polk	14,600	158	10.8	169	11.6
Sherman	[2] 3,826	13	3.4	20	5.2
Tillamook	10,300	112	10.9	105	10.2
Umatilla *	29,100	333	11.4	323	11.1
Union	16,900	175	10.4	150	8.9
Wallowa	10,600	73	6.9	86	8.1
Wasco	[2] 13,648	154	11.3	140	10.3
Washington	29,100	268	9.2	285	9.8
Wheeler	3,000	6	2.0	12	4.0
Yamhill	21,800	222	10.2	249	11.4
PENNSYLVANIA COUNTIES [11]					
Adams	34,700	389	11.2	394	11.4
Allegheny	435,000	4,926	11.3	4,927	[4] 11.3
Armstrong	79,900	715	8.9	721	9.0
Beaver	81,400	936	11.5	944	11.6
Bedford	[2] 38,277	412	10.8	425	11.1
Berks *	98,100	1,441	14.7	1,359	13.9
Blair	73,200	782	10.7	795	10.9
Bradford	[2] 53,166	883	16.6	896	16.9
Bucks	73,000	964	13.2	1,019	14.0
Butler	54,600	596	10.9	611	11.2
Cambria	144,000	1,458	10.1	1,479	10.3
Cameron	[2] 6,297	66	10.5	69	11.0
Carbon	68,100	788	11.6	793	[4] 11.6
Centre	44,800	584	13.0	586	13.1
Chester	79,800	1,001	12.5	1,039	13.0
Clarion	[2] 36,170	366	10.1	371	10.3
Clearfield	94,300	841	8.9	849	9.0
Clinton	34,700	445	12.8	449	12.9
Columbia	[2] 34,189	464	13.6	467	13.7
Crawford	[2] 45,087	643	14.3	652	14.5
Cumberland	49,500	569	11.5	594	12.0
Dauphin	65,900	811	12.3	847	12.9
Delaware	136,000	1,440	10.6	1,482	10.9
Elk	[2] 34,981	395	11.3	401	11.5
PENNSYLVANIA COUNTIES—con.					
Erie	(3)	702	(3)	719	(3)
Fayette	166,000	1,678	10.1	1,687	10.2
Forest	[2] 7,477	62	8.3	63	8.4
Franklin	49,700	627	12.6	637	12.8
Fultorf	[2] 9,617	106	11.0	106	11.0
Greene	31,900	422	13.2	427	13.4
Huntingdon	40,700	472	11.6	481	11.8
Indiana	89,200	782	8.8	790	8.9
Jefferson	[2] 51,083	455	8.9	467	9.1
Juniata	[2] 14,464	177	12.2	178	12.3
Lackawanna	81,900	1,118	13.7	1,163	14.2
Lancaster	110,000	1,365	12.4	1,375	12.5
Lawrence	44,500	458	10.3	466	10.5
Lebanon	40,000	463	11.6	468	11.7
Lehigh *	61,300	916	14.9	926	15.1
Luzerne	243,000	2,754	11.3	2,904	12.0
Lycoming	41,700	502	12.0	507	12.2
McKean	33,700	338	10.0	357	10.6
Mercer	59,300	703	11.9	716	12.1
Mifflin	33,500	398	11.9	404	12.1
Monroe	25,100	380	15.1	387	15.4
Montgomery	163,000	1,957	12.0	1,976	12.1
Montour*	[2] 14,080	453	32.2	433	30.8
Northampton	79,700	861	10.8	870	10.9
Northumberland	72,100	822	11.4	829	11.5
Perry	[2] 22,875	281	12.3	291	12.7
Pike	[2] 6,818	104	15.3	116	17.0
Potter	[2] 21,089	234	11.1	243	11.5
Schuylkill	146,000	2,045	14.0	2,058	14.1
Snyder	17,300	198	11.4	201	11.6
Somerset	90,300	909	10.1	920	10.2
Sullivan	[2] 9,520	98	10.3	102	10.7
Susquehanna	[2] 34,763	442	12.7	477	13.7
Tioga	[2] 37,118	486	13.1	506	13.6
Union	[2] 15,850	195	12.3	199	12.6
Venango	37,500	500	13.3	513	13.7
Warren*	25,200	427	16.9	438	17.4
Washington	149,000	1,286	8.6	1,306	8.8
Wayne	[2] 27,435	380	13.9	392	14.3
Westmoreland	234,000	2,192	9.4	2,218	9.5
Wyoming	[2] 14,101	193	13.7	199	14.1
York	100,000	1,082	10.8	1,095	11.0
RHODE ISLAND COUNTIES [9,11]					
Bristol	12,935	120	9.3	135	10.4
Kent	10,943	149	13.6	188	17.2
Newport	13,808	169	12.2	178	12.9
Providence	51,283	554	10.8	635	12.4
Washington	29,780	362	12.2	393	13.2
SOUTH CAROLINA COUNTIES [9,11]					
Abbeville	(12)	331	(12)	----	----
White	(12)	144	(12)	----	----
Colored	(12)	187	(12)	----	----
Aiken	47,700	531	11.1	----	----
White	23,000	249	10.8	----	----
Colored	24,700	282	11.4	----	----
Allendale	(12)	223	(12)	----	----
White	(12)	43	(12)	----	----
Colored	(12)	180	(12)	----	----
Anderson	69,100	516	7.5	----	----
White	45,600	298	6.5	----	----
Colored	23,500	218	9.3	----	----
Bamberg	22,300	264	11.8	----	----
White	7,100	68	9.6	----	----
Colored	15,200	196	12.9	----	----
Barnwell	(12)	232	(12)	----	----
White	(12)	68	(12)	----	----
Colored	(12)	164	(12)	----	----
SOUTH CAROLINA COUNTIES—con.					
Beaufort	(12)	460	(12)	----	----
White	(12)	38	(12)	----	----
Colored	(12)	422	(12)	----	----
Berkeley	[2] 22,558	374	16.6	----	----
White	6,199	70	11.3	----	----
Colored	16,359	304	18.6	----	----
Calhoun	19,400	222	11.4	----	----
White	6,800	32	4.7	----	----
Colored	12,600	190	15.1	----	----
Charleston	42,900	610	14.2	----	----
White	10,000	71	7.1	----	----
Colored	32,900	539	16.4	----	----
Cherokee	28,400	359	12.6	----	----
White	19,700	208	10.6	----	----
Colored	8,700	151	17.4	----	----
Chester	35,600	382	10.7	----	----
White	16,200	144	8.9	----	----
Colored	19,400	238	12.3	----	----
Chesterfield	35,200	417	11.8	----	----
White	21,400	203	9.5	----	----
Colored	13,800	214	15.5	----	----
Clarendon	36,400	359	9.9	----	----
White	10,300	56	5.4	----	----
Colored	26,100	303	11.6	----	----
Colleton	30,400	302	9.9	----	----
White	12,900	80	6.2	----	----
Colored	17,500	222	12.7	----	----
Darlington	40,900	506	12.4	----	----
White	18,200	166	9.1	----	----
Colored	22,700	340	15.0	----	----
Dillon	26,800	261	9.7	----	----
White	12,900	114	8.8	----	----
Colored	13,900	147	10.6	----	----
Dorchester	20,300	257	12.7	----	----
White	8,600	100	11.6	----	----
Colored	11,700	157	13.4	----	----
Edgefield	(12)	241	(12)	----	----
White	(12)	61	(12)	----	----
Colored	(12)	180	(12)	----	----
Fairfield	[2] 27,159	292	10.8	----	----
White	6,487	72	11.1	----	----
Colored	20,672	220	10.6	----	----
Florence	45,600	531	11.6	----	----
White	23,400	225	9.6	----	----
Colored	22,200	306	13.8	----	----
Georgetown	[2] 21,716	379	17.5	----	----
White	7,254	70	9.6	----	----
Colored	14,462	309	21.4	----	----
Greenville	72,600	734	10.1	----	----
White	56,900	549	9.6	----	----
Colored	15,700	185	11.8	----	----
Greenwood	(12)	455	(12)	----	----
White	(12)	210	(12)	----	----
Colored	(12)	245	(12)	----	----
Hampton	(12)	206	(12)	----	----
White	(12)	54	(12)	----	----
Colored	(12)	152	(12)	----	----
Horry	35,000	373	10.7	----	----
White	26,700	212	7.9	----	----
Colored	8,300	161	19.4	----	----
Jasper	(12)	141	(12)	----	----
White	(12)	25	(12)	----	----
Colored	(12)	116	(12)	----	----
Kershaw	30,700	334	10.9	----	----
White	13,300	119	8.9	----	----
Colored	17,400	215	12.4	----	----
Lancaster	29,700	277	9.3	----	----
White	16,700	132	7.9	----	----
Colored	13,000	145	11.2	----	----
Laurens	43,100	525	12.2	----	----
White	21,400	214	10.0	----	----
Colored	21,700	311	14.3	----	----

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
SOUTH CAROLINA COUNTIES—con.					
Lee	27,700	328	11.8	.....	.....
White	9,200	94	10.2	.....	.....
Colored	18,500	234	12.6	.....	.....
Lexington	37,700	366	9.7	.....	.....
White	26,000	190	7.3	.....	.....
Colored	11,700	176	15.0	.....	.....
McCormick	(12)	155	(12)	.....	.....
White	(12)	51	(12)	.....	.....
Colored	(12)	104	(12)	.....	.....
Marion	25,500	300	11.8	.....	.....
White	11,200	113	10.1	.....	.....
Colored	14,300	187	13.1	.....	.....
Marlboro	34,300	447	13.0	.....	.....
White	14,200	168	11.8	.....	.....
Colored	20,100	279	13.9	.....	.....
Newberry	36,100	370	10.2	.....	.....
White	16,200	146	9.0	.....	.....
Colored	19,900	224	11.3	.....	.....
Oconee	31,700	311	9.8	.....	.....
White	25,500	226	8.9	.....	.....
Colored	6,200	85	13.7	.....	.....
Orangeburg	70,000	837	12.0	.....	.....
White	23,900	188	7.9	.....	.....
Colored	46,100	649	14.1	.....	.....
Pickens	30,000	280	9.3	.....	.....
White	25,300	200	7.9	.....	.....
Colored	4,700	80	17.0	.....	.....
Richland	49,900	531	10.6	.....	.....
White	24,400	151	6.2	.....	.....
Colored	25,500	380	14.9	.....	.....
Saluda	22,700	176	7.8	.....	.....
White	10,800	80	7.4	.....	.....
Colored	11,900	96	8.1	.....	.....
Spartanburg	74,800	714	9.5	.....	.....
White	55,500	480	8.6	.....	.....
Colored	19,300	234	12.1	.....	.....
Sumter	45,600	726	15.9	.....	.....
White	13,800	169	12.2	.....	.....
Colored	31,800	557	17.5	.....	.....
Union	30,600	288	9.4	.....	.....
White	17,300	170	9.8	.....	.....
Colored	13,300	118	8.9	.....	.....
Williamsburg	39,100	450	11.5	.....	.....
White	12,300	86	7.0	.....	.....
Colored	26,800	364	13.6	.....	.....
York	52,100	581	11.2	.....	.....
White	28,400	276	9.7	.....	.....
Colored	23,700	305	12.9	.....	.....
TENNESSEE COUNTIES [11]					
Anderson	18,600	154	8.3	159	8.5
Bedford	[2] 21,737	245	11.3	248	11.4
White	17,378	187	10.8	191	11.0
Colored	4,359	58	13.3	57	13.1
Benton	[2] 12,046	95	7.9	95	7.9
Bledsoe	7,700	48	6.2	49	6.4
Blount	33,300	310	9.3	323	9.7
Bradley	20,000	262	13.1	262	13.1
Campbell	28,800	106	3.7	117	4.1
Cannon	[2] 10,241	83	8.1	87	8.5
Carroll	24,600	232	9.4	241	9.8
White	20,300	187	9.2	194	9.6
Colored	4,300	45	10.5	47	10.9
Carter	22,400	255	11.4	258	11.5
Cheatham	[2] 10,039	85	8.5	89	8.9
White	8,912	62	7.0	66	7.4
Colored	1,127	23	20.4	23	20.4
Chester	10,000	90	9.0	91	9.1
White	8,400	70	8.3	71	8.5
Colored	1,600	20	12.5	20	12.5
TENNESSEE COUNTIES—con.					
Claiborne	[2] 23,286	120	5.2	125	5.4
Clay	9,300	64	6.9	64	6.9
Cocke	21,600	238	11.0	242	11.2
Coffee	18,300	128	7.0	131	7.2
Crockett	18,200	138	7.6	144	7.9
White	14,600	103	7.1	109	7.5
Colored	3,600	35	9.7	35	9.7
Cumberland	10,500	49	4.7	50	4.8
Davidson*	42,000	812	19.3	842	20.0
White	37,800	602	15.9	619	16.4
Colored	4,200	210	50.0	223	53.1
Decatur	10,300	55	5.3	57	5.5
De Kalb	[2] 15,370	136	8.8	136	8.8
Dickson	[2] 19,342	141	7.3	147	7.6
White	16,995	114	6.7	119	7.0
Colored	2,347	27	11.5	28	11.9
Dyer	31,300	317	10.1	320	10.2
White	26,000	250	9.6	254	9.8
Colored	5,300	67	12.6	66	12.4
Fayette	32,200	336	10.4	349	10.8
White	8,200	70	8.5	79	9.6
Colored	24,000	266	11.1	270	11.3
Fentress	12,100	37	3.1	41	3.4
Franklin	20,700	221	10.7	228	11.0
White	18,300	191	10.4	197	10.8
Colored	2,400	30	12.5	31	12.9
Gibson	44,400	447	10.1	464	10.5
White	34,600	322	9.3	334	9.7
Colored	9,800	125	12.8	130	13.3
Giles	[2] 30,948	266	8.6	273	8.8
White	21,516	163	7.6	169	7.9
Colored	9,432	103	10.9	104	11.0
Grainger	[2] 13,369	142	10.6	145	10.8
Greene	33,800	382	11.3	387	11.4
Grundy	10,600	53	5.0	60	5.7
Hamblen	15,900	199	12.5	204	12.8
White	14,200	169	11.9	173	12.2
Colored	1,700	30	17.6	31	18.2
Hamilton	61,500	510	8.3	510	8.3
White	51,700	433	8.4	432	[4] 8.4
Colored	9,800	77	7.9	78	8.0
Hancock	[2] 10,454	75	7.2	75	7.2
Hardeman	[2] 22,278	254	11.4	264	11.9
White	13,028	133	10.2	141	10.8
Colored	9,250	121	13.1	123	13.3
Hardin	[2] 17,291	94	5.4	96	5.6
White	15,359	72	4.7	74	4.8
Colored	1,932	22	11.4	22	11.4
Hawkins	[2] 22,918	139	6.1	141	6.2
Haywood	[2] 25,386	329	13.0	341	13.4
White	8,427	95	11.3	103	12.2
Colored	16,959	234	13.8	238	14.0
Henderson	19,200	140	7.3	146	7.6
Henry	28,100	245	8.7	248	8.8
White	22,800	187	8.2	190	8.3
Colored	5,300	58	10.9	58	10.9
Hickman	[2] 16,216	114	7.0	118	7.3
White	14,288	104	7.3	106	7.4
Colored	1,928	10	5.2	12	6.2
Houston	[2] 6,212	27	4.3	27	4.3
White	5,525	24	4.3	24	4.3
Colored	687	3	4.4	3	4.4
Humphreys	[2] 13,482	137	10.2	147	10.9
Jackson	[2] 14,955	119	8.0	121	8.1
Jefferson	[2] 17,677	199	11.3	202	11.4
Johnson	[2] 12,230	115	9.4	115	9.4
Knox	28,100	452	16.1	478	17.0
TENNESSEE COUNTIES—con.					
Lake	9,300	85	9.1	91	9.8
White	6,400	53	8.3	58	9.1
Colored	2,900	32	11.0	33	11.4
Lauderdale	21,700	290	13.4	294	13.5
White	13,100	152	11.6	155	11.8
Colored	8,600	138	16.0	139	16.2
Lawrence	27,000	206	7.6	216	8.0
Lewis	[2] 5,707	47	8.2	48	8.4
White	5,021	43	8.6	44	8.8
Colored	686	4	5.8	4	5.8
Lincoln	[2] 25,786	247	9.6	248	[4] 9.6
White	20,928	185	8.8	186	8.9
Colored	4,858	62	12.8	62	12.8
Loudoun	17,800	179	10.1	184	10.3
McMinn	27,400	239	8.7	247	9.0
McNairy	19,500	140	7.2	143	7.3
Macon	15,100	111	7.4	115	7.6
Madison	26,400	274	10.4	277	10.5
White	15,000	135	9.0	138	9.2
Colored	11,400	139	12.2	139	12.2
Marion	[2] 17,402	162	9.3	166	9.5
Marshall	17,700	180	10.2	184	10.4
White	14,800	136	9.2	139	9.4
Colored	2,900	44	15.2	45	15.5
Maury	[2] 35,403	397	11.2	406	11.5
White	23,453	251	10.7	259	11.0
Colored	11,950	146	12.2	147	12.3
Meigs	[2] 6,077	43	7.1	44	7.2
Monroe	22,800	178	7.8	186	8.2
Montgomery	[2] 32,265	395	12.2	400	12.4
White	20,333	226	11.1	231	11.4
Colored	11,932	169	14.2	169	14.2
Moore	[2] 4,491	44	9.8	44	9.8
Morgan	14,300	113	7.9	115	8.0
Obion	[2] 28,393	341	12.0	344	12.1
White	24,289	276	11.4	279	11.5
Colored	4,104	65	15.8	65	15.8
Overton	18,600	106	5.7	112	6.0
Perry	[2] 7,765	56	7.2	57	7.3
Pickett	5,300	30	5.7	30	5.7
Polk	14,300	122	8.5	125	8.7
Putnam	23,560	172	7.3	184	7.8
Rhea	[2] 13,812	139	10.1	142	10.3
Roane	25,600	255	10.0	262	10.2
Robertson	25,700	304	11.8	322	12.5
White	20,600	218	10.6	231	11.2
Colored	5,100	86	16.9	91	17.8
Rutherford	[2] 33,059	393	11.9	408	12.3
White	23,273	248	10.7	257	11.0
Colored	9,786	145	14.8	151	15.4
Scott	13,700	52	3.8	54	3.9
Sequatchie	[2] 3,632	26	7.2	26	7.2
Sevier	22,400	156	7.0	163	7.3
Shelby	66,700	1,105	16.6	1,147	17.2
White	26,400	310	12.0	343	13.0
Colored	40,300	789	19.6	804	20.0
Smith	[2] 17,134	171	10.0	178	10.4
Stewart	[2] 14,664	117	8.0	117	8.0
Sullivan	40,900	385	9.4	393	9.6
Sumner	28,900	355	12.3	364	12.6
White	24,560	281	11.5	290	11.8
Colored	4,400	74	16.8	74	16.8
Tipton	30,700	232	7.6	249	8.1
White	17,700	128	7.2	142	8.0
Colored	13,000	104	8.0	107	8.2
Trousdale	6,100	67	11.0	68	11.1
White	4,400	39	8.9	40	9.1
Colored	1,700	28	16.5	28	16.5

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
TENNESSEE COUNTIES—con.					
Unicoi	11,800	89	7.5	95	8.1
Union	11,700	51	4.4	52	4.4
Van Buren	[2] 2,624	13	5.0	13	5.0
Warren	17,700	186	10.5	192	10.8
Washington	22,600	274	12.1	277	12.3
Wayne	13,300	50	3.8	52	3.9
Weakley	[2] 31,053	283	9.1	287	9.2
White	15,900	172	10.8	176	11.1
Williamson	[2] 23,409	197	8.4	219	9.4
White	16,863	129	7.6	141	8.4
Colored	6,546	68	10.4	78	11.9
Wilson	26,700	231	8.7	239	9.0
White	21,300	168	7.9	175	8.2
Colored	5,400	63	11.7	64	11.9
UTAH COUNTIES [11]					
Beaver	5,400	46	8.5	52	9.6
Box Elder	21,600	121	5.6	136	6.3
Cache	29,200	233	8.0	227	7.8
Carbon	19,400	165	8.5	173	8.9
Daggett	[12]	2	[12]	2	[12]
Davis	12,200	84	6.9	94	7.7
Duchesne	[12]	62	[12]	69	[12]
Emery	7,800	54	6.9	62	7.9
Garfield	5,400	16	3.0	18	3.3
Grand	1,900	19	10.0	19	10.0
Iron	6,800	61	9.0	58	8.5
Juab	[2] 9,871	77	7.8	101	10.2
Kane	2,300	21	9.1	22	9.6
Millard	11,700	65	5.6	73	6.2
Morgan	2,600	14	5.4	16	6.2
Piute	3,400	14	4.1	16	4.7
Rich	1,900	10	5.3	12	6.3
Salt Lake	44,100	342	7.8	462	10.5
San Juan	3,900	14	3.6	15	3.8
White	3,300	14	4.2	15	4.5
Colored	600				
Sanpete	18,000	136	7.6	156	8.7
Sevier	12,100	116	9.6	107	8.8
Summit	[2] 7,862	99	12.6	111	14.1
Tooele	8,000	65	8.1	75	9.4
Uintah	[12]	55	[12]	57	[12]
White	[12]	47	[12]	49	[12]
Colored	[12]	8	[12]	8	[12]
Utah	31,200	294	9.4	320	10.3
Wasatch	[12]	46	[12]	55	[12]
Washington	7,700	48	6.2	50	6.5
Wayne	2,300	16	7.0	21	9.1
Weber	11,300	62	5.5	75	6.6
VERMONT COUNTIES [11]					
Addison	[2] 18,666	209	11.2	235	12.6
Bennington	21,700	296	13.6	312	14.4
Caledonia	[2] 25,762	386	15.0	408	15.8
Chittenden	20,300	299	14.7	314	15.5
Essex	[2] 7,364	88	12.0	103	14.0
Franklin	30,100	414	13.8	418	13.9
Grand Isle	3,800	30	7.9	33	8.7
Lamoille	[2] 11,858	142	12.0	155	13.1
Orange	[2] 17,279	258	14.9	272	15.7
Orleans	24,200	296	12.2	306	12.6
Rutland	[2] 30,461	440	14.4	487	16.0
Washington*	[2] 28,913	497	17.2	496	17.2
Windham*	[2] 26,373	501	19.0	501	19.0
Windsor	38,900	459	11.8	510	13.1
VIRGINIA COUNTIES [11]					
Accomac	[2] 34,795	452	13.0	458	13.2
White	21,581	219	10.1	224	10.4
Colored	13,214	233	17.6	234	17.7
Albemarle	[2] 26,005	432	16.6	335	12.9
White	18,436	266	14.4	203	11.0
Colored	7,569	166	21.9	132	17.4
VIRGINIA COUNTIES—con.					
Alleghany	16,000	188	11.8	197	12.3
White	13,700	146	10.7	149	10.9
Colored	2,300	42	18.3	48	20.9
Amelia	10,400	126	12.1	133	12.8
White	5,000	36	7.2	41	8.2
Colored	5,400	90	16.7	92	17.0
Amherst	20,200	229	11.3	251	12.4
White	13,300	146	11.0	159	12.0
Colored	6,900	83	12.0	92	13.3
Appomattox	9,500	114	12.0	120	12.6
White	6,800	63	9.3	68	10.0
Colored	2,700	51	18.9	52	19.3
Arlington	20,000	196	9.8	260	13.0
White	17,400	137	7.9	188	10.8
Colored	2,600	59	22.7	72	27.7
Augusta	35,900	371	10.3	388	10.8
White	31,900	304	9.5	318	10.0
Colored	4,000	67	16.8	70	17.5
Bath	[2] 6,389	73	11.4	78	12.2
White	5,458	61	11.2	62	11.4
Colored	931	12	12.9	16	17.2
Bedford	31,300	328	10.5	344	11.0
White	23,600	209	8.9	215	9.1
Colored	7,700	119	15.5	129	16.8
Bland	5,800	50	8.6	53	9.1
Botetourt	[2] 16,557	150	9.1	162	9.8
White	13,586	121	8.9	134	9.9
Colored	2,971	29	9.8	28	9.4
Bristol (city)	7,000	99	14.1	94	13.4
White	6,000	80	13.3	75	12.5
Colored	1,000	19	19.0	19	19.0
Brunswick	22,000	257	11.7	275	12.5
White	9,600	88	9.2	100	10.4
Colored	12,400	169	13.6	175	14.1
Buchanan	17,200	147	8.5	148	8.6
Buckingham	[2] 14,885	199	13.4	208	14.0
White	8,038	88	10.9	95	11.8
Colored	6,847	111	16.2	113	16.5
Buena Vista (city)	4,300	37	8.6	36	8.4
Campbell	28,800	319	11.1	343	11.9
White	20,400	212	10.4	225	11.0
Colored	8,400	107	12.7	118	14.0
Caroline	[2] 15,954	175	11.0	183	11.5
White	7,877	74	9.4	80	10.2
Colored	8,077	101	12.5	103	12.8
Carroll	21,400	162	7.6	167	7.8
Charles City	[2] 4,793	67	14.0	68	14.2
White	1,086	9	8.3	10	9.2
Colored	3,707	58	15.6	58	15.6
Charlotte	18,500	186	10.1	191	10.3
White	11,400	82	7.2	86	7.5
Colored	7,100	104	14.6	105	14.8
Chesterfield	22,000	221	10.0	249	11.3
White	14,500	114	7.9	136	9.4
Colored	7,500	107	14.3	113	15.1
Clarke	[2] 7,165	95	13.3	97	13.5
White	5,422	59	10.9	61	11.3
Colored	1,743	36	20.7	36	20.7
Clifton Forge* (city)	6,400	111	17.3	86	13.4
White	5,400	87	16.1	69	12.8
Colored	1,000	24	24.0	17	17.0
Craig	[2] 4,100	41	10.0	46	11.2
Culpeper	[2] 13,292	147	11.1	163	12.3
White	8,598	106	12.3	117	13.6
Colored	4,694	41	8.7	46	9.8
Cumberland	[2] 9,111	129	14.2	131	14.4
White	3,357	33	9.8	33	9.8
Colored	5,754	96	16.7	98	17.0
VIRGINIA COUNTIES—con.					
Dickenson	16,000	108	6.8	108	6.8
Dinwiddie*	18,600	390	21.0	401	21.6
White	6,900	62	9.0	70	10.1
Colored	11,700	328	28.0	331	28.3
Elizabeth City*	26,300	326	19.8	314	19.3
White		147		133	
Colored		179		181	
National Military Home	18,000	194	17.8	194	17.1
White	8,300	174	24.0	174	24.2
Colored		20		20	
Essex	[2] 8,542	106	12.4	109	12.8
White	3,644	32	8.8	33	9.1
Colored	4,898	74	15.1	76	15.5
Fairfax	23,200	230	9.9	272	11.7
White	18,700	164	8.8	201	10.7
Colored	4,500	66	14.7	71	15.8
Fauquier	[2] 21,869	218	10.0	235	10.7
White	14,934	133	8.9	146	9.8
Colored	6,935	85	12.3	89	12.8
Floyd	[2] 13,115	106	8.1	113	8.6
Fluvanna	8,700	96	11.0	106	12.2
White	5,200	41	7.9	47	9.0
Colored	3,500	55	15.7	59	16.9
Franklin	[2] 26,283	244	9.3	256	9.7
White	21,671	166	7.7	176	8.1
Colored	4,612	78	16.9	80	17.3
Frederick	[2] 12,461	134	10.8	135	10.8
Fredericksburg(city)	5,900	131	22.2	126	21.4
White	4,900	94	19.2	90	18.4
Colored	1,000	37	37.0	36	36.0
Giles	12,100	139	11.5	142	11.7
Gloucester	[2] 11,894	100	8.4	107	9.0
White	6,313	45	7.1	51	8.1
Colored	5,581	55	9.9	56	10.0
Goochland	[2] 8,863	106	12.0	119	13.4
White	4,080	37	9.1	43	10.5
Colored	4,783	69	14.4	76	15.9
Grayson	[2] 19,816	185	9.3	189	9.5
Greene	[2] 6,369	50	7.9	56	8.8
White	5,270	43	8.2	47	8.9
Colored	1,099	7	6.4	9	8.2
Greensville	[2] 11,606	157	13.5	165	14.2
White	4,779	49	10.3	55	11.5
Colored	6,827	108	15.8	110	16.1
Halifax	42,100	497	11.8	506	12.0
White	22,000	190	8.6	194	8.8
Colored	20,100	307	15.3	312	15.5
Hanover	18,600	218	11.7	231	12.4
White	11,300	105	9.3	115	10.2
Colored	7,300	113	15.5	116	15.9
Harrisonburg (city)	6,400	99	15.5	99	15.5
White	5,700	82	14.4	82	14.4
Colored	700	17	24.3	17	24.3
Henrico	24,700	274	11.1	313	12.7
White	16,900	182	10.8	213	12.6
Colored	7,800	92	11.8	100	12.8
Henry	21,200	298	14.1	303	14.3
White	13,900	160	11.5	166	11.9
Colored	7,300	138	18.9	137	18.8
Highland	[2] 4,931	59	12.0	62	12.6
Isle of Wight	[2] 14,433	164	11.4	176	12.2
White	7,283	72	9.9	83	11.4
Colored	7,150	92	12.9	93	13.0
James City*	[2] 6,138	158	25.7	136	22.2
White	3,417	100	29.3	76	22.2
Colored	2,721	58	21.3	60	22.1
King and Queen	[2] 9,161	108	11.8	113	12.3
White	4,105	45	11.0	46	11.2
Colored	5,056	63	12.5	67	13.3

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
VIRGINIA COUNTIES—con.					
King George	[2] 5,762	56	9.7	60	10.4
White	3,470	30	8.6	34	9.8
Colored	2,292	26	11.3	26	11.3
King William	8,800	125	14.2	134	15.2
White	4,100	50	12.2	54	13.2
Colored	4,700	75	16.0	80	17.0
Lancaster	9,800	134	13.7	142	14.5
White	4,800	60	12.5	66	13.8
Colored	5,000	74	14.8	76	15.2
Lee	26,100	268	10.3	277	10.6
Loudoun	[2] 20,577	272	13.2	285	13.9
White	15,765	200	12.7	209	13.3
Colored	4,812	72	15.0	76	15.8
Louisa	17,400	188	10.8	206	11.8
White	9,600	81	8.4	87	9.1
Colored	7,800	107	13.7	119	15.3
Lunenburg	16,700	158	9.5	164	9.8
White	9,300	66	7.1	70	7.5
Colored	7,400	92	12.4	94	12.7
Madison	[2] 9,595	90	9.4	95	9.9
White	6,727	55	8.2	57	8.5
Colored	2,868	35	12.2	38	13.2
Mathews	[2] 8,447	96	11.4	103	12.2
White	6,084	60	9.9	66	10.8
Colored	2,363	36	15.2	37	15.7
Mecklenburg	32,500	405	12.5	421	13.0
White	15,800	129	8.2	133	8.4
Colored	16,700	276	16.5	288	17.2
Middlesex	[2] 8,157	101	12.4	107	13.1
White	4,040	32	7.9	37	9.2
Colored	4,117	69	16.8	70	17.0
Montgomery	19,300	236	12.2	253	13.1
White	17,400	197	11.3	210	12.1
Colored	1,900	39	20.5	43	22.6
Nansemond	20,700	306	14.8	306	14.8
White	7,600	70	9.2	69	9.1
Colored	13,100	236	18.0	237	18.1
Nelson	17,500	185	10.6	209	11.9
White	12,600	115	9.1	133	10.6
Colored	4,900	70	14.3	76	15.5
New Kent	[2] 4,541	57	12.6	63	13.9
White	1,879	19	10.1	23	12.2
Colored	2,662	38	14.3	40	15.0
Norfolk	41,400	496	12.0	537	13.0
White	27,600	171	6.2	202	7.3
Colored	13,800	325	23.6	335	24.3
Northampton	18,500	165	8.9	170	9.2
White	8,800	57	6.5	60	6.8
Colored	9,700	108	11.1	110	11.3
Northumberland	11,900	129	10.8	138	11.6
White	6,700	69	10.3	77	11.5
Colored	5,200	60	11.5	61	11.7
Nottoway	14,600	234	16.0	202	13.8
White	8,400	75	8.9	80	9.5
Colored	6,200	159	25.6	122	19.7
Orange	[2] 13,320	140	10.5	149	11.2
White	8,455	67	7.9	75	8.9
Colored	4,865	73	15.0	74	15.2
Page	15,100	150	9.9	148	9.8
Patrick	[2] 16,850	138	8.2	137	8.1
Pittsylvania	59,800	565	9.4	604	10.1
White	39,900	311	7.8	345	8.6
Colored	19,900	254	12.8	259	13.0
Powhatan	6,800	74	10.9	78	11.5
White	2,700	18	6.7	23	8.5
Colored	4,100	56	13.7	55	13.4
Prince Edward	15,000	217	14.5	224	14.9
White	7,000	75	10.7	79	11.3
Colored	8,000	142	17.8	145	18.1
VIRGINIA COUNTIES—con.					
Prince George [13]	18,000	187	10.4	210	11.7
White	12,100	89	7.4	108	8.9
Colored	5,900	98	16.6	102	17.3
Prince William	14,600	129	8.8	140	9.6
White	11,800	101	8.6	106	9.0
Colored	2,800	28	10.0	34	12.1
Princess Anne *	14,800	270	18.2	269	[4]18.2
White	8,000	96	12.0	91	11.4
Colored	6,800	174	25.6	178	26.2
Pulaski	[2] 17,111	202	11.8	204	11.9
White	14,686	169	11.5	169	11.5
Colored	2,425	33	13.6	35	14.4
Radford (city)	4,900	53	10.8	56	11.4
White	4,400	46	10.5	49	11.1
Colored	500	7	14.0	7	14.0
Rappahannock	8,100	94	11.6	97	12.0
White	5,900	74	12.5	75	12.7
Colored	2,200	20	9.1	22	10.0
Richmond	7,400	80	10.8	80	10.8
White	4,600	38	8.3	37	8.0
Colored	2,800	42	15.0	43	15.4
Roanoke	25,600	326	12.7	302	11.8
White	23,000	273	11.9	246	10.7
Colored	2,600	53	20.4	56	21.5
Rockbridge	[2] 20,626	257	12.5	262	12.7
White	17,954	212	11.8	217	12.1
Colored	2,672	45	16.8	45	16.8
Rockingham	30,100	279	9.3	290	9.6
Russell	28,700	217	7.6	221	7.7
Scott	25,300	232	9.2	237	9.4
Shenandoah	[2] 20,808	235	11.3	237	11.4
Smyth	23,100	257	11.1	256	[4]11.1
Southampton	28,300	335	11.8	343	12.1
White	10,900	107	9.8	112	10.3
Colored	17,400	228	13.1	231	13.3
Spotsylvania	10,900	105	9.6	108	9.9
White	7,600	65	8.6	68	8.9
Colored	3,300	40	12.1	40	12.1
Stafford	8,100	78	9.6	81	10.0
White	6,700	62	9.3	64	9.6
Colored	1,400	16	11.4	17	12.1
Suffolk (city)	10,000	249	24.9	235	23.5
White	6,100	106	17.4	100	16.4
Colored	3,900	143	36.7	135	34.6
Surry	[2] 9,305	139	14.9	140	15.0
White	3,612	38	10.5	38	10.5
Colored	5,693	101	17.7	102	17.9
Sussex	[2] 12,834	212	16.5	226	17.6
White	4,405	49	11.1	57	12.9
Colored	8,429	163	19.3	169	20.0
Tazewell	29,500	291	9.9	300	10.2
White	26,500	254	9.6	259	9.8
Colored	3,000	37	12.3	41	13.7
Warren	9,000	87	9.7	95	10.6
White	7,900	74	9.4	81	10.3
Colored	1,100	13	11.8	14	12.7
Warwick	13,000	88	6.8	95	7.3
White	9,600	39	4.1	42	4.4
Colored	3,400	49	14.4	53	15.6
Washington	[2] 32,376	404	12.5	407	12.6
Westmoreland	10,800	100	9.3	102	9.4
White	5,500	40	7.3	42	7.6
Colored	5,300	60	11.3	60	11.3
Winchester (city)	7,800	182	23.3	177	22.7
White	6,900	153	22.2	149	21.6
Colored	900	29	32.2	28	31.1
Wise	53,500	520	9.7	519	[4] 9.7
Wythe	[2] 20,217	207	10.2	222	11.0
York	8,200	77	9.4	81	9.9
White	4,900	33	6.7	36	7.3
Colored	3,300	44	13.3	45	13.6
WASHINGTON COUNTIES [11]					
Adams	[2] 9,623	47	4.9	51	5.3
Asotin	6,900	65	9.4	70	10.1
Benton	12,600	66	5.2	90	7.1
Chelan	24,200	270	11.2	257	10.6
Clallam	14,000	157	11.2	154	11.0
Clarke	22,100	165	7.5	192	8.7
Columbia	[2] 6,093	48	7.9	55	9.0
Cowlitz	[2] 11,791	183	15.5	204	17.3
Douglas	9,500	49	5.2	55	5.8
Ferry	5,300	58	10.9	60	11.3
White	4,500	50	11.1	50	11.1
Colored	800	8	10.0	10	12.5
Franklin	6,300	59	9.4	55	8.7
Garfield	[2] 3,875	36	9.3	42	10.8
Grant	[2] 7,771	42	5.4	49	6.3
Grays Harbor	22,600	215	9.5	237	10.5
Island	5,900	42	7.1	50	8.5
Jefferson	[2] 6,557	89	13.6	93	14.2
King	(3)	771	(3)	868	(3)
Kitsap	42,000	289	6.9	351	8.4
Kittitas	[2] 17,737	155	8.7	156	8.8
Klickitat	[2] 9,268	78	8.4	92	9.9
Lewis	39,500	413	10.5	419	10.6
Lincoln	[2] 15,141	88	5.8	113	7.5
Mason	[2] 4,919	77	15.7	77	15.7
Okanogan	19,500	144	7.4	159	8.2
Pacific	16,200	150	9.3	158	9.8
Pend Oreille	(12)	52	(12)	60	(12)
Pierce*	52,900	723	13.7	823	15.6
San Juan	3,600	20	5.6	26	7.2
Skagit*	35,700	503	14.1	491	13.8
Skamania	[2] 2,357	25	10.6	27	11.5
Snohomish	43,200	420	9.7	468	10.8
Spokane*	33,500	466	13.9	522	15.6
Stevens	(12)	202	(12)	226	(12)
Thurston	25,100	264	10.5	287	11.4
Wahkiakum	3,600	22	6.1	28	7.8
Walla Walla	[2] 12,036	148	12.3	152	12.6
Whatcom	25,000	233	9.3	266	10.6
Whitman	[2] 31,323	236	7.5	262	8.4
Yakima	53,500	412	7.7	483	9.0
WEST VIRGINIA COUNTIES [11]					
Barbour	19,300	156	8.1	165	8.5
Berkeley	12,500	121	9.7	122	9.8
Boone	18,100	190	10.5	209	11.5
Braxton	24,500	199	8.1	210	8.6
Brooke	19,600	202	10.3	235	12.0
Cabell	13,100	163	12.4	171	13.1
Calhoun	[2] 10,268	84	8.2	87	8.5
Clay	12,200	85	7.0	91	7.5
Doddridge	[2] 11,976	100	8.4	105	8.8
Fayette	65,200	685	10.5	715	11.0
White	55,400	535	9.7	559	10.1
Colored	9,800	150	15.3	156	15.9
Gilmer	[2] 10,668	64	6.0	68	6.4
Grant	9,600	85	8.9	85	8.9
Greenbrier	27,000	356	13.2	357	[4] 13.2
Hampshire	11,700	122	10.4	123	10.5
Hancock	25,400	197	7.8	223	8.8
Hardy	9,900	81	8.2	83	8.4
Harrison	59,400	442	7.4	483	8.1
Jackson	[2] 18,658	135	7.2	139	7.4
Jefferson	[2] 15,729	190	12.1	191	[4] 12.1
White	12,711	155	12.2	155	12.2
Colored	3,018	35	11.6	36	11.9
Kanawha	92,300	671	7.3	760	8.2

See footnotes at end of table.

TABLE I B.—POPULATION, TOTAL DEATHS, DEATHS OF RESIDENTS, AND DEATH RATES PER 1,000 POPULATION, IN EACH CITY AND EACH COUNTY: 1925—Continued

[See note at head of this table, p. 4]

AREA AND COLOR	Estimated population, July 1, 1925	DEATHS (EXCLUSIVE OF STILLBIRTHS) 1925			
		Including nonresidents		Excluding all nonresidents and including residents who died elsewhere in registration area	
		Number	Rate per 1,000 population	Number	Rate per 1,000 population
WEST VIRGINIA COUNTIES—con.					
Lewis*	21,700	307	14.1	313	14.4
Lincoln	[2] 19,378	101	5.2	108	5.6
Logan	56,000	483	8.6	512	9.1
White	48,900	397	8.1	418	8.5
Colored	7,100	86	12.1	94	13.2
McDowell	80,300	888	11.1	905	11.3
White	60,200	590	9.8	602	10.0
Colored	20,100	298	14.8	303	15.1
Marion	40,300	374	9.3	388	9.6
Marshall	22,800	258	11.3	281	12.3
Mason	[2] 21,459	233	10.9	242	11.3
Mercer	36,800	357	9.7	387	10.5
White	34,600	303	8.8	327	9.5
Colored	2,200	54	24.5	60	27.3
Mineral	21,600	229	10.6	238	11.0
Mingo	30,300	283	9.3	287	9.5
Monongalia	25,100	312	12.4	313	12.6
Monroe	13,200	124	9.4	135	10.2
Morgan	8,600	77	9.0	79	9.2
Nicholas	22,400	197	8.8	207	9.2
Ohio	9,700	138	14.2	202	20.8
Pendleton	9,800	64	6.5	64	6.5
Pleasants	[2] 7,379	73	9.9	75	10.2
Pocahontas	15,200	175	11.5	175	11.5
Preston	28,900	279	9.7	273	9.4
Putnam	[2] 17,531	118	6.7	129	7.4
Raleigh	52,000	537	10.3	543	10.4
White	43,200	437	10.1	442	10.2
Colored	8,800	100	11.4	101	11.5
Randolph	27,200	293	10.8	286	10.5
Ritchie	[2] 16,506	130	7.9	136	8.2
Roane*	[2] 20,129	310	15.4	311	15.5
Summers	19,500	215	11.0	220	11.3
Taylor	20,000	204	10.2	208	10.4
Tucker	[2] 16,791	128	7.6	137	8.2
Tyler	[2] 14,186	130	9.2	134	9.4
Upshur	18,500	184	9.9	185	10.0
Wayne	27,100	168	6.2	182	6.7
Webster	12,600	122	9.7	123	9.8
Wetzel	[2] 23,069	218	9.4	230	10.0
Wirt	[2] 7,536	75	10.0	75	10.0
Wood	23,400	205	8.8	209	8.9
Wyoming	17,900	155	8.7	155	8.7
White	15,500	131	8.5	132	[4] 8.5
Colored	2,400	24	10.0	23	9.6
WISCONSIN COUNTIES [11]					
Adams	9,700	92	9.5	100	10.3
Ashland	14,700	143	9.7	181	12.3
Barron	37,200	307	8.3	302	8.1
Bayfield	17,900	135	7.5	164	9.2
Brown	32,000	244	7.6	285	8.9
Buffalo	[2] 15,615	117	7.5	135	8.6
WISCONSIN COUNTIES—con.					
Burnett	11,700	74	6.3	85	7.3
Calumet	17,500	141	8.1	169	9.7
Chippewa	39,000	401	10.3	401	10.3
Clark	38,000	257	6.8	287	7.6
Columbia	[2] 30,468	331	10.9	335	11.0
Crawford	17,000	148	8.7	160	9.4
Dane	49,800	508	10.2	556	11.2
Dodge	51,000	473	9.3	501	9.8
Door	19,300	189	9.8	194	10.1
Douglas	11,400	79	6.9	113	9.9
Dunn	27,900	228	8.2	261	9.4
Eau Claire	15,100	113	7.5	140	9.3
Florence	3,700	40	10.8	45	12.2
Fond du Lac	32,600	298	9.1	345	10.6
Forest	11,600	95	8.2	106	9.1
Grant	39,100	364	9.3	381	9.7
Green	[2] 21,568	221	10.2	236	10.9
Green Lake	[2] 14,875	141	9.5	145	9.7
Iowa	[2] 21,504	235	10.9	249	11.6
Iron	11,400	92	8.1	116	10.2
Jackson	18,100	160	8.8	181	10.0
Jefferson	35,400	395	11.2	408	11.5
Juneau	[2] 19,209	185	9.6	199	10.4
Kenosha	10,800	97	9.0	121	11.2
Kewaunee	[2] 16,091	151	9.4	178	11.1
La Crosse	14,100	146	10.4	181	12.8
Lafayette	[2] 20,002	188	9.4	201	10.0
Langlade	24,000	199	8.3	198	8.2
Lincoln	22,200	217	9.8	220	9.9
Manitowoc	33,300	303	9.1	329	9.9
Marathon	50,900	325	6.4	366	7.2
Marinette	21,000	160	7.6	191	9.1
Marquette	[2] 10,443	104	10.0	118	11.3
Milwaukee* (exclusive of National Military Home)	72,100	1,352 / 180	21.2	1,400 / 180	21.9
Monroe	[2] 28,666	312	10.9	323	11.3
Oconto	27,900	244	8.7	258	9.2
Oneida	15,400	200	13.0	199	12.9
Outagamie	37,400	337	9.0	373	10.0
Ozaukee	[2] 16,335	137	8.4	159	9.7
Pepin	[2] 7,481	65	8.7	78	10.4
Pierce	[2] 21,663	227	10.5	252	11.6
Polk	30,000	264	8.8	287	9.6
Portage	22,300	168	7.5	183	8.2
Price	21,200	147	6.9	168	7.9
Racine	23,500	229	9.7	250	10.6
Richland	20,400	217	10.6	221	10.8
Rock	26,600	272	10.2	306	11.5
Rusk	19,400	113	5.8	122	6.3
St. Croix	26,200	243	9.3	274	10.5
WISCONSIN COUNTIES—con.					
Sauk	[2] 32,548	370	11.4	391	12.0
Sawyer	9,400	75	8.0	87	9.3
White	8,700	60	6.9	72	8.3
Colored	700	15	21.4	15	21.4
Shawano	35,200	350	9.9	378	10.7
Sheboygan	29,200	300	10.3	321	11.0
Taylor	20,500	140	6.8	153	7.5
Trempealeau	[2] 5,400	216	8.5	248	9.8
Vernon	29,900	266	8.9	291	9.7
Vilas	[2] 5,649	72	12.7	83	14.7
Walworth	[2] 29,327	323	11.0	355	12.1
Washburn	13,200	76	5.8	91	6.9
Washington	26,800	263	9.8	275	10.3
Waukesha*	31,000	395	12.7	390	12.6
Waupaca	35,000	359	10.3	379	10.8
Waushara	[2] 16,712	151	9.0	161	9.6
Winnebago*	31,700	429	13.5	429	13.5
Wood	36,900	431	11.7	399	10.8
WYOMING COUNTIES [11]					
Albany	[2] 9,283	102	11.0	97	10.4
Big Horn	[12]	66	[12]	71	[12]
Campbell	[12]	35	[12]	37	[12]
Carbon	[2] 9,525	105	11.0	108	11.3
Converse	[12]	44	[12]	48	[12]
Crook	[12]	27	[12]	31	[12]
Fremont	[12]	137	[12]	140	[12]
White	[12]	70	[12]	73	[12]
Colored	[12]	67	[12]	67	[12]
Goshen	[12]	61	[12]	64	[12]
Hot Springs	[12]	62	[12]	60	[12]
Johnson	5,300	32	6.0	33	6.2
Laramie	[12]	28	[12]	28	[12]
Lincoln	[12]	84	[12]	90	[12]
Natrona	[3]	63	[3]	72	[3]
Niobrara	[12]	19	[12]	20	[12]
Park	[12]	40	[12]	44	[12]
Platte	[12]	74	[12]	80	[12]
Sheridan	19,200	182	9.5	188	9.8
Sublette	[12]	4	[12]	5	[12]
Sweetwater	14,800	170	11.5	175	11.8
Teton	[12]	11	[12]	12	[12]
Uinta	[12]	70	[12]	74	[12]
Washakie	[12]	29	[12]	30	[12]
Weston	[12]	30	[12]	30	[12]
Yellowstone National Park (part of) [14]	[2] 165	8	[15]	5	[15]

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.
[2] Population Jan. 1, 1920. Decrease between 1910 and 1920; no estimate made.
[3] Population not shown, pending the establishment of a more satisfactory estimate.
[4] The rate is not affected by the difference between total deaths and deaths of residents.
[5] Includes West Haven town, incorporated from part of Orange town, 1921.
[6] Population by State census, 1925.
[7] Population by special census, October, 1925.
[8] Population Jan. 1, 1920, including annexation since 1920. Decrease between 1910 and 1920; no estimate made.
[9] Reliable data for nonresidents not available.
[10] Estimate; State census not returned by color.
[11] Exclusive of municipalities of 10,000 inhabitants or more in 1920.
[12] Population not estimated; county formed from, or involved in the formation of, other counties.
[13] Including Hopewell city.
[14] Population and deaths returned for entire area.
[15] Rate not computed.

NOTE.—The high rates for Murphysboro and for Jackson, Franklin, and Hamilton Counties, Ill., were largely due to deaths from a tornado, and the high rate for Newport, R. I., was largely due to deaths in a steamship accident.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1924 AND 1925

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924
	All causes (exclusive of stillbirths)	1,219,019	1,173,990	1,182.3	1,183.5
	I.—Epidemic, endemic, and infectious diseases	174,354	169,978	169.1	171.3
1	Typhoid and paratyphoid fever	8,287	6,677	8.0	6.7
	Typhoid fever	8,213	6,601	8.0	6.7
	Paratyphoid fever	74	76	0.1	0.1
2	Typhus fever	8	9	(1)	(1)
3	Relapsing fever (spirillum obermeieri)		1		(1)
4	Malta fever				
5	Malaria	2,132	2,441	2.1	2.5
6	Smallpox	709	874	0.7	0.9
7	Measles	2,404	8,517	2.3	8.6
8	Scarlet fever	2,762	3,122	2.7	3.1
9	Whooping cough	6,948	8,188	6.7	8.3
10	Diphtheria	8,058	9,316	7.8	9.4
11	Influenza	30,538	19,374	29.6	19.5
	With pulmonary complications specified	18,344	11,889	17.8	12.0
	Without pulmonary complications specified	12,194	7,485	11.8	7.5
12	Miliary fever				
13	Mumps	142	144	0.1	0.1
14	Asiatic cholera				
15	Cholera nostras	192	130	0.2	0.1
16	Dysentery	3,257	2,946	3.2	3.0
	Amebic	235	218	0.2	0.2
	Bacillary	445	300	0.4	0.3
	Unspecified or due to other causes	2,577	2,428	2.5	2.4
17	Plague	1	30	(1)	(1)
	Bubonic	1	3	(1)	(1)
	Pneumonic		27		(1)
	Septicemic				
	Unspecified				
18	Yellow fever		1		(1)
19	Spirochetal hemorrhagic jaundice	52	45	0.1	(1)
20	Leprosy	30	15	(1)	(1)
21	Erysipelas	2,455	2,458	2.4	2.5
22	Acute anterior poliomyelitis	1,519	1,079	1.5	1.1
23	Lethargic encephalitis	1,630	1,441	1.6	1.5
24	Meningococcus meningitis	1,095	964	1.1	1.0
25	Other epidemic and endemic diseases	253	281	0.2	0.3
	Chicken pox	151	174	0.1	0.2
	German measles	18	23	(1)	(1)
	Others under this title	84	84	0.1	0.1
26	Glanders	2	3	(1)	(1)
27	Anthrax	22	28	(1)	(1)
28	Rabies	83	59	0.1	0.1
29	Tetanus	1,503	1,565	1.5	1.6
30	Mycoses	201	231	0.2	0.2
	Tuberculosis (all forms)	89,268	89,724	86.6	90.4
31	Of the respiratory system	78,103	78,096	75.7	78.7
32	Of the meninges and central nervous system	3,746	4,014	3.6	4.0
33	Of the intestines and peritoneum	3,078	3,090	3.0	3.1
34	Of the vertebral column	947	990	0.9	1.0
35	Of the joints	357	432	0.3	0.4
36	Of other organs	1,294	1,275	1.3	1.3
	Of the skin and subcutaneous cellular tissue	45	47	(1)	(1)
	Of the bones (vertebral column excepted)	205	208	0.2	0.2
	Of the lymphatic system (mesenteric and retroperitoneal glands excepted)	282	253	0.3	0.3
	Of the genito-urinary system	641	647	0.6	0.7
	Of other organs other than the above	121	120	0.1	0.1
37	Disseminated tuberculosis	1,743	1,827	1.7	1.8
	Acute	1,391	1,498	1.3	1.5
	Chronic or unspecified	352	329	0.3	0.3
38	Syphilis	8,647	8,195	8.4	8.3
39	Soft chancre	9	8	(1)	(1)
40	Gonococcus infection	955	813	0.9	0.8
41	Purulent infection, septicemia	1,178	1,290	1.1	1.3
42	Other infectious diseases	14	9	(1)	(1)
	II.—General diseases not included in Class I	143,179	135,014	138.9	136.1
	Cancer and other malignant tumors	95,504	91,138	92.6	91.9
43	Cancer of the buccal cavity	3,242	3,130	3.1	3.2
	Lip	553	540	0.5	0.5
	Tongue	866	817	0.8	0.8
	Mouth	341	300	0.3	0.3
	Jaw	1,111	1,099	1.1	1.1
	Others of this class	371	374	0.4	0.4
44	Cancer of the stomach, liver	34,874	34,250	33.8	34.5
	Pharynx	992	1,007	1.0	1.0
	Esophagus	1,659	1,527	1.6	1.5
	Stomach	22,665	21,425	22.0	21.6
	Liver and gall bladder	9,558	10,291	9.3	10.4

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924
	II.—General diseases not included in Class I—Continued				
	Cancer and other malignant tumors—Con.				
45	Cancer of the peritoneum, intestines, rectum	13,671	12,603	13.3	12.7
	Mesentery and peritoneum	820	770	0.8	0.8
	Intestines (except rectum)	8,740	8,009	8.5	8.1
	Rectum and anus	4,041	3,757	3.9	3.8
	Others of this class	70	67	0.1	0.1
46	Cancer of the female genital organs	14,051	12,836	13.6	12.9
	Ovary and Fallopian tube	1,218	1,050	1.2	1.1
	Uterus	12,377	11,403	12.0	11.5
	Vagina and vulva	398	320	0.4	0.3
	Others of this class	58	63	0.1	0.1
47	Cancer of the breast	8,511	8,281	8.3	8.3
48	Cancer of the skin	2,624	2,630	2.5	2.7
49	Cancer of other or unspecified organs	18,531	17,408	18.0	17.5
	Larynx	774	756	0.8	0.8
	Lung and pleura	1,728	1,586	1.7	1.6
	Pancreas	1,902	1,805	1.8	1.8
	Kidneys and suprarenals	1,258	1,099	1.2	1.1
	Prostate	3,068	2,558	3.0	2.6
	Bladder	3,008	3,089	2.9	3.1
	Brain	423	399	0.4	0.4
	Bones (except jaw)	1,149	1,065	1.1	1.1
	Testes	227	210	0.2	0.2
	Scrotum	16	(2)	(1)	(2)
	Others of this class	4,978	4,841	4.8	4.9
50	Benign tumors and tumors not returned as malignant (tumors of the female genital organs excepted)	685	757	0.7	0.8
51	Acute rheumatic fever	2,766	3,270	2.7	3.3
52	Chronic rheumatism, osteoarthritis, gout	1,327	1,278	1.3	1.3
53	Scurvy	58	45	0.1	(1)
54	Pellagra	3,344	2,347	3.2	2.4
55	Beriberi	7	13	(1)	(1)
56	Rickets	573	529	0.6	0.5
57	Diabetes mellitus	17,385	16,453	16.9	16.6
58	Anemia, chlorosis	6,649	6,167	6.4	6.2
	Pernicious anemia	5,949	5,478	5.8	5.5
	Other anemias and chlorosis	700	689	0.7	0.7
59	Diseases of the pituitary gland	100	56	0.1	0.1
60	Diseases of the thyroid gland	4,135	3,229	4.0	3.3
	Exophthalmic goiter	3,476	2,755	3.4	2.8
	Other diseases of the thyroid gland	659	474	0.6	0.5
61	Diseases of the parathyroid glands	110	99	0.1	0.1
62	Diseases of the thymus gland	1,086	1,054	1.1	1.1
63	Diseases of the adrenals (Addison's disease)	407	373	0.4	0.4
64	Diseases of the spleen	131	140	0.1	0.1
65	Leukemia and Hodgkin's disease	2,649	2,391	2.6	2.4
	Leukemia	1,801	1,589	1.7	1.6
	Hodgkin's disease	848	802	0.8	0.8
66	Alcoholism (acute or chronic)	3,694	3,153	3.6	3.2
67	Chronic poisoning by mineral substances	180	163	0.2	0.2
	Chronic lead poisoning	142	142	0.1	0.1
	Others under this title	38	21	(1)	(1)
68	Chronic poisoning by organic substances	205	208	0.2	0.2
69	Other general diseases	2,184	2,151	2.1	2.2
	III.—Diseases of the nervous system and of the organs of special sense	123,847	128,656	120.1	129.7
70	Encephalitis	1,239	1,131	1.2	1.1
71	Meningitis	3,415	3,366	3.3	3.4
	Simple meningitis	2,696	2,590	2.6	2.6
	Nonepidemic cerebrospinal meningitis	719	776	0.7	0.8
72	Tabes dorsalis (locomotor ataxia)	1,656	1,674	1.6	1.7
73	Other diseases of the spinal cord	3,238	3,085	3.1	3.1
74	Cerebral hemorrhage, apoplexy	86,319	91,145	83.7	91.9
	Cerebral hemorrhage	82,651	88,165	80.2	88.9
	Cerebral embolism and thrombosis	3,668	2,980	3.6	3.0
75	Paralysis without specified cause	5,920	5,957	5.7	6.0
	Hemiplegia	2,042	2,089	2.0	2.1
	Others under this title	3,878	3,868	3.8	3.9
76	General paralysis of the insane	6,029	6,379	5.8	6.4
77	Other forms of mental alienation	1,693	1,565	1.6	1.6
78	Epilepsy	3,189	3,141	3.1	3.2
79	Convulsions (nonpuerperal; 5 years and over)	147	148	0.1	0.1
80	Infantile convulsions (under 5 years of age)	1,833	1,911	1.8	1.9
81	Chorea	90	81	0.1	0.1
82	Neuralgia and neuritis	312	366	0.3	0.4
83	Softening of the brain	745	796	0.7	0.8
84	Other diseases of the nervous system	4,599	4,643	4.5	4.7
85	Diseases of the eye and annexa	91	85	0.1	0.1
86	Diseases of the ear and of the mastoid process	3,332	3,183	3.2	3.2
	Diseases of the ear	2,004	1,960	1.9	2.0
	Diseases of the mastoid process	1,328	1,223	1.3	1.2

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1924 AND 1925—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924
	IV.—Diseases of the circulatory system	217,567	202,777	211.0	204.4
87	Pericarditis	875	908	0.8	0.9
88	Endocarditis and myocarditis (acute)	7,999	6,744	7.8	6.8
89	Angina pectoris	13,680	11,171	13.3	11.3
90	Other diseases of the heart	168,672	157,848	163.6	159.1
91	Diseases of the arteries	23,090	23,278	22.4	23.5
	Aneurysm	1,914	1,921	1.9	1.9
	Arteriosclerosis	20,774	20,972	20.1	21.1
	Other diseases of the arteries	402	385	0.4	0.4
92	Embolism and thrombosis (not cerebral)	2,098	1,692	2.0	1.7
93	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	586	608	0.6	0.6
94	Diseases of the lymphatic system (lymphangitis, etc.)	201	214	0.2	0.2
95	Hemorrhage without specified cause	132	165	0.1	0.2
96	Other diseases of the circulatory system	234	149	0.2	0.2
	V.—Diseases of the respiratory system	111,977	113,608	108.6	114.5
97	Diseases of the nasal fossae and their annexa	914	877	0.9	0.9
	Diseases of the nasal fossae	366	402	0.4	0.4
	Others under this title	548	475	0.5	0.5
98	Diseases of the larynx	519	551	0.5	0.6
99	Bronchitis	6,670	7,207	6.5	7.3
	Acute	2,589	2,916	2.5	2.9
	Chronic	2,414	2,476	2.3	2.5
	Unspecified (under 5 years of age)	643	749	0.6	0.8
	Unspecified (5 years and over)	1,024	1,066	1.0	1.1
100	Broncho-pneumonia	39,820	40,631	38.6	41.0
	Broncho-pneumonia	38,896	39,479	37.7	39.8
	Capillary bronchitis	924	1,152	0.9	1.2
101	Pneumonia	56,612	56,772	54.9	57.2
	Lobar	51,407	50,676	49.9	51.1
	Unspecified	5,205	6,096	5.0	6.1
102	Pleurisy	2,636	2,728	2.6	2.7
103	Congestion and hemorrhagic infarct of the lung	1,372	1,353	1.3	1.4
104	Gangrene of the lung	215	195	0.2	0.2
105	Asthma	1,920	2,022	1.9	2.0
106	Pulmonary emphysema	141	146	0.1	0.1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,158	1,126	1.1	1.1
	Chronic intestinal pneumonia, including occupational diseases of the respiratory system	241	233	0.2	0.2
	Diseases of the mediastinum	33	26	(1)	(1)
	Others under this title	884	867	0.9	0.9
	VI.—Diseases of the digestive system	104,297	95,846	101.2	96.6
108	Diseases of the mouth and annexa	768	702	0.7	0.7
109	Diseases of the pharynx and tonsils (including adenoid vegetations)	3,681	3,380	3.6	3.4
	Adenoid vegetations	9	11	(1)	(1)
	Others under this title	3,672	3,369	3.6	3.4
110	Diseases of the esophagus	116	118	0.1	0.1
111	Ulcer of the stomach and duodenum	6,133	5,539	5.9	5.6
	Ulcer of the stomach	4,384	4,084	4.3	4.1
	Ulcer of the duodenum	1,749	1,455	1.7	1.5
112	Other diseases of the stomach (cancer excepted)	5,832	6,254	5.7	6.3
113	Diarrhea and enteritis (under 2 years of age)	32,450	27,566	31.5	27.8
114	Diarrhea and enteritis (2 years and over)	8,062	6,916	7.8	7.0
115	Ancylostomiasis	24	40	(1)	(1)
116	Diseases due to other intestinal parasites	118	138	0.1	0.1
	Cestodes (hydatids of the liver excepted)	10	9	(1)	(1)
	Trematodes	17	1	(1)	(1)
	Nematodes (other than ancylostoma)	23	48	(1)	(1)
	Coccidia	2	2	(1)	(1)
	Other parasites specified	4	1	(1)	(1)
	Parasites not specified	62	77	0.1	0.1
117	Appendicitis and typhlitis	15,618	14,788	15.1	14.9
118	Hernia, intestinal obstruction	11,168	10,480	10.8	10.6
	Hernia	3,938	3,673	3.8	3.7
	Intestinal obstruction	7,230	6,807	7.0	6.9
119	Other diseases of the intestines	1,251	1,420	1.2	1.4
120	Acute yellow atrophy of the liver	469	421	0.5	0.4
121	Hydatid tumor of the liver	29	26	(1)	(1)
122	Cirrhosis of the liver	7,549	7,344	7.3	7.4
	Specified as alcoholic	480	419	0.5	0.4
	Not specified as alcoholic	7,069	6,925	6.9	7.0
123	Biliary calculi	4,148	3,923	4.0	4.0
124	Other diseases of the liver	4,596	4,550	4.5	4.6
125	Diseases of the pancreas	624	582	0.6	0.6
126	Peritonitis without specified cause	1,661	1,657	1.6	1.7
127	Other diseases of the digestive system (cancer and tuberculosis excepted)		2		(1)
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	115,231	103,964	111.8	104.8
128	Acute nephritis (including unspecified under 10 years of age)	5,733	6,038	5.6	6.1
129	Chronic nephritis (including unspecified 10 years and over)	93,587	82,825	90.8	83.5
130	Chyluria	1	1	(1)	(1)
131	Other diseases of the kidneys and annexa	2,892	2,727	2.8	2.7
132	Calculi of the urinary passages	834	728	0.8	0.7
133	Diseases of the bladder	990	1,033	1.0	1.0
134	Diseases of the urethra, urinary abscess, etc.	402	338	0.4	0.3
	Stricture of the urethra	268	212	0.3	0.2
	Others under this title	134	126	0.1	0.1
135	Diseases of the prostate	5,200	4,842	5.0	4.9
136	Nonvenereal diseases of the male genital organs	104	87	0.1	0.1
137	Cysts and other benign tumors of the ovary	811	755	0.8	0.8
138	Salpingitis and pelvic abscess (female)	1,779	1,767	1.7	1.8
139	Benign tumors of the uterus	2,044	1,971	2.0	2.0
140	Nonpuerperal uterine hemorrhage	49	48	(1)	(1)
141	Other diseases of the female genital organs	774	774	0.8	0.8
142	Nonpuerperal diseases of the breast (cancer excepted)	31	30	(1)	(1)
	VIII.—The puerperal state	15,315	15,375	14.9	15.5
143	Accidents of pregnancy	1,404	1,393	1.4	1.4
	Abortion	692	629	0.7	0.6
	Ectopic gestation	485	453	0.5	0.5
	Others under this title	227	311	0.2	0.3
144	Puerperal hemorrhage	1,466	1,517	1.4	1.5
145	Other accidents of labor	1,714	1,646	1.7	1.7
	Cesarean section	328	304	0.3	0.3
	Other surgical operations and instrumental delivery	169	145	0.2	0.1
	Others under this title	1,217	1,197	1.2	1.2
146	Puerperal septicemia	5,697	5,745	5.5	5.8
147	Puerperal phlegmasia alba dolens, embolus, sudden death	662	708	0.6	0.7
148	Puerperal albuminuria and convulsions	4,292	4,287	4.2	4.3
149	Following childbirth (not otherwise defined)	73	69	0.1	0.1
150	Puerperal diseases of the breast	7	10	(1)	(1)
	IX.—Diseases of the skin and of the cellular tissue	3,343	3,335	3.2	3.4
151	Gangrene	1,319	1,343	1.3	1.4
152	Furuncle	569	581	0.6	0.6
153	Acute abscess	673	658	0.7	0.7
154	Other diseases of the skin and annexa	782	753	0.8	0.8
	X.—Diseases of the bones and of the organs of locomotion	1,358	1,424	1.3	1.4
155	Diseases of the bones (tuberculosis excepted)	1,075	1,130	1.1	1.1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	215	214	0.2	0.2
157	Amputations	2	4	(1)	(1)
158	Other diseases of the organs of locomotion	66	76	0.1	0.1
	XI.—Malformations	14,226	14,127	13.8	14.2
159	Congenital malformations (stillbirths not included)	14,226	14,127	13.8	14.2
	Congenital hydrocephalus	1,533	1,366	1.5	1.4
	Congenital malformations of the heart	8,147	8,178	7.9	8.2
	Others under this title	4,546	4,583	4.4	4.6
	XII.—Early infancy	61,932	63,526	60.1	64.0
160	Congenital debility, icterus, sclerema	7,871	8,069	7.6	8.1
161	Premature birth, injury at birth	48,972	50,061	47.5	50.5
	Premature birth	38,588	39,764	37.4	40.1
	Injury at birth	10,384	10,297	10.1	10.4
162	Other diseases peculiar to early infancy	4,962	5,230	4.8	5.3
163	Lack of care	127	166	0.1	0.2
	XIII.—Old age	12,326	12,598	12.0	12.7
164	Senility	12,326	12,598	12.0	12.7

See footnotes at end of table.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM EACH CAUSE, IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1924 AND 1925—Continued

List No., 1921	CAUSE OF DEATH	DEATHS IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES			
		Number		Rate per 100,000 estimated population	
		1925	1924	1925	1924
	XIV.—External causes	102,162	96,226	99.1	97.0
	Suicide	12,495	12,061	12.1	12.2
165	By solid or liquid poisons (corrosive substances excepted)	716	768	0.7	0.8
166	By corrosive substances	1,278	1,232	1.2	1.2
167	By poisonous gas	1,743	1,641	1.7	1.7
168	By hanging or strangulation	2,276	2,117	2.2	2.1
169	By drowning	715	668	0.7	0.7
170	By firearms	4,333	4,280	4.2	4.3
171	By cutting or piercing instruments	821	797	0.8	0.8
172	By jumping from high places	358	304	0.3	0.3
173	By crushing	128	125	0.1	0.1
174	Other suicides	127	129	0.1	0.1
	Homicide	8,893	8,420	8.6	8.5
197	By firearms	6,216	6,028	6.0	6.1
198	By cutting or piercing instruments	1,224	992	1.2	1.0
199	By other means	1,453	1,400	1.4	1.4
200	(Infanticide—murder of infants less than 1 year of age)[3]	(158)	(158)	(0.2)	(0.2)
	Accidental or undefined	80,774	75,745	78.3	76.4
175	Poisoning by food	888	917	0.9	0.9
	Botulism	64	78	0.1	0.1
	Other food poisoning	824	839	0.8	0.8
176	Poisoning by venomous animals	78	66	0.1	0.1
177	Other acute accidental poisonings (gas excepted)	1,596	1,577	1.5	1.6
	Wood or denatured alcohol	182	180	0.2	0.2
	Carbolic acid	46	57	(1)	0.1
	Opium, morphin, laudanum	46	64	(1)	0.1
	Strychnin	206	169	0.2	0.2
	Other poisons or kind not stated	1,116	1,107	1.1	1.1
178	Conflagration	1,408	1,628	1.4	1.6
179	Burns (conflagration excepted)	6,375	6,895	6.2	7.0
	Molten metal	22	24	(1)	(1)
	Playing with fire, matches, etc	416	418	0.4	0.4
	Fall into fire	179	211	0.2	0.2
	Scalds	1,291	1,365	1.3	1.4
	Others under this title	4,467	4,877	4.3	4.9
180	Mechanical suffocation	1,123	1,176	1.1	1.2
181	Absorption of irrespirable, irritating, or poisonous gas	2,439	2,525	2.4	2.5
182	Drowning	6,456	6,490	6.3	6.5
	Traumatism—				
183	By firearms (wounds of war excepted)	2,570	2,571	2.5	2.6
184	By cutting or piercing instruments	732	621	0.7	0.6
185	By fall	13,864	12,955	13.4	13.1
	Fall down stairs	1,707	1,506	1.7	1.5
	Fall in ships, docks, etc	130	107	0.1	0.1
	Fall in building operations	751	709	0.7	0.7
	Others under this title	11,276	10,633	10.9	10.7
186	In mines and quarries	2,733	2,338	2.7	2.4
	Mines	2,643	2,234	2.6	2.3
	Quarries	90	104	0.1	0.1
187	By machines	2,339	2,052	2.3	2.1
	Agricultural machinery	275	278	0.3	0.3
	Elevator	459	401	0.4	0.4
	Crane	286	253	0.3	0.3
	Others under this title	1,319	1,120	1.3	1.1
188	By other crushing (vehicles, railways, landslides, etc.)	28,440	26,001	27.6	26.2
	Railroad accidents	6,778	6,430	6.6	6.5
	Collision with automobiles	1,266	(2)	1.2	(2)
	Other railroad accidents	5,512	(2)	5.3	(2)
	Street-car accidents	1,630	1,623	1.6	1.6
	Collision with automobiles	498	(2)	0.5	(2)
	Other street-car accidents	1,132	(2)	1.1	(2)
	Automobile accidents [4]	17,571	15,528	17.0	15.7
	Airplane and balloon accidents	165	142	0.2	0.1
	Motor cycle accidents	267	242	0.3	0.2
	Injuries by other vehicles	1,286	1,296	1.2	1.3
	Landslide, other crushing	743	740	0.7	0.7
189	Injuries by animals (not poisoning)	629	605	0.6	0.6
190	Wounds of war	5	6	(1)	(1)
192	Starvation (deprivation of food or water)	11	15	(1)	(1)
193	Excessive cold	239	335	0.2	0.3
194	Excessive heat	1,355	409	1.3	0.4
195	Lightning	442	334	0.4	0.3
196	Other accidental electric shocks	995	977	1.0	1.0
201	Fracture (cause not specified)	640	734	0.6	0.7
202	Other external violence	5,401	4,502	5.2	4.6
	Foreign body in digestive or respiratory tract	682	589	0.7	0.6
	Others under this title	4,719	3,913	4.6	3.9
203	Violent deaths of unknown causation	16	16	(1)	(1)
	XV.—Ill-defined diseases	17,905	17,536	17.4	17.7
204	Sudden death	1,868	1,446	1.8	1.5
205	Not specified or ill-defined	16,037	16,090	15.6	16.2
	Ill-defined	5,041	5,408	4.9	5.5
	Not specified or unknown	10,996	10,682	10.7	10.8

[1] Less than one-tenth of 1 per 100,000 population.
[2] Not separately tabulated.
[3] The figures for infanticide are included in those for homicide.
[4] Excludes collision with railroad trains and street cars.

NOTE.—The population for 1925 is shown in Table I A.

GENERAL TABLES

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1925

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
The registration area in continental United States	1,219,019	110,508	102,604	118,572	109,735	104,095	95,953	92,523	92,930	90,458	97,857	97,665	106,119
Registration States [1]	1,191,809	107,936	100,315	116,259	107,510	101,681	93,586	90,344	90,829	88,469	95,757	95,529	103,594
Cities in registration States [1]	614,560	56,823	51,880	60,265	55,784	52,560	48,437	44,948	45,891	44,589	49,272	49,900	54,211
Rural part of registration States	577,249	51,113	48,435	55,994	51,726	49,121	45,149	45,396	44,938	43,880	46,485	45,629	49,383
Registration cities in nonregistration States [2]	27,210	2,572	2,289	2,313	2,225	2,414	2,367	2,179	2,101	1,989	2,100	2,136	2,525
All registration cities [1]	641,770	59,395	54,169	62,578	58,009	54,974	50,804	47,127	47,992	46,578	51,372	52,036	56,736
Alabama	29,140	2,592	2,657	2,886	2,561	2,538	2,443	2,285	2,155	1,997	2,106	2,343	2,577
Urban	7,771	699	713	777	648	670	645	588	565	558	560	677	671
Rural	21,369	1,893	1,944	2,109	1,913	1,868	1,798	1,697	1,590	1,439	1,546	1,666	1,906
California	56,800	5,406	4,717	5,190	4,926	4,704	4,796	4,655	4,241	4,066	4,403	4,632	5,064
Urban	33,146	3,294	2,786	3,025	2,955	2,757	2,705	2,559	2,398	2,362	2,539	2,723	3,043
Rural	23,654	2,112	1,931	2,165	1,971	1,947	2,091	2,096	1,843	1,704	1,864	1,909	2,021
Colorado	12,549	1,095	992	1,168	1,167	1,063	962	1,013	1,064	1,024	1,003	958	1,040
Urban	5,908	506	472	567	559	491	467	459	503	435	487	438	524
Rural	6,641	589	520	601	608	572	495	554	561	589	516	520	516
Connecticut	17,680	1,688	1,507	1,723	1,644	1,496	1,387	1,214	1,274	1,288	1,450	1,452	1,557
Urban	13,362	1,323	1,152	1,329	1,214	1,134	1,028	896	978	934	1,113	1,111	1,150
Rural	4,318	365	355	394	430	362	359	318	296	354	337	341	407
Delaware	3,115	310	271	313	237	250	232	213	245	250	261	251	282
Urban	1,435	156	139	141	106	115	104	91	108	110	120	114	131
Rural	1,680	154	132	172	131	135	128	122	137	140	141	137	151
Florida	16,862	1,462	1,454	1,460	1,292	1,290	1,249	1,315	1,310	1,317	1,404	1,525	1,784
Urban	5,941	502	494	507	456	435	420	493	469	443	515	527	680
Rural	10,921	960	960	953	836	855	829	822	841	874	889	998	1,104
Idaho	3,402	275	285	308	303	292	280	256	270	271	291	270	301
Urban	492	44	54	52	53	42	36	29	28	35	35	43	41
Rural	2,910	231	231	256	250	250	244	227	242	236	256	227	260
Illinois	81,593	7,485	6,923	8,588	7,305	6,835	6,107	6,204	6,252	5,936	6,447	6,549	6,962
Urban	50,717	4,738	4,281	5,268	4,632	4,314	3,814	3,738	3,806	3,636	3,949	4,133	4,408
Rural	30,876	2,747	2,642	3,320	2,673	2,521	2,293	2,466	2,446	2,300	2,498	2,416	2,554
Indiana	38,632	3,225	3,315	3,961	3,574	3,094	2,902	2,988	3,159	2,778	3,194	3,074	3,368
Urban	17,192	1,468	1,467	1,734	1,583	1,358	1,285	1,339	1,423	1,210	1,441	1,367	1,517
Rural	21,440	1,757	1,848	2,227	1,991	1,736	1,617	1,649	1,736	1,568	1,753	1,707	1,851
Iowa	24,294	2,181	2,081	2,498	2,079	2,146	1,758	1,879	1,795	1,905	1,983	1,923	2,066
Urban	8,425	735	688	844	745	743	600	673	648	662	712	659	716
Rural	15,869	1,446	1,393	1,654	1,334	1,403	1,158	1,206	1,147	1,243	1,271	1,264	1,350
Kansas	18,581	1,697	1,515	1,907	1,618	1,470	1,356	1,505	1,530	1,348	1,463	1,524	1,648
Urban	6,248	538	516	661	523	477	444	508	528	492	490	534	537
Rural	12,333	1,159	999	1,246	1,095	993	912	997	1,002	856	973	990	1,111
Kentucky	28,387	2,539	2,375	2,801	2,436	2,264	2,211	2,426	2,342	2,152	2,339	2,215	2,287
Urban	7,947	652	660	795	681	651	623	646	668	617	657	618	679
Rural	20,440	1,887	1,715	2,006	1,755	1,613	1,588	1,780	1,674	1,535	1,682	1,597	1,608
Louisiana	25,088	2,336	2,249	2,362	2,185	2,257	2,089	2,083	1,925	1,787	1,838	1,916	2,061
Urban	10,658	966	955	945	912	887	869	880	888	812	807	822	915
Rural	14,430	1,370	1,294	1,417	1,273	1,370	1,220	1,203	1,037	975	1,031	1,094	1,146
Maine	10,792	1,014	795	1,018	1,060	989	831	782	781	789	912	845	976
Urban	3,460	317	268	306	367	303	272	242	262	258	280	259	316
Rural	7,332	697	527	712	693	686	559	540	519	531	622	586	660
Maryland	21,628	2,104	1,877	2,100	1,883	1,809	1,694	1,641	1,644	1,565	1,748	1,717	1,846
Urban	12,921	1,322	1,101	1,302	1,141	1,144	1,037	956	924	889	1,005	1,020	1,080
Rural	8,707	782	776	798	742	665	657	685	720	676	743	697	766
Massachusetts	51,721	4,825	4,598	5,285	4,851	4,470	3,987	3,488	3,621	3,593	4,080	4,240	4,683
Urban	41,844	3,973	3,751	4,322	3,927	3,586	3,248	2,764	2,888	2,859	3,261	3,458	3,807
Rural	9,877	852	847	963	924	884	739	724	733	734	819	782	876
Michigan	49,419	4,078	3,983	4,775	4,466	4,248	3,801	3,663	4,014	4,028	4,111	4,047	4,205
Urban	26,762	2,251	2,170	2,602	2,377	2,273	2,041	1,976	2,137	2,111	2,217	2,285	2,322
Rural	22,657	1,827	1,813	2,173	2,089	1,975	1,760	1,687	1,877	1,917	1,894	1,762	1,883
Minnesota	25,436	2,233	1,947	2,432	2,652	2,357	1,903	1,889	1,946	1,955	2,037	1,929	2,156
Urban	11,345	1,002	891	1,151	1,179	1,005	851	815	848	817	888	902	996
Rural	14,091	1,231	1,056	1,281	1,473	1,352	1,052	1,074	1,098	1,138	1,149	1,027	1,160
Mississippi	22,153	1,933	1,987	2,187	1,905	1,848	1,873	1,782	1,763	1,650	1,660	1,711	1,854
Urban	3,288	280	288	234	263	287	263	249	282	294	276	263	309
Rural	18,865	1,653	1,699	1,953	1,642	1,561	1,610	1,533	1,481	1,356	1,384	1,448	1,545
Missouri	41,288	3,787	3,554	4,351	3,568	3,339	2,964	3,272	3,183	3,189	3,187	3,391	3,503
Urban	20,566	1,892	1,702	2,233	1,805	1,654	1,408	1,639	1,580	1,526	1,607	1,741	1,779
Rural	20,722	1,895	1,852	2,118	1,763	1,685	1,556	1,633	1,603	1,663	1,580	1,650	1,724
Montana	5,188	445	419	454	437	475	413	428	392	434	444	417	430
Urban	1,603	131	129	139	130	146	137	132	113	137	132	135	142
Rural	3,585	314	290	315	307	329	276	296	279	297	312	282	288

[1] Including District of Columbia.

[2] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY MONTHS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Nebraska	12,493	1,135	1,048	1,248	1,202	1,003	859	969	974	928	1,068	985	1,074
Urban	4,123	370	335	385	394	339	290	342	314	310	348	315	381
Rural	8,370	765	713	863	808	664	569	627	660	618	720	670	693
New Hampshire	6,563	572	537	668	615	626	504	467	491	458	491	513	621
Urban	2,861	245	241	319	260	282	214	195	199	179	215	227	285
Rural	3,702	327	296	349	355	344	290	272	292	279	276	286	336
New Jersey	42,192	4,169	3,516	3,853	3,693	3,623	3,561	3,115	3,182	3,008	3,375	3,345	3,752
Urban	26,846	2,671	2,242	2,553	2,391	2,310	2,273	1,906	1,959	1,857	2,177	2,133	2,374
Rural	15,346	1,498	1,274	1,300	1,302	1,313	1,288	1,209	1,223	1,151	1,198	1,212	1,378
New York	142,500	13,369	11,799	13,691	13,328	12,659	11,699	10,086	10,268	10,205	11,529	11,499	12,368
Urban	108,020	10,328	9,154	10,475	10,147	9,611	8,898	7,506	7,643	7,557	8,648	8,715	9,338
Rural	34,480	3,041	2,645	3,216	3,181	3,048	2,801	2,580	2,625	2,648	2,881	2,784	3,030
North Carolina	32,548	2,819	2,749	3,091	2,821	3,020	2,858	2,793	2,408	2,276	2,544	2,482	2,687
Urban	6,580	558	541	551	540	585	569	578	510	500	553	505	590
Rural	25,968	2,261	2,208	2,540	2,281	2,435	2,289	2,215	1,898	1,776	1,991	1,977	2,097
North Dakota	5,045	416	437	447	432	431	342	428	414	429	467	410	392
Urban	672	45	57	67	47	54	42	67	48	68	53	59	65
Rural	4,373	371	380	380	385	377	300	361	366	361	414	351	327
Ohio	73,607	6,318	6,055	7,416	6,792	6,152	5,481	5,380	5,844	5,594	6,032	5,986	6,557
Urban	42,438	3,691	3,479	4,304	3,839	3,534	3,230	3,025	3,319	3,219	3,507	3,481	3,810
Rural	31,169	2,627	2,576	3,112	2,953	2,618	2,251	2,355	2,525	2,375	2,525	2,505	2,747
Oregon	9,629	871	762	935	937	823	805	748	688	723	781	742	814
Urban	4,407	379	357	408	420	384	383	337	305	325	392	340	377
Rural	5,222	492	405	527	517	439	422	411	383	398	389	402	437
Pennsylvania	115,745	10,827	10,162	11,421	10,487	9,670	8,922	7,915	8,792	8,791	9,310	9,197	10,251
Urban	63,807	6,197	5,597	6,317	5,639	5,523	5,094	4,297	4,707	4,620	5,086	5,092	5,638
Rural	51,938	4,630	4,565	5,104	4,848	4,147	3,828	3,618	4,085	4,171	4,224	4,105	4,613
Rhode Island	8,226	759	654	797	780	720	661	583	655	557	652	646	762
Urban	6,872	631	546	682	658	597	553	472	552	464	543	544	630
Rural	1,354	128	108	115	122	123	108	111	103	93	109	102	132
South Carolina	21,990	1,785	1,766	1,986	1,921	2,078	1,905	1,854	1,658	1,661	1,721	1,759	1,896
Urban	4,036	306	302	351	311	358	354	366	324	319	295	369	381
Rural	17,954	1,479	1,464	1,635	1,610	1,720	1,551	1,488	1,334	1,342	1,426	1,390	1,515
Tennessee	27,834	2,439	2,300	2,715	2,329	2,296	2,373	2,377	2,059	2,049	2,216	2,289	2,392
Urban	9,179	787	724	874	790	762	824	801	677	667	716	756	801
Rural	18,655	1,652	1,576	1,841	1,539	1,534	1,549	1,576	1,382	1,382	1,500	1,533	1,591
Utah	4,484	457	376	409	374	374	346	319	328	336	374	375	416
Urban	2,127	204	173	185	167	172	177	133	159	170	196	184	207
Rural	2,357	253	203	224	207	202	169	186	169	166	178	191	209
Vermont	5,137	451	414	490	465	481	404	360	369	376	422	433	472
Urban	822	87	68	74	66	75	59	63	54	68	68	70	70
Rural	4,315	364	346	416	399	406	345	297	315	308	354	363	402
Virginia	29,343	2,754	2,634	2,789	2,505	2,433	2,305	2,429	2,255	2,053	2,372	2,338	2,476
Urban	8,470	777	781	739	712	699	652	730	649	616	676	714	725
Rural	20,873	1,977	1,853	2,050	1,793	1,734	1,653	1,699	1,606	1,437	1,696	1,624	1,751
Washington	15,280	1,372	1,195	1,332	1,441	1,353	1,196	1,156	1,196	1,203	1,288	1,239	1,309
Urban	7,798	707	592	680	739	692	608	607	592	575	662	669	675
Rural	7,482	665	603	652	702	661	588	549	604	628	626	570	634
West Virginia	17,154	1,498	1,291	1,519	1,407	1,313	1,166	1,463	1,528	1,538	1,556	1,379	1,496
Urban	4,682	420	364	452	410	377	342	401	389	360	399	364	404
Rural	12,472	1,078	927	1,067	997	936	824	1,062	1,139	1,178	1,157	1,015	1,092
Wisconsin	29,380	2,460	2,379	2,872	3,005	2,658	2,235	2,270	2,137	2,262	2,439	2,276	2,387
Urban	12,361	989	1,020	1,219	1,302	1,131	960	937	904	954	1,018	939	988
Rural	17,019	1,471	1,359	1,653	1,703	1,527	1,275	1,333	1,233	1,308	1,421	1,337	1,399
Wyoming	1,896	147	136	155	171	178	130	171	169	170	184	135	150
Urban	413	34	26	38	40	47	22	33	35	34	44	23	37
Rural	1,483	113	110	117	131	131	108	138	134	136	140	112	113

NOTE.—Populations are shown in Table 1A. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1925

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
The registration area in continental United States	1,219,019	1,053,856	796,110	470,850	216,121	109,139	241,004	16,742	165,163	159,491	2,965	1,299	1,277	131
Registration States [1]	1,191,809	1,035,500	780,967	461,742	213,498	105,727	238,451	16,082	156,309	150,665	2,956	1,284	1,274	130
Cities in registration States [1]	614,560	544,729	375,400	190,225	140,823	44,352	161,532	7,797	69,831	67,835	195	984	744	73
Rural part of registration States	577,249	490,771	405,567	271,517	72,675	61,375	76,919	8,285	86,478	82,830	2,761	300	530	57
Registration cities in nonregistration States [2]	27,210	18,356	15,143	9,108	2,623	3,412	2,553	660	8,854	8,826	9	15	3	1
All registration cities [1]	641,770	563,085	390,543	199,333	143,446	47,764	164,085	8,457	78,685	76,661	204	999	747	74
Alabama	29,140	14,964	14,271	11,625	432	2,214	316	377	14,176	14,170	4		1	1
Urban	7,771	3,760	3,480	2,614	253	613	206	74	4,011	4,010			1	
Rural	21,369	11,204	10,791	9,011	179	1,601	110	303	10,165	10,160	4			1
California	56,800	53,752	37,074	16,347	11,884	8,843	15,499	1,179	3,048	1,140	319	692	841	56
Urban	33,146	31,345	21,269	9,475	7,004	4,790	9,406	670	1,801	798	30	467	481	25
Rural	23,654	22,407	15,805	6,872	4,880	4,053	6,093	509	1,247	342	289	225	360	31
Colorado	12,549	12,176	9,442	5,175	2,038	2,229	2,340	394	373	287	39	3	41	3
Urban	5,908	5,675	4,299	2,284	989	1,026	1,159	217	233	203	10	3	15	2
Rural	6,641	6,501	5,143	2,891	1,049	1,203	1,181	177	140	84	29		26	1
Connecticut	17,680	17,191	11,277	5,344	4,745	1,188	5,759	155	489	479	5	5		
Urban	13,362	12,933	8,246	3,641	3,866	739	4,584	103	429	420	4	5		
Rural	4,318	4,258	3,031	1,703	879	449	1,175	52	60	59	1			
Delaware	3,115	2,478	2,142	1,559	378	205	290	46	637	637				
Urban	1,435	1,205	974	597	294	83	214	17	230	230				
Rural	1,680	1,273	1,168	962	84	122	76	29	407	407				
Florida	16,862	10,160	8,630	5,519	849	2,262	1,010	520	6,702	6,697	4	1		
Urban	5,941	3,484	2,789	1,724	449	616	555	140	2,457	2,456	1			
Rural	10,921	6,676	5,841	3,795	400	1,646	455	380	4,245	4,241	3	1		
Idaho	3,402	3,253	2,518	1,460	555	503	627	108	149	10	109	13	14	3
Urban	492	477	376	209	85	82	88	13	15	5	1	4	3	2
Rural	2,910	2,776	2,142	1,251	470	421	539	95	134	5	108	9	11	1
Illinois	81,593	75,907	52,171	26,507	18,407	7,257	22,607	1,129	5,686	5,621	4	56	5	
Urban	50,717	46,095	28,500	11,843	13,269	3,388	16,865	730	4,622	4,566	3	49	4	
Rural	30,876	29,812	23,671	14,664	5,138	3,869	5,742	399	1,064	1,055	1	7	1	
Indiana	38,632	36,557	32,770	22,444	4,804	5,522	3,442	345	2,075	2,070	2	2		1
Urban	17,192	15,450	13,098	8,343	2,641	2,114	2,183	169	1,742	1,739	1	2		
Rural	21,440	21,107	19,672	14,101	2,163	3,408	1,259	176	333	331	1			1
Iowa	24,294	23,954	18,429	10,571	4,670	3,188	5,162	363	340	330	7	2		1
Urban	8,425	8,181	6,317	3,387	1,783	1,147	1,717	147	244	236	5	2		1
Rural	15,869	15,773	12,112	7,184	2,887	2,041	3,445	216	96	94	2			
Kansas	18,581	17,294	14,577	8,523	2,195	3,859	2,362	355	1,287	1,254	29	2	1	1
Urban	6,248	5,373	4,618	2,630	781	1,207	644	111	875	873	1	1		
Rural	12,333	11,921	9,959	5,893	1,414	2,652	1,718	244	412	381	28	1	1	1
Kentucky	28,387	23,736	22,507	17,974	1,416	3,117	978	251	4,651	4,648		3		
Urban	7,947	6,085	5,327	3,431	950	946	689	69	1,862	1,859		3		
Rural	20,440	17,651	17,180	14,543	466	2,171	289	182	2,789	2,789				
Louisiana	25,088	12,202	10,843	7,221	1,614	2,008	1,001	358	12,886	12,852	21	7	1	5
Urban	10,658	5,769	4,898	2,887	1,292	719	782	89	4,889	4,881		5		3
Rural	14,430	6,433	5,945	4,334	322	1,289	219	269	7,997	7,971	21	2	1	2
Maine	10,792	10,753	8,987	6,559	1,804	624	1,696	70	39	26	13			
Urban	3,460	3,446	2,617	1,664	775	178	794	35	14	13	1			
Rural	7,332	7,307	6,370	4,895	1,029	446	902	35	25	13	12			
Maryland	21,628	16,143	13,728	9,387	2,901	1,440	2,252	163	5,485	5,475		9	1	
Urban	12,921	9,839	7,899	4,798	2,273	828	1,860	80	3,082	3,073		9		
Rural	8,707	6,304	5,829	4,589	628	612	392	83	2,403	2,402			1	
Massachusetts	51,721	50,722	32,832	15,407	14,571	2,854	17,639	251	999	928	7	60	3	1
Urban	41,844	40,956	25,731	11,299	12,333	2,099	15,019	206	888	825	3	57	3	
Rural	9,877	9,766	7,101	4,108	2,238	755	2,620	45	111	103	4	3		1
Michigan	49,419	46,978	32,392	16,113	11,575	4,704	13,604	982	2,441	2,274	149	11	3	4
Urban	26,762	24,792	16,345	7,383	6,822	2,140	7,886	561	1,970	1,940	13	11	2	4
Rural	22,657	22,186	16,047	8,730	4,753	2,564	5,718	421	471	334	136		1	
Minnesota	25,436	24,973	14,927	6,833	6,821	1,273	9,800	246	463	219	228	15	1	
Urban	11,345	11,128	7,090	3,195	3,281	614	3,940	98	217	199	4	13	1	
Rural	14,091	13,845	7,837	3,638	3,540	659	5,860	148	246	20	224	2		
Mississippi	22,153	8,218	7,782	5,853	256	1,673	182	254	13,935	13,908	22	5		
Urban	3,288	1,403	1,302	976	95	231	70	31	1,885	1,885				
Rural	18,865	6,815	6,480	4,877	161	1,442	112	223	12,050	12,023	22	5		
Missouri	41,288	36,620	31,024	18,923	5,504	6,597	4,572	1,024	4,668	4,651	3	10	3	1
Urban	20,566	17,306	13,630	7,256	3,667	2,707	3,210	466	3,260	3,244	3	10	3	
Rural	20,722	19,314	17,394	11,667	1,837	3,890	1,362	558	1,408	1,407				

[1] Including District of Columbia.

[2] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY COLOR, AND BY GENERAL AND PARENT NATIVITY OF WHITE: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

AREA	All deaths	WHITE							COLORED					
		Total	Native				Foreign born	Nativity unknown	Total	Negro	Indian	Chinese	Japanese	Other colored
			Total	Both parents native	One or both parents foreign born	Parentage unknown								
Montana	5,188	4,710	3,235	1,529	1,060	646	1,338	137	478	31	423	18	4	2
Urban	1,603	1,569	1,002	465	390	147	538	29	34	15	8	10	1	
Rural	3,585	3,141	2,233	1,064	670	499	800	108	444	16	415	8	3	2
Nebraska	12,493	12,098	8,900	5,040	2,239	1,621	2,976	222	395	260	124	4	6	1
Urban	4,123	3,879	2,853	1,535	845	473	942	84	244	234	2	4	3	1
Rural	8,370	8,219	6,047	3,505	1,394	1,148	2,034	138	151	26	122		3	
New Hampshire	6,563	6,556	4,877	2,682	1,083	1,112	1,443	236	7	7				
Urban	2,861	2,856	1,931	940	642	349	856	69	5	5				
Rural	3,702	3,700	2,946	1,742	441	763	587	167	2	2				
New Jersey	42,192	38,932	26,232	14,053	10,749	1,430	12,403	297	3,260	3,235	3	16	5	1
Urban	26,846	24,633	15,721	7,355	7,589	777	8,723	189	2,213	2,193	2	15	2	1
Rural	15,346	14,299	10,511	6,698	3,160	653	3,680	108	1,047	1,042	1	1	3	
New York	142,500	136,752	87,415	41,434	39,928	6,053	48,165	1,172	5,748	5,453	102	154	31	8
Urban	108,020	102,895	60,537	25,042	32,545	2,950	41,495	863	5,125	4,914	27	149	27	8
Rural	34,480	33,857	26,878	16,392	7,383	3,103	6,670	309	623	539	75	5	4	
North Carolina	32,548	19,702	19,262	16,444	213	2,605	154	286	12,846	12,647	197		2	
Urban	6,580	3,504	3,384	2,784	90	510	71	49	3,076	3,073	2		1	
Rural	25,968	16,198	15,878	13,660	123	2,095	83	237	9,770	9,574	195		1	
North Dakota	5,045	4,817	3,042	1,382	1,477	183	1,684	91	228	8	217	1	2	
Urban	672	664	436	195	207	34	211	17	8	6	1		1	
Rural	4,373	4,153	2,606	1,187	1,270	149	1,473	74	220	2	216	1	1	
Ohio	73,607	68,305	55,357	33,976	13,870	7,511	11,830	1,118	5,302	5,284	7	11		
Urban	42,438	38,172	28,669	15,848	9,447	3,374	8,998	505	4,266	4,251	4	11		
Rural	31,169	30,133	26,688	18,128	4,423	4,137	2,832	613	1,036	1,033	3			
Oregon	9,629	9,321	7,062	3,749	1,499	1,814	1,953	306	308	42	129	71	58	8
Urban	4,407	4,270	3,038	1,540	786	712	1,123	109	137	30	7	53	42	5
Rural	5,222	5,051	4,024	2,209	713	1,102	830	197	171	12	122	18	16	3
Pennsylvania	115,745	108,181	83,461	51,773	24,906	6,782	23,357	1,363	7,564	7,514	6	39	2	3
Urban	63,807	57,773	41,704	23,121	15,159	3,424	15,248	821	6,034	5,990	3	37	2	2
Rural	51,938	50,408	41,757	28,652	9,747	3,358	8,109	542	1,530	1,524	3	2		1
Rhode Island	8,226	8,009	5,084	2,408	2,441	235	2,856	69	217	214		3		
Urban	6,872	6,680	4,144	1,809	2,153	182	2,478	58	192	189		3		
Rural	1,354	1,329	940	599	288	53	378	11	25	25				
South Carolina	21,990	8,693	8,484	7,171	200	1,113	111	98	13,297	13,285	10	1		1
Urban	4,036	1,810	1,703	1,249	119	335	74	33	2,226	2,225				1
Rural	17,954	6,883	6,781	5,922	81	778	37	65	11,071	11,060	10	1		
Tennessee	27,834	19,404	18,748	14,856	472	3,420	336	320	8,430	8,426	2	2		
Urban	9,179	5,116	4,772	3,475	290	1,007	240	104	4,063	4,061		2		
Rural	18,655	14,288	13,976	11,381	182	2,413	96	216	4,367	4,365	2			
Utah	4,484	4,389	3,107	1,763	1,070	274	1,224	58	95	25	32	10	28	
Urban	2,127	2,082	1,399	726	520	153	644	39	45	20		10	15	
Rural	2,357	2,307	1,708	1,037	550	121	580	19	50	5	32		13	
Vermont	5,137	5,131	4,210	2,710	966	534	858	63	6	6				
Urban	822	820	624	371	183	70	181	15	2	2				
Rural	4,315	4,311	3,586	2,339	783	464	677	48	4	4				
Virginia	29,343	17,523	16,839	14,186	594	2,059	480	204	11,820	11,798	13	4	2	3
Urban	8,470	4,715	4,401	3,482	339	580	265	49	3,755	3,747	3	3	1	1
Rural	20,873	12,808	12,438	10,704	255	1,479	215	155	8,065	8,051	10	1	1	2
Washington	15,280	14,528	9,904	5,321	2,745	1,838	4,115	509	752	144	344	37	206	21
Urban	7,798	7,486	4,949	2,659	1,490	800	2,285	252	312	103	29	32	133	15
Rural	7,482	7,042	4,955	2,662	1,255	1,038	1,830	257	440	41	315	5	73	6
West Virginia	17,154	15,467	14,355	11,408	1,126	1,821	820	292	1,687	1,686				1
Urban	4,682	4,210	3,728	2,788	442	498	391	91	472	472				
Rural	12,472	11,257	10,627	8,620	684	1,323	429	201	1,215	1,214				1
Wisconsin	29,380	28,871	18,191	7,812	8,514	1,865	10,315	365	509	188	314	7		
Urban	12,361	12,205	7,769	3,087	3,997	685	4,281	155	156	125	25	6		
Rural	17,019	16,666	10,422	4,725	4,517	1,180	6,034	210	353	63	289	1		
Wyoming	1,896	1,787	1,352	755	299	298	335	100	109	26	67	2	12	2
Urban	413	395	304	172	60	72	57	34	18	15	1		2	
Rural	1,483	1,392	1,048	583	239	226	278	66	91	11	66	2	10	2

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. I, Tables 5 and 24, and Thirteenth Census of the United States, 1910: Vol. I, Ch. II, Tables 18 and 45. Similar data for cities, which have not been shown since 1922, are held in manuscript.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	The registration area in continental United States	White	1,053,856	136,314	46,917	19,488	15,218	22,615	29,099	30,434	33,401
		Colored	165,163	25,647	9,416	3,025	3,230	7,571	10,651	10,210	9,179
2	Registration States [1]	White	1,035,500	133,525	45,902	19,195	14,926	22,057	28,232	29,570	32,555
		Colored	156,309	24,555	9,035	2,878	3,075	7,161	9,969	9,504	8,569
3	Cities in registration States [1]	White	544,729	67,186	23,118	10,917	7,829	11,118	15,306	16,892	19,179
		Colored	69,831	10,138	3,899	1,091	1,071	2,728	4,533	4,923	4,758
4	Rural part of registration States	White	490,771	66,339	22,784	8,278	7,097	10,939	12,926	12,678	13,376
		Colored	86,478	14,417	5,136	1,787	2,004	4,433	5,436	4,581	3,811
5	Registration cities in nonregistration States [2]	White	18,356	2,789	1,015	293	292	558	867	864	846
		Colored	8,854	1,092	381	147	155	410	682	706	610
6	All registration cities [1]	White	563,085	69,975	24,133	11,210	8,121	11,676	16,173	17,756	20,025
		Colored	78,685	11,230	4,280	1,238	1,226	3,138	5,215	5,629	5,368
7	Alabama	White	14,964	2,499	1,033	302	263	472	552	550	502
		Colored	14,176	2,042	669	230	298	738	1,011	863	767
8	Urban	White	3,760	455	233	72	76	138	159	168	159
		Colored	4,011	542	169	55	69	211	342	306	277
9	Rural	White	11,204	2,044	800	230	187	334	393	382	343
		Colored	10,165	1,500	500	175	229	527	669	557	490
10	California	White	53,752	5,410	1,833	709	631	1,097	1,524	1,803	1,982
		Colored	3,048	445	228	74	52	110	122	161	180
11	Urban	White	31,345	2,865	950	401	328	550	837	1,013	1,102
		Colored	1,801	244	146	38	31	61	78	89	112
12	Rural	White	22,407	2,545	883	308	303	547	687	790	880
		Colored	1,247	201	82	36	21	49	44	72	68
13	Colorado	White	12,176	1,687	597	244	225	315	486	546	564
		Colored	373	52	17	7	5	17	25	33	28
14	Urban	White	5,675	666	247	117	84	138	207	250	256
		Colored	233	23	5	5	4	13	10	25	20
15	Rural	White	6,501	1,021	350	127	141	177	279	296	308
		Colored	140	29	12	2	1	4	15	8	8
16	Connecticut	White	17,191	2,101	644	351	223	318	390	391	518
		Colored	489	78	37	7	6	12	21	25	22
17	Urban	White	12,933	1,658	532	298	177	247	306	310	411
		Colored	429	69	34	7	6	8	17	22	19
18	Rural	White	4,258	443	112	53	46	71	84	81	107
		Colored	60	9	3			4	4	3	3
19	Delaware	White	2,478	327	109	43	34	30	66	57	59
		Colored	637	96	40	14	12	22	27	32	18
20	Urban	White	1,205	172	65	29	17	11	37	31	32
		Colored	230	32	16	6	5	5	9	13	9
21	Rural	White	1,273	155	44	14	17	19	29	26	27
		Colored	407	64	24	8	7	17	18	19	9
22	Florida	White	10,160	1,212	611	218	156	235	408	385	361
		Colored	6,702	969	326	111	123	294	484	498	431
23	Urban	White	3,484	390	168	91	47	82	165	162	154
		Colored	2,457	398	144	31	38	98	180	211	193
24	Rural	White	6,676	822	443	127	109	153	243	223	207
		Colored	4,245	571	182	80	85	196	304	287	238
25	Idaho	White	3,253	458	179	81	77	97	114	92	103
		Colored	149	18	27	12	7	6	3	6	3
26	Urban	White	477	62	19	9	11	15	18	17	14
		Colored	15	2	1			1	1	1	
27	Rural	White	2,776	396	160	72	66	82	96	75	89
		Colored	134	16	26	12	7	5	2	5	3
28	Illinois	White	75,907	9,118	3,151	1,430	1,097	1,562	2,151	2,239	2,623
		Colored	5,686	704	341	102	103	210	365	421	375
29	Urban	White	46,065	5,769	1,994	974	690	900	1,385	1,503	1,791
		Colored	4,622	610	309	86	82	166	298	347	313
30	Rural	White	29,812	3,349	1,157	456	407	662	766	736	832
		Colored	1,064	94	32	16	21	44	67	74	62
31	Indiana	White	36,557	4,115	1,416	594	496	779	944	885	946
		Colored	2,075	255	112	21	35	74	124	139	127
32	Urban	White	15,450	1,980	624	280	232	353	489	468	504
		Colored	1,742	229	104	21	31	61	105	124	114
33	Rural	White	21,107	2,135	792	314	264	426	455	417	442
		Colored	333	26	8		4	13	19	15	13
34	Iowa	White	23,954	2,631	821	382	319	437	537	556	591
		Colored	340	42	19	2	6	17	14	17	20
35	Urban	White	8,181	947	287	156	109	138	227	238	256
		Colored	244	35	15	1	3	10	11	12	12
36	Rural	White	15,773	1,684	534	226	210	299	310	318	335
		Colored	96	7	4	1	3	7	3	5	8
37	Kansas	White	17,294	2,096	636	279	240	329	420	434	470
		Colored	1,287	170	41	21	22	43	55	91	65
38	Urban	White	5,373	621	201	94	86	115	159	158	169
		Colored	875	124	32	18	18	29	34	69	48
39	Rural	White	11,921	1,475	435	185	154	214	261	276	301
		Colored	412	46	9	3	4	14	21	22	17
40	Kentucky	White	23,736	3,952	1,592	436	402	711	908	782	703
		Colored	4,651	528	216	59	83	200	236	256	223
41	Urban	White	6,085	785	236	90	74	149	224	186	187
		Colored	1,862	178	73	20	21	58	81	121	114
42	Rural	White	17,651	3,167	1,356	346	328	562	684	596	516
		Colored	2,789	350	143	39	62	142	155	135	109

[1] Including District of Columbia.

BIRTHS), BY AGE AND COLOR: 1925

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
39,383	43,178	49,322	58,517	67,180	80,497	93,064	92,223	83,834	63,542	34,026	11,626	2,572	448	958	1
10,561	10,351	10,756	11,005	8,111	7,980	6,868	6,262	4,707	3,928	2,238	1,278	604	832	753	
38,438	42,224	48,313	57,471	66,098	79,314	91,778	91,010	82,874	62,885	33,670	11,543	2,548	441	931	2
9,856	9,652	10,048	10,222	7,671	7,574	6,609	6,042	4,569	3,811	2,158	1,237	588	798	728	
23,233	26,118	30,008	35,600	39,870	45,717	47,871	43,716	36,307	25,733	13,295	4,399	977	166	174	3
5,455	5,496	5,591	5,282	3,816	3,356	2,592	1,954	1,231	839	484	229	115	149	101	
15,205	16,106	18,305	21,871	26,228	33,597	43,907	47,294	46,567	37,152	20,375	7,144	1,571	275	757	4
4,401	4,156	4,457	4,940	3,855	4,218	4,017	4,088	3,338	2,972	1,674	1,008	473	649	627	
945	954	1,009	1,046	1,082	1,183	1,286	1,213	960	657	356	83	24	7	27	5
705	699	708	783	440	406	259	220	138	117	80	41	16	34	25	
24,178	27,072	31,017	36,646	40,952	46,900	49,157	44,929	37,267	26,390	13,651	4,482	1,001	173	201	6
6,160	6,195	6,299	6,065	4,256	3,762	2,851	2,174	1,369	956	564	270	131	183	126	
569	543	600	655	673	800	1,134	1,208	1,152	749	411	146	34	17	100	7
819	754	921	910	643	654	591	596	459	449	249	172	59	118	164	
183	178	216	225	235	247	300	260	230	117	70	20	4	1	14	8
271	312	354	336	213	168	126	92	49	44	31	21	4	14	5	
386	365	384	430	438	553	834	948	922	632	341	126	30	16	86	9
548	442	567	574	420	486	465	504	410	405	218	151	55	104	159	
2,425	2,598	2,911	3,332	3,795	4,465	4,868	4,696	4,070	3,125	1,697	593	146	38	4	10
175	195	225	190	171	210	137	126	109	65	32	13	13	13	2	
1,370	1,586	1,794	2,087	2,375	2,738	2,998	2,827	2,400	1,754	949	319	82	18	2	11
110	123	139	124	125	125	80	70	53	30	11	4	5	3	----	
1,055	1,012	1,117	1,245	1,420	1,727	1,870	1,869	1,670	1,371	748	274	64	20	2	12
65	72	86	66	46	85	57	56	56	35	21	9	8	10	2	
574	598	606	578	722	773	968	901	856	526	275	89	22	6	18	13
20	23	29	22	16	25	19	10	8	6	7	1	----	1	2	
252	283	313	307	386	414	490	450	397	245	125	38	8	----	2	14
10	15	21	12	12	20	12	9	6	3	5	1	----	1	1	
322	315	293	271	336	359	478	451	459	281	150	51	14	6	16	15
10	8	8	10	4	5	7	1	2	3	2	----	----	----	1	
588	738	863	1,096	1,197	1,461	1,577	1,454	1,328	1,046	615	229	46	8	9	16
37	23	31	42	17	20	40	26	17	11	13	1	2	1	----	
477	584	695	867	965	1,102	1,195	979	909	670	398	127	19	5	2	17
32	20	30	35	14	20	34	23	16	11	8	1	2	1	----	
111	154	168	229	232	359	382	475	419	376	217	102	27	3	7	18
5	3	1	7	3	----	6	3	1	----	5	----	----	----	----	
93	78	110	117	151	183	233	221	239	184	104	31	5	1	3	19
28	39	35	43	38	44	54	32	25	21	7	5	4	----	1	
58	45	64	61	79	97	101	93	94	66	39	13	----	1	----	20
11	19	18	24	12	14	13	7	7	6	2	2	----	----	----	
35	33	46	56	72	86	132	128	145	118	65	18	5	----	3	21
17	20	17	19	26	30	41	25	18	15	5	3	4	----	1	
436	441	469	580	636	737	829	795	745	520	230	90	15	4	47	22
546	509	479	475	267	277	219	192	166	125	61	38	21	31	60	
156	171	182	239	224	282	250	255	203	161	66	28	2	2	4	23
226	219	217	179	91	66	54	33	25	17	14	8	3	9	3	
280	270	287	341	412	455	579	540	542	359	164	62	13	2	43	24
320	290	262	296	176	211	165	159	141	108	47	30	18	22	57	
114	143	140	163	197	220	308	234	235	163	103	19	7	----	6	25
4	4	8	6	6	1	11	12	5	3	1	2	3	1	----	
20	33	21	18	28	40	51	29	26	29	11	4	2	----	----	26
----	1	2	1	----	----	2	1	1	----	----	1	----	----	----	
94	110	119	145	169	180	257	205	209	134	92	15	5	----	6	27
4	3	6	5	6	1	9	11	4	3	1	1	3	1	----	
3,150	3,417	3,771	4,479	5,176	6,096	6,739	6,344	5,629	4,410	2,296	800	181	28	20	28
448	466	475	383	314	280	238	168	126	75	44	18	3	22	5	
2,181	2,388	2,607	3,110	3,505	3,933	3,976	3,373	2,687	1,937	944	359	75	11	3	29
400	390	415	317	232	212	173	111	75	39	26	8	----	11	2	
969	1,029	1,164	1,369	1,671	2,163	2,763	2,971	2,942	2,473	1,352	441	106	17	17	30
48	76	60	66	82	68	65	57	51	36	18	10	3	11	3	
1,156	1,324	1,426	1,687	2,178	2,820	3,563	3,811	3,563	2,748	1,496	469	101	12	28	31
149	178	156	167	101	117	82	84	64	34	30	13	2	7	4	
648	717	775	869	1,066	1,224	1,405	1,304	1,110	810	426	123	30	4	9	32
135	155	137	140	85	92	55	59	41	15	24	7	1	6	1	
508	607	651	818	1,112	1,596	2,158	2,507	2,453	1,938	1,070	346	71	8	19	33
14	23	19	27	16	25	27	25	23	19	6	6	1	1	3	
678	745	842	1,063	1,389	1,744	2,282	2,475	2,431	2,158	1,251	500	102	17	3	34
11	25	16	20	21	20	27	18	19	14	5	3	2	1	1	
289	344	350	428	538	634	780	777	671	558	315	109	26	4	----	35
9	19	14	18	12	14	21	10	13	7	3	3	1	1	----	
389	401	492	635	851	1,110	1,502	1,698	1,760	1,600	936	391	76	13	3	36
2	6	2	2	9	6	6	8	6	7	2	----	1	----	1	
506	514	644	814	939	1,204	1,541	1,644	1,849	1,529	867	277	42	7	13	37
92	74	66	87	65	73	73	66	69	54	24	17	9	9	1	
199	190	237	324	341	434	469	454	498	335	200	73	13	2	1	38
74	54	50	61	43	55	49	33	33	20	13	7	5	5	1	
307	324	407	490	598	770	1,072	1,190	1,351	1,194	667	204	29	5	12	39
18	20	16	26	22	18	24	33	36	34	11	10	4	4	----	
800	771	841	998	1,150	1,433	1,900	1,924	1,885	1,409	777	235	58	11	58	40
270	287	320	358	284	300	269	223	175	149	69	48	18	25	55	
235	228	316	365	392	476	587	524	469	329	164	53	15	----	1	41
145	142	177	176	131	139	94	61	40	44	16	9	4	3	15	
565	543	525	633	758	957	1,313	1,400	1,416	1,080	613	182	43	11	57	42
125	145	143	182	153	161	175	162	135	105	53	39	14	22	40	

[1] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Louisiana	White	12,202	1,910	738	262	207	360	457	450	426
		Colored	12,886	1,932	728	250	265	654	853	786	665
2	Urban	White	5,769	678	259	116	83	145	222	235	213
		Colored	4,889	627	230	62	70	218	348	346	345
3	Rural	White	6,433	1,232	479	146	124	215	235	215	213
		Colored	7,997	1,305	498	188	195	436	505	440	320
4	Maine	White	10,753	1,328	327	161	113	200	225	216	209
		Colored	39	4	2			3	2	4	
5	Urban	White	3,446	421	118	67	43	65	88	97	77
		Colored	14	3						1	
6	Rural	White	7,307	907	209	94	70	135	137	119	132
		Colored	25	1	2			3	2	3	
7	Maryland	White	16,143	2,063	602	258	192	288	374	408	473
		Colored	5,485	985	330	84	81	186	280	285	266
8	Urban	White	9,839	1,150	380	168	131	172	230	255	319
		Colored	3,082	426	192	50	36	85	158	192	178
9	Rural	White	6,304	913	222	90	61	116	144	153	154
		Colored	2,403	559	138	34	45	101	122	93	88
10	Massachusetts	White	50,722	6,146	2,265	904	656	860	1,108	1,286	1,394
		Colored	999	134	56	15	18	32	35	59	49
11	Urban	White	40,956	5,287	1,997	792	549	675	895	1,041	1,165
		Colored	888	124	51	13	13	29	32	46	42
12	Rural	White	9,766	859	268	112	107	185	213	245	229
		Colored	111	10	5	2	5	3	3	13	7
13	Michigan	White	46,978	7,075	2,027	974	629	1,006	1,237	1,362	1,604
		Colored	2,441	399	135	41	42	85	174	251	234
14	Urban	White	24,792	4,193	1,150	595	325	567	791	901	1,071
		Colored	1,970	334	114	29	27	67	151	221	207
15	Rural	White	22,186	2,882	877	379	304	439	446	461	533
		Colored	471	65	21	12	15	18	23	30	27
16	Minnesota	White	24,973	3,162	895	547	420	552	743	773	790
		Colored	463	80	44	16	3	13	22	17	16
17	Urban	White	11,128	1,255	410	241	191	246	338	396	396
		Colored	217	19	8	2	1	2	8	10	10
18	Rural	White	13,845	1,907	485	306	229	306	405	377	394
		Colored	246	61	36	14	2	11	14	7	6
19	Mississippi	White	8,218	1,169	587	161	139	247	268	252	246
		Colored	13,935	1,923	734	301	329	803	1,003	790	684
20	Urban	White	1,403	156	95	30	30	50	48	54	56
		Colored	1,885	192	78	32	32	104	140	110	116
21	Rural	White	6,815	1,013	492	131	109	197	220	198	190
		Colored	12,050	1,731	656	269	297	699	863	680	568
22	Missouri	White	36,620	4,104	1,558	638	551	809	963	1,011	1,066
		Colored	4,668	561	206	58	86	197	262	270	272
23	Urban	White	17,306	1,744	622	316	252	369	460	542	583
		Colored	3,260	364	131	27	51	120	175	201	219
24	Rural	White	19,314	2,360	936	322	299	440	503	469	483
		Colored	1,408	197	75	31	35	77	87	69	53
25	Montana	White	710	620	191	109	105	109	148	148	176
		Colored	478	106	85	22	18	21	11	27	14
26	Urban	White	1,569	185	62	32	31	33	54	59	63
		Colored	34	8	1	1			3	2	1
27	Rural	White	3,141	435	129	77	74	76	94	89	113
		Colored	444	98	84	21	18	21	8	25	13
28	Nebraska	White	12,098	1,620	542	247	190	260	311	285	334
		Colored	395	67	28	6	11	15	12	19	22
29	Urban	White	3,879	469	160	78	62	90	124	111	163
		Colored	244	28	11	4	2	11	7	13	17
30	Rural	White	8,219	1,151	382	169	128	170	187	174	171
		Colored	151	39	17	2	9	4	5	6	5
31	New Hampshire	White	6,556	716	205	94	69	80	113	137	135
		Colored	7	1	1			1		1	
32	Urban	White	2,856	420	104	53	41	31	61	70	61
		Colored	5	1	1					1	
33	Rural	White	3,700	296	101	41	28	49	52	67	74
		Colored	2					1			
34	New Jersey	White	38,932	4,577	1,672	812	604	781	949	1,070	1,255
		Colored	3,260	535	218	55	60	115	186	190	194
35	Urban	White	24,633	3,154	1,201	615	400	508	621	716	841
		Colored	2,213	392	160	40	36	74	115	128	141
36	Rural	White	14,299	1,423	471	197	204	273	328	354	414
		Colored	1,047	143	58	15	24	41	71	62	53
37	New York	White	136,752	14,613	4,924	2,418	1,779	2,498	3,421	3,893	4,570
		Colored	5,748	914	324	85	72	184	403	434	441
38	Urban	White	102,895	11,842	4,121	2,027	1,423	1,947	2,711	3,113	3,674
		Colored	5,125	853	299	74	63	162	365	393	407
39	Rural	White	33,857	2,771	803	391	356	551	710	780	896
		Colored	623	61	25	11	9	22	38	41	34
40	North Carolina	White	19,702	3,863	1,376	340	277	469	616	676	602
		Colored	12,846	2,732	905	253	278	664	903	689	542
41	Urban	White	3,504	664	194	69	55	102	142	165	142
		Colored	3,076	615	171	54	42	172	259	237	192
42	Rural	White	16,198	3,199	1,182	271	222	367	474	511	460
		Colored	9,770	2,117	734	199	236	492	644	452	350
43	North Dakota	White	4,817	965	279	151	145	127	186	150	154
		Colored	228	71	27	10	10	12	10	1	5
44	Urban	White	664	78	29	28	25	23	40	26	24
		Colored	8	1						1	1
45	Rural	White	4,153	887	250	123	120	104	146	124	130
		Colored	220	70	27	10	10	12	10		4

BIRTHS), BY AGE AND COLOR: 1925—Continued

[In 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
505	553	575	717	753	780	950	889	721	527	289	78	22	5	28	1
853	769	798	840	618	563	483	474	385	380	233	143	60	90	64	
251	329	318	409	464	452	494	403	298	220	133	31	9	1	6	2
401	392	399	374	285	234	161	141	93	65	43	17	11	8	19	
254	224	257	308	289	328	456	486	423	307	156	47	13	4	22	3
452	377	399	466	333	329	322	333	292	315	190	126	49	82	45	
265	303	353	491	606	777	1,058	1,176	1,166	977	568	190	41	3		4
1	1	1	1	5	2	6	1	2	2	1	1				
128	145	140	210	232	258	325	347	302	213	125	31	12	2		5
1				4		3	1		1						
137	158	213	281	374	519	733	829	864	764	443	159	29	1		6
	1	1	1	1	2	3		2	1	1	1				
543	606	754	985	1,100	1,324	1,564	1,542	1,395	990	459	162	40	6	15	7
327	372	381	417	307	311	234	219	164	130	51	32	13	11	19	
357	404	521	694	751	882	980	903	760	477	217	59	24	5		8
239	278	276	281	197	171	109	95	61	32	12	6	2	5	1	
186	202	233	291	349	442	584	639	635	513	242	103	16	1	15	9
88	94	105	136	110	140	125	124	103	98	39	26	11	6	18	
1,638	1,952	2,431	3,010	3,675	4,283	4,733	4,645	4,116	3,052	1,747	647	142	18	14	10
75	69	60	66	69	68	64	43	41	14	15	9	3	5		
1,353	1,627	2,048	2,553	3,089	3,526	3,704	3,581	3,075	2,229	1,218	449	85	10	8	11
65	66	55	59	60	65	56	37	32	13	13	9	3	5		
285	325	383	457	586	757	1,029	1,064	1,041	823	529	198	57	8	6	12
10	3	5	7	9	3	8	6	9	1	2					
1,884	1,830	2,050	2,269	2,573	3,286	4,007	4,089	3,817	2,972	1,576	515	122	15	59	13
217	181	155	128	107	79	67	42	29	20	23	11	6	7	8	
1,292	1,154	1,310	1,322	1,412	1,679	1,847	1,775	1,497	1,088	589	157	47	4	26	14
187	156	125	102	79	53	42	24	16	12	10	4	2	2	6	
592	676	740	947	1,161	1,607	2,160	2,314	2,320	1,884	987	358	75	11	33	15
30	25	30	26	28	26	25	18	13	8	13	7	4	5	2	
974	995	1,096	1,300	1,520	1,950	2,169	2,111	1,987	1,589	909	374	95	14	8	16
28	17	32	36	22	21	23	21	21	17	3	6	1		4	
555	564	605	705	793	976	948	848	720	530	277	100	28	4	2	17
21	11	23	27	15	15	14	10	12	7	1	1				
419	431	491	595	727	974	1,221	1,263	1,267	1,059	632	274	67	10	6	18
7	6	9	9	7	6	9	11	9	10	2	5	1		4	
297	314	352	351	367	464	636	721	710	503	256	98	11	7	62	19
763	698	792	848	561	613	616	665	526	456	276	187	88	145	134	
55	58	74	82	80	103	96	126	114	55	30	7	1		3	20
131	132	161	148	94	90	76	80	50	46	22	14	3	16	18	
242	256	278	269	287	361	540	595	596	448	226	91	10	7	59	21
632	566	631	700	467	523	540	585	476	410	254	173	85	129	116	
1,254	1,426	1,607	1,972	2,337	2,730	3,391	3,260	3,275	2,581	1,446	450	103	17	71	22
338	362	378	355	291	241	220	171	127	92	66	37	23	25	30	
731	867	982	1,185	1,341	1,494	1,627	1,402	1,217	898	465	156	32	7	14	23
282	295	309	279	216	161	143	104	68	46	26	16	9	12	6	
523	559	625	787	996	1,236	1,764	1,858	2,058	1,683	981	294	71	10	57	24
56	67	69	76	75	80	77	67	59	46	40	21	14	13	24	
246	240	270	321	330	378	393	345	250	189	85	38	12	2	5	25
6	12	12	18	11	21	14	27	16	14	7	6	1	2	7	
87	104	101	137	122	140	121	88	68	43	24	12	1	1	1	26
2			3	4	5		3	1							
159	136	169	184	208	238	272	257	182	146	61	26	11	1	4	27
4	12	12	15	7	16	14	24	15	14	7	6	1	2	7	
368	418	462	544	643	833	1,148	1,157	1,085	919	504	171	40	6	11	28
33	28	28	22	24	16	15	25	9	7	4	1		3		
156	179	198	234	244	288	378	319	274	187	108	46	6	2	3	29
26	26	24	18	14	10	9	16	2	3	2			1		
212	239	264	310	399	545	770	838	811	732	396	125	34	4	8	30
7	2	4	4	10	6	6	9	7	4	2	1		2		
149	163	250	339	425	520	638	731	699	582	320	124	23	3	41	31
1		2													
72	79	128	146	195	219	257	279	253	210	118	34	12	1	12	32
		2													
77	84	122	193	230	301	381	452	446	372	202	90	11	2	29	33
1															
1,573	1,825	2,100	2,661	2,811	3,299	3,535	3,213	2,715	2,011	1,050	341	68	6	4	34
217	237	253	222	172	193	134	106	70	56	24	9	10	4		
1,077	1,259	1,458	1,840	1,849	2,140	2,071	1,792	1,411	976	520	152	28	4		35
159	166	183	154	120	119	86	59	32	27	11	4	6	1		
496	566	642	821	962	1,159	1,464	1,421	1,304	1,035	530	189	40	2	4	36
58	71	70	68	52	74	48	47	38	29	13	5	4	3		
5,555	6,608	7,636	9,236	10,396	12,162	12,574	11,877	9,846	7,237	3,792	1,325	285	51	56	37
493	482	449	389	278	232	187	149	100	63	37	17	6	3	6	
4,556	5,447	6,247	7,554	8,309	9,489	9,155	8,079	6,092	4,149	2,071	678	157	37	17	38
455	435	403	342	248	195	161	119	68	45	20	10	3		5	
999	1,161	1,389	1,682	2,087	2,673	3,419	3,798	3,754	3,088	1,721	647	128	14	39	39
38	47	46	47	30	37	26	30	32	18	17	7	3	3	1	
686	625	724	780	932	1,107	1,556	1,706	1,523	1,016	507	194	57	24	46	40
571	555	599	650	535	548	544	554	406	380	200	115	82	72	69	
158	173	170	194	182	211	248	252	178	113	63	23	2	1	3	41
189	175	183	202	124	123	108	90	53	34	19	9	11	6	8	
528	452	554	586	750	896	1,308	1,454	1,345	903	444	171	55	23	43	42
382	380	416	448	411	425	436	464	353	346	181	106	71	66	61	
166	159	182	223	240	277	375	346	292	228	110	37	14	2	9	43
4	4	7	1	7	7	19	9	7	12	3	2				
27	27	38	47	38	50	58	35	41	19	8	1			2	44
				1		3				1					
139	132	144	176	202	227	317	311	251	209	102	36	14	2	7	45
4	4	7	1	6	7	16	9	7	12	2	2				

TABLE 3.—DEATHS (EXCLUSIVE OF STILL

["Urban" includes cities of 10,000 inhabitants or more

	AREA AND COLOR		All deaths	Under 1 year	1 to 4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years
1	Ohio	White	68,305	8,058	2,648	1,244	923	1,351	1,742	1,812	2,056
		Colored	5,302	774	316	80	68	201	354	411	397
2	Urban	White	38,172	4,703	1,543	786	572	807	1,078	1,218	1,379
		Colored	4,266	661	275	63	57	152	310	347	343
3	Rural	White	30,133	3,355	1,105	458	351	544	664	594	677
		Colored	1,036	113	41	17	11	49	44	64	54
4	Oregon	White	9,321	750	299	176	157	209	284	309	295
		Colored	308	42	26	7	10	10	14	10	10
5	Urban	White	4,270	287	118	61	64	95	140	155	166
		Colored	137	15	8	2	4	2	5	4	
6	Rural	White	5,051	463	181	115	93	114	144	154	129
		Colored	171	27	18	5	6	8	9	6	10
7	Pennsylvania	White	108,181	16,394	5,491	2,218	1,537	2,253	2,726	2,801	3,311
		Colored	7,564	1,246	476	145	121	274	467	531	523
8	Urban	White	57,773	7,795	2,941	1,294	806	1,228	1,530	1,684	2,042
		Colored	6,034	972	395	122	100	212	390	432	435
9	Rural	White	50,408	8,599	2,550	924	731	1,025	1,196	1,117	1,269
		Colored	1,530	274	81	23	21	62	77	99	88
10	Rhode Island	White	8,009	1,020	363	144	122	145	195	171	219
		Colored	217	29	14	1	5	7	6	4	11
11	Urban	White	6,680	880	312	133	108	109	158	140	187
		Colored	192	28	12	1	4	6	5	3	9
12	Rural	White	1,329	140	51	11	14	36	37	31	32
		Colored	25	1	2		1	1	1	1	2
13	South Carolina	White	8,693	1,592	620	160	128	247	271	293	271
		Colored	13,297	2,595	875	284	305	661	907	725	622
14	Urban	White	1,810	240	104	37	24	62	71	75	71
		Colored	2,226	328	131	42	35	97	170	159	153
15	Rural	White	6,883	1,352	516	123	104	185	200	218	200
		Colored	11,071	2,267	744	242	270	564	737	566	469
16	Tennessee	White	19,404	2,930	1,288	373	345	666	778	722	705
		Colored	8,430	1,048	405	168	201	489	609	541	500
17	Urban	White	5,116	693	264	92	91	173	213	222	199
		Colored	4,063	534	180	69	82	191	302	292	262
18	Rural	White	14,288	2,237	1,024	281	254	493	565	500	506
		Colored	4,367	514	225	99	119	298	307	249	238
19	Utah	White	4,389	744	241	118	128	147	128	138	158
		Colored	95	22	7	2	1	8	5	1	5
20	Urban	White	2,082	235	93	52	65	69	64	73	91
		Colored	45	5	2	1	1	2	2	1	4
21	Rural	White	2,307	509	148	66	63	78	64	65	67
		Colored	50	17	5	1		6	3		1
22	Vermont	White	5,131	544	130	61	51	69	77	113	105
		Colored	6		1						
23	Urban	White	820	86	22	17	10	16	13	27	20
		Colored	2		1						
24	Rural	White	4,311	458	108	44	41	53	64	86	85
		Colored	4								
25	Virginia	White	17,523	2,861	1,005	306	270	414	460	452	485
		Colored	11,820	2,083	662	207	229	537	596	562	492
26	Urban	White	4,715	645	187	66	72	103	118	128	159
		Colored	3,755	626	199	51	55	165	198	227	224
27	Rural	White	12,808	2,216	818	240	198	311	342	324	326
		Colored	8,065	1,457	463	156	174	372	398	335	268
28	Washington	White	14,528	1,265	391	276	261	356	452	448	468
		Colored	752	130	64	30	24	51	43	42	25
29	Urban	White	7,486	608	189	144	135	149	214	211	216
		Colored	312	37	32	12	1	14	21	18	14
30	Rural	White	7,042	657	202	132	126	207	238	237	252
		Colored	440	93	32	18	23	37	22	24	11
31	West Virginia	White	15,467	3,333	1,311	355	275	472	579	524	535
		Colored	1,687	281	84	31	36	79	138	125	134
32	Urban	White	4,210	723	239	86	70	122	185	168	177
		Colored	472	63	21	8	8	25	37	34	38
33	Rural	White	11,257	2,610	1,072	269	205	350	394	356	358
		Colored	1,215	218	63	23	28	54	101	91	96
34	Wisconsin	White	28,871	3,786	1,101	518	409	574	750	760	852
		Colored	509	68	57	28	7	27	23	33	23
35	Urban	White	12,205	1,755	523	245	199	257	365	364	419
		Colored	156	19	18	8	3	13	8	13	9
36	Rural	White	16,666	2,031	578	273	210	317	385	396	433
		Colored	353	49	39	20	4	14	15	20	14
37	Wyoming	White	1,787	292	95	44	49	62	78	72	100
		Colored	109	17	22	3	3	5	8	3	7
38	Urban	White	395	51	16	9	9	5	26	24	31
		Colored	18						2		3
39	Rural	White	1,392	241	79	35	40	57	52	48	69
		Colored	91	17	22	3	3	5	6	3	4

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Vol. III, Table 8, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, 50, 53, and 54. Similar data for cities, which have not been shown since 1922, are held in manuscript.

BIRTHS), BY AGE AND COLOR: 1925—Continued

in 1920; the remainder of the State is included in "rural"]

35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	
2,416	2,552	3,030	3,553	4,216	5,234	6,275	6,632	6,184	4,789	2,551	851	153	21	14	1
413	394	373	351	256	221	202	169	121	92	56	30	13	10		
1,656	1,744	2,030	2,281	2,654	3,075	3,313	3,227	2,755	1,936	1,010	331	60	11	3	2
354	339	305	292	197	177	123	103	62	50	27	15	7	7		
760	808	1,000	1,272	1,562	2,159	2,962	3,405	3,429	2,853	1,541	520	93	10	11	3
59	55	68	59	59	44	79	66	59	42	29	15	6	3		
355	384	494	524	620	844	910	864	779	604	306	114	26	3	15	4
12	14	15	18	22	25	15	23	14	10	2	3		5	1	
173	202	265	282	328	407	409	384	314	243	123	42	8	1	3	5
9	11	9	11	14	16	6	10	6	3				1	1	
182	182	229	242	292	437	501	480	465	361	183	72	18	2	12	6
3	3	6	7	8	9	9	13	8	7	2	3		4		
3,942	4,539	5,165	6,337	7,036	8,440	9,141	8,882	7,943	5,795	2,990	985	217	30	8	7
596	566	605	518	389	325	264	213	133	93	41	17	11	10		
2,426	2,729	3,142	3,832	4,176	4,820	4,882	4,338	3,731	2,596	1,265	407	96	10	3	8
486	464	508	418	300	264	193	149	72	66	27	12	8	9		
1,516	1,810	2,023	2,505	2,860	3,620	4,259	4,544	4,212	3,199	1,725	578	121	20	5	9
110	102	97	100	89	61	71	64	61	27	14	5	3	1		
255	337	420	481	606	638	743	777	612	415	231	85	14	1	15	10
13	8	20	15	16	12	15	15	14	5	4	2		1		
211	286	373	415	512	548	606	639	474	333	170	62	10	1	13	11
12	8	18	13	15	11	14	13	12	4	2	2				
44	51	47	66	94	90	137	138	138	82	61	23	4		2	12
1		2	2	1	1	1	2	2	1	2			1		
313	303	349	371	428	513	666	747	691	416	227	59	6	6	22	13
771	718	730	777	543	588	507	520	393	336	175	104	50	78	33	
102	86	96	97	121	102	121	157	112	83	39	8	1	1		14
173	191	173	174	114	87	66	47	34	25	16	6	1	2	2	
211	217	253	274	307	411	545	590	579	327	188	51	5	5	22	15
598	527	557	603	429	501	441	473	359	311	159	98	49	76	31	
723	714	763	944	939	1,111	1,519	1,468	1,533	1,117	538	152	34	6	36	16
514	496	519	585	478	466	384	306	247	188	134	57	24	44	27	
230	267	276	314	311	354	398	354	302	226	95	33	6	1	2	17
309	290	299	316	260	224	180	99	67	43	33	9	9	10	3	
493	447	487	630	628	757	1,121	1,114	1,231	891	443	119	28	5	34	18
205	206	220	269	218	242	204	207	180	145	101	48	15	34	24	
170	227	221	215	235	249	340	277	268	219	109	34	12	2	9	19
9	4	1	8	3	2	5	5	2	1					4	
94	120	128	125	130	140	179	126	119	100	55	12	7	2	3	20
5	4	1	6	1	1	3	4							2	
76	107	93	90	105	109	161	151	149	119	54	22	5		6	21
4			2	2	1	2	1	2	1					2	
100	133	206	247	328	427	508	597	567	485	255	101	22	3	2	22
	1	1	1					1		1					
23	35	45	53	83	62	81	77	71	47	19	7	5		1	23
			1												
77	98	161	194	245	365	427	520	496	438	236	94	17	3	1	24
	1	1						1		1					
512	574	688	788	946	1,057	1,509	1,731	1,585	1,052	556	196	57	8	11	25
605	682	711	846	705	719	587	511	365	341	199	81	42	38	20	
171	205	232	275	350	311	456	458	388	243	103	32	11	2		26
257	295	300	347	263	202	149	89	53	29	14	7	3	2		
341	369	456	513	506	746	1,053	1,273	1,197	809	453	164	46	6	11	27
348	387	411	499	442	517	438	422	312	312	185	74	39	36	20	
637	715	787	865	1,038	1,308	1,344	1,338	1,115	837	429	129	38	5	26	28
32	40	46	40	31	33	34	28	17	14	13	6	3	4	2	
342	384	456	522	588	733	711	671	528	414	182	60	20	3	6	29
19	25	23	22	16	18	17	10	4	3	2			2	2	
295	331	331	343	450	575	633	667	587	423	247	69	18	2	20	30
13	15	23	18	15	15	17	18	13	11	11	6	3	2		
567	561	605	608	655	768	1,019	1,013	964	765	372	140	32	9	5	31
138	122	92	101	74	58	52	48	34	27	14	9	4	6		
187	211	212	208	229	239	307	286	284	169	63	39	5	1		32
42	36	28	26	21	21	20	19	9	5	4	2	2	3		
380	350	393	400	426	529	712	727	680	596	309	104	27	8	5	33
96	86	64	75	53	37	32	29	25	22	10	7	2	3		
999	999	1,187	1,394	1,710	2,097	2,612	2,678	2,594	2,107	1,192	421	94	16	21	34
26	21	25	22	21	25	21	24	21	13	9	7	2	3	3	
509	491	576	673	800	970	1,059	1,026	853	628	348	116	21	3	5	35
10	13	10	5	4	7	4	3	5	2	2					
490	508	611	721	910	1,127	1,553	1,652	1,741	1,479	844	305	73	13	16	36
16	8	15	17	17	18	17	21	16	11	7	7	2	3	3	
96	88	94	94	94	126	110	91	91	62	29	9	2		9	37
3	6	3	7	4	5	4	2	2	1	1			1	2	
25	24	30	22	17	32	25	19	13	9	5	3				38
	3	1	2	1	3		1		1				1		
71	64	64	72	77	94	85	72	78	53	24	6	2		9	39
3	3	2	5	3	2	4	1	2		1				2	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
All ages	656,208	562,811	422,953	373,157	134,174	106,830	12,493	4,249	82,988	76,503	1,546	1,419	1,148	151	788	489	118	13
Under 1 year	92,289	69,672	77,654	58,030	84	78	257	211	13,690	10,877	359	250	52	46	189	177	4	3
1 to 4 years	30,111	26,222	24,826	21,419	253	226	98	95	4,606	4,178	189	195	30	18	104	88	5	3
5 to 9 years	12,438	10,075	10,675	8,363	200	161	47	42	1,405	1,412	71	58	4	5	33	33	3	1
10 to 14 years	10,204	8,244	8,181	6,388	311	248	54	36	1,571	1,512	68	46	9	5	9	9	1	----
15 to 19 years	15,184	15,002	10,990	9,913	755	754	130	73	3,194	4,145	88	90	17	8	9	19	1	----
20 to 24 years	19,450	20,300	12,312	12,803	1,951	1,643	280	110	4,758	5,642	59	72	33	9	37	21	20	----
25 to 29 years	20,037	20,607	11,707	12,783	2,966	2,450	403	125	4,780	5,151	63	56	54	3	30	37	34	2
30 to 34 years	22,203	20,377	12,429	12,586	4,549	3,154	535	148	4,566	4,404	44	44	52	10	14	31	14	----
35 to 39 years	26,793	23,151	13,727	13,550	6,883	4,277	787	159	5,238	5,090	33	42	56	10	57	23	12	----
40 to 44 years	29,933	23,596	15,518	13,681	8,167	4,738	875	199	5,194	4,927	37	29	63	8	71	13	8	1
45 to 49 years	34,052	26,026	17,957	15,292	9,290	5,561	1,003	219	5,599	4,879	41	47	69	6	86	21	7	1
50 to 54 years	39,726	29,796	21,608	17,700	10,708	7,074	1,180	247	6,012	4,720	55	43	93	6	69	6	1	----
55 to 59 years	42,954	32,337	24,667	19,783	12,724	8,722	1,038	246	4,311	3,532	55	49	109	2	47	2	3	1
60 to 64 years	49,417	39,060	28,905	23,991	14,955	11,075	1,245	326	4,075	3,595	74	60	144	8	18	5	1	----
65 to 69 years	55,221	44,711	35,225	29,403	14,972	11,823	1,253	388	3,596	3,021	56	71	111	3	8	1	----	1
70 to 74 years	53,101	45,384	34,049	29,330	14,439	12,860	1,125	420	3,291	2,710	80	62	110	2	5	----	2	----
75 to 79 years	45,781	42,760	28,979	27,412	13,329	12,808	873	433	2,461	2,055	59	50	79	2	1	----	----	----
80 to 84 years	32,868	34,602	19,947	22,206	10,261	10,193	588	347	1,994	1,803	43	51	35	----	----	2	----	----
85 to 89 years	16,342	19,922	9,754	12,573	5,166	6,070	267	196	1,110	1,052	30	30	15	----	----	1	----	----
90 to 94 years	5,372	7,532	3,014	4,520	1,682	2,233	81	96	574	652	15	31	6	----	----	----	----	----
95 to 99 years	1,188	1,988	545	1,056	376	541	20	34	235	347	8	10	4	----	----	----	----	----
100 years and over	478	802	73	158	79	120	14	4	303	498	8	22	----	----	----	----	1	----
Unknown	1,066	645	211	217	74	21	340	95	425	301	11	11	3	----	1	----	1	----
REGISTRATION STATES OF 1920 [1]																		
All ages	597,585	513,293	385,723	341,277	127,603	101,904	11,040	3,711	69,884	64,551	1,331	1,221	1,121	145	772	473	111	11
Under 1 year	82,810	62,621	70,211	52,570	79	74	226	187	11,750	9,365	302	210	52	43	187	169	3	3
1 to 4 years	26,902	23,469	22,298	19,277	231	206	92	80	3,989	3,642	158	157	29	18	101	86	4	3
5 to 9 years	11,332	9,138	9,798	7,659	191	152	41	39	1,205	1,202	57	48	4	5	33	33	3	----
10 to 14 years	9,121	7,392	7,403	5,797	290	229	46	33	1,310	1,279	54	40	9	5	9	9	----	----
15 to 19 years	13,475	13,216	9,894	8,919	706	698	113	60	2,665	3,428	73	84	17	8	9	19	1	----
20 to 24 years	17,141	17,830	10,991	11,473	1,857	1,532	236	97	3,915	4,639	54	60	33	8	36	21	19	----
25 to 29 years	17,836	18,279	10,572	11,430	2,833	2,343	342	106	3,916	4,310	57	51	53	3	30	34	33	2
30 to 34 years	19,990	18,213	11,267	11,316	4,362	3,038	464	123	3,779	3,657	41	39	50	10	14	30	13	----
35 to 39 years	24,361	20,764	12,458	12,202	6,642	4,096	719	131	4,387	4,267	31	37	56	8	56	23	12	----
40 to 44 years	27,411	21,311	14,154	12,401	7,900	4,558	796	176	4,390	4,129	32	25	62	8	69	13	8	1
45 to 49 years	31,152	23,699	16,388	14,006	8,987	5,375	898	196	4,685	4,056	38	40	67	6	83	20	6	----
50 to 54 years	36,429	27,413	19,862	16,358	10,325	6,855	1,050	215	4,982	3,934	48	39	93	6	68	6	1	----
55 to 59 years	39,742	30,024	22,716	18,319	12,237	8,424	936	218	3,649	3,014	47	44	109	2	45	2	3	1
60 to 64 years	45,805	36,403	26,692	22,266	14,348	10,696	1,087	290	3,448	3,085	71	53	140	8	18	5	1	----
65 to 69 years	50,965	41,490	32,409	27,198	14,204	11,302	1,100	337	3,091	2,596	48	53	105	3	8	----	----	1
70 to 74 years	48,808	42,192	31,211	27,189	13,635	12,269	969	370	2,809	2,309	72	53	105	2	5	----	2	----
75 to 79 years	42,063	39,689	26,570	25,326	12,490	12,146	783	394	2,092	1,775	52	46	76	2	----	----	----	----
80 to 84 years	30,162	31,903	18,390	20,511	9,509	9,529	522	299	1,672	1,519	34	43	35	----	----	2	----	----
85 to 89 years	14,920	18,359	8,969	11,603	4,754	5,676	223	169	931	882	28	28	15	----	----	1	----	----
90 to 94 years	4,844	6,897	2,754	4,175	1,534	2,074	74	81	464	538	13	29	5	----	----	----	----	----
95 to 99 years	1,060	1,817	491	971	344	506	17	28	199	302	6	10	3	----	----	----	----	----
100 years and over	396	671	61	158	75	107	12	3	239	402	8	21	----	----	----	----	1	----
Unknown	857	503	164	173	70	19	294	79	317	221	7	11	3	----	1	----	1	----
REGISTRATION STATES [2]																		
All ages	641,397	550,412	414,588	366,379	132,787	105,664	11,981	4,101	78,462	72,203	1,539	1,417	1,135	149	788	486	117	13
Under 1 year	90,051	68,029	76,048	56,870	79	76	251	201	13,069	10,410	359	250	52	44	189	175	4	3
1 to 4 years	29,335	25,602	24,283	20,987	235	211	96	90	4,394	4,010	189	195	29	18	104	88	5	3
5 to 9 years	12,193	9,880	10,507	8,251	194	155	47	41	1,334	1,336	71	58	4	5	33	33	3	1
10 to 14 years	9,960	8,041	8,026	6,273	301	238	52	36	1,494	1,434	68	46	9	5	9	9	1	----
15 to 19 years	14,761	14,457	10,761	9,671	718	711	126	70	3,041	3,888	88	90	17	8	9	19	1	----
20 to 24 years	18,724	19,477	11,955	12,440	1,903	1,564	266	104	4,452	5,267	58	72	33	9	37	21	20	----
25 to 29 years	19,283	19,791	11,373	12,407	2,906	2,378	384	122	4,443	4,788	60	55	53	3	30	36	34	2
30 to 34 years	21,469	19,655	12,067	12,253	4,489	3,099	510	137	4,281	4,081	44	44	51	10	14	31	13	----
35 to 39 years	25,960	22,334	13,371	13,176	6,802	4,181	762	146	4,867	4,757	33	41	56	10	57	23	12	----
40 to 44 years	29,053	22,823	15,109	13,338	8,086	4,660	842	189	4,839	4,585	36	29	62	8	71	13	8	1
45 to 49 years	33,067	25,294	17,472	14,975	9,199	5,500	957	210	5,237	4,534	41	47	68	6	86	21	7	1
50 to 54 years	38,632	29,061	21,119	17,395	10,593	7,007	1,121	236	5,582	4,368	54	43	93	6	69	6	1	----
55 to 59 years	42,071	31,698	24,172	19,457	12,602	8,633	998	236	4,085	3,318	55	49	109	2	47	2	3	1
60 to 64 years	48,454	38,434	28,381	23,643	14,806	10,984	1,185	315	3,849	3,419	74	60	140	8	18	5	1	----
65 to 69 years	54,323	44,064	34,650	28,973	14,841	11,736	1,199	379	3,460	2,900	56	71	109	3	8	1	----	1
70 to 74 years	52,249	44,803	33,504	28,943	14,309	12,772	1,074	408	3,166	2,616	80	62	109	2	5	----	2	----
75 to 79 years	45,193	42,250	28,586	27,043	13,244	12,735	843	423	2,382	1,997	59	50	78	2	1	----	----	----
80 to 84 years	32,483	34,213	19,736	21,953	10,172	10,114	568	342	1,929	1,751	43	51	35	----	----	2	----	----
85 to 89 years	16,144	19,684	9,659	12,427	5,116	6,018	256	194	1,068	1,014	30	30	15	----	----	1	----	----
90 to 94 years	5,320	7,460	2,992	4,488	1,668	2,220	81	94	558	627	15	31	6	----	----	----	----	----
95 to 99 years	1,176	1,960	541	1,046	373	536	20	32	230	336	8	10	4	----	----	----	----	----
100 years and over	466	773	71	157	79	116	14	4	293	474	8	22	----	----	----	----	1	----
Unknown	1,030	629	205	213	72	20	329	92	409	293	10	11	3	----	1	----	1	----

[1] These States are shown in Table A, Part II.

[2] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
CITIES IN REGISTRATION STATES [1]																		
All ages	327,909	286,651	196,781	178,619	87,730	73,802	6,029	1,768	35,847	31,988	111	84	865	119	478	266	68	5
Under 1 year	44,308	33,016	38,399	28,453	44	54	135	101	5,560	4,285	10	11	45	36	113	75	2	1
1 to 4 years	14,523	12,494	12,204	10,518	178	144	43	31	1,995	1,724	7	6	27	16	65	53	4	2
5 to 9 years	6,700	5,308	5,960	4,650	152	118	21	16	541	494	4	2	4	4	15	24	3	----
10 to 14 years	4,925	3,975	4,134	3,275	209	170	23	18	540	498	6	2	8	5	5	7	----	----
15 to 19 years	6,904	6,942	5,155	4,892	491	512	43	25	1,184	1,488	11	9	13	7	6	9	1	----
20 to 24 years	9,513	10,326	5,906	6,708	1,334	1,185	117	56	2,082	2,350	10	4	29	8	21	15	14	----
25 to 29 years	10,683	11,132	5,929	6,824	2,024	1,843	208	64	2,435	2,370	10	10	38	3	21	18	18	----
30 to 34 years	12,549	11,388	6,461	6,801	3,204	2,370	281	62	2,539	2,125	5	5	43	8	10	17	6	----
35 to 39 years	15,750	12,938	7,441	7,189	4,884	3,191	458	70	2,867	2,465	3	4	53	6	37	13	7	----
40 to 44 years	18,071	13,543	8,638	7,358	5,899	3,607	519	97	2,907	2,459	8	5	54	6	42	10	4	1
45 to 49 years	20,432	15,167	9,934	8,367	6,757	4,266	568	116	3,054	2,400	5	3	59	4	51	11	4	----
50 to 54 years	23,378	17,504	11,760	9,670	7,861	5,490	700	119	2,935	2,212	4	3	80	5	38	5	----	----
55 to 59 years	24,804	18,882	12,862	10,432	9,206	6,642	599	129	1,993	1,674	9	1	98	2	34	2	3	----
60 to 64 years	26,876	22,197	13,946	12,140	10,510	8,320	655	146	1,641	1,574	8	6	109	6	7	5	----	----
65 to 69 years	27,190	23,273	15,360	13,556	9,901	8,319	570	165	1,278	1,228	1	3	74	1	6	----	----	1
70 to 74 years	23,424	22,246	13,008	12,456	8,970	8,657	463	162	908	968	4	2	65	1	5	----	1	----
75 to 79 years	18,156	19,382	9,791	10,568	7,467	8,024	297	160	561	625	2	4	37	1	1	----	----	----
80 to 84 years	11,857	14,715	6,069	8,170	5,227	5,984	156	127	386	430	1	2	18	----	----	2	----	----
85 to 89 years	5,560	8,219	2,833	4,553	2,442	3,336	71	60	206	269	1	1	7	----	----	----	----	----
90 to 94 years	1,664	2,964	801	1,611	746	1,196	19	26	96	130	----	1	2	----	----	----	----	----
95 to 99 years	346	746	155	365	153	294	3	7	35	80	----	----	----	----	----	----	----	----
100 years and over	108	207	9	38	42	72	5	----	49	97	2	----	----	----	----	----	1	----
Unknown	188	87	26	25	29	8	75	11	55	43	----	----	2	----	1	----	----	----
RURAL PART OF REGISTRATION STATES [2]																		
All ages	313,488	263,761	217,807	187,760	45,057	31,862	5,952	2,333	42,615	40,215	1,428	1,333	270	30	310	220	49	8
Under 1 year	45,743	35,013	37,649	28,417	35	22	116	100	7,509	6,125	349	239	7	8	76	100	2	2
1 to 4 years	14,812	13,108	12,079	10,469	57	67	53	59	2,399	2,286	182	189	2	2	39	35	1	1
5 to 9 years	5,493	4,752	4,572	3,601	42	37	26	25	793	842	67	56	----	1	18	9	----	1
10 to 14 years	5,035	4,066	3,892	2,998	92	68	29	18	954	936	62	44	1	----	4	2	1	----
15 to 19 years	7,857	7,515	5,606	4,779	227	199	83	45	1,857	2,400	77	81	4	1	3	10	----	----
20 to 24 years	9,211	9,151	6,049	5,732	569	379	149	48	2,370	2,917	48	68	4	1	16	6	6	----
25 to 29 years	8,600	8,659	5,444	5,583	882	535	176	58	2,008	2,418	50	45	15	----	9	18	16	2
30 to 34 years	8,920	8,267	5,606	5,452	1,285	729	229	75	1,742	1,956	39	39	8	2	4	14	7	----
35 to 39 years	10,210	9,396	5,930	5,987	1,918	990	304	76	2,000	2,292	30	37	3	4	20	10	5	----
40 to 44 years	10,982	9,280	6,471	5,980	2,187	1,053	323	92	1,932	2,126	28	24	8	2	29	3	4	----
45 to 49 years	12,635	10,127	7,538	6,608	2,442	1,234	389	94	2,183	2,134	36	44	9	2	35	10	3	1
50 to 54 years	15,254	11,557	9,359	7,725	2,732	1,517	421	117	2,647	2,156	50	40	13	1	31	1	1	----
55 to 59 years	17,267	12,816	11,310	9,025	3,396	1,991	399	107	2,092	1,644	46	48	11	----	13	----	----	1
60 to 64 years	21,578	16,237	14,435	11,503	4,296	2,664	530	169	2,208	1,845	66	54	31	2	11	----	1	----
65 to 69 years	27,133	20,791	19,290	15,417	4,940	3,417	629	214	2,182	1,672	55	68	35	2	2	1	----	----
70 to 74 years	28,825	22,557	20,496	16,487	5,339	4,115	611	246	2,258	1,648	76	60	44	1	----	----	1	----
75 to 79 years	27,037	22,868	18,795	16,475	5,777	4,711	546	263	1,821	1,372	57	46	41	1	----	----	----	----
80 to 84 years	20,626	19,498	13,667	13,783	4,945	4,130	412	215	1,543	1,321	42	49	17	----	----	----	----	----
85 to 89 years	10,584	11,465	6,826	7,874	2,674	2,682	185	134	862	745	29	29	8	----	----	1	----	----
90 to 94 years	3,656	4,496	2,191	2,877	922	1,024	62	68	462	497	15	30	4	----	----	----	----	----
95 to 99 years	830	1,214	386	681	220	242	17	25	195	256	8	10	4	----	----	----	----	----
100 years and over	358	566	62	119	37	44	9	4	244	377	6	22	----	----	----	----	----	----
Unknown	842	542	179	188	43	12	254	81	354	250	10	11	1	----	----	----	1	----
REGISTRATION CITIES IN NON-REGISTRATION STATES [3]																		
All ages	14,811	12,399	8,365	6,778	1,387	1,166	512	148	4,526	4,300	7	2	13	2	----	3	1	----
Under 1 year	2,238	1,643	1,606	1,160	5	2	6	10	621	467	----	----	----	2	----	2	----	----
1 to 4 years	776	620	543	432	18	15	2	5	212	168	----	----	1	----	----	----	----	----
5 to 9 years	245	195	168	112	6	6	----	1	71	76	----	----	----	----	----	----	----	----
10 to 14 years	244	203	155	115	10	10	2	----	77	78	----	----	----	----	----	----	----	----
15 to 19 years	423	545	229	242	37	43	4	3	153	257	----	----	----	----	----	----	----	----
20 to 24 years	726	823	357	363	48	79	14	6	306	375	1	----	----	----	----	----	----	----
25 to 29 years	754	816	334	376	60	72	19	3	337	363	3	1	1	----	----	1	----	----
30 to 34 years	734	722	362	333	60	55	25	11	285	323	----	----	1	----	----	----	1	----
35 to 39 years	833	817	356	374	81	96	25	13	371	333	----	1	----	----	----	----	----	----
40 to 44 years	880	773	409	343	81	78	33	10	355	342	1	----	1	----	----	----	----	----
45 to 49 years	985	732	485	317	91	61	46	9	362	345	----	----	1	----	----	----	----	----
50 to 54 years	1,094	735	489	305	115	67	59	11	430	352	1	----	----	----	----	----	----	----
55 to 59 years	883	639	495	326	122	89	40	10	226	214	----	----	----	----	----	----	----	----
60 to 64 years	963	626	524	348	149	91	60	11	226	176	----	----	4	----	----	----	----	----
65 to 69 years	898	647	575	430	131	87	54	9	136	121	----	----	2	----	----	----	----	----
70 to 74 years	852	581	545	387	130	88	51	12	125	94	----	----	1	----	----	----	----	----
75 to 79 years	588	510	393	369	85	73	30	10	79	58	----	----	1	----	----	----	----	----
80 to 84 years	385	389	211	253	89	79	20	5	65	52	----	----	----	----	----	----	----	----
85 to 89 years	198	238	95	146	50	52	11	2	42	38	----	----	----	----	----	----	----	----
90 to 94 years	52	72	22	32	14	13	----	2	16	25	----	----	----	----	----	----	----	----
95 to 99 years	12	28	4	10	3	5	----	2	5	11	----	----	----	----	----	----	----	----
100 years and over	12	29	2	1	----	4	----	----	10	24	----	----	----	----	----	----	----	----
Unknown	36	16	6	4	2	1	11	3	16	8	1	----	----	----	----	----	----	----

[1] Including District of Columbia and municipalities of 10,000 inhabitants or more in 1920.
[2] "Rural" embraces the area outside of cities of 10,000 inhabitants or more in 1920.
[3] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ALL REGISTRATION CITIES [1]																		
All ages	342,720	299,050	205,146	185,397	89,117	74,968	6,541	1,916	40,373	36,288	118	86	878	121	478	269	69	5
Under 1 year	46,546	34,659	40,005	29,613	49	56	141	111	6,181	4,752	10	11	45	38	113	77	2	1
1 to 4 years	15,299	13,114	12,747	10,950	196	159	45	36	2,207	1,892	7	6	28	16	65	53	4	2
5 to 9 years	6,945	5,503	6,128	4,762	158	124	21	17	612	570	4	2	4	4	15	24	3	
10 to 14 years	5,169	4,178	4,289	3,390	219	180	25	18	617	576	6	2	8	5	5	7		
15 to 19 years	7,327	7,487	5,384	5,134	528	555	47	28	1,337	1,745	11	9	13	7	6	9	1	
20 to 24 years	10,239	11,149	6,263	7,071	1,382	1,264	131	62	2,388	2,725	11	4	29	8	21	15	14	
25 to 29 years	11,437	11,948	6,263	7,200	2,084	1,915	227	67	2,772	2,733	13	11	39	3	21	19	18	
30 to 34 years	13,283	12,110	6,823	7,134	3,264	2,425	306	73	2,824	2,448	5	5	44	8	10	17	7	
35 to 39 years	16,583	13,755	7,797	7,563	4,965	3,287	483	83	3,238	2,798	3	5	53	6	37	13	7	
40 to 44 years	18,951	14,316	9,047	7,701	5,980	3,685	552	107	3,262	2,801	9	5	55	6	42	10	4	1
45 to 49 years	21,417	15,899	10,419	8,684	6,848	4,327	614	125	3,416	2,745	5	3	60	4	51	11	4	
50 to 54 years	24,472	18,239	12,249	9,975	7,976	5,557	759	130	3,365	2,564	5	3	80	5	38	5		
55 to 59 years	25,687	19,521	13,357	10,758	9,328	6,731	639	139	2,219	1,888	9	1	98	2	34	2	3	
60 to 64 years	27,339	22,823	14,470	12,488	10,659	8,411	715	157	1,867	1,750	8	6	113	6	7	5		
65 to 69 years	28,088	23,920	15,935	13,986	10,032	8,406	624	174	1,414	1,349	1	3	76	1	6			1
70 to 74 years	24,276	22,827	13,553	12,843	9,100	8,745	514	174	1,033	1,062	4	2	66	1	5		1	
75 to 79 years	18,744	19,892	10,184	10,937	7,552	8,097	327	170	640	683	2	4	38	1	1			
80 to 84 years	12,242	15,104	6,280	8,423	5,316	6,063	176	132	451	482	1	2	18			2		
85 to 89 years	5,758	8,457	2,928	4,699	2,492	3,388	82	62	248	307	1	1	7					
90 to 94 years	1,716	3,036	823	1,643	760	1,209	19	28	112	155		1	2					
95 to 99 years	358	774	159	375	156	299	3	9	40	91								
100 years and over	120	236	11	39	42	76	5		59	121	2						1	
Unknown	224	103	32	29	31	9	86	14	71	51	1		2		1			
ALABAMA																		
All ages	15,257	13,883	7,467	6,804	202	114	214	163	7,369	6,801	3	1			1		1	
Under 1 year	2,577	1,964	1,438	1,047			6	8	1,132	909	1							
1 to 4 years	875	827	519	508			1	5	355	314								
5 to 9 years	280	252	168	131			2	1	110	120								
10 to 14 years	313	248	147	114			2		164	134								
15 to 19 years	560	650	226	236	2	1	3	4	329	409								
20 to 24 years	714	849	250	291	2	3	5	1	457	554								
25 to 29 years	696	717	242	290	4	1	8	5	442	421								
30 to 34 years	649	620	224	253	7	2	8	8	410	357								
35 to 39 years	657	731	259	286	6	5	7	6	385	434								
40 to 44 years	619	678	250	269	9	4	7	4	353	401								
45 to 49 years	808	713	306	262	14	2	13	3	474	446							1	
50 to 54 years	898	667	347	272	15	3	10	8	526	384								
55 to 59 years	782	534	374	253	18	8	17	3	372	270					1			
60 to 64 years	822	632	433	316	17	10	18	6	354	300								
65 to 69 years	947	778	578	480	27	10	24	15	318	273								
70 to 74 years	985	819	623	502	20	19	25	19	317	278		1						
75 to 79 years	835	776	533	542	26	16	19	16	257	202								
80 to 84 years	560	638	298	382	19	19	12	19	230	218	1							
85 to 89 years	293	367	149	224	10	8	9	11	125	124								
90 to 94 years	146	172	50	80	5	1	2	8	89	83								
95 to 99 years	44	49	13	17		1	1	2	30	29								
100 years and over	55	80	5	11	1				49	69								
Unknown	142	122	35	38		1	15	11	91	72	1							
CALIFORNIA																		
All ages	32,947	23,853	20,570	16,504	9,433	6,066	998	181	624	516	162	157	596	96	514	327	50	6
Under 1 year	3,270	2,585	3,009	2,375	9	8	2	7	59	39	26	15	32	24	130	116	3	1
1 to 4 years	1,067	994	913	842	35	38	1	4	19	17	9	13	21	13	68	65	1	2
5 to 9 years	439	344	366	284	30	27		2	10	3	6	3	2	3	22	22	3	
10 to 14 years	359	324	287	262	47	34		1	5	9	6	7	5	4	9	7		
15 to 19 years	652	555	492	401	98	101	3	2	27	22	15	9	11	4	5	16	1	
20 to 24 years	947	699	610	465	253	174	19	3	23	33	8	10	11	3	18	11	5	
25 to 29 years	1,113	851	665	576	334	200	25	3	35	39	7	9	18	1	16	22	13	1
30 to 34 years	1,227	935	721	612	370	228	42	9	49	44	10	10	18	8	9	24	8	
35 to 39 years	1,505	1,095	832	720	497	303	66	7	48	41	5	5	20	5	31	14	6	
40 to 44 years	1,732	1,061	965	676	553	303	86	15	55	47	7	6	15	6	46	8	5	
45 to 49 years	1,951	1,185	1,092	814	586	301	105	13	72	30	3	10	28	5	61	12	4	
50 to 54 years	2,198	1,324	1,254	890	689	372	114	13	54	35	5	6	36	5	46	3		
55 to 59 years	2,454	1,512	1,358	988	859	465	111	14	36	38	8	3	49	1	33	2		1
60 to 64 years	2,897	1,778	1,621	1,186	986	518	139	15	40	39	11	9	87	7	13	4		
65 to 69 years	3,019	1,986	1,787	1,304	1,013	631	115	18	30	23	5	6	66	3	3			1
70 to 74 years	2,863	1,959	1,625	1,273	1,051	650	87	10	21	20	6	4	68	2	4		1	
75 to 79 years	2,340	1,839	1,338	1,111	868	687	52	14	15	17	5	8	62	2				
80 to 84 years	1,695	1,495	967	905	654	560	22	17	15	9	7	3	30			1		
85 to 89 years	847	882	478	570	338	296	7	8	6	3	6	5	12					
90 to 94 years	276	330	155	205	115	115		3	2	2	2	5	2					
95 to 99 years	76	83	33	36	36	38	1	2	1	5	2	2	3					
100 years and over	18	33	2	8	11	17			2	1	3	7						
Unknown	2	4		1	1		1	1				2						

[1] Including District of Columbia.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
COLORADO																		
All ages	7,208	5,341	5,253	4,189	1,439	901	306	88	160	127	19	20	2	1	26	15	3	
Under 1 year	995	744	969	712		2	1	3	12	16	3	3			10	8		
1 to 4 years	332	282	316	273	1	3	4		3	1	2	2			5	3	1	
5 to 9 years	140	111	132	101	4	5	1	1	1	2	1	1			1	1		
10 to 14 years	133	97	123	93	6		1	2	3	1		1						
15 to 19 years	182	150	162	132	9	8	4		7	5		4		1				
20 to 24 years	266	245	209	197	31	32	11	6	14	8	1	2						
25 to 29 years	305	274	239	217	37	40	10	3	16	10	2	3			1	1		
30 to 34 years	351	241	256	201	64	29	12	2	18	8						1	1	
35 to 39 years	350	244	237	190	86	41	14	6	10	7	1				2			
40 to 44 years	384	237	251	182	99	41	18	7	13	7	1				2			
45 to 49 years	368	267	238	196	101	49	14	8	13	13					2	1		
50 to 54 years	356	244	232	172	91	55	24	4	7	12	2	1						
55 to 59 years	449	289	277	205	135	70	28	7	5	7	2				2			
60 to 64 years	469	329	303	230	131	80	24	5	8	13	2	1			1			
65 to 69 years	620	367	391	254	178	100	38	7	12	6			1					
70 to 74 years	544	367	333	253	167	101	38	9	5	4	1							
75 to 79 years	478	386	291	260	144	115	38	8	5	3								
80 to 84 years	270	262	172	186	83	68	12	5	2	1		2	1					
85 to 89 years	151	131	86	90	56	39	3	1	5	1	1							
90 to 94 years	33	57	22	34	8	19	3	3		1								
95 to 99 years	12	10	8	5	4	4		1										
100 years and over	3	4	2	3	1					1								
Unknown	17	3	4	3	3		8		1								1	
CONNECTICUT																		
All ages	9,143	8,537	5,722	5,555	3,061	2,698	103	52	248	231	4	1	5					
Under 1 year	1,240	939	1,195	898	1	1	2	4	42	36								
1 to 4 years	354	327	334	306	1	2	1		18	19								
5 to 9 years	199	159	189	151	7	3		1	3	4								
10 to 14 years	136	93	127	84	5	7			4	2								
15 to 19 years	164	166	141	136	17	24			4	6	1		1					
20 to 24 years	202	209	148	170	40	30	2		11	9	1							
25 to 29 years	208	208	110	138	81	60	1	1	16	9								
30 to 34 years	280	260	134	151	132	97	2	2	12	10								
35 to 39 years	354	271	157	125	169	129	7	1	21	16								
40 to 44 years	441	320	174	162	246	144	10	2	11	12								
45 to 49 years	497	397	227	237	252	140	5	2	13	18								
50 to 54 years	643	495	318	253	294	218	10	3	20	21			1					
55 to 59 years	671	543	330	283	323	249	8	4	10	7								
60 to 64 years	774	707	381	392	364	306	16	2	11	6	1	1	1					
65 to 69 years	837	780	491	461	316	296	8	5	20	18	1		1					
70 to 74 years	697	783	403	447	272	317	7	8	15	11								
75 to 79 years	659	686	372	384	268	288	11	5	7	9			1					
80 to 84 years	454	603	279	367	164	224	5	7	6	5								
85 to 89 years	224	404	145	276	76	116		2	3	10								
90 to 94 years	82	148	56	109	25	36		3	1									
95 to 99 years	17	31	11	20	5	9	1			2								
100 years and over	2	7		4	2	2				1								
Unknown	8	1		1	1		7											
DELAWARE																		
All ages	1,627	1,488	1,122	1,020	145	145	32	14	328	309								
Under 1 year	246	177	183	140			2	2	61	35								
1 to 4 years	81	68	60	48			1		20	20								
5 to 9 years	26	31	17	25			1		8	6								
10 to 14 years	23	23	19	14	1				3	9								
15 to 19 years	19	33	13	16		1			6	16								
20 to 24 years	45	48	29	33	1	2		1	15	12								
25 to 29 years	37	52	24	27	3	2		1	10	22								
30 to 34 years	36	41	22	27	3	6	1		10	8								
35 to 39 years	63	58	36	38	11	8			16	12								
40 to 44 years	65	52	27	30	12	6	2	1	24	15								
45 to 49 years	72	73	53	38	9	10			10	25								
50 to 54 years	85	75	45	49	11	9	1	2	28	15								
55 to 59 years	110	79	71	50	13	10	7		19	19								
60 to 64 years	118	109	72	71	18	20	1	1	27	17								
65 to 69 years	153	134	107	91	15	14	6		25	29								
70 to 74 years	142	111	104	82	14	15	4	2	20	12								
75 to 79 years	140	124	108	95	17	14	2	3	13	12								
80 to 84 years	93	112	74	80	9	18	2	1	8	13								
85 to 89 years	53	58	44	47	6	5	2		1	6								
90 to 94 years	14	22	10	15	2	4			2	3								
95 to 99 years	2	7	1	4					1	3								
100 years and over		1				1												
Unknown	4		3						1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
DISTRICT OF COLUMBIA																		
All ages	3,722	3,293	1,861	1,666	312	248	138	68	1,404	1,306	----	1	5	3	----	1	2	----
Under 1 year	454	342	223	181	2	1	7	5	222	152	----	1	----	1	----	1	----	----
1 to 4 years	135	104	56	44	----	1	5	3	74	56	----	----	----	----	----	----	----	----
5 to 9 years	55	38	30	23	1	----	2	1	22	14	----	----	----	----	----	----	----	----
10 to 14 years	44	28	16	10	----	----	4	2	24	16	----	----	----	----	----	----	----	----
15 to 19 years	73	75	34	25	----	2	2	1	37	47	----	----	----	----	----	----	----	----
20 to 24 years	118	131	43	37	2	6	3	2	69	85	----	----	----	1	----	----	1	----
25 to 29 years	137	132	46	49	9	5	8	1	74	76	----	----	----	1	----	----	----	----
30 to 34 years	171	125	61	49	13	5	9	2	88	69	----	----	----	----	----	----	----	----
35 to 39 years	205	154	76	54	10	9	12	----	106	91	----	----	----	----	----	----	1	----
40 to 44 years	218	169	81	57	14	8	8	3	115	101	----	----	----	----	----	----	----	----
45 to 49 years	244	194	116	85	23	8	5	2	99	99	----	----	1	----	----	----	----	----
50 to 54 years	296	230	137	94	25	14	14	5	120	117	----	----	----	----	----	----	----	----
55 to 59 years	298	217	167	97	35	17	12	8	81	95	----	----	3	----	----	----	----	----
60 to 64 years	282	273	158	157	36	20	15	10	72	86	----	----	1	----	----	----	----	----
65 to 69 years	277	269	174	165	30	28	10	6	63	70	----	----	----	----	----	----	----	----
70 to 74 years	269	250	161	157	33	33	13	3	62	57	----	----	----	----	----	----	----	----
75 to 79 years	193	236	126	162	34	36	5	6	28	32	----	----	----	----	----	----	----	----
80 to 84 years	151	178	99	123	27	33	1	5	24	17	----	----	----	----	----	----	----	----
85 to 89 years	68	101	39	71	15	17	2	1	12	12	----	----	----	----	----	----	----	----
90 to 94 years	24	35	15	22	1	5	----	2	8	6	----	----	----	----	----	----	----	----
95 to 99 years	7	10	2	3	2	----	----	----	3	7	----	----	----	----	----	----	----	----
100 years and over	3	2	1	1	----	----	1	----	1	1	----	----	----	----	----	----	----	----
Unknown	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
FLORIDA																		
All ages	9,809	7,053	4,969	3,661	657	353	400	120	3,782	2,915	1	3	----	1	----	----	----	----
Under 1 year	1,244	937	700	498	----	----	7	7	536	431	1	----	----	1	----	----	----	----
1 to 4 years	494	443	306	293	2	2	2	6	184	141	----	1	----	----	----	----	----	----
5 to 9 years	182	147	121	90	----	2	4	1	57	54	----	----	----	----	----	----	----	----
10 to 14 years	169	110	94	55	3	1	2	1	70	53	----	----	----	----	----	----	----	----
15 to 19 years	256	273	112	105	4	4	7	3	133	160	----	1	----	----	----	----	----	----
20 to 24 years	451	441	190	185	11	7	10	5	240	244	----	----	----	----	----	----	----	----
25 to 29 years	458	425	173	166	11	11	21	3	253	245	----	----	----	----	----	----	----	----
30 to 34 years	475	317	177	134	27	7	12	4	259	172	----	----	----	----	----	----	----	----
35 to 39 years	542	440	185	165	36	6	35	9	286	260	----	----	----	----	----	----	----	----
40 to 44 years	549	401	191	160	38	20	25	7	295	214	----	----	----	----	----	----	----	----
45 to 49 years	594	354	224	144	54	15	25	7	291	188	----	----	----	----	----	----	----	----
50 to 54 years	695	360	287	160	49	29	47	8	312	163	----	----	----	----	----	----	----	----
55 to 59 years	583	320	323	185	60	35	24	9	176	91	----	----	----	----	----	----	----	----
60 to 64 years	635	379	375	214	72	42	27	7	161	116	----	----	----	----	----	----	----	----
65 to 69 years	694	354	442	243	79	24	35	6	138	81	----	----	----	----	----	----	----	----
70 to 74 years	574	413	372	282	64	46	25	6	113	79	----	----	----	----	----	----	----	----
75 to 79 years	524	387	335	262	65	37	33	13	91	75	----	----	----	----	----	----	----	----
80 to 84 years	366	279	221	189	48	31	27	4	70	54	----	1	----	----	----	----	----	----
85 to 89 years	156	135	93	77	19	24	11	6	33	28	----	----	----	----	----	----	----	----
90 to 94 years	64	64	33	33	9	9	3	3	19	19	----	----	----	----	----	----	----	----
95 to 99 years	18	18	6	6	1	1	----	1	11	10	----	----	----	----	----	----	----	----
100 years and over	19	16	----	3	1	----	----	----	18	13	----	----	----	----	----	----	----	----
Unknown	67	40	9	12	4	----	18	4	36	24	----	----	----	----	----	----	----	----
IDAHO																		
All ages	2,044	1,358	1,449	1,069	410	217	100	8	7	3	56	53	11	2	9	5	2	1
Under 1 year	280	196	270	185	----	----	3	----	1	----	5	9	----	----	1	2	----	----
1 to 4 years	109	97	92	84	2	1	----	----	----	1	11	10	----	----	3	1	1	----
5 to 9 years	56	37	48	31	----	2	----	----	----	----	8	3	----	----	----	----	----	1
10 to 14 years	50	34	41	31	3	1	----	1	----	----	6	1	----	----	----	----	----	----
15 to 19 years	60	43	55	40	1	1	----	----	----	1	4	1	----	----	----	----	----	----
20 to 24 years	70	47	56	43	8	3	4	----	1	----	1	1	----	----	----	----	----	----
25 to 29 years	49	49	38	41	5	4	4	----	----	----	1	3	----	----	----	1	1	----
30 to 34 years	55	51	37	41	13	7	5	----	----	----	----	3	----	----	----	----	----	----
35 to 39 years	64	54	44	46	14	5	5	----	----	1	1	----	----	2	----	----	----	----
40 to 44 years	88	59	58	49	21	9	6	----	1	----	1	1	----	----	1	----	----	----
45 to 49 years	97	51	63	39	23	8	6	1	1	----	1	3	1	----	2	----	----	----
50 to 54 years	109	60	74	41	25	14	7	2	1	----	2	3	----	----	----	----	----	----
55 to 59 years	126	77	85	60	32	15	5	----	----	----	3	2	----	----	1	----	----	----
60 to 64 years	148	73	104	59	36	13	8	----	----	----	----	1	----	----	----	----	----	----
65 to 69 years	202	117	124	86	60	23	13	2	1	----	2	5	2	----	----	1	----	----
70 to 74 years	160	86	90	53	46	29	15	1	1	----	4	3	4	----	----	----	----	----
75 to 79 years	149	91	88	64	50	26	7	----	----	----	1	1	2	----	1	----	----	----
80 to 84 years	92	74	46	43	40	29	4	1	----	----	2	1	----	----	----	----	----	----
85 to 89 years	55	49	26	25	26	23	3	----	----	----	----	1	----	----	----	----	----	----
90 to 94 years	13	8	8	6	2	2	1	----	----	----	1	----	1	----	----	----	----	----
95 to 99 years	6	4	1	2	1	2	1	----	----	----	2	----	1	----	----	----	----	----
100 years and over	----	1	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----
Unknown	6	----	1	----	2	----	3	----	----	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		an		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
ILLINOIS																		
All ages	44,432	37,161	27,758	24,413	12,609	9,998	882	247	3,121	2,500	2	2	55	1	5			
Under 1 year	5,601	4,221	5,161	3,891	6	4	31	25	402	301			1					
1 to 4 years	1,908	1,584	1,702	1,418	12	15	3	1	191	148		2						
5 to 9 years	870	662	811	596	14	9			45	57								
10 to 14 years	668	532	589	472	18	18			61	42								
15 to 19 years	908	864	752	709	48	45	8		100	109				1				
20 to 24 years	1,255	1,261	880	935	173	144	13	6	186	176			3					
25 to 29 years	1,328	1,332	865	918	224	196	28	8	205	210	1		5					
30 to 34 years	1,589	1,409	934	968	412	270	31	8	207	163			4		1			
35 to 39 years	2,027	1,571	1,060	967	660	406	51	6	248	192			4		4			
40 to 44 years	2,240	1,643	1,063	968	813	472	86	15	269	188			9					
45 to 49 years	2,518	1,728	1,211	1,007	927	519	94	13	282	189			4					
50 to 54 years	2,828	2,034	1,428	1,172	1,056	689	113	21	226	152	1		4					
55 to 59 years	3,127	2,363	1,646	1,417	1,211	795	91	16	176	135			3					
60 to 64 years	3,550	2,826	1,922	1,583	1,379	1,105	90	17	150	121			9					
65 to 69 years	3,891	3,086	2,193	1,842	1,489	1,105	83	27	122	112			4					
70 to 74 years	3,444	3,068	1,969	1,750	1,311	1,212	73	29	87	77			4					
75 to 79 years	2,939	2,816	1,586	1,506	1,241	1,233	41	22	70	55			1					
80 to 84 years	2,227	2,258	1,201	1,264	950	950	27	18	49	26								
85 to 89 years	1,060	1,280	556	713	468	540	9	10	27	17								
90 to 94 years	353	465	186	240	154	214	4	2	9	9								
95 to 99 years	62	122	34	68	27	50		2	1	2								
100 years and over	21	29	3	5	13	7			5	17								
Unknown	18	7	6	4	3		6	1	3	2								
INDIANA																		
All ages	20,190	18,442	16,936	15,834	1,933	1,509	239	106	1,077	993	2		2				1	
Under 1 year	2,446	1,924	2,303	1,803	1		4	4	138	117								
1 to 4 years	790	738	738	670	4	4			48	64								
5 to 9 years	330	285	319	272		1	2		9	12								
10 to 14 years	305	226	284	209	1	1		1	20	15								
15 to 19 years	445	408	388	372	9	6	3	1	45	29								
20 to 24 years	495	573	401	490	32	11	7	3	54	69							1	
25 to 29 years	505	519	371	430	53	23	4	4	77	62								
30 to 34 years	526	547	391	457	65	29	4		66	61								
35 to 39 years	653	652	473	523	88	55	14	3	76	71	1		1					
40 to 44 years	810	692	581	566	120	44	11	2	98	80								
45 to 49 years	852	730	626	605	123	51	13	8	90	66								
50 to 54 years	936	918	736	771	100	62	15	3	85	82								
55 to 59 years	1,225	1,054	1,019	905	134	93	21	6	50	50			1					
60 to 64 years	1,624	1,313	1,373	1,143	170	101	25	8	55	61	1							
65 to 69 years	1,960	1,685	1,686	1,484	197	150	32	14	45	37								
70 to 74 years	2,104	1,791	1,806	1,551	231	190	23	10	44	40								
75 to 79 years	1,865	1,762	1,567	1,481	241	241	22	11	35	29								
80 to 84 years	1,352	1,430	1,108	1,174	206	219	23	18	15	19								
85 to 89 years	692	834	577	659	102	153	1	4	12	18								
90 to 94 years	209	273	155	207	44	57	4	2	6	7								
95 to 99 years	30	73	22	53	6	17	1	2	1	1								
100 years and over	10	9	4	5	2	1			4	3								
Unknown	26	6	8	4	4		10	2	4									
IOWA																		
All ages	12,946	11,348	9,674	8,755	2,817	2,345	258	105	193	137	3	4		2			1	
Under 1 year	1,564	1,109	1,534	1,089			6	2	24	16		1		1				
1 to 4 years	468	372	458	359		2	1	1	9	10								
5 to 9 years	185	199	183	196	1		1	1		2								
10 to 14 years	196	129	191	121	2	4	1		1	4	1							
15 to 19 years	240	214	225	203	3	2	4		8	9								
20 to 24 years	264	287	236	269	18	10	4		5	7				1			1	
25 to 29 years	249	324	216	302	18	13	4	3	11	5		1						
30 to 34 years	291	320	246	290	26	18	8	3	11	9								
35 to 39 years	340	349	288	322	39	21	8		5	6								
40 to 44 years	386	384	321	330	39	43	9	3	16	8	1							
45 to 49 years	439	419	351	363	62	49	14	3	12	4								
50 to 54 years	566	517	444	427	93	75	18	6	11	9								
55 to 59 years	771	639	580	506	153	121	22	7	16	5								
60 to 64 years	968	796	680	613	245	165	31	10	12	8								
65 to 69 years	1,252	1,057	879	742	329	287	28	17	16	10		1						
70 to 74 years	1,420	1,073	923	744	438	312	46	12	13	5								
75 to 79 years	1,360	1,090	833	681	499	394	18	6	10	9								
80 to 84 years	1,099	1,073	612	621	460	433	17	15	9	4	1							
85 to 89 years	601	655	327	395	262	247	10	10	2	3								
90 to 94 years	231	272	120	143	107	123	4	3		2		1						
95 to 99 years	45	59	24	35	20	20	1	2		2								
100 years and over	8	10	2	4	3	6	2		1									
Unknown	3	1	1				1	1	1									

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
KANSAS																		
All ages	10,208	8,373	7,934	6,643	1,355	1,007	267	88	635	619	14	15	2		1			1
Under 1 year	1,298	968	1,203	886			4	3	88	74	3	5						
1 to 4 years	367	310	342	284	2	1	3	4	20	20		1						
5 to 9 years	167	133	156	119	1		2	1	8	12		1						
10 to 14 years	169	93	153	78	5	2	2		9	13								
15 to 19 years	203	169	177	139	5	4	3	1	15	25	3							
20 to 24 years	245	230	198	190	18	6	7	1	19	31	3	2						
25 to 29 years	236	289	177	227	14	9	5	2	40	50								1
30 to 34 years	271	264	214	208	16	19	10	3	29	34	1		1					
35 to 39 years	289	309	212	234	21	20	16	3	38	51		1	1		1			
40 to 44 years	282	306	203	242	27	23	15	4	37	37								
45 to 49 years	399	311	310	243	36	37	17	1	36	29		1						
50 to 54 years	464	437	343	348	52	46	21	4	47	39	1							
55 to 59 years	567	437	418	348	93	48	26	6	30	34		1						
60 to 64 years	733	544	550	446	110	62	25	11	47	25	1							
65 to 69 years	950	664	729	530	151	91	33	7	37	35		1						
70 to 74 years	932	778	690	581	179	157	26	11	36	29	1							
75 to 79 years	1,055	863	762	636	230	182	24	15	38	29	1	1						
80 to 84 years	906	677	644	488	217	161	14	5	31	23								
85 to 89 years	482	409	332	298	133	94	5	5	12	11		1						
90 to 94 years	150	144	101	96	39	38	2	1	8	9								
95 to 99 years	24	27	15	17	3	7			6	3								
100 years and over	6	10	2	4			1		3	6								
Unknown	13	1	3	1	3		6		1									
KENTUCKY																		
All ages	15,102	13,285	12,032	10,475	511	467	155	96	2,402	2,246			2	1				
Under 1 year	2,529	1,951	2,232	1,714			2	4	294	232			1	1				
1 to 4 years	960	848	845	738			6	3	109	107								
5 to 9 years	277	218	247	188		1			30	29								
10 to 14 years	235	250	188	211		1		2	47	36								
15 to 19 years	420	491	334	372			5		81	119								
20 to 24 years	571	573	453	444	3	3	4	1	110	125			1					
25 to 29 years	523	515	388	382	5	2	3	2	127	129								
30 to 34 years	463	463	328	345	14	2	8	6	113	110								
35 to 39 years	544	526	389	392	8	5	5	1	142	128								
40 to 44 years	564	494	382	358	16	5	6	4	160	127								
45 to 49 years	604	557	406	404	13	7	10	1	175	145								
50 to 54 years	722	634	502	448	20	16	7	5	193	165								
55 to 59 years	795	639	608	476	29	22	13	2	145	139								
60 to 64 years	957	776	756	587	31	38	16	5	154	146								
65 to 69 years	1,189	980	963	802	70	45	13	7	143	126								
70 to 74 years	1,215	932	998	754	85	65	9	13	123	100								
75 to 79 years	1,084	976	889	768	87	107	19	15	89	86								
80 to 84 years	811	747	643	591	81	78	9	7	78	71								
85 to 89 years	410	436	342	346	29	49	5	6	34	35								
90 to 94 years	134	149	100	99	14	18	1	3	19	29								
95 to 99 years	26	50	19	31	4	3		1	3	15								
100 years and over	10	26	3	6			2		5	20								
Unknown	59	54	17	19	2		12	8	28	27								
LOUISIANA																		
All ages	13,304	11,784	5,935	4,908	589	412	228	130	6,527	6,325	12	9	7		1		5	
Under 1 year	2,167	1,675	1,061	832	1		9	7	1,094	834	2	2						
1 to 4 years	748	718	381	339		2	6	10	360	366	1	1						
5 to 9 years	274	238	140	110	2	1	5	4	127	123								
10 to 14 years	247	225	114	90	1		1	1	131	134								
15 to 19 years	465	549	192	161	1	2	3	1	269	385								
20 to 24 years	621	689	227	209	11	2	6	2	374	476	1		1				1	
25 to 29 years	580	656	216	206	12	9	5	2	344	439			1				2	
30 to 34 years	523	568	193	202	15	4	9	3	306	358		1						
35 to 39 years	681	677	233	232	20	11	6	3	421	431					1			
40 to 44 years	730	592	300	192	25	13	13	10	390	377	1		1					
45 to 49 years	773	600	293	206	35	13	21	7	423	373		1	1					
50 to 54 years	895	662	375	245	46	21	23	7	451	389								
55 to 59 years	821	550	411	250	48	29	9	6	350	265	2		1					
60 to 64 years	763	580	375	281	69	32	17	6	300	259		2	1				1	
65 to 69 years	801	632	451	347	72	43	23	14	254	228	1							
70 to 74 years	760	603	396	331	77	50	23	12	262	209	2	1						
75 to 79 years	571	535	273	294	68	56	16	14	214	171								
80 to 84 years	438	469	191	207	49	60	12	8	185	194			1					
85 to 89 years	230	292	87	123	25	43	6	5	111	121	1							
90 to 94 years	95	126	17	31	7	18	4	1	66	75	1	1						
95 to 99 years	24	58	3	12	2	3	1	1	18	42								
100 years and over	42	53	2	2			1		38	51							1	
Unknown	55	37	4	6	3		9	6	39	25								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MAINE																		
All ages	5,642	5,150	4,680	4,307	889	807	51	19	16	10	6	7						
Under 1 year	778	554	772	550	3	2		1	3	1								
1 to 4 years	181	148	177	140	4	6						2						
5 to 9 years	84	77	79	76	4	1	1											
10 to 14 years	62	51	58	45	4	6												
15 to 19 years	105	98	86	85	16	10	2	1	1	1		1						
20 to 24 years	99	128	81	105	16	23			1		1							
25 to 29 years	83	137	64	109	17	26			2	2								
30 to 34 years	89	120	65	92	23	28	1											
35 to 39 years	122	144	79	111	37	33	5		1									
40 to 44 years	145	159	109	128	34	30	2			1								
45 to 49 years	183	171	137	131	42	39	4					1						
50 to 54 years	259	233	189	178	68	52	1	3	1									
55 to 59 years	338	273	256	218	74	53	5		2	2	1							
60 to 64 years	419	360	313	285	105	72	1	1		2								
65 to 69 years	589	475	486	374	87	98	12	1	2	1	2	1						
70 to 74 years	657	520	547	427	104	93	5		1									
75 to 79 years	644	524	515	434	119	85	8	5	1		1							
80 to 84 years	457	522	375	439	78	80	3	2	1			1						
85 to 89 years	256	313	214	257	41	52	1	3				1						
90 to 94 years	78	113	67	98	10	13		2			1							
95 to 99 years	12	29	11	25	1	4												
100 years and over	2	1			2	1												
Unknown																		
MARYLAND																		
All ages	11,579	10,049	7,321	6,407	1,210	1,042	114	49	2,927	2,548			6	3	1			
Under 1 year	1,701	1,347	1,137	914			6	6	557	426			1	1				
1 to 4 years	503	429	338	261				3	165	165								
5 to 9 years	185	157	139	114	4			1	42	42								
10 to 14 years	166	107	121	70		1			45	36								
15 to 19 years	235	239	151	127	5	4		1	79	107								
20 to 24 years	332	322	169	181	13	7	3	1	146	133					1			
25 to 29 years	339	354	170	202	11	16	6	3	152	133								
30 to 34 years	388	351	213	189	47	21	2	1	126	139				1				
35 to 39 years	470	400	241	227	40	30	4	1	185	142								
40 to 44 years	539	439	290	212	58	38	7	1	181	188			3					
45 to 49 years	654	481	353	258	82	45	12	4	207	174								
50 to 54 years	810	592	445	331	115	81	12	1	237	179			1					
55 to 59 years	786	621	494	372	124	97	9	4	158	147			1	1				
60 to 64 years	897	738	573	492	153	100	4	2	167	144								
65 to 69 years	1,016	782	722	567	145	112	15	3	134	100								
70 to 74 years	922	839	629	592	163	147	9	2	121	98								
75 to 79 years	772	787	565	562	115	142	7	4	85	79								
80 to 84 years	522	598	363	429	74	113	7	4	78	52								
85 to 89 years	226	284	149	202	43	57	4	4	30	21								
90 to 94 years	72	122	51	85	9	15	1	1	11	21								
95 to 99 years	18	35	6	15	5	14			7	6								
100 years and over	5	12	1	1	2	2			2	9								
Unknown	21	13	1	4	2		6	2	12	7								
MASSACHUSETTS																		
All ages	26,394	25,327	16,840	15,992	8,852	8,787	170	81	469	459	4	3	55	5	3		1	
Under 1 year	3,630	2,650	3,532	2,587	4	4	11	8	79	50	1		3	1				
1 to 4 years	1,239	1,082	1,188	1,038	26	13			23	28			2	3				
5 to 9 years	542	377	514	357	19	14			9	6								
10 to 14 years	396	278	358	251	27	18		2	10	7			1					
15 to 19 years	480	412	414	350	48	47		1	14	13		1	4					
20 to 24 years	532	611	397	456	118	134	3		10	21	1		3					
25 to 29 years	622	723	405	490	179	208	4		27	24			6	1	1			
30 to 34 years	710	733	409	436	263	276	8	2	28	19			2					
35 to 39 years	879	834	433	457	399	340	9		35	36		1	3					
40 to 44 years	1,101	920	516	487	524	408	16	1	40	24			4		1			
45 to 49 years	1,373	1,118	649	544	683	538	13	4	24	32			4					
50 to 54 years	1,665	1,411	814	725	801	650	14	6	30	30			5				1	
55 to 59 years	2,027	1,717	971	815	994	871	19	5	39	26			4					
60 to 64 years	2,259	2,092	1,115	1,040	1,093	1,009	16	10	27	33	1		7					
65 to 69 years	2,489	2,308	1,388	1,235	1,052	1,036	14	8	29	28		1	5		1			
70 to 74 years	2,301	2,387	1,312	1,288	959	1,060	14	12	13	27	1		2					
75 to 79 years	1,908	2,249	1,119	1,269	758	945	10	15	21	20								
80 to 84 years	1,297	1,769	727	1,080	563	674	5	3	2	12								
85 to 89 years	682	1,080	417	712	255	355	6	2	4	11								
90 to 94 years	211	445	131	290	76	147	1	2	3	6								
95 to 99 years	33	112	23	78	8	32	1		1	2								
100 years and over	7	16	3	5	2	7	1		1	4								
Unknown	11	3	5	2	1	1	5											

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F	M.	F.	M.	F.	M.	F.	M.	F.
MICHIGAN																		
All ages	26,995	22,424	17,141	15,251	7,607	5,997	798	184	1,355	919	78	71	9	2	3	----	4	----
Under 1 year	4,271	3,203	4,016	3,008	21	12	12	6	209	158	10	18	3	1	----	----	----	----
1 to 4 years	1,170	992	1,070	903	23	21	7	3	60	61	9	3	----	1	----	----	1	----
5 to 9 years	589	426	535	397	24	16	1	1	27	8	2	4	----	----	----	----	----	----
10 to 14 years	351	320	309	278	21	15	3	3	16	20	2	4	----	----	----	----	----	----
15 to 19 years	574	517	462	416	62	54	7	5	38	37	5	5	----	----	----	----	----	----
20 to 24 years	690	721	463	552	122	86	12	2	88	78	4	3	----	----	----	----	1	----
25 to 29 years	841	772	468	520	184	146	37	7	146	96	2	3	1	----	1	----	2	----
30 to 34 years	1,013	825	523	537	294	196	45	9	149	83	2	----	----	----	----	----	----	----
35 to 39 years	1,216	885	560	543	428	258	84	11	139	68	3	5	1	----	1	----	----	----
40 to 44 years	1,215	796	587	505	453	222	57	6	116	62	2	1	----	----	----	----	----	----
45 to 49 years	1,290	915	659	579	472	272	59	9	96	52	3	3	----	----	1	----	----	----
50 to 54 years	1,337	1,060	709	687	482	316	63	12	76	43	5	2	2	----	----	----	----	----
55 to 59 years	1,424	1,256	789	768	520	436	51	9	61	41	1	2	2	----	----	----	----	----
60 to 64 years	1,880	1,485	1,032	863	734	570	75	12	34	36	5	4	----	----	----	----	----	----
65 to 69 years	2,210	1,864	1,297	1,141	790	683	78	18	40	18	5	4	----	----	----	----	----	----
70 to 74 years	2,243	1,888	1,277	1,087	874	770	64	17	23	13	5	1	----	----	----	----	----	----
75 to 79 years	2,034	1,812	1,105	1,011	849	768	63	21	14	11	3	1	----	----	----	----	----	----
80 to 84 years	1,542	1,450	786	794	718	630	29	15	8	10	1	1	----	----	----	----	----	----
85 to 89 years	736	863	345	454	362	388	19	8	7	10	3	3	----	----	----	----	----	----
90 to 94 years	261	265	124	159	129	97	4	2	2	6	2	1	----	----	----	----	----	----
95 to 99 years	54	74	16	38	32	32	1	3	2	1	3	----	----	----	----	----	----	----
100 years and over	6	16	2	4	3	6	----	----	----	3	1	3	----	----	----	----	----	----
Unknown	48	19	7	7	10	3	27	5	4	4	----	----	----	----	----	----	----	----
MINNESOTA																		
All ages	14,155	11,281	8,130	6,797	5,558	4,242	219	27	113	106	121	107	13	2	1	----	----	----
Under 1 year	1,862	1,380	1,808	1,345	----	1	7	1	8	13	39	19	----	1	----	----	----	----
1 to 4 years	501	438	469	419	5	2	----	----	4	2	21	15	2	----	----	----	----	----
5 to 9 years	325	238	310	230	3	4	----	----	1	1	11	3	----	----	----	----	----	----
10 to 14 years	241	182	232	176	6	6	----	----	----	----	3	----	----	----	----	----	----	----
15 to 19 years	319	246	301	223	14	11	2	1	1	1	1	10	----	----	----	----	----	----
20 to 24 years	388	377	342	338	33	26	3	1	3	5	5	7	2	----	----	----	----	----
25 to 29 years	395	395	327	344	57	40	3	2	4	8	3	1	1	----	----	----	----	----
30 to 34 years	424	382	325	319	88	53	4	1	3	6	3	2	1	1	----	----	----	----
35 to 39 years	536	466	349	344	165	106	9	1	10	13	2	2	----	----	1	----	----	----
40 to 44 years	575	437	339	325	202	104	23	2	7	5	3	1	1	----	----	----	----	----
45 to 49 years	648	480	382	320	222	145	26	1	13	9	3	5	2	----	----	----	----	----
50 to 54 years	777	559	409	348	324	196	20	3	18	8	4	4	2	----	----	----	----	----
55 to 59 years	887	655	417	340	441	300	20	2	8	7	1	6	----	----	----	----	----	----
60 to 64 years	1,172	799	485	346	637	444	36	2	10	4	3	3	1	----	----	----	----	----
65 to 69 years	1,331	861	549	385	746	465	22	2	11	5	2	4	1	----	----	----	----	----
70 to 74 years	1,239	893	420	317	785	565	23	1	5	6	6	4	----	----	----	----	----	----
75 to 79 years	1,106	902	330	254	761	632	8	2	4	9	3	5	----	----	----	----	----	----
80 to 84 years	800	806	186	226	601	567	8	1	3	3	2	9	----	----	----	----	----	----
85 to 89 years	418	494	97	123	316	368	2	3	----	----	3	----	----	----	----	----	----	----
90 to 94 years	163	217	42	58	120	153	----	1	----	1	1	4	----	----	----	----	----	----
95 to 99 years	35	61	6	15	29	45	----	----	----	----	----	1	----	----	----	----	----	----
100 years and over	5	9	2	1	3	8	----	----	----	----	----	----	----	----	----	----	----	----
Unknown	8	4	3	1	----	1	3	----	----	----	2	2	----	----	----	----	----	----
MISSISSIPPI																		
All ages	11,507	10,646	4,236	3,546	118	64	160	94	6,977	6,931	14	8	2	3	----	----	----	----
Under 1 year	1,728	1,364	667	496	----	----	4	2	1,052	862	5	4	----	----	----	----	----	----
1 to 4 years	705	616	324	255	----	----	4	4	376	356	----	1	1	----	----	----	----	----
5 to 9 years	245	217	93	64	----	----	2	2	150	151	----	----	----	----	----	----	----	----
10 to 14 years	234	234	74	63	----	----	2	----	156	171	2	----	----	----	----	----	----	----
15 to 19 years	515	535	144	93	1	2	2	5	368	433	----	1	----	1	----	----	----	----
20 to 24 years	597	674	137	123	1	2	2	3	456	545	1	----	----	1	----	----	----	----
25 to 29 years	463	579	120	121	5	----	3	3	335	455	----	----	----	----	----	----	----	----
30 to 34 years	424	506	131	105	2	1	4	3	287	397	----	----	----	----	----	----	----	----
35 to 39 years	459	601	122	160	4	2	6	3	326	436	1	----	----	----	----	----	----	----
40 to 44 years	463	549	146	158	3	3	4	----	310	387	----	----	----	1	----	----	----	----
45 to 49 years	550	594	174	159	5	4	7	3	364	428	----	----	----	----	----	----	----	----
50 to 54 years	653	546	195	136	4	3	10	3	444	404	----	----	----	----	----	----	----	----
55 to 59 years	529	399	204	138	9	4	10	2	304	255	2	----	----	----	----	----	----	----
60 to 64 years	631	446	257	167	13	5	14	8	346	266	1	----	----	----	----	----	----	----
65 to 69 years	730	522	344	257	13	3	13	6	360	256	----	----	----	----	----	----	----	----
70 to 74 years	808	578	379	290	20	6	14	12	395	270	----	----	----	----	----	----	----	----
75 to 79 years	685	551	357	299	13	11	20	10	295	230	----	1	----	----	----	----	----	----
80 to 84 years	463	496	211	255	9	5	13	10	230	226	----	----	----	----	----	----	----	----
85 to 89 years	262	270	91	129	11	10	6	9	153	122	1	----	----	----	----	----	----	----
90 to 94 years	130	155	35	52	4	3	2	2	89	98	----	----	----	----	----	----	----	----
95 to 99 years	46	53	5	6	----	----	----	----	41	47	----	----	----	----	----	----	----	----
100 years and over	67	85	2	3	1	----	----	1	63	81	1	----	----	----	----	----	----	----
Unknown	120	76	24	17	----	----	18	3	77	55	----	1	1	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
MISSOURI																		
All ages	22,562	18,726	16,815	14,209	2,540	2,032	692	332	2,499	2,152	2	1	10	----	3	----	1	----
Under 1 year	2,641	2,024	2,322	1,769	----	----	7	6	312	249	----	----	----	----	----	----	----	----
1 to 4 years	925	839	808	741	4	1	----	4	112	93	----	----	----	----	1	----	----	----
5 to 9 years	391	305	361	268	2	2	2	3	26	32	----	----	----	----	----	----	----	----
10 to 14 years	352	285	299	237	7	3	5	----	41	45	----	----	----	----	----	----	----	----
15 to 19 years	503	503	409	368	10	9	10	3	74	123	----	----	----	----	----	----	----	----
20 to 24 years	606	619	446	455	28	15	12	7	118	142	----	----	1	----	----	----	1	----
25 to 29 years	618	663	453	502	18	15	13	10	132	136	1	----	1	----	----	----	----	----
30 to 34 years	678	660	480	491	26	35	21	13	151	120	----	1	----	----	----	----	----	----
35 to 39 years	869	723	585	508	65	48	39	11	180	158	----	----	----	----	----	----	----	----
40 to 44 years	1,008	780	687	569	92	36	29	13	199	162	----	----	1	----	----	----	----	----
45 to 49 years	1,111	874	717	628	117	72	47	26	226	148	1	----	1	----	2	----	----	----
50 to 54 years	1,333	994	926	728	141	101	55	21	209	144	----	----	2	----	----	----	----	----
55 to 59 years	1,522	1,106	1,087	847	206	123	55	19	174	117	----	----	----	----	----	----	----	----
60 to 64 years	1,739	1,232	1,244	935	278	177	69	27	146	93	----	----	2	----	----	----	----	----
65 to 69 years	2,018	1,593	1,513	1,227	303	234	77	37	124	95	----	----	1	----	----	----	----	----
70 to 74 years	1,948	1,483	1,475	1,124	305	244	78	34	89	81	----	----	1	----	----	----	----	----
75 to 79 years	1,839	1,563	1,342	1,138	351	338	75	31	71	56	----	----	----	----	----	----	----	----
80 to 84 years	1,385	1,288	992	911	312	291	45	30	36	56	----	----	----	----	----	----	----	----
85 to 89 years	712	800	482	534	186	207	16	21	28	38	----	----	----	----	----	----	----	----
90 to 94 years	226	261	141	167	66	65	4	7	15	22	----	----	----	----	----	----	----	----
95 to 99 years	53	73	26	43	17	15	1	1	9	14	----	----	----	----	----	----	----	----
100 years and over	19	23	6	5	2	2	2	----	9	16	----	----	----	----	----	----	----	----
Unknown	66	35	14	14	4	1	30	8	18	12	----	----	----	----	----	----	----	----
MONTANA																		
All ages	3,163	2,025	1,876	1,359	909	429	123	14	23	8	212	211	16	2	3	1	1	1
Under 1 year	416	310	358	259	1	1	----	1	----	----	56	46	----	1	1	1	----	1
1 to 4 years	152	124	109	82	----	----	----	----	----	----	40	42	----	----	2	----	1	----
5 to 9 years	65	66	48	55	2	3	----	1	----	----	14	7	1	----	----	----	----	----
10 to 14 years	73	50	58	42	4	1	----	----	----	----	11	7	----	----	----	----	----	----
15 to 19 years	81	49	65	36	4	2	2	----	----	1	10	10	----	----	----	----	----	----
20 to 24 years	83	76	64	56	12	14	2	----	1	----	3	5	1	1	----	----	----	----
25 to 29 years	92	83	57	56	17	14	4	----	3	----	11	13	----	----	----	----	----	----
30 to 34 years	111	79	61	65	35	7	8	----	----	1	7	6	----	----	----	----	----	----
35 to 39 years	149	103	93	74	50	23	5	1	1	1	----	4	----	----	----	----	----	----
40 to 44 years	156	96	75	65	65	24	11	----	1	1	4	6	----	----	----	----	----	----
45 to 49 years	181	101	79	56	84	38	11	2	2	----	5	5	----	----	----	----	----	----
50 to 54 years	227	112	110	71	92	32	16	----	2	2	7	7	----	----	----	----	----	----
55 to 59 years	230	111	113	71	103	36	7	----	3	----	2	4	2	----	----	----	----	----
60 to 64 years	276	123	137	66	113	45	13	4	3	----	8	8	2	----	----	----	----	----
65 to 69 years	255	152	140	90	94	52	16	1	1	----	4	9	----	----	----	----	----	----
70 to 74 years	254	118	120	65	98	42	18	2	2	----	10	9	6	----	----	----	----	----
75 to 79 years	160	106	90	62	52	39	7	----	1	----	10	5	----	----	----	----	----	----
80 to 84 years	120	83	56	51	55	25	2	----	2	2	5	5	----	----	----	----	----	----
85 to 89 years	51	41	29	14	18	24	----	----	----	----	3	3	1	----	----	----	----	----
90 to 94 years	19	25	11	18	5	4	----	----	----	----	----	3	3	----	----	----	----	----
95 to 99 years	5	8	2	5	3	2	----	----	----	----	----	1	----	----	----	----	----	----
100 years and over	1	3	1	----	----	1	----	----	----	----	----	2	----	----	----	----	----	----
Unknown	6	6	----	----	2	----	1	2	1	----	2	4	----	----	----	----	----	----
NEBRASKA																		
All ages	6,827	5,666	4,781	4,119	1,671	1,305	160	62	139	121	68	56	3	1	4	2	1	----
Under 1 year	992	695	948	670	----	1	----	1	16	12	27	9	----	----	1	2	----	----
1 to 4 years	311	259	298	238	----	----	3	3	5	6	4	12	----	----	1	----	----	----
5 to 9 years	151	102	144	96	4	1	2	----	----	4	1	1	----	----	----	----	----	----
10 to 14 years	121	80	115	73	----	2	----	----	2	1	4	4	----	----	----	----	----	----
15 to 19 years	146	129	134	114	3	5	2	2	5	7	2	----	----	1	----	----	----	----
20 to 24 years	157	166	141	149	6	5	4	6	4	3	2	3	----	----	----	----	----	----
25 to 29 years	150	154	119	135	10	11	9	1	9	5	3	2	----	----	----	----	----	----
30 to 34 years	159	197	119	160	27	23	2	3	10	9	1	2	----	----	----	----	----	----
35 to 39 years	198	203	135	163	31	27	9	3	20	8	2	2	----	----	1	----	----	----
40 to 44 years	218	228	158	170	37	37	8	8	15	12	----	1	----	----	----	----	----	----
45 to 49 years	234	256	165	185	48	50	9	5	11	16	1	----	----	----	----	----	----	----
50 to 54 years	291	275	198	204	62	58	19	3	10	9	----	1	1	----	1	----	----	----
55 to 59 years	374	293	225	208	121	74	14	1	10	6	4	4	----	----	----	----	----	----
60 to 64 years	483	366	290	238	169	121	13	2	5	4	5	1	1	----	----	----	----	----
65 to 69 years	679	484	429	316	226	160	15	2	5	4	3	2	1	----	----	----	----	----
70 to 74 years	680	502	401	300	245	182	24	5	7	9	2	6	----	----	----	----	1	----
75 to 79 years	621	473	347	280	258	185	10	5	2	1	4	2	----	----	----	----	----	----
80 to 84 years	480	446	235	233	237	202	5	7	1	3	2	1	----	----	----	----	----	----
85 to 89 years	255	253	120	124	132	126	2	----	1	1	----	2	----	----	----	----	----	----
90 to 94 years	91	81	47	51	41	29	2	1	1	----	----	----	----	----	----	----	----	----
95 to 99 years	24	16	9	10	14	5	1	1	----	----	----	----	----	----	----	----	----	----
100 years and over	5	4	3	1	----	1	1	----	----	1	1	1	----	----	----	----	----	----
Unknown	7	4	1	1	----	----	6	3	----	----	----	----	----	----	----	----	----	----

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NEW HAMPSHIRE																		
All ages	3,399	3,164	2,546	2,331	720	723	128	108	5	2								
Under 1 year	409	308	406	306	2	1		1	1									
1 to 4 years	110	96	106	89	3	3		4	1									
5 to 9 years	43	51	41	49	2	2												
10 to 14 years	42	27	37	24	2	2	3	1										
15 to 19 years	49	32	40	28	7	2	1	2	1									
20 to 24 years	58	55	49	43	8	12	1											
25 to 29 years	60	78	49	61	8	16	2	1	1									
30 to 34 years	64	71	46	48	16	18	2	5										
35 to 39 years	65	85	32	58	27	23	6	3		1								
40 to 44 years	78	85	50	58	23	24	5	3										
45 to 49 years	138	114	85	77	48	32	4	4	1	1								
50 to 54 years	181	158	118	94	52	59	11	5										
55 to 59 years	240	185	154	125	75	55	11	5										
60 to 64 years	281	239	180	156	91	80	10	3										
65 to 69 years	349	289	250	184	87	94	12	11										
70 to 74 years	387	344	290	238	84	91	13	15										
75 to 79 years	349	350	268	237	67	95	14	18										
80 to 84 years	269	313	187	233	72	64	10	16										
85 to 89 years	138	182	102	143	34	36	2	3										
90 to 94 years	50	74	43	62	5	10	2	2										
95 to 99 years	12	11	9	10	1	1	2											
100 years and over		3		3														
Unknown	27	14	4	5	6	3	17	6										
NEW JERSEY																		
All ages	22,312	19,880	13,647	12,585	6,768	5,635	238	59	1,636	1,599	1	2	16		5		1	
Under 1 year	2,935	2,177	2,637	1,927	2	1	7	3	289	246								
1 to 4 years	999	891	874	774	12	11	1		112	105								
5 to 9 years	481	386	448	354	5	4		1	28	27								
10 to 14 years	380	284	325	251	17	11			38	22								
15 to 19 years	454	442	360	340	42	38	1		51	64								
20 to 24 years	544	591	358	416	86	86	2	1	94	88	1		2		1			
25 to 29 years	593	667	361	410	144	147	8		77	110			1		1		1	
30 to 34 years	757	692	386	388	259	207	13	2	99	95								
35 to 39 years	1,029	761	445	402	453	248	24	1	105	110			1		1			
40 to 44 years	1,217	845	554	448	514	279	25	5	123	113			1					
45 to 49 years	1,372	981	635	508	569	353	31	4	135	116			2					
50 to 54 years	1,670	1,213	831	647	693	456	29	5	114	105			2		1			
55 to 59 years	1,708	1,275	852	661	752	524	19	3	83	87			1		1			
60 to 64 years	1,865	1,627	895	860	852	667	20	5	95	95			3					
65 to 69 years	1,926	1,743	1,110	1,017	732	638	25	13	57	74		1	2					
70 to 74 years	1,629	1,690	975	962	588	670	13	5	53	53								
75 to 79 years	1,306	1,479	754	855	507	586	8	5	36	32		1	1					
80 to 84 years	902	1,165	530	750	342	378	8	3	22	34								
85 to 89 years	407	667	242	422	151	233	1	1	13	11								
90 to 94 years	105	245	64	162	35	79		1	6	3								
95 to 99 years	25	53	11	30	10	17			4	6								
100 years and over	5	5		1	3	2			2	2								
Unknown	3	1					3	1										
NEW YORK																		
All ages	75,876	66,624	46,033	41,382	25,836	22,329	916	256	2,856	2,597	57	45	144	10	27	4	7	1
Under 1 year	8,795	6,732	8,262	6,304	6	9	18	14	492	394	10	4	5	5	2	1		1
1 to 4 years	2,811	2,437	2,586	2,247	47	41	1	2	172	144	3	2	2	1				
5 to 9 years	1,391	1,112	1,328	1,033	25	31		1	37	46	1	1						
10 to 14 years	991	860	902	772	54	50	1		31	36	1	2	2					
15 to 19 years	1,391	1,291	1,160	1,018	151	162	5	2	70	108	4	1	1					
20 to 24 years	1,908	1,916	1,262	1,323	435	386	12	3	189	200	2	4	5		3			
25 to 29 years	2,216	2,111	1,255	1,307	697	603	23	8	218	192	3	1	12		5		3	
30 to 34 years	2,732	2,279	1,430	1,294	1,013	778	45	10	225	195	2	1	14		2	1	1	
35 to 39 years	3,467	2,581	1,592	1,374	1,506	988	84	11	259	206	3	1	17	1	4		2	
40 to 44 years	4,177	2,913	1,970	1,500	1,820	1,183	118	17	246	211	1		19	1	2	1	1	
45 to 49 years	4,712	3,373	2,307	1,792	2,069	1,370	86	12	229	192	1	5	15	1	5	1		
50 to 54 years	5,515	4,110	2,717	2,169	2,454	1,761	114	21	203	155	7	3	17	1	3			
55 to 59 years	6,109	4,565	3,023	2,419	2,821	2,010	102	21	134	110	5	5	24					
60 to 64 years	6,761	5,633	3,334	2,902	3,214	2,588	100	24	105	116	4	3	3		1			
65 to 69 years	6,752	6,009	3,806	3,384	2,769	2,514	78	23	93	87	1	1	5					
70 to 74 years	6,009	6,017	3,474	3,303	2,431	2,597	44	28	55	84	3	5	2					
75 to 79 years	4,673	5,273	2,561	2,930	2,034	2,264	32	25	42	51	3	3	1					
80 to 84 years	3,260	4,040	1,845	2,400	1,367	1,584	21	20	27	34		2						
85 to 89 years	1,572	2,257	905	1,280	646	949	3	9	15	19	3							
90 to 94 years	484	858	262	493	209	353	5	3	8	8		1						
95 to 99 years	95	196	42	114	51	77	1		1	5								
100 years and over	14	40	4	13	9	25			1	2								
Unknown	41	21	6	11	8	6	23	2	4	2								

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
NORTH CAROLINA																		
All ages	16,623	15,925	10,065	9,197	93	61	173	113	6,190	6,457	101	96			1	1		
Under 1 year	3,704	2,891	2,195	1,646			15	7	1,460	1,222	34	16						
1 to 4 years	1,216	1,065	738	623		1	8	6	453	417	17	18						
5 to 9 years	304	289	175	164			1		126	119	2	6						
10 to 14 years	292	263	155	121				1	131	140	6	1						
15 to 19 years	493	640	228	237	1		2	1	260	398	2	4						
20 to 24 years	616	903	252	349	2	1	8	4	353	539	1	10						
25 to 29 years	606	759	301	352	7	2	9	5	286	396	3	4						
30 to 34 years	533	611	290	295	5	1	7	4	227	308	4	3						
35 to 39 years	547	710	299	370	4	4	6	3	236	331	2	2						
40 to 44 years	528	652	294	312	4	2	9	4	220	331		3			1			
45 to 49 years	663	660	373	330	4	6	10	1	274	323	2							
50 to 54 years	787	643	418	335	11	2	12	2	346	302		2						
55 to 59 years	849	618	543	365	10	3	7	4	288	245	1	1						
60 to 64 years	897	758	603	476	5	5	8	10	279	261	2	6						
65 to 69 years	1,139	961	817	694	11	10	18	6	287	248	6	3						
70 to 74 years	1,232	1,028	901	765	6	5	18	11	302	240	5	7						
75 to 79 years	1,027	902	782	700	9	11	9	12	222	178	5	1						
80 to 84 years	619	777	405	583	7	2	9	10	192	180	6	2						
85 to 89 years	302	405	186	302	3	3	6	7	106	89	1	3				1		
90 to 94 years	123	186	71	111	3	3		6	47	64	2	2						
95 to 99 years	60	79	22	29	1		2	3	35	45		2						
100 years and over	25	71	4	18			1	1	20	52								
Unknown	61	54	13	20			8	5	40	29								
NORTH DAKOTA																		
All ages	2,914	2,131	1,727	1,315	998	686	75	16	5	3	107	110	1		1	1		
Under 1 year	598	438	550	411		2	2				45	24			1	1		
1 to 4 years	165	141	155	123	1						9	18						
5 to 9 years	98	63	91	58	1	1					6	4						
10 to 14 years	85	70	76	65	2	1		1			7	3						
15 to 19 years	79	60	70	50	2	3		2			7	5						
20 to 24 years	89	107	82	89	6	9					1	9						
25 to 29 years	70	81	54	69	10	11	5	1			1							
30 to 34 years	76	83	47	69	24	10	3	1		1	2	2						
35 to 39 years	88	82	61	59	21	20	5				1	3						
40 to 44 years	98	65	50	40	42	21	5	1			1	3						
45 to 49 years	108	81	53	38	47	38	5	1	1		2	4						
50 to 54 years	146	78	64	37	75	40	7					1						
55 to 59 years	176	71	66	27	104	39	2	2	2		2	3						
60 to 64 years	158	126	55	43	93	76	9	1			1	6						
65 to 69 years	254	140	80	43	156	86	10		1	2	6	9	1					
70 to 74 years	208	147	77	37	121	102	6	3			4	5						
75 to 79 years	179	120	51	21	119	96	4	1			5	2						
80 to 84 years	142	98	28	22	107	68	2	1			5	7						
85 to 89 years	60	53	11	11	45	41	2		1		1	1						
90 to 94 years	20	19	5	3	14	14		1			1	1						
95 to 99 years	8	6			8	6												
100 years and over		2				2												
Unknown	9		1				8											
OHIO																		
All ages	38,682	34,925	28,296	27,061	6,493	5,337	893	225	2,984	2,300	6	1	10	1				
Under 1 year	5,038	3,794	4,568	3,475	2	5	2	6	466	307				1				
1 to 4 years	1,614	1,350	1,440	1,195	6	6	1		167	149								
5 to 9 years	766	558	711	515	9	7	2		44	36								
10 to 14 years	565	426	513	380	15	13	2		35	33								
15 to 19 years	767	785	638	632	32	44	3	2	94	107								
20 to 24 years	1,004	1,092	686	855	105	65	25	6	188	166								
25 to 29 years	1,087	1,136	667	807	146	146	42	4	230	179			2					
30 to 34 years	1,348	1,105	787	807	261	143	54	4	245	151			1					
35 to 39 years	1,485	1,344	805	942	388	212	63	6	228	184	1							
40 to 44 years	1,613	1,333	925	961	407	201	49	9	230	162	2							
45 to 49 years	1,855	1,548	1,106	1,101	477	271	67	8	204	168			1					
50 to 54 years	2,137	1,767	1,416	1,309	444	311	63	10	211	137	1		2					
55 to 59 years	2,452	2,020	1,677	1,515	574	385	53	12	147	108	1							
60 to 64 years	2,849	2,606	2,017	1,972	651	494	75	25	104	114		1	2					
65 to 69 years	3,462	3,015	2,627	2,362	646	551	70	19	117	83			2					
70 to 74 years	3,582	3,219	2,683	2,473	738	635	66	37	95	74								
75 to 79 years	3,130	3,175	2,316	2,379	661	716	81	31	71	49	1							
80 to 84 years	2,326	2,555	1,627	1,891	543	606	101	21	55	37								
85 to 89 years	1,168	1,439	818	1,044	276	352	48	13	26	30								
90 to 94 years	363	518	229	362	96	137	19	8	19	11								
95 to 99 years	56	110	38	70	13	30		2	5	8								
100 years and over	7	24		11	2	6	2		3	7								
Unknown	8	6	2	3	1	1	5	2										

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
OREGON																		
All ages	5,666	3,963	3,949	3,113	1,249	704	264	42	23	19	69	60	67	4	38	20	7	1
Under 1 year	467	325	443	299	1	4	2	1	1		11	12	2	2	7	7		
1 to 4 years	172	153	148	142	6	2	1			3	11	3			6	3		
5 to 9 years	102	81	96	75	3	2					3	2				2		
10 to 14 years	100	67	89	63	4	1					7	2		1				
15 to 19 years	123	96	107	86	7	6	2	1	2		5	3						
20 to 24 years	168	130	131	108	19	11	9	6			2	4			5	1	2	
25 to 29 years	167	152	116	127	32	21	12	1	1		2	1	2			2	2	
30 to 34 years	161	144	121	122	20	15	15	2	3		1	4	1			1		
35 to 39 years	213	154	127	128	62	21	15	2			2		3	1	2	2	2	
40 to 44 years	237	161	156	135	52	25	16		2		2		1		7		1	1
45 to 49 years	294	215	198	167	72	42	13	2	5	2	2	1	3		1	1		
50 to 54 years	317	225	205	167	82	50	19	1	1	3	1	3	5		4	1		
55 to 59 years	392	250	259	186	97	55	19	4	4	3	3	2	7		3			
60 to 64 years	572	297	354	212	164	74	33	7	3	2	6	2	10		2			
65 to 69 years	576	349	382	256	150	80	37	5		2	1	6	6					
70 to 74 years	543	344	361	247	138	92	24	2		1	4	2	16					
75 to 79 years	488	305	306	219	154	78	19	3	1	2	1	3	7					
80 to 84 years	330	284	198	202	116	77	9	2			4	3	3					
85 to 89 years	165	143	113	115	42	28	8				1		1					
90 to 94 years	50	67	29	43	19	18	2	3				3						
95 to 99 years	14	12	7	11	5	1	2											
100 years and over	1	7	1	1		1				1		4						
Unknown	14	2	2	2	4		7								1			
PENNSYLVANIA																		
All ages	62,630	53,115	43,800	39,661	13,607	9,750	956	407	4,222	3,292	4	2	37	2	1	1	3	
Under 1 year	10,233	7,407	9,493	6,816	10	10	37	28	691	552			2	1				
1 to 4 years	3,224	2,743	2,925	2,517	18	16	8	7	272	203			1					
5 to 9 years	1,319	1,044	1,223	967	11	9	5	3	79	64			1	1				
10 to 14 years	917	741	824	664	21	16	6	6	66	55								
15 to 19 years	1,292	1,235	1,088	1,013	67	70	8	7	129	145								
20 to 24 years	1,629	1,564	1,200	1,160	170	169	19	8	237	227			2		1			
25 to 29 years	1,730	1,602	1,038	1,091	367	261	24	20	296	230	1		1				3	
30 to 34 years	2,035	1,799	1,057	1,203	606	395	39	11	329	189		1	4					
35 to 39 years	2,613	1,925	1,236	1,183	961	491	53	18	360	232			3			1		
40 to 44 years	2,984	2,121	1,458	1,298	1,144	563	54	22	326	238			2					
45 to 49 years	3,401	2,369	1,708	1,544	1,224	577	87	25	379	222	1	1	2					
50 to 54 years	3,995	2,860	2,178	1,863	1,397	760	112	27	303	210			5					
55 to 59 years	4,283	3,142	2,503	2,052	1,477	894	84	26	210	170	1		8					
60 to 64 years	4,808	3,957	2,987	2,696	1,558	1,073	97	29	163	159	1		2					
65 to 69 years	4,972	4,433	3,386	3,209	1,355	1,049	103	39	127	136			1					
70 to 74 years	4,702	4,393	3,404	3,214	1,081	1,050	100	33	116	96			1					
75 to 79 years	4,027	4,049	2,912	2,932	990	1,010	61	38	62	69			2					
80 to 84 years	2,735	3,153	1,947	2,368	708	709	36	27	44	49								
85 to 89 years	1,283	1,748	930	1,284	318	424	15	19	20	21								
90 to 94 years	372	630	258	451	102	159	4	11	8	9								
95 to 99 years	65	163	44	117	17	38	1		3	8								
100 years and over	8	32	1	17	5	7			2	8								
Unknown	3	5		2			3	3										
RHODE ISLAND																		
All ages	4,209	4,017	2,622	2,462	1,424	1,432	44	25	116	98			3					
Under 1 year	609	440	585	426	3	2	3	1	18	11								
1 to 4 years	210	167	196	158	5	3	1		8	6								
5 to 9 years	78	67	71	63	7	2		1		1								
10 to 14 years	66	61	58	55	4	3	1	1	3	2								
15 to 19 years	69	83	54	69	9	12		1	6	1								
20 to 24 years	91	110	63	89	22	20	1		5	1								
25 to 29 years	85	90	55	64	25	26	1		4									
30 to 34 years	118	112	71	66	39	42	1		7	4								
35 to 39 years	141	127	74	63	57	57	2	2	8	5								
40 to 44 years	184	161	92	70	85	84	6		1	7								
45 to 49 years	231	209	99	109	117	92	2	1	13	7								
50 to 54 years	262	234	139	117	108	113	3	1	10	3			2					
55 to 59 years	330	292	158	140	162	139	4	3	5	10			1					
60 to 64 years	334	316	170	151	155	159	3		6	6								
65 to 69 years	373	385	207	190	161	182	1	2	4	11								
70 to 74 years	385	407	187	199	190	196	2	3	6	9								
75 to 79 years	303	323	157	178	136	138	3		7	7								
80 to 84 years	208	212	110	120	92	88	2	3	4	1								
85 to 89 years	93	142	52	84	39	52	1	3	1	3								
90 to 94 years	26	61	19	40	6	17	1	2		2								
95 to 99 years	5	9	3	6	2	3												
100 years and over		2		1						1								
Unknown	8	7	2	4		2	6	1										

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
SOUTH CAROLINA																		
All ages	11,153	10,837	4,532	3,952	75	36	58	40	6,484	6,801	2	8	1				1	
Under 1 year	2,262	1,925	869	720			1	2	1,391	1,199	1	4						
1 to 4 years	799	696	351	268		1			447	427	1							
5 to 9 years	209	235	84	75				1	125	159								
10 to 14 years	235	198	82	45				1	153	152								
15 to 19 years	396	512	131	114		1		1	265	394		2						
20 to 24 years	493	685	131	138			1	1	361	546								
25 to 29 years	434	584	129	157	4		2	1	299	426								
30 to 34 years	374	519	127	135	2	1	6		239	383								
35 to 39 years	464	620	138	166	2		7		317	454								
40 to 44 years	465	556	145	150	1	3	3	1	316	402								
45 to 49 years	541	538	190	153	1		3	2	345	383			1				1	
50 to 54 years	633	515	210	145	9	3	4		410	366		1						
55 to 59 years	568	403	260	152	10	2	1	3	297	246								
60 to 64 years	603	498	282	212	12	1	3	3	306	282								
65 to 69 years	697	476	371	275	8	3	5	4	313	194								
70 to 74 years	719	548	415	308	10	6	6	2	288	232								
75 to 79 years	587	497	348	322	7	4	5	5	227	166								
80 to 84 years	351	395	160	231	5	5	4	5	182	154								
85 to 89 years	169	233	76	138	2	6	2	3	89	86								
90 to 94 years	64	99	23	35	1				40	63		1						
95 to 99 years	22	34	2	3				1	20	30								
100 years and over	35	49	3	2	1				31	47								
Unknown	33	22	5	8			5	4	23	10								
TENNESSEE																		
All ages	14,602	13,232	9,866	8,882	201	135	194	126	4,337	4,089	2		2					
Under 1 year	2,227	1,751	1,620	1,294			6	10	601	447								
1 to 4 years	893	800	680	604	1		2	1	210	195								
5 to 9 years	303	238	207	161	1			4	95	73								
10 to 14 years	282	264	184	157			2	2	96	105								
15 to 19 years	574	581	345	318			2	1	227	262								
20 to 24 years	650	737	359	407	2	3	5	2	284	325								
25 to 29 years	563	700	317	399	1		3	2	241	299	1							
30 to 34 years	601	604	329	360	4	2	8	2	260	240								
35 to 39 years	583	654	308	385	12	2	10	6	253	261								
40 to 44 years	601	609	329	360	9	3	9	4	253	242			1					
45 to 49 years	652	630	365	367	7	4	13	7	267	252								
50 to 54 years	883	646	526	383	8	9	10	8	339	246								
55 to 59 years	779	638	487	406	16	11	15	4	261	217								
60 to 64 years	875	702	590	451	25	13	21	11	239	227								
65 to 69 years	1,001	902	777	681	22	10	20	9	181	202			1					
70 to 74 years	988	786	776	617	24	16	23	12	164	141	1							
75 to 79 years	959	821	795	650	29	23	20	16	115	132								
80 to 84 years	699	606	553	498	22	24	12	8	112	76								
85 to 89 years	327	345	237	263	12	11	8	7	70	64								
90 to 94 years	91	118	55	86	4	4		3	32	25								
95 to 99 years	25	33	11	19	1			3	13	11								
100 years and over	16	34	2	4					14	30								
Unknown	30	33	14	12	1		5	4	10	17								
UTAH																		
All ages	2,532	1,952	1,755	1,352	667	557	51	7	12	13	19	13	8	2	20	8		
Under 1 year	467	299	452	292						2	6	1			9	4		
1 to 4 years	118	130	116	125						1	1	3			1	1		
5 to 9 years	63	57	62	55		1				1					1			
10 to 14 years	71	58	67	55	3	3			1									
15 to 19 years	93	62	83	54	3	4	1	2	2		4	2						
20 to 24 years	80	53	61	49	13	3	2				2		1		2			
25 to 29 years	65	74	48	60	16	13	1			1								
30 to 34 years	92	71	68	62	17	7	4		1	1			2			1		
35 to 39 years	98	81	58	61	30	16	5		3	1	1			1	1	2		
40 to 44 years	138	93	85	74	46	16	5	1	1	2					1			
45 to 49 years	131	91	89	69	36	22	5		1									
50 to 54 years	135	88	92	60	32	24	6	1	1	3	1		1		2			
55 to 59 years	147	91	97	66	45	23	4					2			1			
60 to 64 years	139	112	80	70	53	41	4	1			1		1					
65 to 69 years	200	145	101	63	92	81	3				1	1	1		2			
70 to 74 years	164	118	77	46	79	71	4			1	1		3					
75 to 79 years	143	127	57	35	85	89	1	1				2						
80 to 84 years	107	113	36	31	71	81						1						
85 to 89 years	48	61	14	18	33	43	1											
90 to 94 years	18	16	7	6	11	10												
95 to 99 years	6	6	4		2	6												
100 years and over		2				2												
Unknown	9	4	1	1		1	5	1	2		1	1						

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
VERMONT																		
All ages	2,714	2,423	2,199	2,011	470	388	42	21	3	3								
Under 1 year	320	224	320	222		2												
1 to 4 years	65	66	65	64		1				1								
5 to 9 years	27	34	26	33	1	1												
10 to 14 years	33	18	30	15	2	3	1											
15 to 19 years	38	31	34	26	4	3		2										
20 to 24 years	34	43	31	40	3	3												
25 to 29 years	64	49	56	43	8	6												
30 to 34 years	48	57	36	49	11	7	1	1										
35 to 39 years	45	55	31	46	13	9	1											
40 to 44 years	63	71	45	51	17	20			1									
45 to 49 years	114	93	81	70	31	20	2	2		1								
50 to 54 years	141	107	96	89	41	17	3	1	1									
55 to 59 years	170	158	138	133	31	24	1	1										
60 to 64 years	233	194	173	156	55	36	5	2										
65 to 69 years	292	216	239	177	45	35	8	4										
70 to 74 years	308	289	243	225	58	61	7	3										
75 to 79 years	301	267	225	204	70	60	6	2		1								
80 to 84 years	248	237	199	191	48	46	1											
85 to 89 years	118	138	94	118	20	17	3	3	1									
90 to 94 years	42	59	32	47	9	12	1											
95 to 99 years	7	15	5	10	2	5												
100 years and over	1	2		2	1													
Unknown	2						2											
VIRGINIA																		
All ages	15,469	13,874	9,018	7,821	307	173	139	65	5,989	5,809	7	6	4		2		3	
Under 1 year	2,771	2,173	1,608	1,231			13	9	1,147	933	2		1					
1 to 4 years	887	780	532	466	3		2	2	348	311	2	1						
5 to 9 years	249	264	153	153					96	111								
10 to 14 years	260	239	151	113		1	3	2	106	123								
15 to 19 years	465	486	222	184	2	3	2	1	239	298								
20 to 24 years	484	572	223	226	4	1	5	1	252	343		1						
25 to 29 years	474	540	215	218	11	3	4	1	241	318	1						2	
30 to 34 years	477	500	234	225	11	5	8	2	223	268							1	
35 to 39 years	554	563	242	238	14	11	4	3	293	309		2			1			
40 to 44 years	631	625	299	248	10	9	6	2	314	366			2					
45 to 49 years	750	649	358	288	14	10	12	6	365	344	1	1						
50 to 54 years	916	718	427	326	21	5	8	1	459	386					1			
55 to 59 years	914	737	511	389	23	12	6	5	374	331								
60 to 64 years	979	797	569	432	26	13	14	3	370	349								
65 to 69 years	1,125	971	787	667	28	21	3	3	306	280			1					
70 to 74 years	1,215	1,027	881	770	43	18	13	6	277	233	1							
75 to 79 years	1,030	920	773	721	39	27	15	10	203	161		1						
80 to 84 years	744	649	513	478	36	11	11	3	184	157								
85 to 89 years	355	400	224	296	15	13	7	1	109	90								
90 to 94 years	122	155	71	110	6	7	2		43	38								
95 to 99 years	31	68	18	34		2		3	13	29								
100 years and over	18	28	3	3	1	1			14	24								
Unknown	18	13	4	5			1	1	13	7								
WASHINGTON																		
All ages	9,205	6,075	5,743	4,161	2,622	1,493	401	108	89	55	182	162	35	2	113	93	20	1
Under 1 year	800	595	728	533	4				2	4	38	28	1	1	27	29		
1 to 4 years	259	196	198	155	3	5	20	10	2		19	11			17	14		1
5 to 9 years	179	127	152	102	5	1	8	8		1	5	7			9	8		
10 to 14 years	174	111	148	90	7	5	7	4	2		9	10	1			2		
15 to 19 years	229	178	170	136	16	5	21	8	4	2	14	24			4	3		
20 to 24 years	288	207	213	166	35	12	12	14	3	1	12	5	1		5	9	7	
25 to 29 years	283	207	203	156	39	31	14	5	4	1	12	5	1		5	9	5	
30 to 34 years	289	204	182	154	73	33	19	7	4	3	5	5	2		2	2	2	
35 to 39 years	403	266	219	185	144	63	21	5	8	3	3	6	2		5	4	1	
40 to 44 years	473	282	262	193	159	70	25	6	10	5	5	4	2		9	4	1	
45 to 49 years	501	332	273	228	163	81	37	5	8	9	7	4	1		11	5	1	
50 to 54 years	553	352	317	232	186	102	25	3	7	7	4	6	4		10	2		
55 to 59 years	661	408	356	243	244	153	40	2	4	4	7	6	2		5		3	
60 to 64 years	854	487	482	280	310	193	37	6	8	2	10	4	6	1	1	1		
65 to 69 years	911	467	504	297	348	152	36	7	7	6	8	5	6		2			
70 to 74 years	845	521	501	323	299	184	27	4	6	2	9	8	2		1			
75 to 79 years	693	439	405	283	256	146	22	3	3	2	6	5	1					
80 to 84 years	444	407	243	253	185	141	8	7	4		4	5				1		
85 to 89 years	252	190	132	108	113	73	2	1	2	2	2	6	1					
90 to 94 years	66	69	45	30	20	34				1	1	4						
95 to 99 years	15	26	7	14	8	8		1				3						
100 years and over	6	3	2		1	1		1	1		2	1						
Unknown	27	1	1		4		20	1					2					

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY AGE, SEX, COLOR, AND NATIVITY OF WHITE: 1925—Continued

[Native white includes native born of both parents native, of one or both foreign, and of both unknown or one unknown and one native]

AREA AND AGE	ALL DEATHS		WHITE						COLORED									
			Native		Foreign		Unknown		Negro		Indian		Chinese		Japanese		Other colored	
	Males	Females	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
WEST VIRGINIA																		
All ages	9,506	7,648	7,785	6,570	526	294	203	89	992	694								1
Under 1 year	2,052	1,562	1,882	1,439			8	4	162	119								
1 to 4 years	754	641	711	593		1	2	4	41	43								
5 to 9 years	220	166	198	154			3		19	12								
10 to 14 years	162	149	139	129	2	3	2		19	17								
15 to 19 years	308	243	261	196	4	3	4	4	39	40								
20 to 24 years	404	313	312	239	9	5	10	4	73	65								
25 to 29 years	343	306	226	246	28	2	15	7	74	51								
30 to 34 years	347	322	211	248	38	17	19	2	79	55								
35 to 39 years	388	317	228	230	59	32	11	7	90	48								
40 to 44 years	387	296	241	226	54	21	15	4	77	45								
45 to 49 years	409	288	279	236	52	17	15	6	63	28								1
50 to 54 years	412	297	286	236	45	15	21	5	60	41								
55 to 59 years	407	322	308	270	44	18	9	6	46	28								
60 to 64 years	454	372	366	322	33	18	21	8	34	24								
65 to 69 years	624	447	534	400	43	21	14	7	33	19								
70 to 74 years	609	452	544	395	33	31	7	3	25	23								
75 to 79 years	551	447	482	390	37	40	9	6	23	11								
80 to 84 years	394	398	340	356	28	26	9	6	17	10								
85 to 89 years	200	186	170	160	13	18	8	3	9	5								
90 to 94 years	62	87	53	78	4	4		1	5	4								
95 to 99 years	11	25	10	21		1			1	3								
100 years and over	6	9	3	4		1		1	3	3								
Unknown	2	3	1	2			1	1										
WISCONSIN																		
All ages	15,997	13,383	9,740	8,451	5,673	4,642	308	57	112	76	160	154	4	3				
Under 1 year	2,264	1,590	2,226	1,551		3	4	2	7	10	27	23		1				
1 to 4 years	602	556	569	518	8	5	1		6	9	18	24						
5 to 9 years	282	264	270	244	1	2		1		4	11	12		1				
10 to 14 years	229	187	220	179	5	5			1	1	3	2						
15 to 19 years	300	301	271	284	11	7		1	11	3	7	6						
20 to 24 years	394	379	344	334	29	31	11	1	7	8	3	4		1				
25 to 29 years	376	417	305	363	47	35	8	2	11	8	4	9	1					
30 to 34 years	453	422	346	360	89	48	7	2	6	9	5	3						
35 to 39 years	543	482	365	374	144	93	22	1	8	8	4	6						
40 to 44 years	587	433	365	331	178	95	29	1	11	3	4	3						
45 to 49 years	701	511	410	364	241	142	29	1	12	2	8	2	1					
50 to 54 years	834	582	520	412	265	163	32	2	7	2	9	3	1					
55 to 59 years	923	808	514	486	368	307	30	5	5	2	6	8						
60 to 64 years	1,197	925	644	518	516	392	21	6	7	1	8	8	1					
65 to 69 years	1,482	1,151	763	627	684	512	23	3	4	1	8	8						
70 to 74 years	1,504	1,198	626	548	829	632	32	11	3	1	14	6						
75 to 79 years	1,430	1,185	494	413	907	758	16	6	4	1	9	7						
80 to 84 years	1,091	1,029	307	290	760	724	19	7	2	1	3	7						
85 to 89 years	552	649	121	169	419	473	9	1		2	3	4						
90 to 94 years	183	245	47	68	130	172	3	1			3	4						
95 to 99 years	44	52	10	14	32	37	1				1	1						
100 years and over	9	10	2	1	7	6						3						
Unknown	17	7	1	3	3		11	3			2	1						
WYOMING																		
All ages	1,145	751	763	589	231	104	91	9	12	14	39	28	2		5	7	2	
Under 1 year	170	139	163	129						1	6	6				3	1	
1 to 4 years	62	55	50	43	1	1					11	10				1		
5 to 9 years	22	25	21	22	1							3						
10 to 14 years	33	19	29	16	2		1	1				2					1	
15 to 19 years	36	31	30	27		3	2			1	4							
20 to 24 years	42	44	28	36	3	2	7	2	1	2	2	2			1			
25 to 29 years	40	35	25	29	8	4	6			1	1					1		
30 to 34 years	61	46	35	36	19	7	3		2	2	1		1			1		
35 to 39 years	62	37	33	31	21	2	7	2		1		1			1			
40 to 44 years	64	30	35	23	21	4	4	1	2	2	1				1			
45 to 49 years	54	43	32	31	14	11	6		1						1	1		
50 to 54 years	72	29	42	24	15	5	8		2		4				1			
55 to 59 years	67	31	43	22	14	8	7			1	3							
60 to 64 years	99	32	51	24	34	6	11		1	2	2							
65 to 69 years	79	35	46	24	22	7	10	1				3	1					
70 to 74 years	59	34	36	23	16	10	6		1	1								
75 to 79 years	56	37	29	19	23	17	3				1	1						
80 to 84 years	34	29	22	18	9	10	2	1	1									
85 to 89 years	15	15	7	9	6	5	1	1			1							
90 to 94 years	4	5	2	3	2	2												
95 to 99 years	2		2															
100 years and over	1								1									
Unknown	11		2				7				2							

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13 and 14, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV., Tables 43 and 44.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
1	The registration area in continental United States	White	1,053,856	5,912	1,012	608	2,242	2,699	5,535	7,475	25,302	2,336	995	59,511	3,164	5,675	90,158	3,588
		Colored	165,163	2,375	1,120	101	162	63	1,413	583	5,236	119	100	18,592	582	1,744	5,346	505
2	Registration States [2]	White	1,035,500	5,758	978	608	2,198	2,678	5,446	7,378	24,717	2,304	974	57,893	3,110	5,583	88,815	3,538
		Colored	156,309	2,245	1,074	99	159	61	1,365	568	4,925	116	94	17,712	559	1,653	5,090	477
3	Cities in registration States [2]	White	544,729	1,873	125	458	1,402	1,300	2,532	4,172	8,911	1,316	583	27,231	2,084	2,897	51,175	1,782
		Colored	69,831	462	133	67	90	34	621	228	1,707	80	56	7,699	404	946	2,693	189
4	Rural part of registration States	White	490,771	3,885	853	150	796	1,378	2,914	3,206	15,806	988	391	30,662	1,026	2,686	37,640	1,756
		Colored	86,478	1,783	941	32	69	27	744	340	3,218	36	38	10,013	155	707	2,397	288
[5	Registration cities in non-registration States	White	18,356	154	34	-------	44	21	89	97	585	32	21	1,618	54	92	1,343	50
		Colored	8,854	130	46	2	3	2	48	15	311	3	6	880	23	91	256	28
6	All registration cities [2]	White	563,085	2,027	159	458	1,446	1,321	2,621	4,269	9,496	1,348	604	28,849	2,138	2,989	52,518	1,832
		Colored	78,685	592	179	69	93	36	669	243	2,018	83	62	8,579	427	1,037	2,949	217
7	Alabama	White	14,964	202	103	6	15	20	118	134	644	32	11	830	27	77	760	42
		Colored	14,176	219	104	15	9	1	120	46	523	4	3	1,440	16	111	375	41
8	Urban	White	3,760	28	7	2	1	7	11	22	141	12	5	129	17	16	225	7
		Colored	4,011	32	16	6	1	-------	34	9	175	3	1	387	7	43	105	9
9	Rural	White	11,204	174	96	4	14	13	107	112	503	20	6	701	10	61	535	35
		Colored	10,165	187	88	9	8	1	86	37	348	1	2	1,053	9	68	270	32
10	California	White	53,752	104	23	59	32	62	436	263	758	69	42	4,751	196	383	5,132	114
		Colored	3,048	17	3	-------	3	2	45	12	46	5	5	511	40	53	160	7
11	Urban	White	31,345	51	6	51	16	36	210	157	332	44	23	2,268	127	235	3,460	61
		Colored	1,801	9	1	-------	3	1	24	10	19	5	4	284	31	30	116	5
12	Rural	White	22,407	53	17	8	16	26	226	106	426	25	19	2,483	69	148	1,672	53
		Colored	1,247	8	2	-------	-------	1	21	2	27	-------	1	227	9	23	44	2
13	Colorado	White	12,176	91	2	-------	8	30	98	146	570	46	14	1,399	28	68	884	53
		Colored	373	1	-------	-------	-------	-------	5	3	13	1	1	88	-------	2	18	-------
14	Urban	White	5,675	30	1	-------	4	12	37	71	240	24	9	655	22	35	471	20
		Colored	233	1	-------	-------	-------	-------	3	-------	7	-------	1	59	-------	1	10	-------
15	Rural	White	6,501	61	1	-------	4	18	61	75	330	22	5	744	6	33	413	33
		Colored	140	-------	-------	-------	-------	-------	2	3	6	1	-------	29	-------	1	8	-------
16	Connecticut	White	17,191	40	5	1	40	46	108	127	318	39	13	942	62	89	1,634	75
		Colored	489	-------	1	-------	-------	-------	5	1	9	1	1	60	3	4	22	1
17	Urban	White	12,933	36	4	-------	33	36	77	106	246	31	13	617	51	71	1,268	57
		Colored	429	-------	1	-------	-------	-------	5	1	7	1	1	41	3	4	21	1
18	Rural	White	4,258	4	1	1	7	10	31	21	72	8	-------	325	11	18	366	18
		Colored	60	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	19	-------	-------	1	-------
19	Delaware	White	2,478	18	-------	-------	5	3	14	29	46	6	2	135	8	11	197	7
		Colored	637	8	-------	-------	-------	-------	3	1	10	1	1	75	-------	10	28	1
20	Urban	White	1,205	6	-------	-------	4	1	3	24	16	3	1	53	6	8	96	2
		Colored	230	1	-------	-------	-------	-------	-------	1	1	-------	-------	17	-------	6	13	1
21	Rural	White	1,273	12	-------	-------	1	2	11	5	30	3	1	82	2	3	101	5
		Colored	407	7	-------	-------	-------	-------	3	-------	9	1	1	58	-------	4	15	-------
22	Florida	White	10,160	115	127	-------	7	5	50	95	231	20	4	396	6	33	635	22
		Colored	6,702	72	111	-------	2	-------	29	15	200	2	1	533	3	38	152	9
23	Urban	White	3,484	41	10	-------	4	3	14	24	72	7	2	160	5	13	242	6
		Colored	2,457	20	8	-------	1	-------	9	4	88	-------	1	221	-------	26	61	5
24	Rural	White	6,676	74	117	-------	3	2	36	71	159	13	2	236	1	20	393	16
		Colored	4,245	52	103	-------	1	-------	20	11	112	2	-------	312	3	12	91	4
25	Idaho	White	3,253	28	-------	1	2	1	31	23	131	9	6	102	7	11	247	12
		Colored	149	1	-------	-------	-------	-------	5	2	11	-------	-------	41	7	4	6	1
26	Urban	White	477	2	-------	-------	-------	-------	2	5	11	1	-------	15	4	6	45	-------
		Colored	15	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	1	-------	-------	-------	-------
27	Rural	White	2,776	26	-------	1	2	1	29	18	120	8	6	87	3	5	202	12
		Colored	134	1	-------	-------	-------	-------	5	1	11	-------	-------	40	7	4	6	1
28	Illinois	White	75,907	301	54	18	204	269	264	390	1,480	159	53	4,094	186	334	7,043	266
		Colored	5,686	26	8	5	13	10	51	19	78	6	3	815	37	71	233	14
29	Urban	White	46,095	111	13	14	142	166	147	292	613	99	41	2,224	141	180	4,518	168
		Colored	4,622	11	2	5	12	8	47	14	55	5	2	650	36	60	180	12
30	Rural	White	29,812	190	41	4	62	103	117	98	867	60	12	1,870	45	154	2,525	98
		Colored	1,064	15	6	-------	1	2	4	5	23	1	1	165	1	11	53	2
31	Indiana	White	36,557	234	6	6	68	108	152	166	1,396	74	25	1,939	106	246	3,026	117
		Colored	2,075	16	-------	-------	2	1	37	6	89	3	2	223	9	21	82	6
32	Urban	White	15,450	77	3	1	24	35	74	84	478	26	14	734	47	105	1,318	43
		Colored	1,742	10	-------	-------	2	1	37	6	74	3	2	179	8	19	71	5
33	Rural	White	21,107	157	3	5	44	73	78	82	918	48	11	1,205	59	141	1,708	74
		Colored	333	6	-------	-------	-------	-------	-------	-------	15	-------	-------	44	1	2	11	1
34	Iowa	White	23,954	80	2	42	12	49	90	116	740	74	14	805	45	125	2,490	88
		Colored	340	-------	-------	-------	1	-------	5	1	8	-------	1	30	2	11	17	-------
35	Urban	White	8,181	36	2	19	3	8	33	48	212	27	4	285	25	48	887	26
		Colored	244	-------	-------	-------	1	-------	4	-------	7	-------	1	20	2	10	11	-------
36	Rural	White	15,773	44	-------	23	9	41	57	68	528	47	10	520	20	77	1,603	62
		Colored	96	-------	-------	-------	-------	-------	1	1	1	-------	-------	10	-------	1	6	-------
37	Kansas	White	17,294	93	8	1	8	40	75	63	605	33	14	549	14	76	1,537	50
		Colored	1,287	9	1	-------	-------	2	6	1	59	-------	-------	149	2	23	49	4
38	Urban	White	5,373	38	2	1	4	14	20	20	144	4	6	194	8	31	531	14
		Colored	875	7	1	-------	-------	2	5	1	43	-------	-------	98	2	21	33	2
39	Rural	White	11,921	55	6	-------	4	26	55	43	461	29	8	355	6	45	1,006	36
		Colored	412	2	-------	-------	-------	-------	1	-------	16	-------	-------	51	-------	2	16	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
6,375	78,869	171,847	5,959	30,836	27,482	14,161	9,843	6,872	85,787	4,669	7,764	67,696	12,118	5,040	16,282	1,218	475	54,221	8,649	161,481	1
1,010	8,195	19,379	711	15,596	4,968	1,457	1,325	677	13,533	1,028	1,854	8,462	377	3,853	1,289	48	23	7,218	9,256	26,863	
16,158	77,879	170,119	5,901	79,668	26,678	13,745	9,596	6,759	84,344	4,525	7,551	66,479	11,846	4,843	15,935	1,203	463	53,350	8,348	158,132	2
954	7,658	18,435	661	14,812	4,708	1,336	1,210	638	12,622	953	1,771	8,054	363	3,597	1,214	47	22	6,854	9,009	25,194	
9,495	35,682	93,529	2,935	45,511	12,360	9,541	6,126	3,949	45,551	2,859	4,116	34,722	6,869	2,840	9,969	373	281	26,895	1,165	82,120	3
558	3,393	9,270	347	8,685	2,015	854	669	348	5,765	471	591	3,767	239	2,145	671	20	16	2,832	1,127	10,639	
6,663	42,197	76,590	2,966	34,157	14,318	4,204	3,470	2,810	38,793	1,666	3,435	31,757	4,977	2,003	5,966	830	182	26,455	7,183	76,012	4
396	4,265	9,165	314	6,127	2,693	482	541	290	6,857	482	1,180	4,287	124	1,452	543	27	6	4,022	7,882	14,555	
217	990	1,728	58	1,168	804	416	247	113	1,443	144	213	1,217	272	197	347	15	12	871	301	3,349	5
56	537	944	50	784	260	121	115	39	911	75	83	408	14	256	75	1	1	364	247	1,669	
9,712	36,672	95,257	2,993	46,679	13,164	9,957	6,373	4,062	46,994	3,003	4,329	35,939	7,141	3,037	10,316	388	293	27,766	1,466	85,469	6
614	3,930	10,214	397	9,469	2,275	975	784	387	6,676	546	674	4,175	253	2,401	746	21	17	3,196	1,374	12,308	
121	773	1,491	65	1,295	500	218	124	54	1,158	97	227	1,098	114	118	163	10	3	882	857	2,575	7
56	552	1,403	30	1,227	280	118	99	44	1,007	85	176	553	10	312	89	3	------	783	1,932	2,390	
45	228	382	12	342	106	131	50	13	319	33	58	274	44	41	84	3	3	224	90	648	8
22	193	428	10	474	96	64	41	16	302	28	40	189	5	139	35	1	------	192	346	562	
76	545	1,109	53	953	394	87	74	41	839	64	169	824	70	77	79	7	------	658	767	1,927	9
34	359	975	20	753	184	54	58	28	705	57	136	364	5	173	54	2	------	591	1,586	1,828	
743	3,844	9,957	273	3,326	1,116	638	492	409	3,913	177	290	2,608	1,065	288	1,247	102	62	2,655	80	8,043	10
32	118	360	19	238	81	32	34	16	177	22	23	169	49	44	80	3	4	149	24	465	
505	2,148	6,021	150	1,974	423	439	329	257	2,549	117	182	1,518	701	155	635	28	31	1,335	28	4,743	11
27	65	208	11	153	35	24	23	13	127	14	15	107	35	28	42	2	3	63	5	259	
238	1,696	3,936	123	1,352	693	199	163	152	1,364	60	108	1,090	364	133	612	74	31	1,320	52	3,300	12
5	53	152	8	85	46	8	11	3	50	8	8	62	14	16	38	1	1	86	19	206	
104	810	1,345	43	1,012	471	252	125	47	727	79	88	734	179	73	143	6	4	610	38	1,849	13
2	17	40	1	40	10	6	4	2	18	1	2	16	2	11	3	------	------	14	4	48	
54	397	683	17	523	163	124	60	24	336	36	37	316	97	23	53	3	3	164	11	920	14
2	12	35	1	19	3	4	3	2	12	------	2	5	2	6	3	------	------	3	2	35	
50	413	662	26	489	308	128	65	23	391	43	51	418	82	50	90	3	1	446	27	929	15
------	5	5	------	21	7	2	1	------	6	1	------	11	------	5	------	------	------	11	2	13	
313	1,462	3,216	109	1,434	304	197	158	96	1,428	50	87	1,085	188	50	334	7	5	790	55	2,284	16
7	24	80	5	68	13	3	4	1	34	3	6	31	2	5	6	------	------	16	1	72	
245	1,007	2,351	75	1,119	226	174	142	77	1,055	45	81	891	133	46	262	5	5	624	32	1,692	17
7	20	72	5	64	11	3	4	------	32	3	6	24	2	4	6	------	------	16	1	63	
68	455	865	34	315	78	23	16	19	373	5	6	194	55	4	72	2	------	166	23	592	18
------	4	8	------	4	2	------	------	1	2	------	------	7	------	1	------	------	------	------	------	9	
36	219	421	8	154	101	18	29	21	301	18	17	127	22	6	31	1	------	119	2	346	19
6	52	102	5	75	30	1	4	------	63	------	1	31	1	3	6	------	------	29	4	86	
23	95	199	5	86	52	10	21	10	129	15	9	71	12	3	20	------	------	66	------	156	20
3	22	37	3	28	13	------	3	------	17	------	------	9	1	1	1	------	------	15	------	37	
13	124	222	3	68	49	8	8	11	172	3	8	56	10	3	11	1	------	53	2	190	21
3	30	65	2	47	17	1	1	------	46	------	1	22	------	2	5	------	------	14	4	49	
136	651	1,412	41	459	266	129	115	57	924	44	162	685	122	132	345	20	5	700	275	1,734	22
30	375	595	37	423	190	62	70	44	524	49	102	333	10	322	104	6	------	410	461	1,388	
64	202	515	17	166	74	75	52	19	300	17	55	246	53	51	148	5	5	215	44	558	23
11	145	206	21	192	103	30	23	18	188	17	29	147	5	157	41	------	------	112	53	515	
72	449	897	24	293	192	54	63	38	624	27	107	439	69	81	197	15	------	485	231	1,176	24
19	230	389	16	231	87	32	47	26	336	32	73	186	5	165	63	6	------	298	408	873	
39	220	417	12	240	40	78	38	17	236	12	30	250	59	18	56	5	------	277	42	556	25
------	7	5	------	15	1	------	------	------	2	2	1	3	2	2	------	------	------	9	3	19	
5	35	73	1	32	3	17	4	1	33	1	2	36	9	1	11	------	------	19	------	103	26
------	2	2	------	3	------	------	------	------	------	------	------	2	------	------	------	------	------	------	------	4	
34	185	344	11	208	37	61	34	16	203	11	28	214	50	17	45	5	------	258	42	453	27
------	5	3	------	12	1	------	------	------	2	2	1	1	2	2	------	------	------	9	3	15	
1,351	4,796	13,183	533	5,248	2,020	1,170	754	679	7,341	292	439	4,699	941	554	1,213	191	59	4,107	193	11,029	28
50	209	935	32	652	188	63	43	26	459	31	27	252	21	216	55	------	1	253	12	772	
881	2,416	8,195	337	3,424	1,214	912	545	449	4,631	202	304	2,987	617	407	887	40	42	2,352	28	6,356	29
45	159	741	29	572	164	60	36	19	382	27	25	220	17	197	46	------	1	201	6	576	
470	2,380	4,988	196	1,824	806	258	209	230	2,710	90	135	1,712	324	147	326	151	17	1,755	165	4,673	30
5	50	194	3	80	24	3	7	7	77	4	2	32	4	19	9	------	------	52	6	196	
550	3,141	5,820	176	2,451	996	466	361	248	3,429	165	198	2,054	437	125	484	86	69	1,891	55	5,686	31
14	107	304	14	275	49	26	29	14	172	14	12	81	10	79	25	5	1	81	1	265	
256	1,084	2,292	74	1,146	493	313	204	111	1,362	107	106	969	207	85	299	36	28	767	18	2,430	32
12	81	251	14	256	44	24	24	12	129	12	10	73	8	76	20	4	1	61	1	212	
294	2,057	3,528	102	1,305	503	153	157	137	2,067	58	92	1,085	230	40	185	50	41	1,124	37	3,256	33
2	26	53	------	19	5	2	5	2	43	2	2	8	2	3	5	1	------	20	------	53	
444	2,240	3,558	144	1,603	290	376	304	130	1,683	97	168	1,481	346	54	268	21	9	1,130	149	4,687	34
5	19	40	------	34	7	4	2	3	43	1	1	19	------	12	3	------	------	23	------	48	
148	650	1,121	31	559	103	183	128	45	551	46	67	536	135	28	124	12	4	405	21	1,621	35
4	14	24	------	30	5	2	2	1	36	1	------	14	------	9	1	------	------	11	------	34	
296	1,590	2,437	113	1,044	187	193	176	85	1,132	51	101	945	211	26	144	9	5	725	128	3,066	36
1	5	16	------	4	2	2	------	2	7	------	1	5	------	3	2	------	------	12	------	14	
307	1,664	2,482	119	929	332	303	181	107	1,451	102	124	1,173	184	64	233	41	4	954	116	3,258	37
11	69	189	7	105	20	13	13	10	140	8	6	71	4	30	7	------	------	41	10	238	
92	452	689	30	303	106	149	63	27	424	41	34	331	53	33	109	14	2	306	9	1,075	38
8	35	112	6	79	16	7	13	7	97	6	5	47	4	29	6	------	------	25	2	156	
215	1,212	1,793	89	626	226	154	118	80	1,027	61	90	842	131	31	124	27	2	648	107	2,183	39
3	24	77	1	26	4	6	------	3	43	2	1	24	------	1	1	------	------	16	8	82	

[1] Including District of Columbia.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

[1] "Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
1	Kentucky	White	23,736	578	36	3	32	49	188	246	839	52	44	2,067	95	241	1,352	73
		Colored	4,651	90	11	1	4	2	27	15	161	5		497	26	66	166	18
2	Urban	White	6,085	66	3	1	5	10	31	14	151	14	4	391	28	35	474	13
		Colored	1,862	14	2		1		15	2	47	3		157	13	31	80	7
3	Rural	White	17,651	512	33	2	27	39	157	232	688	38	40	1,676	67	206	878	60
		Colored	2,789	76	9	1	3	2	12	13	114	2		340	13	35	86	11
4	Louisiana	White	12,202	316	107	4	5	9	96	91	449	12	9	712	21	43	800	20
		Colored	12,886	333	149	4	5		117	43	518	5	4	1,226	15	93	422	36
5	Urban	White	5,769	59	8	2	1	8	43	30	146	4	5	378	18	22	464	14
		Colored	4,889	69	12				38	9	126	3	1	458	9	47	210	6
6	Rural	White	6,433	257	99	2	4	1	53	61	303	8	4	334	3	21	336	6
		Colored	7,997	264	137	4	5		79	34	392	2	3	768	6	46	212	30
7	Maine	White	10,753	52	1		11	22	26	34	333	21	5	397	36	63	1,039	38
		Colored	39	1									1			1	1	
8	Urban	White	3,446	31	1		2	9	6	14	70	8	1	102	15	24	353	10
		Colored	14										1					
9	Rural	White	7,307	21			9	13	20	20	263	13	4	295	21	39	686	28
		Colored	25	1												1	1	
10	Maryland	White	16,143	71	1		23	16	89	74	225	23	23	1,012	36	87	1,434	55
		Colored	5,485	45			1		86	14	93	4	4	659	23	68	187	24
11	Urban	White	9,839	29			14	7	57	43	121	11	14	523	30	45	940	41
		Colored	3,082	10			1		45	11	49	3	3	355	15	44	116	14
12	Rural	White	6,304	42	1		9	9	32	31	104	12	9	489	6	42	494	14
		Colored	2,403	35					41	3	44	1	1	304	8	24	71	10
13	Massachusetts	White	50,722	71	3		347	115	271	330	599	125	49	2,765	246	268	5,103	127
		Colored	999	2			2	1	8	4	5	2	2	145	5	12	69	2
14	Urban	White	40,956	66	3		323	105	229	306	454	101	47	1,927	214	209	4,148	107
		Colored	888	1			2	1	7	4	4	2	1	115	5	9	67	2
15	Rural	White	9,766	5			24	10	42	24	145	24	2	838	32	59	955	20
		Colored	111	1					1		1		1	30		3	2	
16	Michigan	White	46,978	154	1	22	72	215	253	355	867	131	36	2,082	140	227	3,739	200
		Colored	2,441	7				1	16	5	47	7	3	342	21	36	56	10
17	Urban	White	24,792	81		21	40	106	137	195	367	91	22	1,171	111	138	1,951	86
		Colored	1,970	6				1	14	5	36	7	1	279	20	25	47	7
18	Rural	White	22,186	73	1	1	32	109	116	160	500	40	14	911	29	89	1,788	114
		Colored	471	1					2		11		2	63	1	11	9	3
19	Minnesota	White	24,973	44		192	15	152	91	227	626	61	18	1,269	74	160	2,623	77
		Colored	463	1	1	4			4	3	10	1		65	2	3	32	
20	Urban	White	11,128	24		163	5	69	31	150	194	35	7	448	32	78	1,311	24
		Colored	217	1	1	4			4	1				15		1	29	
21	Rural	White	13,845	20		29	10	83	60	77	432	26	11	821	42	82	1,312	53
		Colored	246							2	10	1		50	2	2	3	
22	Mississippi	White	8,218	116	113	1	18	7	60	88	406	12	7	381	8	32	510	19
		Colored	13,935	364	313	3	5	4	84	56	570	6	2	1,390	15	102	420	34
23	Urban	White	1,403	12	10	1		1	4	9	50	4	1	50		5	106	4
		Colored	1,885	25	28			2	11	7	69	1		115	2	17	73	3
24	Rural	White	6,815	104	103		18	6	56	79	356	8	6	331	8	27	404	15
		Colored	12,050	339	285	3	5	2	73	49	501	5	2	1,275	13	85	347	31
25	Missouri	White	36,620	336	147		10	164	163	237	1,313	59	34	2,105	78	191	3,221	104
		Colored	4,668	55	42		3	5	38	5	151	3	5	588	24	53	167	12
26	Urban	White	17,306	58	8		4	94	62	134	371	30	13	748	40	75	1,723	43
		Colored	3,260	18	1		2	3	18	4	100	2	5	375	18	32	129	5
27	Rural	White	19,314	278	139		6	70	101	103	942	29	21	1,357	38	116	1,498	61
		Colored	1,408	37	41		1	2	20	1	51	1		213	6	21	38	7
28	Montana	White	4,710	20			5	21	43	32	88	14	4	251	9	12	366	24
		Colored	478	4					20	2	21	2	1	99	6	19	13	3
29	Urban	White	1,569	3				2	13	14	30	5	2	75	4	2	149	8
		Colored	34								3			2			1	1
30	Rural	White	3,141	17			5	19	30	18	58	9	2	176	5	10	217	16
		Colored	444	4					20	2	18	2	1	97	6	19	12	2
31	Nebraska	White	12,098	36	4	1		33	75	79	533	21	13	301	14	40	1,182	33
		Colored	395	2					5	1	19			76	6	9	9	
32	Urban	White	3,879	7		1		6	20	35	86	6	1	112	8	15	422	5
		Colored	244						3		10			43	4	9	7	
33	Rural	White	8,219	29	4			27	55	44	447	15	12	189	6	25	760	28
		Colored	151	2					2	1	9			33	2		2	
34	New Hampshire	White	6,556	15			9	15	28	30	227	12	6	236	21	38	669	31
		Colored	7											1	1			
35	Urban	White	2,856	8			6	10	23	13	110	5	4	82	8	21	273	14
		Colored	5											1	1			
36	Rural	White	3,700	7			3	5	5	17	117	7	2	154	13	17	396	17
		Colored	2															
37	New Jersey	White	38,932	99	4	32	117	65	218	323	447	104	43	2,166	119	149	3,554	172
		Colored	3,260	15		16	7	2	46	14	35	3	5	392	23	42	144	8
38	Urban	White	24,633	70	2	29	79	40	135	228	241	77	35	1,033	93	102	2,244	111
		Colored	2,213	14		16	7		38	13	19	3	2	190	22	28	99	5
39	Rural	White	14,299	29	2	3	38	25	83	95	206	27	8	1,133	26	47	1,310	61
		Colored	1,047	1				2	8	1	16		3	202	1	14	45	3

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
219	1,494	2,602	110	1,727	1,039	269	186	115	1,749	137	180	1,636	183	243	212	18	2	1,246	471	4,003	1
34	273	699	33	380	104	43	47	16	462	26	35	179	10	151	25	3		225	66	751	
80	459	843	26	395	200	128	73	38	514	35	35	380	68	45	112	5	2	279	6	1,122	2
12	123	341	16	193	33	24	23	8	181	15	9	64	4	78	13	1		63	11	278	
139	1,035	1,759	84	1,332	839	141	113	77	1,235	102	145	1,256	115	198	100	13		967	465	2,881	3
22	150	358	17	187	71	19	24	8	281	11	26	115	6	73	12	2		162	55	473	
123	534	1,550	55	885	617	239	138	93	1,105	69	162	768	101	125	179	7	2	576	227	1,903	4
57	548	1,642	51	1,018	509	120	103	83	1,179	80	165	544	17	318	62			504	529	2,387	
69	267	869	17	337	216	178	97	57	633	47	73	291	70	60	93	2	2	276	6	907	5
29	197	738	18	462	221	71	46	42	517	30	59	207	5	162	32			186	12	867	
54	317	691	38	548	401	61	41	36	472	22	89	477	31	65	86	5		300	221	996	6
28	351	904	33	556	288	49	57	41	662	50	106	337	12	156	30			318	517	1,520	
171	1,124	1,882	78	765	144	133	87	43	827	30	96	747	117	17	98	3	1	460	127	1,725	7
2	5	7		6					1			3	1					1	1	8	
57	280	577	11	261	42	69	42	16	255	15	40	254	41	6	47			152	36	599	8
	2	5		1								2								3	
114	844	1,305	67	504	102	64	45	27	572	15	56	493	76	11	51	3	1	308	91	1,126	9
2	3	2		5					1			1	1					1	1	5	
243	1,424	2,587	118	1,407	531	147	141	92	1,796	56	81	972	159	52	225	3	3	751	53	2,133	10
38	387	656	66	737	224	28	43	12	526	32	28	343	10	65	46		3	211	68	754	
185	803	1,593	67	978	269	131	108	63	1,080	48	58	548	100	28	154	1	3	441	4	1,302	11
27	196	335	28	547	80	17	25	7	289	22	15	143	8	49	27			125	1	425	
58	621	994	51	429	262	16	33	29	716	8	23	424	59	24	71	2		310	49	831	12
11	191	271	38	190	144	11	18	5	237	10	13	200	2	16	19		3	86	67	329	
789	3,998	10,179	343	4,763	752	543	423	224	3,459	165	372	3,218	450	101	723	14	16	2,107	109	7,555	13
19	59	145	3	121	21	9	8	4	82	2	6	53	6	10	6			36	1	149	
637	3,007	7,984	261	4,041	648	507	381	180	2,832	153	331	2,757	365	83	596	4	13	1,759	85	6,093	14
19	46	132	3	114	18	9	8	4	78	2	6	48	4	8	6			34	1	128	
152	991	2,195	82	722	104	36	42	44	627	12	41	461	85	18	127	10	3	348	24	1,462	15
	13	13		7	3				4			5	2	2				2		21	
727	4,062	7,768	396	3,119	1,426	687	480	348	2,781	243	355	3,661	480	213	920	78	40	2,293	206	8,201	16
19	79	300	20	400	76	33	23	9	114	14	20	142	15	107	35	1	2	76	10	395	
407	1,698	3,633	176	1,929	770	491	302	181	1,310	168	216	2,216	279	178	623	30	24	1,189	40	4,365	17
15	48	225	16	361	46	29	19	7	90	12	17	121	14	103	26	1	2	53	3	314	
320	2,364	4,035	220	1,190	656	196	178	167	1,471	75	139	1,445	201	35	297	48	16	1,104	166	3,836	18
4	31	75	4	39	30	4	4	2	24	2	3	21	1	4	9			23	7	81	
452	1,739	3,784	123	1,718	321	427	240	123	1,593	103	174	1,886	367	85	360	25	7	1,298	127	4,392	19
5	18	40	1	64	14	7	6	2	20	4	3	26	5	10	1			15	13	83	
187	680	1,617	45	815	107	224	109	71	586	47	74	785	173	49	182	8	7	519	24	2,248	20
4	7	33	1	18	2	6	3	1	11	2	2	9	3	7	1			8		43	
265	1,059	2,167	78	903	214	203	131	52	1,007	56	100	1,101	194	36	178	17		779	103	2,144	21
1	11	7		46	12	1	3	1	9	2	1	17	2	3				7	13	40	
90	490	866	33	562	273	164	68	39	759	40	107	521	44	84	100	10		404	410	1,376	22
65	575	1,246	20	852	321	121	125	34	1,250	104	193	367	19	305	70	4		560	2,007	2,329	
19	78	178	4	75	44	59	18	9	141	15	16	75	4	18	24	3		78	23	265	23
13	97	233	4	108	36	46	32	6	173	18	16	36	4	48	15	4		96	178	369	
71	412	638	29	487	229	105	50	30	618	25	91	446	40	66	76	7		326	387	1,111	24
52	478	1,013	16	744	285	75	93	28	1,077	86	177	331	15	257	55			464	1,829	1,960	
539	2,546	5,056	223	3,023	905	531	325	297	3,662	190	201	1,906	464	237	473	19	6	1,811	366	5,678	25
24	217	671	22	567	114	35	38	36	536	21	23	166	9	192	36	1	1	148	55	605	
276	965	2,564	89	1,587	341	356	189	174	1,883	103	115	850	260	159	323	3	6	830	34	2,796	26
16	126	520	15	449	57	25	29	28	406	19	18	124	8	164	29	1	1	107	2	404	
263	1,581	2,492	134	1,436	564	175	136	123	1,779	87	86	1,056	204	78	150	16		981	332	2,882	27
8	91	151	7	118	57	10	9	8	130	2	5	42	1	28	7			41	53	201	
61	342	632	18	376	80	99	43	36	289	34	45	347	102	50	83	14	3	380	46	741	28
3	3	40	5	61	15		4	2	12	1	3	19		1	1		1	23	34	60	
25	107	212	6	143	16	45	18	13	96	10	11	103	38	19	30	7	2	91	6	264	29
1		12		5	1		1	1				1		1						4	
36	235	420	12	233	64	54	25	23	193	24	34	244	64	31	53	7	1	289	40	477	30
2	3	28	5	56	14		3	1	12	1	3	18			1		1	23	34	56	
267	1,053	1,661	69	779	221	266	139	75	835	63	102	940	169	40	123	39		579	86	2,227	31
6	20	42	1	67	11	4	3	2	15	2		15		14	2			12	4	48	
80	259	549	17	304	72	109	59	17	254	30	33	270	71	26	48			171	7	779	32
5	14	33		40	4	2	1	1	12	1		6		13	2			9		25	
187	794	1,112	52	475	149	157	80	58	581	33	69	670	98	14	75	39		408	79	1,448	33
1	6	9	1	27	7	2	2	1	3	1		9		1				3	4	23	
97	747	1,138	71	462	93	59	50	30	463	26	41	404	56	6	87	5	1	286	38	1,059	34
									1			1						1		2	
44	272	435	32	211	57	37	25	9	203	15	25	227	16	2	34	2		129	28	476	35
									1			1								1	
53	475	703	39	251	36	22	25	21	260	11	16	177	40	4	53	3	1	157	10	583	36
																		1		1	
731	3,180	7,427	235	3,296	919	499	303	300	3,541	174	264	2,250	402	150	738	46	14	2,025	64	4,762	37
31	170	453	26	471	83	23	29	19	269	18	21	203	6	35	33	3		138	12	465	
492	1,730	4,584	148	2,244	603	434	244	180	2,157	148	206	1,601	251	106	542	19	6	1,331	39	3,099	38
22	105	298	19	345	51	19	23	11	182	17	17	157	4	27	25	1		83	8	343	
239	1,450	2,893	87	1,052	316	65	59	120	1,384	26	58	649	151	44	196	27	8	694	25	1,663	39
9	65	155	7	126	32	4	6	8	87	1	4	46	2	8	8	2		55	4	122	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	New York	White	136,752	385	9	2	305	190	475	987	1,426	327	142	8,138	485	616	12,955	512
		Colored	5,748	13			18	1	48	19	35	14	6	906	53	84	246	19
2	Urban	White	102,895	300	8	1	257	134	390	877	896	274	116	5,722	408	483	9,916	403
		Colored	5,125	13			17	1	44	19	28	13	6	786	52	78	226	19
3	Rural	White	33,857	85	1	1	48	56	85	110	530	53	26	2,416	77	133	3,039	109
		Colored	623				1		4		7	1		120	1	6	20	
4	North Carolina	White	19,702	129	68	2	12	28	86	238	683	47	16	1,235	38	82	1,020	69
		Colored	12,846	150	73	3	4	2	67	65	406	4	8	1,304	24	111	308	36
5	Urban	White	3,504	16	6			1	5	29	94	7	3	238	11	16	208	8
		Colored	3,076	19	14	1	2		22	6	119	1	2	281	8	27	82	5
6	Rural	White	16,198	113	62	2	12	27	81	209	589	40	13	997	27	66	812	61
		Colored	9,770	131	59	2	2	2	45	59	287	3	6	1,023	16	84	226	31
7	North Dakota	White	4,817	24		8	9	48	70	37	100	12	13	226	14	33	403	21
		Colored	228						3				1	33	4	8	3	
8	Urban	White	664	2				2	4	5	6	2	2	28	3	7	76	4
		Colored	8											1				
9	Rural	White	4,153	22		8	9	46	66	32	94	10	11	198	11	26	327	17
		Colored	220						3				1	32	4	8	3	
10	Ohio	White	68,305	310	9	41	78	248	319	371	1,964	162	49	3,323	220	402	5,914	252
		Colored	5,302	23	3	6	3	4	55	21	136	6	4	737	33	104	219	10
11	Urban	White	38,172	127	3	28	48	124	172	259	888	93	34	1,829	145	225	3,399	119
		Colored	4,266	13	3	6	3	3	46	18	99	5	4	575	32	88	169	8
12	Rural	White	30,133	183	6	13	30	124	147	112	1,076	69	15	1,494	75	177	2,515	133
		Colored	1,036	10				1	9	3	37	1		162	1	16	50	2
13	Oregon	White	9,321	32	2	3	1	20	58	100	191	18	34	417	34	62	938	28
		Colored	308	1					5	2	15		1	35	6	6	11	1
14	Urban	White	4,270	8	2	1	1	6	21	53	43	12	21	224	25	35	491	10
		Colored	137							1	5		1	8	3	5	9	
15	Rural	White	5,051	24		2		14	37	47	148	6	13	193	9	27	447	18
		Colored	171	1					5	1	10			27	3	1	2	1
16	Pennsylvania	White	108,181	422	5	25	476	335	570	939	2,627	268	74	5,352	330	604	8,434	423
		Colored	7,564	29	3	4	27	8	78	34	141	13	5	881	44	89	280	24
17	Urban	White	57,773	180	2	25	284	163	267	567	1,103	146	46	2,661	217	325	4,771	216
		Colored	6,034	21	3	4	20	8	56	32	90	10	4	655	43	76	226	18
18	Rural	White	50,408	242	3		192	167	303	372	1,524	122	28	2,691	113	279	3,663	207
		Colored	1,530	8			7		22	2	51	3	1	226	1	13	54	6
19	Rhode Island	White	8,009	20			36	13	59	45	128	19	5	432	39	60	763	22
		Colored	217						1		3		1	23	4	5	9	
20	Urban	White	6,680	16			31	12	46	44	96	16	5	278	31	53	622	20
		Colored	192						1		1		1	15	4	5	9	
21	Rural	White	1,329	4			5	1	13	1	32	3		154	8	7	141	2
		Colored	25								2			8				
22	South Carolina	White	8,693	129	32	4	2	7	86	84	379	13	10	359	5	24	430	20
		Colored	13,297	354	151	3	4		115	43	486	2	3	1,220	6	79	316	30
23	Urban	White	1,810	18	2			1	12	19	61		6	66	3	4	108	4
		Colored	2,226	32	8	2			11	6	52		1	193	2	25	63	3
24	Rural	White	6,883	111	30	4	2	6	74	65	318	13	4	293	2	20	322	16
		Colored	11,071	322	143	1	4		104	37	434	2	2	1,027	4	54	253	27
25	Tennessee	White	19,404	466	91	3	49	28	135	163	885	40	24	1,829	88	185	1,039	64
		Colored	8,430	187	64	2	11	6	50	23	459	4	9	1,119	23	124	244	32
26	Urban	White	5,116	73	15	1	11	7	29	20	173	9	11	259	29	35	346	12
		Colored	4,063	64	19	1	7	2	19	8	190	2	6	391	11	71	128	13
27	Rural	White	14,288	393	76	2	38	21	106	143	712	31	13	1,570	59	150	693	52
		Colored	4,367	123	45	1	4	4	31	15	269	2	3	728	12	53	116	19
28	Utah	White	4,389	24				4	33	49	126	16	27	121	3	18	318	19
		Colored	95	2					2		2			7			5	
29	Urban	White	2,082	9				2	10	24	41	5	16	69	2	8	185	5
		Colored	45	2							1			4			5	
30	Rural	White	2,307	15				2	23	25	85	11	11	52	1	10	133	14
		Colored	50						2		1			3				
31	Vermont	White	5,131	10				15	17	26	171	9	4	203	19	29	480	17
		Colored	6															
32	Urban	White	820	1					4	3	25	3		57	7		93	5
		Colored	2															
33	Rural	White	4,311	9				15	13	23	146	6	4	146	12	29	387	12
		Colored	4															
34	Virginia	White	17,523	174	10	1	48	35	131	164	596	40	20	1,134	61	104	1,141	63
		Colored	11,820	128	35	2	28	6	122	74	468	4	5	1,273	33	110	398	73
35	Urban	White	4,715	21	1		10	4	24	29	88	15	7	203	23	15	370	18
		Colored	3,755	21	12		5		28	19	135	3		325	16	47	131	20
36	Rural	White	12,808	153	9	1	38	31	107	135	508	25	13	931	38	89	771	45
		Colored	8,065	107	23	2	23	6	94	55	323	1	5	948	17	63	267	53
37	Washington	White	14,528	51	3	4	2	26	76	97	317	30	39	849	53	96	1,479	40
		Colored	752	2			1		12		25	1	2	161	15	21	30	5
38	Urban	White	7,486	18	2		1	8	32	51	145	18	28	312	38	61	888	13
		Colored	312	2					4		5		1	45	13	15	15	1
39	Rural	White	7,042	33	1	4	1	18	44	46	172	12	11	537	15	35	591	27
		Colored	440				1		8		20	1	1	116	2	6	15	4

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
2,641	9,229	28,475	736	11,548	2,547	1,678	1,180	1,058	12,146	496	795	7,641	1,634	488	2,057	78	32	6,661	124	18,554	1
54	170	795	18	842	111	61	33	22	394	29	49	407	32	53	54	1	1	243	7	880	
2,139	5,641	21,176	494	9,405	2,110	1,525	991	845	9,131	433	668	6,102	1,247	433	1,656	31	23	5,022	46	13,592	2
47	146	681	14	779	102	53	28	21	345	27	48	333	32	77	47		1	212	3	772	
502	3,588	7,299	242	2,143	437	153	189	213	3,015	63	127	1,539	387	55	401	47	9	1,639	78	4,962	3
7	24	114	4	63	9	3	5	1	49	2	1	24		6	7	1		31	4	108	
161	1,384	2,304	58	1,436	873	216	149	59	1,784	83	309	1,754	112	90	302	19	2	796	1,181	2,877	4
61	799	1,270	35	978	599	102	85	41	1,037	76	257	818	16	170	74	12	1	552	1,409	1,889	
34	220	386	6	197	126	88	49	12	328	26	69	364	24	22	90	4	2	170	57	588	5
20	227	335	10	295	139	54	35	17	244	23	43	216	5	68	23	4	1	127	147	454	
127	1,164	1,918	52	1,239	747	128	100	47	1,456	57	240	1,390	88	68	212	15		626	1,124	2,289	6
41	572	935	25	683	460	48	50	24	793	53	214	602	11	102	51	8		425	1,262	1,435	
86	311	507	24	424	139	146	45	17	223	30	56	429	51	13	59	11		253	91	884	7
4	4	19	2	26	21	3	1	2	6	2	1	12						4	45	24	
13	37	60		50	4	53	14	2	36	1	9	46	7	3	7	5		33	4	139	8
	2	1							1			1						1		1	
73	274	447	24	374	135	93	31	15	187	29	47	383	44	10	52	6		220	87	745	9
4	2	18	2	26	21	3	1	2	5	2	1	11						3	45	23	
1,125	6,549	11,186	318	5,058	1,608	826	703	480	4,926	336	443	4,163	773	298	1,221	128	54	3,603	235	10,610	10
32	297	660	22	712	136	41	38	32	336	34	45	305	17	204	64	1	2	217	26	717	
630	3,099	5,953	159	3,015	982	654	502	277	2,768	245	298	2,420	448	229	859	47	26	2,029	52	5,987	11
24	213	487	17	633	119	38	35	24	249	33	40	253	14	183	54	1	2	180	10	585	
495	3,450	5,233	159	2,043	626	172	201	203	2,158	91	145	1,743	325	69	362	81	28	1,574	183	4,623	12
8	84	173	5	79	17	3	3	8	87	1	5	54	3	21	10			37	16	132	
140	848	1,553	52	555	57	121	98	42	647	46	60	492	166	33	139	8	13	590	42	1,721	13
6	15	35	1	27	3	2	5	1	6	2	4	17	2	2	5			16	11	65	
63	351	640	20	265	22	69	48	20	296	17	24	182	84	12	55	3	9	192	4	941	14
5	9	15		17	1	1	4	1	5	2	2	7	1	1	2			5		27	
77	497	913	32	290	35	52	50	22	351	29	36	270	82	21	84	5	4	398	38	780	15
1	6	20	1	10	2	1	1		1		2	10	1	1	3			11	11	38	
1,660	8,057	17,717	689	10,658	3,729	1,140	979	826	9,345	543	746	7,278	970	379	1,524	59	22	6,013	425	14,538	16
64	304	1,028	55	1,260	252	78	49	22	526	43	50	468	27	191	52		2	378	43	1,012	
951	3,594	9,685	378	6,000	1,726	846	658	456	5,312	356	447	3,513	569	241	949	18	15	3,160	124	7,797	17
52	219	792	41	1,112	179	69	41	16	419	35	46	373	24	165	37		1	294	24	829	
709	4,463	8,032	311	4,658	2,003	294	321	370	4,033	187	299	3,765	401	138	575	41	7	2,853	301	6,741	18
12	85	236	14	148	73	9	8	6	107	8	4	95	3	26	15		1	84	19	183	
147	667	1,393	52	714	129	83	62	35	782	22	52	533	55	9	132	5	2	376	35	1,083	19
3	16	47	2	20	2	2			20		1	14	2	3	1		1	10	5	22	
124	558	1,137	42	614	120	80	54	29	672	22	49	448	44	9	114	2	2	327	30	933	20
3	14	44	1	19	2	2			18		1	13	2	3	1		1	8	5	19	
23	109	256	10	100	9	3	8	6	110		3	85	11		18	3		49	5	150	21
	2	3	1	1					2			1						2		3	
78	652	1,042	29	548	346	82	71	22	921	32	143	792	49	71	116	14	1	388	267	1,445	22
59	653	1,371	22	846	417	65	63	21	1,173	79	235	1,015	9	146	63	2		523	1,093	2,630	
21	109	211	5	110	40	49	24	10	188	10	33	148	12	19	37	4	1	95	10	370	23
18	150	280	2	163	88	13	20	1	279	13	24	159	2	33	20			79	39	445	
57	543	831	24	438	306	33	47	12	733	22	110	644	37	52	79	10		293	257	1,075	24
41	503	1,091	20	683	329	52	43	20	894	66	211	856	7	113	43	2		444	1,054	2,185	
152	981	1,870	68	1,348	735	257	158	60	1,229	103	196	1,155	149	178	217	20	2	989	1,120	3,328	25
42	331	925	29	758	184	84	64	35	591	59	84	264	9	246	61		1	340	653	1,313	
59	292	539	12	334	173	141	69	26	378	47	61	320	63	56	109	2	1	283	141	980	26
24	181	455	11	429	96	66	45	16	334	31	34	167	6	156	43		1	174	207	655	
93	689	1,331	56	1,014	562	116	89	34	851	56	135	835	86	122	108	18	1	706	979	2,348	27
18	150	470	18	329	88	18	19	19	257	28	50	97	3	90	18			166	446	658	
53	235	591	16	384	69	112	51	12	350	21	48	439	50	25	88	7	3	304	85	688	28
	2	5		8		1			2		2	6	3	3	1			4	17	23	
28	136	263	5	163	17	65	31	4	174	12	26	151	34	13	47	4	1	122	31	385	29
	2	4		1					1			1	2	1				3		18	
25	105	328	11	221	52	47	20	8	176	9	22	288	16	12	41	3	2	182	54	303	30
		1		7		1			1		2	5	1	2	1			1	17	5	
76	530	959	33	333	48	70	42	27	464	15	36	338	49	2	56	1		221	18	813	31
		2		1														1		2	
17	64	131	4	49	6	23	9	2	64	8	10	56	4		15			43	2	115	32
		1																1			
59	466	828	29	284	42	47	33	25	400	7	26	282	45	2	41	1		178	16	698	33
		1		1																2	
199	1,195	2,484	81	1,052	567	171	136	74	1,681	64	159	1,490	142	105	190	9	2	845	373	2,782	34
70	879	1,507	49	892	412	89	83	58	1,041	58	148	789	16	143	81	1		449	397	1,909	
62	305	735	18	269	116	76	65	27	548	28	35	395	61	30	81	1	2	231	21	781	35
25	310	523	12	375	138	49	36	27	317	22	40	252	4	70	30			130	55	578	
137	890	1,749	63	783	451	95	71	47	1,133	36	124	1,095	81	75	109	8		614	352	2,001	36
45	569	984	37	517	274	40	47	31	724	36	108	537	12	73	51	1		319	342	1,331	
232	1,176	2,227	47	794	120	202	146	83	1,057	53	85	777	312	69	282	27	6	1,020	76	2,575	37
4	25	42	2	85	13	8	5	5	23	6	5	44	6	14	17			48	16	109	
124	576	1,192	21	415	36	134	97	52	568	36	47	408	179	38	143	4	4	384	11	1,462	38
3	12	16	1	33	3	7	2	3	16	6	1	16	4	10	6			19	2	51	
108	600	1,035	26	379	84	68	49	31	489	17	38	369	133	31	139	23	2	636	65	1,173	39
1	13	26	1	52	10	1	3	2	7		4	28	2	4	11			29	14	58	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
1	West Virginia—White	15,467	280	1	2	55	44	160	170	364	29	15	916	36	101	835	47
	Colored	1,687	54				2	17	2	35		3	178	9	17	46	3
2	Urban—White	4,210	73	1	1	12	6	27	27	91	15	6	205	13	23	291	9
	Colored	472	13					3		9		2	45	4	7	13	
3	Rural—White	11,257	207		1	43	38	133	143	273	14	9	711	23	78	544	38
	Colored	1,215	41				2	14	2	26		1	133	5	10	33	3
4	Wisconsin—White	28,871	56		107	59	105	120	174	793	55	8	1,437	86	141	2,936	107
	Colored	509			27	3		8	3	12	2		80	2	6	15	2
5	Urban—White	12,205	23		79	32	33	61	100	220	23	5	498	61	71	1,312	44
	Colored	156			18			6	3	6			13	1	2	6	1
6	Rural—White	16,666	33		28	27	72	59	74	573	32	3	939	25	70	1,624	63
	Colored	353			9	3		2		6	2		67	1	4	9	1
7	Wyoming—White	1,787	20	1	1		12	5	12	63	2	4	48	7	7	98	8
	Colored	109	1							9			9			2	
8	Urban—White	395	6				3		3	12		2	19	4	2	25	1
	Colored	18								1						2	
9	Rural—White	1,392	14	1	1		9	5	9	51	2	2	29	3	5	73	7
	Colored	91	1							8			9				
	ALABAMA																
10	Anniston—White	179	3					3	3	7			9	3	1	10	
	Colored	136	1					2	1	8			16			9	
11	Bessemer—White	147	1					1	1	8			6			6	
	Colored	320			1	1		6	1	12			44	1	2	9	
12	Birmingham—White	1,583	7	1	1		5	4	7	71	4	4	45	12	7	90	3
	Colored	1,921	12	2	5			13	5	86	2	1	189	5	30	43	5
13	Dothan*—White	182	2	5					2	4			1			9	1
	Colored	66	2	1									6			1	
14	Florence—White	157	2				1		1	5			14			14	
	Colored	66		1				2		6			11		1	2	
15	Gadsden—White	143	2						2	3			6	2	3	9	2
	Colored	63		1						2			10		1	1	
16	Mobile—White	550	4						2	21	1	1	19		3	36	
	Colored	519	3	2				8		18			43		1	16	1
17	Montgomery—White	331	3	1				2	2	9	3		11		1	27	
	Colored	489	8	2					1	24	1		32		3	11	2
18	Selma*—White	182	1				1		1	7	1		5			14	
	Colored	272	3	4				2	1	10			18		3	9	
19	Tuscaloosa*—White	306	3		1	1		1	1	6	3		13		1	10	1
	Colored	159	3	3				1		9			18	1	2	4	1
	ARKANSAS [2]																
20	Fort Smith*—White	403	10	2					3	3	1		26	3		34	1
	Colored	83	2	1						3			9		5	2	
21	Hot Springs*—White	316	5	3			1	2		10			12		2	27	
	Colored	130		3				1		8			10		1	12	
22	Little Rock*—White	996	15	6			1	3	6	21	3	2	75		5	63	3
	Colored	661	13	6		3			1	16		1	94		9	21	2
23	North Little Rock—White	69	1	1			1	2	1	4			6		1	3	
	Colored	114	1	2						7			13			5	
	CALIFORNIA																
24	Alameda	319	1			1		2	2	7	2		11	2		34	
25	Bakersfield	389	1				1			6	1		46	3	2	28	3
26	Berkeley	628						1	1	7	1		22	4	5	83	2
27	Eureka	275								5			16	5	3	34	
28	Fresno	531	1				2	9	2	9	1	1	41		8	45	
29	Glendale*	521				2		1	2	7			28		1	79	3
30	Long Beach	1,261	2				4	1	5	12			40	1	9	154	2
31	Los Angeles—White	10,781	16	3	34	12	13	95	76	98	16	10	918	56	106	1,152	11
	Colored	694	1	1		1		9	3	6	3	1	111	5	8	44	2
32	Oakland—White	2,442	3				1	20	13	37	6	1	122	7	9	284	14
	Colored	144						1		2	1		19	1	1	5	1
33	Pasadena	824	2			1		8	2	8			52	3	1	95	
34	Pomona	218						1	1	5			11	1	2	24	
35	Richmond	123						1	1	5			1	1	1	8	
36	Riverside	388	1					6		5	1		52	5	3	37	3
37	Sacramento	1,392	5	1				11	5	20		1	104	15	19	125	1
38	San Bernardino*	520	4					7	4	3	1	1	89	5	4	26	
39	San Diego	1,770	1	1	2		4	9	7	28	2		172	2	5	170	7
40	San Francisco—White	7,004	10		15	1	7	25	34	51	10	8	487	17	51	872	12
	Colored	393	2					4	3			1	73	13	3	33	1
41	San Jose	499	3				4	4	1	1			27	2	1	44	
42	Santa Ana	272	1					3		7			17	1	3	28	2
43	Santa Barbara	339	1					3	4	3		1	21	3	8	37	
44	Santa Cruz	198				1				1			10		1	22	1
45	Santa Monica	361						4		5			17	2	2	40	
46	Stockton*	582	4				1	7	1	12	4		29	3	6	44	
47	Vallejo	173		1				2				2	8	1	3	13	1
48	Venice	105	1							1			8			16	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
131	803	1,573	44	1,177	1,261	173	121	44	958	99	156	1,495	101	106	195	7	1	1,260	19	2,688	1
11	86	172	5	117	87	23	15	6	108	17	15	104	8	92	13	1	------	193	8	238	
52	259	472	9	318	205	86	56	22	265	46	44	372	31	34	67	------	1	313	3	755	2
6	25	51	1	31	20	9	10	4	37	6	4	20	4	17	5	------	------	42	1	83	
79	544	1,101	35	859	1,056	87	65	22	693	53	112	1,123	70	72	128	7	------	947	16	1,933	3
5	61	121	4	86	67	16	5	2	71	11	11	84	4	75	8	1	------	151	7	155	
525	2,261	4,708	229	2,261	573	425	284	196	1,862	90	204	2,067	371	57	392	38	4	1,353	45	4,742	4
2	11	55	5	78	18	6	6	1	19	2	4	23	------	6	5	------	------	25	8	75	
219	800	1,862	91	1,047	243	266	141	90	734	59	95	978	179	30	223	18	2	565	7	1,994	5
1	2	14	1	25	3	4	1	1	7	1	2	7	------	6	1	------	------	8	------	16	
306	1,461	2,846	138	1,214	330	159	143	106	1,128	31	109	1,089	192	27	169	20	2	788	38	2,748	6
1	9	41	4	53	15	2	5	------	12	1	2	16	------	------	4	------	------	17	8	59	
21	84	222	8	110	39	67	18	11	77	18	26	165	44	21	62	1	------	178	17	310	7
------	2	8	------	7	6	------	2	1	4	------	2	5	2	3	5	------	------	9	17	15	
5	14	53	1	31	5	23	6	1	14	8	6	26	19	5	12	------	------	36	------	53	8
------	1	1	------	1	------	------	------	1	1	------	------	------	1	2	2	------	------	1	------	4	
16	70	169	7	79	34	44	12	10	63	10	20	139	25	16	50	1	------	142	17	257	9
------	1	7	------	6	6	------	2	------	3	------	2	5	1	1	3	------	------	8	17	11	
1	12	14	1	15	20	4	2	------	18	1	4	11	1	------	5	------	------	5	------	26	10
1	3	7	------	24	7	2	1	------	13	1	1	4	1	6	1	------	------	3	10	14	
2	8	15	1	20	6	2	2	------	12	------	1	12	2	3	3	------	------	14	3	18	11
3	7	20	1	72	12	2	------	1	19	3	------	14	------	5	2	------	------	17	36	29	
22	102	135	6	143	37	65	21	5	124	14	30	155	26	22	27	2	3	92	60	231	12
13	76	177	4	258	35	31	19	5	99	10	15	98	2	93	24	1	------	89	248	226	
5	3	15	------	13	7	13	6	1	13	1	7	11	1	6	7	------	------	7	9	33	13
------	4	7	------	3	4	1	1	1	4	2	2	3	------	4	------	------	------	3	3	14	
1	6	12	------	17	6	6	4	------	12	1	1	18	1	1	3	------	------	5	3	23	14
------	3	5	3	3	------	------	------	------	6	------	2	3	------	2	------	------	------	7	------	9	
3	6	9	------	4	5	11	2	------	17	1	2	12	1	------	5	------	------	7	4	25	15
------	3	8	------	5	------	1	1	------	5	------	------	1	------	------	1	------	------	5	6	12	
4	27	74	2	32	12	9	4	4	73	6	5	31	5	5	10	------	------	44	6	110	16
2	30	74	1	40	16	3	6	5	84	3	7	28	1	7	2	------	------	23	11	84	
3	38	48	1	18	4	7	2	3	28	5	4	7	3	3	18	------	------	19	1	60	17
2	36	70	1	37	19	12	6	3	41	7	7	13	------	14	5	------	------	17	17	98	
2	14	25	------	18	4	8	5	------	8	3	2	8	2	1	3	1	------	16	------	32	18
1	19	41	------	15	2	11	4	1	25	------	4	14	------	4	------	------	------	18	6	57	
2	12	35	1	62	5	6	2	------	14	1	2	9	2	------	3	------	------	15	4	90	19
------	12	19	------	17	1	1	3	------	6	2	2	11	1	4	------	------	------	10	9	19	
9	15	53	2	19	9	23	9	2	35	6	6	28	4	4	11	1	------	31	------	53	20
1	5	14	1	6	1	------	4	1	7	1	------	4	------	1	------	------	------	2	1	12	
3	20	44	------	19	5	3	2	2	49	1	2	10	8	3	6	------	------	12	1	64	21
1	2	16	1	7	1	1	------	------	29	------	------	2	1	2	2	------	------	3	------	27	
9	49	107	1	46	15	37	20	6	89	9	12	45	8	11	12	2	1	49	3	262	22
1	22	56	3	34	12	14	13	2	65	5	5	14	------	22	7	------	------	32	4	184	
1	3	7	------	5	5	------	------	2	4	------	------	6	2	------	------	------	------	4	1	9	23
------	6	17	------	11	10	------	------	------	8	2	------	5	------	1	1	------	------	7	------	18	
8	34	76	1	14	1	6	5	5	24	1	2	19	4	------	4	------	------	10	------	43	24
2	13	48	------	23	19	11	6	1	24	6	2	26	4	4	20	3	------	24	2	60	25
10	59	137	2	30	4	7	7	5	58	2	4	32	9	4	9	2	------	24	------	97	26
3	29	43	2	12	2	3	2	3	23	1	3	15	3	------	4	------	------	19	------	45	27
8	28	77	3	31	14	11	7	2	38	5	5	47	4	1	16	------	------	20	------	95	28
12	52	114	2	18	4	7	3	3	53	2	3	22	2	------	11	------	------	17	------	73	29
12	113	280	3	60	6	12	14	10	126	3	7	85	17	4	25	2	1	56	1	194	30
175	623	1,848	60	672	198	144	120	80	866	43	66	556	254	64	246	6	10	433	13	1,688	31
10	28	67	6	54	14	9	10	5	59	8	3	39	9	17	12	1	2	19	2	125	
40	210	582	18	136	25	29	18	19	194	7	11	110	64	10	38	3	3	90	------	332	32
2	4	27	1	19	4	3	1	------	11	1	2	3	5	------	6	------	------	10	1	13	
13	70	167	9	42	3	11	10	6	75	1	3	45	11	2	12	------	1	25	------	146	33
3	27	33	1	12	4	2	2	1	18	1	------	13	1	2	4	2	------	6	------	41	34
5	5	22	------	11	2	------	------	1	16	------	2	12	3	1	2	4	------	7	------	12	35
3	25	68	------	18	13	3	4	2	17	------	1	23	3	2	10	1	------	17	5	60	36
18	64	239	4	90	24	19	15	12	112	10	11	85	39	11	36	2	2	64	1	227	37
3	22	64	2	32	30	11	3	2	36	2	8	36	5	6	12	1	------	19	------	82	38
34	139	316	7	106	22	18	17	11	138	5	10	74	43	6	45	------	2	79	------	288	39
109	442	1,493	26	542	25	107	75	78	565	19	34	233	190	33	100	2	8	315	2	1,006	40
11	14	50	3	45	2	5	2	5	25	2	1	22	5	3	5	------	1	13	------	46	
17	36	95	4	32	4	6	9	5	56	2	6	26	5	2	16	------	2	22	------	67	41
4	24	49	------	11	13	4	3	2	20	------	2	11	2	2	9	------	1	11	------	42	42
2	23	66	1	32	4	7	3	------	22	1	2	21	7	------	4	1	------	24	1	37	43
4	26	52	------	7	3	2	3	4	11	------	------	6	2	2	2	------	------	7	------	31	44
9	24	86	1	17	6	3	3	2	30	3	2	22	6	------	8	------	------	17	2	50	45
5	57	104	4	44	9	17	8	5	33	5	6	31	22	2	13	------	1	36	1	68	46
2	16	30	1	8	3	5	2	------	13	1	1	6	8	4	7	------	------	9	1	25	47
2	6	16	------	9	------	1	------	1	13	------	------	5	9	1	1	------	------	5	1	9	48

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR		All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
				1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	COLORADO																	
1	Boulder		160							1	4	1		16			12	1
2	Colorado Springs*		637	4				3		4	16	1	1	147	3	4	59	1
3	Denver		4,136	14	1		3	6	17	45	156	17	6	488	13	28	339	15
4	Greeley		201	1			1	2		6	9			12	3	1	19	1
5	Pueblo		594	11					13	15	46	3	3	42	2	3	43	
6	Trinidad		180	1				1	10		16	2		9	1		9	2
	CONNECTICUT																	
7	Ansonia		156				1	2	5	6	6			11		1	13	
8	Bridgeport		1,541	4	1		6	5	7	20	30	5	3	76	11	6	166	5
9	Bristol		220	2			1	1	1	1	3			9	1		21	
10	Danbury town		367	2					2		6		1	15	2	3	36	1
11	Derby		189	1			2		2		3			4		1	15	1
12	East Hartford town		93				1			1	2			5			5	
13	Enfield town		109						2		3		1	2		2	13	
14	Fairfield town		95						1		3			7			11	
15	Greenwich town		264	1						1	5		1	8	3	1	24	3
16	Hartford		2,051	8				4	7	17	24	10	3	73	7	15	222	4
17	Manchester town		213	2				1			3			7			32	1
18	Meriden*		465	1			1	2	5	1	11	2		31	1	1	44	3
19	Middletown*		550	1			2	1	3	2	5			36	2	2	34	1
20	Milford town		136	1						1				2		2	14	2
21	Naugatuck		97								1			5	1		5	1
22	New Britain		632	1	1		5	3	3	7	6		1	29	1	5	50	2
23	New Haven		2,171	3			7	6	18	9	40	5	1	68	6	11	224	15
24	New London		424	1				1	4	2	7	1		17	2	5	37	1
25	Norwalk		406						5	7	7			13			48	2
26	Norwich town*		501	1					5	9	17	1		80	2	5	47	1
27	Orange town [2]		268				1	2	2	1	3	1		72			12	2
28	Stamford town		578	1	1		3	5	4	12	21		1	21	3		53	3
29	Stonington town		109						1		7			3			9	1
30	Stratford town		119		1				1		1			6			17	
31	Torrington town		198	1					1		7			8	4		19	
32	Wallingford town		128		1					2	1			5	1		13	3
33	Waterbury		1,083	5			3	3	3	7	29	7	2	42	7	11	92	6
34	Windham town		199							1	2			3		4	13	
	DELAWARE																	
35	Wilmington	White	1,205	6			4	1	3	24	16	3	1	53	6	8	96	2
		Colored	230	1						1	1			17		6	13	1
	DISTRICT OF COLUMBIA																	
36	Washington	White	4,293	12		16	1	4	9	24	33	9	1	189	10	15	455	7
		Colored	2,722	13	1	4	3	1	20	13	27	5	1	300	17	37	130	11
	FLORIDA																	
37	Jacksonville	White	879	7	4		2		1	7	17	2	1	38		4	67	1
		Colored	1,069	4	2		1		1	2	20			126		16	34	2
38	Key West	White	154						1		8			17	3	2	12	
		Colored	54		1				1		4			7			3	
39	Miami	White	873	8	3			1	1	7	19			18		4	56	2
		Colored	524	4	3				5	1	39		1	30		3	10	
40	Pensacola	White	267	12	1				1	1	8			9			12	2
		Colored	200		1						7			13		2	4	2
41	St. Petersburg	White	482	5			2			4	5	1	1	20	2	2	37	
		Colored	170	5	1					1	6			8		2	3	
42	Tampa	White	829	9	2			2	10	5	15	4		58		1	58	1
		Colored	440	7					2		12			37		3	7	1
	GEORGIA [3]																	
43	Albany	White	78		1				1		2			2		1	6	
		Colored	129		4						8			13			2	1
44	Athens	White	135							1	4		1	7		2	9	
		Colored	132	1					1		4			20			4	1
45	Atlanta	White	1,979	17	5		1		20	11	51	4	1	83	5	6	162	8
		Colored	1,940	7				1	23	2	73	2	2	130	8	26	51	8
46	Augusta*	White	524	9	1		1			2	11		1	25	1	2	36	1
		Colored	598	9	6	1			3	2	14			63	3	14	20	1
47	Brunswick	White	73	1							3			3		1	6	
		Colored	102		1						1			11		2	1	1
48	Columbus	White	370				1		1	1	8		1	18			21	1
		Colored	276	5					2	2	5		1	25		3	6	1
49	La Grange	White	148						3	1	6	1		14	1	1	7	2
		Colored	98	4	1				3		1			14		1	1	
50	Macon	White	466	4					2	2	12			16		2	31	1
		Colored	633	27	2						18			74	1	2	14	1
51	Savannah*	White	581	6				1	1	4	17	1		24	2	2	61	3
		Colored	1,008	5					2	3	37			90	4	7	23	7
52	Waycross	White	131	2					1	2	4			4			4	
		Colored	119	2	2						1			6		2	1	

[1] Excluding collision with railroad trains and street cars.

[2] Includes West Haven town, incorporated from part of Orange town in 1921.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
4	13	21	------	11	1	10	3	3	8	------	2	14	2	------	3	------	------	6	1	23	1
4	39	75	4	45	6	9	7	3	45	2	4	27	8	------	5	------	------	12	------	99	2
39	273	526	11	405	110	89	45	9	244	26	31	223	82	19	37	3	3	122	9	682	3
2	27	14	------	7	10	9	3	------	6	4	2	14	2	1	4	------	------	5	------	36	4
6	41	70	3	53	23	9	4	8	35	3	------	29	3	7	7	------	------	18	1	93	5
1	16	12	------	21	16	2	1	3	10	1	------	14	2	2	------	------	------	4	2	22	6
3	22	24	4	12	2	------	1	------	5	------	------	11	1	------	------	------	------	6	1	19	7
28	92	305	6	151	16	12	14	6	150	7	5	89	21	7	26	2	1	74	12	172	8
1	20	33	------	11	14	4	4	6	7	------	1	28	2	1	8	------	------	10	1	29	9
9	24	71	------	23	3	2	6	3	27	2	4	34	3	1	7	------	------	18	1	61	10
2	15	30	1	16	------	3	2	1	15	1	1	30	------	1	10	------	------	14	------	18	11
3	11	31	------	8	1	1	------	1	5	1	1	6	------	------	1	------	------	6	------	3	12
2	11	20	1	6	4	------	2	------	6	1	2	10	5	1	1	------	------	3	------	11	13
1	8	18	------	9	1	------	------	1	10	------	------	3	4	------	------	------	------	2	2	14	14
4	26	55	2	21	4	7	2	3	25	2	------	15	5	1	4	------	------	7	------	34	15
42	103	365	13	204	51	44	20	10	142	8	18	140	14	3	53	------	2	116	3	306	16
3	17	34	2	20	3	3	2	------	13	1	------	19	2	1	4	------	------	16	1	26	17
11	47	79	3	44	1	2	4	------	34	2	2	25	6	1	8	------	------	31	2	60	18
7	37	137	3	50	3	6	9	------	43	1	3	19	4	1	13	------	------	24	1	100	19
3	13	31	------	12	1	1	1	------	14	------	------	4	3	------	2	------	------	8	1	20	20
1	11	26	2	8	3	------	------	1	13	------	------	3	------	------	1	------	------	4	------	11	21
7	39	90	5	70	35	4	8	5	38	5	8	88	2	4	17	------	------	25	1	67	22
50	180	376	14	200	35	29	29	13	189	6	13	127	25	7	40	------	------	91	2	332	23
11	27	95	2	21	8	10	9	1	41	1	5	25	1	3	9	------	------	20	------	57	24
6	57	87	8	28	2	1	2	------	31	2	3	17	2	3	8	------	------	16	1	50	25
9	41	70	3	39	6	8	2	1	33	3	1	34	4	4	8	3	------	24	------	40	26
4	23	55	------	20	------	2	------	3	14	------	------	10	5	2	5	------	------	8	------	21	27
7	47	111	2	38	4	11	7	3	55	------	8	41	6	3	12	------	------	31	------	64	28
3	11	31	1	7	------	------	------	2	10	------	------	2	2	------	------	------	------	1	1	17	29
3	15	32	------	11	2	------	------	2	9	------	------	2	3	------	------	------	------	4	2	8	30
2	13	24	2	24	8	3	2	1	14	1	3	12	4	2	4	------	------	12	------	27	31
2	17	29	------	16	------	1	------	------	14	------	------	3	2	------	------	------	------	2	------	16	32
24	74	137	6	97	22	20	18	12	105	2	7	109	6	4	24	------	2	56	1	140	33
4	26	27	------	17	8	3	2	2	25	2	2	9	3	------	3	------	------	11	------	32	34
23	95	199	5	86	52	10	21	10	129	15	9	71	12	3	20	------	------	66	------	156	35
3	22	37	3	28	13	------	3	------	17	------	------	9	1	1	1	------	------	15	------	37	
78	314	875	22	235	81	68	49	33	442	11	27	261	67	14	65	------	4	168	3	691	36
26	171	499	16	259	86	18	30	12	230	26	15	143	5	47	23	------	1	85	2	445	
18	41	135	3	42	14	17	15	7	85	7	16	61	12	11	34	------	3	53	6	148	37
3	83	109	10	84	24	13	13	11	111	8	9	50	1	58	17	------	------	39	9	209	
------	3	29	------	6	4	1	1	1	16	------	------	11	1	------	5	------	------	11	1	21	38
------	5	8	------	3	4	------	------	------	3	------	------	4	------	1	------	------	------	1	2	7	
15	48	113	2	39	20	25	15	2	48	3	15	57	21	25	53	3	------	75	14	161	39
6	24	29	6	43	45	7	1	------	13	3	11	37	------	61	11	------	------	24	7	100	
3	22	36	------	13	11	4	4	2	28	1	5	40	1	------	5	------	------	11	2	33	40
------	16	17	3	14	9	2	1	1	25	------	3	9	------	2	------	------	------	10	4	55	
13	50	105	2	23	3	10	3	3	39	2	4	23	8	------	11	1	------	24	4	75	41
------	4	14	------	10	9	3	3	------	12	3	3	14	------	8	5	------	------	5	7	44	
15	38	97	10	43	22	18	14	4	84	4	15	54	10	15	40	1	2	41	17	120	42
2	13	29	2	38	12	5	5	6	24	3	3	33	4	27	8	------	------	33	24	100	
2	6	5	------	2	2	4	------	2	10	------	1	8	1	------	3	------	------	8	------	11	43
------	6	9	------	11	1	1	------	------	21	1	2	2	------	1	4	------	------	8	3	31	
2	10	23	------	13	1	1	4	------	13	2	2	4	------	3	------	------	------	3	------	30	44
------	12	20	------	8	4	2	2	------	16	------	1	8	------	3	------	------	------	3	2	20	
29	111	207	4	142	34	45	28	16	229	17	34	161	36	18	54	1	2	97	11	329	45
10	136	204	10	237	48	28	27	11	181	25	17	124	3	77	11	------	------	82	25	321	
5	52	52	------	41	9	8	10	3	70	4	2	43	5	6	9	------	------	21	------	94	46
3	54	75	------	50	16	5	5	------	73	5	5	27	------	11	6	------	------	24	1	102	
1	9	7	------	3	1	------	1	------	4	------	------	5	1	2	1	------	------	7	------	17	47
------	14	13	------	4	1	2	------	------	13	1	1	7	------	2	------	------	------	4	4	19	
7	19	45	1	23	13	11	6	1	47	3	3	29	8	5	5	------	------	31	9	52	48
1	15	33	2	30	19	5	2	1	26	3	3	12	------	7	3	------	------	12	6	46	
------	6	4	------	13	9	2	------	------	27	------	3	18	------	------	2	------	------	5	3	20	49
------	7	10	1	5	6	2	2	2	14	------	------	6	------	2	2	------	------	1	1	12	
4	31	31	5	34	16	9	5	6	57	3	2	36	8	5	9	2	------	34	5	94	50
8	44	58	1	53	30	12	9	1	70	2	5	33	------	14	4	------	------	20	23	107	
11	43	85	2	26	13	16	4	6	78	6	3	29	6	3	7	------	------	29	------	92	51
2	71	137	13	67	20	12	12	6	121	8	12	50	------	26	15	------	------	45	4	209	
3	6	7	------	13	4	8	------	2	15	3	6	17	------	3	3	6	------	7	------	11	52
------	9	15	------	7	11	2	6	------	18	3	1	6	1	------	------	------	------	6	------	18	

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes o

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	IDAHO																
1	Boise	311	1					1	2	4			11	3	5	33	
2	Pocatello	181	1					1	4	7	1		5	1	1	12	
	ILLINOIS																
3	Alton	390	4	1	1	1	2	3	4	10	3		8	1	4	31	1
4	Aurora	527	3			1	1	1	4	3			19	3	1	46	2
5	Belleville	345	1				3			8			9		1	42	2
6	Berwyn	164						2	3	2			9		1	15	
7	Bloomington	433	1		1	3	1	2	4	6	3		10	4	2	33	
8	Blue Island	180				1	2	2	1	7			14	1	2	23	
9	Cairo—White	194	4	2		1				3			16	1	3	11	
	Colored	107	2	1						2			12	1		3	1
10	Canton	190						1		7			5		2	17	
11	Centralia	156	2	1			1	1		4			13	1	1	17	
12	Champaign	236	2			2			1	1			11	1		15	2
13	Chicago—White	30,676	37	4	7	113	128	104	232	283	71	30	1,664	90	109	3,083	117
	Colored	3,642	7		5	9	7	43	11	34	5	2	550	29	45	148	9
14	Chicago Heights	231	1			3		1		6			8	1	2	17	1
15	Cicero	349					5	2	8	8			21	2		37	3
16	Danville	571	2			3	1	2	1	20	2		26	2	7	41	4
17	Decatur	660	6			2	2		1	8			30	1	4	60	2
18	East St. Louis—White	704	3	2	1		2	1	1	30	3		33	4	5	53	1
	Colored	186	1						1	6			24	2	7	4	1
19	Elgin*	705	2				2	1	2	5			27	1	1	40	1
20	Evanston	570	2		1	1	1	2	2	4	1		13	4	3	62	1
21	Forest Park	89		1									6	1		9	
22	Freeport	308	5							3	1		14	1		36	
23	Galesburg	340	4						1	7	1	1	9		2	29	2
24	Granite City	224		1		1	1	1		8	1		11		4	10	
25	Herrin	164	1					3				2	9	2		7	
26	Jacksonville*	511	1							1	4		26		3	39	2
27	Joliet	527	8		3		1		1	9		1	19	2	1	46	6
28	Kankakee	248	2					4	2	7			9			25	1
29	Kewanee	199						1	2	6			8		1	24	
30	La Salle	161						3	1	4			11			20	2
31	Lincoln*	266				1	1	1		20	2		30	1	1	19	
32	Mattoon	199					1		1	2			9			16	
33	Maywood	122				2	1		1	2			6		1	16	
34	Moline	347	1				1	3	4	5			10	2	1	42	1
35	Murphysboro—White	270	3				1		1				5			12	1
	Colored	25	1										1				
36	Oak Park	759	2			1		1	2	8		3	15	4	2	90	2
37	Ottawa	161	1				1		1	2	1	1	2	1		8	
38	Pekin	154					1		1	3	1		7			20	1
39	Peoria	1,126		2			1	3	1	31	2	1	27	4	5	122	2
40	Quincy	585	1						4	3			17	2	3	57	
41	Rockford	683	2			7	1		1	12	2		20	1	3	74	5
42	Rock Island	325	3				1		2	11			19	2	2	26	1
43	Springfield	1,121	4			1	3	2	3	52	1	2	44	1	9	103	6
44	Streator	227	1							3			2	1	1	21	
45	Urbana	147	1					2	1	4			6			15	
46	Waukegan	213	1			1	1	2		8			10	3	1	14	
	INDIANA																
47	Anderson	402	3					1	3	9			28	1	5	30	1
48	Bloomington	211						4	3	15			20	1		7	
49	Clinton	146				1	2			11			14		1	5	
50	Crawfordsville	137					1	1		4			6		1	8	
51	East Chicago	409	3				2	6	2	19			18	1	2	18	2
52	Elkhart	344	3			2	2	2	2	4			9	3	5	22	2
53	Elwood	137	1					2	1	7			6		1	15	
54	Evansville	1,161	8	1		2	6	2	6	26	3	1	62	4	8	111	5
55	Fort Wayne	1,151	11	1		1	5	2	4	21	2	1	48	1	10	118	1
56	Frankfort	185								7			13	1	1	15	
57	Gary	1,030	5			10	1	29	3	32	3	4	41	4	1	39	3
58	Hammond	510	4			2	1	2	4	29	1		25		2	30	1
59	Huntington	185	1				2		1	1	1		5		1	11	2
60	Indianapolis—White	4,152	11			4	3	13	27	131	12	4	189	16	32	391	9
	Colored	799	5					19	1	32	1	2	95	5	11	35	
61	Jeffersonville—White	137						1		6			6		1	13	1
	Colored	43								1			4		1	2	
62	Kokomo	384						1	2	15			25		4	28	2
63	Lafayette	460	3					2	1	15	1		18	4	3	39	2
64	La Porte	232	1				1		1	7			15	1	3	21	1
65	Logansport	261	1				1		1	6			9		1	35	1
66	Marion	320						1	1	18		1	17		1	29	3
67	Michigan City	293	1			1	1	3	1	2			15	1		32	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
3	29	51	------	18	2	10	3	1	25	------	1	21	4	------	5	------	------	14	------	64	1
2	8	24	1	17	1	7	1	------	8	1	1	17	5	1	6	------	------	5	------	43	2
3	33	46	6	18	17	5	9	5	46	3	1	30	5	5	6	------	------	20	2	56	3
13	47	92	1	39	13	13	6	3	52	1	4	41	9	3	8	1	2	17	------	78	4
4	40	45	5	16	9	9	3	8	40	4	1	11	7	2	7	------	------	15	------	53	5
4	12	30	2	8	4	------	3	2	17	------	------	14	2	1	1	------	------	10	------	22	6
6	33	85	------	31	3	7	4	------	34	2	1	38	5	------	4	------	1	20	------	89	7
3	7	20	1	7	3	7	2	1	8	2	2	22	2	2	6	------	------	11	------	21	8
1	12	15	------	16	7	10	5	1	11	1	1	3	1	5	5	------	------	22	------	37	9
------	10	10	1	13	4	3	2	------	9	2	------	8	------	1	------	------	------	5	------	17	
6	18	26	1	16	7	3	1	2	21	1	3	12	6	1	2	------	------	10	------	22	10
4	8	11	------	5	5	10	8	------	21	------	1	6	4	1	6	------	------	7	------	18	11
5	14	29	1	15	6	6	6	2	16	------	4	26	2	1	10	------	------	12	------	46	12
610	1,388	5,848	235	2,499	810	542	309	309	3,377	107	174	1,976	425	307	607	6	23	1,417	3	3,632	13
34	110	592	21	477	123	42	29	17	303	21	15	171	14	154	38	------	------	144	1	432	
2	6	26	2	31	18	6	9	5	14	2	4	11	1	6	7	1	------	12	------	28	14
5	14	79	3	16	16	1	6	4	45	------	------	23	5	1	3	------	1	9	------	32	15
8	40	73	------	31	26	23	13	5	33	2	7	43	6	5	14	5	------	22	1	103	16
11	50	92	5	55	19	9	9	6	70	4	4	47	8	5	9	6	------	25	7	103	17
8	52	72	8	50	26	11	7	8	46	7	6	62	10	11	19	------	5	56	5	96	18
1	5	20	3	28	10	2	------	1	7	3	2	11	------	19	1	------	------	7	1	19	
8	32	119	2	32	2	15	10	2	50	1	7	18	5	------	6	1	------	29	------	284	19
10	42	98	------	32	7	15	13	4	37	1	8	45	7	3	16	2	1	41	------	91	20
1	6	25	1	4	1	------	1	4	15	------	------	------	1	------	2	------	------	4	------	7	21
7	19	34	3	15	2	10	4	3	32	2	4	19	7	------	4	------	2	9	------	72	22
8	27	53	------	17	4	7	5	1	32	3	5	22	4	1	7	------	------	13	------	75	23
3	8	13	3	27	18	6	4	1	19	1	4	21	------	1	5	------	------	21	------	31	24
------	9	15	------	8	10	3	5	1	9	3	2	11	1	10	3	------	------	23	2	25	25
5	25	102	------	27	9	15	6	2	42	6	5	14	4	3	5	------	------	21	1	143	26
13	31	72	4	35	19	12	9	6	49	6	7	33	7	7	21	3	1	21	------	74	27
4	10	43	5	11	7	4	3	1	19	5	2	17	3	3	5	------	------	16	------	40	28
5	13	27	2	22	5	3	4	1	7	3	------	17	3	1	2	2	------	12	------	28	29
3	9	18	2	13	2	4	1	------	9	------	------	18	2	------	2	------	------	9	------	28	30
9	4	27	2	14	10	9	4	2	25	4	2	6	3	2	2	------	------	6	------	59	31
3	20	28	------	9	4	2	1	5	30	1	1	18	1	------	3	1	------	10	------	33	32
1	6	35	1	10	5	------	1	1	14	------	------	5	1	------	------	1	------	4	------	8	33
6	33	50	3	15	4	9	3	8	23	3	3	20	7	1	4	2	------	21	1	61	34
2	9	14	3	10	8	4	------	1	11	1	2	3	------	1	1	2	------	161	------	14	35
------	------	2	1	------	------	------	------	------	3	------	------	------	------	------	------	------	------	16	------	1	
23	46	118	1	43	4	21	11	6	76	2	11	61	7	6	17	2	1	47	1	125	36
4	12	37	4	11	8	4	2	1	16	------	1	12	------	2	1	------	1	9	------	18	37
1	17	23	2	5	3	3	3	1	11	------	------	15	------	2	4	------	------	7	------	23	38
19	56	206	11	85	21	22	14	13	74	8	7	62	23	9	17	------	1	55	1	221	39
11	62	128	9	27	22	11	8	4	41	3	5	41	3	4	7	------	------	19	------	93	40
11	38	114	4	57	10	19	6	3	53	2	6	58	10	1	13	2	2	26	1	119	41
6	23	62	4	14	5	4	5	5	20	------	1	21	9	2	4	------	------	15	------	58	42
23	74	172	------	49	41	36	20	9	78	9	11	52	10	10	17	2	2	69	6	200	43
5	21	31	3	11	10	6	2	3	24	2	2	22	1	1	2	------	------	14	------	38	44
6	8	22	------	7	3	8	2	------	15	1	1	8	2	------	6	------	------	3	------	26	45
1	16	37	1	15	8	11	3	1	9	1	1	13	1	4	4	1	------	11	1	33	46
4	33	56	3	15	12	7	3	7	40	3	3	28	11	3	8	2	1	15	------	67	47
1	12	31	1	7	15	4	1	1	24	2	3	22	1	2	6	1	------	6	------	21	48
1	11	14	1	11	8	5	3	------	4	2	1	13	------	4	2	------	1	17	------	14	49
4	11	31	------	10	4	3	------	2	10	1	------	8	1	------	1	------	1	5	------	24	50
------	13	36	2	82	54	3	5	3	18	1	1	28	3	16	7	------	1	30	1	32	51
8	27	53	4	16	12	9	2	1	46	------	------	21	3	1	14	1	------	21	------	49	52
1	15	12	3	10	5	1	1	------	14	------	1	9	1	------	2	2	------	3	------	24	53
16	71	172	5	81	29	16	19	4	130	12	7	53	13	14	21	1	1	66	------	185	54
17	87	163	8	71	23	25	19	11	115	12	8	96	20	5	16	2	2	49	6	170	55
8	23	28	1	12	6	6	3	------	8	1	3	8	3	------	3	2	2	9	------	22	56
7	37	115	8	177	35	30	17	4	42	8	8	65	8	37	25	6	4	80	2	140	57
10	17	56	2	61	23	13	9	7	43	2	4	43	7	5	14	5	1	35	------	52	58
4	12	43	------	14	4	3	1	1	16	------	2	23	2	1	2	------	------	10	------	22	59
65	326	689	17	319	103	80	52	30	342	19	24	187	60	19	69	3	7	130	3	766	60
8	43	137	7	88	21	8	12	6	65	4	7	35	3	24	9	------	------	19	------	97	
2	11	16	1	10	8	4	------	1	25	1	------	4	1	------	------	------	------	7	1	17	61
------	5	4	------	4	------	------	------	------	4	1	1	2	------	1	1	------	------	3	------	9	
3	26	58	3	26	19	4	6	2	22	3	2	28	10	3	7	5	2	20	------	58	62
5	30	74	------	36	13	8	11	5	33	4	6	22	4	2	4	------	1	27	------	87	63
5	11	28	1	16	4	8	3	1	28	2	2	17	2	------	7	------	------	11	------	35	64
6	19	27	1	12	3	11	2	1	37	4	1	14	3	------	6	------	------	18	1	40	65
3	29	47	1	15	2	3	3	4	35	1	2	20	3	------	4	------	------	15	------	62	66
6	23	46	2	16	6	6	6	4	18	1	------	17	6	2	10	------	2	20	------	45	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	INDIANA—continued																
1	Mishawaka	262					2	4	1	11			10	2	1	17	1
2	Muncie	473	3						1	16	1		23	1	3	41	3
3	New Albany	322	1					2	1	6			27	1	3	25	
4	New Castle	181	2	1				2	1	8			11	1	3	7	
5	Peru	155	1							4	1		8		1	15	
6	Richmond	331							1	14	1		24	1	4	40	1
7	South Bend	968	2		1	1	4	3	14	23	1		41	2	4	77	4
8	Terre Haute	1,029	15			2	2	2		38	1	3	53	2	7	88	3
9	Vincennes	301	2					6	5	14			22	2	1	17	
10	Whiting	81						1	2				6		2	8	
	IOWA																
11	Boone	147					1			2	1		2		1	8	
12	Burlington	387	2		1		1		2	4	1	1	22		2	47	
13	Cedar Rapids	541	2		14	1	1	1	1	27	3		18	2	5	54	2
14	Clinton	401	1					2	3	8	1		14	2	1	45	1
15	Council Bluffs	528	2					4	2	6	2		16	1	6	65	4
16	Davenport	696	4					2	6	10	3	2	46	5	8	67	2
17	Des Moines	1,518	6			1	1	19	15	53	5	1	46	4	10	155	4
18	Dubuque	618	1				1		5	8	1		27	4	2	84	
19	Fort Dodge	273						1		5			14		1	18	
20	Fort Madison	173		1						10			8	1	1	13	2
21	Iowa City *	458					1	2	5	3	4		17	2	6	60	1
22	Keokuk	273	8	1				1	1	6	1		7	1	1	24	
23	Marshalltown	311					1			2		1				31	3
24	Mason City	232	1		4			1	3	4	2		2	2		22	
25	Muscatine	236	2					1		8			6		1	30	
26	Ottumwa	352	1					1	1	15	2		17		2	25	
27	Sioux City	905	4			2	1	2	3	41			31	1	8	92	6
28	Waterloo	376	2						1	7	1		12	2	3	58	1
	KANSAS																
29	Arkansas City	185					1	2		2			5		3	12	
30	Atchison—White	168	1					1		5		2	2		1	18	1
	Colored	37								5			2			1	
31	Chanute	138	1							5			4			15	
32	Coffeyville—White	135	1							4			6		1	9	
	Colored	33											1			1	
33	El Dorado	110	2				1			2			4			14	
34	Emporia	215	4		1	1	1			3	1		1		3	16	2
35	Fort Scott	213	1					1	2	6			7		1	23	
36	Hutchinson	293	8					2		10		1	8		1	34	1
37	Independence	131	3							5			8		3	8	
38	Kansas City—White	1,231	7	1		2	9	7	7	27		3	67	4	10	110	2
	Colored	423	2	1			1	3	1	21			65	2	15	15	
39	Lawrence—White	163	2					1	2	7			3			12	
	Colored	21	1							2			1			1	
40	Leavenworth—White	216	1						3	5			5		1	21	
	Colored	50						1		4			4			1	1
41	Parsons	221	1						1	4			8		1	16	
42	Pittsburg	174	1				1			12	1		5		2	20	2
43	Salina	199	1							10			5			28	1
44	Topeka	799	2	1		1	1		2	23	2		43		4	87	2
45	Wichita	1,093	6				1	7	3	25			38	4	6	102	4
	KENTUCKY																
46	Ashland	375	16			1		2	2	7	3	1	19	2	3	14	
47	Covington	918	9					4	1	32	1		66	5	8	75	1
48	Henderson—White	145	1			1	1	1	1	6		1	15			10	1
	Colored	72								1	1		8		1	2	
49	Lexington *—White	588	5				1	2	3	5	4		34	2	3	41	1
	Colored	390	4					3	1	7			27	2	6	19	1
50	Louisville—White	3,288	20	2	1	3	3	18	7	57	3	2	193	14	22	288	10
	Colored	1,019	5	1		1		10		30	2		71	10	18	43	5
51	Newport	334	6					2		19			30	1	1	18	
52	Owensboro—White	291	6				4			17	3		20		1	16	
	Colored	52	1							2			6	1	2	5	1
53	Paducah—White	315	3	1			1	2	1	9			34	4		18	
	Colored	160	4	1				2		6			25		1	5	
	LOUISIANA																
54	Alexandria—White	192	4						2	10			4		1	6	
	Colored	204	1	4						10			19		2	9	1
55	Baton Rouge—White	136	1	1				6	1	7			4	1		10	
	Colored	150						1		7			17			9	1
56	Lake Charles—White	125	2				1		2	4			2	1	1	9	
	Colored	97						1		5			10			3	
57	Monroe—White	205	1	1					2	8			2		1	7	
	Colored	207	5	1						9			24		1	7	
58	New Orleans—White	4,549	40	3		1	7	33	18	106	2	4	350	12	14	396	13
	Colored	3,395	43	4				35	8	80	3		345	9	31	151	4
59	Shreveport *—White	562	11	3	2			4	5	11	2	1	16	4	5	36	1
	Colored	836	20	3				1	1	15		1	43		13	31	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
8	12	37		18	8	9	3	3	11	2	3	33	2		8	1		12		43	1
6	29	85	1	34	11	11	4	1	43		7	34	2	1	7	3	1	21		80	2
12	18	54	2	18	10	3	7	4	45	2	1	8	2	1	7			17		45	3
4	15	24	1	12	6	4	3	1	12	3	2	14	2	1	3			13		25	4
2	16	18	2	8	3		1	1	13	2	2	12	2		5			6		32	5
5	24	54	1	16	14	6	2	4	38	2	1	13	5	1	3			11		45	6
23	72	149	3	92	30	20	7	6	68	13	5	67	18	9	25	2	1	51	2	128	7
17	68	140	4	62	26	15	19	6	118	10	9	72	13	9	18	2	1	58	3	143	8
5	18	39	3	16	6	12	4		20	1		20	3		3			21		61	9
2	1	7		17	14			2	4			6	1		2	2		2		2	10
2	13	29	1	11	1	4	3		20		1	7	1		2			8	1	28	11
10	26	59	3	13	6	4	2	2	24	2	5	22	4	1	3			17		101	12
7	60	77	1	27	4	13	11	5	28	2	4	35	12	1	6	5		25		87	13
13	28	67	3	30	8	6	9	3	27	2	4	18	2		6			18		79	14
7	35	60		45	20	6	8	6	52	3	9	37	6	1	7			22	1	95	15
13	64	122	2	51	7	7	11	4	37	2	5	35	28	3	11	1	1	30		107	16
22	120	197	3	133	14	28	17	4	102	11	13	103	27	8	23		2	71	1	299	17
13	58	88	3	48	4	13	5	6	48			50	7	1	14			26	2	99	18
6	21	28	1	27	7	11	9	1	20	2	2	16	5	5	10	1		11	3	48	19
3	4	22		8	5	3	3	2	21	1		15	1		2	2		16	1	28	20
11	27	43	2	26	2	9	11		25	6		19	4		5			15	1	151	21
2	31	38	2	15	1	8	6	1	30	3	2	13	2		5			14	2	47	22
4	33	55	4	16	6	5	2	3	14			24	2		2			17	2	84	23
2	20	31		9	6	9	6		11	2	1	17	7	2	2		1	17		48	24
7	25	21	4	11	2	7	5		22	3	3	10	4		2			14		48	25
6	21	51		27	4	7	2	2	29	1	3	28	4	1	2			19	1	80	26
17	46	111	1	64	6	32	17	3	42	6	14	81	13	10	16	2		59	4	170	27
7	32	46	1	28	5	13	3	4	35	1	1	20	6	4	7	1		17	2	56	28
2	14	22		9	4	10	2	2	14		2	13	2		5	2		18		39	29
4	19	14	1	6	1	5	2	1	22	1	2	9	1	3	3			13		30	30
	3	6		1					6			3						1		9	
3	19	16	2	6		4	2		7		3	5	1		2			12	2	29	31
3	14	10	1	9	5	5	3		10		1	13			4			6	1	29	32
	1	6		5			1		4		1	5	1					2		5	
3	7	17		8	4	3	2		6	2	2	8	2		1			11		11	33
8	18	21		8	2	7	2	1	19		4	15	3	1	6	1		17	1	48	34
6	20	27	4	6	2	10	2	1	23	2	2	11	2		2	1		17		34	35
5	26	38	2	10	7	6	6	1	20	1	2	16	5	3	2	3		15		60	36
1	19	14	1	6	2	3	1	1	14			8	1		1	2		5		25	37
16	78	165	8	106	26	25	12	8	110	12	2	76	14	11	25			67		214	38
2	10	40	3	44	8	1	3	3	51	4		23	1	17	2			9	1	75	
3	19	21	4	5	2	6	1		12	1		4	1	2	4			10	1	40	
	1	3		1	1				2	1								3		4	
2	30	30		10	2	1	2		21	2	2	18	1	3	5			14	1	36	39
1	3	12	1	3	1		2		3			2		1				1		9	40
2	24	30		8	2	6	2	2	21	5	1	10			1			9		67	41
1	13	15	1	7	4	3	2	4	18	1	1	13	2	2	1	1		8	1	32	42
4	13	20	1	6	8	5	6	2	8	3	1	13	2	1	6	2		10	2	41	43
11	55	114	1	52	17	23	11	2	75	5	4	44	4	6	20	1		32		154	44
23	81	160	6	66	24	33	12	6	55	7	9	69	14	12	25	1	2	51	1	240	45
5	15	32	2	31	27	9	2	3	25	5	2	30	5	12	11			30	3	56	46
13	74	118	3	57	15	28	11	6	97	5	5	60	9	11	16	1		35		152	47
1	15	24		10	1	3		3	13		1	11	2		1			9		13	
	6	14		6	1		2		5			6		2				4	3	10	48
7	58	79		48	6	8	3	3	44	4	4	28	8	8	18			26	1	134	
2	28	79	1	49	3	8	5	1	35	5	2	10	2	10	3			12	3	62	49
44	243	487	19	219	95	59	47	19	291	19	16	198	37	20	54	4	2	148		624	
7	68	205	12	103	16	13	14	4	102	6	4	34	1	50	10	1		31		142	50
7	33	60	1	21	18		4	2	26	1	2	19	2	5	2			9		45	51
2	20	37	3	14	20	7	1	2	19	2	2	21	4	1	6			12	2	49	
	3	7		2	6	1	1	2	2			1		1					1	7	52
3	12	29		15	20	15	5	1	21	2	3	22	2	1	4			17		70	
1	7	13	1	13	5	1	1		15	1	3	4		2				9	4	36	53
2	4	18		12	5	18	6	2	13	2	3	11		5	6			15	2	41	
1	5	18		12	21	2	1	1	27	1	6	5		3	1			1	2	51	54
	8	17	2	5	9	1			11		3	8		4	4			7		26	
	8	33		5	6		1		9	1	2	6		2	3			3		36	55
3	2	12		6	3	9	4		11	1	2	8			2			16	1	23	
	2	14	1	3	5	1	1	1	14		2	12		2				5		15	56
1	7	7	1	20	2	22	5	1	15	2	3	14		5	7	1		20	1	49	
	2	18	1	31	3	6	2	2	30	3	3	5		8				10	2	34	57
58	227	761	13	254	186	99	71	50	534	36	50	216	61	42	60	1	2	188	1	640	
24	153	549	12	354	174	32	20	35	352	22	32	143	5	120	18			115	3	519	58
5	19	54	1	40	11	29	11	4	49	6	12	34	9	4	14			30	1	128	
4	27	106	4	57	12	30	21	3	85	3	14	36		27	10			52	5	212	59

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MAINE																
1	Auburn	211					1		3	6	1		9			24	
2	Augusta *	304	1				1		2	3	3		16		1	19	
3	Bangor *	494	2				1		1	10			24	5	6	38	
4	Bath	132					1	1		4			4		1	17	
5	Biddeford	282	5					2		11			12	1	2	24	1
6	Lewiston	604	3			1			3	15		1	9	4	7	58	2
7	Portland	1,118	15	1			4	2	4	7	3	1	24	4	4	140	5
8	Sanford town	130	2				1		1	8			3	1	1	15	2
9	Waterville	185	3			1		1		6	1		1		2	18	
	MARYLAND																
10	Annapolis—White	71								1			4			10	
	Colored	75	1					3		1		1	7		1	5	
11	Baltimore—White	8,718	21			9	5	51	36	95	9	13	491	29	41	884	37
	Colored	2,930	8			1		42	11	48	3	2	340	15	43	106	14
12	Cumberland	509	4				1		7	17	1	1	19		2	44	1
13	Frederick—White	232						1		3	1		4		1	23	1
	Colored	26	1										3			2	
14	Hagerstown	360	4			5	1	5		5			10	1	1	32	2
	MASSACHUSETTS																
15	Adams town	103	1					3		1	3		1	3	1	9	1
16	Amesbury town	123				2			1	2			2	1		16	
17	Arlington town	236	1			1				4			5		1	25	2
18	Attleboro	261	1				1	1		3			36		5	35	1
19	Belmont town	126				2	1			2			8	1		16	1
20	Beverly	306					2	1	1				6		1	45	2
21	Boston—White	11,129	27	1		121	47	66	95	73	29	22	602	65	44	1,134	18
	colored	447	1			2	1	4	4	1	2	1	66	3	5	27	1
22	Braintree town	152	1							1	1		42			18	
23	Brockton	748	1				1		5	6			16	4	5	86	1
24	Brookline town	483				1				4	1		24		3	97	1
25	Cambridge	1,428	2			12	1	6	7	5		1	88	2	5	147	1
26	Chelsea	602	2			4		2	2	4	3	1	32	1	5	53	2
27	Chicopee	348				1		3	2	11		1	29	2	7	29	2
28	Clinton town	157								1		1	1			15	
29	Danvers town*	347								2	1		12	2	1	26	1
30	Dedham town	86				1			1				2			12	
31	Easthampton town	97							1	1			7	2		8	
32	Everett	391				5	2	5	1	6	1		17		1	43	1
33	Fall River	1,590	1			80	1	14	15	27	7	1	99	17	7	147	4
34	Fitchburg	497	3					19	12	2	2		25	9	3	44	
35	Framingham town	286	1			4		1	1	6	1		8		1	18	
36	Gardner town	277		1		14		6		2			8		5	30	1
37	Gloucester	285	1	1					5	7			11		1	39	
38	Greenfield town	164							1	3	1	1	4		1	18	
39	Haverhill	694				5	2	1	3	7	1	1	15	2	1	34	3
40	Holyoke	787	1					3	9	9	1		58	9	4	68	2
41	Lawrence	1,071	1			10	5	5	18	19	3	1	44	4	7	105	4
42	Leominster	252				1			1	3		1	7	1	2	21	
43	Lowell	1,553				27	3	3	4	2	3		75	6	13	133	11
44	Lynn	1,169	1			9	1	12	9	25	2	1	24	7	3	131	4
45	Malden	585	1			6	4	2	8	12	4	1	23	2	3	59	2
46	Marlborough	216	1			1			1	9	1		10	2		12	
47	Medford	427				1				5			13		2	54	3
48	Melrose	273					1	2		4		1	10	1	3	23	
49	Methuen	200	2				2	1	1	3			7	1	1	16	1
50	Milford town	235				4	3	1	2	4			7	3	2	26	1
51	Natick town	153							1	3			1	1	1	17	
52	New Bedford	1,395	1			11	4	11	9	14	1	2	90	15	4	129	4
53	Newburyport	220							2				10	6		22	
54	Newton	522	1						1	8			20	1	1	72	1
55	North Adams	320	1					6	6	8	3		5		2	25	2
56	Northampton*	456				2		1	1	5	1	2	46	2	3	34	
57	Northbridge town	84							1	1			2			7	
58	Norwood town	138				1		2	1	2		1	5			19	
59	Peabody	213				1			3	2	2		7	2	1	15	2
60	Pittsfield	547	2			2	2	5	3	9	2	1	25	1	2	45	2
61	Plymouth town	160				2				7			3		1	24	
62	Quincy	480	1			6		3	1	9	1		20	3	7	51	1
63	Revere	219				5	1	2	1	2	1		3	1		27	1
64	Salem	549	1				2	4	14	3	3		21	4	7	43	1
65	Saugus town	101								2	1		2			12	1
66	Somerville	1,104	1			5	4	9	5	7	4	1	39	6	11	128	7
67	Southbridge town	126							3	2			5			14	
68	Springfield	1,782	2				5	5	6	41	4	3	61	5	7	179	5
69	Taunton *	610	1			2	1		1	10	1		37	3		46	2
70	Wakefield town	141						2		1			6			20	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
4	18	49	-------	19	2	1	-------	-------	22	-------	2	17	3	-------	4	-------	-------	3	2	21	1
4	36	51	-------	36	1	4	5	3	19	-------	4	17	6	1	4	-------	-------	8	1	58	2
10	44	79	1	31	1	6	3	1	34	3	7	29	4	2	7	-------	-------	18	5	122	3
4	10	30	-------	10	-------	1	1	1	13	1	1	11	1	-------	-------	-------	-------	6	-------	14	4
2	22	42	4	23	5	5	7	2	21	1	4	27	2	-------	3	-------	-------	12	2	40	5
10	52	72	3	37	14	18	11	3	49	3	6	72	5	1	6	-------	-------	28	12	99	6
18	73	213	-------	89	11	26	14	5	79	6	12	61	15	1	17	-------	-------	57	10	197	7
1	11	24	1	3	5	2	-------	-------	6	1	1	11	1	-------	2	-------	-------	6	3	18	8
4	16	22	2	14	3	6	1	1	12	-------	3	11	4	1	4	-------	-------	14	1	33	9
1	6	9	-------	3	1	3	1	-------	9	1	-------	6	1	-------	3	-------	-------	4	-------	8	10
-------	6	3	10	6	5	-------	-------	-------	9	3	1	1	-------	2	1	-------	-------	4	-------	5	
172	719	1,444	60	907	235	99	94	53	954	38	43	476	88	23	133	-------	3	365	1	1,140	11
26	182	377	14	531	71	17	25	7	266	18	14	137	8	46	25	-------	-------	120	1	412	
4	31	64	2	39	17	14	6	5	61	5	5	38	4	3	5	1	-------	37	-------	71	12
4	17	33	2	19	3	11	4	3	22	2	6	11	5	-------	7	-------	-------	18	-------	31	13
-------	5	2	3	-------	1	-------	-------	-------	4	1	-------	-------	-------	-------	1	-------	-------	-------	-------	3	
5	33	46	4	20	16	4	3	2	44	2	4	22	2	3	6	-------	-------	18	3	57	14
2	7	15	1	10	-------	2	2	2	8	-------	-------	6	-------	-------	3	-------	-------	6	-------	16	15
2	14	20	1	16	4	-------	-------	1	13	-------	-------	5	-------	-------	-------	-------	-------	5	1	17	16
5	24	56	-------	21	1	2	1	1	25	-------	3	13	2	1	3	-------	-------	7	-------	32	17
6	11	43	1	15	3	4	4	1	22	1	2	23	-------	1	1	-------	-------	9	1	30	18
1	20	36	1	15	1	-------	1	-------	4	-------	-------	2	2	1	1	-------	-------	2	-------	8	19
3	24	73	-------	27	1	4	1	1	28	2	5	21	3	1	3	-------	-------	9	1	41	20
154	587	2,205	43	1,182	159	145	116	62	611	46	87	770	110	21	149	-------	4	538	16	1,780	21
9	23	66	-------	58	9	5	6	2	39	1	3	17	1	4	5	-------	-------	21	-------	60	
2	10	25	1	11	1	-------	-------	-------	10	-------	2	7	-------	1	-------	-------	-------	4	-------	15	22
14	65	157	5	53	3	16	12	3	48	4	3	44	7	2	21	-------	1	45	-------	120	23
8	33	115	3	32	-------	1	1	3	36	-------	2	15	3	2	2	-------	-------	12	-------	84	24
18	125	291	9	167	22	22	7	4	86	3	7	101	9	4	22	-------	-------	50	1	203	25
3	27	149	7	78	9	4	5	2	30	2	5	33	2	1	15	-------	-------	34	2	83	26
3	16	80	3	30	17	2	1	1	27	-------	1	27	3	-------	4	-------	-------	13	-------	33	27
4	15	28	1	25	1	2	1	1	7	-------	2	13	4	-------	1	1	-------	8	2	23	28
7	28	51	2	51	1	-------	-------	-------	21	-------	-------	3	4	-------	-------	-------	-------	7	1	126	29
2	10	21	-------	6	1	-------	-------	-------	5	-------	-------	1	1	-------	-------	-------	-------	8	1	14	30
1	13	22	1	9	2	-------	-------	1	7	-------	-------	10	1	-------	-------	-------	-------	6	-------	5	31
9	33	104	2	39	5	1	1	1	23	1	2	26	1	3	3	-------	-------	19	-------	36	32
24	105	253	30	165	69	24	12	11	134	9	12	118	11	5	17	1	-------	44	3	173	33
9	25	99	4	54	12	6	6	1	39	1	7	29	5	1	8	-------	-------	17	-------	55	34
9	22	52	2	43	3	7	5	-------	21	2	4	18	1	-------	6	-------	1	15	2	32	35
5	24	64	1	26	3	4	6	1	19	2	-------	21	2	-------	-------	-------	-------	11	-------	21	36
3	28	62	1	15	2	7	-------	-------	21	1	4	18	7	-------	2	1	-------	10	-------	38	37
3	19	37	1	7	2	3	3	1	15	-------	-------	8	3	-------	5	-------	-------	6	1	21	38
10	66	123	2	65	8	9	10	2	47	3	11	41	11	4	7	-------	-------	34	2	114	39
8	44	141	-------	70	22	18	8	3	77	3	9	48	1	1	6	-------	-------	40	2	122	40
24	113	186	8	121	30	12	14	6	59	1	10	59	10	4	17	-------	-------	35	16	120	41
6	25	63	3	25	3	1	-------	1	21	-------	1	21	1	-------	5	-------	-------	8	1	30	42
22	99	268	24	168	51	17	20	14	57	5	11	127	6	5	26	-------	-------	69	10	274	43
14	112	231	5	93	12	20	13	5	86	9	20	90	12	1	16	-------	-------	45	1	155	44
8	45	109	1	51	3	10	2	1	33	3	4	33	4	-------	10	-------	-------	21	-------	120	45
7	16	39	1	28	-------	3	1	1	11	1	2	11	3	-------	8	-------	-------	11	-------	38	46
11	38	82	3	43	4	1	4	2	29	1	1	29	3	-------	6	-------	1	22	-------	69	47
2	30	58	2	18	3	5	3	1	18	-------	5	18	2	-------	4	-------	-------	12	1	46	48
5	26	37	1	20	1	4	1	-------	14	2	-------	11	3	1	2	-------	-------	6	1	30	49
8	18	34	2	26	-------	2	4	-------	14	1	1	18	2	-------	7	1	-------	13	1	30	50
-------	27	40	1	16	1	-------	1	-------	7	-------	1	12	2	1	2	-------	-------	4	-------	14	51
23	118	219	16	145	40	14	15	5	79	5	6	120	13	1	18	-------	1	46	6	210	52
4	16	48	2	18	4	1	-------	-------	13	1	1	12	4	-------	4	-------	1	10	-------	41	53
10	46	137	-------	48	3	2	4	1	39	-------	3	19	10	-------	7	-------	-------	13	-------	75	54
8	22	51	1	32	3	1	3	3	25	2	2	28	-------	-------	5	-------	-------	24	-------	52	55
4	53	82	3	36	1	3	-------	-------	43	2	-------	21	5	2	6	-------	-------	11	2	85	56
1	14	21	-------	13	1	-------	-------	-------	1	-------	-------	8	-------	-------	3	-------	-------	2	-------	9	57
3	8	26	1	10	4	2	1	1	5	1	3	7	1	-------	11	-------	-------	8	-------	15	58
2	19	40	6	24	2	5	2	-------	10	1	2	13	4	-------	8	-------	-------	8	1	31	59
16	43	88	2	49	2	15	9	3	56	-------	3	37	6	1	10	-------	-------	22	-------	84	60
5	16	38	1	9	1	1	3	2	6	-------	1	6	2	-------	3	-------	-------	5	-------	24	61
6	41	112	2	43	4	3	4	2	35	3	4	28	2	-------	9	-------	1	27	1	50	62
9	16	51	-------	31	4	-------	-------	1	17	-------	-------	13	5	-------	6	-------	-------	5	-------	17	63
9	39	146	7	37	6	8	9	2	29	2	6	36	4	-------	6	-------	-------	12	-------	88	64
4	16	16	-------	8	1	-------	-------	-------	8	-------	-------	3	2	-------	2	-------	-------	2	1	20	65
14	96	222	8	113	8	8	5	5	54	4	10	82	5	-------	15	-------	-------	38	-------	190	66
2	14	26	4	7	1	-------	1	-------	13	1	1	14	-------	-------	1	-------	-------	7	-------	10	67
33	107	314	8	154	23	20	16	5	242	15	25	127	19	4	21	-------	1	67	1	257	68
7	45	112	6	69	17	2	5	5	29	1	6	47	5	-------	7	-------	-------	36	2	105	69
2	23	26	1	12	1	-------	2	-------	12	-------	1	8	2	-------	-------	-------	-------	3	1	18	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MASSACHUSETTS—continued																
1	Waltham	404					1		1	11	1		15	2	5	35	2
2	Watertown town	172	1					1		3	1		4		2	22	
3	Webster town	125							1				6	1	1	18	
4	Westfield	261	1					1	6	5	2		18	1	1	28	
5	West Springfield town	123							2	5	1		4		2	6	2
6	Weymouth town	200					2	1	1	2			5	2	1	25	
7	Winchester town	159				3		1		2	1		5		2	19	1
8	Winthrop town	163				1							5			15	
9	Woburn	239				1		3		5	2		11		1	18	3
10	Worcester	2,547	4			19	6	18	30	13	4	3	117	13	13	231	1
	MICHIGAN																
11	Adrian	201					2		2	3		1	11		2	20	
12	Alpena	172							1	2			4		2	13	
13	Ann Arbor *	708	1						10	4	2	1	13	2	13	98	1
14	Battle Creek	587	2		1		2	1		21	4		9	3	3	59	
15	Bay City	632	7			1	6	2	4	7	1		24	4	2	53	4
16	Benton Harbor	213	2							4			5	1	3	20	
17	Detroit—White	12,050	29		12	17	56	78	115	151	55	12	693	68	65	875	56
	Detroit—Colored	1,627	5				1	12	4	22	6		255	17	23	34	7
18	Escanaba	213			4		2		3	7		1	5			16	
19	Flint	1,007	2			7	2	8	6	24	4		39	6	4	78	2
20	Grand Rapids	1,767	2		1	6	8	5	7	29	1	1	52	4	9	158	2
21	Hamtramck	353	1					3	5	9			26	1	3	10	1
22	Highland Park	558	3				1	1	3	11	4	1	14	7	1	43	
23	Holland	111						1	1	3	2		4	1		7	2
24	Ironwood	152						1		2		1	18		1	13	1
25	Ishpeming	131	1					1	1	4	1	1	7		1	7	
26	Jackson	724	3			1	3	4	4	18	1		26			74	1
27	Kalamazoo *	941	2				1	5	3	15	4	1	26	2	4	70	3
28	Lansing	746	2			2	4	7	6	14		1	20	5	4	60	2
29	Marquette	188							1	2	2		8			14	1
30	Monroe	150				1	1	3	2	3			7	2	2	9	
31	Muskegon	510	1					3	5	13		1	16	1	3	50	
32	Owosso	219	2				2			3	1		8		1	24	1
33	Pontiac *	671	2		3	1	2	2	8	10	2		42	1	5	41	1
34	Port Huron	399	1			1	7	2	2	5			17	2	1	30	1
35	Saginaw	923	16			1	1	6	3	8	4		42	3	7	74	4
36	Sault Ste. Marie	175				1	2		1	2			7			15	1
37	Traverse City *	332	2						1		3		30		2	16	1
38	Wyandotte	302	1			1	4	6	2	7	1	1	22	1	2	17	1
	MINNESOTA																
39	Austin	113								1			4	2		15	
40	Duluth	1,114	2				8	1		16	3	3	54	4	9	114	2
41	Faribault *	221	1		2			1	3	15	1		15	2	4	11	
42	Hibbing	176	1							4	1		7	1	1	12	
43	Mankato	223					2		3	5			8	2		27	1
44	Minneapolis	4,928	13	1	143	4	23	19	107	78	14	1	165	10	34	550	11
45	Rochester *	868	1		1		1		2	13	4		19	1	5	191	
46	St. Cloud	252			3		1	1	4	5		1	7	2	3	26	2
47	St. Paul	3,120	7		18	1	32	13	32	51	9	1	174	8	21	365	6
48	Virginia	122					1			4	2	1	6		1	4	
49	Winona	208					1			2	1		4		1	25	2
	MISSISSIPPI																
50	Biloxi—White	142		1				1		10	1		5			6	
	Biloxi—Colored	37							1	2						3	
51	Columbus—White	69	1	2						6			2			5	
	Columbus—Colored	141	2	3					1	12			6			11	
52	Greenville—White	107	2	1					2				2			7	
	Greenville—Colored	255	4	3					2	6			12		2	18	
53	Hattiesburg—White	142		2					3	8			5			13	
	Hattiesburg—Colored	120	1	1			1			3			13		1	1	
54	Jackson *—White	271	2	1			1	1	1	7		1	9		3	22	2
	Jackson *—Colored	345	6	5			1	1	1	14	1		19		3	8	1
55	Laurel—White	155	5	1				1		2	1		2			12	1
	Laurel—Colored	116	3										10		1	6	1
56	Meridian *—White	233	1	1	1			1	3	9			12		1	18	
	Meridian *—Colored	225	4	3				9	1	18			25		2	2	
57	Natchez—White	104	1	1						3	1		5			8	
	Natchez—Colored	174	3	3				1	1	2			14	1	2	6	
58	Vicksburg *—White	180								5	1		8		1	15	1
	Vicksburg *—Colored	472	2	10						12			16	1	6	18	1
	MISSOURI																
59	Cape Girardeau	204	3	1			1			5	1		12	1	1	7	1
60	Carthage	158	2					1		4			15		1	21	
61	Columbia—White	134	6				2			2		1	10	1	1	15	
	Columbia—Colored	40	3					1					4			5	
62	Hannibal	326	7					1	2	28	1		10	1	3	21	
63	Independence	217	1				2	1		11			8	1		24	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
7	35	73	-------	42	1	5	2	-------	24	2	3	29	2	3	7	-------	-------	24	2	70	1
1	14	46	-------	16	1	-------	-------	1	10	1	2	7	1	-------	1	-------	-------	11	-------	26	2
-------	12	34	1	4	3	-------	1	-------	8	-------	2	9	4	-------	1	-------	-------	3	-------	16	3
3	24	32	2	28	9	2	5	-------	30	1	2	14	4	1	5	-------	-------	15	-------	21	4
3	11	21	1	11	4	1	-------	-------	21	-------	-------	5	-------	-------	3	-------	-------	5	-------	15	5
3	18	48	3	17	-------	8	-------	2	19	-------	-------	12	2	3	7	-------	-------	3	-------	16	6
-------	10	28	1	14	2	5	1	-------	5	1	1	16	-------	1	2	-------	-------	12	-------	26	7
5	23	39	1	11	1	-------	1	-------	26	-------	4	5	2	1	2	-------	-------	5	-------	16	8
4	17	39	4	19	3	2	1	1	13	1	4	28	-------	-------	5	-------	-------	11	-------	43	9
37	170	446	10	236	47	45	27	9	266	7	18	184	23	9	40	-------	2	132	2	365	10
4	23	25	2	9	3	1	2	3	15	1	-------	16	-------	-------	6	2	-------	11	-------	37	11
3	8	37	3	4	13	2	1	2	14	-------	2	17	3	-------	1	-------	-------	11	1	28	12
12	33	106	3	39	8	6	10	2	45	2	5	45	1	1	11	-------	-------	24	1	209	13
11	75	124	2	28	10	10	8	4	30	1	4	47	9	-------	4	1	4	21	-------	89	14
13	63	111	7	30	16	20	13	5	37	-------	4	31	5	-------	15	1	2	37	-------	107	15
4	27	35	1	9	-------	6	1	3	19	3	1	22	2	1	5	-------	-------	11	1	27	16
190	623	1,620	72	1,218	385	239	140	96	585	95	104	1,201	151	147	325	12	14	598	22	1,931	17
12	31	188	12	309	32	26	14	5	66	9	15	98	11	94	21	1	2	41	2	252	
5	26	28	2	9	8	6	2	4	17	-------	1	17	1	1	3	-------	-------	15	-------	30	18
17	72	137	12	72	43	18	12	4	50	9	15	114	12	6	25	-------	-------	42	1	164	19
47	159	347	20	99	44	32	16	9	116	5	7	120	20	1	45	1	1	54	-------	339	20
7	8	44	5	43	36	5	2	2	16	4	2	51	2	4	-------	-------	-------	24	-------	39	21
6	31	70	1	46	11	17	8	2	33	5	12	48	10	1	39	-------	-------	35	-------	94	22
1	13	8	2	3	3	4	1	3	8	-------	1	10	3	-------	-------	1	-------	5	-------	24	23
1	13	22	3	10	3	2	2	1	3	1	-------	10	1	-------	4	-------	-------	9	-------	30	24
5	9	27	2	13	1	2	1	-------	10	-------	1	5	3	-------	-------	-------	-------	4	3	21	25
10	76	112	3	27	33	17	11	4	60	1	6	47	11	4	18	4	1	37	-------	107	26
9	77	143	8	41	12	17	18	5	66	7	6	53	7	1	17	4	1	41	1	271	27
16	50	117	5	49	30	17	13	6	32	7	6	72	7	3	22	2	-------	36	1	128	28
3	12	43	3	11	7	9	2	2	9	-------	3	20	1	1	2	-------	-------	10	2	20	29
-------	14	18	-------	12	6	-------	1	-------	8	-------	2	10	2	1	6	1	-------	8	1	30	30
10	41	65	*2	34	19	10	7	3	17	10	6	59	6	2	12	-------	-------	24	2	88	31
7	23	45	1	14	9	3	3	1	9	1	3	15	1	-------	6	-------	-------	8	-------	28	32
5	63	72	8	40	10	10	6	3	22	5	8	49	4	4	17	-------	-------	27	3	195	33
5	36	68	4	14	22	7	4	5	31	8	3	37	4	1	4	1	-------	22	-------	54	34
13	79	174	4	62	17	24	15	10	54	6	9	71	7	1	23	-------	-------	43	1	141	35
2	12	32	4	10	11	3	2	1	5	-------	1	14	2	-------	3	-------	-------	8	1	35	36
3	36	59	1	19	3	6	5	1	10	-------	2	9	2	1	1	-------	-------	8	-------	111	37
1	13	31	-------	16	21	1	1	*2	13	-------	4	29	5	6	14	-------	1	28	-------	50	38
1	11	25	-------	10	3	-------	-------	1	6	1	2	9	-------	1	2	-------	-------	5	-------	14	39
16	72	174	10	96	12	21	9	4	50	1	3	88	25	6	28	2	-------	46	2	233	40
1	11	27	1	24	2	4	1	1	9	2	3	10	1	-------	2	-------	-------	8	-------	59	41
1	10	17	-------	17	5	6	5	1	12	3	1	18	2	2	4	-------	-------	21	-------	24	42
4	12	30	3	14	2	7	4	-------	21	1	5	15	2	2	7	-------	-------	9	-------	37	43
86	313	693	18	395	43	96	54	32	259	22	32	350	107	30	76	1	2	261	14	871	44
8	27	90	1	33	-------	19	9	8	17	-------	1	16	4	-------	6	-------	-------	16	-------	375	45
4	16	34	-------	12	8	7	2	-------	7	4	-------	40	-------	-------	8	2	-------	9	4	40	46
66	183	503	9	205	27	68	26	23	201	15	20	222	31	13	42	2	5	141	3	577	47
2	4	21	-------	14	5	1	-------	1	4	-------	2	14	3	-------	7	-------	-------	6	-------	19	48
2	28	36	4	13	2	1	2	1	11	-------	7	12	1	2	1	1	-------	5	1	42	49
3	6	26	1	8	12	-------	-------	1	21	-------	1	11	-------	-------	2	-------	-------	6	2	18	50
-------	1	8	-------	3	1	-------	-------	-------	3	-------	1	2	-------	-------	2	-------	-------	4	1	5	
1	8	9	-------	5	-------	1	2	1	3	-------	-------	3	-------	1	1	-------	-------	7	-------	11	51
1	16	30	-------	6	-------	-------	2	1	8	-------	1	5	-------	2	-------	-------	-------	5	2	27	
2	7	14	-------	11	2	4	1	-------	5	1	1	4	1	4	1	-------	-------	4	1	30	52
1	14	31	-------	13	4	2	5	-------	37	2	3	5	-------	9	1	3	-------	8	34	36	
3	10	11	-------	7	9	3	1	1	11	2	1	9	-------	2	3	-------	-------	9	2	27	53
1	8	7	2	9	9	3	1	1	13	3	-------	2	1	2	-------	-------	-------	10	11	16	
4	19	28	-------	8	8	19	4	1	25	4	3	12	-------	5	5	1	-------	20	4	51	54
2	11	23	-------	10	8	16	5	3	33	4	3	11	1	11	-------	-------	-------	27	53	64	
-------	6	13	1	5	4	8	4	1	12	4	6	15	-------	1	2	-------	-------	15	2	31	55
2	4	11	-------	3	4	2	4	-------	4	3	1	3	-------	5	4	-------	-------	9	2	34	
5	9	30	1	14	5	14	4	2	23	2	2	5	1	2	5	-------	-------	9	4	49	56
4	16	19	1	14	5	6	4	-------	18	2	1	4	2	1	4	1	-------	8	12	39	
1	5	23	-------	7	1	5	-------	1	17	-------	1	7	-------	-------	-------	-------	-------	2	-------	15	57
1	13	25	-------	20	3	1	-------	-------	18	1	-------	-------	-------	2	-------	-------	-------	7	25	25	
-------	8	24	1	10	3	5	2	1	24	2	1	9	2	3	5	2	-------	6	8	33	58
1	14	79	1	30	2	16	11	1	39	3	6	4	-------	16	4	-------	-------	18	38	123	
6	14	17	1	18	5	8	5	1	15	6	2	18	-------	-------	5	-------	-------	17	2	31	59
-------	5	21	-------	4	5	3	2	-------	22	3	1	6	1	1	-------	-------	-------	5	6	29	60
3	9	15	-------	10	2	2	-------	-------	15	-------	3	9	2	-------	-------	-------	-------	5	-------	21	61
-------	6	8	1	1	-------	-------	-------	-------	3	-------	-------	3	-------	1	-------	-------	-------	1	-------	3	
4	19	41	1	20	6	7	7	-------	29	2	1	23	3	-------	6	-------	-------	23	1	59	62
4	15	37	-------	26	2	3	2	2	15	1	2	13	2	1	7	-------	-------	13	-------	24	63

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	MISSOURI—continued																
1	Jefferson City—White	185	2							4		1	16		1	11	
	Colored	35											9				
2	Joplin	482					3	1	6	25			47	1	3	39	
3	Kansas City—White	4,190	7	2			30	30	27	135	6	4	213	13	22	430	5
	Colored	897					2	8		48		2	113	7	15	24	2
4	Moberly	184	2					1	1	5		1	7		4	14	2
5	St. Joseph*	1,314	5	1			1	11	5	32	4	1	47		7	118	4
6	St. Louis—White	9,393	21	3		4	52	14	90	117	16	3	342	21	27	965	29
	Colored	1,948	12	1		2	1	7	4	31	2	3	219	11	16	85	2
7	Sedalia	265	1							11			13		3	17	
8	Springfield	594	4	1			3	4	3	13	2	2	38	1	3	56	3
	MONTANA																
9	Anaconda	140								4			7	1		12	1
10	Billings	210	1				1	2		11	2		7			18	2
11	Butte	597						5	7	13	2	1	49	1	1	45	1
12	Great Falls	278	1					1	5	1			9	2	1	37	4
13	Helena	164					1	2	2	2		1	3			13	
14	Missoula	214	1					3		2	1		2			25	1
	NEBRASKA																
15	Grand Island	226	1				2	2		3	2		8		2	23	
16	Hastings	182						1		8			4	1		15	1
17	Lincoln	783	2				1	3	4	25	2		21		4	89	1
18	North Platte	119					2	1		4			6			11	
19	Omaha—White	2,599	4		1		1	13	31	48	2	1	79	7	10	286	3
	Colored	214						3		8			37	4	8	5	
	NEW HAMPSHIRE																
20	Berlin	173						2		4			2		3	14	
21	Concord*	489						1	1	16	2		25		2	48	
22	Dover	232	2			1			1	2		1	9	1	2	19	3
23	Keene	206						1		7			6		1	16	1
24	Laconia*	229					2			6	1		4	1	2	17	
25	Manchester	921	2			2	6	8	7	62	1	3	23	5	6	89	6
26	Nashua	416	1			3	1	10	2	11	1		12	1	5	39	4
27	Portsmouth	195	3				1	1	2	2			2	1		31	
	NEW JERSEY																
28	Asbury Park—White	114					2	2					5			16	1
	Colored	30											2			4	
29	Atlantic City*—White	835			1	1	5	3	1	6	1	1	12	4	9	64	2
	Colored	242	1					2		2			10	1	4	12	
30	Bayonne	714	4			1	1	8	4	15	2	2	31	3		49	3
31	Belleville*	232				2	3	6	29		9	2	12	1	1	13	1
32	Bloomfield	188	1					2	1				6		1	30	3
33	Bridgeton	238	3				1	5		6			8	1	1	23	1
34	Camden	1,775	10		44	35	4	25	27	14	1	2	64	4	6	108	7
35	Carteret	76						2	1	3	2		6	2		13	
36	Clifton	212		1			2		13	5	1	1	18		1	13	1
37	East Orange	453					1	3		3	2		21		1	51	
38	Elizabeth	1,198	5			3		7	11	14	6	3	48	13	4	115	11
39	Englewood*	273	2				1	1		1			8		1	13	
40	Garfield	141							4	3			10		1	12	
41	Gloucester	119				2		2					3			7	
42	Hackensack	419	1							4	1	1	5	1		42	3
43	Harrison	145	1				1	4		6			7			11	2
44	Hoboken	904	3						8	5	6	1	40	6	3	95	4
45	Irvington	328	1				1	1		2			14	1		39	5
46	Jersey City	3,675	13			12	2	20	46	39	18	3	217	16	19	273	20
47	Kearny	285				1		1	3	4			13		1	35	
48	Long Branch*	471	3							7	1		12	5	2	43	1
49	Millville	182	2				1			5			3		3	23	
50	Montclair—White	258	1							3			5		1	32	1
	Colored	32											4			3	
51	Morristown*	360	1				1			2			8	3	2	43	
52	Newark—White	4,667	4			8	2	16	23	23	11	7	180	12	17	472	19
	Colored	641	1			1		8	2	6		1	69	5	9	29	1
53	New Brunswick	495	6	1				2	1	4		1	16	2	3	35	1
54	Orange*—White	530	2					1	1	5			13	2	1	47	
	Colored	89											11	3	1	6	1
55	Passaic	726	1			10	6	7	27	13	1	5	28	1	2	51	3
56	Paterson	1,711	4			3		12	6	17	4	1	113	8	13	172	4
57	Perth Amboy	484	1				2	6	14	8	3	2	23	4	4	36	
58	Phillipsburg	205				1		3	4	3			8	1	1	16	6
59	Plainfield	427	1				2	5		2	1		19		5	39	
60	Rahway	162	1				1			4			7	1	1	24	
61	Summit	168	1							4	1		8	1		10	
62	Trenton	1,873	10			5		14	3	19	6	4	99	11	10	142	7
63	Union City	417				1		2	6	2			24	2	1	45	6
64	West New York	225					1	3	6	3	1		10	1	1	22	2
65	West Orange	127											3			15	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

Subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
4	9	11	3	23	6	5	2	2	17	------	2	13	2	4	4	------	------	12	------	31	1
------	3	2	------	5	1	1	------	------	3	------	------	1	------	2	------	------	------	------	------	8	
5	27	50	2	39	12	14	3	4	36	5	3	29	5	4	11	------	1	37	15	55	2
54	241	525	15	365	82	79	42	38	403	30	20	229	81	59	81	2	1	182	3	734	3
7	30	96	3	115	13	8	11	10	106	6	6	33	3	72	6	1	1	31	1	117	
2	14	35	------	10	1	2	2	------	21	3	2	8	------	2	------	------	------	10	2	33	4
15	125	149	1	86	17	28	19	9	105	15	11	57	13	11	21	1	------	60	2	333	5
172	442	1,616	65	963	195	174	95	117	1,164	35	63	393	139	80	180	------	4	440	3	1,349	6
7	69	359	11	289	33	16	15	18	247	12	11	68	5	83	21	------	------	64	------	224	
3	24	35	------	21	10	7	4	------	51	------	------	19	3	2	2	------	------	9	1	29	7
6	39	67	1	41	8	24	9	1	37	4	6	52	9	1	8	------	------	28	------	120	8
2	10	26	------	16	1	------	2	1	5	------	------	12	1	2	6	------	------	8	2	21	9
3	17	23	------	12	6	6	3	1	10	------	2	21	4	3	3	7	------	11	------	34	10
6	35	63	2	75	3	15	6	5	46	5	3	28	18	14	14	------	2	38	2	92	11
8	17	36	3	11	4	12	4	2	14	2	3	20	5	1	4	------	------	9	1	61	12
4	13	33	------	13	1	6	3	3	9	1	------	10	5	------	3	------	------	11	1	24	13
3	15	43	1	21	2	6	1	2	12	2	3	13	5	------	------	------	------	14	------	36	14
2	12	31	1	12	4	5	2	------	16	1	------	28	2	------	3	------	------	12	------	52	15
3	12	32	------	10	2	4	4	1	20	------	3	13	5	------	------	------	------	5	2	36	16
19	79	87	7	43	12	25	14	4	63	7	8	49	7	3	9	------	------	42	1	152	17
2	6	13	------	10	5	5	4	------	11	1	1	9	------	2	3	------	------	6	------	17	18
55	154	386	9	230	50	71	35	12	149	21	21	173	57	22	33	------	------	106	4	525	19
4	10	33	------	39	3	1	1	1	7	1	------	4	------	12	2	------	------	9	------	22	
5	16	16	------	8	8	2	1	1	6	------	6	23	------	------	5	------	------	9	------	42	20
8	45	86	4	37	------	3	5	1	31	3	4	20	6	------	5	------	------	21	1	114	21
9	16	46	1	17	2	4	2	1	17	1	2	13	2	------	3	------	------	15	------	40	22
3	29	30	1	17	3	5	2	1	20	5	2	10	2	------	3	------	------	14	------	27	23
2	28	35	2	25	------	4	1	1	18	1	2	22	------	------	------	------	------	9	------	45	24
10	93	131	18	63	29	10	9	3	42	4	6	95	1	1	11	2	------	30	24	119	25
7	28	54	3	32	13	7	5	1	48	1	------	30	4	------	2	------	------	22	2	67	26
------	17	37	3	12	2	2	------	------	22	------	3	14	1	1	5	------	------	9	1	23	27
2	15	33	------	5	1	------	------	------	8	------	------	5	3	1	2	3	------	------	------	10	28
1	1	9	------	3	------	------	1	1	3	------	------	1	------	------	------	------	------	------	------	4	
14	49	181	1	60	16	11	9	8	120	3	5	36	11	7	32	------	------	45	1	116	29
3	16	34	3	31	3	1	4	3	28	1	2	8	------	4	4	------	------	16	------	49	
12	48	135	1	96	21	4	7	5	38	3	9	32	2	2	7	------	------	50	------	69	30
4	18	45	2	17	2	------	1	3	16	------	------	10	2	------	------	------	------	6	------	27	31
3	17	40	1	9	2	------	1	3	30	------	------	7	1	1	2	------	------	6	------	21	32
1	16	54	2	14	3	1	2	1	20	1	3	18	------	2	5	------	------	10	------	36	33
23	93	266	10	183	62	25	17	6	196	17	19	112	12	14	43	7	------	112	------	207	34
------	2	4	------	3	10	------	------	1	5	------	------	3	1	------	1	------	------	9	------	8	35
1	13	43	2	16	3	------	------	3	18	------	------	15	6	2	3	1	------	5	------	25	36
16	52	117	3	29	9	------	1	4	62	------	1	7	2	------	1	------	------	14	------	53	37
29	87	201	6	140	26	19	8	12	88	8	16	68	9	6	19	------	1	71	8	136	38
3	21	37	1	28	8	9	1	1	32	3	2	23	2	1	7	1	------	20	1	40	39
1	3	20	2	22	13	1	6	------	8	------	1	18	3	------	2	------	------	3	1	12	40
1	7	27	------	16	6	------	1	1	15	------	------	8	2	------	------	------	------	4	------	18	41
12	29	59	4	35	10	18	------	1	25	4	7	27	4	5	17	1	1	23	2	69	42
2	6	22	2	13	10	------	8	2	17	1	2	11	------	------	1	------	------	13	------	10	43
22	67	190	3	126	14	26	10	9	69	3	3	35	9	2	8	------	------	48	------	89	44
11	28	67	1	23	5	8	1	2	25	1	2	27	4	1	5	------	2	11	1	39	45
72	259	728	29	382	105	64	37	22	307	25	25	211	25	6	64	1	------	192	2	421	46
1	35	55	------	26	3	3	5	------	21	2	------	18	3	1	9	1	------	17	2	25	47
8	32	97	1	34	9	10	6	3	43	6	5	33	4	6	18	------	------	28	------	54	48
1	21	28	1	7	10	2	1	------	20	1	4	11	2	1	------	------	------	5	1	29	49
5	25	57	1	22	7	3	------	6	29	------	------	15	2	------	5	------	------	11	------	27	50
1	------	7	------	5	------	------	1	------	2	------	1	2	------	1	------	------	------	1	------	4	
8	22	48	1	27	3	8	5	2	49	1	7	32	1	2	4	------	------	18	------	62	51
99	299	886	51	410	121	94	39	35	409	26	47	311	55	21	105	------	2	244	12	607	52
8	21	63	10	118	21	6	3	1	48	6	4	53	------	8	5	------	------	23	6	105	
15	46	74	------	43	13	7	10	3	27	5	3	37	8	3	17	------	------	37	1	74	53
14	46	77	4	32	8	18	7	4	44	1	9	54	3	2	18	------	------	32	1	84	54
1	5	16	1	18	1	1	------	------	4	1	------	4	------	1	3	------	------	3	------	8	
7	27	100	3	52	18	30	13	10	58	6	10	63	15	7	20	------	------	46	------	86	55
41	97	291	8	154	25	20	22	16	137	13	14	103	18	5	41	4	------	96	3	246	56
14	28	59	2	40	27	6	3	1	35	3	------	53	3	1	12	------	------	28	------	66	57
4	14	27	------	22	4	3	------	------	23	2	------	13	------	------	2	------	------	18	------	30	58
5	35	59	------	42	12	9	11	2	37	4	5	29	5	1	18	------	------	19	1	59	59
5	16	14	------	16	2	2	------	------	9	------	1	8	3	1	11	1	------	17	------	17	60
6	11	30	------	17	1	5	5	1	17	2	------	9	2	1	9	------	------	4	------	23	61
25	134	360	8	174	28	32	13	9	127	14	11	136	24	14	39	------	------	94	3	298	62
7	37	95	1	40	9	6	4	4	40	2	4	19	5	2	2	------	------	9	1	41	63
4	17	46	------	26	2	1	2	4	20	------	------	18	4	------	4	------	------	5	------	22	64
2	20	31	2	13	1	------	2	2	10	------	1	5	------	1	2	------	------	1	------	16	65

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	NEW MEXICO [2]																
1	Albuquerque *	493	3			1			1	11	1		188	1	1	17	1
	NEW YORK																
2	Albany	1,845	7				4	4	8	23	3		123	7	9	153	2
3	Amsterdam	392	2							8			18	2	1	34	
4	Auburn	515	1					1		7	1		27	5	3	56	1
5	Batavia	268	1				1		2	7		1	10		1	24	1
6	Beacon *	158							1	2			10		1	12	2
7	Binghamton *	1,055	6				2	3	5	13			37	2	7	92	1
8	Buffalo	7,434	25			56	14	24	33	39	9	7	432	34	28	655	20
9	Cohoes	292	1							3	2	1	18	3	1	20	
10	Corning	185	2						2	2	1		4	1	1	17	1
11	Cortland	270							3	1			4		1	31	1
12	Dunkirk	221	2			1				6			12	1	2	22	
13	Elmira	734	4			1	1	2	2	15	1		14	4	4	47	4
14	Fulton	177								2			2		1	11	
15	Geneva	208	2			1			1	7			5		1	18	
16	Glens Falls	313				1			1	4	1		9		4	19	
17	Gloversville	372					1		2	6			7			47	2
18	Herkimer	131	1						1	2	1		3			13	
19	Hornell	202	1	1				2		9			5	1		31	
20	Hudson	288								3			9	3	4	21	
21	Ilion	121							3	2			1			16	1
22	Ithaca	296								1			6	3	2	37	2
23	Jamestown	527					1	1	1	2			12	4		59	1
24	Johnstown	112								2			7	1		15	
25	Kingston	547	10				1	2	2	10	1		39	1	5	52	3
26	Lackawanna*	345	5			5		5	4	5		2	8	1	1	14	1
27	Little Falls	169							2	1			4	1	2	16	1
28	Lockport	327				1		1	2	4			7		1	41	
29	Middletown*	409							2	1			29	1	1	33	1
30	Mount Vernon	455	3			3		1	1	8			21	1	4	37	2
31	Newburgh	501	3						20	1			36	1	5	48	3
32	New Rochelle	382	2			1	1	1		1		3	12	1		35	3
33	New York—White	67,556	190	6		141	76	298	641	550	226	92	4,155	272	320	6,630	285
	Colored	4,279	6			14	1	40	18	18	13	5	703	44	66	194	16
34	Bronx Borough	8,295	21			8	11	29	58	86	39	7	590	33	50	888	40
35	Brooklyn Borough—White	23,864	67	3		24	21	106	250	247	69	29	1,278	96	101	2,226	125
	Colored	960				2	1	10	8	11	5		106	9	17	48	4
36	Manhattan Borough—White	26,851	85	2		102	29	118	253	154	90	47	1,755	106	140	2,644	82
	Colored	2,968	6			12		26	10	6	8	5	535	33	43	134	11
37	Queens Borough	7,030	16	1		6	14	41	65	50	24	7	444	35	25	702	30
38	Richmond Borough	1,867	1			1	1	8	15	14	4	2	150	4	10	182	9
39	Niagara Falls	687	2			4	1		4	13	3	1	26	2	2	41	2
40	North Tonawanda	191	1				1	1		3			7	1	2	18	
41	Ogdensburg*	432	3						1	5	1		22	2	6	29	1
42	Olean	280	1				3		1	1			5			28	
43	Oneida	163							3				3	1		21	2
44	Oneonta	188										1	3	1	1	22	
45	Ossining	181					1		1			1	5			11	3
46	Oswego	285	1					2	1			1	12			19	2
47	Peekskill	214								2			19		1	13	1
48	Plattsburg	230	1			1		1	4	1			7	3		27	4
49	Port Chester	194					1		1	3	1	2	3	1		15	
50	Port Jervis	172							2	6	1		2	1	1	17	1
51	Poughkeepsie	498	2				1		2	11			13	3	6	51	4
52	Rensselaer	98					1		1				4		1	5	
53	Rochester	3,839	8			7	10	19	52	19	8	2	158	11	19	384	16
54	Rome*	482	1						5	3			64	2	4	40	2
55	Saratoga Springs	301		1			1		1	3			14		3	30	2
56	Schenectady	1,057	3			1		2	3	16	2	1	27	3	7	98	2
57	Syracuse	2,292	4					17	6	13	3	1	74	12	3	226	8
58	Tonawanda	100					1			1	2		6	1	1	8	
59	Troy	1,354	2			2	1	3	14	15		1	41	8	12	117	2
60	Utica*	1,516	5			1	4	1	21	15	3		74	11	8	157	8
61	Watertown	540	3				1		1	6	1		27	2	1	60	4
62	Watervliet	184					1			4			10		1	23	1
63	White Plains	312					1		1	4			8		5	26	1
64	Yonkers	1,144	2		1	34	2	3	14	15	3		85	1	1	106	2
	NORTH CAROLINA																
65	Asheville*—White	478	2	1						11	1		119	3	3	14	4
	Colored	233	1							18			33		1	10	
66	Charlotte—White	438	1				1		2	5	1		15	1	2	23	2
	Colored	408	2	1				4		27			41	3	3	13	1
67	Durham—White	263		1						5			17		2	18	1
	Colored	321	6	3					1	10			35		4	7	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars				
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
1	18	27	1	18	30	13	7	1	21	3	5	19	5	3	7	-------	-------	17	23	49	1
27	103	392	7	121	27	26	21	15	190	6	15	112	14	2	35	-------	-------	96	3	290	2
12	28	72	2	29	9	9	4	3	43	1	4	37	1	2	4	-------	-------	13	-------	54	3
5	45	106	6	31	13	8	6	2	31	1	4	34	4	1	11	1	2	20	-------	82	4
1	24	40	3	13	4	5	3	-------	22	3	2	18	2	1	9	1	-------	15	-------	54	5
4	14	28	-------	9	1	2	3	3	26	-------	1	5	2	1	1	-------	-------	6	-------	24	6
6	89	201	4	84	25	12	12	11	80	2	4	71	10	1	20	1	-------	58	-------	196	7
131	459	1,366	89	645	284	121	79	48	670	30	52	512	53	36	119	3	5	342	1	1,013	8
8	20	79	2	25	8	4	1	8	18	2	1	22	2	-------	4	-------	-------	11	-------	28	9
6	12	36	2	11	6	4	3	1	19	2	1	7	-------	-------	3	-------	-------	15	-------	26	10
6	22	45	-------	19	-------	6	3	2	31	1	1	17	3	1	4	-------	-------	15	-------	53	11
2	8	44	-------	7	5	8	1	1	20	-------	3	15	1	1	7	-------	-------	18	-------	34	12
19	55	122	3	51	7	9	10	5	96	5	10	53	4	1	21	-------	1	46	1	116	13
6	19	41	1	14	6	4	-------	1	16	-------	6	10	2	-------	2	-------	1	12	-------	20	14
3	21	33	3	12	8	2	3	3	19	-------	1	20	4	-------	8	-------	-------	10	-------	23	15
4	26	59	2	21	3	5	5	1	33	3	7	17	1	1	12	2	-------	20	1	51	16
6	36	95	1	20	1	5	7	3	31	6	3	13	8	-------	6	-------	-------	17	-------	49	17
-------	14	32	1	9	2	2	2	-------	9	-------	4	11	4	-------	1	-------	-------	5	-------	14	18
4	14	45	1	7	2	1	2	4	18	2	-------	8	2	2	1	-------	-------	11	-------	28	19
7	25	37	7	17	5	5	6	-------	30	2	3	26	3	2	12	-------	-------	20	-------	41	20
7	7	18	1	6	-------	1	2	-------	16	-------	-------	10	2	-------	1	-------	-------	9	-------	18	21
7	30	57	2	16	4	3	4	1	23	1	3	19	5	-------	4	-------	-------	9	3	54	22
15	45	89	8	34	7	8	6	-------	32	1	6	48	5	2	7	-------	1	26	-------	106	23
-------	9	30	-------	9	-------	-------	-------	-------	22	-------	1	6	-------	-------	-------	-------	-------	1	-------	9	24
13	50	104	1	35	6	6	5	3	41	3	4	27	3	1	10	-------	-------	32	2	75	25
-------	8	21	6	40	38	6	9	5	18	-------	5	47	3	1	12	-------	2	32	-------	41	26
5	21	25	4	11	3	4	1	1	6	1	1	8	1	1	3	-------	-------	23	-------	23	27
4	22	87	3	22	11	4	1	3	16	-------	2	19	1	1	8	1	-------	15	-------	50	28
4	31	99	3	25	7	4	4	2	31	4	-------	12	2	2	9	-------	-------	18	-------	93	29
9	40	92	2	38	7	9	3	2	53	1	5	21	5	2	8	-------	-------	16	1	60	30
5	63	75	1	32	7	4	5	3	45	-------	8	32	5	3	15	3	-------	10	-------	68	31
8	33	79	3	40	4	3	4	4	34	3	2	26	3	-------	9	-------	-------	16	-------	51	32
1,481	3,009	14,264	231	6,776	1,254	1,006	584	589	5,966	261	413	3,780	908	326	1,023	6	5	3,299	13	8,480	33
39	106	565	10	657	85	48	20	15	290	24	40	329	26	68	37	-------	-------	165	1	616	
201	280	1,821	22	826	112	165	61	65	625	28	46	500	128	30	117	-------	-------	319	5	1,084	34
528	1,056	5,350	81	2,400	478	360	209	233	2,284	118	182	1,408	227	87	331	-------	2	1,043	5	2,840	35
5	19	160	1	153	22	12	1	3	79	6	12	80	8	10	10	-------	-------	27	-------	131	
570	1,095	5,326	100	2,827	533	347	231	225	2,174	77	125	1,317	425	184	460	1	-------	1,551	2	3,674	36
29	73	350	7	451	53	33	18	12	180	18	26	224	17	54	24	-------	-------	122	1	447	
159	493	1,381	24	624	111	119	67	52	736	27	53	477	112	23	102	5	1	295	1	708	37
28	99	441	6	152	30	18	17	14	178	11	9	103	17	6	16	-------	2	107	-------	212	38
13	31	92	5	84	25	4	2	4	55	5	6	62	10	3	21	2	1	60	1	100	39
-------	21	25	7	11	4	5	3	-------	13	1	-------	18	3	-------	-------	1	-------	17	-------	28	40
4	30	80	2	33	4	5	8	2	26	6	2	33	1	1	2	1	-------	15	-------	107	41
5	22	52	-------	13	4	6	4	1	23	1	1	30	2	2	9	1	-------	22	-------	43	42
6	12	41	4	10	1	-------	2	1	6	-------	2	6	3	-------	-------	-------	-------	8	-------	31	43
6	17	30	-------	10	6	10	5	-------	18	2	1	13	1	-------	3	-------	-------	9	-------	29	44
4	14	34	1	21	2	3	1	-------	11	-------	1	9	2	1	8	-------	-------	26	-------	21	45
7	41	72	2	17	9	1	5	-------	23	1	-------	15	3	-------	4	-------	-------	15	1	31	46
2	22	51	4	19	1	-------	3	2	20	-------	-------	12	-------	1	-------	1	-------	13	-------	27	47
2	18	39	1	16	2	2	4	-------	10	2	1	22	4	1	9	-------	-------	11	-------	37	48
4	17	26	1	24	6	4	3	1	14	1	2	14	-------	1	9	-------	1	4	1	31	49
3	12	43	-------	5	-------	5	3	7	16	-------	1	13	3	1	7	-------	-------	10	-------	12	50
5	43	99	6	31	8	8	6	-------	29	4	3	31	7	2	14	-------	-------	30	-------	79	51
-------	13	22	-------	12	2	-------	-------	1	10	-------	-------	1	-------	-------	-------	-------	-------	1	-------	24	52
71	299	786	12	251	103	58	46	43	382	24	18	233	45	14	54	5	2	152	-------	528	53
5	27	76	6	30	14	6	7	-------	52	2	2	24	9	2	2	-------	-------	24	-------	73	54
10	24	73	-------	24	2	2	1	3	37	2	1	12	1	-------	4	-------	1	18	-------	31	55
24	86	221	6	82	13	22	7	8	83	9	12	74	6	2	22	-------	2	46	10	157	56
59	186	475	12	216	49	16	20	11	194	8	16	149	37	10	29	1	-------	104	1	332	57
2	7	22	2	5	1	-------	-------	-------	6	-------	-------	16	1	-------	1	-------	-------	4	-------	13	58
23	101	315	11	86	30	19	12	12	156	5	16	75	13	6	21	-------	-------	56	2	177	59
26	107	276	6	117	47	35	23	4	145	6	5	74	12	3	21	1	-------	59	2	239	60
8	37	99	1	35	8	8	11	7	28	6	4	45	9	-------	11	-------	-------	32	-------	85	61
4	16	59	2	10	3	-------	-------	6	8	-------	-------	5	1	-------	1	-------	-------	8	-------	21	62
4	17	79	-------	18	5	6	9	1	25	-------	2	18	4	1	10	-------	-------	15	-------	52	63
35	59	201	8	118	14	14	14	11	91	10	8	89	13	-------	15	-------	-------	54	5	116	64
5	21	52	-------	20	11	17	4	1	35	4	6	25	1	4	13	-------	-------	26	7	68	65
2	17	23	1	19	6	7	3	1	14	1	3	11	1	4	3	-------	-------	4	9	41	
5	30	65	-------	31	15	14	7	3	41	4	5	55	4	2	6	-------	-------	17	7	74	66
-------	34	45	1	43	21	7	4	5	25	4	5	15	1	10	1	-------	-------	8	18	66	
4	15	28	1	20	9	4	1	-------	34	2	4	31	-------	3	7	1	-------	8	6	41	67
3	14	33	3	34	14	4	1	2	28	2	3	30	-------	5	-------	-------	-------	11	23	43	

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	NORTH CAROLINA—continued																
1	Gastonia—White	158	2						2	5	1		4			10	
	Colored	58								10			1			2	
2	Goldsboro*—White	118	1	1					1	1			6		1	10	
	Colored	118	1	1						3			14			3	
3	Greensboro—White	338	1						2	12	1	1	7	1	1	30	
	Colored	232	2	2				3	2	7		1	27		1	6	
4	High Point—White	236	2					1	3	12	1		11			12	
	Colored	86	1					1		7			7	1	1		
5	New Bern—White	74	2						1	4			4			3	
	Colored	160		3						6			13		1	6	
6	Raleigh*—White	391	2	1					3	12			20	1	2	20	
	Colored	281	3			1		1		3		1	21	1	9	8	1
7	Rocky Mount—White	149	1	1					3	2			6		1	8	
	Colored	147						1	2	3			9	1		4	1
8	Salisbury—White	117							1	5			1		1	7	
	Colored	83								2			4			5	
9	Wilmington—White	255						3	5	7			5		1	22	
	Colored	295	2							5	1		9	1		10	
10	Wilson—White	120		1					3	9						14	1
	Colored	145		2						4			21		1	1	
11	Winston-Salem—White	369	2					1	3	4	2	2	23	5	2	17	
	Colored	509	1	2	1	1		12	1	14			46	1	6	7	
	NORTH DAKOTA																
12	Fargo	305	1				1	2	3	3		1	14	2	1	37	4
13	Grand Forks	151						1	1	1			5		2	21	
14	Minot	216	1				1	1	1	2	2	1	10	1	4	18	
	OHIO																
15	Akron	1,901	4		1	11	34	11	7	45	5	2	73	11	12	135	4
16	Alliance	280			3			1		14	1	1	13		1	24	3
17	Ashtabula	299	6			2			2	3			12	1		16	
18	Barberton	204							1	7			9		3	17	
19	Bellaire	175	1			1		1		8			5	2		11	
20	Bucyrus	149	1					1		6			4	2	3	11	
21	Cambridge	211	2			1		2		8			13	1	5	19	2
22	Canton	1,109	1				2	5	6	26	3		46	7	12	91	9
23	Chillicothe	236					1		1	5			9		3	22	
24	Cincinnati—White	5,579	16				10	12	14	141	12	5	263	22	24	536	7
	Colored	947	2	1		1		4	2	22	1		137	9	24	45	2
25	Cleveland—White	8,531	15		2	5	14	42	128	95	25	15	513	30	43	773	26
	Colored	1,178	1	1	4	1	2	17	11	10	3	2	195	10	30	37	3
26	Cleveland Heights	207							2	4	2		5		3	20	3
27	Columbus—White	3,286	11			1	8	17	9	105	9	2	144	8	20	281	13
	Colored	608	1			1		11	1	22			69	3	12	25	
28	Coshocton	142							1	6			5		1	16	
29	Cuyahoga Falls	110					1	2		7			1			8	
30	Dayton	1,962	4			2	2	2	6	41	3	3	111	11	20	200	5
31	East Cleveland	212								4	2		9		1	30	2
32	East Liverpool	370	2			1		1		8			24	1	5	27	4
33	East Youngstown	115				2	1	1		5			3		2	4	
34	Elyria	272	3						2	2	2		8		2	23	3
35	Findlay	267	1				1		1	6			10		2	27	1
36	Fremont	121				1			1	3			7		3	11	
37	Hamilton	576	5	1	1		3	2	4	25	1	1	30	6	5	63	2
38	Ironton	228	2			7	1	1	1	4			14		2	16	
39	Kenmore	104					2	1	1	2	2		6			12	
40	Lakewood	430							4	12	1		12		1	49	1
41	Lancaster	207	2				2			6			11	1	3	20	1
42	Lima	583	2					9		20	1		27	1	1	53	
43	Lorain	417					1	1	2	15		1	19	3	1	34	3
44	Mansfield	391	1				2		4	9	1		18	3	3	36	
45	Marietta	194	3			1		1		7		2	7		2	26	
46	Marion	332	2					4	2	21	1		15		1	26	
47	Martins Ferry	216					1	1	4	6		1	11			22	
48	Massillon	242	1				2	1	3	11	1		11	1	4	17	2
49	Middletown	285	1				1	5		12			15	4	4	26	4
50	Newark	379						1		22	1		29	1	3	26	2
51	New Philadelphia	99						5		3			6			12	
52	Niles	106			1	3	2	4		2	1		1	2	1	13	
53	Norwood	178	1							4	1		9	1		28	1
54	Piqua	229								18			10	2	2	24	1
55	Portsmouth	529	3				4	6	6	18	1		26	6	5	38	2
56	Salem	176						1	2	10			7		2	15	
57	Sandusky	318	8	1		1		1	2	1			6			37	
58	Springfield—White	754					7	6	6	13	1		27	2	4	54	2
	Colored	139								6			11		1	8	
59	Steubenville	460	4			1	1	3	2	10			14		2	24	
60	Tiffin	223				1		1	3	3		1	4	1	3	16	
61	Toledo	3,494	18	2		1	10	10	26	65	8	1	245	8	14	266	9
62	Warren	462	5		12		3	6		8	3		12	5	3	35	1
63	Youngstown	1,706	8		10	6	9	15	10	33	4	1	90	11	13	128	7
64	Zanesville	510	3					3		18	2		23	1	2	35	2

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
-------	10	10	1	7	7	3	3	-------	15	-------	3	19	3	1	7	2	-------	13	9	21	1
-------	3	6	-------	5	5	-------	-------	-------	4	2	1	3	-------	1	2	-------	-------	2	3	8	
1	7	16	1	2	2	3	6	1	10	-------	5	15	-------	2	2	-------	-------	9	3	12	2
1	6	7	-------	8	4	2	-------	1	10	-------	2	13	-------	5	1	-------	-------	9	3	24	
6	32	29	1	14	16	12	6	1	27	5	7	38	-------	2	10	1	-------	12	2	61	3
3	18	31	-------	21	9	6	3	2	17	-------	6	17	1	2	3	-------	1	14	-------	27	
-------	13	24	-------	17	7	6	3	-------	12	-------	11	37	4	2	8	-------	-------	11	7	32	4
-------	-------	8	-------	2	7	4	1	-------	3	-------	3	7	1	4	1	-------	-------	6	9	12	
-------	3	8	-------	3	3	3	-------	-------	10	1	3	6	1	1	2	-------	-------	4	-------	12	5
1	15	28	1	16	6	-------	2	1	13	1	-------	15	-------	5	1	-------	-------	5	5	16	
1	25	52	-------	20	10	5	4	3	43	1	8	24	3	2	6	-------	-------	19	3	101	6
3	15	39	1	11	7	11	5	2	24	2	4	17	1	11	3	-------	-------	24	7	45	
3	5	14	-------	7	8	2	3	1	16	3	4	21	-------	-------	5	-------	-------	6	2	27	7
1	6	12	1	11	8	6	3	1	16	3	2	13	-------	6	1	-------	-------	5	2	29	
-------	8	15	1	8	4	2	-------	-------	11	1	2	11	3	-------	7	-------	1	12	2	14	8
3	8	10	-------	5	3	1	2	-------	8	-------	-------	7	-------	2	-------	4	-------	4	5	10	
2	14	32	1	22	2	1	4	-------	30	1	5	26	1	1	4	-------	1	15	1	49	9
-------	42	31	-------	27	12	4	4	-------	26	2	5	33	-------	4	1	-------	-------	18	3	55	
1	6	7	-------	7	11	2	2	1	12	3	2	6	4	1	4	-------	-------	3	3	17	10
1	12	4	-------	13	8	-------	2	-------	15	-------	3	9	-------	2	-------	-------	-------	4	19	24	
6	31	34	-------	19	21	14	6	1	32	1	4	50	-------	1	9	-------	-------	15	5	59	11
2	37	58	2	80	29	2	5	2	41	6	6	26	-------	7	6	-------	-------	13	41	54	
8	19	29	-------	15	2	24	9	2	12	-------	5	25	2	1	2	-------	-------	11	2	68	12
3	8	14	-------	13	-------	11	3	-------	16	-------	1	8	2	2	2	-------	-------	9	1	27	13
2	12	18	-------	22	2	18	2	-------	9	1	3	14	3	-------	3	5	-------	14	1	45	14
20	128	259	6	196	59	38	24	9	89	15	24	153	28	20	60	1	-------	89	2	326	15
6	29	37	1	28	1	6	6	3	10	2	3	16	1	1	9	-------	-------	20	-------	40	16
6	28	47	1	20	9	8	7	4	15	2	5	14	6	3	6	5	-------	25	5	41	17
4	13	21	1	20	19	4	-------	-------	13	1	3	20	2	-------	6	3	-------	19	1	17	18
1	9	14	-------	18	3	-------	5	-------	19	2	3	11	2	1	5	-------	-------	20	1	32	19
1	12	31	2	11	-------	6	-------	-------	4	1	2	7	-------	1	4	-------	-------	10	1	28	20
2	29	25	-------	10	3	8	1	-------	15	3	1	6	1	-------	4	-------	-------	12	2	36	21
12	112	143	5	140	20	20	9	5	47	5	12	96	14	11	26	3	4	64	-------	153	22
5	19	49	2	13	10	5	5	-------	22	1	1	17	4	-------	4	-------	-------	7	-------	31	23
97	512	929	19	440	137	103	90	52	545	30	30	254	71	26	104	3	3	256	3	813	24
4	63	114	8	113	22	14	5	10	71	8	6	44	2	66	11	-------	-------	35	1	100	
146	551	1,316	40	806	214	113	103	65	651	44	56	601	128	79	220	3	3	382	14	1,270	25
7	50	103	3	188	21	9	7	3	70	9	13	72	6	50	11	-------	-------	34	4	191	
6	24	59	2	17	-------	-------	-------	1	25	-------	-------	4	-------	-------	2	-------	-------	6	-------	22	26
55	230	526	12	183	92	72	40	22	214	24	18	177	27	13	59	5	5	167	2	715	27
3	35	75	2	76	25	3	5	1	29	6	7	43	1	7	12	-------	-------	32	1	100	
3	15	22	1	10	-------	2	-------	-------	3	1	-------	10	4	-------	4	-------	-------	9	-------	29	28
-------	17	23	-------	3	3	-------	1	-------	7	-------	-------	3	5	-------	1	-------	-------	5	-------	23	29
41	152	353	4	148	35	29	33	14	162	14	9	101	25	9	44	1	3	96	3	276	30
2	27	50	1	17	1	-------	-------	2	27	-------	-------	2	-------	-------	1	-------	-------	4	-------	30	31
6	29	64	2	35	9	10	7	2	17	2	4	19	3	3	10	-------	-------	27	1	47	32
-------	2	7	1	26	18	-------	2	3	1	-------	-------	17	1	1	1	-------	-------	6	-------	11	33
5	22	39	-------	19	2	10	1	4	28	2	6	18	3	1	7	-------	-------	23	1	36	34
3	37	46	-------	18	5	4	2	1	19	-------	3	12	3	-------	6	-------	-------	11	-------	48	35
-------	16	27	-------	8	1	-------	3	2	10	1	-------	6	1	-------	1	-------	-------	2	1	16	36
6	48	101	1	29	22	3	3	7	37	2	3	46	4	15	11	1	2	37	-------	49	37
2	14	25	2	15	6	2	7	-------	23	-------	3	15	2	3	5	-------	-------	14	2	40	38
2	6	12	-------	14	4	-------	1	-------	12	-------	2	10	-------	-------	-------	2	-------	7	-------	6	39
11	37	95	4	34	6	1	4	3	36	-------	-------	15	6	2	8	1	-------	24	-------	63	40
5	28	34	-------	13	7	4	-------	-------	20	1	-------	18	-------	-------	3	-------	-------	8	-------	20	41
12	55	77	1	31	11	25	7	4	42	9	7	44	6	1	7	2	-------	40	1	87	42
6	26	51	1	40	12	4	2	6	28	-------	3	42	6	7	17	-------	-------	36	3	47	43
6	34	58	2	32	5	5	3	-------	38	2	5	29	3	3	11	-------	-------	23	-------	55	44
2	16	25	2	13	7	5	2	-------	13	4	-------	12	3	1	2	-------	-------	15	-------	23	45
7	23	56	2	11	6	8	4	-------	32	3	4	22	3	-------	7	2	-------	21	1	48	46
3	7	22	-------	20	7	5	7	-------	10	3	4	11	-------	3	8	-------	-------	26	1	33	47
5	19	43	-------	10	3	9	4	2	19	1	4	14	1	1	7	1	-------	16	-------	29	48
3	20	34	1	27	15	4	3	2	23	2	4	27	-------	1	6	1	2	7	-------	31	49
11	37	48	-------	19	2	4	8	4	34	4	5	20	3	-------	4	3	-------	19	-------	69	50
-------	15	21	1	2	1	1	-------	-------	10	-------	1	10	-------	-------	-------	-------	-------	4	-------	7	51
1	8	13	-------	13	8	-------	-------	1	3	-------	-------	8	-------	1	1	-------	-------	5	1	13	52
6	19	34	4	16	3	-------	1	1	19	1	-------	5	1	-------	-------	-------	-------	6	-------	17	53
6	29	38	-------	6	6	5	4	-------	18	-------	1	13	1	-------	5	-------	-------	12	-------	28	54
9	37	49	3	39	29	8	7	3	27	5	5	48	2	11	13	-------	2	33	1	83	55
3	18	23	-------	12	3	4	6	1	14	1	1	10	-------	-------	6	-------	-------	6	-------	31	56
11	41	50	5	14	2	2	4	-------	19	-------	6	19	4	2	2	-------	1	14	-------	65	57
12	81	144	1	52	11	9	8	6	58	4	4	40	4	3	17	-------	-------	39	5	134	58
2	6	23	-------	34	2	1	2	-------	11	2	-------	6	1	3	1	-------	-------	4	1	14	
3	31	49	2	55	12	11	5	9	20	7	2	42	8	4	8	1	-------	51	2	77	59
2	25	63	1	9	2	2	3	3	19	1	3	9	3	-------	5	1	-------	19	-------	20	60
38	268	521	14	240	96	60	52	27	189	29	30	231	32	31	67	5	1	189	-------	691	61
7	47	45	3	53	17	5	8	5	18	1	5	32	4	4	15	-------	-------	34	-------	66	62
26	99	237	12	207	82	28	19	13	74	14	20	113	19	19	43	2	2	117	1	214	63
12	57	70	1	25	5	13	7	1	38	9	10	39	8	5	16	2	-------	22	-------	81	64

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism
			1	5	6	7	8	9	10	11	21	24	31	32	33–37	43–49	51, 52
	OKLAHOMA [2]																
1	Oklahoma City	1,176	17	1			3	11	4	38	2	1	56	4	6	125	3
	OREGON																
2	Astoria	138						1	1	2	2		2			9	
3	Eugene *	274	2						3	6	1	2	4	2	1	31	
4	Portland	3,332	6	2	1	1	5	19	40	33	7	20	128	24	37	415	8
5	Salem (exclusive of)	321					1	1	9	4	2		13	1	1	41	1
6	State institutions	342							1	3			85	1	1	4	1
	PENNSYLVANIA																
7	Allentown	1,284	4			2		6	11	12	1	1	69	3	9	108	6
8	Altoona	812	5				1		8	13	4	1	23	5	2	71	1
9	Ambridge	111				6		4		10	1		3	1	2	5	
10	Beaver Falls	213	2					3	1	7			5	2		14	1
11	Berwick	131						1		3	1		6		1	9	3
12	Bethlehem	421				2		8		5			28		2	31	2
13	Braddock	323	1			4		1	4	9		1	13	1	2	8	
14	Bradford	253							2	5	1		8	2		24	2
15	Bristol	133				1		1		9			5	1		13	1
16	Butler	310	3				1	2	2	6	1		19	1	3	23	2
17	Canonsburg	114	1			1		3		4			4		1	5	
18	Carbondale	319						4	1	9			8		1	13	
19	Carlisle	179	1				2			13	1		4		1	14	
20	Carnegie	85				4		3		3			5		2	8	
21	Carrick	102					1		1	9			4		1	5	1
22	Chambersburg	212							1	13			11	1	1	14	
23	Charleroi	87						1		5			7			3	1
24	Chester—White	570	3			4		3	14	8	1		31	7	2	38	2
	Colored	179								6			15		2	6	1
25	Coatesville—White	112						2	1	1			5	1	1	13	1
	Colored	20						1					2			3	
26	Columbia	159	3			2		1		8	1		3		1	20	
27	Connellsville	159	1							7			8	1		17	
28	Dickson City	106						1	5	7			3			6	
29	Donora	121				2	1		1	6	1	1	7		1	7	2
30	Du Bois	174	1				1		2	8			9		2	19	
31	Dunmore	259	1			10		6	4	11	1		13			11	2
32	Duquesne	158		1	1	3	4	1	5	6			14	1	2	7	4
33	Easton	642	4			7	1	3		3	2		29	3	4	57	4
34	Erie	1,295			2	3	9	3	12	32	4	1	69	3	10	118	5
35	Farrell	118					2		4	9			11	1	1	6	
36	Greensburg	263	7					2	1	4		1	9	2	3	17	
37	Harrisburg	1,176				10	4	1	10	15	3	1	36	3	7	109	6
38	Hazleton	488	2			11		3	4	8	1		17	5		27	3
39	Homestead	254	3			1	1	2	1	7			15	1	3	12	1
40	Jeannette	119	1				2	1	2	1	3		4		2	4	
41	Johnstown	1,020	2			2		5	7	56	4		50	12	9	58	3
42	Lancaster	958	11			9	2	1	2	12	2	2	26	5	9	81	6
43	Lebanon	353	6			1			4	6	1		17	2	2	30	
44	McKeesport	690	8			2	1		2	17	1	3	13	2	1	42	3
45	McKees Rocks	138				2	1		3	5	2		7	1		2	
46	Mahanoy City	205						3	1	3	2	1	2	1	2	18	
47	Meadville	270	1						1	5			13		4	16	
48	Monessen	123				1			3	4	1		8	1		7	2
49	Mount Carmel	180						3	2	2			6			13	
50	Nanticoke	366				2		1	2	5	1		13		2	17	2
51	New Castle	589	2				5	10	1	25	3		18	1	4	44	1
52	New Kensington	220	4			1	1		2	13	1		7	1	4	8	1
53	Norristown*	704	2			3		6	4	7	1		41		8	40	1
54	North Braddock	117							7	6	1		10			7	
55	Oil City	271	3						1	10			7	1	2	19	
56	Old Forge	112	1							1			2	2	1	5	1
57	Olyphant	113					1	3	8	6			6	1		7	
58	Philadelphia—White	22,363	36	1	21	79	72	96	289	234	55	16	1,281	69	127	2,093	71
	Colored	3,682	13	3	3	5	6	43	25	43	8	3	457	25	47	126	9
59	Phoenixville	148				3		1	1				3	1	2	13	1
60	Pittsburgh—White	8,302	20			77	35	12	56	184	19	7	353	38	41	668	38
	Colored	1,081	2			9	1	4	1	11	2		85	11	16	44	5
61	Pittston	247				2		2	1	3	2		1	1	1	11	
62	Plymouth	162				2	1	1	3	5	1		4			14	1
63	Pottstown	274	1					1		13	1		10	1		16	3
64	Pottsville	466	1			2			11	7	1	1	25	3	2	36	1
65	Punxsutawney	145						2	1	6	1	1	6	1	1	10	
66	Reading	1,474	1			13	6	8	13	21	4		65	6	8	120	8
67	Scranton	1,957	5			1	1	14	22	57	3	2	61	7	9	155	9
68	Shamokin	203					1		4	6			6		1	15	
69	Sharon	282	4		2	1			3	18			8	3	2	23	3
70	Shenandoah	288				5		3	6	7			8			3	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary[1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
13	83	112	1	83	43	33	11	2	77	11	10	59	10	13	21	-------	2	66	12	243	1
1	13	26	-------	8	1	3	-------	-------	8	-------	1	11	4	1	5	-------	-------	11	-------	28	2
5	21	37	2	7	1	8	6	-------	22	1	7	16	2	-------	8	-------	-------	22	1	56	3
59	272	520	18	239	13	52	41	18	232	17	16	148	75	9	42	2	9	138	2	664	4
2	32	41	-------	8	8	7	5	3	30	1	2	13	2	-------	2	1	-------	20	1	69	5
1	22	31	-------	20	-------	-------	-------	-------	9	-------	-------	1	2	3	-------	-------	-------	6	-------	151	6
28	119	193	9	130	47	21	9	17	89	10	7	79	15	2	12	1	3	68	1	192	7
12	42	133	2	82	12	8	11	6	74	8	13	73	4	3	18	1	-------	46	1	129	8
-------	4	12	-------	22	8	-------	-------	1	3	-------	1	7	-------	1	2	-------	-------	11	-------	7	9
4	14	22	4	24	8	2	1	2	17	2	1	23	2	2	3	-------	-------	19	-------	28	10
2	13	19	-------	8	7	-------	-------	4	11	2	-------	6	1	-------	3	-------	-------	6	1	24	11
6	50	56	4	44	29	-------	1	7	37	-------	1	30	10	3	1	-------	-------	18	-------	46	12
-------	16	33	-------	71	22	6	4	5	16	3	1	25	3	7	3	-------	2	22	5	35	13
6	25	39	-------	12	3	7	2	3	22	-------	2	22	2	5	14	-------	-------	11	-------	34	14
1	10	19	3	7	11	-------	1	-------	10	1	1	12	1	-------	3	-------	-------	11	-------	11	15
3	29	29	3	29	12	6	3	2	23	3	6	26	4	1	12	-------	-------	15	2	39	16
-------	4	16	1	12	5	2	1	3	7	1	1	10	-------	1	2	1	-------	11	-------	17	17
6	28	29	-------	60	4	2	4	1	35	2	8	30	-------	2	6	-------	-------	14	-------	52	18
4	22	30	1	19	4	2	1	-------	18	-------	1	5	1	-------	4	1	-------	3	-------	27	19
1	6	9	1	11	6	-------	-------	-------	6	-------	1	7	-------	-------	1	-------	-------	3	-------	8	20
2	15	12	1	11	3	-------	-------	1	10	-------	1	8	1	1	-------	-------	-------	2	-------	12	21
3	23	46	2	10	-------	2	5	-------	15	3	3	11	2	-------	3	-------	-------	11	-------	32	22
2	9	20	-------	8	1	-------	-------	1	3	-------	-------	11	-------	2	1	-------	-------	3	-------	9	23
6	27	73	5	56	28	3	5	2	62	4	7	33	7	3	19	-------	-------	50	1	66	24
1	10	19	1	20	12	2	2	-------	14	2	1	19	-------	5	1	-------	-------	12	1	27	
2	4	19	-------	9	4	2	-------	1	15	-------	-------	9	-------	-------	1	-------	-------	4	-------	17	25
-------	-------	1	-------	1	-------	-------	-------	-------	6	-------	1	3	-------	-------	-------	-------	-------	1	-------	1	
-------	13	31	1	4	7	2	4	-------	10	-------	1	11	1	-------	4	-------	-------	11	-------	20	26
2	6	20	-------	14	2	1	-------	2	11	1	5	13	1	2	6	-------	-------	9	-------	30	27
-------	4	16	-------	19	12	-------	-------	1	5	-------	-------	6	-------	-------	-------	-------	-------	8	-------	13	28
-------	4	11	3	10	15	-------	1	-------	8	2	1	17	2	4	-------	-------	-------	5	1	8	29
3	6	21	1	14	8	5	4	1	12	-------	2	15	-------	-------	3	-------	-------	14	2	21	30
1	14	39	6	35	12	2	1	1	12	1	-------	16	1	1	-------	-------	-------	8	1	49	31
-------	4	13	1	23	9	-------	-------	1	7	-------	2	23	-------	-------	-------	-------	-------	5	1	20	32
14	59	79	-------	43	5	17	14	2	55	4	5	44	10	1	16	1	-------	73	-------	83	33
17	109	197	5	105	52	23	8	11	96	10	10	77	12	5	33	1	1	95	-------	157	34
-------	4	16	2	17	11	-------	1	1	8	-------	-------	3	-------	1	1	-------	-------	4	2	13	35
10	13	26	1	23	3	6	5	-------	18	5	7	15	3	1	6	2	-------	29	4	40	36
29	90	203	4	87	7	21	15	9	126	10	18	86	12	4	25	-------	1	60	3	161	37
4	31	70	11	37	14	15	4	6	41	9	6	47	6	4	18	-------	-------	33	-------	51	38
2	10	27	1	47	6	3	2	3	18	-------	-------	25	4	5	6	-------	-------	20	-------	28	39
2	11	17	-------	12	4	2	-------	-------	5	1	-------	15	1	2	-------	-------	-------	4	13	10	40
16	47	109	2	127	35	20	8	5	81	12	16	81	5	2	27	-------	-------	87	-------	132	41
21	82	190	2	55	39	11	10	7	81	5	8	60	7	1	16	-------	-------	44	-------	151	42
8	56	41	1	28	7	2	2	3	19	-------	6	17	3	-------	9	1	-------	21	2	58	43
12	45	69	6	108	23	19	14	9	40	4	9	48	8	11	18	-------	-------	59	1	92	44
1	5	17	1	26	10	-------	3	1	7	-------	-------	13	2	3	2	-------	-------	10	-------	14	45
3	16	22	2	30	15	-------	1	2	21	-------	-------	14	1	-------	3	-------	-------	17	3	22	46
6	29	55	1	15	6	7	6	3	17	1	-------	17	1	2	6	-------	-------	15	1	42	47
-------	11	14	1	14	6	-------	-------	1	6	-------	1	18	1	-------	2	-------	-------	5	6	10	48
4	10	28	2	44	10	-------	1	3	10	-------	2	16	2	2	1	-------	-------	7	-------	12	49
3	18	46	4	50	19	2	2	-------	21	10	3	39	5	1	8	-------	-------	48	1	41	50
3	46	88	1	81	16	10	4	2	38	10	4	34	5	4	7	-------	-------	31	3	88	51
2	3	13	-------	14	7	11	6	2	12	2	1	14	7	5	12	-------	-------	21	-------	45	52
6	48	118	2	49	24	5	7	1	38	-------	6	43	4	3	9	-------	-------	26	1	201	53
2	10	19	2	22	7	-------	-------	-------	4	-------	1	10	-------	-------	-------	-------	-------	5	-------	4	54
2	21	50	-------	21	7	6	4	1	15	-------	3	17	7	2	4	-------	1	19	2	46	55
-------	4	16	2	29	12	-------	1	-------	5	-------	-------	8	-------	1	1	-------	-------	8	-------	12	56
2	5	26	-------	12	7	-------	-------	1	5	1	-------	8	-------	-------	-------	-------	-------	5	-------	9	57
403	1,179	4,571	143	1,973	501	317	262	182	2,552	103	117	1,060	245	84	273	1	-------	980	34	2,843	58
30	112	521	30	620	95	52	29	7	262	23	30	212	13	100	23	-------	-------	150	7	550	
5	11	23	1	19	8	-------	2	1	15	-------	2	9	-------	-------	2	-------	-------	11	-------	14	59
112	471	1,105	83	1,282	273	130	85	74	603	55	62	529	90	42	163	1	4	406	25	1,161	60
13	47	123	6	268	38	6	7	6	82	6	9	60	4	25	3	-------	-------	57	10	120	
1	17	23	8	63	13	2	2	2	14	1	-------	18	1	2	1	-------	-------	20	-------	35	61
2	6	24	-------	22	9	2	1	-------	17	-------	2	13	-------	2	4	-------	-------	8	-------	18	62
5	28	43	1	29	11	4	3	4	18	1	3	19	6	-------	7	1	-------	14	-------	31	63
7	20	65	-------	41	10	18	6	6	52	6	13	32	4	3	13	-------	-------	30	-------	50	64
-------	5	24	-------	10	1	5	5	-------	19	1	3	13	1	1	3	-------	-------	7	1	17	65
35	111	262	5	99	43	18	22	12	167	13	10	87	16	6	19	1	-------	70	-------	205	66
36	121	295	13	264	51	25	26	9	137	13	26	132	8	6	33	1	-------	140	2	273	67
3	24	38	2	30	13	-------	2	-------	12	-------	-------	11	2	-------	-------	-------	-------	12	-------	21	68
5	20	33	-------	17	8	5	3	2	22	1	5	14	3	4	2	-------	-------	14	-------	57	69
5	16	32	4	59	33	-------	3	1	25	-------	3	29	1	1	5	-------	-------	16	2	21	70

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor
contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33-37	Cancer and other malignant tumors 43-49	Rheumatism 51, 52
	PENNSYLVANIA—continued																
1	Steelton White	116								2		2	10			12	
	Colored	28								1			5		1	1	
2	Sunbury	180	2				1	1		4	2		8	2	1	12	
3	Swissvale	123					2	2		4			9			10	
4	Tamaqua	122						2	1	2	1		7		2	10	
5	Uniontown	414	6			2		1		3		3	11	5	1	37	
6	Warren	201						3		3			5	1	1	28	
7	Washington	395	5			1		7	2	15			16	2	3	32	1
8	West Chester * White	258	3				3			1			4	1	2	16	2
	Colored	54	1				1	2		1			4		1		1
9	Wilkes-Barre	1,169	1			3		12	6	39	7	1	48	4	5	69	3
10	Wilkinsburg	354	4					1	1	13			9	2	1	32	1
11	Williamsport	568	6			2	2	4	5	9			10	1	2	40	2
12	Woodlawn	123	1			1	1			3			9			8	1
13	York	738	6				2	2	1	13	2	1	20	1	7	64	5
	RHODE ISLAND																
14	Bristol town	141						2		6		1	10		2	13	1
15	Central Falls	221	1			2		3	5	7			11		4	16	1
16	Cranston (exclusive of State institutions)	262						2	1	6			7	2	2	30	
		379								2	4		34		2	23	
17	Cumberland town	99						3	1	3	1		4			4	1
18	East Providence town	268						1		6	1		22	2		24	2
19	Newport	396	2			1	1	1	2	6	1		25	2	3	21	1
20	Pawtucket	890	2				1	9	10	14	2	1	19	3	8	92	4
21	Providence	3,309	9			18	9	14	19	38	5	4	121	19	25	335	9
22	Warwick town	199						1	1	1			15		3	17	
23	West Warwick town	187				1		3	3				14	1	2	20	
24	Woonsocket	521	2			9	1	8	2	8	2		11	6	7	36	1
	SOUTH CAROLINA																
25	Anderson White	242	2					6	3	13			11			13	1
	Colored	96	1					4		3			8			4	
26	Charleston White	459	4					2	3	9			21	1	2	39	2
	Colored	1,025	11	6				2	3	16			84	1	10	20	2
27	Columbia * White	536	2	1					2	23		2	21	1	1	24	
	Colored	484	5					1		17		1	44	1	6	13	
28	Florence White	171	6	1					5	5		2				9	
	Colored	209	4	2						6			18		5	9	
29	Greenville White	176	3				1	2	3	7		2	4			8	
	Colored	217	7		1			4	3	8			14		2	7	1
30	Spartanburg White	226	1					2	3	4			9	1	1	15	1
	Colored	195	4		1					2			25		2	10	
	SOUTH DAKOTA [2]																
31	Sioux Falls	335					3		5	8	2		21		4	41	
	TENNESSEE																
32	Chattanooga * White	742	14	1				4	2	26		2	36	6	9	41	
	Colored	761	10	3				4	1	46			79	2	14	14	5
33	Jackson White	187	4	1					1	2	1		12	1	1	13	
	Colored	160	3	5						10	1		17		3	3	
34	Johnson City * White	255	6				1	2	1	11		1	21	2	8	5	
	Colored	37	2							2			5			2	
35	Knoxville White	987	13			1	2	11	7	33	1	2	60	8	5	59	6
	Colored	327	7					3		18		1	30	1	6	8	
36	Memphis White	1,559	19	11	1	2	2	7	4	45	3	3	60	6	9	120	3
	Colored	1,815	32	9		5	2	11	2	79	1	4	174	4	26	56	5
37	Nashville White	1,386	17	2		8	2	5	5	56	4	3	70	6	3	108	3
	Colored	963	10	2	1	2		1	5	35		1	86	4	22	45	3
	TEXAS [2]																
38	Beaumont White	352	5	2			1		1	16		1	8		1	26	2
	Colored	230	1	6				1		7			27		3	10	
39	Dallas White	2,033	21	4			4	6	7	63	4	2	73	3	9	152	10
	Colored	624	13	2						21	1		47	1	4	14	2
40	El Paso	1,788	8			36	1	6	9	110	8	1	439	17	14	90	3
41	Fort Worth White	1,258	7				3	3	3	47		1	73	3	2	97	4
	Colored	286	4		1				1	12			37	1	1	7	
42	Galveston White	463	3			1			2	3			29	2		34	
	Colored	244	2	1						1		1	14		2	13	
43	Houston White	1,699	10	3			1	8	15	50	2	2	89	7	14	135	2
	Colored	908		7				7	3	40			84	1	4	32	2
44	San Antonio White	2,743	13	6		3	2	24	16	101	3	8	374	7	20	165	6
	Colored	286	1	1					1	16			52	2	1	8	
	UTAH																
45	Ogden	426	1				1		5	8	2		7	1		36	1
46	Provo	169	1					1	1	5			3		1	11	1
47	Salt Lake City	1,532	9				1	9	18	29	3	16	63	1	7	143	3

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus	Cerebral hemorrhage and softening	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents			Other external causes	Unknown or ill-defined diseases	All other causes	
															Primary [1]	In collision with—					
																Railroad trains	Street cars	175–187, pt. of 188a, b, 188d–196, 201–203	204, 205		
57	74, 83	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145 147–150	159–163	165–174	197–200	188c	pt. of 188a	pt. of 188b				
1	11	26	------	14	7	------	------	------	12	------	1	3	------	------	2	------	------	5	------	8	1
1	3	3	------	5	2	------	------	------	2	------	------	1	------	------	------	------	------	2	------	1	
5	13	37	------	10	3	1	1	------	28	3	1	8	1	------	7	------	2	14	------	13	2
1	5	34	------	11	3	------	------	------	10	------	------	5	------	1	------	------	------	18	------	8	3
6	6	27	------	7	5	------	------	1	16	------	------	9	2	------	------	------	------	5	------	13	4
4	27	51	------	37	6	8	6	2	25	9	6	18	1	7	11	3	------	47	------	77	5
4	10	31	------	8	3	7	5	1	11	1	1	9	3	------	2	------	------	13	------	51	6
3	20	46	1	32	27	8	5	3	17	3	5	28	5	3	8	------	1	26	3	67	7
2	22	44	------	18	3	4	6	2	30	5	------	32	------	------	5	------	------	14	------	39	8
------	2	9	------	13	------	1	1	------	4	------	------	4	1	------	1	------	------	3	------	4	
26	54	173	6	117	30	26	15	10	81	8	12	87	12	4	18	1	------	121	3	167	9
5	20	46	4	61	4	5	2	2	32	1	1	8	------	2	9	------	1	32	1	54	10
9	45	94	3	54	29	9	6	6	51	2	3	45	2	1	8	------	------	28	------	90	11
1	6	10	3	18	8	1	1	1	5	1	------	18	2	1	1	------	------	12	------	10	12
9	77	128	4	50	25	6	15	3	65	6	4	54	6	6	11	------	------	32	1	112	13
4	13	17	1	11	7	------	1	1	2	------	------	8	1	1	2	------	------	2	3	32	14
4	17	40	5	21	10	1	3	1	23	------	1	17	2	------	1	------	------	3	------	22	15
5	30	58	2	20	2	1	2	------	28	1	------	18	3	------	2	------	1	6	2	31	16
2	32	70	2	33	------	------	------	2	47	------	------	1	1	------	------	------	------	7	1	116	
1	9	13	2	15	3	------	------	------	10	1	------	4	1	------	------	------	------	7	1	15	17
5	36	49	------	24	10	------	------	1	30	------	1	20	------	------	1	------	------	12	1	20	18
9	34	72	2	22	------	1	3	1	38	1	1	17	3	2	4	------	------	67	3	50	19
17	63	163	7	77	9	13	9	3	99	4	8	81	3	2	14	------	------	48	4	101	20
67	265	553	13	327	40	64	26	13	344	12	26	216	28	7	79	2	2	149	18	433	21
3	25	28	3	12	5	------	4	4	23	------	1	13	1	------	1	------	------	8	------	30	22
2	14	30	2	20	8	------	1	1	7	------	6	11	1	------	------	------	------	5	------	35	23
8	34	88	4	51	28	2	5	2	39	3	6	55	2	------	11	------	------	21	2	67	24
5	13	19	------	19	7	10	3	------	24	1	3	30	2	2	4	------	1	10	5	35	25
2	6	9	------	4	------	------	1	------	13	1	1	2	------	4	------	------	------	5	5	23	
7	32	75	1	29	10	5	6	2	61	1	5	41	5	2	5	1	------	15	1	72	26
8	70	131	1	85	52	------	7	1	143	4	9	109	1	6	7	------	------	30	14	190	
4	33	63	2	37	6	16	5	3	58	5	11	35	1	7	9	2	------	28	------	134	27
4	43	62	------	27	14	7	4	------	56	4	4	23	1	5	4	------	------	13	3	122	
2	4	17	------	8	9	7	2	1	13	------	6	13	------	2	6	1	------	14	3	35	28
2	12	20	------	11	8	------	4	------	10	2	4	6	------	8	8	------	------	17	15	38	
1	8	17	1	10	5	4	3	2	13	------	4	9	2	4	7	------	------	18	------	38	29
2	12	27	------	16	9	------	1	------	32	1	3	11	------	5	1	------	------	8	------	42	
2	19	20	1	7	3	7	5	2	19	3	4	20	2	2	6	------	------	10	1	56	30
------	7	31	1	20	5	4	3	------	25	1	3	8	------	5	------	------	------	6	2	30	
4	23	36	------	24	12	10	6	1	26	1	2	25	7	------	5	------	------	18	1	50	31
11	47	75	1	52	19	20	16	2	64	6	9	45	10	5	20	------	------	37	25	137	32
2	35	64	3	104	17	13	6	1	62	5	9	18	------	34	7	------	------	23	80	100	
2	10	15	------	13	13	11	1	------	18	------	------	9	3	1	6	------	------	12	13	24	33
1	4	7	1	13	3	3	2	------	11	3	1	3	------	8	------	------	------	9	23	26	
------	13	22	------	9	20	1	2	------	19	1	6	24	2	4	5	------	------	16	5	48	34
------	4	5	------	1	------	------	------	------	4	1	1	2	------	------	------	------	------	2	1	5	
14	65	106	2	62	43	19	9	2	62	10	10	49	7	9	19	------	------	62	32	197	35
1	23	39	1	35	10	3	4	------	25	3	------	20	1	13	5	------	------	13	4	53	
19	87	167	1	110	42	59	18	14	115	20	24	97	26	20	33	2	1	79	31	299	36
14	59	172	5	197	45	36	26	11	142	10	13	86	------	79	19	------	1	79	64	347	
13	70	154	8	88	36	31	23	8	100	10	12	96	15	17	26	------	------	77	35	275	37
6	56	168	1	79	21	11	7	4	90	9	10	38	5	22	12	------	------	48	35	124	
11	13	26	------	21	4	13	10	4	29	2	13	21	8	2	8	------	1	23	9	71	38
3	5	17	------	31	11	1	------	1	15	1	5	19	1	3	1	------	------	10	11	40	
29	142	194	5	150	80	57	23	18	124	20	24	189	36	23	54	1	------	90	1	415	39
5	44	57	2	74	17	12	2	6	63	7	10	35	1	31	5	------	------	32	------	116	
10	39	89	10	100	163	24	9	8	86	16	9	92	19	17	30	------	------	58	15	252	40
13	76	106	4	84	32	30	23	3	69	7	12	89	27	15	31	------	2	77	23	292	41
2	17	24	------	30	7	6	3	2	35	3	1	7	------	9	1	------	1	16	6	52	
3	28	79	5	32	13	5	3	5	39	3	7	23	10	5	9	------	------	24	1	95	42
4	12	31	1	23	5	1	5	1	30	2	------	8	1	6	1	------	------	10	1	68	
26	89	159	3	103	45	34	28	8	126	7	27	102	31	31	27	1	3	95	112	304	43
8	40	84	5	54	20	9	16	4	73	5	10	25	3	21	4	1	------	32	146	168	
24	108	241	15	176	255	32	43	16	131	20	30	169	33	33	38	1	1	75	72	482	44
4	7	36	9	20	11	4	2	------	21	1	3	4	2	9	1	------	------	5	8	57	
6	30	52	------	35	3	15	5	1	34	5	7	49	10	3	4	------	------	27	4	74	45
1	10	12	1	7	3	2	5	------	17	------	1	9	2	1	1	------	------	5	------	68	46
21	92	203	4	122	11	48	21	3	124	7	18	94	24	10	42	4	1	93	27	261	47

[1] Nonregistration State; cities shown are those with satisfactory registration of deaths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural." White and colored are shown separately for minor contain State insane asylums, State hospitals, etc. Numbers under causes of

	AREA AND COLOR	All causes	Typhoid and paratyphoid fever 1	Malaria 5	Smallpox 6	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza 11	Erysipelas 21	Meningococcus meningitis 24	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52
	VERMONT																
1	Barre	157						1	1	6			33	3		18	1
2	Burlington	375								10	1		14	4		39	2
3	Rutland	290	1					3	2	9	2		10			36	2
	VIRGINIA																
4	Alexandria White	214		1				1		3			8			15	
	Colored	90						1		4			7		2	4	4
5	Charlottesville White	93	1			5		1		3			4	1		10	2
	Colored	52				2		1					4			3	
6	Danville White	221	4						1	9	1		6	2	1	6	
	Colored	120	1							3			9		2	5	
7	Lynchburg White	311	2				1	3	1	11	1		10	3		15	3
	Colored	208	1					3		6	1		16	2	3	9	1
8	Newport News White	138	2							5			9	2		7	
	Colored	213						2	1	3			19		4	1	
9	Norfolk White	831	2			1		3	1	4	2	1	36	1	3	76	1
	Colored	940	3	2				11	1	27	1		96	5	10	31	4
10	Petersburg White	230	2			2			1	5			16		1	21	1
	Colored	310	3	3		1		1		29			31	1	6	8	2
11	Portsmouth White	249	2					3		4			11	1	3	18	1
	Colored	392	2	6				1		28	1		35		5	12	4
12	Richmond White	1,572	3			1	2	5	15	22	6	5	63	8	6	136	5
	Colored	1,168	7	1		2		7	16	28			94	5	13	43	3
13	Roanoke White	609	3			1	1	8	10	20	2	1	25	5	1	53	4
	Colored	230	3					1	1	5			10	2	1	11	2
14	Staunton* White	247								2	3		15			13	1
	Colored	32	1							2			4	1	1	4	
	WASHINGTON																
15	Aberdeen	248	2								2	1	12	2	2	24	2
16	Bellingham	382	3					3		9	1		14		5	53	1
17	Everett	333						2		7		1	18	1	2	36	1
18	Hoquiam	115						1	2	1			6	1	1	12	
19	Seattle White	3,170	6	2			3	16	9	48	3	2	155	22	32	395	2
	Colored	202	2					3		5		1	37	10	10	10	
20	Spokane	1,386	3			1	5	7	16	44	7	16	41	2	7	158	3
21	Tacoma	1,243	2					2	21	18	2	8	45	8	12	140	5
22	Vancouver	156	1					2	1	1			5		1	19	
23	Walla Walla	215								5	2		17	3	3	28	
24	Yakima	348	1						2	12	1		7	2	1	28	
	WEST VIRGINIA																
25	Bluefield White	196	2		1			1		3	1	1	7	3	2	9	1
	Colored	61	1							1		1	2		1	1	
26	Charleston White	660	13			3		1	1	11	2	1	34		4	32	2
	Colored	149	2					1		1		1	12	2	2	6	
27	Clarksburg	381	10				1	5	2	16	3		20	2	3	30	1
28	Fairmont	305	10				1	5	5	9	3	1	11		2	20	
29	Huntington*	980	25	1				7	9	17	1	2	85	5	5	55	3
30	Martinsburg	270	5			7			2	4			6	1	2	15	
31	Morgantown	230	9			1			2	7	1		7	1	3	16	
32	Moundsville	141					2	2		4			16			15	
33	Parkersburg	308	1				1		2	6			11		1	22	
34	Wheeling*	1,001	8			1	1	8	4	21	4	1	39	3	5	83	2
	WISCONSIN																
35	Appleton	270	1						1	4	1		12	1	1	36	
36	Ashland*	263			2				6	6			9	1	2	31	1
37	Beloit	258	1					1		5			11	1	1	26	2
38	Eau Claire*	386				1	1			2	1	2	27	1	4	55	3
39	Fond du Lac	397	1			1		2	9	6	3		14	1		46	1
40	Green Bay	539	2				2	4	1	11	1		19	2	3	67	2
41	Janesville	254					1			6			6			33	2
42	Kenosha	387			1	2	1	3	6	2	1	1	16	2	2	37	2
43	La Crosse*	521	2		3			1		1			14	1	1	58	
44	Madison	597	1			1	1	1		2			16	6	8	84	
45	Manitowoc	231	4				1			7			15			19	
46	Marinette	171				1		1		9	1		14		2	7	
47	Milwaukee	5,549	7		87	20	8	39	69	95	8	2	243	34	35	535	21
48	Oshkosh	432	1				2		2	8	2		10	2	4	52	1
49	Racine	572	1			2		3	1	17			28		3	70	4
50	Sheboygan	398	1			1	5	2	2	17	1		10	3	2	56	3
51	Stevens Point	139					1	1	1	1			9	1		11	
52	Superior	458			2		5	5	1	11			21	2	4	36	
53	Waukesha	146				1		1		1			6	3	1	17	
54	Wausau	258	1				4	3		9	4		7	1		30	2
55	West Allis	135			2	2	1		4	6			4			12	1
	WYOMING																
56	Casper	237	5				3		1	4			13	2	1	14	1
57	Cheyenne	176	1						2	9		2	6	2	1	13	

[1] Excluding collision with railroad trains and street cars.

FROM IMPORTANT CAUSES, BY COLOR: 1925—Continued

subdivisions when the colored population formed at least 10 per cent of the total, or numbered 10,000 or more, in 1920. Minor areas which are designated by asterisks (*) death correspond to those of the 1920 revision of the detailed International List]

Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99	Pneumonia (all forms) 100, 101	Diarrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145 147–150	Congenital malformations and diseases of early infancy 159–163	Suicide 165–174	Homicide 197–200	Automobile accidents: Primary[1] 188c	Automobile accidents: In collision with— Railroad trains pt. of 188a	Automobile accidents: In collision with— Street cars pt. of 188b	Other external causes 175–187, pt. of 188a, b, 188d–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes	
1	7	20	------	13	------	3	------	------	10	2	1	11	------	------	2	------	------	10	1	13	1
6	26	76	2	20	4	17	7	------	26	4	5	21	3	------	8	------	------	17	------	63	2
10	31	36	2	16	2	3	2	2	28	2	4	24	1	------	5	------	------	17	1	39	3
3	10	32	1	8	14	6	------	3	35	2	2	19	2	1	2	------	1	15	------	30	4
3	6	11	2	11	------	1	1	1	10	------	------	5	------	3	1	------	------	1	------	12	
4	9	9	------	5	4	1	------	------	7	------	------	7	1	1	------	------	------	3	1	14	5
------	7	16	------	6	2	------	------	------	3	------	------	2	------	------	------	------	------	1	2	3	
2	11	32	------	14	8	4	7	2	14	------	2	31	1	------	6	------	------	16	4	37	6
1	5	16	------	11	4	7	2	1	16	------	1	7	------	4	2	------	------	7	------	16	
1	26	51	1	17	6	7	2	------	45	3	4	23	6	3	8	------	------	14	------	44	7
2	12	34	------	12	4	3	4	3	23	2	2	7	------	8	1	------	------	8	1	40	
3	9	23	1	9	1	------	2	1	23	2	------	13	1	1	2	------	------	10	------	12	8
------	16	34	------	27	6	2	1	1	19	------	2	18	------	4	2	------	------	9	1	41	
11	65	187	5	44	14	8	15	5	67	------	4	63	13	4	13	1	1	50	------	130	9
5	79	181	3	88	45	15	9	1	67	9	9	51	2	13	11	------	------	34	2	125	
1	8	23	1	12	10	4	3	1	49	2	3	12	3	1	5	------	------	7	------	36	10
4	32	26	------	21	18	3	------	8	28	1	6	22	------	5	------	------	------	6	------	45	
4	27	40	2	10	9	------	3	2	32	2	------	20	4	1	3	------	------	13	1	33	11
2	42	33	3	41	17	4	3	5	15	2	5	26	------	4	1	------	------	12	6	77	
22	99	247	7	74	22	29	16	10	208	11	10	131	24	11	31	------	------	58	7	278	12
3	103	139	3	144	23	13	11	6	97	8	13	93	1	21	10	------	------	40	39	182	
11	25	52	------	33	25	13	15	3	38	4	10	68	5	5	10	------	------	35	7	116	13
5	7	26	1	13	19	1	4	1	35	------	2	20	1	7	1	------	------	10	4	37	
------	16	39	------	43	3	4	2	------	30	2	------	8	1	2	1	------	------	10	1	51	14
------	1	7	------	1	------	------	1	------	4	------	------	1	------	1	1	------	------	2	------	------	
3	12	21	------	23	2	6	3	2	20	1	1	14	6	8	5	------	1	34	------	39	15
8	40	48	1	10	2	11	5	------	21	2	5	22	5	1	6	------	------	23	------	83	16
10	21	51	------	18	2	6	5	5	28	1	------	18	5	2	7	------	------	21	2	63	17
------	12	14	------	12	------	2	1	1	2	------	------	13	6	------	2	------	------	14	1	11	18
52	245	567	8	141	6	33	40	28	242	13	16	160	90	10	62	------	3	153	1	605	19
3	10	10	------	19	2	1	------	2	11	2	------	13	3	3	4	------	------	10	------	31	
15	71	161	6	113	10	41	17	4	135	9	11	69	27	10	21	2	------	57	4	293	20
24	109	220	5	66	5	29	15	7	78	8	11	69	30	10	25	1	------	57	2	209	21
4	17	23	------	15	------	2	2	2	12	------	2	9	3	1	5	------	------	11	------	18	22
3	25	33	2	10	2	1	4	4	11	------	1	12	3	------	3	1	------	5	1	36	23
5	26	60	------	21	8	9	7	------	24	6	1	25	5	3	9	------	------	18	2	65	24
2	9	12	2	12	9	9	3	1	8	------	3	29	------	3	1	------	------	21	------	41	25
1	4	3	------	3	3	1	3	------	8	1	------	3	1	2	2	------	------	4	------	15	
9	31	59	1	41	57	15	10	4	26	11	6	64	7	10	11	------	------	61	1	132	26
4	10	19	------	6	5	2	5	2	14	2	------	3	1	4	1	------	------	14	------	30	
3	22	33	------	40	13	6	4	3	21	5	5	35	1	4	5	------	------	28	------	60	27
4	18	18	------	20	18	11	1	------	18	7	2	17	2	4	6	------	------	31	------	61	28
14	59	116	3	68	50	18	11	1	51	10	9	96	8	12	17	------	1	69	1	151	29
3	20	35	------	18	19	7	2	1	20	2	8	22	2	2	3	------	------	13	------	51	30
2	18	30	------	18	7	1	3	------	8	2	5	28	1	3	6	------	------	20	1	30	31
3	14	16	------	11	6	1	------	------	10	------	1	15	2	------	------	------	------	6	1	16	32
4	24	47	1	18	18	2	5	2	25	3	3	18	2	1	4	------	------	16	------	71	33
9	55	135	3	94	20	22	19	12	93	9	6	62	8	6	16	------	------	72	------	180	34
4	15	37	------	18	3	7	4	2	22	1	1	24	------	------	11	------	------	16	------	48	35
6	16	40	1	17	9	5	7	------	13	------	1	15	8	------	6	1	------	19	------	41	36
8	20	28	5	17	11	7	4	1	16	------	3	26	9	2	4	1	------	11	------	37	37
6	27	70	1	22	5	8	3	2	16	2	2	24	2	1	3	------	------	16	------	79	38
3	27	71	3	21	3	13	10	1	33	------	2	28	5	------	8	2	------	13	1	69	39
7	45	71	4	29	9	20	6	3	40	8	10	44	6	------	9	------	------	26	------	88	40
4	23	36	2	16	2	9	4	------	16	1	------	20	4	1	3	1	------	9	------	55	41
3	24	52	------	32	16	8	2	9	23	3	1	36	4	4	8	3	------	29	------	54	42
7	35	82	3	38	4	15	8	1	34	2	6	37	13	1	5	------	------	20	1	128	43
11	35	85	2	50	3	22	8	2	27	4	1	38	11	2	12	2	------	40	1	121	44
4	18	35	2	6	5	7	4	2	14	------	2	26	2	------	6	------	------	14	------	38	45
------	11	32	------	8	4	6	1	------	14	1	4	13	1	------	3	------	------	9	------	29	46
114	333	823	50	607	133	96	53	52	341	26	42	460	83	19	102	5	1	205	1	800	47
4	29	103	2	27	2	11	3	3	17	1	4	21	4	------	5	2	------	21	2	87	48
10	45	76	6	43	12	8	7	6	27	3	2	49	6	3	14	------	1	40	1	84	49
9	28	63	1	33	3	11	7	1	25	1	6	25	4	1	3	------	------	17	------	57	50
3	13	15	3	12	3	2	1	1	8	3	1	13	1	------	1	------	------	5	------	29	51
8	34	78	------	31	5	7	4	2	23	2	3	25	9	2	10	1	------	41	------	86	52
4	9	25	1	10	3	1	1	1	7	------	2	14	2	------	7	------	------	9	------	20	53
4	13	33	1	14	4	7	5	1	16	2	3	30	3	------	3	------	------	10	------	48	54
1	4	21	5	21	7	------	------	1	9	------	1	17	2	------	1	------	------	3	------	12	55
4	6	28	------	23	3	13	4	------	5	4	4	18	13	5	9	------	------	25	------	29	56
1	9	26	1	9	2	10	2	2	10	4	2	8	7	2	5	------	------	12	------	28	57

NOTE.—Populations are shown in Tables I A and I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				CALIFORNIA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	All causes	1,219,019	1,191,809	614,560	577,249	27,210	641,770	3,760	4,011	11,204	10,165	33,146	23,654
	I.—Epidemic, endemic, and infectious diseases	174,354	169,125	77,323	91,802	5,229	82,552	478	874	1,982	2,182	4,601	4,356
1	Typhoid and paratyphoid fever	8,287	8,003	2,335	5,668	284	2,619	28	32	174	187	60	61
2	Typhus fever	8	7	5	2	1	6	2		1			
5	Malaria	2,132	2,052	258	1,794	80	338	7	16	96	88	7	19
6	Smallpox	709	707	525	182	2	527	2	6	4	9	51	8
7	Measles	2,404	2,357	1,492	865	47	1,539	1	1	14	8	19	16
8	Scarlet fever	2,762	2,739	1,334	1,405	23	1,357	7		13	1	37	27
9	Whooping cough	6,948	6,811	3,153	3,658	137	3,290	11	34	107	86	234	247
10	Diphtheria	8,058	7,946	4,400	3,546	112	4,512	22	9	112	37	167	108
11a	Influenza (with pulmonary complications)	18,344	17,734	7,008	10,726	610	7,618	91	121	291	181	238	278
11b	Influenza (other and unspecified)	12,194	11,908	3,610	8,298	286	3,896	50	54	212	167	113	175
13	Mumps	142	139	44	95	3	47	1		2	3	2	2
15	Cholera nostras	192	188	38	150	4	42	1	1	6	1	1	
16	Dysentery	3,257	3,130	708	2,422	127	835	12	13	52	45	40	51
17	Plague	1	1	1			1					1	
19	Spirochetal hemorrhagic jaundice	52	48	27	21	4	31	1		1	1		1
20	Leprosy	30	29	4	25	1	5					2	2
21	Erysipelas	2,455	2,420	1,396	1,024	35	1,431	12	3	20	1	49	25
22	Acute anterior poliomyelitis	1,519	1,492	642	850	27	669	5	1	15	4	75	74
23	Lethargic encephalitis	1,630	1,597	1,080	517	33	1,113	4	2	5	2	51	20
24	Meningococcus meningitis	1,095	1,068	639	429	27	666	5	1	6	2	27	20
25	Other epidemic and endemic diseases	253	248	119	129	5	124			2		3	2
26	Glanders	2	2	1	1		1						
27	Anthrax	22	22	17	5		17					2	
28	Rabies	83	76	42	34	7	49			2		2	
29	Tetanus	1,503	1,410	767	643	93	860	14	20	19	21	32	24
30	Mycoses	201	200	76	124	1	77			1	2	8	5
	Tuberculosis (all forms)	89,268	86,510	41,261	45,249	2,758	44,019	162	437	772	1,130	2,975	2,959
31	Of the respiratory system	78,103	75,605	34,930	40,675	2,498	37,428	129	387	701	1,053	2,552	2,710
32	Of the meninges, central nervous system	3,746	3,669	2,488	1,181	77	2,565	17	7	10	9	158	78
33	Of the intestines, peritoneum	3,078	2,996	1,463	1,533	82	1,545	8	23	30	31	85	66
34	Of the vertebral column	947	934	528	406	13	541	2	5	6	11	30	14
35	Of the joints	357	350	182	168	7	189	2		4	4	10	4
36	Of other organs	1,294	1,264	646	618	30	676	1	6	7	8	36	29
37a	Disseminated (acute)	1,391	1,345	891	454	46	937	1	8	6	7	96	46
37b	Disseminated (chronic or unspecified)	352	347	133	214	5	138	2	1	8	7	8	12
38	Syphilis	8,647	8,207	5,083	3,124	440	5,523	17	101	29	174	363	205
39	Soft chancre	9	7	3	4	2	5						
40	Gonococcus infection	955	910	685	225	45	730	9	14	3	11	22	5
41	Purulent infection, septicemia	1,178	1,143	559	584	35	594	14	8	23	21	20	13
42	Other infectious diseases	14	14	11	3		11						
	II.—General diseases not included in Class I	143,179	140,535	80,243	60,292	2,644	82,887	369	198	917	599	4,862	2,377
	Cancer and other malignant tumors	95,504	93,905	53,868	40,037	1,599	55,467	225	105	535	270	3,576	1,716
43	Of the buccal cavity	3,242	3,196	1,794	1,402	46	1,840	7	2	21	5	110	63
44	Of the stomach, liver	34,874	34,416	18,646	15,770	458	19,104	61	30	173	61	1,206	682
45	Of the peritoneum, intestines, rectum	13,671	13,477	8,229	5,248	194	8,423	31	5	31	21	560	232
46	Of the female genital organs	14,051	13,713	8,171	5,542	338	8,509	50	40	97	98	538	224
47	Of the breast	8,511	8,374	4,966	3,408	137	5,103	16	5	33	29	383	146
48	Of the skin	2,624	2,574	1,029	1,545	50	1,079	3	4	49		54	47
49	Of other or unspecified organs	18,531	18,155	11,033	7,122	376	11,409	57	19	131	56	725	322
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	685	673	402	271	12	414	3	5		8	28	11
51	Acute rheumatic fever	2,766	2,717	1,458	1,259	49	1,507	4	8	22	26	32	28
52	Chronic rheumatism, osteoarthritis, gout	1,327	1,298	513	785	29	542	3	1	13	6	34	27
53	Scurvy	58	56	23	33	2	25		1	1	2	1	1
54	Pellagra	3,344	3,049	766	2,283	295	1,061	35	36	128	214	30	18
55	Beriberi	7	7	5	2		5					3	
56	Rickets	573	567	332	235	6	338	1	1	4	3	11	8
57	Diabetes mellitus	17,385	17,112	10,053	7,059	273	10,326	45	22	76	34	532	243
58	Anemia, chlorosis	6,649	6,560	3,448	3,112	89	3,537	11	2	28	9	223	111
59	Diseases of the pituitary gland	100	98	67	31	2	69			1		7	1
60a	Exophthalmic goiter	3,476	3,435	2,222	1,213	41	2,263	1	2	3		74	36
60b	Other diseases of the thyroid gland	659	647	339	308	12	351	3	1	3	3	20	8
61	Diseases of the parathyroid glands	110	107	50	57	3	53			1		2	3
62	Diseases of the thymus gland	1,086	1,058	764	294	28	792	2	1	2	1	41	17
63	Diseases of the adrenals (Addison's disease)	407	403	232	171	4	236	1		3		18	7
64	Diseases of the spleen	131	128	82	46	3	85		1	1		8	2
65a	Leukemia	1,801	1,759	1,173	586	42	1,215	6	1	7	5	84	26
65b	Hodgkin's disease	848	832	518	314	16	534	4	3	4	2	20	13
66	Alcoholism (acute or chronic)	3,694	3,629	2,517	1,112	65	2,582	5		12	5	62	60
67a	Chronic lead poisoning	142	141	89	52	1	90			1		7	3
67b	Other chronic mineral poisoning	38	38	18	20		18		1				
68	Chronic poisoning by organic substances	205	195	136	59	10	146					8	7
69	Other general diseases	2,184	2,121	1,168	953	63	1,231	20	7	72	11	41	31
	III.—Diseases of the nervous system and of the organs of special sense	123,847	121,549	55,568	65,981	2,298	57,866	342	270	1,012	701	2,981	2,626
70	Encephalitis	1,239	1,188	674	514	51	725	8	5	12	4	51	19
71a	Simple meningitis	2,696	2,622	1,462	1,160	74	1,536	11	12	47	18	51	25
71b	Nonepidemic cerebrospinal meningitis	719	700	295	405	19	314	4	1	11	3	12	14
72	Tabes dorsalis (locomotor ataxia)	1,656	1,629	871	758	27	898	4	2	8	1	66	49
73	Other diseases of the spinal cord	3,238	3,184	1,542	1,642	54	1,596	4	1	19	6	114	64
74a	Cerebral hemorrhage	82,651	81,181	36,709	44,472	1,470	38,179	227	186	540	353	2,045	1,661
74b	Cerebral embolism and thrombosis	3,668	3,628	2,115	1,513	40	2,155	1	7	4	3	140	77
75	Paralysis without specified cause	5,920	5,753	1,576	4,177	167	1,743	14	33	241	164	98	87
76	General paralysis of the insane	6,029	5,936	2,696	3,240	93	2,789	14	2	13	15	57	346
77	Other forms of mental alienation	1,693	1,659	719	940	34	753	10	1	7	19	28	50
78	Epilepsy	3,189	3,136	1,011	2,125	53	1,064	18	4	21	39	36	69
79	Convulsions (nonpuerperal; 5 years and over)	147	144	44	100	3	47	1	2	6	6		
80	Infantile convulsions (under 5 years)	1,833	1,814	603	1,211	19	622	1	4	26	34	9	14
81	Chorea	90	90	38	52		38			4		1	1
82	Neuralgia and neuritis	312	304	124	180	8	132	1		3	3	10	5
83	Softening of the brain	745	728	251	477	17	268			1	3	28	11

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925

1920; the remainder of the State is included in "rural"]

COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		INDIANA		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
5,908	6,641	13,362	4,318	1,435	1,680	4,293	2,722	3,484	2,457	6,676	4,245	492	2,910	50,717	30,876	17,192	21,440	
1,296	1,497	1,561	554	179	246	379	501	445	513	878	845	57	420	5,731	4,198	2,282	3,157	
31	61	36	4	7	19	12	13	41	20	74	52	2	27	122	205	87	163	1
																		2
1	1	5	1				1	10	8	117	103			15	47	3	3	5
			1			16	4						1	19	4	1	5	6
4	4	33	7	4	1	1	3	4	1	3	1		2	154	63	26	44	7
12	18	36	10	1	2	4	1	3		2			1	174	105	36	73	8
40	63	82	31	3	14	9	20	14	9	36	20	2	34	194	121	111	78	9
71	78	107	21	25	5	24	13	24	4	71	11	6	19	306	103	90	82	10
167	186	176	43	11	20	20	17	46	43	89	49	5	75	419	488	336	512	11a
80	150	77	31	6	19	13	10	26	45	70	63	6	56	249	402	216	421	11b
	3							1		1	3			3	3	1	3	13
	2	1								3				1	11	1	3	15
6	28	7	2	3	4	2	5	7	18	38	32		1	19	46	32	73	16
																		17
1					1			1						2	2		2	19
																		20
24	23	32	8	3	4	9	5	7		13	2	1	8	104	61	29	48	21
5	3	16	3		1	3		7	1	9	1	2	3	24	20	17	12	22
13	5	35	4	4		11	3	7	1	10			8	37	36	21	14	23
10	5	14		1	2	1	1	2	1	2			6	43	13	16	11	24
	2		1						3	5	5	4	13	11	9	6	3	25
										1								26
		1		3										1		1		27
										3	1		1	1				28
5	5	16	1	3		2	7	18	42	14	20		2	66	31	20	22	29
2	1	4	1			2	1			2	2				4	1		30
772	813	787	373	90	149	214	354	178	247	257	327	26	146	3,291	2,246	1,092	1,452	
714	773	658	344	70	140	189	300	160	221	236	312	16	127	2,874	2,035	913	1,249	31
22	6	54	11	6	2	10	17	5		1	3	4	10	177	46	55	60	32
8	16	29	11	5	4	3	13	6	11	7	7	2	6	125	75	65	71	33
4	3	13	2	1		5	5	2	3	1	1		1	32	21	11	16	34
2	1	2	2	1			2		2	3				11	11	6	7	35
12	8	12	1	1	1	5	4	2	2	6	3	2		50	37	14	19	36
9	4	14	1	4	1	2	12	3	7	1	1	2	1	21	21	23	16	37a
1	2	5	1	2	1		1		1	2			1	1		5	14	37b
44	36	80	5	13	5	23	40	38	60	41	135	3	8	349	145	100	107	38
														1				39
4	2	2	2			2	3		5	1	6		2	99	9	24	6	40
3	8	13	5	2		11		11	5	16	12		7	27	24	15	20	41
1		1																42
699	600	1,848	508	168	157	643	225	389	132	638	192	65	312	7,081	3,723	2,055	2,475	
481	421	1,289	367	109	116	455	130	242	61	393	91	45	208	4,698	2,578	1,389	1,719	
9	10	46	13	4	5	20	4	9	2	18	4	1	10	170	105	54	62	43
172	173	413	153	33	28	145	47	83	16	131	29	15	94	1,768	1,015	468	708	44
71	53	238	42	15	9	70	15	24	4	43	6	8	20	678	354	192	230	45
59	51	198	40	26	25	60	24	46	20	61	24	1	18	657	313	261	207	46
48	35	123	45	9	22	41	13	17	8	28	12	5	16	400	210	115	137	47
11	10	21	14	3	4	7	1	8	1	23	4	5	6	74	110	43	95	48
111	89	250	60	19	23	112	26	55	10	89	12	10	44	951	471	256	280	49
	5	7			1	2		4		4	4		2	16	10	13	9	50
13	23	45	8	3	2	3	11	3	4	8	4		11	150	63	29	45	51
7	10	13	10		3	4		3	1	8			2	30	37	19	30	52
									1						1	1		53
3	1	2				2	1	3	27	42	54		1	7	3	1		54
																		55
1	4	9	1	2			6	1	6		1		1	56	13	4	2	56
56	50	252	68	26	16	78	26	64	11	72	19	5	34	926	475	268	296	57
55	35	59	30	6	11	33	9	16	5	32	1	3	14	298	223	78	152	58
	1	1				2	1							9	4	2	2	59
24	11	16	6	2	2	17	7	6	1	7	2	4	8	309	101	120	97	60a
4	3	6	2			1	3	2	1	3	1	1	3	34	15	10	17	60b
		3									1			3			2	61
9	2	10	1	1		4	1			3	1	1	3	73	15	12	5	62
5	4	7	2			4				1			1	18	16	4	6	63
2							1	1		1	1			5	1	4	1	64
20	5	24	4	6		11	2	5		8		2	2	111	38	30	30	65a
6	4	13	1			4	1			2				44	23	4	16	65b
8	10	51	7	8	5	12	11	23	11	22	6	1	14	225	74	38	12	66
	1	1		1				3	1					7	3	1	1	67a
	1	1													2			67b
	1	2				1		1	1					4			2	68
5	8	37	1	4	1	10	15	12	1	32	6	3	8	67	28	28	31	69
531	585	1,382	584	138	228	465	257	279	214	655	387	50	273	3,739	3,562	1,642	2,827	
4	8	10	3	2	1	5	3	7	3	4	1			31	11	28	20	70
11	6	49	7	5	6	16	6	7	6	12	4	2	5	52	41	59	49	71a
1	6	4	1			1	5	2	3	3	3		4	12	12	20	8	71b
13	6	12	8		2	7	5	4		7		1	1	83	65	35	40	72
10	9	39	16	3	5	15	5	13	11	18	5	2	8	132	145	49	78	73
376	393	959	445	110	146	290	163	188	138	432	226	34	185	2,383	2,300	1,118	2,000	74a
29	22	62	12	6	7	20	8	13	7	13	4	3	4	172	106	42	53	74b
11	24	21	3	1	14	12	11	11	30	93	87		12	43	73	60	149	75
16	45	40	39		20	51	30	3	1	8	1		15	201	372	79	183	76
	3	10	3			4	6	1		11	7	1	3	53	100	7	24	77
7	24	33	11	3	13	5	5	5	2	14	24		14	78	110	24	49	78
	1	2						2		2	1	1			1	1		79
	5	21	7		2	2	1	2	7	7	12		4	18	15	9	18	80
2	1													2	3		1	81
1	1	4	1			2		1		3	1			4	6	1	4	82
4	3	6	2	1	1	4		1		4			1	20	24	5	30	83

[2] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				CALIFORNIA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
84	Other diseases of the nervous system	4,599	4,525	2,398	2,127	74	2,472	12	4	33	23	129	108
85	Diseases of the eye and annexa	91	85	45	40	6	51	1	1		1	2	
86a	Diseases of the ear	2,004	1,957	1,391	566	47	1,438	4	2	11	3	72	20
86b	Diseases of the mastoid process	1,328	1,286	1,004	282	42	1,046	7	3	5	3	32	6
	IV.—Diseases of the circulatory system	217,567	214,502	116,070	98,432	3,065	119,135	433	454	1,220	1,034	6,978	4,698
87	Pericarditis	875	855	423	432	20	443	1	2	10	8	45	12
88	Endocarditis and myocarditis (acute)	7,999	7,820	5,080	2,740	179	5,259	26	42	28	22	213	127
89	Angina pectoris	13,680	13,470	6,935	6,535	210	7,145	50	6	83	14	590	349
90	Other diseases of the heart	168,672	166,409	90,361	76,048	2,263	92,624	305	378	988	931	5,381	3,600
91a	Aneurysm	1,914	1,847	1,185	662	67	1,252	2	9	13	9	111	58
91b,c	Other diseases of the arteries	21,176	20,914	10,213	10,701	262	10,475	38	11	66	34	503	496
92	Embolism and thrombosis (not cerebral)	2,098	2,064	1,327	737	34	1,361	7	2	8		108	44
93	Diseases of the veins	586	574	349	225	12	361			2	4	23	4
94	Diseases of the lymphatic system	201	196	113	83	5	118	2	1	5		2	5
95	Hemorrhage without specified cause	132	125	46	79	7	53	1	2	3	2	1	2
96	Other diseases of the circulatory system	234	228	38	190	6	44	1	1	14	10	1	1
	V.—Diseases of the respiratory system	111,977	109,687	62,019	47,668	2,290	64,309	376	509	1,074	843	2,561	1,702
97a	Diseases of the nasal fossae	366	364	67	297	2	69			1	17	3	1
97b	Diseases of the nasal fossae annexa	548	531	379	152	17	396	1		1	2	28	6
98	Diseases of the larynx	519	508	253	255	11	264	1	1	4		6	8
99a	Acute bronchitis	2,589	2,546	1,447	1,099	43	1,490	3	2	7	5	70	43
99b	Chronic bronchitis	2,414	2,379	1,099	1,280	35	1,134	2	1	22	5	63	70
99c	Bronchitis (unspecified, under 5 years)	643	626	283	343	17	300	4	2	10	7	3	8
99d	Bronchitis (unspecified, 5 years and over)	1,024	1,011	453	558	13	466	3	5	14	3	25	10
100a	Broncho-pneumonia	38,896	38,159	22,143	16,016	737	22,880	138	97	317	175	993	678
100b	Capillary bronchitis	924	915	492	423	9	501	1	1	6	1	19	7
101a	Lobar pneumonia	51,407	50,411	30,274	20,137	996	31,270	181	336	439	372	1,074	682
101b	Pneumonia (unspecified)	5,205	4,995	1,287	3,708	210	1,497	22	40	191	205	41	70
102	Pleurisy	2,636	2,576	1,671	905	60	1,731	13	10	24	16	91	30
103	Congestion and hemorrhagic infarct of the lung	1,372	1,334	624	710	38	662	2	1	13	4	45	31
104	Gangrene of the lung	215	212	122	90	3	125		1		1	7	4
105	Asthma	1,920	1,860	837	1,023	60	897	1	9	16	21	61	37
106	Pulmonary emphysema	141	139	74	65	2	76			2		1	1
107	Other diseases of the respiratory system (tuberculosis excepted)	1,158	1,121	514	607	37	551	4	3	7	9	31	16
	VI.—Diseases of the digestive system	104,297	101,072	55,007	46,065	3,225	58,232	456	329	1,007	604	2,580	1,883
108	Diseases of the mouth and annexa	768	748	395	353	20	415	5	5	10	7	15	8
109a	Adenoid vegetations	9	8	6	2	1	7						
109b	Other diseases of the pharynx, tonsils	3,672	3,582	2,191	1,391	90	2,281	20	11	20	21	87	40
110	Diseases of the esophagus	116	111	64	47	5	69	1	1	1	1	6	2
111a	Ulcer of the stomach	4,384	4,295	2,692	1,603	89	2,781	16	12	36	19	207	99
111b	Ulcer of the duodenum	1,749	1,712	1,255	457	37	1,292	10		5	2	93	38
112	Other diseases of the stomach (cancer excepted)	5,832	5,619	1,803	3,816	213	2,016	9	41	118	122	96	88
113	Diarrhea and enteritis (under 2 years)	32,450	31,386	14,375	17,011	1,064	15,439	106	96	394	184	458	739
114	Diarrhea and enteritis (2 years and over)	8,062	7,790	2,906	4,884	272	3,178	27	20	135	50	146	138
115	Ancylostomiasis	24	24	1	23		1			4			
116	Diseases due to other intestinal parasites	118	117	38	79	1	39			1	2	4	1
117	Appendicitis and typhlitis	15,618	15,081	10,395	4,686	537	10,932	131	64	87	54	463	207
118a	Hernia	3,938	3,849	2,624	1,225	89	2,713	8	8	11	17	115	57
118b	Intestinal obstruction	7,230	6,957	4,171	2,786	273	4,444	42	33	63	41	237	117
119	Other diseases of the intestines	1,251	1,197	659	538	54	713	5	3	11	11	33	19
120	Acute yellow atrophy of the liver	469	453	305	148	16	321	4		2	2	11	3
121	Hydatid tumor of the liver	29	29	22	7		22					2	
122	Cirrhosis of the liver	7,549	7,397	4,297	3,100	152	4,449	13	16	41	28	270	155
123	Biliary calculi	4,148	4,062	2,765	1,297	86	2,851	19	1	11	6	134	58
124	Other diseases of the liver	4,596	4,460	2,718	1,742	136	2,854	32	10	43	19	144	77
125	Diseases of the pancreas	624	599	429	170	25	454	1		5		22	11
126	Peritonitis without specified cause	1,661	1,596	896	700	65	961	7	8	9	18	37	26
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	115,231	112,289	61,037	51,252	2,942	63,979	397	365	953	827	3,263	1,646
128	Acute nephritis (including unspecified under 10 years)	5,733	5,490	2,709	2,781	243	2,952	29	34	63	57	135	64
129	Chronic nephritis (including unspecified 10 years and over)	93,587	91,476	48,607	42,869	2,111	50,718	290	268	776	648	2,541	1,350
130	Chyluria	1	1		1								
131	Other diseases of the kidneys and annexa	2,892	2,783	1,633	1,150	109	1,742	16	8	37	39	116	40
132	Calculi of the urinary passages	834	807	576	231	27	603	6	1	3	1	33	5
133	Diseases of the bladder	990	959	340	619	31	371	4	3	14	12	28	22
134	Diseases of the urethra, etc	402	357	265	92	45	310	2	10		6	9	3
135	Diseases of the prostate	5,200	5,068	2,944	2,124	132	3,076	26	8	33	26	189	81
136	Nonvenereal diseases of the male genital organs	104	95	58	37	9	67	1		1		2	1
137	Cysts, other benign tumors of the ovary	811	786	532	254	25	557	2	1	3	1	28	20
138	Salpingitis and pelvic abscess (female)	1,779	1,665	1,308	357	114	1,422	9	13	10	14	66	25
139	Benign tumors of the uterus	2,044	1,975	1,475	500	69	1,544	4	14	6	12	83	26
140	Nonpuerperal uterine hemorrhage	49	47	23	24	2	25			1	1	1	1
141	Other diseases of the female genital organs	774	750	544	206	24	568	8	5	6	9	32	8
142	Nonpuerperal diseases of the breast (cancer excepted)	31	30	23	7	1	24				1		
	VIII.—The puerperal state	15,315	14,800	8,037	6,763	515	8,552	91	68	233	193	328	184
143	Accidents of pregnancy	1,404	1,345	744	601	59	803	9	7	23	16	31	23
144	Puerperal hemorrhage	1,466	1,435	796	639	31	827	4	4	25	11	32	22
145	Other accidents of labor	1,714	1,670	840	830	44	884	6	8	29	32	39	19
146	Puerperal septicemia	5,697	5,478	3,330	2,148	219	3,549	33	28	64	57	131	68
147	Puerperal phlegmasia alba dolens, embolus, etc	662	647	345	302	15	360	1		4	4	13	3

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		INDIANA		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
27	14	68	19	1	10	17	4	9	5	16	7	4	11	222	121	54	83	84
	1	1	1					1		1	1			2	3	4	1	85
12	11	30	6	4	1	6	2	4		5	3		4	154	35	23	22	86a
7	2	11		2		8	3	5	1	2		2	2	77	19	24	15	86b
851	806	2,667	1,047	256	327	976	555	558	217	987	423	81	398	9,757	6,041	3,008	4,243	
5	7	3	1	1		8	2	5	4	5	6		1	30	31	16	15	87
34	34	119	33	10	12	46	72	32	31	26	23	2	22	393	168	189	93	88
66	48	223	86	11	19	76	5	81	12	98	10	12	28	435	371	188	374	89
613	578	2,078	753	214	256	745	420	397	159	768	350	61	296	8,078	4,612	2,150	3,099	90
11	9	11	2	2	1	8	11	3	5	12	9	1	3	112	43	38	19	91a
96	112	186	162	18	36	81	39	27	4	56	18	2	44	611	770	371	614	91b,c
16	11	28	5			10	3	7	2	11	1	2	4	68	23	46	18	92
10	6	9	3		3	1	1	3		4	1	1		21	10	7	7	93
		6	2			1	1				1			5	5	2	4	94
	1	2						2		1	2			4	3	1		95
		2					1	1		6	2				5			96
621	599	1,359	384	133	137	296	324	228	236	366	284	40	252	4,716	2,341	1,621	1,553	
2		3	1					1	1	2	7			6	9		1	97a
9	4	6		1	1	4	1	2		2			2	48	11	12	9	97b
1	5	4	3	1	1	1	1	2	1	3	3		3	9	11	12	7	98
2	8	26	12	4	1	10	6	4	9	8	6		4	212	69	27	21	99a
14	11	24	10	2	3	7	5	7	7	9	4	1	5	90	73	39	64	99b
1	4	18	5	2	1	2	3	2		3	2		1	32	17	5	2	99c
1	3	12	7			3	2	4	5	4	4		1	32	40	17	15	99d
187	193	469	138	42	49	113	150	77	57	92	47	19	87	1,477	835	574	514	100a
1	6	2	3			1	5	1	10		3		1	44	39	7	14	100b
338	268	697	172	68	50	108	100	74	106	119	112	15	105	2,451	1,009	762	723	101a
16	43	15	6	4	16	13	4	14	19	82	69	1	27	24	21	59	73	101b
15	7	34	8	6	2	14	28	7	5	10	5	2	4	138	42	28	25	102
7	5	20	9	1	2	10		11	2	11	1	1	2	41	53	28	20	103
2	2	5	1		1	1		4						12	6	2	2	104
15	15	17	5	2	5	1	10	9	4	17	12		7	71	77	25	36	105
1			1		3				1	2	1		1	3	2	6	4	106
9	25	7	3		2	8	9	9	9	2	8	1	2	26	27	18	23	107
603	745	1,006	244	165	131	367	218	362	320	641	382	48	274	4,994	2,517	1,834	1,688	
1	5	4	2	1	2	3	2	4	2	5	3		4	39	12	10	9	108
		1																109a
27	24	46	8	2	2	13	8	9	3	11	7	3	22	211	70	56	55	109b
1			1						1		1		2	5	3	2	3	110
29	29	55	12	4		19	9	16	18	15	5	4	17	276	109	84	67	111a
9	11	21	5	5	1	8	1	8		4	2		5	103	20	21	31	111b
10	32	41	26	11	8	12	11	20	55	84	85	1	17	49	163	72	112	112
166	315	237	80	65	66	81	86	74	103	192	87	3	38	1,378	830	537	508	113
38	57	52	28	12	13	19	19	43	32	85	38	4	23	230	305	109	227	114
										6	2							115
			1					1		1	3			5	2		1	116
128	130	177	23	10	9	68	18	75	30	54	32	17	61	972	261	337	155	117
19	10	58	9	4	5	18	9	10	6	22	20		12	237	70	79	53	118a
44	56	88	7	20	4	31	21	42	17	41	27	4	22	344	146	149	109	118b
9	5	16	4	2		7	9	9	6	12	15		4	33	24	17	17	119
5	2	3		1	1	2	1	5	2	1			3	22	6	10	10	120
														4		1	1	121
26	23	77	20	10	11	33	12	19	18	38	26	1	16	468	237	123	139	122
39	23	62	7	4	3	16		7	2	18	1	2	3	341	113	90	70	123
42	15	40	6	7	2	20	8	8	16	38	17	6	15	183	105	99	82	124
2	3	7	1	2	1	11	2			1		1	1	36	8	7	9	125
8	5	21	4	5	3	6	2	12	9	13	11	2	9	58	33	31	30	126
464	482	1,240	408	160	227	508	279	348	238	708	397	48	229	5,840	3,134	1,750	2,315	
20	25	41	14	12	9	14	42	21	32	45	52	5	15	173	98	96	99	128
328	372	1,046	361	134	209	428	188	279	156	579	284	28	190	4,840	2,689	1,395	2,011	129
																		130
18	14	28	3	2		18	7	8	5	24	12	3		123	68	48	44	131
5	6	8	1			3	2	5	1	7	2		2	68	18	7	9	132
2	3	9	5		2	1		1	2	9	6		3	15	33	8	15	133
3	1	1				1	5	1	5	2	9			19	1	3	3	134
40	32	47	12	2	5	21	8	14	4	22	9	5	10	268	144	69	88	135
	1						2							5	1	1	1	136
5	8	8	2	2		8	2	3	2	3	3			48	11	19	13	137
14	6	12	3	5		8	14	13	18	6	10	3	6	104	22	49	6	138
20	12	29	6	2	2	5	6	2	9	5	6	3	2	131	37	4	22	139
		2				1					1			2				140
9	2	8	1	1			3	1	4	6	3	1	1	43	12	13	4	141
		1												1				142
75	95	135	11	24	12	38	41	72	46	134	105	3	42	558	231	235	154	
4	10	13		3		4		11	1	9	6		5	61	18	19	25	143
4	7	13	2	3	1	4	2	8	4	13	4		6	70	19	20	17	144
10	12	12	1		1	7	3	3	2	22	24	1	4	54	23	20	7	145
36	44	48	5	15	3	11	26	17	17	27	32	1	13	229	94	119	60	146
4	4	13	1		2	1	1	3		1	1		2	21	13	5	4	147

[1] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	Registration area in continental United States	REGISTRATION STATES			Registration cities in nonregistration States [2]	All registration cities [1]	ALABAMA				CALIFORNIA	
			Total [1]	Urban [1]	Rural			Urban		Rural		Urban	Rural
								White	Colored	White	Colored		
	VIII.—The puerperal state—Contd.												
148	Puerperal albuminuria and convulsions	4,292	4,143	1,945	2,203	144	2,089	38	21	88	71	82	46
149	Following childbirth (undefined)	73	70	31	39	3	34				2		3
150	Puerperal diseases of the breast	7	7	6	1		6						
	IX.—Diseases of the skin and of the cellular tissue	3,343	3,243	1,615	1,628	100	1,715	15	5	28	18	80	47
151	Gangrene	1,319	1,278	494	784	41	535	5	2	9	8	29	19
152	Furuncle	569	546	330	216	23	353	1	1	7	1	13	12
153	Acute abscess	673	650	409	241	23	432	2	2	7	3	19	7
154	Other diseases of the skin and annexa	782	769	382	387	13	395	7		5	6	19	9
	X.—Diseases of the bones and of the organs of locomotion	1,358	1,323	872	451	35	907	8	4	19	3	28	19
155	Diseases of the bones (tuberculosis excepted)	1,075	1,047	710	337	28	738	6	3	13	1	24	15
156	Diseases of the joints (tuberculosis and rheumatism excepted)	215	210	142	68	5	147	2	1	6	1	3	2
157	Amputations	2	2		2								
158	Other diseases of the organs of locomotion	66	64	20	44	2	22				1	1	2
	XI.—Malformations	14,226	14,010	7,360	6,650	216	7,576	55	9	99	24	343	245
159a	Congenital hydrocephalus	1,533	1,503	820	683	30	850	4	1	12	12	37	21
159b	Congenital malformations of the heart	8,147	8,051	4,080	3,971	96	4,176	31	7	51	8	175	141
159c	Other congenital malformations	4,546	4,456	2,460	1,996	90	2,550	20	1	36	4	131	83
	XII.—Early infancy	61,932	60,523	31,129	29,394	1,409	32,538	219	180	725	340	1,282	907
160	Congenital debility, icterus, sclerema	7,871	7,724	2,995	4,729	147	3,142	14	28	116	75	132	159
161a	Premature birth	38,588	37,626	19,108	18,518	962	20,070	162	130	499	206	822	541
161b	Injury at birth	10,384	10,164	6,271	3,893	220	6,491	35	13	71	29	204	121
162	Other diseases peculiar to early infancy	4,962	4,886	2,703	2,183	76	2,779	7	9	39	28	121	78
163	Lack of care	127	123	52	71	4	56	1			2	3	8
164	XIII.—Old age (senility)	12,326	12,057	2,838	9,219	269	3,107	32	28	277	386	168	203
	XIV.—External causes	102,162	99,737	53,150	46,587	2,425	55,575	399	372	891	825	3,058	2,690
	Suicide	12,495	12,209	7,108	5,101	286	7,394	44	5	70	5	736	378
165	By poisons (gas or corrosives excepted)	716	688	404	284	28	432	2		7		56	32
166	By corrosive substances	1,278	1,217	873	344	61	934	15	1	4		61	12
167	By poisonous gas	1,743	1,723	1,567	156	20	1,587	1				204	32
168	By hanging or strangulation	2,276	2,259	1,024	1,235	17	1,041	1		8		63	62
169	By drowning	715	711	358	353	4	362			1	1	39	24
170	By firearms	4,333	4,209	1,983	2,226	124	2,107	23	3	41	3	228	166
171	By cutting or piercing instruments	821	800	478	322	21	499	2	1	6		51	32
172	By jumping from high places	358	354	315	39	4	319					27	4
173	By crushing	128	125	65	60	3	68					5	10
174	By other means	127	123	41	82	4	45			3	1	2	4
	Homicide	8,893	8,440	4,985	3,455	453	5,438	41	139	77	173	183	149
197	By firearms	6,216	5,908	3,311	2,597	308	3,619	31	100	59	119	121	106
198	By cutting or piercing instruments	1,224	1,130	749	381	94	843	3	31	6	32	27	24
199	By other means	1,453	1,402	925	477	51	976	7	8	12	22	35	19
	Accidental or undefined	80,774	79,088	41,057	38,031	1,686	42,743	314	228	744	647	2,139	2,163
175	Poisoning by food	888	853	330	523	35	365	18	7	25	12	18	22
176	Poisoning by venomous animals	78	76	20	56	2	22			5			5
177	Other acute poisonings (gas excepted)	1,596	1,541	832	709	55	887	6	3	16	16	59	34
178	Conflagration	1,408	1,358	526	832	50	576	4	2	8	12	19	42
179	Burns (conflagration excepted)	6,375	6,206	3,398	2,808	169	3,567	28	41	81	101	137	103
180	Mechanical suffocation	1,123	1,083	395	688	40	435		8	21	27	23	33
181	Absorption of irrespirable, irritating, or poisonous gas	2,439	2,420	2,093	327	19	2,112	1	1	6	3	92	13
182	Drowning	6,456	6,390	2,339	4,051	66	2,405	8	11	48	54	92	236
183	Traumatism by firearms (except in war)	2,570	2,482	792	1,690	88	880	8	13	51	67	37	74
184	Traumatism by cutting or piercing instruments	732	713	384	329	19	403	1	3	6	5	22	14
185	Traumatism by fall	13,864	13,646	8,057	5,589	218	8,275	52	11	80	26	491	263
186a	Traumatism in mines	2,643	2,633	530	2,103	10	540	15	20	55	107	2	31
186b	Traumatism in quarries	90	90	34	56		34						2
187	Traumatism by machines	2,339	2,279	1,300	979	60	1,360	18	10	35	25	80	52
188a	Railroad accidents	6,778	6,633	2,788	3,845	145	2,933	31	31	65	43	87	183
	Collision with automobiles	1,266	1,250	393	857	16	409	3	1	7	2	30	75
	Other railroad accidents	5,512	5,383	2,395	2,988	129	2,524	28	30	58	41	57	108
188b	Street-car accidents	1,630	1,585	1,184	401	45	1,229	7	5	1		100	52
	Collision with automobiles	498	485	297	188	13	310	3				34	32
	Other street-car accidents	1,132	1,100	887	213	32	919	4	5	1		66	20
188c	Automobile accidents (excluding collision with railroad trains and street cars)	17,571	17,149	10,640	6,509	422	11,062	84	35	79	54	677	650
188d	Airplane and balloon accidents	165	158	45	113	7	52			2		8	14
188e,f	Injuries by other vehicles	1,553	1,533	692	841	20	712	2	2	14	11	35	37
188g	Landslide, other crushing	743	733	286	447	10	296	2	4	8	2	35	43
189	Injuries by animals (not poisoning)	629	619	185	434	10	195	3	2	6	6	6	8
190	Wounds of war	5	5		5						1		
192	Starvation (deprivation of food or water)	11	11	4	7		4			1			
193	Excessive cold	239	238	80	158	1	81				1		1
194	Excessive heat	1,355	1,328	867	461	27	894	1	2	7	5	7	62
195	Lightning	442	440	38	402	2	40		2	18	11		1
196	Other accidental electric shocks	995	965	425	540	30	455	4	1	6		23	55
201	Fracture (cause not specified)	640	621	301	320	19	320	2	2	27	7	6	1
202	Other external violence	5,401	5,284	2,480	2,804	117	2,597	19	12	73	51	83	132
203	Violent deaths of unknown causation	16	16	12	4		12						
	XV.—Ill-defined diseases	17,905	17,357	2,292	15,065	548	2,840	90	346	767	1,586	33	71
204	Sudden death	1,868	1,842	221	1,621	26	247	7	5	81	96	3	6
205a	Ill-defined	5,041	4,631	1,013	3,618	410	1,423	67	286	151	295	10	30
205b	Not specified or unknown	10,996	10,884	1,058	9,826	112	1,170	16	55	535	1,195	20	35

[1] Including District of Columbia.

EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

COLORADO		CONNECTICUT		DELAWARE		DISTRICT OF COLUMBIA		FLORIDA				IDAHO		ILLINOIS		INDIANA		List No.
								Urban		Rural								
Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	
17	16	35	2	3	5	11	9	30	22	62	37	1	11	122	64	50	41	148
----	2	1	----	----	----	----	----	----	----	----	1	----	1	1	----	2	----	149
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	150
17	16	32	14	4	6	7	4	11	8	19	7	2	7	91	88	54	56	
10	9	11	7	3	5	----	2	3	2	4	1	2	4	8	45	20	34	151
2	1	6	1	----	----	1	1	3	2	10	----	----	1	23	14	13	10	152
3	3	10	2	----	----	3	1	5	1	3	2	----	----	29	11	7	5	153
2	3	5	4	1	1	3	----	----	3	2	4	----	2	31	18	14	7	154
9	1	20	9	2	----	5	1	5	3	6	2	3	4	56	31	13	15	
8	----	19	7	1	----	4	1	4	3	5	1	3	4	47	24	11	11	155
1	1	1	2	1	----	----	----	1	----	1	----	----	----	9	4	2	2	156
----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	157
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	3	----	2	158
65	63	159	49	11	12	58	21	43	9	73	9	7	37	745	336	210	265	
6	3	28	5	1	1	3	----	7	1	8	1	----	5	92	38	20	18	159a
34	45	73	26	8	8	31	12	20	5	36	2	5	27	471	212	131	188	159b
25	15	58	18	2	3	24	9	16	3	29	6	2	5	182	86	59	59	159c
256	366	756	152	69	66	203	122	203	138	366	177	31	178	2,462	1,408	832	828	
22	50	81	30	8	19	15	12	27	32	54	44	3	17	115	102	62	123	160
170	239	419	79	44	37	133	90	141	79	250	107	22	123	1,422	893	524	524	161a
30	38	187	24	15	4	40	11	29	8	42	9	4	23	748	364	150	109	161b
31	38	68	18	2	6	15	9	6	18	20	17	2	15	168	45	94	72	162
3	1	1	1	----	----	----	----	----	1	----	----	----	----	9	4	2	----	163
51	69	61	31	7	26	27	11	20	15	127	90	17	51	106	291	45	126	164
357	688	1,103	300	119	99	318	161	477	315	847	537	40	388	4,807	2,804	1,592	1,701	
99	82	135	55	13	10	67	5	53	5	69	5	9	52	634	328	215	232	
13	9	10	----	----	1	8	1	4	----	5	1	1	3	34	12	14	14	165
8	4	10	1	----	2	10	----	8	----	6	1	----	3	61	36	58	34	166
17	2	32	4	5	----	17	1	2	----	3	----	----	2	156	8	21	6	167
7	10	21	21	----	2	8	----	3	----	11	----	1	7	74	85	25	48	168
----	7	9	10	----	----	4	----	1	2	2	----	1	4	25	20	10	13	169
51	37	27	15	7	3	15	1	30	1	37	3	6	25	206	139	68	100	170
1	8	17	4	----	1	3	1	3	1	4	----	----	6	36	15	12	8	171
1	1	4	----	1	1	1	1	----	----	----	----	----	----	33	6	1	1	172
1	2	3	----	----	----	----	----	1	----	----	----	----	----	6	3	3	2	173
----	2	2	----	----	----	1	----	1	1	1	----	----	2	3	4	3	6	174
29	55	50	5	4	5	14	47	51	157	81	165	1	19	604	166	161	43	
24	42	15	2	2	2	8	25	34	110	65	126	----	14	434	123	123	22	197
1	3	6	----	----	----	1	11	5	35	6	29	----	3	70	19	17	5	198
4	10	29	3	2	3	5	11	12	12	10	10	1	2	100	24	21	16	199
229	551	918	240	102	84	237	109	373	153	697	367	30	317	3,569	2,310	1,216	1,426	
4	6	6	1	1	1	2	----	14	5	16	7	1	4	9	21	8	16	175
1	1	----	----	----	----	----	----	1	1	5	2	----	----	2	----	1	1	176
10	8	12	4	2	2	3	1	14	6	20	6	----	12	78	31	24	25	177
2	4	11	10	2	2	1	1	4	4	5	12	----	11	50	35	10	20	178
20	25	88	7	12	9	14	25	17	14	36	33	2	13	216	110	74	81	179
3	10	7	1	----	1	3	1	3	2	4	3	----	3	21	21	16	24	180
12	4	51	2	7	----	19	6	7	----	6	2	----	1	200	26	38	4	181
3	49	78	38	10	14	17	10	32	19	109	52	2	64	168	200	50	103	182
1	22	6	2	2	5	4	3	4	14	39	41	----	13	76	60	31	44	183
2	3	11	3	2	----	1	2	4	4	3	9	1	----	28	18	10	10	184
55	73	183	45	22	17	62	14	40	7	49	10	6	22	616	309	227	313	185
1	78	----	----	----	----	----	----	----	----	----	1	1	13	32	99	23	89	186a
----	1	----	----	----	----	----	----	----	----	1	----	1	----	3	2	3	6	186b
5	19	26	4	1	2	5	4	8	6	26	8	1	11	105	37	43	28	187
18	48	37	14	6	6	3	----	19	9	66	48	----	29	292	373	129	164	188a
3	3	5	2	----	1	----	----	5	----	15	6	----	5	40	151	40	51	
15	45	32	12	6	5	3	----	14	9	51	42	----	24	252	222	89	113	
10	2	20	----	2	----	14	3	8	----	----	----	----	1	158	28	53	62	188b
3	1	5	----	----	----	4	1	5	----	----	----	----	----	43	17	29	41	
7	1	15	----	2	----	10	2	3	----	----	----	----	1	115	11	24	21	
56	90	268	72	21	16	65	23	148	41	197	63	11	45	933	335	319	190	188c
----	4	----	2	----	----	----	----	4	----	4	----	----	----	1	5	----	2	188d
7	22	15	7	4	3	6	3	4	3	3	7	1	17	67	32	15	29	188e,f
1	8	4	1	----	1	1	----	3	1	4	3	----	5	14	57	15	24	188g
4	13	5	4	----	----	1	----	----	----	1	1	2	9	17	22	7	17	189
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	190
----	----	----	----	----	----	----	----	1	----	----	1	----	----	----	----	----	----	192
----	5	6	2	----	1	----	----	----	----	----	----	----	1	9	10	4	3	193
1	----	22	9	8	1	2	8	----	----	2	4	----	1	29	23	9	12	194
----	15	1	2	----	----	----	----	2	1	5	3	----	7	4	19	2	11	195
2	11	11	1	----	----	4	----	6	1	20	1	----	4	26	41	23	22	196
----	1	7	3	----	----	1	----	15	2	24	5	----	2	33	7	5	2	201
11	29	43	6	----	3	9	5	15	13	52	45	1	29	372	384	77	124	202
----	----	----	----	----	----	----	----	----	----	----	----	----	----	10	4	----	----	203
13	29	33	23	----	6	3	2	44	53	231	408	----	45	34	171	19	37	
----	1	8	3	----	1	----	----	2	3	27	31	----	6	----	12	----	----	204
4	12	11	7	----	5	3	----	19	28	89	150	----	8	16	89	10	23	205a
9	16	14	13	----	----	----	2	23	22	115	227	----	31	18	70	9	14	205b

[1] These cities are shown under the various States (indicated by footnote 1) in Table I B.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	All causes	8,425	15,869	6,248	12,333	6,085	1,862	17,651	2,789	5,769	4,889	6,433	7,997
	I.—Epidemic, endemic, and infectious diseases	939	1,644	805	1,329	873	332	4,121	713	881	1,032	1,314	2,108
1	Typhoid and paratyphoid fever	36	44	45	57	66	14	512	76	59	69	257	264
2	Typhus fever												
5	Malaria	2		3	6	3	2	33	9	8	12	99	137
6	Smallpox	19	23	1		1		2	1	2		2	4
7	Measles	4	9	4	4	5	1	27	3	1		4	5
8	Scarlet fever	8	41	16	26	10		39	2	8		1	
9	Whooping cough	37	58	25	56	31	15	157	12	43	38	53	79
10	Diphtheria	48	69	21	43	14	2	232	13	30	9	61	34
11a	Influenza (with pulmonary complications)	113	218	106	217	97	34	400	63	100	90	202	208
11b	Influenza (other and unspecified)	106	311	81	260	54	13	288	51	46	36	101	184
13	Mumps	1	3		1		1	4	1	2	1		
15	Cholera nostras	1	3	1	1	4		17	1			1	5
16	Dysentery	13	35	15	40	34	6	239	18	25	22	73	91
17	Plague												
19	Spirochetal hemorrhagic jaundice												
20	Leprosy											15	7
21	Erysipelas	27	47	4	29	14	3	38	2	4	3	8	2
22	Acute anterior poliomyelitis	9	33	14	21	13	1	26	5	7		8	3
23	Lethargic encephalitis	12	16	5	3	12		13	2	8	1	5	
24	Meningococcus meningitis	5	10	6	8	4		40		5	1	4	3
25	Other epidemic and endemic diseases	2	2					1	2			1	2
26	Glanders					1							
27	Anthrax										1	1	
28	Rabies			2	1	1		2		2			
29	Tetanus	14	20	16	21	10	3	19	6	17	21	20	39
30	Mycoses		1	1	2			5	1	1			4
	Tuberculosis (all forms)	390	628	354	459	454	201	1,949	388	418	514	358	820
31	Of the respiratory system	305	530	292	406	391	157	1,676	340	378	458	334	768
32	Of the meninges, central nervous system	27	20	10	6	28	13	67	13	18	9	3	6
33	Of the intestines, peritoneum	21	35	19	23	12	13	124	17	9	19	8	21
34	Of the vertebral column	7	12	10	6	6	2	12	3	2	7	2	6
35	Of the joints	3	2	3	1	2	1	10	2	2	6	3	4
36	Of other organs	11	16	9	6	5	2	39	9	5	3	5	6
37a	Disseminated (acute)	12	12	10	4	3	13	7	4	4	11	3	6
37b	Disseminated (chronic or unspecified)	4	1	1	7	7		14			1		3
38	Syphilis	66	55	66	56	29	29	51	54	83	181	28	200
39	Soft chancre										1		
40	Gonococcus infection	8	4	15	5	7	5	5	1	6	28	1	8
41	Purulent infection, septicemia	18	13	4	13	8	1	21	2	6	4	11	9
42	Other infectious diseases		1			1	1	1					
	II.—General diseases not included in Class I	1,314	2,362	819	1,510	689	122	1,334	151	652	380	499	505
	Cancer and other malignant tumors	898	1,609	564	1,022	474	80	878	86	464	210	336	212
43	Of the buccal cavity	31	58	12	24	13	3	38		27	8	14	8
44	Of the stomach, liver	341	672	203	409	147	21	333	29	140	66	124	70
45	Of the peritoneum, intestines, rectum	109	251	63	147	83	7	108	6	53	21	24	13
46	Of the female genital organs	125	160	105	123	83	23	128	25	62	66	52	79
47	Of the breast	69	118	52	96	36	15	75	7	47	18	25	17
48	Of the skin	18	49	18	44	8	3	56	1	17	6	28	3
49	Of other or unspecified organs	205	301	111	179	104	8	140	18	118	25	69	22
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8	12	4	7	2	2	11	2	2	2	1	4
51	Acute rheumatic fever	12	35	10	17	7	7	35	7	10	5	6	19
52	Chronic rheumatism, osteoarthritis, gout	14	27	6	21	6		25	4	4	1		11
53	Scurvy		1					2					1
54	Pellagra		2	6	6	9	1	73	5	19	106	38	189
55	Beriberi							1					
56	Rickets	1	4	3	5	1	1	7	4		2	5	5
57	Diabetes mellitus	152	297	100	218	80	12	139	22	69	29	54	28
58	Anemia, chlorosis	87	202	45	89	37	5	56	2	20	2	8	4
59	Diseases of the pituitary gland		1	1	1			1					
60a	Exophthalmic goiter	48	43	24	50	16	4	15	1	7	6	3	5
60b	Other diseases of the thyroid gland	6	17	3	5	5		8	1	1		3	1
61	Diseases of the parathyroid glands		5	2	1		1	2					
62	Diseases of the thymus gland	15	11	4	4	11		6		5		9	6
63	Diseases of the adrenals (Addison's disease)	3	10	1	8	1	2	5		1			
64	Diseases of the spleen	3	1		2	1		1		2	4	1	
65a	Leukemia	17	33	8	19	6		12		8	2	10	
65b	Hodgkin's disease	7	11	9	8	3		7	3	6	3	1	
66	Alcoholism (acute or chronic)	22	11	15	9	16	6	19	5	14	1	7	8
67a	Chronic lead poisoning	1	4	1		2				2		1	
67b	Other chronic mineral poisoning		1	1	1				1				
68	Chronic poisoning by organic substances	1	1	1				1		3		1	
69	Other general diseases	19	24	11	17	12	1	30	8	15	7	15	12
	III.—Diseases of the nervous system and of the organs of special sense	909	2,191	701	1,719	661	167	1,704	267	404	286	491	557
70	Encephalitis	14	24	14	21	9	3	31	4	7	5	7	3
71a	Simple meningitis	16	19	15	29	28	4	92	9	11	4	8	5
71b	Nonepidemic cerebrospinal meningitis	3	5	4	3	5		37	2	2	3		1
72	Tabes dorsalis (locomotor ataxia)	10	27	6	15	10	1	23	2	10	5	6	9
73	Other diseases of the spinal cord	34	72	23	66	9	2	53	4	9	12	7	5
74a	Cerebral hemorrhage	618	1,500	458	1,178	440	121	995	143	248	188	302	344
74b	Cerebral embolism and thrombosis	35	72	21	47	16	2	14	3	14	7	12	4
75	Paralysis without specified cause	24	100	29	91	26	11	169	33	15	13	43	58
76	General paralysis of the insane	23	89	12	67	40	11	52	13	15	19	24	44
77	Other forms of mental alienation	6	49	6	41	18	1	20	8	7	8	6	14
78	Epilepsy	11	61	37	45	13	4	56	17	6	2	30	28
79	Convulsions (nonpuerperal; 5 years and over)	1	2		1			4		1	2		4
80	Infantile convulsions (under 5 years)	16	29	6	14	10	2	33	8	2	5	12	22
81	Chorea	1	2	3		2		2	1				
82	Neuralgia and neuritis		9	4	5	1		6	2	4	3	4	1
83	Softening of the brain	11	23	8	11	3		26	4	5	2	3	3

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
3,460	7,332	9,839	3,082	6,304	2,403	41,844	9,877	26,762	22,657	11,345	14,091	1,403	1,885	6,815	12,050	20,566	20,722	
328	774	1,039	709	834	519	4,499	1,298	3,304	2,376	1,466	2,003	177	350	1,242	3,059	2,633	3,926	
31	22	29	10	42	35	67	6	87	74	25	20	12	25	104	339	76	315	1
		1															1	2
1				1		3			1	1		10	28	103	285	9	180	5
								21	1	167	29	1			3			6
2	9	14	1	9		325	24	40	32	5	10			18	5	6	7	7
9	13	7		9		106	10	107	109	69	83	1	2	6	2	97	72	8
6	20	57	45	32	41	236	43	151	118	35	60	4	11	56	73	80	121	9
14	20	43	11	31	3	310	24	200	160	151	79	9	7	79	49	138	104	10
42	141	81	33	57	25	323	93	266	225	124	270	33	36	229	278	322	559	11a
28	122	40	16	47	19	135	53	137	286	70	172	17	33	127	223	149	434	11b
	2	1			1	2	1	3	6			1	1	3	3	1	3	13
	2				1	1	1	5	4		1			2	3	2	6	15
4	6	28	11	17	8	12	4	18	41	10	22	7	7	71	73	36	135	16
																		17
1						3		4	1	1	1					1		19
																		20
8	13	11	3	12	1	103	24	98	40	35	27	4	1	8	5	32	30	21
1	9	7	3	3	4	33	12	19	9	31	109	1		15	9	28	27	22
1	4	17	3	5		88	9	47	17	36	39	1	3	2	5	33	13	23
2	4	14	3	9	1	48	3	23	16	7	11	1		6	2	18	21	24
				4		9	5	9	5	8	4		1			3	3	25
																		26
						1								1			1	27
		2	1	1		3		1				1	1		1	2	3	28
6	9	12	1	5	7	35		29	10	10	14	4	7	11	20	29	43	29
			1		2	4		6	6	5	1		1	1	2		3	30
141	356	598	414	537	336	2,479	962	1,744	1,104	574	999	55	134	366	1,373	1,288	1,751	
102	295	523	355	489	304	2,042	868	1,450	974	463	871	50	115	331	1,275	1,123	1,570	31
15	21	30	15	6	8	219	32	131	30	32	44		2	8	13	58	44	32
9	19	12	15	12	10	86	22	44	35	20	39	4	9	17	43	47	58	33
4	4	8	6	5	3	41	13	25	19	17	10		3	3	6	16	17	34
1	1	2	2		1	12	3	6	3	4	2				6	6	5	35
2	9	6	3	8	4	36	12	28	23	22	19	1	1	4	21	13	35	36
6	1	14	17	13	5	36	9	56	14	13	10		4	3	9	22	16	37a
2	6	3	1	4	1	7	3	4	6	3	4					3	6	37b
20	14	60	135	5	30	129	17	217	63	80	36	5	45	21	268	227	73	38
									1								1	39
6	2	12	18	1	4	13	2	48	7	7	3	2	7	3	27	36	3	40
5	6	5		7	1	31	5	24	40	15	13	8		10	11	20	16	41
																	1	42
481	952	1,371	213	658	107	6,047	1,314	3,326	2,797	1,998	1,963	171	153	646	909	2,634	2,157	
353	687	940	116	494	71	4,215	957	1,998	1,797	1,340	1,315	106	73	404	347	1,852	1,536	
6	28	41	2	11	2	145	30	58	76	47	41	6	2	12	4	56	62	43
124	256	307	41	215	36	1,360	311	755	721	454	636	31	16	124	101	615	618	44
55	129	116	16	59	3	805	210	243	271	202	175	12	9	41	32	258	186	45
53	99	127	31	60	14	585	118	316	226	162	98	25	21	75	126	307	190	46
32	52	78	14	48	4	471	94	181	138	118	79	4	6	38	26	145	119	47
11	22	16		18	1	68	30	43	56	27	24	2		36	5	43	82	48
72	101	255	12	83	11	781	164	402	309	330	262	26	19	78	53	428	279	49
1	7	9		5		28	1	22	16	15	8			2	6	6	12	50
7	16	30	13	12	5	84	9	73	53	10	31	4	2	7	26	32	40	51
3	12	11	1	2	5	25	11	20	64	14	22		1	8	5	16	28	52
			1	3			1	4	1					1			1	53
1		4	3			9	1	4		2		24	51	75	420	10	11	54
1	1	5	8	4	4	16	8	16	10	7	5			1	4	9	4	55
57	116	185	27	58	11	656	152	422	324	191	266	19	13	71	52	292	271	56
19	47	42	4	30	1	301	76	201	227	142	155	5	3	12	6	113	102	57
		2		1		5	1	1		2	1					3	1	58
		34	3	8		37	3	195	143	85	34	1	1	5	2	88	35	59
	7	6	1	4		12	5	15	20	11	12		3	2	4	13	9	60a
			1		2	3		2	2		1				1		1	60b
3	4	7	1			106	15	63	18	16	8			1		18	3	61
4	5	1				25	3	7	4	12	6				1	9	6	62
		2		1		5	2	4	3	1				1		5	2	63
3	11	23	3	6		74	9	43	22	39	23	2	2	9	1	50	27	64
8	6	15		5		57	8	22	9	26	14		1	7	3	19	13	65a
10	12	41	28	21	5	268	35	131	49	51	35	1		8	7	61	32	65b
	5	2				12	2	3			3			1		5	1	66
						1			1						2		1	67a
	1	3				3		14	2	2	2			2		8		67b
11	15	9	3	4	3	105	15	66	32	32	22	9	3	29	22	25	21	68
409	1,026	1,022	242	856	276	4,135	1,343	2,623	3,190	1,118	1,438	124	132	595	728	1,743	2,317	69
		7	1	2		31	5	42	25	15	10	3	3	7	8	23	18	70
16	10	20	8	9	2	100	13	71	34	30	26	4	2	16	8	41	45	71a
4	7	2	1	4		20	8	13	14	3	7			3	3	5	18	71b
6	18	6	1	8	1	71	20	36	43	16	11	1	4	5	5	39	36	72
13	24	19	2	20	1	95	40	63	58	48	52	2	2	20	8	46	89	73
265	801	759	189	580	183	2,894	965	1,664	2,304	618	1,023	75	93	390	469	1,051	1,622	74a
13	37	38	7	22	7	145	34	75	74	62	42	3	4	16	6	34	31	74b
5	32	19	4	70	38	87	23	110	147	28	37	10	9	51	92	56	158	75
34	12	26	18	56	8	166	67	160	120	66	43	2	1	14	32	193	68	76
7	5	7	2	2	6	21	1	28	25	24	9	3	2	6	6	19	21	77
4	16	15	2	20	10	53	81	38	111	46	44	3	3	22	35	46	47	78
1		1				1	1	1	2		2		3		3		2	79
5	19	7	2	17	12	51	18	43	74	7	50	5	3	7	22	7	16	80
	1	1				3		2	3		1					1	2	81
2	1	7		2	2	3	3	8	9	5	2			2	2	4	12	82
4	9	6		19	1	14	5	7	17	7	5			6	3	6	19	83

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.												
84	Other diseases of the nervous system	43	87	27	68	12	1	50	12	26	5	17	11
85	Diseases of the eye and annexa	2	1	1	1	1		1					
86a	Diseases of the ear	18	12	12	11	8	3	26		11	2	9	1
86b	Diseases of the mastoid process	23	8	15	5	10	1	14	2	11	1	1	
	IV.—Diseases of the circulatory system	1,333	2,935	949	2,181	1,034	374	2,033	393	966	799	743	976
87	Pericarditis	1	10	4	11	4	5	20	4	1		1	7
88	Endocarditis and myocarditis (acute)	57	67	27	70	47	25	49	14	42	54	23	28
89	Angina pectoris	103	259	51	137	60	13	122	12	78	16	48	31
90	Other diseases of the heart	984	2,117	719	1,652	732	298	1,568	328	748	668	609	838
91a	Aneurysm	22	13	20	27	14	7	11	4	16	20	6	11
91b,c	Other diseases of the arteries	124	401	101	251	158	23	234	28	67	34	44	52
92	Embolism and thrombosis (not cerebral)	35	43	20	20	11		8	3	6	3	3	2
93	Diseases of the veins	5	16	3	6	4		8		7	2	1	2
94	Diseases of the lymphatic system	1	1	1	1	3		4		1	1	1	
95	Hemorrhage without specified cause	1		1	1	1	1	5				1	
96	Other diseases of the circulatory system		8	2	5		2	4			1	6	5
	V.—Diseases of the respiratory system	693	1,308	479	818	477	232	1,534	227	385	508	614	641
97a	Diseases of the nasal fossæ	2	5		2			2		1			10
97b	Diseases of the nasal fossæ annexa	6	6	5	3	5		2		3	1	3	2
98	Diseases of the larynx	5	5	3	7	6	1	12		4	2	2	3
99a	Acute bronchitis	6	25	9	18	3	7	14	3	4	6	7	15
99b	Chronic bronchitis	19	48	12	47	10	5	48	9	9	3	15	4
99c	Bronchitis (unspecified, under 5 years)	2	5	5	2	1		10	3		3	8	8
99d	Bronchitis (unspecified, 5 years and over)	4	35	10	23	12	4	12	2	4	6	8	6
100a	Broncho-pneumonia	230	409	159	284	155	61	505	72	144	192	201	181
100b	Capillary bronchitis	3	9	6	9	6	3	19	1	3	3	6	14
101a	Lobar pneumonia	302	493	208	318	215	121	589	92	179	251	280	289
101b	Pneumonia (unspecified)	54	137	9	41	19	8	219	22	11	16	61	72
102	Pleurisy	15	20	8	11	14	6	19	4	12	16	10	9
103	Congestion and hemorrhagic infarct of the lung	11	47	15	17	14	2	25	5	4	1	2	4
104	Gangrene of the lung	3	3	3	3			1			1	1	1
105	Asthma	20	42	15	20	10	9	43	11	2	5	6	14
106	Pulmonary emphysema	2	1	1	3	1		1	1	1			1
107	Other diseases of the respiratory system (tuberculosis excepted)	9	18	11	10	6	5	13	2	4	2	4	8
	VI.—Diseases of the digestive system	832	1,216	635	1,072	659	152	1,801	219	752	520	777	692
108	Diseases of the mouth and annexa	7	13	12	10	3	3	13		5	4	5	4
109a	Adenoid vegetations												
109b	Other diseases of the pharynx, tonsils	52	58	25	34	14	5	45	4	15	4	17	15
110	Diseases of the esophagus	1	1		2	5			1		2	2	
111a	Ulcer of the stomach	42	51	27	42	24	11	38	8	27	10	13	14
111b	Ulcer of the duodenum	19	24	20	19	16	1	12		12	4	1	1
112	Other diseases of the stomach (cancer excepted)	33	77	32	89	21	13	152	35	12	40	77	97
113	Diarrhea and enteritis (under 2 years)	108	189	122	230	200	33	839	71	216	221	401	288
114	Diarrhea and enteritis (2 years and over)	55	163	46	134	41	16	226	26	47	38	84	83
115	Ancylostomiasis							1		1		2	1
116	Diseases due to other intestinal parasites				1			2		2	2	2	4
117	Appendicitis and typhlitis	185	195	156	160	128	24	141	19	178	71	61	49
118a	Hernia	34	51	29	33	28	5	33	6	40	17	8	12
118b	Intestinal obstruction	96	125	47	85	45	18	80	18	57	29	33	45
119	Other diseases of the intestines	14	19	7	19	8	5	20	4	10	10	5	10
120	Acute yellow atrophy of the liver	2	3	1	6	4		4	1	1	1		1
121	Hydatid tumor of the liver												
122	Cirrhosis of the liver	46	87	34	83	38	8	77	8	57	42	36	41
123	Biliary calculi	46	51	32	47	25		33	4	28	2	6	3
124	Other diseases of the liver	69	72	35	58	33	4	58	6	38	18	19	17
125	Diseases of the pancreas	7	9	1	4	6		3	1		1		
126	Peritonitis without specified cause	16	28	9	16	20	6	24	7	6	4	5	7
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	812	1,332	673	1,257	613	213	1,381	312	750	615	528	728
128	Acute nephritis (including unspecified under 10 years)	31	51	33	66	27	21	86	33	35	73	40	106
129	Chronic nephritis (including unspecified 10 years and over)	556	1,088	488	1,004	487	160	1,149	248	598	444	432	556
130	Chyluria												
131	Other diseases of the kidneys and annexa	30	31	12	31	18	3	42	4	40	11	21	18
132	Calculi of the urinary passages	13	8	9	11	4	1	7	1	3	1	1	
133	Diseases of the bladder	15	20	6	23	7	2	24	6	4	7	9	9
134	Diseases of the urethra, etc	2	3	3	2	1	3	1	1	4	14		3
135	Diseases of the prostate	103	92	56	84	31	2	44	9	27	20	17	16
136	Nonvenereal diseases of the male genital organs			1					1				3
137	Cysts, other benign tumors of the ovary	6	8	9	7	5	4	5	2	7	4		2
138	Salpingitis and pelvic abscess (female)	19	6	27	5	17	5	14	5	17	17	5	3
139	Benign tumors of the uterus	26	20	19	17	9	9	5	2	12	20	3	10
140	Nonpuerperal uterine hemorrhage	1					1						1
141	Other diseases of the female genital organs	10	5	9	7	6	2	3		3	4		1
142	Nonpuerperal diseases of the breast (cancer excepted)			1		1		1					
	VIII.—The puerperal state	114	153	86	154	70	24	247	37	120	89	111	156
143	Accidents of pregnancy	13	11	1	24	7	2	20	4	8	10	13	9
144	Puerperal hemorrhage	6	10	6	8	5	2	22	2	13	3	8	14
145	Other accidents of labor	10	27	10	12	6	1	24	6	13	5	14	18
146	Puerperal septicemia	47	51	47	63	35	15	102	11	47	30	22	50
147	Puerperal phlegmasia alba dolens, embolus, etc	4	10	2	10	2		6	1	2		4	4
148	Puerperal albuminuria and convulsions	34	43	20	37	15	4	72	13	36	41	50	60
149	Following childbirth (undefined)		1					1		1			1
150	Puerperal diseases of the breast												

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
18	26	48	1	20	3	201	43	134	99	88	61	6	1	19	14	80	81	84
		1				3		1		1				1	1	1	1	85
8	5	23	3	3	1	93	12	79	19	35	8	3		8	7	59	21	86a
4	3	10	1	2	1	83	4	48	12	19	5	4	2	2	4	32	10	86b
692	1,557	1,756	398	1,170	325	9,685	2,774	4,558	4,825	1,964	2,513	198	249	816	1,089	3,579	3,134	
5	3	5	4	1	2	14	5	21	23	3	9	2	1	5	10	22	23	87
13	26	58	9	35	12	288	43	223	131	73	93	10	9	23	38	190	72	88
86	191	131	9	77	19	648	214	209	318	108	138	28	3	53	16	137	194	89
478	1,087	1,399	363	881	238	7,166	1,946	3,455	3,688	1,466	1,934	138	220	607	949	2,735	2,354	90
3	3	7		6	2	47	4	36	34	20	16	1	4	7	8	90	30	91a
97	229	134	11	150	48	1,364	541	521	552	242	285	18	7	95	56	365	421	91b
9	13	12	2	13	3	123	16	56	54	38	23			12	1	28	28	92
1	3	7		3		25	4	18	13	10	9			4	3	9	5	93
	1	3		2		8		10	5	3	2			1		2	2	94
				2				7	3	1	3		2	2	3		1	95
	1				1	2	1	2	4		1	1	3	7	5	1	4	96
303	614	1,099	588	511	249	4,665	842	2,697	1,647	990	1,158	88	127	558	807	2,271	1,801	
		1		1	4	1		3	7	2	8		2	3	8	5	3	97a
4	2	8	1			25	1	12	9	8	7			2		10	7	97b
2	2	2		2	5	17	1	13	10	6	12			1	3	11	12	98
4	36	25	17	18	20	116	36	92	85	16	22	1	1	2	4	55	36	99a
3	15	30	9	19	5	78	22	50	77	15	32	2	2	16	3	40	70	99b
2	4	4	2	6	10	31	10	22	27	3	5			4	4	6	12	99c
2	12	8		8	3	39	14	28	35	12	19	1	1	7	5	3	23	99d
127	202	495	266	210	96	2,178	378	958	477	371	406	30	31	139	171	862	678	100a
3	8	11	3	7	4	33	11	17	31	2	4			6	4	12	13	100b
123	254	468	278	201	76	1,917	328	1,241	624	432	475	37	67	304	456	1,154	841	101a
9	45	4		11	14	27	12	74	97	28	64	8	10	38	113	8	22	101b
5	8	18	6	5	1	102	5	84	53	44	31	3	7	11	14	57	16	102
7	11	9		9	1	27	11	27	30	13	27	1		10	3	6	8	103
2	1		1			6	1	3	6	3	3			2	1	7	6	104
8	7	9	4	9	5	42	6	46	51	22	27	2	2	9	12	24	33	105
	2	1				3		2	3	1	6					1	3	106
2	5	6	1	5	5	23	6	25	25	12	10	3	4	4	6	10	18	107
272	438	858	204	477	229	2,828	390	2,817	1,994	982	992	195	181	656	733	1,811	1,778	
3	5	5	1	1		21	6	20	17	4	11		3	4	5	12	15	108
						1												109a
9	17	34	5	9	4	127	14	137	82	64	46	4	3	11	18	66	33	109b
		1		1		4		1	2	3	1		1	2		2		110
14	35	32	9	7	6	157	23	124	87	47	53	4	3	22	20	97	56	111a
6	7	16	2	1	1	83	11	57	25	54	11	2	1	6	2	33	16	111b
13	61	25	16	28	25	59	35	118	120	10	27	6	18	52	63	38	155	112
42	102	269	80	262	144	666	107	816	686	109	226	44	36	229	285	398	621	113
16	31	36	22	44	9	112	19	142	206	60	85	12	11	80	77	82	222	114
														3				115
				1	1	4	1	1		1	2				7			116
69	64	131	17	16	11	516	36	520	200	230	204	59	46	105	75	381	185	117
17	20	52	8	13	10	166	14	100	69	51	50	5	1	3	14	103	48	118a
25	25	56	17	20	8	223	28	221	113	61	84	13	31	47	79	115	97	118b
1	3	10	4	2	1	40	1	41	27	13	11	1	4	14	14	30	25	119
1	4	4	2	1		20	2	17	8	4	6	3		3	2	17	6	120
						3							1					121
16	27	63	7	29	5	184	44	188	169	72	53	9	6	30	28	202	131	122
24	21	50	4	15		232	19	102	41	116	61	6	1	7	4	87	72	123
12	13	48	5	19	1	141	21	132	93	56	33	26	9	29	31	91	61	124
2	1	10		2		27	4	18	12	5	6		3	3		25	4	125
2	2	16	5	6	3	42	5	62	37	22	22	1	3	6	9	32	31	126
317	640	1,215	319	763	256	3,485	695	1,811	1,739	831	1,169	169	249	695	1,206	2,630	2,147	
20	18	40	20	43	29	92	23	100	98	22	45	16	18	52	109	104	101	128
235	555	1,040	269	673	208	2,818	608	1,300	1,397	575	971	125	155	566	968	2,185	1,808	129
																		130
3	11	20	8	9	2	78	10	78	36	40	30	9	3	24	27	56	34	131
3	4	16	3	3	1	51	1	33	7	18	8	1		2		12	10	132
	8	3	1	9	2	15	7	23	35	9	15		8	13	9	8	29	133
1		5	1			12		7	1	3	1		13	1	4	9	4	134
13	18	60	7	21	4	210	29	99	111	82	69	13	13	21	40	109	123	135
1	2	1		1		2		3	5	1						2	2	136
5	7	6	1	3	1	32	6	23	12	11	4		5	1	5	19	6	137
9	3	11	2		5	59	1	58	13	31	8	2	16	8	18	52	13	138
21	9	6	7	1	3	83	8	52	17	25	11	1	9	4	19	60	11	139
						1		2		1						1		140
5	5	6			1	31	2	31	6	11	7	2	9	3	6	13	6	141
1		1				1		2	1	2					1			142
55	71	106	37	31	23	492	53	413	219	125	159	31	34	116	263	255	180	
6	5	7	3	3		57	8	41	19	15	11	3	1	10	20	44	15	143
5	6	11	2	6	1	59	4	43	21	14	12	2		18	24	21	13	144
11	12	12	1	4	3	78	7	47	23	17	16	1	2	10	22	20	22	145
15	15	48	22	8	10	155	12	180	77	49	58	15	18	25	86	122	89	146
2	6	2	2	3		35	7	15	17	5	15	2	1	7	3	7	4	147
16	27	25	7	6	9	104	15	86	62	25	45	8	12	46	108	40	35	148
		1		1		1		1			2					1	2	149
						3												150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	IOWA		KANSAS		KENTUCKY				LOUISIANA			
						Urban		Rural		Urban		Rural	
		Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue	30	70	16	40	14	5	39	11	24	20	17	20
151	Gangrene	10	37	3	17	5	2	12	6	4	8	3	13
152	Furuncle	5	12	5	3	3		5	1	6	1	5	1
153	Acute abscess	8	9	2	5	5	1	10	1	8	7	2	4
154	Other diseases of the skin and annexa	7	12	6	15	1	2	12	3	6	4	7	2
	X.—Diseases of the bones and of the organs of locomotion	14	22	16	8	6		15	2	14	6	5	6
155	Diseases of the bones (tuberculosis excepted)	11	18	13	6	6		13	2	11	4	3	4
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2	3	2	1			1		3	2	2	2
157	Amputations												
158	Other diseases of the organs of locomotion	1	1	1	1			1					
	XI.—Malformations	124	213	62	209	67	4	169	6	61	36	76	46
159a	Congenital hydrocephalus	8	35	8	14	3	1	18		5	3	6	15
159b	Congenital malformations of the heart	66	126	28	123	39	2	84	3	38	27	48	24
159c	Other congenital malformations	50	52	26	72	25	1	67	3	18	6	22	7
	XII.—Early infancy	426	737	316	657	313	60	1,087	109	230	171	401	291
160	Congenital debility, icterus, sclerema	41	107	39	109	38	11	219	28	9	24	56	73
161a	Premature birth	287	454	216	411	202	33	669	68	149	119	270	167
161b	Injury at birth	70	116	41	100	49	10	120	6	59	17	55	25
162	Other diseases peculiar to early infancy	27	56	20	36	24	5	79	7	13	10	19	21
163	Lack of care	1	4		1		1				1	1	5
164	XIII.—Old age (senility)	135	421	99	283	92	7	328	32	21	30	149	238
	XIV.—External causes	729	1,137	581	981	511	159	1,393	255	503	385	487	516
	Suicide	135	211	57	131	68	4	115	6	70	5	31	12
165	By poisons (gas or corrosives excepted)	15	18	3	7	4		4		2		3	1
166	By corrosive substances	20	19	14	11	8	1	16		13	1	2	
167	By poisonous gas	19	4	1	1	2		1		13			
168	By hanging or strangulation	28	75	9	32	11	1	31	2	1		3	1
169	By drowning	2	7	2	10	1	1	3		5	1	4	1
170	By firearms	35	78	25	58	33		50	3	33	1	18	8
171	By cutting or piercing instruments	7	9	3	7	4	1	8	1	1	1	1	1
172	By jumping from high places	6				3				2			
173	By crushing	2	1		1			2			1		
174	By other means	1			4	2							
	Homicide	37	29	62	32	45	78	198	73	60	162	65	156
197	By firearms	25	18	44	23	30	59	185	64	39	110	50	122
198	By cutting or piercing instruments	4	3	5	4	8	16	5	5	5	37	11	21
199	By other means	8	8	13	5	7	3	8	4	16	15	4	13
	Accidental or undefined	557	897	462	818	398	77	1,080	176	373	218	391	348
175	Poisoning by food	7	13	11	14	3	4	20	2	4	2	12	10
176	Poisoning by venomous animals	2			6			2				5	1
177	Other acute poisonings (gas excepted)	21	23	15	24	12	1	26	1	9	8	15	10
178	Conflagration	10	14	7	11	1		16	5	11	5	11	11
179	Burns (conflagration excepted)	36	49	33	50	34	16	105	27	42	47	30	47
180	Mechanical suffocation	8	18	7	25	4		23	5	4	1	4	13
181	Absorption of irrespirable, irritating, or poisonous gas	12	4	11	10	9		5		10	2		
182	Drowning	18	77	18	60	15	11	69	10	26	15	46	52
183	Traumatism by firearms (except in war)	12	42	11	38	16	3	79	18	18	13	18	35
184	Traumatism by cutting or piercing instruments	5	13	8	9	3		10	3	5	2		4
185	Traumatism by fall	132	214	88	153	85	10	149	10	65	21	46	29
186a	Traumatism in mines	6	23	2	28	8	1	153	36				
186b	Traumatism in quarries				1		1						
187	Traumatism by machines	11	22	14	25	9		20	2	16	7	11	10
188a	Railroad accidents	62	72	47	85	30	10	113	21	21	23	42	35
	Collision with automobiles	12	9	14	27	5	1	13	2	2		5	
	Other railroad accidents	50	63	33	58	25	9	100	19	19	23	37	35
188b	Street-car accidents	9	5	8	4	8		4		9	4		
	Collision with automobiles	4	5	2	2	2				2			
	Other street-car accidents	5		6	2	6		4		7	4		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	125	146	115	125	112	13	100	12	93	32	86	30
188d	Airplane and balloon accidents				4							1	
188e,f	Injuries by other vehicles	7	23	14	30	6	1	21	2	5	3	7	5
188g	Landslide, other crushing	3	5	1	5	3	1	8	2	1	5	12	5
189	Injuries by animals (not poisoning)	3	19	5	18	6		20		1	1	6	4
190	Wounds of war												
192	Starvation (deprivation of food or water)												
193	Excessive cold	3	3	2	5	2		3	2		1		2
194	Excessive heat	11	19	5	12	7	1	10	3	1	2	1	7
195	Lightning		8		11			18	1		1	8	7
196	Other accidental electric shocks	6	22	3	12	4		11		6	1	3	
201	Fracture (cause not specified)	5	5	1	2	3		5		1	2		1
202	Other external violence	43	58	36	51	18	4	90	14	25	20	27	30
203	Violent deaths of unknown causation												
	XV.—Ill-defined diseases	21	128	11	115	6	11	465	55	6	12	221	517
204	Sudden death	2	21	2	16	1		41	3		2	48	57
205a	Ill-defined	10	57	5	40	3	7	195	18	2	4	57	114
205b	Not specified or unknown	9	50	4	59	2	4	229	34	4	6	116	346

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

MAINE		MARYLAND				MASSACHUSETTS		MICHIGAN		MINNESOTA		MISSISSIPPI				MISSOURI		List No.
		Urban		Rural								Urban		Rural				
Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	Urban	Rural	
14	35	24	8	13	6	100	24	84	79	33	42	7	4	23	11	42	55	
5	23	11	5	8	4	16	11	33	43	15	13	-------	2	4	5	11	26	151
4	3	6	1	1	-------	27	2	13	9	3	9	3	-------	9	2	12	8	152
3	2	3	2	2	1	32	7	13	7	5	8	-------	-------	4	2	11	8	153
2	7	4	-------	2	1	25	4	25	20	10	12	4	2	6	2	8	13	154
6	3	23	4	5	1	75	7	38	22	15	8	4	2	5	6	28	10	
5	3	18	3	4	-------	60	5	32	16	12	8	4	1	5	4	26	8	155
-------	-------	4	1	-------	-------	14	-------	5	4	2	-------	-------	1	-------	2	2	1	156
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	157
1	-------	1	-------	1	1	1	2	1	2	1	-------	-------	-------	-------	-------	-------	1	158
36	77	127	19	93	27	632	119	394	340	163	209	12	2	61	32	175	202	
3	11	9	3	8	4	77	13	42	40	26	31	1	-------	7	7	15	18	159a
16	44	79	12	61	17	349	74	205	191	75	114	7	-------	32	11	108	125	159b
17	22	39	4	24	6	206	32	147	109	62	64	4	2	22	14	52	59	159c
220	417	421	124	331	173	2,173	347	1,943	1,126	631	909	63	34	385	299	799	896	
32	76	22	5	38	54	168	45	222	203	27	99	10	8	52	61	57	139	160
133	267	277	91	216	89	1,250	184	1,275	698	414	568	37	20	263	181	546	576	161a
45	46	68	9	43	11	515	80	310	134	150	165	11	2	50	25	132	107	161b
10	28	54	19	32	16	236	37	136	89	39	76	5	4	20	30	64	74	162
-------	-------	-------	-------	2	3	4	1	-------	2	1	1	-------	-------	-------	2	-------	-------	163
45	184	47	7	47	19	70	50	189	392	48	196	14	23	115	288	39	228	164
246	452	727	209	466	126	2,872	597	2,522	1,738	957	1,216	127	167	515	791	1,891	1,506	
41	77	100	8	59	2	369	87	293	202	176	196	4	4	40	15	268	205	
1	3	-------	-------	2	-------	9	2	18	11	6	14	-------	-------	1	1	22	15	165
1	4	15	-------	4	-------	23	4	53	14	25	7	1	-------	4	1	67	20	166
9	-------	26	-------	2	-------	127	6	46	6	35	-------	-------	-------	-------	-------	31	4	167
4	18	8	1	12	-------	67	25	54	58	31	59	-------	1	2	5	30	35	168
6	15	3	-------	6	-------	22	13	12	17	16	10	-------	-------	2	-------	3	18	169
13	31	37	6	26	2	72	26	78	78	38	78	2	1	27	7	31	90	170
5	6	5	-------	3	-------	26	7	21	12	16	11	1	-------	3	-------	20	15	171
1	-------	4	1	-------	-------	15	1	7	-------	6	3	-------	1	1	-------	10	3	172
-------	-------	2	-------	-------	-------	6	1	2	2	3	4	-------	-------	-------	-------	2	1	173
1	-------	-------	-------	4	-------	2	2	2	4	-------	10	-------	1	-------	1	2	4	174
6	11	28	49	24	16	91	20	281	39	56	39	18	48	66	257	323	106	
3	7	19	23	14	12	40	12	197	20	28	22	15	38	54	202	217	84	197
-------	-------	2	20	4	2	13	1	42	8	8	4	2	6	2	33	50	10	198
3	4	7	6	6	2	38	7	42	11	20	13	1	4	10	22	56	12	199
199	364	599	152	383	108	2,412	490	1,948	1,497	725	981	105	115	409	519	1,300	1,195	
-------	5	1	6	3	-------	13	7	14	15	2	11	3	5	8	12	21	21	175
-------	-------	-------	-------	1	-------	3	-------	4	-------	-------	1	-------	-------	1	1	-------	1	176
3	11	7	5	9	6	36	5	37	26	12	13	4	2	6	11	34	25	177
2	10	2	2	7	7	35	19	30	40	9	44	1	-------	6	10	32	31	178
14	22	46	28	16	11	199	19	152	55	37	48	9	17	51	95	121	81	179
2	10	11	1	11	1	46	9	19	27	2	8	3	-------	11	23	8	20	180
2	2	41	-------	5	1	136	11	59	13	59	8	-------	-------	-------	1	37	9	181
14	56	44	20	74	20	162	109	78	248	35	142	1	10	31	47	52	102	182
5	19	10	5	9	5	17	11	28	47	15	43	5	17	31	70	31	50	183
3	9	2	3	2	1	20	3	17	13	6	5	1	2	5	4	15	17	184
53	71	118	14	45	7	576	79	335	255	174	166	9	7	46	32	260	249	185
-------	-------	1	-------	12	-------	-------	-------	6	36	8	15	-------	-------	-------	-------	5	17	186a
-------	2	1	-------	1	1	-------	-------	1	-------	1	-------	-------	-------	-------	-------	1	3	186b
10	12	11	10	7	2	64	2	67	44	22	38	2	2	14	13	34	27	187
6	24	28	3	33	2	75	32	143	126	46	83	17	11	45	45	87	147	188a
-------	3	1	-------	2	-------	4	10	31	48	8	17	3	4	7	-------	4	16	
6	21	27	3	31	2	71	22	112	78	38	66	14	7	38	45	83	131	
2	1	18	1	4	6	53	5	72	30	17	2	-------	-------	-------	-------	31	3	188b
-------	1	3	-------	-------	3	13	3	26	16	7	-------	-------	-------	-------	-------	7	-------	
2	-------	15	1	4	3	40	2	46	14	10	2	-------	-------	-------	-------	24	3	
47	51	154	27	71	19	602	127	649	306	183	178	24	15	76	55	352	157	188c
-------	1	-------	-------	-------	-------	3	-------	4	9	1	2	-------	-------	-------	-------	3	1	188d
9	11	12	-------	9	2	70	13	25	32	21	43	1	2	9	3	22	27	188e,f
1	-------	4	3	2	2	24	-------	15	4	3	12	4	2	4	8	7	10	188g
-------	4	4	-------	3	-------	8	2	15	22	6	17	2	-------	5	9	10	20	189
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	190
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	192
1	4	1	5	3	1	6	1	5	10	2	3	-------	2	-------	-------	3	7	193
3	2	32	11	6	2	56	9	30	11	4	8	-------	-------	1	6	34	18	194
-------	1	1	-------	1	1	3	1	1	9	-------	4	1	2	12	21	1	22	195
2	3	8	-------	8	-------	24	5	33	20	4	15	2	1	-------	5	18	32	196
1	4	5	-------	14	2	9	3	22	14	2	3	5	6	14	5	13	14	201
19	29	37	8	27	9	171	18	87	85	54	69	11	12	33	43	68	83	202
-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	203
36	92	4	1	49	67	86	24	43	173	24	116	23	178	387	1,829	36	385	
16	18	-------	-------	2	8	12	6	1	26	2	15	5	5	68	169	1	25	204
13	30	3	1	23	24	59	15	32	74	7	35	9	16	52	165	20	114	205a
7	44	1	-------	24	35	15	3	10	73	15	66	9	157	267	1,495	15	246	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	All causes	1,603	3,585	4,123	8,370	2,861	3,702	26,846	15,346	108,020	34,480	3,504	3,076	16,198	9,770
	I.—Epidemic, endemic, and infectious diseases	186	567	475	996	307	365	2,893	2,094	12,359	4,052	482	597	2,463	1,924
1	Typhoid and paratyphoid fever	3	21	7	31	8	7	84	30	313	85	16	19	113	131
2	Typhus fever									1					
5	Malaria				4			2	2	8	1	6	14	62	59
6	Smallpox			1				45	3	1	1		1	2	2
7	Measles		5			6	3	86	38	274	49		2	12	2
8	Scarlet fever	2	19	6	27	10	5	40	27	135	56	1		27	2
9	Whooping cough	13	50	23	57	23	5	173	91	434	89	5	22	81	45
10	Diphtheria	14	20	35	45	13	17	241	96	896	110	29	6	209	59
11a	Influenza (with pulmonary complications)	26	51	62	216	69	51	179	142	612	291	71	82	375	202
11b	Influenza (other and unspecified)	7	25	34	240	41	66	81	80	312	246	23	37	214	85
13	Mumps	1			3			2	3	5	4	1		3	4
15	Cholera nostras			3	2		1		2	3	2		1	5	1
16	Dysentery	2	11	2	32		1	14	15	47	17	11	5	107	64
17	Plague														
19	Spirochetal hemorrhagic jaundice		1	2				3	2	6	1				
20	Leprosy														
21	Erysipelas	5	11	6	15	5	7	80	27	287	54	7	1	40	3
22	Acute anterior poliomyelitis	1	5	23	17	1	4	23	10	144	64	2	1	20	2
23	Lethargic encephalitis	4	4	10	9	1	1	60	18	240	36	7	6	15	3
24	Meningococcus meningitis	2	3	1	12	4	2	37	11	122	26	3	2	13	6
25	Other epidemic and endemic diseases	7	5		1	3		5	1	16	1			2	1
26	Glanders														
27	Anthrax								1	2					
28	Rabies	1			1			3		1		1		6	
29	Tetanus	1	1	6	5	2		32	10	66	16	5	9	13	11
30	Mycoses			4	1			1	2	11	6	1	1	3	5
	Tuberculosis (all forms)	83	313	191	255	113	184	1,468	1,423	7,529	2,753	265	316	1,090	1,123
31	Of the respiratory system	77	273	155	222	83	154	1,223	1,335	6,508	2,536	238	281	997	1,023
32	Of the meninges, central nervous system	4	11	12	8	9	13	115	27	460	78	11	8	27	16
33	Of the intestines, peritoneum	1	9	8	6	9	7	48	23	181	47	9	16	35	36
34	Of the vertebral column			2	6	3		19	12	85	29	1	2	9	14
35	Of the joints					2		12	5	24	10		2	3	4
36	Of other organs		5	5	2	4	1	22	5	101	22	3	3	10	17
37a	Disseminated (acute)	1	3	7	9	3	6	25	14	157	27	3	4	7	10
37b	Disseminated (chronic or unspecified)		12	2	2		3	4	2	13	4			2	3
38	Syphilis	10	18	40	12	3	5	170	50	770	115	18	58	20	90
39	Soft chancre									1					
40	Gonococcus infection	1	2	6	3			35	1	67	7	3	10	7	16
41	Purulent infection, septicemia	2	2	13	8	5	6	29	9	53	22	7	4	24	8
42	Other infectious diseases	1								3					
	II.—General diseases not included in Class I	235	358	634	1,165	387	529	3,481	1,890	15,107	4,248	364	182	1,356	456
	Cancer and other malignant tumors	150	229	429	762	273	396	2,343	1,355	10,142	3,059	208	82	812	226
43	Of the buccal cavity	8	6	15	31	5	11	70	45	340	116	6	3	28	5
44	Of the stomach, liver	48	102	139	362	86	129	839	482	3,520	1,064	62	15	283	75
45	Of the peritoneum, intestines, rectum	25	34	82	100	57	73	416	191	1,692	470	23	8	63	12
46	Of the female genital organs	24	22	72	67	46	74	336	210	1,331	405	37	34	142	59
47	Of the breast	12	17	36	48	21	32	197	149	983	346	23	10	67	30
48	Of the skin	2	10	7	19	4	12	44	43	153	91	9		58	4
49	Of other or unspecified organs	31	38	78	135	54	65	441	235	2,123	567	48	12	171	41
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1		5	10			16	5	95	18	2	1	4	4
51	Acute rheumatic fever	7	14	3	10	11	6	96	46	332	59	6	5	39	26
52	Chronic rheumatism, osteoarthritis, gout	2	4	2	18	3	11	20	18	90	50	2		22	5
53	Scurvy					1	1			1	5			1	2
54	Pellagra				2			4	1	12	2	49	43	195	95
55	Beriberi									2					
56	Rickets		1		4	1	3	6	2	58	6		6	9	7
57	Diabetes mellitus	26	38	85	188	44	53	514	248	2,186	509	34	20	127	41
58	Anemia, chlorosis	12	27	31	68	22	29	125	70	510	224	16	6	38	8
59	Diseases of the pituitary gland			1	2		1	2		11	1				1
60a	Exophthalmic goiter	7	10	13	27	1	3	49	24	240	64	8	2	10	7
60b	Other diseases of the thyroid gland	1	3	6	4		2	8	5	46	13	5		7	4
61	Diseases of the parathyroid glands				1			4		12	1		1	2	1
62	Diseases of the thymus gland			11	8	4		19	12	101	25	3	1	5	
63	Diseases of the adrenals (Addison's disease)	1		1	5	1		9	4	34	14			4	
64	Diseases of the spleen			1	2					10	5		1	2	
65a	Leukemia	3	3	12	17	2	3	48	13	237	35	10	1	11	1
65b	Hodgkin's disease	3		6	6	3	3	28	7	97	25	1	1	5	1
66	Alcoholism (acute or chronic)	18	23	15	10	6	13	113	52	633	81	9	5	23	8
67a	Chronic lead poisoning				3		1	13	3	5	4			1	
67b	Other chronic mineral poisoning			1				6	2	3	1		1		2
68	Chronic poisoning by organic substances	1	1	3			1	4	1	53	3			4	
69	Other general diseases	3	5	9	18	15	3	54	22	197	44	11	6	35	17
	III.—Diseases of the nervous system and of the organs of special sense	163	361	370	1,104	375	561	2,414	1,976	8,594	4,737	350	289	1,708	902
70	Encephalitis	3	4	3	13	3	4	37	13	75	22	13	1	20	11
71a	Simple meningitis	8	7	6	11	13	6	71	28	212	50	12	9	52	21
71b	Nonepidemic cerebrospinal meningitis	1	1	1	7	2	4	21	8	40	10	3	1	17	4
72	Tabes dorsalis (locomotor ataxia)	1	3	10	14	4	7	23	15	131	65	2	2	6	2
73	Other diseases of the spinal cord	4	11	12	34	5	13	55	53	264	127	4	6	27	10
74a	Cerebral hemorrhage	98	224	259	760	240	455	1,734	1,464	5,318	3,408	209	217	1,138	561
74b	Cerebral embolism and thrombosis	8	13	14	35	31	18	96	44	438	156	10	9	15	9
75	Paralysis without specified cause	3	12	8	44	4	11	68	48	182	123	22	22	210	145
76	General paralysis of the insane	2	27	10	48	13	6	55	144	561	266	4		19	20
77	Other forms of mental alienation	2	9	4	21	10	8	20	11	170	54	20		19	13
78	Epilepsy	4	18	3	31	11	7	30	43	184	159	14	5	38	48
79	Convulsions (nonpuerperal; 5 years and over)		1		1		1		1	2	5	4	3	3	8
80	Infantile convulsions (under 5 years)	2	9	4	17	3	3	25	19	49	24	3	2	29	23
81	Chorea				1			3		5	3			2	
82	Neuralgia and neuritis	1	1	2	3		1	2	4	13	9	2		5	

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
										Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
672	4,373	42,438	31,169	4,407	5,222	63,807	51,938	6,872	1,354	1,810	2,226	6,883	11,071	5,116	4,063	14,288	4,367	2,127	2,357	
76	660	5,499	4,096	554	616	7,798	6,876	734	248	229	415	1,088	2,478	782	933	3,563	1,399	219	258	
2	22	140	193	8	25	201	250	16	4	18	32	111	322	73	64	393	123	11	15	1
																				2
		6	6	2		5	3			2	8	30	143	15	19	76	45			5
	8	34	13	1	2	29					2	4	1	1	1	2	1			6
	9	51	30	1		304	199	31	5			2	4	11	7	38	4			7
2	46	127	125	6	14	176	167	12	1	1		6		7	2	21	4	2	2	8
4	69	218	156	21	42	323	325	47	13	12	11	74	104	29	19	106	31	10	25	9
5	32	277	115	54	48	599	374	44	1	19	6	65	37	20	8	143	15	24	25	10
3	57	642	577	31	88	846	984	67	24	42	37	201	224	116	134	449	162	28	53	11a
3	37	345	536	17	70	347	591	30	10	19	15	117	210	57	56	263	107	14	33	11b
	1	3	5	1	2	5	7	2					3			2	1		1	13
		1	8			6	21		2			4		1		11	1			15
	13	35	58	2	2	35	84	3	1	11	8	70	122	29	24	122	32		5	16
																				17
						1	3					1							2	19
	1										1									20
2	10	98	70	12	6	156	125	16	3			13	2	9	2	31	2	5	11	21
5	37	43	25	1	1	27	40	7	3	3		22	13	1	1	31	2			22
2	6	90	38	5	9	90	42	7		1	1	5	3	8	1	12	1	10		23
2	12	38	15	22	13	50	29	6		6	1	4	2	11	6	13	3	16	11	24
1	3	5	10	3	2	13	10	1	1	1		1	1			1		1	1	25
																				26
				1		4														27
		8	4			4	1				1	2		4		2				28
1	3	38	31	1	2	55	47	6		3	12	9	16	13	4	21	6	1		29
	3	4	1	1		4	2				1	3	25	4	1		1	1		30
39	279	2,894	1,925	300	260	3,977	3,323	386	177	73	220	315	1,085	323	473	1,779	793	83	66	
29	230	2,404	1,656	232	220	3,316	2,917	293	162	66	193	293	1,027	259	391	1,570	728	73	55	31
3	15	177	76	28	12	260	114	35	8	3	2	2	4	29	11	59	12	2	1	32
2	14	119	80	20	12	147	129	29	2	1	10	9	24	18	25	88	22	5	6	33
1	5	42	19	6	4	52	42	2	1		1		3	1	8	13	4			34
		12	14	1	2	24	16	2	1				2	2	2	7	1		2	35
2	9	47	42	6	7	77	48	12	1	1	4	3	10	8	8	20	7	2	1	36
		74	20	7	3	88	33	8	2	2	8	8	11	4	28	17	16	1		37a
2	6	19	18			13	24	5			2		4	2		5	3		1	37b
1	5	336	123	50	17	430	195	41	3	7	49	22	134	31	97	27	57	7	6	38
													1							39
1	4	34	7	3	2	59	7	3		4	6	2	19	8	10	2	7	2		40
3	3	31	25	11	11	52	47	8		7	4	5	7	11	4	18	1	4	2	41
		1						1												42
109	512	5,324	3,791	732	650	7,484	5,531	936	178	206	163	619	572	597	225	1,216	245	293	206	
76	330	3,568	2,565	500	449	4,997	3,717	631	141	108	63	322	253	346	128	693	116	190	133	
1	7	109	87	15	15	202	127	28	3	2		16	10	5	4	26	2	9	7	43
42	168	1,281	1,028	164	187	1,779	1,559	189	51	31	19	97	75	111	29	237	31	66	72	44
10	39	490	339	89	54	719	487	103	33	15	3	29	13	46	11	64	9	27	16	45
4	16	589	335	60	62	784	538	103	19	20	23	70	90	74	53	97	48	18	8	46
2	29	314	217	37	33	447	308	55	9	11	6	26	24	22	10	86	10	19	6	47
	6	83	105	16	12	100	118	14	4	5	1	25	5	11	1	50		3	3	48
17	65	702	454	119	86	966	580	134	22	24	11	59	36	77	20	133	16	48	21	49
	4	35	23	4	3	24	14	5			1	1	9	4	1	5		2	2	50
3	14	98	77	6	12	173	154	16	2	3	2	7	24	7	10	42	13	4	7	51
1	3	29	58	4	7	61	59	4		1	1	9	3	5	3	10	6	1	7	52
		1				5	2	1							1					53
		8	3	1	1	19		6		41	65	142	187	61	24	225	74	2		54
																				55
	1	14	6		2	44	24	3	1	1	3	2	8	3	6	6	3	2	2	56
13	77	654	503	68	78	1,003	721	127	23	21	18	57	41	59	24	93	18	28	25	57
9	29	231	228	42	29	276	264	45	6	10	1	13	7	34	5	48	3	19	9	58
		4	3			8	3												1	59
2	12	290	128	46	25	187	118	7	1	1	1	6	5	11	10	10	2	14	4	60a
	5	30	15	7	5	29	26	3		1		4	5	4		9	1	1	3	60b
	3	3	2			5	12					2	3							61
	6	61	22	6	3	97	31	9		2	1	6	4	2		3		3	1	62
	2	16	11	4	1	19	13	3	1			4		2		4		6	1	63
		8	5	2		3	7	2						1		2				64
2	11	59	32	16	6	88	51	11		5		2	2	13	4	15	1	5	2	65a
1	4	20	21	4	3	42	35	7		1	1	3	1	4	2	7		1	1	65b
1	6	101	44	8	13	304	190	37	2	6	2	9	8	17	4	10	3	8	3	66
		5	5	1		6	1	1							1				2	67a
		1	2		1	1							2							67b
1		6	3	1		6	7	1		2		4		2		7				68
	5	82	35	12	12	87	82	17	1	3	4	26	10	22	2	27	5	7	3	69
56	430	4,511	4,554	548	653	5,501	6,184	745	138	183	219	762	943	454	288	1,222	310	227	164	
5	9	41	16	6	3	77	54	3		2	1	9	7	9	2	10	1	6	7	70
6	4	100	59	11	10	190	101	23		4	5	12	12	16	12	52	4	8	4	71a
2	3	26	20	4	4	29	28	4	1	5		5	4	2		20	3	3	5	71b
	1	65	66	5	4	109	70	9	2			1		9	1	9	4	1		72
	10	90	94	15	10	157	142	17	2	8	2	10	15	12	20	26	15	5	5	73
37	266	3,178	3,397	327	488	3,548	4,292	551	103	104	146	516	497	270	175	653	148	126	103	74a
2	9	111	93	30	11	249	216	19	3	2	4	13	3	15	5	17	2	6	2	74b
	13	35	101	22	40	169	183	20	3	11	11	109	242	31	45	182	51	3	3	75
1	6	323	229	52	12	259	300	37	2	11	24	2	4	4	5	54	25	11		76
1	15	71	38	22	9	43	48	8	2	8	11	1	11	4	1	29	15	22	4	77
1	12	46	151	19	21	85	220	8	8	8	8	18	35	4	4	45	6	9	6	78
	1	1	4			5	7	2				1	9	1		6		1		79
	53	50	36	3	4	108	180	15	2	3	2	17	74	12	6	12	10	1	8	80
		5	4			4	11						1			1	2	1		81
		16	17	1	1	6	10					1	8	3		9	1	1	1	82

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	III.—Diseases of the nervous system and of the organs of special sense—Con.														
83	Softening of the brain	1	1		5	1	2	5	7	31	48	1	1	11	2
84	Other diseases of the nervous system	13	8	22	46	16	11	67	60	451	150	8	7	56	14
85	Diseases of the eye and annexa		1	1	2	1		1	1	6	3	2	1	3	
86a	Diseases of the ear	7	8	8	4	5	3	54	6	256	34	7	2	27	8
86b	Diseases of the mastoid process	5	3	3	7	13	1	47	7	206	21	10	1	11	3
	IV.—Diseases of the circulatory system	248	501	671	1,284	541	865	5,230	3,385	24,313	8,710	438	357	2,087	1,003
87	Pericarditis	2	5	2	9	4	7	9	12	49	21		2	10	3
88	Endocarditis and myocarditis (acute)	24	20	38	45	22	14	305	126	766	177	27	20	32	28
89	Angina pectoris	11	33	44	101	76	105	292	229	1,347	587	53	10	123	29
90	Other diseases of the heart	187	390	498	966	333	577	4,226	2,681	19,695	6,628	306	303	1,753	875
91a	Aneurysm	4	7	11	7			36	18	159	56	8	6	2	7
91b,c	Other diseases of the arteries	8	35	55	134	94	146	287	291	1,959	1,137	31	11	111	33
92	Embolism and thrombosis (not cerebral)	10	7	17	15	9	12	54	17	250	84	8		20	4
93	Diseases of the veins	1	1	2	5	3	2	21	7	65	14	1		3	1
94	Diseases of the lymphatic system				1		1		2	19	3		1	5	1
95	Hemorrhage without specified cause		1	2					2	3	2		4	3	5
96	Other diseases of the circulatory system	1	2	2	1		1			1	1	4		25	17
	V.—Diseases of the respiratory system	167	331	396	618	266	311	2,937	1,365	11,329	2,673	231	329	1,378	781
97a	Diseases of the nasal fossae			1	5			1	3	5	2	1		5	13
97b	Diseases of the nasal fossae annexa	2		6	1	2		10	2	61	3	3	4	7	3
98	Diseases of the larynx	1	1	7	6	2	1	7	6	40	15	3	3	4	2
99a	Acute bronchitis	4	11	9	17	17	11	87	32	244	98	4	2	16	6
99b	Chronic bronchitis	1	1	6	23	11	17	50	45	175	93	2	2	21	6
99c	Bronchitis (unspecified, under 5 years)		4		7		4	17	8	39	16		2	8	9
99d	Bronchitis (unspecified, 5 years and over)	1	1	2	6	4	7	13	9	50	39		4	7	4
100a	Broncho-pneumonia	64	109	141	195	95	103	880	425	3,982	954	85	99	447	259
100b	Capillary bronchitis	1	3		11	2	2	20	29	165	27		6	2	6
101a	Lobar pneumonia	77	133	198	268	109	127	1,643	677	5,800	1,141	98	163	608	292
101b	Pneumonia (unspecified)	6	44	5	28	5	19	46	47	237	84	14	27	182	126
102	Pleurisy	4	7	7	15	7	5	80	32	308	78	5	2	20	10
103	Congestion and hemorrhagic infarct of the lung	1	3	7	14	4	8	25	23	58	50	7	5	13	2
104	Gangrene of the lung	2		1	4	1	1	6	2	19	6			1	2
105	Asthma	1	7	4	14	1	3	33	11	79	44	4	7	26	24
106	Pulmonary emphysema	1			1			5	2	13	1				1
107	Other diseases of the respiratory system (tuberculosis excepted)	1	7	2	3	6	3	14	12	54	22	5	3	11	16
	VI.—Diseases of the digestive system	144	311	461	799	221	196	2,382	911	8,379	1,850	379	339	1,479	804
108	Diseases of the mouth and annexa		1	5	7	5		19	3	55	19	2		17	11
109a	Adenoid vegetations									2					1
109b	Other diseases of the pharynx, tonsils	6	12	24	35	9	10	85	35	403	70	13	9	36	24
110	Diseases of the esophagus			1	1			4		9	4			2	
111a	Ulcer of the stomach	9	18	22	22	18	12	136	29	458	125	10	9	29	13
111b	Ulcer of the duodenum	1	6	17	12	6	4	61	15	240	26	5		8	
112	Other diseases of the stomach (cancer excepted)	3	14	8	43	15	25	68	59	124	145	10	35	114	75
113	Diarrhea and enteritis (under 2 years)	17	78	76	156	57	36	654	348	2,212	446	126	139	747	460
114	Diarrhea and enteritis (2 years and over)	7	22	35	98	14	14	148	82	281	191	16	20	158	56
115	Ancylostomiasis													1	
116	Diseases due to other intestinal parasites						1	3		9	3	1	1	2	2
117	Appendicitis and typhlitis	45	54	111	159	37	22	453	69	1,583	156	88	54	128	48
118a	Hernia	3	9	26	30	12	7	106	23	490	79	11	10	18	13
118b	Intestinal obstruction	16	19	34	52	13	18	161	42	529	115	38	25	82	37
119	Other diseases of the intestines	2	4	4	15	1	3	44	11	81	26	2	7	15	11
120	Acute yellow atrophy of the liver		3	4	3	1	5	6	3	63	15	2		2	1
121	Hydatid tumor of the liver									3	1				
122	Cirrhosis of the liver	14	24	18	59	9	21	191	128	866	214	12	17	47	24
123	Biliary calculi	8	18	35	45	10	3	110	33	366	53	13	1	20	5
124	Other diseases of the liver	12	17	31	43	7	10	84	17	407	104	20	6	41	12
125	Diseases of the pancreas	1	4	2	5	1		24	8	76	11	4	1	2	1
126	Peritonitis without specified cause		8	8	14	6	5	25	6	122	47	6	5	10	10
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	126	241	374	688	249	289	2,684	1,562	10,824	3,357	388	300	1,595	872
128	Acute nephritis (including unspecified under 10 years)	13	11	13	43	8	8	156	70	299	114	22	46	78	74
129	Chronic nephritis (including unspecified 10 years and over)	83	194	253	541	196	252	2,183	1,401	9,177	2,950	306	198	1,378	719
130	Chyluria										1				
131	Other diseases of the kidneys and annexa	3	8	18	15	4	4	48	15	255	47	10	5	48	18
132	Calculi of the urinary passages	2	3	5	5	1	1	21	10	100	13	8		7	2
133	Diseases of the bladder	2	1	7	14	3	2	17	11	29	31	1	4	14	8
134	Diseases of the urethra, etc		1	2	2	1	1	12	1	29	4		6	1	4
135	Diseases of the prostate	12	11	31	44	13	15	99	28	390	122	22	12	44	23
136	Nonvenereal diseases of the male genital organs		2	1				7	4	12	3				
137	Cysts, other benign tumors of the ovary	3	1	6	5	5	2	11	4	80	18	2	3	7	1
138	Salpingitis and pelvic abscess (female)	3	4	12	10	1		42	2	156	18	3	11	6	7
139	Benign tumors of the uterus	4	3	21	8	8	2	61	13	227	30	8	9	4	7
140	Nonpuerperal uterine hemorrhage		2		1					2				1	1
141	Other diseases of the female genital organs	1		5		9	2	27	3	65	5	6	6	6	8
142	Nonpuerperal diseases of the breast (cancer excepted)									3	1			1	
	VIII.—The puerperal state	21	62	64	103	40	27	388	89	1,176	193	95	66	297	267
143	Accidents of pregnancy		5	8	10	2	5	38	9	107	15	7	2	16	18
144	Puerperal hemorrhage	2	7	6	10	3	1	32	11	156	21	6	7	37	30
145	Other accidents of labor	1	7	6	11	5	3	41	13	162	33	8	8	35	34
146	Puerperal septicemia	10	25	31	34	15	11	165	27	460	65	26	23	57	53
147	Puerperal phlegmasia alba dolens, embolus, etc.	1	5	1	8	3		20	6	56	11	8	2	10	8
148	Puerperal albuminuria and convulsions	7	12	12	29	12	7	91	22	230	48	40	24	141	120
149	Following childbirth (undefined)		1		1				1	3				1	4
150	Puerperal diseases of the breast							1		2					

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
										Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
------	1	23	44	3	4	16	40	2	------	3	------	14	3	7	1	19	------	------	------	83
------	14	153	147	15	15	205	175	14	5	8	4	22	13	26	3	54	21	9	12	84
------	------	1	1	------	------	3	4	------	------	1	------	2	------	------	------	2	------	------	------	85
1	8	101	31	9	12	135	72	8	------	3	------	8	3	19	5	10	------	11	3	86a
------	5	75	6	4	5	104	31	5	------	2	1	1	2	10	3	12	2	3	1	86b
76	521	7,429	6,270	854	1,037	11,576	9,342	1,354	294	269	354	918	1,172	600	481	1,474	497	298	344	
1	4	13	18	4	2	90	42	7	------	------	------	------	10	1	3	16	3	------	1	87
5	25	422	137	29	29	682	363	49	6	12	17	21	39	27	21	38	14	20	28	88
4	28	424	430	76	80	525	568	93	25	32	11	88	31	65	10	86	14	22	26	89
51	408	5,581	4,821	546	822	9,180	7,295	1,032	228	167	252	722	1,011	446	421	1,191	439	225	274	90
------	5	78	40	13	11	137	50	6	1	4	14	12	15	10	10	9	2	3	1	91a
8	38	804	775	135	74	806	929	143	27	46	57	53	38	36	12	117	16	21	11	91b,c
7	7	62	27	48	11	100	64	18	7	8	2	5	3	13	2	6	2	5	1	92
------	4	30	11	2	5	28	20	3	------	------	1	2	1	------	------	1	1	2	------	93
------	2	11	4	1	1	20	7	3	------	------	------	1	2	1	1	1	1	------	1	94
------	------	2	4	------	------	4	3	------	------	------	------	2	5	1	1	3	2	------	1	95
------	------	2	3	------	2	4	1	------	------	------	------	12	17	------	------	6	3	------	------	96
62	475	4,098	2,481	340	381	8,158	5,616	720	119	127	177	499	884	380	471	1,159	371	187	264	
------	2	7	4	2	5	9	1	1	------	------	------	5	115	------	1	4	3	------	------	97a
7	------	21	13	------	------	20	18	4	------	1	------	2	1	5	------	6	------	5	------	97b
1	5	14	10	2	3	37	25	2	1	1	------	------	------	2	------	7	------	5	------	98
------	10	53	55	6	8	185	151	18	5	1	1	7	6	2	7	11	6	3	8	99a
------	8	77	71	12	17	138	96	13	2	2	1	9	3	4	1	27	6	1	2	99b
------	5	7	5	------	4	45	44	5	2	------	------	4	5	1	1	3	3	------	1	99c
------	3	39	33	2	4	51	34	7	2	2	------	4	6	5	2	15	3	1	------	99d
24	203	1,507	1,015	127	127	2,700	2,031	216	30	38	75	120	122	144	188	386	114	74	114	100a
------	4	27	22	2	1	44	40	2	2	------	2	1	------	2	2	5	2	1	2	100b
25	169	2,095	1,043	144	151	4,200	2,539	383	60	67	81	237	271	176	229	540	190	88	90	101a
1	24	19	42	9	21	168	196	32	9	5	5	80	290	12	10	83	23	1	22	101b
1	9	88	44	8	10	230	132	19	1	6	7	7	13	10	20	22	6	3	6	102
2	15	31	41	10	7	101	74	8	1	1	2	9	2	6	1	11	2	1	2	103
1	2	5	4	1	------	17	4	------	------	------	1	3	1	------	------	1	------	------	------	104
------	10	65	45	8	16	115	115	5	3	1	------	7	26	7	4	13	6	4	6	105
------	1	14	5	1	------	10	7	------	------	------	1	------	------	------	------	1	1	------	1	106
------	5	29	29	6	7	88	109	5	1	2	1	4	23	4	5	24	6	------	10	107
109	475	4,029	2,138	324	350	5,819	4,425	459	51	190	187	577	846	642	375	1,353	271	209	204	
1	3	37	20	4	------	28	18	3	------	1	3	4	7	5	6	19	1	2	2	108
------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	109a
7	16	162	81	20	31	197	119	15	3	12	1	18	25	18	4	34	4	12	17	109b
------	------	3	1	1	1	7	4	------	------	------	------	1	1	1	------	------	1	------	------	110
7	13	163	95	22	20	187	108	40	9	5	6	13	10	30	14	24	9	13	7	111a
5	6	72	20	20	10	94	30	12	------	6	1	1	2	20	4	6	2	8	1	111b
------	17	174	182	9	23	215	296	31	4	7	12	57	245	21	59	132	59	8	17	112
4	156	1,101	643	23	37	1,905	2,076	122	9	40	88	306	329	173	96	562	88	17	52	113
4	61	191	227	21	43	306	408	12	4	9	33	46	60	48	31	214	28	11	12	114
------	------	------	1	------	------	------	------	------	------	------	------	2	------	------	------	------	------	------	------	115
------	------	------	2	------	2	1	3	------	------	------	------	1	16	------	------	------	------	------	------	116
53	96	692	175	70	53	915	303	82	3	49	13	33	52	141	66	116	18	65	48	117
5	8	203	63	18	16	269	109	23	3	8	5	6	15	18	15	22	7	12	5	118a
9	24	334	141	34	35	430	220	31	5	16	15	41	28	51	30	67	12	19	15	118b
------	5	58	28	5	4	55	31	1	1	------	1	7	6	3	5	9	4	6	2	119
1	------	18	4	2	2	34	8	4	------	------	2	1	3	7	1	5	------	1	3	120
------	2	3	------	1	------	2	2	1	------	------	------	------	------	------	------	------	------	------	------	121
2	17	301	211	21	22	472	376	29	6	10	1	12	20	26	16	34	19	4	8	122
7	15	236	91	16	16	232	98	23	1	13	------	9	3	26	3	33	4	9	3	123
------	26	184	101	25	27	321	139	21	3	5	3	13	16	36	12	54	10	10	6	124
1	3	17	5	4	1	61	18	3	------	3	1	3	------	6	1	3	------	6	------	125
3	7	78	47	8	7	88	59	6	------	6	2	3	8	12	12	18	5	6	6	126
53	244	3,750	2,541	399	414	6,601	4,569	773	125	220	325	797	1,009	509	437	970	299	216	205	
3	20	192	129	16	11	315	276	31	3	17	25	44	71	29	65	68	29	11	11	128
34	172	2,825	2,116	285	341	5,416	3,864	659	109	171	254	689	823	349	269	783	228	164	166	129
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	130
3	14	122	44	15	7	144	73	17	3	10	6	30	68	28	8	32	4	10	4	131
1	2	42	16	3	------	42	24	1	2	4	------	3	3	8	------	3	1	2	1	132
1	3	20	33	2	11	26	40	3	2	------	3	4	7	3	6	14	5	3	6	133
1	------	18	4	1	------	27	7	2	------	------	5	------	4	4	6	------	2	------	------	134
5	19	195	127	46	28	254	176	29	4	11	5	19	7	36	18	48	11	14	7	135
------	------	2	3	1	------	11	2	------	------	------	------	------	1	------	2	------	1	------	1	136
2	5	37	13	7	3	62	26	4	------	1	1	2	------	8	2	4	3	------	2	137
1	4	115	12	6	2	130	20	14	------	4	12	1	6	19	23	6	1	5	2	138
2	4	132	35	12	4	117	43	7	1	2	6	5	9	21	33	5	8	5	2	139
------	------	------	1	------	2	4	3	------	------	------	------	------	2	------	------	1	1	------	------	140
------	1	49	8	5	5	46	15	6	1	------	8	------	7	4	5	6	5	2	3	141
------	------	1	------	------	------	7	------	------	------	------	------	------	1	------	------	------	------	------	------	142
10	79	616	242	45	67	884	498	72	3	43	37	132	277	108	65	191	78	38	33	
3	2	65	24	3	8	62	38	4	2	2	2	12	27	6	7	16	7	5	4	143
------	8	58	29	2	1	81	57	13	------	6	2	14	12	3	2	21	5	3	1	144
1	8	61	27	1	6	73	53	11	------	4	3	19	52	3	3	26	10	7	3	145
1	31	278	92	19	29	391	195	22	------	10	13	22	66	47	31	56	28	12	9	146
1	4	25	16	3	2	47	27	2	------	------	------	4	5	4	1	9	1	4	1	147
4	26	120	52	17	20	226	125	20	1	21	16	61	115	44	21	62	27	7	15	148
------	------	9	1	------	1	4	3	------	------	------	1	------	------	1	------	1	------	------	------	149
------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	150

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH

["Urban" includes cities of 10,000 inhabitants or more in

List No.	CAUSE OF DEATH	MONTANA		NEBRASKA		NEW HAMPSHIRE		NEW JERSEY		NEW YORK		NORTH CAROLINA			
												Urban		Rural	
		Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored
	IX.—Diseases of the skin and of the cellular tissue	1	4	15	26	10	20	91	40	240	93	12	11	38	19
151	Gangrene	1	2	5	14	6	10	22	19	44	49	1	7	14	6
152	Furuncle			2	3	2	1	17	10	55	11	1		10	
153	Acute abscess				4		4	35	6	78	14	6	2	5	8
154	Other diseases of the skin and annexa		2	8	5	2	5	17	5	63	19	4	2	9	5
	X.—Diseases of the bones and of the organs of locomotion	4		12	5	1	2	49	6	145	18	6	2	24	8
155	Diseases of the bones (tuberculosis excepted)	4		9	5	1	2	40	3	123	15	4	2	17	7
156	Diseases of the joints (tuberculosis and rheumatism excepted)			2				8	1	20	3	2		4	1
157	Amputations														
158	Other diseases of the organs of locomotion			1				1	2	2				3	
	XI.—Malformations	11	36	52	152	40	40	343	165	1,196	374	60	10	209	46
159a	Congenital hydrocephalus	2	5	5	11	5	7	27	11	146	42	11		21	7
159b	Congenital malformations of the heart	6	22	27	88	25	17	187	116	631	228	29	7	104	10
159c	Other congenital malformations	3	9	20	53	10	16	129	38	419	104	20	3	84	29
	XII.—Early infancy	93	226	224	527	188	137	1,415	530	5,289	1,189	304	206	1,181	556
160	Congenital debility, icterus, sclerema	13	32	20	66	23	31	132	78	506	155	26	35	157	123
161a	Premature birth	58	140	156	337	112	82	863	314	2,965	732	209	136	853	362
161b	Injury at birth	18	31	38	83	39	14	276	88	1,278	213	45	19	120	31
162	Other diseases peculiar to early infancy	4	22	10	40	14	10	143	48	532	88	24	16	48	39
163	Lack of care		1		1			1	2	8	1			3	1
164	XIII.—Old age (senility)	10	43	28	182	25	91	97	109	239	321	26	13	250	273
	XIV.—External causes	188	470	340	638	183	259	2,395	1,195	8,781	2,583	312	228	1,009	597
	Suicide	38	64	71	98	16	40	255	153	1,279	387	24	5	88	11
165	By poisons (gas or corrosives excepted)	1	9	4	4		3	12	2	48	16	1		2	
166	By corrosive substances	10	5	4	5		1	23	13	124	20	4	2	3	
167	By poisonous gas	2		16	2	4		91	30	448	16				
168	By hanging or strangulation	3	5	10	24	6	13	45	39	212	144			9	2
169	By drowning		2	2	7	4	5	9	16	59	33			1	
170	By firearms	18	40	31	45	1	16	44	43	166	115	16	3	69	7
171	By cutting or piercing instruments	4	2	3	4	1	2	18	5	84	27	2		4	1
172	By jumping from high places			1				11	1	122	6	1			
173	By crushing		1		2			1	4	10	5				
174	By other means				5			1		6	5				1
	Homicide	20	31	39	15	2	4	133	52	510	61	22	68	68	102
197	By firearms	17	28	31	10		2	61	34	301	40	17	52	54	73
198	By cutting or piercing instruments	3		3	2	1	1	23	5	76	3	3	8	4	18
199	By other means		3	5	3	1	1	49	13	133	18	2	8	10	11
	Accidental or undefined	130	375	230	525	165	215	2,007	990	6,992	2,135	266	155	853	484
175	Poisoning by food	1	4	2	10		2	8	9	19	20	5	3	22	11
176	Poisoning by venomous animals		1		3					2	1			3	1
177	Other acute poisonings (gas excepted)	5	9	6	12	2	5	27	12	115	31	5	3	13	14
178	Conflagration	3	10		13		7	22	22	110	62	2	4	7	23
179	Burns (conflagration excepted)	10	21	20	46	12	15	195	53	532	95	28	33	89	109
180	Mechanical suffocation	1	3	3	14		3	16	14	44	36	9	7	26	31
181	Absorption of irrespirable, irritating, or poisonous gas	1	3	17	8	8	1	123	33	766	35			3	1
182	Drowning	1	43	9	33	19	21	141	168	533	315	6	9	55	35
183	Traumatism by firearms (except in war)	6	22	2	26	3	9	22	20	53	60	10	16	45	44
184	Traumatism by cutting or piercing instruments	4	3	3	9	1	4	14	9	75	15	3	1	7	6
185	Traumatism by fall	22	41	56	97	42	42	388	137	1,481	397	40	4	123	27
186a	Traumatism in mines	12	31						2	3	11			28	27
186b	Traumatism in quarries					2		1	1	2	4				
187	Traumatism by machines	3	12	6	10	3	5	31	19	196	42	3	8	26	16
188a	Railroad accidents	18	32	16	63	12	16	155	142	270	234	26	15	54	30
	Collision with automobiles	7	7		39	2	3	20	29	31	48	4	4	15	8
	Other railroad accidents	11	25	16	24	10	13	135	113	239	186	22	11	39	22
188b	Street-car accidents	4	2	2		1	1	34	20	220	34	4	1		
	Collision with automobiles	2	2				1	6	8	24	9	2	1		
	Other street-car accidents	2		2		1		28	12	196	25	2			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	30	54	50	75	34	53	567	204	1,703	408	90	23	212	51
188d	Airplane and balloon accidents			1	5				4	2	8			1	
188e,f	Injuries by other vehicles		25	4	25	3	6	34	11	108	67	3		14	5
188g	Landslide, other crushing		5	3	4	1		7	2	34	13		2	10	4
189	Injuries by animals (not poisoning)	2	5		11		2	2	7	22	23	1	1	11	2
190	Wounds of war													2	
192	Starvation (deprivation of food or water)				1					1	1				1
193	Excessive cold		8		7		1	3	7	10	8			1	
194	Excessive heat		2	9	13	1	5	87	25	186	21	3	1	6	3
195	Lightning		11		3				3	2	13	1		18	11
196	Other accidental electric shocks	2	3	2	2	1	4	18	21	53	24	6	2	10	
201	Fracture (cause not specified)			5				13	4	73	50	6	2	10	2
202	Other external violence	5	25	14	35	20	13	99	41	377	107	15	20	57	30
203	Violent deaths of unknown causation														
	XV.—Ill-defined diseases	6	74	7	83	28	10	47	29	49	82	57	147	1,124	1,262
204	Sudden death		6	1	8	21	2	5		3	18	8	14	195	100
205a	Ill-defined	2	19	4	33	2	5	36	22	20	32	11	23	241	142
205b	Not specified or unknown	4	49	2	42	5	3	6	7	26	32	38	110	688	1,020

CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

1920; the remainder of the State is included in "rural"]

NORTH DAKOTA		OHIO		OREGON		PENNSYLVANIA		RHODE ISLAND		SOUTH CAROLINA				TENNESSEE				UTAH		List No.
										Urban		Rural		Urban		Rural				
Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural	White	Colored	White	Colored	White	Colored	White	Colored	Urban	Rural	
3	13	98	108	12	16	185	187	20	4	6	9	11	18	12	10	39	8	7	1	
2	2	25	63	7	9	55	102	9	2	1	4	-------	7	5	7	14	7	3	-------	151
------	1	29	8	1	2	38	22	4	-------	1	-------	3	1	2	1	6	-------	4	1	152
------	1	20	9	3	2	50	25	4	2	3	3	5	3	2	2	7	-------	-------	-------	153
1	9	24	28	1	3	42	38	3	-------	1	2	3	7	3	-------	12	1	-------	-------	154
1	5	51	14	6	8	96	42	6	-------	4	3	5	7	12	6	16	-------	5	3	
1	5	40	9	5	7	68	29	5	-------	3	3	4	2	11	2	9	-------	5	2	155
------	-------	10	3	1	1	25	10	1	-------	1	-------	1	-------	1	4	1	-------	-------	-------	156
------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	157
------	-------	1	2	-------	-------	3	3	-------	-------	-------	-------	-------	5	-------	-------	6	-------	-------	1	158
5	63	484	377	30	57	860	934	86	17	22	2	83	38	44	14	114	12	28	37	
2	5	50	26	4	3	89	80	13	-------	3	-------	14	15	4	3	11	1	2	4	159a
------	33	269	251	15	41	516	642	48	9	11	1	41	7	19	4	56	8	20	27	159b
3	25	165	100	11	13	255	212	25	8	8	1	28	16	21	7	47	3	6	6	159c
42	331	2,189	1,418	159	223	3,026	2,926	375	69	126	157	561	818	276	153	721	85	124	256	
3	49	205	237	8	33	363	442	42	17	8	63	85	184	29	29	135	20	5	21	160
30	203	1,365	874	100	146	1,850	1,753	207	34	88	67	401	551	194	98	479	50	89	191	161a
6	48	440	206	39	29	536	460	101	12	23	13	46	37	38	12	67	7	23	21	161b
3	30	176	100	12	14	274	268	24	5	7	11	29	42	15	12	39	8	7	23	162
------	1	3	1	-------	1	3	3	1	1	-------	3	-------	4	-------	2	1	-------	-------	-------	163
10	98	226	430	36	91	198	344	44	20	7	5	103	346	45	18	230	69	18	50	164
56	335	4,072	2,510	364	610	5,473	4,144	513	83	168	134	471	609	514	380	1,041	277	227	261	
7	44	462	328	85	83	593	404	46	11	12	2	37	7	63	6	86	3	36	17	
------	5	27	14	5	10	36	13	2	-------	-------	-------	2	-------	6	1	5	-------	3	2	165
------	2	82	23	7	5	56	19	3	-------	-------	1	1	-------	22	3	9	-------	6	1	166
------	2	16	3	14	2	113	7	8	-------	1	-------	-------	-------	3	-------	1	-------	3	-------	167
2	6	88	86	12	13	97	135	7	2	-------	-------	2	-------	1	-------	8	-------	3	3	168
------	4	29	27	11	6	38	14	5	1	-------	-------	-------	1	1	-------	4	1	2	-------	169
3	21	157	144	20	36	186	187	16	6	9	1	30	5	24	2	50	1	17	7	170
2	4	41	22	9	10	40	19	4	2	2	-------	1	-------	2	-------	6	-------	2	3	171
------	-------	13	2	6	-------	18	3	1	-------	-------	-------	-------	-------	2	-------	-------	-------	-------	-------	172
------	-------	6	5	-------	1	6	4	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	173
------	-------	3	2	1	-------	3	3	-------	-------	-------	-------	-------	1	2	-------	3	1	-------	1	174
3	10	412	90	13	22	406	164	12	-------	19	33	52	113	56	156	122	90	14	14	
2	5	265	57	8	14	259	104	6	-------	15	25	45	84	42	118	96	73	11	10	197
------	-------	61	10	1	4	57	20	2	-------	3	6	3	9	6	25	16	8	2	1	198
1	5	86	23	4	4	90	40	4	-------	1	2	4	20	8	13	10	9	1	3	199
46	281	3,198	2,092	266	505	4,474	3,576	455	72	137	99	382	489	395	218	833	184	177	230	
2	2	33	32	2	3	36	28	1	-------	1	1	14	9	4	7	15	3	1	-------	175
------	-------	1	1	-------	-------	1	1	-------	-------	-------	-------	1	-------	-------	1	2	-------	-------	-------	176
1	5	61	29	6	7	72	49	7	4	8	-------	16	17	10	3	13	3	6	9	177
------	19	42	44	12	17	32	61	4	2	-------	4	1	12	5	3	9	3	1	2	178
3	21	258	113	13	13	443	271	42	6	20	23	43	118	28	38	85	26	16	7	179
1	7	38	22	1	7	30	40	5	-------	2	1	9	10	1	6	10	6	1	6	180
1	2	76	16	1	5	176	44	29	-------	1	1	2	3	5	-------	4	-------	3	-------	181
5	19	134	174	18	86	163	286	33	20	3	4	29	50	14	10	74	20	7	20	182
1	21	56	46	10	21	70	100	7	1	5	7	25	43	22	26	62	19	6	8	183
1	-------	31	14	1	4	40	23	3	-------	1	1	6	6	1	2	10	1	1	1	184
2	35	679	410	62	57	881	590	82	6	23	8	47	30	65	14	153	16	25	19	185
1	5	27	73	-------	3	272	482	-------	-------	-------	-------	-------	-------	5	1	27	2	10	35	186a
------	-------	1	9	1	-------	8	9	-------	-------	-------	-------	-------	3	1	1	1	-------	-------	-------	186b
3	16	125	49	8	35	151	83	60	-------	4	3	10	17	10	9	23	3	6	4	187
7	15	308	313	14	30	362	411	19	6	12	4	35	28	44	16	74	23	15	16	188a
5	6	48	81	3	5	18	41	2	3	4	-------	10	2	2	-------	18	-------	4	3	
2	9	260	232	11	25	344	370	17	3	8	4	25	26	42	16	56	23	11	13	
------	-------	93	62	15	6	116	36	14	1	2	-------	2	3	7	4	3	-------	4	3	188b
------	-------	28	28	9	4	16	8	3	-------	1	-------	-------	-------	1	1	1	-------	1	2	
------	-------	65	34	6	2	100	28	11	1	1	-------	2	3	6	3	2	-------	3	1	
7	52	913	372	57	87	986	590	115	18	37	20	79	43	109	43	108	18	47	42	188c
------	6	23	-------	-------	1	4	8	-------	-------	1	-------	1	-------	-------	-------	-------	-------	3	-------	188d
4	21	32	37	1	9	80	60	4	2	1	2	7	8	6	4	20	5	5	8	188e,f
1	4	12	11	10	26	29	17	1	1	1	1	5	3	3	4	7	2	-------	1	188g
1	8	8	22	1	10	17	23	-------	1	1	-------	1	5	4	1	14	3	1	5	189
------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	190
------	-------	1	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	192
------	2	6	5	-------	1	3	14	2	1	-------	-------	2	4	-------	-------	1	1	-------	-------	193
------	3	34	18	-------	-------	227	72	4	1	-------	2	4	10	7	8	2	8	-------	1	194
------	2	4	17	-------	3	4	18	2	-------	-------	-------	6	26	1	1	8	3	-------	5	195
------	2	30	29	3	9	50	59	7	1	5	1	6	2	7	1	8	3	3	8	196
------	2	19	42	2	3	14	5	1	-------	3	2	2	-------	3	1	13	-------	1	13	201
5	18	170	109	28	62	206	196	13	1	6	14	29	39	33	14	87	16	15	17	202
------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	203
4	132	62	199	4	49	148	320	35	5	10	39	257	1,054	141	207	979	446	31	71	
------	10	5	16	1	5	17	56	8	-------	2	2	39	51	18	21	126	43	-------	10	204
2	26	19	65	-------	22	75	116	9	5	5	28	71	448	23	23	156	47	28	34	205a
2	96	38	118	3	22	56	148	18	-------	3	9	147	555	100	163	697	356	3	27	205b

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
				Urban		Rural									
		Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	All causes	822	4,315	4,715	3,755	12,808	8,065	7,798	7,482	4,682	12,472	12,361	17,019	413	1,483
	I.—Epidemic, endemic, and infectious diseases	106	436	514	747	2,316	1,872	1,006	1,206	670	2,267	1,418	2,214	60	173
1	Typhoid and paratyphoid fever	1	9	21	21	153	107	20	33	86	248	23	33		15
2	Typhus fever			1											
5	Malaria			1	12	9	23	2	1	1					1
6	Smallpox					1	2		4	1	1	97	37		1
7	Measles			10	5	38	23	1	2	12	43	32	30		
8	Scarlet fever		15	4		31	6	8	18	6	40	33	72	3	9
9	Whooping cough	4	13	24	28	107	94	36	52	30	147	67	61		5
10	Diphtheria	3	23	29	19	135	55	51	46	27	145	103	74	3	9
11a	Influenza (with pulmonary complications)	12	77	60	107	302	192	89	103	50	158	144	322	9	28
11b	Influenza (other and unspecified)	13	69	28	28	206	131	61	89	50	141	82	257	4	31
13	Mumps				1	2	1	1			5				
15	Cholera nostras				2	8	1	1			4		3		
16	Dysentery		1	19	15	105	57	4	20	19	194	11	39		5
17	Plague														
19	Spirochetal hemorrhagic jaundice										1				
20	Leprosy							1							
21	Erysipelas	3	6	15	3	25	1	18	13	15	14	23	34		2
22	Acute anterior poliomyelitis		13	1	4	19	5	14	20	1	13	16	46		
23	Lethargic encephalitis		3	8	5	12	5	38	19	6	6	23	24	1	
24	Meningococcus meningitis		4	7		13	5	29	12	8	10	5	3	2	2
25	Other epidemic and endemic diseases	1				7	1		1	1	1	1	2	1	5
26	Glanders														
27	Anthrax								1						
28	Rabies					2					1				
29	Tetanus	1	5	9	10	10	6	6	3	5	10	21	15	1	
30	Mycoses				1	5	15	2		1	3	1	2		1
	Tuberculosis (all forms)	64	187	241	388	1,058	1,028	484	711	297	960	646	1,106	25	46
31	Of the respiratory system	57	146	203	325	931	948	357	653	250	844	511	1,006	19	38
32	Of the meninges, central nervous system	7	12	23	16	38	17	51	17	17	28	62	26	4	3
33	Of the intestines, peritoneum		8	3	26	46	27	28	21	13	50	21	21	2	4
34	Of the vertebral column		6	4	6	16	4	12	4	5	6	9	12		
35	Of the joints		2	1	1	7	4	2	1	1	1	6	6		1
36	Of other organs		8	4	5	11	11	15	9	8	17	15	17		
37a	Disseminated (acute)		3	3	7	6	15	17	4	3	6	18	13		
37b	Disseminated (chronic or unspecified)		2		2	3	2	2	2		8	4	5		
38	Syphilis	2	4	29	91	57	102	129	51	36	104	70	37	5	9
39	Soft chancre								1						
40	Gonococcus infection		2	1	4		7	9	1	8	2	9	3		1
41	Purulent infection, septicemia	2	5	5	3	11	5	2	5	10	16	11	14		3
42	Other infectious diseases			1											
	II.—General diseases not included in Class I	126	533	580	226	1,148	456	1,298	879	477	845	1,930	2,422	43	125
	Cancer and other malignant tumors	93	387	370	131	771	267	903	606	304	577	1,318	1,633	27	73
43	Of the buccal cavity	1	18	16	5	20	13	25	21	5	9	25	52		3
44	Of the stomach, liver	33	134	106	39	306	91	305	257	106	267	543	783	16	28
45	Of the peritoneum, intestines, rectum	15	63	40	12	79	25	150	73	40	58	187	218	1	10
46	Of the female genital organs	14	45	64	39	96	70	124	67	62	133	182	126	7	12
47	Of the breast	10	40	46	19	63	23	83	45	35	29	99	116		6
48	Of the skin	1	17	9	2	44	4	20	26	10	21	19	50		1
49	Of other or unspecified organs	19	70	89	15	163	41	196	117	46	60	263	288	3	13
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		1	2	7	6	1	6	5	3	2	9	4		2
51	Acute rheumatic fever	5	7	7	13	25	40	10	16	3	19	26	38	1	4
52	Chronic rheumatism, osteoarthritis, gout		5	11	7	20	13	4	15	6	22	19	26		3
53	Scurvy					3	3	1		1		2			
54	Pellagra	1	1	24	8	31	34	1	1	1	6		1		1
55	Beriberi								1						
56	Rickets		5	1	6	7	9	1	2		4	9	13		
57	Diabetes mellitus	17	59	62	25	137	45	127	109	58	84	220	307	5	16
58	Anemia; chlorosis	2	27	31	4	38	12	61	47	30	36	101	185	1	4
59	Diseases of the pituitary gland			1	1			2	2		1	1			
60a	Exophthalmic goiter	2	9	19	4	22	8	71	20	25	17	88	57	1	4
60b	Other diseases of the thyroid gland	1	2	4		8	5	9	3	4	8	18	13		2
61	Diseases of the parathyroid glands			2	2	2	1	2		1		1	4		1
62	Diseases of the thymus gland		3	2	1	7	1	13	5	3	3	21	13		1
63	Diseases of the adrenals (Addison's disease)		7	1		2		5	2		2	7	6		
64	Diseases of the spleen			1		1		3	1	1					
65a	Leukemia		5	10	4	14		16	8	8	5	35	40	2	2
65b	Hodgkin's disease		4	4	1	8		8	3	3	7	5	10		
66	Alcoholism (acute or chronic)	2	7	15	8	16	6	38	21	14	19	28	47	5	8
67a	Chronic lead poisoning	1		2		1		2	1	2	1	1	2		1
67b	Other chronic mineral poisoning				1										
68	Chronic poisoning by organic substances		1	1		2		2	2		1	1	2		
69	Other general diseases	2	3	10	3	27	11	13	9	10	31	20	21	1	3
	III.—Diseases of the nervous system and of the organs of special sense	79	606	452	398	1,362	880	800	952	466	1,163	1,097	2,050	23	121
70	Encephalitis		3	12	9	15	5	10	6	8	19	12	14	2	1
71a	Simple meningitis	3	16	15	11	38	14	20	10	20	79	30	22		3
71b	Nonepidemic cerebrospinal meningitis	1		3	1	21	7	1	4	5	15	9	33	1	4
72	Tabes dorsalis (locomotor ataxia)		8	8	4	22	11	14	12	1	7	18	10		3
73	Other diseases of the spinal cord	3	15	9	4	24	11	30	22	12	22	30	50	1	2
74a	Cerebral hemorrhage	59	438	291	306	851	562	556	585	273	594	774	1,417	15	67
74b	Cerebral embolism and thrombosis	3	28	10	4	21	5	29	19	9	6	25	46		3
75	Paralysis without specified cause		10	19	14	159	100	28	20	45	208	23	59		12
76	General paralysis of the insane		22	12	6	26	10	7	112	9	36	8	95	2	9
77	Other forms of mental alienation		6	3	1	19	28	6	55	4	29	8	49		1
78	Epilepsy	2	14	5	7	43	38	12	37	19	37	19	76	1	3
79	Convulsions (nonpuerperal; 5 years and over)			1	2	2	2		1		6	2	3		
80	Infantile convulsions (under 5 years)	1	11	4	18	19	54	4	12	11	43	32	51		4
81	Chorea			1	1								3		2
82	Neuralgia and neuritis		1	5		3	3	5	2	1	6	1	4		1
83	Softening of the brain	2		4		18	2	3	9	2	5	3	7		1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
				Urban		Rural									
		Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	III.—Diseases of the nervous system and of the organs of special sense—Continued.														
84	Other diseases of the nervous system	2	28	21	4	56	15	38	35	19	27	46	82		5
85	Diseases of the eye and annexa		1	1			1			1	2	3	2		
86a	Diseases of the ear		4	11	4	18	7	25	8	16	11	34	17		
86b	Diseases of the mastoid process	3	1	17	2	7	5	12	3	11	11	20	10	1	
	IV.—Diseases of the circulatory system	155	1,007	805	555	1,930	1,067	1,367	1,251	588	1,344	2,126	3,245	60	196
87	Pericarditis	3	4		1	3	9	4	4	2	7	11	12	1	
88	Endocarditis and myocarditis (acute)	5	22	31	32	40	22	49	30	23	38	117	122	3	12
89	Angina pectoris	16	86	85	27	127	34	110	102	38	73	125	205	4	16
90	Other diseases of the heart	108	717	619	463	1,579	919	1,045	925	460	1,104	1,623	2,548	46	148
91a	Aneurysm		2	7	18	12	12	7	13	7	12	15	5	1	3
91b,c	Other diseases of the arteries	20	155	48	12	145	59	119	151	47	102	198	317	3	12
92	Embolism and thrombosis (not cerebral)	3	21	11		12	2	24	17	8	5	25	20	1	1
93	Diseases of the veins			3		3	3	5	5	3	1	11	12	1	2
94	Diseases of the lymphatic system					2		2	1			1	3		2
95	Hemorrhage without specified cause				2	3	4		3				1		
96	Other diseases of the circulatory system			1		4	3	2			2				
	V.—Diseases of the respiratory system	55	340	315	436	952	627	511	499	412	1,046	1,258	1,519	35	115
97a	Diseases of the nasal fossae		1		3	6	24	2	2		2	1	1		2
97b	Diseases of the nasal fossae annexa			5	4	3	3	7	1	3	1	8	6	1	
98	Diseases of the larynx		2			14	8	1		2	4	11	14		2
99a	Acute bronchitis	1	8	5	4	20	18	8	5	2	13	47	51		1
99b	Chronic bronchitis	1	15	9	3	24	6	9	11	4	15	28	54		2
99c	Bronchitis (unspecified, under 5 years)		3		4	9	5	1	1		3	6	12		
99d	Bronchitis (unspecified, 5 years and over)	2	3	4	1	10	8	4	10	4	8	11	25	1	4
100a	Broncho-pneumonia	13	124	106	147	319	184	179	171	150	429	442	464	15	37
100b	Capillary bronchitis	1	5		7	7	6		2		7	11	10		1
101a	Lobar pneumonia	31	139	151	214	357	232	261	224	142	249	579	696	17	33
101b	Pneumonia (unspecified)	4	17	12	7	100	95	8	34	57	260	40	97		14
102	Pleurisy	1	5	7	12	28	15	11	10	10	13	37	23		4
103	Congestion and hemorrhagic infarct of the lung		7	5	11	13	2	6	11	14	13	11	22	1	4
104	Gangrene of the lung		3	1		2	2	1		1	1	2	4		1
105	Asthma		5	4	9	25	11	7	10	18	24	16	25		4
106	Pulmonary emphysema				1	3			1	1		2	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	1	3	6	9	12	8	6	6	4	4	6	13		6
	VI.—Diseases of the digestive system	67	250	456	373	1,054	614	643	429	595	1,678	1,193	1,250	52	170
108	Diseases of the mouth and annexa			3	2	8	7	4	7	1	7	15	13		3
109a	Adenoid vegetations														
109b	Other diseases of the pharynx, tonsils	4	9	13	10	28	19	45	14	20	17	38	33	4	14
110	Diseases of the esophagus					1	1	1	1				2		
111a	Ulcer of the stomach	5	12	21	18	23	14	60	27	16	25	43	58	3	5
111b	Ulcer of the duodenum	1	1	12	3	7	3	27	12	10	7	25	14		3
112	Other diseases of the stomach (cancer excepted)	8	26	9	24	86	69	35	27	13	52	31	94	2	7
113	Diarrhea and enteritis (under 2 years)	6	42	116	138	451	274	39	94	225	1,123	246	345	5	40
114	Diarrhea and enteritis (2 years and over)	3	14	34	29	134	63	29	44	46	175	91	128		14
115	Ancylostomiasis														
116	Diseases due to other intestinal parasites			2	1	5	5				3		1		
117	Appendicitis and typhlitis	23	47	76	49	95	40	141	69	95	103	270	161	23	44
118a	Hernia	2	11	31	15	14	18	41	15	23	11	50	49	1	4
118b	Intestinal obstruction	7	22	34	21	57	29	53	37	43	59	92	99	5	10
119	Other diseases of the intestines		4	9	5	13	10	4	11	7	6	12	13		2
120	Acute yellow atrophy of the liver		1	1	5		2	2	2	1	2	6	6	1	
121	Hydatid tumor of the liver					1		1							
122	Cirrhosis of the liver	2	25	27	27	47	31	55	33	26	24	91	105	2	10
123	Biliary calculi	6	19	27	3	24	5	32	16	22	22	94	60	1	4
124	Other diseases of the liver		11	35	16	40	13	50	14	34	23	63	45	4	7
125	Diseases of the pancreas		1	3		3	2	7	2	5	4	6	5		
126	Peritonitis without specified cause		5	3	7	17	9	12	4	8	15	20	18	1	3
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	77	449	644	377	1,253	813	757	563	380	830	953	1,302	19	91
128	Acute nephritis (including unspecified under 10 years)	2	20	19	35	58	64	26	23	26	50	33	58	1	7
129	Chronic nephritis (including unspecified 10 years and over)	62	380	529	282	1,075	660	558	473	276	714	708	1082	14	59
130	Chyluria														
131	Other diseases of the kidneys and annexa	1	6	27	15	29	26	29	13	15	14	31	17		
132	Calculi of the urinary passages		2	5	1	5	2	11	1	4	1	8	6		
133	Diseases of the bladder		4	6	2	18	13	5	6	4	5	12	24		1
134	Diseases of the urethra, etc		2	4	4	3	4	1	1	2		2	4	1	1
135	Diseases of the prostate	6	21	23	10	42	20	67	23	23	25	77	87		13
136	Nonvenereal diseases of the male genital organs												1		
137	Cysts, other benign tumors of the ovary	2	2	8	4	2	3	6	5	5	4	8	6		3
138	Salpingitis and pelvic abscess (female)	3	3	9	13	6	8	13	7	15	7	27	8	1	2
139	Benign tumors of the uterus	1	7	9	8	9	5	30	5	9	5	35	7		3
140	Nonpuerperal uterine hemorrhage		1		2						2	1			1
141	Other diseases of the female genital organs		1	5	1	6	8	11	6	1	3	10	2	2	1
142	Nonpuerperal diseases of the breast (cancer excepted)											1			
	VIII.—The puerperal state	18	33	63	62	160	144	90	59	100	187	157	143	14	32
143	Accidents of pregnancy	2	4	5	4	19	15	9	5	7	11	13	19		3
144	Puerperal hemorrhage	3	4	7	7	18	13	10	6	4	24	22	9	1	4
145	Other accidents of labor	1	4	4	7	23	18	10	7	11	24	8	16	2	4
146	Puerperal septicemia	8	7	28	22	36	36	42	17	52	64	60	32	8	10
147	Puerperal phlegmasia alba dolens, embolus, etc.	1	2	1	1	4	8	5	4	5	12	10	14	1	5
148	Puerperal albuminuria and convulsions	3	12	17	18	59	52	14	19	21	50	44	51	2	6
149	Following childbirth (undefined)			1	3	1	2		1		2		2		
150	Puerperal diseases of the breast														

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, IN URBAN AND RURAL DISTRICTS: 1925—Continued

["Urban" includes cities of 10,000 inhabitants or more in 1920; the remainder of the State is included in "rural"]

List No.	CAUSE OF DEATH	VERMONT		VIRGINIA				WASHINGTON		WEST VIRGINIA		WISCONSIN		WYOMING	
				Urban		Rural									
		Urban	Rural	White	Colored	White	Colored	Urban	Rural	Urban	Rural	Urban	Rural	Urban	Rural
	IX.—Diseases of the skin and of the cellular tissue	7	13	16	15	33	25	20	17	19	31	41	66	------	7
151	Gangrene	6	9	6	13	12	13	9	7	11	17	18	35	------	1
152	Furuncle	1	------	6	------	2	1	2	------	2	2	7	5	------	------
153	Acute abscess	------	3	1	------	5	------	3	3	3	9	12	11	------	------
154	Other diseases of the skin and annexa	------	1	3	2	14	11	6	7	3	3	4	15	------	6
	X.—Diseases of the bones and of the organs of locomotion	2	5	4	4	13	5	21	5	5	4	18	20	1	2
155	Diseases of the bones (tuberculosis excepted)	2	4	2	4	10	2	16	3	4	4	15	16	1	2
156	Diseases of the joints (tuberculosis and rheumatism excepted)	------	1	2	------	3	1	3	1	1	------	2	2	------	------
157	Amputations	------	------	------	------	------	------	------	------	------	------	------	1	------	------
158	Other diseases of the organs of locomotion	------	------	------	------	------	2	2	1	------	------	1	1	------	------
	XI.—Malformations	16	62	57	17	175	47	99	81	70	201	162	212	3	27
159a	Congenital hydrocephalus	3	5	6	------	17	11	10	3	5	11	25	17	1	5
159b	Congenital malformations of the heart	9	36	32	13	84	17	48	52	42	132	65	112	2	17
159c	Other congenital malformations	4	21	19	4	74	19	41	26	23	58	72	83	------	5
	XII.—Early infancy	40	220	338	235	920	490	325	316	322	1,006	823	893	23	117
160	Congenital debility, icterus, sclerema	8	35	30	53	152	159	22	56	37	177	70	119	1	18
161a	Premature birth	28	135	226	123	612	261	200	186	215	623	504	544	18	76
161b	Injury at birth	3	32	64	29	104	37	71	44	44	98	151	135	3	13
162	Other diseases peculiar to early infancy	1	18	18	29	49	29	31	28	26	107	97	93	1	10
163	Lack of care	------	------	------	1	3	4	1	2	------	1	1	2	------	------
164	XIII.—Old age (senility)	9	78	44	21	253	227	57	136	60	384	146	418	2	26
	XIV.—External causes	63	267	406	234	887	456	791	1,010	514	1,463	1,032	1,219	78	247
	Suicide	4	45	61	4	81	12	183	135	35	74	179	192	20	26
165	By poisons (gas or corrosives excepted)	------	4	9	------	4	1	12	7	------	6	11	7	3	2
166	By corrosive substances	1	2	11	1	4	------	12	8	6	5	16	8	5	1
167	By poisonous gas	2	4	9	------	2	------	48	1	1	------	23	5	------	------
168	By hanging or strangulation	------	10	------	------	6	2	26	16	6	9	55	85	2	4
169	By drowning	1	9	------	1	2	------	10	17	2	3	19	11	------	1
170	By firearms	------	13	29	2	53	7	56	62	16	47	36	57	9	16
171	By cutting or piercing instruments	------	3	------	------	5	1	13	16	2	2	9	13	1	2
172	By jumping from high places	------	------	3	------	3	------	6	1	1	------	5	2	------	------
173	By crushing	------	------	------	------	1	1	------	3	1	1	4	2	------	------
174	By other means	------	------	------	------	1	------	------	4	------	1	1	2	------	------
	Homicide	------	2	30	70	75	73	48	35	51	147	36	27	7	17
197	By firearms	------	1	25	39	59	57	38	23	38	126	22	20	5	13
198	By cutting or piercing instruments	------	1	3	25	7	6	2	7	9	15	5	1	------	------
199	By other means	------	------	2	6	9	10	8	5	4	6	9	6	2	4
	Accidental or undefined	59	220	315	160	731	371	560	840	428	1,242	817	1,000	51	204
175	Poisoning by food	------	3	3	2	11	9	4	7	2	14	4	9	------	2
176	Poisoning by venomous animals	------	------	------	------	1	1	------	------	------	------	------	2	------	------
177	Other acute poisonings (gas excepted)	2	2	10	6	17	10	18	6	13	23	20	15	2	3
178	Conflagration	------	------	6	1	21	36	9	22	4	20	3	10	2	6
179	Burns (conflagration excepted)	3	3	27	16	85	75	24	23	61	122	30	54	4	10
180	Mechanical suffocation	------	2	4	2	12	9	3	10	9	41	6	10	2	4
181	Absorption of irrespirable, irritating, or poisonous gas	2	1	7	4	2	1	22	8	10	5	26	9	2	5
182	Drowning	2	26	17	14	53	25	42	147	26	65	108	160	2	17
183	Traumatism by firearms (except in war)	1	8	14	16	42	31	12	23	8	33	11	34	3	14
184	Traumatism by cutting or piercing instruments	------	1	------	3	7	5	4	9	4	8	6	10	1	2
185	Traumatism by fall	14	68	67	19	120	21	119	81	60	86	167	213	4	15
186a	Traumatism in mines	------	------	------	------	59	8	1	33	67	461	------	6	------	17
186b	Traumatism in quarries	5	5	------	------	------	1	------	------	------	------	------	3	------	------
187	Traumatism by machines	2	8	7	5	14	10	26	29	12	22	27	24	1	6
188a	Railroad accidents	4	15	26	8	50	24	39	89	36	108	85	82	6	11
	Collision with automobiles	------	1	1	------	8	1	4	23	------	8	18	20	------	1
	Other railroad accidents	4	14	25	8	42	23	35	66	36	100	67	62	6	10
188b	Street-car accidents	------	1	5	3	------	2	17	3	7	2	19	10	------	------
	Collision with automobiles	------	------	2	------	------	------	4	2	1	------	2	2	------	------
	Other street-car accidents	------	1	3	3	------	2	13	1	6	2	17	8	------	------
188c	Automobile accidents (excluding collision with railroad trains and street cars)	15	41	81	30	109	51	149	150	72	136	224	173	14	53
188d	Airplane and balloon accidents	------	------	1	------	5	------	1	2	1	2	1	2	------	------
188e,f	Injuries by other vehicles	1	11	7	1	15	7	9	17	3	6	17	30	1	6
188g	Landslide, other crushing	------	------	2	1	6	------	12	67	1	8	3	12	1	4
189	Injuries by animals (not poisoning)	------	1	3	1	9	2	4	2	1	4	6	21	------	6
190	Wounds of war	------	------	------	------	------	------	------	------	------	------	------	1	------	------
192	Starvation (deprivation of food or water)	------	1	------	------	------	------	------	------	------	------	------	------	------	------
193	Excessive cold	------	1	1	1	5	7	------	------	------	3	2	9	------	2
194	Excessive heat	1	1	3	2	8	4	------	4	3	5	3	3	------	1
195	Lightning	------	------	------	------	11	5	------	2	------	7	1	8	------	5
196	Other accidental electric shocks	1	4	5	2	4	2	4	11	5	18	4	10	------	3
201	Fracture (cause not specified)	------	------	2	3	5	------	------	1	1	------	1	3	1	------
202	Other external violence	6	17	17	19	60	25	41	94	22	43	43	77	5	12
203	Violent deaths of unknown causation	------	------	------	1	------	------	------	------	------	------	------	------	------	------
	XV.—Ill-defined diseases	2	16	21	55	352	342	13	79	4	23	7	46	------	34
204	Sudden death	------	2	7	6	72	53	4	12	------	5	1	4	------	1
205a	Ill-defined	1	5	10	38	96	105	4	30	3	11	2	6	------	9
205b	Not specified or unknown	1	9	4	11	184	184	5	37	1	7	4	36	------	24

NOTE.—Populations are shown in Table I A.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	All causes	1,191,809	158,080	26,891	12,428	8,721	6,897	213,017	22,073	18,001	29,218	38,201
	Both sexes—White	1,035,500	133,525	21,953	10,495	7,469	5,985	179,427	19,195	14,926	22,057	28,232
	Both sexes—Colored	156,309	24,555	4,938	1,933	1,252	912	33,590	2,878	3,075	7,161	9,969
	Males—White	559,356	76,378	11,683	5,722	3,948	3,261	100,992	10,748	8,379	11,605	14,124
	Males—Colored	82,041	13,673	2,629	1,000	617	475	18,394	1,445	1,581	3,156	4,600
	Females—White	476,144	57,147	10,270	4,773	3,521	2,724	78,435	8,447	6,547	10,452	14,108
	Females—Colored	74,268	10,882	2,309	933	635	437	15,196	1,433	1,494	4,005	5,369
	I.—Epidemic, endemic, and infectious diseases: Males—White	71,145	6,845	3,215	1,772	1,380	1,092	14,304	3,093	1,840	2,900	4,389
	Males—Colored	18,057	1,826	720	317	204	189	3,256	549	608	1,398	2,036
	Females—White	62,173	5,711	2,999	1,664	1,236	968	12,578	2,815	1,981	4,258	5,886
	Females—Colored	17,750	1,504	691	291	235	153	2,874	590	851	2,028	2,691
1	Typhoid and paratyphoid fever: Males—White	3,294	27	28	29	30	31	145	156	253	481	525
	Males—Colored	1,110	17	15	11	12	12	67	89	146	217	195
	Females—White	2,464	15	25	30	24	28	122	174	302	431	337
	Females—Colored	1,135	9	9	3	15	15	51	128	187	247	176
2	Typhus fever: Males—White	4								1	1	
	Females—White	3										
5	Malaria: Males—White	499	60	35	21	19	15	150	27	13	25	21
	Males—Colored	513	55	30	25	11	17	138	44	24	46	31
	Females—White	479	46	27	20	14	10	117	28	28	31	33
	Females—Colored	561	51	32	16	14	5	118	41	47	49	50
6	Smallpox: Males—White	337	26	7	4	9	3	49	6	6	21	35
	Males—Colored	54	3	1		1		5			1	4
	Females—White	271	23	11	7	5	8	54	7	4	20	24
	Females—Colored	45	6	2	1	2		11	4			6
7	Measles: Males—White	1,164	348	377	155	76	46	1,002	85	22	9	11
	Males—Colored	81	21	20	8	5		63	9	5	2	1
	Females—White	1,034	262	340	115	74	38	829	94	24	16	12
	Females—Colored	78	26	15	10	8		59	5	4	6	1
8	Scarlet fever: Males—White	1,296	62	137	139	147	110	595	342	134	63	47
	Males—Colored	30	3	3	3	3	2	14	9	2	1	3
	Females—White	1,382	54	113	140	136	112	555	335	135	88	82
	Females—Colored	31		4	2	3		9	9	2	3	2
9	Whooping cough: Males—White	2,560	1,599	566	172	85	52	2,474	57	12	5	1
	Males—Colored	628	352	169	54	13	17	605	18	4	1	
	Females—White	2,886	1,660	716	247	108	57	2,788	79	9		
	Females—Colored	737	381	216	54	30	15	696	24	7	4	
10	Diphtheria: Males—White	3,856	331	553	466	481	438	2,269	1,079	258	75	42
	Males—Colored	290	53	47	32	38	23	193	66	13	2	3
	Females—White	3,522	238	409	456	418	379	1,900	1,013	274	66	50
	Females—Colored	278	43	34	29	34	27	167	68	17	5	5
11a	Influenza (with pulmonary complications): Males—White	7,636	1,200	383	176	91	53	1,903	172	118	192	209
	Males—Colored	1,609	277	106	44	20	19	466	34	33	89	103
	Females—White	7,093	851	322	137	88	51	1,449	156	138	200	171
	Females—Colored	1,396	220	76	33	21	14	364	33	61	89	106
11b	Influenza (other and unspecified): Males—White	4,807	754	196	106	82	66	1,204	169	135	145	137
	Males—Colored	913	177	43	17	10	11	258	28	28	37	45
	Females—White	5,181	572	188	98	67	62	987	172	130	136	136
	Females—Colored	1,007	144	37	25	14	10	230	36	29	46	72
13	Mumps: Males—White	53	7	4	2	3	3	19	11	2	4	4
	Males—Colored	16	2	1	3			6	4	1		
	Females—White	59	11	5	1	2	2	21	6	10	2	2
	Females—Colored	11	1	1		1	1	4	2		1	1
15	Cholera nostras: Males—White	91	24	8	7	2	1	42	4		1	1
	Males—Colored	12	3					3	2			
	Females—White	76	9	9	4	1	3	26	1	1		2
	Females—Colored	9	2					2				
16	Dysentery: Males—White	1,225	337	201	75	40	19	672	45	13	15	12
	Males—Colored	387	136	58	17	9	5	225	7	4	5	7
	Females—White	1,150	269	155	66	32	16	538	24	6	9	10
	Females—Colored	368	108	54	17	4	4	187	3	5	8	3
17	Plague: Males—White	1								1		
19	Spirochetal hemorrhagic jaundice: Males—White	27	6	1	2	1	1	11	1	4	1	
	Males—Colored	1				1		1				
	Females—White	19	3	1			1	5	2	1		
	Females—Colored	1										
20	Leprosy: Males—White	13										
	Males—Colored	6							1			
	Females—White	7										
	Females—Colored	3										
21	Erysipelas: Males—White	1,233	334	29	11	7	3	384	11	9	21	17
	Males—Colored	68	22	2	1	1		26	1		1	4
	Females—White	1,071	340	41	12	4	3	400	6	17	24	17
	Females—Colored	48	14	1	1	1		17	1			
22	Acute anterior poliomyelitis: Males—White	807	72	71	55	51	35	284	185	114	95	51
	Males—Colored	45	6	8	4	3	4	25	8	5	1	4
	Females—White	594	55	72	38	39	39	243	124	99	49	31
	Females—Colored	46	12	8	2	6	4	32	6	5	2	
23	Lethargic encephalitis: Males—White	744	21	47	17	17	8	110	42	33	40	42
	Males—Colored	51	2		1	1	1	5	5	4	4	2
	Females—White	749	16	41	22	16	6	101	49	33	57	42
	Females—Colored	53	1	5	2	1	2	11	1	1	3	8

AND COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
39,074	41,124	48,294	51,876	58,361	67,693	73,769	86,888	98,387	97,052	87,443	66,696	35,828	12,780	3,136	1,239	1,659	
29,570	32,555	38,438	42,224	48,313	57,471	66,098	79,314	91,778	91,010	82,874	62,885	33,670	11,543	2,548	441	931	
9,504	8,569	9,856	9,652	10,048	10,222	7,671	7,574	6,609	6,042	4,569	3,811	2,158	1,237	588	798	728	
14,663	17,066	20,935	24,037	27,628	32,833	37,772	44,372	50,690	48,887	42,673	30,476	15,031	4,741	934	164	606	
4,620	4,403	5,025	5,016	5,439	5,799	4,299	4,082	3,633	3,362	2,520	2,007	1,113	579	242	302	424	
14,907	15,489	17,503	18,187	20,685	24,638	28,326	34,942	41,088	42,123	40,201	32,409	18,639	6,802	1,614	277	325	
4,884	4,166	4,831	4,636	4,609	4,423	3,372	3,492	2,976	2,680	2,049	1,804	1,045	658	346	496	304	
4,656	4,801	5,015	5,095	4,679	4,229	3,723	3,203	3,032	2,348	1,778	1,145	621	189	24	8	73	
1,818	1,506	1,469	1,191	1,118	903	632	445	326	286	187	121	67	29	16	19	77	
5,449	4,446	3,757	3,062	2,552	2,240	2,162	2,088	2,277	2,116	1,889	1,446	763	285	61	11	51	
2,092	1,430	1,292	954	783	581	373	316	229	210	146	106	71	43	14	23	53	
345	230	245	225	181	135	133	96	71	43	18	6	1				5	
123	51	64	36	30	38	18	7	14	6		3				1	5	1
262	179	142	91	98	96	78	49	54	26	15	2	1				5	
100	59	50	45	33	15	12	10	7	6	2	2	1				4	
	1	1				1			1								2
	1																
20	26	9	19	23	25	27	21	26	27	16	13	6	1		1	3	
19	13	17	20	36	21	18	17	16	16	14	9	4	2	2	2	4	5
25	29	22	19	19	14	12	13	16	24	23	17	4	2			3	
19	27	40	32	19	28	18	14	14	13	13	8	3	2	1	1	4	
25	21	29	29	30	18	20	19	13	5	4	6			1			
5	6	4	6	6	4	4	3	1	2	1	1			1			6
28	23	22	14	15	15	11	9	12	9	1	2	1					
6	4	5	1	3	2	1	1				1						
9	3		4	2	3	5	2	2	2	1	2						
																1	7
13	6	7	9	7	6	4	2		3	1						1	
		1			1		1										
30	24	19	10	10	11	4	3		1	1	2						
							1										8
69	45	28	18	13	7	4	1	2									
3	1	2															
	1	1		1	1			2	2	1						2	
																	9
	2	2	1		1	1				3							
1		2								1						2	
27	14	15	19	7	12	17	7	4	4	1	1	1				4	
2	2	2	2	1		1	1	1	1								10
41	43	33	32	20	17	9	9	4	8	1						2	
2	2	6		2	1		2	1									
198	266	350	371	410	414	382	446	520	536	511	386	190	53	4		5	
91	88	93	100	106	98	74	58	46	37	39	23	10	11	3	3	6	11a
213	253	320	293	257	274	314	411	568	601	612	495	258	87	14	2	7	
81	73	75	76	63	89	65	52	44	38	29	20	19	7	5	6	1	
92	108	123	156	154	155	184	228	285	341	415	371	275	106	14	6	4	
24	25	44	36	59	39	27	40	27	52	42	39	32	9	7	7	8	11b
128	144	169	151	156	153	207	231	315	394	513	535	334	142	40	6	2	
40	36	53	55	59	47	26	50	37	50	40	32	24	22	6	14	3	
	1	2	3	1	2	1	1	1			1						
1	2				2												
2	3		2	2	1	1	1	1		2	2		1				13
2	1																
	2				1	2	6	5	6	10	5	6					
	2	2		1		1	1										
3	4		1		1	2	3	3	4	6	10	7	1		1		15
			1	1				1	1	1	1	1					
8	7	9	20	10	19	23	37	50	63	96	57	48	13	3	1	4	
7	2	5	8	9	11	18	18	10	16	9	11	5	3	2	4	1	16
13	14	10	12	11	27	24	38	51	88	93	102	53	20	4	1	2	
14	10	14	12	8	12	7	10	15	20	12	10	8	8		2		
																	17
		1	4	1	1	1	1			1							
	1	1	2	3		2		1		1							19
		1															
3	2	1		1	3	1		1				1					
2			1					2									20
			1		2	1			1	1			1				
	1		1			1											
18	31	32	61	69	82	84	79	107	78	73	47	21	6	2		1	
2	8	1	6	4	7	3	1	2	1			1					21
22	32	33	31	41	55	49	78	72	55	63	38	25	9	2	1	1	
1	1		2	8	5	3	1	3	1	2		2	1				
24	19	11	1	8	6	2	3	2	1	1							
1				1													22
17	9	7	6	3		2	3				1						
			1														
40	59	47	55	64	64	62	34	24	19	7	1	1					
6	5	6	4	3	5	1	1										23
51	57	48	61	44	51	53	36	28	25	8	5						
2	3	3	8	4	5	2	1				1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	I.—Epidemic, endemic, and infectious diseases—Continued.											
24	Meningococcus meningitis:											
	Males—White	564	154	58	34	18	20	284	64	40	52	32
	Colored	51	7	8	1		5	21	5	6	3	6
	Females—White	410	113	51	27	19	19	229	52	31	22	22
	Colored	43	7	6	2	2	2	19	6	3	1	2
25	Other epidemic and endemic diseases:											
	Males—White	129	46	17	6	8	4	81	9	3	3	2
	Colored	18	5	5	1	1		12		1	1	1
	Females—White	90	28	20	5	3	4	60	13	6	1	1
	Colored	11	1	2			1	4	1			1
26	Glanders:											
	Males—White	2									1	
27	Anthrax:											
	Males—White	16								1		1
	Colored	3								1		
	Females—White	3				1		1				
28	Rabies:											
	Males—White	48			2	2	6	10	16	5	1	
	Colored	5			1			1	1			
	Females—White	20		1	1	4	1	7	6	3	1	
	Colored	3			1			1	1	1		
29	Tetanus:											
	Males—White	797	60	7	16	13	16	112	157	172	72	34
	Colored	246	85		1		6	92	23	31	18	15
	Females—White	262	38	3	8	13	14	76	43	24	14	10
	Colored	105	43	3	1	2		49	15	5	6	4
30	Mycoses:											
	Males—White	78	18	2				20	1	2	4	4
	Colored	37	27	4				31				
	Females—White	52	21	1				22		1	1	1
	Colored	33	27	3	1			31			1	
	Tuberculosis (all forms):											
	Males—White	35,811	655	442	254	181	150	1,682	413	438	1,524	3,055
	Colored	9,749	140	154	81	66	60	501	172	277	939	1,505
	Females—White	30,775	555	404	211	155	106	1,431	403	662	2,957	4,724
	Colored	10,175	110	137	75	69	50	441	189	464	1,467	2,075
31	Of the respiratory system—											
	Males—White	31,248	180	111	46	38	41	416	118	207	1,274	2,771
	Colored	8,575	78	82	51	24	36	271	87	195	821	1,364
	Females—White	26,645	152	89	52	38	29	360	134	456	2,669	4,363
	Colored	9,137	55	76	31	40	28	230	129	392	1,356	1,924
32	Of the meninges, central nervous system—											
	Males—White	1,685	341	250	149	104	72	916	184	115	72	78
	Colored	321	37	48	19	26	17	147	45	24	25	21
	Females—White	1,425	286	233	125	88	59	791	177	92	88	51
	Colored	238	35	41	22	17	11	126	23	17	13	19
33	Of the intestines, peritoneum—											
	Males—White	1,008	48	23	22	16	13	122	47	42	48	57
	Colored	318	2	5	3	6	3	19	14	21	36	44
	Females—White	1,293	39	30	11	10	4	94	33	42	72	161
	Colored	377	7	1	4	3		15	13	24	47	77
34	Of the vertebral column—											
	Males—White	459	8	2	7	4	8	29	22	31	27	50
	Colored	116				1	1	2	1	12	15	23
	Females—White	300	8	5	4	4	3	24	20	14	28	27
	Colored	59			3			3	5	3	6	7
35	Of the joints—											
	Males—White	177	3	1		3	1	8	9	13	22	14
	Colored	41	2	1	1			4	2	3	6	5
	Females—White	100	2	2				4	2	8	10	8
	Colored	32	1	1				2	1	4	3	3
36	Of other organs—											
	Males—White	606	20	17	14	3	2	56	10	13	35	40
	Colored	134	3	4	4	4		15	11	11	15	9
	Females—White	429	14	9	2	3	2	30	10	14	28	33
	Colored	95	2	4	1	4	3	14	8	7	6	14
37a	Disseminated (acute)—											
	Males—White	480	49	32	13	13	12	119	19	10	33	34
	Colored	203	14	14	3	3	3	37	10	5	20	35
	Females—White	457	50	33	16	12	8	119	26	31	53	66
	Colored	205	10	14	13	5	7	49	7	12	33	30
37b	Disseminated (chronic or unspecified)—											
	Males—White	148	6	6	3		1	16	4	7	13	11
	Colored	41	4			2		6	2	6	1	4
	Females—White	126	4	3	1		1	9	1	5	9	15
	Colored	32			1		1	2	3	5	3	1
38	Syphilis:											
	Males—White	3,407	613	31	12	6	7	669	19	13	22	77
	Colored	1,990	414	35	12	8	7	476	21	19	26	95
	Females—White	1,604	458	32	10	7	2	509	7	12	57	54
	Colored	1,206	291	46	15	8	3	363	14	11	54	114
39	Soft chancre:											
	Males—White	1										
	Colored	2										
	Females—White	3										
	Colored	1										
40	Gonococcus infection:											
	Males—White	79	13					13			1	11
	Colored	68	10			1		11				6
	Females—White	459	17			1	2	20			55	97
	Colored	304	5					5	1	1	30	61
41	Purulent infection, septicemia:											
	Males—White	557	77	15	10	11	5	118	21	39	27	17
	Colored	73	9	2				11	2	4	4	6
	Females—White	452	57	12	8	5	5	87	21	30	20	28
	Colored	61	2		1			3	2	1	6	4
42	Other infectious diseases:											
	Males—White	9	1		1			2	1			1
	Colored	1										
	Females—White	3			1			1				
	Colored	1										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
16	17	14	18	8	7	8	1	1	1	1							
1	2	2	1	1	1	2											
12	5	9	7	5	6	4	3	3									24
3	1	1	4	2	1												
	4	2	1	3	7	4	5	3		1	1						
1	1		1														
2	1		1		1		1	2								1	25
		1	2		1				1								
			1														26
3	2		3	1		1	1		1	2							
	1			1	1												27
				2													
1	4	1	2	1	2	1	1	1	2								
1	1				1												28
		2		1													
32	20	30	26	29	27	31	16	12	14	7	6						
14	10	8	11	10	3	2	2	1	5			1					
11	13	7	11	11	9	7	10	8	4		4						29
7	2	6	3	4			1	1	1	1							
2	5	5	4	3	2	11	4	4	3	3		1					
1	2		2	1													
2	3		5	2	3	3	3	3	2	1							30
			1														
3,622	3,751	3,780	3,688	3,228	2,829	2,339	1,897	1,647	1,066	531	208	61	9			43	
1,376	1,140	978	758	642	515	325	214	147	114	63	28	12	2	1	1	39	
4,316	3,414	2,649	2,106	1,661	1,359	1,241	1,111	1,060	831	518	213	72	19	1		27	
1,610	1,076	870	589	481	308	200	145	84	65	38	25	9	2	2		35	
3,318	3,494	3,498	3,434	3,017	2,627	2,142	1,743	1,488	954	471	180	54	5			37	
1,262	1,040	900	697	584	482	298	203	134	102	57	27	12	2	1	1	35	31
4,031	3,140	2,444	1,883	1,488	1,203	1,086	969	956	714	455	188	64	15	1		26	
1,500	991	818	528	437	285	182	131	76	60	35	19	7	2	2		33	
61	46	54	40	35	31	17	14	10	2	4		1	1			4	
12	13	9	8	5	6	2		3								1	
61	47	26	29	22	15	6	6	3	6	1	2	1				1	32
12	8	7	7	2	1		2									1	
73	62	82	70	59	65	75	52	67	43	32	10	1	1				
40	30	27	21	24	11	12	6	3	7	2	1						
110	134	81	109	84	77	83	70	46	50	29	12	5	1				33
55	37	30	28	15	8	8	5	6	2	1	5					1	
49	37	24	36	29	18	30	25	25	17	4	2	2	1			1	
18	18	10	4	3	3	3	1	1	1							1	
20	15	24	7	15	18	15	19	16	20	14	4						34
8	8	1	5	7	1	2	2				1						
15	13	12	6	7	6	8	14	13	8	2	7						
4	1	5	6	2	1	1		1									
2	3	6	9	7	5	5	10	5	6	6	2		2				35
1	4	3	1	4	1	2		1		1		1					
45	44	62	54	43	49	44	24	30	33	12	9	2	1				
12	14	8	12	6	4	4	3	5	2	3							
33	28	40	32	30	27	31	24	25	29	9	3	2	1				36
4	9	5	5	5	8	3	3	1	3								
48	43	36	38	31	19	15	19	7	3	5		1					
24	21	18	6	15	7	3			1							1	
49	31	17	23	8	10	10	8	2	3		1						37a
27	15	6	14	6	2	2				1		1					
13	12	12	10	7	14	8	6	7	6	1						1	
4	3	1	4	3	1	2	1		1	1						1	
10	16	11	14	7	4	5	5	7	3	4	1						37b
3	4		1	5	2	1	2										
108	153	254	343	397	363	342	262	208	99	48	25	3				2	
131	139	227	188	190	150	129	76	55	31	17	6	2	1			11	
87	78	151	124	147	114	109	62	47	23	14	8	1					38
119	79	119	89	79	61	36	27	18	10	7	2	1				3	
	1																
			1			1											39
1			1								1						
							1										
3	5	9	7	4	5	5	7	4	3	1		1					
6	3	9	6	11	4	4	1	3	1		1					2	40
93	66	63	38	15	7	3	1			1							
76	51	39	24	12	2	1						1					
29	23	25	25	33	33	32	25	39	30	28	7	5	1				
4	3	7	4	6	5	4	4	1	4	2			1		1		
38	21	31	25	18	21	21	13	27	18	12	11	7	3				41
6	3	4	7	5	3	1		4	4		4	2	1			1	
1	1				2		1										
				1													
		1		1													42
			1														

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I:											
	Males—White	58,993	1,502	280	200	166	138	2,286	545	481	560	584
	Colored	3,491	223	54	20	27	11	335	52	53	79	93
	Females—White	71,858	1,072	221	147	134	112	1,686	442	527	581	690
	Colored	6,193	159	37	28	8	8	240	59	37	127	245
	Cancer and other malignant tumors:											
	Males—White	39,473	23	36	44	43	26	172	101	75	133	192
	Colored	1,696	2	4	5	8	2	21	7	8	19	18
	Females—White	49,342	30	35	38	27	21	151	52	80	115	181
	Colored	3,394	3	2	2	1	1	9	8	3	12	41
43	Of the buccal cavity—											
	Males—White	2,575		1		1	2	4	4	5		2
	Colored	89	1					1			2	
	Females—White	476	1	1		1		3	4	1	4	4
	Colored	56										2
44	Of the stomach, liver—											
	Males—White	17,835	4	5	6	6	3	24	8	5	10	20
	Colored	883									2	8
	Females—White	14,994	6	3	4	2	5	20	6	8	6	22
	Colored	704	1			1		2				5
45	Of the peritoneum, intestines, rectum—											
	Males—White	5,893	3	8	2	4	5	22	17	10	14	41
	Colored	199			2	1		3	1	2	3	3
	Females—White	7,121	1	3	4	3	6	17	6	8	11	26
	Colored	264			1			1			1	3
46	Of the female genital organs—											
	Females—White	12,176							1	9	22	47
	Colored	1,537								1	4	19
47	Of the breast—											
	Males—White	126										
	Colored	8										
	Females—White	7,749							1	1	5	10
	Colored	491	1					1	1		1	3
48	Of the skin—											
	Males—White	1,563		2				2	1	1		5
	Colored	38										
	Females—White	940	1	3	2	2		8	3	4	3	2
	Colored	33							1			2
49	Of other or unspecified organs—											
	Males—White	11,481	16	20	36	32	16	120	71	54	109	124
	Colored	479	1	4	3	7	2	17	6	6	12	7
	Females—White	5,886	21	25	28	19	10	103	31	49	64	70
	Colored	309	1	2	1		1	5	6	2	6	7
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):											
	Males—White	290	9	3	4	1	3	20	6	5	6	8
	Colored	30	1			1		2	2			4
	Females—White	311	7	2	3	1	1	14	4	2	7	7
	Colored	42	1					1			1	
51	Acute rheumatic fever:											
	Males—White	1,082	1	6	14	21	33	75	163	155	108	56
	Colored	164	4	1		5	1	11	11	17	13	13
	Females—White	1,257	10	9	9	27	30	85	182	195	97	68
	Colored	214	1	1	1	1		4	15	6	9	11
52	Chronic rheumatism, osteoarthritis, gout:											
	Males—White	448							2	4	6	7
	Colored	40					1	1			1	2
	Females—White	751							2	3	1	3
	Colored	59							1		4	1
53	Scurvy:											
	Males—White	26	16	4	3			23				
	Colored	5	1	2				3			1	
	Females—White	18	8	4		1	1	14				
	Colored	7	3	2				5	1			
54	Pellagra:											
	Males—White	508	3	1	5	1	3	13	6	5	9	11
	Colored	380		2		2	1	5	16	13	13	16
	Females—White	876	1	2	1	1	3	8	7	8	17	41
	Colored	1,285			6	3	3	12	15	13	67	156
55	Beriberi:											
	Males—White	1		1				1				
	Colored	6	2					2				2
56	Rickets:											
	Males—White	244	169	44	15	7	4	239	3	2		
	Colored	103	63	23	8	4	2	100	2		1	
	Females—White	142	100	25	5	4	3	137	5			
	Colored	78	46	16	12	2	1	77	1			
57	Diabetes mellitus:											
	Males—White	6,767	11	10	18	17	13	69	91	111	125	123
	Colored	392	4	1		2	1	8	8	4	17	14
	Females—White	9,391	6	12	9	15	13	55	76	136	131	98
	Colored	562			1		1	2	5	6	10	8
58	Anemia, chlorosis:											
	Males—White	2,909	61	20	12	5	1	99	21	19	35	27
	Colored	63	13	2	1		1	17	1	1	4	2
	Females—White	3,491	67	17	7	8	4	103	22	26	39	52
	Colored	97	8	1				9	3	4	5	12
59	Diseases of the pituitary gland:											
	Males—White	42					1	1	1	2	3	3
	Colored	2									1	
	Females—White	53	3			1		4	2	3	3	5
	Colored	1									1	
60a	Exophthalmic goiter:											
	Males—White	439			1			1	2	5	10	23
	Colored	23									1	1
	Females—White	2,851			1			1	3	14	77	139
	Colored	122								1	7	3
60b	Other diseases of the thyroid gland:											
	Males—White	118	11	11	5	2	1	30	8	3	2	5
	Colored	9	1	1				2				
	Females—White	471	17	10	11	8	3	49	8	4	15	16
	Colored	49	2	1				3			1	3
61	Diseases of the parathyroid glands:											
	Males—White	46	38	3	3	1		45				
	Colored	12	8	3				11	1			
	Females—White	45	27	9	3	2		41		1		
	Colored	4	4					4				

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
792	1,178	1,852	2,452	3,621	5,186	6,627	7,983	8,645	7,145	5,097	2,711	977	209	36	5	51	
124	137	199	296	343	414	328	307	273	178	122	78	40	12	2	6	20	
1,032	1,660	2,877	4,176	5,821	7,325	8,355	9,340	9,370	7,700	5,522	3,096	1,204	345	61	8	40	
380	424	541	655	759	670	520	459	367	242	203	118	61	33	11	12	30	
293	498	853	1,330	2,215	3,484	4,740	5,868	6,540	5,607	4,090	2,198	814	176	29	5	30	
32	46	83	147	196	243	207	203	183	117	73	49	24	6	2	4	8	
414	969	1,856	3,065	4,312	5,382	6,003	6,520	6,639	5,623	4,208	2,437	954	295	52	7	27	
112	130	285	412	517	436	337	323	257	164	136	80	34	20	5	7	16	
6	14	39	78	158	268	320	374	403	358	273	170	70	18	8		3	
	2	2	11	14	12	9	9	12	4	6	3	1				1	43
5	7	7	17	25	31	44	43	70	65	63	43	21	13	4			
3	3	2	7	5	5	3	6	5	6	5	3	1					
52	141	322	550	1,040	1,700	2,294	2,878	3,218	2,558	1,806	874	271	43	7		14	
12	14	49	81	102	144	119	118	98	69	30	22	7	2	1	1	4	44
51	114	316	522	810	1,278	1,753	2,210	2,497	2,239	1,777	926	337	74	16	1	11	
9	17	44	55	92	93	86	90	77	50	30	27	12	4	3	3	5	
63	105	169	261	363	501	708	864	961	769	608	290	110	13	1		3	
7	7	11	21	30	27	21	17	15	9	9	8	4			1		45
66	123	168	326	466	695	809	1,026	1,062	989	740	406	131	40	4		2	
15	6	24	24	41	34	27	27	22	14	15	5	3	2				
163	413	773	1,223	1,549	1,673	1,588	1,452	1,312	937	561	306	106	26	8	1	6	46
64	107	156	225	249	195	138	131	102	56	44	21	11	6		1	7	
		6	7	4	12	20	21	18	11	12	8	7					
	1			1	1	1	1		2	1							47
46	175	372	637	954	1,074	1,044	922	829	670	483	333	139	46	5		3	
14	27	37	71	81	67	50	37	28	20	25	14	3	5	1	3	2	
3	12	23	24	49	79	107	157	209	261	249	203	119	45	6	3	5	
		2	3	7	7	6	3	3	4	2		1					48
4	17	7	25	30	28	40	77	87	123	137	172	96	62	12	3		
1	2	3	2	2	6	3		2	1	4	3		1				
169	226	294	410	631	924	1,291	1,574	1,731	1,650	1,142	653	237	57	7	2	5	
13	22	19	31	42	52	51	55	55	29	25	16	11	4	1	2	3	49
79	120	213	315	478	603	725	790	782	600	445	251	124	34	3	2	5	
6	18	19	28	47	36	30	32	21	17	13	7	4	2	1		2	
11	10	20	15	13	33	23	28	28	18	21	13	11				1	
3	3	1	2	3	1	1		5	1		1	1					50
14	11	14	19	24	25	26	24	27	32	29	21	7	4				
4	4	7	2	7	5		3	4	2	1	1						
40	31	46	51	41	48	47	64	52	36	34	19	10	2	3		1	
11	6	7	11	13	8	11	10	9	3	6	2	1	1				51
63	59	61	45	44	49	34	50	72	58	40	30	19	4	1		1	
15	15	15	18	24	15	13	11	9	10	9	9	3	1		1	1	
6	9	16	11	20	23	32	41	59	72	72	45	18	3	1		1	
	1	1	3	4	2	4	5	5	5	4	1	1					52
10	14	12	11	35	43	64	80	104	97	119	82	54	15	1	1		
1		4	3	3	5	5	7	4	4	3	5	3	3	1	2		
1		1							1								
				1													53
1					1		2										
	1																
12	13	25	28	48	57	53	55	66	60	29	15	2	1				
18	13	19	41	36	40	30	38	25	21	16	5	7	2			6	54
64	56	81	94	97	76	79	71	74	52	27	17	3				4	
186	144	143	118	105	84	64	41	30	30	31	14	12	4	2	1	13	
		2															55
																	56
124	114	160	215	329	566	747	1,076	1,097	871	549	299	83	16			2	
15	14	20	30	37	55	43	29	30	26	19	15	5	1			2	57
111	131	193	263	408	834	1,221	1,590	1,566	1,267	810	376	98	19	6		2	
25	25	36	54	71	92	71	47	50	26	16	4	7	3	3	1		
41	55	88	131	207	305	409	428	472	289	177	77	23	4			2	
1	5	2	5	3	8	4	2	6				1			1		58
65	85	157	217	300	334	430	514	530	326	176	74	35	4			2	
4	8	7	12	10	4	5	6	1	3	2	1		1				
3	6	6	4	4	3	2	1	1	1	1							
		1															59
2	3	7	1	10	3	4	3	1		1		1					
28	23	41	51	47	62	49	42	29	16	7	1	1				1	
4	2		7	3	3		1			1							60a
144	182	270	267	379	363	299	293	209	131	50	20	9	1				
14	18	13	18	6	10	10	9	8	1	2	1	1					
1	5	6	4	9	2	12	10	9	6	4	2						
	1			2	1			1		1						1	60b
18	20	36	32	47	47	45	38	33	35	14	9	5					
3	4	4	2	3	8	5	6	3	1		2	1					
1																	
		1	1						1								61

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	II.—General diseases not included in Class I—Continued.											
62	Diseases of the thymus gland:											
	Males—White	587	497	36	10	8	6	557	10	3	6	1
	Colored	35	25	6	1	1	1	34				1
	Females—White	402	332	30	8	4	4	378	11	2	2	2
	Colored	34	24	3	1			28	2	2		1
63	Diseases of the adrenals (Addison's disease):											
	Males—White	194				1		1			4	6
	Colored	5								1		
	Females—White	202								2	4	4
	Colored	2										
64	Diseases of the spleen:											
	Males—White	60	3	1	1		1	6	5	2	2	
	Colored	7	2					2				
	Females—White	56	3			1		4		3	1	1
	Colored	5									1	
65a	Leukemia:											
	Males—White	999	21	33	33	39	25	151	70	52	51	36
	Colored	41		1				1	1	4	1	3
	Females—White	690	12	17	20	11	13	73	28	25	29	32
	Colored	29		2	1			3	5	1		2
65b	Hodgkin's disease:											
	Males—White	505	4	3	1	2	3	13	29	20	31	32
	Colored	28				1		1	1	1		1
	Females—White	284	3	8	3	3	2	19	11	2	18	11
	Colored	15	1		1			2		1	2	2
66	Alcoholism (acute or chronic):											
	Males—White	2,991								2	11	34
	Colored	275								1	4	12
	Females—White	298								1	3	3
	Colored	65									3	4
67a	Chronic lead poisoning:											
	Males—White	131		1				1				2
	Colored	5										
	Females—White	5					1	1				
67b	Other chronic mineral poisoning:											
	Males—White	20			1			1				1
	Colored	7									1	
	Females—White	6										1
	Colored	5										
68	Chronic poisoning by organic substances:											
	Males—White	103									1	3
	Colored	20										2
	Females—White	62									2	5
	Colored	10										1
69	Other general diseases:											
	Males—White	1,010	635	67	30	18	18	768	27	16	17	14
	Colored	143	97	8	5	3	1	114	2	3	2	2
	Females—White	854	446	41	29	20	13	549	29	20	20	21
	Colored	114	66	9	3	1	2	81	3		4	
	III.—Diseases of the nervous system and of the organs of special sense:											
	Males—White	57,432	1,813	454	271	196	169	2,903	618	512	592	578
	Colored	6,062	339	56	29	24	19	467	61	60	98	105
	Females—White	51,937	1,306	381	243	181	126	2,237	584	421	457	462
	Colored	6,118	225	55	19	24	13	336	52	45	112	114
70	Encephalitis:											
	Males—White	575	74	35	12	15	12	148	35	16	28	21
	Colored	70	12	2	3	2		19	2	4	4	6
	Females—White	491	52	23	15	15	10	115	32	30	29	22
	Colored	52	5	3			1	9	4	3	9	3
71a	Simple meningitis:											
	Males—White	1,301	364	113	111	56	44	688	98	73	49	50
	Colored	181	53	15	8	5	5	86	8	11	12	7
	Females—White	1,026	246	100	76	56	35	513	118	45	48	28
	Colored	114	31	11	7	6	2	57	12	5	6	9
71b	Nonepidemic cerebrospinal meningitis:											
	Males—White	372	105	53	23	11	13	205	40	24	26	14
	Colored	43	14	2	3	4	2	25	4	2	2	5
	Females—White	252	79	44	28	9	5	165	35	13	12	6
	Colored	30	6	6	2	3	1	18	3	4	2	
72	Tabes dorsalis (locomotor ataxia):											
	Males—White	1,161										1
	Colored	85									2	1
	Females—White	350										1
	Colored	33									1	1
73	Other diseases of the spinal cord:											
	Males—White	1,531	14	10	7	5	2	38	29	29	41	24
	Colored	111			1			1	2	2	3	3
	Females—White	1,437	17	15	8	8	5	53	23	21	25	17
	Colored	105	2					2	3	5	2	8
74a	Cerebral hemorrhage:											
	Males—White	36,934	62	14	9	3	12	100	23	28	37	64
	Colored	3,400	12	1	1	1	2	17	6	8	12	22
	Females—White	36,815	62	16	9	8	1	96	19	19	45	59
	Colored	4,032	11	2			4	17	4	2	17	26
74b	Cerebral embolism and thrombosis:											
	Males—White	1,724	16	9	5	4	5	39	21	14	18	18
	Colored	90	2					2	1			6
	Females—White	1,709	11	2	2	1	3	19	13	12	18	28
	Colored	105				1	1	2		1	6	4
75	Paralysis without specified cause:											
	Males—White	2,187	15	5	3	5	2	30	5	5	10	9
	Colored	636	1	1		2	2	6	6	3	5	4
	Females—White	2,237	11	2	2		3	18	6	6	7	7
	Colored	693	2	1	1	1		5	1	1	8	5
76	General paralysis of the insane:											
	Males—White	4,069								2	7	19
	Colored	543									6	3
	Females—White	1,118								3	12	16
	Colored	206									1	7

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
3	5			2													62
4	1	2															
							1										
9	19	19	13	31	27	12	12	19	8	6	4	2		2			63
					3	1											
18	16	29	24	17	19	19	16	15	9	3	4	3					
						2											
4	2	3	6	5	6	4	4	6	3	2							64
	1	1	1	1	1												
1	5	3	6	5	3	1	6	8	3	3	3						
1	1	1	1														
41	59	52	52	56	75	79	76	63	49	24	9	3				1	65a
5	6	4	4	1	3	5	2				1						
40	36	42	44	52	73	67	60	42	26	17	3	1					
4	2	3		3	4	1	1										
35	35	39	45	36	34	50	36	32	18	11	8	1					65b
3	1	1	3	4	6	3	1	1								1	
19	15	30	22	23	19	26	24	19	14	7	3	2					
	2	3			2		1										
116	264	435	449	490	405	337	201	138	61	27	6	2	1			12	66
26	31	49	36	37	34	15	15	6	4	1	1				1	2	
17	36	63	46	49	35	16	12	6	5	1	2	1				2	
7	10	16	10	8	3	3		1									
3	2	12	18	18	20	14	20	10	8	2	1						67a
	2	1	1			1											
	2				1					1							
	1	1	1	3	3	1	4	3	1								67b
3	2					1											
1		1					1	1	1								
1			1			2	1										
9	14	17	16	7	17	5	6	4	2		1		1				68
2	1	3	3		4	1		1		1	1		1				
6	5	7	8	5	5	3	4	5	3		2	2					
	5	3			1												
11	13	12	12	10	16	11	11	17	18	11	13	7	5	1			69
1	2	4	2	2	2	1	1	1	1		2	1	1				
20	14	12	11	14	13	18	32	19	17	16	13	10	3	1		2	
3	5	1	4	2	1	2	2		1	3	1		1				
662	1,048	1,529	2,104	2,575	3,609	4,592	6,105	7,560	7,775	6,997	4,860	2,090	559	95	17	52	
145	223	319	396	543	739	545	569	529	428	327	241	131	53	22	19	42	
495	705	1,006	1,420	2,124	3,028	3,550	5,017	6,645	7,153	6,972	5,636	2,920	881	176	23	25	
145	187	301	387	534	686	587	630	527	468	354	284	173	73	50	51	22	
26	35	44	42	33	34	33	33	12	17	9	6	1	1			1	70
3	4	9	1		7	4	3	4									
33	23	31	33	29	26	19	24	16	16	8	3	1	1				
5	4	5	2	2	3	1	1				1						
39	37	45	40	36	42	29	23	21	12	9	4	4		1		1	71a
6	13	10	4	7	9	3		3		1						1	
42	25	35	29	28	27	20	26	18	12	5	3	4					
6	7	4	5	1	1				1								
12	9	3	10	7	10	4	2	2	2	1		1					71b
	2	1	1			1											
6		4	2	3	2	1		1		1	1						
1	3	1	1														
4	14	37	71	117	153	183	187	186	118	49	29	8	3			1	72
	4	5	7	13	16	9	6	13	2	3	3	1					
6	4	16	27	45	45	48	44	49	37	14	10	2	1			1	
3		5	4	3	6	3		4	1	2							
38	34	49	65	78	120	157	182	217	196	124	82	33	3		1	1	73
4	9	7	12	9	11	13	8	8	8	2	4	3				2	
26	46	33	60	99	134	124	156	184	174	134	80	35	12	1			
4	4	5	5	11	8	7	8	12	7	5	5	4					
97	172	293	660	1,142	2,096	3,142	4,591	5,890	6,279	5,846	4,098	1,768	481	77	13	37	74a
42	71	131	196	315	489	392	417	377	313	236	172	91	40	15	14	24	
68	163	318	683	1,294	2,091	2,668	3,983	5,397	5,926	5,836	4,737	2,500	729	152	19	13	
45	80	174	263	398	533	452	498	404	360	271	210	126	56	37	42	17	
21	36	43	51	77	124	130	201	241	256	202	145	60	22	4	1		74b
2	6	4	8	6	13	7	8	6	9	6	3	3					
23	34	40	50	69	108	99	192	210	257	213	195	81	44	1	2	1	
6	6	5	10	7	10	6	12	4	12	7	4	1	1	1			
10	8	17	37	50	83	138	228	319	392	415	272	119	29	8	2	1	75
4	15	17	31	47	73	49	73	78	63	61	46	30	10	7	4	4	
3	15	24	25	57	88	135	176	315	333	404	375	166	56	16	1	4	
7	20	31	33	51	65	72	70	77	72	54	50	37	12	11	8	3	
85	329	582	758	657	536	402	242	215	111	68	40	10	4			2	76
22	53	71	88	92	85	46	33	15	13	6	3		2			5	
27	77	137	159	146	132	120	83	78	50	33	31	12	2				
13	24	21	31	29	31	18	15	4	6	5	1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.											
77	Other forms of mental alienation:											
	Males—White	599								2	17	35
	Colored	107								1	11	6
	Females—White	830								3	18	40
	Colored	123								1	13	10
78	Epilepsy:											
	Males—White	1,479	32	12	14	18	16	92	50	94	138	164
	Colored	271	16	1	2	3	3	25	8	19	27	27
	Females—White	1,201	39	11	11	12	11	84	55	51	107	118
	Colored	185	14	3	3	2	1	23	8	11	28	23
79	Convulsions (nonpuerperal; 5 years and over):											
	Males—White	40							14	2	5	1
	Colored	20							9	1	2	2
	Females—White	54							15	3	11	4
	Colored	30							1	4	7	6
80	Infantile convulsions (under 5 years):											
	Males—White	818	719	62	21	11	5	818				
	Colored	221	192	19	4	4	2	221				
	Females—White	612	481	67	37	17	10	612				
	Colored	163	130	22	4	7		163				
81	Chorea:											
	Males—White	20	3					3	2	3	5	2
	Colored	3	2					2			1	
	Females—White	65	4	2	2		1	9	4	14	9	6
	Colored	2					1	1			1	
82	Neuralgia and neuritis:											
	Males—White	129	2	1	1		1	5	2	1		
	Colored	17	1				1	2			1	
	Females—White	142			1			1		1	1	1
	Colored	16	1					1	1		1	
83	Softening of the brain:											
	Males—White	338										1
	Colored	21										
	Females—White	359										
	Colored	10										
84	Other diseases of the nervous system:											
	Males—White	2,316	65	34	23	21	15	158	78	58	79	59
	Colored	128	8	2	1		1	12	6	5	5	5
	Females—White	1,970	69	26	18	28	12	153	76	60	49	53
	Colored	111	5	1	1	2	2	11	7	5	2	7
85	Diseases of the eye and annexa:											
	Males—White	36	9	1	2	3	3	18	2	3		1
	Colored	5	1					1		1	2	
	Females—White	39	6		1	2	1	10	4	2	2	
	Colored	5	3					3	1			
86a	Diseases of the ear:											
	Males—White	1,095	256	73	24	28	21	402	116	88	82	44
	Colored	73	19	11	5	2	1	38	7	2	1	5
	Females—White	729	177	57	19	16	17	286	85	69	33	28
	Colored	60	13	4	1	2		20	4	1	3	3
86b	Diseases of the mastoid process:											
	Males—White	708	77	32	16	16	18	159	103	70	50	51
	Colored	37	6	2	1	1		10	2	1	2	3
	Females—White	501	52	16	14	9	12	103	99	69	31	28
	Colored	40	2	2				4	3	2	5	2
	IV.—Diseases of the circulatory system:											
	Males—White	105,564	577	115	94	70	101	957	680	827	944	834
	Colored	10,697	47	11	10	16	7	91	51	86	124	156
	Females—White	88,798	359	106	70	91	111	737	631	979	876	962
	Colored	9,443	46	10	14	15	10	95	67	93	178	277
87	Pericarditis:											
	Males—White	417	6	5	3	1	4	19	16	8	13	8
	Colored	88	1					1	2	1	2	2
	Females—White	289	5	3	1	1	2	12	10	19	9	13
	Colored	61	1	1			1	3	1		2	4
88	Endocarditis and myocarditis (acute):											
	Males—White	3,504	222	34	34	16	22	328	168	136	163	165
	Colored	477	18	1	1	6		26	12	13	19	33
	Females—White	3,272	152	36	24	38	38	288	181	210	205	231
	Colored	567	13	1	4	2	6	26	16	16	46	53
89	Angina pectoris:											
	Males—White	8,755	2					2	2	6	10	13
	Colored	276			1			1			1	3
	Females—White	4,202					1	1	1	2	3	10
	Colored	237	1	1				2				5
90	Other diseases of the heart:											
	Males—White	79,007	268	62	51	45	71	497	480	665	735	616
	Colored	8,866	20	9	6	10	7	52	36	71	99	115
	Females—White	70,673	159	59	40	52	67	377	431	739	647	688
	Colored	7,863	30	7	8	12	3	60	46	76	127	209
91a	Aneurysm:											
	Males—White	1,066								2	3	9
	Colored	285									2	1
	Females—White	362	2					2		2	1	4
	Colored	134									1	2
91b,c	Other diseases of the arteries:											
	Males—White	11,097							1			1
	Colored	584										
	Females—White	8,761										
	Colored	472							1			
92	Embolism and thrombosis (not cerebral):											
	Males—White	1,222	36	2	2	3	2	45	5	6	14	15
	Colored	32			2			2	1		1	1
	Females—White	776	16	1	2		2	21	4	3	6	8
	Colored	34									1	1
93	Diseases of the veins:											
	Males—White	237	3		1	1		5	1	2	1	5
	Colored	16										1
	Females—White	303	1					1		1	1	5
	Colored	18							1	1		

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
45	58	55	46	51	54	57	41	58	41	19	7	6	2			5	
12	11	10	11	14	7	4	5	5	3	2	1	1				3	77
47	75	79	88	97	91	68	59	50	43	31	21	15	4			1	
24	13	15	10	9	7	2	4	6	1	2	2	2	1		1		
124	140	133	99	76	88	62	67	57	45	26	11	8	2	1		2	
32	17	34	18	24	11	4	7	8	5	3	1					1	78
100	100	93	91	81	70	53	55	42	45	34	9	11	1			1	
16	10	16	10	10	5	10	5	3	3		2	1				1	
1	3	4	1	1	1	1	1	1		1	1	1				1	
1	1	2		1						1							79
8	2	3	2	1			1	1	1	1		1					
1	4	5			2												
																	80
1	1		1				2										81
1	1	2	2	4	1	1	2		6		2	1					
1	3	5	6	10	6	6	16	20	22	9	12	4	1				
1			4	1	3		1	2	1		1						82
2	6	4	9	11	6	10	9	17	14	26	12	7	3	2			
1	2	1	2	2		1	1	1			2						
	1	1	3	5	8	19	25	52	63	57	62	35	4	2			
			1	1	3		1	4	4	2	3				1	1	83
	1	2	4	4	9	16	32	46	53	73	63	37	16	2	1		
						3	1	1	1	2	2						
89	107	136	137	165	193	160	218	207	200	152	83	29	7	1			
11	12	7	12	6	9	10	6	4	7	4	3	2	1			1	
51	79	134	118	119	154	127	154	189	170	145	86	40	7	2		4	84
7	5	6	3	7	3	6	13	8	4	6	4	2	3	1		1	
	1				1	2		4	2		1	1					
		1															85
4	2		3		1	2			3		2	2	2				
											1						
35	32	48	46	36	36	41	27	35	14	7	4	1		1			
2	2	5		3	2	2	1	2			1						86a
23	23	32	27	20	27	23	10	20	5	8	5	2	3				
4	4		3	3	7	5	1	2									
34	28	34	31	34	24	26	19	23	15	3	3	1					
3	3	5	2	4	1	1											86b
25	29	19	8	17	16	16	11	12	8	6	1	3					
2	1	7	5	1	5	1	1	1									
976	1,388	2,148	3,133	4,585	6,729	8,927	11,766	14,587	15,122	14,102	10,496	5,248	1,647	329	48	91	
254	415	647	891	1,107	1,340	999	1,036	946	905	624	476	277	127	50	45	50	
1,128	1,391	1,873	2,360	3,295	4,324	5,725	8,272	10,840	12,486	12,756	10,733	6,439	2,305	549	79	58	
348	442	619	822	926	989	783	850	781	679	512	442	216	135	76	65	48	
8	18	18	16	25	26	35	36	48	41	42	22	9	8			1	
5	10	6	11	8	7	3	8	5	3	9	4				1		87
2	9	10	12	11	7	15	15	32	34	41	20	12	5			1	
7	4	8	7	8	3	2	5	3	2		2						
190	224	303	406	168	130	194	198	217	181	138	91	33	13	4	1	3	
36	56	76	88	21	29	20	17	10	9	4	6	2					88
217	252	269	278	113	108	120	158	164	160	129	102	61	18	6	2		
51	57	82	92	33	27	15	20	9	9	4	7	1		2		1	
18	60	151	353	553	786	1,111	1,263	1,574	1,266	883	475	182	33	2	1	11	
3	15	17	39	31	54	27	21	23	25	6	2	5	1	1		1	89
23	30	50	103	136	247	352	554	711	742	629	387	160	43	6	1	2	
11	14	12	30	33	30	25	20	14	16	8	9	2	3		2	1	
711	1,024	1,512	2,112	3,478	5,179	6,830	9,108	11,054	11,563	10,702	7,687	3,652	1,093	219	29	61	
195	305	489	677	952	1,172	869	902	814	772	520	392	222	96	41	31	44	90
850	1,045	1,441	1,854	2,866	3,700	4,846	6,914	8,955	10,133	10,195	8,208	4,753	1,575	352	56	48	
265	339	482	661	806	867	689	747	689	580	424	369	177	104	58	49	39	
16	15	62	90	125	150	156	130	155	71	42	27	11		1		1	
12	22	45	55	49	31	28	18	10	6	3	2					1	91a
11	7	16	19	19	34	50	39	55	40	33	13	12	3	1		1	
7	15	26	9	19	19	15	7	5	3	3	2					1	
2	12	31	85	122	262	427	825	1,313	1,826	2,116	2,100	1,321	493	102	17	11	
1	5	8	9	33	36	39	55	77	78	79	66	44	30	8	13	3	91b,c
1	4	14	29	59	139	236	471	796	1,241	1,612	1,916	1,394	644	182	19	4	
	5	4	11	17	34	32	43	52	60	70	50	35	27	16	12	3	
18	24	39	46	84	107	132	156	187	130	107	70	30	4	1		2	
		2	5	4	2	2	6	1	3	1						1	92
19	27	38	33	51	51	60	75	88	98	81	61	36	12	2	1	1	
3	2	3	4	4	3	2	1	4	3		2				1		
4	7	20	14	17	22	27	33	20	25	11	13	7	3				
	2		1	1	3	4	2				2						93
1	15	22	23	32	29	39	37	30	20	22	16	5	4				
	1	1	3	1	1	2	1	4	1				1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IV.—Diseases of the circulatory system—Contd.											
94	Diseases of the lymphatic system:											
	Males—White	108	31	11	3	4	1	50	5	1		1
	Colored	8	3	1				4				
	Females—White	72	21	7	2		1	31	2	2	1	3
	Colored	8			1	1		2	1			1
95	Hemorrhage without specified cause:											
	Males—White	53	9				1	10	2	1	5	1
	Colored	24	5					5				
	Females—White	32	3		1			4	2	1	3	
	Colored	16	1		1			2	1			
96	Other diseases of the circulatory system:											
	Males—White	98		1				1				
	Colored	41								1		
	Females—White	56										
	Colored	33									1	2
	V.—Diseases of the respiratory system:											
	Males—White	51,998	10,682	2,903	1,136	558	390	15,669	1,001	615	973	1,102
	Colored	9,791	2,326	738	250	119	76	3,509	184	150	374	621
	Females—White	40,967	7,961	2,442	951	521	319	12,194	836	601	659	725
	Colored	6,931	1,783	623	210	116	63	2,795	185	141	324	362
97a	Diseases of the nasal fossae:											
	Males—White	89	39	4	2	1		46		2	6	2
	Colored	92	62	9	1	1		73		3	2	2
	Females—White	56	18	2				20		2	3	4
	Colored	127	70	11	2	1		84		2	7	4
97b	Diseases of the nasal fossae annexa:											
	Males—White	307	10	4	5	2	3	24	14	18	44	32
	Colored	18				1		1	1		5	3
	Females—White	189	9	2	1	1		13	14	15	16	14
	Colored	17					2	2		2	2	1
98	Diseases of the larynx:											
	Males—White	259	69	39	27	14	17	166	25	7	6	5
	Colored	31	14	4	4			22	2			
	Females—White	200	54	27	20	12	10	123	18	4	5	2
	Colored	18	8	3	3	1		15	1			
99a	Acute bronchitis:											
	Males—White	1,143	496	71	32	16	9	624	26	2	6	4
	Colored	140	68	16	10	2		96	4			3
	Females—White	1,112	388	70	17	13	11	499	7	3	7	2
	Colored	151	78	19	4	2	2	105	5	2	1	1
99b	Chronic bronchitis:											
	Males—White	1,128	28	9		1	1	39	2	3	5	6
	Colored	56	4	3	2			9	2	1	1	1
	Females—White	1,117	19	8	2			29	3	1	4	4
	Colored	78	3					3			3	6
99c,d	Bronchitis (unspecified):											
	Males—White	691	217	43	9	5		274	6	4	2	
	Colored	134	58	14	6	1	2	81	4	1	2	3
	Females—White	710	170	36	11	4	4	225	7	2	4	2
	Colored	102	23	15	5	2	1	46	2	1	1	6
100a	Broncho-pneumonia:											
	Males—White	17,361	6,738	1,582	580	251	157	9,308	353	145	156	161
	Colored	2,893	1,370	431	123	62	27	2,013	68	31	50	64
	Females—White	15,573	5,026	1,401	484	251	127	7,289	272	155	126	151
	Colored	2,332	993	359	115	54	25	1,546	61	30	48	48
100b	Capillary bronchitis:											
	Males—White	404	256	40	13	8	10	327	5		2	
	Colored	79	38	13	7	6	1	65	2			2
	Females—White	366	177	39	9	6	4	235	4	1	2	
	Colored	66	38	10	1	3		52			1	3
101a	Lobar pneumonia:											
	Males—White	24,898	2,132	870	349	193	146	3,690	472	351	621	761
	Colored	5,088	437	177	67	31	37	749	70	36	261	455
	Females—White	17,474	1,566	674	298	182	127	2,847	405	351	404	447
	Colored	2,951	316	142	54	35	24	571	85	82	205	226
101b	Pneumonia (unspecified):											
	Males—White	1,981	493	129	55	31	20	728	39	50	55	59
	Colored	733	257	56	21	10	7	351	19	17	36	55
	Females—White	1,611	368	89	56	24	15	552	46	33	41	39
	Colored	670	227	53	19	14	7	320	25	12	38	35
102	Pleurisy:											
	Males—White	1,350	97	88	49	24	19	277	43	20	44	49
	Colored	206	9	5	6	1	1	22	6	6	9	26
	Females—White	883	67	71	37	22	15	212	45	26	29	33
	Colored	137	9	4	3	2	1	19	4	3	8	19
103	Congestion and hemorrhagic infarct of the lung:											
	Males—White	595	72	7	7	6	2	94	7	3	3	2
	Colored	43	4	2				6			1	2
	Females—White	644	57	7	5	2		71	2	2	3	1
	Colored	52	5	5			1	11		1	1	2
104	Gangrene of the lung:											
	Males—White	141	3	1	2		3	9			3	1
	Colored	15							2			1
	Females—White	45							1		4	3
	Colored	11							1		2	
105	Asthma:											
	Males—White	913	8	12	4	4	1	29	3	4	4	5
	Colored	152	3	4	2	3	1	13	3	1	2	2
	Females—White	662	12	11	7	2	1	33	6	1	3	7
	Colored	133		1	3	1		5	1	1	3	5
106	Pulmonary emphysema:											
	Males—White	86	4	1			1	6			1	
	Colored	7									1	
	Females—White	41	3	1			1	5				
	Colored	5								1		
107	Other diseases of the respiratory system (tuberculosis excepted):											
	Males—White	652	20	3	2	2	1	28	6	6	15	15
	Colored	104	2	4	1	1		8	1	4	4	2
	Females—White	284	27	4	4	2	4	41	6	5	8	16
	Colored	81	13	1	1	1		16		4	4	6

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
6	3	5	1	6	7	2	6	6	4	4	1						
		1		1	1							1					
2	1	1	4	1	3	4	1	3	4	4	2	3					94
			1				1	1			1						
3	1	6	6	2	3	5	1		1	2	4						
2		2	2	2	3	1	2	1	1		1	2					
1	1	2	3	2	3		1	2	3	2	1	1					95
4	1	1	1	2	1		2		1								
		1	4	5	7	8	10	13	14	25	6	3				1	
		1	4	5	2	6	5	5	8	2	1	1					
1		1	2	5	3	3	7	4	11	8	7	2	1			1	96
	4		3	3	4	1	3		4	3		1			1	3	
1,076	1,460	2,060	2,455	2,572	2,685	2,859	3,176	3,392	3,396	3,003	2,482	1,349	510	103	21	39	
601	537	654	620	580	501	320	309	204	212	154	117	58	35	13	8	30	
829	1,038	1,216	1,203	1,199	1,387	1,696	2,210	2,824	3,137	3,370	2,981	1,856	780	171	31	24	
325	298	348	338	314	283	218	227	201	179	126	118	61	27	15	28	18	
2	1	6	5	2	2	2	1	1	2		3	5		1			
	1	2	1	3		1	2	1				1					
3	2		3	1			1	1	2	5	4	2	2	1			97a
1	3	4	1		5	1	2	1	4		1			2	5		
27	22	27	16	28	19	14	8	7	5	1	1						
1	1	2	1	1	1	1											
14	15	13	12	8	12	14	12	7	3	3	2	1				1	97b
1	1		4	1	1							2					
2	5	8	5	5	3	4	4	5	2	4	1	2					
	2		2		1											2	
3	2	5	5	4	2	2	3	5	4	5	5		2	1			98
1							1										
4	4	14	12	23	17	26	21	33	54	79	88	70	28	7	1		
3	2	6	2	1	3	5	2		4	4	1	1	2	1			
6	3	9	13	7	14	21	24	41	71	88	133	99	51	13	1		99a
2	1	3	5	6		1	2	2	3	5	6		1				
10	9	15	24	38	49	49	101	118	162	184	169	102	33	8	1	1	
2	3	6	1	4	2	6	5	4	1	4	3				1		
10	5	8	14	18	27	25	70	116	153	210	223	146	40	10	1		99b
	9	3	4	7	8	3	7	8	5	2	5	1	3			1	
2	3	3	7	10	14	18	20	30	46	58	96	66	26	4	1	1	
3	6	2	5	4	6	2	1	2	2	2	3	1	1	1	2		
3	1	6	6	5	7	15	16	32	59	64	99	91	50	14	2		99c, d
7	3	3	3	5	3		3	2	3	5	4	2		2	1		
147	199	299	377	375	438	552	646	797	894	967	828	471	188	42	6	12	
59	45	76	74	71	60	47	48	36	46	40	31	17	8	2	2	5	
148	188	220	252	245	278	382	570	777	987	1,221	1,139	731	354	70	11	7	100a
46	45	65	54	47	57	49	41	47	40	35	31	18	6	5	8	5	
	1	1	1	3	1	1	3	8	15	16	10	5	5				
		2	1			1	2	1	1				1		1		
1	3	2	1	1	4	5	3	10	17	26	18	22	10	1			100b
	1	2	1		1		2	1			1		1				
755	1,056	1,470	1,688	1,773	1,811	1,829	1,959	1,981	1,798	1,319	955	424	140	23	5	17	
487	423	479	473	423	364	202	190	123	121	69	50	26	13	8	1	15	
534	710	825	754	783	897	1,060	1,322	1,554	1,522	1,358	982	496	169	31	12	11	101a
211	185	218	213	193	165	132	125	103	82	59	40	30	9	4	6	7	
33	51	69	78	65	65	66	79	89	117	122	111	61	30	7	2	5	
23	21	32	20	22	21	17	20	11	19	18	12	4	6	1	1	7	
39	33	39	43	33	32	51	52	72	104	136	123	104	26	8	2	3	101b
28	21	19	16	25	17	18	14	14	17	12	16	7	5	1	5	5	
55	62	67	98	95	84	95	99	99	64	55	25	16	2	1			
13	15	23	19	18	11	6	13	7	2	4	5		1				
36	35	37	45	36	41	41	53	51	56	44	41	19	1	2			102
11	9	10	13	10	6	6	9	5	3		1				1		
4	3	9	11	9	17	12	14	35	48	70	112	84	44	9	5		
	1	2	3	4	4	5	2	3	3	1	2	2	2				
2	5	7	5	10	6	9	7	38	52	107	136	100	60	18	2	1	103
1	4	4	2	2	2	1	6	2	5	1	4		1	1	1		
2	4	11	14	10	13	19	23	16	8	6	1	1					
1	2			1	3	3	1	1									
5	5	4	4	1	3	2	4		3	2	3	1					104
3	1		1		2	1											
13	14	22	49	64	66	90	108	123	117	93	61	36	10	1		1	
4	6	6	12	15	12	12	18	12	8	10	9	6	1				
17	12	22	28	31	44	47	57	94	78	78	55	34	12	2		1	105
3	7	11	15	10	12	3	12	11	15	7	9	1	1		1		
1	1	1	1	4	11	10	7	9	18	7	5	3	1				
		1	1	1	1	1			1								
	2		2	1	4	5	2	5	4	5	3	3					106
		2	1		1												
19	25	38	69	68	75	72	83	41	46	22	16	3	3			2	
5	9	15	5	12	12	11	5	3	4	2	1					1	
8	17	19	16	15	16	17	14	21	22	18	15	7	3				107
10	8	4	5	8	3	3	3	5	2								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system:											
	Males—White	48,724	13,561	3,412	1,229	720	528	19,450	1,330	1,116	1,207	1,160
	Colored	6,417	2,219	662	161	76	46	3,164	155	125	176	194
	Females—White	40,063	10,268	2,926	977	588	437	15,196	1,200	842	857	986
	Colored	5,868	1,857	593	163	73	44	2,730	139	117	187	252
108	Diseases of the mouth and annexa:											
	Males—White	342	39	5	5	1	5	55	17	6	11	27
	Colored	42	6	3				9				3
	Females—White	305	27	9	3	5	3	47	14	9	14	11
	Colored	59	3	1	3			7	2	2	2	6
109a	Adenoid vegetations:											
	Males—White	4	1	1			1	3		1		
	Females—White	3							2		1	
	Colored	1		1				1				
109b	Other diseases of the pharynx, tonsils:											
	Males—White	1,722	123	90	85	82	79	459	246	139	87	116
	Colored	167	19	11	7	5	5	47	33	7	6	10
	Females—White	1,506	77	64	73	68	58	340	213	122	126	115
	Colored	187	13	7	6	9	6	41	24	21	8	13
110	Diseases of the esophagus:											
	Males—White	56	3		4			7		2		
	Colored	9			2	1		3				
	Females—White	41	2					2	2	2	1	1
	Colored	5		1				1			1	1
111a	Ulcer of the stomach:											
	Males—White	2,806	7		2	2		11	2	3	25	75
	Colored	251								1	8	8
	Females—White	1,091	7		1	3		11	5	6	13	30
	Colored	147	2					2			2	9
111b	Ulcer of the duodenum:											
	Males—White	1,294	3					3		2	15	36
	Colored	44										3
	Females—White	362	3		1		2	6			5	12
	Colored	12									1	
112	Other diseases of the stomach (cancer excepted):											
	Males—White	2,273	566	91	36	27	28	748	34	16	14	13
	Colored	672	156	26	11	8	7	208	18	3	13	17
	Females—White	1,934	493	76	40	25	21	655	28	15	17	17
	Colored	740	125	21	11	6	5	168	7	5	25	29
113	Diarrhea and enteritis (under 2 years):											
	Males—White	14,924	11,914	3,010				14,924				
	Colored	2,518	1,934	584				2,518				
	Females—White	11,754	9,119	2,635				11,754				
	Colored	2,190	1,649	541				2,190				
114	Diarrhea and enteritis (2 years and over):											
	Males—White	3,432			887	398	208	1,493	213	64	34	43
	Colored	499			122	40	22	184	32	14	11	15
	Females—White	3,305			713	334	171	1,218	202	52	26	39
	Colored	554			127	44	18	189	33	13	6	29
115	Ancylostomiasis:											
	Males—White	8		1				1	2	3		
	Colored	2							2			
	Females—White	13			1		1	2	3	4	1	
	Colored	1									1	
116	Diseases due to other intestinal parasites:											
	Males—White	37	2	4	3	2	2	13	2	2	1	2
	Colored	30	1	6	4	10	1	22	3	2	1	
	Females—White	32		6	3	3	5	17	3	1		1
	Colored	18	2	2	5	2	4	15	2			
117	Appendicitis and typhlitis:											
	Males—White	8,185	26	53	101	132	136	448	627	735	829	650
	Colored	759	1	4	2	5	4	16	37	71	97	90
	Females—White	5,560	28	33	56	86	103	306	569	543	517	455
	Colored	577	1		1	4	4	10	41	46	74	75
118a	Hernia:											
	Males—White	1,958	79	15	4	5	1	104	8	1	9	35
	Colored	246	24	5		1		30	1	1	6	7
	Females—White	1,545	8	1	1	3	1	14	1		4	9
	Colored	100	6	2				8		2		2
118b	Intestinal obstruction:											
	Males—White	3,082	620	95	56	41	34	846	107	74	89	68
	Colored	370	51	9	7	3	4	74	17	8	20	14
	Females—White	3,011	382	63	46	26	28	545	54	35	40	88
	Colored	494	35	8	7	4	3	57	11	8	31	39
119	Other diseases of the intestines:											
	Males—White	588	55	10	7	9	6	87	11	13	13	17
	Colored	96	13	3	1	1		18	4	2	1	4
	Females—White	407	28	5	1	6	3	43	6	3	8	13
	Colored	106	8	5				13	3	2	4	12
120	Acute yellow atrophy of the liver:											
	Males—White	168	7			1	1	9	6	1	8	12
	Colored	12	1					1	1		1	
	Females—White	246	6	1	1	2	1	11	3	3	13	29
	Colored	27								1	1	4
121	Hydatid tumor of the liver:											
	Males—White	14										
	Females—White	13							1			
	Colored	2										
122	Cirrhosis of the liver:											
	Males—White	4,357	7	3	5	2	3	20	4	12	16	8
	Colored	382			1			1	1	3	2	5
	Females—White	2,402	9	3	3		5	20	7	7	6	22
	Colored	256	2	1				3	3	4	4	7
123	Biliary calculi:											
	Males—White	1,013								2	4	4
	Colored	34									1	
	Females—White	2,946									6	38
	Colored	69										1
124	Other diseases of the liver:											
	Males—White	1,576	35	17	6	5	8	71	13	14	22	27
	Colored	175	2	4	2		2	10	3	6	4	11
	Females—White	2,542	23	11	12	9	8	63	21	8	20	50
	Colored	167	5	1	1	2	2	11	6	3	5	11

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
1,222	1,506	1,884	2,079	2,268	2,546	2,548	2,591	2,522	2,052	1,551	1,022	485	119	32	5	29	
223	234	294	304	342	324	214	166	142	136	83	59	27	18	8	9	20	
1,155	1,267	1,529	1,548	1,748	1,969	2,109	2,109	2,037	1,800	1,634	1,161	636	216	39	7	18	
266	253	319	301	270	235	174	160	133	128	71	55	26	16	6	11	19	
11	13	16	25	13	36	32	23	18	14	14	8	1	1	1	----	----	108
2	2	3	1	7	7	1	1	1	1	1	3	----	----	----	----	----	
25	14	19	19	18	21	24	15	17	7	12	9	4	3	1	----	2	
4	4	4	4	6	5	3	2	----	4	1	1	2	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	109a
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
98	87	77	80	68	61	44	36	31	39	21	20	6	3	2	----	2	109b
11	18	8	7	4	4	3	2	----	3	1	2	----	----	----	----	1	
79	93	73	78	55	51	36	32	27	26	19	11	4	3	2	----	1	
22	12	13	9	7	1	5	3	1	4	1	1	1	----	----	----	----	
----	1	----	1	1	8	7	3	4	10	8	2	1	1	----	----	----	110
1	----	----	1	----	1	----	1	----	----	1	----	1	----	----	----	----	
----	1	3	----	2	2	3	2	4	1	4	6	3	----	1	----	1	
----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	----	
108	164	276	289	310	328	290	261	235	209	119	77	22	----	----	----	2	111a
23	19	31	21	39	31	20	12	11	12	10	----	2	1	----	----	2	
46	50	85	62	86	106	111	104	110	99	77	55	26	8	1	----	----	
8	16	13	17	19	10	13	11	14	7	1	4	1	----	----	----	----	
60	116	131	158	139	153	140	126	99	53	45	13	3	2	----	----	----	111b
4	7	7	9	6	4	1	1	1	1	----	----	----	----	----	----	----	
18	23	19	33	31	45	40	38	37	22	19	10	4	----	----	----	----	
2	1	1	3	----	2	----	----	----	2	----	----	----	----	----	----	----	
24	35	58	92	98	138	145	179	161	153	144	123	70	16	7	1	4	112
20	34	57	43	56	63	30	25	24	18	17	14	3	2	3	----	4	
22	28	48	43	44	65	75	108	131	140	173	152	101	53	10	4	5	
30	37	56	67	48	70	35	35	34	35	21	15	7	7	1	3	5	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	113
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
40	42	61	72	89	92	106	124	172	189	213	210	120	40	6	2	7	114
9	16	23	26	18	26	18	20	13	20	16	11	10	7	2	2	6	
58	56	50	60	72	83	97	126	176	217	251	259	173	74	13	1	2	
14	18	30	26	20	25	24	28	25	23	15	13	7	5	3	4	4	
----	1	----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	115
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
2	3	6	1	2	----	1	2	----	----	----	----	----	----	----	----	----	116
----	1	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	
3	4	----	2	----	----	1	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	
615	640	674	601	566	507	425	340	255	148	67	40	8	2	2	----	6	117
82	61	74	65	70	40	25	11	8	8	3	----	----	1	----	----	----	
401	409	428	336	330	339	322	222	177	115	56	23	9	1	----	----	2	
62	65	69	52	33	12	19	10	2	2	----	1	1	----	----	----	3	
44	44	62	99	111	162	169	209	230	233	180	121	61	24	2	----	----	118a
6	12	10	19	25	23	19	21	19	16	10	11	4	3	----	3	----	
12	29	57	91	117	161	187	233	180	175	151	80	32	9	2	----	1	
4	2	10	12	18	6	9	8	5	7	3	1	1	----	----	1	1	
72	103	121	121	154	166	200	201	209	216	157	105	60	8	4	1	----	118b
20	24	22	22	22	30	24	16	23	20	6	4	----	1	1	----	2	
146	171	168	189	178	184	168	205	203	192	201	135	81	21	6	----	1	
52	44	52	41	47	32	23	18	7	9	8	5	3	3	----	2	2	
16	22	22	28	38	39	51	37	57	37	42	33	16	5	4	----	----	119
4	4	9	8	13	8	7	6	1	----	1	2	2	----	----	1	1	
12	27	31	20	23	22	28	27	32	29	34	23	15	10	1	----	----	
9	8	9	11	9	4	4	3	3	6	2	1	----	1	1	1	----	
10	12	16	8	15	7	15	10	15	7	10	5	1	----	----	----	1	120
2	2	----	1	2	----	----	1	----	1	----	----	----	----	----	----	----	
31	24	26	23	16	17	13	6	9	9	5	4	3	----	----	----	1	
5	2	2	2	2	3	1	1	----	2	----	1	----	----	----	----	----	
2	----	1	3	2	1	1	1	1	1	1	----	----	----	----	----	----	121
1	----	1	1	2	----	1	1	1	1	1	1	----	1	----	----	----	
----	1	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	
29	70	180	257	391	525	562	673	600	453	323	155	66	5	3	1	4	122
13	16	33	54	45	53	47	35	26	21	9	8	2	2	1	1	4	
28	53	98	141	184	206	245	293	305	296	244	167	64	12	2	1	1	
11	16	23	18	31	29	24	18	25	15	14	7	2	----	1	----	1	
17	24	38	76	89	115	135	147	149	103	68	29	11	1	----	----	1	123
1	3	5	4	5	3	5	4	2	1	----	----	----	----	----	----	----	
84	121	197	203	322	383	411	333	324	230	174	79	35	6	----	----	----	
3	4	7	9	9	12	6	5	7	5	1	----	----	----	----	----	----	
39	82	89	102	125	141	160	154	171	141	115	67	32	8	1	----	2	124
14	9	8	17	21	20	9	9	8	11	6	4	3	1	1	----	----	
109	94	150	169	204	221	280	294	254	208	186	121	75	13	----	1	1	
18	14	14	17	18	9	6	11	6	7	3	5	1	----	----	----	2	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	VI.—Diseases of the digestive system—Contd.											
125	Diseases of the pancreas:											
	Males—White	268		1	1			2	3	4	4	9
	Colored	15					1	1			1	
	Females—White	305	1				1	2	2	3	6	11
	Colored	11										1
126	Peritonitis without specified cause:											
	Males—White	617	74	16	27	13	16	146	35	22	26	18
	Colored	94	11	7	2	2		22	3	7	4	7
	Females—White	740	55	19	22	18	26	140	64	29	33	45
	Colored	145	6	2	2	2	2	14	7	10	22	13
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:											
	Males—White	51,777	364	87	87	72	49	659	196	223	321	408
	Colored	7,799	64	29	27	17	17	154	38	38	66	104
	Females—White	45,727	280	104	79	64	63	590	204	306	446	717
	Colored	6,986	41	26	28	14	6	115	30	41	138	261
128	Acute nephritis (including unspecified under 10 years):											
	Males—White	2,261	197	57	62	40	31	387	94	66	71	83
	Colored	716	32	23	21	14	12	102	25	15	22	34
	Females—White	1,897	132	56	41	32	43	304	102	87	81	79
	Colored	616	24	21	19	7	5	76	22	14	38	47
129	Chronic nephritis (including unspecified 10 years and over):											
	Males—White	42,227	10	12	13	19	13	67	83	145	222	270
	Colored	6,159	3	3	4	2	5	17	10	21	38	55
	Females—White	37,959	6	6	13	15	12	52	75	198	244	348
	Colored	5,131		1	4	4	1	10	6	20	44	110
130	Chyluria:											
	Females—White	1										
131	Other diseases of the kidneys and annexa:											
	Males—White	1,179	107	16	10	12	4	149	18	9	20	37
	Colored	230	18	3	1	1		23	3	1	4	6
	Females—White	1,219	123	41	24	17	8	213	25	10	28	39
	Colored	155	16	4	5	3		28	1	3	5	12
132	Calculi of the urinary passages:											
	Males—White	514				1	1	2			4	13
	Colored	23										1
	Females—White	255	1		1			2	1		2	8
	Colored	15										3
133	Diseases of the bladder:											
	Males—White	639	10					10	1	2		2
	Colored	118	3		1			4				
	Females—White	176	5	1				6	1			4
	Colored	26									3	
134	Diseases of the urethra, etc.:											
	Males—White	200		1				1		1	2	
	Colored	142	3					3			2	5
	Females—White	12	1					1				
	Colored	3										
135	Diseases of the prostate:											
	Males—White	4,678									1	3
	Colored	390										1
136	Nonvenereal diseases of the male genital organs:											
	Males—White	74	36	1	2			39			1	
	Colored	21	5					5		1		2
137	Cysts, other benign tumors of the ovary:											
	Females—White	709								1	10	32
	Colored	77								2	1	5
138	Salpingitis and pelvic abscess (female):											
	Females—White	1,271								4	56	156
	Colored	394							1	1	35	59
139	Benign tumors of the uterus:											
	Females—White	1,544									5	8
	Colored	431									2	9
140	Nonpuerperal uterine hemorrhage:											
	Females—White	35								3	4	2
	Colored	12									2	1
141	Other diseases of the female genital organs:											
	Females—White	629								3	16	39
	Colored	121								1	7	15
142	Nonpuerperal diseases of the breast (cancer excepted):											
	Males—White	5	4					4				
	Females—White	20	12					12				2
	Colored	5	1					1			1	
	VIII.—The puerperal state:											
	Females—White	12,076								19	1,101	2,392
	Colored	2,724								30	565	640
143	Accidents of pregnancy:											
	Females—White	1,120								2	54	179
	Colored	225								3	19	47
144	Puerperal hemorrhage:											
	Females—White	1,238								1	37	169
	Colored	197								1	9	24
145	Other accidents of labor:											
	Females—White	1,343								2	84	208
	Colored	327								2	59	77
146	Puerperal septicemia:											
	Females—White	4,525								6	431	1,063
	Colored	953								6	199	254
147	Puerperal phlegmasia alba dolens, embolus, etc.:											
	Females—White	588									24	108
	Colored	59									5	11
148	Puerperal albuminuria and convulsions:											
	Females—White	3,204								8	469	656
	Colored	944								18	272	225
149	Following childbirth (undefined):											
	Females—White	51									2	9
	Colored	19									2	2
150	Puerperal diseases of the breast:											
	Females—White	7										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
11	15	22	34	21	29	29	26	31	15	6	5	1	1				
3	2	1	1	5						1							
21	16	19	38	23	36	42	33	25	15	6	7						125
		3	2		1	1	3										
24	32	34	32	36	38	36	39	34	31	17	9	6	2				
8	4	3	5	4	10	5	1	5	3	1					2		
58	54	56	40	40	27	25	37	25	18	21	19	7	2				126
22	9	12	11	3	12	1	4	3		1						1	
495	760	1,091	1,578	2,268	3,107	4,296	5,649	7,229	7,783	7,266	5,167	2,426	677	113	24	41	
160	208	334	477	635	871	809	839	799	792	568	475	235	77	45	39	36	
946	1,272	1,789	2,299	2,652	3,144	3,566	4,520	5,437	5,639	5,342	3,933	2,131	603	135	19	37	
345	422	642	724	716	683	508	569	490	443	311	240	132	75	35	35	31	
78	96	122	123	151	144	161	136	140	154	113	89	32	14	5		2	
41	35	55	58	55	76	45	51	32	32	13	9	4	3	2		4	
82	102	124	113	100	111	91	101	105	91	94	76	34	15	3		2	128
41	44	47	58	47	50	33	28	28	11	11	6	4	3	4	2	2	
360	565	860	1,327	1,938	2,716	3,738	4,867	6,039	6,389	5,952	4,099	1,926	525	83	21	35	
94	145	247	369	514	704	691	693	665	657	483	391	205	64	39	29	28	
443	642	973	1,402	1,823	2,527	3,135	4,111	5,083	5,338	5,072	3,716	2,030	570	128	18	31	129
159	218	380	468	539	574	441	502	446	416	289	228	125	70	30	32	24	
			1														130
25	55	51	55	57	96	80	86	116	116	86	69	38	12	1	1	2	
13	12	12	16	13	18	22	17	14	19	16	12	5	1	1		2	
57	72	63	87	59	84	81	84	90	78	62	55	21	8	3			131
10	9	9	13	11	10	5	9	6	10	7	5		1			1	
15	27	31	41	49	41	37	64	56	52	41	25	13	1			2	
	1	2		4	4		4	1	4		2						
13	16	21	30	22	24	26	36	15	18	12	5	3	1				132
2		1	1	3		1	3	1									
6	7	10	9	14	18	27	38	43	77	113	151	78	22	11			
2	2	2	2	8	8	6	14	11	17	13	18	7	2		2		
2	3	3	5	4	6	11	19	14	17	26	28	21	5	1			133
2	2		1	2	3		4	1	1	3		1	1		1	1	
3	7	11	9	21	27	31	30	21	16	9	8	3					
9	12	8	20	18	24	10	8	10	9	2	1	1					
	2	2			1	2	2	1			1						134
	1		1	1													
6	3	5	13	35	60	220	426	808	972	949	724	336	102	13	2		
1		6	10	20	37	34	49	66	54	41	42	12	7	2	6	2	135
2		1	1	3	5	2	2	6	7	3	1		1				
	1	2	2	3		1	3					1					136
44	73	70	80	90	77	42	48	48	35	31	19	7	2				
9	12	9	14	10	4	5	4		2								137
198	204	214	172	117	65	30	26	15	9	1	4						
83	59	78	44	24	7	1	1					1					138
39	82	242	305	352	197	92	57	45	41	37	24	13	1		1	3	
26	60	102	105	59	26	15	14	6	3	1	1					2	139
4	3	4	6	5	2			1		1							
1	3	2	1	1	1												140
64	72	72	97	79	50	54	36	20	12	6	5	2	1			1	
11	14	14	18	18	8	7	4	2				1				1	141
											1						
	1	1	1	1		2											142
1				1										1			
2,736	2,527	2,218	958	109	5											11	
503	382	408	152	29												15	
253	279	241	98	12	1											1	
50	50	43	9	3												1	143
250	312	299	157	10	1											2	
43	49	47	20	3												1	144
280	305	306	135	22	1												
49	54	55	22	7												2	145
1,119	919	695	260	27	2											3	
204	119	125	37	5												4	146
132	144	119	56	5													
13	7	15	6	2													147
685	555	545	250	31												5	
142	96	121	55	8												7	148
15	10	12	2	1													
2	7	2	3	1													149
2	3	1		1													150

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	IX.—Diseases of the skin and of the cellular tissue:											
	Males—White	1,673	273	18	13	8	4	316	19	23	43	36
	Colored	181	20	1				21	1	1	5	5
	Females—White	1,233	243	11	6	7	3	270	21	23	35	33
	Colored	156	9	3				12	1		9	2
151	Gangrene:											
	Males—White	686	16	1	3	3	3	26	3	6		1
	Colored	83									1	2
	Females—White	430	8	2		2	2	14	4	2		4
	Colored	79		1				1	1		1	
152	Furuncle:											
	Males—White	349	42	1	1	1		45	2	8	19	14
	Colored	16	4					4			1	
	Females—White	171	25	2	1			28	3	5	13	11
	Colored	10	2					2				
153	Acute abscess:											
	Males—White	325	75	10	5	2	1	93	9	5	17	18
	Colored	47	5	1				6	1	1	3	2
	Females—White	257	77	2	2	4	1	86	10	9	10	13
	Colored	21	3					3			4	
154	Other diseases of the skin and annexa:											
	Males—White	313	140	6	4	2		152	5	4	7	3
	Colored	35	11					11				1
	Females—White	375	133	5	3	1		142	4	7	12	5
	Colored	46	4	2				6			4	2
	X.—Diseases of the bones and of the organs of locomotion:											
	Males—White	777	30	7	20	24	24	105	86	120	81	26
	Colored	78	6	1	2			9	6	7	7	5
	Females—White	422	21	8	11	23	14	77	78	58	9	8
	Colored	46	1	3	2			6	3	3	4	4
155	Diseases of the bones (tuberculosis excepted):											
	Males—White	647	27	5	17	23	22	94	79	107	67	21
	Colored	47	5		1			6	5	5	3	4
	Females—White	323	13	7	10	21	12	63	65	48	8	6
	Colored	30	1	3	2			6	3	3	3	2
156	Diseases of the joints (tuberculosis and rheumatism excepted):											
	Males—White	104	3	2	3	1	2	11	6	8	14	3
	Colored	23	1	1	1			3	1	2	3	1
	Females—White	72	7	1	1	2	2	13	12	10	1	1
	Colored	11									1	1
157	Amputations:											
	Males—White	1										1
	Colored	1									1	
158	Other diseases of the organs of locomotion:											
	Males—White	25							1	5		1
	Colored	7										
	Females—White	27	1					1	1			1
	Colored	5										1
	XI.—Malformations:											
	Males—White	7,536	6,957	182	85	36	32	7,292	97	48	36	23
	Colored	444	376	25	10	8	4	423	6	11	3	
	Females—White	5,705	5,199	192	65	35	28	5,519	88	24	22	18
	Colored	325	274	13	10	4	5	306	12	2	2	1
159a	Congenital hydrocephalus:											
	Males—White	727	549	56	33	12	12	662	27	11	15	6
	Colored	73	42	12	4	5	1	64	3	6		
	Females—White	648	512	57	18	11	9	607	26	4	5	1
	Colored	55	34	6	3	2	3	48	6		1	
159b	Congenital malformations of the heart:											
	Males—White	4,463	4,186	81	35	18	15	4,335	52	28	14	15
	Colored	235	216	5	3	2	2	228	1	4	2	
	Females—White	3,182	2,922	91	30	12	12	3,067	49	18	14	14
	Colored	171	154	6	4			164	4	1		
159c	Other congenital malformations:											
	Males—White	2,346	2,222	45	17	6	5	2,295	18	9	7	2
	Colored	136	118	8	3	1	1	131	2	1	1	
	Females—White	1,875	1,765	44	17	12	7	1,845	13	2	3	3
	Colored	99	86	1	3	2	2	94	2	1	1	1
	XII.—Early infancy:											
	Males—White	30,848	30,848					30,848				
	Colored	4,070	4,070					4,070				
	Females—White	22,390	22,390					22,390				
	Colored	3,215	3,215					3,215				
160	Congenital debility, icterus, sclerema:											
	Males—White	3,631	3,631					3,631				
	Colored	759	759					759				
	Females—White	2,685	2,685					2,685				
	Colored	649	649					649				
161a	Premature birth:											
	Males—White	18,816	18,816					18,816				
	Colored	2,503	2,503					2,503				
	Females—White	14,255	14,255					14,255				
	Colored	2,052	2,052					2,052				
161b	Injury at birth:											
	Males—White	5,883	5,883					5,883				
	Colored	390	390					390				
	Females—White	3,646	3,646					3,646				
	Colored	245	245					245				
162	Other diseases peculiar to early infancy:											
	Males—White	2,467	2,467					2,467				
	Colored	400	400					400				
	Females—White	1,769	1,769					1,769				
	Colored	250	250					250				
163	Lack of care:											
	Males—White	51	51					51				
	Colored	18	18					18				
	Females—White	35	35					35				
	Colored	19	19					19				

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
35	54	39	51	75	66	91	93	102	155	170	157	93	45	7	2	1	
7	10	10	13	11	18	13	13	12	7	10	13	2	5		1	3	
31	39	35	51	38	45	52	52	71	75	99	120	87	37	18		1	
4	4	4	9	9	23	5	15	11	12	15	5	6	5	4		1	
4	8	4	12	11	13	20	40	51	110	127	123	79	39	6	2	1	
2	1	4	4	5	10	5	9	8	4	8	12	1	4		1	2	151
4	5	5	8	6	13	12	16	29	50	61	90	65	27	15			
		1		7	14	1	10	7	7	12	4	5	4	4			
11	24	15	20	26	29	32	28	22	20	12	17	2	2	1			
	2	1	3	2		2		1									152
10	20	8	17	8	9	5	12	9	4	2	3	2	1	1			
1	2		1		2	1		1									
14	15	16	11	26	14	28	14	18	10	11	3	3					
4	6	4	6	2	6	2	2	1		1							153
12	8	14	13	10	13	19	8	10	3	7	6	3	1	1		1	
	2	2	5	1	2		1	1									
6	7	4	8	12	10	11	11	11	15	20	14	9	4				
1	1	1		2	2	4	2	2	3	1	1	1	1			1	154
5	6	8	13	14	10	16	16	23	18	29	21	17	8	1			
3		1	3	1	5	3	4	2	5	3	1	1	1			1	
22	33	27	20	26	40	40	43	38	23	26	11	6	3			1	
5	9	7	2	7	5	6	1	2									
5	7	17	11	11	16	17	20	29	20	18	13	4	3	1			
6	3	2	6	2	3		2	1							1		
19	27	20	18	21	32	32	32	28	14	20	9	4	2			1	
2	7	4	2	2	3	3		1									155
5	2	13	9	4	13	12	13	20	15	12	9	3	3				
3	2		2	2	2		1	1									
3	4	7	1	4	8	5	8	7	8	5	1		1				
2	1	3		4	1	2											156
	3	3	1	6	3	2	4	8	2	2				1			
3		1	3		1		1										
																	157
	2		1	1		3	3	3	1	1	1	2					
1	1			1	1	1	1	1									158
	2	1	1	1		3	3	1	3	4	4	1					
	1	1	1														
8	11	6	5	4	2	4											
						1											
7	3	10	2	5	3	3	1										
			1													1	
1	3			2													
																	159a
		3			1		1										
4	7	5			1	2											
7	3	2	2	3	1	2											159b
			1													1	
3	1	1	5	2	1	2											
						1											159c
		5		2	1	1											
																	160
																	161a
																	161b
																	162
																	163

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
164	XIII.—Old age (senility):											
	Males—White	4,087										
	Colored	1,087										
	Females—White	5,609										
	Colored	1,274										
	XIV.—External causes:											
	Males—White	63,974	1,065	848	753	702	713	4,081	3,026	2,546	3,916	4,950
	Colored	9,152	200	133	123	93	88	637	284	378	748	1,179
	Females—White	23,666	838	731	522	618	527	3,236	1,506	735	1,102	1,177
	Colored	2,945	225	90	107	110	105	637	250	74	202	333
	Suicide:											
	Males—White	9,022								28	154	441
	Colored	275								2	13	29
	Females—White	2,824								17	150	256
	Colored	88									7	15
165	By poisons (gas or corrosives excepted)—											
	Males—White	413									10	29
	Colored	11										1
	Females—White	256								1	22	22
	Colored	8										4
166	By corrosive substances—											
	Males—White	592								1	7	48
	Colored	16										2
	Females—White	589								3	54	95
	Colored	20									2	2
167	By poisonous gas—											
	Males—White	1,115								2	13	34
	Colored	15										
	Females—White	586									13	35
	Colored	7										
168	By hanging or strangulation—											
	Males—White	1,830								12	28	57
	Colored	39									1	3
	Females—White	378										6
	Colored	12										
169	By drowning—											
	Males—White	415									1	12
	Colored	21										4
	Females—White	271									12	13
	Colored	4									1	
170	By firearms—											
	Males—White	3,595								13	91	231
	Colored	128								1	12	16
	Females—White	465								13	44	68
	Colored	21									4	7
171	By cutting or piercing instruments—											
	Males—White	682									1	10
	Colored	24										1
	Females—White	91									1	6
	Colored	3										
172	By jumping from high places—											
	Males—White	218									2	8
	Colored	12										1
	Females—White	116									3	10
	Colored	8										2
173	By crushing—											
	Males—White	101									1	8
	Colored	6								1		1
	Females—White	18										1
174	By other means—											
	Males—White	61										4
	Colored	3										
	Females—White	54									1	
	Colored	5										
	Homicide:											
	Males—White	3,863	76	5	8	8	6	103	30	36	171	513
	Colored	2,960	11		3		1	15	6	19	170	499
	Females—White	980	65	6	4	3	4	82	13	11	103	163
	Colored	637	3	1	2	1		7	7	4	63	158
197	By firearms—											
	Males—White	2,840	3	4	5	3	3	18	10	21	133	425
	Colored	2,205			3		1	4	5	13	118	371
	Females—White	459	2	2		1	1	6	5	6	56	74
	Colored	404		1				1	6	3	39	102
198	By cutting or piercing instruments—											
	Males—White	372	4		1		1	6	5	2	24	59
	Colored	501	2					2		3	34	93
	Females—White	99	6	1	1	2	1	11	4	4	6	14
	Colored	158			1			1		1	18	40
199	By other means—											
	Males—White	651	69	1	2	5	2	79	15	13	14	29
	Colored	254	9					9	1	3	18	35
	Females—White	422	57	3	3		2	65	4	1	41	75
	Colored	75	3		1	1		5	1		6	16
	Accidental or undefined:											
	Males—White	51,089	989	843	745	694	707	3,978	2,996	2,482	3,591	3,996
	Colored	5,917	189	133	120	93	87	622	278	357	565	651
	Females—White	19,862	773	725	518	615	523	3,154	1,493	707	849	758
	Colored	2,220	222	89	105	109	105	630	243	70	132	160
175	Poisoning by food—											
	Males—White	372	55	32	22	15	12	136	26	7	15	12
	Colored	60	13	5	2	2	2	24	4		2	3
	Females—White	335	40	29	17	17	9	112	28	11	13	11
	Colored	86	7	2	6	1		16	8	4	5	2
176	Poisoning by venomous animals—											
	Males—White	39	6	1	1	1	2	11	3		1	
	Colored	7	2	1				3	1			
	Females—White	29	3		2	1	2	8	4		1	1
	Colored	1		1				1				
177	Other acute poisonings (gas excepted)—											
	Males—White	826	27	133	65	36	21	282	25	8	14	27
	Colored	106	3	20	9	9	3	44	7	2	4	11
	Females—White	522	25	96	41	30	20	212	20	4	22	56
	Colored	87	5	17	10	6	2	40	2	1	7	8

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
						4	31	104	388	715	1,157	982	527	147	27	5	
					7	5	21	35	116	159	245	159	154	57	124	5	
					6	16	53	127	426	848	1,479	1,432	841	291	78	12	164
					5	4	30	33	120	149	261	180	184	96	202	10	
4,664	4,770	5,204	4,953	4,812	4,423	3,853	3,444	3,078	2,347	1,679	1,105	668	229	38	3	185	
1,203	1,034	971	707	572	447	256	194	145	104	88	55	28	16	6	4	96	
1,062	1,066	1,092	1,024	1,055	1,051	1,007	1,111	1,223	1,353	1,547	1,641	1,071	460	102	13	32	
314	194	187	136	107	93	67	76	54	45	43	52	29	15	6	16	15	
563	720	860	953	1,006	997	896	820	686	458	245	114	47	6			28	
36	36	41	30	26	10	13	9	12	6	5	2	1				4	
322	310	316	293	294	270	195	157	118	71	29	15	5	2	2		2	
20	11	13	5	6	6	2	1	1	1								
28	23	34	46	54	46	43	24	38	14	17	4	3					
3	1	1	2	1					1		1						
34	33	32	20	24	25	11	16	5	5	2	1	2				1	165
	1	1			1		1										
64	64	69	68	64	60	53	34	31	21	5	3						
5	4	3	1			1											
112	73	65	56	46	38	21	10	12	2	2							166
8	2	3	2			1											
65	87	94	118	134	134	139	133	83	47	17	10	4				1	
1	2	4	3	4	1												
62	71	61	50	72	67	45	45	35	20	5	4	1					167
3	1	3															
77	115	164	181	193	206	190	179	171	130	65	34	17	2			9	
2	3	6	3	3	2	2	2	4	2	2		1				3	
20	27	37	54	52	47	48	31	28	13	6	4	2	2	1			168
3		3	2	1	1	1		1									
16	25	33	45	50	58	45	44	33	21	18	7	3				4	
5	4	2	1	2		1	2										
18	23	31	29	31	24	27	20	21	12	6	3					1	169
1		1							1								
260	313	370	363	384	370	314	311	247	170	93	36	16	4			9	
18	15	16	14	13	6	4	3	5	3	1						1	
53	57	64	45	37	33	23	13	6	7	2							170
2	2	2		2	2												
23	51	64	81	85	73	80	72	56	44	23	12	4				3	
	4	6	4	2	1	1	2	1		1	1						
5	10	9	11	12	9	8	11	2	3	3	1						171
1	1			1													
19	28	16	26	24	31	23	8	15	7	4	7						
2	2	2	2			2		1									
13	10	10	18	12	12	7	6	6	6	1	2						172
2	1			2	1												
7	12	10	19	12	11	4	9	6	1	1							
	1			1		1		1									173
2	4	2	4		4	1											
4	2	6	6	6	8	5	6	6	3	2	1					2	
		1				1				1							
3	2	5	6	8	11	4	5	3	3	2				1			174
	3		1		1												
571	573	547	405	294	219	145	106	72	34	19	2	2				21	
618	520	412	274	176	115	42	31	17	4	4	5	1				32	
144	115	114	69	54	38	24	11	16	10	6	3	1				3	
155	89	82	37	18	4	2	3	5								3	
461	455	429	286	222	147	98	57	42	10	11						15	
472	391	330	204	116	89	30	20	9	3	2	3					25	
63	61	51	47	30	23	15	4	9	4	1	2					2	197
93	65	51	24	12	2	1	2	1								2	
62	54	43	48	11	31	7	8	4	5			1				2	
108	99	59	47	28	12	6	4	2		1						3	
7	12	13	6	8	1	4	4	2	1	1		1					198
46	16	20	9	3	1		1	1								1	
48	64	75	71	61	41	40	41	26	19	8	2	1				4	
38	30	23	23	32	14	6	7	6	1	1	2	1				4	
74	42	50	16	16	14	5	3	5	5	4	1					1	199
16	8	11	4	3	1	1		3									
3,530	3,477	3,797	3,595	3,512	3,207	2,812	2,518	2,320	1,855	1,415	989	619	223	38	3	136	
549	478	518	403	370	322	201	154	116	94	79	48	26	16	6	4	60	
596	641	662	662	707	743	788	943	1,089	1,272	1,512	1,623	1,065	458	100	13	27	
139	94	92	94	83	83	63	72	48	44	43	52	29	15	6	16	12	
6	7	13	13	20	17	29	19	21	12	7	8	3	1				
6	4	1	3	4	3	1	2	1			2						
14	10	17	10	14	10	17	10	17	17	11	5	4	3			1	175
8	6	7	3	10	8	1	2	3	1	1	1						
1	2	1	3	3	3	2	1	2	2	3		1					
1					2												
2	1		1	1	2	2	1	1	2		1	1					176
41	55	48	67	67	52	57	36	19	14	7	3		1			3	
7	4	5	5	7	2	3	1	3								1	
30	47	30	31	30	11	4	4	7	5	5	2	1				1	177
6	3	8	7	3		1										1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.											
	Accidental or undefined—Continued.											
178	Conflagration—											
	Males—White	688	28	26	20	34	30	138	38	29	22	32
	Colored	144	3	10	10	6	10	39	16	6	5	8
	Females—White	418	22	27	21	31	12	113	56	25	17	14
	Colored	108	12	5	8	7	8	40	14	2	5	6
179	Burns (conflagration excepted)—											
	Males—White	2,162	103	246	278	181	119	927	186	55	71	97
	Colored	470	14	51	61	45	35	206	30	16	20	20
	Females—White	2,804	84	237	206	276	227	1,030	371	98	100	103
	Colored	770	30	32	63	75	76	276	138	32	30	41
180	Mechanical suffocation—											
	Males—White	557	330	5		2	3	340	16	18	7	17
	Colored	124	88	2				90	3	3	3	9
	Females—White	310	287	4		2	1	294	2	1	2	
	Colored	92	90					90			1	
181	Absorption of irrespirable, irritating, or poisonous gas—											
	Males—White	1,683	11	6	4	3	3	27	17	16	60	80
	Colored	91	1					1	1		6	9
	Females—White	619	7	3	2	1	4	17	13	9	15	41
	Colored	27	1	1				2			1	2
182	Drowning—											
	Males—White	4,926	18	108	87	55	57	325	474	600	742	560
	Colored	701	2	10	8	2	5	27	47	115	142	96
	Females—White	698	12	81	34	20	10	157	67	103	107	60
	Colored	65	2	7	1	3	1	14	11	2	10	9
183	Traumatism by firearms (except in war)—											
	Males—White	1,646	3	6	7	11	19	46	88	271	369	199
	Colored	492		3	3	4	2	12	33	65	98	77
	Females—White	233	3	7	7	9	6	32	45	24	30	21
	Colored	111		2	3	3	5	13	14	7	21	23
184	Traumatism by cutting or piercing instruments—											
	Males—White	455	21	6	8	7	8	50	26	25	19	28
	Colored	57	1				1	2	2	3	5	4
	Females—White	166	5	7	1	3	2	18	11	7	4	5
	Colored	35	1		1			2		3	1	1
185	Traumatism by fall—											
	Males—White	6,866	64	75	50	66	36	291	176	175	215	246
	Colored	435	18	8	12	5	5	48	16	15	15	29
	Females—White	6,159	36	67	32	36	25	196	75	56	27	38
	Colored	186	19	7	3	2	2	33	8	4	3	9
186a	Traumatism in mines—											
	Males—White	2,284							2	6	130	316
	Colored	348							1		22	57
	Females—White	1										1
186b	Traumatism in quarries—											
	Males—White	80							1	2	3	9
	Colored	10									2	1
187	Traumatism by machines—											
	Males—White	1,914	1	5	4	4	7	21	28	43	143	209
	Colored	267							1	10	27	50
	Females—White	93		3	2	3	4	12	3	14	15	6
	Colored	5									2	
188a	Railroad accidents—											
	Males—White	5,171	7	15	15	11	10	58	121	113	363	473
	Colored	612		2		1	3	6	6	20	55	92
	Females—White	801	5	13	16	7	10	51	43	38	89	54
	Colored	49				2		2	2		3	3
	Collision with automobiles—											
	Males—White	823	7	4	5	5	3	24	28	19	78	92
	Colored	37							2	5	4	7
	Females—White	380	4	1	4	5	8	22	18	17	59	36
	Colored	10				1		1	1			
	Other railroad accidents—											
	Males—White	4,348		11	10	6	7	34	93	94	285	381
	Colored	575		2		1	3	6	4	15	51	85
	Females—White	421	1	12	12	2	2	29	25	21	30	18
	Colored	39				1		1	1		3	3
188b	Street-car accidents—											
	Males—White	1,128	1	4	8	10	9	32	33	25	56	78
	Colored	76							3	4	5	5
	Females—White	364	1	4	7	5	11	28	23	10	27	24
	Colored	17							2			1
	Collision with automobiles—											
	Males—White	328	1	2		2		5	6	6	27	41
	Colored	18							1			3
	Females—White	135	1	3	1	1	2	8	8	5	17	15
	Colored	4										
	Other street-car accidents—											
	Males—White	800		2	8	8	9	27	27	19	29	37
	Colored	58							2	4	5	2
	Females—White	229		1	6	4	9	20	15	5	10	9
	Colored	13							2			1
188c	Automobile accidents (excluding collision with railroad trains and street cars)—											
	Males—White	11,644	39	59	95	181	278	652	1,367	691	828	931
	Colored	9.0	4	3	7	13	15	42	83	53	76	85
	Females—White	4,·91	37	50	60	109	141	397	610	209	319	262
	Colored	304	2	2	3	7	9	23	31	8	22	38
188d	Airplane and balloon accidents—											
	Males—White	148							1	3	8	22
	Females—White	10								1	1	4
188e,f	Injuries by other vehicles—											
	Males—White	1,256	6	5	9	10	18	48	106	86	92	100
	Colored	93	2	2	2	1	1	8	4	6	6	2
	Females—White	165	2	5	7	4	12	30	20	16	16	7
	Colored	19	2	1	1		1	5	1		1	
188g	Landslide, other crushing—											
	Males—White	606	1	1	3	1	4	10	22	23	45	60
	Colored	70							1	2	9	7
	Females—White	54	2		2	1	3	8	5	5	3	1
	Colored	3										

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
36	34	59	40	46	30	29	43	35	32	16	14	5				10	178
7	8	6	5	7	5	1	5	5	3	5	5	2	3	1		2	
20	15	23	12	15	18	17	12	14	16	12	14	4		1			
5	5	2	2		2	5	2	1	4		4	4	1	1	1	2	
92	91	96	91	78	68	52	45	66	51	40	25	24	4	1		2	179
26	16	16	19	16	18	15	10	10	11	5	4	5	4	1	2		
88	99	98	66	95	66	76	101	87	103	96	78	34	10	2	2	1	
36	13	17	15	22	22	18	21	14	12	16	20	9	6	2	8	2	
11	24	28	24	29	14	9	10	7	1	1						1	180
2	3	3	1	2	2	1		1		1							
		1	3		3		2	1	1								
83	105	154	167	187	189	168	143	98	69	60	40	14	3			3	181
10	12	10	10	10	6	1	5	2	3	2		1				2	
30	22	35	40	35	58	53	53	55	46	40	38	15	4				
1	6		3	1	1	3	2	3	1	1							
355	307	340	279	253	223	160	108	83	46	31	11	2				27	182
63	58	38	29	28	18	9	8	2	4	5	2	1				9	
31	29	33	22	15	15	13	12	8	7	5	6	2				6	
4	2	2	4		1	3		1								2	
134	122	90	66	72	60	37	37	25	17	6	2	1				4	183
63	39	40	22	12	13	5	4	1		1		1				6	
18	23	9	8	7	6	3	3	3	1								
13	9	4	2		1			1		1						2	
21	22	24	33	26	35	35	28	40	15	16	8	3	1				184
8	1	7	5	5	4	4	1	2	1		1	1			1		
8	5	9	16	12	11	10	15	13	9	7	3	2	1				
1	1	3	1	5	8	1	3	3					2				
234	280	398	430	466	454	393	450	462	521	530	532	405	163	32	2	11	185
30	32	38	33	41	37	23	20	13	11	12	8	4	5	2		3	
40	54	60	87	99	140	188	269	447	695	1,042	1,255	900	394	86	7	4	
8	8	8	9	9	10	9	12	5	8	11	15	6	3	3	5		
306	312	320	294	227	147	104	58	39	16	4						3	186a
43	62	59	30	23	21	13	3	3	1	1						9	
8	10	6	9	11	5	7	8			1							186b
2		3		1			1										
203	216	196	166	171	162	108	91	79	49	21	4	1				3	187
35	26	29	18	22	18	12	8	4	5		1					1	
5	6	3	6	6	2	5	4	1	2	2	1						
	2				1												
456	465	560	464	471	449	332	292	233	135	88	45	19	3	1	1	29	188a
69	59	68	61	42	30	24	22	12	10	11	4		1	1		19	
51	59	55	50	63	48	45	46	42	32	16	11	3	2			3	
5	5	3	6	3	3		6		2	1	3				1	1	
87	82	99	62	63	64	45	29	23	18	5	2	1				2	
3	4	1	5	3	1	1	1										
27	31	24	28	35	28	21	13	10	7	1			1			2	
1	4	1	1		1												
369	383	461	402	408	385	287	233	210	117	83	43	18	3	1	1	27	
66	55	67	56	39	29	23	21	12	10	11	4		1	1		19	
24	28	31	22	28	20	24	33	32	25	15	11	3	1			1	
4	1	2	5	3	2		6		2	1	3				1	1	
91	74	96	101	79	88	95	86	76	47	35	25	9	1			1	188b
8	4	10	5	11	5	5	3	3	4	1							
14	18	16	20	19	31	19	30	23	22	15	19	3					
3	1	3	2	2	1		1	1									
44	32	36	40	20	16	16	21	10	4	1	2	1					
2	2	3	2	2	1	1			1								
6	11	10	7	9	9	6	10	4	7	1	2						
1		1	1	1													
47	42	60	61	59	72	79	65	66	43	34	23	8	1			1	
6	2	7	3	9	4	4	3	3	3	1							
8	7	6	13	10	22	13	20	22	15	14	17	3					
2	1	2	1	1	1		1	1									
770	710	733	701	692	677	633	612	598	477	346	138	54	21	2		11	188c
76	76	80	83	57	68	37	24	25	22	13	4	2			1	3	
180	180	187	216	224	231	264	303	267	195	143	70	23	4	1	1	5	
38	24	16	27	15	12	12	11	7	7	4	5	3	1				
46	48	7	7	3		1										2	188d
1	1	1				1											
78	62	67	60	70	73	85	89	89	75	43	16	8	1			5	188e,f
4	6	8	7	8	7	5	4	8	3	5	2						
6	3	8	5	9	5	7	5	16	4	4	3	1					
	1	1	3	1	1				3	2							
67	58	67	53	42	39	41	27	21	18	8	2	2				1	188g
9	4	11	10	4	6	3		2			1					1	
5	3	4	1	3	3	2	2	2	2	1	3	1					
	1			1			1										

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years
	XIV.—External causes—Continued.											
	Accidental or undefined—Continued.											
189	Injuries by animals (not poisoning)—											
	Males—White	523	2	2	8	10	11	33	33	41	26	25
	Colored	48			2			2	2	4	4	3
	Females—White	46		3	2	3	1	9	10	3		
	Colored	2	1					1		1		
190	Wounds of war—											
	Males—White	4										
	Colored	1										
192	Starvation (deprivation of food or water)—											
	Males—White	3	1					1			1	
	Colored	1		1				1				
	Females—White	6	2					2				
	Colored	1	1					1				
193	Excessive cold—											
	Males—White	169	2					2	1			3
	Colored	31	1					1				1
	Females—White	26	1					1				2
	Colored	12	1					1			1	1
194	Excessive heat—											
	Males—White	820	57	10	5	4	4	80	4	3	10	19
	Colored	107	9	2				11			4	3
	Females—White	340	60	12	6	2		80	5	2	4	2
	Colored	61	17	3		1		21		1	1	1
195	Lightning—											
	Males—White	285	1				1	2	14	19	43	36
	Colored	70					1	1	4	4	13	10
	Females—White	51							5	6	4	2
	Colored	34	1					1	2	1	10	5
196	Other accidental electric shocks—											
	Males—White	902	1			1	1	3	10	48	82	155
	Colored	27								2	3	2
	Females—White	30			2	1		3	1		3	1
	Colored	6								1	1	2
201	Fracture (cause not specified)—											
	Males—White	319	4	1			1	6	3	6	9	13
	Colored	47	3					3	1	1	4	4
	Females—White	241	3	3	1			7		1	2	
	Colored	14			1			1				
202	Other external violence—											
	Males—White	3,602	200	97	56	51	53	457	175	169	217	247
	Colored	508	25	13	4	5	4	51	12	25	34	63
	Females—White	1,049	136	74	50	54	23	337	76	64	28	42
	Colored	125	30	9	5	2	1	47	10	3	7	8
203	Violent deaths of unknown causation—											
	Males—White	11										2
	Colored	4										
	Females—White	1								1	1	
	XV.—Ill-defined diseases:											
	Males—White	4,828	1,861	162	62	16	21	2,122	57	28	32	34
	Colored	4,715	1,957	199	51	33	18	2,258	58	64	78	102
	Females—White	3,520	1,499	149	38	23	16	1,725	42	31	49	52
	Colored	4,294	1,543	165	61	36	30	1,835	45	60	129	187
204	Sudden death:											
	Males—White	727	126	5	2	1		134	2	5	3	5
	Colored	384	65	6	1	2	1	75	4	4	4	8
	Females—White	425	80	5		2	1	88		2	3	2
	Colored	306	48	3	2	1	2	56	2	3	8	11
205a	Ill-defined:											
	Males—White	1,530	282	103	27	3	7	422	19	11	15	12
	Colored	1,076	220	80	20	14	6	340	10	17	14	24
	Females—White	1,039	265	83	17	10	5	380	13	15	20	17
	Colored	986	180	63	27	6	10	286	16	12	34	56
205b	Not specified or unknown:											
	Males—White	2,571	1,453	54	33	12	14	1,566	36	12	14	17
	Colored	3,255	1,672	113	30	17	11	1,843	44	43	60	70
	Females—White	2,056	1,154	61	21	11	10	1,257	29	14	26	33
	Colored	3,002	1,315	99	32	29	18	1,493	27	45	87	120

NOTE.—For populations, see reference on Table 4.

COLOR, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 and over	Age unknown	List No.
18	24	27	33	25	25	46	46	47	38	16	11	7	2				
5		3	1	1	6	9	2	1	2		3						
	2	1	1	3	3	2	2	4	4	1		1					189
1	3																
1																	190
					1												
		1		1	1			1									192
9	8	13	9	14	17	20	14	14	17	12	6	6				4	
3	1	3	1	3	5		1	1		4	5	1	1				
	2	1	1	3	2	2	4	2	2		2	2					193
			1				1	2	1	1	1	1	1				
17	30	46	65	86	80	89	66	62	48	48	32	21	12	1		1	
7	5	7	6	16	8	8	12	5	5	1	2	4	1			2	
2	8	9	9	2	16	11	21	27	34	28	32	22	18	7	1		194
3	2	2	3	1	3	6	6	1	3	4	1	1			1		
18	26	15	22	22	25	21	5	8	4	1	1	1				2	
3	6	7	4	6	4	2	2	1	1	2							
4	5	2	4	6	3	3	1		5	1							195
3		3	3	2	1	1			2								
158	137	102	79	49	27	23	17	7	3		1					1	
8	4	1	5	2													
4	4	3	2	2	4	2		1									196
1		1															
15	13	28	31	22	26	27	24	18	16	15	25	12	7	1		2	
1	1	9	3	4	4	6	3	1			2						
1	3	2	1	5	6	5	5	15	30	48	54	32	19	2	1	2	201
	1	3		2	1					1	2	2	1				
255	231	263	287	281	219	208	160	171	132	57	39	21	3			10	
52	46	55	37	38	30	14	13	10	8	10	2	4	1	1		2	
42	42	54	49	38	48	37	38	32	38	35	26	14	3	1	1	4	202
4	4	9	3	6	7	3	4	5				3				2	
	1		1		2	1	3				1						
	1	1															203
			1														
55	57	80	112	143	211	208	288	401	353	319	163	86	27	10	4	38	
80	90	121	119	181	230	171	182	220	198	198	127	89	53	23	28	45	
32	68	84	73	76	95	68	149	208	218	204	170	96	46	10	8	16	
156	127	168	151	160	172	133	158	149	154	119	123	90	52	33	52	41	
10	9	17	21	27	41	42	70	104	91	81	37	20	2	4		2	
9	12	15	22	34	37	26	23	37	23	18	15	5	5	4	3	1	
9	11	15	17	20	17	16	31	39	52	46	28	24	4	1			204
14	8	11	16	17	24	19	31	17	18	14	15	7	2	3	6	4	
24	23	37	44	67	95	101	124	186	147	103	57	25	11	2	1	4	
19	32	44	44	69	79	63	66	62	69	51	32	22	7	3	2	7	
12	22	31	29	27	44	27	59	84	86	73	55	30	11	2	1	1	205a
41	32	61	53	64	58	39	50	50	41	33	18	16	12	7	4	3	
21	25	26	47	49	75	65	94	111	115	135	69	41	14	4	3	32	
52	46	62	53	78	114	82	93	121	106	129	80	62	41	16	23	37	
11	35	38	27	29	34	25	59	85	80	85	87	42	31	7	7	15	205b
101	87	96	82	79	90	75	77	82	95	72	90	67	38	23	42	34	

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	All causes	150,665	2,956	1,284	1,274	130
	Males	78,462	1,539	1,135	788	117
	Females	72,203	1,417	149	486	13
	I.—Epidemic, endemic, and infectious diseases:					
	Males	16,999	478	294	230	56
	Females	17,109	457	34	146	4
1	Typhoid and paratyphoid fever M	1,084	13	3	9	1
	Typhoid and paratyphoid fever F	1,127	5		3	
5	Malaria M	512		1		
	Malaria F	560	1			
6	Smallpox M	49	5			
	Smallpox F	41	4			
7	Measles M	75	3	1	2	
	Measles F	75	1	1	1	
8	Scarlet fever M	30				
	Scarlet fever F	29			2	
9	Whooping cough M	584	24	2	16	2
	Whooping cough F	692	24	1	20	
10	Diphtheria M	273	7	2	6	2
	Diphtheria F	268	4	2	3	1
11a	Influenza (with pulmonary complications) M	1,560	33	1	15	
	Influenza (with pulmonary complications) F	1,349	36	2	9	
11b	Influenza (other and unspecified) M	874	32	2	5	
	Influenza (other and unspecified) F	983	15		9	
13	Mumps M	15	1			
	Mumps F	11				
15	Cholera nostras M	11	1			
	Cholera nostras F	9				
16	Dysentery M	374	12		1	
	Dysentery F	352	14		2	
19	Spirochetal hemorrhagic jaundice M	1				
	Spirochetal hemorrhagic jaundice F	1				
20	Leprosy M	2		3		1
	Leprosy F	3				
21	Erysipelas M	60	5	1	2	
	Erysipelas F	44	2		2	
22	Acute anterior poliomyelitis M	40	3		2	
	Acute anterior poliomyelitis F	45	1			
23	Lethargic encephalitis M	44	2	1	3	1
	Lethargic encephalitis F	51			2	
24	Meningococcus meningitis M	44	2	3	2	
	Meningococcus meningitis F	40			2	1
25	Other epidemic and endemic diseases M	15	2		1	
	Other epidemic and endemic diseases F	10			1	
27	Anthrax M	3				
28	Rabies M	4			1	
	Rabies F	3				
29	Tetanus M	242	1	1	2	
	Tetanus F	105				
30	Mycoses M	37				
	Mycoses F	32	1			
	Tuberculosis (all forms) M	8,984	319	252	148	46
	Tuberculosis (all forms) F	9,723	336	25	89	2
31	Of the respiratory system M	7,922	264	230	116	43
	Of the respiratory system F	8,766	296	15	58	2
32	Of the meninges, central nervous system M	266	26	11	17	1
	Of the meninges, central nervous system F	207	8	5	18	
33	Of the intestines, peritoneum M	298	8	4	7	1
	Of the intestines, peritoneum F	357	11	2	7	
34	Of the vertebral column M	111	2	2	1	
	Of the vertebral column F	59				
35	Of the joints M	40	1			
	Of the joints F	29	3			
36	Of other organs M	124	8	1	1	
	Of other organs F	85	9		1	
37a	Disseminated (acute) M	194	3	1	5	
	Disseminated (acute) F	195	2	3	5	
37b	Disseminated (chronic or unspecified) M	29	7	3	1	1
	Disseminated (chronic or unspecified) F	25	7			
38	Syphilis M	1,942	10	20	15	3
	Syphilis F	1,192	11	2	1	
39	Soft chancre M	2				
	Soft chancre F	1				
40	Gonococcus infection M	68				
	Gonococcus infection F	304				
41	Purulent infection, septicemia M	69	3	1		
	Purulent infection, septicemia F	58	2	1		
42	Other infectious diseases M	1				
	Other infectious diseases F	1				
	II.—General diseases not included in Class I:					
	Males	3,232	46	120	83	10
	Females	6,083	68	13	29	
	Cancer and other malignant tumors M	1,540	23	79	50	4
	Cancer and other malignant tumors F	3,328	39	8	19	
43	Of the buccal cavity M	86	2	1		
	Of the buccal cavity F	55		1		
44	Of the stomach, liver M	791	12	47	31	2
	Of the stomach, liver F	678	18	1	7	
45	Of the peritoneum, intestines, rectum M	172	8	8	10	1
	Of the peritoneum, intestines, rectum F	259	5			
46	Of the female genital organs F	1,515	8	2	12	
47	Of the breast M	8				
	Of the breast F	485	5	1		
48	Of the skin M	38				
	Of the skin F	32	1			
49	Of other or unspecified organs M	445	1	23	9	1
	Of other or unspecified organs F	304	2	3		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) M	28	1		1	
	Tumors, benign and unqualified (tumors of the female genital organs excepted) F	41	1			
51	Acute rheumatic fever M	156	3	4	1	
	Acute rheumatic fever F	214				
52	Chronic rheumatism, osteoarthritis, gout M	36	4			
	Chronic rheumatism, osteoarthritis, gout F	56	3			
53	Scurvy M	5				
	Scurvy F	7				
54	Pellagra M	379			1	
	Pellagra F	1,284	1			
55	Beriberi M			2	4	
56	Rickets M	101			2	
	Rickets F	77	1			
57	Diabetes mellitus M	363	3	22	4	
	Diabetes mellitus F	551	8	2	1	
58	Anemia, chlorosis M	60	1		2	
	Anemia, chlorosis F	93	3		1	
59	Diseases of the pituitary gland M	2				
	Diseases of the pituitary gland F	1				
60a	Exophthalmic goiter M	20	1	1	1	
	Exophthalmic goiter F	119	1	1	1	
60b	Other diseases of the thyroid gland M	8	1			
	Other diseases of the thyroid gland F	46	2		1	
61	Diseases of the parathyroid glands M	12				
	Diseases of the parathyroid glands F	4				
62	Diseases of the thymus gland M	30			3	2
	Diseases of the thymus gland F	32			2	
63	Diseases of the adrenals (Addison's disease) M	5				
	Diseases of the adrenals (Addison's disease) F	1	1			
64	Diseases of the spleen M	6			1	
	Diseases of the spleen F	5				
65a	Leukemia M	36		1	2	2
	Leukemia F	29				
65b	Hodgkin's disease M	26		1	1	
	Hodgkin's disease F	15				
66	Alcoholism (acute or chronic) M	260	7	1	5	2
	Alcoholism (acute or chronic) F	61	4			
67a	Chronic lead poisoning M	5				
67b	Other chronic mineral poisoning M	7				
	Other chronic mineral poisoning F	5				
68	Chronic poisoning by organic substances M	12	1	7		
	Chronic poisoning by organic substances F	10				
69	Other general diseases M	135	1	2	5	
	Other general diseases F	104	4	2	4	
	III.—Diseases of the nervous system and of the organs of special sense:					
	Males	5,872	72	84	31	3
	Females	6,020	73	9	15	1
70	Encephalitis M	64	4	1	1	
	Encephalitis F	50	2			
71a	Simple meningitis M	167	6	1	6	1
	Simple meningitis F	111	1		2	
71b	Nonepidemic cerebrospinal meningitis M	39	2	1	1	
	Nonepidemic cerebrospinal meningitis F	28	4		1	
72	Tabes dorsalis (locomotor ataxia) M	78	2	5		
	Tabes dorsalis (locomotor ataxia) F	33				
73	Other diseases of the spinal cord M	106	1	3	1	
	Other diseases of the spinal cord F	104			1	
74a	Cerebral hemorrhage M	3,297	36	58	8	1
	Cerebral hemorrhage F	3,987	34	6	4	1

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	III.—Diseases of the nervous system and of the organs of special sense—Continued.					
74b	Cerebral embolism and thrombosis—M	88	1	1		
	F	102	3			
75	Paralysis without specified cause—M	634	2			
	F	682	9	1	1	
76	General paralysis of the insane—M	532	2	3	6	
	F	204	2			
77	Other forms of mental alienation—M	101		4	2	
	F	121	1		1	
78	Epilepsy—M	261	7	1	2	
	F	177	7	1		
79	Convulsions (nonpuerperal; 5 years and over)—M	20				
	F	30				
80	Infantile convulsions (under 5 years)—M	215	5		1	
	F	159	3		1	
81	Chorea—M	3				
	F	2				
82	Neuralgia and neuritis—M	17				
	F	16				
83	Softening of the brain—M	20		1		
	F	10				
84	Other diseases of the nervous system—M	123		3	2	
	F	109	1	1		
85	Diseases of the eye and annexa—M	5				
	F	5				
86a	Diseases of the ear—M	66	4	1	1	1
	F	54	3		3	
86b	Diseases of the mastoid process—M	36		1		
	F	36	3		1	
	IV.—Diseases of the circulatory system:					
	Males	10,308	136	208	36	9
	Females	9,314	97	18	13	1
87	Pericarditis—M	86	1		1	
	F	60			1	
88	Endocarditis and myocarditis (acute)—M	460	8	6	2	1
	F	560	4	2	1	
89	Angina pectoris—M	260	6	5	5	
	F	232	3	2		
90	Other diseases of the heart—M	8,555	107	174	23	7
	F	7,759	81	11	11	1
91a	Aneurysm—M	277	2	5	1	
	F	133		1		
91b,c	Other diseases of the arteries—M	555	7	17	4	1
	F	463	7	2		
92	Embolism and thrombosis (not cerebral)—M	30	2			
	F	32	2			
93	Diseases of the veins—M	14	1	1		
	F	18				
94	Diseases of the lymphatic system—M	7	1			
	F	8				
95	Hemorrhage without specified cause—M	23	1			
	F	16				
96	Other diseases of the circulatory system—M	41				
	F	33				
	V.—Diseases of the respiratory system:					
	Males	9,383	226	97	75	10
	Females	6,643	205	24	57	2
97a	Diseases of the nasal fossae—M	89	3			
	F	120	7			
97b	Diseases of the nasal fossae annexa—M	17		1		
	F	17				
98	Diseases of the larynx—M	30	1			
	F	15	1	1	1	
99a	Acute bronchitis—M	132	3	3	2	
	F	144	3	1	3	
99b	Chronic bronchitis—M	53	2	1		
	F	78				
99c,d	Bronchitis (unspecified)—M	128	6			
	F	99	3			
100a	Broncho-pneumonia—M	2,723	85	39	40	6
	F	2,220	62	13	35	2
100b	Capillary bronchitis—M	78		1		
	F	66				
101a	Lobar pneumonia—M	4,950	68	42	25	3
	F	2,863	67	7	14	
101b	Pneumonia (unspecified)—M	684	46	3		
	F	617	52		1	
102	Pleurisy—M	196	4	2	4	
	F	132	1	2	2	
103	Congestion and hemorrhagic infarct of the lung—M	42	1			
	F	50	1		1	
104	Gangrene of the lung—M	12		1	2	
	F	10	1			
	V.—Diseases of the respiratory system—Continued.					
105	Asthma—M	143	5	3	1	
	F	133				
106	Pulmonary emphysema—M	7				
	F	5				
107	Other diseases of the respiratory system (tuberculosis excepted)—M	99	2	1	1	1
	F	74	7			
	VI.—Diseases of the digestive system:					
	Males	6,105	149	65	90	8
	Females	5,631	153	12	71	1
108	Diseases of the mouth and annexa—M	41			1	
	F	57	2			
109a	Adenoid vegetations—F	1				
109b	Other diseases of the pharynx; tonsils—M	152	4	6	4	1
	F	179	3	1	4	
110	Diseases of the esophagus—M	9				
	F	5				
111a	Ulcer of the stomach—M	230	5	10	4	2
	F	143	2	1	1	
111b	Ulcer of the duodenum—M	41	1		2	
	F	12				
112	Other diseases of the stomach (cancer excepted)—M	658	8	2	4	
	F	727	11		2	
113	Diarrhea and enteritis (under 2 years)—M	2,406	73	7	30	2
	F	2,088	68	4	30	
114	Diarrhea and enteritis (2 years and over)—M	468	13	5	13	
	F	512	25	1	16	
115	Ancylostomiasis—M	2				
	F	1				
116	Diseases due to other intestinal parasites—M	27	3			
	F	18				
117	Appendicitis and typhlitis—M	720	16	9	13	1
	F	560	9	3	5	
118a	Hernia—M	242	1	1	2	
	F	92	7		1	
118b	Intestinal obstruction—M	351	5	6	7	1
	F	472	11	1	10	
119	Other diseases of the intestines—M	93	2		1	
	F	104	2			
120	Acute yellow atrophy of the liver—M	11	1			
	F	27				
121	Hydatid tumor of the liver—F	1				1
122	Cirrhosis of the liver—M	361	2	15	3	1
	F	253	3			
123	Biliary calculi—M	31	2	1		
	F	64	5			
124	Other diseases of the liver—M	165	7	2	1	
	F	160	5		2	
125	Diseases of the pancreas—M	14			1	
	F	11				
126	Peritonitis without specified cause—M	83	6	1	4	
	F	144		1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:					
	Males	7,618	47	102	30	2
	Females	6,922	45	5	14	
128	Acute nephritis (including unspecified under 10 years)—M	703	6	1	5	1
	F	610	3	1	2	
129	Chronic nephritis (including unspecified 10 years and over)—M	6,011	32	96	19	1
	F	5,084	37	4	6	
131	Other diseases of the kidneys and annexa—M	223	2	1	4	
	F	152	1		2	
132	Calculi of the urinary passages—M	22			1	
	F	14			1	
133	Diseases of the bladder—M	112	4	1	1	
	F	25	1			
134	Diseases of the urethra, etc.—M	142				
	F	3				
135	Diseases of the prostate—M	384	3	3		
136	Nonvenereal diseases of the male genital organs—M	21				
137	Cysts, other benign tumors of the ovary—F	76			1	
138	Salpingitis and pelvic abscess (female)—F	392	1		1	
139	Benign tumors of the uterus—F	430			1	
140	Nonpuerperal uterine hemorrhage—F	12				
141	Other diseases of the female genital organs—F	119	2			
142	Nonpuerperal diseases of the breast (cancer excepted)—F	5				

TABLE 7A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF NEGROES, INDIANS, CHINESE, JAPANESE, AND OTHER COLORED, FROM EACH CAUSE BY SEX, IN THE REGISTRATION STATES (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	VIII.—The puerperal state	2,636	45	8	34	1
143	Accidents of pregnancy F	215	5		5	
144	Puerperal hemorrhage F	182	6	3	6	
145	Other accidents of labor F	317	6	2	2	
146	Puerperal septicemia F	919	17	3	13	1
147	Puerperal phlegmasia alba dolens, embolus, etc F	57	1		1	
148	Puerperal albuminuria and convulsions F	929	8		7	
149	Following childbirth (undefined) F	17	2			
	IX.—Diseases of the skin and of the cellular tissue:					
	Males	177		4		
	Females	152	4			
151	Gangrene M	80		3		
	F	77	2			
152	Furuncle M	15		1		
	F	10				
153	Acute abscess M	47				
	F	20	1			
154	Other diseases of the skin and annexa M	35				
	F	45	1			
	X.—Diseases of the bones and of the organs of locomotion:					
	Males	72	5		1	
	Females	46				
155	Diseases of the bones (tuberculosis excepted) M	44	2		1	
	F	30				
156	Diseases of the joints (tuberculosis and rheumatism excepted) M	20	3			
	F	11				
157	Amputations M	1				
158	Other diseases of the organs of locomotion M	7				
	F	5				
	XI.—Malformations:					
	Males	403	15	5	21	
	Females	298	6	3	18	
159a	Congenital hydrocephalus M	67	3		3	
	F	53			2	
159b	Congenital malformations of the heart M	212	8	3	12	
	F	159	2	1	9	
159c	Other congenital malformations M	124	4	2	6	
	F	86	4	2	7	
	XII.—Early infancy:					
	Males	3,930	70	18	51	1
	Females	3,093	52	17	52	1
160	Congenital debility, icterus, sclerema M	737	15	3	4	
	F	627	12	4	6	
161a	Premature birth M	2,422	39	11	30	1
	F	1,985	25	8	33	1
161b	Injury at birth M	375	6	4	5	
	F	233	5	3	4	
162	Other diseases peculiar to early infancy M	378	10		12	
	F	231	8	2	9	
163	Lack of care M	18				
	F	17	2			
164	XIII.—Old age (senility):					
	Males	1,042	33	12		
	Females	1,223	51			
	XIV.—External causes:					
	Males	8,731	142	124	138	17
	Females	2,848	54	6	35	2
	Suicide M	220	7	27	16	5
	F	79		2	6	1
165	By poisons (gas or corrosives excepted) M	7		2	2	
	F	7		1		
166	By corrosive substances M	16				
	F	20				
167	By poisonous gas M	13			2	
	F	7				
168	By hanging or strangulation M	22		10	7	
	F	6		1	5	
169	By drowning M	16		3	1	1
	F	4				
170	By firearms M	107	7	9	2	3
	F	20				1
171	By cutting or piercing instruments M	20		2	1	1
	F	2			1	
172	By jumping from high places M	12				
	F	8				
173	By crushing M	5			1	
174	By other means M	2		1		
	F	5				

List No.	CAUSE OF DEATH AND SEX	Negro	Indian	Chinese	Japanese	Other colored
	XIV.—External causes—Con.					
	Homicide M	2,897	14	39	9	1
	F	630	6		1	
197	By firearms M	2,163	4	29	8	1
	F	400	3		1	
198	By cutting or piercing instruments M	488	6	7		
	F	156	2			
199	By other means M	246	4	3	1	
	F	74	1			
	Accidental or undefined M	5,614	121	58	113	11
	F	2,139	48	4	28	1
175	Poisoning by food M	55	1	1	1	2
	F	86				
176	Poisoning by venomous animals M	7				
	F	1				
177	Other acute poisonings (gas excepted) M	98	4	2	2	
	F	83	3		1	
178	Conflagration M	132	9	1	2	
	F	104	2		2	
179	Burns (conflagration excepted) M	454	5	1	10	
	F	756	7	2	5	
180	Mechanical suffocation M	117	2		5	
	F	85	2	1	4	
181	Absorption of irrespirable, irritating, or poisonous gas M	81	2	5	3	
	F	27				
182	Drowning M	659	21	6	14	1
	F	55	4		5	1
183	Traumatism by firearms (except in war) M	480	8	2	1	1
	F	109	1		1	
184	Traumatism by cutting or piercing instruments M	52	4		1	
	F	34	1			
185	Traumatism by fall M	409	12	5	9	
	F	176	8		2	
186a	Traumatism in mines M	347			1	
186b	Traumatism in quarries M	10				
187	Traumatism by machines M	262		2	2	1
	F	5				
188a	Railroad accidents M	587	10	4	9	2
	F	47	2			
	Collision with automobiles M	36				1
	F	10				
	Other railroad accidents M	551	10	4	9	1
	F	37	2			
188b	Street-car accidents M	67	2	3	4	
	F	17				
	Collision with automobiles M	16	1		1	
	F	4				
	Other street-car accidents M	51	1	3	3	
	F	13				
188c	Automobile accidents (excluding collision with railroad trains and street cars) M	833	18	19	36	4
	F	290	8	1	5	
188e,f	Injuries by other vehicles M	87	1	1	4	
	F	15	3		1	
188g	Landslide, other crushing M	68	1		1	
	F	3				
189	Injuries by animals (not poisoning) M	42	4		2	
	F	2				
190	Wounds of war M	1				
192	Starvation (deprivation of food and water) M	1				
	F	1				
193	Excessive cold M	28	3			
	F	10	2			
194	Excessive heat M	103	1	1	2	
	F	61				
195	Lightning M	68	2			
	F	34				
196	Other accidental electric shocks M	27				
	F	6				
201	Fracture (cause not specified) M	44	1	2		
	F	14				
202	Other external violence M	491	10	3	4	
	F	118	5		2	
203	Violent deaths of unknown causation M	4				
	XV.—Ill-defined diseases:					
	Males	4,590	120	2	2	1
	Females	4,185	107		2	
204	Sudden death M	378	5		1	
	F	303	2		1	
205a	Ill-defined M	1,063	10	1	1	1
	F	973	12		1	
205b	Not specified or unknown M	3,149	105	1		
	F	2,909	93			

NOTE.—For populations, see reference on Table 4.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES																		
	All causes	1,219,019	161,961	27,623	12,737	8,943	7,030	22,513	18,448	30,186	39,750	40,644	42,580	103,473	129,600	163,768	198,417	209,635	1,711
	I.—Epidemic, endemic, and infectious diseases	174,354	16,329	7,823	4,134	3,145	2,451	7,195	5,417	10,955	15,604	14,602	12,636	22,629	17,635	13,276	11,038	9,219	266
1	Typhoid and paratyphoid fever	8,287	74	82	77	86	88	569	922	1,430	1,277	865	538	927	643	406	230	53	20
2	Typhus fever	8							1	2			2	1		1	1		
5	Malaria	2,132	217	130	84	59	49	144	114	153	139	92	99	190	197	149	155	146	15
6	Smallpox	709	58	21	12	17	11	17	10	42	69	64	55	111	93	68	42	19	
7	Measles	2,404	667	784	294	163	86	197	55	34	25	22	9	21	19	14	8	4	2
8	Scarlet fever	2,762	121	260	288	293	225	699	274	157	134	103	70	78	41	13	3	3	
9	Whooping cough	6,948	4,067	1,707	533	243	144	183	32	10	1	1	3	7	3	1	4	5	4
10	Diphtheria	8,058	673	1,059	997	996	879	2,253	564	148	100	72	61	113	63	46	23	4	7
11a	Influenza (with pulmonary complications)	18,344	2,626	917	412	237	137	410	360	592	628	615	705	1,753	1,766	1,872	2,447	2,848	19
11b	Influenza (other and unspecified)	12,194	1,683	475	254	181	152	411	329	374	401	299	325	813	859	1,025	1,531	3,065	17
13	Mumps	142	22	12	6	6	6	23	13	7	7	5	7	7	8	4	3	6	
15	Cholera nostras	192	39	17	11	3	4	7	1	1	4	3	8	5	4	15	20	50	
16	Dysentery	3,257	888	488	180	89	46	80	30	40	35	45	34	97	113	180	323	581	8
17	Plague	1							1										
19	Spirochetal hemorrhagic jaundice	52	10	2	2	2	2	3	5	2	2		1	9	5	4	1	2	
20	Leprosy	30						1				5	3	4	6	4	4	3	
21	Erysipelas	2,455	719	74	25	13	6	19	26	47	41	43	73	169	278	300	325	295	2
22	Acute anterior poliomyelitis	1,519	147	164	101	103	84	328	225	148	88	43	28	27	18	10	3	2	
23	Lethargic encephalitis	1,630	42	93	43	35	18	99	74	105	95	103	126	239	245	192	97	24	
24	Meningococcus meningitis	1,095	285	126	65	40	49	129	83	78	65	36	26	56	33	18	5	1	
25	Other epidemic and endemic diseases	253	81	45	12	12	9	23	10	5	5	4	6	9	12	10	7	2	1
26	Glanders	2								1				1					
27	Anthrax	22				1			2		1	3	3	3	4	2	1	2	
28	Rabies	83		1	5	6	8	25	10	3		2	5	8	5	2	3		
29	Tetanus	1,503	238	14	27	30	39	256	243	117	67	68	53	111	100	71	48	21	
30	Mycoses	201	93	10	1			1	3	6	5	5	10	17	12	21	12	5	
	Tuberculosis (all forms)	89,268	1,496	1,162	633	481	378	1,206	1,897	7,135	11,800	11,349	9,709	15,951	11,342	7,638	5,094	1,845	152
31	Of the respiratory system	78,103	478	367	182	144	138	481	1,292	6,350	10,833	10,508	8,975	14,704	10,416	6,913	4,558	1,625	139
32	Of the meninges, central nervous system	3,746	715	584	320	239	165	436	253	201	171	152	117	185	119	47	25	10	7
33	Of the intestines; peritoneum	3,078	96	61	41	35	21	108	134	212	352	290	271	461	352	314	228	101	1
34	Of the vertebral column	947	16	7	14	9	12	49	60	77	110	97	80	113	95	97	81	28	2
35	Of the joints	357	8	5	1	3	1	15	31	41	31	22	21	49	34	40	34	21	
36	Of other organs	1,294	41	34	22	15	7	41	46	84	100	97	98	222	177	139	128	43	
37a	Disseminated (acute)	1,391	128	95	48	34	31	66	58	144	171	153	112	164	103	57	16	10	1
37b	Disseminated (chronic or unspecified)	352	14	9	5	2	3	10	23	26	32	30	35	53	46	31	24	7	2
38	Syphilis	8,647	1,889	151	50	31	19	63	55	170	364	486	486	1,567	1,572	1,079	508	141	16
39	Soft chancre	9										2	1	3		2		1	
40	Gonococcus infection	955	45			2	2	1	1	91	192	184	133	199	62	23	12	6	2
41	Purulent infection, septicemia	1,178	148	29	20	16	10	47	77	57	58	82	56	131	128	105	128	85	1
42	Other infectious diseases	14	1		2			1			1	1	1	2	4	1			
	II.—General diseases not included in Class I	143,179	3,035	606	404	341	272	1,122	1,119	1,375	1,668	2,419	3,518	13,474	24,666	34,472	34,386	20,155	147
	Cancer and other malignant tumors	95,504	59	80	93	81	50	175	174	285	449	876	1,752	8,314	17,160	24,570	25,443	15,857	86
43	Of the buccal cavity	3,242	2	2		2	2	8	6	6	9	14	26	168	521	826	936	709	5
44	Of the stomach, liver	34,874	11	8	10	9	8	14	13	20	58	127	298	1,999	5,348	9,665	10,921	6,329	36
45	Of the peritoneum, intestines, rectum	13,671	4	11	9	8	11	25	20	29	79	158	250	1,034	2,204	3,547	3,874	2,403	5
46	Of the female genital organs	14,051						1	10	26	67	232	539	2,475	3,755	3,380	2,446	1,106	14
47	Of the breast	8,511	1					2	1	6	13	62	208	1,165	2,240	2,118	1,594	1,096	5
48	Of the skin	2,624	1	5	2	2		5	5	3	9	8	32	91	213	405	704	1,134	5
49	Of other or unspecified organs	18,531	40	54	72	60	29	120	119	195	214	275	399	1,382	2,879	4,629	4,968	3,080	16
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	685	19	5	7	3	4	12	7	15	20	32	28	84	111	107	119	111	1
51	Acute rheumatic fever	2,766	17	18	24	55	65	375	375	231	151	134	115	257	248	243	255	200	3
52	Chronic rheumatism, osteoarthritis, gout	1,327					1	5	7	14	14	19	27	61	141	244	354	439	1
53	Scurvy	58	28	12	3	1	1	1		1		2	1	2	3	2	1		
54	Pellagra	3,344	4	5	12	7	10	46	41	110	238	308	249	608	612	476	391	204	23
55	Beriberi	7	2	1							2			2					
56	Rickets	573	383	103	41	17	10	11	2	1									
57	Diabetes mellitus	17,385	21	27	29	36	29	182	262	289	250	280	291	986	2,436	4,905	5,001	2,354	7
58	Anemia, chlorosis	6,649	154	40	21	13	6	48	52	84	95	113	156	635	1,180	1,816	1,649	583	4
59	Diseases of the pituitary gland	100	3			1	1	3	5	8	9	5	9	19	21	10	3	3	
60a	Exophthalmic goiter	3,476			2			5	20	96	167	192	228	676	883	711	401	94	1
60b	Other diseases of the thyroid gland	659	33	23	16	10	4	16	7	18	24	24	31	85	123	118	88	38	1
61	Diseases of the parathyroid glands	110	79	16	6	3		1	1			1		2			1		
62	Diseases of the thymus gland	1,086	903	76	20	13	11	24	7	8	5	7	6	2	2	2			
63	Diseases of the adrenals (Addison's disease)	407				1			3	8	10	29	35	85	98	62	51	25	
64	Diseases of the spleen	131	8	1	1	1	1	5	5	4	1	6	9	24	21	15	20	9	
65a	Leukemia	1,801	36	53	54	50	39	108	82	82	74	92	106	212	272	297	183	60	1
65b	Hodgkin's disease	848	8	12	5	6	5	43	25	51	47	59	57	145	125	143	84	32	1
66	Alcoholism (acute or chronic)	3,694							4	22	56	177	350	1,120	1,075	605	226	43	16
67a	Chronic lead poisoning	142		1			1				2	3	6	32	40	35	18	4	
67b	Other chronic mineral poisoning	38			1					1	2	5	3	4	6	10	6		
68	Chronic poisoning by organic substances	205								3	12	19	25	57	46	19	15	9	
69	Other general diseases	2,184	1,278	128	69	43	34	62	40	44	40	36	34	62	63	82	77	90	2
	III.—Diseases of the nervous system and of the organs of special sense	123,847	3,740	968	578	432	332	1,345	1,072	1,290	1,313	1,507	2,231	7,714	14,263	22,016	31,534	33,370	142
70	Encephalitis	1,239	147	65	32	32	23	79	56	70	53	71	70	176	138	125	68	33	
71a	Simple meningitis	2,696	707	244	205	124	88	240	140	119	97	97	84	182	159	108	69	31	2
71b	Nonepidemic cerebrospinal meningitis	719	207	108	57	27	22	85	46	43	27	20	14	24	22	8	5	4	
72	Tabes dorsalis (locomotor ataxia)	1,656								5	4	13	23	175	402	490	415	127	2
73	Other diseases of the spinal cord	3,238	34	26	17	14	7	59	58	75	52	72	96	243	482	664	802	534	3
74a	Cerebral hemorrhage	82,651	148	34	19	13	19	54	59	113	194	276	512	2,856	8,660	16,459	25,290	27,854	91
74b	Cerebral embolism and thrombosis	3,668	30	11	7	6	9	35	28	42	58	52	85	216	419	661	1,008	1,005	1
75	Paralysis without specified cause	5,920	32	10	6	8	8	18	17	30	28	26	59	228	540	975	1,693	2,230	12
76	General paralysis of the insane	6,029							5	26	45	152	490	1,867	1,736	978	501	222	7
77	Other forms of mental alienation	1,693							7	61	91	130	163	323	339	243	210	117	9

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
78	Epilepsy	3,189	101	29	32	36	31	121	181	306	338	281	269	505	368	263	213	110	5
79	Convulsions (nonpuerperal; 5 years and over)	147						39	10	25	14	11	10	17	8	3	3	6	1
80	Infantile convulsions (under 5 years)	1,833	1,537	171	69	39	17												
81	Chorea	90	9	2	2		2	6	17	16	8	2	2	5	5	5	6	3	
82	Neuralgia and neuritis	312	4	1	2		2	4	2	3	1	6	12	31	40	45	79	80	
83	Softening of the brain	745									1		2	11	32	98	228	372	1
84	Other diseases of the nervous system	4,599	150	64	43	53	30	169	129	136	130	163	209	565	669	699	801	583	6
85	Diseases of the eye and annexa	91	19	2	3	5	5	7	7	4	1	4	3	4	3	4	10	10	
86a	Diseases of the ear	2,004	474	149	52	48	39	218	165	122	84	65	65	166	136	111	78	32	
86b	Diseases of the mastoid process	1,328	141	52	32	27	30	211	145	94	87	66	63	120	105	77	60	17	1
	IV.—Diseases of the circulatory system	217,567	1,044	250	191	192	232	1,439	2,001	2,159	2,295	2,770	3,740	12,833	23,867	38,935	57,008	68,361	250
87	Pericarditis	875	13	11	5	2	7	29	29	26	28	22	41	94	100	119	168	179	2
88	Endocarditis and myocarditis (acute)	7,999	408	75	64	62	66	380	379	446	498	510	610	1,643	701	757	767	629	4
89	Angina pectoris	13,680	3	1	1		1	3	8	14	31	59	124	785	1,913	3,425	4,421	2,876	15
90	Other diseases of the heart	168,672	488	140	106	119	150	999	1,562	1,631	1,674	2,057	2,786	9,459	19,473	31,354	45,054	51,426	194
91a	Aneurysm	1,914	2						4	7	17	47	61	341	467	456	352	155	5
91b,c	Other diseases of the arteries	21,176						2			1	4	26	197	722	2,164	5,535	12,504	21
92	Embolism and thrombosis (not cerebral)	2,098	52	3	6	3	4	10	9	22	27	42	54	175	312	441	521	413	4
93	Diseases of the veins	586	4		1	1		3	4	3	11	5	27	86	107	146	100	88	
94	Diseases of the lymphatic system	201	55	19	6	5	3	8	3	1	5	11	4	13	19	14	19	16	
95	Hemorrhage without specified cause	132	19		2		1	5	2	8	1	12	3	24	19	13	10	13	
96	Other diseases of the circulatory system	234		1					1	1	2	1	4	16	34	46	61	62	5
	V.—Diseases of the respiratory system	111,977	23,242	6,840	2,607	1,350	867	2,245	1,540	2,417	2,929	2,959	3,453	9,126	9,742	11,187	13,742	17,618	113
97a	Diseases of the nasal fossae	366	190	26	5	4			9	18	12	6	7	22	13	10	12	32	
97b	Diseases of the nasal fossae annexa	548	20	6	7	4	5	29	36	68	51	45	41	78	73	49	24	11	1
98	Diseases of the larynx	519	147	77	55	27	27	46	12	11	8	6	9	26	16	14	16	20	2
99a	Acute bronchitis	2,589	1,046	179	65	33	22	42	8	15	12	20	12	67	74	105	208	681	
99b	Chronic bronchitis	2,414	55	21	5	1	2	7	6	14	18	24	28	76	156	268	576	1,155	2
99c,d	Bronchitis (unspecified)	1,667	480	109	34	13	7	19	8	9	13	16	13	39	56	77	176	597	1
100a	Broncho-pneumonia	38,896	14,415	3,839	1,336	634	344	767	373	390	444	419	490	1,455	1,612	2,375	3,671	6,302	30
100b	Capillary bronchitis	924	514	102	30	23	15	11	1	6	6	1	5	11	10	17	53	119	
101a	Lobar pneumonia	51,407	4,566	1,908	779	452	342	1,052	885	1,550	1,965	2,062	2,449	6,252	6,526	6,903	7,379	6,287	50
101b	Pneumonia (unspecified)	5,205	1,387	337	157	86	50	133	113	177	199	132	140	335	302	328	466	843	20
102	Pleurisy	2,636	183	170	95	49	36	100	56	94	129	125	124	322	314	327	291	221	
103	Congestion and hemorrhagic infarct of the lung	1,372	142	21	12	8	3	9	6	8	8	7	14	47	56	59	193	778	1
104	Gangrene of the lung	215	3	1	2		3	4		9	5	11	13	35	33	54	28	14	
105	Asthma	1,920	24	29	16	10	4	13	7	13	19	40	45	173	263	363	461	438	2
106	Pulmonary emphysema	141	8	2			2		1	2		1	3	9	23	25	38	27	
107	Other diseases of the respiratory system (tuberculosis excepted)	1,158	62	13	9	6	5	13	19	33	40	44	60	179	215	213	150	93	4
	VI.—Diseases of the digestive system	104,297	28,804	7,869	2,605	1,486	1,075	2,887	2,277	2,530	2,733	3,004	3,408	8,578	10,021	10,353	9,136	7,437	94
108	Diseases of the mouth and annexa	768	79	18	11	6	8	33	17	27	49	42	34	95	116	104	64	63	2
109a	Adenoid vegetations	9	1	2			1	2	1	2									
109b	Other diseases of the pharynx, tonsils	3,672	240	175	175	167	149	528	294	233	264	218	216	354	260	163	135	97	4
110	Diseases of the esophagus	116	5	1	6	1		2	4	3	2	1	3	6	16	18	19	28	1
111a	Ulcer of the stomach	4,384	16		3	5		7	10	50	126	189	256	816	956	834	705	407	4
111b	Ulcer of the duodenum	1,749	6		1		2		2	21	53	86	147	372	393	352	218	96	
112	Other diseases of the stomach (cancer excepted)	5,832	1,374	220	101	67	61	88	39	70	82	101	146	489	620	664	722	969	19
113	Diarrhea and enteritis (under 2 years)	32,450	25,424	7,026															
114	Diarrhea and enteritis (2 years and over)	8,062			1,908	831	427	496	147	84	134	130	139	373	447	577	853	1,495	21
115	Ancylostomiasis	24		1	1		1	7	7	2		1	1	1	1			1	
116	Diseases due to other intestinal parasites	118	5	18	15	17	12	10	5	2	3	5	8	9	4	5			
117	Appendicitis and typhlitis	15,618	57	91	164	232	252	1,297	1,452	1,584	1,336	1,215	1,221	2,372	1,959	1,418	734	221	13
118a	Hernia	3,938	120	24	5	10	2	11	4	19	54	70	93	372	642	873	928	709	2
118b	Intestinal obstruction	7,230	1,121	184	119	77	72	194	133	190	210	313	362	780	842	883	902	834	5
119	Other diseases of the intestines	1,251	107	23	10	16	9	24	21	27	52	47	66	149	160	169	168	201	2
120	Acute yellow atrophy of the liver	469	14	1	1	3	2	10	6	24	46	49	42	82	65	49	43	30	2
121	Hydatid tumor of the liver	29						1				3	1	6	5	4	5	4	
122	Cirrhosis of the liver	7,549	18	7	9	2	8	16	26	28	44	84	159	829	1,497	1,939	1,773	1,100	10
123	Biliary calculi	4,148							2	11	45	109	157	556	958	1,065	832	411	2
124	Other diseases of the liver	4,596	66	33	22	16	22	43	31	52	104	188	215	593	780	946	825	654	6
125	Diseases of the pancreas	624	1	1	1		2	5	7	11	23	37	37	122	121	137	90	29	
126	Peritonitis without specified cause	1,661	150	44	53	36	45	113	69	90	97	116	105	202	179	153	120	88	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	115,231	774	258	229	173	141	475	626	1,006	1,574	2,051	2,790	9,353	14,626	21,264	29,171	30,566	154
128	Acute nephritis (including unspecified under 10 years)	5,733	395	164	148	97	94	247	188	222	255	253	286	741	792	673	611	554	13
129	Chronic nephritis (including unspecified 10 years and over)	96,587	20	22	35	41	33	176	391	560	818	1,101	1,637	6,291	11,738	18,605	25,499	26,496	124
130	Chyluria	1												1					
131	Other diseases of the kidneys and annexa	2,892	276	69	42	34	13	48	25	60	96	108	154	324	364	395	462	417	5
132	Calculi of the urinary passages	834	1		1	1	1	1	1	6	26	32	46	134	150	177	150	105	2
133	Diseases of the bladder	990	18	1	1			2	2	4	7	12	14	36	66	125	187	514	1
134	Diseases of the urethra, etc	402	4	1					1	4	10	19	29	58	104	85	62	25	
135	Diseases of the prostate	5,200								1	5	7	3	38	163	751	1,945	2,285	2
136	Nonvenereal diseases of the male genital organs	104	43	1	2				1	1	2	3	2	6	15	9	13	6	
137	Cysts, other benign tumors of the ovary	811							3	11	39	53	89	181	189	100	87	59	
138	Salpingitis and pelvic abscess (female)	1,779						1	6	98	235	306	284	541	218	59	24	7	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
139	Benign tumors of the uterus	2,044								8	17	71	151	780	655	181	96	80	5
140	Nonpuerperal uterine hemorrhage	49							3	6	3	5	6	13	11		1	1	
141	Other diseases of the female genital organs	774							4	24	59	80	88	207	159	102	34	15	2
142	Nonpuerperal diseases of the breast (cancer excepted)	31	17						1	1	2	1	1	2	2	2		2	
	VIII.—The puerperal state	15,315							53	1,754	3,172	3,354	2,984	3,825	145				28
143	Accidents of pregnancy	1,404							5	78	235	322	337	408	16				3
144	Puerperal hemorrhage	1,466							2	46	203	301	368	529	14				3
145	Other accidents of labor	1,714							4	149	294	337	368	530	30				2
146	Puerperal septicemia	5,697							14	675	1,387	1,365	1,065	1,148	35				8
147	Puerperal phlegmasia alba dolens, embolus, etc	662								32	121	149	152	200	8				
148	Puerperal albuminuria and convulsions	4,292							28	768	921	861	674	989	39				12
149	Following childbirth (undefined)	73								6	11	17	17	20	2				
150	Puerperal diseases of the breast	7										2	3	1	1				
	IX.—Diseases of the skin and of the cellular tissue	3,343	555	35	19	16	8	44	51	96	84	81	114	219	294	350	455	916	6
151	Gangrene	1,319	24	4	3	5	6	9	8	3	9	10	17	42	81	121	270	704	3
152	Furuncle	569	75	5	2	2		5	14	34	26	24	51	65	79	84	60	43	
153	Acute abscess	673	164	13	7	6	2	21	17	36	35	31	32	72	77	78	45	36	1
154	Other diseases of the skin and annexa	782	292	13	7	3		9	12	23	14	16	14	40	57	67	80	133	2
	X.—Diseases of the bones and of the organs of locomotion	1,358	60	20	36	48	39	179	195	104	47	39	52	94	112	131	114	87	1
155	Diseases of the bones (tuberculosis excepted)	1,075	48	16	31	45	35	158	169	83	35	29	38	69	80	95	80	63	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	215	11	4	5	3	4	19	21	20	8	8	8	20	27	22	25	10	
157	Amputations	2								1	1								
158	Other diseases of the organs of locomotion	66	1					2	5		3	2	6	5	5	14	9	14	
	XI.—Malformations	14,226	13,003	421	172	85	69	207	86	64	42	15	14	24	14	9			1
159a	Congenital hydrocephalus	1,533	1,157	136	59	32	25	64	21	21	7	1	3	3	3	1			
159b	Congenital malformations of the heart	8,147	7,566	187	73	32	29	107	52	31	29	11	10	10	5	4			1
159c	Other congenital malformations	4,546	4,280	98	40	21	15	36	13	12	6	3	1	11	6	4			
	XII.—Early infancy	61,932	61,932																
160	Congenital debility, icterus, sclerema	7,871	7,871																
161a	Premature birth	38,588	38,588																
161b	Injury at birth	10,384	10,384																
162	Other diseases peculiar to early infancy	4,962	4,962																
163	Lack of care	127	127																
164	XIII.—Old age (senility)	12,326													23	171	1,404	10,696	32
	XIV.—External causes	102,162	2,408	1,833	1,543	1,564	1,459	5,166	3,821	6,140	7,899	7,505	7,279	14,637	12,852	10,196	8,488	9,040	332
	Suicide	12,495							50	337	770	975	1,106	2,576	2,670	2,132	1,366	478	35
165	By poisons (gas or corrosives excepted)	716							2	33	61	65	65	144	157	95	63	30	1
166	By corrosive substances	1,278							4	66	155	201	152	279	217	123	69	11	1
167	By poisonous gas	1,743							2	27	70	132	161	339	418	366	186	41	1
168	By hanging or strangulation	2,276							13	31	66	103	145	452	505	459	352	138	12
169	By drowning	715								14	29	41	52	142	166	140	89	37	5
170	By firearms	4,333							28	157	335	347	399	903	871	687	442	154	10
171	By cutting or piercing instruments	821								2	17	32	67	181	190	177	107	45	3
172	By jumping from high places	358								5	21	37	41	75	84	46	35	14	
173	By crushing	128							1	1	10	9	17	36	28	17	8	1	
174	By other means	127								1	6	8	7	25	34	22	15	7	2
	Homicide	8,893	158	12	18	13	12	56	75	544	1,426	1,587	1,363	2,019	963	377	165	45	60
197	By firearms	6,216	5	7	8	4	6	26	46	368	1,034	1,157	1,021	1,480	675	234	81	19	45
198	By cutting or piercing instruments	1,224	12	1	3	2	2	9	12	94	229	247	194	259	97	36	17	4	6
199	By other means	1,453	141	4	7	7	4	21	17	82	163	183	148	280	191	107	67	22	9
	Accidental or undefined	80,774	2,250	1,821	1,525	1,551	1,447	5,110	3,696	5,259	5,703	4,943	4,810	10,042	9,219	7,687	6,957	8,517	237
175	Poisoning by food	888	119	71	48	35	23	69	23	38	32	35	28	71	90	84	74	47	1
176	Poisoning by venomous animals	78	11	3	3	2	4	9		2	1	4	3	6	11	6	7	6	
177	Other acute poisonings (gas excepted)	1,596	64	273	129	82	46	57	16	48	105	89	116	210	178	107	51	19	6
178	Conflagration	1,408	69	68	61	79	60	126	62	53	63	73	68	154	128	118	110	102	14
179	Burns (conflagration excepted)	6,375	234	578	623	597	465	742	207	231	277	250	231	432	391	348	358	406	5
180	Mechanical suffocation	1,123	826	11		4	4	21	22	14	27	15	27	62	50	24	13	2	1
181	Absorption of irrespirable, irritating, or poisonous gas	2,439	20	10	6	4	7	32	25	82	133	126	148	420	494	430	278	219	5
182	Drowning	6,456	38	206	131	80	74	605	827	1,011	733	460	399	757	561	313	151	65	45
183	Traumatism by firearms (except in war)	2,570	6	19	20	27	33	191	374	536	326	241	202	249	182	91	49	12	12
184	Traumatism by cutting or piercing instruments	732	29	14	10	10	11	41	38	31	38	39	31	102	108	99	85	46	
185	Traumatism by fall	13,864	143	160	99	110	70	276	260	269	333	317	378	1,081	1,274	1,392	2,197	5,487	18
186a	Traumatism in mines	2,643						3	6	153	376	349	375	705	419	181	59	5	12
186b	Traumatism in quarries	90						1	2	5	10	10	10	18	17	16		1	
187	Traumatism by machines	2,339	1	8	6	7	11	33	69	192	274	252	258	432	389	230	141	31	5
188a	Railroad accidents	6,778	13	31	32	23	23	175	177	518	645	590	602	1,302	1,129	781	471	214	52
	Collision with automobiles	1,266	12	5	9	12	11	50	45	143	137	118	121	223	197	111	58	10	4
	Other railroad accidents	5,512	1	26	23	11	12	125	132	375	508	472	481	1,079	932	670	413	204	48

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES—Continued																			
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued																		
188b	Street-car accidents	1,630	2	8	16	16	21	61	39	90	109	118	100	262	248	246	183	110	1
	Collision with automobiles	493	2	5	1	3	2	15	11	46	59	54	46	104	62	55	26	7	
	Other street-car accidents	1,132		3	15	13	19	46	28	44	50	64	54	158	186	191	157	103	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	17,571	85	114	169	316	455	2,130	992	1,272	1,351	1,101	1,015	2,089	2,025	1,936	1,644	858	19
188d	Airplane and balloon accidents	165						1	4	12	27	49	50	15	3	2			2
188e,f	Injuries by other vehicles	1,553	12	13	19	16	32	133	111	116	111	88	74	159	177	198	200	89	5
188g	Landslide, other crushing	743	3	1	6	2	7	28	30	60	70	81	66	148	98	77	46	18	2
189	Injuries by animals (not poisoning)	629	3	5	13	14	12	46	50	31	28	24	26	67	65	108	96	41	
190	Wounds of war	5										2	3						
192	Starvation (deprivation of food or water)	11	4	1						1				1	3		1		
193	Excessive cold	239	5					1		1	7	12	11	30	44	42	39	43	4
194	Excessive heat	1,355	147	27	11	7	4	9	6	20	25	31	47	149	221	224	187	237	3
195	Lightning	442	2				2	25	30	71	53	28	37	60	70	35	21	6	2
196	Other accidental electric shocks	995	1		2	2	1	11	52	92	165	175	150	202	87	42	11	1	1
201	Fracture (cause not specified)	640	10	4	2		1	6	9	15	17	20	20	80	70	70	84	223	4
202	Other external violence	5,401	403	196	119	118	81	278	264	294	365	364	333	776	685	483	401	223	18
203	Violent deaths of unknown causation	16							1	1	2		2	3	2	4		1	
	XV.—Ill-defined diseases	17,905	7,035	700	219	111	85	209	190	296	390	338	361	967	1,340	1,408	1,941	2,170	145
204	Sudden death	1,868	326	19	5	6	4	8	14	18	26	42	40	137	222	260	386	348	7
205a	Ill-defined	5,041	1,054	352	97	34	23	63	60	88	120	111	125	393	560	573	756	610	17
205b	Not specified or unknown	10,996	5,655	329	117	71	53	138	116	190	244	185	196	437	558	575	799	1,212	121
ALABAMA																			
	All causes—White	14,964	2,499	524	264	147	98	302	263	472	552	550	502	1,112	1,255	1,473	2,342	2,509	100
	All causes—Colored	14,176	2,042	338	162	94	75	230	298	738	1,011	863	767	1,573	1,831	1,297	1,187	1,506	164
	I.—Epidemic, endemic, and infectious diseases—White	2,460	256	103	72	51	36	87	68	135	177	171	145	257	205	200	258	217	21
	I.—Epidemic, endemic, and infectious diseases—Colored	3,056	271	84	48	27	30	72	133	296	413	328	273	381	298	155	115	99	33
1	Typhoid and paratyphoid fever—W	202	3	2	1		4	12	18	30	32	26	16	22	10	8	12	4	2
	Typhoid and paratyphoid fever—C	219	2	1		2	1	14	40	51	40	20	11	15	11	3	6		2
2	Typhus fever—W	3											1	1		1			
5	Malaria—W	103	9	4	2	2	1	7	9	7	6	4	6	6	8	13	9	9	1
	Malaria—C	104	1	1	3	1	2	7	7	13	8	5	3	12	16	6	7	10	2
6	Smallpox—W	6	1										1	1		1		2	
	Smallpox—C	15	5			1		1						1	2	2	1	2	
7	Measles—W	15	6	1	2	1				1	1				2		1		
	Measles—C	9	2		3			2		1				1					
8	Scarlet fever—W	20		3	6	2	2	6			1								
	Scarlet fever—C	1								1									
9	Whooping cough—W	118	70	26	15	2	1	3						1					
	Whooping cough—C	120	71	29	5	4	3	4	1	1		1						1	
10	Diphtheria—W	134	16	25	31	25	17	17	1			1	1						
	Diphtheria—C	46	13	8	4	8	4	6	1			1					1		
11a	Influenza (with pulmonary complications)—W	382	48	15	3	4	4	10	8	17	16	10	15	42	37	36	60	54	3
	Influenza (with pulmonary complications)—C	302	36	14	11	2	6	1	8	23	20	18	21	42	47	22	19	10	2
11b	Influenza (other and unspecified)—W	282	38	7	1	7	2	4	2	10	8	4	7	12	13	21	45	79	2
	Influenza (other and unspecified)—C	221	36	8	7	4	2	4	9	7	17	4	1	14	23	14	24	43	4
13	Mumps—W	3				1			1					1					
	Mumps—C	3			1		1						1						
15	Cholera nostras—W	7					1				2				1		2	1	
	Cholera nostras—C	2												1	1				
16	Dysentery—W	64	6	4		1	1	1	1		1	1	2	2	4	2	17	20	1
	Dysentery—C	58	14	6	1		1	1		3	2	2		3	4	5	5	11	
19	Spirochetal hemorrhagic jaundice—W	2					1											1	
	Spirochetal hemorrhagic jaundice—C	1				1													
21	Erysipelas—W	32	13	1				2		1	1		1	1		1	7	3	1
	Erysipelas—C	4	1					1		1				1					
22	Acute anterior poliomyelitis—W	20	3	3	4	4	1	3		2									
	Acute anterior poliomyelitis—C	5			1	1		1	2										
23	Lethargic encephalitis—W	9						1	2		1	1	1	1		1		1	
	Lethargic encephalitis—C	4											2	1	1				
24	Meningococcus meningitis—W	11	3		1			1	1		2	1		2					
	Meningococcus meningitis—C	3		3															
25	Other epidemic and endemic diseases—W	2	1	1															
28	Rabies—W	2						1							1				
29	Tetanus—W	33	4			1		5	13	5	1			1	1	1	1		
	Tetanus—C	41	14					4	7	1	3	4	1	4	1		1	1	
30	Mycoses—W	1		1															
	Mycoses—C	2	2																
	Tuberculosis (all forms)—W	934	13	9	4		1	10	11	56	98	115	90	153	120	107	96	40	11
	Tuberculosis (all forms)—C	1,567	8	8	8	1	8	20	54	179	288	244	210	238	148	79	42	12	20
31	Of the respiratory system—W	830	4	3	2		1	6	5	47	89	113	83	140	108	94	88	36	11
	Of the respiratory system—C	1,440	5	4	6	1	5	14	43	163	270	229	192	218	139	76	40	11	19
32	Of the meninges, central nervous system—W	27	6	4	2			3	2	1	3		1	2	2	1			
	Of the meninges, central nervous system—C	16	1	2	1		1	2	1	2		1	2		2	1			
33	Of the intestines, peritoneum—W	38	1						1	4	1		4	6	5	7	5	4	
	Of the intestines, peritoneum—C	54	2		1				3	7	10	8	5	11	3	1	2	1	
34	Of the vertebral column—W	8	1						1	1	1				1	1	2		
	Of the vertebral column—C	16								2	2	2	7	1	1	1			
35	Of the joints—W	6		1					1	1		1	1		1				
	Of the joints—C	4						1			2				1				
36	Of other organs—W	8							1	1	1	1	1	1		1	1		
	Of other organs—C	14		2			1	2			1	1	2	4	1				
37a	Disseminated (acute)—W	7		1				1			1			2	1	1			
	Disseminated (acute)—C	15					1	1	1	4	3	1	1	3					
37b	Disseminated (chronic or unspecified)—W	10	1							1	2			2	2	2			
	Disseminated (chronic or unspecified)—C	8							1	1		2	1	1	1				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
38	Syphilis W	46	20		1			1		3	3	3	1	5	5	2	1	1	
	Syphilis C	275	65	6	4	1	2	5	3	10	25	22	17	43	37	21	4	7	3
40	Gonococcus infection W	12								1	3	3	2	3					
	Gonococcus infection C	25				1				4	9	4	4	3					
41	Purulent infection, septicemia W	37	2	1	1	1		3	1	2	1	2	1	3	4	6	7	2	
	Purulent infection, septicemia C	29	1					1	1	1	1	3	2	2	7	3	5	2	
	II.—General diseases not included in Class I White	1,286	55	26	10	3	3	21	18	19	27	35	35	127	218	219	274	185	11
	II.—General diseases not included in Class I Colored	797	18	5	3	3		8	10	22	38	52	49	136	187	113	85	57	11
	Cancer and other malignant tumors W	760		2	2	1		7	4	4	8	8	19	81	152	138	197	128	9
	Cancer and other malignant tumors C	375	1		1	1		1	1	3	4	14	17	64	122	65	46	33	2
43	Of the buccal cavity W	28										1		2	7	2	8	7	1
	Of the buccal cavity C	7												1	2	3		1	
44	Of the stomach, liver W	234			1			1		1	2	2	4	14	42	55	76	35	1
	Of the stomach, liver C	91									1	4	3	12	30	15	15	10	1
45	Of the peritoneum, intestines, rectum W	62				1		2			2	1	2	7	10	7	21	9	
	Of the peritoneum, intestines, rectum C	26										2		5	8	4	5	2	
46	Of the female genital organs W	147									1	1	7	34	39	29	23	11	2
	Of the female genital organs C	138								2	2	5	11	28	43	26	12	8	1
47	Of the breast W	49											2	5	18	8	9	7	
	Of the breast C	34	1									1		11	15	3	1	2	
48	Of the skin W	52									1			1	2	8	13	23	4
	Of the skin C	4													3	1			
49	Of other or unspecified organs W	188		2	1			4	4	3	2	3	4	18	34	29	47	36	1
	Of other or unspecified organs C	75			1	1		1	1	1	1	2	3	7	21	13	13	10	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) W	3												1	1	1			
	Tumors, benign and unqualified (tumors of the female genital organs excepted) C	13									2		2	2	4	1	2		
51	Acute rheumatic fever W	26						2	2	2	1	2		1	2	2	5	7	
	Acute rheumatic fever C	34						2	3	4	1	1	2	1	5	5	8	1	1
52	Chronic rheumatism, osteoarthritis, gout W	16						1							1	1	6	7	
	Chronic rheumatism, osteoarthritis, gout C	7						1							2	2		2	
53	Scurvy W	1	1																
	Scurvy C	3	1	2															
54	Pellagra W	163		1	1	1		3		4	8	13	7	24	30	27	30	14	
	Pellagra C	250			1	1		2	4	8	25	30	21	53	37	26	18	16	8
56	Rickets W	5	3	2															
	Rickets C	4	4																
57	Diabetes mellitus W	121	1	2			1	3	3	5	5	3	3	7	17	31	24	16	
	Diabetes mellitus C	56						1	1	3	2	3	3	9	13	11	7	3	
58	Anemia, chlorosis W	39	3		1				2	1	3	4	1	3	5	9	3	3	1
	Anemia, chlorosis C	11	3							2	2			2	1	1			
59	Diseases of the pituitary gland W	1														1			
60a	Exophthalmic goiter W	4										1	1	1	1				
	Exophthalmic goiter C	2								1				1					
60b	Other diseases of the thyroid gland W	6								1					1	2	2		
	Other diseases of the thyroid gland C	4										1				1	2		
61	Diseases of the parathyroid glands W	1	1																
62	Diseases of the thymus gland W	4	4																
	Diseases of the thymus gland C	2	2																
63	Diseases of the adrenals (Addison's disease) W	4													1	2	1		
64	Diseases of the spleen W	1												1					
	Diseases of the spleen C	1								1									
65a	Leukemia W	13	1	2				1	2			1		3	1		1	1	
	Leukemia C	6		2				1	1					2					
65b	Hodgkin's disease W	8					1	1	1			1	1	1		1	1		
	Hodgkin's disease C	5									1	1	1	1	1				
66	Alcoholism (acute or chronic) W	17									2	1	3	2	5	1	1	1	1
	Alcoholism (acute or chronic) C	5									1		2			1	1		
67a	Chronic lead poisoning W	1														1			
67b	Other chronic mineral poisoning C	1										1							
69	Other general diseases W	92	41	17	6	1	1	3	4	2		1		2	1	2	3	8	
	Other general diseases C	18	7	1	1	1						1	1	1	2		1	2	
	III.—Diseases of the nervous system and of the organs of special sense White	1,354	57	17	10	9	1	26	21	22	18	19	24	60	151	214	346	353	6
	III.—Diseases of the nervous system and of the organs of special sense Colored	971	46	13	2	4	3	9	14	21	16	21	35	90	184	183	157	166	7
70	Encephalitis W	20	2	1	2	2		1	1	2				3	4	1		1	
	Encephalitis C	9	1						2	2				2		1	1		
71a	Simple meningitis W	58	17	7	6	5		6	3	2	2	2	2	2	1	1	1		1
	Simple meningitis C	30	8	3	1	1	1	1	3			2	1	5	1	1	2		
71b	Nonepidemic cerebrospinal meningitis W	15	6	2				1	1	1	1			3					
	Nonepidemic cerebrospinal meningitis C	4	1	1		1				1									
72	Tabes dorsalis (locomotor ataxia) W	12													5	4	2	1	
	Tabes dorsalis (locomotor ataxia) C	3									1				1			1	
73	Other diseases of the spinal cord W	23						2					1	4	1	5	2	8	
	Other diseases of the spinal cord C	7									1		2			1	2	1	
74a	Cerebral hemorrhage W	767	2					2	1	1	5	7	12	24	96	146	244	225	2
	Cerebral hemorrhage C	539	1					2	3	3	2	9	15	48	131	127	98	96	4
74b	Cerebral embolism and thrombosis W	5						1			1					2	1		
	Cerebral embolism and thrombosis C	10				1				2	1	1	1	1	2	2			
75	Paralysis without specified cause W	255		1				1			1	1		6	25	34	80	103	3
	Paralysis without specified cause C	197					1	1	1	1	2	1	5	14	31	36	45	58	1
76	General paralysis of the insane W	27											2	2	6	8	2	7	
	General paralysis of the insane C	17											2	6	4	3	1	1	
77	Other forms of mental alienation W	17							1			3	2	2	4	1	2	2	
	Other forms of mental alienation C	20								2	2	1	3	4	3	2		2	1
78	Epilepsy W	39	2			1		1	5	9	5	3	3	4	3	2	1		
	Epilepsy C	43	2					2	2	5	5	1	2	8	7	4	2	3	
79	Convulsions (nonpuerperal; 5 years and over) W	7						3	2	1				1					
	Convulsions (nonpuerperal; 5 years and over) C	8						2	1	1	1		3						
80	Infantile convulsions (under 5 years) W	27	23	3	1														
	Infantile convulsions (under 5 years) C	38	30	6	1	1													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
81	Chorea	W	4						1	1								1	1	
82	Neuralgia and neuritis	W	4											1	1		1	1		
		C	3													2	1			
83	Softening of the brain	W	1																1	
		C	3												1			1	1	
84	Other diseases of the nervous system	W	45	1					3	3	3	2	1	1	6	6	6	9	4	
		C	27	1	1				1	1	2		6	1	1	2	2	5	3	1
85	Diseases of the eye and annexa	W	1												1					
		C	2	1							1									
86a	Diseases of the ear	W	15	2	2	1	1		4	1	2						2			
		C	5		2			1								1	1			
86b	Diseases of the mastoid process	W	12	2	1			1		2	1	1	2		1		1			
		C	6	1						1	1	1					2			
	IV.—Diseases of the circulatory system	White	1,653	15	4	5	4	4	7	13	11	20	13	36	97	141	262	499	511	11
		Colored	1,488	3			1	1	5	15	20	47	38	54	190	322	257	253	263	19
87	Pericarditis	W	11					1							1	1	1	3	3	1
		C	10									1			2	1	2	3	1	
88	Endocarditis and myocarditis (acute)	W	54	3	1	1	1	1		5	2	2	2	7	12	1	4	8	4	
		C	64				1		3	2	3	5	4	10	25	7	2	1	1	
89	Angina pectoris	W	133											6	12	19	24	43	27	2
		C	20										1		3	6	6	2	2	
90	Other diseases of the heart	W	1,293	9	1	2	1	2	7	7	8	14	11	21	65	104	221	411	401	8
		C	1,309	2				1	2	13	17	40	30	40	150	292	240	232	235	15
91a	Aneurysm	W	15									1		1	1	2	4	5	1	
		C	18										1	2	3	6	1	3	1	1
91b,c	Other diseases of the arteries	W	104												1	7	7	25	64	
		C	45												3	5	3	10	23	1
92	Embolism and thrombosis (not cerebral)	W	15		1		1					2		1	2	4			4	
		C	2												2					
93	Diseases of the veins	W	2							1					1					
		C	4											1		2	1			
94	Diseases of the lymphatic system	W	7	2	1	2	1					1								
		C	1													1				
95	Hemorrhage without specified cause	W	4	1							1				1				1	
		C	4	1									2			1				
96	Other diseases of the circulatory system	W	15												1	3	1	4	6	
		C	11									1		1	2	1	2	2		2
	V.—Diseases of the respiratory system	White	1,450	249	79	61	13	11	27	28	53	47	45	44	121	110	126	212	215	9
		Colored	1,352	248	66	38	18	11	27	30	96	118	101	78	150	137	95	74	52	13
97a	Diseases of the nasal fossae	W	1		1															
		C	17	12	1												2	1	1	
97b	Diseases of the nasal fossae annexa	W	2	1							1									
		C	2								2									
98	Diseases of the larynx	W	5	1	2	1											1			
		C	1																	1
99a	Acute bronchitis	W	10	2											1			2	5	
		C	7	2				1	1	1									2	
99b	Chronic bronchitis	W	24	1												2	3	9	9	
		C	6		1					1				1		1		1	1	
99c,d	Bronchitis (unspecified)	W	31	11	3										1		3	4	8	1
		C	17	3	6							2			1	2		1	2	
100a	Broncho-pneumonia	W	455	123	39	35	5	5	9	8	8	8	3	7	12	19	30	65	77	2
		C	272	107	30	16	9	4	6	9	9	14	5	7	12	15	5	13	7	4
100b	Capillary bronchitis	W	7	2	3	1												1		
		C	2	2																
101a	Lobar pneumonia	W	620	53	13	8	5	4	10	16	35	31	35	32	84	66	67	90	69	2
		C	708	55	15	10	5	2	11	12	66	74	80	52	114	92	63	40	15	2
101b	Pneumonia (unspecified)	W	213	47	13	11	1		6	4	7	7	4	3	18	16	18	23	32	3
		C	245	65	14	9	2	2	8	5	16	23	12	7	14	16	13	12	21	6
102	Pleurisy	W	37	4	5	4	1	1	1				3	2	1	2	1	9	3	
		C	26	2		2		2		1	1	3	3	4	3	2	2	1		
103	Congestion and hemorrhagic infarct of the lung	W	15	4							1				1	1		4	4	
		C	5											1			1	3		
104	Gangrene of the lung	C	2						1			1								
105	Asthma	W	17				1		1		1				1	2	1	3	7	
		C	30			2					1	1	1	5	5	3	8	1	3	
106	Pulmonary emphysema	W	2					1											1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	11			1						1			2	2	2	2		1
		C	12							1	1			1	1	6	1	1		
	VI.—Diseases of the digestive system	White	1,463	329	238	65	31	18	49	35	49	47	42	32	95	99	91	126	113	4
		Colored	933	215	97	25	12	5	27	22	40	39	43	35	100	116	57	50	40	10
108	Diseases of the mouth and annexa	W	15						2	1	1		1		3	4		2		1
		C	12	1		1			1			1	1			4		2	1	
109b	Other diseases of the pharynx, tonsils	W	40	2	1	1	5	2	7	3	5	5	2		5				2	
		C	32	1	3	4	1		4	3	1	4	3	2	4	1				1
110	Diseases of the esophagus	W	2						1									1		
		C	2													2				
111a	Ulcer of the stomach	W	52							1	1	3	2	6	4	8	8	14	5	
		C	31									1		1	8	7	6	4	3	1
111b	Ulcer of the duodenum	W	15										3	1	1	7	1	2		
		C	2								1					1				
112	Other diseases of the stomach (cancer excepted)	W	127	24	5	6	1	4	4		1	2	1	1	12	6	12	23	23	2
		C	163	13	4	3	2	1	3	1	7	8	7	9	26	30	16	17	12	4
113	Diarrhea and enteritis (under 2 years)	W	500	278	222															
		C	280	192	88															
114	Diarrhea and enteritis (2 years and over)	W	162			56	19	6	10	1		3		1	3	4	8	19	31	1
		C	70			17	5	2	4	3	2	1		3	4	7	9	3	9	1
115	Ancylostomiasis	W	4						1	2	1									
116	Diseases due to other intestinal parasites	W	1							1										
		C	2	1			1													

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																			
	VI.—Diseases of the digestive system—Continued																			
117	Appendicitis and typhlitis	W	218		1		2	4	14	19	36	24	20	10	38	21	13	15	1	
		C	118	1			1		7	10	16	14	16	6	24	13	6	2	1	1
118a	Hernia	W	19								1	1	1			2	1	5	8	
		C	25	3	1						1	1		1	4	4	2	4	4	
118b	Intestinal obstruction	W	105	20	4	1	4	1	5	3	1	3	4	8	8	13	11	13	6	
		C	74	2				1	1	1	6	3	8	7	9	19	5	5	5	2
119	Other diseases of the intestines	W	16		1				2			1	1		3		2	3	3	
		C	14				1		1		1		1		4	2	3		1	
120	Acute yellow atrophy of the liver	W	6	1								1			1	1			1	
		C	2										2							
122	Cirrhosis of the liver	W	54					1			1	1		2	3	10	15	9	12	
		C	44		1				1		2	2	1	1	8	12	8	6	2	
123	Biliary calculi	W	30									1	1		4	8	6	6	4	
		C	7											1	1	2	1	2		
124	Other diseases of the liver	W	75	3	4	1			2		1		2	3	8	13	12	11	15	
		C	29					1	3	1		2	2	3	4	8	1	3	1	
125	Diseases of the pancreas	W	6										1		1		1	2	1	
126	Peritonitis without specified cause	W	16	1					1	4		2	3		1	2	1		1	
		C	26	1			1		2	3	3	2	2	1	4	4		2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,350	6	5	4	5	4	8	12	15	21	36	22	98	129	211	375	384	15
		Colored	1,192	5	3	5	2		9	5	24	18	34	41	151	262	194	212	216	11
128	Acute nephritis (including unspecified under 10 years)	W	92	2	3	1	1	3	6	6	2	5	6	2	12	14	5	13	9	2
		C	91	1	1	5	1		7	2	5	4	5	7	11	18	12	8	3	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,066		1				1	6	7	9	17	13	66	94	192	328	322	10
		C	916						2	3	12	8	17	25	100	216	159	181	184	9
131	Other diseases of the kidneys and annexa	W	53	2	1	3	3	1	1		2	1	3	2	3	10	8	6	7	
		C	47	3	2		1				2	2	4	2	4	3	5	8	10	1
132	Calculi of the urinary passages	W	9				1						1		2	1	1		2	1
		C	2												2					
133	Diseases of the bladder	W	18	1								1						3	13	
		C	15	1											3	3	3	3	5	
134	Diseases of the urethra, etc	W	2												2					
		C	16											1	3	4	5	3		
135	Diseases of the prostate	W	59													2	2	25	30	
		C	34												3	4	7	7	13	
136	Nonvenereal diseases of the male genital organs	W	2	1												1				
137	Cysts, other benign tumors of the ovary	W	5											2	1	1	1			
		C	2												1	1				
138	Salpingitis and pelvic abscess (female)	W	19								2	3	6	1	3	3	1			
		C	27								3	3	7	2	9	3				
139	Benign tumors of the uterus	W	10								1		1	1	3	1	1		1	1
		C	26								1	1		3	12	7	1	1		
140	Nonpuerperal uterine hemorrhage	W	1												1					
		C	1								1									
141	Other diseases of the female genital organs	W	14								1	2	2	1	5	2				1
		C	14										1	1	6	4	1	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1																1	
	VIII.—The puerperal state	White	324							2	49	64	63	62	78	3				3
		Colored	261							3	65	62	36	34	55	2				4
143	Accidents of pregnancy	W	32								4	7	6	8	7					
		C	23							1	2	3	5	5	6					1
144	Puerperal hemorrhage	W	29								1	1	9	9	9					
		C	15									2	2	4	6	1				
145	Other accidents of labor	W	35							1	2	5	8	7	12					
		C	40							1	9	12	3	8	7					
146	Puerperal septicemia	W	97								16	22	16	17	23	1				2
		C	85								23	22	14	6	18					2
147	Puerperal phlegmasia alba dolens, embolus, etc	W	5										3	1	1					
		C	4									1		1	2					
148	Puerperal albuminuria and convulsions	W	126							1	26	29	21	20	26	2				1
		C	92							1	31	22	12	10	15					1
149	Following childbirth (undefined)	C	2												1	1				
	IX.—Diseases of the skin and of the cellular tissue	White	43	9		1				2	1	2	2	1	1	5	5	6	8	
		Colored	23	3							1				4	5	3	2	4	1
151	Gangrene	W	14	1						1			1			2		4	5	
		C	10								1				1	2	1	1	3	1
152	Furuncle	W	8											1	1	1	4	1		
		C	2													1	1			
153	Acute abscess	W	9	3		1					1	1				1	1	1		
		C	5	1											2	1		1		
154	Other diseases of the skin and annexa	W	12	5						1		1	1			1			3	
		C	6	2											1	1	1		1	
	X.—Diseases of the bones and of the organs of locomotion	White	27	1	1	1	2	2	2	3	1	2		2	2	1		3	4	
		Colored	7			1			1	1			2	1			1			
155	Diseases of the bones (tuberculosis excepted)	W	19			1	2	2	2	3	1	1		1				3	3	
		C	4			1			1	1			1							
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	8	1	1							1		1	2	1			1	
		C	2										1	1						
158	Other diseases of the organs of locomotion	C	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																		
	XI.—Malformations—White	154	145	5			1	1		1	1								
	XI.—Malformations—Colored	33	26	2	3			1		1									
159a	Congenital hydrocephalus—W	16	13	2						1									
	Congenital hydrocephalus—C	13	8	1	3			1											
159b	Congenital malformations of the heart—W	82	80				1	1											
	Congenital malformations of the heart—C	15	14	1															
159c	Other congenital malformations—W	56	52	3							1								
	Other congenital malformations—C	5	4							1									
	XII.—Early infancy—White	944	944																
	XII.—Early infancy—Colored	520	520																
160	Congenital debility, icterus, sclerema—W	130	130																
	Congenital debility, icterus, sclerema—C	103	103																
161a	Premature birth—W	661	661																
	Premature birth—C	336	336																
161b	Injury at birth—W	106	106																
	Injury at birth—C	42	42																
162	Other diseases peculiar to early infancy—W	46	46																
	Other diseases peculiar to early infancy—C	37	37																
163	Lack of care—W	1	1																
	Lack of care—C	2	2																
164	XIII.—Old age (senility)—White	309															33	275	1
	XIII.—Old age (senility)—Colored	414													2	14	50	343	5
	XIV.—External causes—White	1,290	65	29	23	26	17	62	53	107	116	113	87	136	144	87	94	119	12
	XIV.—External causes—Colored	1,197	50	24	18	20	17	55	43	111	188	144	110	159	120	54	28	38	18
	Suicide—W	114								4	9	12	9	24	22	19	11	3	1
	Suicide—C	10								1		1	2	4			2		
165	By poisons (gas or corrosives excepted)—W	9									1	1		1	3	2	1		
166	By corrosive substances—W	19								1	2	5	2	3	2	2	2		
	By corrosive substances—C	1										1							
167	By poisonous gas—W	1												1					
168	By hanging or strangulation—W	9											1		3	2	2	1	
169	By drowning—W	1													1				
	By drowning—C	1											1						
170	By firearms—W	64								3	6	6	6	16	10	11	5	1	
	By firearms—C	6								1			1	3			1		
171	By cutting or piercing instruments—W	8												2	3	2	1		
	By cutting or piercing instruments—C	1															1		
174	By other means—W	3												1				1	1
	By other means—C	1												1					
	Homicide—W	118	4					1	1	5	15	17	14	28	14	10	6	2	1
	Homicide—C	312	2		1			2	4	22	77	62	41	54	29	10	1	1	6
197	By firearms—W	90	1						1	2	12	15	14	23	11	7	3		1
	By firearms—C	219			1			2	1	12	55	44	37	37	18	8			4
198	By cutting or piercing instruments—W	9								2	2	1		2		1	1		
	By cutting or piercing instruments—C	63	1						2	8	20	15	3	7	5	1			1
199	By other means—W	19	3					1		1	1	1		3	3	2	2	2	
	By other means—C	30	1						1	2	2	3	1	10	6	1	1	1	1
	Accidental or undefined—W	1,058	61	29	23	26	17	61	52	98	92	84	64	84	108	58	77	114	10
	Accidental or undefined—C	875	48	24	17	20	17	53	39	88	111	81	67	101	91	44	25	37	12
175	Poisoning by food—W	43	15	9	1	3	2	4	1	1	1			1	2	1	1	1	
	Poisoning by food—C	19	4	1	1			2	1				2	1	4	1	1	1	
176	Poisoning by venomous animals—W	5	1			1								1	2				
177	Other acute poisonings (gas excepted)—W	22	4	3		2	1	1	2		1	1		1	5		1		
	Other acute poisonings (gas excepted)—C	19	1	3	2	1		2	1		3			4	2				
178	Conflagration—W	12				2	2						1	2	3		1	1	
	Conflagration—C	14	2	1		1	1	1		2	1			1	1			2	1
179	Burns (conflagration excepted)—W	109	10	10	9	8	6	12	9	5	10	3	1	6	3	6	7	3	1
	Burns (conflagration excepted)—C	142	6	6	11	18	12	22	7	5	8	3	4	5	4	10	11	9	1
180	Mechanical suffocation—W	21	20														1		
	Mechanical suffocation—C	35	26					1	1	1	1	1	2		1	1			
181	Absorption of irrespirable, irritating, or poisonous gas—W	7						1		2			2	1	1				
	Absorption of irrespirable, irritating, or poisonous gas—C	4		1										1	1	1			
182	Drowning—W	56		4		1	1	4	7	12	8	5	6	3	4				1
	Drowning—C	65		3				5	4	14	11	6	7	5	4	2	2	2	
183	Traumatism by firearms (except in war)—W	59						1	9	15	7	5	5	5	4	1			2
	Traumatism by firearms (except in war)—C	80		2	2		1	6	11	16	13	9	5	9	3	1		1	1
184	Traumatism by cutting or piercing instruments—W	7	1		2					1		1					1	1	
	Traumatism by cutting or piercing instruments—C	8								3			1		3	1			
185	Traumatism by fall—W	132	3	1	1	4		5	4	5	4	4	3	3	4	5	18	68	
	Traumatism by fall—C	37	3	1	1		2	2		3	2	2	1	4	5	2		8	1
186a	Traumatism in mines—W	70								5	12	15	7	12	14	4	1		
	Traumatism in mines—C	127								7	26	18	23	31	15	3	1		3
187	Traumatism by machines—W	53								7	7	7	6	8	10	4	3	1	
	Traumatism by machines—C	35							1	4	8	6	3	4	7	1			1
188a	Railroad accidents—W	96		1	1			1		14	11	10	8	7	16	14	7	3	3
	Railroad accidents—C	74						1	1	12	10	14	7	10	5	9	2	1	2
	Collision with automobiles—W	10								3	2	3	1		1				
	Collision with automobiles—C	3							1		1	1							
	Other railroad accidents—W	86		1	1			1		11	9	7	7	7	15	14	7	3	3
	Other railroad accidents—C	71						1		12	9	13	7	10	5	9	2	1	2
188b	Street-car accidents—W	8										1	1	2	2	1		1	
	Street-car accidents—C	5								2		1					2		
	Collision with automobiles—W	3										1	1		1				
	Other street-car accidents—W	5												2	1	1		1	
	Other street-car accidents—C	5								2		1					2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)—W	163	1		4	3	4	20	12	12	14	12	14	17	21	7	11	10	1
	Automobile accidents (excluding collision with railroad trains and street cars)—C	89	1	1				6	4	11	17	12	4	9	14	4	2	4	
188d	Airplane and balloon accidents—W	2										1		1					
188e,f	Injuries by other vehicles—W	16						3			2	3			2	2	3		1
	Injuries by other vehicles—C	13					1		3			1	1	3	1		1	2	
188g	Landslide, other crushing—W	10			1					2	2	1	1	1	1	1			
	Landslide, other crushing—C	6								2	1	1		1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ALABAMA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
189	Injuries by animals (not poisoning) W	9						1	3	1	1			1			1	1	
	C	8						1			1			1	3	2			
190	Wounds of war C	1										1							
192	Starvation (deprivation of food or water) W	1													1				
193	Excessive cold C	1																1	
194	Excessive heat W	8										1		2			2	3	
	C	7											1	2	2		2		
195	Lightning W	18						2	1	5	3	3		2	2				
	C	13									3	1	2	1	3	2		1	
196	Other accidental electric shocks W	10						1	1		1	3	2	1	1				
	C	1												1					
201	Fracture (cause not specified) W	29								1	1		1		1	1	9	15	
	C	9						1		1				1	2	2		2	
202	Other external violence W	92	6	1	4	2	1	5	3	10	7	8	6	7	8	8	9	6	1
	C	63	5	5				3	5	5	6	5	4	7	10	2	1	3	2
	XV.—Ill-defined diseases White	857	368	17	12	3	1	12	8	9	10	11	12	40	48	58	116	125	7
	Colored	1,932	637	44	19	7	8	16	22	41	72	64	57	157	196	171	161	228	32
204	Sudden death W	88	21	2			1					2	2	7	8	7	17	21	
	C	101	14		2		1	1	1	1	3	4	2	9	12	18	17	15	1
205a	Ill-defined W	218	39	5	4	1		2	2	3	2	3	6	20	25	26	49	39	1
	C	581	88	12	6	2	2	3	4	12	33	24	22	77	100	78	54	61	3
205b	Not specified or unknown W	551	308	10	8	2		10	6	6	8	6	4	13	15	25	50	74	6
	C	1,250	535	32	11	5	5	12	17	28	36	36	33	71	84	75	90	152	28
	CALIFORNIA																		
	All causes	56,800	5,855	1,004	457	323	277	783	683	1,207	1,646	1,964	2,162	5,393	6,658	8,641	9,827	9,914	6
	I.—Epidemic, endemic, and infectious diseases	8,957	752	333	166	122	111	307	272	494	731	845	770	1,410	1,074	789	510	270	1
1	Typhoid and paratyphoid fever	121			1	2	1	8	10	16	15	9	10	21	18	6	2	2	
5	Malaria	26	2	1		1				1	1		3	1	7	2	2	5	
6	Smallpox	59	5	1	1	1	1		2	4	3	5	4	14	5	7	5	1	
7	Measles	35	11	9	5	1	2	3	3		1								
8	Scarlet fever	64	2	5	6	6	6	15	10	2	5	1	1	4	1				
9	Whooping cough	481	302	109	24	16	8	13	3	2					1	1	2		
10	Diphtheria	275	15	35	39	24	31	71	27	8	9	5	2	5	1	3			
11a	Influenza (with pulmonary complications)	516	88	23	9	4	4	13	9	15	18	13	17	45	53	60	74	71	
11b	Influenza (other and unspecified)	288	32	12	6	6	3	16	14	7	12	6	8	25	18	25	36	62	
13	Mumps	4	1	1					1						1				
15	Cholera nostras	1						1											
16	Dysentery	91	26	12	5	3	1		1	1	2	1	3	7	4	10	8	7	
17	Plague	1							1										
19	Spirochetal hemorrhagic jaundice	1												1					
20	Leprosy	4										1		1			1	1	
21	Erysipelas	74	25	4	2			1	4	3	2	1	4	7	8	5	5	3	
22	Acute anterior poliomyelitis	149	10	14	10	8	13	40	26	15	4	5		3	1				
23	Lethargic encephalitis	80	6	5	2	3		5	4	4	1	9	6	7	15	8	5		
24	Meningococcus meningitis	47	11	7	1		3	5	3	4	4	1	1	5		2			
25	Other epidemic and endemic diseases	5	2		1			1	1										
27	Anthrax	2										1		1					
28	Rabies	2		1					1										
29	Tetanus	56	5	1	5	3	1	11	6	3	1	3	1	5	6	2	3		
30	Mycoses	13	4	1						1			2		1	3		1	
	Tuberculosis (all forms)	5,934	112	79	47	37	35	101	145	397	636	753	673	1,139	801	562	314	102	1
31	Of the respiratory system	5,262	42	29	14	13	16	47	93	350	583	690	641	1,080	759	519	292	93	1
32	Of the meninges, central nervous system	236	38	29	23	17	12	32	19	18	12	14	4	11	5	2			
33	Of the intestines, peritoneum	151	8	4	1	1	1	9	17	9	13	16	11	21	14	18	5	3	
34	Of the vertebral column	44		1	1	1	1	3	4	2	5	4	3	5	5	5	4		
35	Of the joints	14				1		1	4	1		1	1	1	1	1	2		
36	Of other organs	65		2				2	2	6	3	8	3	8	8	11	8	4	
37a	Disseminated (acute)	142	22	14	6	4	5	5	6	11	17	18	8	13	4	5	3	1	
37b	Disseminated (chronic or unspecified)	20	2		2			2			3	2	2		5	1		1	
38	Syphilis	568	86	12	1	5	1	3	1	6	13	24	28	99	130	92	53	14	
40	Gonococcus infection	27	1							3	2	4	4	12	1				
41	Purulent infection, septicemia	33	6	2		2	1			2	2	3	3	8	2	1		1	
	II.—General diseases not included in Class I	7,239	109	26	17	14	9	34	38	44	44	94	158	695	1,232	1,854	1,839	1,031	1
	Cancer and other malignant tumors	5,292	4	3	4	1	3	5	5	14	19	42	97	500	938	1,417	1,408	831	1
43	Of the buccal cavity	173					1	1					1	9	34	39	48	40	
44	Of the stomach, liver	1,888	1							1	1	8	14	108	260	566	609	319	1
45	Of the peritoneum, intestines, rectum	792		2			1				5	8	18	64	126	211	225	132	
46	Of the female genital organs	762								1	3	11	32	147	207	170	126	65	
47	Of the breast	529								1	1	2	12	82	128	143	103	57	
48	Of the skin	101											3	7	2	18	27	44	
49	Of other or unspecified organs	1,047	3	1	4	1	1	4	5	11	9	13	17	83	181	270	270	174	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	39	2	2			1			2	2	3	5	1	5	5	6	5	
51	Acute rheumatic fever	60				2	2	3	11		3	10	2	2	7	2	10	6	
52	Chronic rheumatism, osteoarthritis, gout	61									1		1	4	7	14	16	18	
53	Scurvy	2	1	1															
54	Pellagra	48								3	1	2	4	8	10	15	3	2	
55	Beriberi	3	1								2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
56	Rickets	19	13	4	1	1													
57	Diabetes mellitus	775		1	4	3	1	8	6	9	1	6	13	50	94	209	250	120	
58	Anemia, chlorosis	334	7	1				2	3	3	1	3	4	35	50	99	95	31	
59	Diseases of the pituitary gland	8						1			2		1	1	2	1			
60a	Exophthalmic goiter	110			1					7	1	2	8	20	29	22	17	3	
60b	Other diseases of the thyroid gland	28	1		2						1	1	1	1	7	9	4	1	
61	Diseases of the parathyroid glands	5	3	1	1														
62	Diseases of the thymus gland	58	40	6	1		1	4	1		1	2	1		1				
63	Diseases of the adrenals (Addison's disease)	25										4	3	6	3	8	1		
64	Diseases of the spleen	10										1		4	3	1	1		
65a	Leukemia	110	4	4	2	4		6	10	3	3	8	1	12	15	20	14	4	
65b	Hodgkin's disease	33		1				2	1	1	1	4	2	11	5	4		1	
66	Alcoholism (acute or chronic)	122							1		1	5	13	29	44	20	8	1	
67a	Chronic lead poisoning	10									1			2	3	4			
68	Chronic poisoning by organic substances	15												5	4	2	1	3	
69	Other general diseases	72	33	2	1	3	1	3		2	3	1	2	4	5	2	5	5	
	III.—Diseases of the nervous system and of the organs of special sense	5,607	98	30	23	21	18	38	26	36	42	58	116	390	654	1,046	1,434	1,575	2
70	Encephalitis	70	10		3	1	4	3	1	1	4	3	5	13	10	8	2	2	
71a	Simple meningitis	76	22	9	5	6	2	6	1	3	4	2	4	5	4	3			
71b	Nonepidemic cerebrospinal meningitis	26	5	3	3		2	2	1	2	2	1	1	1	1	2			
72	Tabes dorsalis (locomotor ataxia)	115											1	5	27	42	28	12	
73	Other diseases of the spinal cord	178	1	3		1	1	4	3	4		5	9	10	33	39	40	25	
74a	Cerebral hemorrhage	3,706	8	3	1			2	1	3	6	11	20	115	349	754	1,120	1,313	
74b	Cerebral embolism and thrombosis	217				2		1		2	3	3	2	4	15	32	76	77	
75	Paralysis without specified cause	185	1			1					2		3	8	15	32	48	75	
76	General paralysis of the insane	403							1	1	1	8	28	152	117	55	31	9	
77	Other forms of mental alienation	78								5	7	5	12	13	15	10	10	1	
78	Epilepsy	105	3				2	4	4	7	5	8	8	18	16	12	11	7	
80	Infantile convulsions (under 5 years)	23	17	3	1	2													
81	Chorea	2					1	1											
82	Neuralgia and neuritis	15												1	2	4	6	2	
83	Softening of the brain	39														5	13	21	
84	Other diseases of the nervous system	237	4	1	5	3	5	4	6	6	1	7	14	25	39	43	44	28	2
85	Diseases of the eye and annexa	2															1	1	
86a	Diseases of the ear	92	24	6	3	3	1	6	5	2	2	2	5	14	9	5	3	2	
86b	Diseases of the mastoid process	38	3	2	2	2		5	3		5	3	4	6	2		1		
	IV.—Diseases of the circulatory system	11,676	24	11	8	7	3	32	54	72	70	105	159	575	1,248	2,269	3,183	3,855	1
87	Pericarditis	57						2	1	3	2		3	6	11	13	10	6	
88	Endocarditis and myocarditis (acute)	340	10	5	2	1	2	12	12	16	20	31	27	82	21	39	31	29	
89	Angina pectoris	939								1		2	3	45	128	267	300	193	
90	Other diseases of the heart	8,981	9	5	5	6	1	18	40	49	47	67	116	390	972	1,731	2,471	3,053	1
91a	Aneurysm	169										1	4	19	43	46	34	22	
91b,c	Other diseases of the arteries	999										1	1	17	43	125	287	525	
92	Embolism and thrombosis (not cerebral)	152	3						1	2	1	3	3	9	23	40	43	24	
93	Diseases of the veins	27											1	7	3	7	6	3	
94	Diseases of the lymphatic system	7	1	1	1								1		3				
95	Hemorrhage without specified cause	3	1							1						1			
96	Other diseases of the circulatory system	2													1		1		
	V.—Diseases of the respiratory system	4,263	876	245	80	46	35	71	52	66	65	102	122	366	355	470	580	732	
97a	Diseases of the nasal fossae	4	1										1	1				1	
97b	Diseases of the nasal fossae annexa	34	1					1	1	6	5	2	2	7	2	7			
98	Diseases of the larynx	14	3	1	2		1	2						1	3			1	
99a	Acute bronchitis	113	40	12	4	3	1	2	1		1	1	1	4		2	14	27	
99b	Chronic bronchitis	133	1			1						1		2	11	16	32	69	
99c,d	Bronchitis (unspecified)	46	8	1	1	1			2		1			1	2	1	8	20	
100a	Broncho-pneumonia	1,671	593	163	50	22	16	33	19	14	15	25	20	76	70	108	167	280	
100b	Capillary bronchitis	26	14	2			1										4	5	
101a	Lobar pneumonia	1,756	173	52	19	15	13	25	23	39	38	63	82	216	221	274	288	215	
101b	Pneumonia (unspecified)	111	26	3	1		3	5	2	3	2	3	2	9	6	7	13	26	
102	Pleurisy	121	10	7	1	3		2	2	3	1	2	7	23	18	13	16	13	
103	Congestion and hemorrhagic infarct of the lung	76	6	1	1								2	2	1	1	9	53	
104	Gangrene of the lung	11												2	2	4	2	1	
105	Asthma	98		1	1	1		1	1	1		3	2	15	10	24	20	18	
106	Pulmonary emphysema	2		1														1	
107	Other diseases of the respiratory system (tuberculosis excepted)	47		1					1		2	2	3	7	9	13	7	2	
	VI.—Diseases of the digestive system	4,463	1,086	237	76	38	38	94	63	104	104	121	159	450	527	565	476	324	1
108	Diseases of the mouth and annexa	23								1	5	2		4	3	4	3	1	
109b	Other diseases of the pharynx, tonsils	127	12	5	5	3	4	20	8	7	10	10	3	17	7	8	7	1	
110	Diseases of the esophagus	8											1	1	1	3		2	
111a	Ulcer of the stomach	306	3						1	2	5	11	17	55	70	62	56	24	
111b	Ulcer of the duodenum	131	1							3	4	4	9	28	29	27	19	7	
112	Other diseases of the stomach (cancer excepted)	184	37	6	5	2		1		2	1	4	5	14	12	27	28	40	
113	Diarrhea and enteritis (under 2 years)	1,197	979	218															
114	Diarrhea and enteritis (2 years and over)	284			53	23	18	31	3	4	5	3	6	19	21	28	36	34	
116	Diseases due to other intestinal parasites	5					1					1	1	1	1				
117	Appendicitis and typhlitis	670	2	1	7	6	7	31	40	69	50	54	61	127	91	85	27	12	
118a	Hernia	172	8					1		1	1	3	2	15	26	48	40	26	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
118b	Intestinal obstruction	354	35	5	5	1	4	2	4	7	9	9	20	40	53	50	67	43	
119	Other diseases of the intestines	52	1		1	1	1	3		1	2	1	4	6	10	7	4	10	
120	Acute yellow atrophy of the liver	14	1							1		1	2	4		1	3	1	
121	Hydatid tumor of the liver	2												1			1		
122	Cirrhosis of the liver	425	1						2	1	1	2	10	52	106	105	87	58	
123	Biliary calculi	192								1	2	2	4	21	42	54	44	22	
124	Other diseases of the liver	221					1		2		5	11	9	28	40	46	42	37	
125	Diseases of the pancreas	33						1		2	1		2	6	9	6	5	1	
126	Peritonitis without specified cause	63	6	2		2	2	4	3	2	3	3	3	11	6	4	7	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,909	41	6	5	6	4	16	25	37	69	85	107	399	648	953	1,229	1,279	
128	Acute nephritis (including unspecified under 10 years)	199	15	3	3	5	3	9	4	7	9	8	13	33	27	27	20	13	
129	Chronic nephritis (including unspecified 10 years and over)	3,891	2	1	2	1	1	3	18	21	34	41	63	248	505	820	1,039	1,092	
131	Other diseases of the kidneys and annexa	156	21	2				4	2	3	7	4	6	23	17	19	31	17	
132	Calculi of the urinary passages	38											3	7	11	6	6	5	
133	Diseases of the bladder	50	1									2	1	2	3	9	11	21	
134	Diseases of the urethra, etc	12										2			2	5	2	1	
135	Diseases of the prostate	270											1	2	6	36	103	122	
136	Nonvenereal diseases of the male genital organs	3	2												1				
137	Cysts, other benign tumors of the ovary	48									4	4	3	9	11	8	6	3	
138	Salpingitis and pelvic abscess (female)	91							1	5	13	15	8	26	14	8	1		
139	Benign tumors of the uterus	109									1	5	5	38	39	9	7	5	
140	Nonpuerperal uterine hemorrhage	2													2				
141	Other diseases of the female genital organs	40								1	1	4	4	11	10	6	3		
	VIII.—The puerperal state	512								42	100	124	113	130	3				
143	Accidents of pregnancy	54								2	4	11	13	23	1				
144	Puerperal hemorrhage	54									4	11	17	22					
145	Other accidents of labor	58								2	11	7	13	25					
146	Puerperal septicemia	199								20	48	58	36	36	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	16								1	3	6	3	3					
148	Puerperal albuminuria and convulsions	128								17	30	31	29	20	1				
149	Following childbirth (undefined)	3											2	1					
	IX.—Diseases of the skin and of the cellular tissue	127	21		2	1			1	6	5	4	4	9	8	13	19	34	
151	Gangrene	48	1		1								1	2	1	4	13	25	
152	Furuncle	25	1						1	2	2	1	1	2	5	4	4	2	
153	Acute abscess	26	3			1				4	3	3	1	3	2	4	1	1	
154	Other diseases of the skin and annexa	28	16		1								1	2		1	1	6	
	X.—Diseases of the bones and of the organs of locomotion	47		1	1	1	3	3	11	2		1	2	4	5	7	5	1	
155	Diseases of the bones (tuberculosis excepted)	39		1		1	3	3	11	2		1	2	4	4	4	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5			1										1		3		
158	Other diseases of the organs of locomotion	3														3			
	XI.—Malformations	588	526	15	13	3	1	10	3	4	2		2	3	4	2			
159a	Congenital hydrocephalus	58	41	5	3		1	5		1	1			1					
159b	Congenital malformations of the heart	316	291	8	3	1		4	3	1			2	1	2				
159c	Other congenital malformations	214	194	2	7	2		1		2	1			1	2	2			
	XII.—Early infancy	2,189	2,189																
160	Congenital debility, icterus, sclerema	291	291																
161a	Premature birth	1,363	1,363																
161b	Injury at birth	325	325																
162	Other diseases peculiar to early infancy	199	199																
163	Lack of care	11	11																
164	XIII.—Old age (senility)	371														5	43	323	
	XIV.—External causes	5,748	114	90	63	63	54	175	137	293	413	422	444	950	890	655	500	485	
	Suicide	1,114							1	20	54	76	95	249	249	200	120	50	
165	By poisons (gas or corrosives excepted)	88								6	7	8	6	19	16	14	6	6	
166	By corrosive substances	73								2	6	13	10	22	16	2	2		
167	By poisonous gas	236								4	6	12	22	53	64	40	30	5	
168	By hanging or strangulation	125								1	1	12	7	34	28	26	9	7	
169	By drowning	63								1	3	2	3	9	20	16	7	2	
170	By firearms	394							1	5	25	24	32	81	69	82	51	24	
171	By cutting or piercing instruments	83									2	3	7	19	22	16	11	3	
172	By jumping from high places	31								1	2	1	5	6	7	2	4	3	
173	By crushing	15									2	1	3	4	5				
174	By other means	6												2	2	2			
	Homicide	332	4		2	1	1	1	1	13	32	48	51	85	58	20	12	3	
197	By firearms	227			1	1			1	8	24	33	39	64	40	9	5	2	
198	By cutting or piercing instruments	51	1		1		1	1		2	5	6	7	14	9	2	2		
199	By other means	54	3							3	3	9	5	7	9	9	5	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CALIFORNIA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	4,302	110	90	61	62	53	174	135	260	327	298	298	616	583	435	368	432	
175	Poisoning by food	40	1	4	1	1	1	6	1	4	1	1		2	7	5	2	3	
176	Poisoning by venomous animals	5	1												2			2	
177	Other acute poisonings (gas excepted)	93	6	11	7	2		2		5	4	5	9	14	13	10	5		
178	Conflagration	61	5	2	3	5	1	5	1	1	6			10	8	7	4	3	
179	Burns (conflagration excepted)	240	8	19	14	20	14	24	11	9	12	11	13	17	27	12	14	15	
180	Mechanical suffocation	56	34	1				1	2		2	4	4	3	3	2			
181	Absorption of irrespirable, irritating, or poisonous gas	105	1							2	4	9	4	20	20	20	11	14	
182	Drowning	328	1	18	11	8	3	21	20	40	43	23	20	46	47	20	4	3	
183	Traumatism by firearms (except in war)	111				2	1	6	13	17	13	10	10	14	11	9	5		
184	Traumatism by cutting or piercing instruments	36	2	1		3	1	3	2		1	2	1	6	6	2	3	3	
185	Traumatism by fall	754	6	7	6	1	1	11	14	26	24	23	27	65	77	73	107	286	
186a	Traumatism in mines	33								1	4	4		15	4	5			
186b	Traumatism in quarries	2										1	1						
187	Traumatism by machines	132								11	15	14	21	32	23	9	6	1	
188a	Railroad accidents	270		3		3		5	5	19	31	35	23	45	44	33	18	6	
	Collision with automobiles	105				1		3	3	11	13	14	13	16	14	11	5	1	
	Other railroad accidents	165		3		2		2	2	8	18	21	10	29	30	22	13	5	
188b	Street-car accidents	152		1	1		1	4	2	11	8	8	11	22	19	21	30	13	
	Collision with automobiles	66		1				3	1	7	5	4	8	16	6	10	5		
	Other street-car accidents	86			1		1	1	1	4	3	4	3	6	13	11	25	13	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,327	6	17	12	11	27	75	50	85	95	89	111	212	194	149	122	72	
188d	Airplane and balloon accidents	22								2	6	8	5	1					
188e,f	Injuries by other vehicles	72	1		2	1	1	2	2	8	17	4	4	5	5	11	8	1	
188g	Landslide, other crushing	78				1	1	1	2	1	7	12	6	19	13	8	5	2	
189	Injuries by animals (not poisoning)	14				1		1			3				4	2	3		
193	Excessive cold	1												1					
194	Excessive heat	69	17	1				1		3	4	1	2	6	14	11	7	2	
195	Lightning	1							1										
196	Other accidental electric shocks	78							2	3	9	16	14	19	11	4			
201	Fracture (cause not specified)	7		1									1	1		3		1	
202	Other external violence	215	21	4	4	3	1	6	7	12	18	18	11	41	31	19	14	5	
	XV.—Ill-defined diseases	104	19	10	3	1	1	3	1	7	1	3	6	12	10	13	9	5	
204	Sudden death	9	5			1								1	1	1			
205a	Ill-defined	40	6	8	2		1	1	1	1		1	1	2	1	8	5	2	
205b	Not specified or unknown	55	8	2	1			2		6	1	2	5	9	8	4	4	3	
	COLORADO																		
	All causes	12,549	1,739	303	151	79	81	251	230	332	511	579	592	1,215	1,235	1,536	1,898	1,797	20
	I.—Epidemic, endemic, and infectious diseases	2,793	232	94	51	32	33	106	74	124	235	309	313	451	272	193	145	125	4
1	Typhoid and paratyphoid fever	92	2	2		1	1	8	6	13	10	8	7	17	6	5	3	3	
5	Malaria	2								1			1						
7	Measles	8	4	1	1			1	1										
8	Scarlet fever	30	2		5	1	5	7	6	2	2								
9	Whooping cough	103	57	25	11	1	5	2	2										
10	Diphtheria	149	11	13	9	10	11	54	23	4	4	2	1	4	1	2			
11a	Influenza (with pulmonary complications)	353	56	22	8	5	5	8	7	11	11	15	15	22	33	38	48	49	
11b	Influenza (other and unspecified)	230	34	14	5	4	2	7	12	8	9	6	11	20	12	15	24	47	
13	Mumps	3							1		1		1						
15	Cholera nostras	2	1										1						
16	Dysentery	34	10	4	3	1						1	1	1	1	2	4	6	
19	Spirochetal hemorrhagic jaundice	1							1										
21	Erysipelas	47	13	2	1	1				1			1	4	4	5	9	6	
22	Acute anterior poliomyelitis	8		1	2			1		2			1		1				
23	Lethargic encephalitis	18							2	3		1		3	5	1	1	2	
24	Meningococcus meningitis	15	5		1	1	1	2	2	1				1	1				
25	Other epidemic and endemic diseases	2					1								1				
29	Tetanus	10						1	1	2	1	1		2		1	1		
30	Mycoses	3						1		1									
	Tuberculosis (all forms)	1,585	8	10	5	7	1	13	10	73	193	265	267	361	196	111	49	12	4
31	Of the respiratory system	1,487		6	2	1	1	4	6	69	186	256	262	345	184	107	45	9	4
32	Of the meninges, central nervous system	28	6	3	1	5		6		2	1	1		2	1				
33	Of the intestines, peritoneum	24	1					1	3	1		1	4	5	3	2	1	2	
34	Of the vertebral column	7									1	1	1	2	1	1			
35	Of the joints	3							1		1						1		
36	Of other organs	20			1						2	2		5	7	1	2		
37a	Disseminated (acute)	13		1	1	1		2			2	4		1				1	
37b	Disseminated (chronic or unspecified)	3	1							1				1					
38	Syphilis	80	27				1	1			3	5	5	11	10	12	5		
40	Gonococcus infection	6								1		3	1	1					
41	Purulent infection, septicemia	11	2							2		1		3	1	1	1		
42	Other infectious diseases	1												1					
	II.—General diseases not included in Class I	1,299	21	4	3	3	1	17	11	18	22	19	25	108	214	298	355	175	5
	Cancer and other malignant tumors	902	1	1	1	2		1	2	3	8	7	19	70	155	225	273	130	4
43	Of the buccal cavity	19									1				4	4	7	3	
44	Of the stomach, liver	345									1	1	4	21	58	86	114	57	3
45	Of the peritoneum, intestines, rectum	124											2	12	18	24	43	24	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Continued.																		
46	Of the female genital organs	110							1		2	2	4	14	27	36	23	1	
47	Of the breast	83								1	1		2	12	21	20	19	7	
48	Of the skin	21												1	2	3	9	6	
49	Of other or unspecified organs	200	1	1	1	2		1	1	2	3	4	7	10	25	52	58	32	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5												1		2	2		
51	Acute rheumatic fever	36					1	8	5	4	2	4		5	1	1	1	4	
52	Chronic rheumatism, osteoarthritis, gout	17										1		1	2	2	6	5	
54	Pellagra	4														3	1		
56	Rickets	5	4	1															
57	Diabetes mellitus	106						4	4	3	3		2	7	14	20	31	18	
58	Anemia, chlorosis	90								1	1	1	3	9	15	21	27	12	
59	Diseases of the pituitary gland	1														1			
60a	Exophthalmic goiter	35								2	5	1		6	7	10	3	1	
60b	Other diseases of the thyroid gland	7									1	1			2	1	2		
62	Diseases of the thymus gland	11	7	1				2						1					
63	Diseases of the adrenals (Addison's disease)	9												1	6	1	1		
64	Diseases of the spleen	2		1													1		
65a	Leukemia	25	1		2			1		3	1	3		3	3	3	3	2	
65b	Hodgkin's disease	10	1							2				1	2	3	1		
66	Alcoholism (acute or chronic)	18									1	1	1	3	6	3	1	1	1
67a	Chronic lead poisoning	1															1		
67b	Other chronic mineral poisoning	1														1			
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	13	7			1		1								1	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,116	29	2	5	2	1	10	9	10	11	12	15	74	100	210	319	306	1
70	Encephalitis	12	4					1		2			1	2	1		1		
71a	Simple meningitis	17	5		1			2			2			5	1		1		
71b	Nonepidemic cerebrospinal meningitis	7	3	1	1						1			1					
72	Tabes dorsalis (locomotor ataxia)	19												4	3	7	3	2	
73	Other diseases of the spinal cord	19	1					1	1	1		1			1	3	7	2	1
74a	Cerebral hemorrhage	769						1	1	3	1	3	4	24	57	164	257	254	
74b	Cerebral embolism and thrombosis	51												5	4	9	17	16	
75	Paralysis without specified cause	35													1	6	10	18	
76	General paralysis of the insane	61							1			1	3	19	18	10	8	1	
77	Other forms of mental alienation	3											1	1			1		
78	Epilepsy	31	2					3	1	2	3	3	4	2	5	2	2	2	
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	5	3		2														
81	Chorea	3								1					1		1		
82	Neuralgia and neuritis	2											1			1			
83	Softening of the brain	7												1	1	1	4		
84	Other diseases of the nervous system	41	1	1					1		1	1	1	8	7	4	10	6	
85	Diseases of the eye and annexa	1				1													
86a	Diseases of the ear	23	9		1			1	2	1	1	3		2		2		1	
86b	Diseases of the mastoid process	9	1			1	1	1	2		1			1		1			
	IV.—Diseases of the circulatory system	1,657	9	2		3	2	24	27	23	26	23	24	111	174	293	444	472	
87	Pericarditis	12						1		2	1			2		1	4	1	
88	Endocarditis and myocarditis (acute)	68	3					9	6		5	3	2	11	10	6	9	4	
89	Angina pectoris	114									1	1	1	4	10	31	47	19	
90	Other diseases of the heart	1,191	5	2		3	2	14	21	21	17	17	19	83	133	220	303	331	
91a	Aneurysm	20												2	7	2	8	1	
91b,c	Other diseases of the arteries	208											1	5	7	24	60	111	
92	Embolism and thrombosis (not cerebral)	27	1									2		2	5	4	8	5	
93	Diseases of the veins	16									2		1	2	1	5	5		
95	Hemorrhage without specified cause	1													1				
	V.—Diseases of the respiratory system	1,220	245	56	23	12	7	19	22	24	22	30	41	87	121	139	161	210	1
97a	Diseases of the nasal fossae	2				1								1					
97b	Diseases of the nasal fossae annexa	13						1		1	2	2	1		2	3	1		
98	Diseases of the larynx	6	2	1		1			1					1					
99a	Acute bronchitis	10	3														1	6	
99b	Chronic bronchitis	25												1	2	2	7	12	1
99c,d	Bronchitis (unspecified)	9	3	1		1											1	3	
100a	Broncho-pneumonia	380	152	32	12	3	3	7	1	5	3	5	4	7	19	21	35	71	
100b	Capillary bronchitis	7	4	2			1												
101a	Lobar pneumonia	606	59	18	8	3	3	11	18	14	16	18	27	63	73	90	96	89	
101b	Pneumonia (unspecified)	59	20	1	3	3			2	1		1	2	1	2	3	8	12	
102	Pleurisy	22	2							2	1	1	1	5	2	5	1	2	
103	Congestion and hemorrhagic infarct of the lung	12										1					2	9	
104	Gangrene of the lung	4								1			1			1	1		
105	Asthma	30										1	2	1	11	5	5	5	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	34		1								1	3	7	10	8	3	1	
	VI.—Diseases of the digestive system	1,348	410	105	46	18	22	32	40	45	44	35	43	96	105	112	99	95	1
108	Diseases of the mouth and annexa	6						1	1	1				1	1			1	
109b	Other diseases of the pharynx, tonsils	51	2	4	3	1	2	5	10	2	4	1	4	5	1	2	2	3	
110	Diseases of the esophagus	1															1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	VI.—Diseases of the digestive system—Continued																		
111a	Ulcer of the stomach	58								1	1	2	5	12	10	14	7	6	
111b	Ulcer of the duodenum	20								1	1		1	3	5	3	4	2	
112	Other diseases of the stomach (cancer excepted)	42	8	1	1			1	1	1				3	2	4	9	11	
113	Diarrhea and enteritis (under 2 years)	481	384	97															
114	Diarrhea and enteritis (2 years and over)	95			33	10	6	4	2	1		1	2	1	4	7	6	18	
117	Appendicitis and typhlitis	258	1	1	2	4	11	20	24	32	30	18	12	39	30	19	12	3	
118a	Hernia	29	1									2		2	7	8	7	2	
118b	Intestinal obstruction	100	8	2	5	2		1	1	5	2	4	8	11	12	12	12	15	
119	Other diseases of the intestines	14	1		1		1			1		2	1		1	2	2	2	
120	Acute yellow atrophy of the liver	7	1			1					1		1	1			2		
122	Cirrhosis of the liver	49							1				1	3	6	12	11	15	
123	Biliary calculi	62									2	4	3	5	14	13	10	10	1
124	Other diseases of the liver	57	1								2	1	3	8	9	14	12	7	
125	Diseases of the pancreas	5			1									1	2	1			
126	Peritonitis without specified cause	13	3				2				1		2	1	1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	946	6	5	5		1	3	8	14	19	17	21	83	102	176	259	226	1
128	Acute nephritis (including unspecified under 10 years)	45	1	4	5		1	2	1	2			2	6	6	6	3	6	
129	Chronic nephritis (including unspecified 10 years and over)	700						1	5	10	10	7	12	41	70	151	209	183	1
131	Other diseases of the kidneys and annexa	32	4	1					2		3	1		6	4	3	4	4	
132	Calculi of the urinary passages	11									1	1		2		2	3	2	
133	Diseases of the bladder	5	1															4	
134	Diseases of the urethra, etc	4												1	2		1		
135	Diseases of the prostate	72												1	2	9	35	25	
136	Nonvenereal diseases of the male genital organs	1															1		
137	Cysts, other benign tumors of the ovary	13									1	1	1	3	5		1	1	
138	Salpingitis and pelvic abscess (female)	20								1	3	5	2	5	4				
139	Benign tumors of the uterus	32										1	3	16	8	2	1	1	
141	Other diseases of the female genital organs	11								1	1	1	1	2	1	3	1		
	VIII.—The puerperal state	170								15	35	47	30	42	1				
143	Accidents of pregnancy	14								1	2	4	5	2					
144	Puerperal hemorrhage	11									4	2	3	2					
145	Other accidents of labor	22								1	5	5	3	8					
146	Puerperal septicemia	80								6	17	23	15	18	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	8								1	2	3		2					
148	Puerperal albuminuria and convulsions	33								6	5	9	4	9					
149	Following childbirth (undefined)	2										1		1					
	IX.—Diseases of the skin and of the cellular tissue	33	4									1	3		5	1	6	13	
151	Gangrene	19											2			1	4	12	
152	Furuncle	3	1												1			1	
153	Acute abscess	6	2									1	1		2				
154	Other diseases of the skin and annexa	5	1												2		2		
	X.—Diseases of the bones and of the organs of locomotion	10							1			2	2		3		2		
155	Diseases of the bones (tuberculosis excepted)	8							1			2	2		2		1		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													1		1		
	XI.—Malformations	128	118	4	1	1	1	1	1		1								
159a	Congenital hydrocephalus	9	7				1	1											
159b	Congenital malformations of the heart	79	73	4		1					1								
159c	Other congenital malformations	40	38		1				1										
	XII.—Early infancy	622	622																
160	Congenital debility, icterus, sclerema	72	72																
161a	Premature birth	409	409																
161b	Injury at birth	68	68																
162	Other diseases peculiar to early infancy	69	69																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	120													1	2	17	99	1
	XIV.—External causes	1,045	28	29	15	8	13	37	37	58	96	83	74	161	134	107	87	72	6
	Suicide	181							1	9	12	14	13	41	29	28	23	9	2
165	By poisons (gas or corrosives excepted)	22								1	1	1	1	5	7	3	2		1
166	By corrosive substances	12								2	2	3	1	3		1			
167	By poisonous gas	19								1	4	1	2	3	5	1	1	1	
168	By hanging or strangulation	17								1		1	1	1	3	3	6	1	
169	By drowning	7											2	3		1	1		
170	By firearms	88							1	4	3	6	5	21	14	16	11	6	1
171	By cutting or piercing instruments	9										1	1	3		2	1	1	
172	By jumping from high places	2									1			1					
173	By crushing	3									1	1					1		
174	By other means	2												1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	COLORADO—Continued																		
	XIV.—External causes—Contd.																		
	Homicide	84	1	1		1			2	4	15	14	14	11	12	4	4		1
197	By firearms	66		1		1			1	4	12	13	10	10	9	2	2		1
198	By cutting or piercing instruments	4									1	1	1	1					
199	By other means	14	1						1		2		3		3	2	2		
	Accidental or undefined	780	27	28	15	7	13	37	34	45	69	55	47	109	93	75	60	63	3
175	Poisoning by food	10	4	1							1	1		1			2		
176	Poisoning by venomous animals	2													1		1		
177	Other acute poisonings (gas excepted)	18		3	2		1				2	2	1	2	2	1	1	1	
178	Conflagration	6	2	1						1		1				1			
179	Burns (conflagration excepted)	45	1	5	6	3	3	4	1		5	2		5	5	3		2	
180	Mechanical suffocation	13	10						1					2					
181	Absorption of irrespirable, irritating, or poisonous gas	16									1	1		8	1	2	1	2	
182	Drowning	52	2	7	5	1	1	2	6	8	9	3	2	1	3		1	1	
183	Traumatism by firearms (except in war)	23		1				2	4	6	4			2	2	2			
184	Traumatism by cutting or piercing instruments	5		2					2									1	
185	Traumatism by fall	128	3	3		1		4	5	4	4	2	2	8	13	12	21	45	1
186a	Traumatism in mines	79								1	7	11	12	26	14	7	1		
186b	Traumatism in quarries	1													1				
187	Traumatism by machines	24								4	1	2	1	4	6	4	2		
188a	Railroad accidents	66		2			1			2	12	7	8	18	7	5	3		1
	Collision with automobiles	6									1	1		2	2				
	Other railroad accidents	60		2			1			2	11	6	8	16	5	5	3		1
188b	Street-car accidents	12						2				1		3		4	1	1	
	Collision with automobiles	4						1						2		1			
	Other street-car accidents	8						1				1		1		3	1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	146	1	1		1	2	13	6	11	13	9	11	13	27	16	16	6	
188d	Airplane and balloon accidents	4									1		2						1
188e,f	Injuries by other vehicles	29					1	3	2	3		3		1	4	4	7	1	
188g	Landslide, other crushing	9					1	2	1				4	1					
189	Injuries by animals (not poisoning)	17			1		1	2	1		1	1		3		6	1		
193	Excessive cold	5										1	2				1	1	
194	Excessive heat	1	1																
195	Lightning	15						1	1	1	3	3		2	2	1		1	
196	Other accidental electric shocks	13							2	2	1	2	1	2	1	1	1		
201	Fracture (cause not specified)	1																1	
202	Other external violence	40	3	2	1	1	2	2	2	2	4	3	1	7	4	6			
	XV.—Ill-defined diseases	42	15	2	2			2		1		1	1	2	3	5	4	4	
204	Sudden death	1	1																
205a	Ill-defined	16	1	2						1				1	1	4	3	3	
205b	Not specified or unknown	25	13		2			2				1	1	1	2	1	1	1	
	CONNECTICUT																		
	All causes	17,680	2,179	346	149	101	85	358	229	330	411	416	540	1,386	2,032	2,695	3,097	3,317	9
	I.—Epidemic, endemic, and infectious diseases	2,115	219	106	57	41	29	102	53	115	149	173	164	289	250	174	121	73	
1	Typhoid and paratyphoid fever	40			1			1	2	4	3	4	7	5	6	6	1		
5	Malaria	6			1							2		1	1		1		
6	Smallpox	1															1		
7	Measles	40	13	13	2	5	2	2	1			1						1	
8	Scarlet fever	46		6	3	4	5	14			6	1	3	1	1	2			
9	Whooping cough	113	68	32	7	3		3											
10	Diphtheria	128	8	16	19	16	11	37	9	3	1	1		4	3				
11a	Influenza (with pulmonary complications)	219	36	8	6	2	2	3	5	6	2	3	7	21	25	28	39	26	
11b	Influenza (other and unspecified)	108	22	9	1	2	1	5	2	2	2	2	1	8	6	11	13	21	
15	Cholera nostras	1																1	
16	Dysentery	9	5	1										1		1	1		
21	Erysipelas	40	15	1				2	1	1	1		2	1	4	4	7	1	
22	Acute anterior poliomyelitis	19	1		2	1	1	6	3	1	1	1			1	1			
23	Lethargic encephalitis	39	3	4	1			3	3	2		4		3	7	8	1		
24	Meningococcus meningitis	14	3	2	1		1	4	1		1			1					
25	Other epidemic and endemic diseases	1				1													
27	Anthrax	1							1										
29	Tetanus	17	1				1	6	3			1		2	2		1		
30	Mycoses	5	2							1				1			1		
	Tuberculosis (all forms)	1,160	20	11	12	7	5	16	20	93	127	146	139	222	177	97	47	21	
31	Of the respiratory system	1,002	4		2			3	11	84	120	140	129	201	161	88	40	19	
32	Of the meninges, central nervous system	65	12	7	9	4	2	10	6	4	3	2	2	2		1	1		
33	Of the intestines, peritoneum	40	2	3		1		2	1	2	2	2	1	10	8	1	5		
34	Of the vertebral column	15			1			1		2	1	1	2		5	1		1	
35	Of the joints	4							1					2		1			
36	Of other organs	13		1		1					1		1	4	1	4			
37a	Disseminated (acute)	15	2			1	2		1	1			4	3	1				
37b	Disseminated (chronic or unspecified)	6					1					1			1	1	1	1	
38	Syphilis	85	20	2	1				1		3	3	4	16	14	15	5	1	
40	Gonococcus infection	4								1		1		1	1				
41	Purulent infection, septicemia	18	2	1					1	1	1	3	1	1	2	1	3	1	
42	Other infectious diseases	1									1								
	II.—General diseases not included in Class I	2,356	51	5	7	4	4	23	16	19	18	17	40	191	431	638	562	330	
	Cancer and other malignant tumors	1,656	1			1	1	2		3	6	7	21	135	334	454	420	271	
43	Of the buccal cavity	59											1	1	10	12	24	11	
44	Of the stomach, liver	566				1				1	1	2	5	31	100	162	160	103	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	II.—General diseases not included in Class I—Continued																		
	Cancer and other malignant tumors—Continued.																		
45	Of the peritoneum, intestines, rectum	280					1					1	2	23	52	78	79	44	
46	Of the female genital organs	238									2	1	7	41	69	53	45	20	
47	Of the breast	168										1	1	21	46	42	31	26	
48	Of the skin	35						1						1	3	6	6	18	
49	Of other or unspecified organs	310	1					1		2	3	2	5	17	54	101	75	49	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7												1	2	2		2	
51	Acute rheumatic fever	53					1	13	9	5	5		2	4	2	5	6	1	
52	Chronic rheumatism, osteoarthritis, gout	23													3	6	5	9	
54	Pellagra	2													1			1	
56	Rickets	10	7		2	1													
57	Diabetes mellitus	320			1		1	3	3	4	3	2	6	11	44	111	94	37	
58	Anemia, chlorosis	89	1					1		2	1	2	2	7	18	26	24	5	
59	Diseases of the pituitary gland	1														1			
60a	Exophthalmic goiter	22							1		1	3	3	4	3	5	2		
60b	Other diseases of the thyroid gland	8	2	1									2	1	1	1			
61	Diseases of the parathyroid glands	3	1	1	1														
62	Diseases of the thymus gland	11	9	2															
63	Diseases of the adrenals (Addison's disease)	9								1				2	3	1	2		
65a	Leukemia	28		1	1	1		2	2	3	2		1	3	1	6	4	1	
65b	Hodgkin's disease	14				1		1		1		1		2	1	4	3		
66	Alcoholism (acute or chronic)	58										1	3	21	15	15	2	1	
67a	Chronic lead poisoning	1														1			
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	2													2				
69	Other general diseases	38	30		2		1	1	1			1						2	
	III.—Diseases of the nervous system and of the organs of special sense	1,966	65	17	11	4	5	23	11	14	20	18	29	102	230	341	530	545	1
70	Encephalitis	13	1					1		1		1		4	4	1			
71a	Simple meningitis	56	12	9	6	2	1	7	3	3			1	5	2	3	2		
71b	Nonepidemic cerebrospinal meningitis	5	4												1				
72	Tabes dorsalis (locomotor ataxia)	20										1		2	1	3	11	2	
73	Other diseases of the spinal cord	55	1					2		1	1	2	1	6	9	12	15	5	
74a	Cerebral hemorrhage	1,404	5		1		1	1			3	1	5	33	151	272	444	486	1
74b	Cerebral embolism and thrombosis	74	2						2	1	1	2	3	3	12	11	19	18	
75	Paralysis without specified cause	24											2	1	1	3	8	9	
76	General paralysis of the insane	79											3	25	28	14	5	4	
77	Other forms of mental alienation	13									1		2	2	4	2	1	1	
78	Epilepsy	44	2	1		1			2	3	6	6	4	7	4	1	6	1	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	28	25	1	2														
82	Neuralgia and neuritis	5												1	2	1		1	
83	Softening of the brain	8													1	2	1	4	
84	Other diseases of the nervous system	87	5	2		1	2	2		2	4	4	5	10	9	13	16	12	
85	Diseases of the eye and annexa	2							1									1	
86a	Diseases of the ear	36	7	4	1		1	6	3	2	2	1	2	2	1	2	2		
86b	Diseases of the mastoid process	11	1		1			3		1	2		1			1		1	
	IV.—Diseases of the circulatory system	3,714	16	7	4	2	3	26	30	31	33	32	59	181	401	678	934	1,276	1
87	Pericarditis	4			1										1	1		1	
88	Endocarditis and myocarditis (acute)	152	10	2	1	2		6	2	6	8	10	19	36	11	14	13	12	
89	Angina pectoris	309										1	3	18	50	69	102	66	
90	Other diseases of the heart	2,831	3	3	2		3	19	27	23	21	19	32	113	318	546	725	976	1
91a	Aneurysm	13												6	2	2	3		
91b,c	Other diseases of the arteries	348											2	3	11	37	83	212	
92	Embolism and thrombosis (not cerebral)	33	2						1		3	2	2	2	6	4	6	5	
93	Diseases of the veins	12								1				3	1	3		4	
94	Diseases of the lymphatic system	8	1	2				1			1		1			2			
95	Hemorrhage without specified cause	2								1					1				
96	Other diseases of the circulatory system	2															2		
	V.—Diseases of the respiratory system	1,743	324	109	31	14	7	27	16	23	34	30	52	150	195	205	245	280	1
97a	Diseases of the nasal fossae	4	1											2				1	
97b	Diseases of the nasal fossae annexa	6								1	3			1		1			
98	Diseases of the larynx	7	1	1	1		2											2	
99a	Acute bronchitis	38	12	4	2	1	1	1							1	1	4	11	
99b	Chronic bronchitis	34	1					1				1		1	5	2	8	15	
99c,d	Bronchitis (unspecified)	42	17	4	2							1			1	1	3	13	
100a	Broncho-pneumonia	607	197	64	16	4	3	10	6	4	5	8	8	34	28	39	72	109	
100b	Capillary bronchitis	5	2	1													1	1	
101a	Lobar pneumonia	869	75	29	8	8	1	14	7	16	26	15	41	103	136	151	142	96	1
101b	Pneumonia (unspecified)	21	6	3	1				1	1		2			1		3	3	
102	Pleurisy	42	5	2	1	1		1	2	1		1	2	3	9	6	1	7	
103	Congestion and hemorrhagic infarct of the lung	29	5	1											1		6	16	
104	Gangrene of the lung	6										1		1	2	1	1		
105	Asthma	22	1									1		3	6	3	3	5	
106	Pulmonary emphysema	1											1						
107	Other diseases of the respiratory system (tuberculosis excepted)	10	1											2	5		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	VI.—Diseases of the digestive system	1,250	325	58	17	10	12	40	29	28	29	34	50	97	143	171	112	95	
108	Diseases of the mouth and annexa	6										1		2	1	1	1		
109a	Adenoid vegetations	1		1															
109b	Other diseases of the pharynx, tonsils	54	4	4	2	2	3	4	4	8	4	1	2	3	8	3	1	1	
110	Diseases of the esophagus	1														1			
111a	Ulcer of the stomach	67	1					1			2	6	1	9	17	9	11	10	
111b	Ulcer of the duodenum	26								1			3	3	6	7	2	4	
112	Other diseases of the stomach (cancer excepted)	67	22	1	1		1	1						4	5	14	5	13	
113	Diarrhea and enteritis (under 2 years)	317	275	42															
114	Diarrhea and enteritis (2 years and over)	80			10	7	1	6			2		2	5	9	13	11	14	
116	Diseases due to other intestinal parasites	1														1			
117	Appendicitis and typhlitis	200		3	1		4	21	23	16	16	15	18	35	20	13	11	4	
118a	Hernia	67	1								1		2	1	14	21	16	11	
118b	Intestinal obstruction	95	16	5	1		1	4		1		4	7	9	11	12	13	11	
119	Other diseases of the intestines	20	2								2		1	3	4	3	3	2	
120	Acute yellow atrophy of the liver	3										1	1			1			
122	Cirrhosis of the liver	97		1					1	1	1	1	4	6	18	34	17	13	
123	Biliary calculi	69										3	3	11	19	23	7	3	
124	Other diseases of the liver	46			1	1	1		1		1	1	2	4	10	11	7	6	
125	Diseases of the pancreas	8											2	2		1	3		
126	Peritonitis without specified cause	25	4	1	1		1	3		1		1	2		1	3	4	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,648	7	1	1	1	2	4	5	10	25	17	25	111	204	313	444	478	
128	Acute nephritis (including unspecified under 10 years)	55	2	1	1	1	2	1	2	1	4	1	4	12	4	7	6	6	
129	Chronic nephritis (including unspecified 10 years and over)	1,407						2	1	7	15	11	16	68	171	284	398	434	
131	Other diseases of the kidneys and annexa	31	4					1	2	1	2	1	1	3	4	4	5	3	
132	Calculi of the urinary passages	9											1	2	3	1	2		
133	Diseases of the bladder	14													3		5	6	
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	59									1				1	8	24	25	
137	Cysts, other benign tumors of the ovary	10										1		2	3	1	2	1	
138	Salpingitis and pelvic abscess (female)	15								1	1	2	3	7	1				
139	Benign tumors of the uterus	35										1		15	12	4	1	2	
140	Nonpuerperal uterine hemorrhage	2												1	1				
141	Other diseases of the female genital organs	9									2			1	1	3	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	146							1	14	25	28	36	42					
143	Accidents of pregnancy	13								2	2	3	3	3					
144	Puerperal hemorrhage	15										1	5	9					
145	Other accidents of labor	13								1	1	3	4	4					
146	Puerperal septicemia	53							1	7	9	11	9	16					
147	Puerperal phlegmasia alba dolens, embolus, etc	14									4	4	3	3					
148	Puerperal albuminuria and convulsions	37								4	9	6	12	6					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	46	12	1					2	2	1	1	3		4	4	6	9	1
151	Gangrene	18		1									1		1	1	5	8	1
152	Furuncle	7	1							1	1		2		1	1			
153	Acute abscess	12	5						2			1			1	2	1		
154	Other diseases of the skin and annexa	9	6							1					1			1	
	X.—Diseases of the bones and of the organs of locomotion	29	1		1	2		5	2	2	2	1		3	3	3	2	2	
155	Diseases of the bones (tuberculosis excepted)	26			1	2		5	2	2	2			3	3	3	1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1									1					1		
	XI.—Malformations	202	193	6	2		1	3	1	1	1								
159a	Congenital hydrocephalus	33	26	3			1	1	1	1									
159b	Congenital malformations of the heart	99	94		2			2			1								
159c	Other congenital malformations	76	73	3															
	XII.—Early infancy	908	908																
160	Congenital debility, icterus, sclerema	111	111																
161a	Premature birth	498	498																
161b	Injury at birth	211	211																
162	Other diseases peculiar to early infancy	86	86																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	92														1	5	86	
	XIV.—External causes	1,403	38	34	18	23	22	105	62	71	74	64	78	214	166	160	130	140	4
	Suicide	190								2	4	10	18	54	45	33	15	9	
165	By poisons (gas or corrosives excepted)	10										1	1	4	4				
166	By corrosive substances	11											1	6	2	2			
167	By poisonous gas	36										3	3	6	13	8	3		
168	By hanging or strangulation	42									1		5	12	8	9	5	2	
169	By drowning	19									1	2	1	5	3	2	3	2	
170	By firearms	42								2	2	4	4	9	9	5	3	4	
171	By cutting or piercing instruments	21											2	10	4	4		1	
172	By jumping from high places	4											1	1	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	CONNECTICUT—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
173	By crushing	3												1		2			
174	By other means	2														1	1		
	Homicide	55	9	1		2	1	1	1		10	5	7	11	5	2			
197	By firearms	17		1							2	3	3	6	2				
198	By cutting or piercing instruments	6						1					1	3	1				
199	By other means	32	9			2	1		1		8	2	3	2	2	2			
	Accidental or undefined	1,158	29	33	18	21	21	104	61	69	60	49	53	149	116	125	115	131	4
175	Poisoning by food	7	1		2			1							1	2			
177	Other acute poisonings (gas excepted)	16		3	3	1	1							1	1	5		1	
178	Conflagration	21		1		2		4		1	3	1		5	2	2			
179	Burns (conflagration excepted)	95	4	14	8	9	6	12	3	4	2	4	3	7	7	2	7	3	
180	Mechanical suffocation	8	7												1				
181	Absorption of irrespirable, irritating, or poisonous gas	53	1						1	1	2	1	2	10	11	13	4	7	
182	Drowning	116		3	1	1	1	17	21	12	12	9	4	13	7	8	5		2
183	Traumatism by firearms (except in war)	8							3	3				1				1	
184	Traumatism by cutting or piercing instruments	14	1						1	1			1	3		6	1		
185	Traumatism by fall	228	3	5	1		1	4	1	3	2	3	8	19	19	22	46	90	1
187	Traumatism by machines	30		1						3	1	1	1	8	7	3	4	1	
188a	Railroad accidents	51		1			1	1	2	5	1	2	7	13	9	5	4		
	Collision with automobiles	7								2				1	3		1		
	Other railroad accidents	44		1			1	1	2	3	1	2	7	12	6	5	3		
188b	Street-car accidents	20						1	1	3	1	3	1	2	3	4	1		
	Collision with automobiles	5										3	1		1				
	Other street-car accidents	15						1	1	3	1			2	2	4	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	340	1		1	6	10	62	23	25	28	19	18	42	26	38	29	12	
188d	Airplane and balloon accidents	2										1	1						
188e f	Injuries by other vehicles	22							2	2	2		3	5	4		2	2	
188g	Landslide, other crushing	5										1		1	2	1			
189	Injuries by animals (not poisoning)	9		1		1			1						3	2	1		
193	Excessive cold	8	1								1			1	1	2	1	1	
194	Excessive heat	31	1	2	1					1	1		1	5	6	3	3	7	
195	Lightning	3							1	1						1			
196	Other accidental electric shocks	12								1	3	3	1	3	1				
201	Fracture (cause not specified)	10										1		1	1	1	1	5	
202	Other external violence	49	9	2	1	1	1	2	1	3	1		2	10	4	6	5	1	
	XV.—Ill-defined diseases	56	20	2					1			1	4	6	5	7	6	3	1
204	Sudden death	11	6						1				1	1		1	1		
205a	Ill-defined	18	3	2								1		2	4	3	2	1	
205b	Not specified or unknown	27	11										3	3	1	3	3	2	1
	DELAWARE																		
	All causes	3,115	423	80	31	25	13	57	46	52	93	89	77	238	305	416	540	626	4
	I.—Epidemic, endemic, and infectious diseases	425	43	20	9	7	5	19	13	22	38	38	33	48	37	41	32	18	2
1	Typhoid and paratyphoid fever	26				2		3	3	5	1	6	3	2		1			
7	Measles	5	2	2			1												
8	Scarlet fever	3		1			1	1											
9	Whooping cough	17	13	3			1												
10	Diphtheria	30	4	8	4	3	2	9											
11a	Influenza (with pulmonary complications)	31	4						1		2		3	4	3	6	6	2	
11b	Influenza (other and unspecified)	25	3					1	2			1	1	1	2	4	6	4	
16	Dysentery	7	2		2											1	1	1	
19	Spirochetal hemorrhagic jaundice	1															1		
21	Erysipelas	7	1	1					1								1	3	
22	Acute anterior poliomyelitis	1						1											
23	Lethargic encephalitis	4		1								1			1	1			
24	Meningococcus meningitis	3	1					1					1						
27	Anthrax	3											1		1	1			
29	Tetanus	3						1	1		1								
	Tuberculosis (all forms)	239	4	3	3	2		2	4	17	33	30	22	39	28	26	17	7	2
31	Of the respiratory system	210	2	2	1	1			3	15	30	28	21	35	25	24	17	5	1
32	Of the meninges, central nervous system	8	2	1	1	1		1	1	1									
33	Of the intestines, peritoneum	9										2		4		1		2	
34	Of the vertebral column	1											1						
35	Of the joints	1									1								
36	Of other organs	2			1											1			
37a	Disseminated (acute)	5						1		1	1				2				
37b	Disseminated (chronic or unspecified)	3									1				1				1
38	Syphilis	18	9	1					1		1		2	2	2				
41	Purulent infection, septicemia	2														1		1	
	II.—General diseases not included in Class I	325	7	2				3	3	2	4	5	8	32	64	61	76	57	1
	Cancer and other malignant tumors	225							1			2	3	21	49	49	54	46	
43	Of the buccal cavity	9													2		2	5	
44	Of the stomach, liver	61												3	10	20	18	10	
45	Of the peritoneum, intestines, rectum	24							1				1	1	5	4	3	9	
46	Of the female genital organs	51										1		6	15	13	11	5	
47	Of the breast	31											2	5	8	4	4	8	
48	Of the skin	7													1		1	5	
49	Of other or unspecified organs	42										1		6	8	8	15	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	II.—General diseases not included in Class I—Continued																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1																1	
51	Acute rheumatic fever	5							2		1	1				1			
52	Chronic rheumatism, osteoarthritis, gout	3											1					2	
56	Rickets	2	2																
57	Diabetes mellitus	42	1					1			2	1	1	3	9	6	12	5	1
58	Anemia, chlorosis	17	1								1			1	1	3	8	3	
60a	Exophthalmic goiter	4										1	1	2					
62	Diseases of the thymus gland	1		1															
65a	Leukemia	6	1							1			2	1		1			
66	Alcoholism (acute or chronic)	13								1				5	4	1	2		
67a	Chronic lead poisoning	1													1				
69	Other general diseases	5	2	1				2											
	III.—Diseases of the nervous system and of the organs of special sense	366	10	4	1			5	1	1	3	3	4	23	48	53	104	106	
70	Encephalitis	3	1					1			1								
71a	Simple meningitis	11	6	2										1	1	1			
72	Tabes dorsalis (locomotor ataxia)	2											1				1		
73	Other diseases of the spinal cord	8										1		1		1	2	3	
74a	Cerebral hemorrhage	256		1										9	32	42	81	91	
74b	Cerebral embolism and thrombosis	13						1				1			2	3	5	1	
75	Paralysis without specified cause	15															7	8	
76	General paralysis of the insane	20											2	8	8		2		
78	Epilepsy	16							1	1	1	1	1	3	2	4	1	1	
80	Infantile convulsions (under 5 years)	2	2																
83	Softening of the brain	2																2	
84	Other diseases of the nervous system	11									1			1	3	1	5		
86a	Diseases of the ear	5	1	1	1			1								1			
86b	Diseases of the mastoid process	2						2											
	IV.—Diseases of the circulatory system	583	3	1		1		5	4	9	4	7	3	33	54	110	129	220	
87	Pericarditis	1												1					
88	Endocarditis and myocarditis (acute)	22	1			1		2	2	2	1	2	1	3	2	1	2	2	
89	Angina pectoris	30												2	7	7	6	8	
90	Other diseases of the heart	470	2	1				3	2	7	3	5	2	25	43	97	108	172	
91a	Aneurysm	3													2	1			
91b,c	Other diseases of the arteries	54												2		3	12	37	
93	Diseases of the veins	3														1	1	1	
	V.—Diseases of the respiratory system	270	69	21	11	9	1	3	7	2	8	6	10	17	17	25	39	24	1
97b	Diseases of the nasal fossae annexa	2	1						1										
98	Diseases of the larynx	2	1			1													
99a	Acute bronchitis	5	1	1					1									2	
99b	Chronic bronchitis	5														1	3	1	
99c,d	Bronchitis (unspecified)	3	3																
100a	Broncho-pneumonia	91	43	13	6	3		1		1			1	1	5	1	8	8	
101a	Lobar pneumonia	118	11	5	3	4		2	3		6	6	7	14	9	19	20	9	
101b	Pneumonia (unspecified)	20	7	1	1	1			1				1	2		1	2	3	
102	Pleurisy	8	1	1	1		1				1						3		
103	Congestion and hemorrhagic infarct of the lung	3	1														1	1	
104	Gangrene of the lung	1														1			
105	Asthma	7							1				1		2	1	1		1
106	Pulmonary emphysema	3													1	1	1		
107	Other diseases of the respiratory system (tuberculosis excepted)	2								1	1								
	VI.—Diseases of the digestive system	296	123	22	7	4	1	8	2	4	3	9	4	17	24	23	26	19	
108	Diseases of the mouth and annexa	3	1												2				
109b	Other diseases of the pharynx, tonsils	4								1		1				1	1		
111a	Ulcer of the stomach	4													3	1			
111b	Ulcer of the duodenum	6										1		3	1	1			
112	Other diseases of the stomach (cancer excepted)	19	4	1				1						1	1	2	5	4	
113	Diarrhea and enteritis (under 2 years)	131	112	19															
114	Diarrhea and enteritis (2 years and over)	25			4	4	1	2	1			1		1	3	2	3	3	
117	Appendicitis and typhlitis	19		1				3	1	1	3	1	4	2	1	2			
118a	Hernia	9		1								1		1	1	1	3	1	
118b	Intestinal obstruction	24	5		2			1		2		2		3	4	1		4	
119	Other diseases of the intestines	2														1		1	
120	Acute yellow atrophy of the liver	2													1			1	
122	Cirrhosis of the liver	21												3	2	5	6	5	
123	Biliary calculi	7												1	3	1	2		
124	Other diseases of the liver	9										1			2	3	3		
125	Diseases of the pancreas	3												1		1	1		
126	Peritonitis without specified cause	8	1		1			1				1		1		1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	387	4	3	1	1		2	3		6	5	6	24	35	67	110	120	
128	Acute nephritis (including unspecified under 10 years)	21	3	3	1	1			2		1	1		3		2	2	2	
129	Chronic nephritis (including unspecified 10 years and over)	343						2	1		3	3	4	16	35	63	104	112	
131	Other diseases of the kidneys and annexa	2	1										1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	DELAWARE—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued																		
133	Diseases of the bladder	2														1	1		
135	Diseases of the prostate	7															2	5	
137	Cysts, other benign tumors of the ovary	2										1				1			
138	Salpingitis and pelvic abscess (female)	5									1		1	3					
139	Benign tumors of the uterus	4												2			1	1	
141	Other diseases of the female genital organs	1									1								
	VIII.—The puerperal state	36								3	12	9	2	10					
143	Accidents of pregnancy	3									1			2					
144	Puerperal hemorrhage	4								2	1	1							
145	Other accidents of labor	1										1							
146	Puerperal septicemia	18									7	6	2	3					
147	Puerperal phlegmasia alba dolens, embolus, etc	2										1		1					
148	Puerperal albuminuria and convulsions	8								1	3			4					
	IX.—Diseases of the skin and of the cellular tissue	10	2													1	3	4	
151	Gangrene	8														1	3	4	
154	Other diseases of the skin and annexa	2	2																
	X.—Diseases of the bones and of the organs of locomotion	2												1		1			
155	Diseases of the bones (tuberculosis excepted)	1												1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			
	XI.—Malformations	23	23																
159a	Congenital hydrocephalus	2	2																
159b	Congenital malformations of the heart	16	16																
159c	Other congenital malformations	5	5																
	XII.—Early infancy	135	135																
160	Congenital debility, icterus, sclerema	27	27																
161a	Premature birth	81	81																
161b	Injury at birth	19	19																
162	Other diseases peculiar to early infancy	8	8																
164	XIII.—Old age (senility)	33														1	3	29	
	XIV.—External causes	218	4	4	2	3	6	12	13	9	15	7	7	33	25	33	17	28	
	Suicide	23								1	3		4	6	5	3	1		
165	By poisons (gas or corrosives excepted)	1														1			
166	By corrosive substances	2												1			1		
167	By poisonous gas	5								1	1		1	2					
168	By hanging or strangulation	2									1				1				
170	By firearms	10									1		2	3	3	1			
171	By cutting or piercing instruments	1													1				
172	By jumping from high places	2											1			1			
	Homicide	9	3							1		1		2	2				
197	By firearms	4										1		1	2				
199	By other means	5	3							1				1					
	Accidental or undefined	186	1	4	2	3	6	12	13	7	12	6	3	25	18	30	16	28	
175	Poisoning by food	2														2			
177	Other acute poisonings (gas excepted)	4									1				3				
178	Conflagration	4				1										2	1		
179	Burns (conflagration excepted)	21		1	1	1	2	3			1			2	4	1	2	3	
180	Mechanical suffocation	1															1		
181	Absorption of irrespirable, irritating, or poisonous gas	7								1					1	3	1	1	
182	Drowning	24		1				4	3		2	2		6	3	1	2		
183	Traumatism by firearms (except in war)	7		2					1	2	1			1					
184	Traumatism by cutting or piercing instruments	2											1	1					
185	Traumatism by fall	39			1	1		2	1					2		8	4	20	
187	Traumatism by machines	3								1	1			1					
188a	Railroad accidents	12							1		1	2		5	1	1		1	
	Collision with automobiles	1							1										
	Other railroad accidents	11									1	2		5	1	1		1	
188b	Street-car accidents	2					1											1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	37					2	2	6	2	4	1	1	5	4	7	3		
188e,f	Injuries by other vehicles	7					1	1	1	1							2	1	
188g	Landslide, other crushing	1											1						
193	Excessive cold	1														1			
194	Excessive heat	9	1								1	1		2		1	1	2	
202	Other external violence	3													2	1			
	XV.—Ill-defined diseases	6		3											1		1	1	
204	Sudden death	1																1	
205a	Ill-defined	5		3											1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA																				
	All causes	White	4,293	419	51	23	19	16	57	32	64	93	118	139	332	528	732	813	857	
		Colored	2,722	377	64	29	21	16	36	40	84	156	151	157	414	436	338	252	151	
	I.—Epidemic, endemic, and infectious diseases	White	379	29	11	6	10	4	17	8	10	27	36	32	48	59	31	34	17	
		Colored	501	45	14	10	9	6	12	10	37	69	57	46	94	52	23	13	4	
1	Typhoid and paratyphoid fever	W	12						2	2	1	2		1	2	1		1		
		C	13						1		3	2	2	3	1	1				
5	Malaria	C	1													1				
6	Smallpox	W	16	1			1					2		5	1	6				
		C	4									1		1	1	1				
7	Measles	W	1						1											
		C	3		1				1		1									
8	Scarlet fever	W	4				1	2	1											
		C	1									1								
9	Whooping cough	W	9	5	3		1													
		C	20	13	4	3														
10	Diphtheria	W	24		2	3	5	1	9		1			1	1		1			
		C	13	1		2	1	2	4			1	1			1				
11a	Influenza (with pulmonary complications)	W	20	4							1	1		2	3	1	2	3	3	
		C	17	2								1		2	6	2	1	1	2	
11b	Influenza (other and unspecified)	W	13	3	1	1			1			1	2		1			1	2	
		C	10	1						1			1		1	3	3			
16	Dysentery	W	2	2																
		C	5	2																
21	Erysipelas	W	9	2							1		1		1					
		C	5											1		1	1	3	1	
22	Acute anterior poliomyelitis	W	3	1						1	1					2		2		
23	Lethargic encephalitis	W	11		1	1				1	1	2			1	2	2			
		C	3								1	1			1					
24	Meningococcus meningitis	W	1		1															
		C	1			1														
29	Tetanus	W	2																	
		C	7							1		2	2			1		1		
30	Mycoses	W	2	1												1		1		
		C	1	1																
	Tuberculosis (all forms)	W	214	4	3	1	2	1	1	2	5	19	31	21	36	36	20	21	11	
		C	354	9	9	3	8	3	6	7	30	56	44	36	79	36	19	7	2	
31	Of the respiratory system	W	189	1		1	1		1	2	5	17	29	21	33	32	19	18	9	
		C	300	3	3	1	3		4	4	27	47	39	33	76	34	17	7	2	
32	Of the meninges, central nervous system	W	10	2	3		1	1					1		1	1				
		C	17	4	1	1	2	2	2	1	1	1	1	1						
33	Of the intestines, peritoneum	W	3	1								1			1					
		C	13							1	2	7	2			1				
34	Of the vertebral column	W	5														1	3	1	
		C	5			1							1	1	1		1			
35	Of the joints	C	2										1		1					
36	Of other organs	W	5										1		1	2			1	
		C	4			2				1				1						
37a	Disseminated (acute)	W	2									1				1				
		C	12	2	5		1	1				1			1	1				
37b	Disseminated (chronic or unspecified)	C	1														1			
38	Syphilis	W	23	5									2		1	8	3	4		
		C	40	16		1		1			1	3	6	2	4	4		2		
40	Gonococcus infection	W	2										1			1				
		C	3							1		1		1						
41	Purulent infection, septicemia	W	11	1					2	2				1	2	1	2			
	II.—General diseases not included in Class I	White	643	12		1	1	2	3	2	3	8	9	13	52	128	163	158	88	
		Colored	225	17	3	1	2		4	2	3	6	6	16	36	61	41	19	8	
	Cancer and other malignant tumors	W	455					1			2	2	7	10	33	92	112	120	76	
		C	130									2		7	24	44	33	14	6	
43	Of the buccal cavity	W	20												1	6	8	4	1	
		C	4												2		2			
44	Of the stomach, liver	W	145					1						2	9	27	31	46	29	
		C	47												5	17	19	6		
45	Of the peritoneum, intestines, rectum	W	70										4		3	12	21	13	17	
		C	15									1		2	2	3	3	3	1	
46	Of the female genital organs	W	60											2	8	14	14	10	12	
		C	24									1		4	9	8	1	1		
47	Of the breast	W	41									1		2	6	10	7	11	4	
		C	13												3	5	2		3	
48	Of the skin	W	7													1	1	3	2	
		C	1													1				
49	Of other or unspecified organs	W	112								2	1	3	4	6	22	30	33	11	
		C	26											1	3	10	6	4	2	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	2													1	1			
51	Acute rheumatic fever	W	3				1						1		1					
		C	11				2		1		1	1	2			4				
52	Chronic rheumatism, osteoarthritis, gout	W	4							1						1		2		
54	Pellagra	W	2												1		1			
		C	1												1					
56	Rickets	C	6	3	1	1			1											
57	Diabetes mellitus	W	78			1						2		1	6	9	28	24	7	
		C	26									2	1	3	4	7	5	3	1	
58	Anemia, chlorosis	W	33							1			1	1	1	8	10	8	3	
		C	9	1					1	1			1			2	1	1	1	
59	Diseases of the pituitary gland	W	2	1											1					
		C	1								1									
60a	Exophthalmic goiter	W	17									1		1		7	5	3		
		C	7								1	1		2		1	1	1		
60b	Other diseases of the thyroid gland	W	1													1				
		C	3												1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

DISTRICT OF COLUMBIA—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	II.—General diseases not included in Class I—Continued																			
62	Diseases of the thymus gland	W	4	2				1	1											
		C	1							1										
63	Diseases of the adrenals (Addison's disease)	W	4												1	3				
64	Diseases of the spleen	C	1												1					
65a	Leukemia	W	11						1		1	2			1	1	3	1	1	
		C	2		1									1						
65b	Hodgkin's disease	W	4						1						2				1	
		C	1						1											
66	Alcoholism (acute or chronic)	W	12									1			5	4	2			
		C	11										2	3	4	2				
68	Chronic poisoning by organic substances	W	1														1			
69	Other general diseases	W	10	9												1				
		C	15	13	1										1					
	III.—Diseases of the nervous system and of the organs of special sense	White	465	8	5	3	1	1	5		5	6	4	15	40	43	91	112	126	
		Colored	257	6	2			2	2	2	3	5	7	11	42	63	56	40	16	
70	Encephalitis	W	5		1				1		1					2				
		C	3					1				1		1						
71a	Simple meningitis	W	16	4	1	3	1	1	2			1			2		1			
		C	6	3	1							1				1				
71b	Nonepidemic cerebrospinal meningitis	W	1								1									
		C	5	1						1	1			1	1					
72	Tabes dorsalis (locomotor ataxia)	W	7												1		4	2		
		C	5													2	2	1		
73	Other diseases of the spinal cord	W	15										1	1		2	6	2	3	
		C	5									1	1			1		2		
74a	Cerebral hemorrhage	W	290		1							1		2	5	18	67	94	102	
		C	163										2	4	23	41	49	32	12	
74b	Cerebral embolism and thrombosis	W	20									1			1		5	6	7	
		C	8					1				1		1	1	1	2	1		
75	Paralysis without specified cause	W	12														1	6	5	
		C	11												1	4	1	3	2	
76	General paralysis of the insane	W	51								1			9	20	17	3	1		
		C	30										3	3	10	10	1	1	2	
77	Other forms of mental alienation	W	4								1				3					
		C	6								2		1		2	1				
78	Epilepsy	W	5	1										2			1		1	
		C	5						1			1		1	2					
80	Infantile convulsions (under 5 years)	W	2	2																
		C	1	1																
82	Neuralgia and neuritis	W	2													1	1			
83	Softening of the brain	W	4															1	3	
84	Other diseases of the nervous system	W	17		1								2		7	2	2		3	
		C	4							1					1	1	1			
86a	Diseases of the ear	W	6	1	1							1		1					2	
		C	2						1							1				
86b	Diseases of the mastoid process	W	8						2		1	2	1		1	1				
		C	3	1	1										1					
	IV.—Diseases of the circulatory system	White	976	2		1	1		3	4	10	3	9	11	51	100	202	264	315	
		Colored	555	2	1		1			7	5	5	17	23	102	125	111	85	71	
87	Pericarditis	W	8			1									1	1	1		2	2
		C	2	1												1				
88	Endocarditis and myocarditis (acute)	W	46	1					1	1	3	2	3	4	19	4	2	1	5	
		C	72	1						4	1	3	10	11	36	3	1	1	1	
89	Angina pectoris	W	76												1	4	25	26	20	
		C	5											1	3		1			
90	Other diseases of the heart	W	745				1		2	3	7	1	4	6	26	84	163	208	240	
		C	420		1		1			3	4	2	6	10	55	111	104	76	47	
91a	Aneurysm	W	8												2	2	4			
		C	11										1	1	4	3	1		1	
91b,c	Other diseases of the arteries	W	81										1		1	3	7	22	47	
		C	39												1	5	3	8	22	
92	Embolism and thrombosis (not cerebral)	W	10	1									1		1		1	5	1	
		C	3												1	2				
93	Diseases of the veins	W	1													1				
		C	1														1			
94	Diseases of the lymphatic system	W	1													1				
		C	1												1					
96	Other diseases of the circulatory system	C	1													1				
	V.—Diseases of the respiratory system	White	296	40	12	4	2	1	1	4	3	7	7	15	12	31	42	43	72	
		Colored	324	84	26	8	4	1	7	5	10	13	12	18	37	35	25	27	12	
97b	Diseases of the nasal fossae annexa	W	4								1	1	1	1						
		C	1											1						
98	Diseases of the larynx	W	1	1																
		C	1	1																
99a	Acute bronchitis	W	10	1		1				1			1			2			4	
		C	6	2	1							1						1	1	
99b	Chronic bronchitis	W	7										1			1		2	3	
		C	5												1	1	1	1	1	
99c,d	Bronchitis (unspecified)	W	5	2														1	2	
		C	5	2	1									1					1	
100a	Broncho-pneumonia	W	113	29	7	3	1	1	1		1	1	1	3	2	7	11	14	31	
		C	150	67	18	8	4	1	3		1	3	2	2	12	9	3	13	4	
100b	Capillary bronchitis	W	1	1																
		C	5	4													1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																				
	V.—Diseases of the respiratory system—Continued																			
101a	Lobar pneumonia	W	108	2	5					3	1	4	2	8	7	17	21	22	16	
		C	100	7	5				1	3	5	6	10	6	17	20	13	6	1	
101b	Pneumonia (unspecified)	W	13	1			1						1	2		2	2	2	2	
		C	4						1	1				1	1					
102	Pleurisy	W	14	3										1	1	1	4	2	2	
		C	28	1	1				1		3	3		4	3	3	4	2	3	
103	Congestion and hemorrhagic infarct of the lung	W	10																10	
104	Gangrene of the lung	W	1														1			
105	Asthma	W	1																1	
		C	10						1						2	1	2	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	8									1			2	1	3		1	
		C	9							1	1			3	1	1	1	1		
	VI.—Diseases of the digestive system	White	367	68	16	4	3	5	9	5	7	12	12	16	42	55	49	36	28	
		Colored	218	75	16	5	3	2	3	3	5	11	12	9	30	23	13	7	1	
108	Diseases of the mouth and annexa	W	3								1					1	1			
		C	2									1		1						
109b	Other diseases of the pharynx, tonsils	W	13		1	1	1			1		3	1	3	1		1			
		C	8			1			2			2	2				1			
111a	Ulcer of the stomach	W	19										1		2	7	2	6	1	
		C	9									1	1	1	2	4				
111b	Ulcer of the duodenum	W	8										1	1	2	2		2		
		C	1												1					
112	Other diseases of the stomach (cancer excepted)	W	12	1								1				4	4		2	
		C	11	3									1	1	1	3	2			
113	Diarrhea and enteritis (under 2 years)	W	81	66	15															
		C	86	70	16															
114	Diarrhea and enteritis (2 years and over)	W	19			3		3	1				1		4	1	1	1	4	
		C	19			4	2	1		1		1			3	4	2	1		
117	Appendicitis and typhlitis	W	68					1	6	5	4	8	3	7	14	11	4	4	1	
		C	18					1	1	2	3	4	2		3	2				
118a	Hernia	W	18												2	4	4	2	6	
		C	9														2	3		
118b	Intestinal obstruction	W	31	1			1		2		1		2	3	4	1	5	7	4	
		C	21	2							1	1	1	3	5	5	1	2		
119	Other diseases of the intestines	W	7												3		3	1		
		C	9								1		2	1	4	1				
120	Acute yellow atrophy of the liver	W	2										1		1					
		C	1									1								
122	Cirrhosis of the liver	W	33										1		3	6	11	4	8	
		C	12												5	2	4	1		
123	Biliary calculi	W	16												2	4	4	6		
124	Other diseases of the liver	W	20											1	1	7	7	2	2	
		C	8				1						1	1	3	1			1	
125	Diseases of the pancreas	W	11												2	7	2			
		C	2													1				
126	Peritonitis without specified cause	W	6				1	1					1	1	1			1		
		C	2										1				1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	508	2	2	1			1	1	3	3	13	11	27	60	113	128	143	
		Colored	279	1		2		1	1	1	4	10	10	15	40	57	60	51	26	
128	Acute nephritis (including unspecified under 10 years)	W	14	1	1								2	1	1	1	3	4		
		C	42			1		1	1	1	2	4	2	1	12	9	4	3	1	
129	Chronic nephritis (including unspecified 10 years and over)	W	428							1	2		9	6	17	54	100	106	133	
		C	188			1					1	2	4	8	16	41	52	42	21	
131	Other diseases of the kidneys and annexa	W	18	1	1	1			1				1	2	3	1	4	1	2	
		C	7											3	1	2		1		
132	Calculi of the urinary passages	W	3														3			
		C	2													1		1		
133	Diseases of the bladder	W	1																1	
134	Diseases of the urethra, etc	W	1														1			
		C	5	1											1		1	1	1	
135	Diseases of the prostate	W	21														1	15	5	
		C	8													2	1	2	3	
136	Nonvenereal diseases of the male genital organs	C	2												1	1				
137	Cysts, other benign tumors of the ovary	W	8									1		2	1	3		1		
		C	2										1		1					
138	Salpingitis and pelvic abscess (female)	W	8								1	2	1		3	1				
		C	14								1	4	2	1	5	1				
139	Benign tumors of the uterus	W	5												2		1	1	1	
		C	6										1	2	2			1		
140	Nonpuerperal uterine hemorrhage	W	1																1	
141	Other diseases of the female genital organs	C	3												1		2			
	VIII.—The puerperal state	White	38								3	7	11	7	9	1				
		Colored	41							1	6	10	8	8	8					
143	Accidents of pregnancy	W	4										1	2	1					
144	Puerperal hemorrhage	W	4									1	2	1						
		C	2										1	1						
145	Other accidents of labor	W	7									1	2	2	2					
		C	3									1	1	1						
146	Puerperal septicemia	W	11								3	2	3		2	1				
		C	26							1	4	7	4	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	1												1					
		C	1									1								
148	Puerperal albuminuria and convulsions	W	11									3	3	2	3					
		C	9								2	1	2	1	3					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																				
	IX.—Diseases of the skin and of the cellular tissue	White	7												1	2	1		3	
		Colored	4										1			2			1	
151	Gangrene	C	2													1			1	
152	Furuncle	W	1													1				
		C	1													1				
153	Acute abscess	W	3												1	1			1	
		C	1										1							
154	Other diseases of the skin and annexa	W	3														1		2	
	X.—Diseases of the bones and of the organs of locomotion	White	5				1			1	1			1		1				
		Colored	1															1		
155	Diseases of the bones (tuberculosis excepted)	W	4				1				1			1		1				
		C	1															1		
158	Other diseases of the organs of locomotion	W	1							1										
	XI.—Malformations	White	58	53	3				1	1										
		Colored	21	20	1															
159a	Congenital hydrocephalus	W	3	2						1										
159b	Congenital malformations of the heart	W	31	28	3															
		C	12	12																
159c	Other congenital malformations	W	24	23					1											
		C	9	8	1															
	XII.—Early infancy	White	203	203																
		Colored	122	122																
160	Congenital debility, icterus, sclerema	W	15	15																
		C	12	12																
161a	Premature birth	W	133	133																
		C	90	90																
161b	Injury at birth	W	40	40																
		C	11	11																
162	Other diseases peculiar to early infancy	W	15	15																
		C	9	9																
164	XIII.—Old age (senility)	White	27															2	25	
		Colored	11															2	9	
	XIV.—External causes	White	318	2	2	2		3	17	6	18	20	17	18	50	48	40	35	40	
		Colored	161	4	1	3	2	4	7	9	11	27	20	11	25	18	9	7	3	
	Suicide	W	67								2	4	4	11	18	13	8	6	1	
		C	5									1		1	3					
165	By poisons (gas or corrosives excepted)	W	8									1			3	3			1	
		C	1									1								
166	By corrosive substances	W	10								1	1	1	3	2		2			
167	By poisonous gas	W	17										1	1	6	4	3	2		
		C	1												1					
168	By hanging or strangulation	W	8										1	3		1	1	2		
169	By drowning	W	4											1		2		1		
170	By firearms	W	15								1	2	1	1	6	1	2	1		
		C	1												1					
171	By cutting or piercing instruments	W	3												1	2				
		C	1											1						
172	By jumping from high places	W	1											1						
		C	1												1					
174	By other means	W	1											1						
	Homicide	W	14							2	1	2	1		2	4	1	1		
		C	47								4	16	11	7	7	2				
197	By firearms	W	8							1		2	1		1	2	1			
		C	25								2	12	3	3	5					
198	By cutting or piercing instruments	W	1													1				
		C	11								1	2	4	2	1	1				
199	By other means	W	5							1	1				1	1		1		
		C	11								1	2	4	2	1	1				
	Accidental or undefined	W	237	2	2	2		3	17	4	15	14	12	7	30	31	31	28	39	
		C	109	4	1	3	2	4	7	9	7	10	9	3	15	16	9	7	3	
175	Poisoning by food	W	2															1	1	
177	Other acute poisonings (gas excepted)	W	3									1			2					
		C	1	1																
178	Conflagration	W	1							1										
		C	1															1		
179	Burns (conflagration excepted)	W	14		1	1			3		1	1			2	3	2			
		C	25		1	3	2	3	1	3	1	3	2	1	2	2	1			
180	Mechanical suffocation	W	3	1					1						1					
		C	1	1																
181	Absorption of irrespirable, irritating, or poisonous gas	W	19						1			1	1		4	4	2	4	2	
		C	6								1				1	1	1	2		
182	Drowning	W	17						3	1	3	3		1	1	1	2	2		
		C	10						2	1	2	2		2	1					
183	Traumatism by firearms (except in war)	W	4					1					1	1	1					
		C	3							1		2								
184	Traumatism by cutting or piercing instruments	W	1									1								
		C	2					1		1										
185	Traumatism by fall	W	62						1		1	2	1		5	3	10	7	32	
		C	14										1		2	7	1	2	1	
187	Traumatism by machines	W	5										1		1	3				
		C	4									1	1		1		1			
188a	Railroad accidents	W	3								1				1	1				
188b	Street-car accidents	W	14								1		3	1	1	2	2	3	1	
		C	3							1			2							
	Collision with automobiles	W	4								1		2				1			
		C	1										1							
	Other street-car accidents	W	10										1	1	1	2	1	3	1	
		C	2							1			1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DISTRICT OF COLUMBIA—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	65			1		2	8	2	6	2	5	3	5	10	10	9	2	
		C	23						2	2	3	2	1		4	2	5	2		
188e,f	Injuries by other vehicles	W	6								1	1		1		1		1	1	
		C	3						1							2				
188g	Landslide, other crushing	W	1								1									
189	Injuries by animals (not poisoning)	W	1														1			
194	Excessive heat	W	2	1											1					
		C	8	2											2	1			1	
196	Other accidental electric shocks	W	4									1	2		3					
201	Fracture (cause not specified)	W	1													1				
202	Other external violence	W	9		1							1			2	2	2	1		
		C	5						1						2	1			1	
	XV.—Ill-defined diseases	White	3			1					1							1		
		Colored	2	1									1							
205a	Ill-defined	W	3			1					1							1		
205b	Not specified or unknown	C	2	1									1							
FLORIDA																				
	All causes	White	10,160	1,212	289	154	98	70	218	156	235	408	385	361	877	1,049	1,373	1,624	1,604	47
		Colored	6,702	969	176	77	40	33	111	123	294	484	498	431	1,055	954	544	411	442	60
	I.—Epidemic, endemic, and infectious diseases	White	1,323	116	66	36	35	20	81	40	45	72	83	80	169	139	133	117	84	7
		Colored	1,358	169	37	18	7	10	36	50	90	182	138	110	224	143	64	37	35	8
1	Typhoid and paratyphoid fever	W	115	1		2	3	2	6	4	11	19	8	6	22	18	7	4	2	
		C	72	1					6	6	13	17	10	2	10	5	2			
5	Malaria	W	127	12	8	4	6	2	15	8	2	5	6	7	13	7	15	8	7	2
		C	111	8	5	3	1	2	10	7	6	7	3	1	19	13	10	6	7	3
7	Measles	W	7	2		1	1		1		1	1								
		C	2	1							1									
8	Scarlet fever	W	5		1	1		1	1				1							
9	Whooping cough	W	50	35	12	1	1		1											
		C	29	21	4	1			3											
10	Diphtheria	W	95	6	23	19	10	7	24	2					3					1
		C	15	5	1	4	2	1		1	1									
11a	Influenza (with pulmonary complications)	W	135	10	5	2	3	3	4	2	1	6	6	6	21	10	16	18	22	
		C	92	6	6	3		1	3	2	9	14	6	6	11	9	6	6	4	
11b	Influenza (other and unspecified)	W	96	3	1		2	2	4	3	1	6		2	2	8	12	19	31	
		C	108	30	10	4	1	1	1	7	1	5	1	3	12	9	5	5	12	1
13	Mumps	W	2	1									1							
		C	3						1	1		1								
15	Cholera nostras	W	3		2						1									
16	Dysentery	W	45	14	7	3	3	1	1				2	1				7	5	1
		C	50	21	3	1	1	1			1		1	1	5	6	5	1	3	
19	Spirochetal hemorrhagic jaundice	W	1		1															
21	Erysipelas	W	20	7	1					1			1	1	3	3	3			
		C	2																2	
22	Acute anterior poliomyelitis	W	16	3	2		3		5	2	1									
		C	2	1	1															
23	Lethargic encephalitis	W	17						1		3			2	3	3	2	3		
		C	1									1								
24	Meningococcus meningitis	W	4	1					1	1				1						
		C	1		1															
25	Other epidemic and endemic diseases	W	5					1			2			1			1			
		C	8					1		1	1	1	1		3					
26	Glanders	W	1												1					
28	Rabies	W	3				1			1					1					
		C	1			1														
29	Tetanus	W	32	5			1	1	8	5	4		2	2	1	2	1			
		C	62	37				1	4	5	4	1		1	5	1	1	2		
30	Mycoses	W	2	1													1			
		C	2	2																
	Tuberculosis (all forms)	W	435	2	4	1			5	7	14	31	48	44	83	72	56	51	14	3
		C	574	2	3		1	2	5	14	46	115	93	76	114	70	16	10	3	4
31	Of the respiratory system	W	396	1	2				3	5	13	30	46	40	73	66	50	50	14	3
		C	533	2	3			2	3	13	43	109	87	69	105	66	15	10	2	4
32	Of the meninges, central nervous system	W	6	1	2	1								1	1					
		C	3						1		1	1								
33	Of the intestines, peritoneum	W	13							1				3	5	1	3			
		C	18				1		1		1		3	5	5	1	1			
34	Of the vertebral column	W	3												2		1			
		C	4							1	1	1			1					
35	Of the joints	W	3									1	1		1					
		C	2										1			1				
36	Of other organs	W	8						1						1	5	1			
		C	5												3	1			1	
37a	Disseminated (acute)	W	4						1	1			1					1		
		C	8									3	2	2		1				
37b	Disseminated (chronic or unspecified)	W	2								1						1			
		C	1									1								
38	Syphilis	W	79	9			1		1		2	3	5	7	12	14	18	4	3	
		C	195	33	3		1		3	5	5	17	20	17	37	28	17	6	3	
40	Gonococcus infection	W	1								1									
		C	11								1	2	2	1	5					
41	Purulent infection, septicemia	W	27	4		1			3	4	1	1	3		4	2	1	3		
		C	17	1		1				1	1	1	1	2	3	2	2	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	II.—General diseases not included in Class I	White	1,027	25	11	6	2	4	6	9	7	16	20	29	108	167	239	231	143	4
		Colored	324	10	5	3	2	------	1	------	5	16	16	22	76	80	41	23	21	3
	Cancer and other malignant tumors	W	635	------	1	2	------	1	1	------	4	6	6	13	56	106	155	170	112	2
		C	152	------	------	1	------	------	------	------	------	4	4	11	40	39	23	15	13	2
43	Of the buccal cavity	W	27	------	------	------	------	------	------	------	------	------	------	------	1	3	7	10	6	------
		C	6	------	------	------	------	------	------	------	------	------	------	1	2	1	------	2	------	------
44	Of the stomach, liver	W	214	------	------	------	------	1	------	------	------	1	------	3	14	29	58	71	36	1
		C	45	------	------	------	------	------	------	------	------	1	1	2	9	12	7	8	4	1
45	Of the peritoneum, intestines, rectum	W	67	------	------	1	------	------	------	------	------	------	------	2	7	8	18	15	16	------
		C	10	------	------	1	------	------	------	------	------	------	1	1	------	4	------	------	3	------
46	Of the female genital organs	W	107	------	------	------	------	------	------	------	------	1	3	6	16	23	29	22	7	------
		C	44	------	------	------	------	------	------	------	------	1	2	2	13	13	10	3	------	------
47	Of the breast	W	45	------	------	------	------	------	------	------	------	1	------	1	5	12	14	6	6	------
		C	20	------	------	------	------	------	------	------	------	1	------	4	7	2	2	1	3	------
48	Of the skin	W	31	------	------	------	------	------	------	------	1	1	------	------	3	3	3	10	10	------
		C	5	------	------	------	------	------	------	------	------	1	------	------	------	2	1	------	1	------
49	Of other or unspecified organs	W	144	------	1	1	------	------	1	------	3	2	3	1	10	28	26	36	31	1
		C	22	------	------	------	------	------	------	------	------	------	------	1	9	5	3	1	2	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	8	------	------	------	------	1	------	------	------	1	------	1	1	1	2	------	1	------
		C	4	------	------	------	------	------	------	------	------	------	------	1	1	1	------	1	------	------
51	Acute rheumatic fever	W	11	------	------	------	------	------	1	2	------	2	------	------	1	------	1	3	1	------
		C	8	------	------	------	------	------	------	------	1	------	1	2	------	2	------	------	2	------
52	Chronic rheumatism, osteoarthritis, gout	W	11	------	------	------	------	------	------	------	------	------	------	------	1	1	4	1	4	------
		C	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------
53	Scurvy	C	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
54	Pellagra	W	45	------	------	------	------	------	------	1	1	1	4	3	10	7	9	6	3	------
		C	81	------	------	1	------	------	------	------	2	8	8	5	19	20	13	3	2	------
56	Rickets	W	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
		C	7	5	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------
57	Diabetes mellitus	W	136	1	------	1	------	------	1	3	1	2	2	7	13	18	40	32	14	1
		C	30	------	------	------	------	------	1	------	2	------	1	1	6	10	4	3	2	------
58	Anemia, chlorosis	W	48	2	------	------	2	------	------	------	1	------	2	3	1	10	13	9	5	------
		C	6	------	1	------	------	------	------	------	------	------	1	------	2	------	1	1	------	------
60a	Exophthalmic goiter	W	13	------	------	------	------	------	------	1	------	2	------	------	1	3	2	3	1	------
		C	3	------	------	------	------	------	------	------	------	------	------	------	2	1	------	------	------	------
60b	Other diseases of the thyroid gland	W	5	------	1	------	------	------	------	------	------	------	------	------	1	2	------	1	------	------
		C	2	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	1	------
61	Diseases of the parathyroid glands	C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
62	Diseases of the thymus gland	W	3	2	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------
		C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
63	Diseases of the adrenals (Addison's disease)	W	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------
64	Diseases of the spleen	W	2	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------	------
		C	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
65a	Leukemia	W	13	------	------	1	------	------	1	1	------	2	2	------	2	1	1	1	1	------
65b	Hodgkin's disease	W	2	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------	------
66	Alcoholism (acute or chronic)	W	45	------	------	------	------	------	------	------	------	------	2	1	20	10	9	3	------	------
		C	17	------	------	------	------	------	------	------	------	3	1	1	6	5	------	------	------	1
67a	Chronic lead poisoning	W	3	------	------	------	------	------	------	------	------	------	------	------	------	2	------	1	------	------
		C	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
68	Chronic poisoning by organic substances	W	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
		C	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------
69	Other general diseases	W	44	19	9	2	------	1	2	1	------	------	2	------	1	4	------	1	1	1
		C	7	3	2	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
	III.—Diseases of the nervous system and of the organs of special sense	White	934	17	3	6	1	4	8	9	12	8	12	9	57	118	176	259	232	3
		Colored	601	26	1	2	4	2	4	10	11	12	16	23	87	160	95	70	71	7
70	Encephalitis	W	11	1	------	------	------	------	1	2	------	------	------	------	3	2	2	------	------	------
		C	4	------	1	1	------	------	------	------	------	------	------	1	------	1	------	------	------	------
71a	Simple meningitis	W	19	6	------	1	1	------	2	2	3	1	------	1	1	------	1	------	------	------
		C	10	3	------	------	1	------	------	1	------	2	------	------	1	2	------	------	------	------
71b	Nonepidemic cerebrospinal meningitis	W	5	------	1	------	------	2	------	------	1	------	------	------	------	1	------	------	------	------
		C	6	------	------	1	------	1	1	2	------	------	------	1	------	------	------	------	------	------
72	Tabes dorsalis (locomotor ataxia)	W	11	------	------	------	------	------	------	------	------	------	------	------	------	6	4	1	------	------
73	Other diseases of the spinal cord	W	31	------	1	1	------	------	------	------	1	1	------	------	3	5	5	8	6	------
		C	16	------	------	------	------	------	------	------	------	1	------	2	2	4	2	1	4	------
74a	Cerebral hemorrhage	W	620	------	------	1	------	------	1	2	------	2	2	4	29	71	126	202	178	2
		C	364	2	------	------	------	------	1	1	4	6	8	10	59	108	69	51	41	4
74b	Cerebral embolism and thrombosis	W	26	------	1	------	------	------	------	------	1	1	------	1	2	3	4	9	4	------
		C	11	------	------	------	------	------	------	1	2	------	1	2	1	2	2	------	------	------
75	Paralysis without specified cause	W	104	------	------	------	------	1	------	1	1	------	2	------	6	8	20	28	37	------
		C	117	1	------	------	------	------	------	1	2	------	------	3	14	34	18	17	25	2
76	General paralysis of the insane	W	11	------	------	------	------	------	------	------	------	------	------	------	1	3	1	5	1	------
		C	2	------	------	------	------	------	------	------	------	------	------	------	------	1	------	1	1	------
77	Other forms of mental alienation	W	12	------	------	------	------	------	------	------	------	------	------	------	2	5	3	2	------	------
		C	7	------	------	------	------	------	------	------	------	1	2	1	------	1	1	1	------	------
78	Epilepsy	W	19	------	------	------	------	------	------	------	1	1	5	3	3	3	1	1	------	1
		C	26	------	------	------	------	1	2	3	1	2	3	1	8	3	2	------	------	------
79	Convulsions (nonpuerperal; 5 years and over)	W	4	------	------	------	------	------	------	1	1	------	1	------	1	------	------	------	------	------
		C	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------
80	Infantile convulsions (under 5 years)	W	9	6	------	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------
		C	19	17	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------
82	Neuralgia and neuritis	W	4	------	------	------	------	------	------	------	------	------	------	------	1	2	1	------	------	------
		C	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------
83	Softening of the brain	W	5	------	------	------	------	------	------	------	------	------	------	------	------	1	1	1	2	------
84	Other diseases of the nervous system	W	25	2	------	------	------	------	2	1	------	1	2	------	3	6	4	1	3	------
		C	12	1	------	------	1	------	------	1	1	------	2	2	------	2	1	------	------	1
85	Diseases of the eye and annexa	W	2	------	------	------	------	------	1	------	------	------	------	------	------	------	1	------	------	------
		C	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
86a	Diseases of the ear	W	9	1	------	------	------	1	------	------	1	------	------	------	2	1	1	1	1	------
		C	3	1	------	------	------	------	------	------	1	------	------	------	1	------	------	------	------	------
86b	Diseases of the mastoid process	W	7	1	------	------	------	------	1	------	2	1	------	------	------	1	1	------	------	------
		C	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																			
	IV.—Diseases of the circulatory system	White	1,545	5	3		1	3	7	6	7	20	24	27	97	175	312	438	412	8
		Colored	640	1	1	2	1	2	4	2	9	16	29	38	141	140	105	78	66	5
87	Pericarditis	W	10									2			2	1	1		3	1
		C	10								1		1	2	2	3	1			
88	Endocarditis and myocarditis (acute)	W	58	1				2	4	2	1	2	5	3	17	3	6	7	5	
		C	54			1		2	3		2	3	4	5	25	6	1	2		
89	Angina pectoris	W	179										1	1	10	22	47	67	31	
		C	22										1	3	5	5	6	1	1	
90	Other diseases of the heart	W	1,165	4	3		1		1	4	6	14	18	23	61	136	235	337	316	6
		C	509	1	1	1	1		1	2	6	12	23	24	99	113	93	71	56	5
91a	Aneurysm	W	15												2	6	4	2	1	
		C	14												4	7	2		1	
91b,c	Other diseases of the arteries	W	83												2		13	18	50	
		C	22											3	3	4	2	3	7	
92	Embolism and thrombosis (not cerebral)	W	18						2			1			3	1	4	3	4	
		C	3											1	2					
93	Diseases of the veins	W	7									1				5			1	
		C	1															1		
94	Diseases of the lymphatic system	C	1									1								
95	Hemorrhage without specified cause	W	3					1								1	1			
		C	2												1	1				
96	Other diseases of the circulatory system	W	7														1	4	1	1
		C	2													1			1	
	V.—Diseases of the respiratory system	White	594	95	34	24	13	6	17	14	14	33	12	17	47	43	63	58	103	1
		Colored	520	106	34	15	8	6	14	9	28	43	38	33	76	43	33	15	14	5
97a	Diseases of the nasal fossae	W	3	1							1								1	
		C	8	7											1					
97b	Diseases of the nasal fossae annexa	W	4								1		1			1		1		
98	Diseases of the larynx	W	5	1	3			1												
		C	4	1		1								1						1
99a	Acute bronchitis	W	12	3	1	2							1		1	1		1	2	
		C	15	5	1			1				2		1	2	2	1			
99b	Chronic bronchitis	W	16													3	1	5	7	
		C	11								1	1	1		4		2	1	1	
99c,d	Bronchitis (unspecified)	W	13	2	2	1							1		1				6	
		C	11	2								1	1		4	2			1	
100a	Broncho-pneumonia	W	169	42	16	7	5	1	5	4	2	1	5	1	6	6	14	18	36	
		C	104	38	12	5	5	2	2	2	5	4	4	6	7	7	2	2	1	
100b	Capillary bronchitis	W	1	1																
		C	13	6	4	1			1										1	
101a	Lobar pneumonia	W	193	18	4	7	6	2	8	5	3	22	2	7	23	17	27	16	26	
		C	218	22	9	6	1	3	8	2	15	24	23	18	32	21	19	5	6	4
101b	Pneumonia (unspecified)	W	96	23	7	6	2	2	2	4	4	7	2	3	7	5	6	9	7	
		C	88	24	7	2	2		3	2	4	8	7	5	10	3	5	5	1	
102	Pleurisy	W	17			1			2		1	1		2	2	3	3	2		
		C	10							1	3	2		1	1	1	1			
103	Congestion and hemorrhagic infarct of the lung	W	22	2	1									1	2	1	1	3	10	1
		C	3												2	1				
104	Gangrene of the lung	W	4	1												2			1	
105	Asthma	W	26	1						1	1	2		1	3	2	8	1	6	
		C	16										1		4	4	2	2	3	
106	Pulmonary emphysema	W	2								1			1						
		C	2												2					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	11											1	2	2	3	2	1	
		C	17	1	1					2		1	1	1	7	2	1			
	VI.—Diseases of the digestive system	White	1,003	178	122	55	17	14	25	18	21	35	37	36	74	87	111	96	74	3
		Colored	702	161	63	16	6	4	22	10	22	27	41	29	96	108	38	31	22	6
108	Diseases of the mouth and annexa	W	9									2		1	1	2	2		1	
		C	5	1												2	1		1	
109b	Other diseases of the pharynx, tonsils	W	20	1		2	1		3	1	2	3	1		2		1	2	1	
		C	10	2					1	1			2	1	1	1	1			
110	Diseases of the esophagus	C	2			1						1								
111a	Ulcer of the stomach	W	31						1			2	2	6	8	1	3	3	5	
		C	23										3	3	6	6	3		2	
111b	Ulcer of the duodenum	W	12									2	2			2	1	4	1	
		C	2												1	1				
112	Other diseases of the stomach (cancer excepted)	W	104	10	5	2	1		1	2		1	1	3	6	16	21	11	23	1
		C	140	11	4	2	1	1	2		5	6	5	5	31	38	10	12	5	2
113	Diarrhea and enteritis (under 2 years)	W	266	155	111															
		C	190	139	51															
114	Diarrhea and enteritis (2 years and over)	W	128			44	10	8	5	2		2			3	8	11	14	21	
		C	70			11	3		7	1	1	4	2	3	12	7	7	6	6	
115	Ancylostomiasis	W	6		1	1		1	1	2										
		C	2						2											
116	Diseases due to other intestinal parasites	W	2				1	1												
		C	3		1	1		1												
117	Appendicitis and typhlitis	W	129				1		8	8	12	14	15	16	16	17	11	10		1
		C	62		1				2	5	8	5	6	6	16	9	1	2	1	
118a	Hernia	W	32	2								1		1	3	5	7	9	4	
		C	26	2			1				1	3	2	1	2	3	2	2	2	
118b	Intestinal obstruction	W	83	7	1	4	1	2	2	1	2	2	7	4	11	15	7	11	6	
		C	44	1	1		1	2	4	1	3	3	4	4	4	11	4	1		
119	Other diseases of the intestines	W	21	2	2		1				2	2			1	2	4	3	2	
		C	21	3	3				1			2	2		4	2			3	1
120	Acute yellow atrophy of the liver	W	6									1	2				3			
		C	2												1	1				
122	Cirrhosis of the liver	W	57					1					1		5	9	17	19	4	1
		C	44						1			1	3	2	11	12	6	6	1	1
123	Biliary calculi	W	25												2	4	13	4	2	
		C	3								1			1			1			
124	Other diseases of the liver	W	46		2	2		1	2		1	2	3	4	9	5	8	3	4	
		C	33		1	1			2	2	1	2	8	2	5	5	1	1	1	1
125	Diseases of the pancreas	W	1												1					
126	Peritonitis without specified cause	W	25	1			1		2	2	2	1	3	1	6	1	2	3		
		C	20	2	1						2		4	1	2	5	1	1		1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,056	6	6	3	2	2	1	4	5	18	19	20	80	120	192	281	297	
		Colored	635	3	1	3	1	2	2		16	14	35	31	116	146	96	87	77	5
128	Acute nephritis (including unspecified under 10 years)	W	66	4	1	2			1	1	1	2	3	3	9	8	7	10	14	
		C	84	2	1	3		2	1		5	6	5	7	17	15	9	6	3	2
129	Chronic nephritis (including unspecified 10 years and over)	W	858		1		1	2		2	1	8	9	13	53	100	172	245	251	
		C	440				1		1		5	1	14	15	75	107	80	73	67	1
131	Other diseases of the kidneys and annexa	W	32	2	4	1	1			1		1	1	1	2	2	4	6	6	
		C	17	1									3	1	2	3	2	1	3	1
132	Calculi of the urinary passages	W	12												2	2	2	3	3	
		C	3									1					1	1		
133	Diseases of the bladder	W	10									1			1	1	2	1	4	
		C	8								1					1	1	2	3	
134	Diseases of the urethra, etc.	W	3												1		1	1		
		C	14								1	1	2	1	2	5	1	1		
135	Diseases of the prostate	W	36														4	14	18	
		C	13														2	3		
137	Cysts, other benign tumors of the ovary	W	6												1	7				
		C	5											2	2	2				
138	Salpingitis and pelvic abscess (female)	W	19								3	5	4	1	2	2				
		C	28								3	4	8	4	5	1				
139	Benign tumors of the uterus	W	7									1			6	2			1	
		C	15										2	1	2	2		1	1	
140	Nonpuerperal uterine hemorrhage	C	1											1	9	2				1
141	Other diseases of the female genital organs	W	7										2		3	2				
		C	7								1	1	1		2	2				
	VIII.—The puerperal state	White	206								30	58	48	35	35					
		Colored	151							3	38	29	34	19	27					1
143	Accidents of pregnancy	W	20								3	3	6	3	5					
		C	7								2		3	2						
144	Puerperal hemorrhage	W	21									6	1	4	10					
		C	8								1	1	2	2	2					
145	Other accidents of labor	W	25								3	5	10	1	6					
		C	26								7	4	6	3	6					
146	Puerperal septicemia	W	44								6	16	10	7	5					
		C	49								11	14	13	4	7					
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	4								1	1	1	1						
		C	1									1								
148	Puerperal albuminuria and convulsions	W	92								17	27	20	19	9					
		C	59							3	17	9	10	7	12					1
149	Following childbirth (undefined)	C	1											1						
	IX.—Diseases of the skin and of the cellular tissue	White	30	1	3			1	2			3	1		3	5	4	1	6	
		Colored	15	2					1			1		1	2	4	1	2		1
151	Gangrene	W	7						1			1				2	2		1	
		C	3													1	1	1		
152	Furuncle	W	13						1						3	2	2	1	4	
		C	2	1											1					
153	Acute abscess	W	8	1	2			1				2	1			1				
		C	3	1					1							1				
154	Other diseases of the skin and annexa	W	2		1														1	
		C	7									1		1	1	2		1		1
	X.—Diseases of the bones and of the organs of locomotion	White	11		1	1		1	1	1	2		1			1	1	1		
		Colored	5								2		1		1		1			
155	Diseases of the bones (tuberculosis excepted)	W	9		1			1	1	1	2		1			1	1			
		C	4								1		1		1		1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	2			1												1		
157	Amputations	C	1								1									
	XI.—Malformations	White	116	105	5		1		3	2										
		Colored	18	14	2		1				1									
159a	Congenital hydrocephalus	W	15	10	2		1		2											
		C	2	1	1															
159b	Congenital malformations of the heart	W	56	51	2				1	2										
		C	7	7																
159c	Other congenital malformations	W	45	44	1															
		C	9	6	1		1				1									
	XII.—Early infancy	White	569	569																
		Colored	315	315																
160	Congenital debility, icterus, sclerema	W	81	81																
		C	76	76																
161a	Premature birth	W	391	391																
		C	186	186																
161b	Injury at birth	W	71	71																
		C	17	17																
162	Other diseases peculiar to early infancy	W	26	26																
		C	35	35																
163	Lack of care	C	1	1																
164	XIII.—Old age (senility)	White	147															20	125	2
		Colored	105												2	8	18	77		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	FLORIDA—Continued																		
	XIV.—External causes—White	1,324	23	24	17	23	14	62	50	88	138	124	102	196	163	113	79	95	13
	XIV.—External causes—Colored	852	11	11	14	7	4	25	32	64	130	134	104	166	84	28	14	11	13
	Suicide—White	122								4	14	14	8	24	26	17	9	3	3
	Suicide—Colored	10								1	1		4	2		2			
165	By poisons (gas or corrosives excepted)—White	9									2		1	1	1	4			
	By poisons (gas or corrosives excepted)—Colored	1												1					
166	By corrosive substances—White	14								2	3	2	1	1	4		1		
	By corrosive substances—Colored	1												1					
167	By poisonous gas—White	5										1	1	2			1		
168	By hanging or strangulation—White	14									1	1	1	2	4	2	2		1
169	By drowning—White	3								1						2			
	By drowning—Colored	2														2			
170	By firearms—White	67								1	7	10	4	15	13	9	4	3	1
	By firearms—Colored	4								1	1		2						
171	By cutting or piercing instruments—White	7									1			2	3		1		
	By cutting or piercing instruments—Colored	1											1						
173	By crushing—White	1												1					
174	By other means—White	2													1				1
	By other means—Colored	1											1						
	Homicide—White	132	3		1		1			7	17	19	21	33	19	6	3	1	1
	Homicide—Colored	322	1				1	1	1	21	68	67	62	67	26	2	2		3
197	By firearms—White	99			1		1			7	14	15	15	24	16	4	1		1
	By firearms—Colored	236					1	1	1	14	52	50	45	47	19	2	2		2
198	By cutting or piercing instruments—White	11									2	2		4	1	2			
	By cutting or piercing instruments—Colored	64	1							6	13	11	15	15	2				1
199	By other means—White	22	3								1	2	6	5	2		2	1	
	By other means—Colored	22								1	3	6	2	5	5				
	Accidental or undefined—White	1,070	20	24	16	23	13	62	50	77	107	91	73	139	118	90	67	91	9
	Accidental or undefined—Colored	520	10	11	14	7	3	24	31	42	61	67	38	97	58	24	12	11	10
175	Poisoning by food—White	30	3	2	3	2		3	1	1					4	2	2	6	1
	Poisoning by food—Colored	12	2	1	1	1	1	1						1	2		2		
176	Poisoning by venomous animals—White	6						1					1	1		1	1	1	
	Poisoning by venomous animals—Colored	3		1								1			1				
177	Other acute poisonings (gas excepted)—White	34		4	3	1	1	1		3	4	3	3	6	1	4			
	Other acute poisonings (gas excepted)—Colored	12		3	3			1						2	2				1
178	Conflagration—White	9			1	1	1	1					2	1		1	1		
	Conflagration—Colored	16			2					2	1	2	1	1			1	4	2
179	Burns (conflagration excepted)—White	53	2	2	4	4		8	4	3	1		4	4	7	5	1	4	
	Burns (conflagration excepted)—Colored	47	1	3	2	2	1	6	6	1	2	6		3	8	4	2		
180	Mechanical suffocation—White	7	3					2	1		1								
	Mechanical suffocation—Colored	5	3																
181	Absorption of irrespirable, irritating, or poisonous gas—White	13						1			1	1	1	6	2	1		1	
	Absorption of irrespirable, irritating, or poisonous gas—Colored	2								1							1		
182	Drowning—White	141	1	6	2	1	1	9	4	15	22	13	16	20	18	7	4	1	1
	Drowning—Colored	71		1	2		1	2	10	11	13	11	6	6	5	1			2
183	Traumatism by firearms (except in war)—White	43	1	1		1	1	5	4	4	7	4	1	9	3			1	1
	Traumatism by firearms (except in war)—Colored	55				2		3	7	6	4	12	9	8	3				1
184	Traumatism by cutting or piercing instruments—White	7		1		1			1			1		1		1	1		
	Traumatism by cutting or piercing instruments—Colored	13									2	3		6	2				
185	Traumatism by fall—White	89	1	1	2	2			1	4	2	4		9	6	9	11	36	1
	Traumatism by fall—Colored	17	1		1	1		1			1	1		2	4	1	2	2	
186a	Traumatism in mines—Colored	1									1								
186b	Traumatism in quarries—White	1													1				
187	Traumatism by machines—White	34						1	3	1	5	6	4	5	4	3	2		
	Traumatism by machines—Colored	14								2	2	1	3	2	3	1			
188a	Railroad accidents—White	85		1				1	1	9	10	10	7	13	20	4	7	2	
	Railroad accidents—Colored	57						1	2	1	13	8	4	17	5	5			1
	Collision with automobiles—White	20								2	3	4		2	8		1		
	Collision with automobiles—Colored	6									2	1	1	2					
	Other railroad accidents—White	65		1				1	1	7	7	6	7	11	12	4	6	2	
	Other railroad accidents—Colored	51						1	2	1	11	7	3	15	5	5			1
188b	Street-car accidents—White	8			1						2	1		1			3		
	Collision with automobiles—White	5									2	1		1			1		
	Other street-car accidents—White	3			1												2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)—White	345	6	3		8	8	24	15	27	36	32	21	44	35	41	25	17	3
	Automobile accidents (excluding collision with railroad trains and street cars)—Colored	104			2	1		8	6	10	13	11	8	21	12	6	2	3	1
188d	Airplane and balloon accidents—White	8										2	4	2					
188e,f	Injuries by other vehicles—White	7						1	1		3	1				1			
	Injuries by other vehicles—Colored	10						1		1			2	3	2	1			
188g	Landslide, other crushing—White	7							1	2				2		1	1		
	Landslide, other crushing—Colored	4								1				2	1				
189	Injuries by animals (not poisoning)—White	1														1			
	Injuries by animals (not poisoning)—Colored	1												1					
192	Starvation (deprivation of food or water)—White	1													1				
	Starvation (deprivation of food or water)—Colored	1	1																
194	Excessive heat—White	2										1	1						
	Excessive heat—Colored	4										1		1		2			
195	Lightning—White	7						2	1	1				2	1				
	Lightning—Colored	4									1			1	1	1			
196	Other accidental electric shocks—White	26				1			4	3	7	3	3	3	2				
	Other accidental electric shocks—Colored	2									1	1							
201	Fracture (cause not specified)—White	39		1					1			4	1	4	4	2	3	18	1
	Fracture (cause not specified)—Colored	7								1	1			3	1			1	
202	Other external violence—White	67	3	2		1	1	2	7	4	6	5	4	6	9	6	5	5	1
	Other external violence—Colored	58	2	2	1					5	6	9	5	16	6	2	2		2
	XV.—Ill-defined diseases—White	275	72	11	6	3	1	5	3	4	7	4	6	11	31	29	43	33	6
	XV.—Ill-defined diseases—Colored	461	151	21	4	3	3	2	7	8	14	16	21	43	44	34	36	48	6
204	Sudden death—White	29	1								2	1		2	4	3	10	5	1
	Sudden death—Colored	34	3								1		1	4	8	4	8	4	1
205a	Ill-defined—White	108	8	5	4			2	2	1	2	3	2	5	17	18	24	13	2
	Ill-defined—Colored	178	26	11	3	2	2	1	7	5	6	7	8	21	26	18	19	15	1
205b	Not specified or unknown—White	138	63	6	2	3	1	3	1	3	3		4	4	10	8	9	15	3
	Not specified or unknown—Colored	249	122	10	1	1	1	1		3	7	9	12	18	10	12	9	29	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO																		
	All causes	3,402	476	84	55	41	26	93	84	103	117	98	106	265	317	424	565	542	6
	I.—Epidemic, endemic, and infectious diseases	477	66	32	15	13	10	29	16	26	27	17	20	47	47	43	41	26	2
1	Typhoid and paratyphoid fever	29			1			2	4	4	5	4		4	3	1			1
6	Smallpox	1															1		
7	Measles	2		1										1					
8	Scarlet fever	1					1												
9	Whooping cough	36	25	5	2	1		3											
10	Diphtheria	25		2	4	1	3	8	5	2									
11a	Influenza (with pulmonary complications)	80	15	4	2	3	1	2		1	3		3	11	11	4	9	10	1
11b	Influenza (other and unspecified)	62	10	8		3	1		2	1			3	4	3	10	7	10	
16	Dysentery	1	1																
21	Erysipelas	9	5		1											1	1	1	
22	Acute anterior poliomyelitis	5	2		1			1							1				
23	Lethargic encephalitis	8		1				1		1				3	1	1			
24	Meningococcus meningitis	6	1	1	1			1							2				
25	Other epidemic and endemic diseases	17	1	1				1		1	1	1	1	1	4	2	3		
28	Rabies	1						1											
29	Tetanus	2										1		1					
	Tuberculosis (all forms)	172	4	9	3	5	3	8	5	16	17	11	11	19	19	22	15	5	
31	Of the respiratory system	143	3	3	2	4	1	7	4	12	15	10	9	17	17	21	14	4	
32	Of the meninges, central nervous system	14	1	5		1	2	1		2				1			1		
33	Of the intestines, peritoneum	8			1				1	1		1	1	1	1			1	
34	Of the vertebral column	1									1								
36	Of other organs	2								1						1			
37a	Disseminated (acute)	3		1							1				1				
37b	Disseminated (chronic or unspecified)	1											1						
38	Syphilis	11	2								1			2	2	1	3		
40	Gonococcus infection	2											2						
41	Purulent infection, septicemia	7					1	1						1	1	1	2		
	II.—General diseases not included in Class I	377	14	1	3	2	2	4	3	5	3	1	7	41	57	87	91	56	
	Cancer and other malignant tumors	253				1	1	2		1	1		3	20	46	60	71	47	
43	Of the buccal cavity	11						1							1	4	4	1	
44	Of the stomach, liver	109											1	7	25	25	32	19	
45	Of the peritoneum, intestines, rectum	28						1						1	4	5	9	8	
46	Of the female genital organs	19												3	4	6	4	2	
47	Of the breast	21												3	5	6	6	1	
48	Of the skin	11												1	1	2	2	5	
49	Of other or unspecified organs	54				1	1			1	1		2	5	6	12	14	11	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2												1				1	
51	Acute rheumatic fever	11			1		1			1	1		1	2	2	1	1		
52	Chronic rheumatism, osteoarthritis, gout	2															1	1	
54	Pellagra	1			1														
56	Rickets	1	1																
57	Diabetes mellitus	39				1		1	3	1			2	4	1	9	10	7	
58	Anemia, chlorosis	17		1						1				2	2	5	6		
60a	Exophthalmic goiter	12								1		1	1	4	2	3			
60b	Other diseases of the thyroid gland	4	1								1					2			
62	Diseases of the thymus gland	4	4																
63	Diseases of the adrenals (Addison's disease)	1												1					
65a	Leukemia	4						1							1	2			
66	Alcoholism (acute or chronic)	15												6	3	4	2		
69	Other general diseases	11	8		1									1		1			
	III.—Diseases of the nervous system and of the organs of special sense	323	9	2	2	2		2	3	5	4	6	6	16	29	52	93	92	
71a	Simple meningitis	7	2	1	1					1		1	1						
71b	Nonepidemic cerebrospinal meningitis	4			1			1	1	1									
72	Tabes dorsalis (locomotor ataxia)	2												1			1		
73	Other diseases of the spinal cord	10									1				2	2	3	2	
74a	Cerebral hemorrhage	219	2			1								7	18	41	72	78	
74b	Cerebral embolism and thrombosis	7											1				5	1	
75	Paralysis without specified cause	12												1	3	1	1	6	
76	General paralysis of the insane	15											1	1	2	4	6	1	
77	Other forms of mental alienation	4										1		1		1		1	
78	Epilepsy	14							1	2	1	1	2	4	1		2		
79	Convulsions (nonpuerperal; 5 years and over)	1																1	
80	Infantile convulsions (under 5 years)	4	4																
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	15				1		1		1	1	2	1	1	2	2	1	2	
86a	Diseases of the ear	4	1								1	1					1		
86b	Diseases of the mastoid process	4		1					1						1	1			
	IV.—Diseases of the circulatory system	479	3				1	4	12	8	6	4	9	32	45	80	139	135	1
87	Pericarditis	1												1					
88	Endocarditis and myocarditis (acute)	24					1	2	3	2		1	2	4		3	1	4	1
89	Angina pectoris	40												4	4	8	16	8	
90	Other diseases of the heart	357	2					2	9	6	6	3	7	22	36	61	108	95	
91a	Aneurysm	4													2	1		1	
91b,c	Other diseases of the arteries	46													2	5	12	27	
92	Embolism and thrombosis (not cerebral)	6	1											1	1	1	2		
93	Diseases of the veins	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	V.—Diseases of the respiratory system	292	63	13	11	10		6	9	6	7	8	4	16	22	27	42	48	
97b	Diseases of the nasal fossae annexa	2							1									1	
98	Diseases of the larynx	3		1	1				1										
99a	Acute bronchitis	4	1			1										1		1	
99b	Chronic bronchitis	6															2	4	
99c,d	Bronchitis (unspecified)	2		1														1	
100a	Broncho-pneumonia	106	43	7	6	5		2	3		2	1	2	2	3	4	6	20	
100b	Capillary bronchitis	1	1																
101a	Lobar pneumonia	120	10	4	2	4		4	3	5	5	6	1	12	12	21	20	11	
101b	Pneumonia (unspecified)	28	8		2							1			2	1	8	6	
102	Pleurisy	6							1					1	1		2	1	
103	Congestion and hemorrhagic infarct of the lung	3								1								2	
105	Asthma	7											1		3		2	1	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	3												1	1		1		
	VI.—Diseases of the digestive system	322	43	11	13	8	5	15	16	15	18	12	7	27	33	30	38	30	1
108	Diseases of the mouth and annexa	4					1							1		2			
109b	Other diseases of the pharynx, tonsils	25	2		3	2		5	1	4	2	2		3	1				
110	Diseases of the esophagus	2													1			1	
111a	Ulcer of the stomach	21									1	1		1	4	5	5	4	
111b	Ulcer of the duodenum	5										1		3	1				
112	Other diseases of the stomach (cancer excepted)	18	4	1	1					1	1			1	1	1		7	
113	Diarrhea and enteritis (under 2 years)	41	34	7															
114	Diarrhea and enteritis (2 years and over)	27			7	2	1	1	1	1		1		1		1	5	6	
117	Appendicitis and typhlitis	78			1	2	2	9	13	8	10	2	5	7	9	6	4		
118a	Hernia	12	1		1									1	4	2	3		
118b	Intestinal obstruction	26	2									3	1	5	5	2	5	3	
119	Other diseases of the intestines	4									1					1	2		
120	Acute yellow atrophy of the liver	3										1			1			1	
122	Cirrhosis of the liver	17									1			1	1	4	8	2	
123	Biliary calculi	5									1	1			1	1		1	
124	Other diseases of the liver	21		1		1	1			1				1	2	5	4	4	1
125	Diseases of the pancreas	2							1					1					
126	Peritonitis without specified cause	11		2		1					1		1	1	2		2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	277	1		1	1	1	2	4	7	6	3	7	14	30	58	77	64	1
128	Acute nephritis (including unspecified under 10 years)	20	1		1	1	1	1	3	2			1	2	1	2	3	1	
129	Chronic nephritis (including unspecified 10 years and over)	218						1	1	3	3	1	6	10	23	50	64	55	1
131	Other diseases of the kidneys and annexa	3														2	1		
132	Calculi of the urinary passages	2															2		
133	Diseases of the bladder	3													1		1	1	
135	Diseases of the prostate	15														3	5	7	
138	Salpingitis and pelvic abscess (female)	9								2	1	2		2	1	1			
139	Benign tumors of the uterus	5													4		1		
141	Other diseases of the female genital organs	2									2								
	VIII.—The puerperal state	45								3	9	13	9	10	1				
143	Accidents of pregnancy	5									1	3	1						
144	Puerperal hemorrhage	6									1	2		3					
145	Other accidents of labor	5											3	1	1				
146	Puerperal septicemia	14								1	3	6	3	1					
147	Puerperal phlegmasia alba dolens, embolus, etc	2												2					
148	Puerperal albuminuria and convulsions	12								2	4	1	2	3					
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	9											1			2	3	3	
151	Gangrene	6											1			1	2	2	
152	Furuncle	1																1	
154	Other diseases of the skin and annexa	2														1	1		
	X.—Diseases of the bones and of the organs of locomotion	7				1		1	1	1				1		2			
155	Diseases of the bones (tuberculosis excepted)	7				1		1	1	1				1		2			
	XI.—Malformations	44	41			1		1	1										
159a	Congenital hydrocephalus	5	3			1		1											
159b	Congenital malformations of the heart	32	31						1										
159c	Other congenital malformations	7	7																
	XII.—Early infancy	209	209																
160	Congenital debility, icterus, sclerema	20	20																
161a	Premature birth	145	145																
161b	Injury at birth	27	27																
162	Other diseases peculiar to early infancy	17	17																
164	XIII.—Old age (senility)	68															11	57	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IDAHO—Continued																		
	XIV.—External causes	428	8	25	9	3	7	29	19	27	37	34	36	60	48	36	25	24	1
	Suicide	61								3	5	8	6	12	9	10	3	4	1
165	By poisons (gas or corrosives excepted)	4									1	1		2					
166	By corrosive substances	3									2	1							
167	By poisonous gas	2										1	1						
168	By hanging or strangulation	8								1				2	1	2		2	
169	By drowning	5									1		1	1		1		1	
170	By firearms	31								2	1	3	4	7	5	6	1	1	1
171	By cutting or piercing instruments	6										1			2	1	2		
174	By other means	2										1			1				
	Homicide	20	1						1		3	1	5	4	2	3			
197	By firearms	14									3	1	3	4	1	2			
198	By cutting or piercing instruments	3							1				1			1			
199	By other means	3	1										1		1				
	Accidental or undefined	347	7	25	9	3	7	29	18	24	29	25	25	44	37	23	22	20	
175	Poisoning by food	5		1	1			1						1			1		
177	Other acute poisonings (gas excepted)	12		3		1		1	1		2	1	1		1			1	
178	Conflagration	11	1	1			1	4	2					1				1	
179	Burns (conflagration excepted)	15	1	5	1	1		3					1		1		1	1	
180	Mechanical suffocation	3	2					1											
181	Absorption of irrespirable, irritating, or poisonous gas	1												1					
182	Drowning	66		10	4		1	4	1	8	5	4	5	7	8	4	4	1	
183	Traumatism by firearms (except in war)	13	1					2	1	3		2	1	1	2				
184	Traumatism by cutting or piercing instruments	1							1										
185	Traumatism by fall	28						2	3		1	2		3		3	3	11	
186a	Traumatism in mines	14									4	4	2	1	3				
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	12							1		4		2	1	1	3			
188a	Railroad accidents	29		1				2		1	4	3	2	2	9	2	3		
	Collision with automobiles	5		1								2			1	1			
	Other railroad accidents	24						2		1	4	1	2	2	8	1	3		
188b	Street-car accidents	1															1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	56		2		1	3	5	3	5	2	3	4	12	6	4	5	1	
188e,f	Injuries by other vehicles	18	1				1	2				1	3	5	1	2	1	1	
188g	Landslide, other crushing	5								1		1		1		1	1		
189	Injuries by animals (not poisoning)	11			2				1	1		1	1	1		1		3	
193	Excessive cold	1															1		
194	Excessive heat	1														1			
195	Lightning	7							1	2	3				1				
196	Other accidental electric shocks	4										1	2			1			
201	Fracture (cause not specified)	2			1					1									
202	Other external violence	30	1	2			1	2	3	2	4	2	1	6	4	1	1		
	XV.—Ill-defined diseases	45	19		1									1	5	7	5	7	
204	Sudden death	6	1											1			2	2	
205a	Ill-defined	8	3												3			2	
205b	Not specified or unknown	31	15		1										2	7	3	3	
	ILLINOIS																		
	All causes	81,593	9,822	1,682	785	586	439	1,532	1,200	1,772	2,516	2,660	2,998	7,481	9,108	11,866	13,489	13,632	25
	I.—Epidemic, endemic, and infectious diseases	9,929	739	422	234	186	141	439	281	619	977	877	753	1,453	1,010	718	599	480	1
1	Typhoid and paratyphoid fever	327	5	2	2	2	3	14	31	46	49	34	27	53	28	19	10	2	
5	Malaria	62	6	2	3	2	1	2	2	1	5	2	4	7	5	6	9	5	
6	Smallpox	23	2		1			1		1	4	5		3	5	1			
7	Measles	217	56	68	35	21	7	12	8	1	2	3	1	1	2				
8	Scarlet fever	279	10	21	28	32	26	83	25	19	10	9	3	9	2	1		1	
9	Whooping cough	315	173	91	25	14	3	9											
10	Diphtheria	409	20	54	40	43	51	133	37	7	7	2		4	5	3	2	1	
11a	Influenza (with pulmonary complications)	907	116	38	18	12	9	21	18	30	29	26	37	85	77	112	122	157	
11b	Influenza (other and unspecified)	651	62	29	17	15	11	35	23	29	17	20	19	53	41	40	93	147	
13	Mumps	6	1					1	1	1			2						
15	Cholera nostras	12	1	1											1	2	3	4	
16	Dysentery	65	14	8	4	1		2					2	2	2		8	22	
19	Spirochetal hemorrhagic jaundice	4	1											2	1				
21	Erysipelas	165	41	4	2	1				3	4	6	3	15	19	24	15	28	
22	Acute anterior poliomyelitis	44	5	11	3	2	3	6	6	4	1	1	1	1					
23	Lethargic encephalitis	73	3	1	3	2		4	3	5	6	6	7	7	10	8	6	2	
24	Meningococcus meningitis	56	18	4	3	2	1	10	3	4	3	2		4		1	1		
25	Other epidemic and endemic diseases	20	6	8	3		2	1											
27	Anthrax	1											1						
28	Rabies	1							1										
29	Tetanus	97	7	1	1	3	4	17	20	5	3	6	3	6	10	4	5	2	
30	Mycoses	4								1							2	1	
	Tuberculosis (all forms)	5,537	80	68	45	32	18	83	97	433	801	699	603	1,069	713	417	277	101	1
31	Of the respiratory system	4,909	33	31	20	12	8	37	70	379	727	645	557	994	673	379	253	90	1
32	Of the meninges, central nervous system	223	36	32	17	15	8	26	18	17	21	3	11	9	8	1	1		
33	Of the intestines, peritoneum	200	5		4	2		11	3	13	34	30	19	32	16	16	12	3	
34	Of the vertebral column	53					1	4	2	9	8	8	3	7	2	5	2	2	
35	Of the joints	22	1			1				4	2		1	5	2	5		1	
36	Of other organs	87	3	1	2	2	1	4	2	4	5	10	6	17	9	7	9	5	
37a	Disseminated (acute)	42	2	4	2			1	2	7	4	3	6	4	3	4			
37b	Disseminated (chronic or unspecified)	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
38	Syphilis	494	104	6	1	2	1	2	4	15	19	29	22	104	74	69	37	5	
39	Soft chancre	1												1					
40	Gonococcus infection	108	3							14	14	22	17	23	9	5	1		
41	Purulent infection, septicemia	51	5	5			1	3	2		3	5	1	4	6	6	8	2	
	II.—General diseases not included in Class I	10,804	190	54	28	29	21	91	74	107	91	194	255	1,013	1,862	2,690	2,654	1,449	2
	Cancer and other malignant tumors	7,276	3	6	8	6	4	13	13	21	29	74	127	615	1,295	1,932	1,981	1,148	1
43	Of the buccal cavity	275	1				1	2	1	1	2			15	42	65	84	61	
44	Of the stomach, liver	2,783		2	1	1		1	2	1	1	12	26	158	436	791	889	462	
45	Of the peritoneum, intestines, rectum	1,032			2	1		2	2	3	8	15	15	76	158	262	302	186	
46	Of the female genital organs	970								2	3	19	36	173	276	240	153	68	
47	Of the breast	610									2	6	20	75	166	175	105	61	
48	Of the skin	184	1		1				1		1		4	8	15	21	56	76	
49	Of other or unspecified organs	1,422	1	4	4	4	3	8	7	14	12	22	26	110	202	378	392	234	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	26						1		2		2	2	5	5	5	2	2	
51	Acute rheumatic fever	213	3	4	2	8	9	45	27	17	9	12	8	23	15	12	11	8	
52	Chronic rheumatism, osteoarthritis, gout	67							1	1	1		2	1	10	10	18	23	
53	Scurvy	1			1														
54	Pellagra	10											1	4	3	2			
56	Rickets	69	39	18	6	2	1	2	1										
57	Diabetes mellitus	1,401	1	2	2	1	1	9	16	25	16	32	19	84	189	416	393	195	
58	Anemia, chlorosis	521	8	4				3	3	7	1	5	10	54	91	136	148	51	
59	Diseases of the pituitary gland	13						1		2			1	2	5	1		1	
60a	Exophthalmic goiter	401							2	9	20	27	37	84	97	75	40	10	
60b	Other diseases of the thyroid gland	49	4	1	2	1	1	2	1	2	3	3	2	6	7	6	7	1	
61	Diseases of the parathyroid glands	3	1	1					1										
62	Diseases of the thymus gland	88	69	7	1	3	3	2	1		1		1						
63	Diseases of the adrenals (Addison's disease)	34								1	1	3	2	4	9	2	10	2	
64	Diseases of the spleen	6											1		3	2			
65a	Leukemia	149	1	5	2	4	1	7	5	12	3	11	12	18	27	22	16	3	
65b	Hodgkin's disease	67		2	1	3		4	1	5	4	7	1	14	7	9	6	3	
66	Alcoholism (acute or chronic)	299								1	2	15	25	95	90	51	18	1	1
67a	Chronic lead poisoning	10												2	5	2	1		
67b	Other chronic mineral poisoning	2													1	1			
68	Chronic poisoning by organic substances	4										1	1	2					
69	Other general diseases	95	61	4	3	1	1	2	2	2	1	2	3		3	6	3	1	
	III.—Diseases of the nervous system and of the organs of special sense	7,301	129	43	38	25	17	81	85	82	75	99	159	520	874	1,360	1,782	1,929	3
70	Encephalitis	42	8	2			1	4	3	2	1	1	3	7	6	2	2		
71a	Simple meningitis	93	18	6	14	5	2	8	4	5	4	4	2	4	7	4	6		
71b	Nonepidemic cerebrospinal meningitis	24	6	2	2	2		1	2	3	2	2	1	1					
72	Tabes dorsalis (locomotor ataxia)	148								1			5	22	33	49	29	9	
73	Other diseases of the spinal cord	277	3	4	1			4	9	6	2	2	12	18	35	50	69	62	
74a	Cerebral hemorrhage	4,683	7	3	2	1	1	2	2	9	8	11	26	121	483	972	1,400	1,633	2
74b	Cerebral embolism and thrombosis	278	3		2			4	3	1	4	5	4	14	25	55	89	69	
75	Paralysis without specified cause	116	1					1		2			1	2	6	14	35	54	
76	General paralysis of the insane	573							1	1	4	19	36	181	159	109	46	17	
77	Other forms of mental alienation	153								7	8	18	23	42	28	13	10	3	1
78	Epilepsy	188	7	3	3	3	3	12	11	11	19	13	19	27	16	22	7	12	
79	Convulsions (nonpuerperal; 5 years and over)	1												1					
80	Infantile convulsions (under 5 years)	33	27	4	1	1													
81	Chorea	5							3	1					1				
82	Neuralgia and neuritis	10								1					1	1	5	2	
83	Softening of the brain	44											2	2		7	13	20	
84	Other diseases of the nervous system	343	5	2	4	4	2	8	7	14	9	11	14	52	57	51	56	47	
85	Diseases of the eye and annexa	5	1			1		1	1							1			
86a	Diseases of the ear	189	33	11	6	6	6	20	24	11	11	8	9	16	14	4	10		
86b	Diseases of the mastoid process	96	10	6	3	2	2	16	15	7	3	5	2	10	3	6	5	1	
	IV.—Diseases of the circulatory system	15,798	81	29	19	13	21	127	146	161	198	211	318	1,009	1,791	2,939	3,935	4,795	5
87	Pericarditis	61		3			1	2	1		2		4	5	7	10	13	13	
88	Endocarditis and myocarditis (acute)	561	38	7	10	4	5	25	22	25	35	35	45	94	46	53	60	57	
89	Angina pectoris	806									3	3	9	46	104	210	249	181	1
90	Other diseases of the heart	12,690	36	18	9	9	15	100	122	133	152	169	246	810	1,523	2,458	3,172	3,714	4
91a	Aneurysm	155								1	2	2	5	27	37	28	38	15	
91b,c	Other diseases of the arteries	1,381										1	2	9	55	154	374	786	
92	Embolism and thrombosis (not cerebral)	91	3							2	2	1	4	7	16	11	24	21	
93	Diseases of the veins	31							1		1		3	6	2	9	2	7	
94	Diseases of the lymphatic system	10	4	1							1					3	1		
95	Hemorrhage without specified cause	7												5			2		
96	Other diseases of the circulatory system	5													1	3		1	
	V.—Diseases of the respiratory system	7,057	1,511	493	177	89	55	147	91	97	133	175	232	589	628	732	855	1,053	
97a	Diseases of the nasal fossae	15	6									2		3			2	2	
97b	Diseases of the nasal fossae annexa	59		1				4	5	4	6	3	6	7	9	9	2	3	
98	Diseases of the larynx	20	5	2	2			1			1		1	4			2	2	
99a	Acute bronchitis	281	151	29	10	5	4	4	1	2		1	1	4	7	6	14	42	
99b	Chronic bronchitis	163	6	3						1	2	1	1	6	10	16	38	79	
99c,d	Bronchitis (unspecified)	121	37	9	3			1	1	1			1	1		3	11	53	
100a	Broncho-pneumonia	2,312	948	278	100	36	22	62	28	13	14	18	19	76	90	108	183	317	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
100b	Capillary bronchitis	83	49	10	2	3	2	2	1			1	1		1	2	3	6	
101a	Lobar pneumonia	3,460	276	137	51	39	24	60	47	66	93	131	186	441	468	516	512	413	
101b	Pneumonia (unspecified)	45	9	2	1	1		2	2	3	3			2	3	2	6	9	
102	Pleurisy	180	15	18	5	4	2	9	6	5	9	11	7	21	10	27	19	12	
103	Congestion and hemorrhagic infarct of the lung	94	6		1	1							1			3	12	70	
104	Gangrene of the lung	18									1	2	3	5		4	1	2	
105	Asthma	148		2	2			2			2	4	1	12	18	27	40	38	
106	Pulmonary emphysema	5					1								1		2	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	53	3	2						2	2	1	4	7	11	9	8	4	
	VI.—Diseases of the digestive system	7,511	2,001	452	175	109	76	189	171	176	172	226	285	706	737	809	690	536	1
108	Diseases of the mouth and annexa	51	7					1		3	6	3	4	6	8	6	5	2	
109b	Other diseases of the pharynx, tonsils	281	12	19	20	14	8	41	22	18	19	14	22	32	19	8	9	4	
110	Diseases of the esophagus	8			1									1		1	1	4	
111a	Ulcer of the stomach	385							3	5	9	20	25	74	92	59	66	32	
111b	Ulcer of the duodenum	123					1		1		3	9	7	35	20	22	14	11	
112	Other diseases of the stomach (cancer excepted)	212	43	8	5	2	5	2	4	4	1	6	1	9	17	24	29	52	
113	Diarrhea and enteritis (under 2 years)	2,208	1,817	391															
114	Diarrhea and enteritis (2 years and over)	535			113	60	31	30	9	3	4	12	16	22	27	30	61	117	
116	Diseases due to other intestinal parasites	7					1				1		1	2	1	1			
117	Appendicitis and typhlitis	1,233	2	8	17	24	25	91	112	119	91	90	95	222	158	114	52	12	1
118a	Hernia	307	10	2		1				1	2	9	12	27	51	74	64	54	
118b	Intestinal obstruction	490	91	20	13	3	3	11	14	10	11	20	28	46	44	51	70	55	
119	Other diseases of the intestines	57	2	1				1					3	8	8	11	11	12	
120	Acute yellow atrophy of the liver	28	1					2		2	2	3	1	5	6	6			
121	Hydatid tumor of the liver	4													2		2		
122	Cirrhosis of the liver	705		1				1	1	1	7	6	26	79	128	198	165	92	
123	Biliary calculi	454								1	6	13	18	76	100	120	87	33	
124	Other diseases of the liver	288	5			1		3	1	5	4	15	17	44	40	64	39	50	
125	Diseases of the pancreas	44					1				2	4	7	6	9	9	6		
126	Peritonitis without specified cause	91	11	2	6	4	1	6	4	4	4	2	2	12	7	11	9	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	8,974	70	21	15	12	9	39	47	65	106	144	250	717	1,066	1,725	2,279	2,408	1
128	Acute nephritis (including unspecified under 10 years)	271	39	10	12	5	5	13	10	6	13	7	6	33	34	28	24	26	
129	Chronic nephritis (including unspecified 10 years and over)	7,529	1	5	1	4	3	22	34	49	65	87	163	494	874	1,543	2,043	2,140	1
131	Other diseases of the kidneys and annexa	191	26	6	2	3	1	4	1	3	5	10	14	28	21	24	24	19	
132	Calculi of the urinary passages	86								2	1	4	5	17	19	14	15	9	
133	Diseases of the bladder	48							1		1	1	1	1	3	6	6	28	
134	Diseases of the urethra, etc	20										1	2	2	7	5	2	1	
135	Diseases of the prostate	412									1	1		1	16	70	152	171	
136	Nonvenereal diseases of the male genital organs	6	3												1	2			
137	Cysts, other benign tumors of the ovary	59									1	4	10	16	9	8	3	8	
138	Salpingitis and pelvic abscess (female)	126							1	5	14	16	26	49	10	3	1	1	
139	Benign tumors of the uterus	168									3	7	9	64	59	16	5	5	
140	Nonpuerperal uterine hemorrhage	2									1		1						
141	Other diseases of the female genital organs	55									1	6	13	12	13	6	4		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	789							1	59	176	151	170	220	12				
143	Accidents of pregnancy	79								3	17	14	17	26	2				
144	Puerperal hemorrhage	89								3	14	10	27	34	1				
145	Other accidents of labor	77								4	14	13	25	20	1				
146	Puerperal septicemia	323								25	83	64	66	82	3				
147	Puerperal phlegmasia alba dolens, embolus, etc	34								1	9	7	6	10	1				
148	Puerperal albuminuria and convulsions	186							1	22	39	43	29	48	4				
149	Following childbirth (undefined)	1								1									
	IX.—Diseases of the skin and of the cellular tissue	179	35	1		1		5	3	4	6	7	4	9	13	13	20	58	
151	Gangrene	53						1	1		1				2	3	9	36	
152	Furuncle	37	6					1		1	2	4	2	4	4	5	3	5	
153	Acute abscess	40	14					2	1	1	2	2	1	2	5	4	1	5	
154	Other diseases of the skin and annexa	49	15	1		1		1	1	2	1	1	1	3	2	1	7	12	
	X.—Diseases of the bones and of the organs of locomotion	87	7	1	4	1		8	16	6	1	3	4	4	13	4	9	6	
155	Diseases of the bones (tuberculosis excepted)	71	5	1	4			8	14	5	1	2	4	4	7	3	7	6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13	2			1			2	1		1			5	1			
158	Other diseases of the organs of locomotion	3													1		2		
	XI.—Malformations	1,081	980	43	17	5	8	14	5	2	2	1	1	2	1				
159a	Congenital hydrocephalus	130	102	12	6	1	2	4	2		1								
159b	Congenital malformations of the heart	683	625	26	9	2	4	7	2	2	1	1	1	2	1				
159c	Other congenital malformations	268	253	5	2	2	2	3	1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	ILLINOIS—Continued																		
	XII.—Early infancy	3,870	3,870																
160	Congenital debility, icterus, sclerema	217	217																
161a	Premature birth	2,315	2,315																
161b	Injury at birth	1,112	1,112																
162	Other diseases peculiar to early infancy	213	213																
163	Lack of care	13	13																
164	XIII.—Old age (senility)	397													2	8	42	345	
	XIV.—External causes	7,611	147	120	78	116	91	391	278	390	577	569	561	1,223	1,072	838	593	556	11
	Suicide	962							4	23	63	70	98	209	207	159	91	34	4
165	By poisons (gas or corrosives excepted)	46								1	5	4	1	12	8	8	4	3	
166	By corrosive substances	97								3	12	11	19	19	18	10	3	2	
167	By poisonous gas	164								1	9	11	13	32	43	38	15	2	
168	By hanging or strangulation	159								3	7	5	11	32	35	28	24	10	4
169	By drowning	45								3	2	4	2	11	9	6	6	2	
170	By firearms	345							4	11	24	28	38	77	76	45	33	9	
171	By cutting or piercing instruments	51									2		7	13	7	15	5	2	
172	By jumping from high places	39									1	7	6	8	7	7	1	2	
173	By crushing	9								1	1		1	2	2	2			
174	By other means	7												3	2			2	
	Homicide	770	22			2	1	4	2	45	115	142	140	180	81	27	8	1	
197	By firearms	557	1				1	2	2	29	89	108	115	127	61	17	5		
198	By cutting or piercing instruments	89								6	16	19	15	23	5	4	1		
199	By other means	124	21			2		2		10	10	15	10	30	15	6	2	1	
	Accidental or undefined	5,879	125	120	78	114	90	387	272	322	399	357	323	834	784	652	494	521	7
175	Poisoning by food	30	2	3	3	1	1	3	1		2	4		1	4	1	2	2	
176	Poisoning by venomous animals	2											1		1				
177	Other acute poisonings (gas excepted)	109	2	21	2	3		3			14	10	11	19	11	10	3		
178	Conflagration	85	4	3	2	3	3	4	1	4	7	3	6	15	16	8	5	1	
179	Burns (conflagration excepted)	326	18	25	35	30	24	27	11	9	11	14	10	28	15	24	15	30	
180	Mechanical suffocation	42	28	1			1	2			2			4	3	1			
181	Absorption of irrespirable, irritating, or poisonous gas	226	3	2				1	1	8	13	13	11	44	45	41	19	25	
182	Drowning	368	4	7	4	4	4	30	51	46	53	20	18	43	41	30	10	1	2
183	Traumatism by firearms (except in war)	136			1	3	4	9	16	23	22	15	5	14	8	9	5	2	
184	Traumatism by cutting or piercing instruments	46	2		1		1	4	4	2	3	4	1	4	7	7	5	1	
185	Traumatism by fall	925	9	15	4	15	3	15	20	15	18	24	32	99	99	106	156	295	
186a	Traumatism in mines	131						2		7	11	15	10	46	22	10	7	1	
186b	Traumatism in quarries	5							1	1	1		1	1					
187	Traumatism by machines	142	1	1		1		2	2	13	11	14	15	26	24	18	10	4	
188a	Railroad accidents	665	3	2	5	3	3	16	20	60	58	52	50	125	122	75	45	26	
	Collision with automobiles	191	3	2	3	2	2	10	5	19	22	12	13	41	32	16	8	1	
	Other railroad accidents	474			2	1	1	6	15	41	36	40	37	84	90	59	37	25	
188b	Street-car accidents	186	1			1		8	4	10	15	17	10	32	37	32	9	9	1
	Collision with automobiles	60	1			1		1	3	8	9	8	4	12	4	8	1		
	Other street-car accidents	126						7	1	2	6	9	6	20	33	24	8	9	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,268	3	7	4	23	24	176	73	73	82	75	70	149	161	163	121	64	
188d	Airplane and balloon accidents	6								1	1	1	2	1					
188e,f	Injuries by other vehicles	99			1			8	7	4	1	11	7	16	19	10	6	9	
188g	Landslide, other crushing	71	1		2			5	11	5	5	5	4	6	9	5	12	1	
189	Injuries by animals (not poisoning)	39						8	1		2	2		4	5	8	8	1	
190	Wounds of war	1											1						
193	Excessive cold	19									1	2	1	4	4	5	2		
194	Excessive heat	52					1			1	2	1	3	5	8	9	13		
195	Lightning	23						1		4	3	2	2	7	4				
196	Other accidental electric shocks	67						2	7	9	10	7	7	15	6	3	1		
201	Fracture (cause not specified)	40	1								2	1	1	11	10	9	3	2	
202	Other external violence	756	43	33	14	27	21	61	40	26	48	45	43	112	101	64	41	33	4
203	Violent deaths of unknown causation	14							1	1	1		1	3	2	4		1	
	XV.—Ill-defined diseases	205	62	3				1	2	4	2	3	6	16	27	30	31	17	1
204	Sudden death	12												2	1	1	4	4	
205a	Ill-defined	105	27	1				1	1	2	1	1	5	3	15	16	20	12	
205b	Not specified or unknown	88	35	2					1	2	1	2	1	11	11	13	7	1	1
	INDIANA																		
	All causes	38,632	4,370	783	354	229	162	615	531	853	1,068	1,024	1,073	2,807	3,436	5,216	7,540	8,539	32
	I.—Epidemic, endemic, and infectious diseases	5,439	444	249	111	72	71	201	165	308	401	368	291	602	494	524	587	550	1
1	Typhoid and paratyphoid fever	250		1	2	2	3	14	24	48	35	20	12	31	23	26	6	3	
5	Malaria	6										1			1	1	2	1	
6	Smallpox	6									1			2		1	1	1	
7	Measles	70	16	21	4	6	1	13	3		1	2		1		2			
8	Scarlet fever	109	4	12	7	6	9	29	14	7	4	4	4	5	3	1			
9	Whooping cough	189	110	50	11	4	6	4	3						1				
10	Diphtheria	172	8	27	16	14	22	57	11	7	3	2	2	1	1		1		
11a	Influenza (with pulmonary complications)	848	115	52	27	5	5	13	16	23	20	27	25	75	67	84	117	177	
11b	Influenza (other and unspecified)	637	66	20	8	15	10	11	17	18	24	13	15	39	46	69	92	174	
13	Mumps	4						1		1					2				
15	Cholera nostras	4	1			1										1	1		
16	Dysentery	105	16	9	5	3	2	2				2		1	1	6	19	39	
19	Spirochetal hemorrhagic jaundice	2	1					1											
21	Erysipelas	77	13	3	1		2	1		1	1	3	4	4	6	8	14	16	
22	Acute anterior poliomyelitis	29	2	6	1	1		11	2	4	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
23	Lethargic encephalitis	35	1	3	1			4	2		1	1	2	7	5	4	3	1	
24	Meningococcus meningitis	27	5	4	2	1	1	2	4		2	1	2	3					
25	Other epidemic and endemic diseases	9	4	3				1					1						
27	Anthrax	1												1					
29	Tetanus	42	6	1	3		2	4	9	2	2	1	1	4	2	2	2	1	
30	Mycoses	1							1										
	Tuberculosis (all forms)	2,544	43	32	18	13	8	29	53	190	300	276	211	384	282	285	294	125	1
31	Of the respiratory system	2,162	16	9	10	2	1	12	36	164	272	252	192	343	255	243	246	109	
32	Of the meninges, central nervous system	115	21	18	7	8	6	11	9	5	5	4	5	4	3	3	5		1
33	Of the intestines, peritoneum	136	2	3	1	2		1	5	8	9	11	7	23	10	24	19	11	
34	Of the vertebral column	27						2		2	4	1	2	1	2	5	7	1	
35	Of the joints	13										1	1	1	1	2	4	3	
36	Of other organs	33	2				1			1	3	3	1	4	6	3	8	1	
37a	Disseminated (acute)	39	1	1		1		2	3	9	7	4	1	3	3	2	2		
37b	Disseminated (chronic or unspecified)	19	1	1				1		1			2	5	2	3	3		
38	Syphilis	207	32	5	3	1		3	3	4	1	9	5	30	43	30	29	9	
40	Gonococcus infection	30								2	3	5	5	12	3				
41	Purulent infection, septicemia	35	1		2			1	3	1	1	1	2	2	3	4	6	3	
	II.—General diseases not included in Class I	4,530	62	11	13	3	6	26	38	36	40	60	85	361	635	1,088	1,248	815	3
	Cancer and other malignant tumors	3,108	1	5	3	1	1	4	7	7	10	25	56	216	438	759	919	654	2
43	Of the buccal cavity	116						1	2				1	5	14	30	30	33	
44	Of the stomach, liver	1,176							1		2	5	10	43	136	294	403	280	2
45	Of the peritoneum, intestines, rectum	422		2			1			1	1	5	7	25	49	102	133	96	
46	Of the female genital organs	468							1		2	9	17	75	120	112	100	32	
47	Of the breast	252									1	2	6	37	56	53	56	41	
48	Of the skin	138												5	5	24	37	67	
49	Of other or unspecified organs	536	1	3	3	1		3	3	6	4	4	15	26	58	144	160	105	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	22								1		1			6	5	3	6	
51	Acute rheumatic fever	74			2	1	2	9	13	7	3	3		5	4	8	10	7	
52	Chronic rheumatism, osteoarthritis, gout	49											2	1	9	6	13	18	
53	Scurvy	1	1																
54	Pellagra	1												1					
56	Rickets	6	4		1			1											
57	Diabetes mellitus	564	1		1		1	5	13	10	9	7	7	36	63	144	183	84	
58	Anemia, chlorosis	230	2					2	1	1	1	1		15	30	77	72	28	
59	Diseases of the pituitary gland	4						1			1			2					
60a	Exophthalmic goiter	217								4	10	11	7	52	53	54	21	5	
60b	Other diseases of the thyroid gland	27	1	1	1	1	1				1	1	3	2	3	4	4	4	
61	Diseases of the parathyroid glands	2	1											1					
62	Diseases of the thymus gland	17	13		2			1		1									
63	Diseases of the adrenals (Addison's disease)	10								1				3	2	1	2	1	
64	Diseases of the spleen	5			1									2	1		1		
65a	Leukemia	60	1	1	1		1	1	3		3	4	5	6	4	13	12	5	
65b	Hodgkin's disease	20	1	1						1		3	1	2	2	5	3	1	
66	Alcoholism (acute or chronic)	50								1		2	3	15	18	8	2		1
67a	Chronic lead poisoning	2										1					1		
68	Chronic poisoning by organic substances	2													1		1		
69	Other general diseases	59	36	3	1			2	1	2	2	1	1	2	1	4	1	2	
	III.—Diseases of the nervous system and of the organs of special sense	4,469	88	20	18	10	8	33	19	32	31	36	76	236	411	727	1,274	1,447	3
70	Encephalitis	48	4	1					1	2	1	3	2	11	4	7	6	6	
71a	Simple meningitis	108	30	9	6	7	1	6	3	2	2	2	5	8	11	6	6	4	
71b	Nonepidemic cerebrospinal meningitis	28	12	4	1			4	1	2			2		1	1			
72	Tabes dorsalis (locomotor ataxia)	75										1		10	18	23	19	4	
73	Other diseases of the spinal cord	127		1	1		2	2		3	4	1	2	7	11	23	37	33	
74a	Cerebral hemorrhage	3,118	4		2		1			3	6	5	12	82	235	548	1,015	1,203	2
74b	Cerebral embolism and thrombosis	95	1					1		1		2	2	3	15	14	28	28	
75	Paralysis without specified cause	209	1			1		1		1		1	3	4	10	23	70	94	
76	General paralysis of the insane	262								1	3	9	29	80	57	42	25	15	1
77	Other forms of mental alienation	31									2	3	2	6	9	2	6	1	
78	Epilepsy	73	3				2		4	8	7	4	5	6	13	9	9	3	
79	Convulsions (nonpuerperal; 5 years and over)	1								1									
80	Infantile convulsions (under 5 years)	27	25	1	1														
81	Chorea	1							1										
82	Neuralgia and neuritis	5											1					4	
83	Softening of the brain	35												1		3	12	19	
84	Other diseases of the nervous system	137	3		1		1	2	1	2	3	4	6	8	22	20	34	30	
85	Diseases of the eye and annexa	5		1		1	1		1				1						
86a	Diseases of the ear	45	4	1	3			9	3	5	1	1	2	4	3	4	3	2	
86b	Diseases of the mastoid process	39	1	2	3	1		8	4	1	2		2	6	2	2	4	1	
	IV.—Diseases of the circulatory system	7,251	27	7	9	6	4	33	51	61	66	67	77	313	600	1,132	2,067	2,724	7
87	Pericarditis	31	1					1		3		2	1	4	6	2	4	7	
88	Endocarditis and myocarditis (acute)	282	9	2	7		1	6	9	14	16	13	15	38	37	37	37	41	
89	Angina pectoris	562								1	1	2	3	30	51	121	203	150	
90	Other diseases of the heart	5,249	14	5	2	6	3	26	42	41	49	49	51	224	465	856	1,537	1,873	6
91a	Aneurysm	57											5	9	11	8	18	6	
91b,c	Other diseases of the arteries	985												2	18	88	245	631	1
92	Embolism and thrombosis (not cerebral)	64	2							2			2	5	11	13	17	12	
93	Diseases of the veins	14													1	4	6	3	
94	Diseases of the lymphatic system	6	1									1				3		1	
95	Hemorrhage without specified cause	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	V.—Diseases of the respiratory system	3,174	601	159	63	36	18	78	33	60	74	79	78	232	222	292	451	695	3
97a	Diseases of the nasal fossae	1	1																
97b	Diseases of the nasal fossae annexa	21					1	3		1	2	2	4	2	3	2	1		
98	Diseases of the larynx	19	5	3	2	1	3	1			1			1	1			1	
99a	Acute bronchitis	48	17	1	1	1	1	1			1			1	1	1	8	14	
99b	Chronic bronchitis	103	2						3	1	1			1	5	6	23	61	
99c,d	Bronchitis (unspecified)	39	7					2						2	2	3	6	17	
100a	Broncho-pneumonia	1,088	375	98	33	19	6	24	6	12	11	5	13	43	34	58	108	242	1
100b	Capillary bronchitis	21	10	2									1	1			3	4	
101a	Lobar pneumonia	1,485	147	46	18	11	5	38	19	38	57	62	45	157	146	182	243	269	2
101b	Pneumonia (unspecified)	132	26	6	6		1	5	4	3	1	3	6	7	7	13	16	28	
102	Pleurisy	53	3	2	2	4		4		1		3	5	5	4	7	7	6	
103	Congestion and hemorrhagic infarct of the lung	48	3							1		1	1	2	3	2	8	27	
104	Gangrene of the lung	4											1				2	1	
105	Asthma	61	1	1	1								1	7	11	8	14	17	
106	Pulmonary emphysema	10										1		1	1	3	4		
107	Other diseases of the respiratory system (tuberculosis excepted)	41	4				1		1	3		2	1	2	4	7	8	8	
	VI.—Diseases of the digestive system	3,522	941	251	90	50	27	96	69	75	80	85	105	273	297	368	387	328	
108	Diseases of the mouth and annexa	19	2					2			1			1	2	5	4	2	
109b	Other diseases of the pharynx, tonsils	111	8	2	5	2	4	18	10	9	11	8	6	11	5	3	6	3	
110	Diseases of the esophagus	5															2	3	
111a	Ulcer of the stomach	151	1							2	3	6	10	23	26	26	35	19	
111b	Ulcer of the duodenum	52										2	3	7	13	12	9	6	
112	Other diseases of the stomach (cancer excepted)	184	62	10		2	1	1	1	3	1	1	4	13	12	20	21	32	
113	Diarrhea and enteritis (under 2 years)	1,045	816	229															
114	Diarrhea and enteritis (2 years and over)	336			74	35	12	22	3	1	3	2	4	11	15	27	36	91	
116	Diseases due to other intestinal parasites	1		1															
117	Appendicitis and typhlitis	492	1	2	5	6	6	41	42	44	35	34	38	78	76	46	30	8	
118a	Hernia	132	4						1		2	2	3	13	20	33	30	24	
118b	Intestinal obstruction	258	37	4	4	3	1	6	6	10	6	12	12	32	24	31	38	32	
119	Other diseases of the intestines	34	1	1						1	2	1	3	4	2	3	9	7	
120	Acute yellow atrophy of the liver	20									4	4	3	3		2	2	2	
121	Hydatid tumor of the liver	2																2	
122	Cirrhosis of the liver	262					1		1			2	2	23	34	71	86	42	
123	Biliary calculi	160									1	1	6	25	34	41	32	20	
124	Other diseases of the liver	181	3			1		2	1	3	4	5	7	21	30	37	37	30	
125	Diseases of the pancreas	16									1			2	1	6	3	3	
126	Peritonitis without specified cause	61	6	2	2	1	2	4	4	2	6	5	4	6	3	5	7	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,065	12	6	3	4	2	13	16	34	42	40	74	256	368	691	1,146	1,356	2
128	Acute nephritis (including unspecified under 10 years)	195	6	4	3	1	2	4	5	6	8	4	4	23	23	23	34	40	
129	Chronic nephritis (including unspecified 10 years and over)	3,406				2		9	11	22	23	20	40	166	293	611	1,015	1,192	2
131	Other diseases of the kidneys and annexa	92	4	2		1				2	3	4	6	8	9	19	17	17	
132	Calculi of the urinary passages	16										1		4		4	2	5	
133	Diseases of the bladder	23	1										1		1		8	12	
134	Diseases of the urethra, etc	6												1		3	1	1	
135	Diseases of the prostate	157												1	5	17	58	76	
136	Nonvenereal diseases of the male genital organs	2	1														1		
137	Cysts, other benign tumors of the ovary	32									1		3	7	6	6	4	5	
138	Salpingitis and pelvic abscess (female)	55								4	5	6	11	18	7	1	2	1	
139	Benign tumors of the uterus	63										1	7	21	18	6	3	7	
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	17									2	4	2	2	5	1	1		
	VIII.—The puerperal state	389							1	41	90	68	82	102	5				
143	Accidents of pregnancy	44								3	9	6	9	17					
144	Puerperal hemorrhage	37									12	7	5	12	1				
145	Other accidents of labor	27								3	1	6	9	8					
146	Puerperal septicemia	179								20	44	35	42	36	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	9								1	1	1	3	3					
148	Puerperal albuminuria and convulsions	91							1	14	22	12	14	26	2				
149	Following childbirth (undefined)	2									1	1							
	IX.—Diseases of the skin and of the cellular tissue	110	14	1	2					4	1	1	2	4	10	13	17	41	
151	Gangrene	54	1	1								1		2	4	4	10	31	
152	Furuncle	23	3		1					2	1		1	4	5	3	3	1	
153	Acute abscess	12	2		1					2			1	2	2	1		1	
154	Other diseases of the skin and annexa	21	8													3	4	6	
	X.—Diseases of the bones and of the organs of locomotion	28	1		1			6	3	4		1		2	3	1	2	4	
155	Diseases of the bones (tuberculosis excepted)	22	1		1			6	3	3				2	2	1	1	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4								1		1			1		1		
158	Other diseases of the organs of locomotion	2																2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	INDIANA—Continued																		
	XI.—Malformations	475	445	13	5	2	2	4	1	1			1	1					
159a	Congenital hydrocephalus	38	27	5	3	1	1	1											
159b	Congenital malformations of the heart	319	305	5	1	1	1	3		1			1	1					
159c	Other congenital malformations	118	113	3	1				1										
	XII.—Early infancy	1,660	1,660																
160	Congenital debility, icterus, sclerema	185	185																
161a	Premature birth	1,048	1,048																
161b	Injury at birth	259	259																
162	Other diseases peculiar to early infancy	166	166																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	171														5	19	147	
	XIV.—External causes	3,293	58	59	39	43	22	124	134	196	242	217	201	422	388	367	340	428	13
	Suicide	447							6	16	27	34	32	83	87	81	59	21	1
165	By poisons (gas or corrosives excepted)	28								2	2	2	3	1	10	5	3		
166	By corrosive substances	92							2	9	14	10	11	15	12	10	6	3	
167	By poisonous gas	27									1		1	5	5	5	8	2	
168	By hanging or strangulation	73							2	1	2	7	4	12	18	15	11	1	
169	By drowning	23									1	1		2	6	5	5	3	
170	By firearms	168							1	3	6	11	12	44	31	31	21	7	1
171	By cutting or piercing instruments	20									1	1	1	1	2	6	4	4	
172	By jumping from high places	2													2				
173	By crushing	5							1					2	1	1			
174	By other means	9								1		2		1		3	1	1	
	Homicide	204	2					2	1	11	28	37	31	52	26	8	4	1	1
197	By firearms	145						2		7	21	27	23	39	19	6			1
198	By cutting or piercing instruments	22								2	3	4	5	5	1		2		
199	By other means	37	2						1	2	4	6	3	8	6	2	2	1	
	Accidental or undefined	2,642	56	59	39	43	22	122	127	169	187	146	138	287	275	278	277	406	11
175	Poisoning by food	24	3		2			1	1	1		2			5	3	3	3	
176	Poisoning by venomous animals	2												1			1		
177	Other acute poisonings (gas excepted)	49	1	14	2	1	1	1		2	4	2	3	3	6	5	3		1
178	Conflagration	30			1	2	1	1	2	2			3	5	2	2	2	4	3
179	Burns (conflagration excepted)	155	3	14	17	12	6	13	5	5	4	5	9	20	10	8	15	9	
180	Mechanical suffocation	40	29	1				1	1			1	3	1	3				
181	Absorption of irrespirable, irritating, or poisonous gas	42	1	1						2	1	2		7	7	7	4	10	
182	Drowning	153		5	3	8		12	21	35	18	13	8	12	9	2	3	3	1
183	Traumatism by firearms (except in war)	75						8	11	14	11	7	5	4	5	8	2		
184	Traumatism by cutting or piercing instruments	20		2		1		1			2	1		4	2	3	2	2	
185	Traumatism by fall	540	1	8	3	2	3	6	5	7	13	8	7	22	34	44	92	285	
186a	Traumatism in mines	112								3	13	12	17	32	21	11	3		
186b	Traumatism in quarries	9									1	3	2	1		2			
187	Traumatism by machines	71				1		2	4	2	10	10	6	14	8	7	6	1	
188a	Railroad accidents	293	1	2	1	2		12	8	19	27	21	16	57	41	39	29	15	3
	Collision with automobiles	91	1	1		2		4	3	3	7	6	6	25	11	12	6	3	1
	Other railroad accidents	202		1	1			8	5	16	20	15	10	32	30	27	23	12	2
188b	Street-car accidents	115	1	1	2	1	1	6	5	11	9	11	4	14	15	14	10	10	
	Collision with automobiles	70	1	1		1		5	3	7	8	6	4	10	8	10	3	3	
	Other street-car accidents	45			2		1	1	2	4	1	5		4	7	4	7	7	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	509	1	2	4	9	8	40	38	46	42	23	25	40	63	78	54	35	1
188d	Airplane and balloon accidents	2										1		1					
188e,f	Injuries by other vehicles	44		1				3	6	3	1	1	2	3	1	11	9	3	
188g	Landslide, other crushing	39			1			1	2	2	2	4	2	8	7	6	1	3	
189	Injuries by animals (not poisoning)	24	1		1	1		3		1	1	1	1	1	2	3	5	3	
193	Excessive cold	7												1	2		2	2	
194	Excessive heat	21	2											2	5	4	4	3	1
195	Lightning	13							1	2	1	1	1	2	3	1	1		
196	Other accidental electric shocks	45							2	2	10	9	9	9	2	2			
201	Fracture (cause not specified)	7												2		1	2	2	
202	Other external violence	201	12	8	3	4	1	11	16	10	15	8	15	21	22	17	24	13	1
	XV.—Ill-defined diseases	56	17	7		3	2	1	1	1	1	2	1	3	3	8	2	4	
205a	Ill-defined	33		6		3	2			1	1	1	1	3	2	7	2	4	
205b	Not specified or unknown	23	17	1				1	1			1			1	1			
	IOWA																		
	All causes	24,294	2,673	328	208	165	139	384	325	454	551	573	611	1,459	1,941	3,174	4,802	6,503	4
	I.—Epidemic, endemic, and infectious diseases	2,583	278	74	54	44	39	113	74	127	179	164	145	270	244	222	251	305	
1	Typhoid and paratyphoid fever	80	1				1	2	5	10	15	9	5	6	14	9	3		
5	Malaria	2											1			1			
6	Smallpox	42	2					1	1	7	3	4		6	8	6	3	1	
7	Measles	13	2	1	2	1	1	2	1			1		1			1		
8	Scarlet fever	49	1	3	6	5	4	9	4	4	5	4		2		1		1	
9	Whooping cough	95	62	17	7		2	4	3										
10	Diphtheria	117	8	11	5	11	10	40	12	2	2	1	4	3	4	3	1		
11a	Influenza (with pulmonary complications)	331	42	12	10	4	2	6	7	6	8	8	17	16	24	31	53	85	
11b	Influenza (other and unspecified)	417	79	12	5	7	6	13	9	6	10	4	4	26	21	32	41	142	
13	Mumps	4								1			1	1	1				
15	Cholera nostras	4			1											1		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
16	Dysentery	48	7	2	5	3	1	1	2			1			2	2	8	14	
21	Erysipelas	74	23	3	1					2	1		3	6	10	6	11	8	
22	Acute anterior poliomyelitis	42	3	1	2	1	4	9	7	6	3	3	2	1					
23	Lethargic encephalitis	28			2	1			1	3	2	1	1	3	6	4	3	1	
24	Meningococcus meningitis	15	2	2	1	1		4			2			1		1	1		
25	Other epidemic and endemic diseases	4	2			1								1					
29	Tetanus	34	2		2	3	2	9		3	1	1	1	2	5	3			
30	Mycoses	1															1		
	Tuberculosis (all forms)	1,018	22	7	3	6	6	13	20	68	117	123	98	157	123	98	109	48	
31	Of the respiratory system	835	5		1		1	7	13	60	107	109	90	130	99	79	95	39	
32	Of the meninges, central nervous system	47	12	4	2	4	2	5	6	1	2	1	2	2	2	1		1	
33	Of the intestines, peritoneum	56	1	2		1	1			3	2	8	1	9	12	7	6	3	
34	Of the vertebral column	19	1				1	1			2	2	1	3	2	3	1	2	
35	Of the joints	5								1	1					1	1	1	
36	Of other organs	27	1							1	2	2	3	5	4	3	4	2	
37a	Disseminated (acute)	24	2			1	1		1	2	1	1		8	3	4			
37b	Disseminated (chronic or unspecified)	5		1									1		1		2		
38	Syphilis	121	15	1						5	6	2	7	29	24	17	14	1	
40	Gonococcus infection	12	1							3	2	1		5					
41	Purulent infection, septicemia	31	4	2	1				2	1	2	1	1	4	2	7	2	2	
42	Other infectious diseases	1			1														
	II.—General diseases not included in Class I	3,676	58	7	10	11	4	29	22	27	30	45	57	235	504	781	1,050	806	
	Cancer and other malignant tumors	2,507	2		3	3		3	4	5	7	17	31	147	350	555	743	637	
43	Of the buccal cavity	89											1	2	14	17	26	29	
44	Of the stomach, liver	1,013											3	30	108	221	331	320	
45	Of the peritoneum, intestines, rectum	360						1		1	1	2	4	21	38	72	131	89	
46	Of the female genital organs	285								1	1	3	11	43	61	37	52	26	
47	Of the breast	187										3	4	28	53	38	34	27	
48	Of the skin	67										1		1	6	8	17	34	
49	Of other or unspecified organs	506	2		3	3		2	4	3	5	8	8	22	70	112	152	112	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	20			1				1					2	3	3	3	7	
51	Acute rheumatic fever	47			1	1		5	6	3	6	2	1	7	3	3	5	4	
52	Chronic rheumatism, osteoarthritis, gout	41								2	1	1	2	3	3	7	8	14	
53	Scurvy	1	1																
54	Pellagra	2												1	1				
55	Beriberi																		
56	Rickets	5	3	2															
57	Diabetes mellitus	449	1	1	2	3	1	9	6	6	8	10	4	25	55	87	140	91	
58	Anemia, chlorosis	289	2					4	2	3	1	2	3	22	45	79	94	32	
59	Diseases of the pituitary gland	1										1							
60a	Exophthalmic goiter	91								2	3	5	7	14	14	18	24	4	
60b	Other diseases of the thyroid gland	23						1		2		2		1	3	4	4	6	
61	Diseases of the parathyroid glands	5	3	1		1													
62	Diseases of the thymus gland	26	23	1	1			1											
63	Diseases of the adrenals (Addison's disease)	13								1			3	2	2	3	1	1	
64	Diseases of the spleen	4										1		1		1	1		
65a	Leukemia	50	1	1	2	2	3	3	1	1	2		1	3	6	11	10	3	
65b	Hodgkin's disease	18							1		1	2	1	1	3	1	6	2	
66	Alcoholism (acute or chronic)	33											3	5	14	7	4		
67a	Chronic lead poisoning	5														1	3	1	
67b	Other chronic mineral poisoning	1															1		
68	Chronic poisoning by organic substances	2										1					1		
69	Other general diseases	43	22	1		1		3	1	2	1	1	1	1	2	1	2	4	
	III.—Diseases of the nervous system and of the organs of special sense	3,100	81	9	11	5	8	25	20	26	32	35	51	128	239	512	879	1,039	
70	Encephalitis	38	6				1	1	1	1	3		2	7	3	7	2	4	
71a	Simple meningitis	35	8	1		2	1	1	3	1	2	1		5	1	2	5	2	
71b	Nonepidemic cerebrospinal meningitis	8	2		2			2	1			1							
72	Tabes dorsalis (locomotor ataxia)	37													6	9	18	4	
73	Other diseases of the spinal cord	106	1		1			2	1		1	7	3	10	13	15	32	20	
74a	Cerebral hemorrhage	2,118	4				1		1	5	3	9	10	38	136	383	669	859	
74b	Cerebral embolism and thrombosis	107					1	2	2	3	3	3	3	3	8	14	34	31	
75	Paralysis without specified cause	124	2		1		1			1	1			2	7	12	39	58	
76	General paralysis of the insane	112									1	3	12	29	26	18	19	4	
77	Other forms of mental alienation	55									1	3	8	3	9	15	10	6	
78	Epilepsy	72		1		1	1	3	3	5	7	2	7	14	11	5	7	5	
79	Convulsions (nonpuerperal; 5 years and over)	3						1				1			1				
80	Infantile convulsions (under 5 years)	45	40	2	3														
81	Chorea	3						1	1		1								
82	Neuralgia and neuritis	9									1					2	1	5	
83	Softening of the brain	34														3	12	19	
84	Other diseases of the nervous system	130	3	1	2		1	6	1	4	4	4	4	12	17	22	29	20	
85	Diseases of the eye and annexa	3	1											1		1			
86a	Diseases of the ear	30	6	1		2	1	1	4	6	2			2	1	1	1	2	
86b	Diseases of the mastoid process	31	8	3	2			5	2		2	1	2	2		3	1		
	IV.—Diseases of the circulatory system	4,268	20	2		2	4	20	35	30	34	38	49	174	301	669	1,142	1,748	
87	Pericarditis	11							1					1			4	5	
88	Endocarditis and myocarditis (acute)	124	7	1				9	6	8	10	10	8	30	10	5	8	12	
89	Angina pectoris	362							1		1	1	4	12	26	85	130	102	
90	Other diseases of the heart	3,101	11	1		1	4	11	25	21	18	26	33	105	231	503	850	1,261	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	IV.—Diseases of the circulatory system—Continued.																		
91a	Aneurysm	35							1	1	1			5	5	11	8	3	
91b,c	Other diseases of the arteries	525											1	4	15	48	126	331	
92	Embolism and thrombosis (not cerebral)	78	2			1			1		2	1	2	12	10	13	12	22	
93	Diseases of the veins	21											1	5	2	3	2	8	
94	Diseases of the lymphatic system	2									1				1				
95	Hemorrhage without specified cause	1									1								
96	Other diseases of the circulatory system	8													1	1	2	4	
	V.—Diseases of the respiratory system	2,001	333	76	35	17	10	31	23	28	40	32	37	81	72	179	329	678	
97a	Diseases of the nasal fossae	7	2							1	1			1			1	1	
97b	Diseases of the nasal fossae annexa	12	1		1				1	1	2	1		4			1		
98	Diseases of the larynx	10	2		2		1	1			1		1	1				1	
99a	Acute bronchitis	31	8			1		1							1		4	16	
99b	Chronic bronchitis	67														3	20	44	
99c,d	Bronchitis (unspecified)	46	5	1	1			1						1		6	9	22	
100a	Broncho-pneumonia	639	203	40	17	8	4	8	3	4	4	2	7	12	5	29	79	214	
100b	Capillary bronchitis	12	6	1	1	1												3	
101a	Lobar pneumonia	795	66	21	4	3	1	15	9	15	23	19	22	52	47	112	165	221	
101b	Pneumonia (unspecified)	191	28	11	3	3	3	3	8	5	5	1	3	3	7	10	16	82	
102	Pleurisy	35	1	2	2			2		1	2	3	3	2	2	7	6	2	
103	Congestion and hemorrhagic infarct of the lung	58	6		1				1						1		3	46	
104	Gangrene of the lung	6	1		1							2			1	1			
105	Asthma	62	1		2							3	1	3	2	8	18	24	
106	Pulmonary emphysema	3													1		1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	27	3			1	1		1	1	2	1		2	5	3	6	1	
	VI.—Diseases of the digestive system	2,048	295	93	64	55	47	83	57	43	61	64	68	158	168	249	263	280	
108	Diseases of the mouth and annexa	20	1			1		1	1	1		1	2	2	1	2	2	5	
109b	Other diseases of the pharynx, tonsils	110	7	4	4	6	4	19	9	6	9	1	7	6	8	8	8	4	
110	Diseases of the esophagus	2								1					1				
111a	Ulcer of the stomach	93				1					2	4	5	15	16	24	15	11	
111b	Ulcer of the duodenum	43								1	1	1	4	5	7	12	7	5	
112	Other diseases of the stomach (cancer excepted)	110	24	3	2		1	1			1	2		7	7	12	13	37	
113	Diarrhea and enteritis (under 2 years)	297	224	73															
114	Diarrhea and enteritis (2 years and over)	218			42	37	26	8	4	2	5	3	1	4	5	9	20	52	
117	Appendicitis and typhlitis	380	3	6	10	5	9	44	36	25	30	29	20	57	46	39	17	4	
118a	Hernia	85	1			2					1		1	6	6	18	24	26	
118b	Intestinal obstruction	221	27	5	3	2	4	6	3	5	4	10	11	20	20	34	33	34	
119	Other diseases of the intestines	33	1					1			1	3	1	2	1	4	4	15	
120	Acute yellow atrophy of the liver	5									1	1		1			1	1	
122	Cirrhosis of the liver	133			1								1	9	15	33	49	25	
123	Biliary calculi	97										1	3	7	19	24	30	13	
124	Other diseases of the liver	141	1		1				1	1	5	4	7	13	12	25	31	40	
125	Diseases of the pancreas	16										2	1			4	6	3	
126	Peritonitis without specified cause	44	6	2	1	1	3	3	3	1	1	2	4	4	4	1	3	5	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,144	16	4	3	4	2	7	14	15	25	22	38	118	186	320	559	811	
128	Acute nephritis (including unspecified under 10 years)	82	7	3		2	2	4	2	5	6	4	3	8	8	5	9	14	
129	Chronic nephritis (including unspecified 10 years and over)	1,644			2	2		3	12	9	14	12	22	64	138	271	449	646	
131	Other diseases of the kidneys and annexa	61	8	1	1						1	2	2	9	5	5	14	13	
132	Calculi of the urinary passages	21												4	2	4	6	5	
133	Diseases of the bladder	35	1												1	4	7	22	
134	Diseases of the urethra, etc	5												1		4			
135	Diseases of the prostate	195												1	2	17	70	105	
137	Cysts, other benign tumors of the ovary	14											3	5	3	1	1	1	
138	Salpingitis and pelvic abscess (female)	25								1	4	2	3	7	5	2	1		
139	Benign tumors of the uterus	46										2	1	14	21	4	1	3	
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	15											4	5		3	1	2	
	VIII.—The puerperal state	267							1	25	50	60	48	79	4				
143	Accidents of pregnancy	24									3	3	7	10	1				
144	Puerperal hemorrhage	16								1	3	2	3	7					
145	Other accidents of labor	37								3	5	9	9	11					
146	Puerperal septicemia	98							1	12	23	27	15	19	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	14									1	3		10					
148	Puerperal albuminuria and convulsions	77								9	14	16	14	22	2				
149	Following childbirth (undefined)	1									1								
	IX.—Diseases of the skin and of the cellular tissue	100	16					2	1		1	2		7	4	9	12	46	
151	Gangrene	47	1													1	7	38	
152	Furuncle	17	3					2			1	1		2	1	6	1		
153	Acute abscess	17	3									1		5	2	1	2	3	
154	Other diseases of the skin and annexa	19	9						1						1	1	2	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	IOWA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion	36		1	2	1		6	2	5	1			2		3	6	7	
155	Diseases of the bones (tuberculosis excepted)	29		1	2	1		6	2	4	1			2		1	4	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	5								1						2	2		
158	Other diseases of the organs of locomotion	2																2	
	XI.—Malformations	337	306	15	2	1	3	3	1	1	3		1		1				
159a	Congenital hydrocephalus	43	34	2	1		2		1		2				1				
159b	Congenital malformations of the heart	192	178	6	1	1	1	2		1	1		1						
159c	Other congenital malformations	102	94	7				1											
	XII.—Early infancy	1,163	1,163																
160	Congenital debility, icterus, sclerema	148	148																
161a	Premature birth	741	741																
161b	Injury at birth	186	186																
162	Other diseases peculiar to early infancy	83	83																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	556														8	61	487	
	XIV.—External causes	1,866	56	42	26	24	21	63	73	127	94	110	116	206	210	202	223	269	4
	Suicide	346							2	14	18	30	23	60	70	61	49	18	1
165	By poisons (gas or corrosives excepted)	33								1	3	2	1	4	10	5	4	3	
166	By corrosive substances	39								4	3	7	3	6	6	4	6		
167	By poisonous gas	23								2	1	3	3	2	4	4	2	2	
168	By hanging or strangulation	103							1	1	4	6	5	24	20	23	13	6	
169	By drowning	9											1	2	1	2	1	1	1
170	By firearms	113							1	6	6	11	8	20	26	19	12	4	
171	By cutting or piercing instruments	16									1	1		2	2	3	5	2	
172	By jumping from high places	6											1			1	4		
173	By crushing	3											1		1		1		
174	By other means	1															1		
	Homicide	66	5							3	8	9	12	11	6	9	1	1	1
197	By firearms	43								2	5	7	11	7	5	5		1	
198	By cutting or piercing instruments	7	1								3	1	1	1					
199	By other means	16	4							1		1		3	1	4	1		1
	Accidental or undefined	1,454	51	42	26	24	21	63	71	110	68	71	81	135	134	132	173	250	2
175	Poisoning by food	20	4	1	1					2			1	2	3	1	2	3	
176	Poisoning by venomous animals	2										1				1			
177	Other acute poisonings (gas excepted)	44	1	7	4	3	3			3		2	5	5	5	4	2		
178	Conflagration	24	1	1	1	3	1	2	3			2	1	3	2	1	2	1	
179	Burns (conflagration excepted)	85	2	8	6	3	5	4	3		7	6	10	6	6	3	11	5	
180	Mechanical suffocation	26	19					1			1		2		2	1			
181	Absorption of irrespirable, irritating, or poisonous gas	16	1						1		1	1		3	2	1	5		1
182	Drowning	95	2	6	3	1	1	8	18	19	8	3	4	9	4	6	2	1	
183	Traumatism by firearms (except in war)	54	1	1			1		10	13	2	6	4	6	5	3	1	1	
184	Traumatism by cutting or piercing instruments	18	1	1	1			1	2		2		1	3		5	1		
185	Traumatism by fall	346	4	1	1	3	2	9	3	3	5	7	4	9	23	24	54	194	
186a	Traumatism in mines	29							2	1	2	1	2	5	7	5	3	1	
186b	Traumatism in quarries																		
187	Traumatism by machines	33		1		1	1	1	2	1	2	1	2	5	6	3	6	1	
188a	Railroad accidents	134		1	2		1	6	3	11	5	9	13	28	15	20	11	8	1
	Collision with automobiles	21						3	1	2	2	2	3	4	1	2	1		
	Other railroad accidents	113		1	2		1	3	2	9	3	7	10	24	14	18	10	8	1
188b	Street-car accidents	14				1				1	1	1	1	3	2	1	2	1	
	Collision with automobiles	9									1	1	1	3	2	1			
	Other street-car accidents	5				1				1							2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	271	1	3	3	6	4	25	13	36	19	20	14	26	25	27	36	13	
188e,f	Injuries by other vehicles	30				1		2	2	2	1	2	2	2	4	5	6	1	
188g	Landslide, other crushing	8								1	1		1	2	1	2			
189	Injuries by animals (not poisoning)	22		1		1			3	4		1		2	1	5	3	1	
193	Excessive cold	6											2			1	3		
194	Excessive heat	30	1							1	1	2	1		2	5	7	10	
195	Lightning	8								1	1	1			2	1	2		
196	Other accidental electric shocks	28							1	2	6	2	6	4	5	1	1		
201	Fracture (cause not specified)	10	1												1	1	2	5	
202	Other external violence	101	12	10	4	1	2	4	5	9	3	3	5	12	11	5	11	4	
	XV.—Ill-defined diseases	149	51	5	1	1	1	2	2		1	1	1	1	8	20	27	27	
204	Sudden death	23	7						1						2	4	4	5	
205a	Ill-defined	67	6	5	1				1				1	1	6	11	19	16	
205b	Not specified or unknown	59	38			1	1	2			1	1				5	4	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS																		
	All causes	18,581	2,266	288	164	127	98	300	262	372	475	525	535	1,186	1,611	2,281	3,324	4,753	14
	I.—Epidemic, endemic, and infectious diseases	2,134	211	75	44	35	32	88	63	111	158	165	152	221	181	175	165	258	
1	Typhoid and paratyphoid fever	102				1	2	9	11	12	11	8	5	14	14	9	4	2	
5	Malaria	9	1		1						1	1	1		2	1	1		
6	Smallpox	1								1									
7	Measles	8	5	1	1		1												
8	Scarlet fever	42	3	4	2	3	3	14	2	2	2	4	2	1					
9	Whooping cough	81	44	19	8	4	6												
10	Diphtheria	64	6	6	10	10	5	13	3	3	3	2	1			1	1		
11a	Influenza (with pulmonary complications)	323	52	15	5	6	2	11	4	8	9	9	10	25	22	26	42	77	
11b	Influenza (other and unspecified)	341	42	9	7	3	4	9	9	5	6	5	9	16	21	30	38	128	
13	Mumps	1						1											
15	Cholera nostras	2	1														1		
16	Dysentery	55	16	3	4		1	1		2		1		2	1	2	4	18	
21	Erysipelas	33	6	1						3	1	1	1	1	3	2	9	5	
22	Acute anterior poliomyelitis	35	1	3		3	3	10	7	4	3	1							
23	Lethargic encephalitis	8		2		1		1					1			3			
24	Meningococcus meningitis	14	3	3		1		1	2	2	1							1	
28	Rabies	3						2				1							
29	Tetanus	37	2		1	1	3	7	9	2	1	2	2	1		3	2	1	
30	Mycoses	3	1										1			1			
	Tuberculosis (all forms)	813	6	6	4	2	2	9	14	61	115	113	103	137	90	75	52	24	
31	Of the respiratory system	698	2	1			2	7	9	54	101	96	94	123	77	67	46	19	
32	Of the meninges, central nervous system	16	2	4	2	2		1	1		1	3							
33	Of the intestines, peritoneum	42	1	1					1	2	7	4	6	5	6	3	4	2	
34	Of the vertebral column	16			1				1		2	6		1	2		1	2	
35	Of the joints	4						1	1					1			1		
36	Of other organs	15			1					2	2	1	1	2	1	5			
37a	Disseminated (acute)	14	1						1	1	2	2	1	2	3			1	
37b	Disseminated (chronic or unspecified)	8								2		1	1	3	1				
38	Syphilis	122	20	3	1					3	4	9	10	18	23	22	8	1	
40	Gonococcus infection	20								3	1	7	5	3	1				
41	Purulent infection, septicemia	17	2						2			1	1	3	4		3	1	
	II.—General diseases not included in Class I	2,329	40	2	7	11	5	13	16	15	21	44	47	179	345	516	631	437	
	Cancer and other malignant tumors	1,586	2	1	3	5		2	4	3	3	17	31	115	239	378	453	330	
43	Of the buccal cavity	36												1	5	9	11	10	
44	Of the stomach, liver	612			1	1						3	4	23	59	153	225	143	
45	Of the peritoneum, intestines, rectum	210	1					1	1	1		6	6	14	31	51	58	40	
46	Of the female genital organs	228							1	1		3	8	44	61	62	40	8	
47	Of the breast	148									1		5	16	40	26	34	26	
48	Of the skin	62							1				1		4	15	12	29	
49	Of other or unspecified organs	290	1	1	2	4		1	1	1	2	5	7	17	39	62	73	74	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11						1							1	3	1	5	
51	Acute rheumatic fever	27					1	2	1	1	2	2		1	1	5	6	5	
52	Chronic rheumatism, osteoarthritis, gout	27												2	1	4	8	12	
54	Pellagra	12												3	6	2	1		
56	Rickets	8	7				1												
57	Diabetes mellitus	318		1	1	1		7	9	7	6	9	2	12	36	57	102	68	
58	Anemia, chlorosis	134	2						1	1	2	3	5	13	28	33	33	8	
59	Diseases of the pituitary gland	2														1	1		
60a	Exophthalmic goiter	74						1		1	3	6	6	13	19	15	10		
60b	Other diseases of the thyroid gland	8			1	1	1							1		2	2		
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	8	8																
63	Diseases of the adrenals (Addison's disease)	9										1		3		2	2	1	
64	Diseases of the spleen	2															1	1	
65a	Leukemia	27			1	4	2		1	1	2			4	4	2	3	3	
65b	Hodgkin's disease	17	1		1						2	2	2	3	2	2	2		
66	Alcoholism (acute or chronic)	24										3	1	8	7	2	2	1	
67a	Chronic lead poisoning	1															1		
67b	Other chronic mineral poisoning	2													1	1			
68	Chronic poisoning by organic substances	1														1			
69	Other general diseases	28	17							1	1	1		1		1	3	3	
	III.—Diseases of the nervous system and of the organs of special sense	2,420	39	16	10	7	4	16	22	19	20	28	28	104	231	389	638	847	2
70	Encephalitis	35	1	4	1			2	2	1		3	1	5	6	7	1	1	
71a	Simple meningitis	44	7	2	5	2	3	4	5	3	1	3	1	2	2	2	1	1	
71b	Nonepidemic cerebrospinal meningitis	7	3	1				1					1		1				
72	Tabes dorsalis (locomotor ataxia)	21													3	7	9	2	
73	Other diseases of the spinal cord	89		1				2	3	1	1	2		3	13	16	30	17	
74a	Cerebral hemorrhage	1,636	2	1				1	1	1	1	4	11	26	131	275	493	689	
74b	Cerebral embolism and thrombosis	68	1							3				4	7	8	16	29	
75	Paralysis without specified cause	120	2									1		4	6	16	29	62	
76	General paralysis of the insane	79										1	3	24	23	14	8	6	
77	Other forms of mental alienation	47								4		1	2	6	8	9	12	4	1
78	Epilepsy	82		4					5	5	12	9	4	12	7	12	9	2	1
79	Convulsions (nonpuerperal; 5 years and over)	1														1			
80	Infantile convulsions (under 5 years)	20	16	2	1	1													
81	Chorea	3		1					1						1				
82	Neuralgia and neuritis	9												1		1	4	3	
83	Softening of the brain	19													1	3	3	12	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued																		
84.	Other diseases of the nervous system	95	2	------	------	1	------	1	1	------	2	3	4	13	16	14	20	18	------
85	Diseases of the eye and annaxa	2	1	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
86a	Diseases of the ear	23	2	------	1	2	------	3	2	------	1	1	------	2	4	3	1	1	------
86b	Diseases of the mastoid process	20	2	------	2	1	1	2	2	1	2	------	1	2	2	1	1	------	------
	IV.—Diseases of the circulatory system	3,130	17	1	6	3	3	15	21	21	21	37	35	126	236	459	802	1,323	4
87	Pericarditis	15	------	------	------	------	------	------	------	2	1	1	------	------	------	5	1	5	------
88	Endocarditis and myocarditis (acute)	97	6	1	2	1	1	6	6	9	7	2	8	16	6	6	8	12	------
89	Angina pectoris	188	------	------	------	------	------	------	------	------	------	------	------	5	18	34	81	50	------
90	Other diseases of the heart	2,371	10	------	4	2	2	9	15	9	13	28	24	90	194	359	600	1,008	4
91a	Aneurysm	47	------	------	------	------	------	------	------	------	------	3	1	8	7	14	8	6	------
91b,c	Other diseases of the arteries	352	------	------	------	------	------	------	------	------	------	------	------	2	4	30	92	224	------
92	Embolism and thrombosis (not cerebral)	40	1	------	------	------	------	------	------	1	------	1	2	4	5	9	6	11	------
93	Diseases of the veins	9	------	------	------	------	------	------	------	------	------	1	------	------	------	2	4	2	------
94	Diseases of the lymphatic system	2	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	1	------
95	Hemorrhage without specified cause	2	------	------	------	------	------	------	------	------	------	------	------	------	1	------	1	------	------
96	Other diseases of the circulatory system	7	------	------	------	------	------	------	------	------	------	------	------	1	1	------	1	4	------
	V.—Diseases of the respiratory system	1,297	313	53	15	11	9	22	10	16	22	24	22	70	70	103	183	353	1
97a	Diseases of the nasal fossae	2	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
97b	Diseases of the nasal fossae annexa	8	1	------	------	------	------	------	2	1	1	------	------	------	3	------	------	------	------
98	Diseases of the larynx	10	7	1	------	------	------	------	------	------	------	------	------	------	------	------	------	2	------
99a	Acute bronchitis	27	7	2	------	------	1	------	------	------	------	------	------	------	1	------	3	13	------
99b	Chronic bronchitis	59	------	------	------	------	------	1	------	------	------	------	1	3	------	2	19	33	------
99c,d	Bronchitis (unspecified)	40	6	------	------	------	1	1	------	------	------	------	------	------	2	1	4	25	------
100a	Broncho-pneumonia	443	177	30	10	5	3	4	3	1	1	6	3	9	11	16	49	115	------
100b	Capillary bronchitis	15	5	2	------	------	------	1	------	------	------	------	------	------	------	------	1	6	------
101a	Lobar pneumonia	526	81	16	3	6	4	12	5	12	12	15	15	48	48	57	83	108	1
101b	Pneumonia (unspecified)	50	18	------	1	------	------	2	------	------	7	1	2	3	------	4	5	7	------
102	Pleurisy	19	2	------	1	------	------	------	------	------	1	------	1	3	2	2	3	4	------
103	Congestion and hemorrhagic infarct of the lung	32	4	------	------	------	------	1	------	1	------	1	------	------	1	2	3	19	------
104	Gangrene of the lung	6	------	------	------	------	------	------	------	1	------	------	------	------	------	2	3	------	------
105	Asthma	35	1	2	------	------	------	------	------	------	------	------	------	2	------	7	7	16	------
106	Pulmonary emphysema	4	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	3	------
107	Other diseases of the respiratory system (tuberculosis excepted)	21	2	------	------	------	------	------	------	------	------	1	------	2	2	10	2	2	------
	VI.—Diseases of the digestive system	1,707	320	106	50	34	22	53	37	57	46	41	65	136	163	173	175	227	2
108	Diseases of the mouth and annexa	22	4	3	------	------	------	------	------	1	2	1	------	1	5	2	2	1	------
109b	Other diseases of the pharynx, tonsils	59	2	2	1	4	1	11	4	4	5	3	5	4	7	2	1	3	------
110	Diseases of the esophagus	2	------	------	------	------	------	------	------	------	------	------	------	1	------	------	1	------	------
111a	Ulcer of the stomach	69	------	------	------	------	------	------	------	------	1	2	3	9	8	19	11	15	1
111b	Ulcer of the duodenum	39	------	------	------	------	------	------	------	------	------	------	7	7	11	8	3	3	------
112	Other diseases of the stomach (cancer excepted)	121	27	3	------	2	3	2	------	------	------	------	2	6	7	13	17	39	------
113	Diarrhea and enteritis (under 2 years)	352	262	90	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
114	Diarrhea and enteritis (2 years and over)	180	------	------	44	20	13	13	3	1	2	3	2	3	2	9	18	46	1
116	Diseases due to other intestinal parasites	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------
117	Appendicitis and typhlitis	316	------	5	3	6	2	23	27	46	23	20	24	48	49	28	9	3	------
118a	Hernia	62	2	1	------	------	------	------	------	1	------	2	1	6	9	14	11	15	------
118b	Intestinal obstruction	132	18	1	1	1	2	2	2	2	7	2	7	11	15	16	16	29	------
119	Other diseases of the intestines	26	3	------	------	1	------	------	------	------	------	2	------	3	2	5	5	5	------
120	Acute yellow atrophy of the liver	7	------	------	------	------	------	------	------	------	1	1	------	------	1	1	2	1	------
122	Cirrhosis of the liver	117	1	------	------	------	------	------	1	------	1	1	1	14	11	24	30	33	------
123	Biliary calculi	79	------	------	------	------	------	------	------	------	------	1	7	8	21	16	18	8	------
124	Other diseases of the liver	93	1	------	------	------	------	1	------	1	1	3	3	11	12	12	26	22	------
125	Diseases of the pancreas	5	------	------	------	------	------	------	------	------	------	------	------	2	------	1	1	1	------
126	Peritonitis without specified cause	25	------	1	1	------	------	1	------	1	3	------	3	2	3	3	4	3	------
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,930	20	3	6	3	1	8	8	8	18	21	37	115	187	296	498	701	------
128	Acute nephritis (including unspecified under 10 years)	99	13	3	3	2	1	6	1	------	1	1	4	12	15	9	12	16	------
129	Chronic nephritis (including unspecified 10 years and over)	1,492	------	------	3	1	------	2	7	4	11	12	16	64	138	239	419	576	------
131	Other diseases of the kidneys and annexa	43	6	------	------	------	------	------	------	2	1	1	4	5	6	2	9	7	------
132	Calculi of the urinary passages	20	------	------	------	------	------	------	------	1	------	1	1	4	------	10	2	1	------
133	Diseases of the bladder	29	------	------	------	------	------	------	------	------	------	------	------	------	1	4	3	21	------
134	Diseases of the urethra, etc	5	------	------	------	------	------	------	------	------	------	------	------	------	3	1	1	------	------
135	Diseases of the prostate	140	------	------	------	------	------	------	------	------	------	------	------	------	1	16	47	76	------
136	Nonvenereal diseases of the male genital organs	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------
137	Cysts, other benign tumors of the ovary	16	------	------	------	------	------	------	------	------	1	2	1	3	------	4	2	3	------
138	Salpingitis and pelvic abscess (female)	32	------	------	------	------	------	------	------	1	1	3	9	8	9	1	------	------	------
139	Benign tumors of the uterus	36	------	------	------	------	------	------	------	------	1	------	2	17	8	5	2	1	------
141	Other diseases of the female genital organs	16	------	------	------	------	------	------	------	------	1	1	------	2	6	5	1	------	------
142	Nonpuerperal diseases of the breast (cancer excepted)	1	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------
	VIII.—The puerperal state	240	------	------	------	------	------	------	1	16	51	56	48	65	3	------	------	------	------
143	Accidents of pregnancy	25	------	------	------	------	------	------	------	------	4	8	5	8	------	------	------	------	------
144	Puerperal hemorrhage	14	------	------	------	------	------	------	------	------	2	4	6	2	------	------	------	------	------
145	Other accidents of labor	22	------	------	------	------	------	------	------	------	5	3	2	11	1	------	------	------	------
146	Puerperal septicemia	110	------	------	------	------	------	------	------	10	26	26	22	25	1	------	------	------	------
147	Puerperal phlegmasia alba dolens, embolus, etc	12	------	------	------	------	------	------	------	------	2	3	3	3	1	------	------	------	------
148	Puerperal albuminuria and convulsions	57	------	------	------	------	------	------	1	6	12	12	10	16	------	------	------	------	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KANSAS—Continued																		
	IX.—Diseases of the skin and of the cellular tissue	56	5	1				1	2	2	3		1	6	2	6	7	20	
151	Gangrene	20														2	2	16	
152	Furuncle	8		1						1	1			1	1	1	2		
153	Acute abscess	7	1							1	1		1	1		1		1	
154	Other diseases of the skin and annexa	21	4					1	2		1			4	1	2	3	3	
	X.—Diseases of the bones and of the organs of locomotion	24				1		3	2	2	1	1	4	3	2	1	2	2	
155	Diseases of the bones (tuberculosis excepted)	19				1		3	1	1	1		4	3	2	1	1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3							1	1		1							
158	Other diseases of the organs of locomotion	2															1	1	
	XI.—Malformations	271	247	10	2	1	1	3	4	1	1			1					
159a	Congenital hydrocephalus	22	12	5	1			2	1	1									
159b	Congenital malformations of the heart	151	139	3	1	1	1	1	3		1			1					
159c	Other congenital malformations	98	96	2															
	XII.—Early infancy	973	973																
160	Congenital debility, icterus, sclerema	148	148																
161a	Premature birth	627	627																
161b	Injury at birth	141	141																
162	Other diseases peculiar to early infancy	56	56																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	382														4	36	341	1
	XIV.—External causes	1,562	38	19	23	21	21	76	75	103	111	108	93	158	179	147	161	225	4
	Suicide	188							2	8	9	12	16	32	41	31	29	8	
165	By poisons (gas or corrosives excepted)	10								2	1		1	2	2	1		1	
166	By corrosive substances	25								3	2	3	3	6	4		4		
167	By poisonous gas	2												1			1		
168	By hanging or strangulation	41							1			1	2	9	8	6	10	4	
169	By drowning	12										1		1	1	5	4		
170	By firearms	83							2	2	6	7	8	10	23	15	7	3	
171	By cutting or piercing instruments	10											2	2	1	3	2		
173	By crushing	1															1		
174	By other means	4													1	2	1		
	Homicide	94					1		1	5	12	17	12	14	16	7	5	3	1
197	By firearms	67					1		1	4	5	15	11	11	11	4	3		1
198	By cutting or piercing instruments	9									4	1	1	1	1	1			
199	By other means	18								1	3	1		2	4	2	2	3	
	Accidental or undefined	1,280	38	19	23	21	20	76	72	90	90	79	65	112	122	109	127	214	3
175	Poisoning by food	25	4	1	1	3	1	4	1			1		1	1	2	3	2	
176	Poisoning by venomous animals	6					2	2									1	1	
177	Other acute poisonings (gas excepted)	39		3	1	3	2	2	1	2	1	2	2	3	12	2	2	1	
178	Conflagration	18			1	1	1	1			2	2		2	4	1	1	1	1
179	Burns (conflagration excepted)	83		4	6	2	3	8	6	4	7	8	6	6	2	5	8	8	
180	Mechanical suffocation	32	23			1		1	2					3	2				
181	Absorption of irrespirable, irritating, or poisonous gas	21				1				3	2	1		4	3	3	1	3	
182	Drowning	78		6	4	3	3	5	13	20	7	2	1	5	2	4	2	1	
183	Traumatism by firearms (except in war)	49						4	8	8	7	6	5	5	5	1			
184	Traumatism by cutting or piercing instruments	17						1	3		1		1	4	1	2	1	3	
185	Traumatism by fall	241	1	1	2	1	1	7	6	3	6	5	4	6	12	17	26	143	
186a	Traumatism in mines	30								1	3	6	6	5	2	2	5		
186b	Traumatism in quarries	1										1							
187	Traumatism by machines	39						2	1	1	4	4	4	9	5	4	3	2	
188a	Railroad accidents	132					1		1	14	15	7	13	21	21	16	18	5	
	Collision with automobiles	41					1			4	2	1	3	8	7	6	9		
	Other railroad accidents	91							1	10	13	6	10	13	14	10	9	5	
188b	Street-car accidents	12						1		1	3	1	1	1		1	1	2	
	Collision with automobiles	4									2	1		1					
	Other street-car accidents	8						1		1	1		1			1	1	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars	240	2	3	6	2	5	26	13	25	19	20	14	22	24	23	21	15	
188d	Airplane and balloon accidents	4								1	2	1							
188e,f	Injuries by other vehicles	44				2		3	1		2	2	1	2	5	7	10	8	1
188g	Landslide, other crushing	6							2		1					1	1	1	
189	Injuries by animals (not poisoning)	23		1				2	4	1	1	1		4	3	3	2	1	
193	Excessive cold	7												1		1	1	3	1
194	Excessive heat	17									2		1		4	2	2	6	
195	Lightning	11					1			1	1				4	3		1	
196	Other accidental electric shocks	15							2		2	3	4	1	1	1	1		
201	Fracture (cause not specified)	3										1						2	
202	Other external violence	87	8	1	1	2		7	8	5	2	5	2	7	9	8	17	5	
	XV.—Ill-defined diseases	126	43	2	1			2	1	1	2		3	2	12	12	26	19	
204	Sudden death	18	2								1				3	2	6	4	
205a	Ill-defined	45	7	2	1					1			2	1	3	3	16	9	
205b	Not specified or unknown	63	34					2	1		1		1	1	6	7	4	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY																			
	All causes	White	23,736	3,952	854	339	233	166	436	402	711	908	782	703	1,571	1,839	2,583	3,824	4,375	58
		Colored	4,651	528	113	39	34	30	59	83	200	236	256	223	557	678	584	492	484	55
	I.—Epidemic, endemic, and infectious diseases	White	4,994	502	261	119	102	61	172	162	321	437	337	301	492	420	435	473	394	5
		Colored	1,045	76	42	10	13	13	27	44	100	135	105	66	143	106	71	51	36	7
1	Typhoid and paratyphoid fever	W	578	2	6	7	11	11	37	72	106	105	54	38	45	32	28	22	1	1
		C	90	2	3		1	3	8	12	17	13	8	4	5	6	4	3	1	
5	Malaria	W	36	5	5	1		1	2	2	2	2	5	1	4	1	1	1	3	
		C	11		1	1			3					1		1	1		3	
6	Smallpox	W	3	1														2		
		C	1														1			
7	Measles	W	32	13	6		2	1	4	2		1			1		1	1		
		C	4	3	1															
8	Scarlet fever	W	49	2	9	2	5	3	12	3	3	1	5	1		2	1			
		C	2		1										1					
9	Whooping cough	W	188	100	55	10	7	7	7					1						1
		C	27	14	7	3	1	2												
10	Diphtheria	W	246	53	47	48	34	19	31	8	2	2		1	1					
		C	15	6	1		1	2	3						1			1		
11a	Influenza (with pulmonary complications)	W	497	79	21	9	7	2	9	7	15	10	10	11	28	49	48	89	103	
		C	97	12	2		2		2	3	3	8	4	2	13	10	12	13	10	1
11b	Influenza (other and unspecified)	W	342	41	7	3	6	3	12	9	9	12	8	7	17	22	32	52	101	1
		C	64	10						2	4	2	2	1	8	6	9	11	8	1
13	Mumps	W	4			1		1		1									1	
		C	2			1	1													
15	Cholera nostras	W	21	5	2							1		1			3	3	6	
		C	1														1			
16	Dysentery	W	273	77	60	14	5	3	6	2	4	2		1	2	4	18	25	50	
		C	24	8	5	1	1	1					1		2		1	1	2	1
21	Erysipelas	W	52	13	1		2		1		1	3			4	3	8	8	8	
		C	5	1												2	2			
22	Acute anterior poliomyelitis	W	39	8	7	4	7	1	6	2	2		1				1			
		C	6	3	1			1				1								
23	Lethargic encephalitis	W	25		1				2	2	1	1		2	2	8	3	3		
		C	2							1						1				
24	Meningococcus meningitis	W	44	22	5	2	4	2	5	2		1				1				
25	Other epidemic and endemic diseases	W	1															1		
		C	2	1	1															
26	Glanders	W	1								1									
28	Rabies	W	3							1	1							1		
29	Tetanus	W	29	1	1				11	2	3	5		1	1	1	1	1	1	
		C	9	1						4	1				2	1				
30	Mycoses	W	5	3	1										1					
		C	1	1																
	Tuberculosis (all forms)	W	2,403	54	26	18	11	7	23	44	168	283	246	229	373	280	274	253	112	2
		C	589	6	16	4	6	3	11	21	68	103	83	55	91	59	30	18	12	3
31	Of the respiratory system	W	2,067	22	8	7	5	1	5	34	146	266	231	213	345	254	230	206	92	2
		C	497	3	7	2	5	2	6	16	61	93	75	48	78	51	24	14	10	2
32	Of the meninges, central nervous system	W	95	24	13	9	5	4	8	6	6	4	1	1	6	1	3	1	3	
		C	26	3	7		1	1	2	2	2	1	1	2	2	1	1			
33	Of the intestines, peritoneum	W	136	4	4	1	1	1	4	2	3	10	4	6	12	13	27	32	12	
		C	30			1			1	1	2	5	5	3	3	4	3	1	1	
34	Of the vertebral column	W	18	3		1			3		2				1	2	2	2	2	
		C	5							1				1	2		1			
35	Of the joints	W	12						1		2		1	2		1	3	2		
		C	3									1				1			1	
36	Of other organs	W	44		1				2	1	4	2	6	4	6	7	6	4	1	
		C	11		1				1					1	2	2	1	3		
37a	Disseminated (acute)	W	10	1				1			2	1		2	1	1	1			
		C	17		1	1			1	1	3	3	2		4					1
37b	Disseminated (chronic or unspecified)	W	21							1	3		3	1	2	1	2	6	2	
38	Syphilis	W	80	21	1				1	2		2	4	6	8	13	12	7	3	
		C	83	8	3			1		1	5	7	4	2	20	17	10	4		1
40	Gonococcus infection	W	12									5	2		4		1			
		C	6								1	1	2	1		1				
41	Purulent infection, septicemia	W	29	2			1		2	1	3	1	2	1	1	3	3	4	5	
		C	3								1		1			1				
42	Other infectious diseases	W	2						1							1				
		C	1													1				
	II.—General diseases not included in Class I	White	2,023	51	13	9	5	9	13	17	32	34	28	43	165	326	420	512	340	6
		Colored	273	14	1				2		5	2	8	13	35	71	58	35	27	2
	Cancer and other malignant tumors	W	1,352	3	2	4		4		3	4	9	8	21	111	229	312	384	255	3
		C	166						1				2	7	23	48	36	26	22	1
43	Of the buccal cavity	W	51		1						1				2	6	8	19	14	
		C	3													1		1	1	
44	Of the stomach, liver	W	480	2		1		2				3		4	23	69	123	154	97	2
		C	50												6	11	13	12	8	
45	Of the peritoneum, intestines, rectum	W	191			2					1	2	1	2	9	29	45	64	36	
		C	13										1	1	2	4	4		1	
46	Of the female genital organs	W	211									1	1	10	38	62	43	46	10	
		C	48										1	4	8	13	9	7	5	1
47	Of the breast	W	111										1		14	30	31	23	11	1
		C	22						1						3	10	4	1	3	
48	Of the skin	W	64											1		5	8	15	35	
		C	4													2	1	1		
49	Of other unspecified organs	W	244	1	1	1		2		3	2	3	5	4	25	28	54	63	52	
		C	26											2	4	7	5	4	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	13	1							2			3	1		1	4	1	
		C	4												2	1		1		
51	Acute rheumatic fever	W	42						6	5	4	1	1	4	1	1	1	8	10	
		C	14						1				3		1	2	4	3		
52	Chronic rheumatism, osteoarthritis, gout	W	31									1	1		2	3	3	10	11	
		C	4												1		1		2	
53	Scurvy	W	2	1				1												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	II.—General diseases not included in Class I—Continued.																			
54	Pellagra	W	82					2	1	1	2	9	9	2	10	14	17	13	1	1
		C	6								2			1	1	1			1	
55	Beriberi	W	1		1															
56	Rickets	W	8	7	1															
		C	5	4	1															
57	Diabetes mellitus	W	219						1	4	12	2	1	3	14	29	45	60	48	
		C	34								3	2			2	11	9	5	2	
58	Anemia, chlorosis	W	93	4	2		1		1	2	3	3	2	2	5	19	21	19	8	1
		C	7	2										1		2	2			
59	Diseases of the pituitary gland	W	1					1												
60a	Exophthalmic goiter	W	31								1	4	2	4	2	8	7	2	1	
		C	5										2	1	1	1				
60b	Other diseases of the thyroid gland	W	13	1					2	1			1		2	1	3	1	1	
		C	1														1			
61	Diseases of the parathyroid glands	W	2	2																
		C	1	1																
62	Diseases of the thymus gland	W	17	15	2															
63	Diseases of the adrenals (Addison's disease)	W	6									2				3		1		
		C	2													1	1		*	
64	Diseases of the spleen	W	2												1			1		
65a	Leukemia	W	18	1		2	1		1		2				3	2	4	2		
65b	Hodgkin's disease	W	10							1	1				3	2	1	1	1	
		C	3	1													1			1
66	Alcoholism (acute or chronic)	W	35								1		2	3	9	12	4	3		1
		C	11										1	2	4	4				
67a	Chronic lead poisoning	W	2													1	1			
67b	Other chronic mineral poisoning	C	1														1			
68	Chronic poisoning by organic substances	W	1															1		
69	Other general diseases	W	42	16	5	3	3	1	1			3	1	1	1	2		2	3	
		C	9	6										1			2			
	III.—Diseases of the nervous system and of the organs of special sense	White	2,365	139	33	21	15	14	42	22	22	27	24	30	113	220	399	628	609	7
		Colored	434	22	3		2	1	4	3	6	4	10	13	36	90	86	76	68	10
70	Encephalitis	W	40	16	3		1	1	3	1				2	5	2	1	2	2	1
		C	7						1		1				2		2	1		
71a	Simple meningitis	W	120	37	14	13	7	7	11	3	5	5	1		7	5	4		1	
		C	13	4	2				2		2		1	1			1			
71b	Nonepidemic cerebrospinal meningitis	W	42	17	6	4	2	1	4	4	1					1		1	1	
		C	2				2													
72	Tabes dorsalis (locomotor ataxia)	W	33												1	5	11	13	3	
		C	3												2	1				
73	Other diseases of the spinal cord	W	62	2			1		4	1				1	3	8	14	13	15	
		C	6											1	1		3			1
74a	Cerebral hemorrhage	W	1,435	5				2	2	2	4	7	4	9	43	133	276	475	469	4
		C	264	3								2	3	6	20	64	57	59	46	4
74b	Cerebral embolism and thrombosis	W	30						1	1		1	1	1	3	6	2	9	5	
		C	5	1											3	1				
75	Paralysis without specified cause	W	195	2				1		1		2			3	7	37	65	75	2
		C	44												1	7	11	8	16	1
76	General paralysis of the insane	W	92								1	1	3	5	17	26	22	10	7	
		C	24											5	4	9	4			2
77	Other forms of mental alienation	W	38									1	2	4	8	9	8	1	5	
		C	9										1			4	1	2	1	
78	Epilepsy	W	69	8	1		1	1	5	1	6	4	9	3	7	6	5	8	4	
		C	21	2					1	3	2	2	2			3	2	2	1	1
79	Convulsions (nonpuerperal; 5 years and over)	W	4							1	1		1		1					
80	Infantile convulsions (under 5 years)	W	43	39		3	1													
		C	10	10																
81	Chorea	W	4							1	2			1						
		C	1					1												
82	Neuralgia and neuritis	W	7											1	1	1	1	2	1	
		C	2								1						1			
83	Softening of the brain	W	29														7	10	12	
		C	4														1	1	1	1
84	Other diseases of the nervous system	W	62	2				1	4	2		1	1	2	10	5	10	16	8	
		C	13	1									1		2	1	2	3	3	
85	Diseases of the eye and annexa	W	2	1											1					
86a	Diseases of the ear	W	34	9	7		1		4		2	3	1		2	3	1		1	
		C	3	1	1								1							
86b	Diseases of the mastoid process	W	24	1	2	1	1		4	4		2	1	1	1	3		3		
		C	3										1		1		1			
	IV.—Diseases of the circulatory system	White	3,067	19	5	4	3	5	17	24	29	27	32	47	127	239	479	890	1,112	8
		Colored	767	6	1				2	5	6	3	16	21	104	170	171	133	123	6
87	Pericarditis	W	24							1				2	1	2	3	5	10	
		C	9										3		1	1	3		1	
88	Endocarditis and myocarditis (acute)	W	96	12	2	1		2	3	3	6	6	2	12	17	2	6	16	6	
		C	39	3						1		1	1	4	17	9	2	1		
89	Angina pectoris	W	182									1		2	9	22	42	57	49	
		C	25											1	7	8	5	3	1	
90	Other diseases of the heart	W	2,300	5	2	2	3	3	13	20	22	19	29	28	92	197	380	695	784	6
		C	626	3	1				2	4	6	2	12	16	68	146	153	112	96	5
91a	Aneurysm	W	25											1	7	3	5	6	3	
		C	11												7	1	2	1		
91b,c	Other diseases of the arteries	W	392						1							4	34	100	251	2
		C	51												1	4	6	16	23	1
92	Embolism and thrombosis (not cerebral)	W	19									1	1	1		2	6	5	3	
		C	3												2				1	
93	Diseases of the veins	W	12	1		1											5	1	2	2
94	Diseases of the lymphatic system	W	7	1	1										1			3	1	
95	Hemorrhage without specified cause	W	6								1			1		1	1	1	1	
		C	1																1	
96	Other diseases of the circulatory system	W	4													1	1		2	
		C	2												1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																			
	V.—Diseases of the respiratory system	White	2,011	431	133	51	33	22	33	29	34	46	26	15	93	99	179	315	466	6
		Colored	459	91	29	14	5	3	4	6	15	13	24	16	38	61	48	46	39	7
97a	Diseases of the nasal fossæ	W	2	2																
97b	Diseases of the nasal fossæ annexa	W	7						1		1		1		1	2				1
98	Diseases of the larynx	W	18	4	1	2	3	2	1	1					2				2	
		C	1	1																
99a	Acute bronchitis	W	17	5	1				1			1				1		4	4	
		C	10	4		1	1										3		1	
99b	Chronic bronchitis	W	58	1								1			3	3	13	37		
		C	14										1	3	2	2	2	1		1
99c,d	Bronchitis (unspecified)	W	35	9	2								1		1		1	7	14	
		C	9	2	1									1	1	2			2	
100a	Broncho-pneumonia	W	660	257	63	24	15	9	12	6	4	9	4	3	18	14	26	67	129	
		C	133	50	14	8	1	1			2	2	6	3	4	11	7	9	13	2
100b	Capillary bronchitis	W	25	10	4	1	1										1	3	5	
		C	4	1	1	1											1			
101a	Lobar pneumonia	W	304	75	33	15	7	7	11	17	21	29	14	8	60	62	112	160	168	5
		C	213	23	9	2	2	2	3	6	11	9	16	8	25	32	24	24	15	2
101b	Pneumonia (unspecified)	W	238	60	24	7	4	3	4	3	5	4	2	2	9	9	20	28	54	
		C	30	8	4	1	1		1		1	1		1		4	2	3	2	1
102	Pleurisy	W	33	3			1	1	1	1	3		3	1	1	3	5	6	4	
		C	10								1	1			2	1	3	1	1	
103	Congestion and hemorrhagic infarct of the lung	W	39	4			2									1	2	4	26	
		C	7	2											1	1	1	1	1	
104	Gangrene of the lung	W	1																1	
105	Asthma	W	53	1	4	1			2			1				1	6	18	19	
		C	20			1									1	6	4	5	3	
106	Pulmonary emphysema	W	2													2				
		C	1													1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	19		1	1				1		1	1	1	1	1	3	5	3	
		C	7										1		2	1	1	1		1
	VI.—Diseases of the digestive system	White	2,460	802	347	91	38	19	67	56	58	49	47	48	125	134	175	198	200	6
		Colored	371	98	29	6	5	6	5	4	10	13	15	18	38	41	36	28	15	4
108	Diseases of the mouth and annexa	W	16	3				1	2				1		3	2	2	1		1
		C	3			1										2				
109b	Other diseases of the pharynx, tonsils	W	59	3	1	2	3	3	8	7	4	3	3	2	5	6	2	4	2	1
		C	9	3			1		1	1			1		1		1			
110	Diseases of the esophagus	W	5													1	1	1	2	
		C	1														1			
111a	Ulcer of the stomach	W	62						1	1	1	1	2	4	7	11	15	10	9	
		C	19								2		1	1	2	4	5	4		
111b	Ulcer of the duodenum	W	28	1							1	4		1	7	2	3	6	3	
		C	1										1							
112	Other diseases of the stomach (cancer excepted)	W	173	50	12	7	4	1	4		1	2	4	4	7	12	19	14	30	2
		C	48	14	2			2			1	1	1	2	6	7	7	3	2	
113	Diarrhea and enteritis (under 2 years)	W	1,039	717	322															
		C	104	79	25															
114	Diarrhea and enteritis (2 years and over)	W	267			76	25	10	13	7	1	3	3	5	2	11	16	28	65	2
		C	42			5	2	2	1			1		1	7	2	8	7	4	2
115	Ancylostomiasis	W	1						1											
116	Diseases due to other intestinal parasites	W	2		2															
117	Appendicitis and typhlitis	W	269	1	1	2	2	2	24	32	38	23	24	17	38	25	21	15	4	
		C	43							2	4	4	6	6	9	8	3	1		
118a	Hernia	W	61	1			1		1			3			5	5	13	15	17	
		C	11	1										2	1	3		2	2	
118b	Intestinal obstruction	W	125	19	3	2	2	1	9	4	6	2	1	6	15	12	13	17	13	
		C	36	1	1		2		1			1	2	3	5	6	6	4	4	
119	Other diseases of the intestines	W	28		1				2	1	2			1	4	3	2	4	8	
		C	9		1					1		1		1	2	1	1	1		
120	Acute yellow atrophy of the liver	W	8										1		3	2	1		1	
		C	1													1				
122	Cirrhosis of the liver	W	115				1						4	4	8	19	27	32	20	
		C	16										1	1	2	3	3	2	2	2
123	Biliary calculi	W	58							1	1	1			6	8	14	19	8	
		C	4													2		2		
124	Other diseases of the liver	W	91	3	4				1		1	5		4	8	7	16	27	15	
		C	10					1			1	3	2		1	2				
125	Diseases of the pancreas	W	9									2	1		1	2	2		1	
		C	1														1			
126	Peritonitis without specified cause	W	44	4	1	2		1	1	3	2		3		6	6	8	5	2	
		C	13					1	2		2	2		1	2			2	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,994	20	7	13	5	3	7	9	22	27	28	37	103	173	322	556	657	5
		Colored	525	3	1	3	1		4	3	6	9	10	20	58	100	88	100	112	7
128	Acute nephritis (including unspecified under 10 years)	W	113	11	4	11	3	1	6	1	5	5	3	5	8	4	12	19	15	
		C	54	3	1	2			2		2	1		3	11	12	7	4	6	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,636	1	1	1	2	1	1	6	11	12	11	25	74	143	279	485	578	5
		C	408			1	1		2	2	3	6	7	11	31	79	73	89	97	6
131	Other diseases of the kidneys and annexa	W	60	5	2	1		1		1	1	4	4		4	6	7	10	14	
		C	7							1					1		2	2	1	
132	Calculi of the urinary passages	W	11								1				1	4	2	3		
		C	2													1	1			
133	Diseases of the bladder	W	31	2						1					1		5	8	14	
		C	8														4	1	2	1
134	Diseases of the urethra, etc	W	2													1		1		
		C	4										1		2	1				
135	Diseases of the prostate	W	75													2	11	28	34	
		C	11												1	2		2	6	
136	Nonvenereal diseases of the male genital organs	C	1												1					
137	Cysts, other benign tumors of the ovary	W	10										1	1	3	2	2	2		
		C	6								1	1		1	2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	KENTUCKY—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
138	Salpingitis and pelvic abscess (female) W	31								3	3	9	5	5	4	2			
	C	10									1	2	2	5					
139	Benign tumors of the uterus W	14										1	1	4	5	1		2	
	C	11											2	3	4	1	1		
140	Nonpuerperal uterine hemorrhage C	1											1						
141	Other diseases of the female genital organs W	9								1	3			3	2				
	C	2												1			1		
142	Nonpuerperal diseases of the breast (cancer excepted) W	2	1													1			
	VIII.—The puerperal state White	317							1	46	58	73	48	87	3				1
	Colored	61								22	8	14	4	13					
143	Accidents of pregnancy W	27								5	5	6	3	7	1				
	C	6								1	1	1	2	1					
144	Puerperal hemorrhage W	27								1	3	4	5	13					1
	C	4									1	1		2					
145	Other accidents of labor W	30								1	8	2	4	14	1				
	C	7								4		1		2					
146	Puerperal septicemia W	137							1	19	17	46	25	29					
	C	26								11	3	6	2	4					
147	Puerperal phlegmasia alba dolens, embolus, etc W	8								1	2		1	4					
	C	1								1									
148	Puerperal albuminuria and convulsions W	87								19	22	15	10	20	1				
	C	17								5	3	5		4					
149	Following childbirth (undefined) W	1									1								
	IX.—Diseases of the skin and of the cellular tissue White	53	9	1	1			2		1	2	4	1	2	2	5	5	18	
	Colored	16	2										1	3		4	2	3	1
151	Gangrene W	17												1	2	1	2	11	
	C	8											1	1		2	1	2	1
152	Furuncle W	8										2	1	1		3	1		
	C	1	1																
153	Acute abscess W	15	5					1		1	2	2					2	2	
	C	2												1		1			
154	Other diseases of the skin and annexa W	13	4	1	1			1								1		5	
	C	5	1											1		1	1	1	
	X.—Diseases of the bones and of the organs of locomotion White	21	1				3	4	3	1			1	1	1	1	3	2	
	Colored	2		1								1							
155	Diseases of the bones (tuberculosis excepted) W	19	1				3	3	3	1			1	1	1		3	2	
	C	2		1								1							
156	Diseases of the joints (tuberculosis and rheumatism excepted) W	1						1											
158	Other diseases of the organs of locomotion W	1														1			
	XI.—Malformations White	236	223	2	4	1		2	2					2					
	Colored	10	10																
159a	Congenital hydrocephalus W	21	18	1	1	1													
	C	1	1																
159b	Congenital malformations of the heart W	123	116		2			2	2					1					
	C	5	5																
159c	Other congenital malformations W	92	89	1	1									1					
	C	4	4																
	XII.—Early infancy White	1,400	1,400																
	Colored	169	169																
160	Congenital debility, icterus, sclerema W	257	257																
	C	39	39																
161a	Premature birth W	871	871																
	C	101	101																
161b	Injury at birth W	169	169																
	C	16	16																
162	Other diseases peculiar to early infancy W	103	103																
	C	12	12																
163	Lack of care C	1	1																
164	XIII.—Old age (senility) White	420														5	52	361	2
	Colored	39															3	35	1
	XIV.—External causes White	1,904	79	35	19	29	26	69	76	144	197	182	129	253	203	143	135	175	10
	Colored	414	11	3	6	8	4	11	17	30	49	53	49	85	33	18	14	15	8
	Suicide W	183							2	9	11	11	19	35	43	33	17	3	
	C	10									1		2	1	2	3			1
165	By poisons (gas or corrosives excepted) W	8								1		1	2	1		3			
166	By corrosive substances W	24									2	2	3	7	4	4	2		
	C	1														1			
167	By poisonous gas W	3								1			1			1			
168	By hanging or strangulation W	42								1	1	2	4	8	13	9	4		
	C	3											1			1			1
169	By drowning W	4												1		3			
	C	1													1				
170	By firearms W	83							2	6	7	6	8	16	17	12	7	2	
	C	3									1		1		1				
171	By cutting or piercing instruments W	12												1	6	1	3	1	
	C	2												1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KENTUCKY—Continued																				
	XIV.—External causes—Contd.																			
	Suicide—Continued.																			
172	By jumping from high places	W	3												1	1		1		
173	By crushing	W	2									1		1						
174	By other means	W	2													2				
	Homicide	W	243	1						20	46	39	34	61	25	12	2	2	1	
		C	151							8	23	32	25	43	11	3		3	3	
197	By firearms	W	215							15	40	36	30	59	22	9	2	1	1	
		C	123							5	19	25	21	36	11	2		2	2	
198	By cutting or piercing instruments	W	13							5	4	2				1		1		
		C	21							3	3	4	3	7		1				
199	By other means	W	15	1							2	1	4	2	3	2				
		C	7								1	3	1					1	1	
	Accidental or undefined	W	1,478	78	35	19	29	26	69	74	115	140	132	76	157	135	98	116	170	9
		C	253	11	3	6	8	4	11	17	22	25	21	22	41	20	12	14	12	4
175	Poisoning by food	W	23	7	5	1				1		1			2	2		2	2	
		C	6	1		1							1	2		1				
176	Poisoning by venomous animals	W	2																	
177	Other acute poisonings (gas excepted)	W	38	7	3	2	2		3	1		8	1		2	4	2	2	1	
		C	2									1					1			
178	Conflagration	W	17	1	3	2	1				1		3		4	1	1			
		C	5			1			1	1								1	1	
179	Burns (conflagration excepted)	W	139	10	11	8	17	11	16	7	4	5	9	3	6	8	4	8	12	
		C	43		1	2	4	4	3	2	1	3	1	1	1	6	5	5	4	
180	Mechanical suffocation	W	27	26	1															
		C	5	5																
181	Absorption of irrespirable, irritating, or poisonous gas	W	14							3		3	1	1	2	1	3			
182	Drowning	W	84	1	3	1	1		9	10	17	15	14	8	2	2	1			
		C	21			1				6	9		3		2					
183	Traumatism by firearms (except in war)	W	95				1	3	3	13	17	16	10	12	9	5	4	1		1
		C	21				1		2	2	4	2	4	3	3					
184	Traumatism by cutting or piercing instruments	W	13	2			1	1		3		1			1	1	1	1	1	
		C	3	1											1	1				
185	Traumatism by fall	W	234	5	1		1	1	5	4	8	4	9	2	11	13	16	34	117	3
		C	20			1			2				2	1	6	1	1		4	2
186a	Traumatism in mines	W	161								16	31	28	24	31	20	6	3		2
		C	37									5	3	7	13	3	3	2		1
186b	Traumatism in quarries	C	1												1					
187	Traumatism by machines	W	29						1	1	3	2	4	1	7	8	2			
		C	2									1			1					
188a	Railroad accidents	W	143		2	1		1	6	1	14	15	10	12	35	17	14	13	2	
		C	31							2	6	7	3	2	4	4	1	2		
	Collision with automobiles	W	18			1		1	3		2	1	3	1	2	2	2			
		C	3							1	1		1							
	Other railroad accidents	W	125		2				3	1	12	14	7	11	33	15	12	13	2	
		C	28							1	5	7	2	2	4	4	1	2		
188b	Street-car accidents	W	12							1	2		1		1	3	1	2	1	
	Collision with automobiles	W	2							1					1					
	Other street-car accidents	W	10								2		1			3	1	2	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	212	4	3	2	3	6	15	9	16	21	20	6	20	23	20	28	15	1
		C	25				2		3	3	1	4	2	3	1	2	1	2	1	
188e,f	Injuries by other vehicles	W	27		1	1		1		6			1			4	4	5	3	1
		C	3		1										1	1				
188g	Landslide, other crushing	W	11							1	3	2	1		2	1	1			
		C	3							1				2						
189	Injuries by animals (not poisoning)	W	26	1			1		3	2	3	1	1	2	3	3	2	1	3	
193	Excessive cold	W	5									1				1	1	1	1	
		C	2											1					1	
194	Excessive heat	W	17	2							2	2	2		1	1	3	2	1	1
		C	4	2			1									1				
195	Lightning	W	18	1						3	2	2	1	1	1	2	3	1	1	
		C	1												1					
196	Other accidental electric shocks	W	15							1	2	3	5		3			1		
201	Fracture (cause not specified)	W	8										1		1	2		1	3	
202	Other external violence	W	108	11	2	1	1	2	8	7	5	7	10	4	13	13	7	10	7	
		C	18	2	1						1	2	2		6			2	1	1
	XV.—Ill-defined diseases	White	471	276	17	7	2	4	8	1	1	4	1	3	8	19	20	57	41	2
		Colored	66	26	3			3		1				2	4	6	4	4	11	2
204	Sudden death	W	42	11	1									1	1	4	4	14	6	
		C	3													1			2	
205a	Ill-defined	W	198	89	12	5	1	1	5	1		2		2	6	12	14	31	17	
		C	25	6				2						1	4	2	4	2	4	
205b	Not specified or unknown	W	231	176	4	2	1	3	3		1	2	1		1	3	2	12	18	2
		C	38	20	3			1		1				1		3		2	5	2
LOUISIANA																				
	All causes	White	12,202	1,910	391	158	110	79	262	207	360	457	450	426	1,058	1,292	1,533	1,839	1,642	28
		Colored	12,886	1,932	352	190	107	79	250	265	654	853	786	665	1,622	1,638	1,181	957	1,291	64
	I.—Epidemic, endemic, and infectious diseases	White	2,195	231	106	41	30	27	84	81	128	155	147	134	289	241	192	160	144	5
		Colored	3,140	377	108	64	38	32	100	133	287	403	307	222	416	282	164	101	96	10
1	Typhoid and paratyphoid fever	W	316	3	4	3	2		15	37	65	59	39	19	38	16	8	6		2
		C	333	2	2	3	7	7	39	49	69	67	30	14	25	14	2	3		
5	Malaria	W	107	19	4	3	3	5	9	7	10	6	4	4	8	3	7	8	7	
		C	149	17	9	11	4	2	9	9	17	15	5	6	10	10	10	5	10	
6	Smallpox	W	4	1								1				1	1			
		C	4										1	1		2				
7	Measles	W	5	3						1	1									
		C	5	3	1					1										
8	Scarlet fever	W	9		1	3			3			1		1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
9	Whooping cough	W	96	58	23	6	4	2	3											
		C	117	69	28	10	3	1	3	2	1									
10	Diphtheria	W	91	17	19	12	12	12	13	1			2	1				1	1	
		C	43	8	5	8	6	2	7	2	1				2		1	1		
11a	Influenza (with pulmonary complications)	W	302	37	22	4	3	4	9	9	11	5	16	13	23	37	26	41	42	
		C	298	53	15	11	5	5	11	9	21	19	16	15	34	34	18	15	16	1
11b	Influenza (other and unspecified)	W	147	18	5	1			5	3	5	5	1		6	5	17	24	52	
		C	220	29	8	7		2	2	6	15	17	6	8	24	22	17	15	39	3
13	Mumps	W	2						1		1									
		C	1											1						
15	Cholera nostras	W	1	1																
		C	5	1												1		1	2	
16	Dysentery	W	98	20	11	4	2			1			3		5	8	10	16	17	1
		C	113	31	12	2	3	1	3	2	1	1	6	3	9	7	7	11	14	
20	Leprosy	W	15										2	1	1	6	2	1	2	
		C	7						1				2	1	1		1	1		
21	Erysipelas	W	12	5		1							1				1	2	2	
		C	5	2												3				
22	Acute anterior poliomyelitis	W	15	1	1	1			7	2	1				1	1				
		C	3	1						1	1									
23	Lethargic encephalitis	W	13	1	3				1	1			1		1	2	1	1	1	
		C	1								1									
24	Meningococcus meningitis	W	9	2				1		3	1	2								
		C	4					1		1		1		1						
25	Other epidemic and endemic diseases	W	1													1				
		C	2									1		1						
27	Anthrax	W	1																1	
		C	1							1										
28	Rabies	W	2						1					1						
29	Tetanus	W	37	11	1		1		7	3	2		2	4	2	1	2	1		
		C	60	32	2	1	1	1	4	4	4	2	2		3	3		1		
30	Mycoses	W	1												1					
		C	4	4																
	Tuberculosis (all forms)	W	776	9	8	3	3	1	10	11	30	70	67	81	180	129	101	52	19	2
		C	1,334	8	11	5	5	8	16	42	145	252	203	145	239	135	74	29	12	5
31	Of the respiratory system	W	712	4	1	1	2		3	9	26	68	66	78	167	123	96	49	17	2
		C	1,226	7	11	2	1	5	6	33	132	235	192	137	225	124	71	28	12	5
32	Of the meninges, central nervous system	W	21	3	6	2	1	1	4		1			1	1	1				
		C	15	1		2	1	1	4	1	2		1		1	1				
33	Of the intestines, peritoneum	W	17						1	1		1		1	6	3	3	1		
		C	40			1	1		5	4	3	4	5	3	7	4	2	1		
34	Of the vertebral column	W	4	2								1						1		
		C	13					1			3	4	1	2		2				
35	Of the joints	W	5								1				2				2	
		C	10							1	2	2			4	1				
36	Of other organs	W	10		1						1		1		4	1	1	1		
		C	9						1	1	1	3		1		1	1			
37a	Disseminated (acute)	W	7						2	1	1			1		1	1			
		C	17				2				2	4	3	2	2	2				
37b	Disseminated (chronic or unspecified)	C	4					1		2			1							
38	Syphilis	W	111	24	2			1				4	6	5	19	30	15	5		
		C	381	112	14	6	4	2	4	4	8	23	25	22	59	47	30	18	3	
39	Soft chancre	C	1														1			
40	Gonococcus infection	W	7									1		3	3					
		C	36	2							2	5	11	4	8	2	2			
41	Purulent infection, septicemia	W	17	1	2			1		2	1	1	3	1	1	1	1	2		
		C	13	3	1				1		1				2	2	1	1		1
	II.—General diseases not included in Class I	White	1,151	33	13	4	2	3	8	3	13	18	22	29	104	224	299	241	131	4
		Colored	885	22	5	7	4		8	11	30	43	68	52	172	174	129	71	83	6
	Cancer and other malignant tumors	W	800	2	2	1	1	1	1	1	5	6	9	19	73	165	228	178	106	2
		C	422			1	1		1	2	3	4	19	12	93	109	87	44	43	3
43	Of the buccal cavity	W	41										1	2	3	8	16	4	7	
		C	16										1		3	3	3	2	3	1
44	Of the stomach, liver	W	264								1	1	4	2	12	61	77	68	37	1
		C	136				1						2	1	20	35	39	17	20	1
45	Of the peritoneum, intestines, rectum	W	77				1				2	2		1	6	19	16	20	10	
		C	34								2	1	5		5	10	6	3	2	
46	Of the female genital organs	W	114									1	2	6	24	31	31	10	9	
		C	145									2	4	6	51	38	25	12	6	1
47	Of the breast	W	72											4	10	21	23	6	8	
		C	35									1	3	2	7	7	5	5	5	
48	Of the skin	W	45		2							1	1	1		1	9	19	10	1
		C	9												2	2	1	2	2	
49	Of other or unspecified organs	W	187	2		1		1	1	1	2	1	1	3	18	24	56	51	25	
		C	47			1			1	2	1		4	3	5	14	8	3	5	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	3		1										1			1		
		C	6				1				1	1	1					2		
51	Acute rheumatic fever	W	16					1		1	2			1		2	5	3	1	
		C	24		1	1				3	3		1	2	2	4	3	1	3	
52	Chronic rheumatism, osteoarthritis, gout	W	4														1	3		
		C	12									1			1	2	2	2	4	
53	Scurvy	C	1													1				
54	Pellagra	W	57							2	2	2	3	9	13	11	11	4		
		C	295		1	2	1		4	6	20	36	39	28	57	34	23	16	25	3
56	Rickets	W	5	2	3															
		C	7	4		1	1		1											
57	Diabetes mellitus	W	123						3		1	3	4	1	9	24	31	33	14	
		C	57						2		2		3	4	8	16	11	4	7	
58	Anemia, chlorosis	W	28	1	1						2	3	1		2	3	9	4	2	
		C	6	2							1			2	1					
60a	Exophthalmic goiter	W	10										1	1	1	2	4	1		
		C	11										2	3	1	4		1		
60b	Other diseases of the thyroid gland	W	4										1				1	2		
		C	1												1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	II.—General diseases not included in Class I—Continued.																			
62	Diseases of the thymus gland	W	14	13	1															
		C	6	3	1	1						1								
63	Diseases of the adrenals (Addison's disease)	W	1											1						
64	Diseases of the spleen	W	3					1						1		1				
		C	4	1									1	1	1					
65a	Leukemia	W	18	1			1		2		1	2	1		1	4		1	3	1
		C	2												1	1				
65b	Hodgkin's disease	W	7									1			1	4			1	
		C	3										1		1	1				
66	Alcoholism (acute or chronic)	W	21										2	2	4	5	6	1		1
		C	9												3	2	2	1	1	
67a	Chronic lead poisoning	W	3												3					
68	Chronic poisoning by organic substances	W	4													1	2	1		
69	Other general diseases	W	30	14	5	3			2	1		1	1				1	2		
		C	19	12	2	1							1		2		1			
	III.—Diseases of the nervous system and of the organs of special sense	White	895	28	3	2	4	3	16	13	16	9	16	24	81	103	182	219	175	1
		Colored	843	27	5	2		3	9	11	11	16	34	22	115	170	131	129	157	1
70	Encephalitis	W	14	2	2					2			1		3	2	1	1		
		C	8								1	1	1	2	1	1	1			
71a	Simple meningitis	W	19	1	1			2	1	4	2	2	1		2	2	1			
		C	9	1					3		1	1		2	1					
71b	Nonepidemic cerebrospinal meningitis	W	2	1						1										
		C	4	1	1				1			1								
72	Tabes dorsalis (locomotor ataxia)	W	16										1		3	3	1	7		1
		C	14												4	4	2	2	1	
73	Other diseases of the spinal cord	W	16	1						1	1	1			1	4	3	3	1	
		C	17						1				1		4	4	3	1	3	
74a	Cerebral hemorrhage	W	550	1					2		1	1	1	6	31	63	135	164	145	
		C	532	3				3	1	2		3	16	10	52	119	93	99	130	1
74b	Cerebral embolism and thrombosis	W	26						1					1	4	3	4	6	7	
		C	11												3	3	1	2	2	
75	Paralysis without specified cause	W	58						2					1	2	1	15	19	18	
		C	71			1				1	2	1			6	12	18	17	13	
76	General paralysis of the insane	W	39											4	13	13	4	5		
		C	63								1		5	5	26	17	6	2	1	
77	Other forms of mental alienation	W	13								3		1		3	2	1	2	1	
		C	22							1	1	3	4	2	6	2	1	1	1	
78	Epilepsy	W	36			1	1	1	2	3	4	2	5	5	4	3	3	2		
		C	30						1	2	1	5	7	1	4	5	2	2		
79	Convulsions (nonpuerperal; 5 years and over)	W	1						1											
		C	6																	
80	Infantile convulsions (under 5 years)	W	14	13		1					1	3			2					
		C	27	22	4	1														
82	Neuralgia and neuritis	W	8	1									1		2	1	1	2		
		C	4												2	1		1		
83	Softening of the brain	W	8														2	3	3	
		C	5															1	1	
84	Other diseases of the nervous system	W	43				2		3	1	4	2	1	5	7	5	9	4		
		C	16						1	2		1			4	2	3	1	2	
86a	Diseases of the ear	W	20	7					2				2	2	5		2			
		C	3						1	1									1	
86b	Diseases of the mastoid process	W	12	1			1		2	1	1	1	2		1	1		1		
		C	1							1										
	IV.—Diseases of the circulatory system	White	1,709	7	1	2	1	2	7	5	12	8	21	25	103	202	358	480	475	
		Colored	1,775	3			4	3	8	4	21	44	41	83	227	408	321	283	315	10
87	Pericarditis	W	2			1										1				
		C	7								1				1		2		3	
88	Endocarditis and myocarditis (acute)	W	65	4		1		1	5	2	2	2	6	2	19	8	7	4	2	
		C	82	2			2	2	4		9	5	2	10	26	5	5	8	2	
89	Angina pectoris	W	126								1		1		8	26	30	42	18	
		C	47								1	2	2	1	7	7	11	11	4	1
90	Other diseases of the heart	W	1,357	3	1		1	1	1	3	9	6	13	22	67	156	292	393	389	
		C	1,506	1			2	1	3	4	10	36	34	66	182	382	281	235	260	9
91a	Aneurysm	W	22										1		4	2	5	9	1	
		C	31									1	2	4	8	6	6	3	1	
91b,c	Other diseases of the arteries	W	111												1	3	16	30	61	
		C	86												2	5	10	24	45	
92	Embolism and thrombosis (not cerebral)	W	9											1	2	1	4		1	
		C	5										1			1	2	1		
93	Diseases of the veins	W	8												2	2	2	1	1	
		C	4						1					1			2			
94	Diseases of the lymphatic system	W	2													2				
		C	1												1					
95	Hemorrhage without specified cause	W	1						1											
96	Other diseases of the circulatory system	W	6													1	2	1	2	
		C	6											1	2	2	1			
	V.—Diseases of the respiratory system	White	999	207	55	32	16	9	35	21	40	46	30	16	74	80	84	135	116	3
		Colored	1,149	274	71	51	21	11	37	29	64	76	69	61	127	97	58	39	60	4
97a	Diseases of the nasal fossae	W	1							1										
		C	10	9			1													
97b	Diseases of the nasal fossae annexa	W	6							1	1	1				2	1			
		C	3					1			1								1	
98	Diseases of the larynx	W	6	2		2									1			1		
		C	5	1	1	3														
99a	Acute bronchitis	W	11	5				1							1		1	3		
		C	21	14	1	1									3				2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	LOUISIANA—Continued																			
	V.—Diseases of the respiratory system—Continued.																			
99b	Chronic bronchitis	W	24	1	1	1											3	10	8	
		C	7									1					2	1	3	
99c,d	Bronchitis (unspecified)	W	20	8									1			2	1	2	6	
		C	23	8	1	1	1		2	1			2	2	1		2		2	
100a	Broncho-pneumonia	W	345	119	33	17	8	4	12	7	9	11	4	2	17	20	13	29	38	2
		C	373	164	41	22	11	2	9	5	15	8	10	8	25	20	14	8	10	1
100b	Capillary bronchitis	W	9	6	2		1													
		C	17	9	1	2	1	1				2			1					
101a	Lobar pneumonia	W	459	49	18	7	7	4	18	11	24	26	23	12	46	46	54	69	44	1
		C	540	41	17	17	5	5	22	20	43	57	49	41	81	62	31	23	25	1
101b	Pneumonia (unspecified)	W	72	16		4			3		3	4			7	5	8	11	11	
		C	88	24	8	2	1	1	2	2	4	5	3	5	4	8	6	4	7	2
102	Pleurisy	W	22	1	1	1			1	1	1	2	1		1	4	1	4	3	
		C	25	3		2	1		2	1		2	2	3	5	1		1	2	
103	Congestion and hemorrhagic infarct of the lung	W	6														1	2	3	
		C	5	1											1		1		2	
104	Gangrene of the lung	W	1								1									
		C	2													2				
105	Asthma	W	8									2		2		1		1	2	
		C	19			1		1					1	1	3	4	1	2	5	
106	Pulmonary emphysema	W	1															1		
		C	1								1									
107	Other diseases of the respiratory system (tuberculosis excepted)	W	8						1		1		1		1		1	2	1	
		C	10		1							1	2	1	3		1		1	
	VI.—Diseases of the digestive system	White	1,529	510	163	51	26	17	48	32	36	41	51	43	107	119	105	109	69	2
		Colored	1,212	441	119	29	18	9	21	27	33	37	49	47	103	114	83	40	40	2
108	Diseases of the mouth and annexa	W	10		1				2				2		1	1	1		2	
		C	8		2	1						1	1	3						
109b	Other diseases of the pharynx, tonsils	W	32	1	1	5		4	6		2	4	1		1	2	2	1	1	1
		C	19	3				1	2			1	4	1	1	3		1	2	
110	Diseases of the esophagus	W	2													1			1	
		C	2		1		1													
111a	Ulcer of the stomach	W	40			1	1					1	2	3	10	6	9	7		
		C	24								2		3	3	5	3	6	2		
111b	Ulcer of the duodenum	W	13									1		3	1	4	1	3		
		C	5											1	2	1	1			
112	Other diseases of the stomach (cancer excepted)	W	89	18	4	2	3	3	4		2		1	2	10	6	12	15	7	
		C	137	19	4	1	3	1	5		2	3	7	10	22	26	21	9	4	
113	Diarrhea and enteritis (under 2 years)	W	617	465	152															
		C	509	401	108															
114	Diarrhea and enteritis (2 years and over)	W	131			39	14	5	10	1	1	2		3	5	6	7	20	18	
		C	121			22	12	4	4	5	1	6	2	5	18	12	10	9	10	1
115	Ancylostomiasis	W	3						1	1						1				
		C	1								1									
116	Diseases due to other intestinal parasites	W	4		1		1	1							1					
		C	6		1	2	2	1												
117	Appendicitis and typhlitis	W	239	1	1		2	2	17	27	27	23	31	21	34	31	11	7	4	
		C	120						6	12	15	15	16	11	21	14	7	1	2	
118a	Hernia	W	48	2			1					1		1	6	8	9	12	8	
		C	29	3	1				1	1	1	3	1		4	5	6	1	2	
118b	Intestinal obstruction	W	90	20	3	2	2	2	6	2	1	1	3	3	12	11	9	6	7	
		C	74	13	2	2		1	2	2	6	3	4	3	5	13	10	4	4	
119	Other diseases of the intestines	W	15	1		1	1					1	2	1	2		1	1	4	
		C	20	1						1	1	1	1	1	3	5	2	2	2	
120	Acute yellow atrophy of the liver	W	1												1					
		C	2									1		1						
122	Cirrhosis of the liver	W	93	1					1	1	1	2	1	2	10	24	24	15	11	
		C	83							2	1		5	3	14	21	17	10	10	
123	Biliary calculi	W	34									1	5	3	2	5	6	11	1	
		C	5											1	2	1		1		
124	Other diseases of the liver	W	57			1	1		1		1	3	2		9	12	11	10	5	1
		C	35	1		1		1		3	1	3	3	4	5	6	3		3	1
125	Diseases of the pancreas	C	1										1							
126	Peritonitis without specified cause	W	11	1							1	1	1	1	2	1	2	1		
		C	11						1	1	2		1		1	4			1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,278	16	7	2	6	2	6	4	5	19	27	33	89	194	216	360	288	4
		Colored	1,343	9	5	4	6	5	7	13	23	43	56	51	218	256	224	210	206	7
128	Acute nephritis (including unspecified under 10 years)	W	76	9	2	2	3	1	4	1	1	2	3	2	8	11	12	6	8	
		C	179	5	5	3	5	4	4	7	9	14	11	12	27	30	21	16	6	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,030						1	3	1	7	15	23	65	153	187	322	249	4
		C	1,000				1	1	3	6	7	21	30	28	162	194	184	174	182	7
131	Other diseases of the kidneys and annexa	W	61	7	5		3	1	1		1	3	7	1	3	11	6	4	8	
		C	29	3		1					3	3	2	2	1	6	3	3	2	
132	Calculi of the urinary passages	W	4											1	1	1		1		
		C	1													1				
133	Diseases of the bladder	W	13											1			3	5	4	
		C	16								1		1		1	6	1	2	4	
134	Diseases of the urethra, etc	W	4													2	1	1		
		C	17									1		1	4	5	2	4		
135	Diseases of the prostate	W	44													1	6	18	19	
		C	36													5	8	11	12	
136	Nonvenereal diseases of the male genital organs	C	3	1													2			
137	Cysts, other benign tumors of the ovary	W	7									2			1	2		2		
		C	6										1		2	2	1			
138	Salpingitis and pelvic abscess (female)	W	22								2	5	2	3	5	4		1		
		C	20								3	2	6	4	5					
139	Benign tumors of the uterus	W	15											2	4	8	1			
		C	30									2	5	3	13	6	1			
140	Nonpuerperal uterine hemorrhage	C	1												1					
141	Other diseases of the female genital organs	W	3												2	1				
		C	5											1	2	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISIANA—Continued																				
	VIII.—The puerperal state	White	231							1	25	47	54	41	60	2				1
		Colored	245							2	68	55	45	25	46	4				
143	Accidents of pregnancy	W	21							1	1	3	5	7	4					
		C	19								4	7	5	1	2					
144	Puerperal hemorrhage	W	21								1	3	5	4	8					
		C	17								1	2	5	2	6	1				
145	Other accidents of labor	W	27									7	5	7	8					
		C	23								3	4	3	5	7	1				
146	Puerperal septicemia	W	69								7	18	19	10	15					
		C	80							1	27	20	11	7	13	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	6								1	1		2	2					
		C	4									2	2							
148	Puerperal albuminuria and convulsions	W	86								15	15	20	10	23	2				1
		C	101							1	33	20	19	10	17	1				
149	Following childbirth (undefined)	W	1											1						
		C	1												1					
	IX.—Diseases of the skin and of the cellular tissue	White	41	5		2	1		1	2	3	2	2	2	4	2	2	4	9	
		Colored	40	1							2	1	1	2	2	6	6	5	13	1
151	Gangrene	W	7			1	1										1	2	2	
		C	21													5	2	3	11	
152	Furuncle	W	11	2							2			1	2	1	1	1	1	
		C	2											1				1		
153	Acute abscess	W	10	2		1			1			1	1		2			1	1	
		C	11								1	1	1	1	2		3	1	1	
154	Other diseases of the skin and annexa	W	13	1						2	1	1	1	1		1			5	
		C	6	1							1					1	1		1	1
	X.—Diseases of the bones and of the organs of locomotion	White	19		1	1	1	1	7	1	2	3				1			1	
		Colored	12	1	1	1			2	1			1		4	1				
155	Diseases of the bones (tuberculosis excepted)	W	14			1		1	6	1	1	3				1				
		C	8	1		1			2	1			1		2					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	5		1		1		1		1								1	
		C	4		1										2	1				
	XI.—Malformations	White	137	120	7	1	3		3		1			1		1				
		Colored	82	67	4	3	1		5	1										1
159a	Congenital hydrocephalus	W	11	6	3	1	1													
		C	18	8	3	2	1		3	1										
159b	Congenital malformations of the heart	W	86	75	3		2		3		1			1		1				
		C	51	48		1			1											1
159c	Other congenital malformations	W	40	39	1															
		C	13	11	1				1											
	XII.—Early infancy	White	631	631																
		Colored	462	462																
160	Congenital debility, icterus, sclerema	W	65	65																
		C	97	97																
161a	Premature birth	W	419	419																
		C	286	286																
161b	Injury at birth	W	114	114																
		C	42	42																
162	Other diseases peculiar to early infancy	W	32	32																
		C	31	31																
163	Lack of care	W	1	1																
		C	6	6																
164	XIII.—Old age (senility)	White	170															28	142	
		Colored	268													1	1	21	244	1
	XIV.—External causes	White	990	29	27	15	19	14	43	43	77	105	78	76	135	106	77	73	66	7
		Colored	901	25	16	24	10	14	43	28	99	119	100	91	163	79	28	20	27	15
	Suicide	W	101								6	10	10	7	17	18	20	10	3	
		C	17								2	2	1	3	6	2		1		
165	By poisons (gas or corrosives excepted)	W	5												1		1	3		
		C	1													1				
166	By corrosive substances	W	15								2	2	1	2	3	4	1			
		C	1												1					
167	By poisonous gas	W	13									1	2		2	4	2	1	1	
168	By hanging or strangulation	W	4												1	2	1			
		C	1										1							
169	By drowning	W	9									1	1	1	2	1	2		1	
		C	2												1	1				
170	By firearms	W	51								4	6	6	3	8	7	11	6		
		C	9								2	1		3	2			1		
171	By cutting or piercing instruments	W	2											1			1			
		C	2												2					
172	By jumping from high places	W	2														1		1	
173	By crushing	C	1									1								
	Homicide	W	125	2	1				2	2	13	18	20	13	25	18	9	1		1
		C	318						1	3	26	64	68	53	71	24	2	3	1	2
197	By firearms	W	89		1				2	1	10	12	14	11	22	12	3			1
		C	232							1	16	47	51	38	57	17	2	1	1	1
198	By cutting or piercing instruments	W	16							1	1	5	3	1	1	3	1			
		C	58							1	9	13	10	10	9	4		1		1
199	By other means	W	20	2							2	1	3	1	2	3	5	1		
		C	28						1	1	1	4	7	5	5	3		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISIANA—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined	W	764	27	26	15	19	14	41	41	58	77	48	56	93	70	48	62	63	6
		C	566	25	16	24	10	14	42	25	71	53	31	35	86	53	26	16	26	13
175	Poisoning by food	W	16	3	2				2			1		2		2	1	2	1	
		C	12	2	1				1		1		1		2	3			1	
176	Poisoning by venomous animals	W	5	1			1				1				1	1				
		C	1	1																
177	Other acute poisonings (gas excepted)	W	24	1	7	1	2	1			1	3		2	2	2	1	1		
		C	18	1	3	4	1	2	1		1	2	1		1	1				
178	Conflagration	W	22	2		1	2	2		2	4	3	1	1		1	2	1		
		C	16			1		2	2	1	2	3		3				1	1	
179	Burns (conflagration excepted)	W	72	5	10	4	7	2	4	3	3	2	3	3	7	4	3	9	3	
		C	94	3	7	12	7	6	12	1	8	4	6	3	7	7	3		8	
180	Mechanical suffocation	W	8	6											2					
		C	14	10							2	1			1					
181	Absorption of irrespirable, irritating, or poisonous gas	W	10						1		1	1	2	1	2	1	1			
		C	2			1										1				
182	Drowning	W	72		3	2	1	2	5	7	9	13	7	4	8	7	1			3
		C	67		1	2		1	6	7	12	7	2	4	12	4	4	1	2	2
183	Traumatism by firearms (except in war)	W	36						1	9	9	3	4	3	3	3		1		
		C	48			1		1	3	8	7	10	5	2	8	2				1
184	Traumatism by cutting or piercing instruments	W	5	1	1							1			1	1				
		C	6			1					1	1				3				
185	Traumatism by fall	W	111	2	1	1	2	1	2	2	2	4	1	6	5	9	12	16	45	
		C	50	4	3				2		3	4	3	1	5	8	4	4	9	
187	Traumatism by machines	W	27								1	4	3	7	5	6	1			
		C	17						1		2	4	1	3	4	2				
188a	Railroad accidents	W	63						2	3	4	7	7	4	16	8	5	3	1	3
		C	58				1		1	2	9	6	4	4	11	6	2	3		9
	Collision with automobiles	W	7						1				1	2	2		1			
	Other railroad accidents	W	56						1	3	4	7	6	2	14	8	4	3	1	3
		C	58				1		1	2	9	6	4	4	11	6	2	3		9
188b	Street-car accidents	W	9				1		1					1		1	1	2	2	
		C	4												3	1				
	Collision with automobiles	W	2											1					1	
	Other street-car accidents	W	7				1		1							1	1	2	1	
		C	4												3	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	179	2		5	2	3	17	9	12	24	15	12	22	11	14	23	8	
		C	62					1	9	2	8	4	2	5	12	7	5	4	3	
188d	Airplane and balloon accidents	W	1								1									
188e,f	Injuries by other vehicles	W	12	1				1		2	1		1	1		1	1	2	1	
		C	8						1		1			2	4					
188g	Landslide, other crushing	W	13					1	2	1	1		1	2	2	2		1		
		C	10									1	2	1	4	1				1
189	Injuries by animals (not poisoning)	W	7			1			1	1	1				1	1	1			
		C	5								1		1				3			
193	Excessive cold	C	3	1															2	
194	Excessive heat	W	2					1							1					
		C	9								3	1		1	2		2			
195	Lightning	W	8								2		1	1	2	1	1			
		C	8	1					1		3			1		2				
196	Other accidental electric shocks	W	9							1		3		2	3					
		C	1													1				
201	Fracture (cause not specified)	W	1											1						
		C	3								1			1		1				
202	Other external violence	W	52	3	2		1		3	1	5	8	2	3	10	8	3	1	2	
		C	50	2	1	2	1	1	2	4	5	4	5	4	10	3	3	3		
	XV.—Ill-defined diseases	White	227	93	8	5	1	1	4	1	2	4	2	2	12	17	18	30	26	1
		Colored	529	223	18	5	5	2	10	5	16	16	15	9	29	46	36	38	50	6
204	Sudden death	W	48	16			1						1		3	4	5	11	7	
		C	59	14							1	1	3	1	11	6	6	8	7	1
205a	Ill-defined	W	59	12	3	1		1		1		1		1	6	5	8	11	9	
		C	118	28	4	2	1		3		3	4	3	2	7	20	7	12	19	3
205b	Not specified or unknown	W	120	65	5	4			4		2	3	1	1	3	8	5	8	10	1
		C	352	181	14	3	4	2	7	5	12	11	9	6	11	20	23	18	24	2
MAINE																				
	All causes		10,792	1,332	158	76	54	41	161	113	203	227	220	209	570	846	1,390	2,241	2,951	
	I.—Epidemic, endemic, and infectious diseases		1,102	113	43	22	14	10	47	36	70	83	72	63	110	111	96	96	116	
1	Typhoid and paratyphoid fever		53	1		2			4	3	9	7	9	3	8	3	2	1	1	
5	Malaria		1									1								
7	Measles		11	5	5				1											
8	Scarlet fever		22	2		3	2	1	4	3	2	1	2		2					
9	Whooping cough		26	19	3	1	1		1										1	
10	Diphtheria		34	4	5	2	2	3	13	2			1	1			1			
11a	Influenza (with pulmonary complications)		183	28	10	6	1	1		2	5	2	4	2	12	17	16	35	42	
11b	Influenza (other and unspecified)		150	27	3	2	4	1	7	5	7	1	2	3	5	4	10	14	55	
13	Mumps		2	1												1				
15	Cholera nostras		2	1	1															
16	Dysentery		10	4	2										1	1			2	
19	Spirochetal hemorrhagic jaundice		1														1			
21	Erysipelas		21	3	1				1				2		1	1	3	4	5	
22	Acute anterior poliomyelitis		10	2	2	1			1		1	2		1						
23	Lethargic encephalitis		5				1			1						1	1	1		
24	Meningococcus meningitis		6	3	1	1										1				
29	Tetanus		15						2	5	1	1				2	2	2		
	Tuberculosis (all forms)		497	7	8	3	2	4	12	13	44	66	49	48	76	73	51	33	8	
31	Of the respiratory system		397	1	1	1		1	3	5	34	58	42	42	62	63	46	30	8	
32	Of the meninges, central nervous system		36	4	3	2	1	3	6	5	3	2	1	1	3	1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
	Tuberculosis—Continued.																		
33	Of the intestines, peritoneum	28	1			1		2		4	2	6	4	5	2	1			
34	Of the vertebral column	8									1			1	3	3			
35	Of the joints	2		1													1		
36	Of other organs	11		2					1	1			1	2	2	1	1		
37a	Disseminated (acute)	7	1					1	1	1	1			1	1				
37b	Disseminated (chronic or unspecified)	8		1					1	1	2			2	1				
38	Syphilis	34	5		1	1		1	1	1		2	3	3	6	6	3	1	
40	Gonococcus infection	8	1								2	1		1	1	1	1		
41	Purulent infection, septicemia	11		2					1				2	1		2	2	1	
	II.—General diseases not included in Class I	1,433	31	7	3	4	1	15	11	8	12	17	25	91	197	303	411	297	
	Cancer and other malignant tumors	1,040	2	1	1	1		4	2	2	4	9	15	61	147	231	320	240	
43	Of the buccal cavity	34		1								1			2	4	15	11	
44	Of the stomach, liver	380				1		1			2	1	1	16	39	94	122	103	
45	Of the peritoneum, intestines, rectum	184									1	3	2	7	25	37	68	41	
46	Of the female genital organs	152										3	9	24	38	31	27	20	
47	Of the breast	84												3	18	20	27	16	
48	Of the skin	38														7	10	16	
49	Of other or unspecified organs	173	2		1			3	2	2	1	1	3	11	25	38	51	33	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	8												1	3		2	2	
51	Acute rheumatic fever	23					1	2	3	1	1	1		2	3	3	4	2	
52	Chronic rheumatism, osteoarthritis, gout	15										1			2	2	6	4	
54	Pellagra	1												1					
56	Rickets	2	2																
57	Diabetes mellitus	173			2			3	6	1	2	2	3	4	22	46	50	32	
58	Anemia, chlorosis	66	5	2		1		1		2	2		1	11	6	9	20	6	
60b	Other diseases of the thyroid gland	7		1				1		1			1	1				2	
62	Diseases of the thymus gland	7	6	1															
63	Diseases of the adrenals (Addison's disease)	9									1	1	1		1	2	1	2	
65a	Leukemia	14						1			2	2	1	2	1	2	3		
65b	Hodgkin's disease	14								1				4	4	1	2	2	
66	Alcoholism (acute or chronic)	22										1	3	3	7	4	2	2	
67a	Chronic lead poisoning	5												1	1	1	1	1	
68	Chronic poisoning by organic substances	1																1	
69	Other general diseases	26	16	2		2		3								2		1	
	III.—Diseases of the nervous system and of the organs of special sense	1,435	45	10	5	5	2	6	4	7	7	8	12	51	83	230	395	565	
71a	Simple meningitis	26	9	4	1	2	1		1		3			1		2	1	1	
71b	Nonepidemic cerebrospinal meningitis	11	5	1	1			1		2	1								
72	Tabes dorsalis (locomotor ataxia)	24												3	6	3	11	1	
73	Other diseases of the spinal cord	37							1					3	3	9	12	9	
74a	Cerebral hemorrhage	1,066	2	1						1		2	4	13	51	172	320	500	
74b	Cerebral embolism and thrombosis	50	1											4	2	13	13	17	
75	Paralysis without specified cause	37												2	1	6	13	15	
76	General paralysis of the insane	46										1	2	14	11	8	6	4	
77	Other forms of mental alienation	12												3	2	3	2	2	
78	Epilepsy	20	1		1	2		1	1	1	2	1	3	3	1	2		1	
79	Convulsions (nonpuerperal; 5 years and over)	1										1							
80	Infantile convulsions (under 5 years)	24	20	3	1														
81	Chorea	1								1									
82	Neuralgia and neuritis	3	1														1	1	
83	Softening of the brain	13														2	4	4	
84	Other diseases of the nervous system	44			1		1	1		1			3	4	3	7	13	10	
86a	Diseases of the ear	13	6	1				2	1		1	1				1			
86b	Diseases of the mastoid process	7				1		1		1		2		1	1				
	IV.—Diseases of the circulatory system	2,249	8	1	1		2	4	8	9	6	12	16	62	117	316	677	1,010	
87	Pericarditis	8											1		1	2		4	
88	Endocarditis and myocarditis (acute)	39	7	1			2	2	1		2		1	5	7	6	6	5	
89	Angina pectoris	277										2	2	6	23	69	92	83	
90	Other diseases of the heart	1,565	1		1			2	6	9	4	10	12	48	82	211	496	683	
91a	Aneurysm	6													2	2	2		
91b,c	Other diseases of the arteries	326												1	5	21	74	225	
92	Embolism and thrombosis (not cerebral)	22							1					2	3	3	6	7	
93	Diseases of the veins	4													1	1		2	
94	Diseases of the lymphatic system	1															1		
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	917	167	44	19	9	5	16	5	14	17	14	18	45	65	99	139	241	
97b	Diseases of the nasal fossae annexa	6	1											1	1	2	1		
98	Diseases of the larynx	4						1				1					1	1	
99a	Acute bronchitis	40	13	3		2		2					1	1	1	2		15	
99b	Chronic bronchitis	18	2												1		4	11	
99c,d	Bronchitis (unspecified)	20	4	2												3	1	10	
100a	Broncho-pneumonia	329	97	20	11	1	1	3	2		5		2	11	9	15	47	105	
100b	Capillary bronchitis	11	5	1											1		1	3	
101a	Lobar pneumonia	377	24	15	4	3	2	10	3	11	9	13	13	30	44	61	64	71	
101b	Pneumonia (unspecified)	54	15	3	1	2	1			2	1				2	4	9	14	
102	Pleurisy	13			2		1			1	1		1	1	2	2	1	1	
103	Congestion and hemorrhagic infarct of the lung	18	5		1									1		1	1	9	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	V.—Diseases of the respiratory system—Continued																		
104	Gangrene of the lung	3														2	1		
105	Asthma	15													2	4	8	1	
106	Pulmonary emphysema	2	1													1			
107	Other diseases of the respiratory system (tuberculosis excepted)	7				1					1		1		2	2			
	VI.—Diseases of the digestive system	710	161	24	10	11	6	26	23	21	20	15	25	44	75	81	94	74	
108	Diseases of the mouth and annexa	8	1	1				1			1				2	1		1	
109b	Other diseases of the pharynx, tonsils	26				1	2	5	7	2	4			2	1		1	1	
111a	Ulcer of the stomach	49								1	1	2	4	5	11	12	10	3	
111b	Ulcer of the duodenum	13									1		1	1	3	5	2		
112	Other diseases of the stomach (cancer excepted)	74	21	2	1			3			1		2	4	9	7	12	12	
113	Diarrhea and enteritis (under 2 years)	144	127	17															
114	Diarrhea and enteritis (2 years and over)	47			6	7	1	2	1	1			1	4	3	2	8	11	
117	Appendicitis and typhlitis	133	1	2	2	2	3	13	14	15	7	9	9	12	14	18	11	1	
118a	Hernia	37												4	4	10	13	6	
118b	Intestinal obstruction	50	9	2				1	1	1	3	2		6	4	5	5	11	
119	Other diseases of the intestines	4	1														2	1	
120	Acute yellow atrophy of the liver	5	1							1	1		1				1		
122	Cirrhosis of the liver	43											3	2	7	5	12	14	
123	Biliary calculi	45									1	1	2	4	9	10	11	7	
124	Other diseases of the liver	25			1							1	2		7	6	2	6	
125	Diseases of the pancreas	3													1		2		
126	Peritonitis without specified cause	4				1		1									2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	957	3	4		1	3	6	1	4	15	13	10	60	92	162	282	301	
128	Acute nephritis (including unspecified under 10 years)	38	1	3		1	2	4		1	1	3		3	5	7	3	4	
129	Chronic nephritis (including unspecified 10 years and over)	790		1				2	1	3	9	3	5	32	70	145	249	270	
131	Other diseases of the kidneys and annexa	14					1					2	2	1	3	1	4		
132	Calculi of the urinary passages	7									1				1	2	2	1	
133	Diseases of the bladder	8										1					1	6	
134	Diseases of the urethra, etc	1												1					
135	Diseases of the prostate	31														3	14	14	
136	Nonvenereal diseases of the male genital organs	3	1														2		
137	Cysts, other benign tumors of the ovary	12									1			5	1		2	3	
138	Salpingitis and pelvic abscess (female)	12									2	3	1	4			2		
139	Benign tumors of the uterus	30									1			13	9	3	3	1	
141	Other diseases of the female genital organs	10										1	2	1	3	1		2	
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VIII.—The puerperal state	126							2	18	21	37	19	28	1				
143	Accidents of pregnancy	11							1		1	5		4					
144	Puerperal hemorrhage	11								1	4	2	1	3					
145	Other accidents of labor	23								3	3	6	7	3	1				
146	Puerperal septicemia	30							1	4	2	13	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	8								1	2		3	2					
148	Puerperal albuminuria and convulsions	43								9	9	11	3	11					
	IX.—Diseases of the skin and of the cellular tissue	49	4								1	1		4	2	5	13	19	
151	Gangrene	28												1		2	8	17	
152	Furuncle	7												1	1	3	2		
153	Acute abscess	5	1											2	1		1		
154	Other diseases of the skin and annexa	9	3								1	1					2	2	
	X.—Diseases of the bones and of the organs of locomotion	9						1	1		1			1	1	1	1	2	
155	Diseases of the bones (tuberculosis excepted)	8						1	1		1				1	1	1	2	
158	Other diseases of the organs of locomotion	1												1					
	XI.—Malformations	113	101	7				2	1	1				1					
159a	Congenital hydrocephalus	14	9	2				1	1	1									
159b	Congenital malformations of the heart	60	55	4				1											
159c	Other congenital malformations	39	37	1										1					
	XII.—Early infancy	637	637																
160	Congenital debility, icterus, sclerema	108	108																
161a	Premature birth	400	400																
161b	Injury at birth	91	91																
162	Other diseases peculiar to early infancy	38	38																
164	XIII.—Old age (senility)	229														3	13	213	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MAINE—Continued																		
	XIV.—External causes	698	17	15	15	9	12	38	20	50	44	31	20	69	95	78	92	93	
	Suicide	118								4	9	2	4	18	33	14	23	11	
165	By poisons (gas or corrosives excepted)	4												1	1	1		1	
166	By corrosive substances	5									2	1		1	1				
167	By poisonous gas	9											1	3	2	1	1	1	
168	By hanging or strangulation	22												1	6	1	11	3	
169	By drowning	21								1	3			3	6	1	5	2	
170	By firearms	44								3	4	1	3	6	12	7	5	3	
171	By cutting or piercing instruments	11												2	5	3	1		
172	By jumping from high places	1																1	
174	By other means	1												1					
	Homicide	17	2						1		4	1	1	4	3	1			
197	By firearms	10									2	1	1	3	3				
199	By other means	7	2						1		2			1		1			
	Accidental or undefined	563	15	15	15	9	12	38	19	46	31	28	15	47	59	63	69	82	
175	Poisoning by food	5		1				2								1	1		
177	Other acute poisonings (gas excepted)	14	1	3		1	1	1						2	2	2	1		
178	Conflagration	12			1			3					1	1		3		3	
179	Burns (conflagration excepted)	36	1	4	4	4	2	1		5	2	1		2	2	2	2	4	
180	Mechanical suffocation	12	10												2				
181	Absorption of irrespirable, irritating, or poisonous gas	4												2	1			1	
182	Drowning	70		1	4		1	7	8	13	6	4	5	6	7	6	2		
183	Traumatism by firearms (except in war)	24		1				3	2	5	1	3	1	2	1	4	1		
184	Traumatism by cutting or piercing instruments	12							1		2		1	1		4	2	1	
185	Traumatism by fall	124		3	2	2	2		2	2	2	1	2	5	5	11	28	57	
186b	Traumatism in quarries	2												1		1			
187	Traumatism by machines	22					1	2		3	2	2	3	2	3	1	2	1	
188a	Railroad accidents	30							1	3	4	2	1	3	6	6	2	2	
	Collision with automobiles	3									2				1				
	Other railroad accidents	27							1	3	3	2	1	3	5	6	2	2	
188b	Street-car accidents	3								1		2							
	Collision with automobiles	1										1							
	Other street-car accidents	2								1		1							
188c	Automobile accidents (excluding collision with railroad trains and street cars)	98				2	4	17	2	10	7	8	1	8	13	9	11	6	
188d	Airplane and balloon accidents	1										1							
188e,f	Injuries by other vehicles	20	1		2			1	3	1	1	1			4	2	4		
188g	Landslide, other crushing	1														1			
189	Injuries by animals (not poisoning)	4												2		1	1		
193	Excessive cold	5									1				1	1	1	1	
194	Excessive heat	5														2	3		
195	Lightning	1								1									
196	Other accidental electric shocks	5						1				1		2	1				
201	Fracture (cause not specified)	5														2		3	
202	Other external violence	48	2	2	2		1			2	3	2		8	11	4	8	3	
	XV.—Ill-defined diseases	128	45	3	1	1			1	1			1	4	7	16	28	20	
204	Sudden death	34	9										1	1	2	6	9	6	
205a	Ill-defined	43	5			1				1				3	4	8	14	7	
205b	Not specified or unknown	51	31	3	1				1						1	2	5	7	
	MARYLAND																		
	All causes—White	16,143	2,063	313	133	84	72	258	192	288	374	408	473	1,149	1,739	2,424	3,106	3,052	15
	All causes—Colored	5,485	985	196	73	33	28	84	81	186	280	285	266	699	798	618	453	401	19
	I.—Epidemic, endemic, and infectious diseases—White	1,873	177	71	38	30	21	69	39	92	151	140	132	274	241	185	121	88	4
	I.—Epidemic, endemic, and infectious diseases—Colored	1,228	126	46	26	11	11	31	40	115	152	128	90	207	153	54	22	13	3
1	Typhoid and paratyphoid fever—W	71				1	1	3	10	9	5	10	8	13	5	4	2		
	Typhoid and paratyphoid fever—C	45		1				5	6	9	9		3	5	4	2			1
2	Typhus fever—W	1															1		
5	Malaria—W	1																1	
7	Measles—W	23	5	8	3	3		4											
	Measles—C	1			1														
8	Scarlet fever—W	16	2	1	3	3		2	1	1	1	1			1				
9	Whooping cough—W	89	53	21	5	5	3	1											1
	Whooping cough—C	86	42	30	8	3		3											
10	Diphtheria—W	74	3	9	10	6	9	30	1	1	2		1	2					
	Diphtheria—C	14	3		3	1	2	3			2								
11a	Influenza (with pulmonary complications)—W	138	12	7	4	2		2	1	6	4	3	2	16	17	15	19	28	
	Influenza (with pulmonary complications)—C	58	6		1			2	2	3	2	4	7	8	12	6	3	2	
11b	Influenza (other and unspecified)—W	87	18	6	2	1	2	4	1	4	2	4	4	3	6	8	5	17	
	Influenza (other and unspecified)—C	35	2	1	2	1		1	2				1	8	9	3	4	1	
13	Mumps—W	1						1											
	Mumps—C	1	1																
15	Cholera nostras—C	1	1																
16	Dysentery—W	45	26	6	2	1		1								1	1	6	1
	Dysentery—C	19	12		1		1	1						1		1	1	1	
21	Erysipelas—W	23	4	1						2			1	3	2		5	5	
	Erysipelas—C	4	1										1		1	1			
22	Acute anterior poliomyelitis—W	10	3				1	3	2								1		
	Acute anterior poliomyelitis—C	7	2	1	1	1			2										
23	Lethargic encephalitis—W	22			1	1		1	3	1		2		3	2	7		1	
	Lethargic encephalitis—C	3												1	1	1			
24	Meningococcus meningitis—W	23	11	2	2	1		3	1	3									
	Meningococcus meningitis—C	4	1						1					2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
25	Other epidemic and endemic diseases	W	4	2									1		1					
28	Rabies	W	3			1									1	1				
		C	1							1										
29	Tetanus	W	17	2			1		4	4	2				2		1		1	
		C	8	2	1			1	2	1	1									
30	Mycoses	C	3	2												1				
	Tuberculosis (all forms)	W	1,135	22	10	5	5	4	7	14	59	131	113	116	214	189	138	80	26	2
		C	750	14	9	9	5	7	11	22	94	132	109	69	142	86	24	10	6	1
31	Of the respiratory system	W	1,012	6	1	1	2		4	7	55	125	105	109	201	176	125	73	21	1
		C	659	6	5	3	2	4	6	20	86	117	100	65	131	77	22	9	5	1
32	Of the meninges, central nervous system	W	36	9	6	3	1	2	1	3	1	2	3	1	1	2				1
		C	23	6	2	3	1		1		2	3	2		3					
33	Of the intestines, peritoneum	W	24	1							1	1	2	2	2	7	5	2	1	
		C	25	1			1	1	2	2	2	5	2		4	4		1		
34	Of the vertebral column	W	13	1				1	1	1		2	1		1	1	3		1	
		C	9								2	1	2	2	2					
35	Of the joints	W	2							1									1	
		C	3									1					1		1	
36	Of other organs	W	14		1								1	1	3		3	3	2	
		C	7									2	1	2		1	1			
37a	Disseminated (acute)	W	27	5	2	1	2	1	1	2	2	1	1		4	2	2	1		
		C	22	1	2	3	1	2	2		2	3	1		2	3				
37b	Disseminated (chronic or unspecified)	W	7											3	2	1		1		
		C	2										1			1				
38	Syphilis	W	65	14					1	1			2		11	16	10	7	3	
		C	165	34	3				3	3	4	4	9	6	39	36	16	4	3	1
40	Gonococcus infection	W	13								3	5	2		3					
		C	22	2							4	3	6	3	1	3				
41	Purulent infection, septicemia	W	12					1	2		1	1	2		2	2	1			
		C	1	1																
	II.—General diseases not included in Class I	White	2,029	27	7	3	5	3	15	18	16	19	25	39	166	365	514	542	264	1
		Colored	320	16	4	4	1		2	1	3	3	10	20	63	73	58	36	23	3
	Cancer and other malignant tumors	W	1,434	1	1			3	5	7	6	8	9	19	97	258	376	420	224	
		C	187			1			1			1	5	8	39	43	40	28	19	2
43	Of the buccal cavity	W	52												3	8	16	18	7	
		C	4													1	3			
44	Of the stomach, liver	W	522	1						1			1	1	28	78	148	187	77	
		C	77										1		13	19	22	7	14	1
45	Of the peritoneum, intestines, rectum	W	175											2	8	30	46	51	38	
		C	19											2	3	5	3	6		
46	Of the female genital organs	W	187									2	1	6	19	50	49	36	24	
		C	45									1	2	6	13	13	3	3	3	1
47	Of the breast	W	126										1	1	21	30	33	21	19	
		C	18										1		8	1	3	4	1	
48	Of the skin	W	34							1				1	1	2	6	12	11	
		C	1						1											
49	Of other or unspecified organs	W	338		1			3	5	5	6	6	6	8	17	60	78	95	48	
		C	23			1							1		2	4	6	8	1	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	14	1										1	3	3	3	2	1	
51	Acute rheumatic fever	W	42		1		2		6	5	3	4	4	1	4	4	4	2	2	
		C	18				1		1	1	2	1	1	3	1	4	2		1	
52	Chronic rheumatism, osteoarthritis, gout	W	13														5	8		
		C	6												1	2	1		2	
53	Scurvy	W	3		2										1					
		C	1	1																
54	Pellagra	W	4										1		1	2				
		C	3											2		1				
56	Rickets	W	9	7	1		1													
		C	12	7	3	2														
57	Diabetes mellitus	W	243						1	3	2	3		5	12	46	70	73	28	
		C	38									1			8	9	11	8	1	
58	Anemia, chlorosis	W	72	4	2						1	1	2		9	6	17	21	8	1
		C	5	1										1	2	1				
59	Diseases of the pituitary gland	W	3							1					1	1				
60a	Exophthalmic goiter	W	42							1	1	2	3	2	9	12	9	3		
		C	3											1		1	1			
60b	Other diseases of the thyroid gland	W	10											1	3	3	3			
		C	1														1			
61	Diseases of the parathyroid glands	C	3	3																
62	Diseases of the thymus gland	W	7	7																
		C	1			1														
63	Diseases of the adrenals (Addison's disease)	W	1												1					
64	Diseases of the spleen	W	3														1	2		
65a	Leukemia	W	29			1	1			1	1		2	2	1	7	7	6		
		C	3												1	1	1			
65b	Hodgkin's disease	W	20						2				1	3	6	4	2	2		
66	Alcoholism (acute or chronic)	W	62									1	3	5	17	17	15	3	1	
		C	33										4	5	11	11	1			1
67a	Chronic lead poisoning	W	2													2				
68	Chronic poisoning by organic substances	W	3								2				1					
69	Other general diseases	W	13	7		2	1		1								2			
		C	6	4	1						1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,878	43	12	6	4	8	20	14	21	5	19	20	98	193	342	533	540	
		Colored	518	15	3	2	1		4	2	3	4	9	19	54	95	114	106	82	5
70	Encephalitis	W	9						2	1			1		2	1	2			
		C	1										1							
71a	Simple meningitis	W	29	7	4	2	2	3	5	2	1	1				1		1		
		C	10	3	1		1		1	1	1			2						
71b	Nonepidemic cerebrospinal meningitis	W	6	3	1	1										1				
		C	1			1														
72	Tabes dorsalis (locomotor ataxia)	W	14													4	3	6	1	
		C	2													1	1			
73	Other diseases of the spinal cord	W	39				1	1	1		1		2		4	4	3	13	9	
		C	3						1			1							1	
74a	Cerebral hemorrhage	W	1,339		2				1		1	1	1	5	41	126	286	436	439	
		C	372								1	1	3	3	35	84	94	86	63	2
74b	Cerebral embolism and thrombosis	W	60						1		1		1	2	2	3	12	20	18	
		C	14									1		1	1	1	4	3	3	
75	Paralysis without specified cause	W	39							1					1	6	10	26	45	
		C	42										1	2		3	9	14	13	
76	General paralysis of the insane	W	82								1		5	6	29	25	7	7	2	
		C	26										2	7	11	3	2			1
77	Other forms of mental alienation	W	9										1			3	1	3	1	
		C	8										1	1	2		1	1		2
78	Epilepsy	W	35	3	1	1			3	1	6	2	3	3	4	5		2	1	
		C	12								1		1	2	4	1	2	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	1												1					
80	Infantile convulsions (under 5 years)	W	24	22	1			1												
		C	14	12	2															
81	Chorea	W	1								1									
82	Neuralgia and neuritis	W	9												1	1	2	2	3	
		C	2															1	1	
83	Softening of the brain	W	25													1	5	5	14	
		C	1													1				
84	Other diseases of the nervous system	W	68	1	1		1	2	2	5	3		1	4	11	10	9	11	7	
		C	4						1	1					1				1	
85	Diseases of the eye and annexa	W	1			1														
86a	Diseases of the ear	W	26	7	1			1	4	3	3	1	1		2	1	1	1		
		C	4			1						1				1	1			
86b	Diseases of the mastoid process	W	12		1	1			1	1	3		3			1	1			
		C	2						1					1						
	IV.—Diseases of the circulatory system	White	2,926	15	6	2	1	2	20	22	33	20	26	50	120	294	521	844	940	1
		Colored	723	4					4	8	11	10	16	30	80	179	151	120	109	1
87	Pericarditis	W	6						1								1	1	3	
		C	6									2		1	1		1		1	
88	Endocarditis and myocarditis (acute)	W	93	5	3	1		1	3	4	9	5	3	9	18	8	6	10	8	
		C	21	2						2		1	2	6	2	2		2	2	
89	Angina pectoris	W	208									1		2	7	30	66	69	33	
		C	28	1										3	2	6	9	6	1	
90	Other diseases of the heart	W	2,280	7	2	1	1	1	25	18	22	14	23	37	86	240	415	675	712	1
		C	601	1					4	6	9	7	14	20	73	169	122	98	77	1
91a	Aneurysm	W	13												3	4	3	3		
		C	2								1								1	
91b,c	Other diseases of the arteries	W	284												1	9	20	76	178	
		C	59												1	1	18	12	27	
92	Embolism and thrombosis (not cerebral)	W	25	1							2			1	2	1	8	4	6	
		C	5								1				1	1	1	1		
93	Diseases of the veins	W	10											1	2	2	1	4		
94	Diseases of the lymphatic system	W	5	1	1												1	2		
95	Hemorrhage without specified cause	W	2	1											1					
96	Other diseases of the circulatory system	C	1															1		
	V.—Diseases of the respiratory system	White	1,610	279	98	38	16	11	28	18	22	28	36	47	117	139	199	241	293	
		Colored	837	230	83	24	7	3	13	8	14	36	41	38	107	90	62	40	40	1
97a	Diseases of the nasal fossae	W	2		1						1									
		C	4	2	1														1	
97b	Diseases of the nasal fossae annexa	W	8							1	3	1	1	1	1					
		C	1									1								
98	Diseases of the larynx	W	4	1	1	1			1											
		C	5	3	1	1														
99a	Acute bronchitis	W	43	11	1	1	1	1	1					1		3	5	3	15	
		C	37	19	8	2			1				3				1	1	2	
99b	Chronic bronchitis	W	49										2			1	3	11	32	
		C	14	1		1								1	2	1	3	2	3	
99c,d	Bronchitis (unspecified)	W	26	7	2		1								1		5	2	8	
		C	15	9		3								1			1	1		
100a	Broncho-pneumonia	W	705	207	61	24	5	5	13	7	2	11	7	10	23	37	63	106	124	
		C	362	153	55	14	5		5	3	1	8	8	8	22	20	25	14	20	1
100b	Capillary bronchitis	W	18	10	1	2												1	4	
		C	7	6														1		
101a	Lobar pneumonia	W	669	36	27	8	7	4	11	10	16	15	25	35	81	89	108	109	88	
		C	354	29	14	3	2	3	7	3	9	26	29	27	77	64	31	20	10	
101b	Pneumonia (unspecified)	W	15	4	1		2		1				1		2				4	
		C	14	6	2						3				1	1			1	
102	Pleurisy	W	23	2	2	2		1	1			1			2	3	4	1	4	
		C	7		1							1			1	2	1	1		
103	Congestion and hemorrhagic infarct of the lung	W	18	1	1												2	4	10	
		C	1		1															
104	Gangrene of the lung	C	1										1							
105	Asthma	W	18												3	3	6	2	4	
		C	9							1				1	3	1			3	
106	Pulmonary emphysema	W	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	W	11												4	3	3	1		
		C	6	2						1	1				1	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																			
	VI.—Diseases of the digestive system	White	1,335	495	81	27	10	4	24	25	24	20	30	32	72	119	153	124	95	
		Colored	433	211	38	5	3	3	7	6	7	11	13	6	33	34	36	13	7	
108	Diseases of the mouth and annexa	W	6	1												2	1	2		
		C	1														1			
109b	Other diseases of the pharynx, tonsils	W	43	5	2	2	2	2	7	3	2	1	4	2	3		3	2	3	
		C	9						2				1		3	1	2			
110	Diseases of the esophagus	W	2									1						1		
111a	Ulcer of the stomach	W	39								1			4	7	8	9	7	3	
		C	15							1			1	1	4	3	4	1		
111b	Ulcer of the duodenum	W	17								1	1	1	3	3	5	3			
		C	3									1	2							
112	Other diseases of the stomach (cancer excepted)	W	53	14	3	1	1							3	4	2	11	5	9	
		C	41	14	2	1				1	1	1		2	5	6	2	6		
113	Diarrhea and enteritis (under 2 years)	W	531	459	72															
		C	224	189	35															
114	Diarrhea and enteritis (2 years and over)	W	80			16	5		5	1		1	2		6	5	9	7	23	
		C	31			3	3	2	2		1	3	1	1	4	3	4	2	2	
116	Diseases due to other intestinal parasites	W	1					1												
		C	1			1														
117	Appendicitis and typhlitis	W	147	1	2	4	2	1	9	13	16	6	15	7	17	20	21	10	3	
		C	28	1				1	3	2	3	3	4	1	4	3	3			
118a	Hernia	W	65								1	1		3	5	7	8	27	13	
		C	18	1						1					2	5	3	1	5	
118b	Intestinal obstruction	W	76	9	1	1			2	3	2	2		6	3	12	12	12	11	
		C	25	2	1						1	2	3	1	5	4	5	1		
119	Other diseases of the intestines	W	12	2						1		1	2	1	2		1		2	
		C	5	1											2	2				
120	Acute yellow atrophy of the liver	W	5	1									2		1			1		
		C	2													1		1		
122	Cirrhosis of the liver	W	92							1	1	1		1	5	17	32	21	13	
		C	12							1					1	3	6	1		
123	Biliary calculi	W	65									1	2	1	5	16	21	14	5	
		C	4													2	2			
124	Other diseases of the liver	W	67	1		1						1	1		7	15	17	14	10	
		C	6									1	1		2	1	1			
125	Diseases of the pancreas	W	12									1	1		2	6	2			
126	Peritonitis without specified cause	W	22	2	1	2			1	3		2		1	2	4	3	1		
		C	8	3							1				1		3			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,978	9	1	1	3	1	7	4	10	21	25	40	125	230	347	568	584	2
		Colored	575	3	5	1	1				5	8	18	20	82	124	115	97	92	4
128	Acute nephritis (including unspecified under 10 years)	W	83	4	1	1	1	1	5	1	2	4	6	7	15	10	9	8	8	
		C	49	3	4		1				1	1	4	1	12	14	5	1	2	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,713				1		1	3	5	14	14	24	89	201	313	518	528	2
		C	477		1						3	6	8	14	61	101	104	91	84	4
131	Other diseases of the kidneys and annexa	W	29	3			1				1	1		1	4	5	1	4	8	
		C	10			1							1		2	1	3	1	1	
132	Calculi of the urinary passages	W	19						1			1		3	3	1	5	3	2	
		C	4									1				2	1			
133	Diseases of the bladder	W	12											1	1		1	1	8	
		C	3														1		2	
134	Diseases of the urethra, etc	W	5								1				1			1	2	
		C	1													1				
135	Diseases of the prostate	W	81										3		1	4	14	33	26	
		C	11												1	2	1	4	3	
136	Nonvenereal diseases of the male genital organs	W	2	1															1	
137	Cysts, other benign tumors of the ovary	W	9								1			2	2	3			1	
		C	2										2							
138	Salpingitis and pelvic abscess (female)	W	11										2	1	5	1	2			
		C	7								1		2	2	2					
139	Benign tumors of the uterus	W	7											1	3	3				
		C	10											3	4	3				
141	Other diseases of the female genital organs	W	6									1			1	2	2			
		C	1										1							
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1	1																
	VIII.—The puerperal state	White	137								8	23	40	31	33	2				
		Colored	60								9	11	12	12	16					
143	Accidents of pregnancy	W	10										3	2	5					
		C	3									1		1	1					
144	Puerperal hemorrhage	W	17									2	5	6	4					
		C	3								1			2						
145	Other accidents of labor	W	16									2	1	7	5	1				
		C	4									1	1	2						
146	Puerperal septicemia	W	56								5	13	22	10	6					
		C	32								5	5	8	3	11					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	5										2	1	2					
		C	2										1	1						
148	Puerperal albuminuria and convulsions	W	31								3	5	7	4	11	1				
		C	16								3	4	2	3	4					
149	Following childbirth (undefined)	W	2									1		1						
	IX.—Diseases of the skin and of the cellular tissue	White	37	6		1		1		1		1	1	1	1	3	6	3	12	
		Colored	14								1	1		1	1	4	2	1	3	
151	Gangrene	W	19	1				1								1	3	1	12	
		C	9													3	2	1	3	
152	Furuncle	W	7	2						1		1				1	1	1		
		C	1								1									
153	Acute abscess	W	5	2		1										1	1			
		C	3											1	1	1				
154	Other diseases of the skin and annexa	W	6	1									1	1	1		1	1		
		C	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	X.—Diseases of the bones and of the organs of locomotion—White	28	1		1	1		3	4	4	1	1	1		1	6	1	3	
	X.—Diseases of the bones and of the organs of locomotion—Colored	5						1			1		1		2				
155	Diseases of the bones (tuberculosis excepted)—W	22	1		1	1		3	4	2	1	1				4	1	3	
155	Diseases of the bones (tuberculosis excepted)—C	3						1					1		1				
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	4								2						2			
156	Diseases of the joints (tuberculosis and rheumatism excepted)—C	1									1								
158	Other diseases of the organs of locomotion—W	2											1		1				
158	Other diseases of the organs of locomotion—C	1													1				
	XI.—Malformations—White	220	200	7	2		1	5		1	3				1				
	XI.—Malformations—Colored	46	42	1					1	1						1			
159a	Congenital hydrocephalus—W	17	12	1				3							1				
159a	Congenital hydrocephalus—C	7	6						1										
159b	Congenital malformations of the heart—W	140	131	3			1	2			3								
159b	Congenital malformations of the heart—C	29	27	1						1									
159c	Other congenital malformations—W	63	57	3	2					1									
159c	Other congenital malformations—C	10	9													1			
	XII.—Early infancy—White	752	752																
	XII.—Early infancy—Colored	297	297																
160	Congenital debility, icterus, sclerema—W	60	60																
160	Congenital debility, icterus, sclerema—C	59	59																
161a	Premature birth—W	493	493																
161a	Premature birth—C	180	180																
161b	Injury at birth—W	111	111																
161b	Injury at birth—C	20	20																
162	Other diseases peculiar to early infancy—W	86	86																
162	Other diseases peculiar to early infancy—C	35	35																
163	Lack of care—W	2	2																
163	Lack of care—C	3	3																
164	XIII.—Old age (senility)—White	94															10	84	
164	XIII.—Old age (senility)—Colored	26													1	3	5	17	
	XIV.—External causes—White	1,193	44	25	14	14	20	58	45	57	80	64	79	141	149	145	112	140	6
	XIV.—External causes—Colored	335	10	7	9	9	11	21	15	16	40	38	29	53	40	17	6	12	2
	Suicide—W	159								6	9	12	16	33	29	28	21	5	
	Suicide—C	10								1	4	2	1		1	1			
165	By poisons (gas or corrosives excepted)—W	2														1	1		
166	By corrosive substances—W	19								1	1	3	1	4	4	3	2		
167	By poisonous gas—W	28								1		3	3	5	3	9	3	1	
168	By hanging or strangulation—W	20									1		5	2	4	5	3		
168	By hanging or strangulation—C	1													1				
169	By drowning—W	9									1	1		2	1	3	1		
170	By firearms—W	63								4	5	5	6	16	11	7	5	4	
170	By firearms—C	8								1	3	2	1			1			
171	By cutting or piercing instruments—W	8												1	4		3		
172	By jumping from high places—W	4									1		1	1			1		
172	By jumping from high places—C	1									1								
173	By crushing—W	2												2					
174	By other means—W	4													2		2		
	Homicide—W	52	4		1	1	1	1		1	9	7	11	8	4	1	1	1	1
	Homicide—C	65	1						1	5	8	13	12	14	10	1			
197	By firearms—W	33						1		1	7	5	7	8	3		1		
197	By firearms—C	35							1	3	4	8	7	6	6				
198	By cutting or piercing instruments—W	6	1		1	1	1				1		1						
198	By cutting or piercing instruments—C	22								2	3	4	4	8	1				
199	By other means—W	13	3								1	2	3		1	1		1	1
199	By other means—C	8	1								1	1	1		3	1			
	Accidental or undefined—W	982	40	25	13	13	19	57	45	50	62	45	52	100	116	116	90	134	5
	Accidental or undefined—C	260	9	7	9	9	11	21	14	10	28	23	16	39	29	15	6	12	2
175	Poisoning by food—W	4									1		1	1		1			
175	Poisoning by food—C	6						1		1		2			1		1		
176	Poisoning by venomous animals—W	1																1	
177	Other acute poisonings (gas excepted)—W	16		6	2		1			1	2		1	2	1				
177	Other acute poisonings (gas excepted)—C	11		4	1	3		1			2								
178	Conflagration—W	9	1	1		1	1							1	3	1			
178	Conflagration—C	9			2		2	3	1					1					
179	Burns (conflagration excepted)—W	62	4	5	3	3	7	8	2	2	1	1	1	3	2	7	3	10	
179	Burns (conflagration excepted)—C	39	1	2	4	5	8	5	1		1	1	1	2	3	1		3	1
180	Mechanical suffocation—W	22	19										3						
180	Mechanical suffocation—C	2	2																
181	Absorption of irrespirable, irritating, or poisonous gas—W	46		1							1		2	8	16	8	3	7	
181	Absorption of irrespirable, irritating, or poisonous gas—C	1												1					
182	Drowning—W	118		1	4		1	9	16	15	8	6	12	19	13	10	1		3
182	Drowning—C	40						1	5	4	7	5	6	5	4	3			
183	Traumatism by firearms (except in war)—W	19		1	1			2	1	3	4	3		2	2				
183	Traumatism by firearms (except in war)—C	10			1				2	2	2	1		1	1				
184	Traumatism by cutting or piercing instruments—W	4							1							3			
184	Traumatism by cutting or piercing instruments—C	4										1			1		1	1	
185	Traumatism by fall—W	163	3	2	1	1		3	2	5	4	3	3	7	12	21	29	67	
185	Traumatism by fall—C	21	2				1		2		3	1	3	4	1	2	1	1	
186a	Traumatism in mines—W	13									2		2	4	3	2			
186b	Traumatism in quarries—W	2											1			1			
186b	Traumatism in quarries—C	1									1								
187	Traumatism by machines—W	18								1	2	2	3	3	1	1	5		
187	Traumatism by machines—C	12							1		2	1	1	3	3	1			
188a	Railroad accidents—W	61						1		3	3	7	5	7	13	13	4	5	
188a	Railroad accidents—C	5										1		2				1	1
	Collision with automobiles—W	3								1						1			
	Other railroad accidents—W	58						1		2	3	7	5	7	13	12		5	
	Other railroad accidents—C	5										1		2				1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MARYLAND—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188b	Street-car accidents W	22		1				1	2		2			5	1	4	1	5	
	C	7									1	2	1	1	1	1			
	Collision with automobiles W	3							1		2								
	C	3									1	1	1						
	Other street-car accidents W	19		1				1	1					5	1	4	1	5	
	C	4										1		1	1	1			
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	225				5	6	26	14	15	17	12	8	23	25	30	27	17	
	C	46			1	1		10	1	2	5	7	3	9	5	1	1		
188e,f	Injuries by other vehicles W	21						3		1	4	2	1	3	2	1	2	1	1
	C	2	1														1		
188g	Landslide, other crushing W	6					1	1				2			2				
	C	5									1			2	1	1			
189	Injuries by animals (not poisoning) W	7					1		1	1				1	1	2			
193	Excessive cold W	4												1		2	1		
	C	6												1	3	2			
194	Excessive heat W	38	8	1							1			5	6	3	9	5	
	C	13	1									1	1	2	3	1	1	3	
195	Lightning W	2									1		1						
	C	1												1					
196	Other accidental electric shocks W	16								1	3	3	3	3	1	2			
201	Fracture (cause not specified) W	19							1		2	1	1		1	1	2	10	
	C	2														1		1	
202	Other external violence W	64	5	6	2	3	1	3	5	2	4	3	4	2	11	3	3	6	1
	C	17	2	1					1	1	3			4	2	1		2	
	XV.—Ill-defined diseases White	53	15	5					2		2	1	1	2	2	6	7	9	1
	Colored	68	31	9	2			1		1	3			3	3	5	7	3	
204	Sudden death W	2															1	1	
	C	8	2	2							1						2	1	
205a	Ill-defined W	26	2	4					1		1	1		2	2	5	4	4	
	C	25	9	5	2						1				1	3	4		
205b	Not specified or unknown W	25	13	1					1		1		1			1	2	4	1
	C	35	20	2				1		1	1			3	2	2	1	2	
	MASSACHUSETTS																		
	All causes	51,721	6,280	1,161	523	334	303	919	674	892	1,143	1,345	1,443	3,734	5,567	8,095	9,485	9,809	14
	I.—Epidemic, endemic, and infectious diseases	5,797	600	407	212	122	109	226	155	296	446	502	417	756	649	453	261	185	1
1	Typhoid and paratyphoid fever	73		1		1	1	4	8	6	7	11	5	14	6	5	4		
5	Malaria	3										1			1		1		
7	Measles	349	114	114	51	27	15	20	4		2				1			1	
8	Scarlet fever	116	6	13	15	12	11	18	15	6	6	8	2	1	3				
9	Whooping cough	279	160	74	25	12	3	3		1								1	
10	Diphtheria	334	23	58	43	33	43	102	17	4	3	5			1	1	1		
11a	Influenza (with pulmonary complications)	416	55	12	12	3	2	3	9	10	8	9	17	37	49	63	55	71	1
11b	Influenza (other and unspecified)	188	27	7	5		2	8	7	2	4	6	6	14	18	24	19	39	
13	Mumps	3				1			2										
15	Cholera nostras	2	1		1														
16	Dysentery	16	3	2	1			3			1		1			1		4	
19	Spirochetal hemorrhagic jaundice	3			1										1	1			
21	Erysipelas	127	36	2	1				3	3	1	2	3	8	15	16	16	21	
22	Acute anterior poliomyelitis	45	4	5	1	3	2	7	7	4	5	3	1	1	2				
23	Lethargic encephalitis	97	4	10	4	3		2	2	6	7	6	8	24	12	6	2	1	
24	Meningococcus meningitis	51	13	5	5	2	3	4	3	4	4	1		3	3	1			
25	Other epidemic and endemic diseases	14	6	4		1	1	2											
27	Anthrax	1														1			
28	Rabies	3																	
29	Tetanus	35	2	1	3	1	2	5	6	1	2	1	1	5		4		1	
30	Mycoses	4											1	2			1		
	Tuberculosis (all forms)	3,441	88	95	41	23	24	44	71	245	389	440	361	618	493	314	154	41	
31	Of the respiratory system	2,910	25	8	3	5	5	14	45	215	360	399	334	574	452	295	138	38	
32	Of the meninges, central nervous system	251	50	70	30	14	14	18	11	6	4	14	5	8	4	1	1	1	
33	Of the intestines, peritoneum	108	4	8	6	1	2	3	6	12	8	11	10	11	16	6	4		
34	Of the vertebral column	54	1	2			2	3	2	4	5	7	5	6	4	5	7	1	
35	Of the joints	15	1					1	1	2	4			3		2	1		
36	Of other organs	48	1	3		1		1	5	4	1	4	3	8	10	3	3	1	
37a	Disseminated (acute)	45	5	4	2	2	1	3		2	5	5	3	6	6	1			
37b	Disseminated (chronic or unspecified)	10	1					1	1		2		1	2	1	1			
38	Syphilis	146	43	3	2					2	3	6	7	24	34	15	4	3	
40	Gonococcus infection	15	7							1	2	2			2	1			
41	Purulent infection, septicemia	36	8	1	1			1	1	1	2	1	3	4	7		4	2	
	II.—General diseases not included in Class I	7,361	224	25	16	14	16	40	41	44	45	82	131	598	1,264	1,916	1,855	1,048	2
	Cancer and other malignant tumors	5,172		1	4	3		6	4	13	14	27	66	380	926	1,382	1,463	882	1
43	Of the buccal cavity	175										1	6	25	58	58	27		
44	Of the stomach, liver	1,671			1	1				2	1	6	9	89	264	497	532	268	1
45	Of the peritoneum, intestines, rectum	1,015						1	2	1	3	6	11	62	150	251	310	218	
46	Of the female genital organs	703								1		7	23	108	182	172	145	65	
47	Of the breast	565											9	49	157	143	121	86	
48	Of the skin	98						1				1	2	4	7	16	23	44	
49	Of other or unspecified organs	945		1	3	2		4	2	9	10	7	11	62	141	245	274	174	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	29	2									2	2	5	3	6	3	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	II.—General diseases not included in Class I—Continued																		
51	Acute rheumatic fever	93			3	4	4	13	18	9	4	6	3	6	7	9	3	4	
52	Chronic rheumatism, osteoarthritis, gout	36							1	1			2	3	3	7	5	14	
53	Scurvy	1	1																
54	Pellagra	10										2	1	2	4	1			
56	Rickets	24	16	6	1	1													
57	Diabetes mellitus	808		2	1	1	4	2	8	8	10	10	9	34	108	271	242	98	
58	Anemia, chlorosis	377	5	1		1		6	2	3	4	6	5	39	70	127	81	27	
59	Diseases of the pituitary gland	6	1										1		4				
60a	Exophthalmic goiter	40			1				1		3	2	2	9	7	9	6		
60b	Other diseases of the thyroid gland	17							1			1			5	3	7		
61	Diseases of the parathyroid glands	3	3																
62	Diseases of the thymus gland	121	102	9	3	2		3		2									
63	Diseases of the adrenals (Addison's disease)	28										2	3	5	5	5	5	3	
64	Diseases of the spleen	7	2										1					4	
65a	Leukemia	83		1	1	1	5	4	3	1	6	8	3	10	13	15	10	2	
65b	Hodgkin's disease	65		1			1	3	2	5	2	1	5	13	9	12	8	3	
66	Alcoholism (acute or chronic)	303								1	2	11	26	83	95	62	19	3	1
67a	Chronic lead poisoning	14											1	4	3	5	1		
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	3										2		1					
69	Other general diseases	120	92	4	2	1	2	3	1	1		2	1	4	1	2	2	2	
	III.—Diseases of the nervous system and of the organs of special sense	5,478	140	55	32	13	21	66	51	58	43	52	67	292	579	1,019	1,475	1,514	1
70	Encephalitis	36	7	1	3			3	3	5	3			4	3	4			
71a	Simple meningitis	113	29	10	11	5	5	11	3	4	2	6	3	6	8	4	5	1	
71b	Nonepidemic cerebrospinal meningitis	28	12	5	1	1		1	1		1	2		1	2		1		
72	Tabes dorsalis (locomotor ataxia)	91										1		6	24	29	25	6	
73	Other diseases of the spinal cord	135	2	1	1		1	2		5	2	1	4	15	26	33	26	16	
74a	Cerebral hemorrhage	3,359	6	1	2	1	1	7		2	1	5	15	97	349	787	1,249	1,335	1
74b	Cerebral embolism and thrombosis	179			1		1	1		2	1	1	2	7	21	36	44	62	
75	Paralysis without specified cause	110	1	1					1		1	1		6	4	20	31	44	
76	General paralysis of the insane	233								2	3	6	17	72	64	44	20	5	
77	Other forms of mental alienation	22							1		2	3	2	3	5	5	1		
78	Epilepsy	134	1	1	1	1	3	5	13	14	15	7	4	25	15	9	13	7	
79	Convulsions (nonpuerperal; 5 years and over)	2											1					1	
80	Infantile convulsions (under 5 years)	69	46	18	2	1	2												
81	Chorea	3			1						1			1					
82	Neuralgia and neuritis	6												1	3		2		
83	Softening of the brain	19													1	2	4	12	
84	Other diseases of the nervous system	244	7	5	5	4	2	15	8	11	5	6	10	34	35	35	45	17	
85	Diseases of the eye and annexa	3	1										1				1		
86a	Diseases of the ear	105	19	11	2		3	11	9	4	4	6	2	7	11	6	6	4	
86b	Diseases of the mastoid process	87	9	1	2		3	10	12	9	2	7	6	7	8	5	2	4	
	IV.—Diseases of the circulatory system	12,459	38	12	8	7	9	84	120	106	93	123	154	518	1,132	2,311	3,302	4,438	4
87	Pericarditis	19						1	4				1	1	1	4	4	3	
88	Endocarditis and myocarditis (acute)	331	24	6	1	1	4	25	21	23	12	22	24	49	24	39	32	23	1
89	Angina pectoris	862							2	2		1	6	36	114	232	273	196	
90	Other diseases of the heart	9,112	8	5	6	6	3	58	93	81	79	98	121	390	903	1,783	2,445	3,030	3
91a	Aneurysm	51									2	1	1	8	14	11	10	4	
91b,c	Other diseases of the arteries	1,905											1	16	49	199	491	1,149	
92	Embolism and thrombosis (not cerebral)	139	5				1							10	21	28	43	31	
93	Diseases of the veins	29												6	5	14	3	1	
94	Diseases of the lymphatic system	8	1	1	1		1					1		1		1		1	
96	Other diseases of the circulatory system	3												1	1		1		
	V.—Diseases of the respiratory system	5,507	1,138	428	129	65	37	111	52	70	94	88	171	379	485	662	731	866	1
97a	Diseases of the nasal fossae	1												1					
97b	Diseases of the nasal fossae annexa	26	2		1			1		1	4	2		5	5	3	2		
98	Diseases of the larynx	18	7	2	2		1	4	1									1	
99a	Acute bronchitis	152	71	13	5		1	2				1		3	2	6	13	35	
99b	Chronic bronchitis	100	4	3	1					1				5	4	13	30	39	
99c,d	Bronchitis (unspecified)	94	28	10	1	1	1	2	1			1		1	2	3	12	31	
100a	Broncho-pneumonia	2,556	828	290	76	45	13	55	13	14	24	18	37	90	104	206	277	466	
100b	Capillary bronchitis	44	23	5	2		1	1					1	1			1	9	
101a	Lobar pneumonia	2,245	150	88	35	15	19	35	35	46	58	61	125	248	339	383	361	247	
101b	Pneumonia (unspecified)	39	4	4				1	1	2	3	1	1	4	3	4	2	9	
102	Pleurisy	107	13	10	5	4	1	6	1	4	4	3	5	8	9	18	9	7	
103	Congestion and hemorrhagic infarct of the lung	38	4		1			3				1		1	1	2	6	19	
104	Gangrene of the lung	7									1			2		1	3		
105	Asthma	48		2				1					1	6	11	13	11	3	
106	Pulmonary emphysema	3														3			
107	Other diseases of the respiratory system (tuberculosis excepted)	29	4	1						2			1	4	5	7	4		1
	VI.—Diseases of the digestive system	3,218	771	138	52	47	30	85	72	76	86	98	105	281	393	444	353	187	
108	Diseases of the mouth and annexa	27	2		1	1	2		1	3		2	1	3	3	6	1	1	
109a	Adenoid vegetations	1						1											
109b	Other diseases of the pharynx, tonsils	141	10	6	11	9	3	21	6	7	12	9	7	14	8	11	6	1	
110	Diseases of the esophagus	4	1														1	2	
111a	Ulcer of the stomach	180				1				1	7	6	15	32	38	38	31	11	
111b	Ulcer of the duodenum	94									5	6	6	19	14	22	13	9	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	VI.—Diseases of the digestive system—Continued																		
112	Other diseases of the stomach (cancer excepted)	94	33	7	1	2	2	1	2		1		1	2	5	8	16	13	
113	Diarrhea and enteritis (under 2 years)	773	663	110															
114	Diarrhea and enteritis (2 years and over)	131			23	15	5	14	3		3	3	2	6	13	13	10	21	
116	Diseases due to other intestinal parasites	5		1	1					1				2					
117	Appendicitis and typhlitis	552		4	7	11	12	37	49	49	42	35	43	85	81	70	23	4	
118a	Hernia	180	4	2		1				1		2		13	31	46	43	37	
118b	Intestinal obstruction	251	44	4	4	3	3	3	6	6	5	10	4	25	39	35	38	22	
119	Other diseases of the intestines	41	4			1	1	1	2	1	3	2	1	1	7	8	7	2	
120	Acute yellow atrophy of the liver	22						1		2		2	4	3	5	3	1	1	
121	Hydatid tumor of the liver	3												1		2			
122	Cirrhosis of the liver	228	2	1			1	1	2	3	2	5	4	21	50	47	67	22	
123	Biliary calculi	251									2	8	10	26	51	80	59	15	
124	Other diseases of the liver	162	1	2		1				1	2	5	3	19	33	42	31	22	
125	Diseases of the pancreas	31							1			1		8	7	7	5	2	
126	Peritonitis without specified cause	47	7	1	4	2	1	5		1	2	2	4	1	8	6	1	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,180	20	5	2	3	4	25	34	25	46	84	92	319	545	840	1,107	1,029	
128	Acute nephritis (including unspecified under 10 years)	115	9	3	2	1	3	10	14		7	8	6	12	15	13	8	4	
129	Chronic nephritis (including unspecified 10 years and over)	3,426	2			2	1	14	19	23	28	51	56	219	449	723	961	878	
131	Other diseases of the kidneys and annexa	88	8	2				1	1	1	4	3	6	4	11	16	14	17	
132	Calculi of the urinary passages	52	1									2	4	9	7	11	11	7	
133	Diseases of the bladder	22											1	3	2	4	3	9	
134	Diseases of the urethra, etc	12													1	6	3	2	
135	Diseases of the prostate	239									1				3	43	90	102	
136	Nonvenereal diseases of the male genital organs	2										1				1			
137	Cysts, other benign tumors of the ovary	38								1	2	3	7	7	6	8	4		
138	Salpingitis and pelvic abscess (female)	60							1	3	13	7	18	13	3	2			
139	Benign tumors of the uterus	91									2	5	35	31	8	5	5		
140	Nonpuerperal uterine hemorrhage	1											1						
141	Other diseases of the female genital organs	33								1	2	4	11	6	6	2	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VIII.—The puerperal state	545							1	31	91	142	123	151	6				
143	Accidents of pregnancy	65								1	7	20	13	22	2				
144	Puerperal hemorrhage	63								4	9	16	15	19					
145	Other accidents of labor	85								2	13	22	25	23					
146	Puerperal septicemia	167								14	32	47	32	40	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	42								1	4	11	13	13					
148	Puerperal albuminuria and convulsions	119							1	9	25	25	24	33	2				
149	Following childbirth (undefined)	1									1								
150	Puerperal diseases of the breast	3										1	1	1					
	IX.—Diseases of the skin and of the cellular tissue	124	35		1	1		1	1	7	4	3	1	12	12	7	17	22	
151	Gangrene	27							1		1			1	1	1	7	15	
152	Furuncle	29	3							2	2	2		4	7	2	3	4	
153	Acute abscess	39	15		1	1		1		3		1	1	4	4	4	4		
154	Other diseases of the skin and annexa	29	17							2	1			3			3	3	
	X.—Diseases of the bones and of the organs of locomotion	82	8	1	1	4	2	8	11	6	4		3	6	6	10	8	3	1
155	Diseases of the bones (tuberculosis excepted)	65	8	1	1	4	2	6	8	4	3		1	4	6	8	5	3	1
156	Diseases of the joints (tuberculosis and rheumatism excepted)	14						2	2	2			2	2		1	3		
158	Other diseases of the organs of locomotion	3							1		1					1			
	XI.—Malformations	751	681	23	11	3	2	14	6	2	4	1	1	2	1				
159a	Congenital hydrocephalus	90	70	9	4	2		3					1	1					
159b	Congenital malformations of the heart	423	389	9	4	1	2	9	3	1	4	1							
159c	Other congenital malformations	238	222	5	3			2	3	1				1	1				
	XII.—Early infancy	2,520	2,520																
160	Congenital debility, icterus, sclerema	213	213																
161a	Premature birth	1,434	1,434																
161b	Injury at birth	595	595																
162	Other diseases peculiar to early infancy	273	273																
163	Lack of care	5	5																
164	XIII.—Old age (senility)	120														1	9	110	
	XIV.—External causes	3,469	80	58	57	54	73	257	130	171	186	170	176	411	481	419	351	391	4
	Suicide	456							1	7	16	23	41	68	131	92	54	23	
165	By poisons (gas or corrosives excepted)	11								1		2		2	2	2	1	1	
166	By corrosive substances	27								1	5	3	6	1	6	4	1		
167	By poisonous gas	133								2	4	10	11	15	37	31	15	8	
168	By hanging or strangulation	92									1	4	3	18	28	17	13	8	
169	By drowning	35											4	4	10	12	5		
170	By firearms	98							1	3	6	3	11	21	24	11	14	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MASSACHUSETTS—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
171	By cutting or piercing instruments	33											3	4	13	8	3	2	
172	By jumping from high places	16											2	1	7	4	2		
173	By crushing	7										1	1	1	2	2			
174	By other means	4												1	2	1			
	Homicide	111	9	1	1		1	3		4	10	15	17	23	14	7	5	1	
197	By firearms	52						1		3	4	8	10	13	7	4	2		
198	By cutting or piercing instruments	14									2	2	3	1	3	2	1		
199	By other means	45	9	1	1		1	2		1	4	5	4	9	4	1	2	1	
	Accidental or undefined	2,902	71	57	56	54	72	254	129	160	160	132	118	320	336	320	292	367	4
175	Poisoning by food	20	2	1		2	1			1	2	1		3		4	1	2	
176	Poisoning by venomous animals	3	1							1						1			
177	Other acute poisonings (gas excepted)	41	1	7	4	1	3	1		2	2	3	3	5	7	2			
178	Conflagration	54	2	4	2	2	3	5	5		2	2	3	6	3	6	6	3	
179	Burns (conflagration excepted)	218	7	17	20	18	20	30	3	7	6	4	6	14	13	17	17	19	
180	Mechanical suffocation	55	31				1	1		1	1		1	7	8	2	2		
181	Absorption of irrespirable, irritating, or poisonous gas	147					1	4	2	3	7	2	10	25	33	26	20	14	
182	Drowning	271		3	2	2	7	47	43	49	26	18	13	22	15	10	10	3	1
183	Traumatism by firearms (except in war)	28					1	1	7	5	3		3	2	5	1			
184	Traumatism by cutting or piercing instruments	23						2		1	1	3	2	5	4	1	3	1	
185	Traumatism by fall	655	4	4	9	2	2	15	8	10	14	15	10	65	57	73	119	248	
187	Traumatism by machines	66			1		1	1		5	5	12	4	11	11	10	3	2	
188a	Railroad accidents	107		1		1		4	3	2	5	9	7	24	20	16	9	4	2
	Collision with automobiles	14							1		1	3	1	5	3				
	Other railroad accidents	93		1		1		4	2	2	4	6	6	19	17	16	9	4	2
188b	Street-car accidents	58			1	2	1	4	1	4	4	2	1	10	13	8	2	5	
	Collision with automobiles	16								3	1	1	1	4	3	2		1	
	Other street-car accidents	42			1	2	1	4	1	1	3	1		6	10	6	2	4	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	729	3	7	11	19	27	123	41	41	49	30	25	71	94	91	67	2 30	
188d	Airplane and balloon accidents	3										1	1			1			
188e,f	Injuries by other vehicles	83		2	1		3	9	5	14	12	5	2	5	10	7	4	4	
188g	Landslide, other crushing	24					1	2		2	2	2	3	5	3	3	1		
189	Injuries by animals (not poisoning)	10							1	1		1		1	1	4	1		
193	Excessive cold	7													2	4	1		
194	Excessive heat	65	6	3	1			1					1	4	11	8	7	23	
195	Lightning	4										1			1		2		
196	Other accidental electric shocks	29	1																
201	Fracture (cause not specified)	12	1	1					3	3	3	4	3	5	2	4			1
202	Other external violence	189	12	7	4	5		4	7	8	14	18	20	29	20	19	14	8	
203	Violent deaths of unknown causation	1									1								
	XV.—Ill-defined diseases	110	25	9	2	1		2			1		2	9	14	13	16	16	
204	Sudden death	18	5	1									1	2	2	3	2	2	
205a	Ill-defined	74	14	7	2	1		1					1	5	10	7	13	13	
205b	Not specified or unknown	18	6	1				1			1			2	2	3	1	1	
	MICHIGAN																		
	All causes	49,419	7,474	1,016	495	358	293	1,015	671	1,091	1,411	1,613	1,838	4,112	4,602	6,045	8,205	9,113	67
	I.—Epidemic, endemic, and infectious diseases	5,680	578	282	145	116	86	303	158	378	510	461	478	762	499	355	303	260	6
1	Typhoid and paratyphoid fever	161	2	3	1	4	1	8	8	25	21	12	17	26	15	8	10		
5	Malaria	1													1				
6	Smallpox	22				1			1	1	4			8	4	2	1		
7	Measles	72	24	22	5	1	4	8		1	2	1	1	1	1	1			
8	Scarlet fever	216	12	17	22	25	9	58	20	13	11	7	9	8	5				
9	Whooping cough	269	166	64	15	11	7	5					1						
10	Diphtheria	360	27	39	36	38	39	113	24	5	3	10	6	10	8	2			
11a	Influenza (with pulmonary complications)	491	74	14	11	3	4	14	5	11	20	19	28	63	49	38	76	62	
11b	Influenza (other and unspecified)	423	48	23	15	10	4	12	12	13	12	12	13	24	27	34	47	117	
13	Mumps	9	2	2		1		1	2						1				
15	Cholera nostras	9	6	1				1											
16	Dysentery	59	19	8	3	1	3											1	
19	Spirochetal hemorrhagic jaundice	5	1					1	1			1	1	3	2	1	3	5	9
21	Erysipelas	138	49	6	3	1			2	2	1	2	4	12	15	9	19	13	
22	Acute anterior poliomyelitis	28	3	5	2			6	5	1	1	2	1		2				
23	Lethargic encephalitis	64		4	3	1		4	2	8	4	2	6	11	7	8	4		
24	Meningococcus meningitis	39	9	6	4	2	4	6	1	5				2					
25	Other epidemic and endemic diseases	14	6	5	1				1									1	
28	Rabies	1						1											
29	Tetanus	39	4		1	1		6	6	4	3	3		2	4	2	2	1	
30	Mycoses	12	5									1	1	1		2	1	1	
	Tuberculosis (all forms)	2,848	51	59	20	15	11	54	66	280	405	358	362	509	304	204	106	39	5
31	Of the respiratory system	2,424	15	18	2	4	6	14	34	244	371	326	333	457	278	185	97	36	4
32	Of the meninges, central nervous system	161	23	33	14	9	4	25	15	9	7	7	3	7	2	1	1		1
33	Of the intestines, peritoneum	79	1	1			1	5	6	5	16	5	3	15	9	9	1	2	
34	Of the vertebral column	44	1		1			2	3	6	5	6	6	9	3		2		
35	Of the joints	9						1	1	3	1			1	1			1	
36	Of other organs	51	1	1	1			2	4	5	2	5	5	9	7	5	4		
37a	Disseminated (acute)	70	10	6	2	1		4	3	7	3	8	10	11	3	2			
37b	Disseminated (chronic or unspecified)	10				1		1		1		1	2		1	2	1		
38	Syphilis	280	61	2	1			3		4	10	13	21	59	49	33	21	2	1
39	Soft chancre	1																1	
40	Gonococcus infection	55	2							2	11	13	4	18	1	3	1		
41	Purulent infection, septicemia	64	7	2	2	1		2	2	3	1	5	1	6	4	5	10	13	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	II.—General diseases not included in Class I	6,123	173	25	21	16	12	36	48	60	64	108	157	595	997	1,460	1,463	880	8
	Cancer and other malignant tumors	3,795	------	3	5	------	------	2	5	12	13	40	73	331	644	976	1,025	660	6
43	Of the buccal cavity	134	------	------	------	------	------	------	1	------	1	1	------	11	13	33	45	29	------
44	Of the stomach, liver	1,476	------	------	------	------	------	------	------	------	3	7	10	87	217	408	466	276	2
45	Of the peritoneum, intestines, rectum	514	------	------	------	------	------	------	------	------	1	11	15	36	98	124	130	99	------
46	Of the female genital organs	542	------	------	------	------	------	1	------	1	2	9	24	92	132	141	99	40	1
47	Of the breast	319	------	------	------	------	------	------	------	------	------	2	9	51	74	84	57	42	------
48	Of the skin	99	------	------	1	------	------	------	1	------	------	------	------	3	8	15	22	49	------
49	Of other or unspecified organs	711	------	3	4	------	------	1	3	11	6	10	15	51	102	171	206	125	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	38	------	------	1	1	------	------	------	------	1	3	1	3	6	5	10	7	------
51	Acute rheumatic fever	126	1	1	2	3	6	17	16	12	8	6	5	16	9	7	5	11	1
52	Chronic rheumatism, osteoarthritis, gout	84	------	------	------	------	------	------	------	------	1	------	------	4	3	14	24	38	------
53	Scurvy	5	4	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------
54	Pellagra	4	------	------	------	------	------	------	------	------	1	1	------	2	------	------	------	------	------
56	Rickets	26	13	8	5	------	------	------	------	------	------	------	------	------	------	------	------	------	------
57	Diabetes mellitus	746	1	------	2	3	2	8	15	18	13	19	14	36	98	202	218	97	------
58	Anemia, chlorosis	428	7	4	------	------	------	4	2	5	5	6	12	35	80	108	113	47	------
59	Diseases of the pituitary gland	1	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------
60a	Exophthalmic goiter	338	------	------	------	------	------	------	3	3	12	15	19	67	91	78	38	11	1
60b	Other diseases of the thyroid gland	35	2	1	------	------	------	------	------	------	2	2	2	5	10	6	5	------	------
61	Diseases of the parathyroid glands	4	1	1	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------
62	Diseases of the thymus gland	81	72	2	1	------	1	1	------	2	------	1	1	------	------	------	------	------	------
63	Diseases of the adrenals (Addison's disease)	11	------	------	------	------	------	------	1	1	------	------	------	4	3	1	1	------	------
64	Diseases of the spleen	7	------	------	------	------	------	------	------	1	------	1	------	1	2	1	1	------	------
65a	Leukemia	65	1	1	2	6	1	2	5	1	2	4	4	8	5	15	5	3	------
65b	Hodgkin's disease	31	1	1	------	------	1	------	------	3	2	3	4	7	2	4	2	1	------
66	Alcoholism (acute or chronic)	180	------	------	------	------	------	------	------	------	2	7	17	64	39	38	12	1	------
67a	Chronic lead poisoning	3	------	------	------	------	------	------	------	------	------	------	------	1	1	1	------	------	------
67b	Other chronic mineral poisoning	1	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------
68	Chronic poisoning by organic substances	16	------	------	------	------	------	------	------	------	2	------	4	7	2	------	------	1	------
69	Other general diseases	98	70	3	1	2	1	2	1	2	------	------	------	3	2	4	4	3	------
	III.—Diseases of the nervous system and of the organs of special sense	5,813	214	48	18	32	15	52	48	40	59	63	101	301	573	954	1,528	1,758	9
70	Encephalitis	67	3	4	4	5	------	3	2	5	5	4	3	5	10	7	6	1	------
71a	Simple meningitis	105	27	7	5	7	4	7	10	6	2	8	4	7	5	2	2	2	------
71b	Nonepidemic cerebrospinal meningitis	27	9	5	1	1	1	1	3	------	1	2	1	------	1	------	------	1	------
72	Tabes dorsalis (locomotor ataxia)	79	------	------	------	------	------	------	------	------	1	2	2	14	15	18	21	5	1
73	Other diseases of the spinal cord	121	------	------	2	------	------	2	2	1	2	1	5	4	22	29	30	21	------
74a	Cerebral hemorrhage	3,968	6	2	------	------	------	1	4	3	11	9	12	90	353	706	1,254	1,510	7
74b	Cerebral embolism and thrombosis	149	3	------	------	------	------	2	3	2	1	4	3	10	8	31	42	40	------
75	Paralysis without specified cause	257	3	------	------	------	------	1	2	------	------	------	4	10	19	37	79	102	------
76	General paralysis of the insane	280	------	------	------	------	------	------	1	------	4	3	29	92	67	49	19	16	------
77	Other forms of mental alienation	53	------	------	------	------	------	------	------	1	2	5	6	13	10	4	5	6	1
78	Epilepsy	149	1	2	------	4	2	5	8	12	17	12	13	19	18	17	12	7	------
79	Convulsions (nonpuerperal; 5 years and over)	3	------	------	------	------	------	1	1	------	------	------	------	------	------	------	1	------	------
80	Infantile convulsions (under 5 years)	117	102	8	3	2	2	------	------	------	------	------	------	------	------	------	------	------	------
81	Chorea	5	------	1	------	------	------	1	------	1	------	------	------	------	------	1	1	------	------
82	Neuralgia and neuritis	17	------	------	------	------	------	------	1	------	------	------	1	3	1	3	5	3	------
83	Softening of the brain	24	------	------	------	------	------	------	------	------	------	1	------	------	2	------	13	8	------
84	Other diseases of the nervous system	233	11	5	------	5	1	10	8	5	8	8	11	19	33	43	33	33	------
85	Diseases of the eye and annexa	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------
86a	Diseases of the ear	98	37	10	2	5	5	11	------	2	2	3	3	7	5	3	2	1	------
86b	Diseases of the mastoid process	60	12	4	1	3	------	7	3	2	2	2	4	8	4	4	2	2	------
	IV.—Diseases of the circulatory system	9,383	68	9	8	10	14	74	81	67	78	113	177	560	891	1,431	2,607	3,177	18
87	Pericarditis	44	2	1	------	------	------	1	------	------	------	------	4	4	4	2	15	11	------
88	Endocarditis and myocarditis (acute)	354	18	1	1	3	4	19	21	15	21	22	26	54	24	36	52	37	------
89	Angina pectoris	527	------	------	------	------	------	------	------	1	1	2	3	31	71	107	189	122	------
90	Other diseases of the heart	7,143	40	6	6	7	10	53	59	49	53	84	137	432	732	1,145	2,008	2,309	13
91a	Aneurysm	70	------	------	------	------	------	------	------	------	1	3	------	13	11	19	17	5	1
91b,c	Other diseases of the arteries	1,073	------	------	------	------	------	------	------	------	------	------	2	7	20	87	293	660	4
92	Embolism and thrombosis (not cerebral)	110	3	------	1	------	------	1	------	1	------	1	2	12	18	20	24	27	------
93	Diseases of the veins	31	------	------	------	------	------	------	------	------	2	------	2	2	4	12	4	5	------
94	Diseases of the lymphatic system	15	2	1	------	------	------	------	1	------	------	------	1	3	4	1	1	1	------
95	Hemorrhage without specified cause	10	3	------	------	------	------	------	------	1	------	1	------	2	2	1	------	------	------
96	Other diseases of the circulatory system	6	------	------	------	------	------	------	------	------	------	------	------	------	1	1	4	------	------
	V.—Diseases of the respiratory system	4,344	1,019	266	101	37	24	100	38	83	101	146	161	402	342	383	463	677	1
97a	Diseases of the nasal fossae	10	2	------	------	------	------	------	------	1	------	------	------	1	1	1	------	4	------
97b	Diseases of the nasal fossae annexa	21	1	1	1	------	------	------	1	4	------	2	1	7	1	2	------	------	------
98	Diseases of the larynx	23	7	3	1	1	2	------	------	1	------	------	1	3	1	1	1	1	------
99a	Acute bronchitis	177	71	11	2	3	2	------	------	------	------	1	2	2	7	7	12	57	------
99b	Chronic bronchitis	127	2	2	------	------	1	------	------	------	------	3	2	5	5	14	29	64	------
99c,d	Bronchitis (unspecified)	112	41	4	2	2	------	3	------	1	------	------	2	1	2	5	15	34	------
100a	Broncho-pneumonia	1,435	622	160	51	19	7	33	7	15	13	19	18	67	45	69	106	184	------
100b	Capillary bronchitis	48	26	9	------	------	------	------	------	------	------	------	------	------	------	2	3	8	------
101a	Lobar pneumonia	1,865	188	58	26	9	9	56	24	49	76	103	116	251	225	227	235	213	------
101b	Pneumonia (unspecified)	171	42	7	7	2	1	2	2	6	6	4	6	21	5	13	15	31	1
102	Pleurisy	137	8	7	8	1	2	3	5	5	5	9	7	16	24	14	14	11	------
103	Congestion and hemorrhagic infarct of the lung	57	3	1	2	------	------	------	------	------	------	1	------	3	4	2	5	36	------
104	Gangrene of the lung	9	------	------	------	------	------	------	------	1	------	------	------	1	2	1	1	3	------
105	Asthma	97	2	3	------	------	------	1	1	------	------	2	2	12	12	20	21	21	------
106	Pulmonary emphysema	5	------	------	------	------	------	------	------	------	------	------	------	------	2	------	1	2	------
107	Other diseases of the respiratory system (tuberculosis excepted)	50	4	------	1	------	------	2	------	------	1	2	4	12	6	5	5	8	------

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	VI.—Diseases of the digestive system	4,811	1,437	279	120	79	71	152	98	89	135	155	174	383	417	438	430	351	3
108	Diseases of the mouth and annexa	37	4					3	2	1	1	2	2	1	6	6	2	7	
109b	Other diseases of the pharynx, tonsils	219	18	10	9	13	11	25	15	7	9	13	26	18	12	10	13	10	
110	Diseases of the esophagus	3	1												1			1	
111a	Ulcer of the stomach	211								1	4	12	15	48	29	38	41	23	
111b	Ulcer of the duodenum	82									4	3	3	15	20	22	9	6	
112	Other diseases of the stomach (cancer excepted)	238	75	7	3	1	1	5	1	1		4	4	24	22	29	30	31	
113	Diarrhea and enteritis (under 2 years)	1,502	1,249	253															
114	Diarrhea and enteritis (2 years and over)	348			81	50	32	20	6	4	4	8	2	10	23	14	37	57	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	720	2	2	9	12	17	75	64	61	70	50	65	96	92	57	32	14	2
118a	Hernia	169	10					1			3	4	3	19	24	36	37	32	
118b	Intestinal obstruction	334	55	4	11	1	3	12	1	5	17	15	12	40	36	44	31	47	
119	Other diseases of the intestines	68	9	1	1	1	1	2	1		2	2	1	6	13	7	8	13	
120	Acute yellow atrophy of the liver	25								2	3	6	2	4	1	1	4	2	
122	Cirrhosis of the liver	357	1							1	1	9	11	34	63	77	94	65	1
123	Biliary calculi	143								1	3	5	6	17	35	39	27	10	
124	Other diseases of the liver	225	3	1			3	1	1	1	6	10	15	36	31	40	52	25	
125	Diseases of the pancreas	30								1	1	3	1	4	4	7	7	2	
126	Peritonitis without specified cause	99	10	1	5	1	3	8	7	3	7	9	6	11	5	11	6	6	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	3,550	45	7	11	5	2	14	27	39	52	60	104	291	372	587	909	1,019	6
128	Acute nephritis (including unspecified under 10 years)	198	22	6	5	3	2	10	9	9	8	7	8	18	24	16	24	26	1
129	Chronic nephritis (including unspecified 10 years and over)	2,697			1	1		3	16	19	27	29	55	180	278	486	768	830	4
131	Other diseases of the kidneys and annexa	114	14	1	5	1		1	1	7	3	2	2	11	11	16	23	16	
132	Calculi of the urinary passages	40									4	2	2	9	8	4	4	6	1
133	Diseases of the bladder	58	2										1	3	4	9	6	33	
134	Diseases of the urethra, etc	8											1	2	2	2		1	
135	Diseases of the prostate	210											2		5	32	73	98	
136	Nonvenereal diseases of the male genital organs	8	5											1	1			1	
137	Cysts, other benign tumors of the ovary	35								1	1	3	3	9	8	4	4	2	
138	Salpingitis and pelvic abscess (female)	71									9	13	14	20	8	5	2		
139	Benign tumors of the uterus	69								1		3	10	24	18	5	4	4	
140	Nonpuerperal uterine hemorrhage	2							1					1					
141	Other diseases of the female genital organs	37								2		1	6	13	5	8	1	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	3	2															1	
	VIII.—The puerperal state	632							2	47	132	153	126	170	1				1
143	Accidents of pregnancy	60								2	10	7	21	19					1
144	Puerperal hemorrhage	64								4	5	16	11	28					
145	Other accidents of labor	70								5	15	12	11	27					
146	Puerperal septicemia	257							1	18	64	74	48	52					
147	Puerperal phlegmasia alba dolens, embolus, etc	32									10	3	8	10	1				
148	Puerperal albuminuria and convulsions	148							1	18	28	41	27	33					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	163	32	1			1	3	2	1	4	1	8	5	8	15	32	50	
151	Gangrene	76	1				1	1			1			1		8	22	41	
152	Furuncle	22	6						1		1	1	5	2	3		2	1	
153	Acute abscess	20	3	1				1		1	2		2		2	4	2	2	
154	Other diseases of the skin and annexa	45	22					1	1				1	2	3	3	6	6	
	X.—Diseases of the bones and of the organs of locomotion	60	1	1		2	4	14	5	3	1	1	2	6	4	8	2	6	
155	Diseases of the bones (tuberculosis excepted)	48		1		1	4	13	4	3	1	1	2	3	4	6	1	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1			1			1					3			1	2	
158	Other diseases of the organs of locomotion	3						1								2			
	XI.—Malformations	734	684	20	5	1	7	6	2	5	1	1		1		1			
159a	Congenital hydrocephalus	82	65	5	1	1	5	1	1	2						1			
159b	Congenital malformations of the heart	396	371	11	4			4	1	3	1	1							
159c	Other congenital malformations	256	248	4			2	1						1					
	XII.—Early infancy	3,069	3,069																
160	Congenital debility, icterus, sclerema	425	425																
161a	Premature birth	1,973	1,973																
161b	Injury at birth	444	444																
162	Other diseases peculiar to early infancy	225	225																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	581														9	48	523	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MICHIGAN—Continued																		
	XIV.—External causes	4,260	83	67	65	59	57	257	160	278	269	346	348	623	478	390	377	390	13
	Suicide	495							2	8	25	49	50	103	105	73	57	21	2
165	By poisons (gas or corrosives excepted)	29								3	4	4	3	3	6	5	1		
166	By corrosive substances	67							1		3	10	5	23	14	6	3	2	
167	By poisonous gas	52									2	6	5	7	13	14	5		
168	By hanging or strangulation	112									3	3	13	20	25	23	18	6	1
169	By drowning	29										1	1	11	4	2	6	4	
170	By firearms	156							1	5	11	19	15	32	31	18	20	3	1
171	By cutting or piercing instruments	33									1	3	5	5	7	4	2	6	
172	By jumping from high places	7										1	2	1	1		2		
173	By crushing	4										1	1	1		1			
174	By other means	6									1	1			4				
	Homicide	320	4	1				2	2	14	44	70	49	77	33	15	6		3
197	By firearms	217						1	1	12	32	52	38	49	20	8	2		2
198	By cutting or piercing instruments	50	1					1	1	2	7	10	5	15	4	3	1		
199	By other means	53	3	1							5	8	6	13	9	4	3		1
	Accidental or undefined	3,445	79	66	65	59	57	255	156	256	200	227	249	443	340	302	314	369	8
175	Poisoning by food	29	1	3	3		1		1	1	2	3	1	4	1	2	4	2	
176	Poisoning by venomous animals	4	1		2			1											
177	Other acute poisonings (gas excepted)	63	2	15	7	3	2	2			1	7	5	6	6	2	3	1	1
178	Conflagration	70	4	1	5	3	3	4	2	3	2	5	3	11	3	6	11	4	
179	Burns (conflagration excepted)	207	6	20	22	19	17	27	5	9	8	11	13	15	9	9	11	6	
180	Mechanical suffocation	46	25					2	1	1	1	4		3	4	1	2	1	1
181	Absorption of irrespirable, irritating, or poisonous gas	72		1					2	5	6	7	6	12	14	5	5	8	1
182	Drowning	326	2	4	6	4	4	42	47	54	42	20	26	32	18	11	5	5	4
183	Traumatism by firearms (except in war)	75				1	1	5	8	24	9	5	7	8	5		2		
184	Traumatism by cutting or piercing instruments	30	1					6		2				5	5	4	4	3	
185	Traumatism by fall	590	6	7	5	3	2	13	10	12	15	13	22	50	52	45	84	251	
186a	Traumatism in mines	42								2	2	6	7	12	7	4	2		
186b	Traumatism in quarries	1														1			
187	Traumatism by machines	111				1			1	10	16	23	15	11	10	14	9	1	
188a	Railroad accidents	269		3	3		1	10	10	24	19	30	34	50	32	27	19	7	
	Collision with automobiles	79			2		1	1	4	12	10	9	12	13	8	5	2		
	Other railroad accidents	190		3	1			9	6	12	9	21	22	37	24	22	17	7	
188b	Street-car accidents	102		1			1	2	3	5	10	7	9	16	16	17	10	5	
	Collision with automobiles	42		1				2	2	4	10	4	6	2	5	5	1		
	Other street-car accidents	60					1		1	1		3	3	14	11	12	9	5	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	955	4	7	8	18	23	127	49	86	45	53	62	131	98	101	96	47	
188d	Airplane and balloon accidents	13							1		4	4	3	1					
188e,f	Injuries by other vehicles	57				1		5	1	4	2	1	2	7	6	13	12	3	
188g	Landslide, other crushing	19							1	2	1	3	2	5	3	2			
189	Injuries by animals (not poisoning)	37				1	1	1	1	2	1	1	4	7	3	5	8	2	
193	Excessive cold	15									1	1	2	1	1	1	2	5	1
194	Excessive heat	41	8	1		1		2		1		1	4	6	5	6	4	2	
195	Lightning	10							2	1		1	1	2	1	1	1		
196	Other accidental electric shocks	53							1	3	8	9	9	14	6	3			
201	Fracture (cause not specified)	36	1						1		2		1	7	4	4	6	10	
202	Other external violence	172	18	3	4	4	1	6	9	5	3	12	11	27	31	18	14	6	
	XV.—Ill-defined diseases	216	71	11	1	1		4	2	1	5	5	2	13	20	14	43	22	1
204	Sudden death	27	6	1										2	3	3	9	3	
205a	Ill-defined	106	13	9		1		2	2	1	5	5	1	7	14	9	23	14	
205b	Not specified or unknown	83	52	1	1			2					1	4	3	2	11	5	1
	MINNESOTA																		
	All causes	25,436	3,242	385	201	186	167	563	423	565	765	790	806	2,014	2,464	3,513	4,324	5,016	12
	I.—Epidemic, endemic, and infectious diseases	3,469	311	108	73	63	58	236	132	196	323	282	248	460	338	254	205	180	2
1	Typhoid and paratyphoid fever	45						1	2	7	14	4	4	6	2	4	1		
5	Malaria	1															1		
6	Smallpox	196	15	10	1	2	3	1	3	10	27	16	14	29	28	23	10	4	
7	Measles	15	1	3	2	1	2	3	1	1		1							
8	Scarlet fever	152	8	11	10	18	14	49	15	6	9	6	2	2	2				
9	Whooping cough	95	66	14	8	3	1	3											
10	Diphtheria	230	15	15	20	14	14	82	29	9	7	3	6	9	2	3	1	1	
11a	Influenza (with pulmonary complications)	394	69	21	7	3	5	12	3	9	8	10	18	43	34	35	48	69	
11b	Influenza (other and unspecified)	242	43	6	3	2	2	15	7	6	12	6	6	18	13	18	31	54	
15	Cholera nostras	1			1														
16	Dysentery	32	4	3	3	3	1	2	2	2	1			1			3	7	
19	Spirochetal hemorrhagic jaundice	2	2																
21	Erysipelas	62	17	1				1				1	1	3	12	7	9	10	
22	Acute anterior poliomyelitis	140	3	2	6	5	4	26	33	23	17	7	6	6	1	1			
23	Lethargic encephalitis	75	4	2	2	1	1	4	1	2	5	4	4	11	19	10	5		
24	Meningococcus meningitis	18	4			1	1	4	2	1	2	2				1			
25	Other epidemic and endemic diseases	12	4	4		1		2								1			
29	Tetanus	24	3		1	1		6	4		2		1	2	2	1		1	
30	Mycoses	6	2											1		3			
	Tuberculosis (all forms)	1,573	29	16	6	6	9	22	28	112	210	213	180	304	189	124	89	34	2
31	Of the respiratory system	1,334	7	5	1	3	3	11	13	99	190	192	161	271	163	109	73	31	2
32	Of the meninges, central nervous system	76	18	8	2	2	4	7	7	4	5	4	4	4	6	1			
33	Of the intestines, peritoneum	59			1			3	3	3	2	11	6	10	8	7	4	1	
34	Of the vertebral column	27					1		3		3	2	3	5	3	1	5	1	
35	Of the joints	6							1	2				1	1		1		
36	Of other organs	41		2	1				1	2	7	3	2	7	6	4	5	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
	Tuberculosis—Continued.																		
37a	Disseminated (acute)	23	4	1	1	1	1	1			3	1	4	2	2	1	1		
37b	Disseminated (chronic or unspecified)	7								2				4		1			
38	Syphilis	116	19		1			1	1	3	2	5	4	22	31	21	6		
40	Gonococcus infection	10								2	4	1	1	1	1				
41	Purulent infection, septicemia	28	3		2	2	1	2	1	3	3	3	1	2	2	2	1		
	II.—General diseases not included in Class I	3,961	71	12	11	12	13	33	35	28	35	59	92	309	631	995	978	645	2
	Cancer and other malignant tumors	2,655	2	1	2	7	4	9	7	10	11	28	34	194	419	705	706	514	2
43	Of the buccal cavity	88							1					3	16	17	26	24	1
44	Of the stomach, liver	1,090	1									2	5	47	129	317	347	242	
45	Of the peritoneum, intestines, rectum	377	1				2	4			1	4	7	28	62	110	90	68	
46	Of the female genital organs	260								1		9	5	50	64	62	41	27	1
47	Of the breast	197											6	26	49	48	43	25	
48	Of the skin	51												1	7	6	12	25	
49	Of other or unspecified organs	592		1	2	7	2	5	6	9	10	13	11	39	92	145	147	103	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	23	2					1			1	1		2	4	4	5	3	
51	Acute rheumatic fever	41				1		8	8	2	2	1	1	2	2	6	5	3	
52	Chronic rheumatism, osteoarthritis, gout	36											2	3	2	6	11	12	
54	Pellagra	2											1	1					
56	Rickets	12	10	1			1												
57	Diabetes mellitus	457	2		1		2	5	11	4	10	7	8	18	57	122	137	73	
58	Anemia, chlorosis	297	3					1	3	2	4	3	11	27	58	83	74	28	
59	Diseases of the pituitary gland	3												1	1		1		
60a	Exophthalmic goiter	119						1		4	3	7	10	24	30	28	10	2	
60b	Other diseases of the thyroid gland	23						1	1		2		1	2	6	5	4	1	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	24	16	6		1		1											
63	Diseases of the adrenals (Addison's disease)	18								1	1	2	4	4	3		3		
64	Diseases of the spleen	1										1							
65a	Leukemia	62		2	7	2	5	4	1	3	1	1	4	4	9	9	8	2	
65b	Hodgkin's disease	40						1	2			4	4	5	5	10	6	3	
66	Alcoholism (acute or chronic)	86										3	10	20	31	14	6	2	
67a	Chronic lead poisoning	3													2	1			
68	Chronic poisoning by organic substances	4												1	1	2			
69	Other general diseases	54	35	2	1	1	1	1	2	2		1	2	1	1		2	2	
	III.—Diseases of the nervous system and of the organs of special sense	2,556	91	22	12	13	6	34	30	31	39	27	43	152	249	444	630	732	1
70	Encephalitis	25	3		2	3		2			1	1	1	3	1	5	2	1	
71a	Simple meningitis	56	18	6	3	2	2	5	3	2	3	3	1	3	3	1	1		
71b	Nonepidemic cerebrospinal meningitis	10	1	2		1		2		2						1	1		
72	Tabes dorsalis (locomotor ataxia)	27												3	9	7	7	1	
73	Other diseases of the spinal cord	100	1	1		1		3	2	4	1	2	4	7	11	22	28	13	
74a	Cerebral hemorrhage	1,641	4					2	4		5	5	12	40	134	309	488	638	
74b	Cerebral embolism and thrombosis	104						2		1	1		2	4	13	22	37	22	
75	Paralysis without specified cause	65	2							1				3	5	12	17	25	
76	General paralysis of the insane	109										3	10	42	28	18	5	3	
77	Other forms of mental alienation	33								1	1	3	1	6	5	10	2	4	
78	Epilepsy	90	1	2	1	1	1	4	7	7	16	6	7	11	12	6	7	1	
79	Convulsions (nonpuerperal; 5 years and over)	2								1									1
80	Infantile convulsions (under 5 years)	57	47	3	4	1	2												
81	Chorea	1												1					
82	Neuralgia and neuritis	7								1				1		2	3		
83	Softening of the brain	12													2		5	5	
84	Other diseases of the nervous system	149	4	4	2	2		9	4	5	7	3	4	18	21	25	23	18	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	43	6	4		2	1	3	8	3	2			7	2	2	3		
86b	Diseases of the mastoid process	24	4					2	2	3	2	1	1	3	3	2	1		
	IV.—Diseases of the circulatory system	4,477	18	5	2	1	1	22	38	38	51	45	61	179	373	754	1,225	1,663	1
87	Pericarditis	12							1			1	1			1	5	3	
88	Endocarditis and myocarditis (acute)	166	3	2		1	1	10	7	6	15	12	13	23	23	24	10	16	
89	Angina pectoris	246								1	1	2	2	9	29	57	95	50	
90	Other diseases of the heart	3,400	11	3	2			10	27	31	33	26	41	137	280	597	971	1,230	1
91a	Aneurysm	36							1		1	2		4	7	9	8	4	
91b,c	Other diseases of the arteries	527									1		1	4	22	44	114	341	
92	Embolism and thrombosis (not cerebral)	61	2						1			1	2	1	10	15	15	14	
93	Diseases of the veins	19											1	1	1	7	6	3	
94	Diseases of the lymphatic system	5	1					2				1			1				
95	Hemorrhage without specified cause	4	1						1									2	
96	Other diseases of the circulatory system	1															1		
	V.—Diseases of the respiratory system	2,148	426	94	36	27	26	38	26	34	47	48	37	147	159	212	311	480	
97a	Diseases of the nasal fossae	10	6														1	3	
97b	Diseases of the nasal fossae annexa	15	1	1					1	2	2	1	1		3	1	2		
98	Diseases of the larynx	18	3	3	1	2	1	2	1	1	1			1			1	1	
99a	Acute bronchitis	38	11		1					1				1		4	6	14	
99b	Chronic bronchitis	47	1											2	2	6	12	24	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	V.—Diseases of the respiratory system—Continued																		
99c,d	Bronchitis (unspecified)	39	7		1					1				1			8	21	
100a	Broncho-pneumonia	777	288	55	22	10	11	15	7	5	9	8	5	23	36	46	78	159	
100b	Capillary bronchitis	6	3	1													1	1	
101a	Lobar pneumonia	907	75	30	8	12	10	15	12	17	29	28	24	90	97	127	165	168	
101b	Pneumonia (unspecified)	92	24	2	1	1	2	3	2	1	4	2	1	9	3	4	5	28	
102	Pleurisy	75	5	2	2	1	1	2	3	5		5	4	10	10	11	10	4	
103	Congestion and hemorrhagic infarct of the lung	40						1								1	1	37	
104	Gangrene of the lung	6					1								1	2	1	1	
105	Asthma	49				1						1	1	5	5	7	16	13	
106	Pulmonary emphysema	7	1										1			1	1	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	22	1							1	2	3		5	2	2	3	3	
	VI.—Diseases of the digestive system	1,974	327	88	34	43	33	81	60	57	61	86	70	194	205	253	203	178	1
108	Diseases of the mouth and annexa	15	1									1	1	1	4	5	2		
109b	Other diseases of the pharynx, tonsils	110	10	9	4	4	7	14	11	5	6	7	6	11	8	5	2	1	
110	Diseases of the esophagus	4							1							2	1		
111a	Ulcer of the stomach	100	1					1			2	4	4	14	23	27	15	9	
111b	Ulcer of the duodenum	65	1							1	1	5	3	17	12	16	7	2	
112	Other diseases of the stomach (cancer excepted)	37	10	3	1			1		1		2		3	2	4	4	6	
113	Diarrhea and enteritis (under 2 years)	335	270	65															
114	Diarrhea and enteritis (2 years and over)	145			21	24	8	10	4	4	2	4	1	7	6	6	11	37	
116	Diseases due to other intestinal parasites	3		1				1								1			
117	Appendicitis and typhlitis	434	2	3	5	11	14	42	37	37	44	39	30	56	46	39	22	6	1
118a	Hernia	101		1		1	1	1			1	2	5	8	12	19	30	21	
118b	Intestinal obstruction	145	23	6		3	1	2	3	3	3	6	3	18	8	18	25	23	
119	Other diseases of the intestines	24	4					1	1				1	6	2	4	1	4	
120	Acute yellow atrophy of the liver	10				1		1		1				2	2		1	2	
122	Cirrhosis of the liver	125									1	3	3	11	21	32	29	25	
123	Biliary calculi	177								1	1	6	9	19	38	45	35	23	
124	Other diseases of the liver	89							1	1		5	1	14	16	23	14	14	
125	Diseases of the pancreas	11								1		2		3	1	1	1	2	
126	Peritonitis without specified cause	44	5	1	2		2	7	2	2			3	4	4	6	3	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,000	19	3	1	3	2	8	9	19	19	27	52	156	211	321	500	649	1
128	Acute nephritis (including unspecified under 10 years)	67	7	1		1		3	3	1	1	1	2	11	12	2	6	16	
129	Chronic nephritis (including unspecified 10 years and over)	1,546	1	1	1		1	3	6	14	10	11	36	98	158	257	420	529	
131	Other diseases of the kidneys and annexa	70	10	1		2	1	2		2	2		4	6	11	9	8	12	
132	Calculi of the urinary passages	26										2	2	3	3	4	8	4	
133	Diseases of the bladder	24										1			1	4	3	15	
134	Diseases of the urethra, etc	4												2	1			1	
135	Diseases of the prostate	151												1		29	50	71	
136	Nonvenereal diseases of the male genital organs	1															1		
137	Cysts, other benign tumors of the ovary	15									4	2	1	3	2	1	2		
138	Salpingitis and pelvic abscess (female)	39								1	2	6	3	18	4	5			
139	Benign tumors of the uterus	36										2	1	9	15	7	1	1	
140	Nonpuerperal uterine hemorrhage	1												1					
141	Other diseases of the female genital organs	18								1		2	3	3	4	3	1		1
142	Nonpuerperal diseases of the breast (cancer excepted)	2	1											1					
	VIII.—The puerperal state	284								13	45	69	74	79	4				
143	Accidents of pregnancy	26								1	4	5	3	13					
144	Puerperal hemorrhage	26								1	2	6	8	8	1				
145	Other accidents of labor	33								1	3	5	13	10	1				
146	Puerperal septicemia	107								3	18	31	32	23					
147	Puerperal phlegmasia alba dolens, embolus, etc	20									3	5	6	6					
148	Puerperal albuminuria and convulsions	70								7	15	17	12	17	2				
149	Following childbirth (undefined)	2												2					
	IX.—Diseases of the skin and of the cellular tissue	75	15			1		1	3	3	1	3	3	1	7	3	9	25	
151	Gangrene	28	1												2	2	4	19	
152	Furuncle	12	1						1	2		1	2		2	1	2		
153	Acute abscess	13	5					1	1		1	1		1	1		2		
154	Other diseases of the skin and annexa	22	8			1			1	1		1	1		2		1	6	
	X.—Diseases of the bones and of the organs of locomotion	23	2				2	3	2	5	3				1	2	2	1	
155	Diseases of the bones (tuberculosis excepted)	20	2				1	2	2	5	2				1	2	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2					1	1											
158	Other diseases of the organs of locomotion	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MINNESOTA—Continued																		
	XI.—Malformations	372	331	9	7	2	4	7	4	3	1	1	1	1		1			
159a	Congenital hydrocephalus	57	48	2	1		1	3	1				1						
159b	Congenital malformations of the heart	189	170	3	4		1	3	3	2	1	1		1					
159c	Other congenital malformations	126	113	4	2	2	2	1		1						1			
	XII.—Early infancy	1,540	1,540																
160	Congenital debility, icterus, sclerema	126	126																
161a	Premature birth	982	982																
161b	Injury at birth	315	315																
162	Other diseases peculiar to early infancy	115	115																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	244														2	18	224	
	XIV.—External causes	2,173	34	41	25	21	21	100	82	136	136	139	124	327	284	255	222	223	3
	Suicide	372							1	7	20	31	19	80	82	70	48	13	1
165	By poisons (gas or corrosives excepted)	20								1		5	1	3	4	3	3		
166	By corrosive substances	32								1	2	5	2	10	6	3	3		
167	By poisonous gas	35									2	2	3	8	7	9	4		
168	By hanging or strangulation	90								2	3	4	3	12	21	23	13	8	1
169	By drowning	26									3	2	2	4	6	3	5	1	
170	By firearms	116							1	3	10	8	6	25	25	23	14	1	
171	By cutting or piercing instruments	27										3	1	7	5	4	5	2	
172	By jumping from high places	9										1	1	3	4				
173	By crushing	7										1		4	2				
174	By other means	10												4	2	2	1	1	
	Homicide	95	6		1			1	2	5	14	13	8	23	13	5	2	1	1
197	By firearms	50							1	2	11	5	4	12	10	4	1		
198	By cutting or piercing instruments	12						1			2	1	2	3	2			1	
199	By other means	33	6		1				1	3	1	7	2	8	1	1	1		1
	Accidental or undefined	1,706	28	41	24	21	21	99	79	124	102	95	97	224	189	180	172	209	1
175	Poisoning by food	13	1		1			1		1	1	1		1		4	2		
176	Poisoning by venomous animals	1									1								
177	Other acute poisonings (gas excepted)	25		4	3	3					2	1	2	3	4	2	1		
178	Conflagration	53	1	5	1	4	1	6	4	2	2		1	6	4	7	4	5	
179	Burns (conflagration excepted)	85	1	9	6	5	5	11	2	3	2	2	3	10	6	6	4	10	
180	Mechanical suffocation	10	8					1								1			
181	Absorption of irrespirable, irritating, or poisonous gas	67								3	1	5	2	15	14	10	12	5	
182	Drowning	177	1	8	2	2	1	13	25	36	14	16	16	23	10	8	1		1
183	Traumatism by firearms (except in war)	58					2	2	11	13	6	5	3	4	2	8	2		
184	Traumatism by cutting or piercing instruments	11	1						1	1		1		2	3		2		
185	Traumatism by fall	340		3	1	1	2	8	4	7	5	5	9	17	43	32	58	145	
186a	Traumatism in mines	23								1	4	3	5	8	2				
186b	Traumatism in quarries	1												1					
187	Traumatism by machines	60						1	4	4	4	1	11	10	8	12	4	1	
188a	Railroad accidents	129		1				4	4	12	6	8	9	29	22	13	15	6	
	Collision with automobiles	25						2	1		3	4	2	6	6	1			
	Other railroad accidents	104		1				2	3	12	3	4	7	23	16	12	15	6	
188b	Street-car accidents	19							1	2		2		4	3	3	4		
	Collision with automobiles	7								1		2		3			1		
	Other street-car accidents	12							1	1				1	3	3	3		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	361	1	6	5	5	4	34	13	21	36	28	17	51	42	39	40	19	
188d	Airplane and balloon accidents	3										1	1	1					
188e,f	Injuries by other vehicles	64	1	2	1		1	6	5	5	1	5	3	9	4	7	12	2	
188g	Landslide, other crushing	15					1				1	1	1	6	1	2	1	1	
189	Injuries by animals (not poisoning)	23					2	2	2	2			1	3	2	3	3	3	
193	Excessive cold	5													1	2	1	1	
194	Excessive heat	12	3		2							1		1	1	2		2	
195	Lightning	4							1	1				1	1				
196	Other accidental electric shocks	19								4	2	2	6	4	1				
201	Fracture (cause not specified)	5												1		1	1	2	
202	Other external violence	123	10	3	2	1	2	10	2	6	14	7	7	14	15	18	5	7	
	XV.—Ill-defined diseases	140	57	3			1		2	2	4	4	1	9	2	17	21	16	1
204	Sudden death	17	4									1				1	5	6	
205a	Ill-defined	42	8	2					2	1	1	1		2		9	8	8	
205b	Not specified or unknown	81	45	1			1			1	3	2	1	7	2	7	8	2	1
	MISSISSIPPI																		
	All causes—White	8,218	1,169	306	140	76	65	161	139	247	268	252	246	611	703	831	1,357	1,585	62
	All causes—Colored	13,935	1,923	365	164	121	84	301	329	803	1,003	790	684	1,461	1,640	1,174	1,281	1,678	134
	I.—Epidemic, endemic, and infectious diseases—White	1,419	135	79	55	27	20	49	33	60	89	89	76	148	122	100	150	171	16
	I.—Epidemic, endemic, and infectious diseases—Colored	3,409	304	118	57	42	31	134	155	367	485	366	255	398	279	150	115	119	34
1	Typhoid and paratyphoid fever—W	116		2		1	1	4	12	23	19	16	9	15	3	8	1		2
	Typhoid and paratyphoid fever—C	364	3	5	2	5	7	35	50	81	52	45	18	25	10	14	7	2	3
5	Malaria—W	113	10	8	6	3	5	6	2	7	6	7	8	7	9	1	13	13	2
	Malaria—C	313	42	24	14	9	6	33	23	26	18	11	11	24	25	16	13	16	2
6	Smallpox—W	1															1		
	Smallpox—C	3												1	1	1			
7	Measles—W	18	2	3	3	1				2		1		1	3		2		
	Measles—C	5	3							2									
8	Scarlet fever—W	7		1	1	3	1	1											
	Scarlet fever—C	4	1			1		1		1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
9	Whooping cough	W	60	33	12	9	2	1		1				1		1				
		C	84	54	22	3	2	1	1	1										
10	Diphtheria	W	88	9	17	22	11	9	16	2			1							1
		C	56	10	7	7	12	2	9	6	2			1						
11a	Influenza (with pulmonary complications)	W	262	32	8	5	2		7	3	11	9	11	7	18	28	17	55	47	2
		C	314	59	17	11	7	3	12	12	20	31	21	10	25	26	17	20	23	
11b	Influenza (other and unspecified)	W	144	14	2	3	1		3	4	2	8	7	3	8	4	16	18	51	
		C	256	42	8	4	1	4	10	7	18	21	11	10	20	23	15	18	42	2
13	Mumps	W	4						1		1				1				1	
		C	4								1		1	1		1				
15	Cholera nostras	W	2										1						1	
		C	3	1					1					1						
16	Dysentery	W	78	8	23	5		1	3	1		2			3	2		9	20	1
		C	80	11	15	3				3	2	4	1	2	2	7	8	11	11	
21	Erysipelas	W	12	3						2	1				1	2	1		1	1
		C	6	1								1	1		1	2				
22	Acute anterior poliomyelitis	W	16	8	2	1	2		1	1							1			
		C	9	1	2			2	2	2										
23	Lethargic encephalitis	W	3		1												2			
		C	8					1			1	1		1	3	1				
24	Meningococcus meningitis	W	7	3					2		1						1			
		C	2	1					1											
25	Other epidemic and endemic diseases	C	1															1		
27	Anthrax	W	1												1					
28	Rabies	W	1						1											
		C	2											1		1				
29	Tetanus	W	15	5					3	2		1			1	2		1		
		C	27	9		1		1	5	1	3	2	1	1	1	1		1		
30	Mycoses	W	1											1						
		C	3	1	1										1					
	Tuberculosis (all forms)	W	421	1			1	1	1	1	10	40	41	42	89	60	47	48	32	7
		C	1,507	12	9	8	3	3	18	46	196	318	235	172	229	129	57	34	20	18
31	Of the respiratory system	W	381				1	1	1		8	36	37	40	85	54	43	40	29	6
		C	1,390	8	7	5	1	3	12	41	181	300	218	160	215	121	53	31	18	16
32	Of the meninges, central nervous system	W	8	1								1	1	1	1	1		2		
		C	15		1	2	2		3	1	1	2	1	1						1
33	Of the intestines, peritoneum	W	21							1		2	3	1	2	4	2	4	2	
		C	52	1					3	3	7	5	11	5	9	3	4	1		
34	Of the vertebral column	W	3								1						1			1
		C	9			1					1	2	1		2	1				1
35	Of the joints	C	6	1							1			2	1	1				
36	Of other organs	W	5								1	1				1		2		
		C	22	2	1					1	4	4		3	2	2		2	1	
37a	Disseminated (acute)	W	3												1		1		1	
		C	13								1	5	4	1		1			1	
38	Syphilis	W	26	7				1					3	1	7	5	1	1		
		C	313	53	8	4	2	1	6	3	8	27	33	23	55	49	20	8	5	8
40	Gonococcus infection	W	5									3			1				1	
		C	34								4	9	5	4	8	2		1		1
41	Purulent infection, septicemia	W	18							2	2	1	1	4	2	1	1	1	3	
		C	11							1	2	1	1		2	1	2	1		
	II.—General diseases not included in Class I	White	817	18	18	3	2	2	6	17	5	13	16	20	81	126	150	207	129	4
		Colored	1,062	14	7	5	6	2	14	13	33	60	67	58	167	227	150	131	99	9
	Cancer and other malignant tumors	W	510		3	1				4		2	7	11	46	87	112	135	98	4
		C	420		1		2		2	2	3	8	10	12	61	116	73	72	55	3
43	Of the buccal cavity	W	18										1		2	3	4	2	6	
		C	6														2	2	2	
44	Of the stomach, liver	W	155		1					1			3	4	8	18	47	46	26	1
		C	117									4	2	1	16	27	20	32	14	1
45	Of the peritoneum, intestines, rectum	W	53		1					1		1		3	5	7	9	18	6	2
		C	41							1			1		11	11	6	7	4	
46	Of the female genital organs	W	100							1			2	3	15	34	17	20	8	
		C	147									1	6	5	20	52	28	16	19	
47	Of the breast	W	42										1		8	13	7	7	5	1
		C	32										1	1	10	11	4	3	2	
48	Of the skin	W	38											1	1	2	6	11	17	
		C	5													3		1	1	
49	Of other or unspecified organs	W	104		1	1				1		1			7	10	22	31	30	
		C	72		1		2		2	1	3	3		5	4	12	13	11	13	2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	2															2		
		C	6										1	1	1	2		1		
51	Acute rheumatic fever	W	11	1						1	2					3	1	3		
		C	28		1					2	1	1	3	1	4	5	5	3	2	
52	Chronic rheumatism, osteoarthritis, gout	W	8														3	3	2	
		C	6									1					1	3	1	
53	Scurvy	W	1		1															
54	Pellagra	W	99			1				4		3	4	3	16	19	11	26	12	
		C	471		1	2	2	1	11	4	23	46	45	40	86	87	56	37	26	4
56	Rickets	W	1	1																
		C	4	3		1														
57	Diabetes mellitus	W	90	1	1				4	3		5	4	1	6	7	14	31	13	
		C	65				1	1			4	1	2	3	8	10	13	12	9	1
58	Anemia, chlorosis	W	17	2										1	5	3	3	2	1	
		C	9	1						2		1			3	1	1			
60a	Exophthalmic goiter	W	6									1		1	2		2			
		C	3												1					
60b	Other diseases of the thyroid gland	W	2																2	
		C	7	1					1									1		
61	Diseases of the parathyroid glands	C	1	1									1	1		2		1		1
62	Diseases of the thymus gland	W	1	1																
63	Diseases of the adrenals (Addison's disease)	C	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	II.—General diseases not included in Class I—Continued.																			
64	Diseases of the spleen	W	1								1									
65a	Leukemia	W	11		1					1		1		1	2	2	2	1		
		C	3							1			1			1				
65b	Hodgkin's disease	W	7						1		2	1		1	1	1				
		C	4								1					2	1			
66	Alcoholism (acute or chronic)	W	9							1			1	1	2	1	1	2		
		C	7							1	1	1	2		2					
67a	Chronic lead poisoning	W	1													1				
67b	Other chronic mineral poisoning	C	2										2							
68	Chronic poisoning by organic substances	W	2													1	1			
69	Other general diseases	W	38	12	12	1	2	2		3					1	1		2	2	
		C	25	8	4	2	1		1			1			1	1		2	4	
	III.—Diseases of the nervous system and of the organs of special sense	White	719	26	3	9	3	3	6	6	12	12	7	12	50	69	121	188	190	2
		Colored	860	28	5	4	2	2	8	5	22	21	16	24	89	173	139	136	178	8
70	Encephalitis	W	10	2	1	1							1	1	2	1		1		
		C	11	1							2	3	1		2	1	1			
71a	Simple meningitis	W	20	5		4	2	1			2	1				3	2			
		C	10	2	1				2	2	1				1			1		
71b	Nonepidemic cerebrospinal meningitis	W	3	2					1											
		C	3	2					1											
72	Tabes dorsalis (locomotor ataxia)	W	6													1	3	2		
		C	9										1	1	3	4				
73	Other diseases of the spinal cord	W	22								1		1			1	8	2	9	
		C	10	1		1			1	1					1	2	1	2		
74a	Cerebral hemorrhage	W	465	2						1	3	1		4	24	46	87	151	144	2
		C	562					1			2	4	4	15	49	137	113	100	130	7
74b	Cerebral embolism and thrombosis	W	19		1						1		1		2	4	3	2	5	
		C	10								1	2			4		2		1	
75	Paralysis without specified cause	W	61					1		1		1		1	3	7	11	12	24	
		C	101						2		2	1	2	2	10	8	15	23	35	1
76	General paralysis of the insane	W	16											2	7		2	3	2	
		C	33								1	2	3	1	4	13	4	3	2	
77	Other forms of mental alienation	W	9											1	2	1		2	3	
		C	8									1	2	1				1	3	
78	Epilepsy	W	25						1	3	3	6	1	2	4	1	2	2		
		C	38	1	1		1			1	9	5	2	3	10	2	2	1		
79	Convulsions (nonpuerperal; 5 years and over)	C	6						1		2	1			1				1	
80	Infantile convulsions (under 5 years)	W	12	10		2														
		C	25	19	2	3	1													
82	Neuralgia and neuritis	W	2		1													1		
		C	2										1						1	
83	Softening of the brain	W	6														1	3	2	
		C	3													1		1	1	
84	Other diseases of the nervous system	W	25	2		1			1		1	2	2	1	5	3	2	4	1	
		C	15	1				1	1	1		1		1	1	1		3	4	
85	Diseases of the eye and annexa	W	1															1		
		C	1								1									
86a	Diseases of the ear	W	11	3				1	2	1	1	1	1					1		
		C	7	1	1										1	2	1	1		
86b	Diseases of the mastoid process	W	6			1	1		1						1	1		1		
		C	6								1	1			2	2				
	IV.—Diseases of the circulatory system	White	1,014	5	2	3	1		8	7	10	6	10	6	40	95	144	305	362	10
		Colored	1,338	2	1	1	4		12	13	21	31	38	51	164	254	216	253	258	19
87	Pericarditis	W	7						1		1		1					3	1	
		C	11												1	5	1	2	2	
88	Endocarditis and myocarditis (acute)	W	33				1		3	2	4	1	3	1	5	5	2	5	1	
		C	47				1			1	2	2	4	7	12	10	2	2	3	1
89	Angina pectoris	W	81										1		5	16	18	26	15	
		C	19									1		1	2	6	2	4	3	
90	Other diseases of the heart	W	745	5	2	3			4	5	5	5	5	5	24	67	107	236	265	7
		C	1,169		1	1	3		12	12	18	28	34	42	145	221	196	218	222	16
91a	Aneurysm	W	8												1	2	2	3		
		C	12								1				1	5	4	1		
91b,c	Other diseases of the arteries	W	113												1	1	11	27	71	2
		C	63											1		4	10	19	27	2
92	Embolism and thrombosis (not cerebral)	W	12												2	3	1	3	3	
		C	1															1		
93	Diseases of the veins	W	4												1	1			2	
		C	3															2	1	
94	Diseases of the lymphatic system	W	1															1		
95	Hemorrhage without specified cause	W	2														1		1	
		C	5	2											2			1		
96	Other diseases of the circulatory system	W	8												1		2	1	3	1
		C	8												1	3	1	3		
	V.—Diseases of the respiratory system	White	646	111	26	13	8	6	17	9	35	17	17	20	49	50	49	82	131	6
		Colored	934	196	57	21	13	13	24	26	80	72	45	34	85	90	51	49	70	8
97a	Diseases of the nasal fossae	W	3	2								1								
		C	10	8							1					1				
97b	Diseases of the nasal fossae annexa	W	2								1			1						
98	Diseases of the larynx	W	1						1											
		C	3						1					1		1				
99a	Acute bronchitis	W	3	1												1		1		
		C	5	4							1									
99b	Chronic bronchitis	W	18	1													2	4	11	
		C	5									1		1		2	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																			
	V.—Diseases of the respiratory system—Continued.																			
99c,d	Bronchitis (unspecified)	W	12	3	1											1			7	
		C	10	2	1	1										1		3	2	
100a	Broncho-pneumonia	W	169	60	11	7	2	2	3	2	6	3	2	4	7	4	4	19	31	2
		C	202	81	23	2	4	2	6	6	6	11	10	1	12	7	4	11	15	1
100b	Capillary bronchitis	W	6	5				1												
		C	4	2		1			1											
101a	Lobar pneumonia	W	341	27	11	3	5	2	9	4	21	12	13	13	36	41	34	46	60	4
		C	523	48	22	12	9	9	12	18	62	44	27	24	67	60	36	27	41	5
101b	Pneumonia (unspecified)	W	46	10	1	3			4	1	4	1	2	1	4	1		7	7	
		C	123	50	10	5		2	3	1	8	8	4	4	3	6	6	4	7	2
102	Pleurisy	W	14	1	1			1		1	1			1	2	1	2	2	1	
		C	21		1				1	1	1	6	3	1	1	4	2			
103	Congestion and hemorrhagic infarct of the lung	W	11	1	1					1									8	
		C	3												1			1	1	
104	Gangrene of the lung	W	2														1			
		C	1								1		1							
105	Asthma	W	11				1				1					1	2	2	4	
		C	14	1								1			1	3	2	2	4	
107	Other diseases of the respiratory system (tuberculosis excepted)	W	7														4	1	2	
		C	10								1	1		2		5		1		
	VI.—Diseases of the digestive system	White	851	160	147	37	12	13	31	34	25	22	25	21	63	51	71	65	71	3
		Colored	914	248	104	26	15	6	29	27	33	40	30	43	88	82	48	43	47	5
108	Diseases of the mouth and annexa	W	4						2			1							1	
		C	8										1	1	2	4				
109b	Other diseases of the pharynx, tonsils	W	15		1	1	1	1	2		1				1	2	2		3	
		C	21	3	1	1			5	1			2	7	1					
110	Diseases of the esophagus	W	2			1														1
		C	1												1					
111a	Ulcer of the stomach	W	26										2	1	6	3	6	6	2	
		C	23									1	1	2	2	6	4	3	3	1
111b	Ulcer of the duodenum	W	8												3	1	1	3		
		C	3											1	1			1		
112	Other diseases of the stomach (cancer excepted)	W	58	15	1		1	1	1		1	1		1	3	2	9	8	13	1
		C	81	11	2		1		2	1	1	5	5	4	11	17	7	6	8	
113	Diarrhea and enteritis (under 2 years)	W	273	131	142															
		C	321	223	98															
114	Diarrhea and enteritis (2 years and over)	W	92			31	6	6	2	3	2			1		4	5	11	21	
		C	88			23	12	3	5	4	2	1	2		3	3	9	5	14	2
115	Ancylostomiasis	W	3						1					1	1					
116	Diseases due to other intestinal parasites	C	7	1	1		1	1	2		1									
117	Appendicitis and typhlitis	W	164	1			2	5	18	23	17	14	13	8	24	14	10	7	3	
		C	121				1		8	15	19	14	11	9	23	11	5	4	1	
118a	Hernia	W	8										1		2		1	2	2	
		C	15								1			1	5	4	1	2	1	
118b	Intestinal obstruction	W	60	10	2	3	1		3	2	1	3	4	4	2	8	5	6	6	
		C	110	9	1	1		1	7	4	7	12	5	7	22	16	8	5	4	1
119	Other diseases of the intestines	W	15	1	1	1	1				1		1			2	1	2	4	
		C	18	1	1							3		2	5	2	3		1	
120	Acute yellow atrophy of the liver	W	6	2					1	1	1			1						
		C	2										1			1				
121	Hydatid tumor of the liver	C	1																	
122	Cirrhosis of the liver	W	39											1	3	4	14	9	7	1
		C	34									1		3	6	4	4	9	6	1
123	Biliary calculi	W	13										1		4	2	2	2	2	
		C	5												3	1	1			
124	Other diseases of the liver	W	55						1		1	2	3	1	11	8	13	8	7	
		C	40			1					2	1		3	3	9	5	7	9	
125	Diseases of the pancreas	W	3												2		1			
		C	3					1					1			1				
126	Peritonitis without specified cause	W	7									1		2	1	1	1	1		
		C	12							2		2	1	2	1	2	1	1		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	864	7	5	4	2	1	8	3	5	12	11	14	42	95	131	242	281	1
		Colored	1,455	3	5	5	4	5	11	9	20	28	40	49	171	272	241	286	298	8
128	Acute nephritis (including unspecified under 10 years)	W	68	5	4	2	1	1	2		2	4	1	4	2	11	4	14	11	
		C	127	2	4	2	2	4	9	2	8	5	3	12	14	23	11	14	12	
129	Chronic nephritis (including unspecified 10 years and over)	W	691						2	3	1	7	5	7	32	74	121	205	233	1
		C	1,123		1	1	1	1	2	7	6	15	26	22	116	218	209	239	254	5
131	Other diseases of the kidneys and annexa	W	33	2	1	2	1		4		1	1	1	2	3	2	2	4	7	
		C	30	1		2	1						1	2	4	3	3	8	4	1
132	Calculi of the urinary passages	W	3															1	2	
133	Diseases of the bladder	W	13														3	2	8	
		C	17												1	3	1	7	5	
134	Diseases of the urethra, etc	W	1																1	
		C	17									1		1	4	5	1	3	2	
135	Diseases of the prostate	W	34													1	1	13	19	
		C	53												4	4	11	12	21	1
137	Cysts, other benign tumors of the ovary	W	1													1				
		C	10									1		3	3	2		1		
138	Salpingitis and pelvic abscess (female)	W	10										4		2	4				
		C	34								5	4	7	5	9	3	1			
139	Benign tumors of the uterus	W	5											1	1	1		2		
		C	28										2	1	13	7	2	2		1
141	Other diseases of the female genital organs	W	5								1				2	1		1		
		C	15								1	2	1	3	3	3	2			
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																		
	VIII.—The puerperal state	White	147							1	19	33	29	20	42	1				2
		Colored	297							5	58	72	55	43	56	4				4
143	Accidents of pregnancy	W	13								2	4	2	1	4					
		C	21							1	1	2	4	4	8	1				
144	Puerperal hemorrhage	W	20							1	1	1	3	5	8					1
		C	24								2	2	8	5	6					1
145	Other accidents of labor	W	11									3		2	6					
		C	24								3	7	8	2	4					
146	Puerperal septicemia	W	40								5	10	11	4	9	1				
		C	104							1	15	32	22	18	15	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	W	9								1	1	1	3	3					
		C	4								1	2			1					
148	Puerperal albuminuria and convulsions	W	54								10	14	12	5	12					1
		C	120							3	36	27	13	14	22	2				3
	IX.—Diseases of the skin and of the cellular tissue	White	30	3	3			1			2			1	5	3	1	4	6	1
		Colored	15		1						1		1	1	1	3	2		5	
151	Gangrene	W	4					1								1			2	
		C	7		1											2			4	
152	Furuncle	W	12	1	1									1	2	2	1	4		
		C	2												1		1			
153	Acute abscess	W	4								1				2					1
		C	2								1			1						
154	Other diseases of the skin and annexa	W	10	2	2						1				1				4	
		C	4										1			1	1		1	
	X.—Diseases of the bones and of the organs of locomotion	White	9			2	1	1			3		1			1				
		Colored	8	2					1	1	2						2			
155	Diseases of the bones (tuberculosis excepted)	W	9			2	1	1			3		1			1				
		C	5	1					1	1							2			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	C	3	1							2									
	XI.—Malformations	White	73	64	1	3	1	1		1		1			1					
		Colored	34	24	1	3	2	2		2										
159a	Congenital hydrocephalus	W	8	6		1				1										
		C	7	3	1	1	1	1												
159b	Congenital malformations of the heart	W	39	34	1	1	1					1			1					
		C	11	7		1		1		2										
159c	Other congenital malformations	W	26	24		1		1												
		C	16	14		1	1													
	XII.—Early infancy	White	448	448																
		Colored	333	333																
160	Congenital debility, icterus, sclerema	W	62	62																
		C	69	69																
161a	Premature birth	W	300	300																
		C	201	201																
161b	Injury at birth	W	61	61																
		C	27	27																
162	Other diseases peculiar to early infancy	W	25	25																
		C	34	34																
163	Lack of care	C	2	2																
164	XIII.—Old age (senility)	White	129														2	13	114	
		Colored	311													2	5	34	267	3
	XIV.—External causes	White	642	29	14	9	19	16	29	25	64	57	43	49	80	61	41	37	57	12
		Colored	958	46	17	23	20	13	49	40	120	130	85	71	135	75	35	38	43	18
	Suicide	W	44								4	6	2	7	10	7	6	1	1	
		C	19								2	4		1	4	4		3		1
165	By poisons (gas or corrosives excepted)	W	1													1				
		C	1									1								
166	By corrosive substances	W	5									1	1	1	2					
		C	1												1					
168	By hanging or strangulation	W	2											1			1			
		C	6								1				2	1		1		1
169	By drowning	W	2												1		1			
170	By firearms	W	29								4	5	1	4	7	5	2		1	
		C	8								1	3			1	2		1		
171	By cutting or piercing instruments	W	4											1		1	1	1		
172	By jumping from high places	W	1														1			
		C	1															1		
174	By other means	C	2											1		1				
	Homicide	W	84								5	9	11	9	24	14	7	4		1
		C	305	1					2		36	59	50	46	64	23	9	2	2	11
197	By firearms	W	69								5	6	10	8	19	14	4	2		1
		C	240						2		27	45	36	39	51	21	7	1	1	10
198	By cutting or piercing instruments	W	4									2			1			1		
		C	39								5	7	9	4	11	1	1	1		
199	By other means	W	11									1	1	1	4		3	1		
		C	26	1							4	7	5	3	2	1	1		1	1
	Accidental or undefined	W	514	29	14	9	19	16	29	25	55	42	30	33	46	40	28	32	56	11
		C	634	45	17	23	20	13	47	40	82	67	35	24	67	48	26	33	41	6
175	Poisoning by food	W	11	3	3	1			1							2		1		
		C	17	1			2	1	4	1	1	1	2	2	1	1				
176	Poisoning by venomous animals	W	1	1																
		C	1		1															
177	Other acute poisonings (gas excepted)	W	10		2	2					1	1		1	1	1				1
		C	13		4			1	1		2	1		1	2		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSISSIPPI—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
178	Conflagration W	7		1		1		1				2					2		
	Conflagration C	10	1		1	1	1	1								1		3	1
179	Burns (conflagration excepted) W	60	8	3	2	13	8	7	2	1	2	2	1	3	1		1	5	1
	Burns (conflagration excepted) C	112	8	6	19	13	6	13	3	6	4	1	1	6	6	5	4	11	
180	Mechanical suffocation W	14	7			1		1	3		1			1					
	Mechanical suffocation C	23	20					1	2										
181	Absorption of irrespirable, irritating, or poisonous gas C	1																1	
182	Drowning W	32	1	1		1		4	8	4	4		2	6	1				
	Drowning C	57		2	1	1	1	6	6	17	9	2	2	2	5	1			2
183	Traumatism by firearms (except in war) W	36		1				3	6	9	1	3	2	4	5	2			
	Traumatism by firearms (except in war) C	87			1	1	1	4	8	25	16	7	5	10	5		1	2	1
184	Traumatism by cutting or piercing instruments W	6			1								2	1	1	1			
	Traumatism by cutting or piercing instruments C	6							1	1					1	1	1	1	
185	Traumatism by fall W	55	3						1	3		2		2		6	9	29	
	Traumatism by fall C	39	5	2			1	4	1	2		1		3	2	3	4	11	
187	Traumatism by machines W	16								2	2	2	1	3	4		1		1
	Traumatism by machines C	15							1	4		2	2		2		4		
188a	Railroad accidents W	62						1	1	6	8	6	6	7	10	5	5	2	5
	Railroad accidents C	56							3	2	8	5	3	13	7	5	6	2	2
	Collision with automobiles W	10								2	3		1	1	2	1			
	Collision with automobiles C	4											1	1	2				
	Other railroad accidents W	52						1	1	4	5	6	5	6	8	4	5	2	5
	Other railroad accidents C	52							3	2	8	5	2	12	5	5	6	2	2
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	100	1	1	2	2	5	9	3	22	13	5	10	8	5	8	2	2	2
	Automobile accidents (excluding collision with railroad trains and street cars) C	70	1		1	1		6	3	8	9	7	4	13	10	1	4	2	
188e,f	Injuries by other vehicles W	10								1					2	1	3	3	
	Injuries by other vehicles C	5		1		1								1			2		
188g	Landslide, other crushing W	8									4	2	2						
	Landslide, other crushing C	10						1		2	2	2		1	2				
189	Injuries by animals (not poisoning) W	7		1					1			2			1		2		
	Injuries by animals (not poisoning) C	9							2			1			1	2		3	
193	Excessive cold C	2	1															1	
194	Excessive heat W	1															1		
	Excessive heat C	6	1							1				1		3			
195	Lightning W	13						1		2			1	2	2		4		1
	Lightning C	23						4	1	8	2	2	1	3	1		1		
196	Other accidental electric shocks W	2				1								1					
	Other accidental electric shocks C	6							1	1	1		1	1	1				
201	Fracture (cause not specified) W	19								1	1			1	1	2	1	12	
	Fracture (cause not specified) C	11							1	1	3		1	3		1		1	
202	Other external violence W	44	5	1	1		3	1		3	5	4	5	6	4	3		3	
	Other external violence C	55	7	1			1	2	6	2	10	3	1	7	4	2	6	3	
	XV.—Ill-defined diseases White	410	163	8	2		1	7	3	7	6	4	7	10	29	21	64	73	5
	XV.—Ill-defined diseases Colored	2,007	723	49	19	13	10	19	33	46	64	47	55	107	179	135	196	294	18
204	Sudden death W	73	5	1						1	1	2	3	4	9	8	21	17	1
	Sudden death C	174	23	1		1		1	2	2	7	4	7	13	42	20	19	31	1
205a	Ill-defined W	61	8	2	1			2		2	1		3	1	10	6	16	9	
	Ill-defined C	181	25	8	2	2	2	1	2	2	4	2	5	16	33	21	28	26	2
205b	Not specified or unknown W	276	150	5	1		1	5	3	4	4	2	1	5	10	7	27	47	4
	Not specified or unknown C	1,652	675	40	17	10	8	17	29	42	53	41	43	78	104	94	149	237	15
	MISSOURI																		
	All causes	41,288	4,665	857	414	280	213	696	637	1,006	1,225	1,281	1,338	3,380	4,312	5,599	7,042	8,242	101
	I.—Epidemic, endemic, and infectious diseases	6,559	544	254	151	127	91	246	210	395	511	463	422	779	677	559	559	559	12
1	Typhoid and paratyphoid fever	391	7	10	3	7	3	31	42	63	57	41	17	37	35	23	8	7	
2	Typhus fever	1							1										
5	Malaria	189	21	14	5	6	8	9	15	16	9	2	11	14	15	18	18	7	1
7	Measles	13	4	4	1	1	1			1					1				
8	Scarlet fever	169	8	19	19	20	20	34	17	5	9	3	5	6	3			1	
9	Whooping cough	201	115	48	16	6		15	1										
10	Diphtheria	242	17	28	33	36	29	67	14	7	2	4	3		1		1		
11a	Influenza (with pulmonary complications)	881	99	48	20	10	5	16	16	18	30	18	22	72	90	100	126	190	1
11b	Influenza (other and unspecified)	583	60	16	7	8	7	16	8	14	10	16	10	34	31	44	97	203	2
13	Mumps	4						3						1					
15	Cholera nostras	8			1									2				5	
16	Dysentery	171	48	20	19	4	1	1	1	2	1	1			1	12	15	45	
19	Spirochetal hemorrhagic jaundice	1												1					
21	Erysipelas	62	17						2	2		2	3	4	5	7	10	10	
22	Acute anterior poliomyelitis	55	7	5	5	5	3	10	9	4	3	1	3						
23	Lethargic encephalitis	46	1	1	1	1		1	2		3	1	5	8	10	6	5	1	
24	Meningococcus meningitis	39	10	6	3			2	1	8	2	1	1		3	1	1		
25	Other epidemic and endemic diseases	6	1	1		1		1	1						1				
27	Anthrax	1																1	
28	Rabies	5		1						1		1	2						
29	Tetanus	72	13	1		1	2	7	20	7	2	2		3	3	6	1	4	
30	Mycoses	3	2											1					
	Tuberculosis (all forms)	3,039	49	23	16	17	11	29	57	238	364	346	322	534	408	283	259	75	8
31	Of the respiratory system	2,693	13	8	5	6	6	17	46	215	332	318	304	492	374	255	230	64	8
32	Of the meninges, central nervous system	102	25	13	9	7	4	6	6	7	7	2	2	6	4	3	1		
33	Of the intestines, peritoneum	105	4		1			3	2	4	15	12	5	13	15	13	14	4	
34	Of the vertebral column	33		1		1		1		1	3	4	3	3	5	4	5	2	
35	Of the joints	11	1			1				3		1	1	2	1		1		
36	Of other organs	48	2		1			1	1	2	5	4	2	11	4	4	8	3	
37a	Disseminated (acute)	38	3			2	1	1	2	4	2	5	4	5	5	3		1	
37b	Disseminated (chronic or unspecified)	9	1	1						2			1	2		1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
38	Syphilis	300	62	7	2	2	1	2	1	6	9	13	12	50	61	53	12	7	
39	Soft chancre	1										1							
40	Gonococcus infection	39								1	8	9	6	9	4			2	
41	Purulent infection, septicemia	36	3	2		2		2	2	2	2	1		3	5	5	6	1	
42	Other infectious diseases	1														1			
	II.—General diseases not included in Class I	4,791	59	7	13	9	5	33	32	36	46	59	121	411	800	1,192	1,198	763	7
	Cancer and other malignant tumors	3,388	3	1	3	4	1	7	11	11	19	25	69	268	580	893	893	595	5
43	Of the buccal cavity	118											2	4	15	30	35	32	
44	Of the stomach, liver	1,233	1					1	3		1	1	12	59	159	354	400	240	2
45	Of the peritoneum, intestines, rectum	444							2	1	3	5	9	34	70	123	118	79	
46	Of the female genital organs	497								1	3	8	18	81	136	128	87	35	
47	Of the breast	264								1	1	2	5	41	70	63	47	34	
48	Of the skin	125											2	4	11	19	27	62	
49	Of other or unspecified organs	707	2	1	3	4	1	6	6	8	11	9	21	45	119	176	179	113	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	18						1	1				1	2	2	1	3	6	1
51	Acute rheumatic fever	72			2			11	6	5	2	4	2	8	4	9	14	5	
52	Chronic rheumatism, osteoarthritis, gout	44							1					3	2	13	7	18	
53	Scurvy	1															1		
54	Pellagra	21									2	1		5	7	3	2	1	
56	Rickets	13	8	2	2	1													
57	Diabetes mellitus	563		1	1	1		3	8	12	4	11	9	21	66	146	179	100	1
58	Anemia, chlorosis	215	8		1		1	1	1		3	2	4	18	42	57	55	22	
59	Diseases of the pituitary gland	4									1			2	1				
60a	Exophthalmic goiter	123						1		2	3	8	13	24	30	21	17	4	
60b	Other diseases of the thyroid gland	22						1						1	7	9	3	1	
61	Diseases of the parathyroid glands	1															1		
62	Diseases of the thymus gland	21	17	2					1							1			
63	Diseases of the adrenals (Addison's disease)	15										1	2	6	2	2	1	1	
64	Diseases of the spleen	7											1		2	2	1	1	
65a	Leukemia	77	1		2	2	2	3	2	3	2	3	6	13	15	12	9	2	
65b	Hodgkin's disease	32						1	1	1	5	2	3	8	6	4	1		
66	Alcoholism (acute or chronic)	93									2		9	27	28	14	9	4	
67a	Chronic lead poisoning	6											1	1	2	1	1		
67b	Other chronic mineral poisoning	1			1														
68	Chronic poisoning by organic substances	8										1	1	3	2	1			
69	Other general diseases	46	22	1	1	1	1	4		2	2	2		1	2	3	1	3	
	III.—Diseases of the nervous system and of the organs of special sense	4,060	98	21	21	8	8	38	33	38	39	49	64	271	427	666	1,047	1,221	11
70	Encephalitis	41	3	2	1		1	2	3	2	1	3	2	8	7	3	2	1	
71a	Simple meningitis	86	25	5	11	4	1	4	6	2	6	2	3	8	2	2	3	2	
71b	Nonepidemic cerebrospinal meningitis	23	6	5	2		2	4				1	1		1	1			
72	Tabes dorsalis (locomotor ataxia)	75										1		7	14	18	25	10	
73	Other diseases of the spinal cord	135	1		1	1			2	5		2	1	8	15	31	36	32	
74a	Cerebral hemorrhage	2,673	3	1	1		1	2	2	3	5	13	10	89	239	478	837	979	10
74b	Cerebral embolism and thrombosis	65	1					2		2	4		6	4	7	11	14	14	
75	Paralysis without specified cause	214	1										4	5	10	33	51	110	
76	General paralysis of the insane	261								3	2	4	14	84	77	36	30	11	
77	Other forms of mental alienation	40								2	3	5	5	4	7	4	4	6	
78	Epilepsy	93	1					3	3	10	11	5	6	17	15	7	5	10	
79	Convulsions (nonpuerperal; 5 years and over)	2						1						1					
80	Infantile convulsions (under 5 years)	23	19	3	1														
81	Chorea	3							1			1				1			
82	Neuralgia and neuritis	16			1		1		1							1	6	6	
83	Softening of the brain	25												2	1	5	4	13	
84	Other diseases of the nervous system	161	7	1		2		7	2	2	5	4	7	24	24	25	26	24	1
85	Diseases of the eye and annexa	2															1	1	
86a	Diseases of the ear	30	28	3	2	1	1	8	7	3	1	3	2	8	1	8	3	1	
86b	Diseases of the mastoid process	42	3	1	1		1	5	6	4	1	5	3	2	7	2		1	
	IV.—Diseases of the circulatory system	6,713	29	5	1	7	7	52	66	52	66	103	118	388	696	1,113	1,641	2,355	14
87	Pericarditis	45						3	3	2	1	1	1	4	6	7	10	7	
88	Endocarditis and myocarditis (acute)	262	9		1	4	1	13	14	9	16	18	13	29	24	28	48	35	
89	Angina pectoris	331								1	2	3	9	33	83	115	85		
90	Other diseases of the heart	5,089	16	5		1	5	34	49	39	46	76	93	314	576	888	1,246	1,691	10
91a	Aneurysm	120								1	2	3	5	21	29	29	22	8	
91b,c	Other diseases of the arteries	786												3	19	64	184	512	4
92	Embolism and thrombosis (not cerebral)	56	2				1	2				3	2	4	7	11	13	11	
93	Diseases of the veins	14				1							1	2	1	3	3	3	
94	Diseases of the lymphatic system	4	2			1												1	
95	Hemorrhage without specified cause	1								1									
96	Other diseases of the circulatory system	5												2	1			2	
	V.—Diseases of the respiratory system	4,072	746	186	69	37	20	83	60	86	87	92	85	307	334	428	596	849	7
97a	Diseases of the nasal fossae	8	2	2						1				1			2		
97b	Diseases of the nasal fossae annexa	17							3	3	1	1	1	6	1		1		
98	Diseases of the larynx	23	6	4	4	1	2	2						2	1	1			
99a	Acute bronchitis	91	27	3	1			2		1		1		3	3	5	12	33	
99b	Chronic bronchitis	110								3	1	1		1	7	10	30	57	
99c,d	Bronchitis (unspecified)	44	14	1	1	1	1			1		1	2		1	2	4	15	
100a	Broncho-pneumonia	1,540	510	124	35	19	11	32	18	20	17	13	10	62	64	103	152	346	4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
100b	Capillary bronchitis	25	17	2						2				2		1		1	
101a	Lobar pneumonia	1,995	146	47	25	14	5	39	34	53	61	67	62	203	236	273	366	361	3
101b	Pneumonia (unspecified)	30	13			1		3	2			1	2	1	1	4		2	
102	Pleurisy	73	7		1	1		5	1	2	3	5	4	10	8	11	7	8	
103	Congestion and hemorrhagic infarct of the lung	14	1	2	1				1		1						1	7	
104	Gangrene of the lung	13											1	4	1	4	1	2	
105	Asthma	57	1	1	1							2	1	7	8	8	15	13	
106	Pulmonary emphysema	4	1												1		2		
107	Other diseases of the respiratory system (tuberculosis excepted)	28	1				1		1		3		2	5	2	6	3	4	
	VI.—Diseases of the digestive system	3,589	861	299	90	45	35	74	98	91	92	109	106	279	364	386	340	314	6
108	Diseases of the mouth and annexa	27	6	1				2	1	1	1			6	1	6	1	1	
109b	Other diseases of the pharynx, tonsils	99	2	1	4	2	2	11	13	9	11	5	4	12	9	5	5	3	1
110	Diseases of the esophagus	2							1							1			
111a	Ulcer of the stomach	153								3	2	7	9	31	28	27	28	17	1
111b	Ulcer of the duodenum	49								1	1	2	3	8	13	10	7	4	
112	Other diseases of the stomach (cancer excepted)	193	50	6	4	1	3	3	2	2	2	3	4	7	12	16	26	51	1
113	Diarrhea and enteritis (under 2 years)	1,019	745	274															
114	Diarrhea and enteritis (2 years and over)	304			77	34	19	11	5	2	7	7	6	9	10	20	32	65	
117	Appendicitis and typhlitis	566	3	4	2	1	6	35	64	52	46	47	36	84	76	67	30	13	
118a	Hernia	151	4	2			1			1	2	4	2	11	32	33	32	27	
118b	Intestinal obstruction	212	37	4	2	2	2	5	4	10	2	15	15	25	14	26	24	23	2
119	Other diseases of the intestines	55	2	2		1			3	2	5		3	5	7	10	5	10	
120	Acute yellow atrophy of the liver	23								1		1	2	3	3	4	6	3	
122	Cirrhosis of the liver	333	1						1		4	3	6	36	80	78	75	48	1
123	Biliary calculi	159									2	4	3	12	37	45	30	26	
124	Other diseases of the liver	152	2	1		2	1	5	1	3	3	4	7	19	30	27	28	19	
125	Diseases of the pancreas	29								1	2	4	3	3	4	4	7	1	
126	Peritonitis without specified cause	63	9	4	1	2	1	2	3	3	2	3	3	8	8	7	4	3	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,777	26	7	5	8	3	11	21	30	50	76	82	332	535	850	1,258	1,470	13
128	Acute nephritis (including unspecified under 10 years)	205	14	5	4	5	2	4	6	10	4	14	9	25	25	30	29	18	1
129	Chronic nephritis (including unspecified 10 years and over)	3,993			1	2	1	6	11	16	27	43	47	224	437	765	1,110	1,291	12
131	Other diseases of the kidneys and annexa	90	11	2		1		1	1	2	3	4	4	10	14	10	12	15	
132	Calculi of the urinary passages	22									1		1	2	6	3	8	1	
133	Diseases of the bladder	37	1												4	2	7	23	
134	Diseases of the urethra, etc	13												1	5	4	2	1	
135	Diseases of the prostate	232												4	2	27	83	116	
136	Nonvenereal diseases of the male genital organs	4												1	2			1	
137	Cysts, other benign tumors of the ovary	25								1		1	9	8	4	1	1		
138	Salpingitis and pelvic abscess (female)	65							2	1	9	9	14	19	9	1	1		
139	Benign tumors of the uterus	71									1	3	3	35	20	2	4	3	
140	Nonpuerperal uterine hemorrhage	1									1								
141	Other diseases of the female genital organs	19							1		4	3	3	2	3	2	1		
	VIII.—The puerperal state	435							2	51	93	98	95	91	3				2
143	Accidents of pregnancy	59								5	9	19	16	10					
144	Puerperal hemorrhage	34								1	5	7	7	13	1				
145	Other accidents of labor	42								6	4	12	8	11	1				
146	Puerperal septicemia	211							1	28	54	47	43	37					1
147	Puerperal phlegmasia alba dolens, embolus, etc	11									2	2	7						
148	Puerperal albuminuria and convulsions	75							1	11	18	11	13	19	1				1
149	Following childbirth (undefined)	3									1		1	1					
	IX.—Diseases of the skin and of the cellular tissue	97	14	2			1	1	1	1	4	2	3	10	10	6	13	29	
151	Gangrene	37					1	1					1	2	1	3	9	19	
152	Furuncle	20	1						1	1	2	1	2	4	2	2	1	3	
153	Acute abscess	19	5								2			2	5	1	2	2	
154	Other diseases of the skin and annexa	21	8	2								1		2	2		1	5	
	X.—Diseases of the bones and of the organs of locomotion	38	2		2	1	2	2	7	5	2			4	3	2	1	5	
155	Diseases of the bones (tuberculosis excepted)	34	2		2	1	1	2	7	5	2			2	3	2	1	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	3					1							2					
158	Other diseases of the organs of locomotion	1																1	
	XI.—Malformations	377	344	13	3		3	6	1	4		2		1					
159a	Congenital hydrocephalus	33	24	5			1	1		1		1							
159b	Congenital malformations of the heart	233	218	5	1		2	3	1	2				1					
159c	Other congenital malformations	111	102	3	2			2		1		1							
	XII.—Early infancy	1,695	1,695																
160	Congenital debility, icterus, sclerema	196	196																
161a	Premature birth	1,122	1,122																
161b	Injury at birth	239	239																
162	Other diseases peculiar to early infancy	138	138																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MISSOURI—Continued																		
164	XIII.—Old age (senility)	267														1	23	243	
	XIV.—External causes	3,397	65	48	55	37	37	143	106	209	227	224	233	491	444	361	322	370	25
	Suicide	473							1	12	33	27	38	89	101	91	60	19	2
165	By poisons (gas or corrosives excepted)	37								1	4	5	3	6	9	2	4	3	
166	By corrosive substances	87							1	2	11	13	10	20	10	13	6	1	
167	By poisonous gas	35								1	1	1	3	9	6	7	6	1	
168	By hanging or strangulation	65								2	2	3	2	10	13	17	11	4	1
169	By drowning	21											2	4	5	5	3	1	1
170	By firearms	171								6	15	5	15	28	40	34	21	7	
171	By cutting or piercing instruments	35											3	6	11	9	5	1	
172	By jumping from high places	13												5	5	1	1	1	
173	By crushing	3												1	1		1		
174	By other means	6													1	3	2		
	Homicide	429	6	1	2			6		23	62	71	68	103	58	14	6	2	7
197	By firearms	301						1		17	45	56	48	72	43	9	4	1	5
198	By cutting or piercing instruments	60	2	1				2		2	5	12	10	15	6	2	1		2
199	By other means	68	4		2			3		4	12	3	10	16	9	3	1	1	
	Accidental or undefined	2,495	59	47	53	37	37	137	105	174	132	126	127	299	285	256	256	349	16
175	Poisoning by food	42	1	3	1	1		2	1	2	1	2	1	8	3	10	4	2	
176	Poisoning by venomous animals	1	1																
177	Other acute poisonings (gas excepted)	59	1	6	6	6		5	2	1	3	4	3	10	3	6	3		
178	Conflagration	63	2	3	5	2	3	6	6	1	2	3	3	3	6	6	6	4	2
179	Burns (conflagration excepted)	202	7	18	23	14	15	24	4	12	14	6	5	12	17	10	7	14	
180	Mechanical suffocation	28	23								1			2	1		1		
181	Absorption of irrespirable, irritating, or poisonous gas	46	1							1	1	3	2	6	13	12	3	3	1
182	Drowning	154		4	5		2	6	24	27	16	8	9	14	14	5	8	6	6
183	Traumatism by firearms (except in war)	81		1	1	1		4	13	16	4	9	8	11	6	5	2		
184	Traumatism by cutting or piercing instruments	32	1		1		1	3		2		2		4	7	4	5	2	
185	Traumatism by fall	509	4	4	2	4	1	6	9	8	11	14	12	36	26	49	84	238	1
186a	Traumatism in mines	22									3	3	6	4	3	2	1		
186b	Traumatism in quarries	4											2	1		1			
187	Traumatism by machines	61						1	3	7	7	3	7	9	11	5	7	1	
188a	Railroad accidents	234	1		1			3	9	25	21	12	21	36	41	37	17	7	3
	Collision with automobiles	20	1					2	2	3	1	3	1	2	2	1	2		
	Other railroad accidents	214			1			1	7	22	20	9	20	34	39	36	15	7	3
188b	Street-car accidents	34						2		2		4	3	6	8	1	2	6	
	Collision with automobiles	7						1		1		2	1	2					
	Other street-car accidents	27						1		1		2	2	4	8	1	2	6	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	509	2	1	2	3	10	58	15	45	30	28	26	72	65	59	65	28	
188d	Airplane and balloon accidents	4									2	1	1						
188e,f	Injuries by other vehicles	49	1			1	1	8	5	1		2	1	8	2	8	9	2	
188g	Landslide, other crushing	17	1					1					1	3	3	1	5	2	
189	Injuries by animals (not poisoning)	30			1	1		3	3		1		2	6	3	4	2	4	
192	Starvation (deprivation of food or water)	1	1																
193	Excessive cold	10													2	2	3	2	1
194	Excessive heat	52	3	1		1					1	1	2	8	14	10	4	6	1
195	Lightning	23							1	4	2	2	2	4	5	2	1		
196	Other accidental electric shocks	50			1				1	7	4	11	4	12	8	1	1		
201	Fracture (cause not specified)	27								1	1		1	3	2	5	2	11	1
202	Other external violence	151	9	6	4	3	4	5	9	12	7	8	5	21	22	11	14	11	
	XV.—Ill-defined diseases	421	182	15	4	1	1	7		8	8	4	9	16	19	35	44	64	4
204	Sudden death	26	4								1		1	1	2	3	6	8	
205a	Ill-defined	134	31	7	2					2	2	1	2	9	10	25	18	24	1
205b	Not specified or unknown	261	147	8	2	1	1	7		6	5	3	6	6	7	7	20	32	3
	MONTANA																		
	All causes	5,188	726	129	63	46	38	131	123	130	159	175	190	504	621	740	779	622	12
	I.—Epidemic, endemic, and infectious diseases	753	82	39	32	16	9	50	30	30	45	48	36	92	114	69	43	15	3
1	Typhoid and paratyphoid fever	24						4	1	3	4	3		5	1	2	1		
7	Measles	5		2				1	1		1								
8	Scarlet fever	21		2	4	3	2	6	2			1	1						
9	Whooping cough	63	39	12	5	1		2	1					1					2
10	Diphtheria	34	1	2	5	1	2	12	4		2	1		3	1				
11a	Influenza (with pulmonary complications)	77	18	10	5	1		2		2		1	3	7	6	8	9	5	
11b	Influenza (other and unspecified)	32	5	2	1			1	2	2				3	4	3	6	3	
13	Mumps	1						1											
16	Dysentery	13	6	2	2	2	1												
19	Spirochetal hemorrhagic jaundice	1						1											
21	Erysipelas	16	4		1				1				1		3	3	3		
22	Acute anterior poliomyelitis	6						3	1	2									
23	Lethargic encephalitis	8						1				1		3	1	1	1		
24	Meningococcus meningitis	5	1				1			2	1								
25	Other epidemic and endemic diseases	12	3					2					2		4	1			
28	Rabies	1				1													
29	Tetanus	2								1					1				
	Tuberculosis (all forms)	396	4	7	9	7	2	13	16	17	34	37	29	66	82	46	19	7	1
31	Of the respiratory system	350	2	6	3	4	2	8	7	17	30	37	29	61	73	44	19	7	1
32	Of the meninges, central nervous system	15		1	2			5	5		1			1					
33	Of the intestines, peritoneum	10	2			2					1			2	2	1			
36	Of other organs	5			3										2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
	Tuberculosis—Continued.																		
37a	Disseminated (acute)	4				1								1	2				
37b	Disseminated (chronic or unspecified)	12			1				4		2			1	3	1			
38	Syphilis	28	1							1	1	3		4	10	5	3		
40	Gonococcus infection	3									2	1							
41	Purulent infection, septicemia	4					1	1	1								1		
42	Other infectious diseases	1													1				
	II.—General diseases not included in Class I	593	7	3	2		1	5	11	15	5	8	15	58	99	150	150	63	1
	Cancer and other malignant tumors	379		1	1				2	4	1	3	8	34	61	107	105	52	
43	Of the buccal cavity	14												1	2	2	8	1	
44	Of the stomach, liver	150							1				1	4	20	53	45	26	
45	Of the peritoneum, intestines, rectum	59		1						1	1	2	2	3	10	14	16	9	
46	Of the female genital organs	46											1	14	13	9	7	2	
47	Of the breast	29											1	5	8	10	5		
48	Of the skin	12													1	2	1	8	
49	Of other or unspecified organs	69			1				1	3		1	3	7	7	17	23	6	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1														1			
51	Acute rheumatic fever	21						2	5	4	1		2	2		3	1	1	
52	Chronic rheumatism, osteoarthritis, gout	6															4	2	
56	Rickets	1	1																
57	Diabetes mellitus	64			1			2	3	3		1	2	3	7	14	24	4	
58	Anemia, chlorosis	39	1	1							1			7	8	8	9	4	
60a	Exophthalmic goiter	17											1	1	9	5	1		
60b	Other diseases of the thyroid gland	4	1	1							1						1		
63	Diseases of the adrenals (Addison's disease)	1								1									
65a	Leukemia	6							1					2	1	1	1		
65b	Hodgkin's disease	3										2				1			
66	Alcoholism (acute or chronic)	41								2		2	2	8	12	10	4		1
68	Chronic poisoning by organic substances	2									1			1					
69	Other general diseases	8	4				1	1		1					1				
	III.—Diseases of the nervous system and of the organs of special sense	524	24	9	2	3	2	6	7	16	5	5	15	34	57	116	121	101	1
70	Encephalitis	7					1		1	1	1	1	1		1				
71a	Simple meningitis	15	7	5				2				1							
71b	Nonepidemic cerebrospinal meningitis	2	1			1													
72	Tabes dorsalis (locomotor ataxia)	4											1		1	2			
73	Other diseases of the spinal cord	15							1	2	1	1	1	1	2	4	1	1	
74a	Cerebral hemorrhage	322									1	1	3	14	30	93	96	84	
74b	Cerebral embolism and thrombosis	21			1								2	3	3	4	4	4	
75	Paralysis without specified cause	15								1				1		1	5	7	
76	General paralysis of the insane	29											3	8	5	6	5	2	
77	Other forms of mental alienation	11								1			2	2	3	1		2	
78	Epilepsy	22	1			1		1		8	1		1	1	4	1	3		
79	Convulsions (nonpuerperal; 5 years and over)	1								1									
80	Infantile convulsions (under 5 years)	11	8	2	1														
82	Neuralgia and neuritis	2													1		1		
83	Softening of the brain	2															2		
84	Other diseases of the nervous system	21	1				1	1	1	1			1	3	4	3	3	1	1
85	Diseases of the eye and annexa	1				1													
86a	Diseases of the ear	15	5					2	2	1					3	1	1		
86b	Diseases of the mastoid process	8	1	2					2		1	1		1					
	IV.—Diseases of the circulatory system	749	9		1		1	12	11	7	17	13	18	48	83	147	201	179	2
87	Pericarditis	7	1					1						1	1		1	2	
88	Endocarditis and myocarditis (acute)	44	5					1	1	1	3	4	4	8	2	7	6	2	
89	Angina pectoris	44												2	7	15	14	6	
90	Other diseases of the heart	577	3		1		1	9	10	6	13	7	12	32	68	111	162	140	2
91a	Aneurysm	11										1		1	1	6	1	1	
91b,c	Other diseases of the arteries	43													4	2	14	23	
92	Embolism and thrombosis (not cerebral)	17									1		2	3		4	3	4	
93	Diseases of the veins	2										1				1			
95	Hemorrhage without specified cause	1						1											
96	Other diseases of the circulatory system	3												1		1		1	
	V.—Diseases of the respiratory system	498	116	36	7	5	3	10	5	7	9	7	10	45	57	46	62	73	
97b	Diseases of the nasal fossae annexa	2											1	1					
98	Diseases of the larynx	2				2													
99a	Acute bronchitis	15	4	1									1				1	8	
99b	Chronic bronchitis	2									1							1	
99c,d	Bronchitis (unspecified)	6	4															2	
100a	Broncho-pneumonia	173	69	18	4	2	1	2	4	2	2	1	3	10	11	14	11	19	
100b	Capillary bronchitis	4	4																
101a	Lobar pneumonia	210	17	10		1	1	4		5	5	6	3	30	33	26	42	27	
101b	Pneumonia (unspecified)	50	16	6	3		1	3	1				1	2	4		3	10	
102	Pleurisy	11	1	1				1			1				1	3	1	2	
103	Congestion and hemorrhagic infarct of the lung	4													1			3	
104	Gangrene of the lung	2												1		1			
105	Asthma	8	1												2		4	1	
106	Pulmonary emphysema	1													1				
107	Other diseases of the respiratory system (tuberculosis excepted)	8											1	1	4	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	VI.—Diseases of the digestive system	455	86	19	9	11	8	26	16	11	15	14	17	46	58	49	43	27	
108	Diseases of the mouth and annexa	1												1					
109b	Other diseases of the pharynx, tonsils	18	2		1	1		2	2	1	1	2	2	2	2				
111a	Ulcer of the stomach	27									2	2	2	4	5	5	6	1	
111b	Ulcer of the duodenum	7										2		1	2	1		1	
112	Other diseases of the stomach (cancer excepted)	17	2			1					1	1			2		2	8	
113	Diarrhea and enteritis (under 2 years)	95	79	16															
114	Diarrhea and enteritis (2 years and over)	29			7	5	3	6	1	2				1		1	2	1	
117	Appendicitis and typhlitis	99		1		3	4	13	10	7	7	1	7	14	14	9	7	2	
118a	Hernia	12									1		1	1	1	4	3	1	
118b	Intestinal obstruction	35	2	1	1			1	2			1	1	3	9	5	5	4	
119	Other diseases of the intestines	6									1			1		1	3		
120	Acute yellow atrophy of the liver	3												1			1	1	
122	Cirrhosis of the liver	38					1			1				5	8	10	8	5	
123	Biliary calculi	26										1	3	3	8	8	1	2	
124	Other diseases of the liver	29	1	1				3			2	4	1	6	3	3	5		
125	Diseases of the pancreas	5							1					1	2	1			
126	Peritonitis without specified cause	8				1		1						2	2	1		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	367	4			1		2	7	7	3	10	11	34	44	81	79	83	1
128	Acute nephritis (including unspecified under 10 years)	24	2			1		2	3	3		1		3	4	4	1		
129	Chronic nephritis (including unspecified 10 years and over)	277							3	3	2	5	8	21	29	67	66	72	1
131	Other diseases of the kidneys and annexa	11									1	1	1	3	1		2	2	
132	Calculi of the urinary passages	5												1	2		2		
133	Diseases of the bladder	3	1											1		1			
134	Diseases of the urethra, etc	1														1			
135	Diseases of the prostate	23													1	6	8	8	
136	Nonvenereal diseases of the male genital organs	2	1															1	
137	Cysts, other benign tumors of the ovary	4								1			2		1				
138	Salpingitis and pelvic abscess (female)	7										2		3	1	1			
139	Benign tumors of the uterus	7												2	4	1			
140	Nonpuerperal uterine hemorrhage	2							1						1				
141	Other diseases of the female genital organs	1										1							
	VIII.—The puerperal state	83								4	16	16	18	29					
143	Accidents of pregnancy	5										2	1	2					
144	Puerperal hemorrhage	9									1	1	3	4					
145	Other accidents of labor	8										1	2	5					
146	Puerperal septicemia	35								3	12	9	4	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	6										1	3	2					
148	Puerperal albuminuria and convulsions	19								1	3	2	4	9					
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	5													2	1	2		
151	Gangrene	3													1		2		
154	Other diseases of the skin and annexa	2													1	1			
	X.—Diseases of the bones and of the organs of locomotion	4				1				1				1			1		
155	Diseases of the bones (tuberculosis excepted)	4				1				1				1			1		
	XI.—Malformations	47	43	1	1				1	1									
159a	Congenital hydrocephalus	7	5		1				1										
159b	Congenital malformations of the heart	28	26	1						1									
159c	Other congenital malformations	12	12																
	XII.—Early infancy	319	319																
160	Congenital debility, icterus, sclerema	45	45																
161a	Premature birth	198	198																
161b	Injury at birth	49	49																
162	Other diseases peculiar to early infancy	26	26																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	53													2	1	8	42	
	XIV.—External causes	658	11	15	8	6	13	20	34	31	43	53	50	114	102	73	60	24	1
	Suicide	102								2	10	5	5	22	22	20	15	1	
165	By poisons (gas or corrosives excepted)	10											1	1	2	3	3		
166	By corrosive substances	15									3	1	1	4	3	2	1		
167	By poisonous gas	2												2					
168	By hanging or strangulation	8												2	1	4	1		
169	By drowning	2								1		1							
170	By firearms	58								1	7	3	3	10	14	11	8	1	
171	By cutting or piercing instruments	6												3	2		1		
173	By crushing	1															1		
	Homicide	51					1				3	8	8	12	10	6	2		1
197	By firearms	45									3	7	8	9	10	5	2		1
198	By cutting or piercing instruments	3												3					
199	By other means	3					1					1				1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	MONTANA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined	505	11	15	8	6	12	20	34	29	30	40	37	80	70	47	43	23	
175	Poisoning by food	5			1					2		2							
176	Poisoning by venomous animals	1					1												
177	Other acute poisonings (gas excepted)	14	1			1				1	2	4	1	2	2				
178	Conflagration	13					1	1			1	1	3	2	2	1	1		
179	Burns (conflagration excepted)	31	1	6	5	1		1	1	1	1	3		2	2	2	5		
180	Mechanical suffocation	4	3													1			
181	Absorption of irrespirable, irritating, or poisonous gas	4							1			2			1				
182	Drowning	44	1	5		1	1	6	6	8	4	3		5	3	1			
183	Traumatism by firearms (except in war)	28			1		1	3	3	5	2	2	2	3	3	2	1		
184	Traumatism by cutting or piercing instruments	7			1									1	2		3		
185	Traumatism by fall	63	1			1	2		5	3	3	2	5	4	8	10	7	12	
186a	Traumatism in mines	43								2	5	5	8	8	7	5	3		
187	Traumatism by machines	15					1	1	2		1	2	2	5			1		
188a	Railroad accidents	50	1			1	1	2	3	2	1	4	4	15	12	2		2	
	Collision with automobiles	14	1			1	1		3	1				4	3				
	Other railroad accidents	36						2		1	1	4	4	11	9	2		2	
188b	Street-car accidents	6												2	2		2		
	Collision with automobiles	4												2	2				
	Other street-car accidents	2															2		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	84		2		1	2	3	7	3	8	6	4	16	16	7	6	3	
188e,f	Injuries by other vehicles	25						2	3	1		1		4	3	3	6	2	
188g	Landslide, other crushing	5												1		2	1	1	
189	Injuries by animals (not poisoning)	7		1									1			1	4		
193	Excessive cold	8										2		2		2	1	1	
194	Excessive heat	2					1		1										
195	Lightning	11									1		4	1	3	2			
196	Other accidental electric shocks	5					1			1				1	1	1			
202	Other external violence	30	3	1				1	2		1	1	3	6	3	5	2	2	
	XV.—Ill-defined diseases	80	25	7	1	3	1		1		1	1		3	3	7	9	15	3
204	Sudden death	6	2													1	1	2	
205a	Ill-defined	21	1	3	1	1								2	3	2	4	4	
205b	Not specified or unknown	53	22	4		2	1		1		1	1		1		4	4	9	3
	NEBRASKA																		
	All causes	12,493	1,687	238	151	108	73	253	201	275	323	304	356	847	1,056	1,516	2,345	2,749	11
	I.—Epidemic, endemic, and infectious diseases	1,471	167	70	51	35	25	77	53	68	85	86	74	154	112	104	134	175	1
1	Typhoid and paratyphoid fever	38				2		2	3	3	5	8	3	7	3		2		
5	Malaria	4												1	1	1		1	
6	Smallpox	1													1				
8	Scarlet fever	33	1	3	3	3	3	9	3	2	1	1	2		1	1			
9	Whooping cough	80	50	16	6	5	2		1										
10	Diphtheria	80	3	3	8	7	8	29	10	6	3		1		1	1			
11a	Influenza (with pulmonary complications)	278	40	16	10	4	1	6	8	5	5	11	10	27	18	20	37	60	
11b	Influenza (other and unspecified)	274	36	12	11	5	4	7	8	7	7	5	8	10	14	22	45	73	
13	Mumps	3	1	1							1								
15	Cholera nostras	5	1		2								1					1	
16	Dysentery	34	3	3	4	2	2	1						3	1	2	5	8	
19	Spirochetal hemorrhagic jaundice	2				1								1					
21	Erysipelas	21	5	1										3	2	1	4	5	
22	Acute anterior poliomyelitis	40	2	6	2		2	9	5	6	4	4							
23	Lethargic encephalitis	19		2						1	2	1	2	1	6	3	1		
24	Meningococcus meningitis	13	2		2	1		2		1		2				1	2		
25	Other epidemic and endemic diseases	1				1													
28	Rabies	1																	
29	Tetanus	11					2	2		3	1	2		1					
30	Mycoses	5							1		1	1			1		1		
	Tuberculosis (all forms)	446	11	6	3	4		9	13	32	49	50	41	82	49	43	33	20	1
31	Of the respiratory system	377	6	2	2			5	12	26	43	46	38	68	43	38	28	19	1
32	Of the meninges, central nervous system	20	5	3		3		2		1	1			4		1			
33	Of the intestines, peritoneum	14			1	1			1	2	1	1	1	2	3	1			
34	Of the vertebral column	8								1	1	1			3		2		
36	Of other organs	7											1	2		1	3		
37a	Disseminated (acute)	16		1				2		1	2	2	1	5		1		1	
37b	Disseminated (chronic or unspecified)	4								1	1			1		1			
38	Syphilis	52	9							1	2		3	13	10	7	3	4	
40	Gonococcus infection	9								1	2		2	2	1	1			
41	Purulent infection, septicemia	21	3	1				1	1		2	1	1	3	3	1	1	3	
	II.—General diseases not included in Class I	1,799	33	7	4	3	[illegible]	17	16	15	28	27	31	135	263	416	509	295	
	Cancer and other malignant tumors	1,191		1		2		2	2	4	6	9	15	87	188	297	352	226	
43	Of the buccal cavity	46										2		2	10	9	14	9	
44	Of the stomach, liver	501		1									1	28	63	129	167	112	
45	Of the peritoneum, intestines, rectum	182							1	1	2		4	9	23	51	57	34	
46	Of the female genital organs	139								1			5	26	39	28	31	9	
47	Of the breast	84								1		2	1	7	23	24	18	8	
48	Of the skin	26												1	1	8	7	9	
49	Of other or unspecified organs	213				2		2	1	1	4	5	4	14	29	48	58	45	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	15									2	1		1	1	2	3	5	
51	Acute rheumatic fever	13						4	1	2				1	1		1	3	
52	Chronic rheumatism, osteoarthritis, gout	20									1	1			1	3	7	7	
54	Pellagra	2														1	1		
56	Rickets	4	3	1															
57	Diabetes mellitus	273	1	1				7	8	5	7	6	9	13	30	55	94	37	
58	Anemia, chlorosis	99	1							3	2	1	3	6	13	33	29	8	
59	Diseases of the pituitary gland	3									2			1					
60a	Exophthalmic goiter	40									2	4	1	3	9	11	9	1	
60b	Other diseases of the thyroid gland	10	1	1	1										4	2	1		
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	19	17	1					1										
63	Diseases of the adrenals (Addison's disease)	6										2		1		1	1	1	
64	Diseases of the spleen	3												1			2		
65a	Leukemia	29		1	1	1		2	2		3	1	1	3	8	3	1	2	
65b	Hodgkin's disease	12						2		1	2	1		3	1	1	1		
66	Alcoholism (acute or chronic)	25										1	1	11	5	3	4		
67a	Chronic lead poisoning	3														2	1		
67b	Other chronic mineral poisoning	1															1		
68	Chronic poisoning by organic substances	3											1	1	1				
69	Other general diseases	27	10	1	1				2		1			3	1	2	1	5	
	III.—Diseases of the nervous system and of the organs of special sense	1,474	28	6	3	7	3	10	10	15	9	13	22	85	135	242	396	489	1
70	Encephalitis	16	1	1	2			1				2	1	4		2	2		
71a	Simple meningitis	17	3	1		2	1		2		2			2	3			1	
71b	Nonepidemic cerebrospinal meningitis	8	1		1	1	1	2	1						1				
72	Tabes dorsalis (locomotor ataxia)	24									1		1	1	6	7	7	1	
73	Other diseases of the spinal cord	46	1			1				2		1		2	9	9	11	10	
74a	Cerebral hemorrhage	1,019	1			1		1		1	1	3	5	30	74	183	304	414	1
74b	Cerebral embolism and thrombosis	49							1				1	2	8	6	16	15	
75	Paralysis without specified cause	52								1					5	4	19	23	
76	General paralysis of the insane	58								1			6	21	11	9	8	2	
77	Other forms of mental alienation	25								2		1	2	5	4	8	3		
78	Epilepsy	34					1	1	2	5	1	5	2	6	3	6	1	1	
79	Convulsions (nonpuerperal; 5 years and over)	1								1									
80	Infantile convulsions (under 5 years)	21	18	2		1													
81	Chorea	1	1																
82	Neuralgia and neuritis	5													1		2	2	
83	Softening of the brain	5															3	2	
84	Other diseases of the nervous system	68	1	1		1		3	2		1		2	10	6	8	16	17	
85	Diseases of the eye and annexa	3						1					1		1				
86a	Diseases of the ear	12							1	2	2	1		1	2		2	1	
86b	Diseases of the mastoid process	10	1	1				1	1		1		1	1	1		2		
	IV.—Diseases of the circulatory system	1,955	14	1	2	3	1	19	11	29	13	17	25	78	157	306	590	688	1
87	Pericarditis	11								1			1		3		3	3	
88	Endocarditis and myocarditis (acute)	83	2	1		1		8		5	4	8	3	20	7	7	11	6	
89	Angina pectoris	145	1										1	4	17	35	60	27	
90	Other diseases of the heart	1,464	10		2	2		10	11	21	9	7	17	48	120	234	448	524	1
91a	Aneurysm	18												5	4	4	4	1	
91b,c	Other diseases of the arteries	189												1	3	19	47	119	
92	Embolism and thrombosis (not cerebral)	32					1			2		1	3		3	6	11	5	
93	Diseases of the veins	7														1	5	1	
94	Diseases of the lymphatic system	1										1							
95	Hemorrhage without specified cause	2	1					1											
96	Other diseases of the circulatory system	3															1	2	
	V.—Diseases of the respiratory system	1,014	227	42	19	14	8	24	20	19	11	17	23	56	55	71	143	265	
97a	Diseases of the nasal fossae	6	4							1				1					
97b	Diseases of the nasal fossae annexa	7				1			3	2		1							
98	Diseases of the larynx	13	4				1	3	1	2				1			1		
99a	Acute bronchitis	26	9	2		1								1		1	2	10	
99b	Chronic bronchitis	29	1												1	2	8	17	
99c,d	Bronchitis (unspecified)	15	6	1														8	
100a	Broncho-pneumonia	336	140	18	11	8	2	8	2	3	1	1	5	10	7	18	28	74	
100b	Capillary bronchitis	11	7	1		1											1	1	
101a	Lobar pneumonia	466	44	18	5	3	3	13	12	8	9	13	16	36	42	43	81	120	
101b	Pneumonia (unspecified)	33	8	2	1		1		1	1		2	1	1	1		6	8	
102	Pleurisy	22	2		1		1		1	1			1	3	2	4	2	4	
103	Congestion and hemorrhagic infarct of the lung	21	2														3	16	
104	Gangrene of the lung	5												1	1	1	1	1	
105	Asthma	18			1									1	1	1	9	5	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	5								1	1			1			1	1	
	VI.—Diseases of the digestive system	1,260	209	71	47	33	21	47	38	51	45	33	43	104	106	136	140	136	
108	Diseases of the mouth and annexa	12		2	1					1	1		1	1		2	2	1	
109b	Other diseases of the pharynx, tonsils	59	5	2	2	3	2	6	7	7	4	4	1	7	3	2	1	3	
110	Diseases of the esophagus	2															2		
111a	Ulcer of the stomach	44						1		2	1	3	4	8	8	4	9	4	
111b	Ulcer of the duodenum	29	1								1		3	8	3	9	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
112	Other diseases of the stomach (cancer excepted)	51	7		1	4			1		1		1	1	2	7	8	18	
113	Diarrhea and enteritis (under 2 years)	232	174	58															
114	Diarrhea and enteritis (2 years and over)	133			37	20	13	4	2	1	2		1	6	7	6	13	21	
117	Appendicitis and typhlitis	270		5	5	5	4	27	26	27	28	18	24	32	21	26	15	7	
118a	Hernia	56	2					1			1		2	3	8	15	11	13	
118b	Intestinal obstruction	86	19	2	1	1	1	4	1	5	4	2	1	5	9	7	9	15	
119	Other diseases of the intestines	19								1			1	2	1	4	2	8	
120	Acute yellow atrophy of the liver	7										1		2	1		1	1	
122	Cirrhosis of the liver	77						1		1		1		4	7	15	30	18	
123	Biliary calculi	80									1	1		12	18	17	21	10	
124	Other diseases of the liver	74		1				1		1		2	3	10	15	15	11	15	
125	Diseases of the pancreas	7							1					1		3	2		
126	Peritonitis without specified cause	22	1	1			1	2		5		1	1	2	3	4		1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,062	4	1	1		2	8	10	4	18	17	23	66	103	153	289	361	2
128	Acute nephritis (including unspecified under 10 years)	56	2	1				6	3	1	2	2	4	4	6	7	9	9	
129	Chronic nephritis (including unspecified 10 years and over)	794					1	1	6	3	10	9	6	32	78	128	227	292	1
131	Other diseases of the kidneys and annexa	33	1				1	1			1		3	3	4	2	8	9	
132	Calculi of the urinary passage	10									1	1	1		1	3	1	2	
133	Diseases of the bladder	21	1												1		4	15	
134	Diseases of the urethra, etc	4							1						2	1			
135	Diseases of the prostate	75													1	8	36	30	
136	Nonvenereal diseases of the male genital organs	1			1														
137	Cysts, other benign tumors of the ovary	11									1	1	3	2	1		1	2	
138	Salpingitis and pelvic abscess (female)	22									3	1	5	7	4		1	1	
139	Benign tumors of the uterus	29										2	1	16	5	2	1	1	1
140	Nonpuerperal uterine hemorrhage	1										1							
141	Other diseases of the female genital organs	5												2		2	1		
	VIII.—The puerperal state	167								16	43	25	48	33	2				
143	Accidents of pregnancy	18									4	5	7	2					
144	Puerperal hemorrhage	16									5		4	6	1				
145	Other accidents of labor	17								1	3	1	6	5	1				
146	Puerperal septicemia	65								6	22	10	18	9					
147	Puerperal phlegmasia alba dolens, embolus, etc	9								1	3	2	2	1					
148	Puerperal albuminuria and convulsions	41								8	6	7	11	9					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	41	5							1	1	1		5	1	4	9	14	
151	Gangrene	19												1	1	1	6	10	
152	Furuncle	5								1	1	1		2					
153	Acute abscess	4	1													1	1	1	
154	Other diseases of the skin and annexa	13	4											2		2	2	3	
	X.—Diseases of the bones and of the organs of locomotion	17					1	3	4	2				1	4	1		1	
155	Diseases of the bones (tuberculosis excepted)	14					1	3	4	2				1	2	1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													2				
158	Other diseases of the organs of locomotion	1																1	
	XI.—Malformations	204	194	4	2			1	1	2									
159a	Congenital hydrocephalus	16	13	2						1									
159b	Congenital malformations of the heart	115	110	1	2			1	1										
159c	Other congenital malformations	73	71	1						1									
	XII.—Early infancy	751	751																
160	Congenital debility, icterus, sclerema	86	86																
161a	Premature birth	493	493																
161b	Injury at birth	121	121																
162	Other diseases peculiar to early infancy	50	50																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	210															10	199	1
	XIV.—External causes	978	29	33	21	13	12	45	38	53	70	66	65	128	112	76	101	113	3
	Suicide	169							1	5	10	13	16	38	39	19	16	11	1
165	By poisons (gas or corrosives excepted)	8											3	3	1	1			
166	By corrosive substances	9								1		1	1		3	1	1	1	
167	By poisonous gas	18								2	2	1		4	4	1	4		
168	By hanging or strangulation	34							1		3	3	3	9	8	3	1	3	
169	By drowning	9												2	4	2		1	
170	By firearms	76								2	5	8	9	16	16	7	7	5	1
171	By cutting or piercing instruments	7												3	1	2		1	
172	By jumping from high places	1													1				
173	By crushing	2														2			
174	By other means	5												1	1		3		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEBRASKA—Continued																		
	XIV.—External causes—Contd.																		
	Homicide	54						1			5	8	7	13	11	5	3		1
197	By firearms	41						1			5	6	6	11	6	4	1		1
198	By cutting or piercing instruments	5										1	1	2	1				
199	By other means	8										1			4	1	2		
	Accidental or undefined	755	29	33	21	13	12	44	37	48	55	45	42	77	62	52	82	102	1
175	Poisoning by food	12	1	1	3		1	1			1	1			1	1	1		
176	Poisoning by venomous animals	3						1				1					1		
177	Other acute poisonings (gas excepted)	18	3	5	3	1					1	1		2	1		1		
178	Conflagration	13		1		2	1		2	1			1	2		1	2		
179	Burns (conflagration excepted)	66	1	8	4	2	3	6	1	1	3	3	4	10	7	4	4	5	
180	Mechanical suffocation	17	15											1			1		
181	Absorption of irrespirable, irritating, or poisonous gas	25						1	1		2	1		5	4	5	3	2	1
182	Drowning	42	1	9	4		1	3	7	7	3	2	2			1	2		
183	Traumatism by firearms (except in war)	28				2			5	5	6	3	5	1	1				
184	Traumatism by cutting or piercing instruments	12			1			2			3	1		1			2	2	
185	Traumatism by fall	153		2	1			3	4	5	5	3	3	5	11	12	24	75	
187	Traumatism by machines	16		1					2	2	2	4			1	2	2		
188a	Railroad accidents	79	1	1	1		1	3	3	7	8	10	6	14	9	6	9		
	Collision with automobiles	39	1				1	2	2	2	2	5	4	4	7	5	4		
	Other railroad accidents	40		1	1			1	1	5	6	5	2	10	2	1	5		
188b	Street-car accidents	2														2			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	125	1	3		3	3	15	7	9	15	10	8	14	9	10	15	3	
188d	Airplane and balloon accidents	6								2		1	1	1	1				
188e,f	Injuries by other vehicles	29				1	1	6	1	3	1		2	2	4	1	4	3	
188g	Landslide, other crushing	7			1			1					2	1		1	1		
189	Injuries by animals (not poisoning)	11							2		2	2	1	2			2		
192	Starvation (deprivation of food or water)	1	1																
193	Excessive cold	7									1			2	1	1	1	1	
194	Excessive heat	22	2			1				1		1		1	3	3	3	7	
195	Lightning	3									1		1				1		
196	Other accidental electric shocks	4			1					1				1		1			
201	Fracture (cause not specified)	5											1	1			1	2	
202	Other external violence	49	3	2	2	1	1	2	2	4	1	1	5	11	9	1	2	2	
	XV.—Ill-defined diseases	90	26	3	1			2				2	2	2	6	7	24	13	2
204	Sudden death	9											1		1	1	2	4	
205a	Ill-defined	37	3	3				1				1		1	3	3	17	5	
205b	Not specified or unknown	44	23		1			1				1	1	1	2	3	5	4	2
	NEW HAMPSHIRE																		
	All causes	6,563	717	87	52	31	36	94	69	81	113	138	135	313	591	945	1,369	1,751	41
	I.—Epidemic, endemic, and infectious diseases	672	62	26	16	13	18	30	12	21	37	45	38	64	72	77	53	87	1
1	Typhoid and paratyphoid fever	15						2		1	2	1	1	3	3	2			
7	Measles	9	2	2	1	1		1						2					
8	Scarlet fever	15				2	5	4	1		1	1			1				
9	Whooping cough	28	14	9	2	2	1												
10	Diphtheria	30	1	1	4	3	7	9	3	1							1		
11a	Influenza (with pulmonary complications)	120	12	7	1			2	1	1		1	2	7	15	14	24	33	
11b	Influenza (other and unspecified)	107	9	3	2	1	3	1	2	3	3	4	5	4	4	14	8	41	
15	Cholera nostras	1																1	
16	Dysentery	1																1	
21	Erysipelas	12	2					1				1		2		3	1	2	
22	Acute anterior poliomyelitis	5	1				1	1		2									
23	Lethargic encephalitis	2								1			1						
24	Meningococcus meningitis	6	2					2						1		1			
25	Other epidemic and endemic diseases	3	1		1	1													
29	Tetanus	2			1				1										
	Tuberculosis (all forms)	297	13	4	4	3	1	7	4	12	30	37	27	44	46	40	15	9	1
31	Of the respiratory system	237	4	1	1			3	1	9	29	34	22	40	39	32	14	7	1
32	Of the meninges, central nervous system	22	6	2	2	1	1	1	2			2	1	1	3				
33	Of the intestines, peritoneum	16			1	1				1			4	1	2	5	1		
34	Of the vertebral column	3							1	1								1	
35	Of the joints	2														1		1	
36	Of other organs	5								1				2	1	1			
37a	Disseminated (acute)	9	2			1		3			1	1			1				
37b	Disseminated (chronic or unspecified)	3	1	1												1			
38	Syphilis	8	4								1			1	1	1			
41	Purulent infection, septicemia	11	1										2		2	2	4		
	II.—General diseases not included in Class I	916	22	5	4	1	2	4	4	7	3	8	18	55	122	232	268	157	4
	Cancer and other malignant tumors	669		1	1	1		2	1	3	1	3	13	37	86	179	213	126	2
43	Of the buccal cavity	16													2	3	7	4	
44	Of the stomach, liver	215								1			4	10	22	58	73	45	2
45	Of the peritoneum, intestines, rectum	130			1					1	1		2	5	11	37	52	20	
46	Of the female genital organs	120								1			5	13	31	29	28	13	
47	Of the breast	53										1		1	8	15	17	11	
48	Of the skin	16						1							2	2	4	7	
49	Of other or unspecified organs	119		1	1			1	1			2	2	8	10	35	32	26	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	II.—General diseases not included in Class I—Continued.																		
51	Acute rheumatic fever	17	2				1	1						5	2	3	1	2	
52	Chronic rheumatism, osteoarthritis, gout	14								1			1		2	2	4	4	
53	Scurvy	2		1								1							
56	Rickets	4	1	2			1												
57	Diabetes mellitus	97							2	2	1	1		4	13	30	30	14	
58	Anemia, chlorosis	51	1		1			1		1		2	2	2	5	14	13	9	
59	Diseases of the pituitary gland	1											1						
60a	Exophthalmic goiter	4												1	1		2		
60b	Other diseases of the thyroid gland	2			1									1					
62	Diseases of the thymus gland	4	4																
63	Diseases of the adrenals (Addison's disease)	1															1		
65a	Leukemia	5			1								1		1	1	1		
65b	Hodgkin's disease	6												2	2	1		1	
66	Alcoholism (acute or chronic)	19										1		3	8	2	3		2
67a	Chronic lead poisoning	1													1				
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	18	14	1					1		1							1	
	III.—Diseases of the nervous system and of the organs of special sense	936	24	6	3	1	2	4	7	7	6	8	6	28	79	143	281	325	6
70	Encephalitis	7	3												1	2	1		
71a	Simple meningitis	19	7	2	2		2	1	1	2			1	1					
71b	No epidemic cerebrospinal meningitis	6	3						1	1					1				
72	Tabes dorsalis (locomotor ataxia)	11												2	1	5	3		
73	Other diseases of the spinal cord	18											1	1	3	2	10	1	
74a	Cerebral hemorrhage	695	1							3		1	1	10	50	109	231	283	6
74b	Cerebral embolism and thrombosis	49						1			1			1	1	11	17	17	
75	Paralysis without specified cause	15		1								1				2	4	7	
76	General paralysis of the insane	19										2		3	8	3	1	2	
77	Other forms of mental alienation	18												3	5	3	6	1	
78	Epilepsy	18								1	4	1	2	4	4	1	1		
79	Convulsions (nonpuerperal; 5 years and over)	1						1											
80	Infantile convulsions (under 5 years)	6	5		1														
82	Neuralgia and neuritis	1																1	
83	Softening of the brain	3																3	
84	Other diseases of the nervous system	27	1	1								1	1	1	4	4	6	8	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	8	2						2		1			1	1		1		
86b	Diseases of the mastoid process	14	2	2		1		1	3			2		1		1		1	
	IV.—Diseases of the circulatory system	1,406	5	1		1	1	4	8	7	6	13	13	33	111	218	380	593	12
87	Pericarditis	11							2				1		1	2	2	3	
88	Endocarditis and myocarditis (acute)	36		1		1	1	1	1	3	2	2	1	5	6	2	5	5	
89	Angina pectoris	181										2		5	28	48	54	41	3
90	Other diseases of the heart	910	3					3	5	4	4	8	11	21	70	146	259	368	8
91b,c	Other diseases of the arteries	240													1	13	52	173	1
92	Embolism and thrombosis (not cerebral)	21	1									1		1	3	7	7	1	
93	Diseases of the veins	5												1	2		1	1	
94	Diseases of the lymphatic system	1	1																
96	Other diseases of the circulatory system	1																1	
	V.—Diseases of the respiratory system	577	82	31	8	4	1	7	2	11	6	7	15	17	47	65	104	164	6
97b	Diseases of the nasal fossae annexa	2								1		1							
98	Diseases of the larynx	3		1											1	1			
99a	Acute bronchitis	28	5	1	1			1							1		5	14	
99b	Chronic bronchitis	28													4	3	7	14	
99c,d	Bronchitis (unspecified)	15	4													2	1	8	
100a	Broncho-pneumonia	198	54	20	3	2	1	2		2	1	1	2	2	6	11	35	53	3
100b	Capillary bronchitis	4	2															2	
101a	Lobar pneumonia	236	12	6	3	2		4	2	8	3	4	11	11	28	39	46	55	2
101b	Pneumonia (unspecified)	24	4	2							1			2	1	1	4	8	1
102	Pleurisy	12	1	1							1	1			2	4	2		
103	Congestion and hemorrhagic infarct of the lung	12															3	9	
104	Gangrene of the lung	2															1	1	
105	Asthma	4											1		1	2			
107	Other diseases of the respiratory system (tuberculosis excepted)	9			1								1	2	3	1		1	
	VI.—Diseases of the digestive system	417	105	8	12	2	4	11	12	5	9	10	7	32	39	43	62	53	3
108	Diseases of the mouth and annexa	5													2		1	2	
109b	Other diseases of the pharynx, tonsils	19	2		2			5	2	1		2		1	1		1	2	
111a	Ulcer of the stomach	30	1								1	1		3	8	7	6	3	
111b	Ulcer of the duodenum	10									1	1			2	3	2	1	
112	Other diseases of the stomach (cancer excepted)	40	13		1				2					3	3	5	6	7	
113	Diarrhea and enteritis (under 2 years)	93	87	6															
114	Diarrhea and enteritis (2 years and over)	28			5	2	1							3	1	1	5	10	
116	Diseases due to other intestinal parasites	1			1														
117	Appendicitis and typhlitis	59			1		1	6	6	4	6	3	1	11	5	8	4	2	
118a	Hernia	19									1		1		1	2	8	5	
118b	Intestinal obstruction	31	1	2	1		2					1	1	2		7	11	3	
119	Other diseases of the intestines	4												1	1	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	6										1	2	1		1	1		
122	Cirrhosis of the liver	30												5	5	3	6	11	
123	Biliary calculi	13										1		1	3	1	4	3	
124	Other diseases of the liver	17											1		5	2	4	4	1
125	Diseases of the pancreas	1												1					
126	Peritonitis without specified cause	11	1		1				2				1		2	2	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	538	4					1	2		2	9	11	29	63	97	162	158	
128	Acute nephritis (including unspecified under 10 years)	16	3					1	1			1		3	1	2	1	3	
129	Chronic nephritis (including unspecified 10 years and over)	448							1		2	4	7	19	52	86	145	132	
131	Other diseases of the kidneys and annexa	8											1		3	3	1		
132	Calculi of the urinary passages	2															1	1	
133	Diseases of the bladder	5	1														1	3	
134	Diseases of the urethra, etc	2														1	1		
135	Diseases of the prostate	28														2	10	16	
137	Cysts, other benign tumors of the ovary	7										1	1	2	2			1	
138	Salpingitis and pelvic abscess (female)	1											1						
139	Benign tumors of the uterus	10										1	1	2	2	2	1	1	
141	Other diseases of the female genital organs	11										2		3	3	1	1	1	
	VIII.—The puerperal state	67							1	2	16	19	9	18	2				
143	Accidents of pregnancy	7									1	2		4					
144	Puerperal hemorrhage	4										1	2	1					
145	Other accidents of labor	8								1	1	1	1	4					
146	Puerperal septicemia	26									8	7	4	5	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	3									2			1					
148	Puerperal albuminuria and convulsions	19							1	1	4	8	2	3					
	IX.—Diseases of the skin and of the cellular tissue	30	3	1										1	2	6	6	11	
151	Gangrene	16														2	4	10	
152	Furuncle	3												1	1	1			
153	Acute abscess	4													1	2	1		
154	Other diseases of the skin and annexa	7	3	1												1	1	1	
	X.—Diseases of the bones and of the organs of locomotion	3						3											
155	Diseases of the bones (tuberculosis excepted)	3						3											
	XI.—Malformations	80	71	2	1	1		1		1	1	1			1				
159a	Congenital hydrocephalus	12	8	2				1		1									
159b	Congenital malformations of the heart	42	37		1	1					1	1			1				
159c	Other congenital malformations	26	26																
	XII.—Early infancy	325	325																
160	Congenital debility, icterus, sclerema	54	54																
161a	Premature birth	194	194																
161b	Injury at birth	53	53																
162	Other diseases peculiar to early infancy	24	24																
164	XIII.—Old age (senility)	116														2	10	101	3
	XIV.—External causes	442	8	7	8	8	8	29	21	20	27	18	18	34	47	52	34	97	6
	Suicide	56								1	8	2	2	5	9	10	10	7	2
165	By poisons (gas or corrosives excepted)	3										1					1	1	
166	By corrosive substances	1													1				
167	By poisonous gas	4										1		2		1			
168	By hanging or strangulation	19									2		2	2	2	4	4	3	
169	By drowning	9									1				4	2	1		1
170	By firearms	17								1	4			1	1	3	3	3	1
171	By cutting or piercing instruments	3									1				1	1			
	Homicide	6									1			2		1		2	
197	By firearms	2												1				1	
198	By cutting or piercing instruments	2									1			1					
199	By other means	2														1		1	
	Accidental or undefined	380	8	7	8	8	8	29	21	19	18	16	16	27	38	41	24	88	4
175	Poisoning by food	2			1						1								
177	Other acute poisonings (gas excepted)	7		2		2									1	2			
178	Conflagration	7	1	1	1		1									2		1	
179	Burns (conflagration excepted)	27		1	3	3	2	4	2		1		2	1	1			7	
180	Mechanical suffocation	3	3																
181	Absorption of irrespirable, irritating, or poisonous gas	9						2					1	1	1	1	1	2	
182	Drowning	40		2	3		1	5	7	6	6	2		1	3	3		1	
183	Traumatism by firearms (except in war)	12							2	2	1	1	2		2	1	1		
184	Traumatism by cutting or piercing instruments	5		1						1					1	2			
185	Traumatism by fall	84	1			1			1		1	1		2	4	4	7	61	1
186b	Traumatism in quarries	2								1				1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW HAMPSHIRE—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
187	Traumatism by machines	8						1		2	1			1	2		1		
188a	Railroad accidents	28						1		1	1	3	2	4	6	6	3	1	
	Collision with automobiles	5										1		1	1		2		
	Other railroad accidents	23						1		1	1	2	2	3	5	6	1	1	
188b	Street-car accidents	2													1			1	
	Collision with automobiles	1																1	
	Other street-car accidents	1													1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	87		1	1	4	13	7	4	4	4	7	8	10	13	4	7		
188e,f	Injuries by other vehicles	9	1				2								1	1	1	2	1
188g	Landslide, other crushing	1										1							
189	Injuries by animals (not poisoning)	2												1			1		
193	Excessive cold	1															1		
194	Excessive heat	6														2		4	
196	Other accidental electric shocks	5					1					2		2					
202	Other external violence	33	2					2	2	2	2	2	2	5	5	4	4	1	2
	XV.—Ill-defined diseases	38	6											2	6	10	9	5	
204	Sudden death	23												1	4	7	8	3	
205a	Ill-defined	7	2											1	1	1	1	1	
205b	Not specified or unknown	8	4												1	2		1	
	NEW JERSEY																		
	All causes	42,192	5,112	890	427	325	248	867	664	896	1,135	1,260	1,449	3,852	5,236	6,475	6,988	6,364	4
	I.—Epidemic, endemic, and infectious diseases	4,987	463	243	143	121	75	227	138	284	429	413	379	701	614	401	230	126	
1	Typhoid and paratyphoid fever	114		1	2			7	10	14	14	15	10	17	14	8	2		
5	Malaria	4										1			1	1	1		
6	Smallpox	48	5	2	3	4	1	1		1	5	6	3	10	6		1		
7	Measles	124	35	46	15	12	3	7	3	1		2							
8	Scarlet fever	67	2	3	9	9	8	13	5	4	6	3	2	2	1				
9	Whooping cough	264	150	56	36	8	8	6											
10	Diphtheria	337	23	48	35	52	30	115	20	4		1	4	2	1	2			
11a	Influenza (with pulmonary complications)	321	47	18	3	3	2	5	2	7	10	7	12	29	45	45	46	40	
11b	Influenza (other and unspecified)	161	14	8	3		4	8	7	3	4	6	10	15	14	16	19	30	
13	Mumps	5					1	2	1					1					
15	Cholera nostras	2		1														1	
16	Dysentery	29	14	3		1									4	3	1	3	
19	Spirochetal hemorrhagic jaundice	5	3				1			1									
21	Erysipelas	107	34	3	1	1				3	2	1	4	8	13	16	10	11	
22	Acute anterior poliomyelitis	33	3	3	3	2	1	8	8		3	1		1					
23	Lethargic encephalitis	78		2	1	1	1	3	3	10	7	4	8	11	13	8	5	1	
24	Meningococcus meningitis	48	18	6	2	4	1	6	4	2		1		3	1				
25	Other epidemic and endemic diseases	6	4	1		1													
27	Anthrax	1													1				
28	Rabies	3				1		2											
29	Tetanus	42	3		1	1		5	7	4	5	3		7	3	3			
30	Mycoses	3	1													1	1		
	Tuberculosis (all forms)	2,891	42	37	28	19	14	35	64	224	361	339	305	547	444	268	129	35	
31	Of the respiratory system	2,558	7	6	6	3	4	9	41	204	341	316	281	519	425	243	122	31	
32	Of the meninges, central nervous system	142	28	26	12	12	4	16	6	5	5	9	6	7	1	4	1		
33	Of the intestines, peritoneum	71	1	3	2	2	4	4	7	8	2	6	10	10	9	2	1		
34	Of the vertebral column	31	2		1	1	2	5	1	3	3	3	1	2	4	2	1		
35	Of the joints	17			1	1	1	3	4	1		2		3	2				
36	Of other organs	27	2	1		1		1	2		1	3	3	4		6	2	1	
37a	Disseminated (acute)	39	3	3	7		2	2	2	3	2	3	3	6	3				
37b	Disseminated (chronic or unspecified)	6							1			3	1					1	
38	Syphilis	220	51	5		1		4	1	4	7	10	11	43	46	27	10		
40	Gonococcus infection	36	1							1	3	10	10	4	4		2	1	
41	Purulent infection, septicemia	38	13		1	1			3	1	2	3		1	3	3	3	4	
	II.—General diseases not included in Class I	5,371	94	25	8	13	8	44	39	43	41	73	124	525	1,022	1,392	1,259	661	
	Cancer and other malignant tumors	3,698	4	5		3	1	4	2	7	10	33	62	341	729	1,018	953	526	
43	Of the buccal cavity	115											3	6	28	33	30	15	
44	Of the stomach, liver	1,321				1					1	5	15	83	226	398	391	201	
45	Of the peritoneum, intestines, rectum	607	1			1	1	2		2	1	4	10	48	105	172	165	95	
46	Of the female genital organs	546							1		4	9	16	87	151	131	108	39	
47	Of the breast	346							1			1	8	50	98	89	66	33	
48	Of the skin	87									1			3	13	14	14	42	
49	Of other or unspecified organs	676	3	5		1		2		5	3	14	10	64	108	181	179	101	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	21	1					2		1	1	1	1		3	4	3	4	
51	Acute rheumatic fever	142	1	1	2	3	4	22	27	13	7	5	10	16	10	10	8	3	
52	Chronic rheumatism, osteoarthritis, gout	38										1		1	5	6	10	15	
54	Pellagra	5											1	1	3				
56	Rickets	8	5	3															
57	Diabetes mellitus	762	1	4	1	1	1	4	5	8	3	10	11	38	121	243	218	93	
58	Anemia, chlorosis	195	6	1	1	1			1	1	2	4	9	19	43	54	39	14	
59	Diseases of the pituitary gland	2												2					
60a	Exophthalmic goiter	73								4	5	5	5	15	20	11	8		
60b	Other diseases of the thyroid gland	13	1	1				1				1		3	1	2	2	1	
61	Diseases of the parathyroid glands	4	3	1															
62	Diseases of the thymus gland	31	26	3		1		1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	II.—General diseases not included in Class I—Continued.																		
63	Diseases of the adrenals (Addison's disease)	13									1	1	1	4	4	1	1		
65a	Leukemia	61	1	2	2	1		6		7	1	3	5	7	14	9	2	1	
65b	Hodgkin's disease	35		2				3	3	2	3		1	5	8	6	2		
66	Alcoholism (acute or chronic)	165									2	3	15	61	55	18	9	2	
67a	Chronic lead poisoning	16									1	1		5	3	4	1	1	
67b	Other chronic mineral poisoning	8									1		1	2	1	3			
68	Chronic poisoning by organic substances	5										1	1	1	1		1		
69	Other general diseases	76	45	2	2	3	2	1	1		4	4	1	4	1	3	2	1	
	III.—Diseases of the nervous system and of the organs of special sense	4,390	109	31	21	11	10	48	34	34	29	38	78	277	534	887	1,153	1,096	
70	Encephalitis	50	4	2	1	2	1	6	2	6	2		5	7	5	3	3	1	
71a	Simple meningitis	99	21	8	7	3	1	16	7	4	3	4	8	4	7	2	1	3	
71b	Nonepidemic cerebrospinal meningitis	29	5	4	5	1	2	3		2	1		1	2	1	1		1	
72	Tabes dorsalis (locomotor ataxia)	38										1		5	12	12	5	3	
73	Other diseases of the spinal cord	108	1					2	2	6		1	4	6	18	27	25	16	
74a	Cerebral hemorrhage	3,198	12	2		1	1	1	3	3	4	8	18	121	350	712	996	966	
74b	Cerebral embolism and thrombosis	140	2	1			2					1	2	9	22	36	36	29	
75	Paralysis without specified cause	116	1					1	2				1	7	7	28	29	40	
76	General paralysis of the insane	199										3	12	63	60	37	16	8	
77	Other forms of mental alienation	31								1	1	3	4	5	8	5	2	2	
78	Epilepsy	73	1	1	1	1		1	1	1	5	8	14	16	11	4	6	2	
79	Convulsions (nonpuerperal; 5 years and over)	1								1									
80	Infantile convulsions (under 5 years)	44	36	6	2														
81	Chorea	3	2								1								
82	Neuralgia and neuritis	6			1							1			1		1	2	
83	Softening of the brain	12												1			4	7	
84	Other diseases of the nervous system	127	5	1	2	1	1	2	2	4	4	5	5	18	21	17	23	16	
85	Diseases of the eye and annexa	2	1									1							
86a	Diseases of the ear	60	11	6	1	2	1	8	9	4	2	1	3	4	6		2		
86b	Diseases of the mastoid process	54	7		1		1	8	6	2	6	1	1	9	5	3	4		
	IV.—Diseases of the circulatory system	8,615	61	14	8	10	13	85	132	108	93	116	165	572	1,073	1,630	2,197	2,337	1
87	Pericarditis	21	1	1			1		2			1	1		2	2	6	4	
88	Endocarditis and myocarditis (acute)	431	28	6	5	6	3	27	27	27	24	26	40	80	31	33	33	35	
89	Angina pectoris	521	1									2	4	30	98	131	160	94	1
90	Other diseases of the heart	6,907	24	7	2	3	9	56	103	81	68	83	113	440	897	1,368	1,812	1,841	
91a	Aneurysm	54									1	1	2	8	13	12	11	6	
91b,c	Other diseases of the arteries	578												4	18	57	153	346	
92	Embolism and thrombosis (not cerebral)	71	5		1	1		1				2	2	5	9	18	18	9	
93	Diseases of the veins	28										1	3	4	5	9	4	2	
94	Diseases of the lymphatic system	2	1					1											
95	Hemorrhage without specified cause	2	1											1					
	V.—Diseases of the respiratory system	4,302	820	324	113	58	34	97	68	80	91	109	168	450	471	464	452	503	
97a	Diseases of the nasal fossae	4	1						1				1					1	
97b	Diseases of the nasal fossae annexa	12		1				1	1		1	1		4	3				
98	Diseases of the larynx	13	7		3	1		1									1		
99a	Acute bronchitis	119	53	8		1								6	2	10	15	24	
99b	Chronic bronchitis	95	2	2				1			1	1		3	7	12	25	41	
99c,d	Bronchitis (unspecified)	47	16	4	4		1	1						2	1	2	2	14	
100a	Broncho-pneumonia	1,305	475	181	51	28	9	27	10	15	15	11	24	42	59	85	93	180	
100b	Capillary bronchitis	49	26	6	3	1										2	2	9	
101a	Lobar pneumonia	2,320	203	107	47	21	18	60	53	60	63	81	131	348	353	319	275	181	
101b	Pneumonia (unspecified)	93	21	2	2	4	3	3	2		5	3	4	12	7	4	8	13	
102	Pleurisy	112	8	11	3	1	3	3	1	3	5	7	5	17	21	10	9	5	
103	Congestion and hemorrhagic infarct of the lung	48	6	1		1								1	2	1	8	28	
104	Gangrene of the lung	8								1		1		2	2	2			
105	Asthma	44		1								3	1	8	6	11	10	4	
106	Pulmonary emphysema	7	1											1	1	2	1	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	26	1							1	1	1	2	4	7	4	3	2	
	VI.—Diseases of the digestive system	3,293	960	178	64	36	27	90	67	80	79	98	101	312	375	369	271	186	
108	Diseases of the mouth and annexa	22						1		1		1	1	6	4	4		4	
109b	Other diseases of the pharynx, tonsils	120	10	3	6	3	6	24	9	6	10	7		10	12	8	2	4	
110	Diseases of the esophagus	4										1				1	1	1	
111a	Ulcer of the stomach	165								2	8	3	8	39	42	33	24	6	
111b	Ulcer of the duodenum	76									2	5	5	18	21	12	10	3	
112	Other diseases of the stomach (cancer excepted)	127	31	2	2	1	3		1	2	3	2	2	14	17	18	15	14	
113	Diarrhea and enteritis (under 2 years)	1,002	842	160															
114	Diarrhea and enteritis (2 years and over)	230			38	22	8	16	2	7	4	6	9	18	20	20	21	39	
116	Diseases due to other intestinal parasites	3										1	1	1					
117	Appendicitis and typhlitis	522	4	4	11	7	9	38	49	51	41	38	38	78	75	49	22	8	
118a	Hernia	129	3					1		1	1	3		11	26	35	32	16	
118b	Intestinal obstruction	203	48	8	3	1		6	4	2	1	14	10	31	14	24	18	19	
119	Other diseases of the intestines	55	19		1								4	11	6	5	7	2	
120	Acute yellow atrophy of the liver	9	1					1		1	1	1				1	2	1	
122	Cirrhosis of the liver	319			1				1	2		1	4	33	72	89	71	45	
123	Biliary calculi	143								1	2	3	7	16	41	39	23	11	
124	Other diseases of the liver	101	1		1	1		1	1	2	2	4	8	15	15	20	19	11	
125	Diseases of the pancreas	32								1	3	1	2	6	9	7	2	1	
126	Peritonitis without specified cause	31	1	1	1	1	1	2		1	1	7	2	5	1	4	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	4,246	36	7	9	7	4	23	22	40	59	79	86	356	589	902	1,063	964	
128	Acute nephritis (including unspecified under 10 years)	226	21	6	5	3	1	8	6	10	9	11	13	32	34	34	19	14	
129	Chronic nephritis (including unspecified 10 years and over)	3,584	2		2	4	2	11	16	23	35	53	58	247	481	809	955	886	
131	Other diseases of the kidneys and annexa	63	7	1	1		1	4		5	3	2	2	10	7	8	9	3	
132	Calculi of the urinary passages	31								1		1		8	4	6	8	3	
133	Diseases of the bladder	28	1											3	5	3	6	10	
134	Diseases of the urethra, etc	13												1	4	6	2		
135	Diseases of the prostate	127									1				5	22	55	44	
136	Nonvenereal diseases of the male genital organs	11	5		1						1			1			3		
137	Cysts, other benign tumors of the ovary	15									1	1		3	6	1	2	1	
138	Salpingitis and pelvic abscess (female)	44								1	6	6	8	13	9	1			
139	Benign tumors of the uterus	74										1	3	31	25	9	4	1	
141	Other diseases of the female genital organs	30									3	4	2	7	9	3		2	
	VIII.—The puerperal state	477								41	93	124	103	112	4				
143	Accidents of pregnancy	47								3	9	6	12	16	1				
144	Puerperal hemorrhage	43									5	8	19	10	1				
145	Other accidents of labor	54								4	11	11	13	14	1				
146	Puerperal septicemia	192								16	43	59	35	39					
147	Puerperal phlegmasia alba dolens, embolus, etc	26								1	3	8	7	7					
148	Puerperal albuminuria and convulsions	113								17	22	32	15	26	1				
149	Following childbirth (undefined)	1											1						
150	Puerperal diseases of the breast	1											1						
	IX.—Diseases of the skin and of the cellular tissue	131	29					3	3	3	2	2	6	9	12	17	16	29	
151	Gangrene	41	3					1	1					1	2	2	10	21	
152	Furuncle	27	4							2		1	4	3	2	6	2	3	
153	Acute abscess	41	11					2	2	1	2	1	2	3	6	5	2	4	
154	Other diseases of the skin and annexa	22	11											2	2	4	2	1	
	X.—Diseases of the bones and of the organs of locomotion	55	3		2	4		8	9	2	3		5	5	3	5	4	2	
155	Diseases of the bones (tuberculosis excepted)	43	3		2	4		8	7	2	2		4	4	2	3	1	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	9							2		1			1	1	2	2		
158	Other diseases of the organs of locomotion	3											1				1	1	
	XI.—Malformations	508	476	10	6	4	1	5	4	1					1				
159a	Congenital hydrocephalus	38	30	3	3	1		1											
159b	Congenital malformations of the heart	303	286	4	1	3	1	3	4	1									
159c	Other congenital malformations	167	160	3	2			1							1				
	XII.—Early infancy	1,945	1,945																
160	Congenital debility, icterus, sclerema	210	210																
161a	Premature birth	1,177	1,177																
161b	Injury at birth	364	364																
162	Other diseases peculiar to early infancy	191	191																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	206														4	23	179	
	XIV.—External causes	3,590	69	54	50	60	74	237	148	179	215	208	232	531	535	400	318	277	3
	Suicide	408							1	4	21	28	38	88	90	73	52	13	
165	By poisons (gas or corrosives excepted)	14										4	1	1	4	2	2		
166	By corrosive substances	36									2	7	3	7	9	5	3		
167	By poisonous gas	121								1	7	10	7	24	22	30	19	1	
168	By hanging or strangulation	84								1	2	1	7	24	21	14	11	3	
169	By drowning	25								1	2		5	4	5	6	1	1	
170	By firearms	87							1		7	4	11	20	19	7	12	6	
171	By cutting or piercing instruments	23											1	3	7	7	4	1	
172	By jumping from high places	12								1	1	2	1	2	2	2		1	
173	By crushing	5											1	3	1				
174	By other means	1											1						
	Homicide	185	5	2	1	1		3	3	10	26	30	29	50	9	11	5		
197	By firearms	95		2				2	1	6	17	12	16	28	6	4	1		
198	By cutting or piercing instruments	28							1	2	3	8	6	7		1			
199	By other means	62	5		1	1		1	1	2	6	10	7	15	3	6	4		
	Accidental or undefined	2,997	64	52	49	59	74	234	144	165	168	150	165	393	436	316	261	264	3
175	Poisoning by food	17			1		2	3		1		1		1	1	4	3		
177	Other acute poisonings (gas excepted)	39	3	5	3	2	2			1		3	3	4	9	1	3		
178	Conflagration	44	4	2	1	2	2	5		3	2	1	4	8	6	1	2	1	
179	Burns (conflagration excepted)	248	9	26	25	21	21	38	2	7	9	5	8	18	20	17	14	8	
180	Mechanical suffocation	30	16						2			1	2	5	2	1	1		
181	Absorption of irrespirable, irritating, or poisonous gas	156				1		4		3	8	4	11	20	34	30	24	17	
182	Drowning	309	1	1	1	6	4	34	53	47	25	19	17	37	35	18	5	6	
183	Traumatism by firearms (except in war)	42							6	7	12	3	4	3	2	3	2		
184	Traumatism by cutting or piercing instruments	23		1	1			1	1	1	1	1	3	2	5	2	4		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW JERSEY—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
185	Traumatism by fall	525	8	6	1	8	8	16	10	6	10	12	17	55	68	67	75	158	
186a	Traumatism in mines	2									1			1					
186b	Traumatism in quarries	2						1	1										
187	Traumatism by machines	50							1	3	5	7	8	13	10	1	2		
188a	Railroad accidents	297	1				3	6	3	18	23	16	25	61	72	41	19	6	3
	Collision with automobiles	49	1				1			8	10	3	4	7	10	2	2	1	
	Other railroad accidents	248					2	6	3	10	13	13	21	54	62	39	17	5	3
188b	Street-car accidents	54				2		4	2	5	2	3	4	10	7	11	2	2	
	Collision with automobiles	14								3	2	1	2	4	2				
	Other street-car accidents	40				2		4	2	2		2	2	6	5	11	2	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	771	4	6	11	13	26	113	54	48	46	45	35	89	108	78	67	28	
188d	Airplane and balloon accidents	4										1	3						
188e,f	Injuries by other vehicles	45				1	2	1	4	2	5	2	2	8	9	5	2	2	
188g	Landslide, other crushing	9						1			1	1		4	1		1		
189	Injuries by animals (not poisoning)	9							1					2		1	4	1	
193	Excessive cold	10											1	3	2	2	1	1	
194	Excessive heat	112	10	1				1	1	1	2	1	6	18	23	11	16	21	
195	Lightning	3							1							1		1	
196	Other accidental electric shocks	39							1	7	6	9	4	6	3	3			
201	Fracture (cause not specified)	17									1	1		1	2	2	4	6	
202	Other external violence	140	8	4	5	3	4	6	1	5	9	13	9	24	17	16	10	6	
	XV.—Ill-defined diseases	76	47	4	3	1	2			1	1		2	2	3	4	2	4	
204	Sudden death	5	1													2	1	1	
205a	Ill-defined	58	36	4	3	1	1			1	1		1	2	2	2	1	3	
205b	Not specified or unknown	13	10				1						1		1				
	NEW YORK																		
	All causes	142,500	15,527	2,374	1,173	950	751	2,503	1,851	2,682	3,824	4,327	5,011	13,138	17,710	23,068	24,787	22,762	62
	I.—Epidemic, endemic, and infectious diseases	16,411	1,258	735	394	342	255	645	388	916	1,424	1,486	1,394	2,553	1,999	1,390	801	424	7
1	Typhoid and paratyphoid fever	398	1		3	1	2	13	23	39	48	42	43	67	68	33	13	2	
2	Typhus fever	1								1									
5	Malaria	9								1	1			1	1	2	1	2	
6	Smallpox	2											1					1	
7	Measles	323	95	125	35	21	14	21	1	2	3	4	1	1					
8	Scarlet fever	191	5	22	18	17	12	35	17	18	9	11	10	11	3	2	1		
9	Whooping cough	523	281	138	50	23	13	15	1	1							1		
10	Diphtheria	1,006	57	140	129	149	118	282	61	7	11	7	4	15	12	10	4		
11a	Influenza (with pulmonary complications)	903	126	37	24	11	4	26	22	26	19	28	45	98	89	105	126	117	
11b	Influenza (other and unspecified)	558	78	23	11	8	9	18	16	9	15	13	17	60	48	51	65	117	
13	Mumps	9	3	2			1	1								1		1	
15	Cholera nostras	5	1		1			1					1					1	
16	Dysentery	64	19	7	2	1		1		2	2	2	2	5	3	6	6	6	
19	Spirochetal hemorrhagic jaundice	7	1						1					3	1	1			
21	Erysipelas	341	119	6	2	1		2	3	3	2	5	14	28	42	55	36	23	
22	Acute anterior poliomyelitis	208	16	16	11	16	13	55	34	20	10	3	3	6	2	2	1		
23	Lethargic encephalitis	276	5	19	9	12	7	19	8	17	14	17	27	44	35	25	13	5	
24	Meningococcus meningitis	148	44	21	11	5	6	14	14	6	8	4	4	3	6	2			
25	Other epidemic and endemic diseases	17	7	7	1		2												
27	Anthrax	2										2							
28	Rabies	1					1												
29	Tetanus	82	2	1	1	1		8	12	6	6	8	10	11	6	6	2	2	
30	Mycoses	17	3							1	1	1		3	2	4	1	1	
	Tuberculosis (all forms)	10,282	176	162	85	75	50	130	165	741	1,232	1,284	1,154	1,997	1,492	932	468	132	7
31	Of the respiratory system	9,044	43	37	11	9	14	34	111	664	1,139	1,206	1,072	1,873	1,410	865	429	120	7
32	Of the meninges, central nervous system	538	100	85	54	55	28	67	26	18	17	14	18	25	21	5	4	1	
33	Of the intestines, peritoneum	228	11	7	3	6	4	10	5	18	27	29	24	29	18	21	12	4	
34	Of the vertebral column	114		3	2	2	1	7	9	8	15	9	10	16	12	9	9	2	
35	Of the joints	34						3	2	4	2	2	1	5	5	5	3	2	
36	Of other organs	123	4	4	4	1	3	1	4	12	7	7	10	28	14	14	7	3	
37a	Disseminated (acute)	184	18	26	10	2		7	6	17	23	16	18	19	10	10	2		
37b	Disseminated (chronic or unspecified)	17			1			1	2		2	1	1	2	2	3	2		
38	Syphilis	885	193	8	2		1	1	1	10	24	39	42	177	179	144	53	11	
39	Soft chancre	1											1						
40	Gonococcus infection	74	12				1			6	14	10	11	11	6	1	2		
41	Purulent infection, septicemia	75	14	1			1	3	9		5	5	3	11	4	8	8	3	
42	Other infectious diseases	3										1	1	1					
	II.—General diseases not included in Class I	19,355	375	48	50	38	28	145	135	154	182	282	464	1,873	3,655	5,163	4,448	2,306	9
	Cancer and other malignant tumors	13,201	7	6	13	7	5	19	22	30	63	115	237	1,182	2,590	3,729	3,336	1,834	6
43	Of the buccal cavity	456						1		2	1	2	2	23	100	145	103	76	1
44	Of the stomach, liver	4,584	1	1	1			1	1	2	9	17	39	314	813	1,367	1,341	675	2
45	Of the peritoneum, intestines, rectum	2,162				1	2	4	1	3	9	18	34	174	363	643	591	318	1
46	Of the female genital organs	1,736							1	4	9	26	58	289	459	445	310	135	
47	Of the breast	1,329									1	12	33	177	338	349	231	186	2
48	Of the skin	244		1					1	1		2	2	7	30	37	75	88	
49	Of other or unspecified organs	2,690	6	4	12	6	3	13	18	18	34	38	69	198	487	743	685	356	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	113	2		4	1	1	1	1		2	6		20	28	16	16	15	
51	Acute rheumatic fever	391	1	3	1	8	9	72	60	33	29	13	18	41	36	28	26	13	
52	Chronic rheumatism, osteoarthritis, gout	140							2	1		3	5	5	10	27	38	49	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	II.—General diseases not included in Class I—Continued.																		
53	Scurvy	6	2		1	1									1	1			
54	Pellagra	14									1			4	7	2			
55	Beriberi	2												2					
56	Rickets	64	43	11	2	4	1	3											
57	Diabetes mellitus	2,695	6	1	3	2	12	18	24	22	30	38	138	439	904	742	316		
58	Anemia, chlorosis	734	14	3	2	1	6	5	8	13	15	19	73	149	209	166	51		
59	Diseases of the pituitary gland	12				1		1	1	1			4	1	2	1			
60a	Exophthalmic goiter	304					1	2	18	13	19	22	64	76	49	34	6		
60b	Other diseases of the thyroid gland	59	3	2	3	1		1	2	4	2	5	7	7	9	10	3		
61	Diseases of the parathyroid glands	13	8	3	2														
62	Diseases of the thymus gland	126	101	8	6	3	1	4	1			1			1				
63	Diseases of the adrenals (Addison's disease)	48									2	5	5	14	9	4	6	3	
64	Diseases of the spleen	15						1	1				2	2	6	1	1	1	
65a	Leukemia	272	6	7	11	8	5	17	12	18	12	17	16	26	54	40	18	5	
65b	Hodgkin's disease	122			2		1	6	4	8	6	11	7	19	18	23	13	4	
66	Alcoholism (acute or chronic)	714								3	6	35	73	248	208	103	32	3	3
67a	Chronic lead poisoning	9					1							1	2	2	3		
67b	Other chronic mineral poisoning	4										1		1		1	1		
68	Chronic poisoning by organic substances	56								1	4	8	14	18	8	3			
69	Other general diseases	241	182	5	2		2	3	5	7	4	1	3	4	5	10	5	3	
	III.—Diseases of the nervous system and of the organs of special sense	13,331	304	80	46	51	35	200	125	115	156	184	266	927	1,620	2,529	3,424	3,267	2
70	Encephalitis	97	5	5	2	2	4	6	5	6	8	6	10	15	9	7	5	2	
71a	Simple meningitis	262	59	20	14	9	5	30	17	13	10	9	12	28	15	13	5	3	
71b	Nonepidemic cerebrospinal meningitis	50	12	3	1	4	2	10	2	3	3	1		4	4		1		
72	Tabes dorsalis (locomotor ataxia)	196										1	2	20	55	69	36	13	
73	Other diseases of the spinal cord	391	7	1	2	1	1	8	6	6	10	14	16	36	72	76	92	43	
74a	Cerebral hemorrhage	8,726	14	3	1	2	2	1	4	9	7	20	42	274	874	1,869	2,788	2,815	1
74b	Cerebral embolism and thrombosis	594	7	4	1	2	2	4	2	3	5	5	13	31	83	107	177	147	1
75	Paralysis without specified cause	305	2		1			1		1		1		6	22	57	100	114	
76	General paralysis of the insane	827								3	6	17	81	280	259	127	40	14	
77	Other forms of mental alienation	224							3	9	26	28	18	47	38	24	21	10	
78	Epilepsy	343	1		3	2	2	18	23	19	41	38	33	64	41	29	22	7	
79	Convulsions (nonpuerperal; 5 years and over)	7						2				1	1	1	2				
80	Infantile convulsions (under 5 years)	73	68	4		1													
81	Chorea	8							2	1	2			1	1		1		
82	Neuralgia and neuritis	22												5	4	3	4	6	
83	Softening of the brain	79												1	2	11	30	35	
84	Other diseases of the nervous system	601	14	18	10	14	1	29	20	12	21	25	22	74	99	101	86	55	
85	Diseases of the eye and annexa	9	6			1	1									1			
86a	Diseases of the ear	290	79	17	9	8	5	30	19	18	9	7	10	26	21	23	7	2	
86b	Diseases of the mastoid process	227	30	5	2	5	10	61	22	12	8	11	6	14	19	12	9	1	
	IV.—Diseases of the circulatory system	33,023	114	21	28	30	41	229	349	380	341	425	505	1,983	3,932	6,500	8,607	9,520	18
87	Pericarditis	70	1	1			2	5	4	1	3	2	3	4	5	8	13	18	
88	Endocarditis and myocarditis (acute)	943	56	9	8	10	8	43	60	59	70	70	57	199	79	82	72	60	1
89	Angina pectoris	1,934						1			1	8	17	167	374	521	540	301	4
90	Other diseases of the heart	26,323	43	8	20	20	31	175	284	315	260	335	408	1,479	3,180	5,302	7,041	7,412	10
91a	Aneurysm	215	1							1	1	6	7	34	57	58	33	16	1
91b,c	Other diseases of the arteries	3,096											6	57	154	418	809	1,652	
92	Embolism and thrombosis(not cerebral)	334	2					3	1	3	2	3	4	27	58	89	84	56	2
93	Diseases of the veins	79	1								4		3	13	21	21	14	2	
94	Diseases of the lymphatic system	22	10	3				2				1		1	3		1	1	
95	Hemorrhage without specified cause	5								1				2	1	1			
96	Other diseases of the circulatory system	2																2	
	V.—Diseases of the respiratory system	14,002	2,601	815	313	158	102	238	206	248	340	382	496	1,436	1,540	1,665	1,738	1,721	3
97a	Diseases of the nasal fossae	7	1											1	2	1		2	
97b	Diseases of the nasal fossae annexa	64	2	1		1		7	4	6	10	6	4	5	11	4	3		
98	Diseases of the larynx	55	13	7	5	6	2	3	3			1	2	3	3	5	1	1	
99a	Acute bronchitis	342	146	22	8	4	2	6	2			2		8	10	20	25	87	
99b	Chronic bronchitis	268	7	2				1		1	2	3	6	17	18	31	66	114	
99c,d	Bronchitis (unspecified)	144	45	6	2		2			1				6	5	7	16	54	
100a	Broncho-pneumonia	4,936	1,705	464	156	76	45	69	57	48	49	61	83	219	291	418	512	683	
100b	Capillary bronchitis	192	135	14	8	5	3						1	4	4	1	3	14	
101a	Lobar pneumonia	6,941	451	248	104	51	36	128	127	159	243	275	362	1,040	1,077	1,048	989	600	3
101b	Pneumonia (unspecified)	321	46	19	10	6	4	4	4	11	9	11	14	35	26	31	34	57	
102	Pleurisy	386	31	29	18	8	5	14	6	14	20	16	17	54	49	49	36	20	
103	Congestion and hemorrhagic infarct of the lung	108	15		2		1	1		1			1	4	5	5	18	55	
104	Gangrene of the lung	25					1	2		3	2	1	1	8	2	3	2		
105	Asthma	123		1		1		1	1	1	2	2	1	11	24	29	24	25	
106	Pulmonary emphysema	14		1										1	2	3	4	3	
107	Other diseases of the respiratory system (tuberculosis excepted)	76	4	1			1	2	2	3	3	4	4	20	11	10	5	6	
	VI.—Diseases of the digestive system	10,229	2,589	433	168	126	98	292	196	193	258	290	404	1,021	1,288	1,296	946	630	1
108	Diseases of the mouth and annexa	74	6	3			1	4	2	3	8	7	2	7	11	6	8	6	
109a	Adenoid vegetations	2	1					1											
109b	Other diseases of the pharynx, tonsils	473	31	27	34	26	19	55	36	24	33	25	30	50	36	26	13	8	
110	Diseases of the esophagus	13	2						1				1	1	2	1	1	4	
111a	Ulcer of the stomach	583	2						1	4	17	24	31	124	149	103	80	48	
111b	Ulcer of the duodenum	266								3	7	13	21	59	70	60	24	9	
112	Other diseases of the stomach (cancer excepted)	269	66	10	3	5	2	2	2		5	3	4	20	27	34	34	52	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	VI.—Diseases of the digestive system—Continued																		
113	Diarrhea and enteritis (under 2 years)	2,658	2,296	362															
114	Diarrhea and enteritis (2 years and over)	472			76	49	23	36	13	3	9	11	10	25	37	45	52	83	
116	Diseases due to other intestinal parasites	12				1		1			2	3	3	1		1			
117	Appendicitis and typhlitis	1,739	6	7	36	36	33	155	119	123	114	121	162	276	249	177	94	31	
118a	Hernia	569	19	5						2	7	8	10	54	90	141	128	105	
118b	Intestinal obstruction	644	126	11	7	5	6	13	7	11	18	18	29	68	82	91	82	70	
119	Other diseases of the intestines	107	7	1		2	2	2	2	4	2	1	10	10	21	17	12	14	
120	Acute yellow atrophy of the liver	78	1					2	2	3	6	8	11	15	16	6	4	3	1
121	Hydatid tumor of the liver	4										1		1	1		1		
122	Cirrhosis of the liver	1,080			1		2	2	4	2	7	8	24	150	242	321	212	105	
123	Biliary calculi	419									5	9	19	71	105	98	83	29	
124	Other diseases of the liver	511	3	1	2		1	3	3	5	11	18	21	61	106	130	94	52	
125	Diseases of the pancreas	87						1	1		2	5	4	16	23	22	11	2	
126	Peritonitis without specified cause	169	23	6	9	2	9	15	3	6	5	7	12	12	21	17	13	9	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	14,181	64	19	15	7	12	47	65	104	164	211	347	1,163	1,978	2,994	3,644	3,340	7
128	Acute nephritis (including unspecified under 10 years)	413	23	9	6	5	9	19	16	23	15	20	28	49	55	50	49	36	1
129	Chronic nephritis (including unspecified 10 years and over)	12,127	3	3	2		2	19	48	67	95	123	228	872	1,673	2,692	3,287	3,007	6
130	Chyluria	1												1					
131	Other diseases of the kidneys and annexa	302	27	7	6	2	1	8	1	3	12	11	16	34	42	50	45	37	
132	Calculi of the urinary passages	113			1						3	3	9	20	23	31	14	9	
133	Diseases of the bladder	60						1					2	3	5	12	10	27	
134	Diseases of the urethra, etc	33										2	4	3	9	9	4	2	
135	Diseases of the prostate	512								1				2	12	89	207	201	
136	Nonvenereal diseases of the male genital organs	15	8									1			1		4	1	
137	Cysts, other benign tumors of the ovary	98									6	8	5	14	33	14	12	6	
138	Salpingitis and pelvic abscess (female)	174								8	25	32	27	53	19	7	1	2	
139	Benign tumors of the uterus	257									5	2	23	93	90	27	8	9	
140	Nonpuerperal uterine hemorrhage	2											1	1					
141	Other diseases of the female genital organs	70								2	3	9	4	18	15	13	3	3	
142	Nonpuerperal diseases of the breast (cancer excepted)	4	3												1				
	VIII.—The puerperal state	1,369							1	72	234	330	351	372	9				
143	Accidents of pregnancy	122								4	18	30	34	34	2				
144	Puerperal hemorrhage	177								2	25	36	49	64	1				
145	Other accidents of labor	195								10	24	40	49	68	4				
146	Puerperal septicemia	525							1	32	112	132	132	114	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	67									9	19	20	19					
148	Puerperal albuminuria and convulsions	278								24	46	69	66	73					
149	Following childbirth (undefined)	3										3							
150	Puerperal diseases of the breast	2										1	1						
	IX.—Diseases of the skin and of the cellular tissue	333	73	5	1	2		9	6	9	8	9	12	24	36	44	30	65	
151	Gangrene	93	4			2		2	1			1		4	6	8	16	49	
152	Furuncle	66	12	1				1	3	7	3	1	5	6	9	9	6	3	
153	Acute abscess	92	24	2				5	2	1	5	5	5	10	12	12	4	5	
154	Other diseases of the skin and annexa	82	33	2	1			1		1		2	2	4	9	15	4	8	
	X.—Diseases of the bones and of the organs of locomotion	163	9	2	2	8	3	20	31	5	5	7	7	9	10	21	17	7	
155	Diseases of the bones (tuberculosis excepted)	138	8	1	1	8	1	17	28	4	4	7	6	9	7	18	14	5	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	23	1	1	1		2	3	3	1	1				3	3	3	1	
158	Other diseases of the organs of locomotion	2											1					1	
	XI.—Malformations	1,570	1,439	43	25	8	4	25	3	10	5	1	3	1	1	2			
159a	Congenital hydrocephalus	188	153	13	8	2	2	5		4			1						
159b	Congenital malformations of the heart	859	788	19	13	4	2	17	3	4	4	1	2			2			
159c	Other congenital malformations	523	498	11	4	2		3		2	1			1	1				
	XII.—Early infancy	6,478	6,478																
160	Congenital debility, icterus, sclerema	661	661																
161a	Premature birth	3,697	3,697																
161b	Injury at birth	1,491	1,491																
162	Other diseases peculiar to early infancy	620	620																
163	Lack of care	9	9																
164	XIII.—Old age (senility)	560														8	63	489	
	XIV.—External causes	11,364	173	156	129	179	173	650	346	476	706	716	761	1,770	1,636	1,445	1,052	981	15
	Suicide	1,666							3	28	92	151	157	341	357	315	168	50	4
165	By poisons (gas or corrosives excepted)	64								1	5	5	8	18	15	4	6	2	
166	By corrosive substances	144								4	15	28	17	33	20	19	8		
167	By poisonous gas	464								8	20	41	62	86	106	96	37	8	
168	By hanging or strangulation	356							3	5	9	21	15	72	82	75	57	15	2
169	By drowning	92								1	3	7	3	20	25	17	11	5	
170	By firearms	281								9	22	22	27	59	56	50	24	10	2
171	By cutting or piercing instruments	111									5	5	8	23	19	32	13	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NEW YORK—Continued																		
	XIV.—External causes—Contd.																		
	Suicide—Continued.																		
172	By jumping from high places	128									10	19	13	28	27	18	10	3	
173	By crushing	15									3	2	4	2	3	1			
174	By other means	11										1			4	3	2	1	
	Homicide	571	12			1		5	6	26	96	118	81	139	49	24	13	1	
197	By firearms	341				1		1	5	14	61	76	54	80	28	14	6	1	
198	By cutting or piercing instruments	79						1		6	14	22	13	15	6	2			
199	By other means	151	12					3	1	6	21	20	14	44	15	8	7		
	Accidental or undefined	9,127	161	156	129	178	173	645	337	422	518	447	523	1,290	1,230	1,106	871	930	11
175	Poisoning by food	39	3	1	1	2	2	3		3			3	3	5	7	3	3	
176	Poisoning by venomous animals	3	1									1		1					
177	Other acute poisonings (gas excepted)	146	3	16	8	6	5	5	2	4	10	10	11	27	19	10	7	2	1
178	Conflagration	172	5	7	4	6	2	15	6	5	5	12	8	19	27	18	15	16	2
179	Burns (conflagration excepted)	627	16	62	54	71	44	79	8	20	21	17	22	42	39	44	43	45	
180	Mechanical suffocation	80	51			1			2	4	4	2	3	7	3	3			
181	Absorption of irrespirable, irritating, or poisonous gas	801	5	3	4	2	5	7	3	22	44	27	53	134	177	150	105	60	
182	Drowning	848	1	8	7	8	4	69	82	106	76	63	57	165	110	57	25	8	2
183	Traumatism by firearms (except in war)	113	1		1		1	7	15	20	14	12	9	11	13	4	5		
184	Traumatism by cutting or piercing instruments	90	10			2	2	2	1	5	4	3	9	12	15	13	8	4	
185	Traumatism by fall	1,878	7	24	18	18	10	44	33	29	53	57	60	205	231	237	286	565	1
186a	Traumatism in mines	14										2	2	3	3	4			
186b	Traumatism in quarries	6									1	1		1	3				
187	Traumatism by machines	238			1	1	2	4	1	15	23	15	28	63	44	31	9	1	
188a	Railroad accidents	504	1	2	2			10	10	18	36	36	56	104	95	73	40	20	1
	Collision with automobiles	79						1		7	2	11	16	12	11	11	5	3	
	Other railroad accidents	425	1	2	2			9	10	11	34	25	40	92	84	62	35	17	1
188b	Street-car accidents	254		1	3	2	6	7	8	11	20	17	14	49	31	42	27	16	
	Collision with automobiles	33								4	6	1	1	10	4	4	2	1	
	Other street-car accidents	221		1	3	2	6	7	8	7	14	16	13	39	27	38	25	15	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	2,111	5	8	15	49	75	348	133	113	132	103	117	254	242	252	179	84	2
188d	Airplane and balloon accidents	10								1	1	4	3						1
188e,f	Injuries by other vehicles	175	1		2		9	17	11	12	15	11	5	18	22	26	20	6	
188g	Landslide, other crushing	47								3	5	7	3	12	7	6	2	2	
189	Injuries by animals (not poisoning)	45		1		1		2		2	2		2	4	6	13	9	3	
192	Starvation (deprivation of food or water)	2	1							1									
193	Excessive cold	18						1						4	3	5	1	4	
194	Excessive heat	207	16	5	4	1		1	1	2	1	2	6	30	37	38	33	30	
195	Lightning	15						1	1	1	3		1	2	2	3	1		
196	Other accidental electric shocks	77						1	5	6	19	15	7	14	7	2	1		
201	Fracture (cause not specified)	123	2					1		2	1	3	4	21	20	15	12	41	1
202	Other external violence	484	32	18	5	8	6	21	15	17	28	27	40	85	69	53	40	20	
	XV.—Ill-defined diseases	131	50	17	2	1		3			1	4	1	6	6	11	17	12	
204	Sudden death	21	7	1										4	2	3	2	2	
205a	Ill-defined	52	8	15	2	1		3				3			1	3	9	7	
205b	Not specified or unknown	58	35	1							1	1	1	2	3	5	6	3	
	NORTH CAROLINA																		
	All causes—White	19,702	3,863	734	296	190	156	340	277	469	616	676	602	1,311	1,504	2,039	3,262	3,321	46
	All causes—Colored	12,846	2,732	526	179	116	84	253	278	664	903	689	542	1,126	1,249	1,083	1,098	1,255	69
	I.—Epidemic, endemic, and infectious diseases—White	2,945	303	147	83	62	54	101	69	128	236	287	216	326	243	200	248	235	7
	I.—Epidemic, endemic, and infectious diseases—Colored	2,521	218	99	48	28	26	72	119	287	421	299	181	281	204	117	70	44	7
1	Typhoid and paratyphoid fever—W	129	1	2	2		1	7	15	17	29	14	11	11	9	6	1	3	
	Typhoid and paratyphoid fever—C	150	1		4	1	3	12	28	31	24	10	6	15	9	2	2	1	1
5	Malaria—W	68	11	4	4	5	3	2	2	3	1	1	4	4	5	3	8	8	
	Malaria—C	73	8	8	1	3	2	7	3	7	6	4	1	7	5	2	4	3	
6	Smallpox—W	2												1	1				
	Smallpox—C	3											1		1			1	
7	Measles—W	12	2	3	2	1		1	1					1		1			
	Measles—C	4	1		2											1			
8	Scarlet fever—W	28	2	4	3	4	2	4	6	2				1					
	Scarlet fever—C	2						1		1									
9	Whooping cough—W	86	57	16	4	2		3	2	1	1								
	Whooping cough—C	67	34	13	9	3	2	3	1	1				1					
10	Diphtheria—W	238	36	33	40	37	29	48	10	1		1	1		1				1
	Diphtheria—C	65	7	11	10	5	7	18	3	1	1	1				1			
11a	Influenza (with pulmonary complications)—W	446	54	27	8	3	4	9	11	13	12	15	20	50	34	37	80	67	2
	Influenza (with pulmonary complications)—C	284	52	19	8	4	5	4	13	20	28	20	11	28	26	18	16	10	2
11b	Influenza (other and unspecified)—W	237	36	3	4		7	7	3	12	2	8	6	12	11	20	27	79	
	Influenza (other and unspecified)—C	122	31	9	2	2	4	4	3	5	6	6	2	15	11	5	9	8	
13	Mumps—W	4	1	1			1				1								
	Mumps—C	4	1		1			1				1							
15	Cholera nostras—W	5		2												1		2	
	Cholera nostras—C	2	1										1						
16	Dysentery—W	118	35	21	2	3		1	2	1	1	1	1		3	4	13	30	
	Dysentery—C	69	24	18	4				2	1		3		3	1	3	7	3	
21	Erysipelas—W	47	14	4						1	3	1	1	3	4	5	7	4	
	Erysipelas—C	4	1	1		1												1	
22	Acute anterior poliomyelitis—W	22	4	6	3	3		2	2		2								
	Acute anterior poliomyelitis—C	3	2						1										
23	Lethargic encephalitis—W	22			1					2	4		4	4	2	3	1	1	
	Lethargic encephalitis—C	9							1		2	1		2	2	1			
24	Meningococcus meningitis—W	16	7	4	1			2		1			1						
	Meningococcus meningitis—C	8	2	2				2	1			1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
25	Other epidemic and endemic diseases	W	2	1								1								
		C	1	1																
28	Rabies	W	7			1		1	3	1								1		
29	Tetanus	W	18	2	1			1	1	3	7					2		1		
		C	20	7			1		4	2	1	2	1	1	1					
30	Mycoses	W	4	1								1				1			1	
		C	6	6																
	Tuberculosis (all forms)	W	1,355	20	15	5	4	4	9	8	63	170	239	164	226	166	116	104	38	4
		C	1,439	12	13	6	8	3	14	57	211	330	229	146	176	123	73	24	11	3
31	Of the respiratory system	W	1,235	7	3	2	1		4	5	60	162	228	152	215	154	107	94	37	4
		C	1,304	6	8	4	6	1	10	42	197	304	214	134	157	117	69	22	10	3
32	Of the meninges, central nervous system	W	38	8	10	2	2	3	2	2	2		1		2	2	2			
		C	24	6	4	1	1		1	2	1	2	1	1	3	1				
33	Of the intestines, peritoneum	W	44	3	1				1	1		4	5	7	5	7	5	4	1	
		C	52		1			1	1	6	8	11	5	4	10	2	1	1	1	
34	Of the vertebral column	W	10					1			1	1	1	1	1	2	1	1		
		C	16							1	1	5	3	3	2		1			
35	Of the joints	W	3										1					2		
		C	6			1						1	1		2			1		
36	Of other organs	W	13	1		1			2			2	2	1	2			2		
		C	20					1	1	4	1	4	4		1	2	2			
37a	Disseminated (acute)	W	10	1	1		1						1	3	1	1	1			
		C	14							2	2	3	1	4	1	1				
37b	Disseminated (chronic or unspecified)	W	2									1						1		
		C	3				1		1		1									
38	Syphilis	W	38	17					2		2	2		1	6	2	3	3		
		C	148	27	4	1			1	3	5	15	17	8	29	22	9	6	1	
40	Gonococcus infection	W	10									3	3	2	2					
		C	26								3	4	3	4	3	4	2	1	1	1
41	Purulent infection, septicemia	W	31	2	1	3		1		3	2	3	4		3	4	1	2	2	
		C	12		1				1	1		3			1			1	4	
	II.—General diseases not included in Class I	White	1,720	45	20	13	8	11	17	18	19	33	35	52	172	259	352	406	254	6
		Colored	638	24	6	2	2	2	15	12	22	28	36	44	103	122	99	71	46	4
	Cancer and other malignant tumors	W	1,020		4	2	3	3	2	2	5	6	11	19	87	163	223	282	205	3
		C	308	1	1				2		4	6	5	17	51	75	65	53	25	3
43	Of the buccal cavity	W	34											1		5	7	8	13	
		C	8												1	1	3	3		
44	Of the stomach, liver	W	345		1						2			2	21	39	83	119	77	1
		C	90									1		1	7	28	24	22	7	
45	Of the peritoneum, intestines, rectum	W	86					1			1		4	1	8	12	24	21	14	
		C	20										1	1	3	4	3	3	5	
46	Of the female genital organs	W	179										4	6	24	50	44	38	12	1
		C	93								1	2	2	8	25	26	19	8	1	1
47	Of the breast	W	90											2	15	28	16	12	17	
		C	40											4	9	8	6	8	4	1
48	Of the skin	W	67		2		1						1	1	1	3	8	26	24	
		C	4													1	2		1	
49	Of other or unspecified organs	W	219		1	2	2	2	2	2	2	6	2	6	18	26	41	58	48	1
		C	53	1	1				2		3	3	2	3	6	7	8	9	7	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	6			1		1		1			1			1			1		
		C	5	1					1						1	1		1		
51	Acute rheumatic fever	W	45		1	1	2	1	6	6	4	1	1		3		6	7	5	1
		C	31	1					3	4	3	4	1		5	2	4	1	3	
52	Chronic rheumatism, osteoarthritis, gout	W	24									1	2	1	2	2	5	5	6	
		C	5												1		2	2		
53	Scurvy	W	1	1																
		C	2						1					1						
54	Pellagra	W	244		1				2	1	1	8	9	14	40	49	58	47	12	2
		C	138					1	2	4	9	9	23	18	25	19	11	7	9	1
56	Rickets	W	9	5	2	1	1													
		C	13	9	2		1	1												
57	Diabetes mellitus	W	161			1			4	4	5	9	6	4	14	19	33	42	20	
		C	61						3	1	1	2	3	4	10	16	9	5	7	
58	Anemia, chlorosis	W	54	4	2	2			1	1	1	2	3	2	5	8	15	8		
		C	14	1	1				1	1	1	5			2	1			1	
59	Diseases of the pituitary gland	C	1								1									
60a	Exophthalmic goiter	W	18							1	1	1		1	4	5	3	2		
		C	9									2	2	2	2			1		
60b	Other diseases of the thyroid gland	W	12		2		1					1		2	2	2	1	1		
		C	4													1	1	1	1	
61	Diseases of the parathyroid glands	W	2	2																
		C	2	2																
62	Diseases of the thymus gland	W	8	7	1															
		C	1	1																
63	Diseases of the adrenals (Addison's disease)	W	4											1	1		2			
64	Diseases of the spleen	W	2												1		1			
		C	1	1																
65a	Leukemia	W	21		2	2		3	1	2	1	1		1	2	4		2		
		C	2								1		1							
65b	Hodgkin's disease	W	6						1		1	1		1		1	1			
		C	2												1		1			
66	Alcoholism (acute or chronic)	W	32									1	2	5	10	5	3	5	1	
		C	13										1	1	5	4	2			
67a	Chronic lead poisoning	W	1												1					
67b	Other chronic mineral poisoning	C	3								1						2			
68	Chronic poisoning by organic substances	W	4															3	1	
69	Other general diseases	W	46	26	5	3	1	3				1		1			1	2	3	
		C	23	7	2	2	1		2	2	1			1		3	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	2,058	98	32	16	12	9	22	17	24	19	27	21	105	200	340	590	525	
		Colored	1,191	55	14	7	5	4	15	5	17	25	34	32	98	205	225	222	219	9
70	Encephalitis	W	33	2	4		2	1	2	2	2	1	2	2	4	3	3	1	2	
		C	12	4							2	2			1	1	2			
71a	Simple meningitis	W	64	23	10	12	4	2	3	1		2			4		1	2		
		C	30	12	4	3		2	1	1	2		2	1		1			1	
71b	Nonepidemic cerebrospinal meningitis	W	20	8	4	3		2	1		1				1					
		C	5	1			1	1	2											
72	Tabes dorsalis (locomotor ataxia)	W	8												1	2	4	1		
		C	4										2		1	1				
73	Other diseases of the spinal cord	W	31	1	3		3				1		1		1	1	3	9	8	
		C	16						1	1	1	1	1	2	2	1	3	2	1	
74a	Cerebral hemorrhage	W	1,347	3	2	1				2	1	3	7	5	56	154	254	463	396	
		C	778	5		1			1		1	6	11	16	58	163	187	162	160	7
74b	Cerebral embolism and thrombosis	W	25	1					1	1	1	1	2		1	6	3	3	5	
		C	18									1	1	1	6	2	2	3	2	
75	Paralysis without specified cause	W	232	1	1		1		1			1	1	2	3	10	38	82	91	
		C	167	1	1		1		2		2	2	1	1	16	18	23	45	53	1
76	General paralysis of the insane	W	23										1		7	6	4	2	3	
		C	20									1		2	3	6	3	4	1	
77	Other forms of mental alienation	W	39									1	2	2	7	4	13	8	2	
		C	13								2		2	2	1	5	1			
78	Epilepsy	W	52	2	1			1	1	1	13	6	3	2	9	5	1	4	3	
		C	53	13	1	1			2	2	5	5	7	3	6	4	1	2		1
79	Convulsions (nonpuerperal; 5 years and over)	W	7						3		1		2		1					
		C	11						2	1	1	4	1	1	1					
80	Infantile convulsions (under 5 years)	W	32	30	1			1												
		C	25	18	4	1	1	1												
81	Chorea	W	2									1							1	
82	Neuralgia and neuritis	W	7						1					1				3	2	
83	Softening of the brain	W	12														2	6	4	
		C	3															3		
84	Other diseases of the nervous system	W	64	7	1			2	2	3	1	2	2	6	9	6	11	4	8	
		C	21		1		1		2		1	2	3	2	1	3	3	1	1	
85	Diseases of the eye and annexa	W	5	2							2		1							
		C	1						1											
86a	Diseases of the ear	W	34	15	4		1		2	4	1		2	1	1	1	1	1		
		C	10	1	3	1	1		1				2	1						
86b	Diseases of the mastoid process	W	21	3	1		1		5	3		1	1		1	2	2	1		
		C	4									1	1		2					
	IV.—Diseases of the circulatory system	White	2,525	21	4	2	2	5	14	24	14	25	32	46	117	215	428	782	784	10
		Colored	1,360	14	6	4	2		11	13	24	36	54	51	163	245	237	248	244	8
87	Pericarditis	W	10									3	1		1		2	1	2	
		C	5										2		1				2	
88	Endocarditis and myocarditis (acute)	W	59	9			1		2	2		4	5	6	9	5	7	6	3	
		C	48	1	1	1			2	2	4	6	3	5	12	2	4	2	3	
89	Angina pectoris	W	176										1	2	10	31	44	60	28	
		C	39										3	2	5	12	8	3	6	
90	Other diseases of the heart	W	2,059	10	3	2		5	12	21	12	18	23	37	83	167	344	645	668	9
		C	1,178	9	5	3	2		9	11	20	30	41	41	134	222	215	218	212	6
91a	Aneurysm	W	10											1	3	1	5			
		C	13										3		6	2	1		1	
91b,c	Other diseases of the arteries	W	142												1	3	16	55	66	1
		C	44													5	5	19	15	
92	Embolism and thrombosis (not cerebral)	W	28	1	1						1		1		5	3	4	5	7	
		C	4															2	1	1
93	Diseases of the veins	W	4												2	1		1		
		C	1														1			
94	Diseases of the lymphatic system	W	5	1			1				1				1			1		
		C	2	2																
95	Hemorrhage without specified cause	W	3							1			1		1					
		C	9	2									2	1	2	1			1	
96	Other diseases of the circulatory system	W	29												1	4	6	8	10	
		C	17											2	3	1	3	4	3	1
	V.—Diseases of the respiratory system	White	1,609	390	126	49	27	13	41	34	49	40	35	46	90	100	124	189	254	2
		Colored	1,110	334	98	31	25	14	27	26	59	80	43	41	76	87	59	53	53	4
97a	Diseases of the nasal fossae	W	6	5															1	
		C	13	12														1		
97b	Diseases of the nasal fossae and annexa	W	10		1				1		2	1		3				1	1	
		C	7				1	1		2	1				2					
98	Diseases of the larynx	W	7	2	1	1		1	1						1					
		C	5		1	1	1		1								1			
99a	Acute bronchitis	W	20	11	2				2								1	3	1	
		C	8	2	4				1										1	
99b	Chronic bronchitis	W	23	1									1		1	2	3	7	8	
		C	8		2							1		1		1	2		1	
99c,d	Bronchitis (unspecified)	W	15	6	1		1		1								1	1	4	
		C	19	5	4	1	1		1		1		3			1			2	
100a	Broncho-pneumonia	W	532	245	60	21	10	6	9	3	6	6	5	4	13	14	23	35	71	1
		C	358	183	49	18	13	4	11	6	7	10	7	4	10	7	8	9	12	
100b	Capillary bronchitis	W	2	2																
		C	12	7	2	1						2								
101a	Lobar pneumonia	W	706	64	34	19	7	5	18	24	38	23	25	32	56	66	72	107	115	1
		C	455	46	25	4	3	8	8	14	41	57	29	31	51	54	32	27	21	4
101b	Pneumonia (unspecified)	W	196	50	21	7	8	1	5	5	1	6	3	4	10	9	13	17	36	
		C	153	70	10	4	5	1	4	2	6	5	4	2	8	12	8	4	8	
102	Pleurisy	W	25	1		1			1	1	1	1	1	1	3	2	3	6	3	
		C	12	1						2		2			1	2		4		
103	Congestion and hemorrhagic infarct of the lung	W	20		4		1					1		1			1	3	9	
		C	7	2								1						1	3	
104	Gangrene of the lung	W	1												1					
		C	2											1		1				
105	Asthma	W	30		2				1	1				1	3	5	5	7	5	
		C	31	1	1	1	1				2	1			3	4	6	6	5	
106	Pulmonary emphysema	C	1													1				
107	Other diseases of the respiratory system (tuberculosis excepted)	W	16	3					2		1	2			2	2	2	2		
		C	19	5		1			1		1	1		2	1	4	2	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	VI.—Diseases of the digestive system	White	1,858	642	322	71	30	19	39	31	49	36	43	32	95	101	102	129	114	3
		Colored	1,143	473	192	29	13	6	30	20	38	43	27	26	77	62	24	50	31	2
108	Diseases of the mouth and annexa	W	19	5	1	1			1				2	1	1	1	2	3	1	
		C	11	1					1	1	1	1	1			1	2		2	
109a	Adenoid vegetations	C	1		1															
109b	Other diseases of the pharynx, tonsils	W	49	3	4	1	5	5	5	5	2	1	2	2	1	5	3	4	1	
		C	33	1	1	1	2	1	9	2	2	4		2	6			1	1	
110	Diseases of the esophagus	W	2															2		
111a	Ulcer of the stomach	W	39	1								3	2	1	8	5	6	6	7	
		C	22									2	1	2	1	5	3	5	3	
111b	Ulcer of the duodenum	W	13										1	2	3	2	1	2	2	
112	Other diseases of the stomach (cancer excepted)	W	124	30	5	2	1		1	1	2	2	1	2	14	12	11	18	22	
		C	110	30	9	1	1	1	4	1	1	4	3	4	17	13	4	9	7	1
113	Diarrhea and enteritis (under 2 years)	W	873	568	305															
		C	599	423	176															
114	Diarrhea and enteritis (2 years and over)	W	174			63	15	5	6	2	1			2	3	10	9	24	32	2
		C	76			25	7	2	6	2	1	4		1	7	5	1	7	7	1
115	Ancylostomiasis	W	1							1										
116	Diseases due to other intestinal parasites	W	3	1			2													
		C	3		1		1		1											
117	Appendicitis and typhlitis	W	216	3	1		2	5	16	19	35	25	19	11	32	20	12	13	2	1
		C	102					1	7	11	19	16	8	9	18	10	2	1		
118a	Hernia	W	29						1				1	2	3	6	8	5	3	
		C	23	4									2	1	2	1	2	8	3	
118b	Intestinal obstruction	W	120	22	5	1	3	4	6	1	6	3	6	5	9	11	13	12	13	
		C	62	8	2	2	1		1	1	6	4	5	3	12	9	1	6	1	
119	Other diseases of the intestines	W	17	1		2	2						1			3	1	2	5	
		C	18	2	1				1		1	1	2		1	3	1	2	3	
120	Acute yellow atrophy of the liver	W	4										1	1	1		1			
		C	1	1																
122	Cirrhosis of the liver	W	59	1					2						6	9	17	15	9	
		C	41	2								1	2	2	11	11	4	6	2	
123	Biliary calculi	W	33											1	3	6	4	11	8	
		C	6									1	2				2	1		
124	Other diseases of the liver	W	61	6		1				1	2	1	5	1	7	9	10	12	6	
		C	18	1	1					1	1	2		2	2	3	1	4	1	
125	Diseases of the pancreas	W	6							1			2		2		1			
		C	2								1								1	
126	Peritonitis without specified cause	W	16	1	1				1		1	1		1	2	2	3		3	
		C	15				1	1		2	5	3	1			1	1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,983	13	10	6	6	3	9	15	16	21	24	25	120	195	309	594	611	6
		Colored	1,172	13	10	8	1	5	7	7	22	34	46	45	135	183	201	216	229	10
128	Acute nephritis (including unspecified under 10 years)	W	100	6	8	3	3	3	6	5	3	3	6	5	12	8	8	14	7	
		C	120	7	10	5	1	4	6	3	5	7	10	8	22	9	11	7	4	1
129	Chronic nephritis (including unspecified 10 years and over)	W	1,684	1		2	2		2	8	9	11	10	16	86	162	287	534	549	5
		C	917	2		1		1	1	3	12	16	29	29	87	155	176	193	204	8
131	Other diseases of the kidneys and annexa	W	58	6	2	1	1		1	2	1	1	3	1	8	8	6	8	9	
		C	23	2		1						2	1		3	1	5	3	5	
132	Calculi of the urinary passages	W	15									4	1		1	2	2	4	1	
		C	2									1							1	
133	Diseases of the bladder	W	15															1	4	10
		C	12			1							1		1	1	1	3	4	
134	Diseases of the urethra, etc	W	1															1		
		C	10	2										1	2		2		1	
135	Diseases of the prostate	W	66													4	3	25	34	
		C	35												1	8	5	10	10	1
137	Cysts, other benign tumors of the ovary	W	9									1		1	1	1	1	3	1	
		C	4									1	1	1						
138	Salpingitis and pelvic abscess (female)	W	9							2		1	2		1	3				
		C	18						1	3	5	3			5	1				
139	Benign tumors of the uterus	W	12											1	3	6		1		1
		C	16							1		1	4		7	2	1			
140	Nonpuerperal uterine hemorrhage	W	1							1										
		C	1													1				
141	Other diseases of the female genital organs	W	12										2	1	7	1	1			
		C	14							1	2			2	6	3				
142	Nonpuerperal diseases of the breast (cancer excepted)	W	1												1					
	VIII.—The puerperal state	White	392							1	59	80	87	66	95	4				
		Colored	333							3	81	92	47	38	68	2				2
143	Accidents of pregnancy	W	23									5	5	4	9					
		C	20								2	3	4	6	5					
144	Puerperal hemorrhage	W	43								2	5	7	14	15					
		C	37								1	8	5	9	14					
145	Other accidents of labor	W	43								6	9	5	9	12	2				
		C	42								6	13	3	7	11	1				1
146	Puerperal septicemia	W	83								10	21	21	14	17					
		C	76							1	20	22	15	8	9					1
147	Puerperal phlegmasia alba dolens, embolus, etc	W	18								2	4	4	6	2					
		C	10								2	1	4		3					
148	Puerperal albuminuria and convulsions	W	181							1	39	36	44	19	40	2				
		C	144							2	50	45	15	6	25	1				
149	Following childbirth (undefined)	W	1										1							
		C	4										1	2	1					
	IX.—Diseases of the skin and of the cellular tissue	White	50	9		1	1		2	2	2	1	1	4	5	3	4	7	8	
		Colored	30	3	2						3	1		2	4	5	2	2	6	
151	Gangrene	W	15	1											2		1	4	7	
		C	13									1			2	3	1	2	4	
152	Furuncle	W	11								1	1	1	3	1	1	1	2		
153	Acute abscess	W	11	1			1		1	1	1			1	1	2	1	1		
		C	10	1	1						3			2	2	1				
154	Other diseases of the skin and annexa	W	13	7		1			1	1					1		1		1	
		C	7	2	1											1	1		2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion—White	30	2	1	1	1	2	3	6	1		1	1	2	1	3	4	1	
	X.—Diseases of the bones and of the organs of locomotion—Colored	10		2				1	3		2			1		1			
155	Diseases of the bones (tuberculosis excepted)—W	21	1	1	1	1	2	3	3			1		1	1	1	4	1	
155	Diseases of the bones (tuberculosis excepted)—C	9		2				1	3		2			1					
156	Diseases of the joints (tuberculosis and rheumatism excepted)—W	6	1						3	1			1						
156	Diseases of the joints (tuberculosis and rheumatism excepted)—C	1														1			
158	Other diseases of the organs of locomotion—W	3												1		2			
	XI.—Malformations—White	269	246	4	2	1	3	7	3		1	1		1					
	XI.—Malformations—Colored	56	40	7		1	3	3	1	1									
159a	Congenital hydrocephalus—W	32	28		1		1	2											
159a	Congenital hydrocephalus—C	7	2	2			1	1	1										
159b	Congenital malformations of the heart—W	133	118	2	1	1	1	5	3		1	1							
159b	Congenital malformations of the heart—C	17	12	2		1		1		1									
159c	Other congenital malformations—W	104	100	2			1							1					
159c	Other congenital malformations—C	32	26	3			2	1											
	XII.—Early infancy—White	1,485	1,485																
	XII.—Early infancy—Colored	762	762																
160	Congenital debility, icterus, sclerema—W	183	183																
160	Congenital debility, icterus, sclerema—C	158	158																
161a	Premature birth—W	1,062	1,062																
161a	Premature birth—C	498	498																
161b	Injury at birth—W	165	165																
161b	Injury at birth—C	50	50																
162	Other diseases peculiar to early infancy—W	72	72																
162	Other diseases peculiar to early infancy—C	55	55																
163	Lack of care—W	3	3																
163	Lack of care—C	1	1																
164	XIII.—Old age (senility)—White	276														4	42	228	2
164	XIII.—Old age (senility)—Colored	286													2	5	50	227	2
	XIV.—External causes—White	1,321	53	30	43	34	32	77	55	98	118	96	82	145	134	85	106	128	5
	XIV.—External causes—Colored	825	64	25	32	24	21	53	48	85	99	81	60	72	55	39	20	34	13
	Suicide—W	112								8	11	10	11	19	25	10	15	3	
	Suicide—C	16								1	3	1	2	5	2		1	1	
165	By poisons (gas or corrosives excepted)—W	3								2				1					
166	By corrosive substances—W	7									2	1		1	2	1			
166	By corrosive substances—C	2												2					
168	By hanging or strangulation—W	9											2	2	3	1		1	
168	By hanging or strangulation—C	2												1			1		
169	By drowning—W	1													1				
170	By firearms—W	85								6	8	9	8	14	18	8	12	2	
170	By firearms—C	10								1	3	1	1	2	2				
171	By cutting or piercing instruments—W	6											1	1	1		3		
171	By cutting or piercing instruments—C	1																1	
172	By jumping from high places—W	1									1								
174	By other means—C	1												1					
	Homicide—W	90	1						1	5	13	15	11	22	15	4	2	1	
	Homicide—C	170	2		2			1	3	13	38	42	27	22	8	5	3	1	3
197	By firearms—W	71							1	4	10	13	8	19	12	2	2		
197	By firearms—C	125			2				3	9	24	34	18	19	7	5	1		3
198	By cutting or piercing instruments—W	7									1	1	2	1	2				
198	By cutting or piercing instruments—C	26								3	8	6	5	2	1		1		
199	By other means—W	12	1							1	2	1	1	2	1	2		1	
199	By other means—C	19	2					1		1	6	2	4	1			2		
	Accidental or undefined—W	1,119	52	30	43	34	32	77	54	85	94	71	60	104	94	71	89	124	5
	Accidental or undefined—C	639	62	25	30	24	21	52	45	71	58	38	31	45	45	34	16	32	10
175	Poisoning by food—W	27	5	2	6	3	2	2				1	1		1	2	1	1	
175	Poisoning by food—C	14	2	1	1					2	2			2	3		1		
176	Poisoning by venomous animals—W	3					1						1			1			
176	Poisoning by venomous animals—C	1						1											
177	Other acute poisonings (gas excepted)—W	18	3	5	3		1				2		2	1	1				
177	Other acute poisonings (gas excepted)—C	17	1	2	2	3		1	1	2	2	1		2					
178	Conflagration—W	9				2		1	1					1	1	1	1	1	
178	Conflagration—C	27	2	2	3	1	3	6		1	2	1		2				4	
179	Burns (conflagration excepted)—W	117	4	10	18	17	13	21	5	1	6	2	1	2	4	2	8	2	1
179	Burns (conflagration excepted)—C	142	8	10	19	16	10	22	7	8	6	5	2	4	7	4	2	12	
180	Mechanical suffocation—W	35	30			1	1				1			1	1				
180	Mechanical suffocation—C	38	35	1							2								
181	Absorption of irrespirable, irritating, or poisonous gas—W	3											1		1	1			
181	Absorption of irrespirable, irritating, or poisonous gas—C	1																	1
182	Drowning—W	61	1	4	1	1	9	6	7	12	5	2	8	2	1	2			
182	Drowning—C	44	1	2				3	11	13	4	3	1	1	3	1		1	
183	Traumatism by firearms (except in war)—W	55		1	3			4	7	13	7	2	6	5	5	1	1		
183	Traumatism by firearms (except in war)—C	60		1	1		1	7	7	14	10	5	6	3	2	1			2
184	Traumatism by cutting or piercing instruments—W	10		1				1		1		2		1	1	2		1	
184	Traumatism by cutting or piercing instruments—C	7	1									1		2		2	1		
185	Traumatism by fall—W	163	2	3		1			4	4	4	2	2	10	5	14	25	86	1
185	Traumatism by fall—C	31	3		1	1		2	2		1	1	3		4	4	1	8	
186a	Traumatism in mines—W	28								1	5	6	4	7	3	1			1
186a	Traumatism in mines—C	27								5	3	2	3	3	5		1		5
187	Traumatism by machines—W	29							1	5	4	5	1	6	5	1	1		
187	Traumatism by machines—C	24							3	4	2	3	2	3	3	4			
188a	Railroad accidents—W	80		1		1	1	3	2	7	8	5	9	15	14	4	6	4	
188a	Railroad accidents—C	45		1		1		3	2	4	9	4	4	4	4	5	2	1	1
	Collision with automobiles—W	19					1	1			3	2	3	3	5	1			
	Collision with automobiles—C	12				1		3	2	1	1		2		1	1			
	Other railroad accidents—W	61		1		1		2	2	7	5	3	6	12	9	3	6	4	
	Other railroad accidents—C	33		1						3	8	4	2	4	3	4	2	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH CAROLINA—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188b	Street-car accidents W	4											1				1	2	
	C	1												1					
	Collision with automobiles W	2											1				1		
	C	1												1					
	Other street-car accidents W	2																2	
188c	Automobile accidents (excluding collision with railroad trains and street cars) W	302	1	2	7	5	9	27	15	35	26	30	19	23	38	30	22	13	
	C	74	1	1	2	1	5	4	7	9	5	2	5	13	8	4	3	3	1
188d	Airplane and balloon accidents W	1												1					
188e,f	Injuries by other vehicles W	17					2	1	1		2			3	2		5	1	
	C	5	1	1					1	1					1				
188g	Landslide, other crushing W	10				1				1	3			2	1		1		1
	C	6									1	1	1			2	1		
189	Injuries by animals (not poisoning) W	12						2	3				1	2		1	2	1	
	C	3						1				1				1			
190	Wounds of war W	2											2						
192	Starvation (deprivation of food or water) C	1		1															
193	Excessive cold W	1															1		
194	Excessive heat W	9	2												1	1	3	2	
	C	4													1	2	1		
195	Lightning W	19						2		2	3	1	4	2	2	1	1		1
	C	11					1		1	2	1			3	1	1	1		
196	Other accidental electric shocks W	16						1	1	3	5	3	3						
	C	2									1	1							
201	Fracture (cause not specified) W	16								1		1		2			4	8	
	C	4												2	1			1	
202	Other external violence W	72	5	4	2	2	1	3	8	4	5	6	1	12	6	7	4	2	
	C	50	7	2	1	1	1	2	3	6	7	7	4		2	3	2	2	
	XV.—Ill-defined diseases White	1,181	556	38	9	6	5	8	2	10	6	7	11	37	49	88	165	179	5
	Colored	1,409	732	65	18	15	3	19	21	25	42	22	22	48	77	74	96	122	8
204	Sudden death W	203	33	2						1		3	2	11	12	31	56	52	
	C	114	20	3	1			2	2	2	5	3	3	9	18	16	16	14	
205a	Ill-defined W	252	75	8	2	2	2	4		4	2	1	4	11	15	25	50	46	1
	C	165	36	16	4	2	1	4	4	5	7	3	8	9	15	15	23	13	
205b	Not specified or unknown W	726	448	28	7	4	3	4	2	5	4	3	5	15	22	32	59	81	4
	C	1,130	676	46	13	13	2	13	15	18	30	16	11	30	44	43	57	95	8
	NORTH DAKOTA																		
	All causes	5,045	1,036	118	69	64	55	161	155	139	196	151	159	333	413	531	749	707	9
	I.—Epidemic, endemic, and infectious diseases	736	103	34	14	15	18	51	50	48	81	46	48	71	49	36	40	32	
1	Typhoid and paratyphoid fever	24	1			1	1	2	3		4		3	2	5	1	1		
6	Smallpox	8	2	1							1		1	2			1		
7	Measles	9	4	1	1	2					1								
8	Scarlet fever	48	2	5	3	3	5	15	9	2	1		2	1					
9	Whooping cough	73	52	14	3	1		3											
10	Diphtheria	37	2	1	2	3	5	14	5	2		3							
11a	Influenza (with pulmonary complications)	60	4	1	2	1	2	1	2	1	3	2	3	7	4	6	9	12	
11b	Influenza (other and unspecified)	40	11	1		1			1	3	3			1	3	1	6	9	
13	Mumps	1							1										
16	Dysentery	13	6	1	1	1											1	3	
20	Leprosy	1															1		
21	Erysipelas	12	3					2	1							1	3	2	
22	Acute anterior poliomyelitis	42	2	2				5	6	9	12	3	2	1					
23	Lethargic encephalitis	8						1			2			3	1	1			
24	Meningococcus meningitis	14	5	2		2			1		1			2	1				
25	Other epidemic and endemic diseases	4	3		1														
29	Tetanus	4							3						1				
30	Mycoses	3													1	1	1		
	Tuberculosis (all forms)	318	4	5	1	2	3	7	18	29	50	35	37	50	32	25	15	5	
31	Of the respiratory system	259	2			1	1	3	9	27	45	33	33	43	27	19	11	5	
32	Of the meninges, central nervous system	18	2	5	1		2	1	4	1	1			1					
33	Of the intestines, peritoneum	16							2		3	1	2	3	2	1	2		
34	Of the vertebral column	6												1		3	2		
36	Of other organs	11				1		3	2	1	1				2	1			
37b	Disseminated (chronic or unspecified)	8							1			1	2	2	1	1			
38	Syphilis	6	1								1	1			1		2		
40	Gonococcus infection	5								1	1	2		1					
41	Purulent infection, septicemia	6	1					1		1	1			1				1	
	II.—General diseases not included in Class I	621	15	3		2	1	11	6	11	6	8	13	52	99	131	169	93	1
	Cancer and other malignant tumors	406	1	2			1	2	3	1	3	1	10	30	70	92	114	75	1
43	Of the buccal cavity	8														3	2	3	
44	Of the stomach, liver	210											5	11	35	52	70	37	
45	Of the peritoneum, intestines, rectum	49					1		1				2	6	7	5	17	10	
46	Of the female genital organs	20											3	6	9	1	1		
47	Of the breast	31												5	11	6	5	4	
48	Of the skin	6														3	1	2	
49	Of other or unspecified organs	82	1	2				2	2	1	3	1		2	8	22	18	19	1
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	1					1								1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	II.—General diseases not included in Class I—Continued.																		
51	Acute rheumatic fever	17				1		5		4		1		2			2	2	
52	Chronic rheumatism, osteoarthritis, gout	4												1	1	1	1		
56	Rickets	1	1																
57	Diabetes mellitus	90						1	1	3	2	2	1	6	12	16	35	11	
58	Anemia, chlorosis	38				1						1		5	6	14	10	1	
60a	Exophthalmic goiter	14										2		2	7	2		1	
60b	Other diseases of the thyroid gland	5								2				2		1			
61	Diseases of the parathyroid glands	3	2	1															
62	Diseases of the thymus gland	6	6																
63	Diseases of the adrenals (Addison's disease)	2									1					1			
65a	Leukemia	13						1	1	1			1	2	1	2	3	1	
65b	Hodgkin's disease	5	1					1	1								1	1	
66	Alcoholism (acute or chronic)	7											1	2	2		2		
68	Chronic poisoning by organic substances	1										1							
69	Other general diseases	5	3													1	1		
	III.—Diseases of the nervous system and of the organs of special sense	486	57	8	1	3	2	8	4	13	9	4	6	23	39	70	140	96	3
70	Encephalitis	14	4	1		2				1		1		1	1	1	2		
71a	Simple meningitis	10	2					3		1	1		1	1	1				
71b	Nonepidemic cerebrospinal meningitis	5		1					2	1	1								
72	Tabes dorsalis (locomotor ataxia)	1												1					
73	Other diseases of the spinal cord	10						1		1	3			1	1	2	1		
74a	Cerebral hemorrhage	303	1				1						2	11	28	55	120	83	2
74b	Cerebral embolism and thrombosis	11												2		3	3	3	
75	Paralysis without specified cause	13														1	4	8	
76	General paralysis of the insane	7												3	2		1		1
77	Other forms of mental alienation	16								1			2	1	5	4	3		
78	Epilepsy	13	1					1		3	4	1		1		1	1		
79	Convulsions (nonpuerperal; 5 years and over)	1								1									
80	Infantile convulsions (under 5 years)	53	49	4															
83	Softening of the brain	1																1	
84	Other diseases of the nervous system	14			1			1		4					1	3	3	1	
86a	Diseases of the ear	9		2		1		1	2					1			2		
86b	Diseases of the mastoid process	5					1	1				2	1						
	IV.—Diseases of the circulatory system	597	2	2	1	2	2	12	11	8	12	12	15	29	57	101	167	164	
87	Pericarditis	5	1		1	1									1	1			
88	Endocarditis and myocarditis (acute)	30		2			1	3	2		4		2	6	1	3	3	3	
89	Angina pectoris	32								1		1			7	8	9	6	
90	Other diseases of the heart	459	1				1	8	9	7	8	11	10	21	42	79	137	125	
91a	Aneurysm	5												1	3	1			
91b,c	Other diseases of the arteries	46														6	12	28	
92	Embolism and thrombosis (not cerebral)	14											2	1	2	3	5	1	
93	Diseases of the veins	4											1		1		1	1	
94	Diseases of the lymphatic system	2				1		1											
	V.—Diseases of the respiratory system	537	160	22	11	13	7	17	12	11	12	14	8	23	28	38	62	99	
97a	Diseases of the nasal fossæ	2	1	1															
97b	Diseases of the nasal fossæ annexa	7	1						1			2		1	1	1			
98	Diseases of the larynx	6	1	1	1			1	1			1							
99a	Acute bronchitis	10	7				1									1		1	
99b	Chronic bronchitis	8														1	1	6	
99c,d	Bronchitis (unspecified)	8	3	1	1											1	1	1	
100a	Broncho-pneumonia	227	110	13	8	9	2	7	1	3	3	2	2	2	2	7	16	40	
100b	Capillary bronchitis	4	3	1															
101a	Lobar pneumonia	194	22	3	1	3	3	6	6	4	9	8	6	19	23	19	34	28	
101b	Pneumonia (unspecified)	25	10	1		1		1	2	3						1	4	2	
102	Pleurisy	10		1			1	2		1						2	1	2	
103	Congestion and hemorrhagic infarct of the lung	17	1						1								2	13	
104	Gangrene of the lung	3										1		1		1			
105	Asthma	10													2	3	2	3	
106	Pulmonary emphysema	1																1	
107	Other diseases of the respiratory system (tuberculosis excepted)	5	1													1	1	2	
	VI.—Diseases of the digestive system	584	161	26	29	16	13	31	28	21	28	14	14	47	37	54	35	29	1
108	Diseases of the mouth and annexa	4	1											1	1	1			
109b	Other diseases of the pharynx, tonsils	23	1	1			3	3	1	5	2	1		3	1	1	1		
111a	Ulcer of the stomach	20									1		1	7	2	5	2	2	
111b	Ulcer of the duodenum	11									1		2	4	1	3			
112	Other diseases of the stomach (cancer excepted)	17	11					1							1	1	1	2	
113	Diarrhea and enteritis (under 2 years)	160	138	22															
114	Diarrhea and enteritis (2 years and over)	65			25	11	5	1	4		2				4	3	4	6	
117	Appendicitis and typhlitis	149		2	4	5	4	25	20	14	17	6	6	20	12	10	3		1
118a	Hernia	13										1		2	1	2	4	3	
118b	Intestinal obstruction	33	8	1			1				2	1	3	3	5	3	3	3	
119	Other diseases of the intestines	5						1		1						1		2	
120	Acute yellow atrophy of the liver	1									1								
121	Hydatid tumor of the liver	2										1				1			
122	Cirrhosis of the liver	19												3	1	6	5	4	
123	Biliary calculi	22										1	1	1	4	10	2	3	
124	Other diseases of the liver	26							1	1		1	1	2	4	5	7	4	
125	Diseases of the pancreas	4							1							2	1		
126	Peritonitis without specified cause	10	2						1		2	2		1			2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	NORTH DAKOTA—Continued																		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	297	6		1	1	3	2	4	2	4	5	8	15	37	52	82	73	2
128	Acute nephritis (including unspecified under 10 years)	23	2		1	1	2	2	2		1		1	2		4	3	2	
129	Chronic nephritis (including unspecified 10 years and over)	206							1	1	1	3	5	8	28	39	63	55	2
131	Other diseases of the kidneys and annexa	17	4				1								2	3	5	2	
132	Calculi of the urinary passages	3									1				1		1		
133	Diseases of the bladder	4															1	3	
134	Diseases of the urethra, etc	1												1					
135	Diseases of the prostate	24														5	8	11	
137	Cysts, other benign tumors of the ovary	7							1	1		1		1	2	1			
138	Salpingitis and pelvic abscess (female)	5									1	1	1		2				
139	Benign tumors of the uterus	6											1	2	2		1		
141	Other diseases of the female genital organs	1												1					
	VIII.—The puerperal state	89								2	14	28	14	30	1				
143	Accidents of pregnancy	5										5							
144	Puerperal hemorrhage	8										3		4	1				
145	Other accidents of labor	9										4	2	3					
146	Puerperal septicemia	32									9	9	7	7					
147	Puerperal phlegmasia alba dolens, embolus, etc	5										1	1	3					
148	Puerperal albuminuria and convulsions	30								2	5	6	4	13					
	IX.—Diseases of the skin and of the cellular tissue	16	6	1									1		3		2	3	
151	Gangrene	4													1		2	1	
152	Furuncle	1	1																
153	Acute abscess	1		1															
154	Other diseases of the skin and annexa	10	5										1		2			2	
	X.—Diseases of the bones and of the organs of locomotion	6					1		1					1	2			1	
155	Diseases of the bones (tuberculosis excepted)	6					1		1					1	2			1	
	XI.—Malformations	68	62	1	1				2	1				1					
159a	Congenital hydrocephalus	7	4						2	1									
159b	Congenital malformations of the heart	33	32	1															
159c	Other congenital malformations	28	26		1									1					
	XII.—Early infancy	373	373																
160	Congenital debility, icterus, sclerema	52	52																
161a	Premature birth	233	233																
161b	Injury at birth	54	54																
162	Other diseases peculiar to early infancy	33	33																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	108														1	20	87	
	XIV.—External causes	391	13	12	10	11	7	25	34	21	30	20	30	37	55	41	21	22	2
	Suicide	51								1	2	1	5	14	15	7	3	2	1
165	By poisons (gas or corrosives excepted)	5											1	1	1	2			
166	By corrosive substances	2													1			1	
167	By poisonous gas	2												1		1			
168	By hanging or strangulation	8									1			2	2		2	1	
169	By drowning	4													2	1	1		
170	By firearms	24								1	1	1	4	9	6	2			
171	By cutting or piercing instruments	6												1	3	1			1
	Homicide	13	1				1			1	2	5	2	1					
197	By firearms	7					1			1		2	2	1					
199	By other means	6	1								2	3							
	Accidental or undefined	327	12	12	10	11	6	25	34	19	26	14	23	22	40	34	18	20	1
175	Poisoning by food	4		1		1		1									1		
177	Other acute poisonings (gas excepted)	6		1									1	1	1	2			
178	Conflagration	19	3	1	1	2	3	3	2					2		1			
179	Burns (conflagration excepted)	24		5	3	1	1	3	2	1		1		2		1	3	1	
180	Mechanical suffocation	8	4					2	2										
181	Absorption of irrespirable, irritating, or poisonous gas	3										1	2						
182	Drowning	24	1	1	2			3	3	5	4	2			2	1			
183	Traumatism by firearms (except in war)	22				1	1	1	8	2	3		2	3	1				
184	Traumatism by cutting or piercing instruments	1									1								
185	Traumatism by fall	37	2						4					1	5	3	6	16	
186a	Traumatism in mines	6									2		1			2	1		
187	Traumatism by machines	19		1					4		3	1	2	2	5	1			
188a	Railroad accidents	22	1		1					3	3	3	3	2	3	2	1		
	Collision with automobiles	11	1		1					3	3	1			1	1			
	Other railroad accidents	11										2	3	2	2	1	1		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	59			1	3		2	3	2	3	3	4	8	13	12	3	2	
188e f	Injuries by other vehicles	25		1		1	1	4	1	1	3	3	1	1	4	3	1		
188g	Landslide, other crushing	5		1				1			1		1			1			
189	Injuries by animals (not poisoning)	9						1	2		2		1			2	1		
193	Excessive cold	2													1	1			
194	Excessive heat	3													1	2			
195	Lightning	2								1			1						
196	Other accidental electric shocks	2											2						
201	Fracture (cause not specified)	2								1									1
202	Other external violence	23	1	1	2	2	1	4	2	1	1		2		4		1	1	
	XV.—Ill-defined diseases	136	78	9	1	1	1	4	3	1			2	4	6	7	11	8	
204	Sudden death	10	2							1			1	1	2	1	1	1	
205a	Ill-defined	28	8	3				1						2	3	4	4	3	
205b	Not specified or unknown	98	68	6	1	1	1	3	3				1	1	1	2	6	4	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO																		
	All causes	73,607	8,832	1,428	666	476	394	1,324	991	1,552	2,096	2,223	2,453	5,775	7,307	9,927	13,278	14,871	14
	I.—Epidemic, endemic, and infectious diseases	9,595	809	379	221	158	123	422	265	528	810	787	692	1,207	949	779	768	697	1
1	Typhoid and paratyphoid fever	333	1	3	4	4	3	16	34	53	44	35	18	45	30	20	22	1	
5	Malaria	12								1	2		1		2	2	3	1	
6	Smallpox	47	4			2		3		4	2	1	5	10	5	5	5	1	
7	Measles	81	11	33	10	4	1	11	1	2	1	2	2	1	1	1			
8	Scarlet fever	252	18	17	22	24	13	73	27	14	16	8	7	7	4		2		
9	Whooping cough	374	219	102	26	13	6	7	1										
10	Diphtheria	392	16	41	44	43	41	126	35	15	10	3	5	11	1		1		
11a	Influenza (with pulmonary complications)	1,219	136	60	18	13	8	25	13	22	24	35	50	106	107	140	206	256	
11b	Influenza (other and unspecified)	881	110	31	25	15	12	35	18	17	17	18	20	54	69	80	114	246	
13	Mumps	8	3	1		1				1						1		1	
15	Cholera nostras	9	1		2		1		1							1	1	2	
16	Dysentery	93	24	12	6	3	1	2		2		1	1		2	2	11	26	
21	Erysipelas	168	42	3	2	2			1	1	2	2	4	9	19	20	27	34	
22	Acute anterior poliomyelitis	68	3	9	9	6	5	20	8		1	1	1	1	2		1	1	
23	Lethargic encephalitis	128	3	5	5	3	1	11	8	5	10	12	10	15	16	16	7	1	
24	Meningococcus meningitis	53	10	8	4	2	3	9	2	3	4	5		2		1			
25	Other epidemic and endemic diseases	15	4	3	1	1	1	3	1								1		
28	Rabies	12				1	1	5	2					2			1		
29	Tetanus	69	2		1	1	2	17	15	6	2	4	2	7	3	5	1	1	
30	Mycoses	5	1								1		1			2			
	Tuberculosis (all forms)	4,819	99	46	36	18	23	55	94	366	652	624	530	827	587	417	334	110	1
31	Of the respiratory system	4,060	22	14	8	4	8	13	50	314	585	562	480	740	506	369	292	93	
32	Of the meninges, central nervous system	253	51	24	23	12	11	33	19	17	10	15	8	13	12	3	1		1
33	Of the intestines, peritoneum	199	7	1	1	1		5	7	12	23	17	19	31	31	15	21	8	
34	Of the vertebral column	61	2					1	6	4	9	5	6	7	8	8	3	2	
35	Of the joints	26	1	1					2	1	2	1	1	3	5	5	3	1	
36	Of other organs	89	2		1				1	7	8	10	4	15	15	9	12	5	
37a	Disseminated (acute)	94	14	4	3	1	4	3	6	6	9	9	8	12	6	8		1	
37b	Disseminated (chronic or unspecified)	37		2					3	5	6	5	4	6	4		2		
38	Syphilis	459	93	5	3	2	1	1	1	7	14	26	28	89	91	62	24	12	
40	Gonococcus infection	41	2							5	6	6	5	12	3	2			
41	Purulent infection, septicemia	56	7		2			3	3	4	2	4	2	9	7	2	7	4	
42	Other infectious diseases	1			1														
	II.—General diseases not included in Class I	9,115	190	33	23	20	11	57	81	70	89	123	179	817	1,505	2,166	2,315	1,436	
	Cancer and other malignant tumors	6,133	1	7	4	5	3	10	13	16	22	55	101	516	1,047	1,513	1,684	1,136	
43	Of the buccal cavity	196											1	12	29	46	54	54	
44	Of the stomach, liver	2,309		1	1		1	2	2	2	3	4	15	113	339	594	766	466	
45	Of the peritoneum, intestines, rectum	829		1					2	1	7	13	15	60	120	198	248	164	
46	Of the female genital organs	924							2	1	4	19	36	158	236	232	139	97	
47	Of the breast	531										3	12	68	136	148	99	65	
48	Of the skin	188				1		1					3	10	12	21	44	96	
49	Of other or unspecified organs	1,156	1	5	3	4	2	7	7	12	8	16	19	95	175	274	334	194	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	58	2	2				1	2	1	3	2	2	6	6	9	13	9	
51	Acute rheumatic fever	175	3	1	3	1	2	24	30	14	7	9	6	13	17	21	16	8	
52	Chronic rheumatism, osteoarthritis, gout	87										1	1	3	15	13	27	27	
53	Scurvy	1	1																
54	Pellagra	11										3	3	2	1		2		
56	Rickets	20	9	6	5														
57	Diabetes mellitus	1,157	1	1	1	3	1	8	22	14	20	12	15	87	140	329	335	168	
58	Anemia, chlorosis	459	6	1		2		3	4	7	3	6	5	28	91	119	135	49	
59	Diseases of the pituitary gland	7	1							1	1	1		1	1			1	
60a	Exophthalmic goiter	418						1	4	8	17	21	16	75	114	92	51	19	
60b	Other diseases of the thyroid gland	45	3		4	2			1	2		1	1	7	6	12	2	4	
61	Diseases of the parathyroid glands	5	4			1													
62	Diseases of the thymus gland	83	76	5	1		1												
63	Diseases of the adrenals (Addison's disease)	27							1				3	4	8	4	5	2	
64	Diseases of the spleen	13	2					2				1	1	3			4		
65a	Leukemia	91	1	6	3	3	3	5	3	3	4	2	6	15	10	12	12	3	
65b	Hodgkin's disease	41		1			1	1	1	1	4	2		4	6	11	6	3	
66	Alcoholism (acute or chronic)	145									3	4	14	46	36	26	13	3	
67a	Chronic lead poisoning	10											1	3	1	3	1	1	
67b	Other chronic mineral poisoning	3									1						2		
68	Chronic poisoning by organic substances	9									2		1	2	1	1	1	1	
69	Other general diseases	117	80	3	2	3		2		3	2	3	3	2	5	1	6	2	
	III.—Diseases of the nervous system and of the organs of special sense	9,065	169	58	27	27	17	82	66	89	72	81	159	479	973	1,581	2,433	2,751	1
70	Encephalitis	57	4	4		4	1	3	2	3	2	7	4	3	9	5	4	2	
71a	Simple meningitis	159	30	11	12	12	5	14	8	8	4	8	4	7	19	11	5	1	
71b	Nonepidemic cerebrospinal meningitis	46	9	13	2	1		8	1	4	5			3					
72	Tabes dorsalis (locomotor ataxia)	131											2	14	33	40	25	17	
73	Other diseases of the spinal cord	184		3	1			2	5	5	2	6	6	9	18	39	53	35	
74a	Cerebral hemorrhage	6,575	10	1		1	1	3	8	12	19	10	27	162	567	1,223	2,085	2,445	1
74b	Cerebral embolism and thrombosis	204					2	3	3	1			4	12	27	38	48	66	
75	Paralysis without specified cause	136			1			1		2		1	2	4	7	20	46	52	
76	General paralysis of the insane	552								5	1	12	53	154	167	94	46	20	
77	Other forms of mental alienation	109								3	4	3	6	25	30	16	14	8	
78	Epilepsy	197	2	3	1	4	3	9	9	14	15	16	23	33	27	22	9	7	
79	Convulsions (nonpuerperal; 5 years and over)	5						2				1	1				1		
80	Infantile convulsions (under 5 years)	86	73	7	3	2	1												
81	Chorea	9	1						3	2						2	1		
82	Neuralgia and neuritis	33											1	3	6	5	7	11	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
83	Softening of the brain	67													4	9	15	39	
84	Other diseases of the nervous system	300	8	4	1	1	1	8	6	9	3	9	15	34	46	44	66	45	
85	Diseases of the eye and annexa	2						1									1		
86a	Diseases of the ear	132	27	11	5	2		19	10	10	7	4	4	13	7	10	1	2	
86b	Diseases of the mastoid process	81	5	1	1		3	9	11	11	10	4	7	3	6	3	6	1	
	IV.—Diseases of the circulatory system	13,699	50	17	15	9	17	92	120	124	123	155	185	675	1,256	2,229	3,766	4,864	2
87	Pericarditis	31		1				1		4				2	3	9	3	8	
88	Endocarditis and myocarditis (acute)	559	23	3	6	3	6	24	24	29	29	27	31	111	73	62	59	49	
89	Angina pectoris	854							2	2	4	4	10	39	94	197	306	196	
90	Other diseases of the heart	10,402	22	10	7	6	11	66	90	87	87	118	137	485	1,012	1,772	2,932	3,558	2
91a	Aneurysm	118							1				2	20	24	40	18	13	
91b,c	Other diseases of the arteries	1,579											2	6	27	128	410	1,006	
92	Embolism and thrombosis (not cerebral)	89			2			1	1	1	2	4	2	6	9	12	30	19	
93	Diseases of the veins	41	1						1	1		1		5	11	8	5	8	
94	Diseases of the lymphatic system	15	2	3					1			1	1		2		1	4	
95	Hemorrhage without specified cause	6	2											1	1		1	1	
96	Other diseases of the circulatory system	5									1					1	1	2	
	V.—Diseases of the respiratory system	6,579	1,330	393	145	66	46	120	74	104	142	144	196	481	480	646	896	1,314	2
97a	Diseases of the nasal fossae	11	3						2		1			1	2	1		1	
97b	Diseases of the nasal fossae annexa	34	1				1			4	2	3	2	6	8	4	1	2	
98	Diseases of the larynx	24	7	3		1		4		2				1		1	2	3	
99a	Acute bronchitis	108	20	12	2			1		2			2	3	3	4	10	49	
99b	Chronic bronchitis	148	4						1		1		1	3	7	25	29	77	
99c,d	Bronchitis (unspecified)	84	11	1					1	1			1	1	7	5	11	45	
100a	Broncho-pneumonia	2,522	932	230	82	34	17	49	18	14	22	21	29	71	69	161	267	506	
100b	Capillary bronchitis	49	18	3	1	2	2			1					2		9	11	
101a	Lobar pneumonia	3,138	294	123	54	25	23	62	46	74	105	111	150	362	335	386	490	498	
101b	Pneumonia (unspecified)	61	20	9	1				1	1	4		1	2		5	5	10	2
102	Pleurisy	132	7	10	3	3	2	3	3	1	6	5	4	16	18	19	16	16	
103	Congestion and hemorrhagic infarct of the lung	72	4	2					1	2				3	2	2	7	49	
104	Gangrene of the lung	9											1	1	1	3	3		
105	Asthma	110	1		2		1						3	2	3	14	17	35	32
106	Pulmonary emphysema	19	2											2	3	3	3	6	
107	Other diseases of the respiratory system (tuberculosis excepted)	58	6			1		1	1	2	1	1	3	6	9	10	8	9	
	VI.—Diseases of the digestive system	6,167	1,623	376	127	89	55	169	113	140	145	187	212	507	606	657	658	502	1
108	Diseases of the mouth and annexa	57	7	1					1	3	3	4	4	9	8	10	6	1	
109a	Adenoid vegetations	2							1	1									
109b	Other diseases of the pharynx, tonsils	243	14	13	9	14	7	35	12	16	15	21	20	26	18	7	10	6	
110	Diseases of the esophagus	4												1		1		2	
111a	Ulcer of the stomach	258	1		1	1			1	6	11	7	10	36	53	52	49	30	
111b	Ulcer of the duodenum	92									1	4	10	19	19	18	15	6	
112	Other diseases of the stomach (cancer excepted)	356	91	15	6	6	4	5		4	1	6	6	27	33	41	51	60	
113	Diarrhea and enteritis (under 2 years)	1,744	1,420	324															
114	Diarrhea and enteritis (2 years and over)	418			95	45	21	21	5	3	5	7	5	9	20	26	59	97	
115	Ancylostomiasis	1																1	
116	Diseases due to other intestinal parasites	2			1			1											
117	Appendicitis and typhlitis	867	3	3	3	14	13	77	76	87	65	77	65	132	111	78	47	16	
118a	Hernia	266	4	1	1					1	4	5	10	30	34	59	73	44	
118b	Intestinal obstruction	475	65	11	6	3	3	17	8	8	17	15	21	49	66	51	70	65	
119	Other diseases of the intestines	86	4	1		1	2	1	2	2	3	6	10	6	8	17	13	10	
120	Acute yellow atrophy of the liver	22		1	1						4		3	4	3	5	1		
121	Hydatid tumor of the liver	3												3					
122	Cirrhosis of the liver	512	2	2	1	1		2	3	1	1	6	8	49	91	121	140	83	1
123	Biliary calculi	327									2	7	11	45	80	93	58	31	
124	Other diseases of the liver	235	5	2	1	1	3		2	3	5	7	13	38	46	58	58	43	
125	Diseases of the pancreas	22								1	1	2	2	3	3	7	3		
126	Peritonitis without specified cause	125	7	2	2	3	2	10	2	4	7	13	14	21	13	13	5	7	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	6,291	38	9	8	9	8	29	29	45	76	100	143	474	721	1,113	1,669	1,819	1
128	Acute nephritis (including unspecified under 10 years)	321	18	5	5	5	2	16	7	10	10	6	16	47	42	43	40	49	
129	Chronic nephritis (including unspecified 10 years and over)	4,941		2	1	2	5	12	21	25	34	47	71	261	543	936	1,441	1,539	1
130	Chyluria																		
131	Other diseases of the kidneys and annexa	166	14	1	2	2	1	1			4	2	10	16	22	35	32	24	
132	Calculi of the urinary passages	58								1	1	2	4	8	11	11	7	13	
133	Diseases of the bladder	53	1	1							1	1			2	6	5	36	
134	Diseases of the urethra, etc	22											1	3	8	2	5	3	
135	Diseases of the prostate	322													9	46	122	145	
136	Nonvenereal diseases of the male genital organs	5	4													1			
137	Cysts, other benign tumors of the ovary	50							1	1	1	3	6	14	11	6	5	2	
138	Salpingitis and pelvic abscess (female)	127								6	19	24	24	40	10	3	1		
139	Benign tumors of the uterus	167								1		7	7	65	55	16	8	8	
140	Nonpuerperal uterine hemorrhage	1															1		
141	Other diseases of the female genital organs	57								1	6	8	4	20	8	8	2		
142	Nonpuerperal diseases of the breast (cancer excepted)	1	1																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	VIII.—The puerperal state	858								91	168	186	170	237	6				
143	Accidents of pregnancy	89								5	12	21	23	27	1				
144	Puerperal hemorrhage	87								2	12	23	18	32					
145	Other accidents of labor	88								10	13	20	12	33					
146	Puerperal septicemia	370								49	79	83	67	90	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	41								2	7	9	10	12	1				
148	Puerperal albuminuria and convulsions	172								23	44	28	36	41					
149	Following childbirth (undefined)	10									1	2	4	2	1				
150	Puerperal diseases of the breast	1													1				
	IX.—Diseases of the skin and of the cellular tissue	206	27	1	3		1		2	7	6	4	11	9	16	11	34	74	
151	Gangrene	88							1				1	1	1	4	19	61	
152	Furuncle	37	5		1				1	1	3	1	6	3	6	3	5	2	
153	Acute abscess	29	10				1			2	2	1	3	5	3	1	1		
154	Other diseases of the skin and annexa	52	12	1	2					4	1	2	1		6	3	9	11	
	X.—Diseases of the bones and of the organs of locomotion	65	5	1	3	1	1	9	7	5		3	1	4	5	10	6	4	
155	Diseases of the bones (tuberculosis excepted)	49	5	1	3	1	1	8	6	4		1		3	4	5	4	3	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	13						1	1	1		1	1	1	1	4	1	1	
158	Other diseases of the organs of locomotion	3										1				1	1		
	XI.—Malformations	861	768	43	9	10	5	14	4	4	2		1	1					
159a	Congenital hydrocephalus	76	51	12	2	5	1	3		1	1								
159b	Congenital malformations of the heart	520	476	19	5	3	1	9	3	3	1								
159c	Other congenital malformations	265	241	12	2	2	3	2	1				1	1					
	XII.—Early infancy	3,607	3,607																
160	Congenital debility, icterus, sclerema	442	442																
161a	Premature birth	2,239	2,239																
161b	Injury at birth	646	646																
162	Other diseases peculiar to early infancy	276	276																
163	Lack of care	4	4																
164	XIII.—Old age (senility)	656														8	62	586	
	XIV.—External causes	6,582	122	99	79	87	107	329	229	343	462	453	501	872	779	704	636	775	5
	Suicide	790							7	24	52	63	63	161	156	146	84	34	
165	By poisons (gas or corrosives excepted)	41								4	2	6	5	10	3	6	2	3	
166	By corrosive substances	105								8	18	17	11	26	18	5	2		
167	By poisonous gas	19											2	5	6	6			
168	By hanging or strangulation	174							2	1	4	4	12	28	38	38	35	12	
169	By drowning	56								1	2	5	3	5	12	16	8	4	
170	By firearms	301							5	10	25	23	23	58	63	58	27	9	
171	By cutting or piercing instruments	63									1	6	5	17	11	13	5	5	
172	By jumping from high places	15											2	5	3		4	1	
173	By crushing	11										2		4	2	2	1		
174	By other means	5												3		2			
	Homicide	502	7	1	1			5	4	22	63	95	91	120	62	22	7	1	1
197	By firearms	322	2	1	1			3	2	10	42	70	60	83	36	7	4	1	
198	By cutting or piercing instruments	71							1	1	11	12	19	17	8	2			
199	By other means	109	5					2	1	11	10	13	12	20	18	13	3		1
	Accidental or undefined	5,290	115	98	78	87	107	324	218	297	347	295	347	591	561	536	545	740	4
175	Poisoning by food	65	5	1		4	1	3	2	2	3	1	5	6	7	8	13	4	
176	Poisoning by venomous animals	2		1											1				
177	Other acute poisonings (gas excepted)	90	1	20	7	2	4	1		1	5	3	7	12	14	6	3	4	
178	Conflagration	86	1	5	3	10	9	8	4	3	1	6	6	8	6	5	5	6	
179	Burns (conflagration excepted)	371	11	35	28	21	28	30	10	11	18	18	23	32	27	26	33	20	
180	Mechanical suffocation	60	50							1	3			1	4	1			
181	Absorption of irrespirable, irritating, or poisonous gas	92	1						2	7	9	9	6	12	15	16	8	7	
182	Drowning	308	2	6	5	3	4	39	52	62	33	24	15	21	26	8	5	3	
183	Traumatism by firearms (except in war)	102			3	2	2	6	19	21	11	10	9	10	7	1	1		
184	Traumatism by cutting or piercing instruments	45	1	1				2	2		2	1	1	7	10	6	6	6	
185	Traumatism by fall	1,089	9	8	4	4	4	21	17	17	24	11	43	71	83	112	168	492	1
186a	Traumatism in mines	100								2	6	13	15	29	19	11	5		
186b	Traumatism in quarries	10										1	2	4	3				
187	Traumatism by machines	174		1					3	11	24	14	26	30	26	21	14	4	
188a	Railroad accidents	621		1	3	2	2	16	12	42	66	62	64	114	102	66	40	29	
	Collision with automobiles	129			1	1	1	5	3	20	14	11	11	27	23	7	4	1	
	Other railroad accidents	492		1	2	1	1	11	9	22	52	51	53	87	79	59	36	28	
188b	Street-car accidents	155		1	1	3	2	6	1	5	12	17	17	25	17	20	24	4	
	Collision with automobiles	56		1		1	1	2		1	4	8	6	13	9	5	5		
	Other street-car accidents	99			1	2	1	4	1	4	8	9	11	12	8	15	19	4	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,285	7	10	12	29	44	160	66	78	96	64	56	135	131	158	149	87	3
188d	Airplane and balloon accidents	29						1	1		1	7	14	4	1				
188e,f	Injuries by other vehicles	69		2	1			4	7	10	2	2	7	4	1	11	13	5	
188g	Landslide, other crushing	23						2		2	1	2	1	7	2	3	1	2	
189	Injuries by animals (not poisoning)	30				2	1	4	1	3	1	1		2	3	2	7	3	
192	Starvation (deprivation of food or water)	1															1		
193	Excessive cold	11										2		1	3	1	3	1	
194	Excessive heat	52	3	2	2					2	1	1	1	4	9	9	5	13	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OHIO—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
195	Lightning	21						1	3	3		2	2	1	5	3	1		
196	Other accidental electric shocks	59							4	3	14	9	11	11	4	2	1		
201	Fracture (cause not specified)	61						1	2	2		1	2	1	3	5	9	35	
202	Other external violence	279	24	4	9	5	6	19	10	9	14	14	14	39	32	35	30	15	
	XV.—Ill-defined diseases	261	94	19	6		3	1	1	2	1		3	12	11	23	35	49	1
204	Sudden death	21	4		1		1						1		3	4	1	6	
205a	Ill-defined	84	10	16	3		1							5	4	7	18	20	
205b	Not specified or unknown	156	80	3	2		1	1	1	2	1		2	7	4	12	16	23	1
	OREGON																		
	All causes	9,629	792	119	87	62	57	183	167	219	298	319	305	765	1,051	1,511	1,812	1,866	16
	I.—Epidemic, endemic, and infectious diseases	1,170	100	40	28	17	20	72	56	68	91	92	75	152	130	97	80	51	1
1	Typhoid and paratyphoid fever	33						4	3	4	2	2	1	7	4	5	1		
5	Malaria	2												1	1				
6	Smallpox	3						1				1					1		
7	Measles	1							1										
8	Scarlet fever	20		3	2		1	5	3	1	1	1	1	2					
9	Whooping cough	63	37	15	7	3		1											
10	Diphtheria	102	3	5	4	6	12	36	16	5	4	3	2	3	2		1		
11a	Influenza (with pulmonary complications)	119	17	5	1	2	2	5	6	4	6	7	3	9	16	8	14	14	
11b	Influenza (other and unspecified)	87	18	2	3	2	1	6	1	5	7		2	4	4	8	6	18	
13	Mumps	3						1			1						1		
16	Dysentery	4				2										2			
21	Erysipelas	18	5			1	1			1	1		1	1	1	2	3	1	
22	Acute anterior poliomyelitis	2		1											1				
23	Lethargic encephalitis	14					1	2	1	2		1	2	2	1	2			
24	Meningococcus meningitis	35	4	2	1	1		2	4	7	3	2	1	5	3				
25	Other epidemic and endemic diseases	5	1					1							1	2			
27	Anthrax	1											1						
29	Tetanus	3													1	1	1		
30	Mycoses	1														1			
	Tuberculosis (all forms)	560	10	7	9		2	7	19	36	65	69	57	102	68	51	46	11	1
31	Of the respiratory system	452	1	1	1			3	12	32	50	62	47	86	61	44	42	9	1
32	Of the meninges, central nervous system	40	5	4	7		1	4	6	3	3		1	6					
33	Of the intestines, peritoneum	32	1	2	1					1	7	3	5	6	2	2	2		
34	Of the vertebral column	10							1		1	3	1		1	2		1	
35	Of the joints	3												2				1	
36	Of other organs	13	1								1		2	2	2	3	2		
37a	Disseminated (acute)	10	2				1				3	1	1		2				
38	Syphilis	67	3								1	1	3	12	26	13	5	3	
40	Gonococcus infection	5								1		3		1					
41	Purulent infection, septicemia	22	2		1			1	2	2		2	1	3	1	2	1	4	
	II.—General diseases not included in Class I	1,382	15	4	2	5	4	7	7	10	13	26	35	121	242	367	316	207	1
	Cancer and other malignant tumors	949		2		3	1	2		2	1	8	16	75	176	269	229	164	1
43	Of the buccal cavity	30				1								2	5	5	11	6	
44	Of the stomach, liver	351											1	20	64	110	89	66	1
45	Of the peritoneum, intestines, rectum	143		1								2	2	9	27	42	39	21	
46	Of the female genital organs	122										2	3	15	36	34	18	14	
47	Of the breast	70											2	7	19	18	16	8	
48	Of the skin	28										1	1		1	6	7	12	
49	Of other or unspecified organs	205		1		2	1	2		2	1	3	7	22	24	54	49	37	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	7									1		1	1	2	1		1	
51	Acute rheumatic fever	18		1				3	1	1	1	2		4	1	1		3	
52	Chronic rheumatism, osteoarthritis, gout	11													1		6	4	
54	Pellagra	2													1	1			
56	Rickets	2		1				1											
57	Diabetes mellitus	146			1	1		1	3	2	2	5	3	7	15	46	38	22	
58	Anemia, chlorosis	71			1		1				1	3	5	6	11	16	19	8	
60a	Exophthalmic goiter	71								1	3	2	3	12	18	19	13		
60b	Other diseases of the thyroid gland	12	1										1	3	3	1	1	2	
62	Diseases of the thymus gland	9	4							2	1	1	1						
63	Diseases of the adrenals (Addison's disease)	5												1	1	2	1		
64	Diseases of the spleen	2							1					1					
65a	Leukemia	22					1		1				3	4	5	3	5		
65b	Hodgkin's disease	7	1							1	1	1			1	1		1	
66	Alcoholism (acute or chronic)	21								1	1	2	2	5	5	4	1		
67a	Chronic lead poisoning	1														1			
67b	Other chronic mineral poisoning	1															1		
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	24	9			1	1		1		1	2		1	2	2	2	2	
	III.—Diseases of the nervous system and of the organs of special sense	1,201	16	5	4	5	1	10	11	18	14	16	16	58	133	223	280	388	3
70	Encephalitis	9	1		1		1					1		4			1		
71a	Simple meningitis	21	2	1	1	1		3	2	1		1		2	4	1	1		1
71b	Nonepidemic cerebrospinal meningitis	8	1			2		1			1	1		1	1				
72	Tabes dorsalis (locomotor ataxia)	9											1	2	1	3	1	1	
73	Other diseases of the spinal cord	25						1	1			1		2	6	9	3	2	
74a	Cerebral hemorrhage	815	2	1				1			2	3	16	73	159	229	327	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
74b	Cerebral embolism and thrombosis	41	1									2	2	2	3	7	10	14	
75	Paralysis without specified cause	62	1	1										2	3	12	17	26	
76	General paralysis of the insane	64									1	1	2	15	25	14	4	2	
77	Other forms of mental alienation	31							2	2	1	5	5	7	6	2	1		
78	Epilepsy	40			1		2	2	8	7	4	1	2	2	5	3	3		
80	Infantile convulsions (under 5 years)	7	5	1	1														
82	Neuralgia and neuritis	2										1				1			
83	Softening of the brain	7													1		6		
84	Other diseases of the nervous system	30				1			1	1	1	1	1	3	6	2	7	6	
86a	Diseases of the ear	21	2	1		1		2	3	3	2		1	1		3	2		
86b	Diseases of the mastoid process	9	1					2	1	2				1	1	1			
	IV.—Diseases of the circulatory system	1,891	7	3		1		10	24	12	14	17	23	85	177	373	561	581	3
87	Pericarditis	6							1					1			2	2	
88	Endocarditis and myocarditis (acute)	58	2	1				1	4	4	4	1	3	11	5	11	7	4	
89	Angina pectoris	156							1		1			5	17	47	56	29	
90	Other diseases of the heart	1,368	4	2		1		9	17	8	8	12	19	56	128	276	417	408	3
91a	Aneurysm	24												3	4	7	9	1	
91b,c	Other diseases of the arteries	209												4	8	17	57	123	
92	Embolism and thrombosis (not cerebral)	59	1								1	3	1	4	12	12	12	13	
93	Diseases of the veins	7							1						2	2	1	1	
94	Diseases of the lymphatic system	2										1		1					
96	Other diseases of the circulatory system	2													1	1			
	V.—Diseases of the respiratory system	721	105	18	13	9	6	13	8	15	20	19	20	54	57	85	122	156	1
97a	Diseases of the nasal fossae	7	1						1			1	1			1		2	
98	Diseases of the larynx	5	2	1				1									1		
99a	Acute bronchitis	14	5		1		1							1				6	
99b	Chronic bronchitis	29						1			1	1		1	1	5	1	18	
99c,d	Bronchitis (unspecified)	10	2	2													1	5	
100a	Broncho-pneumonia	254	66	11	7	1	3	2	2	4	5	6	7	13	9	20	43	54	1
100b	Capillary bronchitis	3	2													1			
101a	Lobar pneumonia	295	21	4	2	5	1	4	4	8	12	9	10	31	40	43	60	41	
101b	Pneumonia (unspecified)	30	3		1	2		5	1	3	1	2	1	2			3	6	
102	Pleurisy	18			1	1	1				1		1	2	1	5	1	4	
103	Congestion and hemorrhagic infarct of lung	17			1									1		1	5	9	
104	Gangrene of the lung	1															1		
105	Asthma	24												2	3	4	6	9	
106	Pulmonary emphysema	1	1																
107	Other diseases of the respiratory system (tuberculosis excepted)	13	2											1	3	4	1	2	
	VI.—Diseases of the digestive system	674	60	33	16	11	10	28	21	18	22	28	24	53	79	97	109	64	1
108	Diseases of the mouth and annexa	4										1			1	1	1		
109b	Other diseases of the pharynx, tonsils	51	3	3		1	2	8	6	4	4	2	2	7	5	3		1	
110	Diseases of the esophagus	2													1		1		
111a	Ulcer of the stomach	42									1	3	2	6	12	6	10	2	
111b	Ulcer of the duodenum	30										3	4	5	5	6	6	1	
112	Other diseases of the stomach (cancer excepted)	32	4										2		4	4	8	10	
113	Diarrhea and enteritis (under 2 years)	60	41	19															
114	Diarrhea and enteritis (2 years and over)	64			12	4	5	7	1			2	1	4	2	6	10	10	
116	Diseases due to other intestinal parasites	2				2													
117	Appendicitis and typhlitis	123	1	5			1	10	13	13	12	9	3	10	14	16	15	1	
118a	Hernia	34	1								1	2		2	7	7	9	5	
118b	Intestinal obstruction	69	8	3	1	3	1	1			2	3	5	7	7	9	9	10	
119	Other diseases of the intestines	9												1	1	4	1	2	
120	Acute yellow atrophy of the liver	4								1			1	1					1
121	Hydatid tumor of the liver	1														1			
122	Cirrhosis of the liver	43			1			1	1					4	4	8	16	8	
123	Biliary calculi	32										1		3	7	11	8	2	
124	Other diseases of the liver	52	2	1								1	2	3	7	10	15	11	
125	Diseases of the pancreas	5									1				1	2		1	
126	Peritonitis without specified cause	15		2	2	1	1	1			1	1	2		1	3			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	813	4		1	1	2	1	3	8	8	18	16	63	95	152	223	217	1
128	Acute nephritis (including unspecified under 10 years)	27	1				1			4	2	3	2	1	3	4	4	2	
129	Chronic nephritis (including unspecified 10 years and over)	626					1		2	3	5	9	14	34	73	132	178	174	1
131	Other diseases of the kidneys and annexa	22	3		1	1				1				6	1	1	7	1	
132	Calculi of the urinary passages	3												1		1	1		
133	Diseases of the bladder	13						1								1	3	8	
134	Diseases of the urethra, etc.	1												1					
135	Diseases of the prostate	74													3	12	28	31	
136	Nonvenereal diseases of the male genital organs	1													1				
137	Cysts, other benign tumors of the ovary	10												6	1	1	1	1	
138	Salpingitis and pelvic abscess (female)	8										3		5					
139	Benign tumors of the uterus	16												6	9		1		
140	Nonpuerperal uterine hemorrhage	2							1					1					
141	Other diseases of the female genital organs	10									1	3		2	4				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	OREGON—Continued																		
	VIII.—The puerperal state	112								11	32	19	24	25	1				
143	Accidents of pregnancy	11								1	5	1	2	2					
144	Puerperal hemorrhage	3											3						
145	Other accidents of labor	7									1	2	1	3					
146	Puerperal septicemia	48								4	15	10	11	7	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	5								1	1	1	1	1					
148	Puerperal albuminuria and convulsions	37								5	10	5	5	12					
149	Following childbirth (undefined)	1											1						
	IX.—Diseases of the skin and of the cellular tissue	28							1	1	1		2	3	2	4	5	9	
151	Gangrene	16												2	1	2	5	6	
152	Furuncle	3								1	1			1					
153	Acute abscess	5							1				1		1	2			
154	Other diseases of the skin and annexa	4											1					3	
	X.—Diseases of the bones and of the organs of locomotion	14	1		1			2	3				1		2	2	2		
155	Diseases of the bones (tuberculosis excepted)	12	1		1			2	3				1		1	1	2		
156	Diseases of the joints (tuberculosis and rheumatism excepted)	2													1	1			
	XI.—Malformations	87	73	2	2	1		3	1	1	1	2		1					
159a	Congenital hydrocephalus	7	4					2		1									
159b	Congenital malformations of the heart	56	48	1	2			1	1			2		1					
159c	Other congenital malformations	24	21	1		1					1								
	XII.—Early infancy	382	382																
160	Congenital debility, icterus, sclerema	41	41																
161a	Premature birth	246	246																
161b	Injury at birth	68	68																
162	Other diseases peculiar to early infancy	26	26																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	127														1	18	108	
	XIV.—External causes	974	15	13	15	11	14	36	31	55	81	82	68	147	127	109	86	79	5
	Suicide	168							2	1	10	11	17	30	37	31	21	7	1
165	By poisons (gas or corrosives excepted)	15							1			1	1	2	3	3	4		
166	By corrosive substances	12								1	1		3	1	2	3	1		
167	By poisonous gas	16									1			4	5	3	2	1	
168	By hanging or strangulation	25							1		2	1	1	7	3	6	3	1	
169	By drowning	17									2		1	2	10		2		
170	By firearms	56									3	5	8	10	9	12	5	4	
171	By cutting or piercing instruments	19									1	1	1	2	4	4	4	1	1
172	By jumping from high places	6										2	2	2					
173	By crushing	1													1				
174	By other means	1										1							
	Homicide	35	2				1				5	4	6	5	9	2	1		
197	By firearms	22									4	2	4	3	6	2	1		
198	By cutting or piercing instruments	5									1	1		2	1				
199	By other means	8	2				1					1	2		2				
	Accidental or undefined	771	13	13	15	11	13	36	29	54	66	67	45	112	81	76	64	72	4
175	Poisoning by food	5									1			2	2				
177	Other acute poisonings (gas excepted)	13		2	2	2		1			1	2		1	1		1		
178	Conflagration	29	1	1	1	1	1	3	4	2	4	1		3	2	1	3	1	
179	Burns (conflagration excepted)	26	2	2	4	1	4	1		1	1	1	1	2	2	4			
180	Mechanical suffocation	8	4										2	1		1			
181	Absorption of irrespirable, irritating, or poisonous gas	6									1		1	2	1			1	
182	Drowning	104		5	3	1	3	10	8	13	13	10	7	14	2	7	6	1	1
183	Traumatism by firearms (except in war)	31						2	7	4	5	4	1	4	3			1	
184	Traumatism by cutting or piercing instruments	5					1	1							1	1	1		
185	Traumatism by fall	119		2		1	1	4	2	2	4	5	2	11	9	9	19	47	1
186a	Traumatism in mines	3									1	1			1				
186b	Traumatism in quarries	1														1			
187	Traumatism by machines	43					1			3	7	7	4	4	9	6	2		
188a	Railroad accidents	44						1	1	6	3	5	2	8	7	7	1	3	
	Collision with automobiles	8						1	1	3					2	1			
	Other railroad accidents	36								3	3	5	2	8	5	6	1	3	
188b	Street-car accidents	21		2						1	5	1	2	2	5	1	1	1	
	Collision with automobiles	13		1						1	5	1		1	3		1		
	Other street-car accidents	8		1									2	1	2	1		1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	144	1		2	3	2	8	3	12	7	13	5	25	15	16	22	9	1
188d	Airplane and balloon accidents	1														1			
188e,f	Injuries by other vehicles	10						1		1	2	1		1		3		1	
188g	Landslide, other crushing	36								5	1	6	6	8	5	4	1		
189	Injuries by animals (not poisoning)	11						1			1		1		2	2	3	1	
193	Excessive cold	1																1	
195	Lightning	3									1			1		1			
196	Other accidental electric shocks	12							1		1		5	3		2			
201	Fracture (cause not specified)	5												1	1		1	2	
202	Other external violence	90	5	1	1	2		3	3	4	7	10	6	20	12	9	3	3	1
	XV.—Ill-defined diseases	53	14	1	5	1		1	1	2	1		1	3	6	1	10	6	
204	Sudden death	6												1			3	2	
205a	Ill-defined	22	4	1	1	1		1	1	1			1	1	2	1	4	3	
205b	Not specified or unknown	25	10		4					1	1			1	4		3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA																		
	All causes	115,745	17,649	2,960	1,268	962	777	2,363	1,658	2,527	3,193	3,332	3,834	9,643	12,625	16,190	18,500	18,265	8
	I.—Epidemic, endemic, and infectious diseases	14,674	1,638	888	432	342	293	722	426	783	1,116	1,029	962	1,863	1,456	1,163	919	642	
1	Typhoid and paratyphoid fever	451	7	2	2	3	5	26	40	65	65	49	40	58	43	32	11	3	
5	Malaria	8	1							1	1	1		1	2		1		
6	Smallpox	29	4		1	1	3	1			1	3	5	4	3	3			
7	Measles	503	140	184	65	31	18	48	7	2	1	2	1	2	1	1			
8	Scarlet fever	343	13	39	41	46	26	84	36	18	12	13	6	4	3	2			
9	Whooping cough	648	366	174	51	25	20	9	1								1	1	
10	Diphtheria	973	78	126	113	131	123	278	72	15	10	2	5	9	5	4	1	1	
11a	Influenza (with pulmonary complications)	1,830	308	104	40	29	10	47	32	45	47	55	63	184	173	227	238	228	
11b	Influenza (other and unspecified)	938	152	50	27	10	12	26	18	31	25	23	28	59	73	77	123	204	
13	Mumps	12	4	1	1				1		1	1		1		1		1	
15	Cholera nostras	27	7	2		1	2	2					1			2	2	8	
16	Dysentery	119	29	16	5	5	4	7	1	1			2	2	3	5	12	27	
19	Spirochetal hemorrhagic jaundice	4		1					1					1	1				
21	Erysipelas	281	91	11	3	1	2	3	3	4	4	5	7	17	31	38	35	26	
22	Acute anterior poliomyelitis	67	6	13	7	7	6	8	7	4	5		1		1	1		1	
23	Lethargic encephalitis	132	2	12	3	3	3	14	6	13	8	6	10	19	11	15	7		
24	Meningococcus meningitis	79	27	5	3	4	8	10	3	5	3	2	3	4	2				
25	Other epidemic and endemic diseases	23	11	3	1	3		2	3										
27	Anthrax	4				1					1				2				
28	Rabies	5				1	1	1						1	1	1			
29	Tetanus	102	7	1		2	5	29	13	3	2	6	1	6	17	6	3	1	
30	Mycoses	6	2						1		1		1				1		
	Tuberculosis (all forms)	7,300	184	132	63	33	42	121	167	560	888	827	739	1,359	954	667	435	129	
31	Of the respiratory system	6,233	56	40	17	10	15	35	105	483	793	763	676	1,249	883	608	386	114	
32	Of the meninges, central nervous system	374	85	67	34	10	20	52	23	21	16	10	10	15	6	2	1	2	
33	Of the intestines, peritoneum	276	19	9	4	5	2	17	11	21	36	20	24	38	23	27	14	6	
34	Of the vertebral column	94	2		3	1	1	8	8	8	11	6	4	10	10	8	11	3	
35	Of the joints	40	2	2				3	4	4	2	5	2	4	1	4	6	1	
36	Of other organs	125	6	7	1			2	5	9	7	6	11	23	20	11	14	3	
37a	Disseminated (acute)	121	11	6	3	7	4	3	8	13	17	15	7	15	7	4	1		
37b	Disseminated (chronic or unspecified)	37	3	1	1			1	3	1	6	2	5	5	4	3	2		
38	Syphilis	625	169	11	6	2	3	1	8	4	22	21	33	112	116	71	38	8	
40	Gonococcus infection	66	5							7	14	10	11	14	3		2		
41	Purulent infection, septicemia	99	25	1		3		5	6	5	5	3	5	7	11	10	9	4	
	II.—General diseases not included in Class I	13,015	303	46	22	34	26	120	121	124	143	196	332	1,201	2,327	3,267	3,075	1,678	
	Cancer and other malignant tumors	8,714	7	3	7	7	4	19	16	19	44	80	157	735	1,632	2,347	2,297	1,340	
43	Of the buccal cavity	329				1		2	1		1	2	2	17	53	92	95	63	
44	Of the stomach, liver	3,338	2		1	2	1	4	1		5	16	32	196	549	963	1,004	562	
45	Of the peritoneum, intestines, rectum	1,206	1	2	2		1	1	4	4	7	9	34	99	204	317	338	183	
46	Of the female genital organs	1,322							1	2	4	19	40	208	357	344	241	106	
47	Of the breast	755										7	15	96	198	188	149	102	
48	Of the skin	218								1	2		1	9	22	36	63	84	
49	Of other or unspecified organs	1,546	4	1	4	4	2	12	9	12	25	27	33	110	249	407	407	240	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	38								1	1		3	3	6	8	9	7	
51	Acute rheumatic fever	327		1	2	8	10	48	56	33	19	16	19	20	30	17	28	20	
52	Chronic rheumatism, osteoarthritis, gout	120						2	1	2		1	2	7	8	31	32	34	
53	Scurvy	7	5	1												1			
54	Pellagra	19									3	1	2	9	2	1		1	
56	Rickets	68	56	8	2	2													
57	Diabetes mellitus	1,724	1	1		3	5	15	25	33	24	22	28	94	260	509	508	196	
58	Anemia, chlorosis	540	16	6	4	2		5	3	9	6	13	15	56	107	144	111	43	
59	Diseases of the pituitary gland	11							2	1		2	2		2	1		1	
60a	Exophthalmic goiter	305								7	18	16	21	64	77	60	29	13	
60b	Other diseases of the thyroid gland	55	1	5		2	1	3		3	4		1	14	8	5	7	1	
61	Diseases of the parathyroid glands	17	13	1	1							1		1					
62	Diseases of the thymus gland	128	106	11	2	1	2	1	1	1	1	1		1					
63	Diseases of the adrenals (Addison's disease)	32							1			4	2	8	11	2	2	2	
64	Diseases of the spleen	10	1			1		2	1				1	2			1	1	
65a	Leukemia	139	8	5	1	3	1	10	6	3	7	7	11	11	20	29	12	5	
65b	Hodgkin's disease	77	1	1		2		7	3	6	3	4	10	13	10	14	3		
66	Alcoholism (acute or chronic)	494							1	2	10	25	48	146	143	90	23	6	
67a	Chronic lead poisoning	7		1										2	2	1	1		
67b	Other chronic mineral poisoning	1													1				
68	Chronic poisoning by organic substances	13										1	1	7	2	2			
69	Other general diseases	169	88	2	3	3	3	8	5	4	3	2	9	8	6	5	12	8	
	III.—Diseases of the nervous system and of the organs of special sense	11,685	467	118	59	38	29	139	95	134	124	123	195	657	1,320	2,068	2,989	3,130	
70	Encephalitis	131	18	10	3	3	2	9	3	8	6	11	7	14	16	15	5	1	
71a	Simple meningitis	291	73	31	24	11	12	29	12	17	4	11	12	16	20	9	6	4	
71b	Nonepidemic cerebrospinal meningitis	57	18	9	3	1	1	13	2	4		2	1		1	1		1	
72	Tabes dorsalis (locomotor ataxia)	179											2	15	49	48	48	17	
73	Other diseases of the spinal cord	299	4		1	3		4	5	8	3	5	7	29	49	67	88	26	
74a	Cerebral hemorrhage	7,840	8		3			5	1	7	14	10	37	236	775	1,587	2,448	2,709	
74b	Cerebral embolism and thrombosis	465	2	2	1	1		5	6	5	11	4	9	28	59	84	125	123	
75	Paralysis without specified cause	352	2	1	1		1		1	2	2	1	1	11	39	61	99	130	
76	General paralysis of the insane	559								3	9	21	39	167	171	80	49	20	
77	Other forms of mental alienation	91								2	4	3	12	20	22	12	10	6	
78	Epilepsy	305	16		5	3	3	10	13	34	36	30	29	47	36	25	13	5	
79	Convulsions (nonpuerperal; 5 years and over)	12						5		3	1			1		1		1	
80	Infantile convulsions (under 5 years)	288	238	36	6	7	1												

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
81	Chorea	15	1		1			2	2	2	2		1	1		1	1	1	
82	Neuralgia and neuritis	16											1	4	1	1	2	7	
83	Softening of the brain	56													3	6	17	30	
84	Other diseases of the nervous system	380	17	6	4	3	2	15	17	17	10	18	23	42	47	53	61	45	
85	Diseases of the eye and annexa	7	1				1		2			1			1			1	
86a	Diseases of the ear	207	54	16	4	3	4	24	15	12	12	5	6	14	17	9	10	2	
86b	Diseases of the mastoid process	135	15	7	3	3	2	18	16	10	10	1	8	12	14	8	7	1	
	IV.—Diseases of the circulatory system	20,918	168	28	22	24	27	168	244	235	248	275	366	1,282	2,378	3,896	5,421	6,085	1
87	Pericarditis	132	1	1			1	4	6	3	6	4	10	25	16	17	22	16	
88	Endocarditis and myocarditis (acute)	1,045	57	6	8	8	8	46	49	76	67	57	71	209	105	118	89	71	
89	Angina pectoris	1,093						1	1	2	4	3	9	63	136	288	354	232	
90	Other diseases of the heart	16,475	88	17	12	16	16	116	188	201	166	203	258	913	1,966	3,247	4,422	4,645	1
91a	Aneurysm	187	1								2	3	7	39	56	37	34	8	
91b,c	Other diseases of the arteries	1,735										1	2	11	56	140	455	1,070	
92	Embolism and thrombosis (not cerebral)	164	8	1	1		1			1	3	4	4	10	29	34	38	30	
93	Diseases of the veins	48	1					1					4	7	10	12	4	9	
94	Diseases of the lymphatic system	27	12	2	1		1							3	1	2	2	3	
95	Hemorrhage without specified cause	7								1			1	2	3				
96	Other diseases of the circulatory system	5		1						1						1	1	1	
	V.—Diseases of the respiratory system	13,774	3,212	925	311	173	124	286	134	224	309	330	419	1,195	1,392	1,499	1,566	1,675	
97a	Diseases of the nasal fossae	10	3	1						2	1	2						1	
97b	Diseases of the nasal fossae annexa	38	2		1			4	1	6	2	2	2	5	7	4	1	1	
98	Diseases of the larynx	62	18	13	3	3	3	7	1	3	1	3		1	2	1	2	1	
99a	Acute bronchitis	336	163	19	10	4		8		2	2	2		7	11	10	23	75	
99b	Chronic bronchitis	234	12	3				1		2		2	2	6	23	39	48	96	
99c,d	Bronchitis (unspecified)	174	65	21	2		1	3		1	2	1	1	2	11	8	17	39	
100a	Broncho-pneumonia	4,731	1,950	477	148	83	51	103	30	35	37	43	60	168	221	294	416	615	
100b	Capillary bronchitis	84	33	13	2	5	1	1		1				1	1	2	9	15	
101a	Lobar pneumonia	6,739	794	308	115	68	56	128	84	154	231	241	314	882	931	944	866	623	
101b	Pneumonia (unspecified)	364	110	26	12	1	4	8	8	4	7	8	11	24	28	26	25	62	
102	Pleurisy	362	22	37	18	9	5	19	7	11	21	14	12	44	32	42	40	29	
103	Congestion and hemorrhagic infarct of the lung	175	30	3			1	2		1	1	2	2	10	20	16	24	63	
104	Gangrene of the lung	21		1			1						2	3	8	5	1		
105	Asthma	230	7	2			1			2	2	4	5	13	39	51	65	39	
106	Pulmonary emphysema	17												1	5	4	5	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	197	3	1				2	3		2	6	8	28	53	53	24	14	
	VI.—Diseases of the digestive system	10,244	3,680	677	224	141	107	269	196	192	180	223	275	733	916	960	764	706	1
108	Diseases of the mouth and annexa	46	7		3	2	1	1	3	1	3	2		6	7	3	3	4	
109b	Other diseases of the pharynx, tonsils	316	16	18	14	16	16	55	28	16	22	15	14	28	30	12	8	8	
110	Diseases of the esophagus	11			1			1	1						2	2	2	2	
111a	Ulcer of the stomach	295	1			1		1		4	8	16	12	60	68	59	34	31	
111b	Ulcer of the duodenum	124	2						1	2	2	6	11	19	34	24	17	6	
112	Other diseases of the stomach (cancer excepted)	511	118	19	9	5	7	9	1	3	4	7	15	41	59	63	66	84	1
113	Diarrhea and enteritis (under 2 years)	3,981	3,379	602															
114	Diarrhea and enteritis (2 years and over)	714			171	85	53	55	14	5	5	13	10	25	27	54	58	139	
116	Diseases due to other intestinal parasites	4	1	2										1					
117	Appendicitis and typhlitis	1,218	10	6	6	16	15	113	125	119	98	79	104	182	158	114	57	16	
118a	Hernia	378	2		1	1		1		1	3	5	10	39	63	88	97	67	
118b	Intestinal obstruction	650	114	21	8	7	7	16	9	14	13	18	32	60	70	100	78	83	
119	Other diseases of the intestines	86	8			1		2	1		3	2	2	12	13	8	15	19	
120	Acute yellow atrophy of the liver	42	1				1		1	5	5	4	1	8	8	3	3	2	
121	Hydatid tumor of the liver	4						1				1			1			1	
122	Cirrhosis of the liver	848	2	1	2		1		1	3	1	8	14	86	181	225	191	132	
123	Biliary calculi	330									2	11	16	57	81	76	54	33	
124	Other diseases of the liver	460	10	3	3	1	2	3	4	5	4	26	23	60	85	101	64	66	
125	Diseases of the pancreas	79		1				2		3	1		5	24	11	21	8	3	
126	Peritonitis without specified cause	147	9	4	6	6	4	9	7	11	6	10	6	25	18	7	9	10	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	11,170	81	15	16	16	13	45	52	102	113	157	260	901	1,451	2,210	2,804	2,931	3
128	Acute nephritis (including unspecified under 10 years)	591	49	7	11	10	8	22	19	24	22	21	26	71	91	93	62	55	
129	Chronic nephritis (including unspecified 10 years and over)	9,280	2	1	4	3	4	21	32	57	64	86	142	647	1,186	1,940	2,490	2,598	3
131	Other diseases of the kidneys and annexa	217	19	6	1	3		1	1	6	3	7	24	26	26	34	31	29	
132	Calculi of the urinary passages	66					1					3	2	7	12	16	15	10	
133	Diseases of the bladder	66									1	2	2	2	3	6	15	35	
134	Diseases of the urethra, etc	34									1	1	4	4	9	9	4	2	
135	Diseases of the prostate	430										1		6	12	63	163	185	
136	Nonvenereal diseases of the male genital organs	13	6	1						1	1			1	1	2			
137	Cysts, other benign tumors of the ovary	88								3	3	6	13	15	20	12	9	7	
138	Salpingitis and pelvic abscess (female)	150						1		6	15	23	24	48	24	4	5		
139	Benign tumors of the uterus	160										2	11	58	50	22	8	9	
140	Nonpuerperal uterine hemorrhage	7								1		2	1	3					
141	Other diseases of the female genital organs	61								4	3	2	11	13	17	8	2	1	
142	Nonpuerperal diseases of the breast (cancer excepted)	7	5									1				1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	PENNSYLVANIA—Continued																		
	VIII.—The puerperal state	1,382							3	148	281	288	315	334	13				
143	Accidents of pregnancy	100								6	24	23	30	17					
144	Puerperal hemorrhage	138								6	17	28	33	53	1				
145	Other accidents of labor	126								6	21	29	30	37	3				
146	Puerperal septicemia	586								67	138	120	140	117	4				
147	Puerperal phlegmasia alba dolens, embolus, etc	74								4	15	19	13	23					
148	Puerperal albuminuria and convulsions	351							3	59	64	66	68	86	5				
149	Following childbirth (undefined)	7									2	3	1	1					
	IX.—Diseases of the skin and of the cellular tissue	372	75	1	2	3	1	1	7	5	6	12	14	29	32	51	44	89	
151	Gangrene	157	6			1	1		1		1	4	6	6	8	18	31	74	
152	Furuncle	60	14			1			2	1		2	5	11	9	7	5	3	
153	Acute abscess	75	20	1	2			1	3	2	4	5	1	8	6	14	3	5	
154	Other diseases of the skin and annexa	80	35			1			1	2	1	1	2	4	9	12	5	7	
	X.—Diseases of the bones and of the organs of locomotion	138	8	1	4	9	5	23	13	8	5	3	5	15	10	12	11	6	
155	Diseases of the bones (tuberculosis excepted)	97	4	1	3	9	5	17	10	5	3	1	4	9	5	9	8	4	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	35	3		1			6	2	3	2	2	1	4	5	2	3	1	
158	Other diseases of the organ of locomotion	6	1						1					2		1		1	
	XI.—Malformations	1,794	1,689	39	13	10	7	15	6	5	6		2	1		1			
159a	Congenital hydrocephalus	169	138	13	7	3	1	5		1	1								
159b	Congenital malformations of the heart	1,158	1,108	17	5	4	5	4	6	3	3		2			1			
159c	Other congenital malformations	467	443	9	1	3	1	6		1	2			1					
	XII.—Early infancy	5,952	5,952																
160	Congenital debility, icterus, sclerema	805	805																
161a	Premature birth	3,603	3,603																
161b	Injury at birth	996	996																
162	Other diseases peculiar to early infancy	542	542																
163	Lack of care	6	6																
164	XIII.—Old age (senility)	542														12	69	461	
	XIV.—External causes	9,617	215	184	154	170	139	568	358	516	656	684	684	1,394	1,290	984	791	828	2
	Suicide	997							1	29	56	78	97	233	223	150	98	32	
165	By poisons (gas or corrosives excepted)	49								2	4	3	7	12	13	2	3	3	
166	By corrosive substances	75								4	7	11	12	16	14	9	2		
167	By poisonous gas	120							1		2	9	8	20	30	33	13	4	
168	By hanging or strangulation	232								3	7	10	20	56	55	39	28	14	
169	By drowning	52								1	1	6	7	16	12	5	4		
170	By firearms	373								17	31	39	32	89	69	50	37	9	
171	By cutting or piercing instruments	59									1		6	14	18	9	10	1	
172	By jumping from high places	21								2	2		2	5	6	2	1	1	
173	By crushing	10											2	4	3	1			
174	By other means	6									1		1	1	3				
	Homicide	570	19	2	2	1		5	8	27	68	101	101	140	64	23	8	1	
197	By firearms	363	1		1	1		1	3	18	50	66	69	101	34	14	4		
198	By cutting or piercing instruments	77	1					1	1	2	8	21	17	15	8	2	1		
199	By other means	130	17	2	1			3	4	7	10	14	15	24	22	7	3	1	
	Accidental or undefined	8,050	196	182	152	169	139	563	349	460	532	505	486	1,021	1,003	811	685	795	2
175	Poisoning by food	64	10	6	4	3	2	5	3	1	1		2	6	6	7	5	3	
176	Poisoning by venomous animals	2			1			1											
177	Other acute poisonings (gas excepted)	121	6	16	11	9	6	6		3	3	7	15	15	9	12	1	2	
178	Conflagration	93	3	7	3	4	2	8	3	3	5	10	3	8	8	10	12	3	1
179	Burns (conflagration excepted)	714	24	73	73	73	57	88	21	28	26	30	25	41	46	38	36	35	
180	Mechanical suffocation	70	45	3				1	1	1	3		2	7	4	2	1		
181	Absorption of irrespirable, irritating, or poisonous gas	220	4				1	5	5	10	13	19	14	35	37	44	19	14	
182	Drowning	449	4	12	10	8	4	55	70	60	45	32	34	41	34	23	10	6	1
183	Traumatism by firearms (except in war)	170		2		2	2	18	25	44	19	12	12	12	12	5	4	1	
184	Traumatism by cutting or piercing instruments	63	1			1	1	4	1	2	1	5	1	11	10	9	9	7	
185	Traumatism by fall	1,471	11	21	11	17	9	29	16	18	30	26	30	126	161	160	265	541	
186a	Traumatism in mines	754							1	41	82	90	96	225	135	68	14	2	
186b	Traumatism in quarries	17								2	3	2		2	3	4		1	
187	Traumatism by machines	234		1				4	8	22	18	30	23	45	44	20	15	4	
188a	Railroad accidents	773		2	7	3	3	31	30	52	68	69	70	147	150	76	52	13	
	Collision with automobiles	59		1		1		1	3	13	8	3	4	12	7	4	2		
	Other railroad accidents	714		1	7	2	3	30	27	39	60	66	66	135	143	72	50	13	
188b	Street-car accidents	152		1		1	5	5	7	7	9	7	6	19	26	28	20	11	
	Collision with automobiles	24		1			1			3	1	3	4	3	4	2	2		
	Other street-car accidents	128				1	4	5	7	4	8	4	2	16	22	26	18	11	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	1,576	7	8	17	36	40	252	117	107	131	97	73	146	169	182	124	70	
188d	Airplane and balloon accidents	12									4	4	3	1					
188e,f	Injuries by other vehicles	140			1	3		16	8	18	16	10	10	15	12	13	11	7	
188g	Landslide, other crushing	46	1				1	6	1	2	2	4	4	10	9	5	1		
189	Injuries by animals (not poisoning)	40					1	2	2	2	1	1	3	2	7	8	8	3	
192	Starvation (deprivation of food or water)	1												1					
193	Excessive cold	17										1	1	3	7	1	1	3	
194	Excessive heat	299	45	9	1	1	1	1	1	1	4	3	10	29	44	54	38	57	
195	Lightning	22						3	1	1	3		4	6	3		1		
196	Other accidental electric shocks	109						1	5	12	18	22	17	16	12	5	1		
201	Fracture (cause not specified)	19		1							1	1	1	2	6	4	3		
202	Other external violence	402	35	20	13	8	4	22	23	23	26	23	27	50	49	33	34	12	
	XV.—Ill-defined diseases	468	152	38	9	2	6	7	3	1	6	12	5	38	40	67	47	34	1
204	Sudden death	73	16	1				1	2			4	1	8	10	16	8	6	
205a	Ill-defined	191	23	33	5		3	2	1	1	2	7	1	14	18	32	29	20	
205b	Not specified or unknown	204	113	4	4	2	3	4			4	1	3	16	12	19	10	8	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND																		
	All causes	8,226	1,049	183	82	64	48	145	127	152	201	175	230	613	936	1,272	1,550	1,384	15
	I.—Epidemic, endemic, and infectious diseases	982	100	70	22	23	10	38	39	66	82	61	61	122	115	77	56	40	
1	Typhoid and paratyphoid fever	20						1	2	3	4	1	1	3	3	1	1		
7	Measles	36	9	16	1	3	2	1	2							2			
8	Scarlet fever	13				1	3	2	1	2	2		1			1			
9	Whooping cough	60	34	21	2	1	1	1											
10	Diphtheria	45	4	6	5	10	2	15	3										
11a	Influenza (with pulmonary complications)	91	17	8	2	1			3	2	2	1	2	9	8	12	9	15	
11b	Influenza (other and unspecified)	40	5	2	1			2	1		2		1	2	3	5	2	14	
13	Mumps	2		1		1													
15	Cholera nostras	2			1													1	
16	Dysentery	4								1	1			1				1	
21	Erysipelas	19	4											2	3	5	2	3	
22	Acute anterior poliomyelitis	10		1			1	4	2	1	1								
23	Lethargic encephalitis	7						1	1	1		1		2	1				
24	Meningococcus meningitis	6	1						2	1				1	1				
25	Other epidemic and endemic diseases	2	1	1															
29	Tetanus	6						2	3				1						
	Tuberculosis (all forms)	563	15	14	10	5	1	9	16	55	68	57	50	96	81	45	35	6	
31	Of the respiratory system	455	1	2	1			3	8	47	60	52	46	84	74	43	28	6	
32	Of the meninges, central nervous system	43	9	8	7	4	1	5	4			1	1	3					
33	Of the intestines, peritoneum	31	3	2	2	1			2	2	5	2	1	4	3	1	3		
34	Of the vertebral column	3							1	1		1							
35	Of the joints	3							1		1						1		
36	Of other organs	13	2							2		1	1	4		1	2		
37a	Disseminated (acute)	10		1				1		3	2			1	2				
37b	Disseminated (chronic or unspecified)	5		1									1		2		1		
38	Syphilis	44	8						1			1	2	5	14	6	7		
40	Gonococcus infection	3	1								2								
41	Purulent infection, septicemia	8				1			2				3	1	1				
42	Other infectious diseases	1	1																
	II.—General diseases not included in Class I	1,114	33	4	4	1	3	2	6	5	12	11	23	85	193	292	297	139	4
	Cancer and other malignant tumors	772	1			1			1		5	2	13	60	148	203	225	112	1
43	Of the buccal cavity	31												3	2	9	14	3	
44	Of the stomach, liver	240									4	1	3	13	32	73	75	39	
45	Of the peritoneum, intestines, rectum	141										1	1	6	32	34	41	26	
46	Of the female genital organs	122											3	19	33	24	26	16	1
47	Of the breast	64											1	8	22	16	12	5	
48	Of the skin	18											1		4	1	5	7	
49	Of other or unspecified organs	156	1			1			1		1		4	11	23	46	52	16	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5										1		1	1	1		1	
51	Acute rheumatic fever	18			1		1		3	4		1	1	2		1	1	3	
52	Chronic rheumatism, osteoarthritis, gout	4									1						1	2	
53	Scurvy	1										1							
54	Pellagra	6							1					1	1	1	2		
56	Rickets	4	2	1	1														
57	Diabetes mellitus	150						1			2	1	1	7	13	52	54	18	1
58	Anemia, chlorosis	51	5	2	1		1				1	1	2	3	10	18	3	3	1
60a	Exophthalmic goiter	8									1		1	2	2	1	1		
60b	Other diseases of the thyroid gland	3										1		1		1			
62	Diseases of the thymus gland	9	7	1									1						
63	Diseases of the adrenals (Addison's disease)	4												1	2	1			
64	Diseases of the spleen	2	1														1		
65a	Leukemia	11	1				1	1	1	1	2	1				1	2		
65b	Hodgkin's disease	7										1		1		2	3		
66	Alcoholism (acute or chronic)	39										1	4	5	15	9	4		1
67a	Chronic lead poisoning	1													1				
68	Chronic poisoning by organic substances	1														1			
69	Other general diseases	18	16		1									1					
	III.—Diseases of the nervous system and of the organs of special sense	883	25	7	4	4	2	7	7	12	7	2	7	48	107	170	250	221	3
70	Encephalitis	3	1								1		1						
71a	Simple meningitis	23	4	3	1	1	1	4	1	1	1	1	1		2		1	1	
71b	Nonepidemic cerebrospinal meningitis	5	2		1				1		1								
72	Tabes dorsalis (locomotor ataxia)	11												3	1	5	2		
73	Other diseases of the spinal cord	19						1	1			1		1	5	4	6		
74a	Cerebral hemorrhage	659	2										2	20	75	139	220	198	3
74b	Cerebral embolism and thrombosis	22												2		8	3	9	
75	Paralysis without specified cause	23								1					1	3	8	10	
76	General paralysis of the insane	39									1		2	13	16	4	3		
77	Other forms of mental alienation	10									1			3	3	2	1		
78	Epilepsy	16		1		1			1	6	1		1	3	1		1		
79	Convulsions (nonpuerperal; 5 years and over)	2						1								1			
80	Infantile convulsions (under 5 years)	17	12	2	1	2													
83	Softening of the brain	2														1	1		
84	Other diseases of the nervous system	19	1							2	1			3	2	3	4	3	
86a	Diseases of the ear	8	3	1					2	2									
86b	Diseases of the mastoid process	5			1		1	1	1						1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	IV.—Diseases of the circulatory system	1,648	12	2	1	1	3	11	10	9	16	11	27	71	171	318	481	504	
87	Pericarditis	7		1												2	3	1	
88	Endocarditis and myocarditis (acute)	55	6					4	2	4	3	3	6	12	1	8	4	2	
89	Angina pectoris	118						1						3	13	32	44	25	
90	Other diseases of the heart	1,260	4		1	1	3	6	8	5	13	7	19	54	148	261	364	366	
91a	Aneurysm	7										1			3	2		1	
91b,c	Other diseases of the arteries	170													1	8	59	102	
92	Embolism and thrombosis (not cerebral)	25											2	2	4	3	7	7	
93	Diseases of the veins	3													1	2			
94	Diseases of the lymphatic system	3	2	1															
	V.—Diseases of the respiratory system	839	179	55	21	12	12	21	9	7	16	14	17	62	79	89	112	134	
97a	Diseases of the nasal fossae	1									1								
97b	Diseases of the nasal fossae annexa	4												2		1	1		
98	Diseases of the larynx	3		1		1	1												
99a	Acute bronchitis	23	10	1	1	1	1			1					1	1	1	5	
99b	Chronic bronchitis	15	1													2	4	8	
99c,d	Bronchitis (unspecified)	16	5	2													2	7	
100a	Broncho-pneumonia	246	77	22	11	3	4	7	1	1	4	1	3	13	15	20	28	36	
100b	Capillary bronchitis	4	2			1	1												
101a	Lobar pneumonia	443	72	25	9	5	3	12	7	4	7	11	14	39	50	59	61	65	
101b	Pneumonia (unspecified)	41	9	3		1		1		1	1	1		3	8	1	5	7	
102	Pleurisy	20		1			2	1	1		2	1		4	3	2	2	1	
103	Congestion and hemorrhagic infarct of the lung	9	1												1		3	4	
105	Asthma	8									1				1	2	3	1	
107	Other diseases of the respiratory system (tuberculosis excepted)	6	2											1		1	2		
	VI.—Diseases of the digestive system	510	137	25	10	9	5	11	4	9	12	18	20	45	62	67	50	26	
108	Diseases of the mouth and annexa	3											2	1					
109b	Other diseases of the pharynx, tonsils	18	1	3	1	2	2	2	1	1		1		1	2			1	
111a	Ulcer of the stomach	49									1	2	3	10	14	9	8	2	
111b	Ulcer of the duodenum	12									1	1	2	2	5	1			
112	Other diseases of the stomach (cancer excepted)	35	14	2		1	1						1	4	1	4	5	2	
113	Diarrhea and enteritis (under 2 years)	131	113	18															
114	Diarrhea and enteritis (2 years and over)	16			5	1	1	2			1			1		1	1	3	
117	Appendicitis and typhlitis	85	1	1	2	3		6	3	7	8	9	9	11	14	5	6		
118a	Hernia	26													3	11	8	4	
118b	Intestinal obstruction	36	6		2	2	1					1		2	3	7	4	8	
119	Other diseases of the intestines	2		1											1				
120	Acute yellow atrophy of the liver	4						1						1	1		1		
121	Hydatid tumor of the liver	1																1	
122	Cirrhosis of the liver	35										1		2	8	16	6	2	
123	Biliary calculi	24										2		7	5	3	7		
124	Other diseases of the liver	24	1								1	1	2	2	4	8	2	3	
125	Diseases of the pancreas	3											1	1		1			
126	Peritonitis without specified cause	6	1							1					1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	898	4	2	4			5	7	11	12	11	15	79	124	174	231	219	
128	Acute nephritis (including unspecified under 10 years)	34	3	1	3			1		2	4	3	1	3	4	3	2	4	
129	Chronic nephritis (including unspecified 10 years and over)	768			1			3	7	6	6	6	7	64	112	159	206	191	
131	Other diseases of the kidneys and annexa	20		1				1			2		1	2	1	1	3	8	
132	Calculi of the urinary passages	3														3			
133	Diseases of the bladder	5												1	1			3	
134	Diseases of the urethra, etc	2	1													1			
135	Diseases of the prostate	33													1	4	16	12	
137	Cysts, other benign tumors of the ovary	4											1	1	1		1		
138	Salpingitis and pelvic abscess (female)	14								2		2	5	1	1	3			
139	Benign tumors of the uterus	8												5			2	1	
141	Other diseases of the female genital organs	7								1				2	3		1		
	VIII.—The puerperal state	75								3	9	22	20	18	3				
143	Accidents of pregnancy	6										1	4	1					
144	Puerperal hemorrhage	13									1	4	3	4	1				
14	Other accidents of labor	11									2	4	2	2	1				
146	Puerperal septicemia	22								3	3	6	5	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	2										1		1					
148	Puerperal albuminuria and convulsions	21									3	6	6	5	1				
	IX.—Diseases of the skin and of the cellular tissue	24	4	1				1	1						6	1	5	5	
151	Gangrene	11							1						2	1	3	4	
152	Furuncle	4	2												2				
153	Acute abscess	6	1	1				1							1		1	1	
154	Other diseases of the skin and annexa	3	1												1		1		
	X.—Diseases of the bones and of the organs of locomotion	6						1	1	2						2			
155	Diseases of the bones (tuberculosis excepted)	5						1	1	2						1			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1														1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	RHODE ISLAND—Continued																		
	XI.—Malformations	103	93	2	1	2		4	1										
159a	Congenital hydrocephalus	13	11			1		1											
159b	Congenital malformations of the heart	57	51	2	1	1		2											
159c	Other congenital malformations	33	31					1	1										
	XII.—Early infancy	444	444																
160	Congenital debility, icterus, sclerema	59	59																
161a	Premature birth	241	241																
161b	Injury at birth	113	113																
162	Other diseases peculiar to early infancy	29	29																
163	Lack of care	2	2																
164	XIII.—Old age (senility)	64														1	9	53	1
	XIV.—External causes	596	6	11	15	12	13	44	42	27	34	23	40	81	74	74	55	40	5
	Suicide	57								1	3	1	4	14	12	15	6	1	
165	By poisons (gas or corrosives excepted)	2											1			1			
166	By corrosive substances	3												1	1	1			
167	By poisonous gas	8											1		4	1	2		
168	By hanging or strangulation	9								1		1		2	1	1	2	1	
169	By drowning	6									1			3		2			
170	By firearms	22									2		2	7	3	6	2		
171	By cutting or piercing instruments	6												1	3	2			
172	By jumping from high places	1														1			
	Homicide	12								1	1			3	3	1	2	1	
197	By firearms	6												3	1		2		
198	By cutting or piercing instruments	2									1				1				
199	By other means	4								1					1	1		1	
	Accidental or undefined	527	6	11	15	12	13	44	42	25	30	22	36	64	59	58	47	38	5
175	Poisoning by food	1						1											
177	Other acute poisonings (gas excepted)	11	1	2		1	1	1		1				2	1	1			
178	Conflagration	6				1			2					1			2		
179	Burns (conflagration excepted)	48		6	5	3	5	5	2	1	2	1	3	5	2	3	2	3	
180	Mechanical suffocation	5	2										1		1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	29	1					2					1	4	6	5	8	2	
182	Drowning	53			3	1		5	11	5	1	2	3	8	5	3	3		3
183	Traumatism by firearms (except in war)	8			1		1		1	1			3				1		
184	Traumatism by cutting or piercing instruments	3												1		1	1		
185	Traumatism by fall	88			2			1	2	1	2	1	7	6	15	15	15	21	
187	Traumatism by machines	60		1	1			3	10	11	7	5	7	3	7	3	1		1
188a	Railroad accidents	25									2			13	5	5			
	Collision with automobiles	5									1			1	1	2			
	Other railroad accidents	20									1			12	4	3			
188b	Street-car accidents	15					1				1			1	4	5	3		
	Collision with automobiles	3												1	1	1			
	Other street-car accidents	12					1				1				3	4	3		
188c	Automobile accidents (excluding collision with railroad trains and street cars)	133			2	6	5	24	11	5	9	11	7	16	10	10	8	8	1
188e,f	Injuries by other vehicles	6							1		1					2	1	1	
188g	Landslide, other crushing	2									1	1							
189	Injuries by animals (not poisoning)	1														1			
193	Excessive cold	3											1			1		1	
194	Excessive heat	5										1		1	1			2	
195	Lightning	2						1							1				
196	Other accidental electric shocks	8							1	1	3		2	1					
201	Fracture (cause not specified)	1												1					
202	Other external violence	14	2	2	1			1	1				1	1	1	2	2		
	XV.—Ill-defined diseases	40	12	4						1	1	2		2	2	7	4	3	2
204	Sudden death	8	2								1			1		1	2	1	
205a	Ill-defined	14	4	3								1			1	1	2	2	
205b	Not specified or unknown	18	6	1						1		1		1	1	5			2
	SOUTH CAROLINA																		
	All causes—White	8,693	1,592	335	132	83	70	160	128	247	271	293	271	616	720	941	1,413	1,399	22
	All causes—Colored	13,297	2,595	491	171	121	92	284	305	661	907	725	622	1,489	1,507	1,131	1,027	1,136	33
	I.—Epidemic, endemic, and infectious diseases—White	1,317	186	94	45	28	28	50	36	78	91	92	66	119	84	78	116	120	6
	I.—Epidemic, endemic, and infectious diseases—Colored	2,893	347	114	40	36	23	114	136	294	408	282	221	365	233	119	84	69	8
1	Typhoid and paratyphoid fever—W	129	2	2	4	3	1	9	15	17	19	22	6	11	5	8	4		1
	Typhoid and paratyphoid fever—C	354	9	5	1	2	4	33	57	63	61	22	15	41	23	8	7	1	2
5	Malaria—W	32	3	6	2	3	1	2	1	3	2	1		2	2		1	3	
	Malaria—C	151	22	8	6	4	2	7	10	7	14	4	5	16	16	6	15	8	1
6	Smallpox—W	4	1											1			1	1	
	Smallpox—C	3													2			1	
7	Measles—W	2							1	1									
	Measles—C	4		1	1					1	1								
8	Scarlet fever—W	7		2	1		2	1	1										
9	Whooping cough—W	86	55	16	6	1	5	2	1										
	Whooping cough—C	115	70	22	7	3	2	7	3					1					
10	Diphtheria—W	84	7	17	17	11	13	16	2		1								
	Diphtheria—C	43	7	4	2	6	6	11			1		1	2		1			2
11a	Influenza (with pulmonary complications)—W	243	41	14	4	1		4	6	13	9	7	6	17	15	17	39	48	2
	Influenza (with pulmonary complications)—C	261	46	9	5	5	2	7	15	19	17	14	24	30	21	19	8	19	1
11b	Influenza (other and unspecified)—W	136	20	6	3	2	2	2	3	6	8	5	4	4	9	7	22	33	
	Influenza (other and unspecified)—C	225	42	7	3	3	3	12	7	13	18	9	11	18	25	16	14	24	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
13	Mumps	C	3		1				1				1							
15	Cholera nostras	W	4															1	3	
16	Dysentery	W	81	21	22	5					1	2				2	2	9	16	1
		C	130	52	29	8	2	1			1		2	2	7	4	7	7	8	
19	Spirochetal hemorrhagic jaundice	W	1																1	
20	Leprosy	C	1												1				1	
21	Erysipelas	W	13	5	1						1	1	1	1		1			2	
		C	2	1													1			
22	Acute anterior poliomyelitis	W	25	5	4	1	4	2	6	1	2									
		C	13	2	2	1	3	1	3			1								
23	Lethargic encephalitis	W	6	1							1				1		1	2		
		C	4	1									1		1		1			
24	Meningococcus meningitis	W	10	1	3	1			1		1	1		1		1				
		C	3		2								1							
25	Other epidemic and endemic diseases	W	2	1					1											
		C	1			1														
28	Rabies	W	2				1		1											
		C	1						1											
29	Tetanus	W	12	2			1	1	2	1	1		1	1			2			
		C	28	14					5	1	4	1				1	1	1		
30	Mycoses	W	3	3																
		C	26	20	5						1									
	Tuberculosis (all forms)	W	388	5	1	1	1		2	4	29	46	52	43	75	44	38	35	11	1
		C	1,305	6	12	4	8	2	22	42	175	266	208	150	209	117	52	24	6	2
31	Of the respiratory system	W	359	2	1	1	1		1	3	27	40	51	41	73	38	34	34	11	1
		C	1,220	5	12	2	4	2	15	36	166	259	196	144	191	109	51	21	6	1
32	Of the meninges, central nervous system	W	5	2					1			1			1					
		C	6	1			2		2			1								
33	Of the intestines, peritoneum	W	10											2		4	3	1		
		C	34							2	3	4	8	1	9	3	1	2		1
34	Of the vertebral column	C	4						1		1				1	1				
35	Of the joints	C	2							1				1						
36	Of other organs	W	4									3				1				
		C	14			1	2		2		1			2	2	3		1		
37a	Disseminated (acute)	W	10	1						1	2	2	1		1	2				
		C	19			1			2	1	4	2	4	1	4					
37b	Disseminated (chronic or unspecified)	C	6							2				1	2	1				
38	Syphilis	W	29	12										4	6	3	2	1		1
		C	183	52	7	1			5	1	8	17	17	11	34	18	6	5	1	
39	Soft chancre	C	1														1			
40	Gonococcus infection	W	6								1	1	2		1	1				
		C	25	3							2	11	3	1	2	3				
41	Purulent infection, septicemia	W	12	1				1	1		1	1	1		1	1	1	1	2	
		C	11											1	3	3		3	1	
	II.—General diseases not included in Class I	White	825	26	13	8	5	4	10	9	15	22	28	30	88	133	144	179	110	1
		Colored	735	24	6	1	1	6	12	7	19	47	48	46	129	159	108	75	43	4
	Cancer and other malignant tumors	W	430	2	1	1			3	1	2	4	8	14	43	79	84	126	62	
		C	316	1	1			1			5	7	5	16	58	87	56	49	27	3
43	Of the buccal cavity	W	18											2	1	2	1	9	3	
		C	10	1											1	4		1	3	
44	Of the stomach, liver	W	128	1	1								1	3	10	26	29	46	11	
		C	94								1	2		4	13	30	18	18	7	1
45	Of the peritoneum, intestines, rectum	W	44						1						6	11	7	12	7	
		C	16									1			4	6	2	2	1	
46	Of the female genital organs	W	90									1	1	5	20	24	16	13	10	
		C	113									2	3	9	27	24	22	17	7	2
47	Of the breast	W	37										1	1	2	8	6	12	7	
		C	30									1		2	7	11	5		4	
48	Of the skin	W	30									1				1	9	7	12	
		C	6										1		3	1			1	
49	Of other or unspecified organs	W	83	1		1			2	1	2	2	5	3	4	7	16	27	12	
		C	47		1			1			4	1	1	1	3	11	9	11	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	1														1			
		C	10												2	4	2	1	1	
51	Acute rheumatic fever	W	10				1	1		2			1			1		2	2	
		C	26	2						1		4	2	1	5	4	3	2	2	
52	Chronic rheumatism, osteoarthritis, gout	W	10													5	5			
		C	4												1	1	1	1		
54	Pellagra	W	183			3		1	3	3	5	10	13	10	31	30	24	27	23	
		C	252				1	3	9	5	10	31	32	22	44	41	29	17	7	1
56	Rickets	W	3	1	1	1														
		C	11	7	1	1		1			1									
57	Diabetes mellitus	W	78				2		1	2	3	3	3	2	3	5	21	17	16	
		C	59						1		1	3	4	2	9	17	13	4	5	
58	Anemia, chlorosis	W	23	1	2						1	2	1		3	1	5	4	3	
		C	8						1		1			1	3	1			1	
60a	Exophthalmic goiter	W	7								1	1			2	2			1	
		C	6									1	2		2	1				
60b	Other diseases of the thyroid gland	W	5	1	1										1	1	1			
		C	5											1		2	1	1		
61	Disease of the parathyroid glands	W	2	2																
		C	3		2				1											
62	Diseases of the thymus gland	W	8	8																
		C	5	5																
63	Diseases of the adrenals (Addison's disease)	W	4				1										2		1	
65a	Leukemia	W	7			1		1	1	1	1		1		1					
		C	2											1	1					
65b	Hodgkin's disease	W	4						1		1				1	1				
		C	2														1			
66	Alcoholism (acute or chronic)	W	15								1	1		4	2	5		1	1	
		C	10								1	1	2		4	1	1			
67b	Other chronic mineral poisoning	C	2										1	1						
68	Chronic poisoning by organic substances	W	6										1		1	2	1	1		
69	Other general diseases	W	29	11	8	2	1	1	1			1			1	1		1	1	1
		C	14	9	2			1		1							1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	945	40	7	2	4	2	17	5	10	13	13	20	51	108	172	260	221	
		Colored	1,162	87	9	4	6	4	13	11	29	24	24	34	148	248	216	168	134	3
70	Encephalitis	W	11	3	1				3				1			1		2		
		C	8						2	1	1		1		1	2				
71a	Simple meningitis	W	16	6		1	1	1	1	1	1	1	1	1	1					
		C	17	6	2		2	1	2	2	1	1								
71b	Nonepidemic cerebrospinal meningitis	W	10	3	1							1	2		3					
		C	4	1			1		1		1									
72	Tabes dorsalis (locomotor ataxia)	W	1														1			
73	Other diseases of the spinal cord	W	18	1					2				1		1	4	4	4	1	
		C	17							1				2	2	4	1	5	1	1
74a	Cerebral hemorrhage	W	620	2	2				1	1	3	3	1	10	30	74	137	189	167	
		C	643	2	1		1	1	2		7	10	7	13	92	171	144	116	75	1
74b	Cerebral embolism and thrombosis	W	15	1							1			1		2	1	6	3	
		C	7									1	1		1		1	2	1	
75	Paralysis without specified cause	W	120											1	2	12	21	45	39	
		C	253				1	1			3	2	6	9	27	53	58	40	52	1
76	General paralysis of the insane	W	13										1		6	3	1	1	1	
		C	28									1	2	2	10	6	3	3	1	
77	Other forms of mental alienation	W	9									1		2	2	2	1	1		
		C	22								2	1	2	3	7	3	2	1	1	
78	Epilepsy	W	26	3		1		1	2	2	1	3	3	2	2	4		2		
		C	43	3		1		1	1	5	13	6	2	2	5	2	2			
79	Convulsions (nonpuerperal; 5 years and over)	W	1								1									
		C	9						5	1		1	1			1				
80	Infantile convulsions (under 5 years)	W	20	17	2		1													
		C	76	67	6	2	1													
81	Chorea	C	1								1									
82	Neuralgia and neuritis	W	1														1			
		C	8	2										1	2	2	1			
83	Softening of the brain	W	17													1	1	6	9	
		C	3													1	1		1	
84	Other diseases of the nervous system	W	30	3	1				2			3	1	3	4	5	4	3	1	
		C	17	3						1			2	2	1	2	3	1	2	
85	Diseases of the eye and annexa	W	3						1				1					1		
86a	Diseases of the ear	W	11	1			2		3	1	3		1							
		C	3	1		1						1								
86b	Diseases of the mastoid process	W	3						2			1								
		C	3	2												1				
	IV.—Diseases of the circulatory system	White	1,187	8	2	2	1	1	3	6	7	10	11	22	71	124	211	378	325	5
		Colored	1,526	4	5	2	5	2	9	14	32	51	66	65	225	325	269	234	215	3
87	Pericarditis	C	10										1		1		2	2	4	
88	Endocarditis and myocarditis (acute)	W	33		1			1				1	3	5	9	4		8	1	
		C	56				1	1	3	2	1	9	4	4	25	3	3			
89	Angina pectoris	W	120										1	1	10	13	30	35	29	1
		C	42			1						1		2	9	9	8	9	2	1
90	Other diseases of the heart	W	889	8	1	2	1		3	6	7	9	5	16	43	89	153	289	253	4
		C	1,263	3	5	1	3	1	5	11	30	41	55	57	180	277	219	195	179	1
91a	Aneurysm	W	16										2		3	4	3	1	3	
		C	29								1		4	2	7	5	7	3		
91b,c	Other diseases of the arteries	W	99												4	7	18	36	34	
		C	95												2	24	22	19	27	1
92	Embolism and thrombosis (not cerebral)	W	13												2	3	3	2	3	
		C	5										1		1	1		2		
93	Diseases of the veins	W	2														1	1		
		C	2													2				
94	Diseases of the lymphatic system	W	1															1		
		C	2				1		1											
95	Hemorrhage without specified cause	W	2													1	1			
		C	5	1									1				1	1	1	
96	Other diseases of the circulatory system	W	12													3	2	5	2	
		C	17							1						4	7	3	2	
	V.—Diseases of the respiratory system	White	626	153	32	17	9	6	14	7	22	19	25	18	32	44	42	80	104	2
		Colored	1,061	284	96	31	17	12	26	30	69	83	50	35	101	76	53	52	46	
97a	Diseases of the nasal fossae	W	5	4		1														
		C	115	55	14	2				3	8	6	1	4	6	7	4	4	1	
97b	Diseases of the nasal fossae annexa	W	3	1										2						
		C	1								1									
98	Diseases of the larynx	W	1			1														
99a	Acute bronchitis	W	8	3											1			1	3	
		C	7	4	2										1					
99b	Chronic bronchitis	W	11													1	2	2	6	
		C	4												1	2	1			
99c,d	Bronchitis (unspecified)	W	10	4														1	5	
		C	11	3	2							3	2						1	
100a	Broncho-pneumonia	W	158	71	17	7	3	3	2	2	3		2		4	3	7	12	22	
		C	197	83	37	12	6	4	10	4	6	4	1	1	11	5	3	3	7	
100b	Capillary bronchitis	W	1	1																
		C	2	1	1															
101a	Lobar pneumonia	W	304	36	10	6	4	3	10	4	13	11	19	12	23	32	23	45	52	1
		C	352	40	16	7	4	4	7	11	29	37	24	22	48	36	27	18	22	
101b	Pneumonia (unspecified)	W	85	30	5	1	1		2	1	6	4	3	2	3	2	6	9	9	1
		C	295	97	21	9	6	4	7	11	20	26	15	7	21	18	12	12	9	
102	Pleurisy	W	13	1			1					3	1			2	1	2	2	
		C	20	1						1	3	3	1		4	3	1	3	1	
103	Congestion and hemorrhagic infarct of the lung	W	10	2														3	5	
		C	4		1							1						1		
104	Gangrene of the lung	W	3			1												1		
		C	2						1					1						
105	Asthma	W	8									1		1	1	1	1	3		
		C	26		1				1		1	2	1		5	3	1	7	4	
106	Pulmonary emphysema	C	1												1					
107	Other diseases of the respiratory system (tuberculosis excepted)	W	6											1		3	1	1		
		C	24		1	1	1				1	2	5		3	2	3	4	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SOUTH CAROLINA—Continued																				
	VI.—Diseases of the digestive system	White	767	255	147	31	13	8	17	20	24	10	12	11	46	43	41	51	38	
		Colored	1,033	390	161	46	16	10	27	27	22	31	21	29	71	72	48	32	28	2
108	Diseases of the mouth and annexa	W	5				1		2			1		1						
		C	10	2	1						1	2	1		1	2				
109b	Other diseases of the pharynx, tonsils	W	30	2	3	2	1	3	2	2	1	1	2	1	5	1	2	1	1	
		C	26	5	2	1	1	1	3	5	1	1	1	1	3	1				
110	Diseases of the esophagus	W	1			1														
		C	1			1														
111a	Ulcer of the stomach	W	18	1									1		1	7	4	2	2	
		C	16									1		1	5	4	2	2	1	
111b	Ulcer of the duodenum	W	7								2				3	1	1			
		C	3												2	1				
112	Other diseases of the stomach (cancer excepted)	W	64	16	7	1	2				2		2		2	8	6	13	5	
		C	257	95	13	4	4	4	3	1	4	10	10	6	31	21	20	12	18	1
113	Diarrhea and enteritis (under 2 years)	W	346	215	131															
		C	417	278	139															
114	Diarrhea and enteritis (2 years and over)	W	55			23	9	2	1			2			2		2	3	11	
		C	93			35	5	2	9	2	1	1	1	5	6	7	8	5	5	1
115	Ancylostomiasis	W	2							1			1							
116	Diseases due to other intestinal parasites	W	1			1														
		C	16	1	3	3	4	2	1	1						1				
117	Appendicitis and typhlitis	W	82					1	9	13	14	4	1	5	11	11	3	6	4	
		C	65				2		5	10	9	7	5	10	7	6	4			
118a	Hernia	W	14	3	2										3	1	1	2	2	
		C	20	3						1	1					8	3	3	1	
118b	Intestinal obstruction	W	57	13	3	1		2	2	4	3	2	1	2	5	4	5	5	5	
		C	43	6	1	2			3	2	2	5		4	4	4	3	6	1	
119	Other diseases of the intestines	W	7	2												2		3		
		C	7		1				1					1		3			1	
120	Acute yellow atrophy of the liver	W	1													1				
		C	5							1					1	1	2			
122	Cirrhosis of the liver	W	22										1	1	5		5	6	4	
		C	21								1	1			6	8	3	2		
123	Biliary calculi	W	22										1		3	3	8	4	3	
		C	3													2		1		
124	Other diseases of the liver	W	18	2	1	1							1	1	2	3	4	3		
		C	19		1			1	2	2	1	2		1	3	2	2	1	1	
125	Diseases of the pancreas	W	6												3			3		
		C	1													1				
126	Peritonitis without specified cause	W	9	1		1			1		2		1		1	1			1	
		C	10							2	1	1	3		2		1			
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,017	6	7	3	3	2	3	4	7	9	14	21	83	107	181	269	296	2
		Colored	1,334	8	7	5	3	1	4	12	19	43	65	66	197	247	222	235	197	3
128	Acute nephritis (including unspecified under 10 years)	W	61	6	4	2	2	1		2		3	2	5	11	1	9	6	7	
		C	96	3	3	3	2		2	6	3	8	10	7	15	17	5	7	4	1
129	Chronic nephritis (including unspecified 10 years and over	W	860				1		1	1	6	3	10	8	60	95	165	245	263	2
		C	1,077			1		1		5	10	27	41	50	152	206	202	207	173	2
131	Other diseases of the kidneys and annexa	W	40		3	1		1	2	1	1	1	1	3	6	5	6	5	4	
		C	74	5	4	1	1		2	1	2	4	3		9	9	9	14	10	
132	Calculi of the urinary passages	W	7											1	2				2	
		C	3													2	1	1		
133	Diseases of the bladder	W	4															3	1	
		C	10										1	1	1	1	1	1	4	
134	Diseases of the urethra, etc	C	9										3	1	1	3		1		
135	Diseases of the prostate	W	30													1	1	10	18	
		C	12													1	2	4	5	
136	Nonvenereal diseases of the male genital organs	C	1													1				
137	Cysts, other benign tumors of the ovary	W	3											2	1					
		C	1											1						
138	Salpingitis and pelvic abscess (female)	W	5									2			3					
		C	18								2	3	3	2	6	2				
139	Benign tumors of the uterus	W	7											1	2	3			1	
		C	15										1	1	9	1	2		1	
140	Nonpuerperal uterine hemorrhage	C	2											1	1					
141	Other diseases of the female genital organs	C	15								1	1	3	2	3	5				
142	Nonpuerperal diseases of the breast (cancer excepted)	C	1								1									
	VIII.—The puerperal state	White	175							1	27	33	41	31	41	1				
		Colored	314							4	70	76	62	38	58	5				1
143	Accidents of pregnancy	W	14									1	4	2	6	1				
		C	29									7	6	7	9					
144	Puerperal hemorrhage	W	20								3	2	4	4	7					
		C	14									2	4	2	6					
145	Other accidents of labor	W	23							1	4	4	4	5	5					
		C	55							1	13	13	7	5	13	3				
146	Puerperal septicemia	W	32								4	8	7	7	6					
		C	79								20	23	14	12	9	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	W	4									1	3							
		C	5									1	2		1	1				
148	Puerperal albuminuria and convulsions	W	82								16	17	19	13	17					
		C	131							3	36	30	29	12	20					1
149	Following childbirth (undefined)	C	1								1									
	IX.—Diseases of the skin and of the cellular tissue	White	17	4	1					2	1	1		1	2		4	1		
		Colored	27	3	1					1	4		2	1	5	5	2	1	2	
151	Gangrene	W	1														1			
		C	11								1				2	4	1	1	2	
152	Furuncle	W	4							1					1		2			
		C	1											1						
153	Acute abscess	W	8	1	1					1	1	1		1	1		1			
		C	6	1						1	1				2	1				
154	Other diseases of the skin and annexa	W	4	3														1		
		C	9	2	1						2		2		1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	SOUTH CAROLINA—Continued																		
	X.—Diseases of the bones and of the organs of locomotion { White	9						2	2	1	1	1		1			1		
	{ Colored	10								3	1	1	2	1	1			1	
155	Diseases of the bones (tuberculosis excepted) { W	7						1	2	1	1	1					1		
	{ C	5								3		1	1						
156	Diseases of the joints (tuberculosis and rheumatism excepted) W	2						1						1					
158	Other diseases of the organs of locomotion C	5									1		1	1	1			1	
	XI.—Malformations { White	105	88	8		1		4	1	1	2								
	{ Colored	40	29	3	1	3	2	1	1										
159a	Congenital hydrocephalus { W	17	10	4				1		1	1								
	{ C	15	6	2		3	2	1	1										
159b	Congenital malformations of the heart { W	52	44	3		1		3			1								
	{ C	8	8																
159c	Other congenital malformations { W	36	34	1					1										
	{ C	17	15	1	1														
	XII.—Early infancy { White	687	687																
	{ Colored	975	975																
160	Congenital debility, icterus, sclerema { W	93	93																
	{ C	247	247																
161a	Premature birth { W	489	489																
	{ C	618	618																
161b	Injury at birth { W	69	69																
	{ C	50	50																
162	Other diseases peculiar to early infancy { W	36	36																
	{ C	53	53																
163	Lack of care C	7	7																
164	XIII.—Old age (senility) { White	110														1	9	100	
	{ Colored	351													2	3	55	291	
	XIV.—External causes { White	639	26	16	19	18	17	38	30	52	56	51	47	73	54	48	39	52	3
	{ Colored	743	33	20	17	19	24	61	45	75	94	75	51	97	57	28	16	24	7
	Suicide { W	49							1	3	2	3	6	8	9	10	6	1	
	{ C	9									1	2		4	2				
165	By poisons (gas or corrosives excepted) W	2									1							1	
166	By corrosive substances { W	1														1			
	{ C	1										1							
167	By poisonous gas W	1												1					
168	By hanging or strangulation W	2										1	1						
169	By drowning C	1										1							
170	By firearms { W	39							1	3	1	2	5	4	9	9	5		
	{ C	6									1			3	2				
171	By cutting or piercing instruments W	3												2			1		
173	By crushing W	1												1					
174	By other means C	1												1					
	Homicide { W	71							2	6	13	9	12	18	5	5	1		
	{ C	146	1					3	3	16	30	21	19	34	7	6	4		2
197	By firearms { W	60							2	5	12	9	10	14	3	5			
	{ C	109						3	3	12	19	20	14	26	5	5	1		1
198	By cutting or piercing instruments { W	6								1	1			2	2				
	{ C	15								1	6	1	3	3	1				
199	By other means { W	5											2	2			1		
	{ C	22	1							3	5		2	5	1	1	3		1
	Accidental or undefined { W	519	26	16	19	18	17	38	27	43	41	39	29	47	40	33	32	51	3
	{ C	588	32	20	17	19	24	58	42	59	63	52	32	59	48	22	12	24	5
175	Poisoning by food { W	15	2	4	1					1	1			2	2	1		1	
	{ C	10	2		1			1		1		1	1	1	2				
176	Poisoning by venomous animals W	1	1																
177	Other acute poisonings (gas excepted) { W	24	3	4	3	3	1	4		1		1		2		1	1		
	{ C	17	2	7	2	1				2		2		1					
178	Conflagration { W	1			1														
	{ C	16	3		1	3	2	3	2							1		1	
179	Burns (conflagration excepted) { W	63	3	2	8	12	7	10	2	2	3			5	1	3	4	1	
	{ C	141	5	13	9	11	19	31	6	2	9	10	4	2	8	2	2	8	
180	Mechanical suffocation { W	11	10											1					
	{ C	11	10					1											
181	Absorption of irrespirable, irritating, or poisonous gas { W	3		1									1	1					
	{ C	4						1		1				2					
182	Drowning { W	32		2		1		2	3	5	4	3	2	7	2	1			
	{ C	54	1		1			2	7	12	9	7	2	4	5	1	1		2
183	Traumatism by firearms (except in war) { W	30			1			1	7	6	1	5	2	5	2				
	{ C	50				1		9	9	8	9	5	3	2	3				1
184	Traumatism by cutting or piercing instruments { W	7						2	1	1				1	1		1		
	{ C	7							2		1				1			3	
185	Traumatism by fall { W	70					1	1	1	2	2	4	1	2	2	3	10	41	
	{ C	38	3		1	2	1	2	4	2	1	2		6	4	2	3	5	
186b	Traumatism in quarries C	3								1					1	1			
187	Traumatism by machines { W	14								1	3	1	2	2	2	2	1		
	{ C	20							3	3	6	4	3	1					31
188a	Railroad accidents { W	47			1			1	2		5	3	4	8	10	6	2	2	33
	{ C	32								3	5	3	3	9	4	2		2	1
	Collision with automobiles { W	14			1			1			3		1		3	2			33
	{ C	2								1					1				
	Other railroad accidents { W	33							2		2	3	3	8	7	4	2	2	34
	{ C	30								2	5	3	3	9	3	2		2	
188b	Street-car accidents { W	4		1									1		1		1		35
	{ C	3								1				1		1			
	Collision with automobiles W	1											1						36
	Other street-car accidents { W	3		1											1		1		
	{ C	3								1				1		1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SOUTH CAROLINA—Continued																				
	XIV.—External causes—Contd.																			
	Accidental or undefined—Continued.																			
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	116	2		2	1	7	12	8	16	12	12	11	4	8	10	10	1	
		C	63	1			1	2	2	2	6	11	5	8	13	5	3	2	1	1
188d	Airplane and balloon accidents	W	2										2							
188e,f	Injuries by other vehicles	W	8						1			1	1	1		1	1		2	
		C	10						1		2				3	4				
188g	Landslide, other crushing	W	6						1		2	1		1			1			
		C	4							1			1		2					
189	Injuries by animals (not poisoning)	W	2													1	1			
		C	5							2		1	1		1					
193	Excessive cold	W	2	1												1				
		C	4										1			2		1		
194	Excessive heat	W	4												1		1	2		
		C	12	1						1					1	1	6	1	1	
195	Lightning	W	6							1	1	1				3				
		C	26							2	9	4	3	1	4	3				
196	Other accidental electric shocks	W	11						1		2	1	2	2	1	1	1			
		C	3										1		2					
201	Fracture (cause not specified)	W	5	1						1									3	
		C	2	1														1		
202	Other external violence	W	35	3	2	2	1	1	2	1	3	6	5	1	5	2	1			
		C	53	3		2			5	1	6	7	6	7	4	5	3	2	2	
	XV.—Ill-defined diseases	White	267	113	8	5	1	2	2	5	2	4	5	4	9	22	19	30	33	3
		Colored	1,093	411	69	24	15	8	17	17	25	49	29	34	92	77	63	75	86	2
204	Sudden death	W	41	7	1								2	1	3	5	6	11	5	
		C	53	9	1				2	1	2	1	3	1	7	7	10	4	5	
205a	Ill-defined	W	76	20	3	3			1	3	1	3	1	1	4	5	7	10	14	
		C	476	108	49	19	8	6	8	7	12	20	13	14	44	40	36	48	44	
205b	Not specified or unknown	W	150	86	4	2	1	2	1	2	1	1	2	2	2	12	6	9	14	3
		C	564	294	19	5	7	2	7	9	11	28	13	19	41	30	17	23	37	2
TENNESSEE																				
	All causes	White	19,404	2,930	658	307	170	153	373	345	666	778	722	705	1,437	1,707	2,050	2,987	3,380	36
		Colored	8,430	1,048	220	93	50	42	168	201	489	609	541	500	1,010	1,104	944	690	694	27
	I.—Epidemic, endemic, and infectious diseases	White	4,345	331	202	112	78	53	123	107	293	350	330	300	449	398	378	405	425	11
		Colored	2,332	161	72	27	25	16	87	104	281	300	250	203	292	219	134	79	79	3
1	Typhoid and paratyphoid fever	W	466	5	4	9	1	8	28	59	103	71	49	31	35	27	21	10	4	1
		C	187	1	2	2	1	2	27	31	49	22	18	6	14	6	3	2	1	
5	Malaria	W	91	9	8	7	3		4	1	7	9	4	7	5	8	3	7	9	
		C	64	4	2		2	4	5	2	8	6	4	5	3	7	7	2	3	
6	Smallpox	W	3									1			1				1	
		C	2	2																
7	Measles	W	49	5	15	8	2	1	3	1	3	1		2	1	3	2	1	1	
		C	11	4	1				1	3	1									1
8	Scarlet fever	W	28	1	5	4	5	2	3	4	3		1							
		C	6	1					2	1			1				1			
9	Whooping cough	W	135	76	33	14	6	2	4											
		C	50	28	14	4	1	2	1											
10	Diphtheria	W	163	26	31	24	29	19	26	2				1		3		1		1
		C	23	7	3	2	4		5	2										
11a	Influenza (with pulmonary complications)	W	565	61	28	10	17	5	5	6	16	16	14	16	53	54	60	83	121	
		C	296	34	16	3	5	4	8	7	25	18	18	16	36	37	33	15	21	
11b	Influenza (other and unspecified)	W	320	34	16	6	2	3	11	6	10	6	2	3	14	15	27	61	104	
		C	163	16	2	4	1	1	6	5	9	12	5	8	16	19	14	10	35	
13	Mumps	W	2					1	1											
		C	1						1											
15	Cholera nostras	W	12	2	4	1							1	1	1		1	1		
		C	1																1	
16	Dysentery	W	151	25	25	8		2	3			1	1		6	9	12	17	42	
		C	56	13	7	3	2				1	2	1	1	4	7	2	7	6	
21	Erysipelas	W	40	10		1			1		2	1		2	2	3	5	7	6	
		C	4	1								1				1			1	
22	Acute anterior poliomyelitis	W	32	6	5	7	1	3	6	1	2						1			
		C	3	2			1													
23	Lethargic encephalitis	W	20		1	1	1		1			1	2	1	2	4	2	2	2	
		C	2		1											1				
24	Meningococcus meningitis	W	24	4	3	1	3	1	1	3	2	1		2	2	1				
		C	9	2			1	1	1	1	1		1	1						
25	Other epidemic and endemic diseases	W	1									1								
28	Rabies	W	6			1		1	2	1							1			
29	Tetanus	W	34	6		1	1		6	4		3	2	4	2	1	2	2		
		C	10						2	1		1		1	3		1	1		
30	Mycoses	W	4												2					
		C	2										1		1					
	Tuberculosis (all forms)	W	2,102	42	24	9	7	5	17	18	137	232	247	220	306	259	231	209	130	9
		C	1,266	18	19	9	6	2	28	50	180	228	191	145	177	117	57	30	8	1
31	Of the respiratory system	W	1,829	5	7	1	5		7	12	124	215	233	196	280	232	206	185	113	8
		C	1,119	14	11	6	5	2	14	41	162	207	179	127	163	102	52	27	6	1
32	Of the meninges, central nervous system	W	88	28	12	4	2	4	7	3	5	4	1	4	6	4	3			1
		C	23	3	4	2	1		5		1	2			2	2	1			
33	Of the intestines, peritoneum	W	66	3	2	1		1	2	2	5	5	5	10	13	15	15	16	11	
		C	47						1	5	3	11	2	9	7	6	2		1	
34	Of the vertebral column	W	14			1					1	1	3	2		2	1	2	1	
		C	12						2	2	2	1	1	1	1	1	1			
35	Of the joints	W	9									1				2	3	1	2	
		C	3								1	1			1					
36	Of other organs	W	28	5	1	1				1	1	1		3	5	3	2	2	3	
		C	15		1				2	2	1	1	1	2	1	1	1	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	I.—Epidemic, endemic, and infectious diseases—Contd.																			
	Tuberculosis—Continued.																			
37a	Disseminated (acute)	W	21		2	1			1		1	4	4	3	1		1	3		
		C	44	1	3	1			3		10	5	8	5	2	4		1	1	
37b	Disseminated (chronic or unspecified)	W	7	1								1	1	2	1	1				
		C	3						1					1		1				
38	Syphilis	W	58	17					1		2	2		8	12	8	6		2	
		C	154	28	5		1			1	4	6	6	18	31	23	15	12	3	1
40	Gonococcus infection	W	10								1	2	4	1	2					
		C	17								1	4	4	2	4	1	1			
41	Purulent infection, septicemia	W	29	2						1	5	2	3	1	3	3	2	4	3	
		C	5								2				3					
	II.—General diseases not included in Class I	White	1,813	35	16	9	4	8	23	18	28	37	40	52	191	314	369	408	258	3
		Colored	470	11	3	2		2	4	6	7	15	31	35	91	98	74	49	39	3
	Cancer and other malignant tumors	W	1,039		2	2	2	2	3	1	6	7	10	24	99	178	233	277	192	1
		C	244			1				1	2	3	8	14	55	61	47	34	17	1
43	Of the buccal cavity	W	31												3	5	4	11	8	
		C	6										1	1	2	1	1			
44	Of the stomach, liver	W	348					1					1	4	21	48	86	112	74	1
		C	60										1	3	12	15	12	11	5	1
45	Of the peritoneum, intestines, rectum	W	110		1				1			2		2	13	14	27	33	17	
		C	20									1	1	1	5	5	2	3	2	
46	Of the female genital organs	W	171									1	4	5	35	46	38	35	7	
		C	101									2	2	7	28	28	20	8	6	
47	Of the breast	W	108								1		1	7	13	24	25	23	14	
		C	20								1		2	1	3	3	7	3		
48	Of the skin	W	61											1	1	2	7	18	32	
		C	1													1				
49	Of other or unspecified organs	W	210		1	2	2	1	2	1	5	4	4	5	13	39	46	45	40	
		C	36			1				1	1		1	1	5	8	5	9	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	W	9						1	1			1		2			1	3	
		C	1												1					
51	Acute rheumatic fever	W	49						3	2	5	5			6	6	7	7	8	
		C	23							1			1	1	5	6	3		6	
52	Chronic rheumatism, osteoarthritis, gout	W	15									1	2			2	2	3	5	
		C	9					1				1		1		2	1	2	1	
53	Scurvy	C	1	1																
54	Pellagra	W	286	4	1		1	2	3	1	6	8	14	14	42	60	50	62	17	1
		C	98						4	1	3	8	16	8	17	16	11	5	7	2
56	Rickets	W	9	6	3															
		C	9	4	3	1		1												
57	Diabetes mellitus	W	152	1	1		1	1	3	4	3	5	4	2	10	23	37	33	23	1
		C	42							1			3	5	8	8	6	6	5	
58	Anemia, chlorosis	W	82	3		2			1	1	1	3	3	1	16	11	22	12	6	
		C	8	2						1	1	1		1			1	1		
60a	Exophthalmic goiter	W	21									1	1	1	4	9	3	2		
		C	12										1	1	4	3	3			
60b	Other diseases of the thyroid gland	W	13	1					2				1			2	2	3	2	
		C	1													1				
62	Diseases of the thymus gland	W	5	5																
63	Diseases of the adrenals (Addison's disease)	W	6									1		1	1	2		1		
64	Diseases of the spleen	W	3							1						1	1			
65a	Leukemia	W	28		3	1			4	3		2			4	2	3	4	1	1
		C	5							1		1						2		1
65b	Hodgkin's disease	W	11		1	1				1	1	1				1	2	1	2	
		C	2										1				1			
66	Alcoholism (acute or chronic)	W	27								2	2	1	4	5	9	3	1		
		C	7								1	1	1	3				1		
67a	Chronic lead poisoning	C	1											1						
68	Chronic poisoning by organic substances	W	9										1		2	4		2		
69	Other general diseases	W	49	15	5	3		3	3	3	4	1	2	1	1	2	4	1	1	
		C	7	4											1				2	
	III.—Diseases of the nervous system and of the organs of special sense	White	1,676	66	22	16	8	9	30	18	27	26	19	30	87	177	246	448	446	1
		Colored	598	26	5	1	2		2	5	5	17	13	21	47	137	142	93	81	1
70	Encephalitis	W	19	2	2			1	1	2	1		1	1	5	1	1	1		
		C	3			1				1						1				
71a	Simple meningitis	W	68	24	5	6	3	4	8	2	1	3	2	1	3	1	4	1		
		C	16	5	1						2	2			2	4				
71b	Nonepidemic cerebrospinal meningitis	W	22	4	7	2	2		2	2					1	1	1			
		C	3		1					1					1					
72	Tabes dorsalis (locomotor ataxia)	W	18												1	3	4	5	3	2
		C	5														4		1	
73	Other diseases of the spinal cord	W	38		1	1		1	1				1			2	3	9	7	12	
		C	35							1		3		1			9	9	7	5	
74a	Cerebral hemorrhage	W	923	2	2	1			2	3	1	5	6	41	103	161	318	277	1	
		C	323					1	2		4	3	10	30	78	90	53	51	1	
74b	Cerebral embolism and thrombosis	W	32		1					2	3		2	1	4	5	2	12		
		C	7								1	1		1	3		1			
75	Paralysis without specified cause	W	213			1	2		2		1	1	1	1	4	14	27	67	92	
		C	96		1							1		2	3	21	24	24	20	
76	General paralysis of the insane	W	58									3	1	5	12	17	13	3	4	
		C	30								1		2	3	4	10	6	4		
77	Other forms of mental alienation	W	33									3		2	2	7	2	8	9	
		C	16									2	4		3	2	2	1	2	
78	Epilepsy	W	49	4		1			4	3	7	5	5	2	7	4	4	2	1	
		C	10	2		1	1		1			2		1	2					
79	Convulsions (nonpuerperal; 5 years and over)	W	7						1		3	1						1	1	
80	Infantile convulsions (under 5 years)	W	24	19	2	1		2												
		C	16	15	1															
81	Chorea	W	1	1																
		C	2	1							1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																			
82	Neuralgia and neuritis	W	12						1					1			1	5	4	
		C	1										1							
83	Softening of the brain	W	26												2		2	4	18	
		C	1														1			
84	Other diseases of the nervous system	W	80	1		2			4	2	2	3	3	4	2	14	8	23	12	
		C	24								1	2	1	2	2	3	8	2	3	
85	Diseases of the eye and annexa	W	2			1													1	
86a	Diseases of the ear	W	29	6	1			1	3	3	4	1		2	1	3	1	2	1	
		C	5	2												1	2			
86b	Diseases of the mastoid process	W	22	3	1		1		3	2	3	2		1	1	1	3	1		
		C	5	1	1								1	1		1				
	IV.—Diseases of the circulatory system	White	2,074	13	3	2	1	6	9	16	23	27	18	23	97	183	304	628	720	1
		Colored	978		1	3	1		8	3	12	16	32	33	133	219	200	174	137	6
87	Pericarditis	W	17								1	2			2		8	4		
		C	6										1		3	1		1		
88	Endocarditis and myocarditis (acute)	W	65	3			1	1	3	5	3	5	6	7	17	6	1	4	3	
		C	35						1		1	2	8	1	11	3	3	4	1	
89	Angina pectoris	W	151					1						1	8	10	33	59	39	
		C	24		1							1	1		2	10	1	7	1	
90	Other diseases of the heart	W	1,637	8	3	1		4	6	10	18	20	11	15	66	156	242	493	583	1
		C	860			1	1		6	3	11	13	20	30	111	196	187	153	122	6
91a	Aneurysm	W	19							1					2	4	3	4	5	
		C	12										1	1	4	3	2	1		
91b,c	Other diseases of the arteries	W	153												1	3	21	49	79	
		C	28						1					1		4	5	5	12	
92	Embolism and thrombosis (not cerebral)	W	19			1					1				3	2	1	7	4	
		C	4													1	2	1		
93	Diseases of the veins	W	1															1		
		C	1												1					
94	Diseases of the lymphatic system	W	2	1															1	
		C	2			1												1		
95	Hemorrhage without specified cause	W	4	1									1					1	1	
		C	3			1							1			1				
96	Other diseases of the circulatory system	W	6														3	2	1	
		C	3												1			1	1	
	V.—Diseases of the respiratory system	White	1,539	276	73	41	21	19	23	29	41	49	38	38	93	100	137	233	326	2
		Colored	842	173	61	26	10	9	18	21	50	51	34	38	93	75	90	53	38	2
97a	Diseases of the nasal fossae	W	4	2															2	
		C	4	4																
97b	Diseases of the nasal fossae annexa	W	11	1			1			1	1	1	1	2		1	1	1		
98	Diseases of the larynx	W	9	3	1	1						1		2			1			
99a	Acute bronchitis	W	13	3			1											2	7	
		C	13	3	3	2						1			3	1				
99b	Chronic bronchitis	W	31										1		1	3	3	10	13	
		C	7								1			2		2		1	1	
99c,d	Bronchitis (unspecified)	W	24	4											1	1	2	2	14	
		C	9	4						1		1				2	1			
100a	Broncho-pneumonia	W	530	162	41	20	13	9	8	11	7	11	4	7	18	12	32	64	110	1
		C	302	113	33	17	3	7	8	6	7	8	4	7	22	14	24	18	10	1
100b	Capillary bronchitis	W	7	4					1		1								1	
		C	4	2	1													1		
101a	Lobar pneumonia	W	716	63	20	11	5	7	12	15	25	32	28	25	61	68	82	122	141	1
		C	419	34	16	6	5	2	7	12	41	38	29	25	56	48	53	26	21	
101b	Pneumonia (unspecified)	W	95	28	9	7		1	2	2	2	2	2		5	6	5	8	16	
		C	33	11	5		1		2	1		1			4	1	4	1	1	1
102	Pleurisy	W	32	2	2	1	1	2			2		2	2	2	3	6	4	3	
		C	26		1	1			1		1	2	1	2	4	4	5	3	1	
103	Congestion and hemorrhagic infarct of the lung	W	17	3											1	2	1	2	8	
		C	3		1										1			1		
104	Gangrene of the lung	W	1															1		
105	Asthma	W	20	1												1	3	9	6	
		C	10	1			1								1		2	1	4	
106	Pulmonary emphysema	W	1															1		
		C	1							1										
107	Other diseases of the respiratory system (tuberculosis excepted)	W	28			1					3	2	2		4	3	1	7	5	
		C	11	1	1									2	2	3	1	1		
	VI.—Diseases of the digestive system	White	1,995	549	271	73	21	22	66	62	56	44	56	46	121	137	153	156	159	3
		Colored	646	154	50	10	2	2	12	12	23	39	24	35	70	86	49	42	33	3
108	Diseases of the mouth and annexa	W	24	3	1	1	1	1	1		1	2	1	1	2	2	3	3	1	
		C	7													4	1	1	1	
109a	Adenoid vegetations	W	1					1												
109b	Other diseases of the pharynx, tonsils	W	52	5	3		3	3	7	2	3	4	5	6	3	3	1	3	1	
		C	8					2	1	1	1			2	1					
110	Diseases of the esophagus	W	1													1				
		C	1								1									
111a	Ulcer of the stomach	W	54						1	1	1	3	1	2	13	9	10	5	8	
		C	23	1								1	2	2	5	3	4	2	3	
111b	Ulcer of the duodenum	W	26									1	1	2	7	7	5	3		
		C	6										1		3	2				
112	Other diseases of the stomach (cancer excepted)	W	153	34	11	5	1	5	4	4	1		2	3	6	13	11	24	29	
		C	118	9	1				1	1	6	2	1	8	22	28	13	12	13	1
113	Diarrhea and enteritis (under 2 years)	W	735	483	252															
		C	184	139	45															
114	Diarrhea and enteritis (2 years and over)	W	262			66	8	5	20	6	7	2	8	4	8	9	17	44	55	3
		C	59			9	2		3	1	1	4		1	9	8	6	7	7	1
117	Appendicitis and typhlitis	W	257		1		2	2	24	38	35	20	27	18	36	23	20	8	3	
		C	84			1			2	6	11	19	11	10	9	10	3	2		
118a	Hernia	W	40	2	1							1	1		6	6	5	11	7	
		C	22		1									1	2	5	4	4	5	
118b	Intestinal obstruction	W	118	15	2		4	4	4	7	2	4	7	3	10	16	11	13	16	
		C	42	4					2		1	5	5	4	3	10	4	3	1	
119	Other diseases of the intestines	W	12							1				1		2	3	4	1	
		C	9						1	1		2		2	1	1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	VI.—Diseases of the digestive system—Continued.																		
120	Acute yellow atrophy of the liver	W 12				1		1			1		1	3		2	1	2	
		C 1												1					
122	Cirrhosis of the liver	W 60			1				1	1		1		5	12	19	9	11	
		C 35						1			3		3	5	7	10	3	2	1
123	Biliary calculi	W 59								1	1		1	8	16	17	10	5	
		C 7												2		2	3		
124	Other diseases of the liver	W 90	2			1		1		2	2	3	2	3	12	23	17	17	
		C 22		2							2		1	5	5	2	4	1	
125	Diseases of the pancreas	W 9	1					1					1	1	2	3			
		C 1												1					
126	Peritonitis without specified cause	W 30	4				1	2	2	1	3		1	5	4	3	1	3	
		C 17	1	1				1	2	2		5	1	1	3				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White 1,479	16	6	7	1	2	6	11	13	23	19	47	85	149	256	384	451	3
		Colored 736	3	1	4		1	3	9	14	25	26	35	113	131	151	121	98	1
128	Acute nephritis (including unspecified under 10 years)	W 97	12	3	4	1	2	4	5	2	5	2	8	4	17	6	9	13	
		C 94	2	1	4		1	1	2	5	6	5	4	15	10	21	10	7	
129	Chronic nephritis (including unspecified 10 years and over)	W 1,132						2	6	6	8	6	19	53	102	227	328	373	2
		C 497	1					1	3	4	10	8	16	64	101	114	100	74	1
131	Other diseases of the kidneys and annexa	W 60	4	2	3					2	2	3	6	3	5	6	12	11	1
		C 12						1	1		2	1		1	2	1		3	
132	Calculi of the urinary passages	W 11										1	2	2	3	3			
		C 1										1							
133	Diseases of the bladder	W 17									1			1		4	3	8	
		C 11								1			1	1		2	2	4	
134	Diseases of the urethra, etc	W 4		1						1			1		1				
		C 8									1		1	1	4		1		
135	Diseases of the prostate	W 84													3	8	29	44	
		C 29													5	8	7	9	
136	Nonvenereal diseases of the male genital organs	C 3							1				1					1	
137	Cysts, other benign tumors of the ovary	W 12										2		3	2	1	2	2	
		C 5							1					1	1	2			
138	Salpingitis and pelvic abscess (female)	W 25								2	3	4	4	8	4				
		C 24								1	5	7	1	8	2				
139	Benign tumors of the uterus	W 26										1	4	8	12		1		
		C 41									1	3	10	19	5	2	1		
140	Nonpuerperal uterine hemorrhage	W 1												1					
		C 1								1									
141	Other diseases of the female genital organs	W 10									4		3	2		1			
		C 10							1	2		1	1	3	1	1			
	VIII.—The puerperal state	White 299								38	73	71	41	73	3				
		Colored 143							2	30	31	23	22	32	1				2
143	Accidents of pregnancy	W 22									5	3	5	8	1				
		C 14							1	2	4	3		4					
144	Puerperal hemorrhage	W 24								1	3	8	3	9					
		C 7									1	1	2	3					
145	Other accidents of labor	W 29								7	3	6	4	7	2				
		C 13								4	2	1	2	3	1				
146	Puerperal septicemia	W 103								13	30	29	14	17					
		C 59								11	15	9	8	15					1
147	Puerperal phlegmasia alba dolens, embolus, etc	W 13								1	3	4	1	4					
		C 2											1	1					
148	Puerperal albuminuria and convulsions	W 106								15	29	21	14	27					
		C 48							1	13	9	9	9	6					1
149	Following childbirth (undefined)	W 2								1				1					
	IX.—Diseases of the skin and of the cellular tissue	White 51	8	1		1		2		5			2	4		2	8	18	
		Colored 18									1	1		1	4	3	4	4	
151	Gangrene	W 19	1	1				1						1			4	11	
		C 14									1	1			2	3	3	4	
152	Furuncle	W 8								1				1		2	1	3	
		C 1													1				
153	Acute abscess	W 9	3			1				2			2				1		
		C 2												1	1				
154	Other diseases of the skin and annexa	W 15	4					1		2				2			2	4	
		C 1															1		
	X.—Diseases of the bones and of the organs of locomotion	White 28					1	3	7	4			2		1	4	1	5	
		Colored 6			1				2						2	1			
155	Diseases of the bones (tuberculosis excepted)	W 20					1	2	7	4			1		1	2		2	
		C 2							2										
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W 2						1					1						
		C 4			1										2	1			
158	Other diseases of the organs of locomotion	W 6														2	1	3	
	XI.—Malformations	White 158	142	3	4		2	3	3	1									
		Colored 26	20		3	1		2											
159a	Congenital hydrocephalus	W 15	12	1	2														
		C 4	2		1			1											
159b	Congenital malformations of the heart	W 75	66	1	1		2	3	1	1									
		C 12	10		1	1													
159c	Other congenital malformations	W 68	64	1	1				2										
		C 10	8		1			1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	XII.—Early infancy	White	997	997															
		Colored	238	238															
160	Congenital debility, icterus, sclerema	W	164	164															
		C	49	49															
161a	Premature birth	W	673	673															
		C	148	148															
161b	Injury at birth	W	105	105															
		C	19	19															
162	Other diseases peculiar to early infancy	W	54	54															
		C	20	20															
163	Lack of care	W	1	1															
		C	2	2															
164	XIII.—Old age (senility)	White	275														1	25	247	2
		Colored	87														2	10	75	
	XIV.—External causes	White	1,555	47	30	29	27	25	76	69	124	137	121	107	196	173	116	135	140	3
		Colored	657	21	8	10	7	5	25	26	53	99	83	66	100	68	37	21	27	1
	Suicide	W	149							1	6	16	20	13	25	34	22	11	1	
		C	9								1	1	4		1		1		1	
165	By poisons (gas or corrosives excepted)	W	11								1	1	1		2	3	1	2		
		C	1									1								
166	By corrosive substances	W	31								1	4	7	3	7	6	2	1		
		C	3								1		2							
167	By poisonous gas	W	4									1	1			1	1			
168	By hanging or strangulation	W	9									1			2	3	3			
169	By drowning	W	5										1	1	1	1	1			
		C	1										1							
170	By firearms	W	74							1	3	8	9	9	12	16	11	4	1	
		C	3										1		1		1			
171	By cutting or piercing instruments	W	8								1				3	2	2			
172	By jumping from high places	W	2														1	1		
174	By other means	W	5									1	1			3				
		C	1																1	
	Homicide	W	178		1					1	11	29	24	25	39	27	15	4	1	1
		C	246							2	23	52	45	31	60	25	4	3		1
197	By firearms	W	138		1					1	10	23	19	17	30	20	11	4	1	1
		C	191							1	19	38	31	24	53	19	4	2		
198	By cutting or piercing instruments	W	22								1	2	3	6	3	5	2			
		C	33								2	13	8	5	3	1				1
199	By other means	W	18									4	2	2	6	2	2			
		C	22							1	2	1	6	2	4	5		1		
	Accidental or undefined	W	1,228	47	29	29	27	25	76	67	107	92	77	69	132	112	79	120	138	2
		C	402	21	8	10	7	5	25	24	29	46	34	35	39	43	32	18	26	
175	Poisoning by food	W	19	7	1		1		1	1	2	1			2	2	1			
		C	10	1							1		2	1	2		1		2	
176	Poisoning by venomous animals	W	2															2		
		C	1													1				
177	Other acute poisonings (gas excepted)	W	23	1	4				2		2	2	1	3	3	1	1	1	1	1
		C	6		1			1				1	1			2				
178	Conflagration	W	14	1				1	2	1		1			4	3	1			
		C	6			1										1	1	1	2	
179	Burns (conflagration excepted)	W	113	15	11	17	5	7	9	3	5	4	4	2	7	4	5	6	9	
		C	64		1	6	5	3	9	2	4	3	2	1	5	5	7	4	7	
180	Mechanical suffocation	W	11	11																
		C	12	10												1		1		
181	Absorption of irrespirable, irritating, or poisonous gas	W	9									2			3	1	3			
182	Drowning	W	88		4	1	1		8	5	22	9	9	4	11	5	6	2	1	
		C	30		2				3	5	3	9		3	1		3	1		
183	Traumatism by firearms (except in war)	W	84		1		1	1	9	13	16	10	7	8	9	6	1	2		
		C	45				1		6	2	6	8	8	5	5	1	2	1		
184	Traumatism by cutting or piercing instruments	W	11					1		2		2				1	1	3	1	
		C	3							1	1	1								
185	Traumatism by fall	W	218	2	3	3	3	2	4	8	3	3	5	2	8	13	10	44	105	
		C	30		1	1			1	3	1	2		7	5	4	1	2	2	
186a	Traumatism in mines	W	32							1	1	7	4	6	7	4	2			
		C	3									1		1	1					
186b	Traumatism in quarries	W	2									1				1				
		C	1												1					
187	Traumatism by machines	W	33						1	1	2	4	7	1	6	8	2	1		
		C	12									2	1	1	2	3	3			
188a	Railroad accidents	W	118					1	4	2	16	15	12	14	19	16	10	7	2	
		C	39						1	3	3	6	6		6	5	4	2	3	
	Collision with automobiles	W	20					1	2	1	2	2	3	3	1	2	3			
	Other railroad accidents	W	98						2	1	14	13	9	11	18	14	7	7	2	
		C	39						1	3	3	6	6		6	5	4	2	3	
188b	Street-car accidents	W	10				1	1			1			2	1	2		2		
		C	4									1			2	1				
	Collision with automobiles	W	2												1			1		
		C	1												1					
	Other street-car accidents	W	8				1	1			1			2		2		1		
		C	3									1			1	1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W	217	1	1	2	8	7	20	13	18	14	14	17	27	21	20	24	9	1
		C	61	1	1			1	5	2	6	9	4	9	4	10	3	4	2	
188e,f	Injuries by other vehicles	W	26			2	1		3	2	2		1	1	4	4	2	4		
		C	9	1		1				1				1		1	1		3	
188g	Landslide, other crushing	W	10							1	1	1	3	1		1	1	1		
		C	6								1		1	1	1	1			1	
189	Injuries by animals (not poisoning)	W	18			1	2	2	3	2		2			2	2	1	1		
		C	4	1							1		1				1			
193	Excessive cold	W	1																1	
		C	1																1	
194	Excessive heat	W	9												1		2	3	3	
		C	16	4									2	1		5	1	2	1	
195	Lightning	W	9						2	1		1	1	1		2	1			
		C	4									1			1		1		1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	TENNESSEE—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
196	Other accidental electric shocks—W	15							1		6	2		7					
	C	4										3							
201	Fracture (cause not specified)—W	16					1			1				1	1	1	5	6	
	C	1	1																
202	Other external violence—W	120	9	4	3	4	1	8	11	15	7	7	7	10	14	8	12		
	C	30	2	2	1	1			4	2	2	3	4	3	2	3		1	
	XV.—Ill-defined diseases—White	1,120	450	31	14	8	6	9	5	13	12	10	17	41	72	84	156	185	7
	Colored	653	241	19	6	2	7	7	11	14	15	24	12	38	64	61	44	83	5
204	Sudden death—W	144	12		1	1			2			2	3	8	17	20	42	36	
	C	64	6				1		1	2	1	2	5	4	12	15	7	7	1
205a	Ill-defined—W	179	50	10	2	1		1	1	5	5	3	3	10	18	22	26	22	
	C	70	13	6	1				2	1	1		1	8	10	10	9	8	
205b	Not specified or unknown—W	797	388	21	11	6	6	8	2	8	7	5	11	23	37	42	88	127	7
	C	519	222	13	5	2	6	7	8	11	13	22	6	26	42	36	28	68	4
	UTAH																		
	All causes	4,484	766	121	66	35	26	120	129	155	133	139	163	410	445	489	627	647	13
	I.—Epidemic, endemic, and infectious diseases	477	84	35	15	13	4	25	28	17	18	22	25	60	57	27	22	23	2
1	Typhoid and paratyphoid fever	26	1	1	1				6	3	3	3	2	3	1	1	1		
8	Scarlet fever	4	1		1			1	1										
9	Whooping cough	35	22	9	2	1		1											
10	Diphtheria	49	1	4	4	8	3	12	8	3	1	1		2		2			
11a	Influenza (with pulmonary complications)	81	20	7	4	1		2	2	1	2	5	5	3	10	4	3	12	
11b	Influenza (other and unspecified)	47	14	4	2	1		2	3	1		3	1	2	6	1	2	5	
13	Mumps	1														1			
16	Dysentery	5	2	3															
19	Spirochetal hemorrhagic jaundice	2		1					1										
21	Erysipelas	16	10	2		1									2		1		
23	Lethargic encephalitis	10	1	1								1		2	3	2			
24	Meningococcus meningitis	27	3	1	1	1		4	5	2	6	1	1	2					
25	Other epidemic and endemic diseases	2	1																1
29	Tetanus	1						1											
30	Mycoses	1													1				
	Tuberculosis (all forms)	149	3	2			1	1	1	7	6	7	12	44	31	12	15	6	1
31	Of the respiratory system	128	1	2			1		1	6	5	6	9	39	27	11	14	5	1
32	Of the meninges, central nervous system	3								1	1					1			
33	Of the intestines, peritoneum	11										1	3	4	3				
35	Of the joints	2													1			1	
36	Of other organs	3	1					1									1		
37a	Disseminated (acute)	1												1					
37b	Disseminated (chronic or unspecified)	1	1																
38	Syphilis	13	3										2	1	3	4			
40	Gonococcus infection	2										1	1						
41	Purulent infection, septicemia	6	2					1	1				1	1					
	II.—General diseases not included in Class I	499	16	1	3	3	2	3	4	4	5	7	18	47	77	126	117	66	
	Cancer and other malignant tumors	323	1							2	1		10	29	55	85	84	56	
43	Of the buccal cavity	16												2	2	2	3	7	
44	Of the stomach, liver	138	1										2	6	22	39	44	24	
45	Of the peritoneum, intestines, rectum	43												7	5	19	5	7	
46	Of the female genital organs	26								1			2	3	9	3	6	2	
47	Of the breast	25											1	6	10	3	3	2	
48	Of the skin	6												1			1	4	
49	Of other or unspecified organs	69								1	1		5	4	7	19	22	10	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	4	1													2	1		
51	Acute rheumatic fever	11				1	1	2	2				1		1	2	1		
52	Chronic rheumatism, osteoarthritis, gout	8										1		1	2	2	2		
54	Pellagra	2												1			1		
56	Rickets	4	3						1										
57	Diabetes mellitus	53			1					2	1	2		3	2	16	18	8	
58	Anemia, chlorosis	28				1	1		1			1	2	1	4	8	8	1	
59	Diseases of the pituitary gland	1											1						
60a	Exophthalmic goiter	18									1	2	2	3	4	5	1		
60b	Other diseases of the thyroid gland	4			1								1		1	1			
62	Diseases of the thymus gland	4	4																
63	Diseases of the adrenals (Addison's disease)	7										1		3	1	2			
65a	Leukemia	7		1				1			2			1	1	1			
65b	Hodgkin's disease	2											1	1					
66	Alcoholism (acute or chronic)	11												4	4	2		1	
67a	Chronic lead poisoning	2												1	1				
69	Other general diseases	10	7		1	1									1				
	III.—Diseases of the nervous system and of the organs of special sense	391	21	8	3			7	9	9	7	7	3	31	44	61	98	78	5
70	Encephalitis	13	1	3				1	1			1		2	2		1	1	
71a	Simple meningitis	12	3	1	2			1			1	1		2	1				
71b	Nonepidemic cerebrospinal meningitis	8	2	1					3	2									
72	Tabes dorsalis (locomotor ataxia)	1													1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	III.—Diseases of the nervous system and of the organs of special sense—Continued.																		
73	Other diseases of the spinal cord	10								1		1		1	1	2	4		
74a	Cerebral hemorrhage	229							1	1		2		10	22	46	80	67	
74b	Cerebral embolism and thrombosis	8								1				2	1	2		2	
75	Paralysis without specified cause	6													1	3		2	
76	General paralysis of the insane	11											1	2	3	3			2
77	Other forms of mental alienation	26									1		1	5	7	3	5	2	2
78	Epilepsy	15						1	2	2				3	1	1	3	1	1
79	Convulsions (nonpuerperal; 5 years and over)	1									1								
80	Infantile convulsions (under 5 years)	9	9																
81	Chorea	1							1										
82	Neuralgia and neuritis	2													1		1		
84	Other diseases of the nervous system	21	1	1				1	1	1	3	1	1	1	2	1	4	3	
86a	Diseases of the ear	14	5	1				3		1		1		2	1				
86b	Diseases of the mastoid process	4		1	1						1			1					
	IV.—Diseases of the circulatory system	642	7	2	1		1	11	20	20	19	13	22	56	80	84	132	172	2
87	Pericarditis	1	1																
88	Endocarditis and myocarditis (acute)	48	3					2	4	1	5	3	1	8	2	7	7	5	
89	Angina pectoris	48									1			5	10	5	13	14	
90	Other diseases of the heart	499	2	2			1	9	16	19	12	10	21	43	63	66	100	133	2
91a	Aneurysm	4													1		2	1	
91b,c	Other diseases of the arteries	32													2	4	9	17	
92	Embolism and thrombosis (not cerebral)	6									1				1	1	1	2	
93	Diseases of the veins	2													1	1			
94	Diseases of the lymphatic system	1	1																
95	Hemorrhage without specified cause	1			1														
	V.—Diseases of the respiratory system	451	105	28	11	5	4	12	10	18	7	14	14	24	30	37	52	78	2
97b	Diseases of the nasal fossae annexa	5							1	3		1							
98	Diseases of the larynx	5		1		1	1	1									1		
99a	Acute bronchitis	11	2		1					1		1			1		1	4	
99b	Chronic bronchitis	3															1	2	
99c,d	Bronchitis (unspecified)	2	1															1	
100a	Broncho-pneumonia	188	81	21	7	2	2	4	2	1		1		5	6	6	11	39	
100b	Capillary bronchitis	3	2					1											
101a	Lobar pneumonia	178	8	5	3	1	1	3	7	12	4	9	13	15	16	26	29	25	1
101b	Pneumonia (unspecified)	23	8					1			2	1	1	1	3	1	3	2	
102	Pleurisy	9	1		1			2		1		1				1		2	
103	Congestion and hemorrhagic infarct of the lung	3	1															2	
105	Asthma	10		1											1	1	5	1	1
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	10	1								1			3	3	2			
	VI.—Diseases of the digestive system	413	72	24	13	6	6	20	20	26	14	12	13	48	48	37	31	22	1
108	Diseases of the mouth and annexa	4												2	1			1	
109b	Other diseases of the pharynx, tonsils	29	4	2	3	1	1	6	2	2	1	1	2	1		2		1	
111a	Ulcer of the stomach	20											2	6	5	2	4	1	
111b	Ulcer of the duodenum	9								1			1	2	1	3	1		
112	Other diseases of the stomach (cancer excepted)	25	7		1									1	3	6	4	3	
113	Diarrhea and enteritis (under 2 years)	69	51	18															
114	Diarrhea and enteritis (2 years and over)	23			8	2				1	1				3	1	3	4	
117	Appendicitis and typhlitis	113		1		2	5	12	15	19	8	10	4	11	12	11	1	1	1
118a	Hernia	17	2	1						1			1	2	6	1	2	1	
118b	Intestinal obstruction	34	7		1			1	2	2	1	1		5	7	1	2	4	
119	Other diseases of the intestines	8												5	1	1	1		
120	Acute yellow atrophy of the liver	4									1			2	1				
122	Cirrhosis of the liver	12												2	1	1	4	4	
123	Biliary calculi	12												2	2	3	4	1	
124	Other diseases of the liver	16											2	2	2	4	5	1	
125	Diseases of the pancreas	6									1		1	1	2	1			
126	Peritonitis without specified cause	12	1	2		1		1	1		1			4	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	421	2		2		2	4	6	8	9	14	18	35	37	70	111	103	
128	Acute nephritis (including unspecified under 10 years)	22			2		2	2	2			2	1	1	3	1	5	1	
129	Chronic nephritis (including unspecified 10 years and over)	330						1	4	8	6	9	12	26	26	58	90	90	
131	Other diseases of the kidneys and annexa	14	1					1			1	1	1	1	3	1	1	3	
132	Calculi of the urinary passages	3													1	1	1		
133	Diseases of the bladder	9	1													2	2	4	
135	Diseases of the prostate	21														5	11	5	
136	Nonvenereal diseases of the male genital organs	1															1		
137	Cysts, other benign tumors of the ovary	2											2						
138	Salpingitis and pelvic abscess (female)	7									2	1	1	1	2				
139	Benign tumors of the uterus	7												4	1	2			
141	Other diseases of the female genital organs	5										1	1	2	1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	UTAH—Continued																		
	• VIII.—The puerperal state	71								7	12	13	15	23	1				
143	Accidents of pregnancy	9								1		2	2	4					
144	Puerperal hemorrhage	4										1	2	1					
145	Other accidents of labor	10								1	1	2	4	2					
146	Puerperal septicemia	21								3	8	5	2	3					
147	Puerperal phlegmasia alba dolens, embolus, etc.	5								1			2	2					
148	Puerperal albuminuria and convulsions	22								1	3	3	3	11	1				
	IX.—Diseases of the skin and of the cellular tissue	8							1	1				1		1	2	2	
151	Gangrene	3															1	2	
152	Furuncle	5							1	1				1		1	1		
	X.—Diseases of the bones and of the organs of locomotion	8						1		2				1	1		2	1	
155	Diseases of the bones (tuberculosis excepted)	7						1		2				1	1		1	1	
158	Other diseases of the organs of locomotion	1															1		
	XI.—Malformations	65	56	5			1	1	1	1									
159a	Congenital hydrocephalus	6	3	1				1		1									
159b	Congenital malformations of the heart	47	41	4			1		1										
159c	Other congenital malformations	12	12																
	XII.—Early infancy	380	380																
160	Congenital debility, icterus, sclerema	26	26																
161a	Premature birth	280	280																
161b	Injury at birth	44	44																
162	Other diseases peculiar to early infancy	30	30																
164	XIII.—Old age (senility)	68															8	60	
	XIV.—External causes	488	7	16	17	8	6	33	27	32	41	35	33	78	62	36	31	26	
	Suicide	53								2	2	9	7	14	10	5	4		
165	By poisons (gas or corrosives excepted)	5									1	1		1	2				
166	By corrosive substances	7								1		3		1	1		1		
167	By poisonous gas	3										1			1	1			
168	By hanging or strangulation	6											1	1	2	1	1		
169	By drowning	2											1	1					
170	By firearms	24								1	1	4	3	7	3	3	2		
171	By cutting or piercing instruments	5											2	2	1				
174	By other means	1												1					
	Homicide	28	1							1	7	3	4	9	3				
197	By firearms	21								1	7	2	3	6	2				
198	By cutting or piercing instruments	3											1	1	1				
199	By other means	4	1									1		2					
	Accidental or undefined	407	6	16	17	8	6	33	27	29	32	23	22	55	49	31	27	26	
175	Poisoning by food	1												1					
177	Other acute poisonings (gas excepted)	15		5	1	1					1		1	4		1		1	
178	Conflagration	3										1	1	1					
179	Burns (conflagration excepted)	23		5	4	2	1	4	1		1		2	2				1	
180	Mechanical suffocation	7	1						1	1			1	2	1				
181	Absorption of irrespirable, irritating, or poisonous gas	3											1					2	
182	Drowning	27	1	3	2	1	2	5	2	3	4	1		1	1	1			
183	Traumatism by firearms (except in war)	14						1	6	2		2		2	1				
184	Traumatism by cutting or piercing instruments	2								1						1			
185	Traumatism by fall	44	1	3	2			2	4	1	2	4	1		7	4	5	8	
186a	Traumatism in mines	45							1	1	8	7	4	14	8	1	1		
187	Traumatism by machines	10			1					1				3	4		1		
188a	Railroad accidents	31			1			1	1	3	4	2	2	6	4	4	3		
	Collision with automobiles	7								1	2	1				1	2		
	Other railroad accidents	24			1			1	1	2	2	1	2	6	4	3	1		
188b	Street-car accidents	7						1							2	2	1	1	
	Collision with automobiles	3													1	2			
	Other street-car accidents	4						1							1		1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	89	1			2	2	13	5	9	8	4	4	9	10	7	11	4	
188d	Airplane and balloon accidents	3							1	1			1						
188e,f	Injuries by other vehicles	13			2	1		1		1			1	2	5				
188g	Landslide, other crushing	1								1									
189	Injuries by animals (not poisoning)	6					1						1	1			1	2	
194	Excessive heat	1														1			
195	Lightning	5							1				1	1	2				
196	Other accidental electric shocks	11						1	2	2	1		1	3	1				
201	Fracture (cause not specified)	14	1								1			2		3	2	5	
202	Other external violence	32	1		4	1		4	2	2	2	2		1	3	6	2	2	
	XV.—Ill-defined diseases	102	16	2	1			3	3	10	1	2	2	6	8	10	21	16	1
204	Sudden death	10								1						2	4	3	
205a	Ill-defined	62	10	2				3	3	3		2	2	5	7	4	12	8	1
205b	Not specified or unknown	30	6		1					6	1			1	1	4	5	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continud

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT																		
	All causes	5,137	544	51	33	25	22	61	51	69	77	113	105	234	455	755	1,105	1,438	2
	I.—Epidemic, endemic, and infectious diseases	542	38	16	8	11	9	18	15	22	29	33	29	54	74	68	57	61	
1	Typhoid and paratyphoid fever	10								1	1		3	1	3	1			
8	Scarlet fever	15	2	3	1	3	1	2	1	1					1				
9	Whooping cough	17	12	3				1						1					
10	Diphtheria	26	3	1	3	2	3	6	2	2			1	3					
11a	Influenza (with pulmonary complications)	89	6	1		1		3		2	4	1	2	7	6	13	21	22	
11b	Influenza (other and unspecified)	82	9	3			4	3	2		3	3	1	2	4	4	12	32	
16	Dysentery	1		1															
21	Erysipelas	9	3												2	3	1		
22	Acute anterior poliomyelitis	13					1	2	6	2		2							
23	Lethargic encephalitis	3													1	1	1		
24	Meningococcus meningitis	4			2											2			
25	Other epidemic and endemic diseases	1						1											
29	Tetanus	6							1	2	1					1	1		
	Tuberculosis (all forms)	251	1	4	2	5			3	12	19	26	21	38	55	41	19	5	
31	Of the respiratory system	203	1	1	1				2	8	14	23	20	31	49	35	14	4	
32	Of the meninges, central nervous system	19		3		4			1	1	2	2	1	1	1	2		1	
33	Of the intestines, peritoneum	8								1	2			3	1		1		
34	Of the vertebral column	6				1								1	1	2	1		
35	Of the joints	2												1			1		
36	Of other organs	8			1					1	1			1	2	1	1		
37a	Disseminated (acute)	3										1			1		1		
37b	Disseminated (chronic or unspecified)	2								1						1			
38	Syphilis	6	1											1	1	1	1	1	
40	Gonococcus infection	2									1		1						
41	Purulent infection, septicemia	7	1									1		1	1	1	1	1	
	II.—General diseases not included in Class I	659	13	1		2	1	4	4	4	5	9	5	30	86	167	183	145	
	Cancer and other malignant tumors	480	1					1		1	2	5	4	21	54	127	148	116	
43	Of the buccal cavity	19													2	4	5	8	
44	Of the stomach, liver	167											1	6	13	51	54	42	
45	Of the peritoneum, intestines, rectum	78						1				1	1	4	7	22	26	16	
46	Of the female genital organs	59									1	2	2	4	13	18	14	5	
47	Of the breast	50												2	11	9	12	16	
48	Of the skin	18														1	8	9	
49	Of other or unspecified organs	89	1							1	1	2		5	8	22	29	20	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	1													1				
51	Acute rheumatic fever	12				1		1	1	2		1		1	2	1		2	
52	Chronic rheumatism, osteoarthritis, gout	5														1	1	3	
54	Pellagra	2													1		1		
56	Rickets	5	5																
57	Diabetes mellitus	76						2	2	1		1		3	8	21	21	17	
58	Anemia, chlorosis	29	2									1		3	4	10	6	3	
60a	Exophthalmic goiter	11							1		1				7		1	1	
60b	Other diseases of the thyroid gland	3		1							1						1		
62	Diseases of the thymus gland	3	3																
63	Diseases of the adrenals (Addison's disease)	7													4	1		2	
65a	Leukemia	5				1								2	1		1		
65b	Hodgkin's disease	4											1		1		2		
66	Alcoholism (acute or chronic)	9									1				2	5		1	
67a	Chronic lead poisoning	1										1							
68	Chronic poisoning by organic substances	1													1				
69	Other general diseases	5	2				1									1	1		
	III.—Diseases of the nervous system and of the organs of special sense	685	16	3	2	2	3	2	1	5	4	6	8	22	63	117	187	244	
70	Encephalitis	3														2		1	
71a	Simple meningitis	19	3	2	1	1	2	2	1				1		2	3	1		
71b	Nonepidemic cerebrospinal meningitis	1		1															
72	Tabes dorsalis (locomotor ataxia)	8													2	3	2	1	
73	Other diseases of the spinal cord	18												2	4	3	5	4	
74a	Cerebral hemorrhage	497											1	6	33	91	156	210	
74b	Cerebral embolism and thrombosis	31									2	1		1	3	3	7	14	
75	Paralysis without specified cause	10															5	5	
76	General paralysis of the insane	22										1	1	3	9	3	2	3	
77	Other forms of mental alienation	6												1	2	2	1		
78	Epilepsy	16								3	1	1	3	3	2	1	1	1	
80	Infantile convulsions (under 5 years)	12	9		1	1	1												
82	Neuralgia and neuritis	1																1	
83	Softening of the brain	2													1	1			
84	Other diseases of the nervous system	30	3							2		3	1	4	5	4	7	1	
85	Diseases of the eye and annexa	1																1	
86a	Diseases of the ear	4	1													1		2	
86b	Diseases of the mastoid process	4									1		1	2					
	IV.—Diseases of the circulatory system	1,162	9		1	1		4	4	7	4	4	11	22	90	180	324	500	1
87	Pericarditis	7													3	2		2	
88	Endocarditis and myocarditis (acute)	27	2		1	1		2	1	2	1		1	4	3	2	6	1	
89	Angina pectoris	102									1		1	3	12	23	39	23	
90	Other diseases of the heart	825	6					2	3	5	2	3	8	13	65	122	240	355	1
91a	Aneurysm	2											1			1			
91b,c	Other diseases of the arteries	175													4	23	35	113	
92	Embolism and thrombosis (not cerebral)	24	1									1		2	3	7	4	6	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
	V.—Diseases of the respiratory system	395	59	13	8		2	11	6	3	5	10	7	22	23	41	76	109	
97a	Diseases of the nasal fossae	1	1																
98	Diseases of the larynx	2												1			1		
99a	Acute bronchitis	9	3													1		5	
99b	Chronic bronchitis	16										1			2	1	6	6	
99c,d	Bronchitis (unspecified)	8	3														2	3	
100a	Broncho-pneumonia	137	39	4	3			5	2		1	3	2	5	5	6	18	44	
100b	Capillary bronchitis	6	3				1	1									1		
101a	Lobar pneumonia	170	7	7	3		1	4	4	3	4	6	5	14	10	29	41	32	
101b	Pneumonia (unspecified)	21	3	1	1										2	2	2	10	
102	Pleurisy	6		1	1										1		1	2	
103	Congestion and hemorrhagic infarct of the lung	7														1	2	4	
104	Gangrene of the lung	3													2			1	
105	Asthma	5													1		2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	4						1						2		1			
	VI.—Diseases of the digestive system	317	59	9	3	1	2	10	7	8	5	14	8	23	36	35	47	50	
109b	Other diseases of the pharynx, tonsils	13	2					1	2	1	1			4			1	1	
111a	Ulcer of the stomach	17										1	1		6	5	1	3	
111b	Ulcer of the duodenum	2													1	1			
112	Other diseases of the stomach (cancer excepted)	34	10	1				1	2						4	2	5	9	
113	Diarrhea and enteritis (under 2 years)	48	41	7															
114	Diarrhea and enteritis (2 years and over)	17			2	1		2					1	1	1	2	2	5	
117	Appendicitis and typhlitis	70			1		1	5	3	5	1	11	5	12	11	4	7	4	
118a	Hernia	13	2												2	2	5	2	
118b	Intestinal obstruction	29	3	1				1		1				2		6	5	10	
119	Other diseases of the intestines	4									2						1	1	
120	Acute yellow atrophy of the liver	1																1	
122	Cirrhosis of the liver	27											1		7	5	11	3	
123	Biliary calculi	25								1	1	1		2	2	7	7	4	
124	Other diseases of the liver	11										1		2	1	1	1	5	
125	Diseases of the pancreas	1													1				
126	Peritonitis without specified cause	5	1				1										1	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	526	2		1	2		1	2	3	4	2	7	24	40	97	171	169	1
128	Acute nephritis (including unspecified under 10 years)	22	1		1			1	1		2	1		3	2	1	6	3	
129	Chronic nephritis (including unspecified 10 years and over)	442				2			1	2	2	1	3	12	32	90	148	148	1
131	Other diseases of the kidneys and annexa	7	1											1	1	2	2		
132	Calculi of the urinary passages	2												1				1	
133	Diseases of the bladder	4													1		1	2	
134	Diseases of the urethra, etc.	2															1	1	
135	Diseases of the prostate	27														3	11	13	
137	Cysts, other benign tumors of the ovary	4												1	2			1	
138	Salpingitis and pelvic abscess (female)	6											3	1	1		1		
139	Benign tumors of the uterus	8											1	4	1	1	1		
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	1												1					
	VIII.—The puerperal state	51								3	8	11	12	16	1				
143	Accidents of pregnancy	6									1	1	2	2					
144	Puerperal hemorrhage	7									1		4	2					
145	Other accidents of labor	5										1	2	2					
146	Puerperal septicemia	15								2	3	5	2	2	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	3									1		1	1					
148	Puerperal albuminuria and convulsions	15								1	2	4	1	7					
	IX.—Diseases of the skin and of the cellular tissue	20		1						1		1			1	2	6	8	
151	Gangrene	15										1			1	1	5	7	
152	Furuncle	1															1		
153	Acute abscess	3		1						1						1			
154	Other diseases of the skin and annexa	1																1	
	X.—Diseases of the bones and of the organs of locomotion	7						1							1	1	3	1	
155	Diseases of the bones (tuberculosis excepted)	6						1							1	1	2	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1															1		
	XI.—Malformations	78	73	1	1	1		1							1				
159a	Congenital hydrocephalus	8	7			1													
159b	Congenital malformations of the heart	45	42	1	1			1											
159c	Other congenital malformations	25	24												1				
	XII.—Early infancy	260	260																
160	Congenital debility, icterus, sclerema	43	43																
161a	Premature birth	163	163																
161b	Injury at birth	35	35																
162	Other diseases peculiar to early infancy	19	19																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VERMONT—Continued																		
164	XIII.—Old age (senility)	87													1		8	78	
	XIV.—External causes	330	9	6	8	4	5	9	12	13	13	23	18	19	37	45	40	69	
	Suicide	49									1		5	4	9	18	6	6	
165	By poisons (gas or corrosives excepted)	4									1				1	1		1	
166	By corrosive substances	3													1	1	1		
167	By poisonous gas	6											1	1		2	1	1	
168	By hanging or strangulation	10											2	1	1	3		3	
169	By drowning	10											1	1	2	5	1		
170	By firearms	13											1	1	4	5	2		
171	By cutting or piercing instruments	3														1	1	1	
	Homicide	2									1			1					
197	By firearms	1									1								
198	By cutting or piercing instruments	1												1					
	Accidental or undefined	279	9	6	8	4	5	9	12	13	11	23	13	14	28	27	34	63	
175	Poisoning by food	3		1	1												1		
177	Other acute poisonings (gas excepted)	4		1				1		1						1			
179	Burns (conflagration excepted)	6		1		2									1	1		1	
180	Mechanical suffocation	2	2																
181	Absorption of irrespirable, irritating, or poisonous gas	3								1					1		1		
182	Drowning	28		1	3		3	1	3	2	4	4	1	4	1	1			
183	Traumatism by firearms (except in war)	9			1		1	1	2	1	1		1				1		
184	Traumatism by cutting or piercing instruments	1															1		
185	Traumatism by fall	82	1	1				1	3		1		2	2	3	6	12	50	
186b	Traumatism in quarries	10									1	1	1	1	3	3			
187	Traumatism by machines	10							1			2	2	2	1	2			
188a	Railroad accidents	19							1	1		4	2		4	4	2	1	
	Collision with automobiles	1										1							
	Other railroad accidents	18							1	1		3	2		4	4	2	1	
188b	Street-car accidents	1													1				
188c	Automobile accidents (excluding collision with railroad trains and street cars)	56	1		3	2	1	5	1	3	2	8		4	5	5	7	9	
188e,f	Injuries by other vehicles	12								1	1	1		1	2	2	3	1	
189	Injuries by animals (not poisoning)	1									1								
192	Starvation (deprivation of food or water)	1													1				
193	Excessive cold	1															1		
194	Excessive heat	2													1		1		
196	Other accidental electric shocks	5								2			2				1		
202	Other external violence	23	5	1					1	1		3	2		4	2	3	1	
	XV.—Ill-defined diseases	18	6	1	1	1								2	1	2	3	1	
204	Sudden death	2															1	1	
205a	Ill-defined	6	1	1	1									2		1			
205b	Not specified or unknown	10	5			1									1	1	2		
	VIRGINIA																		
	All causes—White	17,523	2,861	514	220	154	117	306	270	414	460	452	485	1,086	1,476	2,003	3,240	3,454	11
	All causes—Colored	11,820	2,083	377	134	97	54	207	229	537	596	562	492	1,287	1,557	1,424	1,098	1,066	20
	I.—Epidemic, endemic, and infectious diseases—White	2,830	316	165	80	63	47	116	63	146	190	165	158	303	256	230	304	225	3
	I.—Epidemic, endemic, and infectious diseases—Colored	2,619	309	108	45	34	25	99	123	272	296	257	189	321	235	155	91	58	2
1	Typhoid and paratyphoid fever—W	174		4	2	2	1	13	11	40	27	12	12	20	11	7	10	2	
	Typhoid and paratyphoid fever—C	128			1	3		15	21	28	19	16	6	5	7	4	2	1	
2	Typhus fever—W	1											1						
5	Malaria—W	10			2						3	1			1	1	1	1	
	Malaria—C	35	1	2	1			1	2	4			3	10	5	3	2	1	
6	Smallpox—W	1														1			
	Smallpox—C	2												1	1				
7	Measles—W	48	10	8	5	6	4	2	1	1	3	1		1	2	2	1		1
	Measles—C	28	7	8	3	2		4	2		1				1				
8	Scarlet fever—W	35	4	3	5	5	2	12	1		1		2						
	Scarlet fever—C	6		1	3			2											
9	Whooping cough—W	131	72	36	10	4	3	3	1	1				1					
	Whooping cough—C	122	70	25	9	6	6	4	1	1									
10	Diphtheria—W	164	24	29	22	26	19	34	6		2			1		1			
	Diphtheria—C	74	10	13	3	5	7	26	7	1			1			1			
11a	Influenza (with pulmonary complications)—W	362	64	24	6	4	1	8	8	13	9	8	7	35	32	24	64	55	
	Influenza (with pulmonary complications)—C	299	68	23	8	3	1	4	4	16	20	16	12	27	39	28	17	13	
11b	Influenza (other and unspecified)—W	234	35	10	1	4	1	7	4	9	6	4	3	9	15	14	39	73	
	Influenza (other and unspecified)—C	159	31	8	2	2	2	8	1	2	6	3	3	14	19	15	19	24	
13	Mumps—W	2	1															1	
	Mumps—C	2						1							1				
15	Cholera nostras—W	8	1		1											1	2	3	
	Cholera nostras—C	3						1								1	1		
16	Dysentery—W	124	36	21	11	3	3	5	1	2	1	1	1	1	2	5	17	14	
	Dysentery—C	72	31	2	3	2	3	1	1		1	3	1	1	3	10	5	5	
21	Erysipelas—W	40	7	1			1			2	1	1	1	5	4	2	9	6	
	Erysipelas—C	4												1	1	1	1		
22	Acute anterior poliomyelitis—W	20	1	5	2	1	2	5	1	2					1				
	Acute anterior poliomyelitis—C	9	2	1		1	1	2	1	1									
23	Lethargic encephalitis—W	20	1	3			1	1	1		1	1	3	1	2	2	1	2	
	Lethargic encephalitis—C	10		2				1	2	1	1		1	1	1				
24	Meningococcus meningitis—W	20	2	6	1		2	3	2					3	1				
	Meningococcus meningitis—C	5	1	1	1				1					1					
25	Other epidemic and endemic diseases—W	7	2	1	1			1		1				1					
	Other epidemic and endemic diseases—C	1							1										
28	Rabies—W	2					1	1											

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
29	Tetanus W	19	4					4	5	1		1	1		1	1	1		
	Tetanus C	16	4					4	3	2		1			1	1			
30	Mycoses W	5	4														1		
	Mycoses C	16	13	1	1									1					
	Tuberculosis (all forms) W	1,299	21	12	9	8	6	17	18	70	131	130	124	207	172	155	151	66	2
	Tuberculosis (all forms) C	1,416	22	17	7	9	5	22	74	211	235	199	143	215	136	68	37	14	2
31	Of the respiratory system W	1,134	5	1	2	2	2	9	8	62	123	121	111	191	156	139	140	60	2
	Of the respiratory system C	1,273	14	9	5	5	3	14	61	190	222	187	128	202	123	63	34	11	2
32	Of the meninges, central nervous system W	61	14	9	5	5	3	5	4	3		3	3	3	3	1			
	Of the meninges, central nervous system C	33	4	6	1	3		3	5	5		2	1	1	2				
33	Of the intestines, peritoneum W	49	2	2	1	1	1	1	2	1	3		3	7	5	10	7	3	
	Of the intestines, peritoneum C	53	1	2	1				2	9	8	4	8	7	5	2	2	2	
34	Of the vertebral column W	20			1			1	1	3	1	2		3	3	2	2	1	
	Of the vertebral column C	10						1	2	1		1	1	1	1	1	1		
35	Of the joints W	8						1	1		1		1	1		1	1	1	
	Of the joints C	5							1				2		1	1			
36	Of other organs W	15							1		2	1	2	2	4	2		1	
	Of other organs C	16	1			1		3		1	2	1	2	2	2			1	
37a	Disseminated (acute) W	9							1	1	1	2	3		1				
	Disseminated (acute) C	22	1				2	1	2	5	3	4	1	2	1				
37b	Disseminated (chronic or unspecified) W	3										1	1				1		
	Disseminated (chronic or unspecified) C	4	1						1						1	1			
38	Syphilis W	86	22	2	1					4	3	4	3	18	11	11	7		
	Syphilis C	193	48	4	3	1		2	1	5	11	18	17	36	18	22	7		
40	Gonococcus infection W	1	1																
	Gonococcus infection C	11						1			2	1	2	4		1			
41	Purulent infection, septicemia W	16	4		1				3		2	1				3		2	
	Purulent infection, septicemia C	8	1						1					4	2				
42	Other infectious diseases W	1													1				
	II.—General diseases not included in Class I White	1,728	37	11	9	5	6	12	22	23	14	24	32	136	289	392	439	277	
	II.—General diseases not included in Class I Colored	682	26	6	2	1		6	4	22	17	25	30	115	154	129	90	54	1
	Cancer and other malignant tumors W	1,141		1	1	1		2	2	8	5	13	15	89	196	266	316	226	
	Cancer and other malignant tumors C	398				1				6	5	7	13	68	106	90	65	36	1
43	Of the buccal cavity W	36									1		1	3	3	9	11	8	
	Of the buccal cavity C	18								2	1		1	1	5	3	3	2	
44	Of the stomach, liver W	412			1					2		2	2	21	66	95	134	89	
	Of the stomach, liver C	130									1		2	18	37	34	29	8	1
45	Of the peritoneum, intestines, rectum W	119						1		1	2	2	1	5	18	34	28	27	
	Of the peritoneum, intestines, rectum C	37				1				1	1	2		4	9	9	4	6	
46	Of the female genital organs W	160								1		4	6	26	44	37	28	14	
	Of the female genital organs C	109									1	4	7	32	28	18	13	6	
47	Of the breast W	109											1	17	23	34	23	11	
	Of the breast C	42											2	7	12	9	7	5	
48	Of the skin W	53											2		4	8	14	25	
	Of the skin C	6											1		2	1		2	
49	Of other or unspecified organs W	252		1		1		1	2	4	2	5	2	17	38	49	78	52	
	Of other or unspecified organs C	56								3	1	1		6	13	16	9	7	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted) W	8						1							1	2	2	2	
	Tumors, benign and unqualified (tumors of the female genital organs excepted) C	8	1									3		1	1	1	1		
51	Acute rheumatic fever W	32		1			1	3	4	1	1		1	6	4	3	4	3	
	Acute rheumatic fever C	53	1					4		2	2	2	3	7	5	9	10	8	
52	Chronic rheumatism, osteoarthritis, gout W	31													7	4	12	8	
	Chronic rheumatism, osteoarthritis, gout C	20								3				4	2	5	3	3	
53	Scurvy W	3	2	1															
	Scurvy C	3	1	1						1									
54	Pellagra W	55								3		2	4	5	6	15	16	4	
	Pellagra C	42							2	2	4	6	6	10	8	2	2		
56	Rickets W	8	7		1														
	Rickets C	15	10	3	2														
57	Diabetes mellitus W	199				1	1	2	12	3	2	2	3	6	35	49	58	25	
	Diabetes mellitus C	70	1	1				2	2	5	3	4	2	11	17	13	6	3	
58	Anemia, chlorosis W	69	1	1	3		1	1	1	1	1	1	2	5	9	21	18	3	
	Anemia, chlorosis C	16	1								1	1		3	5	1	2	2	
59	Diseases of the pituitary gland W	1								1									
	Diseases of the pituitary gland C	1												1					
60a	Exophthalmic goiter W	41									2	2	1	6	13	11	6		
	Exophthalmic goiter C	12								1			3	3	1	1	1	2	
60b	Other diseases of the thyroid gland W	12	2							1			1	2	2	2	1	1	
	Other diseases of the thyroid gland C	5									1				2	2			
61	Diseases of the parathyroid glands W	4	4																
	Diseases of the parathyroid glands C	3	3																
62	Diseases of the thymus gland W	9	9																
	Diseases of the thymus gland C	2	2																
63	Diseases of the adrenals (Addison's disease) W	3													2	1			
64	Diseases of the spleen W	2							1		1								
65a	Leukemia W	24		2			1	2	2	1		1		4	2	7	1	1	
	Leukemia C	4											1	1	2				
65b	Hodgkin's disease W	12								2	1		1		3	4	1		
	Hodgkin's disease C	1													1				
66	Alcoholism (acute or chronic) W	31									1	3	4	9	7	5	1	1	
	Alcoholism (acute or chronic) C	14								1	1	1		5	4	2			
67a	Chronic lead poisoning W	3												3					
67b	Other chronic mineral poisoning C	1											1						
68	Chronic poisoning by organic substances W	3													1		1	1	
69	Other general diseases W	37	12	5	4	3	2	1		2				1	1	2	2	2	
	Other general diseases C	14	6	1						1		1	1	1		3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	III.—Diseases of the nervous system and of the organs of special sense	White	1,814	67	22	11	6	12	20	27	23	12	21	25	78	166	282	505	535	2
		Colored	1,278	81	12	4	6	4	7	11	17	14	23	34	123	265	308	211	157	1
70	Encephalitis	W	27	1	2		1	1	3	4	2		1	3	2		4	2	1	
		C	14	2					1	2	2		2		4	1				
71a	Simple meningitis	W	53	17	5	2		6	7	2		1	5		1	3	3	1		
		C	25	3	1	2	1	2	1	2	3	2	2	3	3					
71b	Nonepidemic cerebrospinal meningitis	W	24	10	6	3	1	2	1							1				
		C	8	3	1					2		1		1						
72	Tabes dorsalis (locomotor ataxia)	W	30												3	7	8	10	2	
		C	15								1	1			2	4	3	2	2	
73	Other diseases of the spinal cord	W	33	1	1					1		1		1	3	6	7	5	7	
		C	15							1		2	1		2	4	1	1	3	
74a	Cerebral hemorrhage	W	1,142	1	1				1	2	1	1	3	5	34	103	206	379	403	2
		C	868	1	1						2	1	8	15	87	199	257	172	124	1
74b	Cerebral embolism and thrombosis	W	31										1	2	3	5	4	8	8	
		C	9	1									1		1	3		1	2	
75	Paralysis without specified cause	W	178	1							2	2	1		2	11	17	54	88	
		C	114	1			1		1	1				3	5	24	32	25	21	
76	General paralysis of the insane	W	38											1	2	8	10	9	5	3
		C	16													1	7	6	1	1
77	Other forms of mental alienation	W	22									1	1		1	4	8	5	2	
		C	29								3	1	2	4	4	8	3	3	1	
78	Epilepsy	W	48			2			2	4	6	4	7	4	5	4	4	5	1	
		C	45	3		1	2		2	2	4	4	6	5	6	8	1	1		
79	Convulsions (nonpuerperal; 5 years and over)	W	3						1					2						
		C	4								1				1	2				
80	Infantile convulsions (under 5 years)	W	23	19		2	2													
		C	72	62	7		2	1												
81	Chorea	W	1								1									
		C	1	1																
82	Neuralgia and neuritis	W	8					1								1		3	3	
		C	3						1						1			1		
83	Softening of the brain	W	22													1	3	12	6	
		C	2															1	1	
84	Other diseases of the nervous system	W	77	7		1		1		3	5		1	3	15	9	7	16	9	
		C	19					1		1	1	2		3	2	2	5		2	
85	Diseases of the eye and annexa	W	1																1	
		C	1												1					
86a	Diseases of the ear	W	29	10	7	1	1	1	2	4	1			2						
		C	11	4	1				1						1	2		2		
86b	Diseases of the mastoid process	W	24				1		3	7	5	2		1	1	1	2		1	
		C	7		1	1							1		2	1		1		
	IV.—Diseases of the circulatory system	White	2,735	11	3	2	3	1	22	26	19	11	21	30	99	263	397	845	982	
		Colored	1,622	5		1	2		6	15	19	33	41	65	241	339	344	284	219	8
87	Pericarditis	W	3														1		2	
		C	10						1			1		1	2	2		2	1	
88	Endocarditis and myocarditis (acute)	W	71	3	1	1	2	1	8	8	3	3	6	5	11	5	2	5	7	
		C	54	2						1	8	5	5	8	16	3	3	3		
89	Angina pectoris	W	212							1	1				12	31	47	76	44	
		C	61									1	1	2	19	17	10	9	2	
90	Other diseases of the heart	W	2,198	5	2	1	1		14	17	14	7	14	25	72	211	324	692	799	
		C	1,382	3		1	2		4	14	11	25	34	51	194	294	306	248	189	6
91a	Aneurysm	W	19										1		1	8	4	5		
		C	30										1	3	6	10	7		2	1
91b,c	Other diseases of the arteries	W	193													7	13	56	117	
		C	71												2	11	16	17	24	1
92	Embolism and thrombosis (not cerebral)	W	23	1							1				2	1	4	8	6	
		C	2									1						1		
93	Diseases of the veins	W	6									1			1		1	3		
		C	3												1	1		1		
94	Diseases of the lymphatic system	W	2	2																
95	Hemorrhage without specified cause	W	3														1		2	
		C	6						1						1	1	2	1		
96	Other diseases of the circulatory system	W	5																5	
		C	3															2	1	
	V.—Diseases of the respiratory system	White	1,267	248	79	27	18	13	26	23	25	30	27	38	68	78	113	193	261	
		Colored	1,063	295	97	26	11	5	22	15	50	50	36	36	95	127	79	63	56	
97a	Diseases of the nasal fossae	W	6	4	1					1										
		C	27	19	3		1								1				3	
97b	Diseases of the nasal fossae annexa	W	8			1				1	1			1	2	1		1		
		C	7						1		1		2	1	1				1	
98	Diseases of the larynx	W	14	7	3	3			1											
		C	8	5	2	1														
99a	Acute bronchitis	W	25	8	1	2	1	1	1						2	1	1	1	6	
		C	22	16												3	1	1	1	
99b	Chronic bronchitis	W	33		1									1	1	2	1	6	21	
		C	9		1							1	1		1	2	1	1		
99c,d	Bronchitis (unspecified)	W	23	6	2		1									1	1	5	7	
		C	18	4	3	2					1	1			4	1		1	1	
100a	Broncho-pneumonia	W	425	146	44	10	10	8	8	5	5	6	2	2	11	7	22	47	92	
		C	331	155	61	15	4		5	4	9	4	5	5	10	15	15	8	16	
100b	Capillary bronchitis	W	7	5															2	
		C	13	4	3		1					1		1		1	2			
101a	Lobar pneumonia	W	508	28	15	8	3	2	12	11	13	18	19	26	39	50	74	99	91	
		C	446	37	15	5	4	3	10	6	32	33	23	22	57	90	46	41	22	
101b	Pneumonia (unspecified)	W	112	36	7	1	3	1	3	4	6	3	1	3	8	7	4	12	13	
		C	102	51	8	3		1	4	2	3	2	2	3	4	5	1	5	8	
102	Pleurisy	W	35	2	3				1			1	2	3	2	2	2	7	10	
		C	27	1	1				1		1	6	2	1	7	3	2	1	1	
103	Congestion and hemorrhagic infarct of the lung	W	18	5						1				1				4	7	
		C	13	1				1				1		1	3	1	3	1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	V.—Diseases of the respiratory system—Continued.																			
104	Gangrene of the lung	W	3										1		1	1				
		C	2													2				
105	Asthma	W	29	1	2	2									2	3	5	4	10	
		C	20						1				1	1	4	3	6	2	2	
106	Pulmonary emphysema	W	3															3		
		C	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	W	18					1				2	2	1		3	3	4	2	
		C	17	2			1			3	2	1	1		3	1	1	2		
	VI.—Diseases of the digestive system	White	1,510	471	174	53	23	16	33	25	29	31	26	43	85	101	124	145	130	1
		Colored	987	363	100	26	11	4	19	13	34	25	29	26	84	98	58	57	40	
108	Diseases of the mouth and annexa	W	11	3					1	1					1	1		3	1	
		C	9	2	1					1					2		1	1	1	
109b	Other diseases of the pharynx, tonsils	W	41	5	1	1	2	1	3	3	6	3	3	1	3	1	3	4	1	
		C	29	1	4		1		3	1	1	1	3		5	4	1	2	2	
110	Diseases of the esophagus	W	1																1	
		C	1																1	
111a	Ulcer of the stomach	W	44									3		4	6	8	11	9	3	
		C	32								3	1	2	1	5	14	3	3		
111b	Ulcer of the duodenum	W	19									1		9	5	1	2		1	
		C	6												4	1		1		
112	Other diseases of the stomach (cancer excepted)	W	95	28	2	3	1	1	1	3			1	1	2	5	11	16	19	1
		C	93	16	2	5	1		3		4	2	1	4	9	16	8	13	9	
113	Diarrhea and enteritis (under 2 years)	W	567	406	161															
		C	412	324	88															
114	Diarrhea and enteritis (2 years and over)	W	168			42	17	10	11	3	2	1	3		3	4	11	23	38	
		C	92			16	4	3	4	2	1	8	1	5	10	14	6	8	10	
116	Diseases due to other intestinal parasites	W	7		2	1		1	1					2						
		C	6		1	2	1		1	1										
117	Appendicitis and typhlitis	W	171			2	2	1	12	14	18	13	9	16	28	20	21	10	5	
		C	89					1	4	7	17	8	7	10	17	14	4			
118a	Hernia	W	45	1											4	5	10	14	11	
		C	33	3	1						1			2	5	3	4	7	7	
118b	Intestinal obstruction	W	91	20	5	3	1		3	1		5	4	1	8	5	12	14	9	
		C	50	6	1	1	2		2		2	2	4	3	9	4	8	4	2	
119	Other diseases of the intestines	W	22	4	1								1	1	1	1	2	5	6	
		C	15	8	1	1							1			2	2			
120	Acute yellow atrophy of the liver	W	1									1								
		C	7								2	1	2		1		1			
121	Hydatid tumor of the liver	W	1													1				
122	Cirrhosis of the liver	W	74	1							2			1	5	14	17	20	14	
		C	58			1			1				1		10	15	12	12	6	
123	Biliary calculi	W	51									2		1	6	15	9	9	9	
		C	8												1	2	4	1		
124	Other diseases of the liver	W	75	2	2	1		2				1	1	2	7	17	11	18	11	
		C	29	2			1		1	1	1	1	3	1	3	4	4	5	2	
125	Diseases of the pancreas	W	6											1	2		3			
		C	2												1	1				
126	Peritonitis without specified cause	W	20	1					1		1	1	4	3	4	3	1		1	
		C	16	1	1		1				2	1	4		2	4				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	White	1,897	12	7	4	6	3	9	9	13	15	29	27	85	171	335	590	580	2
		Colored	1,190	9	2	5	6		7	5	15	35	32	29	132	251	265	203	191	3
128	Acute nephritis (including unspecified under 10 years)	W	77	7	6	2	4	3	5	4	2	1	4	6	5	8	7	9	4	
		C	99	2	2	4	6		6	1	9	13	6	3	13	15	12	2	5	
129	Chronic nephritis (including unspecified 10 years and over)	W	1,604			2			4	5	10	7	17	13	57	140	304	525	518	2
		C	942			1			1	3	2	11	16	21	100	212	226	178	168	3
131	Other diseases of the kidneys and annexa	W	56	5	1		2						3	2	5	7	6	13	12	
		C	41	7						1		2	2		4	9	8	4	4	
132	Calculi of the urinary passages	W	10									1			3	4	1	1		
		C	3														2	1		
133	Diseases of the bladder	W	24												1		2	6	15	
		C	15											1		4	2	1	7	
134	Diseases of the urethra, etc	W	7														1	5	1	
		C	8								1				2	1	3	1		
135	Diseases of the prostate	W	65												2	1	7	26	29	
		C	30													2	7	15	6	
137	Cysts, other benign tumors of the ovary	W	10									1	1		2	2	3	1		
		C	7											1	2		3	1		
138	Salpingitis and pelvic abscess (female)	W	15									3	1	2	6	2	1			
		C	21								3	5	5	2	2	4				
139	Benign tumors of the uterus	W	18								1			2	2	6	3	3	1	
		C	13										1	1	7	3	1			
140	Nonpuerperal uterine hemorrhage	C	2									1	1							
141	Other diseases of the female genital organs	W	11									2	3	2	2	1		1		
		C	9									3	1		2	1	1		1	
	VIII.—The puerperal state	White	223								26	36	45	42	72	1				1
		Colored	206							2	31	45	37	29	56	6				
143	Accidents of pregnancy	W	24									4	5	6	9					
		C	19								1	2	4	5	6	1				
144	Puerperal hemorrhage	W	25									3	5	9	8					
		C	20							1			4	6	9					
145	Other accidents of labor	W	27								2	5	7	2	11					
		C	25									4	3	4	13	1				
146	Puerperal septicemia	W	64								10	13	13	11	16	1				
		C	58							1	9	20	16	7	5					
147	Puerperal phlegmasia alba dolens, embolus, etc	W	5										1	2	2					
		C	9								1	1		1	6					
148	Puerperal albuminuria and convulsions	W	76								13	11	13	12	26					1
		C	70								20	17	9	6	14	4				
149	Following childbirth (undefined)	W	2								1		1							
		C	5									1	1		3					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH		All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VIRGINIA—Continued																			
	IX.—Diseases of the skin and of the cellular tissue	White	49	7			1		3		2		3	1	2	3	3	7	17	
		Colored	40	1								1			1	7	8	10	12	
151	Gangrene	W	18				1								1	1		2	13	
		C	26												1	5	6	4	10	
152	Furuncle	W	8								1		2	1	1		1		2	
		C	1	1																
153	Acute abscess	W	6	1					1				1			1	1	1		
154	Other diseases of the skin and annexa	W	17	6					2		1					1	1	4	2	
		C	13									1				2	2	6	2	
	X.—Diseases of the bones and of the organs of locomotion	White	17	1					4	5						4	1	1	1	
		Colored	9	1						1	1			3	2			1		
155	Diseases of the bones (tuberculosis excepted)	W	12	1					2	3						4	1	1		
		C	6	1							1			2	2					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	W	5						2	2									1	
		C	1							1										
158	Other diseases of the organs of locomotion	C	2											1			1			
	XI.—Malformations	White	232	216	1	3	4		1	2	1	2			1		1			
		Colored	64	55	2	1	1	1	2	2										
159a	Congenital hydrocephalus	W	23	16		2	2			1	1				1					
		C	11	8	1		1		1											
159b	Congenital malformations of the heart	W	116	111	1		1					2					1			
		C	30	28		1				1										
159c	Other congenital malformations	W	93	89		1	1		1	1										
		C	23	19	1			1	1	1										
	XII.—Early infancy	White	1,258	1,258																
		Colored	725	725																
160	Congenital debility, icterus, sclerema	W	182	182																
		C	212	212																
161a	Premature birth	W	838	838																
		C	384	384																
161b	Injury at birth	W	168	168																
		C	66	66																
162	Other diseases peculiar to early infancy	W	67	67																
		C	58	58																
163	Lack of care	W	3	3																
		C	5	5																
164	XIII.—Old age (senility)	White	297														2	33	262	
		Colored	248														8	34	205	1
	XIV.—External causes	White	1,293	46	37	29	24	18	58	65	104	117	89	85	146	127	102	118	128	
		Colored	690	27	29	20	21	15	31	34	67	77	74	48	95	57	35	19	39	2
	Suicide	W	142							2	5	15	11	13	22	32	23	15	4	
		C	16								3	1	3	2	2		3	1	1	
165	By poisons (gas or corrosives excepted)	W	13									3		2	3	4		1		
		C	1														1			
166	By corrosive substances	W	15								1	2	2	2	2	5	1			
		C	1										1							
167	By poisonous gas	W	11										2	1	3	4	1			
168	By hanging or strangulation	W	6										1		1	2		2		
		C	2												1				1	
169	By drowning	W	2								1				1					
		C	1											1						
170	By firearms	W	82							2	2	9	5	7	9	14	19	11	4	
		C	9								3	1	1	1	1		1	1		
171	By cutting or piercing instruments	W	5												2	2	1			
		C	1										1							
172	By jumping from high places	W	6								1		1		1	1	1	1		
173	By crushing	W	1											1						
		C	1																	
174	By other means	W	1									1					1			
	Homicide	W	105	5						2	11	15	9	12	22	11	10	6	2	
		C	143			1				4	13	26	39	17	32	6	3		1	1
197	By firearms	W	84							2	9	13	9	10	21	8	8	3	1	
		C	96							3	7	19	27	12	23	2	1		1	1
198	By cutting or piercing instruments	W	10	2							2	2		1	1			1	1	
		C	31			1				1	3	4	8	4	7	2	1			
199	By other means	W	11	3										1		3	2	2		
		C	16								3	3	4	1	2	2	1			
	Accidental or undefined	W	1,046	41	37	29	24	18	58	61	88	87	69	60	102	84	69	97	122	
		C	531	27	29	19	21	15	31	30	51	50	32	29	61	51	29	18	37	1
175	Poisoning by food	W	14	4	4		1			1					1	1	1	1		
		C	11	3	2	1				1			1		1	2				
176	Poisoning by venomous animals	W	1						1											
		C	1	1																
177	Other acute poisonings (gas excepted)	W	27		2	4	2	1		1	1			4	7	1	2	1	1	
		C	16		5	4	2		1			1	1		2					
178	Conflagration	W	27	3	2	3	1		4	1			2	1		1	2	4	3	
		C	37	4	5	1	1	1	3		1	3	1	3	1	3	2	2	6	
179	Burns (conflagration excepted)	W	112	6	16	13	14	9	11	2	4	3	6		5	7	3	5	8	
		C	91	2	10	9	14	13	9	4	1	4	4	1	6	3	2	1	8	
180	Mechanical suffocation	W	16	16																
		C	11	10								1								
181	Absorption of irrespirable, irritating, or poisonous gas	W	9								1		1	3		1	1		2	
		C	5									1	2		2					
182	Drowning	W	70		4			1	3	13	14	7	4	6	11	1	3	3		
		C	39		1		1		2	5	7	6	1	3	5	3	2	1	2	
183	Traumatism by firearms (except in war)	W	56	2				1	9	9	11	9	1	5	2	2	2	1	2	
		C	47				1		5	5	17	7	4	1	4	2				1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
VIRGINIA—Continued																			
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
184	Traumatism by cutting or piercing instruments	W 7		1		1	1				1					1	1	1	
		C 8										1	1	1	3	2			
185	Traumatism by fall	W 187	1	1	2	2	2	4	4	7	6	4	6	7	11	15	35	80	
		C 40	3	4	2			1	2	1	2		2	8	8	1	3	3	
186a	Traumatism in mines	W 59								8	14	8	9	11	7	1	1		
		C 8						1		1		1	1	3	1				
186b	Traumatism in quarries	C 1												1					
187	Traumatism by machines	W 21				1					2		2	2	7	3	4		
		C 15								3	6	1	1	1	2	1			
188a	Railroad accidents	W 76		1				1	1	6	8	8	7	18	14	8	4		
		C 32							1	3	3	2	2	8	4	4	2	3	
	Collision with automobiles	W 9						1		2			1	2	3				
		C 1								1									
	Other railroad accidents	W 67		1					1	4	8	8	6	16	11	8	4		
		C 31							1	2	3	2	2	8	4	4	2	3	
188b	Street-car accidents	W 5			1									2			2		
		C 5								1	1				1		1	1	
	Collision with automobiles	W 2												2					
	Other street-car accidents	W 3			1												2		
		C 5								1	1				1		1	1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	W 190	2	3	3		1	16	15	23	32	14	12	17	18	9	16	9	
		C 81						6	9	9	7	8	8	11	5	8	4	6	
188d	Airplane and balloon accidents	W 6							1			4	1						
188e,f	Injuries by other vehicles	W 22		1			1	1	5			1		3		5	4	1	
		C 8	1		1				1		1					2	1	1	
188g	Landslide, other crushing	W 8							1	1	2	1		2		1			
		C 1								1									
189	Injuries by animals (not poisoning)	W 12						1	2	1	1	1		1	2	2	1		
		C 3								1					1	1			
193	Excessive cold	W 6												1	3		1	1	
		C 8								1	1			1	1			4	
194	Excessive heat	W 11						1	1					1		1	5	2	
		C 6		1								1				3		1	
195	Lightning	W 11						1	1	3		2	1		1	2			
		C 5						1	1	1	1				1				
196	Other accidental electric shocks	W 9								1		3	1	2	2				
		C 4								1	1	1		1					
201	Fracture (cause not specified)	W 7															1	6	
		C 3			1									1				1	
202	Other external violence	W 77	7	2	3	2	1	5	3	7	2	9	2	9	5	7	7	6	
		C 44	3	1		2	1	2	1	2	4	3	5	4	11	1	3	1	
203	Violent deaths of unknown causation	C 1											1						
	XV.—Ill-defined diseases	White 373	171	15	2	1	1	2	3	3	2	2	4	11	17	21	60	56	2
		Colored 397	186	21	4	4		8	4	9	3	8	3	22	18	35	35	35	2
204	Sudden death	W 79	15					1	1	1		1		3	6	11	18	22	
		C 59	16	1		2				2		3		6	2	8	10	9	
205a	Ill-defined	W 106	30	7	1		1		1	1		1	3	2	6	6	31	16	
		C 143	38	14	4	1		4	3	5	1	4	2	12	12	17	16	10	
205b	Not specified or unknown	W 188	126	8	1	1		1	1	1	2		1	6	5	4	11	18	2
		C 195	132	6		1		4	1	2	2	1	1	4	4	10	9	16	2
WASHINGTON																			
	All causes	15,280	1,395	179	126	77	73	306	285	407	495	490	493	1,424	1,738	2,410	2,744	2,610	28
	I.—Epidemic, endemic, and infectious diseases	2,212	149	61	37	26	20	118	88	172	177	175	160	315	258	207	147	101	1
1	Typhoid and paratyphoid fever	53			1			2	3	9	10	5	2	6	6	7	2		
5	Malaria	3			1							1			1				
6	Smallpox	4								1							1	2	
7	Measles	3	1							1				1					
8	Scarlet fever	26	1	3	1			10	2	2	2	2	1	1	1				
9	Whooping cough	88	62	12	5	2	2	5											
10	Diphtheria	97	1	5	5	6	8	40	18	7	1	1	1	2	1		1		
11a	Influenza (with pulmonary complications)	192	26	7	4	3	1	8	6	10	5	5	6	16	26	15	27	27	
11b	Influenza (other and unspecified)	150	13	7	4	2	1	9	5	6	4	4	7	9	6	16	22	35	
13	Mumps	1			1														
15	Cholera nostras	1	1																
16	Dysentery	24	7	3	2	2		3					1	1	1		2	2	
20	Leprosy	1											1						
21	Erysipelas	31	8	4	1					1				3	5	3	3	3	
22	Acute anterior poliomyelitis	34		2		1	1	8	8				4	2					
23	Lethargic encephalitis	57	2	2			1	1	5	5	2	7	3	9	8	9	3		
24	Meningococcus meningitis	41	2		1		2	6	3	9	6	3	4	1	2	2			
25	Other epidemic and endemic diseases	1						1											
27	Anthrax	1															1		
29	Tetanus	9	1		1			1	2	2	1		1						
30	Mycoses	2											1		1				
	Tuberculosis (all forms)	1,195	13	14	10	10	4	24	35	111	134	136	120	227	157	115	61	23	1
31	Of the respiratory system	1,010	3	6	4	2	1	7	24	95	115	124	107	209	138	100	55	20	
32	Of the meninges, central nervous system	68	7	3	6	3	3	12	4	5	6	4	5	1	1	1	1		1
33	Of the intestines, peritoneum	49	1			1		3	4	3	7	2	4	7	10	4	1	2	
34	Of the vertebral column	16				2			1	2		1		6	1	3			
35	Of the joints	3										2	1						
36	Of other organs	24				2					2	1	1	3	4	4	3	1	
37a	Disseminated (acute)	21	2					2	1	4	3	2	2	1	2	2			
37b	Disseminated (chronic or unspecified)	4									1				1	1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
38	Syphilis	180	9	2					1		9	5	8	33	43	38	23	9	
39	Soft chancre	1												1					
40	Gonococcus infection	10									3	4		2		1			
41	Purulent infection, septicemia	7	2									2		1		1	1		
	II.—General diseases not included in Class I	2,177	46	4	4	4	3	12	15	22	19	24	35	222	359	575	551	280	2
	Cancer and other malignant tumors	1,509	1	1	2	1		2	4	7	8	10	17	143	254	426	419	212	2
43	Of the buccal cavity	46												1	3	13	18	11	
44	Of the stomach, liver	562						1		1			4	25	76	165	202	86	2
45	Of the peritoneum, intestines, rectum	223			1						1	2	3	16	45	65	61	29	
46	Of the female genital organs	191							1	1	1	4	2	46	42	60	27	7	
47	Of the breast	128										1	3	19	42	31	19	13	
48	Of the skin	46											1	5	2	8	15	15	
49	Of other or unspecified organs	313	1	1	1	1		1	3	5	6	3	4	31	44	84	77	51	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	11	1											3	1	3	2	1	
51	Acute rheumatic fever	26				1	2	2	3	2	2		1	2	4	2	3	2	
52	Chronic rheumatism, osteoarthritis, gout	19						1							1		4	13	
53	Scurvy	1		1															
54	Pellagra	2												1		1			
55	Beriberi	1	1																
56	Rickets	3	2			1													
57	Diabetes mellitus	236			1		4	4	8	1	2	2	13	18	63	84	36		
58	Anemia, chlorosis	108	2						1		1	3	15	25	33	22	6		
59	Diseases of the pituitary gland	4						1			1			1	1				
60a	Exophthalmic goiter	91						2	2	5	3	2	19	26	20	8	4		
60b	Other diseases of the thyroid gland	12	1	1		1								2	4	2		1	
61	Diseases of the parathyroid glands	2	1	1															
62	Diseases of the thymus gland	18	17										1						
63	Diseases of the adrenals (Addison's disease)	7											1	2	1	1		2	
64	Diseases of the spleen	4								1						2	1		
65a	Leukemia	24	1		2			2	1	1	1	2	1	4	3	6			
65b	Hodgkin's disease	11						1			1			2	1	3	2	1	
66	Alcoholism (acute or chronic)	59									1	5	6	13	18	11	5		
67a	Chronic lead poisoning	3												1	1	1			
68	Chronic poisoning by organic substances	4												2	1		1		
69	Other general diseases	22	19										1					2	
	III.—Diseases of the nervous system and of the organs of special sense	1,752	31	5	8	4	5	16	17	10	21	21	26	134	215	336	472	426	5
70	Encephalitis	16	4				1							1	3	4	2	1	
71a	Simple meningitis	30	4		3	1	1	1		2	4		1	6	1	2	3	1	
71b	Nonepidemic cerebrospinal meningitis	5		1	1		1			1						1			
72	Tabes dorsalis (locomotor ataxia)	26										1	1	3	7	5	8	1	
73	Other diseases of the spinal cord	52	2					1	1	1	2			4	8	15	10	8	
74a	Cerebral hemorrhage	1,141	2	1				1			2	4	7	30	121	242	379	348	4
74b	Cerebral embolism and thrombosis	48	1		1				1	2	1	3	1	3	4	10	10	11	
75	Paralysis without specified cause	48							1					1		7	23	16	
76	General paralysis of the insane	119									1	2	7	42	39	14	11	3	
77	Other forms of mental alienation	61								1	2	3	4	13	10	9	11	7	1
78	Epilepsy	49		1	1	1	1		3	1	7	4	4	11	7	3	1	4	
79	Convulsions (nonpuerperal; 5 years and over)	1																1	
80	Infantile convulsions (under 5 years)	16	14	1	1														
82	Neuralgia and neuritis	7													1	2	1	3	
83	Softening of the brain	12												1		1	3	7	
84	Other diseases of the nervous system	73	1			1		4	4			2		13	11	14	8	15	
86a	Diseases of the ear	33	3	1	1	1	1	2	7	1	2	1	1	6	3	3			
86b	Diseases of the mastoid process	15						7		1		1				4	2		
	IV.—Diseases of the circulatory system	2,618	2	2		1	6	13	28	19	22	31	28	109	246	524	758	829	
87	Pericarditis	8					1							1	2	2	2		
88	Endocarditis and myocarditis (acute)	79		1			1	4	5	4	5	3	6	22	6	7	8	7	
89	Angina pectoris	212										1		5	36	63	56	51	
90	Other diseases of the heart	1,970	1			1	4	8	20	14	15	25	21	74	183	405	602	597	
91a	Aneurysm	20									1			1	6	5	4	3	
91b,c	Other diseases of the arteries	270													8	32	72	158	
92	Embolism and thrombosis (not cerebral)	41	1						2	1	1		1	3	3	7	11	11	
93	Diseases of the veins	10										1		3	2	1	2	1	
94	Diseases of the lymphatic system	3		1					1									1	
95	Hemorrhage without specified cause	3						1				1				1			
96	Other diseases of the circulatory system	2														1	1		
	V.—Diseases of the respiratory system	1,010	175	36	20	6	11	21	17	14	17	13	24	74	83	130	145	220	4
97a	Diseases of the nasal fossae	4	1		1						1							1	
97b	Diseases of the nasal fossae annexa	8	1		1			1		1			1	1	2				
98	Diseases of the larynx	1					1												
99a	Acute bronchitis	13	3					1										9	
99b	Chronic bronchitis	20												1	1	2	5	11	
99c,d	Bronchitis (unspecified)	16	2													1	2	11	
100a	Broncho-pneumonia	350	112	23	10	4	6	6	3	3	4	2	1	13	12	39	35	76	1
100b	Capillary bronchitis	2	2																
101a	Lobar pneumonia	485	33	8	6	1	2	12	13	7	9	9	19	50	54	78	94	87	3
101b	Pneumonia (unspecified)	42	18	4	1		2		1	1		1	1	2	3	1	2	5	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
102	Pleurisy	21		1	1			1		2	2	1	1	4	6	1		1	
103	Congestion and hemorrhagic infarct of the lung	17	2			1												14	
104	Gangrene of the lung	1														1			
105	Asthma	17									1			1	2	6	3	4	
106	Pulmonary emphysema	1														1			
107	Other diseases of the respiratory system (tuberculosis excepted)	12	1										1	2	3		4	1	
	VI.—Diseases of the digestive system	1,072	139	39	24	14	14	47	31	29	46	31	38	123	150	138	125	84	
108	Diseases of the mouth and annexa	11			1								1	5	1	2		1	
109b	Other diseases of the pharynx, tonsils	59	3	2	1		3	12	5	3	3	2	5	6	7	5	2		
110	Diseases of the esophagus	2													1	1			
111a	Ulcer of the stomach	87									2	5	5	19	26	18	10	2	
111b	Ulcer of the duodenum	39									1		4	11	8	8	7		
112	Other diseases of the stomach (cancer excepted)	62	16	2	1	1		1	1	1	1		1	1	6	9	9	12	
113	Diarrhea and enteritis (under 2 years)	133	103	30															
114	Diarrhea and enteritis (2 years and over)	73			15	8	5	6	6		3	1	2	2	3	1	12	9	
117	Appendicitis and typhlitis	210	3		3	4	4	26	17	23	23	12	10	26	24	20	12	3	
118a	Hernia	56	1	1	1						1	1	1	5	14	10	10	11	
118b	Intestinal obstruction	95	10	3	1	1		1	1	1	3	6	5	16	11	13	10	13	
119	Other diseases of the intestines	15	2						1		2	1			3	3	1	2	
120	Acute yellow atrophy of the liver	4									2				1		1		
121	Hydatid tumor of the liver	1															1		
122	Cirrhosis of the liver	88									1			9	21	22	22	13	
123	Biliary calculi	48										1	1	10	6	10	12	8	
124	Other diseases of the liver	64						1			2		2	9	15	14	12	9	
125	Diseases of the pancreas	9										2		1	2	1	2	1	
126	Peritonitis without specified cause	16	1	1	1		2			1	2		1	3	1	1	2		
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,320	6	3	2	1	1	5	14	11	19	15	29	100	155	266	351	342	
128	Acute nephritis (including unspecified under 10 years)	49	5	3				2	1		4	3	2	1	7	9	5	7	
129	Chronic nephritis (including unspecified 10 years and over)	1,031			1	1	1	2	10	7	10	9	18	68	109	219	294	282	
131	Other diseases of the kidneys and annexa	42	1		1			1	2	1		1	1	6	7	6	8	7	
132	Calculi of the urinary passages	12									1				1	4	4	2	
133	Diseases of the bladder	11										1		2		2		6	
134	Diseases of the urethra, etc	2														1		1	
135	Diseases of the prostate	90													2	18	34	36	
137	Cysts, other benign tumors of the ovary	11												1	8	1	1		
138	Salpingitis and pelvic abscess (female)	20								2	4		4	4	4	1	1		
139	Benign tumors of the uterus	35								1			1	13	14	3	2	1	
141	Other diseases of the female genital organs	17							1			1	3	5	3	2	2		
	VIII.—The puerperal state	149								13	30	40	24	39	3				
143	Accidents of pregnancy	14									2	1	5	5	1				
144	Puerperal hemorrhage	16									1	4	4	6	1				
145	Other accidents of labor	17								1	1	9	1	4	1				
146	Puerperal septicemia	59								7	18	18	6	10					
147	Puerperal phlegmasia alba dolens, embolus, etc	9									2	1	1	5					
148	Puerperal albuminuria and convulsions	33								5	6	6	7	9					
149	Following childbirth (undefined)	1										1							
	IX.—Diseases of the skin and of the cellular tissue	37	6	1		1				2	1				3	4	4	15	
151	Gangrene	16													1	2	1	12	
152	Furuncle	2														1		1	
153	Acute abscess	6		1		1				1	1				1	1			
154	Other diseases of the skin and annexa	13	6							1					1		3	2	
	X.—Diseases of the bones and of the organs of locomotion	26			1			2	6		1			1	5	3	4	3	
155	Diseases of the bones (tuberculosis excepted)	19			1			2	4		1				4	3	3	1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4												1	1			2	
158	Other diseases of the organs of locomotion	3							2								1		
	XI.—Malformations	180	162	2	3	3	1	5	3			1							
159a	Congenital hydrocephalus	13	9	1	1		1		1										
159b	Congenital malformations of the heart	100	92	1	1			3	2			1							
159c	Other congenital malformations	67	61		1	3		2											
	XII.—Early infancy	641	641																
160	Congenital debility, icterus, sclerema	78	78																
161a	Premature birth	386	386																
161b	Injury at birth	115	115																
162	Other diseases peculiar to early infancy	59	59																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	193														4	25	164	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WASHINGTON—Continued																		
	XIV.—External causes	1,801	15	22	27	17	12	67	65	111	141	139	127	305	255	213	143	128	14
	Suicide	318							3	5	21	26	25	67	67	50	38	13	3
165	By poisons (gas or corrosives excepted)	19									1	3	2	5	4	3	1		
166	By corrosive substances	20								1	10	4		3	2				
167	By poisonous gas	49								1	4	7	2	10	12	7	3	2	1
168	By hanging or strangulation	42							1	1	1	1	2	7	8	12	7	2	
169	By drowning	27											6	8	3	3	4	2	1
170	By firearms	118							2	2	4	9	11	25	31	13	16	5	
171	By cutting or piercing instruments	29										2	2	7	2	9	4	2	1
172	By jumping from high places	7									1			1	4	1			
173	By crushing	3												1	1		1		
174	By other means	4															2		
	Homicide	83	2			1		1	1	5	9	12	9	18	13	8	4		
197	By firearms	61							1	3	9	12	6	13	8	8	1		
198	By cutting or piercing instruments	9	1			1		1					1	3	2				
199	By other means	13	1							2			2	2	3		3		
	Accidental or undefined	1,400	13	22	27	16	12	66	61	101	111	101	93	220	175	155	101	115	11
175	Poisoning by food	11				1		1	1			2		2	1	2	1		
177	Other acute poisonings (gas excepted)	24		3	1				1		2		3	8	4	2			
178	Conflagration	31	1	3	2	2		3	2	1				6	2	1	3	4	1
179	Burns (conflagration excepted)	47	1	3	9	4		5		1	4	3	3	4	3	5		2	
180	Mechanical suffocation	13	6							1				1	2	2	1		
181	Absorption of irrespirable, irritating, or poisonous gas	30			1				1	1	1	1	1	5	7	5	6	1	
182	Drowning	189	1	7	6	2	4	19	17	21	17	19	10	27	20	10	5	1	3
183	Traumatism by firearms (except in war)	35						2	7	17	2		2		3	1	1		
184	Traumatism by cutting or piercing instruments	13						2			1	2			2	4	2		
185	Traumatism by fall	200	1				1	1	6	8	4	5	5	20	23	22	30	73	1
186a	Traumatism in mines	34								2	4	5	5	10	6	2			
187	Traumatism by machines	55						1		3	10	4	4	12	10	5	3	2	1
188a	Railroad accidents	128	1		1			1	4	10	8	8	9	26	23	24	6	3	4
	Collision with automobiles	27	1		1			1	2	4	2		5	1	3	7			
	Other railroad accidents	101							2	6	6	8	4	25	20	17	6	3	4
188b	Street-car accidents	20			1			1					2	3	3	6	1	3	
	Collision with automobiles	6											1	3	1	1			
	Other street-car accidents	14			1			1					1		2	5	1	3	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	299	1	2	5	6	7	25	11	19	26	23	25	42	26	37	25	19	
188d	Airplane and balloon accidents	3									1	1	1						
188e,f	Injuries by other vehicles	26						1	4	2	5	2	1	1	4	2	3	1	
188g	Landslide, other crushing	79							1	6	10	7	11	21	12	5	5	1	
189	Injuries by animals (not poisoning)	6							1					1	2	1	1		
194	Excessive heat	4						1							1		1	1	
195	Lightning	2									1			1					
196	Other accidental electric shocks	15								1		2	3	7		1	1		
201	Fracture (cause not specified)	1										1							
202	Other external violence	135	1	4	1	1		3	5	8	15	16	8	23	21	18	6	4	1
	XV.—Ill-defined diseases	92	23	4					1	4	1		2	2	6	10	19	18	2
204	Sudden death	16	2							1					1	2	6	4	
205a	Ill-defined	34	2	2						2				2	4	5	10	7	
205b	Not specified or unknown	42	19	2					1	1	1		2		1	3	3	7	2
	WEST VIRGINIA																		
	All causes	17,154	3,614	775	318	182	120	386	311	551	717	649	669	1,388	1,406	1,555	2,132	2,376	5
	I.—Epidemic, endemic, and infectious diseases	2,937	362	167	114	76	45	156	109	195	261	235	174	318	223	177	169	155	1
1	Typhoid and paratyphoid fever	334	1	4	3	2	2	24	39	68	54	49	17	24	24	11	9	3	
5	Malaria	1															1		
6	Smallpox	2	1										1						
7	Measles	55	13	13	9	4	1	9	4	2									
8	Scarlet fever	46		3	6	6	6	14	4	3	1	1		2					
9	Whooping cough	177	89	46	24	10	2	4	1									1	
10	Diphtheria	172	23	20	32	22	18	37	11	3	1	1		1	1	1	1		
11a	Influenza (with pulmonary complications)	208	30	11	7	3	3	8	5	5	9	4	6	22	19	18	24	34	
11b	Influenza (other and unspecified)	191	25	9	6	5	2	6	8	8	4	7	3	11	9	11	25	52	
13	Mumps	5						2			1			1			1		
15	Cholera nostras	4	2														1	1	
16	Dysentery	213	58	38	14	14	3	25	5	5	3	1	1	2	5	7	11	21	
19	Spirochetal hemorrhagic jaundice	1											1						
21	Erysipelas	29	9	2					1			1		2	2	5	3	4	
22	Acute anterior poliomyelitis	14	5	2	2	2		1	1					1					
23	Lethargic encephalitis	12		2				1	1	1	1		1		3	2			
24	Meningococcus meningitis	18	5	3	2	1		1	1	1	1			2	1				
25	Other epidemic and endemic diseases	2	1					1											
28	Rabies	1						1											
29	Tetanus	15	2					4	4	3					2				
30	Mycoses	4	4																
	Tuberculosis (all forms)	1,257	29	8	7	5	7	16	20	95	180	161	134	223	140	109	88	34	1
31	Of the respiratory system	1,094	13	2	3		2	4	16	82	167	154	127	202	125	91	77	28	1
32	Of the meninges, central nervous system	45	13	3	2	5	2	7	1	5	1	2	1	2	1				
33	Of the intestines, peritoneum	63	2	2	2		2	1	2	4	5	1	3	9	7	12	7	4	
34	Of the vertebral column	11						2			1	1	1	2	1	2	1		
35	Of the joints	2								1					1				
36	Of other organs	25	1	1				1	1	2	3	1	2	4	3	2	3	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	I.—Epidemic, endemic, and infectious diseases—Contd.																		
	Tuberculosis—Continued.																		
37a	Disseminated (acute)	9						1		1	3			2		2			
37b	Disseminated (chronic or unspecified)	8					1					2		2	2			1	
38	Syphilis	140	64	5	2	1	1			1	4	5	5	22	15	12	1	2	
40	Gonococcus infection	10									2	3	3	2					
41	Purulent infection, septicemia	26	1	1		1		2	4			2	2	3	2	1	4	3	
	II.—General diseases not included in Class I	1,322	42	6	4	4	4	25	15	10	16	23	41	135	232	264	318	183	
	Cancer and other malignant tumors	881	1	1	1	1	2	5	1	1	4	11	20	82	164	189	257	141	
43	Of the buccal cavity	14											1			5	5	3	
44	Of the stomach, liver	373					1	1			1	5	3	22	58	91	128	63	
45	Of the peritoneum, intestines, rectum	98				1			1			1	1	8	14	27	34	11	
46	Of the female genital organs	195									1	5	8	32	57	30	32	30	
47	Of the breast	64						1					5	10	16	12	16	4	
48	Of the skin	31											1	1	2	6	7	14	
49	Of other or unspecified organs	106	1	1	1		1	3		1	2		1	9	17	18	35	16	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	5									1	1					3		
51	Acute rheumatic fever	22				1		6	3	3	1		1	1	2	1		3	
52	Chronic rheumatism, osteoarthritis, gout	28											1	2	5	2	7	11	
53	Scurvy	1	1																
54	Pellagra	7							1				2			3	1		
56	Rickets	4	2	2															
57	Diabetes mellitus	142		1			1	7	6		2	4	5	10	21	36	30	19	
58	Anemia, chlorosis	66	4						3	2	1	1	1	10	13	15	14	2	
59	Diseases of the pituitary gland	1											1						
60a	Exophthalmic goiter	42									5	2	3	12	10	7	3		
60b	Other diseases of the thyroid gland	12	1	1				1		1			1	3	1	3			
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	6	5	1															
63	Diseases of the adrenals (Addison's disease)	2											1				1		
64	Diseases of the spleen	1														1			
65a	Leukemia	13				1		4	1	1			1		2	2	1		
65b	Hodgkin's disease	10								1	1			3	3	1		1	
66	Alcoholism (acute or chronic)	33								1	1	4	4	9	9	2	1	2	
67a	Chronic lead poisoning	3												1	1	1			
68	Chronic poisoning by organic substances	1												1					
69	Other general diseases	41	27		3	1	1	2						1	1	1		4	
	III.—Diseases of the nervous system and of the organs of special sense	1,629	121	27	18	11	4	25	19	11	21	27	34	99	171	250	378	413	
70	Encephalitis	27	5		1	1		2	1	1	2	2	3	2	4	1	2		
71a	Simple meningitis	99	45	12	9	4		4	3	3	2	4	1	5	3	4			
71b	Nonepidemic cerebrospinal meningitis	20	9	3	1			2	2	2		1							
72	Tabes dorsalis (locomotor ataxia)	8												2	3	2	1		
73	Other diseases of the spinal cord	34		2					1				1	5	1	4	10	10	
74a	Cerebral hemorrhage	867	3			2		2	1	1	3	3	4	36	107	169	262	274	
74b	Cerebral embolism and thrombosis	15						1	1			2	3	3	1		2	2	
75	Paralysis without specified cause	253	1							1	2		2	5	19	35	77	111	
76	General paralysis of the insane	45										1	6	15	10	7	3	3	
77	Other forms of mental alienation	33							1		2	2	4	4	5	7	5	3	
78	Epilepsy	56	2	1	2	1		2	4	1	3	7	3	12	5	9	2	2	
79	Convulsions (nonpuerperal; 5 years and over)	6						1	1		2	1	1						
80	Infantile convulsions (under 5 years)	54	43	4	4	2	1												
82	Neuralgia and neuritis	7											1		1	2	2	1	
83	Softening of the brain	7													1	1	3	2	
84	Other diseases of the nervous system	46	4	1		1		5	2	1	2	1	3	7	6	5	5	3	
85	Diseases of the eye and annexa	3	1		1												1		
86a	Diseases of the ear	27	5	2			1	4	1		1	3		1	3	3	1	2	
86b	Diseases of the mastoid process	22	3	2			2	2	1	1	2		2	2	2	1	2		
	IV.—Diseases of the circulatory system	1,932	5	3		3	2	12	19	19	25	29	53	154	236	358	525	489	
87	Pericarditis	9				1		1					1	2		1	2	1	
88	Endocarditis and myocarditis (acute)	61	3			1		5	3	4	7	4	8	19	3		2	2	
89	Angina pectoris	111											1	8	14	25	39	24	
90	Other diseases of the heart	1,564	2	3		1	2	6	16	15	17	22	41	114	206	304	431	384	
91a	Aneurysm	19										1	1	7	4	4		2	
91b,c	Other diseases of the arteries	149												3	7	19	48	72	
92	Embolism and thrombosis (not cerebral)	13									1	1	1	1	1	5	1	2	
93	Diseases of the veins	4													1		1	2	
96	Other diseases of the circulatory system	2										1					1		
	V.—Diseases of the respiratory system	1,458	410	117	41	22	13	31	29	42	32	31	33	76	85	95	172	228	1
97a	Diseases of the nasal fossae	2								1								1	
97b	Diseases of the nasal fossae annexa	4									1			1	1	1			
98	Diseases of the larynx	6	2	1	1					1	1								
99a	Acute bronchitis	15	10	2		1				1							1		
99b	Chronic bronchitis	19											1		3	2	4	9	
99c,d	Bronchitis (unspecified)	15	2	1					1						2		2	7	
100a	Broncho-pneumonia	579	264	70	20	13	6	11	4	7	3	7	4	13	19	16	50	72	
100b	Capillary bronchitis	7	3	1													1	2	
101a	Lobar pneumonia	391	40	15	11	2	3	12	15	16	18	17	18	32	42	40	57	52	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	V.—Diseases of the respiratory system—Continued.																		
101b	Pneumonia (unspecified)	317	84	25	8	5	4	7	8	13	8	4	5	20	11	26	34	55	
102	Pleurisy	23	2	2					1	1			1	4	4	2	2	4	
103	Congestion and hemorrhagic infarct of the lung	27	1			1		1			1		1	2	2		4	14	
104	Gangrene of the lung	2	1														1		
105	Asthma	42								1		2	2	4		7	14	12	
106	Pulmonary emphysema	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)	8	1		1					1		1	1		1	1	1		
	VI.—Diseases of the digestive system	2,273	982	402	89	28	17	42	41	51	39	43	58	102	97	91	99	91	1
108	Diseases of the mouth and annexa	8	1								1	1				2		3	
109b	Other diseases of the pharynx, tonsils	37		1		1	3	6	4	9	2	2	4		1	1	2	1	
111a	Ulcer of the stomach	41			1						1	2	3	10	7	6	4	7	
111b	Ulcer of the duodenum	17								1	1	1	5	3	3	3			
112	Other diseases of the stomach (cancer excepted)	65	8	1	2	1		1	1	2		1	2	4	5	8	12	17	
113	Diarrhea and enteritis (under 2 years)	1,348	956	392															
114	Diarrhea and enteritis (2 years and over)	221			82	21	8	10	2	3	4	4	3	11	11	11	25	25	1
116	Diseases due to other intestinal parasites	3						1	2										
117	Appendicitis and typhlitis	198		1	1	2	3	16	26	23	17	18	18	35	22	12	4		
118a	Hernia	34	2			1		1			1		1	6	8	6	3	5	
118b	Intestinal obstruction	102	12	6	2	1	2	2	4	6	4	7	7	11	7	11	13	7	
119	Other diseases of the intestines	13	1						1	2			1	1	2	1	2	2	
120	Acute yellow atrophy of the liver	3					1				1				1				
122	Cirrhosis of the liver	50											4	2	11	10	13	10	
123	Biliary calculi	44								2		2	5	4	12	8	8	3	
124	Other diseases of the liver	57	1	1		1		2	1		3	3	3	11	3	10	8	10	
125	Diseases of the pancreas	9									2	1		2	2		2		
126	Peritonitis without specified cause	23	1		1			3		3	2	1	2	2	2	2	3	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,210	14	5	7	2	6	6	10	10	20	24	30	93	139	203	304	337	
128	Acute nephritis (including unspecified under 10 years)	76	7	3	7	1	5	5	6	5	4	8	3	5	4	5	4	4	
129	Chronic nephritis (including unspecified 10 years and over)	990	1				1		3	2	8	8	16	72	120	181	276	302	
131	Other diseases of the kidneys and annexa	29	6	2		1		1		1	3		2	2	2	4	4	1	
132	Calculi of the urinary passages	5									1	1				2			
133	Diseases of the bladder	9														1	2	6	
134	Diseases of the urethra, etc	2													1	1			
135	Diseases of the prostate	48												1		6	18	23	
137	Cysts, other benign tumors of the ovary	9								1		1	2	1	1	2		1	
138	Salpingitis and pelvic abscess (female)	22								1	3	2	7	6	3				
139	Benign tumors of the uterus	14										3		5	5	1			
140	Nonpuerperal uterine hemorrhage	2										1			1				
141	Other diseases of the female genital organs	4							1		1			1	1				
	VIII.—The puerperal state	287								43	67	53	44	74	6				
143	Accidents of pregnancy	18								1	3	3	9	2					
144	Puerperal hemorrhage	28								2	5	5	3	12	1				
145	Other accidents of labor	35								3	10	8	3	11					
146	Puerperal septicemia	116								11	30	26	18	29	2				
147	Puerperal phlegmasia alba dolens, embolus, etc	17								1	2	1	4	7	2				
148	Puerperal albuminuria and convulsions	71								25	16	10	6	13	1				
149	Following childbirth (undefined)	2									1		1						
	IX.—Diseases of the skin and of the cellular tissue	50	10		1					2	1		1	2	3	7	7	16	
151	Gangrene	28	1		1										1	5	5	15	
152	Furuncle	4									1				2			1	
153	Acute abscess	12	5							1			1	2		1	2		
154	Other diseases of the skin and annexa	6	4							1						1			
	X.—Diseases of the bones and of the organs of locomotion	9		1			2		1		1				2	1		1	
155	Diseases of the bones (tuberculosis excepted)	8		1			2		1		1				1	1		1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	1													1				
	XI.—Malformations	271	259	5	2			3	1			1							
159a	Congenital hydrocephalus	16	13	2				1											
159b	Congenital malformations of the heart	174	169	3				1	1										
159c	Other congenital malformations	81	77		2			1				1							
	XII.—Early infancy	1,328	1,328																
160	Congenital debility, icterus, sclerema	214	214																
161a	Premature birth	838	838																
161b	Injury at birth	142	142																
162	Other diseases peculiar to early infancy	133	133																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	444														4	59	381	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WEST VIRGINIA—Continued																		
	XIV.—External causes	1,977	77	40	42	36	27	86	66	167	234	181	200	330	208	100	99	82	2
	Suicide	109								5	11	13	12	25	22	12	8	1	
165	By poisons (gas or corrosives excepted)	6										3				2	1		
166	By corrosive substances	11								2	4	1	1	1	2				
167	By poisonous gas	1												1					
168	By hanging or strangulation	15									2		1	1	4	5	2		
169	By drowning	5								1		1		2	1				
170	By firearms	63								2	5	8	8	18	13	4	4	1	
171	By cutting or piercing instruments	4											2		1	1			
172	By jumping from high places	1													1				
173	By crushing	2												1			1		
174	By other means	1												1					
	Homicide	198	3						2	11	33	28	29	52	24	5	9	2	
197	By firearms	164							1	9	27	21	28	46	20	4	6	2	
198	By cutting or piercing instruments	24								2	4	7	1	6	2	1	1		
199	By other means	10	3						1		2				2		2		
	Accidental or undefined	1,670	74	40	42	36	27	86	64	151	190	140	159	253	162	83	82	79	2
175	Poisoning by food	16	2		1		1	4	1		1		1	1	1	2	1		
177	Other acute poisonings (gas excepted)	36		6	6	2	2	1	1	3	1	1	2	4	4	2	1		
178	Conflagration	24	4	1	1	3		2		1		3	3	1	1	3		1	
179	Burns (conflagration excepted)	183	5	17	30	24	10	20	11	9	5	11	6	10	4	3	8	10	
180	Mechanical suffocation	50	47	3															
181	Absorption of irrespirable, irritating, or poisonous gas	15								2	2	2	2	3	2	2			
182	Drowning	91	1	4		1	1	7	12	21	14	6	7	7	3	4	2	1	
183	Traumatism by firearms (except in war)	41		2		2	1	4	7	13	3		3	2	2	1	1		
184	Traumatism by cutting or piercing instruments	12	1						2	1			1		2	2	3		
185	Traumatism by fall	146	5	3	2		1	4	3	6	6	5	4	11	9	6	26	53	2
186a	Traumatism in mines	528							1	41	102	75	87	126	75	16	4	1	
187	Traumatism by machines	34					2	1		2	5	3	1	6	9	2	3		
188a	Railroad accidents	144			1		2	5	2	15	14	9	16	33	20	16	7	4	
	Collision with automobiles	8								1	1			3	1	1	1		
	Other railroad accidents	136			1		2	5	2	14	13	9	16	30	19	15	6	4	
188b	Street-car accidents	9						1						3	1	3		1	
	Collision with automobiles	1												1					
	Other street-car accidents	8						1						2	1	3		1	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	208	2		1	1	5	29	14	24	22	11	17	32	20	10	17	3	
188d	Airplane and balloon accidents	3									2		1						
188e,f	Injuries by other vehicles	9						1		1	1			2	3		1		
188g	Landslide, other crushing	9							1	2	2	1			1	1		1	
189	Injuries by animals (not poisoning)	5							1								3	1	
193	Excessive cold	3	1									1			1				
194	Excessive heat	8											1	1		2	2	2	
195	Lightning	7						1		1	3					1	1		
196	Other accidental electric shocks	23						1	1		4	7	4	5	1				
201	Fracture (cause not specified)	1						1											
202	Other external violence	65	6	4		3	2	4	7	9	3	5	3	6	3	7	2	1	
	XV.—Ill-defined diseases	27	4	2					1	1		2	1	5	4	5	2		
204	Sudden death	5										1		2	1	1			
205a	Ill-defined	14		2					1			1	1	1	2	4	2		
205b	Not specified or unknown	8	4							1				2	1				
	WISCONSIN																		
	All causes	29,380	3,854	515	279	214	150	546	416	601	773	793	875	2,045	2,628	3,853	5,335	6,479	24
	I.—Epidemic, endemic, and infectious diseases	3,632	334	163	85	64	53	187	111	210	294	317	256	431	331	289	254	250	3
1	Typhoid and paratyphoid fever	56						3	2	6	9	7	6	9	8	4	2		
6	Smallpox	134	6	7	5	4	3	7	3	12	13	22	11	13	9	13	6		
7	Measles	62	18	17	8	2	2	5		2	1	1	1	3	1			1	
8	Scarlet fever	105	2	6	13	9	6	34	10	8	6	2	2	4	3				
9	Whooping cough	128	81	34	6	4	1	2											
10	Diphtheria	177	8	16	16	16	22	58	22	5	1	3	3	4	2	1			
11a	Influenza (with pulmonary complications)	466	71	24	11	7	6	11	10	5	7	20	15	47	31	42	58	101	
11b	Influenza (other and unspecified)	339	58	10	7	3	1	16	10	6	8	5	14	24	18	25	45	89	
15	Cholera nostras	3		1								1						1	
16	Dysentery	50	16	8	4	3	2							1	1	5	1	9	
21	Erysipelas	57	15	1	1					1	1	2	1		9	14	5	7	
22	Acute anterior poliomyelitis	62	5	6	3	4	3	12	8	9	4	3	1	1	1	2			
23	Lethargic encephalitis	47	1	1	1			5	1	1	3	3	3	4	8	7	9		
24	Meningococcus meningitis	8	5	1				1								1			
25	Other epidemic and endemic diseases	3	2						1										
29	Tetanus	36	2		1	1	3	2	9	4	1		2	4	3	2	1	1	
30	Mycoses	3	1											1	1				
	Tuberculosis (all forms)	1,752	23	25	9	9	3	29	33	143	233	239	193	288	208	158	120	36	3
31	Of the respiratory system	1,517	5	10	4	3	1	9	17	128	209	210	178	262	191	138	115	34	2
32	Of the meninges, central nervous system	88	11	11	5	5	2	9	9	4	7	9	2	3	8	1	1	1	
33	Of the intestines, peritoneum	42		1		1		4	2	2	6	3	6	4	5	7		1	
34	Of the vertebral column	21						2	3	1	2	4	2	2		4	1		
35	Of the joints	12	1							3	1	2	1	3		1			
36	Of other organs	32	1					3		1	3	2	4	6	3	6	3		
37a	Disseminated (acute)	31	5	3				1	2	3	5	7		4	1				
37b	Disseminated (chronic or unspecified)	9						1		1		2		4		1			
38	Syphilis	107	15	4				2	1	5	4	7	3	24	23	12	5	2	
40	Gonococcus infection	12	1			1	1			2	2	1	1	2	1				
41	Purulent infection, septicemia	25	4	2		1			1	1	1	1		2	4	3	2	3	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	II.—General diseases not included in Class I	4,352	79	15	8	8	9	34	28	51	50	45	90	298	640	1,033	1,225	738	1
	Cancer and other malignant tumors	2,951	1	2	2		2	8	3	4	8	21	42	181	432	724	915	605	1
43	Of the buccal cavity	77										1	1	3	8	13	20	31	
44	Of the stomach, liver	1,326			1			1			2	3	5	49	158	348	462	297	
45	Of the peritoneum, intestines, rectum	405						1			4	6	7	23	59	99	118	87	1
46	Of the female genital organs	308								1		2	11	38	79	76	84	17	
47	Of the breast	215										2	2	29	60	59	37	26	
48	Of the skin	69												3	2	8	24	32	
49	Of other or unspecified organs	551	1	2	1		2	6	3	3	2	7	16	36	66	121	170	115	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	13								3			1	1		1	4	3	
51	Acute rheumatic fever	64					2	4	11	5	3	1	5	7	8	9	8	1	
52	Chronic rheumatism, osteoarthritis, gout	45								1	1	1		2	3	9	12	16	
53	Scurvy	2	2																
54	Pellagra	1														1			
56	Rickets	22	16	3			1	2											
57	Diabetes mellitus	527		2		3	1	14	7	14	11	5	11	16	66	134	167	76	
58	Anemia, chlorosis	286	1	1	1		1		1	3	8	4	8	24	47	81	79	27	
59	Diseases of the pituitary gland	1													1				
60a	Exophthalmic goiter	145							1	12	12	5	7	22	35	31	18	2	
60b	Other diseases of the thyroid gland	31	1	1					1	1	1	1	2	7	8	2	5	1	
61	Diseases of the parathyroid glands	5	4	1															
62	Diseases of the thymus gland	34	29	2		1		1				1							
63	Diseases of the adrenals (Addison's disease)	13											1	2	5	5			
65a	Leukemia	75	1	2	2	3	2	5	3	5		3	6	10	9	16	6	2	
65b	Hodgkin's disease	15							1	2	2	1	1			3	4	1	
66	Alcoholism (acute or chronic)	75									1	2	6	24	22	11	7	2	
67a	Chronic lead poisoning	3													2	1			
68	Chronic poisoning by organic substances	3													1	1		1	
69	Other general diseases	41	24	1	3	1				1	3			2	1	4		1	
	III.—Diseases of the nervous system and of the organs of special sense	3,147	119	40	24	12	8	32	31	28	34	29	50	138	264	512	830	993	3
70	Encephalitis	26	2	4	2	2		1	1	3	1	1	1	3	1	3	1		
71a	Simple meningitis	52	15	7	1	2		6	6		2	2		2	1	4	2	2	
71b	Nonepidemic cerebrospinal meningitis	42	6	8	11	1		6	3	2	1	3					1		
72	Tabes dorsalis (locomotor ataxia)	28											1	2	8	8	9		
73	Other diseases of the spinal cord	80		1	2				2	1	3	3	2	8	11	15	19	13	
74a	Cerebral hemorrhage	2,191	3		2	1	1	1	1	2	5	5	8	44	165	383	691	876	3
74b	Cerebral embolism and thrombosis	71									2	1	1	2	7	15	13	30	
75	Paralysis without specified cause	82	1	1											6	14	25	35	
76	General paralysis of the insane	103							1				15	29	25	22	9	2	
77	Other forms of mental alienation	57								1	3	5	3	10	9	8	14	4	
78	Epilepsy	95	6	1		1	1	1	8	8	8	4	12	16	11	5	10	3	
79	Convulsions (nonpuerperal; 5 years and over)	5						4						1					
80	Infantile convulsions (under 5 years)	83	66	11	2	3	1												
81	Chorea	3	1									1		1					
82	Neuralgia and neuritis	5														2		3	
83	Softening of the brain	10															4	1	5
84	Other diseases of the nervous system	128	4	2	1		1	3	3	2	3	3	2	16	16	27	28	17	
85	Diseases of the eye and annexa	5	1				1	1	1		1								
86a	Diseases of the ear	51	12	3	2	2	2	5	1	7	2		2	4	2	1	5	1	
86b	Diseases of the mastoid process	30	2	2	1		1	4	4	2	3	1	3		2	1	2	2	
	IV.—Diseases of the circulatory system	5,371	32	5	3	4	3	27	45	42	47	49	75	231	405	875	1,454	2,067	7
87	Pericarditis	23	3					3	1	1				1		4	6	4	
88	Endocarditis and myocarditis (acute)	239	20	5	3	2	1	10	11	14	11	13	18	42	13	26	28	22	
89	Angina pectoris	330									1	1	6	10	28	73	110	101	
90	Other diseases of the heart	4,171	6			2	2	14	33	27	35	34	47	167	330	712	1,176	1,580	6
91a	Aneurysm	20										1	1	2	5	6	2	3	
91b,c	Other diseases of the arteries	515												2	19	37	115	342	
92	Embolism and thrombosis (not cerebral)	45	2										2	1	6	13	12	8	1
93	Diseases of the veins	23											1	6	4	3	3	6	
94	Diseases of the lymphatic system	4	1													1	2		
95	Hemorrhage without specified cause	1																1	
	V.—Diseases of the respiratory system	2,777	508	129	59	32	15	63	41	40	39	50	68	198	208	263	411	652	1
97a	Diseases of the nasal fossae	2	1		1														
97b	Diseases of the nasal fossae annexa	14					1	3	2			3		2	1	1	1		
98	Diseases of the larynx	25	7	5	3	1	1	4		1					2	1			
99a	Acute bronchitis	98	29	2	1		1	2		2	1			4	3	5	9	39	
99b	Chronic bronchitis	82	2					1			1		1	3	2	10	16	46	
99c,d	Bronchitis (unspecified)	54	13	3	1	1		1								3	5	27	
100a	Broncho-pneumonia	906	294	58	22	11	6	16	9	11	10	9	8	38	42	40	107	224	1
100b	Capillary bronchitis	21	10	2	1			1						1		1	2	3	
101a	Lobar pneumonia	1,275	116	52	26	10	6	27	20	22	25	34	49	133	137	175	212	231	
101b	Pneumonia (unspecified)	137	26	3	1	4		3	5	2	1	2	4	5	7	9	20	45	
102	Pleurisy	60	5	3	3	2		4	5	2	1	1	3	6	8	1	12	4	
103	Congestion and hemorrhagic infarct of the lung	33	3			1									1		11	17	
104	Gangrene of the lung	6														6			
105	Asthma	41		1		1						1		4	4	5	12	13	
106	Pulmonary emphysema	4															2	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	19	2			1		1					3	2	1	6	2	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	VI.—Diseases of the digestive system	2,443	612	99	61	51	28	83	54	57	71	70	83	187	243	260	239	245	
108	Diseases of the mouth and annexa	28	1				1	1	1	1	1	1	3	5	3	6		4	
109b	Other diseases of the pharynx, tonsils	71	1	2	1	2	3	11	8	4	8	6	4	4	8	1	3	5	
110	Diseases of the esophagus	2	1															1	
111a	Ulcer of the stomach	101	2							3	4	2	3	14	17	22	17	17	
111b	Ulcer of the duodenum	39			1		1					3	5	7	8	5	7	2	
112	Other diseases of the stomach (cancer excepted)	125	44	5	1		1	1	1				1	3	9	12	8	39	
113	Diarrhea and enteritis (under 2 years)	591	507	84															
114	Diarrhea and enteritis (2 years and over)	219			47	25	17	11	1	3	3	2	4	17	13	18	19	39	
116	Diseases due to other intestinal parasites	1													1				
117	Appendicitis and typhlitis	431	2	3	6	19	4	51	39	40	40	34	36	55	40	42	18	2	
118a	Hernia	90	2								4	1	2	9	21	13	26	21	
118b	Intestinal obstruction	191	39	4	4	3		3	3	2	5	8	9	11	21	25	26	28	
119	Other diseases of the intestines	25	3	1		1	1					1	1	2	2	2	9	2	
120	Acute yellow atrophy of the liver	12	1								3		1	2	1	2	1	1	
122	Cirrhosis of the liver	197	3							1		2	1	19	39	42	48	42	
123	Biliary calculi	154							1		1	2	5	17	41	32	29	26	
124	Other diseases of the liver	108	1			1		1				4	4	12	16	34	22	13	
125	Diseases of the pancreas	11												5		2	3	1	
126	Peritonitis without specified cause	38	5		1			4		3	2	4	4	5	3	2	3	2	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	2,255	17	6	2	4	3	11	9	24	23	40	50	146	254	345	584	734	3
128	Acute nephritis (including unspecified under 10 years)	91	11	3		1	3	7	3	6	2	2	5	12	13	6	9	8	
129	Chronic nephritis (including unspecified 10 years and over)	1,790		3	1	2		3	6	15	15	28	25	95	198	296	497	604	2
131	Other diseases of the kidneys and annexa	48	4		1	1		1				1	3	6	9	7	7	7	1
132	Calculi of the urinary passages	14										1	1	1	4	3	1	3	
133	Diseases of the bladder	36	1											1	1	3	11	19	
134	Diseases of the urethra, etc	6											1	1	1	1	2		
135	Diseases of the prostate	164										2			1	19	50	92	
136	Nonvenereal diseases of the male genital organs	1	1																
137	Cysts, other benign tumors of the ovary	14									2	3	1	1	2	2	2	1	
138	Salpingitis and pelvic abscess (female)	35								2	4	2	9	13	3	1	1		
139	Benign tumors of the uterus	42										1	2	13	20	3	3		
140	Nonpuerperal uterine hemorrhage	1													1				
141	Other diseases of the female genital organs	12								1			2	3	1	4	1		
142	Nonpuerperal diseases of the breast (cancer excepted)	1											1						
	VIII.—The puerperal state	300								22	66	63	59	88	1				1
143	Accidents of pregnancy	32								2	6	9	9	6					
144	Puerperal hemorrhage	31								1	4	4	7	15					
145	Other accidents of labor	24								1	3	5	6	8					1
146	Puerperal septicemia	92								5	29	23	13	21	1				
147	Puerperal phlegmasia alba dolens, embolus, etc	24									7	2	8	7					
148	Puerperal albuminuria and convulsions	95								13	17	19	16	30					
149	Following childbirth (undefined)	2										1		1					
	IX.—Diseases of the skin and of the cellular tissue	107	17	1	1	1		1		1	1	2	4	8	8	13	21	28	
151	Gangrene	53	1									1		2	4	5	15	25	
152	Furuncle	12	1							1	1		3	2	1	2	1		
153	Acute abscess	23	6	1		1		1				1	1	3	3	3	3		
154	Other diseases of the skin and annexa	19	9		1									1		3	2	3	
	X.—Diseases of the bones and of the organs of locomotion	38		1		3	1	5	5	5	1	3	1	1	2	4	4	2	
155	Diseases of the bones (tuberculosis excepted)	31		1		3	1	4	5	3		3		1	2	4	2	2	
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4								2							2		
157	Amputations	1									1								
158	Other diseases of the organs of locomotion	2						1					1						
	XI.—Malformations	374	353	5	1	1	1	5	2	1	1	2		1	1				
159a	Congenital hydrocephalus	42	35	2	1			2	1						1				
159b	Congenital malformations of the heart	177	168	2			1	2	1	1	1	1							
159c	Other congenital malformations	155	150	1		1		1				1		1					
	XII.—Early infancy	1,716	1,716																
160	Congenital debility, icterus, sclerema	189	189																
161a	Premature birth	1,048	1,048																
161b	Injury at birth	286	286																
162	Other diseases peculiar to early infancy	190	190																
163	Lack of care	3	3																
164	XIII.—Old age (senility)	564															55	507	2

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WISCONSIN—Continued																		
	XIV.—External causes	2,251	37	48	33	34	29	98	90	119	145	123	137	317	266	254	256	262	3
	Suicide	371							2	11	14	28	26	68	77	63	57	24	1
165	By poisons (gas or corrosives excepted)	18								2	1		2	4	5	1	3		
166	By corrosive substances	24								4		6	5	3	3	1	2		
167	By poisonous gas	28							1			1	2	6	7	6	5		
168	By hanging or strangulation	140							1	2	4	7	4	26	26	28	29	13	
169	By drowning	30								1	1	2	1	8	5	5	2	4	1
170	By firearms	93								1	7	9	9	14	22	15	11	5	
171	By cutting or piercing instruments	22								1		1	1	5	4	5	4	1	
172	By jumping from high places	7										2		1	1	2	1		
173	By crushing	6									1		1		3			1	
174	By other means	3											1	1	1				
	Homicide	63	1		1	1		2		2	8	8	9	17	3	6	1	3	1
197	By firearms	42			1					2	5	6	8	12	2	3		2	1
198	By cutting or piercing instruments	6									1	2	1	2					
199	By other means	15	1			1		2			2			3	1	3	1	1	
	Accidental or undefined	1,817	36	48	32	33	29	96	88	106	123	87	102	232	186	185	198	235	1
175	Poisoning by food	13	3			2	3		1	2			1			1			
176	Poisoning by venomous animals	2													1			1	
177	Other acute poisonings (gas excepted)	35	2	10	4	1	1	1	1	1	1		2	3	5	1		2	
178	Conflagration	13					1					1		1		4	5	1	
179	Burns (conflagration excepted)	84	1	11	8	10	4	8	4	5	1	3	3	7	3	3	9	4	
180	Mechanical suffocation	16	11				1						1	1	1	1			
181	Absorption of irrespirable, irritating, or poisonous gas	35	1						1		1	4	1	7	4	5	6	5	
182	Drowning	268	3	16	5	3	2	21	38	38	29	11	12	36	30	10	9	4	1
183	Traumatism by firearms (except in war)	45				1	1	4	4	11	10	3	1	4	4	2			
184	Traumatism by cutting or piercing instruments	16						1	1		2	1		4	2	2	3		
185	Traumatism by fall	380	3	2	1	3		4	3	6	5	3	12	24	30	34	71	179	
186a	Traumatism in mines	6												5	1				
186b	Traumatism in quarries	3									1				1	1			
187	Traumatism by machines	51		1	1		2		1	2	6	3	4	14	4	10	2	1	
188a	Railroad accidents	167	1			2		4	5	11	16	21	17	33	21	17	13	6	
	Collision with automobiles	38	1			1		1	1	4	5	5	5	10	4	1			
	Other railroad accidents	129				1		3	4	7	11	16	12	23	17	16	13	6	
188b	Street-car accidents	29			2			4			1	1	3	5	4	2	5	2	
	Collision with automobiles	4													1	1	2		
	Other street-car accidents	25			2			4			1	1	3	5	3	1	3	2	
188c	Automobile accidents (excluding collision with railroad trains and street cars)	397	1	3	4	5	6	39	20	18	35	19	29	53	47	50	44	24	
188d	Airplane and balloon accidents	3									1		1		1				
188e,f	Injuries by other vehicles	47			1		3	5	3	3	3	4	2	4	3	10	5	1	
188g	Landslide, other crushing	15									2	5		1	4	3			
189	Injuries by animals (not poisoning)	27			3	1	2		1		1	1	2	2		7	6	1	
190	Wounds of war	1										1							
193	Excessive cold	11											1	1		4	5		
194	Excessive heat	6				1							1			2	1	1	
195	Lightning	9								2		1		3	1	1	1		
196	Other accidental electric shocks	14								2	2	3	3	1	1	1		1	
201	Fracture (cause not specified)	4							1					1	1		1		
202	Other external violence	120	10	5	3	4	3	5	4	5	6	2	6	22	17	14	12	2	
	XV.—Ill-defined diseases	53	30	3	2					1	1		2	1	5	5	2	1	
204	Sudden death	5	5																
205a	Ill-defined	8		3						1			1	1	1	1			
205b	Not specified or unknown	40	25		2						1		1		4	4	2	1	
	WYOMING																		
	All causes	1,896	309	62	28	14	13	47	52	67	86	75	107	193	198	229	207	198	11
	I.—Epidemic, endemic, and infectious diseases	233	22	13	8	3	6	14	17	13	16	10	15	24	36	17	12	6	1
1	Typhoid and paratyphoid fever	21		2	1			1	5		1		2	2	4	2	1		
5	Malaria	1												1					
6	Smallpox	1													1				
8	Scarlet fever	12	1	4	2		1	1	3										
9	Whooping cough	5	4	1															
10	Diphtheria	12	1	2	1		2	2	2	1					1				
11a	Influenza (with pulmonary complications)	37	5		1		1	1		3	1	2	1	3	5	6	5	3	
11b	Influenza (other and unspecified)	35	5	4	2	1	1	2	3	3	1	1		2	3	3	1	2	1
16	Dysentery	5	2			1	1	1											
21	Erysipelas	2									1						1		
23	Lethargic encephalitis	1												1					
24	Meningococcus meningitis	4	1		1			1	1										
25	Other epidemic and endemic diseases	6						1						1		3		1	
29	Tetanus	1															1		
30	Mycoses	1											1						
	Tuberculosis (all forms)	71						4	3	4	11	7	11	9	18	2	2		
31	Of the respiratory system	57						1	1	3	11	4	10	8	16	1	2		
32	Of the meninges, central nervous system	7						3	1			1		1	1				
33	Of the intestines, peritoneum	6							1	1		2	1		1				
35	Of the joints	1														1			
38	Syphilis	14	3			1				1	1			4	3	1			
40	Gonococcus infection	1												1					
41	Purulent infection, septicemia	3								1					1		1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	II.—General diseases not included in Class I	168	3			1		1	1	2	4	5	9	22	30	38	27	24	1
	Cancer and other malignant tumors	100								1	2		5	14	14	26	19	19	
43	Of the buccal cavity	3															1	2	
44	Of the stomach, liver	44											3	5	5	14	11	6	
45	Of the peritoneum, intestines, rectum	11												2		4	2	3	
46	Of the female genital organs	19								1	1			5	7	4	1		
47	Of the breast	6											1		1			4	
48	Of the skin	1															1		
49	Of other or unspecified organs	16									1		1	2	1	4	3	4	
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	2										1					1		
51	Acute rheumatic fever	5													2	1		2	
52	Chronic rheumatism, osteoarthritis, gout	3													1	1			1
54	Pellagra	1													1				
57	Diabetes mellitus	21						1			1	2		1	5	6	4	1	
58	Anemia, chlorosis	5												1	2	1	1		
60a	Exophthalmic goiter	5								1		1	1		1		1		
60b	Other diseases of the thyroid gland	2																2	
61	Diseases of the parathyroid glands	1	1																
62	Diseases of the thymus gland	1				1													
65a	Leukemia	4							1		1				1	1			
66	Alcoholism (acute or chronic)	13											2	6	3	2			
67a	Chronic lead poisoning	1											1						
69	Other general diseases	4	2									1					1		
	III.—Diseases of the nervous system and of the organs of special sense	144	8	5				1	2	5	3	1	3	12	19	27	29	29	
70	Encephalitis	3		1							1	1							
71a	Simple meningitis	3	1	1						1									
71b	Nonepidemic cerebrospinal meningitis	5	3					1	1										
72	Tabes dorsalis (locomotor ataxia)	3												1			2		
73	Other diseases of the spinal cord	3		1												1		1	
74a	Cerebral hemorrhage	82								1				3	14	19	19	26	
74b	Cerebral embolism and thrombosis	3		1										1		1			
75	Paralysis without specified cause	12											2	1		2	5	2	
76	General paralysis of the insane	11											1	5	1	3	1		
77	Other forms of mental alienation	1												1					
78	Epilepsy	4								1	1				1	1			
80	Infantile convulsions (under 5 years)	4	3	1															
81	Chorea	2								1					1				
82	Neuralgia and neuritis	1															1		
83	Softening of the brain	1															1		
84	Other diseases of the nervous system	5	1						1	1					2				
86b	Diseases of the mastoid process	1									1								
	IV.—Diseases of the circulatory system	256	6		1			3	4	3	8	1	9	15	27	65	57	55	2
87	Pericarditis	1											1						
88	Endocarditis and myocarditis (acute)	15	1					2		1		1	1	4			2	3	
89	Angina pectoris	20									1			2	1	9	4	2	1
90	Other diseases of the heart	194	3		1			1	4	2	7		5	9	24	53	47	37	1
91a	Aneurysm	4											1			2	1		
91b,c	Other diseases of the arteries	15													1		3	11	
92	Embolism and thrombosis (not cerebral)	2											1					1	
93	Diseases of the veins	3													1	1		1	
94	Diseases of the lymphatic system	2	2																
	V.—Diseases of the respiratory system	150	38	14	5	3	1	2	1	5	6	5	3	12	7	14	15	19	
97a	Diseases of the nasal fossae	2	1															1	
97b	Diseases of the nasal fossae annexa	1														1			
98	Diseases of the larynx	2	1		1														
99a	Acute bronchitis	1		1															
99b	Chronic bronchitis	2								1						1			
99c,d	Bronchitis (unspecified)	5											1				1	3	
100a	Broncho-pneumonia	52	28	4	2	1	1			2	1	1		2	1	2	3	4	
100b	Capillary bronchitis	1	1																
101a	Lobar pneumonia	50	3	5	1	1		2	1	2	5	4	1	9	4	3	5	4	
101b	Pneumonia (unspecified)	14	2	4		1							1		1		1	4	
102	Pleurisy	4	1											1		1	1		
103	Congestion and hemorrhagic infarct of the lung	5			1											1		3	
104	Gangrene of the lung	1														1			
105	Asthma	4														2	2		
107	Other diseases of the respiratory system (tuberculosis excepted)	6	1												1	2	2		
	VI.—Diseases of the digestive system	222	42	14	9	4	3	10	7	10	10	6	14	19	29	15	17	12	1
108	Diseases of the mouth and annexa	3	1								1			1					
109b	Other diseases of the pharynx, tonsils	18	2			1	1	3	3	3	1	1	1	1		1			
111a	Ulcer of the stomach	8										1		3		2	1	1	
111b	Ulcer of the duodenum	3												1		2			
112	Other diseases of the stomach (cancer excepted)	9	3				1						1		1		1	2	
113	Diarrhea and enteritis (under 2 years)	45	32	13															
114	Diarrhea and enteritis (2 years and over)	14			7	2	1					1			1		1	1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	VI.—Diseases of the digestive system—Continued																		
117	Appendicitis and typhlitis	67		1	1			7	4	5	5	2	9	7	13	5	5	2	1
118a	Hernia	5													2		2	1	
118b	Intestinal obstruction	15	3		1	1				1	2		3		4				
119	Other diseases of the intestines	2								1								1	
120	Acute yellow atrophy of the liver	1	1																
122	Cirrhosis of the liver	12													2	3	5	2	
123	Biliary calculi	5												2	1	1	1		
124	Other diseases of the liver	11										1		2	4	1	1	2	
126	Peritonitis without specified cause	4									1			2	1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	110		1					4	3	2	3	4	11	13	18	23	28	
128	Acute nephritis (including unspecified under 10 years)	8		1										1	1	3	1	1	
129	Chronic nephritis (including unspecified 10 years and over)	73							4	2		2	3	8	8	12	14	20	
133	Diseases of the bladder	1														1			
134	Diseases of the urethra, etc.	2											1				1		
135	Diseases of the prostate	13													1	1	4	7	
137	Cysts, other benign tumors of the ovary	3												1			2		
138	Salpingitis and pelvic abscess (female)	3									2			1					
139	Benign tumors of the uterus	3													2		1		
140	Nonpuerperal uterine hemorrhage	1								1									
141	Other diseases of the female genital organs	3										1			1	1			
	VIII.—The puerperal state	46								2	10	12	12	9	1				
143	Accidents of pregnancy	3										2		1					
144	Puerperal hemorrhage	5									1	2		2					
145	Other accidents of labor	6									1		4	1					
146	Puerperal septicemia	18									5	4	5	3	1				
147	Puerperal phlegmasia alba dolens, embolus, etc.	6									1	3	1	1					
148	Puerperal albuminuria and convulsions	8								2	2	1	2	1					
	IX.—Diseases of the skin and of the cellular tissue	7	5															2	
151	Gangrene	1																1	
154	Other diseases of the skin and annexa	6	5															1	
	X.—Diseases of the bones and of the organs of locomotion	3							1			1		1					
155	Diseases of the bones (tuberculosis excepted)	3							1			1		1					
	XI.—Malformations	30	26		1			2	1										
159a	Congenital hydrocephalus	6	5						1										
159b	Congenital malformations of the heart	19	17		1			1											
159c	Other congenital malformations	5	4					1											
	XII.—Early infancy	140	140																
160	Congenital debility, icterus, sclerema	19	19																
161a	Premature birth	94	94																
161b	Injury at birth	16	16																
162	Other diseases peculiar to early infancy	11	11																
164	XIII.—Old age (senility)	28														4	5	19	
	XIV.—External causes	325	7	5	4	3	3	13	12	23	27	30	38	68	33	29	20	4	6
	Suicide	46								2	4	3	3	16	5	7	5		1
165	By poisons (gas or corrosives excepted)	5									1				2	1	1		
166	By corrosive substances	6									3			1	1		1		
168	By hanging or strangulation	6												3		1	2		
169	By drowning	1												1					
170	By firearms	25								2		3	2	9	2	5	1		1
171	By cutting or piercing instruments	3											1	2					
	Homicide	24								1	1	3	4	8	2	3	1		1
197	By firearms	18									1	2	4	7	1	2			1
199	By other means	6								1		1		1	1	1	1		
	Accidental or undefined	255	7	5	4	3	3	13	12	20	22	24	31	44	26	19	14	4	4
175	Poisoning by food	2											1	1					
177	Other acute poisonings (gas excepted)	5									1	1	1		1	1			
178	Conflagration	8		2		1		2				1			1		1		
179	Burns (conflagration excepted)	14		1	1				1		2	1	3	3	1	1			
180	Mechanical suffocation	6	5											1					
181	Absorption of irrespirable, irritating, or poisonous gas	7							1		2	1	2		1				
182	Drowning	19		2	1	1		2	1	3	4	2	1	1	1				
183	Traumatism by firearms (except in war)	17						2	2	3		3	1	4		1	1		
184	Traumatism by cutting or piercing instruments	3										1	1	1					
185	Traumatism by fall	19						1	1	2	1	2	1		3	1	4	3	
186a	Traumatism in mines	17								2	3	1	2	5	3	1			
187	Traumatism by machines	7				1		1	1		1			2				1	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE REGISTRATION AREA AND EACH REGISTRATION STATE: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	WYOMING—Continued																		
	XIV.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
188a	Railroad accidents	17								1	3	2	1	1	3	3			3
	Collision with automobiles	1											1						
	Other railroad accidents	16								1	3	2		1	3	3			3
188c	Automobile accidents (excluding collision with railroad trains and street cars)	67	1		1		1	4	1	5	4	5	10	18	8	5	4		
188e,f	Injuries by other vehicles	7					1					1		1		2	2		
188g	Landslide, other crushing	5							1				1			3			
189	Injuries by animals (not poisoning)	6		1					1	1			2	1					
193	Excessive cold	2												1	1				
194	Excessive heat	1										1							
195	Lightning	5							1	1	1		2						
196	Other accidental electric shocks	3								1		1	1						
201	Fracture (cause not specified)	1														1			
202	Other external violence	17	1				1	1	1	1		1	1	4	3		2		1
	XV.—Ill-defined diseases	34	12	10				1	2	1		1			3	2	2		
204	Sudden death	1															1		
205a	Ill-defined	9	1					1	1			1			3	2			
205b	Not specified or unknown	24	11	10					1	1							1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on Jan. 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BIRMINGHAM, ALA. (WHITE), all causes	1,583	236	50	24	14	15	29	28	59	80	72	68	160	166	193	217	171	1
Typhoid and paratyphoid fever (1)	7						1	2		2			2					
Measles (7)																		
Scarlet fever (8)	5		1			2	2											
Whooping cough (9)	4	2	1	1														
Diphtheria (10)	7	1	2	1	1	1	1											
Influenza (11)	71	4	4		2	1	1		4	4	1	6	8	7	9	7	13	
Meningococcus meningitis (24)	4	1								1			2					
Tuberculosis of the respiratory system (31)	45								5	8	7	5	5	5	6	3	1	
Other forms of tuberculosis (32–37)	19	3	3				2	1	1	4		1	1	2	1			
Cancer and other malignant tumors (43–49)	90						2		1	1	1	2	12	15	18	29	9	
Diabetes mellitus (57)	22						1		1				2	3	7	6	2	
Cerebral hemorrhage and softening (74, 83)	102	1								1	1	2	5	16	22	32	22	
Other [organic] diseases of the heart (90)	114						1	1	1	3	1	2	4	14	28	33	26	
Bronchitis (99)	6		1													2	3	
Broncho-pneumonia (100)	41	10	5	5		1	2	1			1	1		2	3	4	6	
Pneumonia (101)	102	7	3	1		1	1	2	1	5	4	4	20	11	16	16	10	
Diarrhea and enteritis (113, 114)	47	23	14	6	1		2										1	
Appendicitis and typhlitis (117)	65					3	2	5	13	6	4	6	11	6	5	4		
Hernia, intestinal obstruction (118)	21	2	2						1		2	2	1	5	2	3	1	
Cirrhosis of the liver (122)	5													2	2	1		
Nephritis (128, 129)	124				1		1	1	1	3	4	1	18	19	22	33	20	
Diseases of the female genital organs (137–141)	11									2	2	1	4	2				
Puerperal septicemia (146)	14								2	4	5	1	2					
Other puerperal causes (143–145, 147–150)	30								4	6	7	8	5					
Suicide (165–174)	26								2	3	5	3	5	2	5	1		
Homicide (197–200)	22								2	1	3	4	7	4	1			
Automobile accidents [1] (188c)	27			1		1	4	5		1	4		4	3	2	1	1	
Automobile and railroad-train collision (part 188a)	2								1					1				
Automobile and street-car collision (part 188b)	3										1	1		1				
Other external causes (inclusions, see Table 5)	92	4	3	4	3	2	3	3	9	14	4	3	9	7	9	3	12	
All other causes	455	178	11	5	6	3	3	7	10	11	15	15	33	39	35	39	44	1
BIRMINGHAM, ALA. (COLORED), all causes	1,921	270	42	15	7	11	28	34	109	168	160	138	283	305	186	105	60	
Typhoid and paratyphoid fever (1)	12						3	2	1	1	1	3	1					
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	13	7	3	1	1	1												
Diphtheria (10)	5	3	1			1												
Influenza (11)	86	4	1			1	1	5	5	6	6	4	10	23	10	5	5	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	189		1			1	1	5	23	42	31	29	36	14	3	3		
Other forms of tuberculosis (32–37)	35	1	1	1			2		6	7	4	4	8		1			
Cancer and other malignant tumors (43–49)	43								1		1	1	11	18	9	1	1	
Diabetes mellitus (57)	13							1		1	1	1	2	4	2	1		
Cerebral hemorrhage and softening (74, 83)	76								1		1	3	2	25	25	12	7	
Other [organic] diseases of the heart (90)	164						1	1	1	6	4	5	21	58	31	23	13	
Bronchitis (99)	4		1				1							1			1	
Broncho-pneumonia (100)	48	23	5	1	2	1	1		2	4		1	3	2	1	2		
Pneumonia (101)	210	16	7	1	1	1	3	2	18	23	27	18	42	24	19	6	2	
Diarrhea and enteritis (113, 114)	43	25	10	1		1			1			1			2		2	
Appendicitis and typhlitis (117)	31						1	2	5	4	6	2	8	2	1			
Hernia, intestinal obstruction (118)	19	1							2	1		4	3	6	2			
Cirrhosis of the liver (122)	5										1		2	2				
Nephritis (128, 129)	99			1			2		4	2	4	4	21	22	16	17	6	
Diseases of the female genital organs (137–141)	13								2	1	1	1	6	2				
Puerperal septicemia (146)	10								3	3	3		1					
Other puerperal causes (143–145, 147–150)	15							1	2	5	3	3	1					
Suicide (165–174)	2										1					1		
Homicide (197–200)	93						1	1	6	20	26	15	18	4	2			
Automobile accidents [1] (188c)	24						3			5	5	1	3	5	1		1	
Automobile and railroad-train collision (part 188a)	1							1										
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	89	4	4	1	3	3	1		6	9	11	10	15	10	5	6	1	
All other causes	578	186	7	8		1	7	13	20	28	23	28	69	83	56	28	21	
LOS ANGELES, CALIF. (WHITE), all causes	10,781	1,154	189	88	64	62	156	120	206	341	397	420	1,078	1,339	1,603	1,886	1,678	
Typhoid and paratyphoid fever (1)	16							1	3	3		1	3	3	1	1		
Measles (7)	12	4	2	2			2	1		1								
Scarlet fever (8)	13		2	1	1	1	5			1		1	1					
Whooping cough (9)	95	61	14	6	5	3	5							1				
Diphtheria (10)	76	8	16	9	6	8	18	5		2			2		2			
Influenza (11)	98	8	4	2			2	2	1	4	3	5	9	14	11	15	18	
Meningococcus meningitis (24)	10	3	1			1	1	1		2			1					
Tuberculosis of the respiratory system (31)	918	7	6	2	4	3	12	19	55	110	121	107	190	138	81	50	13	
Other forms of tuberculosis (32–37)	162	22	14	12	7	6	13	4	9	15	14	8	13	11	8	4	2	
Cancer and other malignant tumors (43–49)	1,152	1	1				1	1	3	3	14	22	124	226	298	311	147	
Diabetes mellitus (57)	175			1	1	1	1	2	4		1	3	12	24	42	54	29	
Cerebral hemorrhage and softening (74, 83)	623	1							1	1	3	4	24	68	106	188	227	
Other [organic] diseases of the heart (90)	1,517	1	1	1	1		4	11	5	14	14	28	79	187	278	442	451	
Bronchitis (99)	60	16	3	2	1			2		1	1			2	4	12	16	
Broncho-pneumonia (100)	366	133	40	17	5	3	4	1	4	2	7	7	17	14	22	33	57	
Pneumonia (101)	306	17	11	2	1	4	2	9	6	13	13	16	50	28	47	46	41	
Diarrhea and enteritis (113, 114)	250	169	29	6	5	3	4			1	2	1	6	7	7	7	3	
Appendicitis and typhlitis (117)	144	1	1	1		2	5	8	14	4	15	16	26	24	18	6	3	
Hernia, intestinal obstruction (118)	120	7	1			1			1	3	6	9	9	25	21	26	11	
Cirrhosis of the liver (122)	80											4	11	20	20	13	12	
Nephritis (128, 129)	866	7			2		1	4	12	14	16	17	56	106	201	240	190	
Diseases of the female genital organs (137–141)	72							1	1	6	7	5	18	21	9	4		
Puerperal septicemia (146)	43								4	14	14	5	6					
Other puerperal causes (143–145, 147–150)	66								6	12	16	9	22	1				
Suicide (165–174)	254								5	17	22	27	57	48	46	21	11	
Homicide (197–200)	64	1		1				1	5	13	9	11	8	7	5	3		
Automobile accidents [1] (188c)	246	2	5	1	3	7	16	11	8	14	16	22	40	31	25	28	17	
Automobile and railroad-train collision (part 188a)	6									2	2	1				1		
Automobile and street-car collision (part 188b)	10		1							2	1	1	1	1	2	1		
Other external causes (inclusions, see Table 5)	433	15	10	5	7	4	11	11	22	27	26	16	54	48	38	44	95	
All other causes	2,528	670	27	17	15	15	40	25	37	40	54	74	239	284	311	336	335	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOS ANGELES, CALIF. (COLORED), all causes	694	92	30	10	9	11	10	9	17	34	41	57	105	111	94	41	23	
Typhoid and paratyphoid fever (1)	1									1								
Measles (7)	1				1													
Scarlet fever (8)																		
Whooping cough (9)	9	7	2															
Diphtheria (10)	3		1			2												
Influenza (11)	6		1		1								2	2				
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	111		3		1			4	7	19	16	19	22	9	10	1		
Other forms of tuberculosis (32-37)	13	2	3	1	1		1			1	1	1	1	1				
Cancer and other malignant tumors (43-49)	44												16	12	15	1		
Diabetes mellitus (57)	10													6	1	2	1	
Cerebral hemorrhage and softening (74, 83)	28											1	3	4	7	9	4	
Other [organic] diseases of the heart (90)	49								2			2	10	17	11	5	2	
Bronchitis (99)	6	2										1	1				2	
Broncho-pneumonia (100)	23	11	7							1			1	2	1			
Pneumonia (101)	31	3	3	1					1		1	4	5	7	4	1	1	
Diarrhea and enteritis (113, 114)	25	8	6	4	1	3				1		1		1				
Appendicitis and typhlitis (117)	9					1		2	1	1	1	1		1	1			
Hernia, intestinal obstruction (118)	10				1			1				2	3		3			
Cirrhosis of the liver (122)	5													2	1	2		
Nephritis (128, 129)	59	2				1	1			1	2	3	6	10	17	9	7	
Diseases of the female genital organs (137-141)	5											1	2	2				
Puerperal septicemia (146)	8								3	2	1		2					
Other puerperal causes (143-145, 147-150)	3										1	2						
Suicide (165-174)	9										1	3	1	2	1		1	
Homicide (197-200)	17	1									3	6	4	2	1			
Automobile accidents [1] (188c)	12				1		2				2	1	1	3	1	1		
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)	2										1		1					
Other external causes (inclusions, see Table 5)	19	1				2	2	2	2	2		1		1	4	2		
All other causes	174	55	3	4	2	2	4		1	5	11	7	24	27	16	8	5	
OAKLAND, CALIF., all causes	2,586	237	36	24	20	13	35	25	51	53	72	72	184	324	440	495	504	1
Typhoid and paratyphoid fever (1)	3						1				1	1						
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	21	13	6		2													
Diphtheria (10)	13			4	1	1	3	3	1									
Influenza (11)	39	4	3			1	2	1	2	2	2		4	5	6	2	5	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	141	2		3		1		1	15	16	17	14	21	24	17	8	2	
Other forms of tuberculosis (32-37)	18	3	1				2	1	2	1	2	1	2		1	1	1	
Cancer and other malignant tumors (43-49)	289				1	1			1		1	9	20	48	84	83	41	
Diabetes mellitus (57)	48			1	1								3	6	14	16	7	
Cerebral hemorrhage and softening (74, 83)	214			1							1	1	2	24	36	70	79	
Other [organic] diseases of the heart (90)	524						2	1	5	2	3	5	21	68	108	135	174	
Bronchitis (99)	19		1				1			1					1	3	12	
Broncho-pneumonia (100)	79	35	11	3	2		2	1	1	2				3	1	9	9	
Pneumonia (101)	76	9	3	1	2	2			2		4	3	10	11	11	11	7	
Diarrhea and enteritis (113, 114)	43	26	3	3	3	1	1						1		2	1	2	
Appendicitis and typhlitis (117)	32				1		1	2	1	6	2	1	2	7	7		2	
Hernia, intestinal obstruction (118)	19	1		1						1		1	2	2	2	4	5	
Cirrhosis of the liver (122)	19												4	3	4	5	3	
Nephritis (128, 129)	205	1			1			2	3	1	5	3	13	32	41	47	56	
Diseases of the female genital organs (137-141)	17									2	1	1	6	5		1	1	
Puerperal septicemia (146)	8								2	2	1	2	1					
Other puerperal causes (143-145, 147-150)	13								1	5	2	2	3					
Suicide (165-174)	69								1	2	5	8	15	16	15	7		
Homicide (197-200)	10	1								1	1	2	1	2	1		1	
Automobile accidents [1] (188c)	44					1	6	1	1	1	4	2	3	7	5	7	6	
Automobile and railroad-train collision (part 188a)	3								1		1			1				
Automobile and street-car collision (part 188b)	3												2			1		
Other external causes (inclusions, see Table 5)	100	2	1	2	1	1	6	6	6	5	6	7	11	15	11	11	9	
All other causes	515	140	6	4	5	4	8	6	6	3	13	9	37	45	73	73	82	1
SAN FRANCISCO, CALIF., all causes	7,397	479	72	43	29	17	65	67	103	181	226	300	850	1,170	1,400	1,294	1,100	1
Typhoid and paratyphoid fever (1)	12							1	4	2	2	1	1	1				
Measles (7)	1	1																
Scarlet fever (8)	7				1	1	1	1		1	1			1				
Whooping cough (9)	29	20	7	2														
Diphtheria (10)	37	1	2	4	3	2	13	5		2	2		2		1			
Influenza (11)	51	5						1		3	2	5	11	6	6	6	6	
Meningococcus meningitis (24)	9	2	2				2	1		1					1			
Tuberculosis of the respiratory system (31)	560	4	3	2	1		2	3	23	47	65	51	132	104	75	41	7	
Other forms of tuberculosis (32-37)	84	6	8		5	3	5	8	3	5	8	3	10	7	10	3		
Cancer and other malignant tumors (43-49)	905		1	1					2	4	6	19	110	196	263	197	105	1
Diabetes mellitus (57)	120						1		1			1	9	21	43	30	14	
Cerebral hemorrhage and softening (74, 83)	456	3			1			1	1	1		3	18	53	128	141	106	
Other [organic] diseases of the heart (90)	1,417	1			1	1		5	8	8	12	13	81	182	299	372	434	
Bronchitis (99)	29	2	1		1						1		2	2	1	5	14	
Broncho-pneumonia (100)	268	79	21	4	2	2	4	2	2	3	4	8	26	19	23	35	34	
Pneumonia (101)	319	13	4	4		1	4	1	11	8	12	21	47	64	52	47	30	
Diarrhea and enteritis (113, 114)	41	20	7				1		2			2	3	1	3	1	1	
Appendicitis and typhlitis (117)	112			2	1	2	4	5	7	12	8	10	25	16	12	6	2	
Hernia, intestinal obstruction (118)	77	9							1	2	2	3	8	14	20	10	8	
Cirrhosis of the liver (122)	83											4	15	27	22	12	3	
Nephritis (128, 129)	590	1		1				2	2	8	8	19	55	91	126	131	146	
Diseases of the female genital organs (137-141)	52									3	6	5	15	17	3	2	1	
Puerperal septicemia (146)	21								3	5	4	5	4					
Other puerperal causes (143-145, 147-150)	35								2	7	8	8	10					
Suicide (165-174)	195								3	5	12	17	57	44	31	21	5	
Homicide (197-200)	36						1			4	2	10	11	6	1	1		
Automobile accidents [1] (188c)	105			2			5	3	6	5	2	6	12	24	20	12	8	
Automobile and railroad-train collision (part 188a)	2											2						
Automobile and street-car collision (part 188b)	9							1	2		1	2	2			1		
Other external causes (inclusions, see Table 5)	328	8	3	6	3	1	4	6	7	16	18	24	47	59	42	37	47	
All other causes	1,407	304	13	15	10	4	18	21	13	29	40	58	137	215	218	183	129	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DENVER, COLO., all causes	4,136	464	63	41	26	19	82	56	107	146	201	204	407	473	589	693	565	
Typhoid and paratyphoid fever (1)	14		1		1					2	2	1	6	1				
Measles (7)	3	2					1											
Scarlet fever (8)	6					1	1	3	1									
Whooping cough (9)	17	10	2	1	1													
Diphtheria (10)	45	1	2	4	6	2	18	7	1		1		2		1			
Influenza (11)	156	17	9	2	4	2	3	4	1	5	6	8	13	20	20	20	22	
Meningococcus meningitis (24)	6	4						1						1				
Tuberculosis of the respiratory system (31)	488			1			2	2	27	56	88	92	108	53	42	16	1	
Other forms of tuberculosis (32–37)	41	2	2	2	4		5			3	5	2	6	6	2	1	1	
Cancer and other malignant tumors (43–49)	339						1	1		2	3	8	28	59	99	97	41	
Diabetes mellitus (57)	39						1	1		1			2	5	5	16	8	
Cerebral hemorrhage and softening (74, 83)	273						1		1		2		8	24	57	94	86	
Other [organic] diseases of the heart (90)	447	2	1		1	1	6	5	4	5	5	9	31	62	89	110	116	
Bronchitis (99)	11	1											1	2	1	2	4	
Broncho-pneumonia (100)	128	44	9	5	2		3	1	2			4	3	6	10	18	21	
Pneumonia (101)	277	19	6	6	1	2	3	4	6	7	8	13	26	40	46	47	43	
Diarrhea and enteritis (113, 114)	136	94	16	5	1	2	1	1			1			2	3	2	8	
Appendicitis and typhlitis (117)	89			2	1	1	8	2	12	8	8	2	13	13	9	9	1	
Hernia, intestinal obstruction (118)	45	2	1	1					2		3	3	7	9	10	4	3	
Cirrhosis of the liver (122)	9							1					2			3	3	
Nephritis (128, 129)	244			1			1	1	5	2	4	6	11	31	55	67	60	
Diseases of the female genital organs (137–141)	34								1	1	7	3	11	6	4	1		
Puerperal septicemia (146)	26								2	8	5	6	5					
Other puerperal causes (143–145, 147–150)	31								5	8	8	5	5					
Suicide (165–174)	82								5	6	8	7	20	17	10	6	3	
Homicide (197–200)	19		1		1				1	5	3	2	2	3		1		
Automobile accidents [1] (188c)	37						6	1	5	4	1	1	5	5	2	6	1	
Automobile and railroad-train collision (part 188a)	3									1	1		1					
Automobile and street-car collision (part 188b)	3						1						1			1		
Other external causes (inclusions, see Table 5)	122	4	6	3	2	4	5	4	7	6	7	4	16	9	11	17	17	
All other causes	966	262	7	5	1	4	15	17	19	16	25	28	74	99	112	156	126	
BRIDGEPORT, CONN., all causes	1,541	164	32	16	10	11	47	20	25	40	24	57	124	226	285	244	216	
Typhoid and paratyphoid fever (1)	4											1		1	1	1		
Measles (7)	6	1	3		1	1												
Scarlet fever (8)	5		1	1			2			1								
Whooping cough (9)	7	3	3		1													
Diphtheria (10)	20	1	3	1		3	10						1	1				
Influenza (11)	30	5	1	2	1			2	1	2		2	1	5	2	3	3	
Meningococcus meningitis (24)	3		1				2											
Tuberculosis of the respiratory system (31)	76						1		8	5	5	14	10	19	9	2	3	
Other forms of tuberculosis (32–37)	17		1	4			1		2	2	1	1	2	1	1	1		
Cancer and other malignant tumors (43–49)	166						1				1	1	15	44	49	41	14	
Diabetes mellitus (57)	28												1	5	11	8	3	
Cerebral hemorrhage and softening (74, 83)	92									1			6	17	21	23	24	
Other [organic] diseases of the heart (90)	274				1	1	1	3		3	1	7	11	43	64	55	84	
Bronchitis (99)	6	1	1										1	1			2	
Broncho-pneumonia (100)	58	21	7	1	1	2		1		1	1	1	1	6	2	6	7	
Pneumonia (101)	93	6	6	1	1	1	4	4	2	3	1	3	10	11	19	13	8	
Diarrhea and enteritis (113, 114)	21	15	1	1			1						1		1		1	
Appendicitis and typhlitis (117)	12							3		1	1	3	3		1			
Hernia, intestinal obstruction (118)	14										1			2	3	4	4	
Cirrhosis of the liver (122)	6													2	4			
Nephritis (128, 129)	150	1		1					2	6	2	3	9	20	40	43	23	
Diseases of the female genital organs (137–141)	3										1		1	1				
Puerperal septicemia (146)	7									1	2	1	3					
Other puerperal causes (143–145, 147–150)	5									3		2						
Suicide (165–174)	21										1	2	7	8	1	1	1	
Homicide (197–200)	7									2	1		3		1			
Automobile accidents [1] (188c)	26				1		8	2			1	3	4	1	4	2		
Automobile and railroad-train collision (part 188a)	2													2				
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	74	1	3	1	1	1	5	3	1	3	2	6	11	11	12	6	7	
All other causes	307	109	1	3	2	2	11	2	9	6	1	7	23	25	39	35	32	
HARTFORD, CONN., all causes	2,051	284	55	23	9	13	43	39	36	57	58	65	191	251	335	307	285	
Typhoid and paratyphoid fever (1)	8			1				1	1		1	1	2	1				
Measles (7)																		
Scarlet fever (8)	4		1			2							1					
Whooping cough (9)	7	5	1				1											
Diphtheria (10)	17	1		6	1		3	3			1		2					
Influenza (11)	24	5	2	1	1						1	1	1	2	4	2	4	
Meningococcus meningitis (24)	3	1						1					1					
Tuberculosis of the respiratory system (31)	73	1						1	9	13	12	7	10	8	8	4		
Other forms of tuberculosis (32–37)	22	6		1	1	1	1	1		1	1		3	3	2	1		
Cancer and other malignant tumors (43–49)	222	1				1			1			2	25	46	67	44	35	
Diabetes mellitus (57)	42			1						1		1	1	7	11	13	7	
Cerebral hemorrhage and softening (74, 83)	103	2										2	1	16	27	30	25	
Other [organic] diseases of the heart (90)	325						2	3	3	3		2	17	43	74	82	96	
Bronchitis (99)	13	2	2	1							1				2	3	2	
Broncho-pneumonia (100)	98	34	19	2			5				1	1	5	6	6	10	9	
Pneumonia (101)	106	2	3					1	4	4	4	6	23	19	13	16	11	
Diarrhea and enteritis (113, 114)	59	43	8		3		1			1				1	1		1	
Appendicitis and typhlitis (117)	44						4	4	5	6	4	6	7	5	1	1	1	
Hernia, intestinal obstruction (118)	20		2				1					3	2	6	4	2		
Cirrhosis of the liver (122)	10								1					1	3	2	3	
Nephritis (128, 129)	142						2		1	2		3	9	19	38	37	31	
Diseases of the female genital organs (137–141)	15										2	1	3	7	2			
Puerperal septicemia (146)	8									2	1	1	4					
Other puerperal causes (143–145, 147–150)	18									3	3	2	5					
Suicide (165–174)	14								1		1	1	2	3	5		1	
Homicide (197–200)	3	2								1								
Automobile accidents [1] (188c)	53				1	2	8	5	4	4	3	2	3	3	9	8	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2										1	1						
Other external causes (inclusions, see Table 5)	116	7	8	5	2	4	1	5	3	2	3	3	19	10	13	12	19	
All other causes	480	172	9	5		3	14	14	3	14	13	19	45	45	45	40	39	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW HAVEN, CONN., all causes	2,171	252	44	25	22	8	48	26	30	43	53	56	180	284	336	388	376	
Typhoid and paratyphoid fever (1)	3										1	1	1					
Measles (7)	7	1	1	1	3		1											
Scarlet fever (8)	6		1	1	1		2			1								
Whooping cough (9)	18	6	8	3	1													
Diphtheria (10)	9	1	2		2	1		2		1								
Influenza (11)	40	7	2	1							2	1	2	2	5	10	8	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	68	1							3	4	7	9	14	22	4	3	1	
Other forms of tuberculosis (32–37)	17	1	2		1		1	1	1		2	2	3	2	1			
Cancer and other malignant tumors (43–49)	224									1	2	3	16	53	59	53	37	
Diabetes mellitus (57)	50											2	3	5	18	19	3	
Cerebral hemorrhage and softening (74, 83)	180	3									1	1	6	26	31	62	50	
Other [organic] diseases of the heart (90)	302		1	1			5	2	2	3	4	4	14	36	63	73	94	
Bronchitis (99)	14	6	1			1								2			4	
Broncho-pneumonia (100)	85	20	11	3			1	3		2	1		10	3	6	10	15	
Pneumonia (101)	115	11	2	2	3		3	1	2	8	3	4	12	18	15	21	10	
Diarrhea and enteritis (113, 114)	45	31	4		1		2			1					2	3	1	
Appendicitis and typhlitis (117)	29		1				5	3	2	2	3	2	5	3	3			
Hernia, intestinal obstruction (118)	29	2	1			1	1				1		2	7	7	3	4	
Cirrhosis of the liver (122)	13										1	1		1	6	3	1	
Nephritis (128, 129)	189					1		1		1			13	26	29	52	66	
Diseases of the female genital organs (137–141)	12											1	5	2	3	1		
Puerperal septicemia (146)	6								1	2	1	1	1					
Other puerperal causes (143–145, 147–150)	13									1	2	7	3					
Suicide (165–174)	25									1	2	2	7	7	2	2	2	
Homicide (197–200)	7	1			1		1	1		1	1			1				
Automobile accidents [1] (188c)	40	1				1	8	4	3	2	3		6	2	5	2	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	91	2	3	4	3		3	4	6	2	5	4	10	8	4	21	12	
All other causes	533	158	5	8	6	3	14	4	10	10	11	11	47	58	73	50	65	
WILMINGTON, DEL., all causes	1,435	204	44	18	13	6	35	22	16	46	44	41	133	167	202	214	230	
Typhoid and paratyphoid fever (1)	7						1		1	1		3	1					
Measles (7)	4	2	2															
Scarlet fever (8)	1						1											
Whooping cough (9)	3	1	2															
Diphtheria (10)	25	2	7	3	3	2	8											
Influenza (11)	17	2											2	3	4	5	1	
Meningococcus meningitis (24)	1											1						
Tuberculosis of the respiratory system (31)	70	1	1		1			1	5	7	13	10	12	9	7	1	2	
Other forms of tuberculosis (32–37)	20	1	1	2	1		2	1	1	2		1	4	3	1			
Cancer and other malignant tumors (43–49)	109											1	12	25	27	23	21	
Diabetes mellitus (57)	26	1								1	1	1	3	6	4	6	3	
Cerebral hemorrhage and softening (74, 83)	117		1				1						4	20	23	38	30	
Other [organic] iseases of the heart (90)	214	1	1				1	2	1	2	3	1	11	28	40	53	70	
Bronchitis (99)	8	3	1													1	3	
Broncho-pneumonia (100)	42	20	4	4	1							1	1	3	1	2	5	
Pneumonia (101)	72	6	3	2	1			3		3	5	5	14	6	9	10	5	
Diarrhea and enteritis (113, 114)	77	55	10	2	1		2	1			1			2		2	1	
Appendicitis and typhlitis (117)	10		1				2			2		1	2	1	1			
Hernia, intestinal obstruction (118)	24	4		2			1		1		3		2	4	2	1	4	
Cirrhosis of the liver (122)	10												2	2	3	2	1	
Nephritis (128, 129)	146	1	3					2		2	1	2	13	17	31	41	33	
Diseases of the female genital organs (137–141)	10									2	1	1	5		1			
Puerperal septicemia (146)	15									6	5	2	2					
Other puerperal causes (143–145, 147–150)	9								1	3	1		4					
Suicide (165–174)	13								1	2		3	5	1	1			
Homicide (197–200)	4	2											1	1				
Automobile accidents [1] (188c)	21					1	2	4		2	1		2	4	4	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	81	1	2		3	2	6	3	3	4	1	1	11	8	15	7	14	
All other causes	279	101	5	3	2	1	8	5	2	7	8	7	20	24	28	21	37	
WASHINGTON, D. C. (WHITE), all causes	4,293	419	51	23	19	16	57	32	64	93	118	139	332	528	732	813	857	
Typhoid and paratyphoid fever (1)	12						2	2	1	2		1	2	1		1		
Measles (7)	1						1											
Scarlet fever (8)	4				1	2	1											
Whooping cough (9)	9	5	3		1													
Diphtheria (10)	24		2	3	5	1	9		1			1	1		1			
Influenza (11)	33	7	1	1			1		1	2	2	2	4	1	2	4	5	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	189	1		1	1		1	2	5	17	29	21	33	32	19	18	9	
Other forms of tuberculosis (32–37)	25	3	3		1	1				2	2		3	4	1	3	2	
Cancer and other malignant tumors (43–49)	455					1			2	2	7	10	33	92	112	120	76	
Diabetes mellitus (57)	78			1						2		1	6	9	28	24	7	
Cerebral hemorrhage and softening (74, 83)	314		1							2		2	6	18	72	101	112	
Other [organic] diseases of the heart (90)	745				1		2	3	7	1	4	6	26	84	163	208	240	
Bronchitis (99)	22	3		1				1			2			3		3	9	
Broncho-pneumonia (100)	114	30	7	3	1	1	1		1	1	1	3	2	7	11	14	31	
Pneumonia (101)	121	3	5		1			3	1	4	3	10	7	19	23	24	18	
Diarrhea and enteritis (113, 114)	100	66	15	3		3	1				1		4	1	1	1	4	
Appendicitis and typhlitis (117)	68					1	6	5	4	8	3	7	14	11	4	4	1	
Hernia, intestinal obstruction (118)	49	1			1		2		1		2	3	6	5	9	9	10	
Cirrhosis of the liver (122)	33										1		3	6	11	4	8	
Nephritis (128, 129)	442	1	1					1	2		11	7	18	55	103	110	133	
Diseases of the female genital organs (137–141)	22								1	3	1	2	6	4	1	2	2	
Puerperal septicemia (146)	11								3	2	3		2	1				
Other puerperal causes (143–145, 147–150)	27									5	8	7	7					
Suicide (165–174)	67								2	4	4	11	18	13	8	6	1	
Homicide (197–200)	14							2	1	2	1		2	4	1	1		
Automobile accidents [1] (188c)	65			1		2	8	2	6	2	5	3	5	10	10	9	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	4								1		2				1			
Other external causes (inclusions, see Table 5)	168	2	2	1		1	9	2	8	12	5	4	25	21	20	19	37	
All other causes	1,076	297	10	8	6	3	13	9	16	20	21	38	99	127	131	128	150	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WASHINGTON, D. C. (COLORED), all causes	2,722	377	64	29	21	16	36	40	84	156	151	157	414	436	338	252	151	
Typhoid and paratyphoid fever (1)	13						1		3	2	2	3	1	1				
Measles (7)	3		1				1		1									
Scarlet fever (8)	1									1								
Whooping cough (9)	20	13	4	3														
Diphtheria (10)	13	1		2	1	2	4			1	1			1				
Influenza (11)	27	3						1		1	1	2	7	5	4	1	2	
Meningococcus meningitis (24)	1			1														
Tuberculosis of the respiratory system (31)	300	3	3	1	3		4	4	27	47	39	33	76	34	17	7	2	
Other forms of tuberculosis (32–37)	54	6	6	2	5	3	2	3	3	9	5	3	3	2	2			
Cancer and other malignant tumors (43–49)	130									2		7	24	44	33	14	6	
Diabetes mellitus (57)	26									2	1	3	4	7	5	3	1	
Cerebral hemorrhage and softening (74, 83)	171					1				1	2	5	24	42	51	33	12	
Other [organic] diseases of the heart (90)	420		1		1			3	4	2	6	10	55	111	104	76	47	
Bronchitis (99)	16	4	2							1		1	1	1	1	2	3	
Broncho-pneumonia (100)	155	71	18	8	4	1	3		1	3	2	2	12	9	4	13	4	
Pneumonia (101)	104	7	5				2	4	5	6	10	7	18	20	13	6	1	
Diarrhea and enteritis (113, 114)	105	70	16	4	2	1		1		1			3	4	2	1		
Appendicitis and typhlitis (117)	18					1	1	2	3	4	2		3	2				
Hernia, intestinal obstruction (118)	30	2							1	1	1	4	8	5	3	5		
Cirrhosis of the liver (122)	12												5	2	4	1		
Nephritis (128, 129)	230			2		1	1	1	3	6	6	9	28	50	56	45	22	
Diseases of the female genital organs (137–141)	25								1	4	4	3	9	1	2	1		
Puerperal septicemia (146)	26							1	4	7	4	5	5					
Other puerperal causes (143–145, 147–150)	15								2	3	4	3	3					
Suicide (165–174)	5									1		1	3					
Homicide (197–200)	47								4	16	11	7	7	2				
Automobile accidents [1] (188c)	23						2	2	3	2	1		4	2	5	2		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1										1							
Other external causes (inclusions, see Table 5)	85	4	1	3	2	4	5	7	4	8	7	3	11	14	4	5	3	
All other causes	646	193	7	3	3	2	10	11	15	25	41	46	100	77	28	37	48	
ATLANTA, GA. (WHITE), all causes	1,979	278	45	22	25	8	24	31	50	76	76	88	192	265	242	296	260	1
Typhoid and paratyphoid fever (1)	17			1		2		2	7	1			3			1		
Measles (7)	1		1															
Scarlet fever (8)																		
Whooping cough (9)	20	8	9	1	2													
Diphtheria (10)	11		2	3	4		1							1				
Influenza (11)	51	11		1	3		1		1	4	1	1	2	8	5	6	7	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	83	1	1						4	8	9	9	15	13	15	4	4	
Other forms of tuberculosis (32–37)	11	1		1	1		1	1		1	1		3	1				
Cancer and other malignant tumors (43–49)	162			1	1				1	1	3	7	23	37	36	41	11	
Diabetes mellitus (57)	29						1			1			3	3	10	7	4	
Cerebral hemorrhage and softening (74, 83)	111				1					2	1		4	15	22	35	31	
Other [organic] diseases of the heart (90)	175		1					1		4		1	11	37	29	40	51	
Bronchitis (99)	4	2														1	1	
Broncho-pneumonia (100)	53	20	3	5	1	1			1	1	1		1	4	1	3	11	
Pneumonia (101)	89	16	5	1			1	1	2	1	1	6	9	15	6	17	8	
Diarrhea and enteritis (113, 114)	45	23	11	3									1		3	2	2	
Appendicitis and typhlitis (117)	45				2		1	7	4	5	6	4	9	3	2	2		
Hernia, intestinal obstruction (118)	28		1					1			2	1	4	8	5	3	3	
Cirrhosis of the liver (122)	16											1	2	4	2	6	1	
Nephritis (128, 129)	229								4	3	2	4	14	24	43	66	69	
Diseases of the female genital organs (137–141)	14									4		3	2	5				
Puerperal septicemia (146)	17								4	6	2	3	2					
Other puerperal causes (143–145, 147–150)	34									8	8	7	11					
Suicide (165–174)	36								2	1	5	9	7	8	3		1	
Homicide (197–200)	18								2	5	5	2	3		1			
Automobile accidents [1] (188c)	54			1			3	3	4	5	3	3	10	6	4	7	5	
Automobile and railroad-train collision (part 188a)	1				1													
Automobile and street-car collision (part 188b)	2													2				
Other external causes (inclusions, see Table 5)	97	8	2		2	1	5	4	3	1	8	6	15	10	11	9	12	
All other causes	525	188	9	4	7	4	9	11	11	14	18	21	38	61	44	46	39	1
ATLANTA, GA. (COLORED), all causes	1,940	286	61	29	23	12	28	32	103	180	158	120	314	288	191	70	44	1
Typhoid and paratyphoid fever (1)	37	2	1	1	1		5	4	5	8	4		4	2				
Measles (7)																		
Scarlet fever (8)	1			1														
Whooping cough (9)	23	11	6		1	3	2											
Diphtheria (10)	2				2													
Influenza (11)	73	3	4	3	4			1	6	7	6	4	12	12	8	2	1	
Meningococcus meningitis (24)	2					1				1								
Tuberculosis of the respiratory system (31)	130				1	3		5	19	33	20	11	19	16		2	1	
Other forms of tuberculosis (32–37)	34		2	2	1		4	3	4	6	2	4	5	1				
Cancer and other malignant tumors (43–49)	51											2	21	16	5	5	2	
Diabetes mellitus (57)	10					1					1	1	2		3	1	1	
Cerebral hemorrhage and softening (74, 83)	136									6	9	6	25	43	29	12	6	
Other [organic] diseases of the heart (90)	172						1	2	2	7	6	11	33	61	32	11	6	
Bronchitis (99)	10	2	1								2		2		3			
Broncho-pneumonia (100)	86	36	16	7	2	1	3	2	1	3	5	1	5	1	2		1	
Pneumonia (101)	151	15	5	1	3		1	2	16	23	18	15	20	15	13	3	1	
Diarrhea and enteritis (113, 114)	61	33	15	1	3		2			1			5	1				
Appendicitis and typhlitis (117)	28	1						2	3	7	4	2	4	4	1			
Hernia, intestinal obstruction (118)	27	2				1			3	2	3	2	5	4	1	3	1	
Cirrhosis of the liver (122)	11										1	1	3	3	1	1	1	
Nephritis (128, 129)	181		1					2	2	6	7	10	39	47	47	10	9	1
Diseases of the female genital organs (137–141)	33								3	5	7	4	10	4				
Puerperal septicemia (146)	25							1	9	10	1	2	2					
Other puerperal causes (143–145, 147–150)	17								4	4	6	2	1					
Suicide (165–174)	3												1	1	1			
Homicide (197–200)	77							1	6	18	21	14	12	5				
Automobile accidents [1] (188c)	11						2	1	2		2			2	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	82	10	1	7	4	2	3	3	3	9	4	6	13	5	5	4	3	
All other causes	466	171	9	6	1		5	3	15	24	29	22	71	45	39	15	11	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CHICAGO, ILL. (WHITE), all causes	30,676	3,967	709	303	231	181	683	450	563	928	1,034	1,260	3,276	4,075	5,111	4,599	3,305	1
Typhoid and paratyphoid fever (1)	37		1				3	1	4	4	6	2	11	2	1	2		
Measles (7)	113	29	40	19	9	4	6	4			1			1				
Scarlet fever (8)	128	2	12	13	19	13	38	8	8	4	4	2	4	1				
Whooping cough (9)	104	63	25	11	2		3											
Diphtheria (10)	232	13	27	24	29	28	85	15		3	1		1	2	2	1	1	
Influenza (11)	283	34	16	6	3	1	8	8	11	10	15	18	43	38	32	21	19	
Meningococcus meningitis (24)	30	12	2	1	2		4	2	1	2	2		1			1		
Tuberculosis of the respiratory system (31)	1,664	14	10	7	7	2	11	19	137	247	218	211	373	251	111	42	4	
Other forms of tuberculosis (32–37)	199	18	17	10	5	4	19	14	12	25	15	16	26	10	4	4		
Cancer and other malignant tumors (43–49)	3,083	1	1	2	3	1	6	4	13	15	38	59	303	612	911	773	341	
Diabetes mellitus (57)	610			1			2	2	2	7	10	10	32	98	215	171	60	
Cere bral hemorrhage and softening (74, 83)	1,388	6	1	3			4	1	3	3	6	14	53	177	358	419	340	
Oth er [organic] diseases of the heart (90)	5,344	16	13	5	7	10	63	70	74	85	87	124	444	794	1,197	1,234	1,121	
Bronchitis (99)	235	125	25	8	3	2	4	2	2	1	1	1	5	6	5	16	29	
Broncho-pneumonia (100)	956	442	153	49	16	10	28	12	2	4	8	12	33	43	43	48	53	
Pneumonia (101)	1,543	120	73	21	14	12	24	21	18	31	53	90	240	249	264	217	96	
Diarrhea and enteritis (113, 114)	895	697	113	18	12	10	3	1		3	4	2	10	8	3	5	6	
Appendicitis and typhlitis (117)	542		5	7	15	11	40	44	40	30	42	51	117	75	45	18	2	
Hernia, intestinal obstruction (118)	309	49	12	9	1		4	4	3	5	11	19	23	43	50	51	25	
Cirrhosis of the liver (122)	309		1					1	1	4	4	19	45	72	83	53	26	
Nephritis (128, 129)	3,377	29	8	4	4	3	19	22	29	52	53	95	258	465	768	850	718	
Diseases of the female genital organs (137–141)	190							1	2	10	9	36	70	38	13	5	6	
Puerperal septicemia (146)	107								8	28	24	16	30	1				
Other puerperal causes (143–145, 147–150)	174								5	40	33	41	51	4				
Suicide (165–174)	425								6	25	43	39	107	95	72	26	12	
Homicide (197–200)	307	18			1	1	1	1	17	54	56	55	59	25	16	3		
Automobile accidents [1] (188c)	607		2	1	14	12	103	41	22	27	33	29	61	81	93	65	23	
Automobile and railroad-train collision (part 188a)	6								1			1	3	1				
Automobile and street-car collision (part 188b)	23							1	1	7	3	1	7	1	1	1		
Other external causes (inclusions, see Table 5)	1,417	23	30	23	23	19	63	52	45	82	69	88	253	239	197	118	93	
All other causes	6,039	2,256	122	61	42	38	142	99	96	120	185	209	613	643	627	455	330	1
CHICAGO, ILL. (COLORED), all causes	3,642	493	144	57	32	22	71	69	130	243	290	245	632	579	335	194	106	
Typhoid and paratyphoid fever (1)	7							2	4				1					
Measles (7)	9	1	2	2	3			1										
Scarlet fever (8)	7			2	1	1				1	1		1					
Whooping cough (9)	43	18	19	3	1	1	1											
Diphtheria (10)	11	2	2		2		2			1	1			1				
Influenza (11)	34	3	2	1		1	1	1	2	1		2	9	4	4	2	1	
Meningococcus meningitis (24)	2		1				1											
Tuberculosis of the respiratory system (31)	550	5	12	8	2	3	17	14	55	109	91	43	108	62	17	3	1	
Other forms of tuberculosis (32–37)	74	2	2	4	7	3	6	5	9	12	3	4	8	3			1	
Cancer and other malignant tumors (43–49)	148						2				7	9	36	52	26	12	4	
Diabetes mellitus (57)	34								1	1	2		6	10	10	4		
Cerebral hemorrhage and softening (74, 83)	110								1		1	2	14	34	27	16	15	
Other [organic] diseases of the heart (90)	555	2	1		1	1	4	6	7	11	18	34	125	160	94	64	27	
Bronchitis (99)	21	14	3	3												1		
Broncho-pneumonia (100)	174	81	41	12	3	1	7	3	1	4	3	1	5	5	1	4	2	
Pneumonia (101)	303	25	17	8	4	3	8	6	10	22	31	25	64	51	21	4	4	
Diarrhea and enteritis (113, 114)	138	104	19	5	1	1						1		4	2		1	
Appendicitis and typhlitis (117)	42						4	5	4	3	4	4	10	4	2	1	1	
Hernia, intestinal obstruction (118)	29	1	1					1		1	6	3	6	3	5		2	
Cirrhosis of the liver (122)	17									1			3	3	5	5		
Nephritis (128, 129)	303	1	2	1			1	1	2	5	5	15	62	74	72	44	18	
Diseases of the female genital organs (137–141)	41								1	5	4	6	16	7	2			
Puerperal septicemia (146)	21								1	12	3	3	2					
Other puerperal causes (143–145, 147–150)	15								3	6	4	1	1					
Suicide (165–174)	14									1	4	2	4	2	1			
Homicide (197–200)	154						1		10	18	33	40	37	9	5	1		
Automobile accidents [1] (188c)	38				1	3	6	3	1		2	3	9	3	1	6		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	144	7	4	1	3	4	4	10	5	13	19	10	23	24	10	4	3	
All other causes	604	227	16	7	3		6	11	13	16	43	37	82	64	30	23	26	
INDIANAPOLIS, IND. (WHITE), all causes	4,152	376	81	37	28	14	62	59	86	119	124	133	403	465	693	781	690	1
Typhoid and paratyphoid fever (1)	11							1	4	3		2		1				
Measles (7)	4	1			1		1	1										
Scarlet fever (8)	3		1				2											
Whooping cough (9)	13	8	3	2														
Diphtheria (10)	27		4	1	3	2	14	2		1								
Influenza (11)	131	9	7	2	3	2	1	4	1	3	2	3	13	10	16	27	28	
Meningococcus meningitis (24)	4	1	2									1						
Tuberculosis of the respiratory system (31)	189	2		1				3	11	23	26	19	30	24	31	19		
Other forms of tuberculosis (32–37)	48	4	1	1	2	1	2	3	1	5	6	5	5	2	6	3	1	
Cancer and other malignant tumors (43–49)	391		1	2	1		2	2	1		9	11	33	67	111	103	48	
Diabetes mellitus (57)	65						1	3	2	1		1	6	10	17	20	4	
Cerebral hemorrhage and softening (74, 83)	326						1			1		1	16	37	57	115	98	
Other [organic] diseases of the heart (90)	588		3		1		2	7	2	9	7	6	32	64	129	174	151	1
Bronchitis (99)	17	2												1	1	3	10	
Broncho-pneumonia (100)	145	40	10	9	3	1	3	1	3	3	1	2	6	4	10	17	32	
Pneumonia (101)	174	15	5	2	1		3	4	2	5	11	8	25	25	26	22	20	
Diarrhea and enteritis (113, 114)	133	82	21	6	4	1	2	1		1	1	2	3		1	6	2	
Appendicitis and typhlitis (117)	80				1		4	6	7	10	5	10	13	14	7	2	1	
Hernia, intestinal obstruction (118)	52	5	1				1	2	2			1	10	10	12	5	3	
Cirrhosis of the liver (122)	30												3	5	10	10	2	
Nephritis (128, 129)	342						1	1	6	4	5	4	31	37	73	101	79	
Diseases of the female genital organs (137–141)	27								1	1	2	3	11	6	3			
Puerperal septicemia (146)	19									7	5	3	4					
Other puerperal causes (143–145, 147–150)	24								4	5	4	4	6	1				
Suicide (165–174)	60								3	3	10	8	11	9	9	5	2	
Homicide (197–200)	19								1	1	1	2	10	2	2			
Automobile accidents [1] (188c)	69					2	3	5	9	4	2	4	5	10	11	8	6	
Automobile and railroad-train collision (part 188a)	3											1		1		1		
Automobile and street-car collision (part 188b)	7								3	1	1		1			1		
Other external causes (inclusions, see Table 5)	130	3	2	2	5	2	6	5	4	9	7	3	19	12	11	13	27	
All other causes	1,021	204	20	9	3	3	13	8	19	19	19	29	110	113	150	127	175	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
INDIANAPOLIS, IND. (COLORED), all causes	799	103	31	8	6	2	13	16	31	38	39	54	138	143	88	44	45	
Typhoid and paratyphoid fever (1)	5							2		2		1						
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	19	6	7	3	1	1	1											
Diphtheria (10)	1		1															
Influenza (11)	32	5	2	2	1					1	2	2	6	7		1	3	
Meningococcus meningitis (24)	2						1						1					
Tuberculosis of the respiratory system (31)	95	2	3				3	6	16	18	9	10	14	8	3	1	2	
Other forms of tuberculosis (32–37)	16		1		1	1	1		3	2	2	2	2		1			
Cancer and other malignant tumors (43–49)	35						1				1	2	11	10	5	4	1	
Diabetes mellitus (57)	8										1		2	1	2	2		
Cerebral hemorrhage and softening (74, 83)	43	1										4	5	13	10	4	6	
Other [organic] diseases of the heart (90)	108	1					1	1	1		2	2	25	31	20	8	16	
Bronchitis (99)	7						1		1	1					2	1	1	
Broncho-pneumonia (100)	44	21	11		1		1			1	1		1	3	2	1	1	
Pneumonia (101)	44	3	3	2	1					3	3	1	17	6	3	1	1	
Diarrhea and enteritis (113, 114)	26	20	1	1				1					1	1			1	
Appendicitis and typhlitis (117)	8						1	1	1		1	1	2	1				
Hernia, intestinal obstruction (118)	12	1									2		1	4	1	3		
Cirrhosis of the liver (122)	6											2	1	1		2		
Nephritis (128, 129)	65							1		1		2	11	15	20	9	6	
Diseases of the female genital organs (137–141)	13								1	1	1	2	5	1	2			
Puerperal septicemia (146)	4										2	1	1					
Other puerperal causes (143–145, 147–150)	7								1		1	2	3					
Suicide (165–174)	3												1		1	1		
Homicide (197–200)	24						1		3	5	3	6	5	1				
Automobile accidents [1] (188c)	9						1	1				2	1	3	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	19	1	1					1	1	1	3	2	4	5				
All other causes	144	42	1		1			2	3	2	5	10	18	32	15	6	7	
DES MOINES, IOWA, all causes	1,518	187	31	13	12	8	33	22	27	52	47	41	120	165	207	270	283	
Typhoid and paratyphoid fever (1)	6								1	3	1				1			
Measles (7)	1	1																
Scarlet fever (8)	1								1									
Whooping cough (9)	19	13	5	1														
Diphtheria (10)	15			2	4	2	4	3										
Influenza (11)	53	8	5	3		1	1	1	1	1		2	2	6	4	5	13	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	46							1	2	8	6	5	8	7	3	5	1	
Other forms of tuberculosis (32–37)	14	1	1	1				1	1		2		2	1	3	1		
Cancer and other malignant tumors (43–49)	155			1							2	2	8	39	30	48	25	
Diabetes mellitus (57)	22								1				2	4	6	7	2	
Cerebral hemorrhage and softening (74, 83)	120	1									2	1	3	8	23	43	39	
Other [organic] diseases of the heart (90)	165						2	4	1	3	3	4	15	17	33	35	48	
Bronchitis (99)	3															2	1	
Broncho-pneumonia (100)	52	19	5	1	2										1	3	18	
Pneumonia (101)	81	8	1	1	1	1	2	3	1	2	1	2	7	4	19	10	18	
Diarrhea and enteritis (113, 114)	22	10	4	2	1										1	1	3	
Appendicitis and typhlitis (117)	28						2	2	1	3	4	1	7	6	1	1		
Hernia, intestinal obstruction (118)	17	2	1				1			1	1		2	1	2	3	3	
Cirrhosis of the liver (122)	4												1		2		1	
Nephritis (128, 129)	102							1		2	2	4	3	15	24	29	22	
Diseases of the female genital organs (137–141)	11									1		3	5	1		1		
Puerperal septicemia (146)	11								1	3	2	1	4					
Other puerperal causes (143–145, 147–150)	13								2	4	1	3	3					
Suicide (165–174)	27								1	1	4	1	4	7	2	6	1	
Homicide (197–200)	8								1	1	3	1	1	1				
Automobile accidents [1] (188c)	23						4	2	1	1	3	1	3	2	1	1	4	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2											1	1					
Other external causes (inclusions, see Table 5)	71	3	2		2	2	7	3	2	3	3	2	10	4	5	7	16	
All other causes	425	120	7	1	2	2	10	1	9	15	7	7	29	41	44	62	68	
KANSAS CITY, KANS., all causes	1,654	235	38	11	17	8	30	32	37	66	86	67	173	203	207	224	219	1
Typhoid and paratyphoid fever (1)	9						1	1	2	1	1		1	2				
Measles (7)	2	2																
Scarlet fever (8)	10		1		1	1	4			1	1		1					
Whooping cough (9)	10	5	4	1														
Diphtheria (10)	8	2	1	1	1	1	1	1										
Influenza (11)	48	10	1	1	1		2	2	1	1	4	2	2	4	2	2	13	
Meningococcus meningitis (24)	3	1	1				1											
Tuberculosis of the respiratory system (31)	132		1				2	3	12	21	21	16	30	10	10	3	3	
Other forms of tuberculosis (32–37)	31	3	1				1	3	3	4	5	1	5	4	1			
Cancer and other malignant tumors (43–49)	125			1					1	1	1	1	11	29	32	34	14	
Diabetes mellitus (57)	18		1					1		1	1		1	4	3	2	4	
Cerebral hemorrhage and softening (74, 83)	88	1							1	1		2	4	16	19	18	26	
Other [organic] diseases of the heart (90)	189	1		1				3	1		7	6	18	28	34	46	44	
Bronchitis (99)	11	3				1						1	1		1	2	2	
Broncho-pneumonia (100)	57	26	8	1	1		1				2		2	5	2	5	4	
Pneumonia (101)	93	18	5		1				1	5	5	2	13	14	9	13	7	
Diarrhea and enteritis (113, 114)	45	28	6	1	3						1		1	1	2		2	
Appendicitis and typhlitis (117)	26							3	5	3	1	1	5	6	2			
Hernia, intestinal obstruction (118)	15	3				1							1	1	4	2	3	
Cirrhosis of the liver (122)	11												1	1	6	1	2	
Nephritis (128, 129)	161		1	1			2					4	18	21	33	41	40	
Diseases of the female genital organs (137–141)	12									1		2	7	1	1			
Puerperal septicemia (146)	16									6	5	3	2					
Other puerperal causes (143–145, 147–150)	2									1		1						
Suicide (165–174)	15									2		2	4	4		1	2	
Homicide (197–200)	28								1	3	10	6	1	5		1	1	
Automobile accidents [1] (188c)	27					1	4	3	3	2	3		2		2	4	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	76	5		2	1	1	5	3	4	3	2	2	8	11	7	9	13	
All other causes	386	127	8	1	7	2	6	9	2	9	16	15	34	36	37	40	36	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOUISVILLE, KY. (WHITE), all causes	3,288	400	59	21	16	18	49	30	72	99	110	111	248	350	518	620	567	
Typhoid and paratyphoid fever (1)	20					1			4	7	1	1	3	3				
Measles (7)	3	3																
Scarlet fever (8)	3		1		1						1							
Whooping cough (9)	18	8	5	2		1	2											
Diphtheria (10)	7	2	1	1		1	2											
Influenza (11)	57	7	2				3		1		2	1	6	9	7	9	10	
Meningococcus meningitis (24)	2					1	1											
Tuberculosis of the respiratory system (31)	193	3					1	2	7	14	22	26	38	32	30	17	1	
Other forms of tuberculosis (32–37)	36	2	3	2		2	1	1	3	5	2	2	3	3	6	1		
Cancer and other malignant tumors (43–49)	288									2	2	8	27	52	77	88	32	
Diabetes mellitus (57)	44							1	2	2			1	5	17	6	10	
Cerebral hemorrhage and softening (74, 83)	243									1	1		8	26	67	73	67	
Other [organic] diseases of the heart (90)	413	2			1	2		1	4	4	6	3	17	44	83	128	118	
Bronchitis (99)	19	1	1								1		1	1		3	11	
Broncho-pneumonia (100)	94	41	7	3	1	1	2	1		1	1		3	3	4	11	15	
Pneumonia (101)	125	7	5	4	1	2	2		2	5	4	3	11	14	24	27	14	
Diarrhea and enteritis (113, 114)	116	74	21	4	3	1		2				1		3	4		3	
Appendicitis and typhlitis (117)	59	1		1			3	1	7	6	9	6	12	6	5	2		
Hernia, intestinal obstruction (118)	47	3	2		1				1			4	8	5	8	9	6	
Cirrhosis of the liver (122)	19												4	3	3	8	1	
Nephritis (128, 129)	291	2	1	2				2	3	4	4	4	18	34	61	93	63	
Diseases of the female genital organs (137–141)	20								2	2	2	4	4	3	3			
Puerperal septicemia (146)	19								1	3	8	3	4					
Other puerperal causes (143–145, 147–150)	16								2	4	3	4	3					
Suicide (165–174)	37							1	2	2	2	6	6	9	8	1		
Homicide (197–200)	20								1	1	5	2	2	5	3		1	
Automobile accidents [1] (188c)	54				2	1	4	3	5	2	3	2	4	4	7	12	5	
Automobile and railroad-train collision (part 188a)	4								1	1		1	1					
Automobile and street-car collision (part 188b)	2							1					1					
Other external causes (inclusions, see Table 5)	148	6	2		3	2	6	4	9	11	14	8	15	19	13	8	28	
All other causes	871	238	8	2	3	3	22	10	15	22	17	22	48	67	88	124	182	
LOUISVILLE, KY. (COLORED), all causes	1,019	94	18	8	9	3	5	10	25	47	69	60	164	202	151	81	73	
Typhoid and paratyphoid fever (1)	5						1		1	2	1							
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping cough (9)	10	4	3	1	1	1												
Diphtheria (10)																		
Influenza (11)	30	4	1		1				1	4			5	3	6	2	3	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	71								6	10	12	10	12	17	3	1		
Other forms of tuberculosis (32–37)	28	1	3	2			1	1	3	2	5	2	6	1	1			
Cancer and other malignant tumors (43–49)	43										1		7	15	10	6	4	
Diabetes mellitus (57)	7								1	2				2	2			
Cerebral hemorrhage and softening (74, 83)	68	3								1			5	19	20	12	8	
Other [organic] diseases of the heart (90)	181	1						1	1		5	6	33	56	49	21	8	
Bronchitis (99)	12	2			1							1	2	2	2	1	1	
Broncho-pneumonia (100)	39	15	6	2	1					1	2	1	1	3	2	2	3	
Pneumonia (101)	64	3		1			2	1		7	4	2	10	19	7	5	3	
Diarrhea and enteritis (113, 114)	24	14	2	1									3	1	2		1	
Appendicitis and typhlitis (117)	13									2	4	3	3	1				
Hernia, intestinal obstruction (118)	14				1							3	3	3	2	1	1	
Cirrhosis of the liver (122)	4											1	1		1		1	
Nephritis (128, 129)	102	1						1		1	4	7	18	23	17	13	17	
Diseases of the female genital organs (137–141)	11											4	3	3		1		
Puerperal septicemia (146)	6								1	1	1		3					
Other puerperal causes (143–145, 147–150)	4										1	1	2					
Suicide (165–174)	1												1					
Homicide (197–200)	50								5	6	11	9	14	3	1		1	
Automobile accidents [1] (188c)	10				1		1	1		1	1	1	1			2	1	
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	31	1		1	2	1		3	2	3	5	2	3	3	1	2	2	
All other causes	189	44	3		1	1		2	4	4	11	7	28	28	25	12	19	
NEW ORLEANS, LA. (WHITE), all causes	4,549	522	92	34	31	28	71	43	98	155	181	158	451	586	784	731	579	5
Typhoid and paratyphoid fever (1)	40	1						2	8	8	9		7	2	1	2		
Measles (7)	1								1									
Scarlet fever (8)	7		2				3			1		1						
Whooping cough (9)	33	21	7	1	2	1	1											
Diphtheria (10)	18	2	3		2	4	4	1			1	1						
Influenza (11)	106	14	8	1			5	2	4	2	7	6	10	11	14	8	14	
Meningococcus meningitis (24)	4	1				1		1		1								
Tuberculosis of the respiratory system (31)	350	1	1		1			4	14	39	26	35	86	61	57	20	5	
Other forms of tuberculosis (32–37)	26		4	1	1		4		2	1		2	8	2		1		
Cancer and other malignant tumors (43–49)	396	1	1			1	1	1	2	3	5	7	34	84	132	82	42	
Diabetes mellitus (57)	58									1	2		6	9	16	19	5	
Cerebral hemorrhage and softening (74, 83)	227	1					2		1	1		3	13	28	59	58	61	
Other [organic] diseases of the heart (90)	658	1				1		1	5	3	3	7	36	81	149	182	189	
Bronchitis (99)	13	1												1	4	7		
Broncho-pneumonia (100)	116	45	5	6	3	5	4	2	3	3	1	1	5	8	6	6	13	
Pneumonia (101)	138	12	4	3	2	1	3	1	2	5	7	6	14	19	28	19	12	
Diarrhea and enteritis (113, 114)	215	147	39	9	4	2	1						3	1	1	5	3	
Appendicitis and typhlitis (117)	99					1	1	6	10	14	17	9	14	17	6	3	1	
Hernia, intestinal obstruction (118)	71	7	2		1		2		1		3	2	8	11	11	16	7	
Cirrhosis of the liver (122)	50						1			1		2	7	11	15	10	3	
Nephritis (128, 129)	534	1	1		1	1	2	2		4	10	9	38	83	121	143	116	2
Diseases of the female genital organs (137–141)	17									5		1	2	8		1		
Puerperal septicemia (146)	36								3	6	13	8	6					
Other puerperal causes (143–145, 147–150)	50								2	10	13	9	16					
Suicide (165–174)	61								4	5	4	4	10	12	13	7	2	
Homicide (197–200)	42	1	1				2		6	4	8	5	6	4	5			
Automobile accidents [1] (188c)	60			2	1	1	6	4	1	3	7	2	4	5	9	13	2	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	2											1					1	
Other external causes (inclusions, see Table 5)	188	7	6	4	9	4	4	8	11	18	11	9	17	19	18	19	22	2
All other causes	932	258	10	5	4	5	25	8	18	17	34	28	100	109	119	110	81	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW ORLEANS, LA. (COLORED), all causes	3,395	465	98	41	22	10	35	49	136	203	220	245	548	566	375	226	145	11
Typhoid and paratyphoid fever (1)	43	-------	1	2	-------	-------	4	6	8	10	3	3	4	2	-------	-------	-------	-------
Measles (7)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Scarlet fever (8)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Whooping cough (9)	35	14	13	5	1	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Diphtheria (10)	8	1	2	1	1	-------	1	-------	-------	-------	-------	-------	1	-------	1	-------	-------	-------
Influenza (11)	80	6	6	2	1	1	1	3	2	5	2	5	10	16	10	4	6	-------
Meningococcus meningitis (24)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	345	2	-------	1	-------	-------	1	6	37	61	49	41	73	39	30	3	-------	2
Other forms of tuberculosis (32–37)	40	-------	-------	1	1	2	2	5	6	5	3	5	4	4	1	1	-------	-------
Cancer and other malignant tumors (43–49)	151	-------	-------	-------	-------	-------	-------	-------	1	-------	9	6	39	46	30	12	6	2
Diabetes mellitus (57)	24	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	7	10	5	-------	-------	-------
Cerebral hemorrhage and softening (74, 83)	153	2	-------	-------	-------	-------	-------	-------	-------	-------	4	3	20	41	33	23	27	-------
Other [organic] diseases of the heart (90)	491	-------	-------	-------	-------	1	1	1	3	10	14	33	71	157	96	65	38	1
Bronchitis (99)	12	3	-------	-------	1	-------	-------	-------	-------	1	2	1	2	-------	2	-------	-------	-------
Broncho-pneumonia (100)	163	63	25	13	6	-------	3	2	5	2	5	4	11	12	6	3	3	-------
Pneumonia (101)	191	18	6	4	3	1	2	3	11	14	25	23	30	20	14	8	9	-------
Diarrhea and enteritis (113, 114)	199	145	29	3	2	-------	-------	-------	-------	3	-------	-------	6	5	3	2	1	-------
Appendicitis and typhlitis (117)	32	-------	-------	-------	-------	-------	2	4	2	4	5	6	4	2	2	-------	1	-------
Hernia, intestinal obstruction (118)	20	2	-------	-------	-------	-------	1	-------	1	1	1	-------	7	1	5	-------	1	-------
Cirrhosis of the liver (122)	35	-------	-------	-------	-------	-------	-------	2	-------	-------	2	2	6	9	10	4	-------	-------
Nephritis (128, 129)	352	1	-------	-------	-------	1	-------	2	3	11	16	18	75	81	67	57	18	2
Diseases of the female genital organs (137–141)	25	-------	-------	-------	-------	-------	-------	-------	-------	1	6	3	11	4	-------	-------	-------	-------
Puerperal septicemia (146)	22	-------	-------	-------	-------	-------	-------	-------	7	5	2	3	4	1	-------	-------	-------	-------
Other puerperal causes (143–145, 147–150)	32	-------	-------	-------	-------	-------	-------	-------	10	7	4	4	7	-------	-------	-------	-------	-------
Suicide (165–174)	5	-------	-------	-------	-------	-------	-------	-------	1	1	-------	-------	3	-------	-------	-------	-------	-------
Homicide (197–200)	120	-------	-------	-------	-------	-------	-------	3	9	28	24	20	25	9	-------	1	-------	1
Automobile accidents [1] (188c)	18	-------	-------	-------	-------	-------	2	1	-------	1	1	2	4	2	2	3	-------	-------
Automobile and railroad-train collision (part 188a)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Automobile and street-car collision (part 188b)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (inclusions, see Table 5)	115	2	5	5	4	2	4	2	12	10	5	7	19	21	10	4	2	1
All other causes	684	206	11	4	2	2	10	8	18	23	38	54	105	84	48	36	33	2
BALTIMORE, MD. (WHITE), all causes	8,718	994	186	64	44	42	132	113	143	193	209	288	689	1,103	1,488	1,677	1,353	-------
Typhoid and paratyphoid fever (1)	21	-------	-------	-------	-------	1	-------	2	2	2	4	3	5	2	-------	-------	-------	-------
Measles (7)	9	2	3	1	2	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Scarlet fever (8)	5	1	1	1	-------	-------	-------	-------	-------	1	1	-------	-------	-------	-------	-------	-------	-------
Whooping cough (9)	51	28	15	2	3	3	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Diphtheria (10)	36	2	6	5	3	5	11	-------	-------	2	-------	1	1	-------	-------	-------	-------	-------
Influenza (11)	95	7	9	2	2	1	-------	2	3	2	3	3	7	13	9	12	20	-------
Meningococcus meningitis (24)	13	6	1	1	1	-------	1	1	2	-------	-------	-------	-------	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	491	2	1	1	-------	-------	-------	4	24	57	42	53	102	95	69	37	4	-------
Other forms of tuberculosis (32–37)	70	13	8	4	2	2	2	4	3	3	1	3	4	6	7	3	5	-------
Cancer and other malignant tumors (43–49)	834	1	1	-------	-------	3	3	6	6	5	4	13	54	169	247	218	104	-------
Diabetes mellitus (57)	172	-------	-------	-------	-------	-------	-------	1	-------	2	-------	5	9	33	49	53	20	-------
Cerebral hemorrhage and softening (74, 83)	719	-------	1	-------	-------	-------	1	-------	2	1	2	5	30	81	183	230	183	-------
Other [organic] diseases of the heart (90)	1,284	2	1	-------	-------	-------	15	15	13	9	16	23	60	166	264	367	333	-------
Bronchitis (99)	60	8	1	-------	1	1	1	-------	-------	-------	2	-------	1	2	11	7	25	-------
Broncho-pneumonia (100)	471	116	40	16	2	4	6	2	2	7	7	6	17	30	49	80	87	-------
Pneumonia (101)	436	24	22	4	4	3	7	6	10	10	16	28	65	62	67	65	43	-------
Diarrhea and enteritis (113, 114)	265	205	30	3	2	-------	3	-------	-------	-------	2	-------	3	2	3	2	10	-------
Appendicitis and typhlitis (117)	99	-------	1	3	1	-------	6	9	11	3	9	7	10	14	15	8	2	-------
Hernia, intestinal obstruction (118)	94	4	1	-------	-------	-------	1	2	1	2	-------	6	7	10	16	28	16	-------
Cirrhosis of the liver (122)	53	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	1	4	8	22	10	7	-------
Nephritis (128, 129)	954	-------	-------	1	-------	-------	2	3	5	13	10	22	71	139	181	278	229	-------
Diseases of the female genital organs (137–141)	20	-------	-------	-------	-------	-------	-------	-------	1	-------	1	1	8	6	3	-------	-------	-------
Puerperal septicemia (146)	38	-------	-------	-------	-------	-------	-------	-------	3	11	15	6	3	-------	-------	-------	-------	-------
Other puerperal causes (143–145, 147–150)	43	-------	-------	-------	-------	-------	-------	-------	1	4	7	14	16	1	-------	-------	-------	-------
Suicide (165–174)	88	-------	-------	-------	-------	-------	-------	-------	3	6	8	11	19	16	14	9	2	-------
Homicide (197–200)	23	2	-------	-------	1	-------	-------	-------	-------	2	4	6	5	1	1	1	-------	-------
Automobile accidents [1] (188c)	133	-------	-------	-------	4	3	15	7	6	7	6	5	13	17	17	24	9	-------
Automobile and railroad-train collision (part 188a)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Automobile and street-car collision (part 188b)	3	-------	-------	-------	-------	-------	-------	1	-------	2	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (inclusions, see Table 5)	365	18	13	4	4	7	14	13	9	17	6	22	38	55	49	42	54	-------
All other causes	1,773	553	31	16	12	9	43	34	36	25	43	44	137	175	212	203	200	-------
BALTIMORE, MD. (COLORED), all causes	2,930	400	99	39	20	22	47	35	82	150	184	174	500	530	351	186	111	-------
Typhoid and paratyphoid fever (1)	8	-------	-------	-------	-------	-------	2	-------	1	1	-------	-------	3	1	-------	-------	-------	-------
Measles (7)	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Scarlet fever (8)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Whooping cough (9)	42	21	16	2	2	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Diphtheria (10)	11	1	-------	2	1	2	3	-------	-------	2	-------	-------	-------	-------	-------	-------	-------	-------
Influenza (11)	48	2	1	1	-------	-------	1	1	3	1	4	5	10	11	6	1	1	-------
Meningococcus meningitis (24)	2	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	1	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	340	3	3	2	2	4	5	9	41	62	44	40	72	38	12	3	-------	-------
Other forms of tuberculosis (32–37)	58	5	4	6	-------	2	3	1	3	7	5	4	9	7	1	-------	1	-------
Cancer and other malignant tumors (43–49)	106	-------	-------	1	-------	-------	-------	-------	-------	-------	4	6	33	23	23	12	4	-------
Diabetes mellitus (57)	26	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	8	7	8	3	-------	-------
Cerebral hemorrhage and softening (74, 83)	182	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	2	23	53	51	33	18	-------
Other [organic] diseases of the heart (90)	358	-------	-------	-------	-------	-------	2	2	5	3	10	12	60	125	77	46	16	-------
Bronchitis (99)	14	4	2	-------	-------	-------	-------	-------	-------	-------	3	-------	1	-------	3	1	-------	-------
Broncho-pneumonia (100)	260	100	38	12	3	-------	1	1	-------	6	8	6	17	15	24	12	17	-------
Pneumonia (101)	271	17	11	1	1	2	6	2	6	20	27	22	68	54	24	8	2	-------
Diarrhea and enteritis (113, 114)	93	58	13	-------	1	2	2	-------	-------	3	1	1	4	2	3	1	2	-------
Appendicitis and typhlitis (117)	17	-------	-------	-------	-------	1	3	1	1	1	4	-------	2	2	2	-------	-------	-------
Hernia, intestinal obstruction (118)	25	1	1	-------	-------	-------	-------	1	1	1	1	1	6	7	5	-------	-------	-------
Cirrhosis of the liver (122)	7	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	2	3	1	-------	-------
Nephritis (128, 129)	266	-------	-------	-------	-------	-------	-------	-------	2	5	8	11	52	69	52	40	27	-------
Diseases of the female genital organs (137–141)	9	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	4	2	2	-------	-------	-------	-------
Puerperal septicemia (146)	18	-------	-------	-------	-------	-------	-------	-------	2	3	4	3	6	-------	-------	-------	-------	-------
Other puerperal causes (143–145, 147–150)	14	-------	-------	-------	-------	-------	-------	-------	1	3	2	5	3	-------	-------	-------	-------	-------
Suicide (165–174)	8	-------	-------	-------	-------	-------	-------	-------	1	3	2	1	-------	1	-------	-------	-------	-------
Homicide (197–200)	46	-------	-------	-------	-------	-------	-------	1	2	6	8	10	10	8	1	-------	-------	-------
Automobile accidents [1] (188c)	25	-------	-------	1	1	-------	8	1	-------	-------	4	1	5	2	1	1	-------	-------
Automobile and railroad-train collision (part 188a)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Automobile and street-car collision (part 188b)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (inclusions, see Table 5)	120	3	3	4	6	8	4	6	3	9	12	8	20	18	7	3	6	-------
All other causes	555	185	7	6	3	1	6	8	10	14	30	32	84	83	48	21	17	-------

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
BOSTON, MASS., all causes	11,576	1,585	298	153	84	62	225	153	212	293	356	386	1,023	1,438	1,928	1,900	1,478	2
Typhoid and paratyphoid fever (1)	28				1		2	4		4	6		8		2	1		
Measles (7)	123	42	42	21	9	3	4	1						1				
Scarlet fever (8)	48	3	4	5	9	7	7	4	2	2	5							
Whooping cough (9)	70	36	23	7	2	1	1											
Diphtheria (10)	99	13	21	16	7	9	25	2	2	2	2							
Influenza (11)	74	15	3	4	1		2	4	2				2	4	9	6	7	15
Meningococcus meningitis (24)	23	8	3	1		2			1	3	1		1	2	1			
Tuberculosis of the respiratory system (31)	668	15	3	1	2	2	7	12	47	81	67	71	132	110	72	40	6	
Other forms of tuberculosis (32–37)	117	13	19	10	4	2	8	4	6	9	13	6	10	11	2			
Cancer and other malignant tumors (43–49)	1,161				1		2		4	3	8	17	76	211	369	328	142	
Diabetes mellitus (57)	163		1					1	2	3	2	1	12	25	61	40	15	
Cerebral hemorrhage and softening (74, 83)	610	3		1	1						4	3	24	76	155	183	160	
Other [organic] diseases of the heart (90)	2,093	3			1	1	14	36	29	15	30	46	116	236	470	556	540	
Bronchitis (99)	43	12	5	2				1			1		3	1	1	8	9	
Broncho-pneumonia (100)	675	245	68	18	12	5	12	6	4	3	3	11	29	33	54	78	94	
Pneumonia (101)	565	41	19	12	4	6	9	9	15	15	19	30	71	96	104	74	41	
Diarrhea and enteritis (113, 114)	190	149	19	5	1		1	1			1		1	3	4	2	3	
Appendicitis and typhlitis (117)	150		2	2	1	5	8	15	8	10	9	14	27	22	19	8		
Hernia, intestinal obstruction (118)	122	17	4	2	1			1	3	3		2	10	24	22	21	12	
Cirrhosis of the liver (122)	64	1	1					2	1	1	2	1	10	16	8	17	4	
Nephritis (128, 129)	650	3					4	6	4	8	18	14	55	105	137	175	121	
Diseases of the female genital organs (137–141)	75								1	3	6	8	27	17	8	5		
Puerperal septicemia (146)	47								6	12	16	7	5	1				
Other puerperal causes (143–145, 147–150)	90								3	16	19	24	27	1				
Suicide (165–174)	111								1	6	7	16	19	34	17	9	2	
Homicide (197–200)	25						2		1	2	4	4	6	4		1	1	
Automobile accidents [1] (188c)	154			1	2	3	29	8	7	3	5	5	16	29	16	20	10	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	4									1			2		1			
Other external causes (inclusions, see Table 5)	559	21	9	14	8	3	32	9	25	36	38	36	89	70	58	50	60	1
All other causes	2,775	945	52	31	17	13	56	27	38	52	70	68	243	301	341	277	243	1
CAMBRIDGE, MASS., all causes	1,428	178	51	11	8	12	19	20	26	24	34	38	98	153	238	266	252	
Typhoid and paratyphoid fever (1)	2								1		1							
Measles (7)	12	2	5	1		1	3											
Scarlet fever (8)	1							1										
Whooping cough (9)	6	1	3	1	1													
Diphtheria (10)	7		5			1	1											
Influenza (11)	5									1		1	1	1			1	
Meningococcus meningitis (24)	1													1				
Tuberculosis of the respiratory system (31)	88	1						1	11	11	14	10	14	16	5	3	2	
Other forms of tuberculosis (32–37)	7				1	1			1	1	1			2				
Cancer and other malignant tumors (43–49)	147										1	1	11	25	49	36	24	
Diabetes mellitus (57)	18												1	4	6	3	4	
Cerebral hemorrhage and softening (74, 83)	125											1		13	36	38	37	
Other [organic] diseases of the heart (90)	268		1				1	1	1	3	2	3	13	27	48	80	88	
Bronchitis (99)	9	1					1							1	1	2	3	
Broncho-pneumonia (100)	87	31	20	2			1		1		1	1	3	5	9	5	8	
Pneumonia (101)	80	3	7	3		3	2		1	2	2	5	12	13	11	10	6	
Diarrhea and enteritis (113, 114)	26	21	1	2	1												1	
Appendicitis and typhlitis (117)	22		1			1		3	1	2	1	2	4	2	4		1	
Hernia, intestinal obstruction (118)	7										1		1	1	2	1	1	
Cirrhosis of the liver (122)	4												1	2	1			
Nephritis (128, 129)	86						1	1			2	1	5	11	20	24	21	
Diseases of the female genital organs (137–141)	3												2		1			
Puerperal septicemia (146)	3											1	2					
Other puerperal causes (143–145, 147–150)	7										1	4	2					
Suicide (165–174)	9										1	1	1	1	4	1		
Homicide (197–200)	4									2	1		1					
Automobile accidents [1] (188c)	22				3		5		3	1		1	1	3	2	2	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	50	1	2	1	2	4	2	3	2		2	3	6	4	6	8	4	
All other causes	322	117	6	1		1	2	10	4	1	3	3	17	21	33	53	50	
FALL RIVER, MASS., all causes	1,590	302	67	33	20	15	37	25	33	29	34	44	101	155	266	240	189	
Typhoid and paratyphoid fever (1)	1							1										
Measles (7)	30	12	8	5	2	1	1	1										
Scarlet fever (8)	1							1										
Whooping cough (9)	14	8	6															
Diphtheria (10)	15	1		4	2		8											
Influenza (11)	27	7		1			2				1		2		6	7	1	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	99	2				1		2	14	12	10	8	18	20	8	1	3	
Other forms of tuberculosis (32–37)	24	2	9	4	1	3	2		1		2							
Cancer and other malignant tumors (43–49)	147			1							1	3	14	29	47	36	16	
Diabetes mellitus (57)	24									1	1		3	4	7	7	1	
Cerebral hemorrhage and softening (74, 83)	105	1					1						3	16	24	32	28	
Other [organic] diseases of the heart (90)	192			1				1	2		1	6	6	17	47	60	51	
Bronchitis (99)	30	16	1	1		1			1				1		1	1	7	
Broncho-pneumonia (100)	91	37	19	7	3		1	1	1	1		2	2	3	4	3	7	
Pneumonia (101)	74	13	7	2		1	3	2	1			3	7	7	17	8	3	
Diarrhea and enteritis (113, 114)	78	61	8	1	3		1	1						1			2	
Appendicitis and typhlitis (117)	24			1	1	1	2	2	4	3	2		3	2	3			
Hernia, intestinal obstruction (118)	12		1			1		1					1	1	4	2	1	
Cirrhosis of the liver (122)	11					1							3	2	4	1		
Nephritis (128, 129)	134	1		1			1	2	1	3	3	3	7	15	29	31	37	
Diseases of the female genital organs (137–141)	6											1	2	1	2			
Puerperal septicemia (146)	9									2	2	2	2	1				
Other puerperal causes (143–145, 147–150)	12										6	3	3					
Suicide (165–174)	11											3	2	2	3	1		
Homicide (197–200)	5	1					1					1	1		1			
Automobile accidents [1] (188c)	17			1	2	1	4	1		1		1	2		3	1		
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	44	4	1	2	3	1	4	4	1	1	2	2	2	5	6	2	4	
All other causes	351	135	7	1	3	3	6	5	5	4	3	6	18	30	50	47	28	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
LOWELL, MASS., all causes	1,553	228	76	13	18	9	39	17	23	38	34	38	101	174	241	266	238	
Typhoid and paratyphoid fever (1)																		
Measles (7)	27	6	11	1	3	2	4											
Scarlet fever (8)	3				1		1	1										
Whooping cough (9)	3	1	2															
Diphtheria (10)	4			1		1	1	1										
Influenza (11)	2														1	1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	75						2	4	2	7	2	2	10	32	58	58	65	
Other forms of tuberculosis (32–37)	19	1	4			1	1		4	13	14	6	12	19	6	1		
Cancer and other malignant tumors (43–49)	133								3		1	2	3	1	2			
Diabetes mellitus (57)	22											1	9	35	43	30	15	
Cerebral hemorrhage and softening (74, 83)	99												2	3	6	9	2	
Other [organic] diseases of the heart (90)	243		1				2	4	2	7	2	2	6	13	23	33	24	
Bronchitis (99)	24	3	3										10	32	58	58	65	
Broncho-pneumonia (100)	116	35	27	3	5	2	2						1	1	4	7	5	
Pneumonia (101)	52	3	3	1			4		1	3	1	2	2	2	9	10	13	
Diarrhea and enteritis (113, 114)	64	42	9	2	4		3		1	1	1	3	3	8	8	9	7	
Appendicitis and typhlitis (117)	17				2		3	2						1	1	1	1	
Hernia, intestinal obstruction (118)	20	2								1	1	1	3	2	2	1		
Cirrhosis of the liver (122)	14								1		2	1	1	2	1	7	4	
Nephritis (128, 129)	57		1	1					1		1	4	4	3	1	2		
Diseases of the female genital organs (137–141)	3												7	12	11	10	9	
Puerperal septicemia (146)	5								1	1	1	2	2	1				
Other puerperal causes (143–145, 147–150)	11									3	3	2	3					
Suicide (165–174)	6							1				1	1	1		1		
Homicide (197–200)	5	1	1									1	1	1				
Automobile accidents [1] (188c)	26					1	5	2	1	4		1	5	3	1	2	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	69		4	1		1	5	3	3	3		2	9	10	10	15	3	
All other causes	434	134	10	3	3	1	8	3	6	1	6	7	20	23	52	70	87	
NEW BEDFORD, MASS., all causes	1,395	241	56	31	11	9	23	17	24	30	26	47	105	155	184	234	202	
Typhoid and paratyphoid fever (1)	1							1										
Measles (7)	11	6	3	2														
Scarlet fever (8)	4					2						1		1				
Whooping cough (9)	11	6	2	2	1													
Diphtheria (10)	9		3	3	1		1	1										
Influenza (11)	14	3	1	1					1					2	2	2	2	
Meningococcus meningitis (24)	2	1			1													
Tuberculosis of the respiratory system (31)	90	1	2	1			1	4	4	13	8	15	23	11	2	5		
Other forms of tuberculosis (32–37)	19	4	3	3	1	1	1	2		1		1	1	1				
Cancer and other malignant tumors (43–49)	129										1	1	7	26	30	42	22	
Diabetes mellitus (57)	23											1	1	2	12	5	2	
Cerebral hemorrhage and softening (74, 83)	118											1	2	9	28	39	39	
Other [organic] diseases of the heart (90)	180				1		2			1	3	2	13	29	33	51	45	
Bronchitis (99)	16	8	3											2		2	1	
Broncho-pneumonia (100)	112	36	19	10	1	1	1	1	2	1	2	2	5	4	5	10	12	
Pneumonia (101)	33	3	1	1		1	2	1			1	4	6	6	3	3	1	
Diarrhea and enteritis (113, 114)	42	31	9				1								1			
Appendicitis and typhlitis (117)	14				1		1		2	2	1	1	3	3				
Hernia, intestinal obstruction (118)	15	2									1		1	4	2	2	3	
Cirrhosis of the liver (122)	5								1					2	1	1		
Nephritis (128, 129)	79							2	1	1	1	1	11	7	17	23	15	
Diseases of the female genital organs (137–141)	3											1		2				
Puerperal septicemia (146)	5										1	3		1				
Other puerperal causes (143–145, 147–150)	6									1	1	2	2					
Suicide (165–174)	13											2	2	6	1	1	1	
Homicide (197–200)	1													1				
Automobile accidents [1] (188c)	18			1	1	1	3			2			3		2	3	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1								1									
Other external causes (inclusions, see Table 5)	46		1	1	2	2	2		4	1	1	1	1	9	10	6	5	
All other causes	375	140	9	6	1	1	8	5	8	7	5	8	24	26	35	39	53	
SPRINGFIELD, MASS., all causes	1,782	229	24	23	12	11	36	24	22	39	56	73	144	216	294	301	278	
Typhoid and paratyphoid fever (1)	2		1									1						
Measles (7)																		
Scarlet fever (8)	5					1	1	3										
Whooping cough (9)	5	3			1				1									
Diphtheria (10)	6		2		1		1	1	1									
Influenza (11)	41	7	1			1	1	1	1	1	2	2	6	3	7	2	6	
Meningococcus meningitis (24)	3	1		1				1										
Tuberculosis of the respiratory system (31)	61							1	3	11	8	16	10	7	3	1	1	
Other forms of tuberculosis (32–37)	12	2	1	1				1		1	1	1	1	1	2			
Cancer and other malignant tumors (43–49)	179								1	1		8	15	43	50	36	25	
Diabetes mellitus (57)	33					1		1	1			1	3	3	10	12	1	
Cerebral hemorrhage and softening (74, 83)	107	1	1									1	4	12	25	33	30	
Other [organic] diseases of the heart (90)	273	1	1	1			4	1	1	5	6	2	18	31	60	67	75	
Bronchitis (99)	8	1		1			1						1		2	1	1	
Broncho-pneumonia (100)	81	30	4	8		1	5				1	2	3	3	6	10	8	
Pneumonia (101)	73	7	1	1			1	4		4	3	7	7	13	8	7	10	
Diarrhea and enteritis (113, 114)	29	20	3	1	1		1							2			1	
Appendicitis and typhlitis (117)	20					1			2	2	1		4	4	4	2		
Hernia, intestinal obstruction (118)	16	1		1							1		2	2	5	4		
Cirrhosis of the liver (122)	5													2	2		1	
Nephritis (128, 129)	242		1			1	4	2	1	3	2	5	15	33	48	67	60	
Diseases of the female genital organs (137–141)	12										4		2	5	1			
Puerperal septicemia (146)	15								1	2	7	1	4					
Other puerperal causes (143–145, 147–150)	25								4	3	7	6	5					
Suicide (165–174)	19								1	1	2	1	1	7	2	1	3	
Homicide (197–200)	4										1	1	2					
Automobile accidents [1] (188c)	21				3			1	1	1	4	2		2	2	3	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	67	2	2	3	2	2	3		2	2	3	2	6	4	11	8	15	
All other causes	417	153	6	5	4	3	14	7	1	2	3	14	34	39	46	47	39	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
WORCESTER, MASS., all causes	2,547	327	56	32	23	22	59	32	45	60	55	90	194	280	407	438	426	1
Typhoid and paratyphoid fever (1)	4							1	1	1	1							
Measles (7)	19	5	4	8	1	1												
Scarlet fever (8)	6		2	2	1				1									
Whooping cough (9)	18	9	6	3														
Diphtheria (10)	30	2	1		7	4	12	4										
Influenza (11)	13	3		1		1	1						3	1	2		1	
Meningococcus meningitis (24)	3			1			1			1								
Tuberculosis of the respiratory system (31)	117		1	1					5	14	10	15	27	23	15	6		
Other forms of tuberculosis (32–37)	26	6	3	2	1	2	3	1	2	1	1	1		1		1	1	
Cancer and other malignant tumors (43–49)	231			1			1		3	2	1	5	15	37	64	67	35	
Diabetes mellitus (57)	37								2		1	1	2	5	7	18	1	
Cerebral hemorrhage and softening (74, 83)	170						1						7	14	43	55	50	
Other [organic] diseases of the heart (90)	406						2	3	4	4	6	8	20	43	80	104	132	
Bronchitis (99)	10	4			1										1	2	2	
Broncho-pneumonia (100)	109	31	13	1	3	1	1		1	1	1	1	5	2	15	12	22	
Pneumonia (101)	127	6	8	4		2	2	6	1	2	7	12	10	21	20	11	15	
Diarrhea and enteritis (113, 114)	51	39	8			1		1			1			1				
Appendicitis and typhlitis (117)	45			1	1		4		8	6	2	6	4	7	4	1	1	
Hernia, intestinal obstruction (118)	27	1			1			1			2		4	6	7	3	2	
Cirrhosis of the liver (122)	9									1				2		3	3	
Nephritis (128, 129)	266	1			1	1	2	1	2	2	2	3	18	44	58	68	63	
Diseases of the female genital organs (137–141)	8										1	1	3	2	1			
Puerperal septicemia (146)	7										1	1	5					
Other puerperal causes (143–145, 147–150)	18								1	4	1	7	5					
Suicide (165–174)	23									1		2	4	10	3	3		
Homicide (197–200)	9	1								2			2	2	1	1		
Automobile accidents [1] (188c)	40		1			3	6	3	2	1	4	1	7	2	7	3		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2										1	1						
Other external causes (inclusions, see Table 5)	132	4	1	1	3	2	13	3	4	7	3	6	15	15	15	13	27	
All other causes	584	215	8	6	3	4	10	8	9	10	9	19	38	42	64	67	71	1
DETROIT, MICH. (WHITE), all causes	12,050	2,292	284	141	117	85	330	156	280	437	519	639	1,394	1,387	1,452	1,397	1,132	8
Typhoid and paratyphoid fever (1)	29	1					2		3	6	4	3	6	2	2			
Measles (7)	17	7	6		1		2			1								
Scarlet fever (8)	56	2	2	4	11	4	16	3	1	5	2	3	1	2				
Whooping cough (9)	78	45	18	8	4	2						1						
Diphtheria (10)	115	7	15	14	14	12	35	6	1			4	3	4				
Influenza (11)	151	18	5	6	4	1	8	2	5	12	7	15	21	15	9	14	9	
Meningococcus meningitis (24)	12	4	2	2			2		1				1					
Tuberculosis of the respiratory system (31)	693	10	8		1		5	6	63	102	85	103	151	95	47	15	2	
Other forms of tuberculosis (32–37)	133	17	20	8	6	2	10	9	13	8	11	7	12	6	2	1		1
Cancer and other malignant tumors (43–49)	875			2			2	3	7	7	12	29	105	186	241	191	89	1
Diabetes mellitus (57)	190			1	1		2	1	8	3	6	1	13	28	60	52	14	
Cerebral hemorrhage and softening (74, 83)	623	5	2				1	2		3	4	2	25	87	135	135	172	
Other [organic] diseases of the heart (90)	1,448	14	4	3	3	3	28	19	16	22	30	54	155	227	256	323	290	1
Bronchitis (99)	72	18		1								2	2	3	6	8	32	
Broncho-pneumonia (100)	515	247	54	21	10	4	13	1	4	4	6	8	30	17	24	35	37	
Pneumonia (101)	703	63	20	7	3	4	22	11	19	34	40	39	126	101	102	67	45	
Diarrhea and enteritis (113, 114)	431	328	57	15	7	3			2	1	1	1	1	4	2	5	4	
Appendicitis and typhlitis (117)	239			3	3	5	23	23	20	26	19	23	36	33	18	6	1	
Hernia, intestinal obstruction (118)	140	20		3	1		2			8	9	5	27	22	17	16	10	
Cirrhosis of the liver (122)	96										5	7	12	26	20	17	8	1
Nephritis (128, 129)	585	6	1				2	8	11	13	15	24	47	74	114	161	109	
Diseases of the female genital organs (137–141)	75								3	4	8	12	26	12	7		3	
Puerperal septicemia (146)	95							1	6	24	25	22	17					
Other puerperal causes (143–145, 147–150)	104								7	18	20	24	34					1
Suicide (165–174)	151									5	25	17	32	31	22	14	4	1
Homicide (197–200)	147	2	1				2	1	11	25	27	24	34	13	6	1		
Automobile accidents [1] (188c)	325	1	2	4	5	15	57	17	17	14	16	18	54	30	39	32	4	
Automobile and railroad-train collision (part 188a)	12			1						1	2	3	5					
Automobile and street-car collision (part 188b)	14								1	5	3	1		2	2			
Other external causes (inclusions, see Table 5)	598	23	19	15	13	13	32	13	17	34	40	56	111	77	55	38	42	
All other causes	3,328	1,454	48	23	30	17	64	30	44	52	97	131	307	290	266	216	257	2
DETROIT, MICH. (COLORED), all causes	1,627	272	55	19	7	13	27	21	59	127	194	180	304	194	84	47	21	3
Typhoid and paratyphoid fever (1)	5	1							1			1	2					
Measles (7)																		
Scarlet fever (8)	1		1															
Whooping cough (9)	12	6	4		2													
Diphtheria (10)	4	1	1			1							1					
Influenza (11)	22	3	1				1		2	2	1	2	3	6	1			
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	255		3	1	1	4	2	5	26	42	51	43	44	21	7	3		2
Other forms of tuberculosis (32–37)	40	5	6	2		1	1	2	6	9	2	2	2	2				
Cancer and other malignant tumors (43–49)	34									1		1	9	7	13	2	1	
Diabetes mellitus (57)	12										1	1	5	3	2			
Cerebral hemorrhage and softening (74, 83)	31										1		4	8	7	7	4	
Other [organic] diseases of the heart (90)	172	4			1	2	2	4	1	3	10	16	50	47	14	12	6	
Bronchitis (99)	12	2	1	1								4		1			3	
Broncho-pneumonia (100)	118	72	16	3	1	1	2		1	3	6	1	6	2	2		2	
Pneumonia (101)	191	23	9	1	1	2	5	2	3	15	32	26	40	24	6	2		
Diarrhea and enteritis (113, 114)	43	26	6	4		1		2		1	1		2					
Appendicitis and typhlitis (117)	26						1	1	2	4	3	3	8	3	1			
Hernia, intestinal obstruction (118)	14	1	1						1	1	1	2	3	3	1			
Cirrhosis of the liver (122)	5											1	3	1				
Nephritis (128, 129)	66	3		1			1	1	2	4	2	7	15	15	9	5	1	
Diseases of the female genital organs (137–141)	20										5	10	3	2				
Puerperal septicemia (146)	9								3	2	4							
Other puerperal causes (143–145, 147–150)	15								3	3	5	1	3					
Suicide (165–174)	11									2	5		2	2				
Homicide (197–200)	94								1	11	30	15	28	7	2			
Automobile accidents [1] (188c)	21						2			1	4	3	4	2	3	2		
Automobile and railroad-train collision (part 188a)	1											1						
Automobile and street-car collision (part 188b)	2									1		1						
Other external causes (inclusions, see Table 5)	41	2		3		1	4	1	1	1	5	9	5	6	2			1
All other causes	350	123	6	3	1		6	3	6	21	25	30	62	32	14	14	4	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
GRAND RAPIDS, MICH., all causes	1,767	249	27	18	8	3	33	20	35	50	34	43	122	150	231	368	375	1
Typhoid and paratyphoid fever (1)	2									1	1							
Measles (7)	6	2	3	1														
Scarlet fever (8)	8			2			1	2	3									
Whooping cough (9)	5	2	3															
Diphtheria (10)	7		1			1	1		1				2	1				
Influenza (11)	29	2		1			1		3			1	5	6	1	3	6	
Meningococcus meningitis (24)	1		1															
Tuberculosis of the respiratory system (31)	52						1	5	10	8	5	12	4	5	2			
Other forms of tuberculosis (32–37)	13	6					2		1	1		1	1	1				
Cancer and other malignant tumors (43–49)	158							1		1		2	13	25	41	45	30	
Diabetes mellitus (57)	47	1						1	1	2			2	3	10	19	8	
Cerebral hemorrhage and softening (74, 83)	159											2		4	34	61	58	
Other [organic] diseases of the heart (90)	293	1	1				2		2	2	2	4	10	23	44	105	97	
Bronchitis (99)	20	8													2	1	9	
Broncho-pneumonia (100)	58	29	5	1		1	1				1	1	1	2	1	6	9	
Pneumonia (101)	41	6	3	1			2	1					2	7	5	9	5	
Diarrhea and enteritis (113, 114)	56	38	6	2	1	1					1		1	1	3	1	1	
Appendicitis and typhlitis (117)	32							3	4	7	4	5	2	2	1	3	1	
Hernia, intestinal obstruction (118)	16	1	1				1	1		1		1	2	1	5	2		
Cirrhosis of the liver (122)	9														6	2	1	
Nephritis (128, 129)	116	1						1		1		3	7	16	18	27	42	
Diseases of the female genital organs (137–141)	16							1	1	1			8	2	2	1		
Puerperal septicemia (146)	5									2	2	1						
Other puerperal causes (143–145, 147–150)	7									1	2	2	2					
Suicide (165–174)	20											1	6	2	5	4	2	
Homicide (197–200)	1															1		
Automobile accidents [1] (188c)	45			1	1		9		11	2	2	1	3	5	2	3	5	
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)	1													1				
Other external causes (inclusions, see Table 5)	54	4	2		1		3		1	4	4	4	8	4		6	13	
All other causes	489	148	1	9	5		11	7	4	11	7	9	35	40	46	67	88	1
MINNEAPOLIS, MINN., all causes	4,928	571	69	42	42	41	121	75	86	133	175	177	449	546	787	834	780	
Typhoid and paratyphoid fever (1)	13								3	4	1	1	3			1		
Measles (7)	4		2				2											
Scarlet fever (8)	23		2	4	4	3	4	3		1	2							
Whooping cough (9)	19	16	1	2														
Diphtheria (10)	107	5	6	11	7	5	39	15	2	4	2	4	5		2			
Influenza (11)	78	13	5	1		1	2		2	3	3	1	6	8	6	15	12	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	165					1		2	7	18	29	26	36	15	14	10	7	
Other forms of tuberculosis (32–37)	44	6	1	1			1	2	3	3	3	5	6	7	3	2	1	
Cancer and other malignant tumors (43–49)	550	2						3	1		7	6	47	96	168	136	84	
Diabetes mellitus (57)	86			1				1			2	1	4	11	25	32	9	
Cerebral hemorrhage and softening (74, 83)	313	1						2	1	1	1	4	9	29	69	97	99	
Other [organic] diseases of the heart (90)	637			1			4	4	7	6	7	8	39	64	152	170	175	
Bronchitis (99)	18	3											1		4	3	7	
Broncho-pneumonia (100)	167	66	9	5	1	2	4			2	3	1	6	7	10	17	34	
Pneumonia (101)	228	19	7	2	5	4	1	3	2	6	6	5	28	29	38	36	37	
Diarrhea and enteritis (113, 114)	68	37	6	2	4	2	3	1		1	1		1	2	1	2	5	
Appendicitis and typhlitis (117)	96	1				4	6	8	6	9	14	10	11	15	6	3	3	
Hernia, intestinal obstruction (118)	54	4	3		1		1	2	1	1	2	4	6	7	5	12	5	
Cirrhosis of the liver (122)	32										1	1	1	5	11	8	5	
Nephritis (128, 129)	259						1		4	3	3	6	23	20	39	76	84	
Diseases of the female genital organs (137–141)	34								1	4	4	3	8	9	4	1		
Puerperal septicemia (146)	22									4	5	9	4					
Other puerperal causes (143–145, 147–150)	32								2	5	6	11	8					
Suicide (165–174)	107									5	11	6	25	21	24	14	1	
Homicide (197–200)	30	2					1		2	3	7	3	7	4	1			
Automobile accidents [1] (188c)	76			2	1	1	8	3	2	5	3	2	11	11	8	13	6	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)	2												1			1		
Other external causes (inclusions, see Table 5)	261	2	5	3	4	3	12	11	11	11	8	13	30	40	34	34	40	
All other causes	1,401	393	22	7	15	15	32	15	29	34	44	47	123	145	163	151	166	
ST. PAUL, MINN., all causes	3,120	344	51	29	22	23	57	50	64	86	115	116	300	405	479	502	477	
Typhoid and paratyphoid fever (1)	7									2	2	2	1					
Measles (7)	1			1														
Scarlet fever (8)	32	3	2		3	4	9	2	3	2	1		1	2				
Whooping cough (9)	13	9	2	1	1													
Diphtheria (10)	32	4	4	1	3	3	11	2	2				1		1			
Influenza (11)	51	2	3	2	1	1			1			3	5	6	5	5	17	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	174	1	1	1	1		2	1	9	18	27	23	37	29	11	9	4	
Other forms of tuberculosis (32–37)	29	1	2	1	1	2		3	1	4	1	1	4	4	3	1		
Cancer and other malignant tumors (43–49)	365				1		1		1	1	7	7	35	73	94	94	51	
Diabetes mellitus (57)	66						1	2		2	1	1	3	10	22	17	7	
Cerebral hemorrhage and softening (74, 83)	183						1				1	1	9	19	41	53	58	
Other [organic] diseases of the heart (90)	448						1	7	3	5	3	11	27	51	85	133	122	
Bronchitis (99)	9	2													1	3	3	
Broncho-pneumonia (100)	107	25	10	1		3	2	1			2	1	5	11	7	15	24	
Pneumonia (101)	98	6	5	2	1		3		1	3	3	3	22	17	10	11	11	
Diarrhea and enteritis (113, 114)	40	24	3	3	4	1	1						1	1			2	
Appendicitis and typhlitis (117)	68	1	1			1	6	3	4	7	6	6	14	8	7	5		
Hernia, intestinal obstruction (118)	26	1	1						1		1		4	4	4	6	4	
Cirrhosis of the liver (122)	23												3	5	9	4	2	
Nephritis (128, 129)	201		1	1		1		1	2	1	5	8	25	37	37	41	41	
Diseases of the female genital organs (137–141)	16									1	4	1	6	2	2			
Puerperal septicemia (146)	15									4	5	5	1					
Other puerperal causes (143–145, 147–150)	20									3	3	7	7					
Suicide (165–174)	31									2	5		7	9	6	2		
Homicide (197–200)	13	1						2	1	4	1	1	1	1	1			
Automobile accidents [1] (188c)	42					2	4	1	1	5	3	2	3	3	8	7	3	
Automobile and railroad-train collision (part 188a)	2										1		1					
Automobile and street-car collision (part 188b)	5								1		2		2					
Other external causes (inclusions, see Table 5)	141		3	4		1	5	5	12	3	5	9	18	19	22	13	22	
All other causes	861	264	13	11	6	4	10	20	21	19	26	24	57	94	103	83	106	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
KANSAS CITY, MO. (WHITE), all causes	4,190	482	68	42	27	25	71	63	108	134	155	154	422	477	663	649	643	7
Typhoid and paratyphoid fever (1)	7							2	2		2	1						
Measles (7)																		
Scarlet fever (8)	30	1	6	4	1	3	1	2	2	4	1	3	1				1	
Whooping cough (9)	30	21	3	2	1		3											
Diphtheria (10)	27	3	2	3	3	3	7	1	2	1	1					1		
Influenza (11)	135	20	5	1	1	1	3	2	1	5	5	4	15	13	21	18	20	
Meningococcus meningitis (24)	4			1					3									
Tuberculosis of the respiratory system (31)	213	2	1	1			2	5	9	27	26	29	47	25	21	16	2	
Other forms of tuberculosis (32–37)	35	5	1		3	1	2	1	2	3	4	1	3	5	4			
Cancer and other malignant tumors (43–49)	430							1	3	2	7	10	48	79	133	94	52	1
Diabetes mellitus (57)	54						2	2					3	4	15	21	7	
Cerebral hemorrhage and softening (74, 83)	241	1					2			2	2	3	6	26	49	70	80	
Other [organic] diseases of the heart (90)	429	1	1				4	9	3	6	5	5	30	52	86	90	136	1
Bronchitis (99)	15	2	1								1			1	3	7		
Broncho-pneumonia (100)	192	55	17	6	4	1	4	3	5	3	1	2	13	7	12	22	36	1
Pneumonia (101)	173	16	3	3	2		1		3	7	6	4	15	20	29	29	35	
Diarrhea and enteritis (113, 114)	99	69	13	3	3		2	1	1	1	1	1			3		1	
Appendicitis and typhlitis (117)	79		1			1	3	6	7	4	11	5	18	9	11	1	2	
Hernia, intestinal obstruction (118)	42	2	1						3		2	3	3	12	7	6	3	
Cirrhosis of the liver (122)	38												4	11	6	14	3	
Nephritis (128, 129)	403	3			1	1		3	3	2	7	7	29	30	96	106	114	1
Diseases of the female genital organs (137–141)	39									4	2	3	19	8	1	2		
Puerperal septicemia (146)	30							1	6	11	6	3	3					
Other puerperal causes (143–145, 147–150)	20								5	2	5	4	4					
Suicide (165–174)	81								2	8	6	7	25	17	12	4		
Homicide (197–200)	59	1	1						5	8	8	10	16	7	2			1
Automobile accidents[1] (188c)	81			1		4	8	2	7	7	2	4	13	7	11	7	8	
Automobile and railroad-train collision (part 188a)	2										1			1				
Automobile and street-car collision (part 188b)	1						1											
Other external causes (inclusions, see Table 5)	182	6	3	7	2	4	6	5	12	8	9	11	18	25	23	16	25	2
All other causes	1,019	274	10	9	6	6	20	17	22	19	34	34	89	119	120	129	111	
KANSAS CITY, MO. (COLORED), all causes	897	104	33	7	8		6	16	28	47	65	71	171	156	104	50	31	
Typhoid and paratyphoid fever (1)																		
Measles (7)																		
Scarlet fever (8)	2		1						1									
Whooping cough (9)	8	5	3															
Diphtheria (10)																		
Influenza (11)	48	6	5					1	1	1	2	3	12	7	5	4	1	
Meningococcus meningitis (24)	2	1										1						
Tuberculosis of the respiratory system (31)	113	1	2		1		1	3	12	18	18	15	18	14	9	1		
Other forms of tuberculosis (32–37)	22	3			1			1	3	4	1	2	4	2	1			
Cancer and other malignant tumors (43–49)	24										1	1	3	4	13	1	1	
Diabetes mellitus (57)	7								1					1	2	2	1	
Cerebral hemorrhage and softening (74, 83)	30										1		1	7	8	8	5	
Other [organic] diseases of the heart (90)	87							3	1	1	3	7	22	20	17	6	7	
Bronchitis (99)	3			1								1		1				
Broncho-pneumonia (100)	54	31	8	1	1		1		1				1	3	4	1	2	
Pneumonia (101)	61	3	4		1			1	2	2	6	7	14	14	4	3		
Diarrhea and enteritis (113, 114)	16	9	4	1	1											1		
Appendicitis and typhlitis (117)	8										1	2	3	1	1			
Hernia, intestinal obstruction (118)	11										1		6	2	2			
Cirrhosis of the liver (122)	10												5	4	1			
Nephritis (128, 129)	106			1			1			1	4	4	20	31	22	13	9	
Diseases of the female genital organs (137–141)	9									2		2	2	3				
Puerperal septicemia (146)	6									1	2	2	1					
Other puerperal causes (143–145, 147–150)	6									3	1	1	1					
Suicide (165–174)	3										1			1	1			
Homicide (197–200)	72			1					5	5	16	13	20	10	2			
Automobile accidents[1] (188c)	6												2	3	1			
Automobile and railroad-train collision (part 188a)	1							1										
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	31			1	2		2	3	1	3	2	2	8	6	1			
All other causes	150	45	6	1	1		1	3		6	5	8	27	22	10	10	5	
ST. LOUIS, MO. (WHITE), all causes	9,393	837	122	78	60	53	166	119	164	222	255	307	871	1,285	1,687	1,739	1,427	1
Typhoid and paratyphoid fever (1)	21				1		1	1	2	5	4	1	2	3	1			
Measles (7)	4	2	1						1									
Scarlet fever (8)	52	1	8	5	8	9	12	5					2	2				
Whooping cough (9)	14	5	6	1	1		1											
Diphtheria (10)	90	3	14	16	11	13	25	6			1	1						
Influenza (11)	117	6	5	5	2	1	4	2	4	6	2	3	4	19	16	17	21	
Meningococcus meningitis (24)	3	1					1				1							
Tuberculosis of the respiratory system (31)	342	2	1	1	1	1	1	5	19	48	39	35	75	54	39	21		
Other forms of tuberculosis (32–37)	48	9	1	2	2	1	1	2	1	4	7	1	6	3	5	2	1	
Cancer and other malignant tumors (43–49)	965	1		1		1	1	4	2	5	7	18	83	196	300	237	109	
Diabetes mellitus (57)	172		1	1				2	2		3	2	7	19	58	53	24	
Cerebral hemorrhage and softening (74, 83)	442	1					1		2		3	5	21	48	107	136	118	
Other [organic] diseases of the heart (90)	1,451	2				3	11	15	13	13	28	37	95	202	293	365	374	
Bronchitis (99)	65	8					1		1		1		2	5	3	15	29	
Broncho-pneumonia (100)	400	114	25	10	1	4	7	4	5	2	2	4	19	28	40	46	89	
Pneumonia (101)	563	29	8	6	3	2	13	9	10	11	12	18	69	93	96	106	78	
Diarrhea and enteritis (113, 114)	225	175	20	5	5	3	2					1	2	2	2	2	6	
Appendicitis and typhlitis (117)	174	1	2				4	7	15	11	20	16	22	39	24	11	2	
Hernia, intestinal obstruction (118)	95	5	1					1	4	3	4	2	7	15	20	17	16	
Cirrhosis of the liver (122)	117	1								3	1	3	15	28	25	25	15	1
Nephritis (128, 129)	1,164				3	1	1	3	11	10	15	15	72	160	274	339	200	
Diseases of the female genital organs (137–141)	50							2	1	3	3	9	17	11	2	2		
Puerperal septicemia (146)	35								5	13	4	8	5					
Other puerperal causes (143–145, 147–150)	63								2	13	17	17	13	1				
Suicide (165–174)	139							1	2	8	9	12	27	35	25	16	4	
Homicide (197–200)	80	1					2		4	11	10	14	22	10	3	2	1	
Automobile accidents[1] (188c)	180				3	1	25	3	17	5	11	8	19	22	27	33	6	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collison (part 188b)	4								1		1	1	1					
Other external causes (inclusions, see Table 5)	440	6	10	11	10	8	11	14	10	18	11	22	59	69	60	56	65	
All other causes	1,878	464	19	14	9	5	41	33	30	30	39	54	205	221	267	238	209	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ST. LOUIS, MO. (COLORED), all causes	1,948	204	43	10	6	10	18	30	79	102	120	129	358	384	222	141	92	
Typhoid and paratyphoid fever (1)	12		1					1		1	3	2	3	1				
Measles (7)	2	2																
Scarlet fever (8)	1				1													
Whooping cough (9)	7	3	4															
Diphtheria (10)	4			1		1	1					1						
Influenza (11)	31	1	2			1	1		1				8	10	2	2	3	
Meningococcus meningitis (24)	3		1						1					1				
Tuberculosis of the respiratory system (31)	219	1				1	1	7	35	34	29	31	49	25	6			
Other forms of tuberculosis (32–37)	27	3	2	2	1	2	1	1	2	2	4	2	1	3		1		
Cancer and other malignant tumors (43–49)	85				1		1				1	7	21	24	18	9	3	
Diabetes mellitus (57)	7										1			3	1	2		
Cerebral hemorrhage and softening (74, 83)	69									1	1	2	10	21	20	9	5	
Other [organic] diseases of the heart (90)	339						1	3	5	5	1	14	64	96	57	53	29	
Bronchitis (99)	11	7											1	2		1		
Broncho-pneumonia (100)	107	53	18	3			1		2	2	1	2	7	6	6	2	4	
Pneumonia (101)	182	12	4		1		4	6	10	16	13	13	32	37	18	10	6	
Diarrhea and enteritis (113, 114)	40	31	2								3		4					
Appendicitis and typhlitis (117)	16		1				1	3	2	1	3		3	1	1			
Hernia, intestinal obstruction (118)	15	1	1								3	2	4	1	1	1	1	
Cirrhosis of the liver (122)	18							1					6	7	3	1		
Nephritis (128, 129)	247								1	1	6	10	44	66	54	34	31	
Diseases of the female genital organs (137–141)	16									1	1	1	8	3	2			
Puerperal septicemia (146)	12									3	2	5	2					
Other puerperal causes (143–145, 147–150)	11							1	4	1	2	2	1					
Suicide (165–174)	5									1		1		2		1		
Homicide (197–200)	83								5	16	20	14	15	12	1			
Automobile accidents [1] (188c)	21					1				1	1	3	6	8	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	64	1	2	3	1	2	3	5	5	2	5	2	14	8	7	2	2	
All other causes	294	89	5	1	1	2	3	2	6	14	9	15	55	47	24	13	8	
OMAHA, NEBR., all causes	2,813	331	55	34	15	15	54	45	79	90	88	133	291	347	384	478	373	1
Typhoid and paratyphoid fever (1)	4								1		2	1						
Measles (7)																		
Scarlet fever (8)	1					1												
Whooping cough (9)	16	9	3	3	1													
Diphtheria (10)	31	1	1	3	3	3	14	2	3	1								
Influenza (11)	56	8	1	3			1	3	1	1	3	6	7	6	3	5	8	
Meningococcus meningitis (24)	1				1													
Tuberculosis of the respiratory system (31)	116	2					2	1	13	16	15	12	24	18	5	5	3	
Other forms of tuberculosis (32–37)	29	2	2	1	2		1	1	6	3	1	1	5	2	1	1		
Cancer and other malignant tumors (43–49)	291							1	2	3	4	8	26	62	71	81	33	
Diabetes mellitus (57)	59							2	1		1	4	1	13	16	19	2	
Cerebral hemorrhage and softening (74, 83)	164				1				1		1	2	12	18	39	55	35	
Other [organic] diseases of the heart (90)	360	2		1	1		1	4	5	5	3	6	23	44	67	98	100	
Bronchitis (99)	9														1	3	5	
Broncho-pneumonia (100)	105	45	8	5	1	1	3	1	1			4	4	3	7	7	15	
Pneumonia (101)	164	12	7	2		1	2	5	2	4	7	8	23	20	18	26	27	
Diarrhea and enteritis (113, 114)	82	38	15	6	3		2					1	4	3	2	3	5	
Appendicitis and typhlitis (117)	72		2	1		1	4	7	4	4	6	9	13	5	11	3	2	
Hernia, intestinal obstruction (118)	36	7					1		2	2		1	4	6	6	4	3	
Cirrhosis of the liver (122)	13												3	3	2	4	1	
Nephritis (128, 129)	156						1	1	1	4		6	5	18	37	41	42	
Diseases of the female genital organs (137–141)	30									1	2	6	13	4	3			1
Puerperal septicemia (146)	22								3	7	2	7	3					
Other puerperal causes (143–145, 147–150)	21								3	3	3	8	4					
Suicide (165–174)	57								1	3	5	5	16	12	6	7	2	
Homicide (197–200)	34									5	2	5	11	6	4	1		
Automobile accidents [1] (188c)	35		1			1	4	4	1		1	1	5	6	2	8	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	115	1	4	5			5	2	8	4	6	9	15	10	13	16	17	
All other causes	734	204	11	4	2	7	13	11	20	24	24	23	70	88	70	91	72	
CAMDEN, N. J., all causes	1,775	271	63	40	25	14	51	33	40	59	63	58	164	212	243	243	196	
Typhoid and paratyphoid fever (1)	10		1				1		4	1			2		1			
Measles (7)	35	7	16	6	5		1											
Scarlet fever (8)	4			1	1	1	1											
Whooping cough (9)	25	14	4	5		1	1											
Diphtheria (10)	27	1	1	3	2	3	13	3	1									
Influenza (11)	14	1	2					1				1		4	1	2	2	
Meningococcus meningitis (24)	2				1				1									
Tuberculosis of the respiratory system (31)	64			1					4	11	5	6	13	10	10	2	2	
Other forms of tuberculosis (32–37)	10	2						1	1		1	3			1	1		
Cancer and other malignant tumors (43–49)	108											2	15	25	33	21	12	
Diabetes mellitus (57)	23			1					1		3	1	2	2	7	5	1	
Cerebral hemorrhage and softening (74, 83)	93							1			1		5	11	20	30	25	
Other [organic] diseases of the heart (90)	236	2				2	4	5	2		5	2	8	41	42	60	63	
Bronchitis (99)	10	4											1				5	
Broncho-pneumonia (100)	64	27	19	2	2								2	2	3	5	2	
Pneumonia (101)	119	17	6	5	1		3	1	4	2	3	8	21	14	16	10	8	
Diarrhea and enteritis (113, 114)	76	54	8	2	3	1	2							3	3			
Appendicitis and typhlitis (117)	25						2	4	1	4	1	2	6	4		1		
Hernia, intestinal obstruction (118)	17	1										1	3	2	9	1		
Cirrhosis of the liver (122)	6												2		2		2	
Nephritis (128, 129)	196	1	1	1	1			1	2	5	7	7	15	33	41	53	28	
Diseases of the female genital organs (137–141)	11									2		1	3	5				
Puerperal septicemia (146)	17								3	5	6	2	1					
Other puerperal causes (143–145, 147–150)	19								1	5	6	4	3					
Suicide (165–174)	12							1		1	2		1	2	3	2		
Homicide (197–200)	14				1				2	2		3	4		2			
Automobile accidents [1] (188c)	43	1		1			8	3	5	4	2		5	4	7	1	2	
Automobile and railroad-train collision (part 188a)	7										2		1	3			1	
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	112	7	1	2	3	4	9	6	4	5	6	6	8	12	12	14	13	
All other causes	376	132	4	10	5	2	6	6	4	12	13	9	43	35	30	35	30	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
JERSEY CITY, N. J., all causes	3,675	471	95	49	29	19	90	56	89	91	137	139	370	516	625	539	360	
Typhoid and paratyphoid fever (1)	13						3	1		2		2	3	1	1			
Measles (7)	12	2	6	1	1		2											
Scarlet fever (8)	2		1							1								
Whooping cough (9)	20	6	4	6	1	1	2											
Diphtheria (10)	46	3	8	7	9	4	9	3			1	1		1				
Influenza (11)	39	7	2	1		1			2	2	1	2	4	5	5	5	2	
Meningococcus meningitis (24)	3	2											1					
Tuberculosis of the respiratory system (31)	217		1				1	1	17	24	27	24	42	43	28	8	1	
Other forms of tuberculosis (32–37)	35	2	2	5	2		5	2	4	1	1	3	2	3	3			
Cancer and other malignant tumors (43–49)	273		1		1					2	4	2	27	71	84	58	23	
Diabetes mellitus (57)	72								1			1	5	15	23	22	5	
Cerebral hemorrhage and softening (74, 83)	259	1								1	1	1	19	35	73	72	56	
Other [organic] diseases of the heart (90)	650	4	2		1		7	9	12	13	12	20	59	101	158	144	108	
Bronchitis (99)	29	12	3		1								1	2	1	6	3	
Broncho-pneumonia (100)	161	57	20	7	2	2	3	1	1	1	1	4	7	13	14	9	19	
Pneumonia (101)	221	11	13	8	3	2	7	7	5	2	9	14	43	33	34	23	7	
Diarrhea and enteritis (113, 114)	127	89	16	3	1	1	2	1	1		1		1	3	2	2	4	
Appendicitis and typhlitis (117)	64	1	1	2	1	1	5	4	10	6	6	7	5	9	5	1		
Hernia, intestinal obstruction (118)	37	4	1				1		1		3		5	5	8	8	1	
Cirrhosis of the liver (122)	22								1			1	1	7	5	6	1	
Nephritis (128, 129)	307		1				1	1	2	5	11	11	17	43	79	80	56	
Diseases of the female genital organs (137–141)	23										5	3	6	5	2	2		
Puerperal septicemia (146)	25								3	8	9	3	2					
Other puerperal causes (143–145, 147–150)	25								1	3	5	6	9	1				
Suicide (165–174)	25									1	1		10	5	4	3	1	
Homicide (197–200)	6									1	2		1	1	1			
Automobile accidents[1] (188c)	64		2			1	15	8	3		5	2	6	4	6	10	2	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	192	7	5	6	2	1	7	6	8	6	9	7	31	34	30	14	19	
All other causes	705	263	7	2	4	5	20	12	17	12	23	25	63	75	59	66	52	
NEWARK, N. J., all causes	5,308	734	128	50	45	35	120	79	118	137	159	217	587	764	858	757	520	
Typhoid and paratyphoid fever (1)	5								1		1	1	1	1				
Measles (7)	9	3	3	1		1	1											
Scarlet fever (8)	2				1				1									
Whooping cough (9)	24	11	5	3	2	2	1											
Diphtheria (10)	25	4	1	5	2		9	2					2					
Influenza (11)	29	5	2	1	1	1				1		1	3	7	4	2	1	
Meningococcus meningitis (24)	8	3	2				1	1					1					
Tuberculosis of the respiratory system (31)	249	1		1			1	6	27	36	25	21	64	33	20	14		
Other forms of tuberculosis (32–37)	43	4	5	6	3	2	6	2	1	1	3		5	2	3			
Cancer and other malignant tumors (43–49)	501		2				1			1	4	8	60	104	157	120	44	
Diabetes mellitus (57)	107					1		1			4		6	20	42	22	11	
Cerebral hemorrhage and softening (74, 83)	320	3	2		1	1		1				2	15	44	77	103	71	
Other [organic] diseases of the heart (90)	821	3		2		1	11	14	11	4	11	11	70	124	181	205	173	
Bronchitis (99)	61	26	3	1		1							2		6	13	9	
Broncho-pneumonia (100)	176	70	25	13	5		2		3	5	3	3	7	6	10	8	16	
Pneumonia (101)	352	23	22	8	4	3	10	7	10	13	17	34	60	62	44	23	12	
Diarrhea and enteritis (113, 114)	158	116	26	2	1	1	2			1	1	1	2	2	1	2		
Appendicitis and typhlitis (117)	100	2	1	1	2	1	8	12	9	5	7	6	17	17	8	4		
Hernia, intestinal obstruction (118)	42	6	2				2					2	9	4	5	7	5	
Cirrhosis of the liver (122)	36												4	12	11	6	3	
Nephritis (128, 129)	457	4	1	2	3	1	4	3	6	7	2	12	37	88	115	95	77	
Diseases of the female genital organs (137–141)	32								1	3	2	3	11	11		1		
Puerperal septicemia (146)	32								3	5	9	7	8					
Other puerperal causes (143–145, 147–150)	51								3	6	13	21	7	1				
Suicide (165–174)	55								1	1	3	4	9	16	11	8	2	
Homicide (197–200)	29	1							2	2	9	9	4	1	1			
Automobile accidents[1] (188c)	110	1	1	1	2	6	15	3	4	6	3	6	16	17	14	12	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2											1	1					
Other external causes (inclusions, see Table 5)	267	6	9	1	7	7	13	6	12	8	7	19	54	43	31	24	20	
All other causes	1,205	442	17	7	7	4	33	21	23	32	35	45	112	149	117	88	73	
PATERSON, N. J., all causes	1,741	195	26	13	7	9	35	26	38	50	56	60	153	233	277	328	205	
Typhoid and paratyphoid fever (1)	4								1	1	1					1		
Measles (7)	3	1	1				1											
Scarlet fever (8)																		
Whooping cough (9)	12	6	2	2	1	1												
Diphtheria (10)	6		2				3	1										
Influenza (11)	17	1		1							3	1	3	4	2		2	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	113					1			7	20	10	11	25	18	9	9	3	
Other forms of tuberculosis (32–37)	21	1	3	2	1			3	2	1	2	1		2	2	1		
Cancer and other malignant tumors (43–49)	172										2	4	21	31	48	48	18	
Diabetes mellitus (57)	41						2	1	1			2	1	5	11	14	4	
Cerebral hemorrhage and softening (74, 83)	97	2											4	14	19	30	28	
Other [organic] diseases of the heart (90)	260						3	6	3	4	3	7	10	38	54	79	53	
Bronchitis (99)	8	3													1	1	3	
Broncho-pneumonia (100)	49	20	3	3		1	4	2					1	1	4	10		
Pneumonia (101)	105	11	4	3	1		7	1	1	2	3	3	15	18	16	14	6	
Diarrhea and enteritis (113, 114)	38	21	4	1		2	1						2	1		4	2	
Appendicitis and typhlitis (117)	20						1	1	4	3	3		1	3	2	1	1	
Hernia, intestinal obstruction (118)	22	2					1				1	1	2	3	6	5	1	
Cirrhosis of the liver (122)	16												2	5	6	2	1	
Nephritis (128, 129)	137	2							2		3	1	12	17	33	38	29	
Diseases of the female genital organs (137–141)	5									1	1		2	1				
Puerperal septicemia (146)	13								2	3	4	3	1					
Other puerperal causes (143–145, 147–150)	14								1		4	5	4					
Suicide (165–174)	18									1	2	1	4	4	1	5		
Homicide (197–200)	5	1								1		1	2					
Automobile accidents[1] (188c)	41			1		1	6	2	1	2	4	3	4	4	6	6	1	
Automobile and railroad-train collision (part 188a)	4								1	1			1	1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	96		1		3	1	3	3	6	1	4	5	13	17	19	14	6	
All other causes	373	123	6		1	2	3	6	6	9	6	11	23	46	38	46	47	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
TRENTON, N. J., all causes	1,873	245	49	16	7	9	41	26	29	66	62	86	203	238	272	293	231	
Typhoid and paratyphoid fever (1)	10						1	1	1	3	2		1		1			
Measles (7)	5	3	1						1									
Scarlet fever (8)																		
Whooping cough (9)	14	8	4	1		1												
Diphtheria (10)	3		1				2											
Influenza (11)	19	3	1			1			2			1		2	5	1	3	
Meningococcus meningitis (24)	4	3	1															
Tuberculosis of the respiratory system (31)	99			1				4	5	9	8	14	29	13	11	5		
Other forms of tuberculosis (32–37)	21	3	3	1			1	1	1	2	2	2	1	3		1		
Cancer and other malignant tumors (43–49)	142					1				1	1	6	15	25	33	37	23	
Diabetes mellitus (57)	25												3	4	7	5	6	
Cerebral hemorrhage and softening (74, 83)	134						1	1			1		5	12	31	42	41	
Other [organic] diseases of the heart (90)	325					2	1	3	2	10	6	4	16	47	67	92	75	
Bronchitis (99)	8	1								1			1			1	4	
Broncho-pneumonia (100)	68	19	18	3	2			1		1		3	1	2	5	7	6	
Pneumonia (101)	106	12	8	1	1	1	3	2	1	4	5	4	17	20	9	13	5	
Diarrhea and enteritis (113, 114)	41	26	2		1		1		1		1	3	3	1	1		1	
Appendicitis and typhlitis (117)	32						3	1	2	4	1	4	5	6	4	2		
Hernia, intestinal obstruction (118)	13							1				2	4	5			1	
Cirrhosis of the liver (122)	9											2	1	2	2	2		
Nephritis (128, 129)	127						2		2	1	2	5	11	22	32	27	23	
Diseases of the female genital organs (137–141)	16											2	8	3	1		2	
Puerperal septicemia (146)	14								1	3	4	3	3					
Other puerperal causes (143–145, 147–150)	11								2	4	2	1	2					
Suicide (165–174)	24									4	2	5	3	4	3	2	1	
Homicide (197–200)	14	1								1	4	4	4					
Automobile accidents [1] (188c)	39		1	1	1	1	6	3	3	3	4	3	5	2	3	1	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	94	4	3	1	1	2	11	4	1	3	5	3	15	18	6	6	11	
All other causes	456	162	7	6	1		9	4	4	12	12	15	50	47	51	49	27	
ALBANY, N. Y., all causes	1,845	190	18	8	12	5	20	17	31	56	39	68	148	242	321	367	303	
Typhoid and paratyphoid fever (1)	7							1		1	2		1	1		1		
Measles (7)																		
Scarlet fever (8)	4							1		1	2							
Whooping cough (9)	4	3	1															
Diphtheria (10)	8		1	2	1	2	1	1										
Influenza (11)	23	2	2	1			2	1		1		1	1	5	3	3	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	123	1						1	11	15	5	15	28	17	14	12	4	
Other forms of tuberculosis (32–37)	16	2							1	2	2	2	1	3		3		
Cancer and other malignant tumors (43–49)	153							1	1		1		14	31	47	44	14	
Diabetes mellitus (57)	27										1		1	2	13	9	1	
Cerebral hemorrhage and softening (74, 83)	103											1	3	10	18	34	37	
Other [organic] diseases of the heart (90)	353					1		4	4	2		4	7	45	75	116	95	
Bronchitis (99)	7	1	1													1	4	
Broncho-pneumonia (100)	39	11	3	1	3			2				1	1	3	3	6	5	
Pneumonia (101)	82	6	1		1		1	2	1	4	1	7	13	8	11	13	13	
Diarrhea and enteritis (113, 114)	28	23	4	1														
Appendicitis and typhlitis (117)	26						2		3	4	3	3	3	5	1	2		
Hernia, intestinal obstruction (118)	21	2					1					1	2	1	4	4	6	
Cirrhosis of the liver (122)	15												2	4	7	1	1	
Nephritis (128, 129)	190							1	1	1	4	8	12	27	41	49	46	
Diseases of the female genital organs (137–141)	10								2		1		2	2	2	1		
Puerperal septicemia (146)	6									1	2	3						
Other puerperal causes (143–145, 147–150)	15									2	4	4	5					
Suicide (165–174)	14									1		1	1	6	3	2		
Homicide (197–200)	2									1			1					
Automobile accidents [1] (188c)	35				1		4		3	5		3	4	3	5	5	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	96	2		2	3	1	1	1	2	5	4	3	20	13	16	4	19	
All other causes	438	137	5	1	3	1	8	1	2	10	7	11	26	56	58	57	55	
BUFFALO, N. Y., all causes	7,434	1,076	164	69	51	36	132	94	152	191	268	290	699	932	1,174	1,204	902	
Typhoid and paratyphoid fever (1)	25						2		2	3	2	5	4	6	1			
Measles (7)	56	19	17	8	1	3	7				1							
Scarlet fever (8)	14	1	3	1	1	2	3			1		1			1			
Whooping cough (9)	24	13	9	1	1													
Diphtheria (10)	33	2	5		6	2	13	1					1	2	1			
Influenza (11)	39	5	1	1				4	3		2	2	9	2	6	2	2	
Meningococcus meningitis (24)	7		2			1	1	2		1								
Tuberculosis of the respiratory system (31)	432	4	3	2	2		2	5	51	56	76	54	74	57	33	12	1	
Other forms of tuberculosis (32–37)	62	7	4	7	5	4	6	2	4	3	7	2	7	1	2		1	
Cancer and other malignant tumors (43–49)	655			1			1	1	1	4	9	7	51	124	200	183	73	
Diabetes mellitus (57)	131				1	1		1	2		2	1	4	28	47	34	10	
Cerebral hemorrhage and softening (74, 83)	459	2					1			1	4	7	18	62	114	141	109	
Other [organic] diseases of the heart (90)	1,221	2	1	1	1	2	9	16	15	8	23	15	88	150	248	321	321	
Bronchitis (99)	89	36	12	2		1	1	1			1		1	3	5	10	16	
Broncho-pneumonia (100)	279	102	24	11	9	3	6	4	3	1	5	7	12	22	20	30	20	
Pneumonia (101)	366	25	16	7	3	2	6	1	8	13	19	20	53	74	47	49	23	
Diarrhea and enteritis (113, 114)	315	244	40	8	10	4	2	1	1	2	1				1	1		
Appendicitis and typhlitis (117)	121			2	1		11	4	11	7	15	13	21	16	12	6	2	
Hernia, intestinal obstruction (118)	79	11					1		1	1	1	2	8	17	21	13	3	
Cirrhosis of the liver (122)	48					1		1		1		5	9	7	11	8	5	
Nephritis (128, 129)	670	3	1			1	4	4	7	6	7	14	63	90	149	181	140	
Diseases of the female genital organs (137–141)	30									2	2	2	8	12	2	1	1	
Puerperal septicemia (146)	30									5	4	9	12					
Other puerperal causes (143–145, 147–150)	52								1	11	16	11	12	1				
Suicide (165–174)	53								1	1	2	7	13	13	8	6	2	
Homicide (197–200)	36							1	2	4	2	8	11	4	1	3		
Automobile accidents [1] (188c)	119				1	1	14	6	4	11	12	8	19	11	19	10	3	
Automobile and railroad-train collision (part 188a)	3										2				1			
Automobile and street-car collision (part 188b)	5								1	2			2					
Other external causes (inclusions, see Table 5)	342	5	9	4	7	4	14	12	16	16	15	23	51	52	37	46	31	
All other causes	1,639	595	17	13	2	4	28	27	18	31	38	67	143	178	187	147	139	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (WHITE), all causes	67,556	7,564	1,261	657	514	414	1,395	985	1,331	1,880	2,187	2,575	7,073	9,667	12,119	10,704	7,227	3
Typhoid and paratyphoid fever (1)	190	1		2		2	8	10	18	23	19	28	30	32	14	3		
Measles (7)	141	43	50	14	15	8	8	1			2							
Scarlet fever (8)	76		10	11	11	3	13	6	4	4	3	4	5	2				
Whooping cough (9)	298	151	77	33	16	10	10	1										
Diphtheria (10)	641	41	96	98	90	77	177	29	6	7	4	3	6	3	3	1		
Influenza (11)	550	74	32	21	11	6	19	14	14	18	22	32	77	64	67	50	29	
Meningococcus meningitis (24)	92	31	11	9	3		8	8	6	4	2	2	3	3	2			
Tuberculosis of the respiratory system (31)	4,155	14	15	4	2	6	14	47	290	493	506	424	934	763	451	159	32	1
Other forms of tuberculosis (32–37)	592	74	67	32	31	14	42	31	38	38	36	35	69	38	35	12		
Cancer and other malignant tumors (43–49)	6,630	3	3	7	6	3	11	15	19	36	62	144	692	1,496	2,022	1,499	612	
Diabetes mellitus (57)	1,481	2			1	1	3	4	8	9	9	18	78	263	558	395	132	
Cerebral hemorrhage and softening (74, 83)	3,009	13	4	2	2	3	3	2	6	3	11	23	150	400	791	927	669	
Other [organic] diseases of the heart (90)	13,017	13	2	14	14	19	118	184	220	167	206	261	850	1,851	3,057	3,346	2,695	
Bronchitis (99)	231	65	5	2	1	1	1		1	1	2	5	14	20	24	26	63	
Broncho-pneumonia (100)	2,773	1,026	277	99	35	25	38	34	26	35	36	51	122	181	269	250	269	
Pneumonia (101)	4,003	292	192	75	41	29	76	81	105	140	150	212	617	649	628	484	232	
Diarrhea and enteritis (113, 114)	1,387	1,102	152	20	14	6	14	4	2	4	4	2	12	12	12	11	16	
Appendicitis and typhlitis (117)	1,006	3	6	20	20	18	92	76	69	68	59	103	164	146	106	46	10	
Hernia, intestinal obstruction (118)	584	76	7	2	2	2	5	3	3	12	14	19	64	103	123	91	58	
Cirrhosis of the liver (122)	589					1	2	2	1	5	3	14	101	149	169	105	37	
Nephritis (128, 129)	5,966	9	3	5		2	20	44	50	65	93	137	486	928	1,428	1,537	1,159	
Diseases of the female genital organs (137–141)	282								3	14	29	28	94	75	23	12	4	
Puerperal septicemia (146)	261								14	57	67	64	58	1				
Other puerperal causes (143–145, 147–150)	413								9	63	103	116	119	3				
Suicide (165–174)	908							1	11	54	101	101	200	189	164	71	15	1
Homicide (197–200)	326	4			1		4	4	15	60	77	38	75	29	14	5		
Automobile accidents [1] (188c)	1,023		4	10	30	43	215	77	40	42	40	43	101	111	131	95	41	
Automobile and railroad-train collision (part 188a)	6									1	1	3	1					
Automobile and street-car collision (part 188b)	5								1				1	1	1		1	
Other external causes (inclusions, see Table 5)	3,299	69	64	56	61	54	158	82	107	170	159	219	550	544	446	329	230	1
All other causes	13,622	4,458	184	121	107	81	336	225	245	287	367	446	1,400	1,611	1,581	1,250	923	
NEW YORK, N. Y. (COLORED), all causes	4,279	744	131	50	43	30	59	54	129	299	342	351	747	626	356	214	104	
Typhoid and paratyphoid fever (1)	6								1	2			1	1	1			
Measles (7)	14	5	7		1		1											
Scarlet fever (8)	1		1															
Whooping cough (9)	40	22	13	2	2	1												
Diphtheria (10)	18	3	4	2	4	1	3							1				
Influenza (11)	18	7				1					1	1	1	4	1		1	1
Meningococcus meningitis (24)	5		1			1		1			1				1			
Tuberculosis of the respiratory system (31)	703	10	12	3	2	4	2	18	61	126	110	90	151	81	27	5	1	
Other forms of tuberculosis (32–37)	110	12	11	10	8	1	9	6	7	12	9	12	6	3	2	2		
Cancer and other malignant tumors (43–49)	194					1			2	3	9	13	37	61	40	18	10	
Diabetes mellitus (57)	39	2							2		3	1	5	11	8	6	1	
Cerebral hemorrhage and softening (74, 83)	106		1						1	1		5	19	33	21	17	8	
Other [organic] diseases of the heart (90)	526						6	3	6	14	20	31	98	154	79	80	35	
Bronchitis (99)	10	7	1												1	1		
Broncho-pneumonia (100)	268	146	37	14	12	4	5	1	1	3	4	7	12	9	6	4	3	
Pneumonia (101)	389	37	13	4	3	1	2	4	11	30	47	47	105	50	21	10	4	
Diarrhea and enteritis (113, 114)	90	77	8	2		1	1								1			
Appendicitis and typhlitis (117)	48			1	2		4	3		6	9	4	14	4	1			
Hernia, intestinal obstruction (118)	20	2	2						2	3	2		3	3	3			
Cirrhosis of the liver (122)	15										2	1	3	5	2	1	1	
Nephritis (128, 129)	290	1	1		1	1	1	2	3	6	4	14	50	77	70	34	25	
Diseases of the female genital organs (137–141)	62								1	5	5	14	24	11	2			
Puerperal septicemia (146)	24								3	4	9	3	5					
Other puerperal causes (143–145, 147–150)	40								3	9	7	9	12					
Suicide (165–174)	26								1	3	7	3	5	4	1	1	1	
Homicide (197–200)	68	1					1		2	11	18	16	14	2	2	1		
Automobile accidents [1] (188c)	37		1		2	3	7	1	1		6	2	6	4	3	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	165	6	3	4	2	4	3	5	8	21	19	18	35	18	14	4	1	
All other causes	947	406	15	8	4	6	14	10	13	38	51	60	138	92	51	28	13	
NEW YORK, N. Y. (BRONX BOROUGH), all causes	8,295	897	120	85	75	42	188	141	210	235	305	334	908	1,127	1,488	1,360	780	
Typhoid and paratyphoid fever (1)	21					1		1	3	1	4	4	3	4				
Measles (7)	8	2		2	2	1	1											
Scarlet fever (8)	11		3	4	1	1	2											
Whooping cough (9)	29	19	4	1	2	2	1											
Diphtheria (10)	58	4	8	7	11	5	15	2	1	1			2		1	1		
Influenza (11)	86	12	4	3	1	1	5		4	3	4	4	13	8	13	8	3	
Meningococcus meningitis (24)	7	2	1	1			1					1	1					
Tuberculosis of the respiratory system (31)	590	1		1	1	1	3	13	45	78	86	62	125	86	60	22	6	
Other forms of tuberculosis (32–37)	83	10	5	6	1	1	8	5	6	10	7	6	7	2	6	3		
Cancer and other malignant tumors (43–49)	888			2	1		2	1	4	5	7	24	117	183	270	202	70	
Diabetes mellitus (57)	201						1		1			1	3	26	78	72	19	
Cerebral hemorrhage and softening (74, 83)	280	2			1				1	1		2	14	53	70	84	52	
Other [organic] diseases of the heart (90)	1,683	1		1	3	1	13	35	38	17	24	42	135	236	403	439	295	
Bronchitis (99)	22	7							1					2	3	3	6	
Broncho-pneumonia (100)	323	91	26	10	2	2	6	3	2	6	6	5	15	27	36	47	39	
Pneumonia (101)	503	38	20	8	8	5	10	11	21	11	19	31	73	79	85	59	25	
Diarrhea and enteritis (113, 114)	124	96	16	3	2		2			1	1				2		1	
Appendicitis and typhlitis (117)	165			3	6	3	19	17	10	7	8	13	29	21	17	11	1	
Hernia, intestinal obstruction (118)	61	9	1			1	2				4	2	5	9	14	7	7	
Cirrhosis of the liver (122)	65												8	19	20	13	5	
Nephritis (128, 129)	625	2				1	5	6	8	4	11	21	56	81	140	171	119	
Diseases of the female genital organs (137–141)	37								1	2	5	8	11	7	2	1		
Puerperal septicemia (146)	28								2	7	8	6	4	1				
Other puerperal causes (143–145, 147–150)	46								1	8	12	11	14					
Suicide (165–174)	128								1	7	19	15	32	28	13	10	3	
Homicide (197–200)	30						1	1	1	4	7	2	8	2	3	1		
Automobile accidents [1] (188c)	117		1	2	4	3	19	12	8	8	6	4	14	11	16	6	3	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	319	14	9	8	8	6	24	6	15	18	14	14	48	41	38	27	29	
All other causes	1,757	587	22	23	21	7	48	28	36	36	53	56	171	201	198	173	97	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,864	2,868	491	246	184	177	550	356	483	696	742	883	2,248	3,269	4,210	3,804	2,655	2
Typhoid and paratyphoid fever (1)	67	1		2		1	3	4	9	10	3	5	9	14	5	1		
Measles (7)	24	9	9	1	1	1	1	1			1							
Scarlet fever (8)	21		3	4	3		3	2	1	1	1	1	1	1				
Whooping cough (9)	106	51	34	8	5	3	4	1										
Diphtheria (10)	250	13	39	31	37	35	71	11	2	2	2	1	2	3	1			
Influenza (11)	247	35	19	8	4	4	9	6	9	6	11	17	31	32	25	19	12	
Meningococcus meningitis (24)	29	7	6	3	1		2	3	2	4		1						
Tuberculosis of the respiratory system (31)	1,278	7	4	1			6	14	96	168	158	145	282	234	121	34	7	1
Other forms of tuberculosis (32–37)	197	24	24	12	10	3	17	11	11	12	7	16	20	12	15	3		
Cancer and other malignant tumors (43–49)	2,226	2	1	3	2	2	5	7	8	16	17	50	225	490	676	509	213	
Diabetes mellitus (57)	528	2			1			2	2	3	3	6	28	101	220	119	41	
Cerebral hemorrhage and softening (74, 83)	1,056	4					2	1	2	1	2	8	51	133	273	323	256	
Other [organic] diseases of the heart (90)	4,959	9		7	5	11	64	62	86	83	82	88	294	697	1,177	1,285	1,009	
Bronchitis (99)	81	18	2	1			1			1	2	2	5	7	9	9	24	
Broncho-pneumonia (100)	1,108	436	119	41	16	13	18	13	13	16	12	19	51	56	109	82	94	
Pneumonia (101)	1,292	102	70	31	11	9	31	31	30	52	56	63	199	215	176	152	64	
Diarrhea and enteritis (113, 114)	526	416	62	10	3	3	4	1		1	1		5	6	4	3	7	
Appendicitis and typhlitis (117)	360	2	2	9	6	10	26	23	35	26	26	37	53	50	38	13	4	
Hernia, intestinal obstruction (118)	209	36	4	2		1	2		2	4	4	4	18	34	41	33	24	
Cirrhosis of the liver (122)	233						1	1	1			7	35	56	64	52	16	
Nephritis (128, 129)	2,284	2	2	3			6	17	15	24	34	57	183	382	543	580	436	
Diseases of the female genital organs (137–141)	103								1	3	14	10	29	34	6	4	2	
Puerperal septicemia (146)	118								9	29	26	30	24					
Other puerperal causes (143–145, 147–150)	182								3	27	50	49	51	2				
Suicide (165–174)	227								3	13	28	28	45	43	46	18	3	
Homicide (197–200)	87	1							2	19	14	15	20	11	3			
Automobile accidents[1] (188c)	331			1	10	20	84	26	9	13	9	16	32	27	40	35	9	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2								1								1	
Other external causes (inclusions, see Table 5)	1,043	18	20	26	28	24	52	27	41	60	50	68	150	152	136	103	87	1
All other causes	4,690	1,673	71	42	41	37	136	92	90	102	129	140	405	477	482	427	346	
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	960	185	37	13	12	7	16	15	30	55	67	72	139	142	86	52	32	
Typhoid and paratyphoid fever (1)																		
Measles (7)	2		1		1													
Scarlet fever (8)	1		1															
Whooping cough (9)	10	5	5															
Diphtheria (10)	8	2	2															
Influenza (11)	11	5			1		3											
Meningococcus meningitis (24)						1				1	1		2	1				
Tuberculosis of the respiratory system (31)	106		1				1	4	15	22	18	12	18	8	6	1		
Other forms of tuberculosis (32–37)	26	2	2	4	1		1	1		3	3	3	3	2	1			
Cancer and other malignant tumors (43–49)	48					1			1	2	1	4	7	17	8	3	4	
Diabetes mellitus (57)	5								1		1				2		1	
Cerebral hemorrhage and softening (74, 83)	19								1			1	4	3	2	5	3	
Other [organic] diseases of the heart (90)	153						1	3	1	5	5	10	22	45	23	23	12	
Bronchitis (99)	1	1																
Broncho-pneumonia (100)	77	42	10	6	3	1		1		2	2	3	4	3				
Pneumonia (101)	76	8	4	2					2	6	4	11	17	14	5	2	1	
Diarrhea and enteritis (113, 114)	23	19	3				1											
Appendicitis and typhlitis (117)	12						2			1	5	2	2					
Hernia, intestinal obstruction (118)	1	1																
Cirrhosis of the liver (122)	3										1			1			1	
Nephritis (128, 129)	79					1	1	2				3	13	24	20	9	6	
Diseases of the female genital organs (137–141)	18										1	3	7	6	1			
Puerperal septicemia (146)	6								1		3		2					
Other puerperal causes (143–145, 147–150)	12									4	3	1	4					
Suicide (165–174)	8								1		4	1		1	1			
Homicide (197–200)	10								1	1	3	2	2	1				
Automobile accidents[1] (188c)	10				2		3		1		1	1	1		1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	27	2		1	2	1			2	2	3	2	5	4	2	1		
All other causes	208	99	7		2	2	3	4	3	6	8	13	26	12	14	5	4	
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	26,851	2,856	520	252	194	150	485	352	458	689	869	1,036	3,103	4,136	4,942	4,120	2,689	
Typhoid and paratyphoid fever (1)	85						3	5	5	10	10	17	15	10	8	2		
Measles (7)	102	29	38	11	12	6	6											
Scarlet fever (8)	29		3	3	4	1	4	2	2	2	2	1	4	1				
Whooping cough (9)	118	59	30	16	6	4	3											
Diphtheria (10)	253	21	42	49	34	30	61	6	3	2		2	2		1			
Influenza (11)	154	20	5	6	5		3	7		5	5	7	21	20	24	14	12	
Meningococcus meningitis (24)	47	20	3	5	2		4	3	2		2		2	3	1			
Tuberculosis of the respiratory system (31)	1,755	5	11	2	1	5	3	15	108	175	182	150	426	362	221	77	12	
Other forms of tuberculosis (32–37)	246	30	31	11	15	9	12	13	11	15	17	13	32	21	11	5		
Cancer and other malignant tumors (43–49)	2,644	1	2	1	3		4	4	5	9	32	53	252	625	819	578	256	
Diabetes mellitus (57)	570					1	1	1	4	2	6	10	37	102	198	157	53	
Cerebral hemorrhage and softening (74, 83)	1,095	5	2	2	1	2		1	2	1	9	9	70	142	300	333	216	
Other [organic] diseases of the heart (90)	4,823	1	1	5	4	6	31	64	66	47	79	107	341	723	1,152	1,212	984	
Bronchitis (99)	100	30	2									3	7	10	10	13	25	
Broncho-pneumonia (100)	1,050	393	100	38	11	6	10	11	10	13	17	18	44	86	101	89	103	
Pneumonia (101)	1,777	124	91	31	18	12	26	33	35	65	59	90	284	274	299	221	115	
Diarrhea and enteritis (113, 114)	576	474	59	4	4	1	4	2	2	1	2	1	5	4	5	5	3	
Appendicitis and typhlitis (117)	347		3	5	7	4	28	29	15	26	20	35	66	56	31	17	5	
Hernia, intestinal obstruction (118)	231	25	2		1		1	2	1	6	4	12	30	47	45	37	18	
Cirrhosis of the liver (122)	225							1		4	3	6	48	62	63	26	12	
Nephritis (128, 129)	2,174	2	1	2		1	5	9	17	24	35	41	166	342	550	571	408	
Diseases of the female genital organs (137–141)	113								1	7	8	5	47	27	12	5	1	
Puerperal septicemia (146)	77										11	24	22	20				
Other puerperal causes (143–145, 147–150)	125								3	18	26	36	41	1				
Suicide (165–174)	425								6	30	46	46	96	84	78	32	6	
Homicide (197–200)	184	2					1	3	12	35	47	17	43	14	7	3		
Automobile accidents[1] (188c)	460		1	4	16	17	89	32	17	11	17	19	47	54	67	46	23	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	1,551	29	27	14	17	18	66	34	37	60	68	107	295	299	228	164	88	
All other causes	5,514	1,586	66	43	33	27	120	74	94	109	149	209	662	767	713	513	349	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,968	496	88	34	31	20	37	31	88	214	248	256	556	440	235	132	62	
Typhoid and paratyphoid fever (1)	6								1	2			1	1	1			
Measles (7)	12	5	6				1											
Scarlet fever (8)																		
Whooping cough (9)	26	16	7	1	2													
Diphtheria (10)	10	1	2	2	3	1								1				
Influenza (11)	6	1										1	2			1	1	
Meningococcus meningitis (24)	5		1			1		1		1				1				
Tuberculosis of the respiratory system (31)	535	10	11	3	2	4	1	9	41	88	78	72	124	70	18	3	1	
Other forms of tuberculosis (32–37)	76	9	9	6	7		8	5	6	6	6	8	2	1	1	2		
Cancer and other malignant tumors (43–49)	134								1	1	7	8	29	43	27	12	6	
Diabetes mellitus (57)	29	2							1		2	1	4	10	5	4		
Cerebral hemorrhage and softening (74, 83)	73		1							1		3	15	28	13	8	4	
Other [organic] diseases of the heart (90)	326						3		4	8	14	17	69	96	51	43	21	
Bronchitis (99)	7	6														1		
Broncho-pneumonia (100)	172	91	26	7	9	3	4		1	1	2	4	7	5	6	4	2	
Pneumonia (101)	279	24	7	2	3	1	2	2	9	22	42	34	78	31	11	8	3	
Diarrhea and enteritis (113, 114)	57	49	4	2		1									1			
Appendicitis and typhlitis (117)	33			1	2		2	3		4	4	2	10	4	1			
Hernia, intestinal obstruction (118)	18	1	1						2	3	2		3	3	3			
Cirrhosis of the liver (122)	12										1	1	3	4	2	1		
Nephritis (128, 129)	180		1		1				3	6	4	9	31	46	46	18	15	
Diseases of the female genital organs (137–141)	37								1	4	3	10	14	4	1			
Puerperal septicemia (146)	18								2	4	6	3	3					
Other puerperal causes (143–145, 147–150)	26								2	5	4	8	7					
Suicide (165–174)	17									3	2	2	5	3		1	1	
Homicide (197–200)	54	1					1		1	10	14	13	10	1	2	1		
Automobile accidents [1] (188c)	24		1			3	4	1			5	1	3	4	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	122	4	3	3		2	1	4	4	19	13	16	27	12	11	3		
All other causes	674	276	8	7	2	4	10	6	9	26	39	43	109	72	34	21	8	
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,030	825	101	67	52	40	140	117	149	238	236	271	679	940	1,224	1,122	828	1
Typhoid and paratyphoid fever (1)	16						2		1	2	2	1	3	4	1			
Measles (7)	6	3	3															
Scarlet fever (8)	14				3	1	4	2	1	1		2						
Whooping cough (9)	41	18	9	9	2	1	2											
Diphtheria (10)	65	3	5	9	8	7	22	8		1	2							
Influenza (11)	50	8	2	2	1	1	2	1	1	3	2	4	8	3	5	7		
Meningococcus meningitis (24)	7	2					1	1	2						1			
Tuberculosis of the respiratory system (31)	444						2	7	31	70	65	54	82	68	39	23	3	
Other forms of tuberculosis (32–37)	60	8	6	3	4	2	4	1	8	4	5	1	9	3	1	1		
Cancer and other malignant tumors (43–49)	702			1		1		3	1	6	5	12	85	160	213	162	53	
Diabetes mellitus (57)	159							1	1	4		1	9	28	57	44	14	
Cerebral hemorrhage and softening (74, 83)	493	1	1						1			5	15	65	126	157	122	
Other [organic] diseases of the heart (90)	1,191	2		1	2		10	19	28	21	18	23	68	155	255	308	281	
Bronchitis (99)	24	8	1	1	1	1							2	1	1	1	7	
Broncho-pneumonia (100)	258	103	27	11	5	4	4	6	1		1	8	9	10	19	25	25	
Pneumonia (101)	366	26	9	5	2	3	6	8	15	11	16	25	61	61	60	36	22	
Diarrhea and enteritis (113, 114)	133	98	13	3	3	1	3			1		1	2	2	1	3	2	
Appendicitis and typhlitis (117)	119	1		2	1	1	16	7	8	7	3	16	17	17	18	5		
Hernia, intestinal obstruction (118)	67	5	1		1					2	2		7	9	20	11	9	
Cirrhosis of the liver (122)	52					1							9	11	19	10	2	
Nephritis (128, 129)	736	4					3	8	8	12	10	16	68	105	165	180	157	
Diseases of the female genital organs (137–141)	33									3	3	6	9	7	3	1	1	
Puerperal septicemia (146)	27								2	7	7	4	7					
Other puerperal causes (143–145, 147–150)	53								2	8	14	18	11					
Suicide (165–174)	112								1	4	8	9	23	32	21	10	3	1
Homicide (197–200)	23	1			1					2	10	5	3	1				
Automobile accidents [1] (188c)	102		2	1		2	20	7	4	8	8	3	6	18	9	8	6	
Automobile and railroad-train collision (part 188a)	5										1	3	1					
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	295	7	5	7	7	6	13	12	12	24	20	21	38	38	35	27	23	
All other causes	1,376	527	17	12	11	8	26	26	21	37	34	33	126	142	155	103	98	
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,867	181	35	10	9	8	38	27	42	52	62	74	187	239	290	328	285	
Typhoid and paratyphoid fever (1)	1											1						
Measles (7)	1										1							
Scarlet fever (8)	1		1															
Whooping cough (9)	8	5	1		1	1												
Diphtheria (10)	15		2	2			8	2		1								
Influenza (11)	14		2	2						1			4	1		2	2	
Meningococcus meningitis (24)	2		1					1										
Tuberculosis of the respiratory system (31)	150	1						3	15	18	29	19	28	16	13	4	4	
Other forms of tuberculosis (32–37)	14	3	1		1		1	1	3				2		2			
Cancer and other malignant tumors (43–49)	182								1		2	6	14	39	49	51	20	
Diabetes mellitus (57)	28							1					2	7	8	5	5	
Cerebral hemorrhage and softening (74, 83)	99	1	1			1	1							9	28	34	24	
Other [organic] diseases of the heart (90)	408		1			1	2	4	3		4	5	19	53	75	113	128	
Bronchitis (99)	6	3													2		1	
Broncho-pneumonia (100)	53	16	6		1		1	1				1	4	3	4	7	9	
Pneumonia (101)	99	7	4		2		3		4	3	1	5	10	25	13	16	6	
Diarrhea and enteritis (113, 114)	38	27	3		2	1	1	1									3	
Appendicitis and typhlitis (117)	18		1	1			3		1	3	2	2	1	2	2			
Hernia, intestinal obstruction (118)	17	1						1				1	4	4	3	3		
Cirrhosis of the liver (122)	14						1		1			1	1	1	3	4	2	
Nephritis (128,129)	178						1	4	2	1	3	4	19	25	34	42	43	
Diseases of the female genital organs (137–141)	3												1	1		1		
Puerperal septicemia (146)	11								1	3	2	2	3					
Other puerperal causes (143–145, 147–150)	9								1	2	1	2	3					
Suicide (165–174)	17										1	3	4	2	6	1		
Homicide (197–200)	6												3	1	1	1		
Automobile accidents [1] (188c)	16			2		1	3		2	2		1	4	1				
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	2													1	1			
Other external causes (inclusions, see Table 5)	107	1	3	1	1	1	5	4	4	8	10	9	22	16	10	8	4	
All other causes	350	116	8	2	1	2	7	5	5	9	6	12	39	32	36	36	34	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
ROCHESTER, N. Y., all causes	3,839	424	67	30	26	27	87	45	56	101	80	103	305	440	658	751	639	
Typhoid and paratyphoid fever (1)	8								1	3	1		1	2				
Measles (7)	7	3	3				1											
Scarlet fever (8)	10						5	1			1	3						
Whooping cough (9)	19	9	7	2	1													
Diphtheria (10)	52	2	6	7	10	6	13	5					1	2				
Influenza (11)	19	2	1		2	1	2					2	1	1		4	3	
Meningococcus meningitis (24)	2	1	1															
Tuberculosis of the respiratory system (31)	158	1	2		1		1		10	21	15	16	22	32	19	17	1	
Other forms of tuberculosis (32–37)	30	3	3	2		1	3		3	7	2	2	3			1		
Cancer and other malignant tumors (43–49)	384							1	2	2	2	3	38	59	117	107	53	
Diabetes mellitus (57)	71												1	8	20	28	14	
Cerebral hemorrhage and softening (74, 83)	299		1							1	2	1	6	38	53	110	87	
Other [organic] diseases of the heart (90)	677	1			1	2	6	6	7	8	8	11	28	63	135	182	219	
Bronchitis (99)	12	1	2								1				3	2	3	
Broncho-pneumonia (100)	99	30	5	2	2	1	1		1	1	2		6	5	10	17	16	
Pneumonia (101)	152	13	5	2	2		3	5	2	6	3	6	23	18	26	28	10	
Diarrhea and enteritis (113, 114)	114	88	15	2	1								1	1	1	3	2	
Appendicitis and typhlitis (117)	58		1	1		2	4	3	5		3	4	10	9	7	4	5	
Hernia, intestinal obstruction (118)	46	6	3	3			1			2	1		4	3	6	13	4	
Cirrhosis of the liver (122)	43												5	11	15	10	2	
Nephritis (128, 129)	382		1			1	1	2		2	2	8	27	51	80	108	99	
Diseases of the female genital organs (137–141)	12									2	2	3	2	2	1			
Puerperal septicemia (146)	24								2	7	5	6	4					
Other puerperal causes (143–145, 147–150)	18								2	4	3	2	7					
Suicide (165–174)	45									1	2	3	17	9	11	2		
Homicide (197–200)	14	1								1	3	3	4	2				
Automobile accidents [1] (188c)	54					5	11	2	4	3	2	3	5	8	7	2	2	
Automobile and railroad-train collision (part 188a)	5										2	1	1			1		
Automobile and street-car collision (part 188b)	2								1					1				
Other external causes (inclusions, see Table 5)	152	2	5	4	3	3	7	6	7	5	4	8	15	11	23	18	31	
All other causes	871	261	6	5	3	5	28	14	9	25	14	18	73	104	124	94	88	
SYRACUSE, N. Y., all causes	2,292	280	38	12	10	12	32	23	40	54	51	71	191	275	399	440	364	
Typhoid and paratyphoid fever (1)	4										1		1	1	1			
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	17	11	4	1		1												
Diphtheria (10)	6	1	1		2		2											
Influenza (11)	13	2					1			1		1	2	2	1	1	2	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	74			1		2		2	5	10	8	9	13	10	11	1	2	
Other forms of tuberculosis (32–37)	15	2	2	1	2		1		2	2	1		1	1				
Cancer and other malignant tumors (43–49)	226	2							2		3	5	17	48	62	57	30	
Diabetes mellitus (57)	59						1				1	3	2	3	20	21	8	
Cerebral hemorrhage and softening (74, 83)	186											1	4	31	41	60	49	
Other [organic] diseases of the heart (90)	417						2	2	3	2	2	5	22	37	90	127	125	
Bronchitis (99)	12	3	1											2	2	1	3	
Broncho-pneumonia (100)	91	26	11	2	1		4	1	3			1	6	4	5	13	14	
Pneumonia (101)	125	4	3			1	2	2	1	4	7	6	27	14	20	20	14	
Diarrhea and enteritis (113, 114)	54	46	3	2			2							1				
Appendicitis and typhlitis (117)	16						1	4	2	1	1		2	1	3	1		
Hernia, intestinal obstruction (118)	20	4								1	1	2	1		3	6	2	
Cirrhosis of the liver (122)	11												1	2	4	2	2	
Nephritis (128, 129)	194	1				1	1	2	2	2	2	4	18	31	40	53	37	
Diseases of the female genital organs (137–141)	10									1		1	2	4	1		1	
Puerperal septicemia (146)	8									1	2	3	1	1				
Other puerperal causes (143–145, 147–150)	16								2	3	2	3	6					
Suicide (165–174)	37								1	3	4	3	7	8	8	2	1	
Homicide (197–200)	10	1								2	2	3	1		1			
Automobile accidents [1] (188c)	29				1	1	3		1	2	3	1	3	7	4	2	1	
Automobile and railroad-train collision (part 188a)	1															1		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	104	1	2	2	3	3	2	1	5	7	4	4	10	14	14	11	21	
All other causes	536	175	11	3	1	3	10	9	11	12	7	16	44	53	68	61	52	
YONKERS, N. Y., all causes	1,144	159	42	14	13	7	30	16	24	25	31	38	123	155	194	144	127	2
Typhoid and paratyphoid fever (1)	2											1		1				
Measles (7)	34	5	21	5		1	1			1								
Scarlet fever (8)	2						1				1							
Whooping cough (9)	3	3																
Diphtheria (10)	14			1	6	3	4											
Influenza (11)	15	1					1						2	2	2	3	2	2
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	85								8	11	9	5	23	16	9	4		
Other forms of tuberculosis (32–37)	2						1			1								
Cancer and other malignant tumors (43–49)	106						1		1			2	12	15	37	24	13	1
Diabetes mellitus (57)	35								1			2	2	7	13	8	2	
Cerebral hemorrhage and softening (74, 83)	59											1	1	9	18	18	12	
Other [organic] diseases of the heart (90)	180				1	1	2	6	4	3	2	2	11	29	34	42	43	
Bronchitis (99)	8	4	1				1									2		
Broncho-pneumonia (100)	37	19	4	1		2								1	4	2	4	
Pneumonia (101)	81	8	3	2	1		4	2	1	1	1	5	17	10	12	6	8	
Diarrhea and enteritis (113, 114)	14	9	5															
Appendicitis and typhlitis (117)	14			2			2				3		3	2	2			
Hernia, intestinal obstruction (118)	14	2							1		1		1	1	3	3	2	
Cirrhosis of the liver (122)	11											1	2	5	2	1		
Nephritis (128, 129)	91	2								2	2	3	11	12	25	14	20	
Diseases of the female genital organs (137–141)	3									1		1	1					
Puerperal septicemia (146)	10										2	4	4					
Other puerperal causes (143–145, 147–150)	8								1		2	2	3					
Suicide (165–174)	13											1	1	5	4	2		
Homicide (197–200)																		
Automobile accidents [1] (188c)	15						6	3	2				1	2	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	54	1	1		1		1	1	3		2	1	11	14	9	2	7	
All other causes	234	105	7	3	4		5	4	2	5	6	4	18	24	18	14	14	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	0 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
AKRON, OHIO, all causes	1,901	310	54	29	22	25	67	36	45	63	100	95	165	205	230	229	226	
Typhoid and paratyphoid fever (1)	4							1				1	1	1				
Measles (7)	11	1	2	3		1	3						1					
Scarlet fever (8)	34	1	2	2	5	4	14	1	1	1		1	1	1				
Whooping cough (9)	11	7	3	1														
Diphtheria (10)	7		1	1	1	2	2											
Influenza (11)	45	8	3				1		1	1	2	4	6	1	8	5	5	
Meningococcus meningitis (24)	2		2															
Tuberculosis of the respiratory system (31)	73							1	1	9	16	15	14	7	7	3		
Other forms of tuberculosis (32-37)	23	1			1	2	3	5	1	1	2		4	1	2			
Cancer and other malignant tumors (43-49)	135				1			1		1	3	6	16	29	40	26	12	
Diabetes mellitus (57)	20		1										1	5	6	3	4	
Cerebral hemorrhage and softening (74, 83)	128	2					1		1		1	1	2	13	28	37	42	
Other [organic] diseases of the heart (90)	231	1			1		5	1	3	4	4	7	21	31	36	59	58	
Bronchitis (99)	6	3													1	1	1	
Broncho-pneumonia (100)	71	35	7	2	1	2	2	1		1		1		3	1	4	11	
Pneumonia (101)	125	10	10	3	3	2	2	6	5	7	9	7	16	12	10	8	15	
Diarrhea and enteritis (113, 114)	74	54	5	5	2	1	2			1	1				1		2	
Appendicitis and typhlitis (117)	38				1	1	3	3	6	3	4	3	4	5	4	1		
Hernia, intestinal obstruction (118)	24	3		1		1			1	1	2	2	1	4	2	4	2	
Cirrhosis of the liver (122)	9												1	3	2	1	2	
Nephritis (128, 129)	89	1	2				2	1	2		1	2	4	14	16	25	19	
Diseases of the female genital organs (137-141)	21									1	8	5	3	1	2			
Puerperal septicemia (146)	15								4	1	4	3	2	1				
Other puerperal causes (143-145, 147-150)	24								2	7	5	3	7					
Suicide (165-174)	28							1	1	2	4	1	5	7	3	4		
Homicide (197-200)	20								1	2	6	3	6	2				
Automobile accidents [1] (188c)	60			1		2	8	5	3	4	5	5	7	6	8	4	2	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	89		2	4	1	4	5	2	2	5	9	6	15	9	14	3	8	
All other causes	483	183	14	6	5	3	14	7	10	11	14	18	26	49	39	41	43	
CINCINNATI, OHIO (WHITE), all causes	5,579	541	83	45	26	21	71	62	108	141	144	175	439	630	951	1,149	993	
Typhoid and paratyphoid fever (1)	16						1	1	5	5	1		1		2			
Measles (7)	10	2	1		1	1	2	1		1	1							
Scarlet fever (8)	12	7	2			3												
Whooping cough (9)	14	1	1	3	1		3	1	2	2								
Diphtheria (10)	141	21	5	8	2	1	1	2	2	2	4	6	11	6	17	21	32	
Influenza (11)	5	1		1							2				1			
Meningococcus meningitis (24)	263		1			1		1	14	41	29	31	52	53	24	12	4	
Tuberculosis of the respiratory system (31)	46	6	2	4	2	2	1	3	2		2	4	8	4	4	2		
Other forms of tuberculosis (32-37)	536	1	1				1	1		2	4	8	44	99	150	140	85	
Cancer and other malignant tumors (43-49)	97									2			7	21	23	31	13	
Diabetes mellitus (57)	512	2				1	2		1	1	1	1	16	47	105	185	150	
Cerebral hemorrhage and softening (74, 83)	844		1		1		3	6	12	6	13	12	36	98	161	253	242	
Other [organic] diseases of the heart (90)	19		1									1			1	6	10	
Bronchitis (99)	157	50	12	3		1	2	2		2	1	2	4	4	7	24	43	
Broncho-pneumonia (100)	283	21	13	7		2	4	3	7	6	5	10	29	28	46	53	49	
Pneumonia (101)	167	117	20	7	4		2		1		1	1		1	2	5	6	
Diarrhea and enteritis (113, 114)	103				1	1	6	7	7	7	11	8	18	16	14	7		
Appendicitis and typhlitis (117)	90	6	1	1	1		1			4	3	5	18	13	15	17	5	
Hernia, intestinal obstruction (118)	52						1						7	5	14	20	5	
Cirrhosis of the liver (122)	545		1		1		1	4	5	4	3	7	15	46	137	166	155	
Nephritis (128, 129)	40								1	3	3	1	11	14	5	1	1	
Diseases of the female genital organs (137-141)	30								2	8	5	9	6					
Puerperal septicemia (146)	30								3	5	7	10	4	1				
Other puerperal causes (143-145, 147-150)	71								4	2	5	4	24	14	13	3	2	
Suicide (165-174)	26								3	5	3	4	1	4	4	2		
Homicide (197-200)	104	1			2	2	10	6	5	5	3	5	8	10	19	19	9	
Automobile accidents [1] (188c)	3													2		1		
Automobile and railroad-train collision (part 188a)	3		1			1						1						
Automobile and street-car collision (part 188b)	256	5	6	1	2	4	10	10	11	9	11	15	29	29	35	29	50	
Other external causes (inclusions, see Table 5)	1,104	300	14	10	8	1	20	14	21	19	26	30	90	115	152	152	132	
All other causes	947	106	29	15	5	8	11	15	32	71	73	66	154	155	101	62	44	
CINCINNATI, OHIO (COLORED), all causes	2			1				1										
Typhoid and paratyphoid fever (1)	1		1															
Measles (7)																		
Scarlet fever (8)	4	3	1															
Whooping cough (9)	2		1				1											
Diphtheria (10)	22	1	1					1	2	3	2	1	5	2	2		2	
Influenza (11)																		
Meningococcus meningitis (24)	137		1	1		2	1	5	8	27	23	22	23	16	7	1		
Tuberculosis of the respiratory system (31)	33	1	1	1	2		3	1	3	5	5	1	3	4	1	1	1	
Other forms of tuberculosis (32-37)	45										2	4	7	19	6	4	3	
Cancer and other malignant tumors (43-49)	4												3		1			
Diabetes mellitus (57)	63											3	11	15	14	10	10	
Cerebral hemorrhage and softening (74, 83)	102			1			1	3	3	3	4	2	19	19	20	11	16	
Other [organic] diseases of the heart (90)	8											1	1	4	1		1	
Bronchitis (99)	42	22	5	1		1				1			8	3	1			
Broncho-pneumonia (100)	71	9	4	4		2	1		1	9	2	5	9	13	7	5		
Pneumonia (101)	25	16	6		1							1				1		
Diarrhea and enteritis (113, 114)	14								2	2	3		4	2	1			
Appendicitis and typhlitis (117)	5			1						1				3				
Hernia, intestinal obstruction (118)	10							1				1	1	3	2	2		
Cirrhosis of the liver (122)	71	2										1	1	9	17	17	19	5
Nephritis (128, 129)	11										1	1	1	3	4	1		
Diseases of the female genital organs (137-141)	8										2	3		3				
Puerperal septicemia (146)	6									2	2	1	1					
Other puerperal causes (143-145, 147-150)	2										2							
Suicide (165-174)	66		1						4	7	16	16	14	6	2			
Homicide (197-200)	11			1		1	2						3	1	1	2		
Automobile accidents [1] (188c)																		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	35		1	2	1	1	1	2	2	3	2	3	5	7	4	1		
Other external causes (inclusions, see Table 5)	147	52	6	2	1	1	1	1	5	3	7	3	21	18	13	7	6	
All other causes																		

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
CLEVELAND, OHIO (WHITE), all causes	8,531	1,153	163	68	75	61	220	136	190	227	312	348	914	1,137	1,321	1,239	967	
Typhoid and paratyphoid fever (1)	15							1	2	2	1	1	7	1				
Measles (7)	5	1	3						1									
Scarlet fever (8)	14	1	1		1		6	1	2	1		1						
Whooping cough (9)	42	25	12	3	2													
Diphtheria (10)	128	1	11	8	16	12	55	16	4	2			2	1				
Influenza (11)	95	13	6	1	1	2	3		1	1	2	3	10	13	19	8	12	
Meningococcus meningitis (24)	15	5	2		1		2	1	1	2	1							
Tuberculosis of the respiratory system (31)	513	3	3	1	1		1	9	31	63	68	79	112	72	49	16	5	
Other forms of tuberculosis (32–37)	73	9	3	3	1	2	3	2	7	4	12	6	8	9	3	1		
Cancer and other malignant tumors (43–49)	773		1	1	1	1	2		3	3	7	15	82	164	219	189	85	
Diabetes mellitus (57)	146						2	1	4	1	3	4	8	17	51	40	15	
Cerebral hemorrhage and softening (74, 83)	551	1				1		3		2		1	27	71	131	157	157	
Other [organic] diseases of the heart (90)	1,096	3	1			1	14	25	16	18	15	17	90	157	240	269	230	
Bronchitis (99)	40	9	3	1					1			1	1	3	5	4	12	
Broncho-pneumonia (100)	342	132	38	9	4	5	7	5	4	2	4	5	12	20	36	23	36	
Pneumonia (101)	464	31	16	5	7	1	10	6	8	13	21	28	74	79	71	60	34	
Diarrhea and enteritis (113, 114)	238	183	31	8	3	2					1		2	3	2		3	
Appendicitis and typhlitis (117)	113				1	2	12	11	9	4	11	17	15	13	13	3	2	
Hernia, intestinal obstruction (118)	103	11	1					2			3	5	15	15	17	24	10	
Cirrhosis of the liver (122)	65										2	2	7	20	16	9	9	
Nephritis (128, 129)	651	1		2	2		3	2	2	5	13	10	48	103	150	168	142	
Diseases of the female genital organs (137–141)	52						1		1	4	9	5	18	9	2	1	2	
Puerperal septicemia (146)	44								5	8	16	7	8					
Other puerperal causes (143–145, 147–150)	56								3	8	14	12	18	1				
Suicide (165–174)	128								2	9	13	15	31	22	20	13	3	
Homicide (197–200)	79	3							7	7	6	16	28	7	5			
Automobile accidents [1] (188c)	220			2	5	8	43	8	7	14	7	8	24	28	27	24	15	
Automobile and railroad-train collision (part 188a)	3						1				1		1					
Automobile and street-car collision (part 188b)	3										2			1				
Other external causes (inclusions, see Table 5)	382	14	10	8	5	8	11	12	23	17	17	36	49	55	43	27	47	
All other causes	2,082	707	21	16	24	16	44	31	46	37	63	54	217	253	202	203	148	
CLEVELAND, OHIO (COLORED), all causes	1,178	171	51	13	9	6	24	17	47	89	126	112	210	165	75	35	28	
Typhoid and paratyphoid fever (1)	1								1									
Measles (7)	1		1															
Scarlet fever (8)	2		1				1											
Whooping cough (9)	17	6	9	2														
Diphtheria (10)	11	1	2	1	2	2	3											
Influenza (11)	10	1		1						1		3	2		1	1		
Meningococcus meningitis (24)	2						2											
Tuberculosis of the respiratory system (31)	195	3	2	1	2	1	2	3	23	37	42	25	30	19	4		1	
Other forms of tuberculosis (32–37)	40	1	4	2				2	5	8	2	6	4	5	1			
Cancer and other malignant tumors (43–49)	37									1	3	3	10	9	8	2	1	
Diabetes mellitus (57)	7							1					4	2				
Cerebral hemorrhage and softening (74, 83)	50									2			8	9	17	8	6	
Other [organic] diseases of the heart (90)	81		1					3	1		5	7	17	24	6	9	8	
Bronchitis (99)	3		2										1					
Broncho-pneumonia (100)	61	32	15	1	1		2	1		2	2	1	3		1			
Pneumonia (101)	127	5	1		1		4	3	3	6	20	17	36	23	3	3	2	
Diarrhea and enteritis (113, 114)	24	13	3	1		1				1								
Appendicitis and typhlitis (117)	9						2	2	2	1	1				1			
Hernia, intestinal obstruction (118)	7	2											2	1	1	1		
Cirrhosis of the liver (122)	3											2	1					
Nephritis (128, 129)	70									1	2	3	14	21	17	6	6	
Diseases of the female genital organs (137–141)	18								1		5		9	2	1			
Puerperal septicemia (146)	9								2	3	1	2	1					
Other puerperal causes (143–145, 147–150)	13								3	4	1	2	3					
Suicide (165–174)	6								1			4				1		
Homicide (197–200)	50									8	22	9	9	1	1			
Automobile accidents [1] (188c)	11				1	1		1					3	4	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	34	5	2	1	1		2		2	2	2		7	7	2		1	
All other causes	279	97	8	3	1	1	6	1	3	12	18	28	46	38	10	4	3	
COLUMBUS, OHIO, all causes	3,894	446	81	31	20	19	75	59	84	132	141	174	383	462	548	660	578	1
Typhoid and paratyphoid fever (1)	12							1	2	3		3	1	2				
Measles (7)	2		1				1											
Scarlet fever (8)	8	1		1	1		2	2		1								
Whooping cough (9)	28	15	9	2	1		1											
Diphtheria (10)	10		2	1			5	1					1					
Influenza (11)	127	13	5	5	1		4	2	1	2	4	8	14	14	10	18	26	
Meningococcus meningitis (24)	2									1	1							
Tuberculosis of the respiratory system (31)	213	2					1	5	23	35	26	28	36	17	16	19	5	
Other forms of tuberculosis (32–37)	43	5	5				2	2	2	6	6	5	4	3	1	1		1
Cancer and other malignant tumors (43–49)	306						1				1	8	38	69	89	68	32	
Diabetes mellitus (57)	58							1		2		1	5	10	17	15	7	
Cerebral hemorrhage and softening (74, 83)	265							1		1	1	1	12	37	43	81	88	
Other [organic] diseases of the heart (90)	541						1	5	3	3	11	13	35	66	110	163	131	
Bronchitis (99)	14	1	1										2	2	3	1	4	
Broncho-pneumonia (100)	112	39	13	3	1	1	3	1	1	1	2	1	2	2	8	16	18	
Pneumonia (101)	147	8	9	5		1	2	3	8	6	7	9	23	14	13	19	20	
Diarrhea and enteritis (113, 114)	137	98	19	6	2	2	2						1		2	4	1	
Appendicitis and typhlitis (117)	75	1			3	1	7	7	4	7	7	10	11	9	5	3		
Hernia, intestinal obstruction (118)	45	2		1			4		2	1	3	1	10	4	2	11	4	
Cirrhosis of the liver (122)	23												1	8	8	5	1	
Nephritis (128, 129)	243	1					2	2	2	1	4	6	23	37	56	63	46	
Diseases of the female genital organs (137–141)	50								1	2	7	8	18	8	5	1		
Puerperal septicemia (146)	30								2	4	10	6	8					
Other puerperal causes (143–145, 147–150)	25								1	6	6	6	6					
Suicide (165–174)	28								1	4	4	5	6	3	5			
Homicide (197–200)	20	1							2	1	2	2	5	3	4			
Automobile accidents [1] (188c)	71		1		2	4	6	2	6	11	2	3	13	5	6	5	5	
Automobile and railroad-train collision (part 188a)	5								1				2	1		1		
Automobile and street-car collision (part 188b)	5										1	1	1	1	1			
Other external causes (inclusions, see Table 5)	199	11	3	4	4	9	3	8	7	20	12	20	22	23	15	20	18	
All other causes	1,050	248	13	3	5	1	28	16	15	14	24	29	83	124	129	146	172	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DAYTON, OHIO, all causes	1,962	181	25	17	12	5	34	21	41	63	62	66	195	213	296	399	332	
Typhoid and paratyphoid fever (1)	4												2		1	1		
Measles (7)	2			1	1													
Scarlet fever (8)	2			1							1							
Whooping cough (9)	2	1			1													
Diphtheria (10)	6			1	2	1	2											
Influenza (11)	41	3	2		1		3			2	3	1	3	1	7	7	8	
Meningococcus meningitis (24)	3						2				1							
Tuberculosis of the respiratory system (31)	111			1		1	2		11	14	11	9	25	13	9	12	3	
Other forms of tuberculosis (32–37)	31	3	1	3	1	1	4	3	2	2	1	2	2	4			2	
Cancer and other malignant tumors (43–49)	200								2		4	3	19	41	47	61	23	
Diabetes mellitus (57)	41									2	1		8	3	11	12	4	
Cerebral hemorrhage and softening (74, 83)	152											2	5	21	30	54	40	
Other [organic] diseases of the heart (90)	307						1	3	2	5	4	6	17	29	52	83	105	
Bronchitis (99)	4														1	2	1	
Broncho-pneumonia (100)	62	25	3	2	2		1					1	2	2	5	8	11	
Pneumonia (101)	86	3	2	1		1	1	1	2	3	5	5	13	9	15	14	11	
Diarrhea and enteritis (113, 114)	42	26	9	3							1			1		1	1	
Appendicitis and typhlitis (117)	29		1				2	3	4	1	4	1	6	2	2	1	2	
Hernia, intestinal obstruction (118)	33	2	1	1						2		1	3	4	7	7	5	
Cirrhosis of the liver (122)	14													4	3	6	1	
Nephritis (128, 129)	162						1	4	2	2	2	3	17	16	28	45	42	
Diseases of the female genital organs (137–141)	21									4	1	3	9	2	2			
Puerperal septicemia (146)	14								2	4	2	4	2					
Other puerperal causes (143–145, 147–150)	9								1	1	3	2	2					
Suicide (165–174)	25									1	3	2	2	6	7	3	1	
Homicide (197–200)	9									2		1	3	3				
Automobile accidents [1] (188c)	44		1	2			3	2	2	4	1	2	6	5	10	5	1	
Automobile and railroad-train collision (part 188a)	1										1							
Automobile and street-car collision (part 188b)	3									1			2					
Other external causes (inclusions, see Table 5)	96	4	2		1		2	3	5	6	2	4	11	7	13	14	22	
All other causes	406	114	4	2	1	1	10	2	6	7	11	14	36	40	46	63	49	
TOLEDO, OHIO, all causes	3,494	438	55	25	15	17	49	48	78	118	119	140	345	412	554	569	512	
Typhoid and paratyphoid fever (1)	18					2	1		2	1	3	2	2	3	1	1		
Measles (7)	1	1																
Scarlet fever (8)	10	2	1	2	1	1	2			1								
Whooping cough (9)	10	5	4	1														
Diphtheria (10)	26	2	5	3		3	7	3	2				1					
Influenza (11)	65	10	3	2	1		2		2		2	1	4	9	7	10	12	
Meningococcus meningitis (24)	1						1											
Tuberculosis of the respiratory system (31)	245			1				2	23	37	30	27	48	34	31	11	1	
Other forms of tuberculosis (32–37)	22	2	2	1		2	1	3	1		1		4	3		2		
Cancer and other malignant tumors (43–49)	266				1			1	1	1	2	4	33	44	69	72	38	
Diabetes mellitus (57)	38						2		1	2			3	3	12	11	4	
Cerebral hemorrhage and softening (74, 83)	268									2	1	2	15	26	66	78	78	
Other [organic] diseases of the heart (90)	459		1	1			1	4	2	6	7	9	33	59	109	115	112	
Bronchitis (99)	14	1	1												1	3	8	
Broncho-pneumonia (100)	110	33	13	4		1	2		2	1		2	3	1	12	19	17	
Pneumonia (101)	130	22	3	1	1		4		3	4	2	6	18	17	21	16	12	
Diarrhea and enteritis (113, 114)	112	83	13	4		1	1	1	1	1				2	2	3		
Appendicitis and typhlitis (117)	60	1				1	1	6	6	5	7	6	8	10	4	4	1	
Hernia, intestinal obstruction (118)	52	5	1		1				1	2	2	2	6	9	9	10	4	
Cirrhosis of the liver (122)	27							1				1	3	3	10	5	4	
Nephritis (128, 129)	189	1					2		1	2	3	6	15	28	41	46	44	
Diseases of the female genital organs (137–141)	31							1			2	5	11	7	1	3	1	
Puerperal septicemia (146)	29								5	7	5	4	8					
Other puerperal causes (143–145, 147–150)	30								2	5	5	10	8					
Suicide (165–174)	32								1	3	2	4	8	4	7	2	1	
Homicide (197–200)	31							1	2	4	7	2	10	5				
Automobile accidents [1] (188c)	67				1	3	6	3	3	4	9	1	4	5	12	11	5	
Automobile and railroad-train collision (part 188a)	5								1	1		1		1		1		
Automobile and street-car collision (part 188b)	1									1								
Other external causes (inclusions, see Table 5)	189	2	1	1	3	1	6	11	5	15	16	15	14	29	22	24	24	
All other causes	956	268	7	4	6	2	10	11	11	13	13	30	86	110	117	122	146	
YOUNGSTOWN, OHIO, all causes	1,706	304	39	19	14	14	46	36	52	69	65	92	209	189	218	173	167	
Typhoid and paratyphoid fever (1)	8							1	1		2	2	1	1				
Measles (7)	6	1	3	1	1													
Scarlet fever (8)	9		1		1		3	1	1	1	1							
Whooping cough (9)	15	9	5	1														
Diphtheria (10)	10	1	2	2			2	1		2								
Influenza (11)	33	6	3				1		2	3	1	1	1	3	6	5	1	
Meningococcus meningitis (24)	1												1					
Tuberculosis of the respiratory system (31)	90	1					1	2	8	13	15	14	21	6	8	1		
Other forms of tuberculosis (32–37)	24	2		2	2	1	3	2	1	4	4		1		1	1		
Cancer and other malignant tumors (43–49)	128		1	1			2		2	1	2	3	22	24	27	30	13	
Diabetes mellitus (57)	26							1				1	4	6	4	6	4	
Cerebral hemorrhage and softening (74, 83)	99							1	2		2		6	13	17	23	35	
Other [organic] diseases of the heart (90)	206						2	4	5	6	2	8	25	32	48	41	33	
Bronchitis (99)	12	2						1		1				1			7	
Broncho-pneumonia (100)	83	47	6	3	2	2	1					2		3	5	3	9	
Pneumonia (101)	124	14	3	3	1	4	3		5	7	6	10	19	16	14	10	9	
Diarrhea and enteritis (113, 114)	90	76	6	2	1		1	1							2		1	
Appendicitis and typhlitis (117)	28						4	1		3		2	8	6	3		1	
Hernia, intestinal obstruction (118)	19	2	1				1			1	1	2	1	4	3	1	2	
Cirrhosis of the liver (122)	13										1	1	2	3	5		1	
Nephritis (128, 129)	74	1						1		1		3	7	15	18	16	12	
Diseases of the female genital organs (137–141)	11								1			2	4	3		1		
Puerperal septicemia (146)	14								2	3	1	2	6					
Other puerperal causes (143–145, 147–150)	20								3	4	4	5	4					
Suicide (165–174)	19							1	1	1	2	2	6	2	1	3		
Homicide (197–200)	19									4	6	4	5					
Automobile accidents [1] (188c)	43				1	1	7	5	4	2	3	2	7	2	5	2	2	
Automobile and railroad-train collision (part 188a)	2										1		1					
Automobile and street-car collision (part 188b)	2												1	1				
Other external causes (inclusions, see Table 5)	117	3	2	2		3	8	8	6	5	4	13	22	15	14	5	7	
All other causes	361	139	6	2	5	3	7	5	8	7	7	13	34	33	37	25	30	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PORTLAND, OREG., all causes	3,332	239	30	31	15	20	49	45	63	100	113	122	302	432	620	616	534	1
Typhoid and paratyphoid fever (1)	6									1			4		1			
Measles (7)	1							1										
Scarlet fever (8)	5			1		1			1	1		1						
Whooping cough (9)	19	11	7		1													
Diphtheria (10)	40		4	3	2	5	14	5	2	2			1	2				
Influenza (11)	33	5	1	2		2	2	1	1	5	1		1	6	1	2	3	
Meningococcus meningitis (24)	20		1	1	1			3	4	2	2		4	2				
Tuberculosis of the respiratory system (31)	128						1	3	9	8	20	15	29	14	11	15	3	
Other forms of tuberculosis (32–37)	61	5	3	8		1	2	3	1	10	5	6	8	4	2	2	1	
Cancer and other malignant tumors (43–49)	415		1				1		1	1	5	9	35	88	135	95	44	
Diabetes mellitus (57)	59						1		1	1	3	1	4	6	18	18	6	
Cerebral hemorrhage and softening (74, 83)	272	2	1								2	1	6	31	60	68	101	
Other [organic] diseases of the heart (90)	426	2	1				3	4	2	3	4	10	16	44	98	124	115	
Bronchitis (99)	18	2				1				1					3	1	[10]	
Broncho-pneumonia (100)	111	21	2	2		1	1	1	3	1	3	4	9	5	13	21	24	
Pneumonia (101)	128	8		1	2		3	2	5	6	5	1	16	14	31	18	16	
Diarrhea and enteritis (113, 114)	30	10	3	3	1	1	1				2		3		3	2	1	
Appendicitis and typhlitis (117)	52		1				3	2	5	6	5	1	5	10	5	8	1	
Hernia, intestinal obstruction (118)	41	2			1		1			2	1	5	2	5	10	7	5	
Cirrhosis of the liver (122)	18			1									2	1	5	6	3	
Nephritis (128, 129)	232					2		1		3	5	12	18	34	60	52	45	
Diseases of the female genital organs (137–141)	24									1	4		10	8	1			
Puerperal septicemia (146)	17								2	4	2	5	4					
Other puerperal causes (143–145, 147–150)	16								3	4	2	2	5					
Suicide (165–174)	75							1		5	7	11	10	18	11	8	4	
Homicide (197–200)	9	2										2	1	4				
Automobile accidents [1] (188c)	42			2	2	1	2		1	2	4	5	7	6		9	1	
Automobile and railroad-train collision (part 188a)	2						1							1				
Automobile and street-car collision (part 188b)	9									5				3		1		
Other external causes (inclusions, see Table 5)	138	2	2	2	2	2	4	7	7	10	9	6	19	15	14	12	25	
All other causes	885	167	3	5	3	3	9	11	15	16	22	25	83	111	138	147	126	1
PHILADELPHIA, PA. (WHITE), all causes	22,363	2,411	468	248	191	167	438	273	403	549	593	765	1,833	2,783	3,959	3,972	3,309	1
Typhoid and paratyphoid fever (1)	36	1					1	4	7	6	7	3	3	3	1			
Measles (7)	79	19	34	14	3	3	5						1					
Scarlet fever (8)	72	3	6	16	9	6	22	3	3		1	1		2				
Whooping cough (9)	96	48	28	12	5	3												
Diphtheria (10)	289	20	32	30	55	36	89	19	3	2	1		1	1				
Influenza (11)	234	30	14	10	6	2	8	6	7	4	8	8	24	21	32	24	30	
Meningococcus meningitis (24)	16	11	2			1	1					1						
Tuberculosis of the respiratory system (31)	1,281	7	7	1	1	2	3	13	84	144	159	146	259	211	147	85	12	
Other forms of tuberculosis (32–37)	196	29	17	13	4	5	13	13	13	10	12	12	19	13	6	16	1	
Cancer and other malignant tumors (43–49)	2,093		1	3	1	1	4	2	7	7	21	41	156	428	635	552	234	
Diabetes mellitus (57)	403		1			1	2	7	8	2	2	8	23	61	131	109	48	
Cerebral hemorrhage and softening (74, 83)	1,179			1				3	3	7	1	5	37	119	286	375	342	
Other [organic] diseases of the heart (90)	4,081	16	1	4	2	2	22	41	41	45	51	46	200	527	894	1,126	1,062	1
Bronchitis (99)	143	31	5	4	1		1			1	3			15	16	19	47	
Broncho-pneumonia (100)	852	302	80	23	19	11	18	3	6	7	4	12	29	53	73	90	122	
Pneumonia (101)	1,121	119	55	25	19	11	25	13	21	24	27	54	146	141	199	175	67	
Diarrhea and enteritis (113, 114)	585	418	83	19	6	6	5	1	2	1	5		4	5	12	4	14	
Appendicitis and typhlitis (117)	317	4	3	4	1	3	28	23	26	32	24	31	43	37	39	16	3	
Hernia, intestinal obstruction (118)	262	25	4	2	2	1	2	2	1	3	4	12	29	33	75	42	25	
Cirrhosis of the liver (122)	182										2	3	24	47	56	30	20	
Nephritis (128, 129)	2,552	10	1	4	1	5	6	10	12	20	17	46	159	316	598	668	679	
Diseases of the female genital organs (137–141)	105								4	7	13	18	28	23	8	3	1	
Puerperal septicemia (146)	103								7	24	17	32	23					
Other puerperal causes (143–145, 147–150)	117							1	3	23	29	40	19	2				
Suicide (165–174)	245								7	16	18	26	44	58	50	18	8	
Homicide (197–200)	84	2			1			2	7	12	10	18	20	6	5	1		
Automobile accidents [1] (188c)	273	1		2	4	8	51	19	13	22	10	9	21	31	41	27	14	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	980	29	18	24	16	23	39	23	20	38	40	46	120	144	140	131	129	
All other causes	4,386	1,286	76	37	35	37	93	65	98	92	107	147	401	485	515	461	451	
PHILADELPHIA, PA. (COLORED), all causes	3,682	596	136	45	33	21	82	56	130	238	260	265	586	570	361	196	107	
Typhoid and paratyphoid fever (1)	13	2			1		1		1	3	3	2						
Measles (7)	5		2	2			1											
Scarlet fever (8)	6						4	1		1								
Whooping cough (9)	43	17	19	4	1		2											
Diphtheria (10)	25	2	3		2	1	12	3				1	1					
Influenza (11)	43	7	2	1	2			1	1	3	1	3	4	7	7	1	3	
Meningococcus meningitis (24)	3	1				1							1					
Tuberculosis of the respiratory system (31)	457	4	4	3		2	6	17	55	81	75	50	83	50	17	7	3	
Other forms of tuberculosis (32–37)	72	8	5	1	1	3	6	3	6	12	5	6	10	3	1	2		
Cancer and other malignant tumors (43–49)	126						1			1	7	5	17	49	34	7	5	
Diabetes mellitus (57)	30					1		1		1		6	4	8	5	4		
Cerebral hemorrhage and softening (74, 83)	112							1		1		4	16	34	27	21	8	
Other [organic] diseases of the heart (90)	440		1				2	7	9	7	12	25	78	112	86	68	33	
Bronchitis (99)	30	15	3				3			1			1	2	1	1	3	
Broncho-pneumonia (100)	260	116	37	10	7	3	6	2	5	4	6	11	18	16	7	4	8	
Pneumonia (101)	360	43	15	4	3	2	8	4	14	27	39	37	66	55	26	9	8	
Diarrhea and enteritis (113, 114)	114	82	13	2	2	2	1				1	2	5	2	2			
Appendicitis and typhlitis (117)	52						2	7	4	8	4	5	15	6	1			
Hernia, intestinal obstruction (118)	29	2					1				2	4	5	6	7	1	1	
Cirrhosis of the liver (122)	7											2		3	1	1		
Nephritis (128, 129)	262	1	1	2				1	1	4	8	10	55	62	61	37	19	
Diseases of the female genital organs (137–141)	36								1	5	2	7	16	4	1			
Puerperal septicemia (146)	23								4	6	7	1	5					
Other puerperal causes (143–145, 147–150)	30								7	10	5	5	3					
Suicide (165–174)	13									2	2	3	3	1	1	1		
Homicide (197–200)	100								1	19	20	22	24	12	1	1		
Automobile accidents [1] (188c)	23				2	1	6	4	2		2	1	1	1	2	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	150	11	8	5	5	4	7	3	6	7	16	10	19	27	14	4	4	
All other causes	818	285	23	11	7	1	13	1	13	35	43	43	136	110	59	26	12	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
PITTSBURGH, PA. (WHITE), all causes	8,302	1,135	257	104	73	67	214	119	172	243	310	348	908	1,052	1,231	1,202	867	
Typhoid and paratyphoid fever (1)	20	1					2	1		6	1	4	3	1		1		
Measles (7)	77	14	32	13	5	3	9				1							
Scarlet fever (8)	35	1	5	2	6	3	12	2			4							
Whooping cough (9)	12	4	5		1	2												
Diphtheria (10)	56	6	8	5	3	11	15	3		1		1	1		1		1	
Influenza (11)	184	21	8	1	1		4	2	1	5	6	11	26	28	21	25	24	
Meningococcus meningitis (24)	7			1		1			1	1	1		1	1				
Tuberculosis of the respiratory system (31)	353	3	1	2			1	3	29	48	47	50	70	47	32	16	4	
Other forms of tuberculosis (32–37)	79	12	8	2	4	2	8	7	6	5	8	4	6	3	3	1		
Cancer and other malignant tumors (43–49)	668	1					2	1	1	1	13	13	79	132	193	162	70	
Diabetes mellitus (57)	112					1	3	1	2	3	2	2	10	18	36	24	10	
Cerebral hemorrhage and softening (74, 83)	471		2				1		1	1		3	21	61	113	150	118	
Other [organic] diseases of the heart (90)	930	4	1	1	1	2	12	21	16	14	17	23	87	119	186	236	190	
Bronchitis (99)	83	26	4	2	1		3		1	1			7	4	6	6	22	
Broncho-pneumonia (100)	374	110	35	11	8	5	9	4	7	2	6	4	16	15	33	53	56	
Pneumonia (101)	908	63	33	14	9	6	10	5	16	39	45	52	142	154	148	109	63	
Diarrhea and enteritis (113, 114)	332	217	56	12	8	6	5	2		1	2	3	4	4	6	4	2	
Appendicitis and typhlitis (117)	130		1	1	2	1	13	11	7	13	11	9	26	20	10	5		
Hernia, intestinal obstruction (118)	85	14	2	2		1	2		2		4	2	8	19	10	12	7	
Cirrhosis of the liver (122)	74	1									1	1	5	15	21	15	15	
Nephritis (128, 129)	603		1			1	6	2	4	6	10	17	64	88	140	149	115	
Diseases of the female genital organs (137–141)	46								1	1	2	5	14	18	3	2		
Puerperal septicemia (146)	55								6	14	12	11	12					
Other puerperal causes (143–145, 147–150)	62								4	8	17	14	19					
Suicide (165–174)	90								2	6	3	11	24	24	8	11	1	
Homicide (197–200)	42	3						2	1	3	7	8	9	5	2	2		
Automobile accidents [1] (188c)	163	1	1	1		4	29	7	6	10	12	10	13	21	24	15	9	
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)	4										1	2	1					
Other external causes (inclusions, see Table 5)	406	8	12	11	9	7	22	8	24	15	32	25	60	63	42	43	25	
All other causes	1,840	625	42	23	15	11	46	37	34	39	45	63	179	192	193	161	135	
PITTSBURGH, PA. (COLORED), all causes	1,081	145	47	12	7	3	15	25	36	75	87	88	182	184	95	52	28	
Typhoid and paratyphoid fever (1)	2						1						1					
Measles (7)	9	1	5		1			2										
Scarlet fever (8)	1				1													
Whooping cough (9)	4	1	2		1													
Diphtheria (10)	1							1										
Influenza (11)	11	1	1						1		2	2	1	2		1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	85	2	2	1				8	7	15	13	12	13	11	1			
Other forms of tuberculosis (32–37)	27	3	1	1	1	1	5	1	2	4	4		1	2	1			
Cancer and other malignant tumors (43–49)	44			1				1		1	1	1	8	12	12	5	2	
Diabetes mellitus (57)	13									1			2	7	2	1		
Cerebral hemorrhage and softening (74, 83)	47								2			1	6	17	8	6	7	
Other [organic] diseases of the heart (90)	109	1						2	3	5	2	7	16	36	20	11	6	
Bronchitis (99)	6	1					1							1	1	1	1	
Broncho-pneumonia (100)	48	12	12	1			1		1	1	3	2	7	4	3		1	
Pneumonia (101)	220	14	9	3				2	8	23	23	30	55	33	13	7		
Diarrhea and enteritis (113, 114)	47	30	8	3	1				1		1				1	1	1	
Appendicitis and typhlitis (117)	6						1			1		3		1				
Hernia, intestinal obstruction (118)	7									2	2	2	1					
Cirrhosis of the liver (122)	6											1		3	1		1	
Nephritis (128, 129)	82						1				3	4	20	20	20	9	5	
Diseases of the female genital organs (137–141)	12										2	4	4	2				
Puerperal septicemia (146)	6									3	3							
Other puerperal causes (143–145, 147–150)	9									3	3		3					
Suicide (165–174)	4									1	1		2					
Homicide (197–200)	25	1									8	4	8	4				
Automobile accidents [1] (188c)	3						1		1							1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	57	2	1		1	1	4	4	5	3	6	4	14	9	2		1	
All other causes	190	76	6	2	1	1	1	3	5	12	10	11	20	20	10	9	3	
READING, PA., all causes	1,474	180	35	14	8	10	31	22	36	35	35	47	110	165	232	276	238	
Typhoid and paratyphoid fever (1)	1													1				
Measles (7)	13	3	6	2		1	1											
Scarlet fever (8)	6		2	1	2		1											
Whooping cough (9)	8	4	2	2														
Diphtheria (10)	13	1	2		3	2	4		1									
Influenza (11)	21	4	2		1			1		1		1	1	4	1	4	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	65	2							4	6	6	5	14	13	10	4	1	
Other forms of tuberculosis (32–37)	14	1	2	1		2	1		1	1		1	2		2			
Cancer and other malignant tumors (43–49)	120							1	1	1		3	16	24	29	31	14	
Diabetes mellitus (57)	35								2	1			2	6	12	8	4	
Cerebral hemorrhage and softening (74, 83)	111									1	1		1	7	27	29	45	
Other [organic] diseases of the heart (90)	246						4	3	3	3	3	9	10	32	55	69	55	
Bronchitis (99)	5	3	1													1		
Broncho-pneumonia (100)	40	12	5	1	1	1	2			1	1	1	3	1	2	3	6	
Pneumonia (101)	59	8	3	2			1		2	2			9	7	7	11	7	
Diarrhea and enteritis (113, 114)	49	37	6	2		1			1								2	
Appendicitis and typhlitis (117)	18						2		3		2	1	2	6	2			
Hernia, intestinal obstruction (118)	22						1		1		1	3	2	3	4	5	2	
Cirrhosis of the liver (122)	12													2	4	4	2	
Nephritis (128, 129)	167	1					1	2	1	2	1	1	9	22	31	49	47	
Diseases of the female genital organs (137–141)	10										1		3	2	3	1		
Puerperal septicemia (146)	13								3	3	2	4	1					
Other puerperal causes (143–145, 147–150)	10								2	2	2	2	2					
Suicide (165–174)	16							1	2		1	1	3	1	3	3	1	
Homicide (197–200)	6			1					1	1	2	1						
Automobile accidents [1] (188c)	19			1		1	4	3			1		2	4	1		2	
Automobile and railroad-train collision (part 188a)	1														1			
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	70	1	2				3	4	4	6	4	5	7	7	4	10	13	
All other causes	304	103	2	1	1	2	8	5	4	4	7	9	21	23	34	44	36	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
SCRANTON, PA., all causes	1,957	277	52	21	10	15	53	29	56	53	60	72	230	258	321	241	209	
Typhoid and paratyphoid fever (1)	5									1			2	1	1			
Measles (7)	1						1											
Scarlet fever (8)	1							1										
Whooping cough (9)	14	7	6	1														
Diphtheria (10)	22	3	7	1	3	2	3	2					1					
Influenza (11)	57	4	3	1			2	1		3	1	4	8	9	5	5	11	
Meningococcus meningitis (24)	2	1					1											
Tuberculosis of the respiratory system (31)	61							1	8	9	7	4	10	10	5	7		
Other forms of tuberculosis (32–37)	16	3	3	1			1	1	3			1	3					
Cancer and other malignant tumors (43–49)	155						1	1		1	1	3	20	29	48	28	23	
Diabetes mellitus (57)	36								1			1	2	5	15	12		
Cerebral hemorrhage and softening (74, 83)	121						1					3	8	21	22	38	28	
Other [organic] diseases of the heart (90)	256				1		3	5	5	4	6	8	16	43	70	55	40	
Bronchitis (99)	13	2	1						1					2	3	2	2	
Broncho-pneumonia (100)	95	32	12	3	1	1		2	2	1	2	1	6	7	8	8	9	
Pneumonia (101)	169	14	5	4	1	2	2	1	8	3	3	5	22	31	31	18	19	
Diarrhea and enteritis (113, 114)	62	44	7	4		1	1						1			1	3	
Appendicitis and typhlitis (117)	25	1			1	5	3	1			2		1	7	2	2		
Hernia, intestinal obstruction (118)	26	3		1						1		1	7	2	5	3	3	
Cirrhosis of the liver (122)	9												2	3	1	1	2	
Nephritis (128, 129)	137	2						1	3	2	2	7	22	26	29	21	22	
Diseases of the female genital organs (137–141)	9											1	2	4	2			
Puerperal septicemia (146)	13								1	4	5	2	1					
Other puerperal causes (143–145, 147–150)	26								1	4	8	7	6					
Suicide (165–174)	8									1	2	2		3				
Homicide (197–200)	6						1	1				1	2		1			
Automobile accidents [1] (188c)	33	1		1	1	1	5	2	1	2	2		4	5	6	2		
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	140	5	4	2	1	4	15	4	2	8	7	11	34	11	14	13	5	
All other causes	438	155	4	2	2	3	11	3	18	9	11	11	50	39	53	25	42	
PROVIDENCE, R. I., all causes	3,309	399	74	32	29	26	63	58	59	86	74	106	258	443	577	590	431	4
Typhoid and paratyphoid fever (1)	9								1	1	1	1	1	2	1	1		
Measles (7)	18	4	8		2	2		1							1			
Scarlet fever (8)	9				1	2	1		2	2		1						
Whooping cough (9)	14	7	6		1													
Diphtheria (10)	19	2	4	3	3	1	4	2										
Influenza (11)	38	7	2	1			1	2				1	4	5	5	4	6	
Meningococcus meningitis (24)	4							2	1					1				
Tuberculosis of the respiratory system (31)	121	1					2	5	14	13	8	11	19	19	16	11	2	
Other forms of tuberculosis (32–37)	44	4	4	4	2	1	3	3	2	5	4	2	4	4		2		
Cancer and other malignant tumors (43–49)	335	1			1					2		9	21	76	98	90	36	1
Diabetes mellitus (57)	67						1						3	5	24	26	7	1
Cerebral hemorrhage and softening (74, 83)	265											1	11	38	68	81	65	1
Other [organic] diseases of the heart (90)	485				1	2	4	4	3	7	3	10	24	69	117	118	123	
Bronchitis (99)	13	5	1		1											1	5	
Broncho-pneumonia (100)	127	43	9	3	3	4	3			2	1	3	7	9	9	14	17	
Pneumonia (101)	200	25	12	4	2	1	5	7	2	2	6	8	25	26	25	28	21	1
Diarrhea and enteritis (113, 114)	42	32	8	1											1			
Appendicitis and typhlitis (117)	64	1	1	1	1		3	2	6	6	9	7	7	12	3	5		
Hernia, intestinal obstruction (118)	26	2		1	2								1	3	7	6	4	
Cirrhosis of the liver (122)	13													3	8	2		
Nephritis (128, 129)	344	1		3			2	2	3	3	4	3	32	58	79	83	71	
Diseases of the female genital organs (137–141)	23								2		1	4	7	3	3	3		
Puerperal septicemia (146)	12								1	3	4	3	1					
Other puerperal causes (143–145, 147–150)	26									3	8	8	6	1				
Suicide (165–174)	28									2		1	8	6	9	2		
Homicide (197–200)	7												1	3	1	1	1	
Automobile accidents [1] (188c)	79			1	4	2	12	8	3	8	8	3	10	5	7	5	3	
Automobile and railroad-train collision (part 188a)	2												1		1			
Automobile and street-car collision (part 188b)	2												1		1			
Other external causes (inclusions, see Table 5)	149	2	6	4	2	5	5	7	3	12	3	11	19	19	23	19	9	
All other causes	724	262	13	6	3	6	17	13	16	15	14	19	45	76	70	88	61	
MEMPHIS, TENN. (WHITE), all causes	1,559	189	41	14	11	4	32	29	46	72	76	58	183	201	214	212	176	1
Typhoid and paratyphoid fever (1)	19						2	1	7	3	2	1	2		1			
Measles (7)	2		2															
Scarlet fever (8)	2		1					1										
Whooping cough (9)	7	5			1		1											
Diphtheria (10)	4	1	1				2											
Influenza (11)	45	4	3				1	1	1		3	1	2	7	6	8	8	
Meningococcus meningitis (24)	3						1	1		1								
Tuberculosis of the respiratory system (31)	60								3	6	7	7	14	9	6	7	1	
Other forms of tuberculosis (32–37)	15	2	2		2						1	2	3	2	1			
Cancer and other malignant tumors (43–49)	120				1				1	1	3	1	15	23	31	25	19	
Diabetes mellitus (57)	19							1		1		1		3	4	6	3	
Cerebral hemorrhage and softening (74, 83)	87		1						1	1			2	12	24	23	23	
Other [organic] diseases of the heart (90)	136								3	3	2	1	8	21	23	44	31	
Bronchitis (99)	1												1					
Broncho-pneumonia (100)	54	14		4			1	2		2	1	1	3	7	4	5	10	
Pneumonia (101)	56	4	2	2			1	1	1	3	4	1	5	9	7	8	8	
Diarrhea and enteritis (113, 114)	49	31	11	2			2							1	1	1		
Appendicitis and typhlitis (117)	59		1		1		5	6	3	3	9	3	17	5	5	1		
Hernia, intestinal obstruction (118)	18	2	1		1			1		1	2		3	3	3		1	
Cirrhosis of the liver (122)	14										1		1	4	4	2	2	
Nephritis (128, 129)	115	2	1					1		7	1	3	11	18	28	26	17	
Diseases of the female genital organs (137–141)	18										1	4	7	5			1	
Puerperal septicemia (146)	20								3	5	6	2	4					
Other puerperal causes (143–145, 147–150)	24								3	7	4	1	9					
Suicide (165–174)	26									6	6	3	2	5	4			
Homicide (197–200)	20								3	1	3	2	6	4	1			
Automobile accidents [1] (188c)	33			1			2			3	2	1	8	6	6	3	1	
Automobile and railroad-train collision (part 188a)	2													1	1			
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	79	1	3	3	1	2	2	2	6	7	3	3	10	12	6	8	10	
All other causes	451	123	12	3	3	2	12	11	11	11	15	20	49	44	48	45	41	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MEMPHIS, TENN. (COLORED), all causes	1,815	259	40	26	13	4	32	41	92	129	127	125	311	265	188	103	60	
Typhoid and paratyphoid fever (1)	32			1			3	6	8	6	4	2	2					
Measles (7)	5	2	1					2										
Scarlet fever (8)	2	1									1							
Whooping cough (9)	11	8	1	1	1													
Diphtheria (10)	2				1		1											
Influenza (11)	79	13	4	2			2	1	6	5	4	4	13	10	3	5	7	
Meningococcus meningitis (24)	4				1			1			1	1						
Tuberculosis of the respiratory system (31)	174	3	2	1	2		1	11	27	35	27	14	26	17	6	2		
Other forms of tuberculosis (32–37)	30	1	2	1			3	2	4	4	3	4	3	2		1		
Cancer and other malignant tumors (43–49)	56			1					1		2	5	18	16	6	6	1	
Diabetes mellitus (57)	14							1			1	1	6	4		1		
Cerebral hemorrhage and softening (74, 83)	59							1		1		3	12	19	12	8	3	
Other [organic] diseases of the heart (90)	152						2		3	2	1	9	38	38	34	15	10	
Bronchitis (99)	5	2	3															
Broncho-pneumonia (100)	88	39	12	7	1	1	1		1		1	2	8	3	6	5	1	
Pneumonia (101)	109	8	1	1			2	2	10	10	9	10	25	14	10	4	3	
Diarrhea and enteritis (113, 114)	60	42	3	1	1					1			4	2	2	3	1	
Appendicitis and typhlitis (117)	36						1	3	3	8	4	5	4	6	2			
Hernia, intestinal obstruction (118)	26	2								4	3	3	3	7	2	1	1	
Cirrhosis of the liver (122)	11									1			3	4	2	1		
Nephritis (128, 129)	142	1		2			1		3	2	2	9	24	28	39	21	10	
Diseases of the female genital organs (137–141)	35								1	4	5	4	16	4	1			
Puerperal septicemia (146)	10								2	2	3	2	1					
Other puerperal causes (143–145, 147–150)	13								7	2	2		2					
Suicide (165–174)																		
Homicide (197–200)	79							1	3	15	17	9	23	9	2			
Automobile accidents [1] (188c)	19						3		1	6	1	2	1	3	2			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	79	2	2	4	2		7	3	2	6	11	6	12	12	8	1	1	
All other causes	482	135	9	4	4	3	5	7	10	15	25	30	66	67	51	29	22	
NASHVILLE, TENN. (WHITE), all causes	1,386	186	27	22	9	6	24	22	44	45	50	55	124	153	177	229	213	
Typhoid and paratyphoid fever (1)	17						1	1	4		6	1	2	1	1			
Measles (7)	8		3	2				1				1		1				
Scarlet fever (8)	2				1				1									
Whooping cough (9)	5	2	2	1														
Diphtheria (10)	5			1		2	1	1										
Influenza (11)	56	4	3	3				1		2	1	3	7	4	8	10	10	
Meningococcus meningitis (24)	3							1	1				1					
Tuberculosis of the respiratory system (31)	70				1		1		3	7	7	9	16	2	14	5	5	
Other forms of tuberculosis (32–37)	9	4		1			1			1	1			1				
Cancer and other malignant tumors (43–49)	108						1			1	1	3	11	25	25	23	18	
Diabetes mellitus (57)	13												1	4	5	2	1	
Cerebral hemorrhage and softening (74, 83)	70	2								1	1	1	1	11	8	23	22	
Other [organic] diseases of the heart (90)	130							2	2	1		3	4	16	14	52	36	
Bronchitis (99)	8	2													1	2	3	
Broncho-pneumonia (100)	28	15	1	1	1		1							1	2	2	4	
Pneumonia (101)	60	4	1	1			1		1	2	1	2	6	8	8	8	17	
Diarrhea and enteritis (113, 114)	51	24	12	6		1		1	1		1				1	2	2	
Appendicitis and typhlitis (117)	31					1	2	6	3	2	2	2	6	2	3	1	1	
Hernia, intestinal obstruction (118)	23	1	1		1		1				1	1	3	6	4	2	2	
Cirrhosis of the liver (122)	8												1	2	4	1		
Nephritis (128, 129)	100	1					1		1		1	2	7	12	22	26	27	
Diseases of the female genital organs (137–141)	11									2	1		2	5		1		
Puerperal septicemia (146)	10								1	4	4		1					
Other puerperal causes (143–145, 147–150)	12								2	3	2	1	4					
Suicide (165–174)	15									1	3	1	3	1	3	3		
Homicide (197–200)	17									3	2	4	4	2	1	1		
Automobile accidents [1] (188c)	26				3	1	3	1	3	4		2	4	3	1	1		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	77	5	1	1	1		3	1	7	5	6	2	7	10	9	8	11	
All other causes	413	122	3	5	1	1	7	6	14	6	9	17	33	36	43	56	54	
NASHVILLE, TENN. (COLORED), all causes	963	112	23	7	4	2	14	21	35	61	55	53	112	154	161	92	55	2
Typhoid and paratyphoid fever (1)	10						2	3	2	2	1							
Measles (7)	2	1						1										
Scarlet fever (8)																		
Whooping cough (9)	1	1																
Diphtheria (10)	5		1		2		2											
Influenza (11)	35	6	1		2		1	1	1	2	1	2	5	3	7	3		
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	86	1	1	1				2	9	20	14	12	9	10	5	2		
Other forms of tuberculosis (32–37)	26	1	1				2	1	4	4	4	3	4	1	1			
Cancer and other malignant tumors (43–49)	45							1	1			3	13	10	10	6	1	
Diabetes mellitus (57)	6											2		1	2	1		
Cerebral hemorrhage and softening (74, 83)	56									1	1		3	12	17	13	9	
Other [organic] diseases of the heart (90)	161						3			2	7	4	20	39	45	29	11	1
Bronchitis (99)	1																1	
Broncho-pneumonia (100)	34	20	3	1		1		1	1				2		3	1	1	
Pneumonia (101)	45	2	2					1	4	4	3	1	5	9	10	2	2	
Diarrhea and enteritis (113, 114)	24	14	7	1										2				
Appendicitis and typhlitis (117)	11						1	2			1	2	3	1		1		
Hernia, intestinal obstruction (118)	7										1		1	3	1	1		
Cirrhosis of the liver (122)	4													1	1	2		
Nephritis (128, 129)	90		1			1	1	1		1	1	5	9	16	34	11	9	
Diseases of the female genital organs (137–141)	20								1	2	1	4	10		1	1		
Puerperal septicemia (146)	9								2	3	2	1	1					
Other puerperal causes (143–145,147–150)	10									3	2	1	4					
Suicide (165–174)	5								1	1	2		1					
Homicide (197–200)	22								1	5	5	5	3	1		1		1
Automobile accidents [1] (188c)	12								2	1	1	2		3	1	1	1	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	48	5		3			1	5	3	5	1	2	4	4	5	5	5	
All other causes	187	60	6	1			1	2	3	5	7	4	15	38	18	12	15	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
DALLAS, TEX., all causes	2,657	470	60	25	17	12	47	48	91	123	135	133	295	321	299	324	257	
Typhoid and paratyphoid fever (1)	34				1		2	4	7	4	7	6	2	1				
Measles (7)																		
Scarlet fever (8)	4		1		1	1		1										
Whooping cough (9)	6	4	2															
Diphtheria (10)	7	1		2		2	1	1										
Influenza (11)	84	8	1	4	1		2	3	1	5	1	4	13	9	9	13	10	
Meningococcus meningitis (24)	2	1	1															
Tuberculosis of the respiratory system (31)	120	2						7	7	11	16	12	30	15	6	12	2	
Other forms of tuberculosis (32–37)	17	1	1		1			2	3	1	1	2	1	2		1	1	
Cancer and other malignant tumors (43–49)	166			1					1	3	8	8	22	30	43	34	16	
Diabetes mellitus (57)	34				1			2	1		1	2	2	5	7	8	5	
Cerebral hemorrhage and softening (74, 83)	186								1	4	7	5	13	36	40	44	36	
Other [organic] diseases of the heart (90)	200	2				1	3		4	2	4	5	15	32	45	43	44	
Bronchitis (99)	7	2		1				1		1		1					1	
Broncho-pneumonia (100)	87	47	7	2	1	1		1	2	1	2		6	2	4	5	6	
Pneumonia (101)	137	25	8	1	2		2	1	6	4	12	8	23	16	4	18	7	
Diarrhea and enteritis (113, 114)	120	33	14	4			2	1	1				5	1	4	1	4	
Appendicitis and typhlitis (117)	69						7	5	8	10	10	5	10	6	5	2	1	
Hernia, intestinal obstruction (118)	25	2	1			1			1	2	2	2	2	3	6	3		
Cirrhosis of the liver (122)	24												8	5	6	3	2	
Nephritis (128, 129)	187	1		1	2			2	4	3	3	4	16	38	36	44	33	
Diseases of the female genital organs (137–141)	26								1	2	3	4	7	7		2		
Puerperal septicemia (146)	27								6	7	6	3	5					
Other puerperal causes (143–145, 147–150)	34								6	12	6	8	2					
Suicide (165–174)	37								1	6	4	4	11	5	3	2	1	
Homicide (197–200)	54							1	6	14	8	6	8	8	1		2	
Automobile accidents [1] (188c)	59					3	3	2	1	3	5	5	6	8	8	9	6	
Automobile and railroad-train collision (part 188a)	1													1				
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	122	8	3	1	3	1	9	3	9	8	6	9	15	16	7	11	13	
All other causes	781	283	21	8	4	2	16	11	14	20	23	30	73	75	65	69	67	
FORT WORTH, TEX., all causes	1,544	196	36	15	9	4	22	23	49	79	98	85	156	182	201	210	174	5
Typhoid and paratyphoid fever (1)	11		1					3	1	1	1	1	1	2				
Measles (7)																		
Scarlet fever (8)	3		1		1				1									
Whooping cough (9)	3	2											1					
Diphtheria (10)	4	1		2			1											
Influenza (11)	59	2	3	4	1		1		2	3	7	3	5	5	10	9	4	
Meningococcus meningitis (24)	1	1																
Tuberculosis of the respiratory system (31)	110	1		1					6	17	16	15	21	12	11	6	2	2
Other forms of tuberculosis (32–37)	7			1		1			1	1	1		1			1		
Cancer and other malignant tumors (43–49)	104							1			1	4	17	22	22	24	13	
Diabetes mellitus (57)	15						1			1			2	3	5	2	1	
Cerebral hemorrhage and softening (74, 83)	93									2		1	11	15	16	27	21	
Other [organic] diseases of the heart (90)	100								1	1	1	4	4	16	23	24	26	
Bronchitis (99)	4		1							1							2	
Broncho-pneumonia (100)	40	15	3							1	2	1	2	3	3	4	6	
Pneumonia (101)	74	14	6			1	2		2	6	7	6	7	6	3	5	9	
Diarrhea and enteritis (113, 114)	51	28	11	3			1				1			1	1	1	4	
Appendicitis and typhlitis (117)	36						1	6	4	2	5	4	4	4	2	4		
Hernia, intestinal obstruction (118)	26	2			1		1	2			3	3	1	3	5	2		
Cirrhosis of the liver (122)	5										1		1		2	1		
Nephritis (128, 129)	104	1				1		1	2	2	2	4	10	17	25	25	13	1
Diseases of the female genital organs (137–141)	9									1	3		2	2	1			
Puerperal septicemia (146)	10								4	3	2		1					
Other puerperal causes (143–145, 147–150)	13								2	2	2	5	2					
Suicide (165–174)	27								1	3	4	1	3	6	8		1	
Homicide (197–200)	24									2	7	6	5	2	1	1		
Automobile accidents [1] (188c)	32			1	1		3	2	1	2	4	2	2	4	5	5		
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3								1				2					
Other external causes (inclusions, see Table 5)	93	7	3	1	4		2	2	7	8	11	6	8	12	10	6	6	
All other causes	483	122	7	2	1	1	9	6	13	20	17	19	42	48	52	59	63	2
HOUSTON, TEX. (WHITE), all causes	1,699	242	34	25	26	10	22	23	43	57	75	97	182	210	209	251	190	3
Typhoid and paratyphoid fever (1)	10			1				1	3	1	2	1	1					
Measles (7)																		
Scarlet fever (8)	1				1													
Whooping cough (9)	8	3	1	2	1		1											
Diphtheria (10)	15	1	5	1	5		3											
Influenza (11)	50	4	3	1	3	1		2		3	3	2	6	8	2	7	5	
Meningococcus meningitis (24)	2	1		1														
Tuberculosis of the respiratory system (31)	89	1	1				1		5	11	11	12	12	20	10	1	3	1
Other forms of tuberculosis (32–37)	21	6		2		2		1		1	2	1	1	2	3			
Cancer and other malignant tumors (43–49)	135	1	1				1	1	1	2	2	3	24	23	25	37	14	
Diabetes mellitus (57)	26								1					3	11	8	3	
Cerebral hemorrhage and softening (74, 83)	89	1								3	1	3	4	12	18	26	21	
Other [organic] diseases of the heart (90)	147	1								2	1	1	8	17	30	51	36	
Bronchitis (99)	3	1		1													1	
Broncho-pneumonia (100)	33	10	5	2	1					1		3	1	2	2	3	3	
Pneumonia (101)	70	6	4	1	5	1	1		2	2	3	6	5	9	7	11	7	
Diarrhea and enteritis (113, 114)	55	37	8	4	1					1							4	
Appendicitis and typhlitis (117)	34						2	2	8	2	2	4	4	6	3		1	
Hernia, intestinal obstruction (118)	28	4	1			1					3	2	4	4	5	2	2	
Cirrhosis of the liver (122)	8													1	3	3	1	
Nephritis (128, 129)	126	1		2		2				3		4	13	30	20	33	18	
Diseases of the female genital organs (137–141)	12											1	6	3			2	
Puerperal septicemia (146)	7									2	1	1	3					
Other puerperal causes (143–145, 147–150)	27								8	3	6	3	7					
Suicide (165–174)	31							1	1		4	3	9	5	4	2	1	1
Homicide (197–200)	31								1		7	8	8	4	2	1		
Automobile accidents [1] (188c)	27	1			1	1	3	3	1	1	1	2	4	2	2	4	1	
Automobile and railroad-train collision (part 188a)	1							1										
Automobile and street-car collision (part 188b)	3											1	1	1				
Other external causes (inclusions, see Table 5)	95	4	1	2	4	1	3	1	7	9	10	11	12	10	5	5	10	
All other causes	515	159	4	5	4	1	7	10	5	10	16	25	49	48	57	57	57	1

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
HOUSTON, TEX. (COLORED), all causes	908	109	11	6	3	4	15	14	32	74	63	56	166	168	90	42	50	5
Typhoid and paratyphoid fever (1)																		
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	7	5	1		1													
Diphtheria (10)	3						2											1
Influenza (11)	40	2	2			1	1	1	3	1	3	3	8	8	5	1	1	
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	84							2	10	25	11	8	18	8	1	1		
Other forms of tuberculosis (32–37)	5	1		1			1						1					
Cancer and other malignant tumors (43–49)	32							1		2		2	10	9	8			
Diabetes mellitus (57)	8											1	1	4	1		1	
Cerebral hemorrhage and softening (74, 83)	40												3	18	8	5	6	
Other [organic] diseases of the heart (90)	78										2	5	19	24	18	7	3	
Bronchitis (99)	5	1				1					1		1	1				
Broncho-pneumonia (100)	12		1	2	1		1			1	1	1		1	1	1	1	
Pneumonia (101)	42	5	1			1	3	1	1	5	4	4	4	6	1	3	3	
Diarrhea and enteritis (113, 114)	24	20		1										2				1
Appendicitis and typhlitis (117)	9							1	2	2			2	2				
Hernia, intestinal obstruction (118)	16	1	1					1			1	3	5	1	1	1	1	
Cirrhosis of the liver (122)	4												1	2	1			
Nephritis (128, 129)	73							1	1	1	4	1	14	23	12	9	7	
Diseases of the female genital organs (137–141)	11								1	3	3		3	1				
Puerperal septicemia (146)	5								2	1		2						
Other puerperal causes (143–145, 147–150)	10							1	2	2	4		1					
Suicide (165–174)	3									1	2							
Homicide (197–200)	21								2	8	2	2	5	2				
Automobile accidents [1] (188c)	4								1		1			1		1		
Automobile and railroad-train collision (part 188a)	1												1					
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	32	4	1				1		2	5	3	1	5	6	3	1		
All other causes	339	70	4	2	1	1	6	5	5	17	21	23	64	49	29	12	27	3
SAN ANTONIO, TEX., all causes	3,029	562	119	32	25	20	51	36	116	193	180	139	318	324	337	294	283	
Typhoid and paratyphoid fever (1)	14						2	1	4	2	1	1	1	2				
Measles (7)	3	1	1			1												
Scarlet fever (8)	2						1		1									
Whooping cough (9)	24	14	9	1														
Diphtheria (10)	17		2		3	4	6						1	1				
Influenza (11)	117	14	4	3	3		4	2	5	6	7	2	11	11	15	14	16	
Meningococcus meningitis (24)	8		1		1	1		2		1	2							
Tuberculosis of the respiratory system (31)	426	3	2	1			2	5	47	82	81	55	72	38	28	9	1	
Other forms of tuberculosis (32–37)	30	2	3	1		1	2	1	1	3	5	2	2	4	1		2	
Cancer and other malignant tumors (43–49)	173						1				2	3	34	46	38	30	19	
Diabetes mellitus (57)	28							1		1		1	3	2	7	12	1	
Cerebral hemorrhage and softening (74, 83)	115							1					3	15	29	29	38	
Other [organic] diseases of the heart (90)	232						2	3		8	1	8	25	36	41	59	49	
Bronchitis (99)	24	6								1	2	2	2	3	2	3	3	
Broncho-pneumonia (100)	85	41	8	4	4	1	1	1	2	5		2	3	3	2	6	2	
Pneumonia (101)	111	9	6	3	1		2		8	7	9	4	12	16	18	10	6	
Diarrhea and enteritis (113, 114)	320	212	54	8	5	2	5		2		2	2	2	5	10	3	8	
Appendicitis and typhlitis (117)	36				1	2		3	4	8	3		4	5	5		1	
Hernia, intestinal obstruction (118)	45	6	2	1	1		1	1	2	2	1	1	7	7	6	2	5	
Cirrhosis of the liver (122)	16												1	5	5			
Nephritis (128, 129)	152	3					3	2	1	4	6	3	23	20	33	26	28	
Diseases of the female genital organs (137–141)	14									3	2	1	3	4	1			
Puerperal septicemia (146)	21								7	7	2	2	3					
Other puerperal causes (143–145, 147–150)	33								4	7	7	4	11					
Suicide (165–174)	35							1	1	4	3	2	9	3	8	3	1	
Homicide (197–200)	42					1		1	7	7	4	8	4	6	3	1		
Automobile accidents [1] (188c)	39				2	2	5	4	2	2	1	1	3	6	4	4	3	
Automobile and railroad-train collision (part 188a)	1									1								
Automobile and street-car collision (part 188b)	1								1									
Other external causes (inclusions, see Table 5)	80	4	4	4	1		1	3	5	10	10	4	9	7	5	2	11	
All other causes	785	247	23	6	3	5	13	4	12	22	29	31	70	79	76	76	89	
SALT LAKE CITY, UTAH, all causes	1,532	156	33	18	14	8	36	45	47	57	53	69	161	198	188	217	232	
Typhoid and paratyphoid fever (1)	9	1	1					2		2	1	1				1		
Measles (7)																		
Scarlet fever (8)	1							1										
Whooping cough (9)	9	7	2															
Diphtheria (10)	18		1	2	4	1	6	2	1						1			
Influenza (11)	29	6	3	2	1					1	1	2		4	1	1	7	
Meningococcus meningitis (24)	16	1	1	1	1		3	4	2	2			1					
Tuberculosis of the respiratory system (31)	63									2	4	8	23	14	5	6	1	
Other forms of tuberculosis (32–37)	8						1		1			1	4	1				
Cancer and other malignant tumors (43–49)	143								1	1		4	14	27	37	36	23	
Diabetes mellitus (57)	21								1	1			1	1	5	8	4	
Cerebral hemorrhage and softening (74, 83)	92										1		3	13	17	27	31	
Other [organic] diseases of the heart (90)	171	1	1				1	5	6	4	2	7	22	31	21	27	43	
Bronchitis (99)	4										1						3	
Broncho-pneumonia (100)	56	17	4	2	1				1				1	5	1	7	17	
Pneumonia (101)	66	3	2			1	1	3	4	4	2	10	7	6	7	5	11	
Diarrhea and enteritis (113, 114)	17	7	4	3										1	1		1	
Appendicitis and typhlitis (117)	48		1		1	1	3	7	2	5	6	2	6	6	7	1		
Hernia, intestinal obstruction (118)	21	3	1	1				1					3	7	1	1	3	
Cirrhosis of the liver (122)	3															1	2	
Nephritis (128, 129)	124						1		4	4	2	5	12	15	19	29	33	
Diseases of the female genital organs (137–141)	10									2		2	2	2	2			
Puerperal septicemia (146)	7								1	3	2	1						
Other puerperal causes (143–145, 147–150)	18								3	2	4	5	4					
Suicide (165–174)	24								1		5	1	6	6	3	2		
Homicide (197–200)	10									4	1	1	4					
Automobile accidents [1] (188c)	42	1			1	1	4	2	4	5	1		4	6	5	6	2	
Automobile and railroad-train collision (part 188a)	4											1	2	1				
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	93		4	6	2	1	5	7	6	5	7	6	10	11	7	7	9	
All other causes	404	109	8	1	3	3	11	11	9	10	13	12	31	41	48	52	42	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
NORFOLK, VA. (WHITE), all causes	831	95	11	7	4	2	10	15	18	18	24	37	73	107	127	159	124	
Typhoid and paratyphoid fever (1)	2								1		1							
Measles (7)	1	1																
Scarlet fever (8)																		
Whooping cough (9)	3	1	2															
Diphtheria (10)	1			1														
Influenza (11)	4	2								1			1					
Meningococcus meningitis (24)	1												1					
Tuberculosis of the respiratory system (31)	36			1				1	2	4	3	4	6	10	3	2		
Other forms of tuberculosis (32-37)	4							1				1	1	1				
Cancer and other malignant tumors (43-49)	76											2	11	14	22	16	11	
Diabetes mellitus (57)	11													2	2	7		
Cerebral hemorrhage and softening (74, 83)	65											2	3	7	12	22	19	
Other [organic] diseases of the heart (90)	162							2			1	3	6	23	32	49	46	
Bronchitis (99)	5	1															4	
Broncho-pneumonia (100)	13	4	3	1			1								2	1	1	
Pneumonia (101)	31	1	1		1				2	1	4	3	4	1	3	7	3	
Diarrhea and enteritis (113, 114)	17	13	1												2		1	
Appendicitis and typhlitis (117)	8			1			1			1	1		2		2			
Hernia, intestinal obstruction (118)	15												2	2	5	5	1	
Cirrhosis of the liver (122)	5											1	1	1			2	
Nephritis (128, 129)	67						1				1	2	6	12	13	20	12	
Diseases of the female genital organs (137-141)	3												1		2			
Puerperal septicemia (146)																		
Other puerperal causes (143-145, 147-150)	4										1	2	1					
Suicide (165-174)	13									3	2		3	3	2			
Homicide (197-200)	4	1								2		1						
Automobile accidents[1] (188c)	13			1			2	2	2	1			1		1	2	1	
Automobile and railroad-train collision (part 188a)	1								1									
Automobile and street-car collision (part 188b)	1												1					
Other external causes (inclusions, see Table 5)	50	2	1	1	1	1	2	4	4	1	6	1	8	4	3	6	5	
All other causes	215	69	3	1	2	1	3	5	6	4	4	15	14	27	21	22	18	
NORFOLK, VA. (COLORED), all causes	940	155	28	10	6	2	17	13	36	54	55	73	163	176	98	41	13	
Typhoid and paratyphoid fever (1)	3						1	1	1									
Measles (7)																		
Scarlet fever (8)																		
Whooping cough (9)	11	6	2	3														
Diphtheria (10)	1						1											
Influenza (11)	27	13	3	2	1		1			1		2	1	3				
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	96							6	8	21	10	17	21	10	2	1		
Other forms of tuberculosis (32-37)	15	1	1	1			1	1	3		2	3	1	1				
Cancer and other malignant tumors (43-49)	31											3	8	13	5	2		
Diabetes mellitus (57)	5									1			2	1	1			
Cerebral hemorrhage and softening (74, 83)	79		1								1	3	17	19	21	14	3	
Other [organic] diseases of the heart (90)	167								1	3	5	8	45	56	34	14	1	
Bronchitis (99)	3	2										1						
Broncho-pneumonia (100)	41	25	6	3	1				1	1	1	2	1					
Pneumonia (101)	47	4	3		1		1		3	3	5	5	9	5	7	1		
Diarrhea and enteritis (113, 114)	52	37	8		2	1	1			1				2				
Appendicitis and typhlitis (117)	15						2	2	4	1		1	4	1				
Hernia, intestinal obstruction (118)	9									1	1	1	2	3		1		
Cirrhosis of the liver (122)	1													1				
Nephritis (128, 129)	67			1			1		2	4	2	5	8	24	10	5	5	
Diseases of the female genital organs (137-141)	6									2	1	1	1	1				
Puerperal septicemia (146)	9								2	2	2	3						
Other puerperal causes (143-145, 147-150)	9								2		3	2	2					
Suicide (165-174)	2										1	1						
Homicide (197-200)	13								1	5	2		4		1			
Automobile accidents[1] (188c)	11						2		1	1	3	1	1	1	1			
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	34	2	1		1	1	2	2	3	3	4	4	6	5				
All other causes	186	65	3				4	1	4	4	12	10	30	30	16	3	4	
RICHMOND, VA. (WHITE), all causes	1,572	181	19	14	9	16	22	20	36	30	38	44	121	174	229	333	286	
Typhoid and paratyphoid fever (1)	3								1	1			1					
Measles (7)	1				1													
Scarlet fever (8)	2						2											
Whooping cough (9)	5	1	2	1			1											
Diphtheria (10)	15		2	1	2	4	6											
Influenza (11)	22	4					1						2	3	1		4	7
Meningococcus meningitis (24)	5			1				2					1	1				
Tuberculosis of the respiratory system (31)	63	1							2	6	6	3	17	11	7	8	2	
Other forms of tuberculosis (32-37)	14		1	1	2	1	1		1			1	2	3	1			
Cancer and other malignant tumors (43-49)	136									1	1	1	10	35	29	39	20	
Diabetes mellitus (57)	22											2		4	8	7	1	
Cerebral hemorrhage and softening (74, 83)	99										1	1	3	4	17	42	31	
Other [organic] diseases of the heart (90)	208				1		1	2	2		2		5	24	32	68	71	
Bronchitis (99)	7													1	1	1	4	
Broncho-pneumonia (100)	31	8	3			1			1				3	1	3	3	8	
Pneumonia (101)	43	1	1	1		1				1	5	4	4	6	5	7	7	
Diarrhea and enteritis (113, 114)	30	18	4	2		2										2	2	
Appendicitis and typhlitis (117)	29			1	1		3	2	2	1	1	3	3	6	3	2	1	
Hernia, intestinal obstruction (118)	16	2											1	2	3	5	3	
Cirrhosis of the liver (122)	10								2				1	1	2	1	3	
Nephritis (128, 129)	208					1		1	3	1	2	4	5	16	51	63	61	
Diseases of the female genital organs (137-141)	11											3	4	3	1			
Puerperal septicemia (146)	11									5	1	1	4					
Other puerperal causes (143-145, 147-150)	10								1		5		4					
Suicide (165-174)	24								2		3	1	6	6	4		2	
Homicide (197-200)	11								3	1		2	3	1		1		
Automobile accidents[1] (188c)	31			1			2	2	4	3	2	1	1	5	3	5	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	58	2		2	1			3	3	4	3	2	9	3	4	13	9	
All other causes	447	144	6	3	1	6	5	8	9	6	6	13	31	40	55	62	52	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
RICHMOND, VA. (COLORED), all causes	1,168	198	40	9	6	8	24	19	47	53	76	63	158	178	163	88	38	
Typhoid and paratyphoid fever (1)	7							1	2	2	1	1						
Measles (7)	2		2															
Scarlet fever (8)																		
Whooping cough (9)	7	4	3															
Diphtheria (10)	16	1	1		1	4	7	1	1									
Influenza (11)	28	1	3				1		3	1	2	2	4	5	5	1		
Meningococcus meningitis (24)																		
Tuberculosis of the respiratory system (31)	94		1				1	6	10	10	18	9	19	11	8	1		
Other forms of tuberculosis (32–37)	18	2	1			2	3		1	2	2	3	1	1				
Cancer and other malignant tumors (43–49)	43									1	2	3	10	13	12	1	1	
Diabetes mellitus (57)	3													2	1			
Cerebral hemorrhage and softening (74, 83)	103										1	2	18	24	36	16	6	
Other [organic] diseases of the heart (90)	125							2	1	1	3	7	15	33	33	20	10	
Bronchitis (99)	3		1										1	1				
Broncho-pneumonia (100)	55	24	13	4			1		1	1	1		3	2	4		1	
Pneumonia (101)	89	7	1				2	2	6	9	6	6	11	20	10	8	1	
Diarrhea and enteritis (113, 114)	28	21	2										1		1	2	1	
Appendicitis and typhlitis (117)	13					1	1		2		1	3	2	3				
Hernia, intestinal obstruction (118)	11	1			1						1	2	4	1		1		
Cirrhosis of the liver (122)	6												2	2	1	1		
Nephritis (128, 129)	97	1			1		1	1	1	2	3	2	15	29	24	14	3	
Diseases of the female genital organs (137–141)	14									1	2	1	7	2	1			
Puerperal septicemia (146)	8								2	4	2							
Other puerperal causes (143–145, 147–150)	13									3	5	3	2					
Suicide (165–174)	1								1									
Homicide (197–200)	21							1	2	2	5	6	5					
Automobile accidents [1] (188c)	10						1	1			3	1	1			1	2	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	40	1		3	2		3	2	1	5	6	5	5	3	1	1	2	
All other causes	313	135	12	2	1	1	3	2	13	9	12	7	32	26	26	21	11	
SEATTLE, WASH., all causes	3,372	243	29	24	16	16	64	53	52	97	106	94	358	463	637	629	486	5
Typhoid and paratyphoid fever (1)	8						1			3	1		1	2				
Measles (7)																		
Scarlet fever (8)	3		1				1		1									
Whooping cough (9)	19	15		1		1	2											
Diphtheria (10)	9	1	1	2	1	1	3											
Influenza (11)	53	6	2		1	1	5	5		1	2	1	4		4	10	11	
Meningococcus meningitis (24)	3						1			1				1				
Tuberculosis of the respiratory system (31)	192	1				1		3	11	17	26	19	45	29	25	12	3	
Other forms of tuberculosis (32–37)	74	5	3	5	3	1	11	1	6	7	8	5	5	4	6	3		1
Cancer and other malignant tumors (43–49)	405							1	1	4	3	2	51	80	137	89	37	
Diabetes mellitus (57)	55						1	1	2				3	3	18	21	6	
Cerebral hemorrhage and softening (74, 83)	255							1	1	2	1	4	7	31	60	78	69	1
Other [organic] diseases of the heart (90)	500						3	5	1	2	8	5	18	52	107	165	134	
Bronchitis (99)	8						1								2		5	
Broncho-pneumonia (100)	74	13	5	2		1	1			2	1	1	3	9	12	9	15	
Pneumonia (101)	86	8	1			1		1	2		4	1	15	10	17	11	14	1
Diarrhea and enteritis (113, 114)	24	5	3	1		1	3	1		1		1	2	1		2	3	
Appendicitis and typhlitis (117)	34	1		1	1	1	2	3	3	3	1	3	7	2	4	2		
Hernia, intestinal obstruction (118)	40	1	1	1			1			2	2	2	9	7	5	5	4	
Cirrhosis of the liver (122)	30												3	8	7	7	5	
Nephritis (128, 129)	253	1	1	1	1		1	1	3	5	2	7	25	35	57	61	52	
Diseases of the female genital organs (137–141)	22									1	1		7	10	1	2		
Puerperal septicemia (146)	15								1	4	7	1	2					
Other puerperal causes (143–145, 147–150)	16									4	3	6	3					
Suicide (165–174)	93							1	2	7	9	3	21	21	17	7	4	1
Homicide (197–200)	13									1	4	2	2	1	2	1		
Automobile accidents [1] (188c)	66				2	2	5	3	2	4	3	6	8	6	7	12	6	
Automobile and railroad-train collision (part 188a)																		
Automobile and street-car collision (part 188b)	3											1	2					
Other external causes (inclusions, see Table 5)	163	1	2	4	4		4	7	7	10	6	4	23	30	22	15	23	1
All other causes	856	185	9	6	3	5	18	19	9	16	14	20	92	121	127	117	95	
SPOKANE, WASH., all causes	1,386	123	22	16	6	11	32	28	46	44	29	37	127	171	219	251	223	1
Typhoid and paratyphoid fever (1)	3								1	1					1			
Measles (7)	1												1					
Scarlet fever (8)	5		1				2			1				1				
Whooping cough (9)	7	5	1	1														
Diphtheria (10)	16			1	1	2	8	1	2				1					
Influenza (11)	44	5	3	1				1	4	1	2	1	5	8	3	3	7	
Meningococcus meningitis (24)	16	1		1		1	2	2	5	1		2			1			
Tuberculosis of the respiratory system (31)	41		1						2	10	5	3	5	5	6	4		
Other forms of tuberculosis (32–37)	9		1	1						2				4	1			
Cancer and other malignant tumors (43–49)	158			1				1	1	1		3	17	21	44	49	20	
Diabetes mellitus (57)	15												1	3	3	6	2	
Cerebral hemorrhage and softening (74, 83)	71										1		1	11	9	28	21	
Other [organic] diseases of the heart (90)	137					1	2	4	3		1	2	4	14	27	38	41	
Bronchitis (99)	6	1															5	
Broncho-pneumonia (100)	37	11	4	3			2	1					1		5	2	8	
Pneumonia (101)	76	3	2	1			1	2	1	1	1	2	6	7	17	17	15	
Diarrhea and enteritis (113, 114)	15	6	4		1	1		1						1		1		
Appendicitis and typhlitis (117)	41				1	2	2	3	6	4	2	3	3	8	4	2	1	
Hernia, intestinal obstruction (118)	17	1									1		4	5	2	1	3	
Cirrhosis of the liver (122)	4												1	1	1	1		
Nephritis (128, 129)	135		1					2	2	1	1	2	12	15	31	33	35	
Diseases of the female genital organs (137–141)	14												3	7	1	2	1	
Puerperal septicemia (146)	9								1	2	3		3					
Other puerperal causes (143–145, 147–150)	11								1		1	5	4					
Suicide (165–174)	27									2		1	8	6	3	5	1	1
Homicide (197–200)	10	1							2			1	3	2	1			
Automobile accidents [1] (188c)	21				1		2		1		3	2	2	2	3	3	2	
Automobile and railroad-train collision (part 188a)	2						1	1										
Automobile and street-car collision (part 188b)																		
Other external causes (inclusions, see Table 5)	57	1		1			3	2	1	3	1	2	7	9	7	11	9	
All other causes	381	88	4	5	2	4	7	7	13	14	7	8	35	41	49	45	52	

[1] Excludes collision with railroad trains and street cars.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY AGE, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 282]

AREA AND CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
MILWAUKEE, WIS., all causes	5,549	901	144	63	56	28	112	86	113	182	171	204	451	578	819	846	795	-----
Typhoid and paratyphoid fever (1)	7	-----	-----	-----	-----	-----	-----	1	-----	2	-----	2	-----	1	-----	1	-----	-----
Measles (7)	20	9	6	1	1	2	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----
Scarlet fever (8)	8	-----	1	3	1	-----	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Whooping cough (9)	39	21	11	4	2	-----	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Diphtheria (10)	69	4	8	7	5	5	27	7	2	1	-----	1	2	-----	-----	-----	-----	-----
Influenza (11)	95	20	9	2	3	-----	2	2	2	1	2	5	11	6	8	11	11	-----
Meningococcus meningitis (24)	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Tuberculosis of the respiratory system (31)	243	1	3	-----	2	-----	2	3	26	47	35	27	29	32	19	16	1	-----
Other forms of tuberculosis (32–37)	69	8	5	3	2	2	8	6	2	7	8	4	6	3	4	1	-----	-----
Cancer and other malignant tumors (43–49)	535	-----	-----	-----	-----	1	1	-----	1	4	8	9	45	92	150	152	72	-----
Diabetes mellitus (57)	114	-----	-----	-----	1	-----	1	1	1	2	-----	2	4	19	37	32	14	-----
Cerebral hemorrhage and softening (74, 83)	333	1	-----	-----	1	-----	-----	-----	-----	2	2	3	9	33	73	93	116	-----
Other [organic] diseases of the heart (90)	712	2	-----	-----	1	-----	7	11	7	9	6	12	41	83	163	180	190	-----
Bronchitis (99)	50	11	3	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	3	7	25	-----
Broncho-pneumonia (100)	276	101	24	6	4	2	5	2	3	5	1	2	12	23	19	25	42	-----
Pneumonia (101)	331	35	21	10	2	-----	4	5	8	11	11	12	48	32	54	43	35	-----
Diarrhea and enteritis (113, 114)	164	120	13	4	2	2	-----	-----	-----	2	-----	2	3	2	3	3	8	-----
Appendicitis and typhlitis (117)	96	-----	-----	2	8	1	7	2	10	6	11	9	14	10	13	3	-----	-----
Hernia, intestinal obstruction (118)	53	6	1	-----	-----	-----	2	-----	-----	1	3	3	4	9	6	11	7	-----
Cirrhosis of the liver (122)	52	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	5	13	11	12	10	-----
Nephritis (128, 129)	341	2	2	-----	-----	-----	2	2	7	5	8	5	27	49	72	90	70	-----
Diseases of the female genital organs (137–141)	38	-----	-----	-----	-----	-----	-----	-----	1	2	3	10	7	10	4	1	-----	-----
Puerperal septicemia (146)	26	-----	-----	-----	-----	-----	-----	-----	-----	10	8	2	6	-----	-----	-----	-----	-----
Other puerperal causes (143–145, 147–150)	42	-----	-----	-----	-----	-----	-----	-----	2	9	8	10	13	-----	-----	-----	-----	-----
Suicide (165–174)	83	-----	-----	-----	-----	-----	-----	-----	1	5	10	9	9	20	13	10	6	-----
Homicide (197–200)	19	-----	-----	-----	1	-----	-----	-----	-----	4	2	4	4	2	1	1	-----	-----
Automobile accidents [1] (188c)	102	1	-----	-----	2	2	13	6	5	5	3	5	16	13	13	11	7	-----
Automobile and railroad-train collision (part 188a)	5	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	2	2	-----	-----	-----	-----
Automobile and street-car collision (part 188b)	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
Other external causes (inclusions, see Table 5)	205	5	8	6	5	2	4	10	5	13	5	9	34	30	27	19	23	-----
All other causes	1,419	551	29	15	13	9	23	28	29	28	37	56	100	94	126	123	158	-----

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 15 and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 49 and 50.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
THE REGISTRATION AREA IN CONTINENTAL UNITED STATES, all causes	1,219,019	110,508	102,604	118,572	109,735	104,095	95,953	92,523	92,930	90,458	97,857	97,665	106,119
Typhoid and paratyphoid fever (1)	8,287	478	316	296	302	439	629	973	1,179	1,208	1,106	822	539
Malaria (5)	2,132	97	59	72	98	158	242	270	312	329	245	148	102
Smallpox (6)	709	167	94	69	119	114	63	29	13	7	11	7	16
Measles (7)	2,404	153	193	262	300	354	267	154	104	68	57	148	344
Scarlet fever (8)	2,762	396	336	428	313	277	166	112	80	88	138	188	240
Whooping cough (9)	6,948	472	559	635	664	734	624	695	716	537	486	392	434
Diphtheria (10)	8,058	843	618	691	634	562	468	430	464	577	939	980	842
Influenza (11)	30,538	3,601	4,450	6,426	5,411	2,566	1,063	530	606	688	1,194	1,672	2,331
Dysentery (16)	3,257	99	63	85	134	291	420	505	505	542	380	129	104
Erysipelas (21)	2,455	277	286	360	298	293	163	116	108	106	109	130	209
Lethargic encephalitis (23)	1,630	191	134	167	155	133	143	118	134	92	120	131	112
Meningococcus meningitis (24)	1,095	102	73	102	102	116	89	80	94	82	76	83	96
Tuberculosis of the respiratory system (31)	78,103	6,796	6,703	7,744	7,439	7,425	6,597	6,362	5,836	5,481	5,724	5,763	6,233
Other forms of tuberculosis (32–37)	11,165	930	877	1,045	1,056	1,101	1,064	987	942	813	818	720	812
Diabetes mellitus (57)	17,385	1,667	1,498	1,649	1,572	1,472	1,269	1,317	1,264	1,214	1,356	1,475	1,632
Cerebral hemorrhage and softening (74, 83)	87,064	8,158	7,157	8,163	7,760	7,478	6,755	6,311	6,520	6,017	7,219	7,356	8,170
Other [organic] diseases of the heart (90)	168,672	15,522	14,091	16,303	15,195	14,682	13,298	11,922	11,816	11,506	13,987	14,391	15,959
Bronchitis (99)	6,670	805	786	874	663	537	384	279	296	284	501	589	672
Broncho-pneumonia (100)	39,820	5,138	5,184	5,613	4,290	3,001	1,877	1,357	1,488	1,624	2,560	3,422	4,266
Pneumonia (101)	56,612	7,746	7,206	7,962	6,436	4,428	2,552	1,692	1,723	1,908	3,382	5,145	6,432
Diarrhea and enteritis [under 2 years] (113)	32,450	1,314	1,150	1,417	1,595	2,136	3,094	3,965	5,253	5,858	3,829	1,608	1,231
Diarrhea and enteritis [2 years and over] (114)	8,062	352	305	376	406	601	723	1,018	1,298	1,301	817	484	381
Nephritis (128, 129)	99,320	8,959	8,212	9,353	8,918	8,582	8,153	7,600	7,246	7,009	8,169	8,355	8,764
Puerperal septicemia (146)	5,697	502	577	599	518	520	493	429	390	424	411	412	422
Other puerperal causes (143–145, 147–150)	9,618	823	852	951	924	873	802	812	780	727	727	681	666
Suicide (165–174)	12,495	967	920	1,139	1,125	1,131	1,079	1,032	1,100	1,057	1,037	912	996
Automobile accidents [1] (188c)	17,571	873	894	1,155	1,250	1,392	1,434	1,701	1,835	1,756	1,828	1,807	1,646
Automobile and railroad-train collision (part 188a)	1,266	58	76	104	87	108	83	129	96	130	164	115	116
Automobile and street-car collision (part 188b)	498	21	30	26	42	42	47	40	40	46	77	47	40
Other external causes (175–187, part 188a, b, 188d–203)	70,332	5,678	5,048	6,166	5,262	5,550	6,991	6,841	6,060	5,548	5,445	5,564	6,179
All other causes	425,944	37,323	33,857	38,340	36,667	36,999	34,921	34,717	34,632	33,431	34,945	33,979	36,133
REGISTRATION STATES,[2] all causes	1,191,809	107,936	100,315	116,259	107,510	101,681	93,586	90,344	90,829	88,469	95,757	95,529	103,594
Typhoid and paratyphoid fever (1)	8,003	465	307	287	288	422	587	925	1,144	1,172	1,074	800	532
Malaria (5)	2,052	92	58	70	91	152	233	261	303	324	229	143	96
Smallpox (6)	707	167	93	69	119	114	63	29	13	7	11	6	16
Measles (7)	2,357	145	188	255	292	340	265	153	103	68	57	148	343
Scarlet fever (8)	2,739	394	334	426	311	275	164	112	79	88	134	183	239
Whooping cough (9)	6,811	454	549	626	653	718	611	679	705	529	479	383	425
Diphtheria (10)	7,946	835	613	684	627	557	462	427	456	572	915	972	826
Influenza (11)	29,642	3,411	4,214	6,256	5,336	2,533	1,044	520	591	683	1,166	1,632	2,256
Dysentery (16)	3,130	96	60	79	124	272	391	492	495	536	369	123	93
Erysipelas (21)	2,420	272	283	353	294	291	161	116	106	104	107	127	206
Lethargic encephalitis (23)	1,597	187	134	164	150	128	139	117	132	88	118	129	111
Meningococcus meningitis (24)	1,068	101	70	99	99	110	88	79	93	81	74	80	94
Tuberculosis of the respiratory system (31)	75,605	6,575	6,491	7,503	7,210	7,190	6,404	6,167	5,620	5,304	5,522	5,576	6,043
Other forms of tuberculosis (32–37)	10,905	907	862	1,029	1,031	1,080	1,033	950	920	794	799	709	791
Diabetes mellitus (57)	17,112	1,638	1,479	1,623	1,542	1,447	1,247	1,302	1,248	1,196	1,335	1,442	1,613
Cerebral hemorrhage and softening (74, 83)	85,537	8,010	7,052	8,042	7,629	7,353	6,645	6,182	6,395	5,926	7,103	7,222	7,978
Other [organic] diseases of the heart (90)	166,409	15,326	13,901	16,126	14,996	14,480	13,103	11,749	11,650	11,346	13,799	14,205	15,728
Bronchitis (99)	6,562	790	771	867	657	528	375	271	290	281	495	576	661
Broncho-pneumonia (100)	39,074	5,001	5,096	5,532	4,235	2,951	1,848	1,331	1,456	1,594	2,516	3,357	4,157
Pneumonia (101)	55,406	7,540	7,030	7,824	6,329	4,335	2,503	1,660	1,676	1,866	3,327	5,034	6,282
Diarrhea and enteritis [under 2 years] (113)	31,386	1,283	1,128	1,376	1,504	1,987	2,894	3,841	5,148	5,765	3,727	1,538	1,195
Diarrhea and enteritis [2 years and over] (114)	7,790	339	289	363	385	569	693	985	1,283	1,274	786	465	359
Nephritis (128, 129)	96,966	8,762	7,989	9,123	8,755	8,388	7,930	7,416	7,059	6,846	7,980	8,172	8,546
Puerperal septicemia (146)	5,478	487	560	583	503	496	472	414	375	397	391	400	400
Other puerperal causes (143–145, 147–150)	9,322	795	833	930	896	855	771	774	754	709	701	664	640
Suicide (165–174)	12,209	945	902	1,108	1,106	1,104	1,063	998	1,072	1,022	1,025	894	970
Automobile accidents [1] (188c)	17,149	843	861	1,123	1,214	1,358	1,400	1,673	1,798	1,714	1,792	1,772	1,601
Automobile and railroad-train collision (part 188a)	1,250	58	75	103	86	108	82	129	95	129	163	107	115
Automobile and street-car collision (part 188b)	485	18	29	23	42	42	47	40	40	44	77	44	39
Other external causes (175–187, part 188a, b, 188d–203)	68,644	5,525	4,922	6,027	5,129	5,377	6,853	6,723	5,906	5,416	5,320	5,444	6,002
All other causes	416,048	36,475	33,142	37,586	35,877	36,121	34,015	33,829	33,824	32,594	34,166	33,182	35,237
ALABAMA (WHITE), all causes	14,964	1,427	1,422	1,503	1,208	1,251	1,267	1,094	1,123	1,032	1,096	1,202	1,339
Typhoid and paratyphoid fever (1)	202	7	9	9	6	12	17	30	31	26	13	26	16
Malaria (5)	103	3	3	1	5	8	9	19	14	17	11	6	7
Smallpox (6)	6	-	2	-	1	-	2	-	1	-	-	-	-
Measles (7)	15	5	-	3	2	4	-	1	-	-	-	-	-
Scarlet fever (8)	20	3	2	1	1	1	-	-	1	3	-	4	4
Whooping cough (9)	118	12	14	15	14	21	10	8	11	3	3	2	5
Diphtheria (10)	134	14	6	3	2	5	2	5	13	12	26	28	18
Influenza (11)	644	79	169	164	77	25	10	5	3	5	11	29	67
Dysentery (16)	64	5	1	2	4	10	14	13	3	5	4	1	2
Erysipelas (21)	32	2	2	8	-	5	4	3	1	3	2	1	1
Lethargic encephalitis (23)	9	-	2	-	-	2	1	1	1	-	1	-	1
Meningococcus meningitis (24)	11	1	-	1	-	1	1	-	1	2	-	3	1
Tuberculosis of the respiratory system (31)	830	72	87	92	69	79	62	69	67	59	46	54	74
Other forms of tuberculosis (32–37)	104	9	13	9	10	10	7	5	6	13	8	7	7
Diabetes mellitus (57)	121	13	11	10	6	12	8	9	8	12	12	13	7
Cerebral hemorrhage and softening (74, 83)	773	78	67	61	55	68	68	60	59	54	64	68	71
Other [organic] diseases of the heart (90)	1,293	117	116	140	106	89	105	95	103	85	122	92	123
Bronchitis (99)	65	14	11	11	1	1	6	4	7	-	1	2	7
Broncho-pneumonia (100)	462	82	70	62	33	31	18	11	11	6	25	51	62
Pneumonia (101)	833	134	142	140	69	50	24	28	24	27	20	74	101
Diarrhea and enteritis [under 2 years] (113)	500	18	17	15	23	77	104	57	53	37	55	33	11
Diarrhea and enteritis [2 years and over] (114)	162	4	6	8	17	28	29	16	14	7	16	9	8
Nephritis (128, 129)	1,158	109	106	102	104	95	94	81	73	95	85	120	94
Puerperal septicemia (146)	97	9	5	12	6	8	19	5	6	8	7	8	4
Other puerperal causes (143–145, 147–150)	227	25	22	23	22	14	24	13	21	16	15	14	18
Suicide (165–174)	114	11	11	9	8	19	8	9	7	13	4	5	10
Automobile accidents [1] (188c)	163	15	7	10	8	12	9	12	16	21	23	10	20
Automobile and railroad-train collision (part 188a)	10	3	-	-	-	-	1	-	2	-	3	1	-
Automobile and street-car collision (part 188b)	3	-	-	-	-	-	-	1	-	-	2	-	-
Other external causes (175–187, part 188a, b, 188d–203)	1,000	84	81	82	78	78	86	80	94	78	99	62	98
All other causes	5,691	499	440	510	481	486	525	454	472	425	418	479	502

[1] Excludes collision with railroad trains and street cars

[2] Including District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA (COLORED), all causes	14,176	1,165	1,235	1,383	1,353	1,287	1,176	1,191	1,032	965	1,010	1,141	1,238
Typhoid and paratyphoid fever (1)	219	7	2	9	11	17	27	38	34	35	20	10	9
Malaria (5)	104	2	4	-	8	1	14	14	24	14	13	6	4
Smallpox (6)	15	1	1	2	3	1	3	1	-	-	1	1	1
Measles (7)	9	-	2	2	1	2	2	-	-	-	-	-	-
Scarlet fever (8)	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough (9)	120	5	9	23	16	12	10	10	7	3	6	13	6
Diphtheria (10)	46	4	3	2	3	2	2	1	4	7	8	6	4
Influenza (11)	523	58	114	118	76	43	9	5	7	8	11	38	36
Dysentery (16)	58	2	-	-	5	8	13	10	4	1	7	4	4
Erysipelas (21)	4	-	-	-	1	-	1	-	-	1	-	-	1
Lethargic encephalitis (23)	4	-	-	-	-	1	-	1	1	-	-	1	-
Meningococcus meningitis (24)	3	-	-	-	-	-	-	1	-	1	-	-	1
Tuberculosis of the respiratory system (31)	1,440	116	129	152	158	132	108	120	105	82	108	119	111
Other forms of tuberculosis (32–37)	127	10	15	10	17	16	12	6	7	8	10	7	9
Diabetes mellitus (57)	56	5	7	6	10	5	1	3	4	4	3	5	3
Cerebral hemorrhage and softening (74, 83)	552	41	44	52	52	55	52	50	38	32	42	50	44
Other [organic] diseases of the heart (90)	1,309	103	79	120	117	138	121	101	115	107	114	91	103
Bronchitis (99)	30	4	2	1	4	3	3	1	-	3	2	-	7
Broncho-pneumonia (100)	274	31	36	36	29	27	13	15	8	13	7	20	39
Pneumonia (101)	953	126	156	149	126	59	26	40	20	24	33	84	110
Diarrhea and enteritis [under 2 years] (113)	280	6	7	12	15	40	58	45	26	19	30	12	10
Diarrhea and enteritis [2 years and over] (114)	70	1	2	1	3	11	7	10	10	7	9	6	3
Nephritis (128, 129)	1,007	90	88	91	109	81	73	93	75	74	74	82	77
Puerperal septicemia (146)	85	9	5	3	7	9	5	10	10	13	7	4	3
Other puerperal causes (143–145, 147–150)	176	17	25	21	12	18	14	19	9	13	12	5	11
Suicide (165–174)	10	1	1	-	-	1	1	2	-	3	1	-	-
Automobile accidents[1] (188c)	89	5	5	7	5	6	11	11	9	5	6	5	14
Automobile and railroad-train collision (part 188a)	3	-	-	-	1	-	-	-	-	1	-	-	1
Automobile and street-car collision (part 188b)	-	-	-	-	-	-	-	-	-	-	-	-	-
Other external causes (175–187, part 188a, b, 188d–203)	1,095	83	72	93	69	87	84	108	77	74	89	106	153
All other causes	5,514	438	427	473	495	512	506	476	438	413	396	466	474
CALIFORNIA, all causes	56,800	5,406	4,717	5,190	4,926	4,704	4,796	4,655	4,241	4,066	4,403	4,632	5,064
Typhoid and paratyphoid fever (1)	121	14	5	2	8	13	6	6	21	17	10	9	10
Malaria (5)	26	2	-	2	2	2	3	2	4	2	5	2	-
Smallpox (6)	59	7	7	5	9	5	1	1	4	2	5	3	10
Measles (7)	35	4	3	6	4	4	5	3	2	-	2	1	1
Scarlet fever (8)	64	15	8	7	4	7	4	1	3	4	4	3	4
Whooping cough (9)	431	26	26	50	52	69	88	59	48	16	20	11	16
Diphtheria (10)	275	27	29	23	30	18	16	14	22	21	18	27	30
Influenza (11)	804	82	97	141	129	72	50	42	13	18	35	42	83
Dysentery (16)	91	3	4	6	7	9	14	9	7	11	5	6	10
Erysipelas (21)	74	11	4	10	2	10	8	5	5	6	6	3	4
Lethargic encephalitis (23)	80	7	6	10	9	1	7	11	6	5	6	9	3
Meningococcus meningitis (24)	47	2	5	3	3	6	4	5	4	3	5	2	5
Tuberculosis of the respiratory system (31)	5,262	528	463	503	521	475	46	413	372	374	377	365	415
Other forms of tuberculosis (32–37)	672	52	58	64	72	61	70	61	45	34	49	51	55
Diabetes mellitus (57)	775	82	61	80	52	66	62	65	48	63	62	80	54
Cerebral hemorrhage and softening (74, 83)	3,962	386	304	408	365	306	316	321	278	259	328	328	363
Other [organic] diseases of the heart (90)	8,981	840	755	838	753	727	731	671	614	634	705	782	931
Bronchitis (99)	292	43	42	31	24	20	13	16	26	11	16	17	33
Broncho-pneumonia (100)	1,697	271	213	210	133	119	100	88	85	83	96	127	172
Pneumonia (101)	1,867	235	230	204	171	128	104	82	94	104	124	153	188
Diarrhea and enteritis [under 2 years] (113)	1,197	59	66	76	97	119	166	169	106	92	87	93	67
Diarrhea and enteritis [2 years and over] (114)	284	14	15	18	19	32	20	36	32	25	35	22	16
Nephritis (128, 129)	4,090	427	357	395	373	344	326	293	291	290	311	336	347
Puerperal septicemia (146)	199	21	11	16	22	16	13	17	15	14	20	19	15
Other puerperal causes (143–145, 147–150)	313	32	21	28	29	24	28	27	26	22	27	26	23
Suicide (165–174)	1,114	93	85	99	96	102	98	87	107	93	81	80	93
Automobile accidents[1] (188c)	1,327	96	111	121	90	85	113	119	117	106	112	131	126
Automobile and railroad-train collision (part 188a)	105	10	10	5	6	4	11	19	4	8	11	9	8
Automobile and street-car collision (part 188b)	66	2	9	1	11	9	7	3	4	2	9	3	6
Other external causes (175–187, part 188a, b, 188d–203)	3,136	267	223	205	250	224	317	354	268	261	225	248	294
All other causes	19,304	1,698	1,489	1,623	1,583	1,627	1,639	1,656	1,570	1,486	1,607	1,644	1,682
COLORADO, all causes	12,549	1,095	992	1,168	1,167	1,063	962	1,013	1,064	1,024	1,003	958	1,040
Typhoid and paratyphoid fever (1)	92	4	2	5	4	3	5	11	14	21	11	8	4
Malaria (5)	2	-	-	-	-	1	-	-	-	-	-	-	1
Smallpox (6)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (7)	8	-	3	-	2	-	1	-	1	1	-	-	-
Scarlet fever (8)	30	6	5	3	3	2	2	-	-	2	4	-	3
Whooping cough (9)	103	2	4	9	8	14	4	13	10	8	8	8	15
Diphtheria (10)	149	18	7	10	12	19	13	9	9	15	17	13	7
Influenza (11)	583	74	58	94	131	64	27	13	13	17	21	31	40
Dysentery (16)	34	1	1	-	-	-	3	3	10	9	3	3	1
Erysipelas (21)	47	1	10	8	8	4	3	2	-	2	2	2	5
Lethargic encephalitis (23)	18	5	1	1	-	1	-	-	3	3	1	2	1
Meningococcus meningitis (24)	15	-	3	3	1	-	2	1	2	-	2	1	-
Tuberculosis of the respiratory system (31)	1,487	110	125	141	148	151	118	129	104	115	112	111	123
Other forms of tuberculosis (32–37)	98	15	8	11	9	7	11	6	4	9	6	3	9
Diabetes mellitus (57)	106	8	9	12	9	6	10	9	15	9	8	5	6
Cerebral hemorrhage and softening (74, 83)	827	76	68	78	76	74	67	63	64	61	72	59	69
Other [organic] diseases of the heart (90)	1,191	99	89	127	103	99	99	80	90	86	101	98	120
Bronchitis (99)	44	4	8	2	3	3	2	4	3	1	7	2	5
Broncho-pneumonia (100)	387	66	51	43	43	26	22	9	14	16	25	34	38
Pneumonia (101)	665	101	76	80	82	41	33	23	16	33	43	60	77
Diarrhea and enteritis [under 2 years] (113)	481	16	6	12	13	14	21	88	116	129	50	9	7
Diarrhea and enteritis [2 years and over] (114)	95	-	-	4	3	4	4	12	32	23	11	1	1
Nephritis (128, 129)	745	67	59	58	61	55	56	59	70	55	69	74	62
Puerperal septicemia (146)	80	8	3	14	14	10	9	5	3	4	3	6	1
Other puerperal causes (143–145, 147–150)	90	8	9	10	10	10	7	5	7	2	7	10	5
Suicide (165–174)	181	12	15	17	14	17	15	11	13	16	14	17	20
Automobile accidents[1] (188c)	146	9	12	14	13	6	14	19	14	10	11	8	16
Automobile and railroad-train collision (part 188a)	6	-	1	-	-	1	1	-	-	2	1	-	-
Automobile and street-car collision (part 188b)	4	-	-	1	2	-	-	1	-	-	-	-	-
Other external causes (175–187, part 188a, b, 188d–203)	708	55	53	50	44	66	76	78	62	68	46	47	63
All other causes	4,127	330	306	361	351	365	337	360	375	307	348	346	341

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT, all causes	17,680	1,688	1,507	1,723	1,644	1,496	1,387	1,214	1,274	1,288	1,450	1,452	1,557
Typhoid and paratyphoid fever (1)	40	3	2	6	4	3	1	1	3	4	4	3	6
Malaria (5)	6		1	1			2	2					
Smallpox (6)	1					1							
Measles (7)	40	2		6	4	2	6	1	1		1	4	13
Scarlet fever (8)	46	7	7	7	4	5	2	2	1	1	1	4	5
Whooping cough (9)	113	9	5	12	13	10	10	5	13	10	7	13	6
Diphtheria (10)	128	16	17	14	15	6	8	7	4	5	11	11	14
Influenza (11)	327	43	47	64	56	31	13	2	3	3	13	24	28
Dysentery (16)	9			1		1			1	2	3	1	
Erysipelas (21)	40	3	7	6	5	5	2	2	3	1	3	1	2
Lethargic encephalitis (23)	39	4	3	4	3	4	8	4	1	1		2	5
Meningococcus meningitis (24)	14	3		1	1		2	2	1	1	2		1
Tuberculosis of the respiratory system (31)	1,002	93	85	92	100	96	94	86	66	83	60	69	78
Other forms of tuberculosis (32-37)	158	11	10	22	15	17	13	22	14	3	11	7	13
Diabetes mellitus (57)	320	29	32	25	30	23	22	32	18	24	31	27	27
Cerebral hemorrhage and softening (74, 83)	1,486	144	126	130	134	133	125	105	109	99	130	122	129
Other [organic] diseases of the heart (90)	2,831	269	215	264	257	244	226	181	187	196	245	272	275
Bronchitis (99)	114	9	15	13	19	14	8	2	4	3	8	9	10
Broncho-pneumonia (100)	612	103	74	80	52	41	26	15	19	22	49	61	70
Pneumonia (101)	890	123	112	132	104	56	39	28	22	30	61	83	100
Diarrhea and enteritis [under 2 years] (113)	317	19	18	14	16	10	22	23	57	67	30	15	26
Diarrhea and enteritis [2 years and over] (114)	80	3	6	5	6	4	6	9	15	11	9	4	2
Nephritis (128, 129)	1,462	136	133	135	144	99	127	103	97	109	119	116	144
Puerperal septicemia (146)	53	2	5	5	6	5	7	3	6	3	4	2	5
Other puerperal causes (143-145, 147-150)	93	5	4	9	6	13	7	8	11	7	14	5	4
Suicide (165-174)	190	13	18	10	14	13	19	16	21	19	17	14	16
Automobile accidents [1] (188c)	340	15	11	18	37	24	32	25	40	35	36	37	30
Automobile and railroad-train collision (part 188a)	7	1			2			2		1			1
Automobile and street-car collision (part 188b)	5						1	1	1			1	1
Other external causes (175-187, part 188a, b, 188d-203)	861	77	61	75	65	75	101	77	88	70	53	56	63
All other causes	6,056	546	493	572	532	561	458	448	468	481	525	489	483
DELAWARE, all causes	3,115	310	271	313	237	250	232	213	245	250	261	251	282
Typhoid and paratyphoid fever (1)	26	4	1		1		2	2	1	3	4	6	2
Malaria (5)													
Smallpox (6)													
Measles (7)	5	1			2					1			1
Scarlet fever (8)	3			2	1								
Whooping cough (9)	17	1	4			2	1	1	1	3	1	2	1
Diphtheria (10)	30	4	1	2	1	3	2		2	1	5	4	5
Influenza (11)	58	14	12	11	6		2		1	1	2	3	4
Dysentery (16)	7							3	1	2	1		
Erysipelas (21)	7			1		1		1		1		2	1
Lethargic encephalitis (23)	4			2				1					1
Meningococcus meningitis (24)	3		1								2		
Tuberculosis of the respiratory system (31)	210	20	15	26	17	16	17	20	19	16	14	13	17
Other forms of tuberculosis (32-37)	29	3	3		5	4	4	1	4	1	2	1	1
Diabetes mellitus (57)	42	6	4	5	4	2	6	4	1	1	5	2	2
Cerebral hemorrhage and softening (74, 83)	271	35	26	23	23	21	21	20	21	15	18	25	23
Other [organic] diseases of the heart (90)	470	42	37	38	48	33	29	31	31	34	42	47	58
Bronchitis (99)	13	2	2	1			1		1			3	3
Broncho-pneumonia (100)	91	17	16	15	6	4	3	2	4	4	3	5	12
Pneumonia (101)	138	21	20	21	9	7	2	5	5	4	13	9	22
Diarrhea and enteritis [under 2 years] (113)	131	6	4	3	2	8	5	16	27	29	22	3	6
Diarrhea and enteritis [2 years and over] (114)	25	1		2	1	2	3	1	6	5	1	1	2
Nephritis (128, 129)	364	33	26	44	28	39	27	27	22	25	31	27	35
Puerperal septicemia (146)	18		3	2	1	4	1	1		1	1	2	2
Other puerperal causes (143-145, 147-150)	18	1	2			3	3	1	1	4		1	2
Suicide (165-174)	23	1	4	3	2	2	2		1		2	4	2
Automobile accidents [1] (188c)	37	1	1	7	2	3	1	3	6	5	4	3	1
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)													
Other external causes (175-187, part 188a, b, 188d-203)	157	14	10	21	10	8	16	8	20	16	9	14	11
All other causes	919	83	79	84	68	88	84	65	70	77	79	74	68
FLORIDA (WHITE), all causes	10,160	907	912	911	783	759	704	749	750	759	833	928	1,165
Typhoid and paratyphoid fever (1)	115	10	7	6	9	13	11	11	7	11	5	11	14
Malaria (5)	127	9	2	9	5	13	12	10	18	16	17	10	6
Smallpox (6)													
Measles (7)	7	1	2	1	1							1	1
Scarlet fever (8)	5	2	1		1								1
Whooping cough (9)	50	5	5	2	8	7	4	5	5	2	2	3	2
Diphtheria (10)	95	9	2	2	7	6	2	3	8	8	11	21	16
Influenza (11)	231	39	53	44	21	13	6	5	5	3	9	14	19
Dysentery (16)	45	7	1	5	7	3	5		1	2	5	5	4
Erysipelas (21)	20	3	2		2	1	3		1	2	1	2	3
Lethargic encephalitis (23)	17	3	1	1		1	4	1	2			2	2
Meningococcus meningitis (24)	4					2					1		1
Tuberculosis of the respiratory system (31)	396	35	30	54	29	37	35	22	23	31	30	29	41
Other forms of tuberculosis (32-37)	39	4	4	5	3	2	3	3	3	1	4	3	4
Diabetes mellitus (57)	136	16	12	13	8	9	9	8	12	6	11	16	16
Cerebral hemorrhage and softening (74, 83)	651	65	67	79	38	52	39	52	51	33	45	58	72
Other [organic] diseases of the heart (90)	1,165	111	135	110	93	80	76	70	69	88	83	115	135
Bronchitis (99)	41	6	3	5		1	2	5	3	4	2	5	5
Broncho-pneumonia (100)	170	16	21	19	11	10	11	9	14	6	7	12	34
Pneumonia (101)	289	29	37	32	27	24	13	11	9	10	17	30	50
Diarrhea and enteritis [under 2 years] (113)	266	19	19	20	21	14	20	31	22	26	20	26	28
Diarrhea and enteritis [2 years and over] (114)	128	15	11	8	14	13	15	9	9	6	10	8	10
Nephritis (128, 129)	924	75	86	92	84	73	64	72	57	73	73	67	108
Puerperal septicemia (146)	44	5	5	1	2	6	3	3	4	2	5	3	5
Other puerperal causes (143-145, 147-150)	162	15	15	11	10	11	13	17	16	12	20	12	10
Suicide (165-174)	122	9	17	13	11	7	10	13	11	7	10	7	7
Automobile accidents [1] (188c)	345	20	28	24	21	14	15	26	34	33	36	43	51
Automobile and railroad-train collision (part 188a)	20		3	2	3	2		3	2	2	2		1
Automobile and street-car collision (part 188b)	5	1	3									1	
Other external causes (175-187, part 188a, b, 188d-203)	832	51	57	64	49	62	60	57	62	91	81	83	115
All other causes	3,709	327	283	289	298	283	269	303	302	284	326	341	404

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA (COLORED), all causes	6,702	555	542	549	509	531	545	566	560	558	571	597	619
Typhoid and paratyphoid fever (1)	72	1	4	5	7	9	4	10	9	10	4	6	3
Malaria (5)	111	6	6	5	2	16	10	18	14	10	8	11	5
Smallpox (6)													
Measles (7)	2				1	1							
Scarlet fever (8)													
Whooping cough (9)	29	1	3	4	4	4	4	6	2				1
Diphtheria (10)	15		1	1		2	2	2		1	2	3	1
Influenza (11)	200	34	31	26	29	16	14	11	3	14	3	7	12
Dysentery (16)	50	7	2	4	7	3	8	6	3	3	4	3	
Erysipelas (21)	2			1	1								
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	533	49	40	48	43	52	43	44	51	32	37	49	45
Other forms of tuberculosis (32–37)	41	5		2	2	6	5	5	4	2	5	4	1
Diabetes mellitus (57)	30	3	5	2	1	5	3	2	1	2	3		3
Cerebral hemorrhage and softening (74, 83)	375	27	33	30	26	29	32	29	32	31	27	41	38
Other [organic] diseases of the heart (90)	509	29	49	36	33	44	52	41	48	56	35	36	50
Bronchitis (99)	37	5	4	2	5		3	4	2	3	4	3	2
Broncho-pneumonia (100)	117	13	8	14	11	8	6	8	10	9	6	10	14
Pneumonia (101)	306	40	27	29	22	14	17	18	18	20	20	36	45
Diarrhea and enteritis [under 2 years] (113)	190	20	19	16	15	15	17	20	19	10	17	13	9
Diarrhea and enteritis [2 years and over] (114)	70	6	6	2	2	9	6	8	6	5	7	4	9
Nephritis (128, 129)	524	51	32	36	37	44	45	46	52	31	64	47	39
Puerperal septicemia (146)	49	5	4	2	4	1	4	1	7	9	3	4	5
Other puerperal causes (143–145, 147–150)	102	6	6	4	11	13	5	10	9	13	10	10	5
Suicide (165–174)	10	1	1	3		1		2		1	1		
Automobile accidents[1] (188c)	104	2	7	6	5	5	4	12	3	18	9	14	19
Automobile and railroad-train collision (part 188a)	6		2				1					3	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	732	51	55	64	52	55	54	56	63	66	75	71	70
All other causes	2,484	192	197	207	189	179	206	207	204	212	226	222	243
IDAHO, all causes	3,402	275	285	308	303	292	280	256	270	271	291	270	301
Typhoid and paratyphoid fever (1)	29	4			1	2	1	7	3	4	5	2	
Malaria (5)													
Smallpox (6)	1	1											
Measles (7)	2					1							1
Scarlet fever (8)	1												1
Whooping cough (9)	36	2	2		1	4	4	4	6	6	1	4	2
Diphtheria (10)	25	2	2	2	2	2	1	1	2	3	1		7
Influenza (11)	142	17	12	31	32	13	10	1	2	3	5	6	10
Dysentery (16)	1									1			
Erysipelas (21)	9	1		1	1	1	1	2	1	1			
Lethargic encephalitis (23)	8					2	1	1		2	1	1	
Meningococcus meningitis (24)	6				1				2	1	1		1
Tuberculosis of the respiratory system (31)	143	8	16	17	12	15	11	12	8	11	9	15	9
Other forms of tuberculosis (32–37)	29	2	3	6	3	3	3	3		1	2	1	2
Diabetes mellitus (57)	39	3	6		9	4	2	3		1	3	1	7
Cerebral hemorrhage and softening (74, 83)	227	21	21	23	24	20	18	14	12	17	22	14	21
Other [organic] diseases of the heart (90)	357	23	27	32	35	30	26	22	28	35	34	41	24
Bronchitis (99)	12	4				3			1	1	1		2
Broncho-pneumonia (100)	107	19	16	12	9	7	7	2	2	4	9	7	13
Pneumonia (101)	148	19	11	18	15	8	6	7	12	6	13	14	19
Diarrhea and enteritis [under 2 years] (113)	41	4	3	4	2	2		1	6	8	5	2	4
Diarrhea and enteritis [2 years and over] (114)	27	1	2	1					7	6	6	2	2
Nephritis (128, 129)	238	14	23	25	18	20	22	18	22	17	19	20	20
Puerperal septicemia (146)	14	1	1	3		1		3	2	1	1	1	
Other puerperal causes (143–145, 147–150)	31	7	3	3	6	4	1	1		1	1	1	3
Suicide (165–174)	61	2	8	6	6	6	2	7	2	1	8	4	9
Automobile accidents[1] (188c)	56	2	2	3	5	7	6	3	10	8	8	1	1
Automobile and railroad-train collision (part 188a)	5						1				4		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	306	11	20	11	22	30	43	37	38	22	26	25	21
All other causes	1,301	107	107	110	99	107	114	107	104	110	106	108	122
ILLINOIS, all causes	81,593	7,485	6,923	8,588	7,305	6,835	6,107	6,204	6,252	5,936	6,447	6,549	6,962
Typhoid and paratyphoid fever (1)	327	24	5	11	7	11	19	32	60	55	43	31	29
Malaria (5)	62	2	2	1	2	3	10	9	9	10	4	4	6
Smallpox (6)	23	1	2	2	7	2	6	2			1		
Measles (7)	217	11	19	36	28	52	25	13	7	4	7	3	12
Scarlet fever (8)	279	35	29	61	33	35	10	8	11	5	11	21	20
Whooping cough (9)	315	26	28	24	40	33	27	37	36	20	22	15	7
Diphtheria (10)	409	47	23	29	33	29	27	23	25	24	46	51	52
Influenza (11)	1,558	187	217	381	273	110	50	23	29	27	75	80	106
Dysentery (16)	65	1		2	2	4	6	10	11	10	12	6	1
Erysipelas (21)	165	14	28	28	16	22	11	6	6	5	8	10	11
Lethargic encephalitis (23)	73	10	6	11	8	5	5	1	4	7	6	6	4
Meningococcus meningitis (24)	56	3	5	9	3	9	3	2	3	5	3	4	7
Tuberculosis of the respiratory system (31)	4,909	459	386	479	453	448	450	405	342	361	363	367	396
Other forms of tuberculosis (32–37)	628	46	47	76	51	54	61	65	44	54	44	41	45
Diabetes mellitus (57)	1,401	132	132	129	111	112	87	131	112	91	102	136	126
Cerebral hemorrhage and softening (74, 83)	5,005	450	440	484	460	436	367	366	378	347	401	431	445
Other [organic] diseases of the heart (90)	12,690	1,157	1,085	1,222	1,188	1,056	905	938	919	851	1,054	1,087	1,228
Bronchitis (99)	565	74	78	90	64	50	26	16	20	19	31	51	46
Broncho-pneumonia (100)	2,395	330	344	366	242	189	108	84	87	88	122	213	222
Pneumonia (101)	3,505	462	419	540	388	299	182	114	101	108	194	347	351
Diarrhea and enteritis [under 2 years] (113)	2,208	130	108	124	131	93	145	244	375	386	252	109	111
Diarrhea and enteritis [2 years and over] (114)	535	18	21	25	27	26	37	73	104	100	55	24	25
Nephritis (128, 129)	7,800	733	645	719	703	677	601	632	588	528	622	634	718
Puerperal septicemia (146)	323	25	40	32	26	22	35	29	17	15	30	27	25
Other puerperal causes (143–145, 147–150)	466	43	44	59	44	40	35	40	34	33	37	28	29
Suicide (165–174)	962	79	71	89	85	84	90	74	77	78	76	80	79
Automobile accidents[1] (188c)	1,268	76	67	89	97	116	104	122	128	108	126	136	99
Automobile and railroad-train collision (part 188a)	191	1	9	23	13	13	13	18	12	20	35	14	20
Automobile and street-car collision (part 188b)	60	3	3	2	5	5	11	2	5	5	7	8	4
Other external causes (175–187, part 188a, b, 188d–203)	5,130	387	332	870	339	371	399	468	404	386	386	359	429
All other causes	28,003	2,519	2,288	2,575	2,426	2,429	2,252	2,217	2,304	2,186	2,272	2,226	2,309

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA, all causes	38,632	3,225	3,315	3,961	3,574	3,094	2,902	2,988	3,159	2,778	3,194	3,074	3,368
Typhoid and paratyphoid fever (1)	250	9	9	7	4	10	12	19	42	48	40	31	19
Malaria (5)	6	1		1		1	1				2		
Smallpox (6)	6		1		1	2	1						1
Measles (7)	70	6	10	11	11	10	10	4	1	1		2	4
Scarlet fever (8)	109	13	13	15	19	9	5	7	2	3	2	9	12
Whooping cough (9)	189	12	14	24	23	21	15	16	15	16	14	7	12
Diphtheria (10)	172	18	17	11	13	8	6	3	7	8	23	26	32
Influenza (11)	1,485	94	191	406	303	114	42	24	45	32	46	73	115
Dysentery (16)	105	1					4	29	30	22	16	3	
Erysipelas (21)	77	10	5	14	15	7	4	3	1	2	4	1	11
Lethargic encephalitis (23)	35	3	5	3	4	4	4	4		1	5	1	1
Meningococcus meningitis (24)	27	1	4	2	3	3	4	1	3	1	2	1	2
Tuberculosis of the respiratory system (31)	2,162	192	188	222	212	194	195	168	142	167	157	148	177
Other forms of tuberculosis (32–37)	382	27	24	42	30	39	41	29	25	27	32	37	29
Diabetes mellitus (57)	564	46	56	47	57	48	41	43	37	42	44	47	56
Cerebral hemorrhage and softening (74, 83)	3,248	315	283	337	284	296	262	223	257	195	276	260	280
Other [organic] diseases of the heart (90)	5,249	451	434	507	503	455	406	401	390	349	425	457	471
Bronchitis (99)	190	22	22	21	11	14	17	11	15	7	18	16	16
Broncho-pneumonia (100)	1,109	124	166	171	125	73	45	37	52	29	64	87	136
Pneumonia (101)	1,617	193	217	258	167	100	81	38	42	45	100	150	226
Diarrhea and enteritis [under 2 years] (113)	1,045	43	23	35	29	39	53	160	228	197	159	45	34
Diarrhea and enteritis [2 years and over] (114)	336	14	9	16	12	22	25	62	55	56	35	13	17
Nephritis (128, 129)	3,601	299	311	349	326	288	277	296	307	239	320	314	295
Puerperal septicemia (146)	179	14	21	21	19	14	18	9	13	18	7	10	15
Other puerperal causes (143–145, 147–150)	210	15	24	17	23	15	23	25	12	12	16	17	11
Suicide (165–174)	447	33	27	32	53	43	31	40	46	33	44	33	32
Automobile accidents [1] (188c)	509	24	23	27	42	43	37	37	54	45	58	71	48
Automobile and railroad-train collision (part 188a)	91	4	2	11	9	8	5	13	4	4	14	5	12
Automobile and street-car collision (part 188b)	70	3		4	9	8	2	11	7	10	7	3	6
Other external causes (175–187, part 188a, b, 188d–203)	2,176	185	188	250	150	140	177	226	197	164	162	167	170
All other causes	12,916	1,053	1,048	1,100	1,117	1,086	1,058	1,049	1,130	1,005	1,102	1,040	1,128
IOWA, all causes	24,294	2,181	2,081	2,498	2,079	2,146	1,758	1,879	1,795	1,905	1,983	1,923	2,066
Typhoid and paratyphoid fever (1)	80	5	2	5	2	7	8	6	11	9	9	9	7
Malaria (5)	2							1			1		
Smallpox (6)	42	8	5	9	3	5	9	2	1				
Measles (7)	13	2	3	3		1			1				1
Scarlet fever (8)	49	14	4	7	3	5	2	3	1	1	1		2
Whooping cough (9)	95	5	8	4	8	9	4	10	12	9	4	4	12
Diphtheria (10)	117	8	11	6	11	8	2	9	3	11	8	6	15
Influenza (11)	748	93	81	138	138	63	32	15	25	33	17	16	41
Dysentery (16)	48				1	1	2	3	10	21	7	3	
Erysipelas (21)	74	11	9	4	9	15	2	5	5	1	2	4	7
Lethargic encephalitis (23)	28	7	3	3	1		1	4	1	2	1	5	
Meningococcus meningitis (24)	15	2	2	2		1	1			2	3		2
Tuberculosis of the respiratory system (31)	835	66	78	85	71	80	65	78	65	61	61	64	61
Other forms of tuberculosis (32–37)	183	20	19	18	11	18	20	16	12	15	14	8	12
Diabetes mellitus (57)	449	40	48	41	36	41	32	28	36	40	32	30	45
Cerebral hemorrhage and softening (74, 83)	2,259	205	204	233	178	178	153	183	154	171	197	183	220
Other [organic] diseases of the heart (90)	3,101	283	237	315	279	304	215	236	227	193	266	282	264
Bronchitis (99)	144	17	19	16	13	17	8	5	6	8	10	15	10
Broncho-pneumonia (100)	651	98	101	116	70	34	18	19	20	17	43	40	75
Pneumonia (101)	986	125	123	164	93	83	40	22	37	27	74	101	97
Diarrhea and enteritis [under 2 years] (113)	297	8	20	18	14	18	11	24	43	72	39	11	19
Diarrhea and enteritis [2 years and over] (114)	218	3	6	8	6	5	3	24	48	71	27	11	6
Nephritis (128, 129)	1,726	156	124	186	158	146	130	140	116	127	150	151	142
Puerperal septicemia (146)	98	3	11	14	11	10	8	6	5	6	4	12	8
Other puerperal causes (143–145, 147–150)	169	13	17	15	17	17	15	21	7	8	18	10	11
Suicide (165–174)	346	22	26	41	31	33	36	35	20	29	25	22	26
Automobile accidents [1] (188c)	271	10	6	13	14	22	21	28	32	48	25	34	18
Automobile and railroad-train collision (part 188a)	21			5	2	2	2		2		2	4	2
Automobile and street-car collision (part 188b)	9						1		3		4	1	
Other external causes (175–187, part 188a, b, 188d–203)	1,219	93	74	95	87	102	130	138	118	105	92	93	92
All other causes	10,001	864	840	934	812	921	787	818	774	818	804	758	871
KANSAS, all causes	18,581	1,697	1,515	1,907	1,618	1,470	1,356	1,505	1,530	1,348	1,463	1,524	1,648
Typhoid and paratyphoid fever (1)	102	2	3	2	3	5	3	18	18	19	18	5	6
Malaria (5)	9	1		1			1	1		2	3		
Smallpox (6)	1				1								
Measles (7)	8		1		1	2		1		1		2	
Scarlet fever (8)	42	4	3	7	10	2	3			3		4	6
Whooping cough (9)	81	4	3	4	5	4	11	11	11	9	12	2	5
Diphtheria (10)	64	7	8	6	3	1	2	3		2	11	12	9
Influenza (11)	664	72	82	158	132	45	24	7	21	19	20	36	48
Dysentery (16)	55	2		1	2	1	1	10	16	10	4	2	6
Erysipelas (21)	33	2	2	6	1	4	4	2	1	2	2	4	3
Lethargic encephalitis (23)	8	2			1	1				1	1		2
Meningococcus meningitis (24)	14	1	2	2	1	1	1	1	2		1	2	
Tuberculosis of the respiratory system (31)	698	56	56	73	72	61	58	48	72	51	48	50	53
Other forms of tuberculosis (32–37)	115	14	9	9	11	13	6	11	12	4	7	7	12
Diabetes mellitus (57)	318	33	35	32	21	19	22	24	26	21	24	30	31
Cerebral hemorrhage and softening (74, 83)	1,723	158	140	162	123	149	127	146	127	122	151	153	165
Other [organic] diseases of the heart (90)	2,371	223	206	255	215	214	166	170	139	154	187	214	228
Bronchitis (99)	126	13	14	17	10	9	8	5	5	3	13	12	17
Broncho-pneumonia (100)	458	72	75	86	39	21	5	19	18	11	27	39	46
Pneumonia (101)	576	82	70	105	60	28	18	14	7	20	33	62	77
Diarrhea and enteritis [under 2 years] (113)	352	14	12	17	12	11	28	53	86	57	35	13	14
Diarrhea and enteritis [2 years and over] (114)	180	2	7	8	10	6	11	35	42	25	22	8	4
Nephritis (128, 129)	1,591	147	123	147	160	150	108	112	129	119	137	125	134
Puerperal septicemia (146)	110	3	13	13	8	15	12	6	10	8	7	5	10
Other puerperal causes (143–145, 147–150)	130	10	7	13	12	16	15	8	7	10	8	14	10
Suicide (165–174)	188	5	17	15	24	15	18	18	21	10	22	13	10
Automobile accidents [1] (188c)	240	11	11	12	16	18	23	28	24	27	23	26	21
Automobile and railroad-train collision (part 188a)	41	1	1	6	1	3	2	5	2	4	9	5	2
Automobile and street-car collision (part 188b)	4			1	2	1							
Other external causes (175–187, part 188a, b, 188d–203)	1,089	101	73	89	84	81	112	129	105	80	57	85	93
All other causes	7,190	655	542	660	578	574	567	620	629	554	581	594	636

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY (WHITE), all causes	23,736	2,172	1,994	2,328	2,000	1,853	1,813	2,036	1,993	1,835	1,948	1,869	1,895
Typhoid and paratyphoid fever (1)	578	25	18	18	15	17	29	62	86	82	111	67	48
Malaria (5)	36	5		2	1	4	4	3	6	1	7	1	2
Smallpox (6)	3	1				1							1
Measles (7)	32	5	2	4	4		1		5		3	1	7
Scarlet fever (8)	49	6	6	8	5	2	1	1	4	3	7	2	4
Whooping cough (9)	188	21	19	13	13	18	9	25	15	13	17	13	12
Diphtheria (10)	246	18	16	20	9	10	6	7	10	28	42	48	32
Influenza (11)	839	125	138	183	138	58	19	13	13	16	26	47	68
Dysentery (16)	273	8	7	2	8	4	46	68	49	40	30	3	8
Erysipelas (21)	52	6	8	6	3	5	5	3	1	3	6	4	2
Lethargic encephalitis (23)	25	2	1	3	3	3	1	2	1		4	3	2
Meningococcus meningitis (24)	44	5	1	3	4	3	4	4	4	6	4	3	3
Tuberculosis of the respiratory system (31)	2,067	192	189	228	194	202	159	179	129	143	131	155	166
Other forms of tuberculosis (32–37)	336	26	24	28	27	26	40	33	31	27	21	27	26
Diabetes mellitus (57)	219	20	21	27	20	25	11	14	11	13	14	16	27
Cerebral hemorrhage and softening (74, 83)	1,494	136	133	157	130	135	101	109	143	105	128	96	121
Other [organic] diseases of the heart (90)	2,300	233	197	222	207	203	195	163	151	155	172	202	200
Bronchitis (99)	110	9	16	24	11	6	10	4	3	5	5	7	10
Broncho-pneumonia (100)	685	91	121	101	65	25	27	19	26	22	43	69	76
Pneumonia (101)	1,042	170	162	164	95	56	30	26	34	33	51	106	115
Diarrhea and enteritis [under 2 years] (113)	1,039	22	11	18	17	33	125	252	207	175	137	31	11
Diarrhea and enteritis [2 years and over] (114)	267	15	3	6	6	17	30	55	50	35	25	15	10
Nephritis (128, 129)	1,749	138	113	162	176	180	142	141	143	110	131	163	150
Puerperal septicemia (146)	137	13	10	14	10	7	14	12	8	11	16	6	16
Other puerperal causes (143–145, 147–150)	180	11	11	30	16	10	16	17	16	18	15	8	12
Suicide (165–174)	183	18	11	17	20	12	18	13	13	15	12	11	23
Automobile accidents [1] (188c)	212	12	11	12	8	28	17	15	18	21	28	26	16
Automobile and railroad-train collision (part 188a)	18	4			1	4			1	4	3		1
Automobile and street-car collision (part 188b)	2	1							1				
Other external causes (175–187, part 188a, b, 188d–203)	1,489	122	100	146	114	132	146	131	133	115	89	138	123
All other causes	7,842	712	645	710	680	632	607	665	681	636	670	601	603
KENTUCKY (COLORED), all causes	4,651	367	381	473	436	411	398	390	349	317	391	346	392
Typhoid and paratyphoid fever (1)	90	2		3	3	2	7	10	15	13	10	17	8
Malaria (5)	11	1				1	2	1		1	1	3	1
Smallpox (6)	1					1							
Measles (7)	4	1				1		1					1
Scarlet fever (8)	2								1			1	
Whooping cough (9)	27		5	1	5	3		4	2	2	4		1
Diphtheria (10)	15	2		3			3				3	2	2
Influenza (11)	161	14	25	38	26	17	9	4	1		7	10	10
Dysentery (16)	24		2	1		1	8	3	3	5	1		
Erysipelas (21)	5		1		3								1
Lethargic encephalitis (23)	2				1			1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	497	31	39	48	53	60	31	51	45	33	32	44	30
Other forms of tuberculosis (32–37)	92	3	8	10	10	13	13	5	8	10	2	5	5
Diabetes mellitus (57)	34		3	4	6	4	2	3	2	3	1	3	3
Cerebral hemorrhage and softening (74, 83)	273	21	17	32	28	17	30	25	21	15	19	24	24
Other [organic] diseases of the heart (90)	626	47	62	60	50	64	63	50	38	35	58	41	58
Bronchitis (99)	33	3	4	4	5	1	1	6	4	1	1	2	1
Broncho-pneumonia (100)	137	17	17	18	19	18	5	5	3	5	6	11	13
Pneumonia (101)	243	34	26	44	30	12	13	6	7	8	20	13	30
Diarrhea and enteritis [under 2 years] (113)	104	2	3	2	6	8	10	17	23	18	8	5	2
Diarrhea and enteritis [2 years and over] (114)	42		3	1	1	3	7	4	5	7	7	2	2
Nephritis (128, 129)	462	33	31	41	36	41	34	43	31	37	51	44	40
Puerperal septicemia (146)	26	1	3	1	1	1	3	5	4	1	3	3	
Other puerperal causes (143–145, 147–150)	35	5	3	2	4	1	5	1	2		3	4	5
Suicide (165–174)	10	1			2	3	2			1	1		
Automobile accidents [1] (188c)	25		1	3	1	1	1	2	6	4	3	3	
Automobile and railroad-train collision (part 188a)	3							1		2			
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	376	32	31	31	26	31	40	33	21	33	27	28	43
All other causes	1,291	117	97	126	120	107	109	109	107	83	123	81	112
LOUISIANA (WHITE), all causes	12,202	1,189	1,127	1,140	1,062	1,013	961	971	880	878	908	1,017	1,056
Typhoid and paratyphoid fever (1)	316	24	19	6	19	33	36	49	42	31	22	27	8
Malaria (5)	107	4	8	5	5	12	9	15	16	13	5	10	5
Smallpox (6)	4	3		1									
Measles (7)	5			1	1		1			1	1		
Scarlet fever (8)	9	1	2			1	3				1		1
Whooping cough (9)	96	3	3	9	6	11	9	12	8	10	11	9	5
Diphtheria (10)	91	9	5	8	2	3	2	3	8	7	11	19	14
Influenza (11)	449	65	103	116	41	14	8	4	7	1	14	27	49
Dysentery (16)	98	8	11	5	6	12	12	10	6	8	9	6	5
Erysipelas (21)	12	4		1		1				2	1	2	1
Lethargic encephalitis (23)	13			2	1	2	2	2	1		2	1	
Meningococcus meningitis (24)	9		1	1			2	1	1	1		1	1
Tuberculosis of the respiratory system (31)	712	66	74	72	74	70	44	39	42	42	60	62	67
Other forms of tuberculosis (32–37)	64	7	7	6	4	4	7	4	5	7	7	2	4
Diabetes mellitus (57)	123	12	10	12	12	8	12	8	13	10	10	10	6
Cerebral hemorrhage and softening (74, 83)	584	51	51	53	60	57	41	51	30	30	46	49	65
Other [organic] diseases of the heart (90)	1,357	155	148	129	129	75	93	100	93	94	88	113	140
Bronchitis (99)	55	9	6	3	3	6	3		5	2	2	11	5
Broncho-pneumonia (100)	354	47	52	39	29	17	18	13	22	19	25	33	40
Pneumonia (101)	531	103	79	61	62	39	13	14	17	12	27	46	58
Diarrhea and enteritis [under 2 years] (113)	617	31	24	32	62	84	116	77	54	33	40	39	25
Diarrhea and enteritis [2 years and over] (114)	131	4	8	11	6	22	18	11	8	8	11	12	12
Nephritis (128, 129)	1,105	110	84	108	97	109	95	77	71	89	78	99	88
Puerperal septicemia (146)	69	8	8	4	5	6	3	4	4	5	7	9	6
Other puerperal causes (143–145, 147–150)	162	14	18	16	13	13	16	14	10	18	10	11	9
Suicide (165–174)	101	9	7	3	7	13	11	6	6	11	11	6	11
Automobile accidents [1] (188c)	179	16	12	19	12	18	11	15	18	14	11	16	17
Automobile and railroad-train collision (part 188a)	7	2		1					1	1	1		1
Automobile and street-car collision (part 188b)	2	1			1								
Other external causes (175–187, part 188a, b, 188d–203)	701	56	51	67	52	64	52	56	61	51	71	50	70
All other causes	4,139	367	336	349	353	319	324	386	331	358	326	347	343

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA (COLORED), all causes	12,886	1,147	1,122	1,222	1,123	1,244	1,128	1,112	1,045	909	930	899	1,005
Typhoid and paratyphoid fever (1)	333	18	15	13	23	26	42	61	48	26	20	30	11
Malaria (5)	149	12	2	5	10	8	21	21	24	20	13	8	5
Smallpox (6)	4				2	2							
Measles (7)	5					2	1		1		1		
Scarlet fever (8)													
Whooping cough (9)	117	4	9	12	5	11	22	10	11	10	8	7	8
Diphtheria (10)	43	7	6		3	1	2	1	3	3	5	4	8
Influenza (11)	518	67	103	110	85	41	23	2	3	9	13	25	37
Dysentery (16)	113	8	4	9	8	22	15	13	9	6	9	3	7
Erysipelas (21)	5			2		2		1					
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)	4	2			1			1					
Tuberculosis of the respiratory system (31)	1,226	113	107	106	95	128	110	115	101	90	83	78	100
Other forms of tuberculosis (32–37)	108	13	6	10	13	9	7	9	8	10	10	7	6
Diabetes mellitus (57)	57	6	6	6	8	2	4	4	3	5	4	3	6
Cerebral hemorrhage and softening (74, 83)	548	50	50	56	44	51	37	48	48	31	44	45	44
Other [organic] diseases of the heart (90)	1,506	134	113	133	120	143	137	148	132	100	128	111	107
Bronchitis (99)	51	7	2	4	5	6	6	2	3	3	8	3	2
Broncho-pneumonia (100)	390	58	62	35	33	31	18	22	25	13	27	29	37
Pneumonia (101)	628	112	107	82	73	47	26	31	22	23	21	34	50
Diarrhea and enteritis [under 2 years] (113)	509	16	12	28	54	73	73	73	48	50	27	31	24
Diarrhea and enteritis [2 years and over] (114)	121	8	2	13	9	15	15	10	9	9	10	13	8
Nephritis (128, 129)	1,179	86	111	110	104	117	122	90	83	77	78	94	107
Puerperal septicemia (146)	80	5	5	8	10	9	11	8	3	10	5	5	1
Other puerperal causes (143–145, 147–150)	165	10	21	19	15	17	10	11	12	16	9	13	12
Suicide (165–174)	17				3	4	2	3	3	2			
Automobile accidents [1] (188c)	62	5	3	6	4	2	6	2	2	3	7	7	15
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	322	71	83	71	61	75	67	56	75	69	65	55	74
All other causes	4,125	335	293	384	335	400	350	370	369	324	335	294	336
MAINE, all causes	10,792	1,014	795	1,018	1,060	989	831	782	781	789	912	845	976
Typhoid and paratyphoid fever (1)	53	9	2	4	1	2	2	4	9	7	2	6	5
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	11		1	1	1	1	2	1	1	1	1		1
Scarlet fever (8)	22	4	2	1	3		1			2	4	1	4
Whooping cough (9)	26	4	2	2	4	3	3	1	1		1	3	2
Diphtheria (10)	34	5	3	5	1	1	3	3	2	4	1	2	4
Influenza (11)	333	30	15	44	70	70	23	8	11	8	22	15	17
Dysentery (16)	10			2		1		2	3		1		1
Erysipelas (21)	21	1		3	4	2	3		2	1	1	1	3
Lethargic encephalitis (23)	5			1	1		1		1	1			
Meningococcus meningitis (24)	6										3	1	2
Tuberculosis of the respiratory system (31)	397	30	34	37	40	37	48	33	27	23	28	31	29
Other forms of tuberculosis (32–37)	100	10	6	14	8	11	11	8	8	6	6	6	6
Diabetes mellitus (57)	173	20	14	15	12	10	12	16	11	17	13	17	16
Cerebral hemorrhage and softening (74, 83)	1,129	118	81	100	98	91	88	81	97	76	91	92	116
Other [organic] diseases of the heart (90)	1,565	138	120	154	164	141	114	107	100	104	138	137	148
Bronchitis (99)	78	7	3	14	4	6	4	4		8	11	6	11
Broncho-pneumonia (100)	340	32	29	35	54	46	17	7	13	14	21	29	43
Pneumonia (101)	431	49	40	48	57	38	21	13	14	20	34	45	52
Diarrhea and enteritis [under 2 years] (113)	144	7	7	9	13	6	9	9	16	35	14	11	8
Diarrhea and enteritis [2 years and over] (114)	47	4	1	3	2	3	5	3	8	5	4	3	6
Nephritis (128, 129)	828	68	49	71	82	80	74	62	60	63	73	73	73
Puerperal septicemia (146)	30	3	6		1	1	4	3		5	4	2	1
Other puerperal causes (143–145, 147–150)	96	8	8	5	12	10	7	6	10	9	5	7	9
Suicide (165–174)	118	17	6	10	10	14	11	14	10	7	11	4	4
Automobile accidents [1] (188c)	98		1	1	1	13	10	9	20	17	12	8	6
Automobile and railroad-train collision (part 188a)	3					1					1	1	
Automobile and street-car collision (part 188b)	1						1						
Other external causes (175–187, part 188a, b, 188d–203)	478	43	31	35	34	38	40	47	41	37	56	39	37
All other causes	4,214	407	334	404	383	363	317	341	315	319	354	305	372
MARYLAND (WHITE), all causes	16,143	1,599	1,425	1,572	1,381	1,332	1,272	1,213	1,200	1,167	1,305	1,286	1,391
Typhoid and paratyphoid fever (1)	71	5	3	2	2	1	3	5	11	11	10	12	6
Malaria (5)	1							1					
Smallpox (6)													
Measles (7)	23		3	7	1	1	1	1	1	1		3	4
Scarlet fever (8)	16	3	3	6	1				1			2	
Whooping cough (9)	89	4	13	16	12	9	2	12	10	4	3	3	1
Diphtheria (10)	74	11	6	9	4	1	6	1	5	6	7	10	8
Influenza (11)	225	51	36	40	24	15	4	3	4	10	10	8	20
Dysentery (16)	45						1	8	13	12	8	3	
Erysipelas (21)	23	2	2	6	2	1	2	1		1	2	2	2
Lethargic encephalitis (23)	22	2	1	4		1	2	1	2	4	2	3	
Meningococcus meningitis (24)	23	3		3	1	2	3	2	2	4	1	2	
Tuberculosis of the respiratory system (31)	1,012	93	95	103	90	90	94	82	80	60	66	80	79
Other forms of tuberculosis (32–37)	123	9	15	9	10	15	7	9	8	11	10	6	14
Diabetes mellitus (57)	243	25	16	24	14	35	22	23	17	8	19	14	26
Cerebral hemorrhage and softening (74, 83)	1,424	141	127	142	132	117	125	105	94	88	104	123	126
Other [organic] diseases of the heart (90)	2,280	220	199	214	190	223	187	162	156	147	172	196	214
Bronchitis (99)	118	14	19	18	11	7	2	4	3	8	12	8	12
Broncho-pneumonia (100)	723	105	97	112	83	46	30	18	24	31	56	50	71
Pneumonia (101)	684	125	90	105	71	66	30	5	11	18	34	50	79
Diarrhea and enteritis [under 2 years] (113)	531	16	18	13	6	9	20	85	116	116	90	31	11
Diarrhea and enteritis [2 years and over] (114)	80	2	7	7	3		3	15	21	12	6	3	1
Nephritis (128, 129)	1,796	171	155	179	163	168	158	127	126	123	129	149	148
Puerperal septicemia (146)	56	8	7	6	5	4	2	3	4	4	6	3	4
Other puerperal causes (143–145, 147–150)	81	6	7	7	3	6	9	8	6	10	7	7	5
Suicide (165–174)	159	6	12	16	17	14	6	8	15	18	15	22	10
Automobile accidents [1] (188c)	225	13	5	15	15	23	21	26	22	19	21	21	24
Automobile and railroad-train collision (part 188a)	3							1			1		1
Automobile and street-car collision (part 188b)	3						1			1	1		
Other external causes (175–187, part 188a, b, 188d–203)	803	74	66	58	58	53	93	84	60	59	61	64	73
All other causes	5,187	490	423	451	463	425	438	413	388	381	452	411	452

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND (COLORED), all causes	5,485	505	452	528	502	477	422	428	444	398	443	431	455
Typhoid and paratyphoid fever (1)	45	2	1	1	2		1	8	6	8	8	4	4
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)													
Whooping cough (9)	86	1	4	1	6	8	6	12	12	12	7	9	8
Diphtheria (10)	14		2			1	1	1	2	2	3		2
Influenza (11)	93	22	18	13	14	8	1	2	1		2	8	4
Dysentery (16)	19		1			1		4	6	4	2	1	
Erysipelas (21)	4	1		1	1	1							
Lethargic encephalitis (23)	3			1			1				1		
Meningococcus meningitis (24)	4		1			1	1		1				
Tuberculosis of the respiratory system (31)	659	59	48	64	68	64	56	52	54	47	48	52	47
Other forms of tuberculosis (32–37)	91	4	7	8	6	12	6	10	12	7	8	5	6
Diabetes mellitus (57)	38	4	1	3	2	6	2	2	6	2	3	3	4
Cerebral hemorrhage and softening (74, 83)	387	44	38	37	25	28	32	38	31	25	25	30	34
Other [organic] diseases of the heart (90)	601	57	49	63	52	56	67	30	37	39	49	44	58
Bronchitis (99)	66	7	5	8	8	5	6	2	2	5	8	5	5
Broncho-pneumonia (100)	369	42	44	49	57	31	22	14	14	20	20	29	27
Pneumonia (101)	368	56	44	53	50	43	13	9	14	6	14	30	36
Diarrhea and enteritis [under 2 years] (113)	224	1	2	7	5	7	18	42	35	47	45	9	6
Diarrhea and enteritis [2 years and over] (114)	31	2	2	2	2	4	3	4	5	2	3	1	1
Nephritis (128, 129)	526	39	31	49	50	52	48	40	44	33	47	52	41
Puerperal septicemia (146)	32	4	1	3	1	2	2	7	1	2	1	4	4
Other puerperal causes (143–145, 147–150)	28	4	2	2	1	3	2	4	4	2	2		2
Suicide (165–174)	10	1	1	1		1				3	1	1	1
Automobile accidents [1] (188c)	46	1	2	1	6	3	4	6	6	7	3	5	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	3										3		
Other external causes (175–187, part 188a, b, 188d–203)	276	22	30	27	18	19	28	22	21	21	19	22	27
All other causes	1,461	132	118	134	128	121	102	118	130	104	121	117	136
MASSACHUSETTS, all causes	51,721	4,825	4,598	5,285	4,851	4,470	3,987	3,488	3,621	3,593	4,080	4,240	4,683
Typhoid and paratyphoid fever (1)	73	3	7	6	3	5	4	9	7	8	13	6	2
Malaria (5)	3			1					1	1			
Smallpox (6)													
Measles (7)	349	22	26	37	36	41	25	18	9	7	11	39	78
Scarlet fever (8)	116	18	24	13	13	11	6	4		4	7	6	10
Whooping cough (9)	279	19	18	21	19	22	17	19	24	33	30	25	32
Diphtheria (10)	334	54	30	31	25	25	23	21	13	23	28	29	32
Influenza (11)	604	63	107	131	125	43	11	4	8	10	19	40	43
Dysentery (16)	16	3	1			1		1	2	4	3		1
Erysipelas (21)	127	18	14	26	16	21	6	5	4	3	3	4	7
Lethargic encephalitis (23)	97	14	10	6	7	11	6	8	5	7	11	6	6
Meningococcus meningitis (24)	51	5	6	3	11	6	2	2	1	7	2	2	4
Tuberculosis of the respiratory system (31)	2,910	237	245	336	255	287	255	238	202	196	224	215	220
Other forms of tuberculosis (32–37)	531	40	46	46	51	60	58	51	57	28	33	32	29
Diabetes mellitus (57)	808	84	69	98	66	52	80	58	58	45	66	63	69
Cerebral hemorrhage and softening (74, 83)	4,057	382	346	418	405	294	318	266	285	292	341	336	374
Other [organic] diseases of the heart (90)	9,112	884	840	918	845	800	663	549	590	611	736	787	889
Bronchitis (99)	346	34	56	51	35	35	13	10	10	9	25	26	42
Broncho-pneumonia (100)	2,600	278	336	373	322	227	124	79	83	101	164	232	281
Pneumonia (101)	2,284	274	329	326	260	205	107	60	36	62	133	208	284
Diarrhea and enteritis [under 2 years] (113)	773	44	39	52	42	44	63	37	131	151	89	49	32
Diarrhea and enteritis [2 years and over] (114)	131	9	2	12	4	8	10	14	11	14	25	14	8
Nephritis (128, 129)	3,541	329	281	332	339	326	277	231	260	229	280	322	335
Puerperal septicemia (146)	167	8	25	14	19	19	17	14	11	12	6	13	9
Other puerperal causes (143–145, 147–150)	378	43	42	41	29	27	27	28	30	30	31	24	26
Suicide (165–174)	456	34	21	43	36	41	33	40	40	36	39	50	43
Automobile accidents [1] (188c)	729	37	35	40	53	55	61	66	84	78	79	77	64
Automobile and railroad-train collision (part 188a)	14					1	2		4		2		5
Automobile and street-car collision (part 188b)	16			3		4	1		2	1	2		3
Other external causes (175–187, part 188a, b, 188d–203)	2,254	169	146	172	184	178	271	252	189	163	160	182	188
All other causes	18,565	1,720	1,497	1,735	1,651	1,621	1,507	1,404	1,464	1,428	1,518	1,453	1,567
MICHIGAN, all causes	49,419	4,078	3,983	4,775	4,466	4,248	3,801	3,663	4,014	4,028	4,111	4,047	4,205
Typhoid and paratyphoid fever (1)	161	15	9	15	4	10	5	11	17	20	20	22	13
Malaria (5)	1							1					
Smallpox (6)	22	6	4	7	1				2	1	1		
Measles (7)	72	3	4	4	10	14	13	3	1		1	4	15
Scarlet fever (8)	216	22	19	36	22	27	20	13	7	5	16	12	17
Whooping cough (9)	269	16	20	12	33	26	27	23	36	28	14	14	20
Diphtheria (10)	360	32	20	31	24	24	35	24	18	16	58	36	42
Influenza (11)	914	83	98	161	166	114	54	23	23	30	47	43	72
Dysentery (16)	59	1	2	1		2		5	11	29	6	1	1
Erysipelas (21)	138	16	11	15	14	29	8	7	4	7	3	11	13
Lethargic encephalitis (23)	64	9	4	2	4	9	10	2	4	6	2	5	7
Meningococcus meningitis (24)	39	4	2	2		6	4	5	4	1	5	2	4
Tuberculosis of the respiratory system (31)	2,424	186	222	248	240	214	186	186	183	179	166	201	213
Other forms of tuberculosis (32–37)	424	29	33	42	41	50	33	37	34	36	35	22	32
Diabetes mellitus (57)	746	62	49	72	58	60	57	62	67	66	53	61	79
Cerebral hemorrhage and softening (74, 83)	4,141	359	320	358	375	370	330	315	311	282	375	347	399
Other [organic] diseases of the heart (90)	7,143	570	593	690	670	620	530	537	568	503	621	609	692
Bronchitis (99)	416	48	50	48	42	38	24	17	16	19	38	38	38
Broncho-pneumonia (100)	1,483	186	200	210	170	116	84	49	53	53	95	136	131
Pneumonia (101)	2,036	216	225	282	240	220	95	72	59	70	130	192	235
Diarrhea and enteritis [under 2 years] (113)	1,502	67	52	63	59	45	73	84	305	480	178	48	48
Diarrhea and enteritis [2 years and over] (114)	348	15	10	15	11	13	15	36	78	87	34	21	13
Nephritis (128, 129)	2,895	252	245	292	262	241	225	248	216	205	229	253	227
Puerperal septicemia (146)	257	19	25	28	20	32	13	21	17	21	11	22	28
Other puerperal causes (143–145, 147–150)	375	30	40	41	40	32	28	28	29	28	29	27	23
Suicide (165–174)	495	24	38	48	48	43	53	43	48	39	39	35	37
Automobile accidents [1] (188c)	955	34	41	44	58	82	69	108	114	93	95	138	79
Automobile and railroad-train collision (part 188a)	79	3	10	7	7	10	4	4	3	5	14	4	8
Automobile and street-car collision (part 188b)	42		2	3	1	2	3	4	3	7	9	6	2
Other external causes (175–187, part 188a, b, 188d–203)	2,689	196	179	190	196	195	284	282	274	224	238	236	195
All other causes	18,654	1,575	1,456	1,808	1,650	1,604	1,519	1,413	1,569	1,488	1,549	1,501	1,522

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA, all causes	25,436	2,233	1,947	2,432	2,652	2,357	1,903	1,889	1,946	1,955	2,037	1,929	2,156
Typhoid and paratyphoid fever (1)	45	3	4	3	5	1	2	1	2	4	10	7	3
Malaria (5)	1									1			
Smallpox (6)	196	99	38	18	15	15	4	5	1				1
Measles (7)	15	3	1	3	2	2		1	1	1		1	
Scarlet fever (8)	152	15	15	17	20	23	22	6	5	3	9	6	11
Whooping cough (9)	95	8	8	5	6	7	4	5	19	8	11	8	6
Diphtheria (10)	230	18	23	35	15	20	18	26	19	16	17	9	14
Influenza (11)	636	34	32	75	207	126	40	15	13	16	24	23	31
Dysentery (16)	32			1	1		4	1	1	12	8	1	3
Erysipelas (21)	62	2	5	5	12	6	4		8	6	5	1	8
Lethargic encephalitis (23)	75	5	2	10	8	6	7	5	8	3	4	12	5
Meningococcus meningitis (24)	18	2	1	2	5		1	2	1	1	1		2
Tuberculosis of the respiratory system (31)	1,334	109	88	135	157	126	123	117	91	97	87	100	104
Other forms of tuberculosis (32–37)	239	19	24	18	26	35	16	15	27	14	10	19	16
Diabetes mellitus (57)	457	38	40	36	48	42	25	35	35	39	39	35	45
Cerebral hemorrhage and softening (74, 83)	1,757	157	136	170	158	163	120	113	136	135	160	158	151
Other [organic] diseases of the heart (90)	3,400	288	263	322	355	311	264	257	226	229	280	285	320
Bronchitis (99)	124	17	8	12	12	15	6	3	7	2	11	16	15
Broncho-pneumonia (100)	783	75	91	155	97	71	40	29	27	27	50	42	79
Pneumonia (101)	999	105	80	147	143	100	38	26	40	24	71	90	135
Diarrhea and enteritis [under 2 years] (113)	335	35	11	16	20	21	22	21	30	75	38	22	24
Diarrhea and enteritis [2 years and over] (114)	145	4	6	4	7	6	6	12	29	44	14	6	7
Nephritis (128, 129)	1,613	133	135	168	160	151	136	120	127	100	124	127	132
Puerperal septicemia (146)	107	12	11	15	16	5	5	7	8	6	7	8	7
Other puerperal causes (143–145, 147–150)	177	11	17	17	20	27	13	8	17	16	4	12	15
Suicide (165–174)	372	30	23	33	42	32	31	27	41	25	39	23	26
Automobile accidents [1] (188c)	361	8	9	16	29	35	44	33	45	44	44	29	25
Auotmobile and railroad-train collision (part 188a)	25	1	1	4	4	3		3	2	1	4	1	1
Automobile and street-car collision (part 188b)	7		1		3							2	1
Other external causes (175–187, part 188a, b, 188d–203)	1,408	117	73	104	127	123	144	171	113	126	113	108	89
All other causes	10,236	885	801	886	932	885	764	825	867	880	853	778	880
MISSISSIPPI (WHITE), all causes	8,218	763	761	868	668	647	662	601	632	571	629	632	784
Typhoid and paratyphoid fever (1)	116	8	10	7	7	4	11	19	16	8	11	9	6
Malaria (5)	113	2	1	3	8	4	12	11	16	18	20	13	5
Smallpox (6)	1								1				
Measles (7)	18		1	1	5	2	1	1			1		6
Scarlet fever (8)	7		2							1	2		2
Whooping cough (9)	60	2	6	8	6	4	6	2	4	5	5	5	7
Diphtheria (10)	88	7	4	5	2	1	3	1	14	7	16	21	7
Influenza (11)	406	55	93	129	43	16	2		3	4	11	12	38
Dysentery (16)	78	4	2	3	6	18	16	4	7	5	9	4	
Erysipelas (21)	12		1		2		3	3	2	1			
Lethargic encephalitis (23)	3	1	1	1									
Meningococcus meningitis (24)	7	1	1	1	2		2						
Tuberculosis of the respiratory system (31)	381	44	33	46	33	31	30	29	25	25	28	29	28
Other forms of tuberculosis (32–37)	40	7	3	3	2	2	3	5	6	5	2		2
Diabetes mellitus (57)	90	10	11	13	10	5	5	5	7	8	3	5	8
Cerebral hemorrhage and softening (74, 83)	490	43	29	45	40	40	39	25	34	49	34	42	70
Other [organic] diseases of the heart (90)	745	74	71	73	67	56	57	62	53	51	50	62	69
Bronchitis (99)	33	3	3	7	1	1			5	2	4	4	3
Broncho-pneumonia (100)	175	26	32	23	6	9	5	1	9	9	14	17	24
Pneumonia (101)	387	68	71	58	34	15	10	8	9	7	14	44	49
Diarrhea and enteritis [under 2 years] (113)	273	9	3	10	15	43	45	32	32	19	32	23	10
Diarrhea and enteritis [2 years and over] (114)	92	5	3	2	11	22	13	8	7	2	9	5	5
Nephritis (128, 129)	759	56	80	76	57	70	71	57	47	45	62	59	79
Puerperal septicemia (146)	40	4	4	7	4	4		3	2	2	4	2	4
Other puerperal causes (143–145, 147–150)	107	12	10	6	17	9	6	11	3	11	7	6	9
Suicide (165–174)	44	2	3	8	6	7	1	2	4	1	4	3	3
Automobile accidents [1] (188c)	100	7	5	4	13	8	8	4	8	9	16	6	12
Automobile and railroad-train collision (part 188a)	10				2	2			3		2		1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	488	33	33	39	36	42	37	42	40	46	43	36	61
All other causes	3,055	280	245	290	233	232	276	266	275	231	226	225	276
MISSISSIPPI (COLORED), all causes	13,935	1,170	1,226	1,319	1,237	1,201	1,211	1,181	1,131	1,079	1,031	1,079	1,070
Typhoid and paratyphoid fever (1)	364	11	17	12	9	19	38	68	61	63	30	22	14
Malaria (5)	313	6	6	8	11	21	34	50	45	65	32	21	14
Smallpox (6)	3	2		1									
Measles (7)	5				1		2	1					1
Scarlet fever (8)	4	1		1				1				1	
Whooping cough (9)	84	3	5	5	5	9	5	6	9	10	13	8	6
Diphtheria (10)	56	4	3	4	7	3	1	3	4	12	5	6	4
Influenza (11)	570	74	104	154	90	24	9	9	2	8	14	42	40
Dysentery (16)	80	2	2	3	1	22	16	10	4	6	5	7	2
Erysipelas (21)	6	2		2			1		1				
Lethargic encephalitis (23)	8			2	1		1			2	1		1
Meningococcus meningitis (24)	2						1	1					
Tuberculosis of the respiratory system (31)	1,390	107	144	128	138	142	136	108	122	101	86	95	83
Other forms of tuberculosis (32–37)	117	9	14	7	13	11	16	15	9	4	5	8	6
Diabetes mellitus (57)	65	7	4	2	3	7	7	8	6	2	5	4	10
Cerebral hemorrhage and softening (74, 83)	575	60	50	52	42	47	33	44	47	58	45	48	49
Other [organic] diseases of the heart (90)	1,169	87	96	101	113	112	107	109	109	100	81	81	73
Bronchitis (99)	20	1	2	2	1	2	1	1	1		2	4	3
Broncho-pneumonia (100)	206	31	48	27	21	9	6	2	5	9	9	20	19
Pneumonia (101)	646	107	129	91	67	26	15	11	17	17	35	58	73
Diarrhea and enteritis [under 2 years] (113)	321	8	6	9	22	58	44	41	35	37	34	16	11
Diarrhea and enteritis [2 years and over] (114)	88	1	3	2	5	16	17	10	9	8	6	9	2
Nephritis (128, 129)	1,250	92	87	110	129	86	147	92	82	101	112	96	116
Puerperal septicemia (146)	104	3	7	13	9	6	13	10	8	10	10	6	9
Other puerperal causes (143–145, 147–150)	193	14	21	16	28	17	20	12	18	14	11	11	11
Suicide (165–174)	19	3	4		1	2	1	2		1	4		1
Automobile accidents [1] (188c)	70	1	4	4	4	6	3	4	11	6	9	6	12
Automobile and railroad-train collision (part 188a)	4			3		1							
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	865	72	72	72	66	69	61	79	70	62	61	85	96
All other causes	5,338	462	398	488	450	486	476	484	456	383	416	425	414

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI, all causes	41,288	3,787	3,554	4,351	3,568	3,339	2,964	3,272	3,183	3,189	3,187	3,391	3,503
Typhoid and paratyphoid fever (1)	391	9	17	10	4	15	20	44	48	77	66	51	30
Malaria (5)	189	10	5	5	7	15	18	26	23	36	23	12	9
Smallpox (6)													
Measles (7)	13		1	1	6			1	1	1	1		1
Scarlet fever (8)	169	28	25	24	18	12	11	8	3	8	7	13	12
Whooping cough (9)	201	10	18	21	14	18	20	28	25	15	16	9	7
Diphtheria (10)	242	20	25	27	20	19	8	9	7	19	26	33	29
Influenza (11)	1,464	189	220	381	246	91	29	22	16	23	54	91	102
Dysentery (16)	171	3		2	3	8	13	44	43	30	15	7	3
Erysipelas (21)	62	6	6	11	7	9	2	5	4	4	3	2	3
Lethargic encephalitis (23)	46	10	7	3	1	5	1	1	4	3	4	5	2
Meningococcus meningitis (24)	39	2	5	1	1	4	4	5	8	2	2	2	3
Tuberculosis of the respiratory system (31)	2,693	252	241	299	229	236	228	212	202	185	207	195	207
Other forms of tuberculosis (32–37)	346	29	23	28	33	30	31	30	30	32	27	24	29
Diabetes mellitus (57)	563	57	50	55	56	50	36	37	46	40	44	39	53
Cerebral hemorrhage and softening (74, 83)	2,763	250	225	267	264	240	202	213	197	201	219	246	239
Other [organic] diseases of the heart (90)	5,089	452	419	545	434	433	391	374	362	372	367	471	469
Bronchitis (99)	245	35	35	33	18	14	9	11	14	12	13	19	32
Broncho-pneumonia (100)	1,565	224	211	246	151	102	56	51	45	68	89	147	175
Pneumonia (101)	2,025	300	268	334	218	110	62	52	73	56	98	225	229
Diarrhea and enteritis [under 2 years] (113)	1,019	22	28	25	30	44	108	188	204	183	129	36	22
Diarrhea and enteritis [2 years and over] (114)	304	14	9	9	16	16	28	54	68	45	21	18	6
Nephritis (128, 129)	4,198	399	322	440	338	383	316	346	273	315	337	354	375
Puerperal septicemia (146)	211	17	22	32	17	18	19	11	21	15	8	15	16
Other puerperal causes (143–145, 147–150)	224	16	21	27	27	23	8	18	27	13	13	16	15
Suicide (165–174)	473	36	30	32	47	47	36	30	48	49	41	41	36
Automobile accidents [1] (188c)	509	37	33	35	32	30	43	46	55	47	55	41	55
Automobile and railroad-train collision (part 188a)	20		1	1	2	2		4	1	3	3		3
Automobile and street-car collision (part 188b)	7		2		1		1				2	1	
Other external causes (175–187, part 188a, b, 188d–203)	2,388	204	185	244	183	201	197	236	212	186	168	174	198
All other causes	13,659	1,156	1,100	1,213	1,145	1,164	1,067	1,166	1,123	1,149	1,129	1,104	1,143
MONTANA, all causes	5,188	445	419	454	437	475	413	428	392	434	444	417	430
Typhoid and paratyphoid fever (1)	24			1		2		2		4	6	3	6
Malaria (5)													
Smallpox (6)													
Measles (7)	5			2	3								
Scarlet fever (8)	21	6	3	2	1	4		2	1			2	
Whooping cough (9)	63	4	3	3	3	5	8	13	9	7	5	2	1
Diphtheria (10)	34	6	8	3	4	3	1		1	3	1	1	3
Influenza (11)	109	14	8	12	21	15	11	2	3	6	4	4	9
Dysentery (16)	13	1					1	1	5	2	3		
Erysipelas (21)	16	2	3		3	2	2		1	1		2	
Lethargic encephalitis (23)	8	1	2	2			2				1		
Meningococcus meningitis (24)	5	1	1		2				1				
Tuberculosis of the respiratory system (31)	350	36	39	32	36	33	22	23	27	19	31	26	26
Other forms of tuberculosis (32–37)	46	2	1	5	8	10	7	4	1	2	3	1	2
Diabetes mellitus (57)	64	3	3	5	4	4	4	7	7	3	10	7	7
Cerebral hemorrhage and softening (74, 83)	345	28	33	38	22	32	24	28	25	29	24	26	36
Other [organic] diseases of the heart (90)	577	52	45	42	43	64	55	48	45	42	43	44	54
Bronchitis (99)	23	5	4	5	1		1	1	1	1	1	2	1
Broncho-pneumonia (100)	177	18	27	26	17	14	13	5	8	12	8	16	13
Pneumonia (101)	260	30	25	27	23	21	10	7	4	19	27	27	40
Diarrhea and enteritis [under 2 years] (113)	95	4	5	4	4	3	5	12	25	14	10	5	4
Diarrhea and enteritis [2 years and over] (114)	29	2	2		1	2	3	4	3	9	2	1	
Nephritis (128, 129)	301	25	30	22	23	20	17	16	22	25	35	31	35
Puerperal septicemia (146)	35	1	4	6	3	1	3	1	2	3	3	5	3
Other puerperal causes (143–145, 147–150)	48	3	4	4	4	3	8	4	4	3	3	6	2
Suicide (165–174)	102	9	2	13	7	9	9	11	8	11	9	8	6
Automobile accidents [1] (188c)	84	2	3	2	5	11	17	9	9	9	7	7	3
Automobile and railroad-train collision (part 188a)	14							7		5	1		1
Automobile and street-car collision (part 188b)	4							1			3		
Other external causes (175–187, part 188a, b, 188d–203)	454	27	29	25	41	44	40	65	38	43	35	33	34
All other causes	1,882	163	135	173	158	173	150	155	142	162	169	158	144
NEBRASKA, all causes	12,493	1,135	1,048	1,248	1,202	1,003	859	969	974	928	1,068	985	1,074
Typhoid and paratyphoid fever (1)	38		2	1	2	1			4	5	14	6	3
Malaria (5)	4	1							1		1		1
Smallpox (6)	1								1				
Measles (7)													
Scarlet fever (8)	33	6	5	4	6	4		1		1	1	2	3
Whooping cough (9)	80	4	4	8	8	5	5	10	4	8	10	8	6
Diphtheria (10)	80	9	8	11	5	2	3	4	4	11	15	6	2
Influenza (11)	552	40	40	131	132	37	12	10	25	24	35	24	42
Dysentery (16)	34	2		1		3	1	2	6	4	9	2	4
Erysipelas (21)	21	3		4	1	3	3	3					4
Lethargic encephalitis (23)	19	4	1	2	4	1	2	2					3
Meningococcus meningitis (24)	13			2		2		1	2	1	3	1	1
Tuberculosis of the respiratory system (31)	377	35	25	38	50	36	28	27	29	23	31	27	28
Other forms of tuberculosis (32–37)	69	8	3	5	5	5	8	8	9	3	8	3	4
Diabetes mellitus (57)	273	29	30	29	24	16	12	22	20	19	28	22	22
Cerebral hemorrhage and softening (74, 83)	1,073	107	100	72	87	87	73	84	88	73	93	106	103
Other [organic] diseases of the heart (90)	1,464	134	134	152	155	129	99	119	84	97	119	125	117
Bronchitis (99)	70	7	6	8	12	4	1	2	1	8	7	6	8
Broncho-pneumonia (100)	347	51	36	63	45	16	14	16	9	9	28	25	35
Pneumonia (101)	499	83	57	75	55	28	16	13	15	17	41	38	61
Diarrhea and enteritis [under 2 years] (113)	232	10	10	8	8	9	4	26	57	54	21	5	20
Diarrhea and enteritis [2 years and over] (114)	133	1	4	2	4	1	9	16	37	31	17	7	4
Nephritis (128, 129)	850	76	76	80	89	59	64	63	51	57	80	79	76
Puerperal septicemia (146)	65	6	10	5	5	4	6	2	3	6	7	5	6
Other puerperal causes (143–145, 147–150)	102	14	5	6	14	12	4	5	11	5	8	12	6
Suicide (165–174)	169	16	10	17	24	9	15	12	10	18	18	8	12
Automobile accidents [1] (188c)	125	6	5	5	10	11	9	13	15	11	8	21	11
Automobile and railroad-train collision (part 188a)	39		3	5		3	2		9	7	1	3	6
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	645	42	39	42	50	56	63	83	72	52	48	45	53
All other causes	5,086	441	435	472	407	460	406	425	407	384	417	399	433

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE, all causes	6,563	572	537	668	615	626	504	467	491	458	491	513	621
Typhoid and paratyphoid fever (1)	15	1	1	3	4		1	1		1		1	2
Malaria (5)													
Smallpox (6)													
Measles (7)	9	2		3	1	1	1	1					
Scarlet fever (8)	15	6	2					1	1	1		1	3
Whooping cough (9)	28	2	2	3	4	6	3	1		1	1	1	4
Diphtheria (10)	30	5	3	3	1	1	4	2	1			2	8
Influenza (11)	227	20	21	55	53	26	12	5	4	3	7	7	14
Dysentery (16)	1		1										
Erysipelas (21)	12	2	2		1	3	2	1			1		
Lethargic encephalitis (23)	2							1	1				
Meningococcus meningitis (24)	6		1		1					1	2	1	
Tuberculosis of the respiratory system (31)	237	22	18	22	28	25	20	24	18	17	17	13	13
Other forms of tuberculosis (32–37)	60	9	9	7	5	9	2	2	3	3	7	2	2
Diabetes mellitus (57)	97	9	10	11	4	8	5	7	7	11	8	7	10
Cerebral hemorrhage and softening (74, 83)	747	62	58	65	65	80	59	51	66	57	64	53	67
Other [organic] diseases of the heart (90)	910	79	76	97	77	80	57	61	80	69	65	82	87
Bronchitis (99)	71	8	8	7	8	10	7		3	2	6	4	8
Broncho-pneumonia (100)	202	16	19	38	25	25	11	4	6	6	14	13	25
Pneumonia (101)	260	35	38	37	27	22	9	4	2	8	16	25	37
Diarrhea and enteritis [under 2 years] (113)	93	5	5	6	4	7	5	6	10	17	15	4	9
Diarrhea and enteritis [2 years and over] (114)	28	3		1		2	3	2	3	3	5	3	3
Nephritis (128, 129)	464	43	45	38	39	34	36	32	33	42	34	40	48
Puerperal septicemia (146)	26	2	6	1	2	3	2	1	2	1	1	3	2
Other puerperal causes (143–145, 147–150)	41	4	4	7	2	6		2	2	4	3	3	4
Suicide (165–174)	56	3	5	5	7	8	12	2	1	5	4	1	3
Automobile accidents [1] (188c)	87	1	2	1	4	8	11	9	15	7	12	11	6
Automobile and railroad-train collision (part 188a)	5										3		2
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	293	16	21	22	24	23	33	29	28	20	25	26	26
All other causes	2,540	217	180	236	229	238	209	218	205	179	181	210	238
NEW JERSEY, all causes	42,192	4,169	3,516	3,853	3,693	3,623	3,561	3,115	3,182	3,008	3,375	3,345	3,752
Typhoid and paratyphoid fever (1)	114	8	8	6	8	4	6	7	19	18	18	10	2
Malaria (5)	4				1			1		2			
Smallpox (6)	48	10	8	7	14	8	1						
Measles (7)	124	9	8	12	17	18	15	16	6	3	3	5	12
Scarlet fever (8)	67	9	7	11	11	5	6	2	2		2	5	7
Whooping cough (9)	264	27	28	24	29	40	22	28	26	15	10	5	10
Diphtheria (10)	337	45	32	28	21	28	25	18	25	20	40	33	22
Influenza (11)	482	85	63	63	73	44	18	4	11	10	20	49	42
Dysentery (16)	29			1	1	2	2	7	4	7	2		3
Erysipelas (21)	107	16	11	17	11	13	6	5	1	8	1	6	12
Lethargic encephalitis (23)	78	10	8	4	4	6	6	9	10	3	7	6	5
Meningococcus meningitis (24)	48	5	2	2	5	6	5	7	5	2	2	4	3
Tuberculosis of the respiratory system (31)	2,558	226	212	260	219	259	220	211	208	185	172	178	208
Other forms of tuberculosis (32–37)	333	23	23	33	27	34	41	33	20	28	25	23	23
Diabetes mellitus (57)	762	74	66	65	85	63	60	53	55	50	58	56	77
Cerebral hemorrhage and softening (74, 83)	3,350	336	285	300	282	270	284	259	248	238	247	268	333
Other [organic] diseases of the heart (90)	6,907	696	555	617	601	598	621	457	479	489	574	576	644
Bronchitis (99)	261	41	22	27	29	27	14	15	8	8	12	29	29
Broncho-pneumonia (100)	1,354	223	174	144	123	113	75	44	54	55	96	131	122
Pneumonia (101)	2,413	375	305	286	268	241	117	78	67	70	170	187	249
Diarrhea and enteritis [under 2 years] (113)	1,002	60	59	60	55	45	89	89	177	166	106	55	41
Diarrhea and enteritis [2 years and over] (114)	230	13	9	14	13	19	25	25	38	34	18	13	9
Nephritis (128, 129)	3,810	397	313	355	338	303	313	265	285	250	326	298	367
Puerperal septicemia (146)	192	19	16	22	14	17	23	15	12	10	12	13	19
Other puerperal causes (143–145, 147–150)	285	25	22	25	20	26	30	29	27	20	19	23	19
Suicide (165–174)	408	30	29	39	31	33	36	37	36	35	42	33	27
Automobile accidents [1] (188c)	771	35	38	67	62	51	54	80	71	69	77	77	90
Automobile and railroad-train collision (part 188a)	49	1		4	6	4	3	4	8	7	4	5	3
Automobile and street-car collision (part 188b)	14		1		1	1	1	1		3	2		4
Other external causes (175–187, part 188a, b, 188d–203)	2,348	162	154	199	182	186	330	234	202	152	180	185	182
All other causes	13,443	1,209	1,058	1,161	1,142	1,159	1,113	1,082	1,078	1,051	1,130	1,072	1,188
NEW YORK, all causes	142,500	13,369	11,799	13,691	13,328	12,659	11,699	10,086	10,268	10,205	11,529	11,499	12,368
Typhoid and paratyphoid fever (1)	398	72	27	12	21	27	28	19	45	51	37	28	31
Malaria (5)	9			1	1	2	1		2			2	
Smallpox (6)	2	2											
Measles (7)	323	9	9	14	33	48	54	36	13	10	5	28	64
Scarlet fever (8)	191	26	28	35	23	25	12	5	5	3	10	6	13
Whooping cough (9)	523	29	50	57	57	58	47	45	55	29	38	21	37
Diphtheria (10)	1,006	101	80	105	133	132	99	64	39	52	61	78	62
Influenza (11)	1,461	200	183	237	242	155	57	22	25	36	91	90	123
Dysentery (16)	64	1	3	4	3	3	3	2	10	19	13	2	1
Erysipelas (21)	341	41	50	51	53	43	28	14	10	8	10	14	19
Lethargic encephalitis (23)	276	36	29	27	29	22	22	17	29	9	17	20	19
Meningococcus meningitis (24)	148	16	8	19	11	12	15	13	10	18	8	12	6
Tuberculosis of the respiratory system (31)	9,044	791	755	869	842	897	781	737	657	617	668	692	738
Other forms of tuberculosis (32–37)	1,238	109	97	113	130	142	108	96	99	87	94	78	85
Diabetes mellitus (57)	2,695	261	226	254	277	262	207	190	196	179	190	209	244
Cerebral hemorrhage and softening (74, 83)	9,399	924	760	857	816	835	793	605	717	662	761	823	846
Other [organic] diseases of the heart (90)	26,323	2,590	2,197	2,545	2,383	2,357	2,149	1,664	1,758	1,771	2,248	2,231	2,430
Bronchitis (99)	754	80	79	102	82	63	57	25	25	26	53	81	81
Broncho-pneumonia (100)	5,128	579	522	623	672	475	314	205	207	235	368	409	519
Pneumonia (101)	7,262	966	832	943	907	679	411	236	246	262	460	614	706
Diarrhea and enteritis [under 2 years] (113)	2,658	136	130	180	188	158	195	213	388	489	292	160	129
Diarrhea and enteritis [2 years and over] (114)	472	39	27	32	23	37	35	51	58	60	45	35	30
Nephritis (128, 129)	12,540	1,130	1,059	1,198	1,125	1,096	1,089	874	848	907	1,073	1,037	1,104
Puerperal septicemia (146)	525	63	53	60	54	52	35	36	34	38	42	25	33
Other puerperal causes (143–145, 147–150)	844	70	79	77	79	66	75	73	71	59	51	68	76
Suicide (165–174)	1,666	142	135	171	136	146	134	139	140	136	130	127	130
Automobile accidents [1] (188c)	2,111	77	90	145	144	184	185	213	201	224	228	225	195
Automobile and railroad-train collision (part 188a)	79	6	5	1	4	5	7	11	9	12	7	8	4
Automobile and street-car collision (part 188b)	33				1	3	5	3	3	7	3	4	4
Other external causes (175–187, part 188a, b, 188d–203)	7,475	647	548	575	556	563	818	705	616	554	617	592	684
All other causes	47,512	4,226	3,738	4,384	4,303	4,112	3,935	3,773	3,752	3,645	3,909	3,780	3,955

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA (WHITE), all causes	19,702	1,722	1,686	1,851	1,721	1,742	1,700	1,691	1,438	1,346	1,571	1,559	1,675
Typhoid and paratyphoid fever (1)	129	4	1	5	2	8	16	18	21	23	13	8	10
Malaria (5)	68	4	1	2	2	6	11	3	12	11	8	7	1
Smallpox (6)	2	1		1									
Measles (7)	12	2	1	3	1	1						1	3
Scarlet fever (8)	28	1	1	2	6		4	1	2	1	4	4	2
Whooping cough (9)	86	8	6	11	7	8	6	7	6	4	6	7	10
Diphtheria (10)	238	26	16	8	14	4	7	9	11	24	47	47	25
Influenza (11)	683	89	159	168	109	26	18	9	7	8	14	37	39
Dysentery (16)	118	3	1	1	8	19	29	36	6	6	6	2	1
Erysipelas (21)	47	4	7	4	7	2	2	3	4	2	4	4	4
Lethargic encephalitis (23)	22	2	5	4	1	2		2	4	1			1
Meningococcus meningitis (24)	16	6		2		3			1	2	1		1
Tuberculosis of the respiratory system (31)	1,235	106	110	110	116	113	111	89	98	86	99	112	85
Other forms of tuberculosis (32–37)	120	13	12	11	18	4	12	9	8	3	6	13	11
Diabetes mellitus (57)	161	15	21	18	9	11	10	11	12	11	9	13	21
Cerebral hemorrhage and softening (74, 83)	1,384	121	115	118	131	126	105	107	87	93	116	113	152
Other [organic] diseases of the heart (90)	2,059	166	172	210	185	189	180	176	167	118	171	141	184
Bronchitis (99)	58	9	4	3	12	5	2	3	2	3	6	2	7
Broncho-pneumonia (100)	534	71	77	77	45	33	11	16	17	28	35	52	72
Pneumonia (101)	902	117	114	149	102	64	33	24	17	34	42	87	119
Diarrhea and enteritis [under 2 years] (113)	873	16	7	16	38	136	205	177	84	62	75	35	22
Diarrhea and enteritis [2 years and over] (114)	174	9	4	6	14	21	33	28	15	15	14	8	7
Nephritis (128, 129)	1,784	139	140	172	163	149	169	145	135	129	160	139	144
Puerperal septicemia (146)	83	5	8	9	3	7	10	7	3	6	6	10	9
Other puerperal causes (143–145, 147–150)	309	23	16	31	35	35	24	32	24	26	23	26	14
Suicide (165–174)	112	12	10	10	7	11	6	12	6	7	13	11	7
Automobile accidents [1] (188c)	302	22	25	24	19	17	20	24	29	26	35	31	30
Automobile and railroad-train collision (part 188a)	19		1	1		1	2	1	6		1	5	1
Automobile and street-car collision (part 188b)	2		1				1						
Other external causes (175–187, part 188a, b, 188d–203)	886	62	78	61	75	89	87	63	68	69	66	71	97
All other causes	7,256	666	573	614	592	652	586	679	586	548	591	573	596
NORTH CAROLINA (COLORED), all causes	12,846	1,097	1,063	1,240	1,100	1,278	1,158	1,102	970	930	973	923	1,012
Typhoid and paratyphoid fever (1)	150	4		4	4	7	18	27	31	26	15	9	5
Malaria (5)	73	4	2	2	3	4	11	10	12	11	6	4	4
Smallpox (6)	3	1									1		1
Measles (7)	4		1	2	1								
Scarlet fever (8)	2											1	1
Whooping cough (9)	67	8	2	6	7	9	5	10	6	6	3	4	1
Diphtheria (10)	65	4	3	5				6	8	6	17	9	7
Influenza (11)	406	48	71	105	72	25	7	6	10	8	10	19	25
Dysentery (16)	69			2	3	19	15	9	5	9	6		1
Erysipelas (21)	4	1		1						2			
Lethargic encephalitis (23)	9		1	1	2			2	1	1	1		
Meningococcus meningitis (24)	8	1			1	4				2			
Tuberculosis of the respiratory system (31)	1,304	103	109	116	128	157	93	108	92	102	96	88	112
Other forms of tuberculosis (32–37)	135	8	12	10	10	11	16	9	19	9	14	12	5
Diabetes mellitus (57)	61	7	7	2	2	3	5	7	6	3	2	11	6
Cerebral hemorrhage and softening (74, 83)	799	63	63	73	60	73	67	72	69	58	61	63	77
Other [organic] diseases of the heart (90)	1,178	99	94	111	91	108	109	112	69	101	101	93	90
Bronchitis (99)	35	3	3	7	6	1	4	2	4	1		2	2
Broncho-pneumonia (100)	370	47	43	53	45	32	17	14	15	25	22	27	30
Pneumonia (101)	608	98	80	85	75	52	23	16	12	22	27	46	72
Diarrhea and enteritis [under 2 years] (113)	599	9	8	10	29	94	150	93	72	58	49	14	13
Diarrhea and enteritis [2 years and over] (114)	76	1	2	3	1	21	13	7	9	6	7	5	1
Nephritis (128, 129)	1,037	89	93	109	92	95	82	88	82	69	84	70	84
Puerperal septicemia (146)	76	7	6	7	4	5	4	7	9	7	10	5	5
Other puerperal causes (143–145, 147–150)	257	19	19	32	33	27	31	25	14	15	16	10	16
Suicide (165–174)	16	1	2	1	2	1	1			2	3	2	1
Automobile accidents [1] (188c)	74	5	2	6	8	7	6	9	5	6	7	8	5
Automobile and railroad-train collision (part 188a)	12		4	1							4	1	2
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	722	61	79	80	44	84	55	44	59	48	43	57	68
All other causes	4,626	406	357	406	377	438	426	419	361	327	368	363	378
NORTH DAKOTA, all causes	5,045	416	437	447	432	431	342	428	414	429	467	410	392
Typhoid and paratyphoid fever (1)	24			1	2	1		2	2	5	6	4	1
Malaria (5)													
Smallpox (6)	8	4	2	1	1								
Measles (7)	9	4	3		1		1						
Scarlet fever (8)	48	9	8	10	6	1	4	1	3		3		3
Whooping cough (9)	73	9	5	7	3	5	6	7	9	5	10	5	2
Diphtheria (10)	37	4	6	2	3		4	2	2	3	7	2	2
Influenza (11)	100	5	14	8	31	21	6	3	1	4	3	3	1
Dysentery (16)	13		1				1	3	4	1	2	1	
Erysipelas (21)	12	1	1	1			1	1	1		1		5
Lethargic encephalitis (23)	8				2	3			3				
Meningococcus meningitis (24)	14	1	2	2	2	2	1		2	1			1
Tuberculosis of the respiratory system (31)	259	21	20	19	27	33	22	31	15	22	16	15	18
Other forms of tuberculosis (32–37)	59	4	6	4	5	3	1	10	3	7	4	6	6
Diabetes mellitus (57)	90	6	8	7	5	10	9	3	3	6	9	11	13
Cerebral hemorrhage and softening (74, 83)	315	8	19	27	23	28	19	27	26	29	38	33	38
Other [organic] diseases of the heart (90)	459	29	43	43	45	47	26	32	35	29	49	43	38
Bronchitis (99)	26	3	2	8	2	1	1		1		3	3	2
Broncho-pneumonia (100)	231	24	34	41	31	18	8	7	5	9	20	14	20
Pneumonia (101)	219	21	23	27	20	20	13	17	14	5	19	24	16
Diarrhea and enteritis [under 2 years] (113)	160	9	6	7	6	9	4	19	31	34	17	9	9
Diarrhea and enteritis [2 years and over] (114)	65	1	4	2			2	3	11	24	10	5	3
Nephritis (128, 129)	229	18	11	22	14	23	11	18	25	22	23	23	19
Puerperal septicemia (146)	32	4		7	5	2	1	3	1	2	3	1	3
Other puerperal causes (143–145, 147–150)	57	8	1	8	4	8	6		7	6	4	4	1
Suicide (165–174)	51	1	4	6	6	3	5	3	3	5	7	4	4
Automobile accidents [1] (188c)	59	1	1	2	7	4	4	9	8	6	4	8	5
Automobile and railroad-train collision (part 188a)	11							5	1	3	2		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	270	20	24	11	13	27	22	36	35	19	29	17	17
All other causes	2,107	201	189	174	168	162	164	186	163	182	178	175	165

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO, all causes	73,607	6,318	6,055	7,416	6,792	6,152	5,481	5,380	5,844	5,594	6,032	5,986	6,557
Typhoid and paratyphoid fever (1)	333	22	13	9	8	13	16	21	48	62	66	38	17
Malaria (5)	12		1	2		1	1	1	2	3			1
Smallpox (6)	47	2	7	3	13	13	5	3		1			
Measles (7)	81	2	2	12	9	4	3	1	3	3	2	6	34
Scarlet fever (8)	252	37	23	53	38	21	14	9	4	8	9	15	21
Whooping cough (9)	374	20	22	33	30	35	29	48	39	45	25	16	32
Diphtheria (10)	392	25	23	36	23	26	14	27	27	24	56	67	44
Influenza (11)	2,100	165	223	456	434	168	71	45	80	81	109	124	144
Dysentery (16)	93	1	1	5	2		4	9	30	24	17		
Erysipelas (21)	168	17	23	31	25	15	10	5	8	2	7	7	18
Lethargic encephalitis (23)	128	11	6	16	18	9	15	9	12	5	8	10	9
Meningococcus meningitis (24)	53	5	2	10	2	6	4	1	8	6	4	1	4
Tuberculosis of the respiratory system (31)	4,060	337	386	388	357	351	351	359	304	278	330	261	358
Other forms of tuberculosis (32–37)	759	71	59	62	72	67	78	71	72	55	55	43	54
Diabetes mellitus (57)	1,157	97	83	119	103	96	86	80	77	93	84	122	117
Cerebral hemorrhage and softening (74, 83)	6,846	600	562	634	616	639	489	479	547	475	579	570	656
Other [organic] diseases of the heart (90)	10,402	943	797	1,039	936	891	807	722	731	662	893	942	1,039
Bronchitis (99)	340	37	29	58	28	31	23	12	15	14	27	34	32
Broncho-pneumonia (100)	2,571	291	353	423	328	153	98	63	79	100	160	220	303
Pneumonia (101)	3,199	350	404	492	410	209	121	86	85	96	215	345	386
Diarrhea and enteritis [under 2 years] (113)	1,744	55	59	60	34	43	77	211	389	436	243	73	64
Diarrhea and enteritis [2 years and over] (114)	418	12	14	20	12	17	26	55	94	81	46	20	21
Nephritis (128, 129)	5,262	481	431	451	514	490	400	395	408	363	427	462	440
Puerperal septicemia (146)	370	35	48	35	35	46	30	29	23	17	26	27	19
Other puerperal causes (143–145, 147–150)	488	31	44	63	41	52	27	41	41	37	37	42	32
Suicide (165–174)	790	66	58	76	73	77	67	62	71	63	70	45	62
Automobile accidents [1] (188c)	1,285	75	78	91	76	102	104	126	129	123	118	137	126
Automobile and railroad-train collision (part 188a)	129	9	13	5	5	23	13	10	5	9	17	8	12
Automobile and street-car collision (part 188b)	56	5	4	4	3	2	3	10	1	5	8	7	4
Other external causes (175–187, part 188a, b, 188d–203)	4,322	352	287	341	352	323	459	415	393	387	304	342	367
All other causes	25,376	2,164	2,000	2,389	2,195	2,229	2,036	1,975	2,119	2,036	2,090	2,002	2,141
OREGON, all causes	9,629	871	762	935	937	823	805	748	688	723	781	742	814
Typhoid and paratyphoid fever (1)	33	3	2	1	3	1	4	4	4	4	3	1	3
Malaria (5)	2	1									1		
Smallpox (6)	3	1					1				1		
Measles (7)	1									1			
Scarlet fever (8)	20	2	1	2	3	3	1	3	2		2	2	1
Whooping cough (9)	63	3	5	6	9	12	6	1	8	5	2	3	3
Diphtheria (10)	102	7	7	14	13	7	8	3	4	7	13	8	11
Influenza (11)	206	17	19	36	55	20	13	5	8	5	8	10	10
Dysentery (16)	4						1		2	1			
Erysipelas (21)	18	3	3	1	2	2	1		1		2	1	2
Lethargic encephalitis (23)	14	3	2	3	2	1			1			1	1
Meningococcus meningitis (24)	35	2		3	10	3	3		2	2		4	6
Tuberculosis of the respiratory system (31)	452	41	44	44	44	40	44	34	28	30	36	42	25
Other forms of tuberculosis (32–37)	108	12	8	17	9	6	11	7	8	6	11	2	11
Diabetes mellitus (57)	146	13	6	14	16	10	15	14	11	11	13	7	16
Cerebral hemorrhage and softening (74, 83)	863	76	68	79	81	76	65	70	63	65	71	72	77
Other [organic] diseases of the heart (90)	1,368	128	110	142	137	120	120	102	88	97	103	110	111
Bronchitis (99)	53	4	7	5	9	5	2	5	2	3	3	6	2
Broncho-pneumonia (100)	257	33	27	27	26	26	27	14	8	7	17	19	26
Pneumonia (101)	325	39	30	41	37	28	17	18	15	14	25	26	35
Diarrhea and enteritis [under 2 years] (113)	60	4	1	3	3	3	4	4	6	12	14	4	2
Diarrhea and enteritis [2 years and over] (114)	64	6	4	5	1	5	5	5	7	14	4	5	3
Nephritis (128, 129)	653	55	56	66	56	50	65	60	48	38	51	60	48
Puerperal septicemia (146)	48	2	8	2	4	5	5	4	3	4	2	4	5
Other puerperal causes (143–145, 147–150)	64	2	7	7	8	4	9	5	6	5	3	4	4
Suicide (165–174)	168	12	13	11	16	9	14	20	17	14	17	7	18
Automobile accidents [1] (188c)	144	7	5	9	9	18	6	16	14	12	11	23	14
Automobile and railroad-train collision (part 188a)	8							2	4	1	1		
Automobile and street-car collision (part 188b)	13			1	1	1	6	1			3		
Other external causes (175–187, part 188a, b, 188d–203)	641	44	34	50	57	54	58	74	53	63	67	45	42
All other causes	3,693	351	295	346	326	314	294	277	275	302	299	276	338
PENNSYLVANIA, all causes	115,745	10,827	10,162	11,421	10,487	9,670	8,922	7,915	8,792	8,791	9,310	9,197	10,251
Typhoid and paratyphoid fever (1)	451	37	18	23	15	16	22	26	64	69	86	42	33
Malaria (5)	8		1	1	1	1		1		2			1
Smallpox (6)	29	3	2	1	16	5	1		1				
Measles (7)	503	26	46	49	73	77	64	22	36	20	5	35	50
Scarlet fever (8)	343	55	49	56	23	46	16	16	8	5	13	27	29
Whooping cough (9)	648	46	60	74	55	52	43	45	80	66	44	38	45
Diphtheria (10)	973	115	80	98	89	87	64	53	44	63	82	93	105
Influenza (11)	2,768	338	354	517	482	253	92	41	61	90	138	166	236
Dysentery (16)	119	3	2	1	1	2	5	8	36	38	16	4	3
Erysipelas (21)	281	40	33	40	31	37	15	17	12	12	11	10	23
Lethargic encephalitis (23)	132	12	8	18	14	9	8	8	11	4	12	14	14
Meningococcus meningitis (24)	79	6	7	10	10	5	5	4	6	2	9	10	5
Tuberculosis of the respiratory system (31)	6,233	528	528	621	604	587	515	508	479	434	450	452	527
Other forms of tuberculosis (32–37)	1,067	89	81	106	93	94	93	90	92	90	77	75	87
Diabetes mellitus (57)	1,724	182	156	157	138	154	128	123	129	113	139	141	164
Cerebral hemorrhage and softening (74, 83)	8,361	850	677	774	806	709	647	523	571	573	710	713	808
Other [organic] diseases of the heart (90)	16,475	1,536	1,487	1,619	1,433	1,388	1,275	1,038	1,127	1,064	1,403	1,445	1,660
Bronchitis (99)	744	85	105	115	82	46	44	20	35	37	50	54	71
Broncho-pneumonia (100)	4,815	609	668	681	481	362	215	159	193	209	298	446	494
Pneumonia (101)	7,103	994	907	961	850	548	356	193	230	256	433	625	750
Diarrhea and enteritis [under 2 years] (113)	3,981	172	165	189	179	162	185	309	738	975	563	199	145
Diarrhea and enteritis [2 years and over] (114)	714	37	29	36	34	32	46	75	127	164	62	41	31
Nephritis (128, 129)	9,871	963	830	927	855	837	819	766	693	673	796	809	903
Puerperal septicemia (146)	586	64	56	70	69	52	47	35	33	38	42	48	32
Other puerperal causes (143–145, 147–150)	796	69	64	79	77	62	57	59	68	65	79	60	57
Suicide (165–174)	997	83	70	80	77	92	104	64	101	104	61	76	85
Automobile accidents [1] (188c)	1,576	57	64	86	122	136	142	168	184	172	181	144	120
Automobile and railroad-train collision (part 188a)	59	3	1	5	4	4	5	4	4	7	6	11	5
Automobile and street-car collison (part 188b)	24	1	2	3	1	3	1		3	2	4	4	
Other external causes (175–187, part 188a, b, 188d–203)	6,961	593	537	563	500	569	861	664	569	485	501	545	574
All other causes	37,324	3,231	3,075	3,461	3,272	3,243	3,047	2,876	3,057	2,959	3,039	2,870	3,194

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND, all causes	8,226	759	654	797	780	720	661	583	655	557	652	646	762
Typhoid and paratyphoid fever (1)	20	4	2		1		1		3	2	1	4	2
Malaria (5)													
Smallpox (6)													
Measles (7)	36	2	1	4	3	4	4	2		1	2	2	11
Scarlet fever (8)	13	3	2		1	1	2	1				1	2
Whooping cough (9)	60	4	5	6	4	7	4	5	4	5	5	5	6
Diphtheria (10)	45	10	4	4	4	2	3	2	1	2		4	9
Influenza (11)	131	10	12	22	29	18	11	3	3	1	9	4	9
Dysentery (16)	4								1		1		2
Erysipelas (21)	19	1	4	5	2	2	1			1		2	1
Lethargic encephalitis (23)	7	1	1				1	1	1	1			1
Meningococcus meningitis (24)	6	1				1	3	1					
Tuberculosis of the respiratory system (31)	455	26	42	41	51	37	36	56	42	26	40	31	27
Other forms of tuberculosis (32–37)	108	10	7	12	9	11	9	11	11	10	6	5	7
Diabetes mellitus (57)	150	14	11	17	17	8	12	13	10	11	7	8	22
Cerebral hemorrhage and softening (74, 83)	683	71	48	69	58	59	64	52	42	43	52	50	75
Other [organic] diseases of the heart (90)	1,260	136	86	111	130	118	85	89	92	84	91	118	120
Bronchitis (99)	54	6	6	7	5	2	3	2	2	4	6	1	10
Broncho-pneumonia (100)	250	21	29	49	16	21	13	6	5	8	20	25	37
Pneumonia (101)	484	58	54	79	58	36	23	12	15	19	38	33	59
Diarrhea and enteritis [under 2 years] (113)	131	7	6	9	10	11	6	8	15	27	10	14	8
Diarrhea and enteritis [2 years and over] (114)	16		2	2	2	1	1	2	1	2	1	2	
Nephritis (128, 129)	802	77	65	67	72	80	71	49	48	67	67	67	72
Puerperal septicemia (146)	22	2	6	1	1	2	2	1	1	1	1	3	1
Other puerperal causes (143–145, 147–150)	53	5	3	5	7	3	5	6	4	2	4	5	4
Suicide (165–174)	57	4	2	5	3	6	5	2	8	4	9	4	5
Automobile accidents [1] (188c)	133	6	7	11	10	15	12	17	8	7	20	9	11
Automobile and railroad-train collision (part 188a)	5				4							1	
Automobile and street-car collision (part 188b)	3								2			1	
Other external causes (175–187, part 188a, b, 188d–203)	398	34	22	26	34	21	38	29	85	26	26	31	26
All other causes	2,821	246	227	245	249	254	246	213	251	203	236	216	235
SOUTH CAROLINA (WHITE), all causes	8,693	708	754	826	742	773	730	681	646	624	668	743	798
Typhoid and paratyphoid fever (1)	129	3	7	1	1	7	17	18	25	18	9	13	10
Malaria (5)	32	1	2		2	3	6	3	4	3	6	2	
Smallpox (6)	4	2						1	1				
Measles (7)	2								1				1
Scarlet fever (8)	7	2		1			1	2				1	
Whooping cough (9)	86	6	6	5	12	11	7	6	7	6	3	10	7
Diphtheria (10)	84	9	4	7	2	2	2	4	10	8	13	13	10
Influenza (11)	379	34	99	120	38	15	6	5	3		7	26	26
Dysentery (16)	81			1	9	16	11	8	7	7	12	8	2
Erysipelas (21)	13	2	1	1				3	2		4		
Lethargic encephalitis (23)	6		2				1	1					2
Meningococcus meningitis (24)	10			1	1		2		1		1	2	2
Tuberculosis of the respiratory system (31)	359	37	28	31	42	31	28	24	27	26	27	29	29
Other forms of tuberculosis (32–37)	29	4	2	8	2	3	1		2	2	3		2
Diabetes mellitus (57)	78	11	7	7	6	5	6	8	3	6	3	10	6
Cerebral hemorrhage and softening (74, 83)	652	64	58	66	56	60	44	41	37	45	57	51	73
Other [organic] diseases of the heart (90)	889	72	71	85	75	86	85	65	51	61	78	78	82
Bronchitis (99)	29	3	4	4	1	1	1	1	2	2	3	3	4
Broncho-pneumonia (100)	159	20	20	19	10	12	6	6	9	7	14	19	17
Pneumonia (101)	389	54	52	63	43	16	17	8	9	18	18	34	57
Diarrhea and enteritis [under 2 years] (113)	346	9	7	3	27	71	50	44	35	29	36	22	13
Diarrhea and enteritis [2 years and over] (114)	55	2	2	1	6	13	2	9	6	4	1	6	3
Nephritis (128, 129)	921	72	67	97	71	76	72	75	75	64	63	82	107
Puerperal septicemia (146)	32	3	2		3	3	3	3	4	3	2	1	5
Other puerperal causes (143–145, 147–150)	143	8	13	14	15	13	13	18	14	9	11	11	4
Suicide (165–174)	49	8	6	4	6	3	3	3	4	4	2	2	4
Automobile accidents [1] (188c)	116	7	3	6	10	5	11	13	11	12	15	12	11
Automobile and railroad-train collision (part 188a)	14				2	2	1		2	4			3
Automobile and street-car collision (part 188b)	1	1											
Other external causes (175–187, part 188a, b, 188d–203)	459	37	40	30	32	30	42	47	34	28	40	34	65
All other causes	3,140	237	251	251	270	289	292	265	260	258	240	274	253
SOUTH CAROLINA (COLORED), all causes	13,297	1,077	1,012	1,160	1,179	1,305	1,175	1,173	1,012	1,037	1,053	1,016	1,098
Typhoid and paratyphoid fever (1)	354	15	4	7	11	29	49	58	61	43	37	20	20
Malaria (5)	151	6	6	6	5	14	23	15	21	25	14	7	9
Smallpox (6)	3		1	1	1								
Measles (7)	4					1		1		1	1		
Scarlet fever (8)													
Whooping cough (9)	115	6	13	10	14	15	17	11	7	2	6	7	7
Diphtheria (10)	43	3	1	4	3			2	8	6	6	5	5
Influenza (11)	486	59	89	121	73	36	10	4	4	3	9	30	48
Dysentery (16)	130	7	4	3	18	31	19	12	8	8	8	8	4
Erysipelas (21)	2									1		1	
Lethargic encephalitis (23)	4		1			1	1				1		
Meningococcus meningitis (24)	3					1			1		1		
Tuberculosis of the respiratory system (31)	1,220	114	102	108	113	126	98	105	100	63	100	85	106
Other forms of tuberculosis (32–37)	85	4	5	8	8	4	6	10	4	12	6	12	6
Diabetes mellitus (57)	59	8	4	2	8	6	3	3		2	10	5	8
Cerebral hemorrhage and softening (74, 83)	653	60	49	51	64	58	48	45	49	49	65	65	50
Other [organic] diseases of the heart (90)	1,263	99	93	114	107	103	95	113	99	106	109	119	106
Bronchitis (99)	22	2	2	1	2	2	2	2	2	2		1	4
Broncho-pneumonia (100)	199	24	20	32	23	17	8	5	7	6	17	15	25
Pneumonia (101)	647	91	83	87	62	53	30	21	18	23	29	61	89
Diarrhea and enteritis [under 2 years] (113)	417	17	12	28	45	71	56	63	35	35	32	13	10
Diarrhea and enteritis [2 years and over] (114)	93	2		2	6	17	14	10	12	6	9	9	6
Nephritis (128, 129)	1,173	94	77	83	103	97	122	98	87	104	90	101	117
Puerperal septicemia (146)	79	6	6	7	8	6	5	10	9	8	6	1	7
Other puerperal causes (143–145, 147–150)	235	13	15	18	17	34	22	15	21	28	27	16	9
Suicide (165–174)	9		2			1		2		1	1	2	
Automobile accidents [1] (188c)	63	3	1	2	6	6	10	6	8	4	11	2	4
Automobile and railroad-train collision (part 188a)	2		1						1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	669	53	56	67	43	46	53	63	58	71	49	49	61
All other causes	5,114	391	365	398	439	530	484	499	392	428	409	382	397

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE (WHITE), all causes	19,404	1,746	1,610	1,860	1,620	1,537	1,631	1,617	1,438	1,427	1,588	1,609	1,721
Typhoid and paratyphoid fever (1)	466	14	12	7	7	9	33	56	71	79	78	71	29
Malaria (5)	91	6	3	3	4	7	8	6	17	17	13	2	5
Smallpox (6)	3	1			2								
Measles (7)	49	1	6	3	4	4	8	7	3	3		3	7
Scarlet fever (8)	28	3	2	4		4		1	1	5	3	2	3
Whooping cough (9)	135	9	17	8	10	12	19	19	8	5	7	12	9
Diphtheria (10)	163	19	6	10	8	2	4	5	7	15	32	37	18
Influenza (11)	885	121	146	220	154	48	25	13	6	7	16	39	90
Dysentery (16)	151	5	1	3	5	24	30	25	17	18	12	7	4
Erysipelas (21)	40	4	4	4	11		2	1	5	2	1	2	4
Lethargic encephalitis (23)	20		1	2	1	1	3	1	1	3	3	2	2
Meningococcus meningitis (24)	24	2		1	3	4	2		5	1	1	2	3
Tuberculosis of the respiratory system (31)	1,829	161	176	179	189	150	166	133	132	138	127	138	140
Other forms of tuberculosis (32–37)	273	14	21	22	33	33	20	24	34	20	20	15	17
Diabetes mellitus (57)	152	9	7	15	25	11	11	12	10	11	8	16	17
Cerebral hemorrhage and softening (74, 83)	981	93	71	91	87	90	70	69	84	61	90	89	86
Other [organic] diseases of the heart (90)	1,637	146	124	143	133	157	133	126	118	131	125	146	155
Bronchitis (99)	68	10	12	4	3	4	3	5	1	4	8	7	7
Broncho-pneumonia (100)	537	75	52	82	40	28	26	18	11	28	33	59	85
Pneumonia (101)	811	133	118	101	78	40	23	18	29	27	37	84	123
Diarrhea and enteritis [under 2 years] (113)	735	17	10	9	18	71	147	149	92	76	78	40	28
Diarrhea and enteritis [2 years and over] (114)	262	8	5	7	14	34	62	37	27	20	26	15	7
Nephritis (128, 129)	1,229	121	114	120	97	114	73	107	87	80	112	98	106
Puerperal septicemia (146)	103	15	11	12	5	10	8	5	7	10	8	5	7
Other puerperal causes (143–145, 147–150)	196	20	21	24	20	22	15	18	12	8	14	10	12
Suicide (165–174)	149	12	12	13	12	10	10	18	13	12	15	10	12
Automobile accidents [1] (188c)	217	19	11	15	14	12	13	21	20	18	31	20	23
Automobile and railroad-train collision (part 188a)	20	2			2	4		1	1	6	1	2	1
Automobile and street-car collision (part 188b)	2										1		1
Other external causes (175–187, part 188a, b, 188d–203)	1,167	86	77	107	84	83	110	121	82	97	98	102	120
All other causes	6,981	620	570	651	557	549	607	601	537	525	590	574	600
TENNESSEE (COLORED), all causes	8,430	693	690	855	709	759	742	760	621	622	628	680	671
Typhoid and paratyphoid fever (1)	187	5	2	8	7	11	10	35	23	33	27	16	10
Malaria (5)	64	2		1	2	3	5	13	4	14	9	8	3
Smallpox (6)	2			1						1			
Measles (7)	11	1			2	5	2					1	
Scarlet fever (8)	6			1	1	1			1	1		1	
Whooping cough (9)	50	1	3	2	4	10	7	6		6	4	3	4
Diphtheria (10)	23	3	3	1	1	1		3	3	4	2	1	1
Influenza (11)	459	43	70	105	79	46	22	9	6	5	10	27	37
Dysentery (16)	56	2	1	3	1	4	16	10	6	5	4	3	1
Erysipelas (21)	4	1	1										2
Lethargic encephalitis (23)	2	1		1									
Meningococcus meningitis (24)	9	1		1		1		3		1		2	
Tuberculosis of the respiratory system (31)	1,119	83	75	121	122	134	84	116	77	68	74	79	86
Other forms of tuberculosis (32–37)	147	4	10	10	15	16	17	17	13	8	10	12	15
Diabetes mellitus (57)	42	7	3	3	1	7	1	4	2	1	8	1	4
Cerebral hemorrhage and softening (74, 83)	331	26	26	22	25	36	29	23	26	18	36	34	30
Other [organic] diseases of the heart (90)	860	60	57	81	73	79	84	85	72	65	76	72	56
Bronchitis (99)	29	1	2	5	2	2	2	4		1	1	5	4
Broncho-pneumonia (100)	306	37	46	45	24	23	20	13	12	12	17	34	23
Pneumonia (101)	452	60	65	79	52	21	15	18	12	12	19	48	51
Diarrhea and enteritis [under 2 years] (113)	184	1	5	1	7	19	51	29	23	25	19	2	2
Diarrhea and enteritis [2 years and over] (114)	59	4	3	4	3	4	13	4	5	9	4	5	1
Nephritis (128, 129)	591	46	49	53	37	56	56	71	43	42	42	48	48
Puerperal septicemia (146)	59	2	3	7	5	7	6	6	6	5	3	5	4
Other puerperal causes (143–145, 147–150)	84	10	3	9	2	9	15	6	10	9	1	4	6
Suicide (165–174)	9	1	1	1		1	1	2				1	1
Automobile accidents [1] (188c)	61	5	3	9	5	3	1	6	4	6	8	3	8
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	586	44	43	48	52	45	46	51	46	63	36	41	71
All other causes	2,637	242	216	233	187	215	239	226	227	208	217	224	203
UTAH, all causes	4,484	457	376	409	374	374	346	319	328	336	374	375	416
Typhoid and paratyphoid fever (1)	26	1			1	1	2	2	2	7	3	6	1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4	1	1							1			1
Whooping cough (9)	35		2		6	9	3	1	2	1	6	2	3
Diphtheria (10)	49	2	2	2	4	4	1	2	4	7	3	14	4
Influenza (11)	128	21	14	23	25	13	6	1	2	3	5	8	7
Dysentery (16)	5							1	1	1	1	1	
Erysipelas (21)	16	2	3	2			1				1	2	5
Lethargic encephalitis (23)	10	2	1	1	3			1	1	1			
Meningococcus meningitis (24)	27	10	1	1		2	2	4	2	1			4
Tuberculosis of the respiratory system (31)	128	11	17	16	13	10	5	3	8	9	17	9	10
Other forms of tuberculosis (32–37)	21	2	2	2	3	1	3	1	2	1		2	2
Diabetes mellitus (57)	53	3	1	3	9	3	2	6	4	5	2	6	9
Cerebral hemorrhage and softening (74, 83)	237	20	23	18	20	11	23	10	27	16	20	29	20
Other [organic] diseases of the heart (90)	499	47	36	56	44	41	32	34	36	43	41	39	50
Bronchitis (99)	16	5	2	2					1		2	3	1
Broncho-pneumonia (100)	191	46	38	17	7	11	9	3	5	8	14	13	20
Pneumonia (101)	201	32	19	21	19	12	14	7	6	7	18	16	30
Diarrhea and enteritis [under 2 years] (113)	69	4	1	3	5	4	2	8	6	17	9	4	6
Diarrhea and enteritis [2 years and over] (114)	23	3			2	3		2	1	4	4	2	2
Nephritis (128, 129)	352	34	34	35	41	25	23	22	27	25	22	31	33
Puerperal septicemia (146)	21	1	1	1	1		1	4	5	2	3	2	
Other puerperal causes (143–145, 147–150)	50	5	2	1	4	6	6	5	2	4	5	2	8
Suicide (165–174)	53	3	5	10	1	3	4	4	5	6	4	5	3
Automobile accidents [1] (188c)	89	3	2	2	5	9	7	13	11	6	17	5	9
Automobile and railroad-train collision (part 188a)	7								1	3		3	
Automobile and street-car collision (part 188b)	3											1	2
Other external causes (175–187, part 188a, b, 188d–203)	336	21	28	24	16	40	30	43	21	38	22	27	26
All other causes	1,835	178	141	169	145	166	170	142	146	120	155	143	160

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT, all causes	5,137	451	414	490	465	481	404	360	369	376	422	433	472
Typhoid and paratyphoid fever (1)	10	4		1		1				3			1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	15	4			1	2						5	3
Whooping cough (9)	17	2	2		2		1	1		1	2	1	5
Diphtheria (10)	26	1	4	2	5	4	1			2	2	2	3
Influenza (11)	171	14	12	39	22	25	12	4	3	7	5	12	16
Dysentery (16)	1						1						
Erysipelas (21)	9	1		2	1	1	1	2					1
Lethargic encephalitis (23)	3	1		1								1	
Meningococcus meningitis (24)	4	1	1		1						1		
Tuberculosis of the respiratory system (31)	203	13	18	17	22	25	24	9	10	13	21	16	15
Other forms of tuberculosis (32–37)	48	4	2	5	2	8	3	4	6	4	6	3	1
Diabetes mellitus (57)	76	7	9	6	8	4	3	7	5	4	9	10	4
Cerebral hemorrhage and softening (74, 83)	530	42	55	51	53	55	39	40	34	32	33	43	53
Other [organic] diseases of the heart (90)	825	71	79	79	71	83	60	55	50	60	80	62	66
Bronchitis (99)	33	2	3		6	3	1	5	1	5	3	3	1
Broncho-pneumonia (100)	143	15	16	15	24	11	7	5	5	4	7	11	23
Pneumonia (101)	191	26	12	27	22	26	8	4	4	7	8	21	26
Diarrhea and enteritis [under 2 years] (113)	48	5	3	4	4	3	1	2	8	10	4	2	2
Diarrhea and enteritis [2 years and over] (114)	17				1	1	1	2	2	3	2	3	2
Nephritis (128, 129)	464	41	27	38	39	47	38	44	35	40	43	30	42
Puerperal septicemia (146)	15	3	1			2		2	1	1		2	3
Other puerperal causes (143–145, 147–150)	36	4	6	5	2	3	3		3	4	4	1	1
Suicide (165–174)	49	1	5	2	8	2	5	2	4	2	8	4	6
Automobile accidents [1] (188c)	56	1				4	9	8	6	11	7	6	4
Automobile and railroad-train collision (part 188a)	1											1	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	224	19	17	18	13	15	30	18	20	12	17	27	18
All other causes	1,922	169	142	178	158	156	156	146	163	151	160	167	176
VIRGINIA (WHITE), all causes	17,523	1,636	1,634	1,680	1,522	1,403	1,316	1,398	1,313	1,220	1,437	1,439	1,525
Typhoid and paratyphoid fever (1)	174	8	3	3	5	17	12	26	31	18	24	17	10
Malaria (5)	10			1		1	1	1	1	1	2	2	
Smallpox (6)	1									1			
Measles (7)	48	7	11	6	2	4	4	5	1	1	1	2	4
Scarlet fever (8)	35	5	2	6	2	2	1	2	2	3	2	3	5
Whooping cough (9)	131	10	19	9	19	7	8	8	18	14	12	4	3
Diphtheria (10)	164	13	14	9	2	7	1	5	12	11	31	36	23
Influenza (11)	596	99	126	132	86	34	14	12	5	8	13	25	42
Dysentery (16)	124	1	1	1	3	8	22	29	19	20	12	6	2
Erysipelas (21)	40	3	2	6	5	3	1		2	2	4	8	4
Lethargic encephalitis (23)	20	1	3	3	4	1	1		1	1	3	1	1
Meningococcus meningitis (24)	20	2	2	2	1	3	2	1		1		3	3
Tuberculosis of the respiratory system (31)	1,134	104	101	105	110	97	74	91	101	81	88	85	97
Other forms of tuberculosis (32–37)	165	23	12	14	20	13	12	14	17	11	13	8	8
Diabetes mellitus (57)	199	23	21	18	15	13	15	18	14	6	25	19	12
Cerebral hemorrhage and softening (74, 83)	1,195	127	101	112	89	97	93	106	73	75	92	118	112
Other [organic] diseases of the heart (90)	2,198	204	186	223	192	205	174	150	166	137	170	183	208
Bronchitis (99)	81	8	7	12	7	1	5	4	2	4	12	8	11
Broncho-pneumonia (100)	432	62	70	66	36	25	15	6	12	17	34	37	52
Pneumonia (101)	620	92	95	109	63	42	17	12	18	13	24	58	77
Diarrhea and enteritis [under 2 years] (113)	567	4	12	9	12	20	75	114	98	106	81	24	12
Diarrhea and enteritis [2 years and over] (114)	168	6	5	6	8	11	20	38	26	13	19	8	8
Nephritis (128, 129)	1,681	148	162	157	155	126	127	135	103	109	150	147	162
Puerperal septicemia (146)	64	4	8	7	9	7	4	5	3	3	5	5	4
Other puerperal causes (143–145, 147–150)	159	17	22	14	16	6	16	14	12	14	6	8	14
Suicide (165–174)	142	10	13	9	13	14	11	10	17	9	9	11	16
Automobile accidents [1] (188c)	190	7	11	17	18	12	9	17	21	16	21	13	28
Automobile and railroad-train collision (part 188a)	9			3	1			3			1		1
Automobile and street-car collision (part 188b)	2						1				1		
Other external causes (175–187, part 188a, b, 188d–203)	950	91	68	77	71	78	83	85	82	71	90	77	77
All other causes	6,204	557	557	544	558	549	498	487	456	454	492	523	529
VIRGINIA (COLORED), all causes	11,820	1,118	1,000	1,109	983	1,030	989	1,031	942	833	935	899	951
Typhoid and paratyphoid fever (1)	128	4	2	3	4	10	9	20	16	19	23	14	4
Malaria (5)	35		2	1	2		3	1	11	8	4	2	1
Smallpox (6)	2					1		1					
Measles (7)	28	2	7	5	2	4	1	1	2	2	1		1
Scarlet fever (8)	6		3	1						1	1		
Whooping cough (9)	122	14	10	14	11	14	14	9	15	6	6	7	2
Diphtheria (10)	74	6	5	5	7	2	4	2	8	10	12	7	6
Influenza (11)	458	84	99	92	55	37	10	8	4	8	13	17	31
Dysentery (16)	72	2	1	1	1	6	12	16	15	10	4	2	2
Erysipelas (21)	4			2		1						1	
Lethargic encephalitis (23)	10		1	1	1	2		2	1	1	1		
Meningococcus meningitis (24)	5	1		1	1					1			1
Tuberculosis of the respiratory system (31)	1,273	118	95	124	117	114	107	96	110	87	109	105	91
Other forms of tuberculosis (32–37)	143	12	8	10	12	12	19	11	17	15	11	8	8
Diabetes mellitus (57)	70	7	9	5	5	5	6	3	4	5	3	9	9
Cerebral hemorrhage and softening (74, 83)	879	72	70	70	87	81	71	82	68	59	61	78	80
Other [organic] diseases of the heart (90)	1,382	135	96	149	108	136	115	111	113	80	113	104	122
Bronchitis (99)	49	7	7	2	6	7	5	4	1	3	3	2	2
Broncho-pneumonia (100)	344	40	48	33	39	21	12	14	9	13	31	29	55
Pneumonia (101)	548	76	99	68	40	51	28	13	15	18	27	40	73
Diarrhea and enteritis [under 2 years] (113)	412	9	8	8	5	26	79	96	53	55	54	11	8
Diarrhea and enteritis [2 years and over] (114)	92	4	4	6	4	8	12	17	13	8	6	5	5
Nephritis (128, 129)	1,041	86	80	89	92	88	95	97	96	84	80	89	65
Puerperal septicemia (146)	58	5	4	11	2	4	6	6	1	5	4	7	3
Other puerperal causes (143–145, 147–150)	148	13	13	17	13	16	11	13	15	9	8	13	7
Suicide (165–174)	16	1		1		2		3	2	2	2	1	2
Automobile accidents [1] (188c)	81	6	2	4	9	8	6	5	10	9	9	7	6
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	592	61	41	60	54	38	55	48	33	30	42	55	75
All other cuases	3,747	353	286	326	306	336	309	352	310	285	307	286	291

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, all causes	15,280	1,372	1,195	1,332	1,441	1,353	1,196	1,156	1,196	1,203	1,288	1,239	1,309
Typhoid and paratyphoid fever (1)	53	5	3	4	4	7	4	13	7	4	2		
Malaria (5)	3	1		1				1					
Smallpox (6)	4		1								2	1	
Measles (7)	3	1	1			1							
Scarlet fever (8)	26	3	5	2	1	2	2	1	1	1	1	2	5
Whooping cough (9)	88	1	4	3	7	11	18	9	14	9	4	3	5
Diphtheria (10)	97	13	9	4	11	7	5	5	12	7	6	13	5
Influenza (11)	342	20	18	37	69	50	26	16	13	17	21	27	28
Dysentery (16)	24	1	1	1			5	1	6	6	3		
Erysipelas (21)	31	1	6	4	3	3	3	2	1	2	2	1	3
Lethargic encephalitis (23)	57	8	3	1	1	3	7	6	6	5	5	5	7
Meningococcus meningitis (24)	41	1	1		7	6	1	3	3			7	12
Tuberculosis of the respiratory system (31)	1,010	84	85	107	102	108	80	67	83	80	85	62	67
Other forms of tuberculosis (32–37)	185	14	14	16	21	26	22	8	14	12	10	14	14
Diabetes mellitus (57)	236	14	16	24	23	19	24	21	14	21	20	16	24
Cerebral hemorrhage and softening (74, 83)	1,201	107	116	121	118	88	99	82	99	85	96	87	103
Other [organic] diseases of the heart (90)	1,970	190	154	200	169	146	166	150	144	141	171	164	175
Bronchitis (99)	49	6	2	7	1	4	1	3	4	2	7	6	6
Broncho-pneumonia (100)	352	36	33	39	33	36	23	16	13	19	30	43	31
Pneumonia (101)	527	73	50	41	65	46	31	18	8	26	55	50	64
Diarrhea and enteritis [under 2 years] (113)	133	14	2	5	6	12	7	13	15	19	23	10	7
Diarrhea and enteritis [2 years and over] (114)	73	5	1	6	6	4	3	10	17	9	7	4	1
Nephritis (128, 129)	1,080	108	76	84	96	90	76	84	104	80	93	98	91
Puerperal septicemia (146)	59	5	7	7	6	7	8	7	1	5	1	4	1
Other puerperal causes (143–145, 147–150)	90	14	4	6	8	8	6	8	7	9	4	7	9
Suicide (165–174)	318	17	21	25	37	28	24	33	22	25	26	26	34
Automobile accidents [1] (188c)	299	19	28	24	25	16	18	24	36	31	28	21	29
Automobile and railroad-train collision (part 188a)	27	2	4	4	1	2	1	5	1	2	1	2	2
Automobile and street-car collision (part 188b)	6		1						4			1	
Other external causes (175–187, part 188a, b, 188d–203)	1,151	90	76	73	102	106	96	129	90	111	94	84	100
All other causes	5,745	524	452	487	518	525	439	428	459	466	488	476	483
WEST VIRGINIA, all causes	17,154	1,498	1,291	1,519	1,407	1,313	1,166	1,463	1,528	1,538	1,556	1,379	1,496
Typhoid and paratyphoid fever (1)	334	16	20	12	9	9	20	27	35	39	73	36	38
Malaria (5)	1				1								
Smallpox (6)	2					1					1		
Measles (7)	55	7	6	4	9	14	4	2	2	1	2		4
Scarlet fever (8)	46	2	3	3	7	2	3	2	3	8	2	6	5
Whooping cough (9)	177	19	12	27	12	13	5	26	13	18	11	9	12
Diphtheria (10)	172	23	8	9	8	5	4	9	5	11	29	36	25
Influenza (11)	399	40	42	64	83	29	17	10	14	6	12	30	52
Dysentery (16)	213					1	8	39	45	71	46	2	1
Erysipelas (21)	29	3	5	4	1	2	2		1		2	5	4
Lethargic encephalitis (23)	12	2		1	3	1		2	1	2			
Meningococcus meningitis (24)	18	1	2	2		2		4	3	1		2	1
Tuberculosis of the respiratory system (31)	1,094	89	94	97	97	111	92	86	86	81	86	83	92
Other forms of tuberculosis (32–37)	163	11	9	16	15	12	13	15	12	16	18	13	13
Diabetes mellitus (57)	142	17	11	14	19	14	9	6	8	7	13	13	11
Cerebral hemorrhage and softening (74, 83)	889	90	80	67	83	50	66	67	70	71	80	78	87
Other [organic] diseases of the heart (90)	1,564	141	132	143	150	140	129	119	124	92	128	113	153
Bronchitis (99)	49	12	3	5	7	2	2	2	2	1	4	5	4
Broncho-pneumonia (100)	586	81	69	79	53	36	19	15	26	21	44	60	83
Pneumonia (101)	708	93	112	105	84	42	23	17	16	24	47	59	86
Diarrhea and enteritis [under 2 years] (113)	1,348	29	21	46	36	36	68	208	304	315	208	43	34
Diarrhea and enteritis [2 years and over] (114)	221	6	7	8	11	6	13	35	32	48	26	17	12
Nephritis (128, 129)	1,066	98	82	94	83	100	77	79	73	77	89	114	100
Puerperal septicemia (146)	116	10	18	7	9	8	9	7	13	6	10	12	7
Other puerperal causes (143–145, 147–150)	171	21	18	13	16	13	9	15	14	7	10	15	20
Suicide (165–174)	109	10	6	13	10	12	4	9	10	8	15	7	5
Automobile accidents [1] (188c)	208	8	7	16	11	14	19	23	28	27	19	17	19
Automobile and railroad-train collision (part 188a)	8	1	1				3	1				1	1
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	1,651	165	113	152	121	115	123	151	136	146	147	149	133
All other causes	5,602	503	410	518	469	522	425	487	452	434	434	454	494
WISCONSIN, all causes	29,380	2,460	2,379	2,872	3,005	2,658	2,235	2,270	2,137	2,262	2,439	2,276	2,387
Typhoid and paratyphoid fever (1)	56	5	1	4	2	7	2	3	5	7	5	9	6
Malaria (5)													
Smallpox (6)	134	9	10	7	16	50	28	13		1			
Measles (7)	62	4	4	9	5	12	6	7	3	1	3	4	4
Scarlet fever (8)	105	14	17	14	17	8	6	7	2	2	2	3	13
Whooping cough (9)	128	13	14	11	9	13	6	18	13	9	9	9	4
Diphtheria (10)	177	19	11	22	16	9	8	18	12	10	18	17	17
Influenza (11)	805	77	53	124	221	130	41	16	14	24	37	28	40
Dysentery (16)	50		1	1	1	2	4	3	5	17	12	2	2
Erysipelas (21)	57	7	5	7	8	4	2	3	6	6		3	6
Lethargic encephalitis (23)	47	5	5	4	7	6	4	2	2	2	4	4	2
Meningococcus meningitis (24)	8	1		1	3	1		1					1
Tuberculosis of the respiratory system (31)	1,517	132	113	142	155	147	147	130	103	107	108	113	120
Other forms of tuberculosis (32–37)	235	27	18	24	19	20	14	19	24	19	13	17	21
Diabetes mellitus (57)	527	53	41	44	60	49	28	41	37	39	44	44	47
Cerebral hemorrhage and softening (74, 83)	2,272	187	171	229	203	199	174	164	187	153	201	195	209
Other [organic] diseases of the heart (90)	4,171	369	323	378	413	360	327	337	298	295	374	316	381
Bronchitis (99)	234	29	19	28	29	27	9	15	6	10	24	20	18
Broncho-pneumonia (100)	927	95	106	155	143	75	39	32	29	39	67	68	79
Pneumonia (101)	1,412	154	139	222	207	146	79	47	51	45	78	107	137
Diarrhea and enteritis [under 2 years] (113)	591	37	44	44	34	30	40	34	54	140	72	40	22
Diarrhea and enteritis [2 years and over] (114)	219	7	9	5	10	2	10	12	41	74	28	8	13
Nephritis (128, 129)	1,881	120	170	183	188	175	160	141	156	139	169	160	140
Puerperal septicemia (146)	92	9	14	8	7	5	8	8	7	7	5	3	11
Other puerperal causes (143–145, 147–150)	208	13	23	17	29	20	17	12	15	19	23	10	10
Suicide (165–174)	371	29	25	29	38	36	47	36	37	30	26	16	22
Automobile accidents [1] (188c)	397	9	7	15	32	32	24	47	45	54	49	49	34
Automobile and railroad-train collision (part 188a)	38	4	2	6	4	3	2	2		3	1	9	2
Automobile and street-car collision (part 188b)	4									1	3		
Other external causes (175–187, part 188a, b, 188d–203)	1,441	95	102	108	117	106	154	164	127	122	121	125	100
All other causes	11,214	937	932	1,031	1,012	984	849	938	878	887	943	897	926

[1] Excludes collision with railroad trains and street cars.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN EACH REGISTRATION STATE: 1925—Continued

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING, all causes	1,896	147	136	155	171	178	130	171	169	170	184	135	150
Typhoid and paratyphoid fever (1)	21	1	1	5	2			1	6		2	1	2
Malaria (5)	1						1						
Smallpox (6)	1						1						
Measles (7)													
Scarlet fever (8)	12	2	1	1	3	2		1	1			1	
Whooping cough (9)	5				2	1			1		1		
Diphtheria (10)	12	1	2		2	3	1	1	1	1			
Influenza (11)	72	3	7	8	11	18	4	5	4	1	8	1	2
Dysentery (16)	5								3	1	1		
Erysipelas (21)	2			1		1							
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	4								1			3	
Tuberculosis of the respiratory system (31)	57	6	4	4	5	6	3	2	4	5	5	4	9
Other forms of tuberculosis (32–37)	14	1	1	3	1			4	1		1		2
Diabetes mellitus (57)	21	2	3	2	1	2	1	2	3	2	2	1	
Cerebral hemorrhage and softening (74, 83)	86	11	6	4	7	9	5	9	5	10	8	4	8
Other [organic] diseases of the heart (90)	194	16	12	10	15	18	13	20	25	18	16	10	21
Bronchitis (99)	8	2			1	2	1	1	1				
Broncho-pneumonia (100)	53	9	8	8	4	3	2	3	2	4	2	5	3
Pneumonia (101)	64	6	8	3	3	5	2	5	1	3	10	8	10
Diarrhea and enteritis [under 2 years] (113)	45			2	2	4	1	4	8	11	8	4	1
Diarrhea and enteritis [2 years and over] (114)	14						2	1	7	2	2		
Nephritis (128, 129)	81	7	3	8	6	10	8	4	3	6	6	9	11
Puerperal septicemia (146)	18	1		3		3	3	1	1		1	1	4
Other puerperal causes (143–145, 147–150)	28	2	3	4	2	4		7	1		3	1	1
Suicide (165–174)	46	5	2	8	5	8	3	4		3	5	2	1
Automobile accidents [1] (188c)	67	1	7	1	4	3	5	12	8	14	5	6	1
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	211	13	13	18	19	12	18	29	24	15	25	16	9
All other causes	752	58	55	62	76	64	56	55	58	72	73	58	65

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I A.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date are shown by color]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BIRMINGHAM, ALA. (WHITE), all causes	1,583	158	141	149	126	134	147	97	112	115	117	132	155
Typhoid and paratyphoid fever (1)	7					3			1	2			1
Malaria (5)	1								1				
Smallpox (6)	1		1										
Measles (7)													
Scarlet fever (8)	5		1	1	1					1		1	
Whooping cough (9)	4				2	2							
Diphtheria (10)	7	2				2	1	1				1	
Influenza (11)	71	12	19	14	5	4			1	1	3	6	6
Dysentery (16)	5	2							1	1	1		
Erysipelas (21)	4		1			1	2						
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)	4	1		1			1					1	
Tuberculosis of the respiratory system (31)	45	5	2	7	5	5	3	3	5	4	2		4
Other forms of tuberculosis (32–37)	19	3	2	2	3	1	1	1	3	1	1	1	
Diabetes mellitus (57)	22	3	1	2	3	1	2		2		4	3	1
Cerebral hemorrhage and softening (74, 83)	102	10	11	8	10	6	8	6	3	6	12	8	14
Other [organic] diseases of the heart (90)	114	15	11	12	6	9	11	8	6	8	9	4	15
Bronchitis (99)	6	2		2			1						1
Broncho-pneumonia (100)	41	5	4	1	4	4	2	2	2		2	5	10
Pneumonia (101)	102	17	15	13	7	6	2	2	6	3	4	9	18
Diarrhea and enteritis [under 2 years] (113)	37			2	1	5	9	6		2	6	5	1
Diarrhea and enteritis [2 years and over] (114)	10	1		1		1	4		1		1		1
Nephritis (128, 129)	124	12	14	8	5	8	14	9	8	7	12	16	11
Puerperal septicemia (146)	14	1		1		2	5			1		2	2
Other puerperal causes (143–145, 147–150)	30	2	1	5	3	1	3	1	3	2	2	3	4
Suicide (165–174)	26	4	2	3	3	6				6		1	1
Automobile accidents [1] (188c)	27	2	2	2		1	2	4	4	5		3	2
Automobile and railroad-train collision (part 188a)	2	2											
Automobile and street-car collision (part 188b)	3							1			2		
Other external causes (175–187, part 188a, b, 188d–203)	114	11	6	12	7	11	10	9	10	7	15	5	11
All other causes	635	46	48	52	61	54	66	44	55	58	41	58	52
BIRMINGHAM, ALA. (COLORED), all causes	1,921	160	173	207	189	177	158	146	131	122	132	169	157
Typhoid and paratyphoid fever (1)	12		1	2				1	2	4		1	1
Malaria (5)	2						1				1		
Smallpox (6)	5		1	1	3								
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	13	1		1	1		1	1	3	1		3	1
Diphtheria (10)	5		1			1				1	2		
Influenza (11)	86	9	12	16	11	14	1	1	3	1	3	8	7
Dysentery (16)	1										1		
Erysipelas (21)	2						1			1			
Lethargic encephalitis (23)	1											1	
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	189	14	15	27	14	17	21	17	12	9	12	17	14
Other forms of tuberculosis (32–37)	35	2	4	3	7	3	5	2	1	2	1	3	2
Diabetes mellitus (57)	13	1	3		2	2				1	1	2	1
Cerebral hemorrhage and softening (74, 83)	76	5	6	8	7	8	10	5	8	3	7	6	3
Other [organic] diseases of the heart (90)	164	9	16	17	13	18	13	10	10	17	13	8	20
Bronchitis (99)	4	1			1	1							1
Broncho-pneumonia (100)	48	7	3	4	5	2	4	1	3	4	1	8	6
Pneumonia (101)	210	23	26	34	37	13	5	13	4	6	12	20	17
Diarrhea and enteritis [under 2 years] (113)	35	2			2	4	8	8	4	2	2	2	1
Diarrhea and enteritis [2 years and over] (114)	8			1		2		1	2		2		
Nephritis (128, 129)	99	9	16	9	7	11	4	9	6	7	7	6	8
Puerperal septicemia (146)	10	3			2	1		1		1		1	1
Other puerperal causes (143–145, 147–150)	15	1	3	1	2	1	2	3			1		1
Suicide (165–174)	2							1		1			
Automobile accidents [1] (188c)	24		2		1	2	2	4	5	2	1	1	4
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	182	17	14	24	8	15	14	20	11	15	13	14	17
All other causes	678	56	50	59	65	62	66	48	57	44	52	68	51
LOS ANGELES, CALIF. (WHITE), all causes	10,781	1,140	962	1,030	910	882	877	810	793	754	788	881	954
Typhoid and paratyphoid fever (1)	16	1				2		1	5	3	3		1
Malaria (5)	3	1		1				1					
Smallpox (6)	34	3	2	2	3	1		1	2	2	5	3	10
Measles (7)	12	2	2	1	2		2	1	1			1	
Scarlet fever (8)	13	3	1	1		1	1		1	1	1	2	2
Whooping cough (9)	95	9	8	8	9	11	15	13	14	4	3	1	
Diphtheria (10)	76	8	11	8	7	3	5	4	10	5	6	6	3
Influenza (11)	98	13	12	22	8	12	6	4	3	1	3	3	11
Dysentery (16)	21	1		3	3	2	2	1	1	3	2	1	2
Erysipelas (21)	16	2	2	1	1	1	3	1	1	2	1	1	
Lethargic encephalitis (23)	6	1			2			1			1		1
Meningococcus meningitis (24)	10	1	1		1	2			2	1		1	1
Tuberculosis of the respiratory system (31)	918	129	89	91	76	66	89	63	50	76	62	54	73
Other forms of tuberculosis (32–37)	162	10	12	9	25	13	20	12	13	11	17	11	9
Diabetes mellitus (57)	175	14	12	15	14	13	18	12	13	15	18	19	12
Cerebral hemorrhage and softening (74, 83)	623	66	47	72	63	56	47	41	38	39	44	44	66
Other [organic] diseases of the heart (90)	1,517	177	146	162	129	107	117	81	107	96	111	132	152
Bronchitis (99)	60	14	7	3	7	3	4	5	5	4	2	4	2
Broncho-pneumonia (100)	366	65	57	49	33	28	18	21	14	12	9	27	33
Pneumonia (101)	306	49	38	34	22	24	22	10	20	21	19	16	31
Diarrhea and enteritis [under 2 years] (113)	198	13	14	14	13	23	23	26	20	16	10	15	11
Diarrhea and enteritis [2 years and over] (114)	52	3	2	2	6	9	4	4	5	3	6	4	4
Nephritis (128, 129)	866	110	82	89	69	74	62	59	58	45	68	76	74
Puerperal septicemia (146)	43	6	1	4	4	4	3	3	3	1	5	3	6
Other puerperal causes (143–145, 147–150)	66	3	5	7	7	7	5	6	5	5	5	5	6
Suicide (165–174)	254	17	13	20	20	23	23	25	29	25	14	20	25
Automobile accidents [1] (188c)	246	15	27	29	12	15	26	18	17	17	18	29	23
Automobile and railroad-train collision (part 188a)	6	1	1	1			1				2		
Automobile and street-car collision (part 188b)	10				3	1		1		1	3		1
Other external causes (175–187, part 188a, b, 188d–203)	497	53	43	44	38	30	32	40	44	42	27	51	53
All other causes	4,016	350	327	338	333	351	330	355	312	303	323	352	342

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOS ANGELES, CALIF. (COLORED), all causes	694	61	47	59	50	78	62	56	62	54	48	53	64
Typhoid and paratyphoid fever (1)	1												1
Malaria (5)	1				1								
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)													
Whooping cough (9)	9	1		1		1	4	1		1			
Diphtheria (10)	3					2						1	
Influenza (11)	6					2		1			1	1	1
Dysentery (16)													
Erysipelas (21)	3						2		1				
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	111	8	8	11	7	10	8	13	7	12	5	10	12
Other forms of tuberculosis (32–37)	13		1	1	1		2	2	2	1	2	1	
Diabetes mellitus (57)	10	1	1	2	2	1	1		1	1			
Cerebral hemorrhage and softening (74, 83)	28	1	3	1	1	1		2	4	3	4	3	4
Other [organic] diseases of the heart (90)	49	5	3	3	3	6		6	5	4	2	6	6
Bronchitis (99)	6	2			1				1		1		1
Broncho-pneumonia (100)	23	3	1		2	5	1	3	2			4	2
Pneumonia (101)	31	4	2	6	1	6	1	1	2	1	4	3	
Diarrhea and enteritis [under 2 years] (113)	14	2			2		2	1	2	1	2		2
Diarrhea and enteritis [2 years and over] (114)	11			1	1	4		1	3		1		
Nephritis (128, 129)	59	2	4	4	5	11	8	4	9	3	2	4	3
Puerperal septicemia (146)	8	1	2		2		1			1		1	
Other puerperal causes (143–145, 147–150)	3							1		1		1	
Suicide (165–174)	9	1	1	1		1	1	1			1	2	
Automobile accidents [1] (188c)	12		2		1		1	1	1	2	1	1	2
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)	2										1	1	
Other external causes (175–187, part 188a, b, 188d–203)	36	4	6	4	1	2	3	2	3	4	2	2	3
All other causes	243	26	13	24	18	25	26	16	19	19	19	12	26
OAKLAND, CALIF., all causes	2,586	239	232	233	235	205	196	206	183	182	209	202	264
Typhoid and paratyphoid fever (1)	3				1				1		1		
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1							1					
Whooping cough (9)	21				3	6	3	5		2			2
Diphtheria (10)	13	1	2		1	4	2			1	1		1
Influenza (11)	39	3	4	6	5	2	6	1			2	2	8
Dysentery (16)	2							1	1				
Erysipelas (21)	7	1		2					1	2			1
Lethargic encephalitis (23)	5	1						2			1	1	
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	141	14	17	10	15	20	7	9	14	8	13	5	9
Other forms of tuberculosis (32–37)	18	2	2		3	3		1	1		2	1	3
Diabetes mellitus (57)	48	4	4	4	3	3	2	7	2	2	6	7	4
Cerebral hemorrhage and softening (74, 83)	214	26	13	15	16	17	16	18	19	14	20	14	26
Other [organic] diseases of the heart (90)	524	41	49	44	39	33	34	41	34	45	44	48	72
Bronchitis (99)	19	3	3	3				1	3		2	2	2
Broncho-pneumonia (100)	79	10	5	10	7	7	7	4	9	3	8	4	5
Pneumonia (101)	76	17	7	14	7	5	4	2	1	4	1	3	11
Diarrhea and enteritis [under 2 years] (113)	29	1	3	1	3	1	5		2	1	6	4	2
Diarrhea and enteritis [2 years and over] (114)	14			2	1	1			2	2	4	2	
Nephritis (128, 129)	205	22	18	19	19	16	20	14	11	15	7	22	22
Puerperal septicemia (146)	8	1	2		2	1		1				1	
Other puerperal causes (143–145, 147–150)	13		1	1	1		1	1		1	1	1	5
Suicide (165–174)	69	5	6	9	6	2	6	4	13	3	8	4	3
Automobile accidents [1] (188c)	44	5	1	4	6		1	3	4	4	6	4	6
Automobile and railroad-train collision (part 188a)	3	1								1			1
Automobile and street-car collision (part 188b)	3						2				1		
Other external causes (175–187, part 188a, b, 188d–203)	110	7	14	10	9	7	13	6	17	6	4	10	7
All other causes	877	74	81	79	88	77	67	84	48	68	71	67	73
SAN FRANCISCO, CALIF., all causes	7,397	738	571	657	688	610	589	553	542	563	590	602	694
Typhoid and paratyphoid fever (1)	12	3	1		1				2	1	2	2	
Malaria (5)													
Smallpox (6)	15	4	3	2	4	2							
Measles (7)	1	1											
Scarlet fever (8)	7	2		1	1	1	1			1			
Whooping cough (9)	29		3	4	4	7	7		3			1	
Diphtheria (10)	37	4	1	5	8	1	2	3	3	2	1	2	5
Influenza (11)	51	7	9	9	6	2	2	1	3	2	2	4	4
Dysentery (16)	2					1				1			
Erysipelas (21)	10	1		2		3		2		1	1		
Lethargic encephalitis (23)	14	1	1	2			2	3	1	2	1	1	
Meningococcus meningit s (24)	9	1		1		2	1		1		2		1
Tuberculosis of the respiratory system (31)	560	50	49	49	57	51	49	50	41	40	40	39	45
Other forms of tuberculosis (32–37)	84	7	5	12	10	9	10	5	3	3	7	9	4
Diabetes mellitus (57)	120	15	9	11	6	9	9	12	10	12	5	15	7
Cerebral hemorrhage and softening (74, 83)	456	50	32	38	49	38	35	42	39	21	34	41	37
Other [organic] diseases of the heart (90)	1,417	138	96	124	134	115	119	104	93	116	114	110	154
Bronchitis (99)	29	2	3	2	4	4	1	2	3	1		1	6
Broncho-pneumonia (100)	268	39	26	39	25	17	9	12	12	18	22	20	29
Pneumonia (101)	319	42	29	30	34	23	19	13	26	22	22	30	29
Diarrhea and enteritis [under 2 years] (113)	27	5	2	1	2	3	3	1	2	5	1	2	
Diarrhea and enteritis [2 years and over] (114)	14		1	2	1			2		4	2	2	
Nephritis (128, 129)	590	66	45	59	59	47	47	31	44	52	61	39	40
Puerperal septicemia (146)	21	1	2	1	3	2	1	1		2	4	2	2
Other puerperal causes (143–145, 147–150)	35	1	1	3	8	4	1	3	1	3	4	3	3
Suicide (165–174)	195	25	15	13	21	20	26	9	14	13	12	13	14
Automobile accidents [1] (188c)	105	11	8	9	8	9	10	10	14	6	4	6	10
Automobile and railroad-train collision (part 188a)	2											2	
Automobile and street-car collision (part 188b)	9						1		1	1	2	1	3
Other external causes (175–187, part 188a, b, 188d–203)	364	30	25	26	31	31	26	29	28	31	35	23	49
All other causes	2,595	232	205	212	212	209	208	218	198	203	212	234	252

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DENVER, COLO., all causes	4,136	364	339	381	403	342	322	320	354	308	329	317	357
Typhoid and paratyphoid fever (1)	14	1				1	1	3	3	1	1	3	
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	3		1		1		1						
Scarlet fever (8)	6	1	1	2		1					1		
Whooping cough (9)	17			1		1		3	2	4		1	5
Diphtheria (10)	45	8	5	2	6	8	3	3	3	3	3		1
Influenza (11)	156	14	18	23	35	17	5	3	5	10	6	8	12
Dysentery (16)	3						1					1	1
Erysipelas (21)	17		3	4	4	2	1			1			2
Lethargic encephalitis (23)	11	4	1	1		1			2		1		1
Meningococcus meningitis (24)	6		2					1	2		1		
Tuberculosis of the respiratory system (31)	488	37	43	46	54	42	50	38	40	37	28	40	33
Other forms of tuberculosis (32–37)	41	6	3	7	3	3	3	4	2	3	3	1	3
Diabetes mellitus (57)	39	1	2	3	6	4	3	6	3	2	5	1	3
Cerebral hemorrhage and softening (74, 83)	273	24	24	25	27	30	19	15	20	17	26	20	26
Other [organic] diseases of the heart (90)	447	31	36	50	41	43	41	33	35	23	39	31	44
Bronchitis (99)	11	1	3		1	1			2	1	1		1
Broncho-pneumonia (100)	128	18	11	10	14	7	6	4	9	10	10	13	16
Pneumonia (101)	277	51	32	22	30	19	18	11	7	11	15	30	31
Diarrhea and enteritis [under 2 years] (113)	110	2	1	5	2	4	7	25	25	27	7	2	3
Diarrhea and enteritis [2 years and over] (114)	26			3	2	2		2	9	5	2	1	
Nephritis (128, 129)	244	23	20	25	15	20	16	15	23	20	29	24	14
Puerperal septicemia (146)	26	3	1	5	3	4	2		3	1	1	3	
Other puerperal causes (143–145, 147–150)	31	3		1	3	2	1	4	5	2	3	6	1
Suicide (165–174)	82	6	8	8	6	7	7	5	6	5	4	6	14
Automobile accidents [1] (188c)	37	5	2		4	2	3	5	2	3	2	4	5
Automobile and railroad-train collision (part 188a)	3		1			1	1						
Automobile and street-car collision (part 188b)	3				2			1					
Other external causes (175–187, part 188a, b, 188d–203)	141	17	8	10	13	10	12	15	15	12	6	10	13
All other causes	1,450	108	113	128	131	109	121	124	131	110	135	112	128
BRIDGEPORT, CONN., all causes	1,541	167	122	189	128	116	108	106	104	102	104	139	156
Typhoid and paratyphoid fever (1)	4			3					1				
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)	6						1					1	4
Scarlet fever (8)	5		1			1				1			2
Whooping cough (9)	7					1					1	3	2
Diphtheria (10)	20	2		2			1	1	1		1	5	7
Influenza (11)	30	9	2	3	7	2					2	1	4
Dysentery (16)													
Erysipelas (21)	5		1		1						2		1
Lethargic encephalitis (23)	3						1	1					1
Meningococcus meningitis (24)	3	1		1			1						
Tuberculosis of the respiratory system (31)	76	7	10	7	7	5	12	7	6	4	2	2	7
Other forms of tuberculosis (32–37)	17	1		3	1	1		5	3		1	2	
Diabetes mellitus (57)	28	1	3	5		3	2	1	1	1	2	6	3
Cerebral hemorrhage and softening (74, 83)	92	11	8	15	10	5	4	7	8	4	7	7	6
Other [organic] diseases of the heart (90)	274	36	20	37	17	18	20	22	14	21	13	18	38
Bronchitis (99)	6	1	1	1		1				1		1	
Broncho-pneumonia (100)	58	10	3	10	5	6	4	1	1	4	3	6	5
Pneumonia (101)	93	9	14	14	13	9	1	6		3	5	12	7
Diarrhea and enteritis [under 2 years] (113)	16	1		1	1	1	1		4	2	3	2	
Diarrhea and enteritis [2 years and over] (114)	5					2				1	1		1
Nephritis (128, 129)	150	15	10	18	14	8	15	6	9	11	12	19	13
Puerperal septicemia (146)	7				2	2		1	1				1
Other puerperal causes (143–145, 147–150)	5				1	2		1	1				
Suicide (165–174)	21	2	2	1	1	2	2	3	3	2		2	1
Automobile accidents [1] (188c)	26	1	1	1	3	1	1	1	3	3	3	6	2
Automobile and railroad-train collision (part 188a)	2				2								
Automobile and street-car collision (part 188b)	1											1	
Other external causes (175–187, part 188a, b, 188d–203)	81	13	4	12	5	5	8	6	4	7	3	7	7
All other causes	499	47	42	55	38	41	33	37	44	37	43	38	44
HARTFORD, CONN., all causes	2,051	185	199	230	197	145	157	146	159	147	173	154	159
Typhoid and paratyphoid fever (1)	8	1	2						1	1		1	2
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4		1	1								1	1
Whooping cough (9)	7				3		1		3				
Diphtheria (10)	17	2	2	2	5	3		1	1	1			
Influenza (11)	24	3	2	7	8	1							3
Dysentery (16)													
Erysipelas (21)	10	2	3	2	1					1		1	
Lethargic encephalitis (23)	10	1	1	2		1	2	1	1	1			
Meningococcus meningitis (24)	3							1		1	1		
Tuberculosis of the respiratory system (31)	73	8	7	6	6	7	7	6	6	3	7	6	4
Other forms of tuberculosis (32–37)	22	2	2	3	3	2	3	3	1		2		1
Diabetes mellitus (57)	42	5	5	1	2	5	2	4	1	4	7	2	4
Cerebral hemorrhage and softening (74, 83)	103	13	10	11	8	6	9	9	7	10	4	7	9
Other [organic] diseases of the heart (90)	325	24	32	32	35	24	28	22	22	19	36	24	27
Bronchitis (99)	13	1	2	1	3		2			1	2		1
Broncho-pneumonia (100)	98	13	18	14	13	4	2	4	7		7	5	11
Pneumonia (101)	106	17	15	24	8	3	3	2		2	13	11	8
Diarrhea and enteritis [under 2 years] (113)	51	2	3	1	2	2		3	20	12	2	2	2
Diarrhea and enteritis [2 years and over] (114)	8		3		1	1	1		1	1			
Nephritis (128, 129)	142	16	19	8	11	9	17	9	10	9	9	14	11
Puerperal septicemia (146)	8			1			1	1	2	1	1	1	
Other puerperal causes (143–145, 147–150)	18	1	1		1	3	1		1	2	4	1	3
Suicide (165–174)	14	2	2	1		2			2	2	1		2
Automobile accidents [1] (188c)	53	4		7	9	2	3	3	6	6	5	4	4
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2							1	1				
Other external causes (175–187, part 188a, b, 188d–203)	119	7	7	16	8	11	15	11	11	9	4	9	11
All other causes	771	61	62	90	70	59	60	65	55	61	68	65	55

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAVEN, CONN., all causes	2,171	219	203	216	191	188	172	146	152	128	186	161	209
Typhoid and paratyphoid fever (1)	3				1			1					1
Malaria (5)													
Smallpox (6)													
Measles (7)	7	1		2	1		3						
Scarlet fever (8)	6		3		1	2							
Whooping cough (9)	18			2		1	3	3	2	3	2	2	
Diphtheria (10)	9	2	3				3	1					
Influenza (11)	40	5	8	9	7	3	1				1	3	3
Dysentery (16)	4					1			1	1	1		
Erysipelas (21)	5		1		1	2			1				
Lethargic encephalitis (23)	3	1	1			1							
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	68	7	7	9	10	6	3	6	1	2	2	4	11
Other forms of tuberculosis (32–37)	17	1		4	2	2	1	2	1		2		2
Diabetes mellitus (57)	50	6	6	6	5	3	5	5	1	3	5	3	2
Cerebral hemorrhage and softening (74, 83)	180	15	17	17	16	17	21	7	9	11	16	20	14
Other [organic] diseases of the heart (90)	302	29	22	32	27	33	19	23	17	12	28	27	33
Bronchitis (99)	14	1	1	1	1	3	1		2		1	1	2
Broncho-pneumonia (100)	85	20	8	7	3	3	4	2	3	4	8	9	14
Pneumonia (101)	115	24	12	11	18	6	8	1	3	2	5	9	16
Diarrhea and enteritis [under 2 years] (113)	35		1	1	1	2		6	9	7	3	3	2
Diarrhea and enteritis [2 years and over] (114)	10	1	1	1	1		1	1	1	2		1	
Nephritis (128, 129)	189	19	16	21	14	10	17	8	10	13	19	16	26
Puerperal septicemia (146)	6	1	1			1	1				2		
Other puerperal causes (143–145, 147–150)	13		1		2		2	2	3	1	1	1	
Suicide (165–174)	25		4	1	1	2	5	2	2		5	1	2
Automobile accidents [1] (188c)	40		1		6	5	3	2	5	5	6	1	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	98	9	8	7	6	10	7	11	8	5	13	8	6
All other causes	828	77	81	85	67	75	63	63	73	57	66	52	69
WILMINGTON, DEL., all causes	1,435	156	139	141	106	115	104	91	108	110	120	114	131
Typhoid and paratyphoid fever (1)	7	3	1		1					1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)	4	1			1					1			1
Scarlet fever (8)	1			1									
Whooping cough (9)	3							1		2			
Diphtheria (10)	25	3	1	1	1	3	2		2	1	4	3	4
Influenza (11)	17	4	4	2					1		2		4
Dysentery (16)	3							2	1				
Erysipelas (21)	3					1				1		1	
Lethargic encephalitis (23)	4			2				1					1
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	70	4	5	6	7	4	4	6	9	5	3	10	7
Other forms of tuberculosis (32–37)	20	1	3		5		2	1	3	1	2	1	1
Diabetes mellitus (57)	26	4	2	2	3	2	2	3	1		3	2	2
Cerebral hemorrhage and softening (74, 83)	117	15	11	8	6	14	12	11	6	4	7	13	10
Other [organic] diseases of the heart (90)	214	21	25	16	21	13	8	15	19	13	21	19	23
Bronchitis (99)	8	2	1				1		1			1	2
Broncho-pneumonia (100)	42	10	9	2	2	1	3		3	3		2	7
Pneumonia (101)	72	11	8	10	6	4		3	2	3	9	5	11
Diarrhea and enteritis [under 2 years] (113)	65	5	3	2	1	4	3	2	12	18	9	2	4
Diarrhea and enteritis [2 years and over] (114)	12			1		2	2		1	3	1	1	1
Nephritis (128, 129)	146	19	9	22	8	14	12	10	6	12	14	7	13
Puerperal septicemia (146)	15		2	2	1	4	1			1		2	2
Other puerperal causes (143–145, 147–150)	9	1				1	3		1	1		1	1
Suicide (165–174)	13		3	3	1		1				1	3	1
Automobile accidents [1] (188c)	21		1	5	2	2	1	2	3	2	1	2	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	85	11	7	13	5	6	9	2	9	8	5	5	5
All other causes	432	41	44	43	35	40	38	32	28	30	37	33	31
WASHINGTON, D. C. (WHITE), all causes	4,293	393	395	408	383	346	363	255	314	308	360	362	406
Typhoid and paratyphoid fever (1)	12	3	3		1		1	2		1	1		
Malaria (5)													
Smallpox (6)	16	2	3	1	9	1							
Measles (7)	1				1								
Scarlet fever (8)	4		1	2							1		
Whooping cough (9)	9	2		1	1	1			2			1	1
Diphtheria (10)	24	1	4	3	1	1	3		3	1	2	4	1
Influenza (11)	33	4	10	4	6	2	1				3	3	
Dysentery (16)	2	1									1		
Erysipelas (21)	9	1	2		1	1	1		1		1	1	
Lethargic encephalitis (23)	11	2	1	2		1	2				1	1	1
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	189	13	17	26	19	15	12	14	17	11	8	23	14
Other forms of tuberculosis (32–37)	25	1	4	1	4	1	3	2	1		5		3
Diabetes mellitus (57)	78	3	6	10	8	5	2	4	6	2	15	11	6
Cerebral hemorrhage and softening (74, 83)	314	34	21	31	32	30	31	13	24	23	27	22	26
Other [organic] diseases of the heart (90)	745	70	70	72	64	53	48	44	52	50	67	62	93
Bronchitis (99)	22	2		7	3	1	1		1	1	1	3	2
Broncho-pneumonia (100)	114	14	11	18	10	15	6	3	6	4	9	7	11
Pneumonia (101)	121	16	12	16	16	7	4	2	2	2	9	17	18
Diarrhea and enteritis [under 2 years] (113)	81	3	3	4	2	1	5	7	17	18	13	7	1
Diarrhea and enteritis [2 years and over] (114)	19	2		1	1	1	2	2	2	5	1	1	1
Nephritis (128, 129)	442	39	44	36	50	31	37	27	34	30	48	28	38
Puerperal septicemia (146)	11	1		1	2	2	1	1	1	1			1
Other puerperal causes (143–145, 147–150)	27	1	2	1		3	3		5	3	3	2	4
Suicide (165–174)	67	6	6	11	4	4	7	6	2	4	7	5	5
Automobile accidents [1] (188c)	65	3	5	5	6	3	8	3	5	3	1	7	16
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collison (part 188b)	4							1	1		1		1
Other external causes (175–187, part 188a, b, 188d–203)	182	10	13	14	10	16	19	12	19	11	19	20	19
All other causes	1,665	159	157	141	132	150	166	112	113	138	116	137	144

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON, D. C. (COLORED), all causes	2,722	215	209	250	273	210	233	225	194	222	215	210	266
Typhoid and paratyphoid fever (1)	13	3				1		1	2	2	1	2	1
Malaria (5)	1							1					
Smallpox (6)	4				4								
Measles (7)	3				1		1				1		
Scarlet fever (8)	1	1											
Whooping cough (9)	20	2		1	2			1	6	4	2	1	1
Diphtheria (10)	13	4			3			1		3	2		
Influenza (11)	27	3	6	6	3	1	1				2	2	3
Dysentery (16)	5							2		1	1		1
Erysipelas (21)	5				3	1					1		
Lethargic encephalitis (23)	3				1				1		1		
Meningococcus meningitis (24)	1						1						
Tuberculosis of the respiratory system (31)	300	15	21	32	31	25	29	29	26	32	13	18	29
Other forms of tuberculosis (32–37)	54	5	7	2	2	7	10	7	5	2	3	2	2
Diabetes mellitus (57)	26	3	2	3	1	1	3	1	5	1	2	2	2
Cerebral hemorrhage and softening (74, 83)	171	18	11	16	19	8	21	9	9	11	17	11	21
Other [organic] diseases of the heart (90)	420	32	38	37	40	34	34	35	23	36	38	34	39
Bronchitis (99)	16	2	4		3		1	1	1			2	2
Broncho-pneumonia (100)	155	10	19	26	25	12	6	12	11	10	9	10	5
Pneumonia (101)	104	9	7	13	10	6	5	3	5	5	8	10	23
Diarrhea and enteritis [under 2 years] (113)	86	5	1	8	2	4	7	14	8	17	13	4	3
Diarrhea and enteritis [2 years and over] (114)	19	1	2	1	5		2	2	1	1	2	2	
Nephritis (128, 129)	230	12	18	22	19	22	35	15	16	15	12	24	20
Puerperal septicemia (146)	26	2	3	4	3	1	2	2	1	2	1	2	3
Other puerperal causes (143–145, 147–150)	15			1	1	1	2	1		1	1	2	5
Suicide (165–174)	5		1				1		1	1		1	
Automobile accidents [1] (188c)	23	1	1	7	2	2	2	1	1		3	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	132	10	4	11	13	9	15	14	10	10	8	16	12
All other causes	843	77	64	60	80	75	55	73	62	68	73	64	92
ATLANTA, GA. (WHITE), all causes	1,979	195	180	155	162	175	170	134	135	162	149	174	188
Typhoid and paratyphoid fever (1)	17	1				1	5	3	1	2	3	1	
Malaria (5)	5	1				1					2		1
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)													
Whooping cough (9)	20	3	3	3	1	3	1	4		2			
Diphtheria (10)	11	1	1		1	1			1			3	3
Influenza (11)	51	8	15	5	8		2	1			1	6	5
Dysentery (16)	5					2	2					1	
Erysipelas (21)	4	1		2									1
Lethargic encephalitis (23)	6	3							1		1		1
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	83	6	4	7	5	8	12	5	4	8	9	5	10
Other forms of tuberculosis (32–37)	11			1	1			2		3	2		2
Diabetes mellitus (57)	29	2	4	2	3	2	3	4		3	3	3	
Cerebral hemorrhage and softening (74, 83)	111	7	10	4	15	10	14	3	5	7	7	16	13
Other [organic] diseases of the heart (90)	175	18	8	15	11	16	13	8	17	13	15	24	17
Bronchitis (99)	4									2		2	
Broncho-pneumonia (100)	53	12	8	1	2	5	2		3	3	4	5	8
Pneumonia (101)	89	13	9	12	7	9	5	4	3	1	1	14	11
Diarrhea and enteritis [under 2 years] (113)	34	1			1	8	6	2	1	7	5	3	
Diarrhea and enteritis [2 years and over] (114)	11		1	1			3	1	1	2	1	1	
Nephritis (128, 129)	229	24	29	23	17	14	22	11	18	19	20	13	19
Puerperal septicemia (146)	17	2	3		4			1	1		3		3
Other puerperal causes (143–145, 147–150)	34	3	5	2	4	4	4	3	4	1	1	1	2
Suicide (165–174)	36	8	3	6	3	2		2	1	7	2		2
Automobile accidents [1] (188c)	54	8	6	4	6		5	2	5	5	7	2	4
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)	2			1						1			
Other external causes (175–187, part 188a, b, 188d–203)	115	10	10	9	6	21	11	6	10	12	8	6	6
All other causes	770	63	61	57	65	68	59	72	59	64	54	68	80
ATLANTA, GA. (COLORED), all causes	1,940	163	195	162	160	189	172	155	157	139	146	146	156
Typhoid and paratyphoid fever (1)	37		2	2	2	2	9	6	4	4	3	1	2
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1										1		
Whooping cough (9)	23	4	2	1	4	4	1	2	2	1		1	1
Diphtheria (10)	2									1	1		
Influenza (11)	73	11	15	12	7	8	4	1	2		4	3	6
Dysentery (16)	6				1		2	1	1		1		
Erysipelas (21)	2				1					1			
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2	1				1							
Tuberculosis of the respiratory system (31)	130	9	12	12	12	13	10	13	12	6	9	12	10
Other forms of tuberculosis (32–37)	34	3	4	3	3	5	3	7	2		2	1	1
Diabetes mellitus (57)	10	1	2		4			1	1		1		
Cerebral hemorrhage and softening (74, 83)	136	13	8	12	11	15	8	13	9	10	15	7	15
Other [organic] diseases of the heart (90)	172	13	21	14	17	19	8	15	10	18	14	13	10
Bronchitis (99)	10	1	1		1	2			1				4
Broncho-pneumonia (100)	86	12	12	11	4	6	6	2	4	5	3	12	9
Pneumonia (101)	151	16	22	14	18	14	12	5	7	8	8	13	14
Diarrhea and enteritis [under 2 years] (113)	48		2	2		6	10	5	14	6	3		
Diarrhea and enteritis [2 years and over] (114)	13			1	3	2		1	1		2	3	
Nephritis (128, 129)	181	12	20	13	10	23	19	15	17	9	16	11	16
Puerperal septicemia (146)	25	2	1		3	6	3	1	3	1	1	1	3
Other puerperal causes (143–145, 147–150)	17		2	1	2	2	2	1		1	3	3	
Suicide (165–174)	3			1								1	1
Automobile accidents [1] (188c)	11	1	1			1	1	1	1	3	1	1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	159	13	15	20	10	13	13	11	7	13	13	13	18
All other causes	608	51	53	43	47	47	61	54	59	52	45	50	46

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CHICAGO, ILL. (WHITE), all causes	30,676	2,911	2,614	3,190	2,864	2,658	2,301	2,221	2,233	2,102	2,351	2,497	2,734
Typhoid and paratyphoid fever (1)	37	8	1	2	1	1	6	2	1	4	2	2	7
Malaria (5)	4						1	1				1	1
Smallpox (6)	7		1	1	3	1		1					
Measles (7)	113	7	9	21	15	28	17	9	2		2	1	2
Scarlet fever (8)	128	19	7	31	11	21	6	4	3	3	4	9	10
Whooping cough (9)	104	7	11	8	18	10	8	13	14	6	5	2	2
Diphtheria (10)	232	21	10	14	25	17	19	14	17	15	26	28	26
Influenza (11)	283	27	28	83	51	23	13	5	4	4	18	10	17
Dysentery (16)	7	1		1		1					3	1	
Erysipelas (21)	71	6	13	10	5	11	6	2	2		3	8	5
Lethargic encephalitis (23)	20	2	2	3	3	1	2		1	1	2	3	
Meningococcus meningitis (24)	30	1	2	4	2	6	3		2	3	1	2	4
Tuberculosis of the respiratory system (31)	1,664	163	141	163	153	150	148	136	113	113	118	125	141
Other forms of tuberculosis (32–37)	199	19	16	29	16	16	18	22	9	22	12	9	11
Diabetes mellitus (57)	610	54	55	66	49	40	39	53	52	41	39	63	59
Cerebral hemorrhage and softening (74, 83)	1,388	138	132	146	118	116	91	91	105	109	115	115	112
Other [organic] diseases of the heart (90)	5,344	510	438	538	496	457	394	355	368	314	463	456	555
Bronchitis (99)	235	33	31	33	27	22	16	7	9	10	12	15	20
Broncho-pneumonia (100)	956	102	128	135	128	90	48	45	44	36	42	83	75
Pneumonia (101)	1,543	186	152	276	185	146	83	52	47	47	83	144	142
Diarrhea and enteritis [under 2 years] (113)	810	68	45	60	69	45	43	69	122	131	68	41	49
Diarrhea and enteritis [2 years and over] (114)	85	3	8	2	5	6	9	7	9	18	7	6	5
Nephritis (128, 129)	3,377	337	289	320	302	317	249	259	247	210	227	297	323
Puerperal septicemia (146)	107	7	18	15	9	10	12	4	5	3	6	7	11
Other puerperal causes (143–145, 147–150)	174	14	15	22	20	12	20	17	14	11	11	10	8
Suicide (165–174)	425	40	38	35	33	31	41	25	32	30	30	46	44
Automobile accidents [1] (188c)	607	35	35	51	47	56	50	48	59	57	59	59	51
Automobile and railroad-train collision (part 188a)	6		1						1	1	3		
Automobile and street-car collision (part 188b)	23	2	1	2	5	3	2	2	1	2		2	1
Other external causes (175–187, part 188a, b, 188d–203)	1,724	143	133	148	129	133	141	157	127	134	152	140	187
All other causes	10,363	958	854	971	939	888	816	821	823	777	838	812	866
CHICAGO, ILL. (COLORED), all causes	3,642	363	307	383	342	334	285	257	263	268	268	265	307
Typhoid and paratyphoid fever (1)	7	1	1					1		2	2		
Malaria (5)													
Smallpox (6)	5						5						
Measles (7)	9	1		1	1	2	1						3
Scarlet fever (8)	7	1	1			2			2			1	
Whooping cough (9)	43	6	4	5	9	8	1	5	2	1		1	1
Diphtheria (10)	11	3			1	1	1	1		2			2
Influenza (11)	34	3	3	8	8	1		1		2	3	3	2
Dysentery (16)	1						1						
Erysipelas (21)	5		1	2		1	1						
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	2		1	1									
Tuberculosis of the respiratory system (31)	550	52	38	59	37	42	44	47	37	46	49	44	55
Other forms of tuberculosis (32–37)	74	3	1	10	7	8	8	6	10	4	2	6	9
Diabetes mellitus (57)	34	3	3	2	5	1	1	9	1	2	1	5	1
Cerebral hemorrhage and softening (74, 83)	110	11	6	9	10	7	8	12	12	7	7	13	8
Other [organic] diseases of the heart (90)	555	47	44	55	63	54	37	36	43	38	35	47	56
Bronchitis (99)	21	3	1	6	5	1				1	2	1	1
Broncho-pneumonia (100)	174	26	28	27	20	13	7	8	9	8	9	10	9
Pneumonia (101)	303	36	36	41	40	38	25	11	14	7	16	25	14
Diarrhea and enteritis [under 2 years] (113)	123	11	9	12	10	6	5	11	17	16	13	2	11
Diarrhea and enteritis [2 years and over] (114)	15	2	1	4	2	1	1		2				2
Nephritis (128, 129)	303	26	25	29	22	29	16	23	21	23	36	24	29
Puerperal septicemia (146)	21	1	2	3		3	2	3	1	1	3	2	
Other puerperal causes (143–145, 147–150)	15	2	2	1	1		1		1	1	3	3	
Suicide (165–174)	14	4	1	1	2		1	1		1	2	1	
Automobile accidents [1] (188c)	38	2	5	1	2	6	4	4	3	5	2	3	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	298	33	17	27	28	23	33	20	25	19	18	21	24
All other causes	869	86	77	79	69	77	82	58	63	81	65	53	79
INDIANAPOLIS, IND. (WHITE), all causes	4,152	363	349	408	350	297	315	338	338	281	367	353	393
Typhoid and paratyphoid fever (1)	11			1			1	1	2	2	3	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	4						1		1			1	1
Scarlet fever (8)	3			1			2						
Whooping cough (9)	13		1	1				4	4	1	2		
Diphtheria (10)	27	3			2					1	7	6	8
Influenza (11)	131	4	27	34	23	8	1	1	4	3	5	6	15
Dysentery (16)	1							1					
Erysipelas (21)	12	2		2	4	1						1	2
Lethargic encephalitis (23)	6		1			1	1				3		
Meningococcus meningitis (24)	4		1			2							1
Tuberculosis of the respiratory system (31)	189	16	15	25	19	13	14	13	16	17	15	9	17
Other forms of tuberculosis (32–37)	48	6	1	4	5	5	8	4	4	2	2	4	3
Diabetes mellitus (57)	65	6	5	6	6	8	7	6	2	7	5	6	1
Cerebral hemorrhage and softening (74, 83)	326	32	29	24	25	23	28	23	31	19	33	29	30
Other [organic] diseases of the heart (90)	588	59	51	51	52	49	42	44	42	40	39	51	68
Bronchitis (99)	17	1		1	2	1	2		1		3	3	3
Broncho-pneumonia (100)	145	12	20	27	21	6	6	7	6	3	9	15	13
Pneumonia (101)	174	21	29	39	16	9	6	3	3	6	8	14	20
Diarrhea and enteritis [under 2 years] (113)	103	7	1	2	5	2	7	24	19	11	18	1	6
Diarrhea and enteritis [2 years and over] (114)	30	1	1	1	3		5	5	3	4	5		2
Nephritis (128, 129)	342	35	23	31	27	21	21	23	33	25	33	40	30
Puerperal septicemia (146)	19	2	1	2		1	2	4		2	1	2	2
Other puerperal causes (143–145, 147–150)	24	1	5	4	1		3	1			3	5	1
Suicide (165–174)	60	3	2	2	7	11	5	3	5	3	7	8	4
Automobile accidents [1] (188c)	69	5	5	6	1	7	3	4	6	3	12	10	7
Automobile and railroad-train collision (part 188a)	3					1		1				1	
Automobile and street-car collision (part 188b)	7	1			1			1	2			1	1
Other external causes (175–187, part 188a, b, 188d–203)	149	13	16	9	6	6	17	15	15	10	12	14	16
All other causes	1,582	133	115	135	124	122	133	150	139	122	142	125	142

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANAPOLIS, IND. (COLORED), all causes	799	65	76	87	81	73	35	72	60	67	60	59	64
Typhoid and paratyphoid fever (1)	5			2		1			1			1	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	19	1		4	1			2	3	2	4		2
Diphtheria (10)	1				1								
Influenza (11)	32	3	4	11	5	2					1	3	3
Dysentery (16)													
Erysipelas (21)	1			1									
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2							1			1		
Tuberculosis of the respiratory system (31)	95	6	12	8	12	9	5	10	4	15	4	5	5
Other forms of tuberculosis (32–37)	16	1	3	4	1	3		1	1		1		1
Diabetes mellitus (57)	8	1		1		1				1	1	2	1
Cerebral hemorrhage and softening (74, 83)	43	4	4	5	6	3	4	2	8	2	3		2
Other [organic] diseases of the heart (90)	108	10	12	11	10	12	5	9	4	5	8	16	6
Bronchitis (99)	7		1	1	1	1				1	1	1	
Broncho-pneumonia (100)	44	2	8	9	6	4	1	3	3		2	1	5
Pneumonia (101)	44	3	6	7	4	6		1	2	2	4	2	7
Diarrhea and enteritis [under 2 years] (113)	21	4	1				2	5	5	4			
Diarrhea and enteritis [2 years and over] (114)	5		1		1			2				1	
Nephritis (128, 129)	65	8	8	5	3	7	3	5	4	7	6	3	6
Puerperal septicemia (146)	4	1	1	1								1	
Other puerperal causes (143–145, 147–150)	7		1		3			2			1		
Suicide (165–174)	3	1				1				1			
Automobile accidents [1] (188c)	9			2	2	1		1	1	1	1		
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	43	7	1	2	3	3	3	4	8	2	2	3	5
All other causes	217	13	13	13	22	19	12	24	16	24	20	20	21
DES MOINES, IOWA, all causes	1,518	127	134	153	142	131	113	111	105	126	130	124	122
Typhoid and paratyphoid fever (1)	6	1				1			2		2		
Malaria (5)													
Smallpox (6)													
Measles (7)	1										1		
Scarlet fever (8)	1					1							
Whooping cough (9)	19		1		3	1	2	2	5	3	1		1
Diphtheria (10)	15		1	1	2	2		2	1		2	1	3
Influenza (11)	53	3	7	6	9	9	3	3	1	1	2	5	4
Dysentery (16)	3									1	2		
Erysipelas (21)	5		1		1			1	1				1
Lethargic encephalitis (23)	5		2				1	1		1			
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	46	6	2	8	4	1	2	4	5	2	4	4	4
Other forms of tuberculosis (32–37)	14		2	4		2		1	1		1	1	2
Diabetes mellitus (57)	22	2	1	1	1	2	3	2	3	2	2		3
Cerebral hemorrhage and softening (74, 83)	120	17	14	10	10	11	7	7	9	9	13	8	5
Other [organic] diseases of the heart (90)	165	14	10	20	12	16	15	12	7	13	11	17	18
Bronchitis (99)	3			1	1							1	
Broncho-pneumonia (100)	52	8	8	9	11	2	2		3		3	1	5
Pneumonia (101)	81	8	8	7	9	11	4	3	1	3	8	11	8
Diarrhea and enteritis [under 2 years] (113)	14	1	1	1		1			3	1	3	1	2
Diarrhea and enteritis [2 years and over] (114)	8				1				2	5			
Nephritis (128, 129)	102	5	8	16	13	9	7	6	5	9	10	10	4
Puerperal septicemia (146)	11	1	1	3	1	1	2			2			
Other puerperal causes (143–145, 147–150)	13	1			2	1	2	2	1	2		1	1
Suicide (165–174)	27	1	2	3	5		4	2		3	3	2	2
Automobile accidents [1] (188c)	23	1			1	1	2	3	2	5	3	3	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2								2				
Other external causes (175–187, part 188a, b, 188d–203)	79	4	5	5	6	6	6	9	9	6	8	8	7
All other causes	627	54	60	58	50	53	51	51	42	58	50	50	50
KANSAS CITY, KANS., all causes	1,654	147	158	185	152	139	102	124	124	127	132	129	135
Typhoid and paratyphoid fever (1)	9		1					1	1	3	3		
Malaria (5)	2			1						1			
Smallpox (6)													
Measles (7)	2					1						1	
Scarlet fever (8)	10			2	6	1						1	
Whooping cough (9)	10	1			1			3	4	1			
Diphtheria (10)	8		1	1				1			1	3	1
Influenza (11)	48	1	11	11	15	3	1				1	2	3
Dysentery (16)	3								1	1			1
Erysipelas (21)													
Lethargic encephalitis (23)	1												1
Meningococcus meningitis (24)	3			2			1						
Tuberculosis of the respiratory system (31)	132	7	8	14	9	17	10	10	15	6	11	14	11
Other forms of tuberculosis (32–37)	31	4	4	5		3	1	3	4	1	1	1	4
Diabetes mellitus (57)	18	2			2	1		2	2	1	3	2	3
Cerebral hemorrhage and softening (74, 83)	88	7	12	9	8	9	5	5	13	5	4	6	5
Other [organic] diseases of the heart (90)	189	20	19	20	15	18	7	13	9	16	16	14	22
Bronchitis (99)	11	1	1	1	2	3	1	1			1		
Broncho-pneumonia (100)	57	10	6	16	4	2		3	1	1	4	9	1
Pneumonia (101)	93	8	12	25	11	3	4	3	1	3	3	9	11
Diarrhea and enteritis [under 2 years] (113)	34	1	2	2	4	1	1	5	5	8	5		
Diarrhea and enteritis [2 years and over] (114)	11		2	1	1	1		1	2		3		
Nephritis (128, 129)	161	21	19	10	17	11	6	14	9	13	19	13	9
Puerperal septicemia (146)	16	1	3	2	1	4	4				1		
Other puerperal causes (143–145, 147–150)	2			1		1							
Suicide (165–174)	15		2	2	2	2	1	2	1	1	1		1
Automobile accidents [1] (188c)	27	2	1		2	4	4	4	1	4	1		4
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	104	11	13	10	8	8	9	8	6	9	4	12	6
All other causes	569	50	41	50	44	46	47	45	49	53	50	42	52

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISVILLE, KY. (WHITE), all causes	3,288	293	258	336	266	259	250	256	272	280	262	261	295
Typhoid and paratyphoid fever (1)	20		1					4	3	4	5	2	1
Malaria (5)	2			1									1
Smallpox (6)	1					1							
Measles (7)	3	3											
Scarlet fever (8)	3		1	1							1		
Whooping cough (9)	18		2	2	2	1		3	1	3	2	1	1
Diphtheria (10)	7		1	1		1					3		1
Influenza (11)	57	6	10	14	11	6	3	1	2	1	3		
Dysentery (16)	17			1	1	1	2	3	5	3			1
Erysipelas (21)	3	1					1			1			
Lethargic encephalitis (23)	4	1									1	1	1
Meningococcus meningitis (24)	2	1							1				
Tuberculosis of the respiratory system (31)	193	27	11	25	8	20	11	17	11	12	12	24	15
Other forms of tuberculosis (32–37)	36	2	2	5	2	2	4	2	4	3	2	5	3
Diabetes mellitus (57)	44	4	4	9	1	5	2	2	3	1	3	4	6
Cerebral hemorrhage and softening (74, 83)	243	15	23	34	21	17	12	17	21	22	23	17	21
Other [organic] diseases of the heart (90)	413	44	30	36	35	36	38	25	34	29	23	30	53
Bronchitis (99)	19	1	6	4	1	2	2			1	1		1
Broncho-pneumonia (100)	94	8	22	13	8	3	3	2	2	4	8	6	15
Pneumonia (101)	125	16	13	23	13	9	3	1	1	7	7	18	14
Diarrhea and enteritis [under 2 years] (113)	95	4	1	1	1	1	5	30	23	15	8	5	1
Diarrhea and enteritis [2 years and over] (114)	21	2				1	2	8	3	2		3	
Nephritis (128, 129)	291	22	20	27	32	27	26	13	23	22	19	30	30
Puerperal septicemia (146)	19			4		3	6		1	2	1	1	1
Other puerperal causes (143–145, 147–150)	16			3	2	2		1	1	1	2	2	2
Suicide (165–174)	37	2	1	5	6	2	3	5	2	4	2	1	4
Automobile accidents [1] (188c)	54	4	4	5	5	6	4	1	1	4	9	5	6
Automobile and railroad-train collision (part 188a)	4								1	1	1		1
Automobile and street-car collision (part 188b)	2	1							1				
Other external causes (175–187, part 188a, b, 188d–203)	168	16	11	16	18	7	18	14	13	12	8	16	19
All other causes	1,277	113	95	106	99	106	105	108	116	125	120	87	97
LOUISVILLE, KY. (COLORED), all causes	1,019	77	81	120	90	80	95	79	86	64	92	69	86
Typhoid and paratyphoid fever (1)	5	1						1		3			
Malaria (5)	1						1						
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1												1
Whooping cough (9)													
Diphtheria (10)	10		2	1	3	2		1	1				
Influenza (11)													
Dysentery (16)	30	3	3	8	2	5	3	1			1	2	2
Erysipelas (21)	2						1		1				
Lethargic encephalitis (23)	2				1								1
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	71	6	3	7	7	9	5	6	5	3	9	8	3
Other forms of tuberculosis (32–37)	28		4	3	3	3	5	1	4	1	1	2	1
Diabetes mellitus (57)	7		1		2	1	1			2			
Cerebral hemorrhage and softening (74, 83)	68	4	7	8	10	2	4	6	4	5	5	6	7
Other [organic] diseases of the heart (90)	181	13	17	20	12	25	19	11	14	7	18	12	13
Bronchitis (99)	12		2	1	2		1	4	1	1			
Broncho-pneumonia (100)	39	4	6	4	6	3	2	2		2	1	1	8
Pneumonia (101)	64	4	5	15	6	3	6	4	1	2	7	2	9
Diarrhea and enteritis [under 2 years] (113)	16		1				2	5	4	2	2		
Diarrhea and enteritis [2 years and over] (114)	8			1	1		1			3	1		1
Nephritis (128, 129)	102	7	8	17	6	6	7	7	8	9	11	8	8
Puerperal septicemia (146)	6						2	2	1		1		
Other puerperal causes (143–145, 147–150)	4	1				1	2						
Suicide (165–174)	1				1								
Automobile accidents [1] (188c)	10			2				1	3	1	1	2	
Automobile and railroad-train collision (part 188a)	1							1					
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	81	10	5	9	4	2	4	5	10	6	6	11	9
All other causes	269	24	17	24	24	18	29	21	29	17	28	15	23
NEW ORLEANS, LA. (WHITE), all causes	4,549	426	436	401	392	350	367	366	337	327	357	396	394
Typhoid and paratyphoid fever (1)	40	4	2		2	4	2	8	5	5	3	4	1
Malaria (5)	3							1		1		1	
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	7	1	2			1	2				1		
Whooping cough (9)	33			2	2	4	4	6	3	3	5	3	1
Diphtheria (10)	18	2	2	3	1		2	1	1	1	1	2	2
Influenza (11)	106	12	26	21	3	5	2	2	3	1	4	9	18
Dysentery (16)	16	3	2		1	1		2	2	1	2	1	1
Erysipelas (21)	2					1						1	
Lethargic encephalitis (23)	6			1		1	1				2	1	
Meningococcus meningitis (24)	4		1	1			2						
Tuberculosis of the respiratory system (31)	350	37	36	29	37	32	24	17	17	21	32	31	37
Other forms of tuberculosis (32–37)	26	2	2	2	3	2	2	2	3	1	4	1	2
Diabetes mellitus (57)	58	5	8	4	3	5	4	4	8	5	5	4	3
Cerebral hemorrhage and softening (74, 83)	227	22	18	26	23	26	18	22	6	10	19	19	18
Other [organic] diseases of the heart (90)	658	75	76	56	66	32	47	47	44	46	44	57	68
Bronchitis (99)	13	1			2	2	1		2			3	2
Broncho-pneumonia (100)	116	9	12	10	6	5	9	5	10	10	12	19	9
Pneumonia (101)	138	27	26	17	13	7	4	1	4	6	6	16	11
Diarrhea and enteritis [under 2 years] (113)	186	8	9	6	14	17	39	22	29	14	14	9	5
Diarrhea and enteritis [2 years and over] (114)	29	1	1	3		4		3	1	1	4	5	6
Nephritis (128, 129)	534	52	47	49	47	50	45	42	32	48	35	45	42
Puerperal septicemia (146)	36	3	6	2	2	2	3	2	1	3	4	5	3
Other puerperal causes (143–145, 147–150)	50	2	4	4	3	1	5	5	7	8	6	3	2
Suicide (165–174)	61	6	5	2	4	9	5	3	1	6	10	5	5
Automobile accidents [1] (188c)	60	6	7	7	5	4	5	2	3	3	5	7	6
Automobile and railroad-train collision (part 188a)	1								1				
Automobile and street-car collision (part 188b)	2	1			1								
Other external causes (175–187, part 188a, b, 188d–203)	230	21	22	25	25	17	13	23	17	13	22	14	18
All other causes	1,538	126	122	131	129	118	127	146	137	120	117	131	134

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW ORLEANS, LA. (COLORED), all causes	3,395	287	321	288	267	312	281	295	317	267	252	227	281
Typhoid and paratyphoid fever (1)	43	3	5	2	2	2	5	10	4	2	4	2	2
Malaria (5)	4						1			1	1		1
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	35	1	2	1	1	3	8	4	6	3	3	1	2
Diphtheria (10)	8	3	1							1	1		2
Influenza (11)	80	9	25	13	10	4	5	1		4	2	2	5
Dysentery (16)	11	2		2		1	2	2		1	1		
Erysipelas (21)	3			1		1		1					
Lethargic encephalitis (23)	1						1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	345	33	30	28	18	37	44	29	31	23	22	22	26
Other forms of tuberculosis (32–37)	40	5	5	5	2	5	1	3	1	4	2	3	4
Diabetes mellitus (57)	24	1	4	2	4		2	2	2	2	1	2	2
Cerebral hemorrhage and softening (74, 83)	153	10	15	15	11	12	9	12	17	12	18	13	9
Other [organic] diseases of the heart (90)	491	43	47	36	35	42	41	46	58	34	43	35	31
Bronchitis (99)	12	2				2	1	1	1	1	4		
Broncho-pneumonia (100)	163	18	25	18	14	14	11	14	10	4	15	12	8
Pneumonia (101)	191	20	40	18	21	10	6	16	9	10	11	13	17
Diarrhea and enteritis [under 2 years] (113)	174	3	1	5	20	22	19	32	21	27	6	8	10
Diarrhea and enteritis [2 years and over] (114)	25	1		5	1	1	3	1	1	3	2	4	3
Nephritis (128, 129)	352	27	30	29	25	39	37	25	19	23	21	37	40
Puerperal septicemia (146)	22	2	3	2	1	3	1	4		1	3	2	
Other puerperal causes (143–145, 147–150)	32	2	1	5	2	3	3	5	4	1	2	4	
Suicide (165–174)	5				1	2			1	1			
Automobile accidents [1] (188c)	18	2	2				2	1	2	1	1	3	4
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	235	24	26	18	18	21	11	14	31	19	20	11	22
All other causes	928	76	59	83	81	88	68	72	99	89	69	53	91
BALTIMORE, MD. (WHITE), all causes	8,718	909	739	891	767	792	733	624	593	584	680	662	744
Typhoid and paratyphoid fever (1)	21	4	1				1	1	4	4		6	
Malaria (5)													
Smallpox (6)													
Measles (7)	9						1			1		3	4
Scarlet fever (8)	5	2	1	1								1	
Whooping cough (9)	51	4	9	6	7	8		8	5	2		1	1
Diphtheria (10)	36	6	2	7	4		4		2	2	1	3	5
Influenza (11)	95	26	11	12	11	8	3	1	1	2	4	5	11
Dysentery (16)	28							6	7	9	4	2	
Erysipelas (21)	9			4	1	1					1	2	
Lethargic encephalitis (23)	16	2	1	4		1		1	2	1	2	2	
Meningococcus meningitis (24)	13	1		2		2	2	1		3	1	1	
Tuberculosis of the respiratory system (31)	491	49	42	56	53	51	47	33	37	22	29	39	33
Other forms of tuberculosis (32–37)	70	2	8	8	7	11	3	5	5	7	4	3	7
Diabetes mellitus (57)	172	18	10	18	12	26	15	18	9	4	14	8	10
Cerebral hemorrhage and softening (74, 83)	719	78	64	79	64	70	62	56	45	40	52	56	53
Other [organic] diseases of the heart (90)	1,284	135	96	131	111	134	120	77	85	77	99	99	120
Bronchitis (99)	60	8	9	8	5	5	1	1	2	5	8	4	4
Broncho-pneumonia (100)	471	72	68	66	53	34	25	12	15	21	38	29	38
Pneumonia (101)	436	79	54	66	44	43	24	4	6	12	22	28	54
Diarrhea and enteritis [under 2 years] (113)	235	9	6	5	4	8	11	41	51	50	37	9	4
Diarrhea and enteritis [2 years and over] (114)	30	1	2	5				10	7	2	1	2	
Nephritis (128, 129)	954	88	89	105	75	91	95	71	67	58	65	81	69
Puerperal septicemia (146)	38	8	5	3	4	2	2	2	1	2	3	3	3
Other puerperal causes (143–145, 147–150)	43	3	3	3	3	2	7	3	5	6	3	3	2
Suicide (165–174)	88	3	5	9	13	10	3	3	8	6	9	13	6
Automobile accidents [1] (188c)	133	9	5	9	7	12	12	15	12	11	13	14	14
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	3						1			1	1		
Other external causes (175–187, part 188a, b, 188d–203)	388	39	35	30	26	21	46	35	25	27	37	30	37
All other causes	2,820	263	213	254	263	252	248	220	192	209	232	215	259
BALTIMORE, MD. (COLORED), all causes	2,930	292	251	305	251	258	215	227	211	200	220	263	237
Typhoid and paratyphoid fever (1)	8							2	1	3	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	1							1					
Scarlet fever (8)													
Whooping cough (9)	42	1	2		2	3	1	9	8	7	4	4	1
Diphtheria (10)	11		2			1	1	1	1	2	1		2
Influenza (11)	48	14	11	6	5	4	1	1			1	3	2
Dysentery (16)	11					1		2	4	3		1	
Erysipelas (21)	3	1			1	1							
Lethargic encephalitis (23)	3			1			1				1		
Meningococcus meningitis (24)	2					1	1						
Tuberculosis of the respiratory system (31)	340	31	27	33	29	30	24	32	25	20	29	30	30
Other forms of tuberculosis (32–37)	58	1	5	3	4	10	4	6	9	5	4	3	4
Diabetes mellitus (57)	26	2	1	2	2	3	2		5	2	2	2	3
Cerebral hemorrhage and softening (74, 83)	182	19	17	21	4	16	12	25	10	15	13	14	16
Other [organic] diseases of the heart (90)	358	35	36	42	33	35	33	17	16	23	29	27	32
Bronchitis (99)	14			3		2	1		1	3	3		1
Broncho-pneumonia (100)	260	31	35	36	32	19	17	11	10	13	16	22	18
Pneumonia (101)	271	37	33	37	39	31	10	6	12	5	12	27	22
Diarrhea and enteritis [under 2 years] (113)	71		1	3	1	1	7	17	12	13	9	5	2
Diarrhea and enteritis [2 years and over] (114)	22	2	1	1	1	3	2	3	4	1	2	1	1
Nephritis (128, 129)	266	24	14	31	21	23	27	19	17	15	24	31	20
Puerperal septicemia (146)	18	3		3	1	2	1	3		1		2	2
Other puerperal causes (143–145, 147–150)	14	2	1	1	1	1		2	2	2	2		
Suicide (165–174)	8	1		1		1				3		1	1
Automobile accidents [1] (188c)	25			1	3		3	5	2	5	1	4	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	166	16	17	17	10	10	18	14	11	12	8	19	14
All other causes	702	72	48	63	62	60	49	51	61	47	58	66	65

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
BOSTON, MASS., all causes	11,576	1,141	1,111	1,203	1,062	957	843	806	813	759	884	957	1,040
Typhoid and paratyphoid fever (1)	28	1	3	2	1	3	2	3	2	3	5	2	1
Malaria (5)	1								1				
Smallpox (6)													
Measles (7)	123	13	14	18	17	17	9	4	6	1	3	4	17
Scarlet fever (8)	48	8	11	4	4	7	3	3		1	3		4
Whooping cough (9)	70	4	3	6	6	5	6	8	8	6	8	3	7
Diphtheria (10)	99	16	12	13	10	8	6	1	3	7	3	11	9
Influenza (11)	74	12	18	15	9	3	1		1	1	2	6	6
Dysentery (16)	6							1	1	2	2		
Erysipelas (21)	31	6	3	7	5	5	1			1		2	1
Lethargic encephalitis (23)	34	7	5		2	5		3	2	1	6	1	2
Meningococcus meningitis (24)	23	5	2	1	7	2		1		1	1	1	2
Tuberculosis of the respiratory system (31)	668	59	58	76	52	57	65	48	57	50	43	53	50
Other forms of tuberculosis (32–37)	117	12	8	11	16	14	11	8	11	5	7	9	5
Diabetes mellitus (57)	163	25	17	21	13	6	19	7	9	7	15	12	12
Cerebral hemorrhage and softening (74, 83)	610	55	55	65	66	38	41	34	47	39	50	54	66
Other [organic] diseases of the heart (90)	2,093	213	215	226	184	189	153	117	116	106	181	178	215
Bronchitis (99)	43	6	11	1		1	1	2	1	2	4	7	7
Broncho-pneumonia (100)	675	73	103	97	67	54	38	26	32	32	44	51	58
Pneumonia (101)	565	75	98	63	69	50	22	20	12	20	35	47	54
Diarrhea and enteritis [under 2 years] (113)	168	10	5	8	8	7	16	8	33	29	29	7	8
Diarrhea and enteritis [2 years and over] (114)	22	1	1	2	1	1	3	1	3		5	1	3
Nephritis (128, 129)	650	60	54	53	62	57	55	47	52	39	44	67	60
Puerperal septicemia (146)	47	3	8	6	5	7	5	1	3	1		6	2
Other puerperal causes (143–145, 147–150)	90	9	12	10	7	8	5	9	9	6	3	6	6
Suicide (165–174)	111	10	6	10	12	9	3	8	10	7	10	17	9
Automobile accidents [1] (188c)	154	9	15	7	14	9	11	10	10	15	21	15	18
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	4			1		2							1
Other external causes (175–187, part 188a, b, 188d–203)	584	40	33	44	55	39	60	100	39	38	29	55	52
All other causes	4,275	409	341	436	370	354	307	336	345	339	331	342	365
CAMBRIDGE, MASS., all causes	1,428	158	132	130	172	123	113	92	78	85	94	129	122
Typhoid and paratyphoid fever (1)	2						1					1	
Malaria (5)													
Smallpox (6)													
Measles (7)	12				7	4	1						
Scarlet fever (8)	1	1											
Whooping cough (9)	6				2	1				1		2	
Diphtheria (10)	7	2			3							1	1
Influenza (11)	5		1		2							1	1
Dysentery (16)													
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1				1								
Tuberculosis of the respiratory system (31)	88	11	5	10	10	10	7	8	3	4	7	8	5
Other forms of tuberculosis (32–37)	7			1	2	1			1	2			
Diabetes mellitus (57)	18	2	3	1	2	1	1	3			1		4
Cerebral hemorrhage and softening (74, 83)	125	13	11	10	16	10	10	5	6	9	10	13	12
Other [organic] diseases of the heart (90)	268	42	32	27	24	23	14	16	14	16	17	20	23
Bronchitis (99)	9	1	2	2	1					1		2	
Broncho-pneumonia (100)	87	9	20	9	17	4	4	2	3		5	8	6
Pneumonia (101)	80	11	9	10	11	7	3	4	2	4	3	5	11
Diarrhea and enteritis [under 2 years] (113)	22			2		2	4	3	5	2	3	1	
Diarrhea and enteritis [2 years and over] (114)	4	1							1			2	
Nephritis (128, 129)	86	3	9	13	11	13	6	4	5	2	7	10	3
Puerperal septicemia (146)	3				1			1			1		
Other puerperal causes (143–145, 147–150)	7	1	1		1					3	1		
Suicide (165–174)	9				2		1	1			1	2	2
Automobile accidents [1] (188c)	22	1	3	2	2	2	1	5		2	3		1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	54	7	3	3			9	3	1	3	3	7	15
All other causes	505	53	33	40	57	45	51	37	37	36	32	46	38
FALL RIVER, MASS., all causes	1,590	139	149	186	161	124	123	118	93	99	111	129	158
Typhoid and paratyphoid fever (1)	1				1								
Malaria (5)													
Smallpox (6)													
Measles (7)	30			1			1	2	2		2	10	12
Scarlet fever (8)	1			1									
Whooping cough (9)	14	2	3	4	1	1		1			1	1	
Diphtheria (10)	15	2	1		1	1		2		1	2	3	3
Influenza (11)	27	4	2	9	7		1					2	2
Dysentery (16)													
Erysipelas (21)	7	1	1	3	1	1							
Lethargic encephalitis (23)	5				1	2						2	
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	99	5	9	12	8	11	11	10	4	5	7	5	12
Other forms of tuberculosis (32–37)	24	3	5	6		3	2	2				1	2
Diabetes mellitus (57)	24	1	1	1	2	2	1	4	1	1	3	4	3
Cerebral hemorrhage and softening (74, 83)	105	8	11	10	14	6	7	8	5	7	6	9	14
Other [organic] diseases of the heart (90)	192	16	22	13	21	20	18	12	14	14	9	20	13
Bronchitis (99)	30	1	6	7	4	3					5	3	1
Broncho-pneumonia (100)	91	9	13	20	9	6	2	1	1	2	5	9	14
Pneumonia (101)	74	11	15	10	9	8	3	1		2	3	5	7
Diarrhea and enteritis [under 2 years] (113)	69	5	3	6	5	4	5	2	14	12	3	4	6
Diarrhea and enteritis [2 years and over] (114)	9	1	1	2		2		1	1			1	
Nephritis (128, 129)	134	13	8	13	9	11	11	13	11	11	12	9	13
Puerperal septicemia (146)	9	1	1	1	1			1	1	1			2
Other puerperal causes (143–145, 147–150)	12		2		1		2		2		2		3
Suicide (165–174)	11		1				2	4			2		2
Automobile accidents [1] (188c)	17		2	1	4			3			1	3	3
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	49	3	4		6	4	9	7	3	2	5	5	1
All other causes	539	53	38	66	57	38	48	44	34	41	42	33	45

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOWELL, MASS., all causes	1,553	134	125	168	139	113	110	127	110	114	106	148	159
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	27					1	5	3	1	3		7	7
Scarlet fever (8)	3		2							1			
Whooping cough (9)	3						2						1
Diphtheria (10)	4	1								3			
Influenza (11)	2			1			1						
Dysentery (16)	1	1											
Erysipelas (21)	3		1				2						
Lethargic encephalitis (23)	2	1						1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	75	6	7	10	5	3	2	12	4	4	9	7	6
Other forms of tuberculosis (32–37)	19	1	1	2	2	2	3	2	4	2			
Diabetes mellitus (57)	22	2	1		2	2	1	3	2	2	2	3	2
Cerebral hemorrhage and softening (74, 83)	99	6	6	10	10	8	10	8	2	7	7	8	17
Other [organic] diseases of the heart (90)	243	20	22	24	28	17	11	15	21	18	17	26	24
Bronchitis (99)	24	3	3	4	3	1	1	3	1		1		4
Broncho-pneumonia (100)	116	10	14	23	14	8	4	8	6	4	2	16	7
Pneumonia (101)	52	4	6	11	4	2	4	2			3	8	8
Diarrhea and enteritis [under 2 years] (113)	51	3	3	1	4	2	2	4	15	11	2	3	1
Diarrhea and enteritis [2 years and over] (114)	13			2	1		1		1	2	2	1	3
Nephritis (128, 129)	57	2	5	10	5	4	3	7	4	3	4	3	7
Puerperal septicemia (146)	5					1	2				1	1	
Other puerperal causes (143–145, 147–150)	11	2	3	1	1	1		1			1	1	
Suicide (165–174)	6						2	2		1			1
Automobile accidents [1] (188c)	26	2	1		1	1	1	3	10	1	3	2	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	74	4	3	5	6	7	6	11	5	5	7	9	6
All other causes	615	66	47	64	53	53	47	42	34	47	45	53	64
NEW BEDFORD, MASS., all causes	1,395	105	125	136	143	129	111	86	99	119	116	88	138
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)													
Smallpox (6)													
Measles (7)	11	3	3	2	1		1			1			
Scarlet fever (8)	4		1									2	1
Whooping cough (9)	11								1	2	3	4	1
Diphtheria (10)	9		3	2	2					1			1
Influenza (11)	14		2	3	2	4		1				1	1
Dysentery (16)	1										1		
Erysipelas (21)	1		1										
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	2						1			1			
Tuberculosis of the respiratory system (31)	90	5	13	9	10	7	7	7	3	7	9	7	6
Other forms of tuberculosis (32–37)	19		1	3	2		5	2	3	1	2		
Diabetes mellitus (57)	23	1	2	1	2	2	4	1	4	3	2		1
Cerebral hemorrhage and softening (74, 83)	118	9	12	10	10	8	13	7	12	7	12	7	11
Other [organic] diseases of the heart (90)	180	17	19	18	19	19	8	9	8	15	7	17	24
Bronchitis (99)	16	1	4	3	3	2	1				1		1
Broncho-pneumonia (100)	112	6	14	13	15	12	4	3	4	7	8	7	19
Pneumonia (101)	33	2	6	4	5	2				3	1	6	4
Diarrhea and enteritis [under 2 years] (113)	40	1	3	4	2	3	4	1	5	9	5	2	1
Diarrhea and enteritis [2 years and over] (114)	2							2					
Nephritis (128, 129)	79	6	7	10	17	7	2	3	3	7	8		9
Puerperal septicemia (146)	5		1			1	2			1			
Other puerperal causes (143–145, 147–150)	6	2		1		1		1					1
Suicide (165–174)	13	1		3	1	3		1	1		1	1	1
Automobile accidents [1] (188c)	18			1		1	2	1	2	5	2	2	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1									1			
Other external causes (175–187, part 188a, b, 188d–203)	47	4	1	4	5	2	6	3	5	3	4	3	7
All other causes	539	47	32	45	47	55	51	44	48	44	50	29	47
SPRINGFIELD, MASS., all causes	1,782	171	150	187	167	139	153	114	123	123	139	160	156
Typhoid and paratyphoid fever (1)	2										1		1
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	5	1	1		3								
Whooping cough (9)	5		1		1	1	1				1		
Diphtheria (10)	6	1			1	2	1				1		
Influenza (11)	41	9	8	10	6	2	1				1	3	1
Dysentery (16)	1								1				
Erysipelas (21)	4	1		1							1		1
Lethargic encephalitis (23)	5		1	2		1							1
Meningococcus meningitis (24)	3		2										1
Tuberculosis of the respiratory system (31)	61	2	5	10	7	4	7	2	2	5	5	7	5
Other forms of tuberculosis (32–37)	12	1	2		2	1	1	1	1		1	1	1
Diabetes mellitus (57)	33	3	2	9	3	3	1	2	2	1	2	4	1
Cerebral hemorrhage and softening (74, 83)	107	15	9	5	9	12	10	3	6	7	15	8	8
Other [organic] diseases of the heart (90)	273	23	22	37	23	17	16	17	21	21	23	28	25
Bronchitis (99)	8		2	2	1		1				1		1
Broncho-pneumonia (100)	81	12	10	12	14	5	4	2		3	5	11	3
Pneumonia (101)	73	11	5	10	9	3	5	3		1	4	10	12
Diarrhea and enteritis [under 2 years] (113)	23	1	2			1	3	1	3	8	1	2	1
Diarrhea and enteritis [2 years and over] (114)	6						1	2		1	2		
Nephritis (128, 129)	242	24	16	23	30	16	23	19	19	11	12	22	27
Puerperal septicemia (146)	15	2	3			1		2	3	2	1	1	
Other puerperal causes (143–145, 147–150)	25	2	2	2	2	2	2	2		5	1	5	
Suicide (165–174)	19	2	2	3	1	2	2	1	1		2	1	2
Automobile accidents [1] (188c)	21			2		1	2	1	5	4		1	5
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	71	2	8	9	4	6	10	6	4	8	5	5	4
All other causes	639	59	47	50	51	58	62	50	55	46	54	51	56

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WORCESTER, MASS., all causes	2,547	208	199	263	242	237	205	175	187	173	211	209	238
Typhoid and paratyphoid fever (1)	4		1		1			2					
Malaria (5)													
Smallpox (6)													
Measles (7)	19							3		1	4	2	9
Scarlet fever (8)	6	1	2	1			1				1		
Whooping cough (9)	18		1	1		1		2	4	4	1	3	1
Diphtheria (10)	30	3		1	1	3	3	2	3	3	5	3	3
Influenza (11)	13	2	1	1	4	2			1			1	1
Dysentery (16)													
Erysipelas (21)	4	1	1			2							
Lethargic encephalitis (23)	5	1		1		1				1	1		
Meningococcus meningitis (24)	3				1	1				1			
Tuberculosis of the respiratory system (31)	117	10	5	15	9	18	15	6	7	5	11	4	12
Other forms of tuberculosis (32–37)	26	2	2	2	1	1	2	2	3	1	3	5	2
Diabetes mellitus (57)	37	6	4	1	4	6	5	1	2	2	1	2	3
Cerebral hemorrhage and softening (74, 83)	170	13	12	24	21	16	13	9	14	13	11	10	14
Other [organic] diseases of the heart (90)	406	41	40	40	44	33	33	28	30	25	27	29	36
Bronchitis (99)	10	1		2	2		1				1	2	1
Broncho-pneumonia (100)	109	12	7	13	11	10	3	7	4	4	9	13	16
Pneumonia (101)	127	6	11	23	19	15	6	3	2	3	12	9	18
Diarrhea and enteritis [under 2 years] (113)	47	2		3	3	3	2	1	10	10	6	6	1
Diarrhea and enteritis [2 years and over] (114)	4			1				1		1	1		
Nephritis (128, 129)	266	15	19	31	20	28	19	22	18	17	21	31	25
Puerperal septicemia (146)	7		1			1			1	1	1		2
Other puerperal causes (143–145, 147–150)	18	1	2	3			2	2	2		2	1	3
Suicide (165–174)	23	2	1	1	1	1		1	2	4	1	5	4
Automobile accidents [1] (188c)	40	4		1	2	2	3	2	8	3	3	6	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2								2				
Other external causes (175–187, part 188a, b, 188d–203)	141	9	13	12	9	15	14	12	7	12	17	9	12
All other causes	895	76	76	86	89	78	83	69	67	62	72	68	69
DETROIT, MICH. (WHITE), all causes	12,050	1,008	993	1,203	1,051	992	927	863	950	918	1,004	1,054	1,087
Typhoid and paratyphoid fever (1)	29	5	1	3		2	2	2	3	6	5		
Malaria (5)													
Smallpox (6)	12	6	3	3									
Measles (7)	17	1			1	2	1					2	10
Scarlet fever (8)	56	6	7	9	5	4	3	2	2	2	7	4	5
Whooping cough (9)	78	5	1	2	14	8	9	12	11	7	4	2	3
Diphtheria (10)	115	6	7	8	6	5	14	8	3	4	23	13	18
Influenza (11)	151	17	19	29	21	19	10	3	1	9	6	6	11
Dysentery (16)	4							1	2	1			
Erysipelas (21)	55	9	4	6	4	11	3	2	2	2	1	6	5
Lethargic encephalitis (23)	21	3	3		1	2	1		2	3		2	4
Meningococcus meningitis (24)	12		1	1		2	1	2	2		3		
Tuberculosis of the respiratory system (31)	693	68	70	67	61	57	50	45	63	45	51	54	62
Other forms of tuberculosis (32–37)	133	8	9	16	12	15	11	14	11	13	10	4	10
Diabetes mellitus (57)	190	14	13	18	8	17	18	15	15	14	16	20	22
Cerebral hemorrhage and softening (74, 83)	623	63	44	57	49	50	52	46	37	36	62	59	68
Other [organic] diseases of the heart (90)	1,448	99	130	137	129	107	114	112	103	103	137	135	142
Bronchitis (99)	72	8	11	8	5	4	2	3	5	4	6	7	9
Broncho-pneumonia (100)	515	81	62	63	55	37	32	16	18	25	43	36	47
Pneumonia (101)	703	78	76	111	71	66	33	23	19	23	41	72	90
Diarrhea and enteritis [under 2 years] (113)	385	25	19	23	16	14	30	32	65	87	37	19	18
Diarrhea and enteritis [2 years and over] (114)	46	5	2	3	4	3	4	1	4	7	4	6	3
Nephritis (128, 129)	585	55	52	50	56	43	42	44	45	43	53	54	48
Puerperal septicemia (146)	95	5	5	17	6	12	6	8	7	6	3	6	14
Other puerperal causes (143–145, 147–150)	104	6	8	8	9	11	10	10	9	8	9	9	7
Suicide (165–174)	151	6	13	17	14	6	10	16	17	11	11	16	14
Automobile accidents [1] (188c)	325	10	16	24	26	26	27	29	30	23	30	54	30
Automobile and railroad-train collision (part 188a)	12	1	2			2	1	1		1	3		1
Automobile and street-car collision (part 188b)	14		1	1		1	1		1	3	1	3	2
Other external causes (175–187, part 188a, b, 188d–203)	745	61	52	55	52	52	69	66	75	63	69	76	55
All other causes	4,661	357	362	467	426	414	371	350	398	369	369	389	389
DETROIT, MICH. (COLORED), all causes	1,627	140	136	158	138	132	124	124	118	124	145	149	139
Typhoid and paratyphoid fever (1)	5			2			1		1	1			
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1					1							
Whooping cough (9)	12				2	3	3	1		1	1	1	
Diphtheria (10)	4			2		1						1	
Influenza (11)	22	3	2	1		2	5	1		1	1	3	3
Dysentery (16)	2					1			1				
Erysipelas (21)	6	1	1	1		2							1
Lethargic encephalitis (23)	2	1					1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	255	18	25	29	20	14	15	27	22	22	21	26	16
Other forms of tuberculosis (32–37)	40	4	2	1	7	1		2	3	7	7	3	3
Diabetes mellitus (57)	12	1	3						1	2		2	3
Cerebral hemorrhage and softening (74, 83)	31	2	4	3	4	1	2	3		2	3	2	5
Other [organic] diseases of the heart (90)	172	14	10	16	11	12	12	15	18	17	15	18	14
Bronchitis (99)	12	2	2	2	2	1		1			1	1	
Broncho-pneumonia (100)	118	8	19	24	7	8	7	5	5	1	9	13	12
Pneumonia (101)	191	25	13	18	23	21	14	9	3	6	16	21	22
Diarrhea and enteritis [under 2 years] (113)	32	4	1	2	3		2	4	5	6	4	1	
Diarrhea and enteritis [2 years and over] (114)	11			1		2	1	1	3		2		1
Nephritis (128, 129)	66	9	5	4	4	6	5	6	4	7	4	4	8
Puerperal septicemia (146)	9	2	2		1				1		1	1	1
Other puerperal causes (143–145, 147–150)	15	2	2	2		2			1	2	3	1	
Suicide (165–174)	11				2	1	1		1		2	1	3
Automobile accidents [1] (188c)	21	1			2	2		3	6	2	2	2	1
Automobile and railroad-train collision (part 188a)	1		1										
Automobile and street-car collision (part 188b)	2		1								1		
Other external causes (175–187, part 188a, b, 188d–203)	135	6	11	5	10	9	16	8	14	12	15	18	11
All other causes	439	37	32	45	40	42	39	38	29	35	37	30	35

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GRAND RAPIDS, MICH., all causes	1,767	163	133	161	156	153	162	136	138	124	166	138	137
Typhoid and paratyphoid fever (1)	2	1						1					
Malaria (5)													
Smallpox (6)	1				1								
Measles (7)	6			1		3	2						
Scarlet fever (8)	8		1	2	2		2	1					
Whooping cough (9)	5		1				2	1	1				
Diphtheria (10)	7					2		2				3	
Influenza (11)	29	3	6	8	2	2	1			1	4		2
Dysentery (16)													
Erysipelas (21)	1							1					
Lethargic encephalitis (23)	2						1						1
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	52	7	3	6	1	7	2	2	3	6	9	4	2
Other forms of tuberculosis (32–37)	13	2	1	1	2	3	2	1	1				
Diabetes mellitus (57)	47	6	2	5	7	4	4	3	1	3	3	3	6
Cerebral hemorrhage and softening (74, 83)	159	16	8	13	7	15	21	12	13	12	19	11	12
Other [organic] diseases of the heart (90)	293	26	26	32	29	27	17	19	19	21	31	21	25
Bronchitis (99)	20		4	3		1	2		1	1	2	3	3
Broncho-pneumonia (100)	58	5	5	7	7	4	9		4	1	4	6	6
Pneumonia (101)	41	3	5	3	7	5	6		1	1	1	3	6
Diarrhea and enteritis [under 2 years] (113)	44		1	2		3			13	12	9	2	2
Diarrhea and enteritis [2 years and over] (114)	12	2				1	2	2	3	2			
Nephritis (128, 129)	116	14	12	9	9	13	9	9	8	6	10	10	7
Puerperal septicemia (146)	5			1	1			2	1				
Other puerperal causes (143–145, 147–150)	7	2	1		1		1	1	1				
Suicide (165–174)	20		1	2	5	1	2	1	2	1	3	1	1
Automobile accidents [1] (188c)	45	4	2	2	1	2	3	7	5	1	3	13	2
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)	1	1											
Other external causes (175–187, part 188a, b, 188d–203)	55	6	2	8	4	4	9	5	2	7	3	4	1
All other causes	716	64	52	57	69	56	65	66	59	49	65	54	60
MINNEAPOLIS, MINN., all causes	4,928	477	418	548	486	431	363	321	349	336	365	409	425
Typhoid and paratyphoid fever (1)	13	1	2		1		1	1		1	2	3	1
Malaria (5)	1									1			
Smallpox (6)	143	80	30	14	10	8	1						
Measles (7)	4			1		2		1					
Scarlet fever (8)	23	1	3	3	2	4	5	2		1	2		
Whooping cough (9)	19	1	1		2	2	1	1	6	3	1	1	
Diphtheria (10)	107	8	10	19	4	9	5	13	11	7	9	7	5
Influenza (11)	78	2	3	14	28	14	4		2	1	4		6
Dysentery (16)													
Erysipelas (21)	14			2	4		2			1	1		4
Lethargic encephalitis (23)	9				1		2		2	1		3	
Meningococcus meningitis (24)	1												1
Tuberculosis of the respiratory system (31)	165	15	9	20	15	23	16	6	10	11	5	15	20
Other forms of tuberculosis (32–37)	44	2	6	5	10	3	1	1	9	3	2		2
Diabetes mellitus (57)	86	5	8	9	10	7	7	7	5	5	9	6	8
Cerebral hemorrhage and softening (74, 83)	313	26	22	37	29	26	22	20	23	18	37	29	24
Other [organic] diseases of the heart (90)	637	57	48	67	54	51	47	46	54	42	46	61	64
Bronchitis (99)	18	3		2	2	3			1			3	4
Broncho-pneumonia (100)	167	14	14	41	24	9	12	7	6	5	7	11	17
Pneumonia (101)	228	24	15	38	32	15	7	6	8	4	20	24	35
Diarrhea and enteritis [under 2 years] (113)	43	11		3	5	2	1	1	3	7	2	3	5
Diarrhea and enteritis [2 years and over] (114)	25	1	1	1	2	3	2	2	1	7	3	2	
Nephritis (128, 129)	259	17	24	31	24	19	26	18	24	28	18	23	15
Puerperal septicemia (146)	22		4	4	5		2	2	3		1		1
Other puerperal causes (143–145, 147–150)	32	3	1	4	6	3	2		2	4	1	4	2
Suicide (165–174)	107	11	6	12	12	8	13	10	7	7	9	6	6
Automobile accidents [1] (188c)	76	2	4	6	2	10	10	7	6	9	5	8	7
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)	2		1										1
Other external causes (175–187, part 188a, b, 188d–203)	291	18	13	31	30	31	30	28	16	23	22	23	26
All other causes	2,000	175	193	184	172	179	144	142	150	155	158	177	171
ST. PAUL, MINN., all causes	3,120	261	225	310	358	266	234	223	229	233	252	223	306
Typhoid and paratyphoid fever (1)	7			1	1	1			2	1			1
Malaria (5)													
Smallpox (6)	18	5		2	1	4	2	3	1				
Measles (7)	1				1								
Scarlet fever (8)	32		2	4	6	7	6	2			1	1	3
Whooping cough (9)	13	2	3	1		1		1	4			1	
Diphtheria (10)	32	4	4	4	5	4	3		2	2	3	1	
Influenza (11)	51	2	2	3	26	3	2	3		1	1	3	5
Dysentery (16)	3				1		2						
Erysipelas (21)	9		1	1	3	1				2	1		
Lethargic encephalitis (23)	21	1	1	3	3	3	3	2				2	3
Meningococcus meningitis (24)	1										1		
Tuberculosis of the respiratory system (31)	174	12	6	23	16	16	18	13	10	14	11	18	17
Other forms of tuberculosis (32–37)	29	1	5	2	3	4	4	1	3	1	1	2	2
Diabetes mellitus (57)	66	6	9	2	4	4	5	3	4	9	2	6	12
Cerebral hemorrhage and softening (74, 83)	183	8	8	14	19	16	12	7	19	14	21	19	26
Other [organic] diseases of the heart (90)	448	30	38	52	52	37	44	39	26	26	29	27	48
Bronchitis (99)	9	2		1	2						2	2	
Broncho-pneumonia (100)	107	14	7	19	16	9	8	4		5	9	5	11
Pneumonia (101)	98	13	5	11	9	11	6	5	6	2	7	7	16
Diarrhea and enteritis [under 2 years] (113)	27	3		1	2	1			3	4	7	3	3
Diarrhea and enteritis [2 years and over] (114)	13							1	4	7		1	
Nephritis (128, 129)	201	23	21	21	17	17	12	16	14	12	16	17	15
Puerperal septicemia (146)	15		1	4	3	2		1	1		1	1	1
Other puerperal causes (143–145, 147–150)	20	1	5	2	1	5	1	1	1	1		2	
Suicide (165–174)	31	1	2	1	2	4	2	2	2	2	6	2	5
Automobile accidents [1] (188c)	42	5	2	1	4	7	2		2	6	6	2	5
Automobile and railroad-train collision (part 188a)	2				2								
Automobile and street-car collision (part 188b)	5				3							2	
Other external causes (175–187, part 188a, b, 188d–203)	154	16	13	9	15	8	11	21	12	15	10	8	16
All other causes	1,308	112	90	128	141	101	91	98	113	109	117	91	117

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS CITY, MO. (WHITE), all causes	4,190	364	364	473	376	335	279	301	334	320	304	385	355
Typhoid and paratyphoid fever (1)	7	1	1					2			2		1
Malaria (5)	2								1	1			
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	30	7	3	5	4	2	2	3			1	1	2
Whooping cough (9)	30		2	4	1	3	5	4	7	2	1	1	
Diphtheria (10)	27	3	1	1	2	2		1	1	1	6	4	5
Influenza (11)	135	18	24	41	15	9	1	2	3	3	2	7	10
Dysentery (16)	4				1			1	1			1	
Erysipelas (21)	6	1				1			1		1		2
Lethargic encephalitis (23)	8	2				1			1		1	3	
Meningococcus meningitis (24)	4				1			2	1				
Tuberculosis of the respiratory system (31)	213	26	21	22	24	21	17	12	17	15	8	16	14
Other forms of tuberculosis (32–37)	35	3	2	1	4		3	5	2	4	3	3	5
Diabetes mellitus (57)	54	3	7	9	5	3	2	4	3	4	5	2	7
Cerebral hemorrhage and softening (74, 83)	241	17	21	32	24	25	19	17	10	18	16	23	19
Other [organic] diseases of the heart (90)	429	29	31	48	37	38	28	27	32	27	27	53	52
Bronchitis (99)	15	2	3	2	3	2				1	1		1
Broncho-pneumonia (100)	192	28	32	27	23	17	9	7	6	8	10	12	13
Pneumonia (101)	173	24	25	24	19	12	2	4	12	4	12	17	18
Diarrhea and enteritis [under 2 years] (113)	82	1	4	7	8	3	5	11	17	13	7	4	2
Diarrhea and enteritis [2 years and over] (114)	17	2	1	2	2	2		3	2		1	2	
Nephritis (128, 129)	403	36	25	42	32	36	24	28	38	27	36	43	36
Puerperal septicemia (146)	30	3	3	8	3	1	1	1	4	2	1	2	1
Other puerperal causes (143–145, 147–150)	20	2	2		5	1	1	2		4		2	1
Suicide (165–174)	81	4	4	5	4	8	8	3	9	13	5	10	8
Automobile accidents [1] (188c)	81	5	8	7	5	2	4	5	7	10	13	7	8
Automobile and railroad-train collision (part 188a)	2										1		1
Automobile and street-car collision (part 188b)	1		1										
Other external causes (175–187, part 188a, b, 188d–203)	241	16	23	36	13	17	16	24	22	21	15	20	18
All other causes	1,627	131	120	150	141	129	132	133	137	142	129	152	131
KANSAS CITY, MO. (COLORED), all causes	897	61	93	119	80	59	60	82	65	70	70	73	65
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	2			1	1								
Whooping cough (9)	8						1	4	2	1			
Diphtheria (10)													
Influenza (11)	48	5	9	15	6		2	3			5	2	1
Dysentery (16)	1								1				
Erysipelas (21)													
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	2	1							1				
Tuberculosis of the respiratory system (31)	113	3	10	12	11	10	7	11	10	11	10	9	9
Other forms of tuberculosis (32–37)	22	2	2	2	1	3	2	3	2	2	2		1
Diabetes mellitus (57)	7				1	2	2		1				1
Cerebral hemorrhage and softening (74, 83)	30	3	3	4	3		1	5	2	4	1	3	1
Other [organic] diseases of the heart (90)	87	6	11	7	5	7	9	9	5	7	6	5	10
Bronchitis (99)	3	1		1					1				
Broncho-pneumonia (100)	54	1	12	17	6	4	1	2		2	2	6	1
Pneumonia (101)	61	8	8	15	7	1	3	1	1	1	1	7	8
Diarrhea and enteritis [under 2 years] (113)	13	1	2	1			1	2	4	1	1		
Diarrhea and enteritis [2 years and over] (114)	3							1	2				
Nephritis (128, 129)	106	10	5	13	10	6	7	8	4	5	12	14	12
Puerperal septicemia (146)	6	1	2				1		1	1			
Other puerperal causes (143–145, 147–150)	6		2	1	1	1			1				
Suicide (165–174)	3					1				1		1	
Automobile accidents [1] (188c)	6							1	1	1		1	2
Automobile and railroad-train collision (part 188a)	1				1								
Automobile and street-car collision (part 188b)	1		1										
Other external causes (175–187, part 188a, b, 188d–203)	103	8	6	11	7	3	9	13	14	10	10	7	5
All other causes	210	11	20	19	20	21	14	19	12	22	20	18	14
ST. LOUIS, MO. (WHITE), all causes	9,393	934	736	1,011	791	756	638	744	712	713	732	775	851
Typhoid and paratyphoid fever (1)	21		2	1			3	2	3	7	1	2	
Malaria (5)	3						1				2		
Smallpox (6)													
Measles (7)	4				1			1		1			1
Scarlet fever (8)	52	8	8	11	5	5	2	4	1	2	1	2	3
Whooping cough (9)	14					1	1	5	2	3		1	1
Diphtheria (10)	90	6	13	11	10	13	6	5	1		8	7	10
Influenza (11)	117	11	11	34	18	6	5	1	4		6	15	6
Dysentery (16)	14						1	6	4	1			2
Erysipelas (21)	16	3	1	3	3	3			2	1			
Lethargic encephalitis (23)	14	3	2	1		1	1	1	1		2	1	1
Meningococcus meningitis (24)	3	1	1	1									
Tuberculosis of the respiratory system (31)	342	31	25	42	31	35	24	25	28	21	27	32	21
Other forms of tuberculosis (32–37)	48	5	2	2	5	2	5	5	6	7	6	1	2
Diabetes mellitus (57)	172	22	12	18	18	13	11	12	17	8	14	14	13
Cerebral hemorrhage and softening (74, 83)	442	31	36	40	46	34	26	30	34	37	47	45	36
Other [organic] diseases of the heart (90)	1,451	137	114	170	114	105	98	95	106	118	122	135	137
Bronchitis (99)	65	10	9	9	3	4	3	5	5	2	4	3	8
Broncho-pneumonia (100)	400	61	29	52	32	31	15	20	18	20	24	42	56
Pneumonia (101)	563	88	66	96	67	22	19	13	20	18	24	60	70
Diarrhea and enteritis [under 2 years] (113)	195	4	6	4	4	3	7	42	44	42	22	10	7
Diarrhea and enteritis [2 years and over] (114)	30	2	2	2	1	2	1	5	8	2	1	4	
Nephritis (128, 129)	1,164	124	89	138	89	105	77	93	68	100	87	89	105
Puerperal septicemia (146)	35	4	3	3	5	1	2	1	2	3	1	3	7
Other puerperal causes (143–145, 147–150)	63	4	5	10	9	8	3	3	8	3	5	2	3
Suicide (165–174)	139	15	7	11	19	11	8	5	7	13	16	14	13
Automobile accidents [1] (188c)	180	13	13	12	13	16	17	14	16	15	21	14	16
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	4				1		1				1	1	
Other external causes (175–187, part 188a, b, 188d–203)	520	59	33	58	44	40	30	54	43	38	38	36	47
All other causes	3,232	292	247	282	253	295	271	297	264	251	252	242	286

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ST. LOUIS, MO. (COLORED), all causes	1,948	160	158	206	186	167	144	164	144	120	154	181	164
Typhoid and paratyphoid fever (1)	12			1			1	2	1	2	2	1	2
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	2				1				1				
Scarlet fever (8)	1		1										
Whooping cough (9)	7	1	1	1	3	1							
Diphtheria (10)	4				2	1							1
Influenza (11)	31	4	2	6	5	4				1	2	3	4
Dysentery (16)	2	1						1					
Erysipelas (21)	2					1	1						
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	3					1		1					1
Tuberculosis of the respiratory system (31)	219	12	17	25	18	21	21	24	16	8	22	20	15
Other forms of tuberculosis (32–37)	27	2	3	5	4	3	1		3	2	3	1	
Diabetes mellitus (57)	7		1		1	1		1		2	1		
Cerebral hemorrhage and softening (74, 83)	69	3	4	6	9	11	10	2	9	4	4	4	3
Other [organic] diseases of the heart (90)	339	30	28	36	33	33	31	31	29	15	18	33	22
Bronchitis (99)	11	1	1	1				2	2	1		2	1
Broncho-pneumonia (100)	107	9	12	13	10	9	8	4	5	5	7	15	10
Pneumonia (101)	182	20	20	34	23	9	8	5	8	3	10	31	11
Diarrhea and enteritis [under 2 years] (113)	33		2	2	1	1	2	8	5	9	3		
Diarrhea and enteritis [2 years and over] (114)	7		1				1	1		2	1		1
Nephritis (128, 129)	247	24	13	19	14	17	16	20	18	23	27	29	27
Puerperal septicemia (146)	12	2	2	5				1	1	1			
Other puerperal causes (143–145, 147–150)	11	2	1		1	1	1		2			3	
Suicide (165–174)	5	1	1				1				1	1	
Automobile accidents [1] (188c)	21	2	3		1	1	3			2	1	4	4
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	147	10	10	15	12	17	5	18	15	7	8	8	22
All other causes	438	36	35	36	48	34	34	43	29	33	44	26	40
OMAHA, NEBR., all causes	2,813	236	242	267	268	232	188	229	226	201	245	225	254
Typhoid and paratyphoid fever (1)	4								1		2	1	
Malaria (5)													
Smallpox (6)	1								1				
Measles (7)													
Scarlet fever (8)	1											1	
Whooping cough (9)	16				2	1		2	3	2	2	2	2
Diphtheria (10)	31	3	3	4			2	1	2	7	6	3	
Influenza (11)	56	1	2	13	14	2	1		2		8	2	11
Dysentery (16)													
Erysipelas (21)	2					1							1
Lethargic encephalitis (23)	6	3	1	1	1								
Meningococcus meningitis (24)	1											1	
Tuberculosis of the respiratory system (31)	116	9	5	10	19	14	9	10	8	10	9	10	3
Other forms of tuberculosis (32–37)	29	4	2	4	2	2	4	2	3	1	3		2
Diabetes mellitus (57)	59	8	3	7	5	2	6	3	6	2	5	7	5
Cerebral hemorrhage and softening (74, 83)	164	14	13	14	15	9	11	19	11	11	11	17	19
Other [organic] diseases of the heart (90)	360	35	34	31	40	28	27	39	20	17	36	20	33
Bronchitis (99)	9		1		2				1	1	2	1	1
Broncho-pneumonia (100)	105	10	12	16	18	2	7	8	4	4	9	5	10
Pneumonia (101)	164	25	18	25	19	10	2	7	6	6	12	11	23
Diarrhea and enteritis [under 2 years] (113)	53	2	1	2	4	2	1	6	17	9	3	2	4
Diarrhea and enteritis [2 years and over] (114)	29	1	1	2	1	1	3	2	4	5	4	2	3
Nephritis (128, 129)	156	8	16	18	22	9	13	11	8	7	12	20	12
Puerperal septicemia (146)	22	1	2	3	2	1	1	1	1	1	3	2	4
Other puerperal causes (143–145, 147–150)	21	2	1		3	2		2	5	1	3		2
Suicide (165–174)	57	7	3	6	12	3	5	3	5	2	5	3	3
Automobile accidents [1] (188c)	35	4		1	2		3	2	4	3	3	8	5
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	149	11	8	10	10	17	11	22	15	9	6	16	14
All other causes	1,167	88	116	100	75	126	82	89	99	103	101	91	97
CAMDEN, N. J., all causes	1,775	169	157	163	174	144	149	122	120	119	137	150	171
Typhoid and paratyphoid fever (1)	10	1			1		2		2	1	3		
Malaria (5)													
Smallpox (6)	44	9	8	6	14	6	1						
Measles (7)	35	5	5	5	8	5	4	2	1				
Scarlet fever (8)	4					1	1					2	
Whooping cough (9)	25		2	2	6	2	3	4	1	2	1		2
Diphtheria (10)	27	1	2	4	1	1	4	2	1	4	3	2	2
Influenza (11)	14	3	1	1	2	1			1			3	2
Dysentery (16)	1							1					
Erysipelas (21)	1												1
Lethargic encephalitis (23)	4		1		1				1			1	
Meningococcus meningitis (24)	2				1						1		
Tuberculosis of the respiratory system (31)	64	6	5	8	5	5	9	4	1	4	4	5	8
Other forms of tuberculosis (32–37)	10		1		2		2	1	1	1		1	1
Diabetes mellitus (57)	23	3	1	2	3	3		2		2	2	4	1
Cerebral hemorrhage and softening (74, 83)	93	7	9	10	9	7	6	7	7	5	8	8	10
Other [organic] diseases of the heart (90)	236	28	22	20	23	18	32	14	10	12	17	21	19
Bronchitis (99)	10	1	3		1	2						1	2
Broncho-pneumonia (100)	64	13	8	10	9	5	2	1		3	2	5	6
Pneumonia (101)	119	14	20	6	4	10	8	2	3	3	12	19	18
Diarrhea and enteritis [under 2 years] (113)	62	2	1	1	3	3	6	7	15	11	6	6	1
Diarrhea and enteritis [2 years and over] (114)	14					2	1	2	2	3	1	2	1
Nephritis (128, 129)	196	16	13	19	17	18	18	15	13	8	21	7	31
Puerperal septicemia (146)	17	1	2	1	1	2	3			1	2	3	1
Other puerperal causes (143–145, 147–150)	19	1	1	1		2	3	3	1	2	2	1	2
Suicide (165–174)	12	3			1		1		2	1	2	1	1
Automobile accidents [1] (188c)	43	2	2	4	3	1	4	3	5	3	6	6	4
Automobile and railroad-train collision (part 188a)	7			1	1	2			2	1			
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	126	7	5	7	13	9	9	15	22	7	10	9	13
All other causes	498	46	45	55	45	39	30	37	29	45	34	43	45

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
JERSEY CITY, N. J., all causes	3,675	373	317	372	326	326	301	222	258	252	293	313	322
Typhoid and paratyphoid fever (1)	13	1	1	1				1	1	2	3	3	
Malaria (5)													
Smallpox (6)													
Measles (7)	12					1		5		2			4
Scarlet fever (8)	2			1				1					
Whooping cough (9)	20	3	4		1	4	2	1	1		1		3
Diphtheria (10)	46	5	2	3	2	7	4	4	7		5	3	4
Influenza (11)	39	4	12	3	5	7	2		1			4	1
Dysentery (16)	4						1		1	1	1		
Erysipelas (21)	18	2	2	3	2	3	2			1		2	1
Lethargic encephalitis (23)	4		2					1		1			
Meningococcus meningitis (24)	3					1		1					1
Tuberculosis of the respiratory system (31)	217	23	16	32	22	20	18	13	19	17	8	19	10
Other forms of tuberculosis (32–37)	35	5	4	4	2	3	1	5	1	2	3	3	2
Diabetes mellitus (57)	72	11	7	6	6	7	6	2	6	4	2	5	10
Cerebral hemorrhage and softening (74, 83)	259	28	20	24	27	25	17	10	15	18	13	32	30
Other [organic] diseases of the heart (90)	650	65	52	66	57	58	64	42	44	38	49	59	56
Bronchitis (99)	29	5	2	4	2	2	1	3		2	1	3	4
Broncho-pneumonia (100)	161	23	12	17	11	18	10	4	5	13	9	18	21
Pneumonia (101)	221	31	26	34	27	18	7	7	4	9	19	17	22
Diarrhea and enteritis [under 2 years] (113)	105	8	6	12	12	1	8	5	13	10	18	10	2
Diarrhea and enteritis [2 years and over] (114)	22	3	1	1	1	3		4	2	1	2	3	1
Nephritis (128, 129)	307	28	23	25	31	30	25	13	24	20	31	21	36
Puerperal septicemia (146)	25	1	4	3	4	3	1	1	2		1	1	4
Other puerperal causes (143–145, 147–150)	25	4	4			3	4	3	1	2	1	2	1
Suicide (165–174)	25	3	2	2	2	2	3		4	3	3		1
Automobile accidents [1] (188c)	64	2	5	10	5	2	3	10	9	2	5	6	5
Automobile and railroad-train collision (part 188a)	1											1	
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	198	10	18	21	10	21	26	18	18	13	16	13	14
All other causes	1,098	108	92	100	97	87	96	68	80	91	102	88	89
NEWARK, N. J., all causes	5,308	545	413	522	490	457	449	371	379	354	424	399	505
Typhoid and paratyphoid fever (1)	5	1							1	1	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	9	2	1	1	3			2					
Scarlet fever (8)	2		1		1								
Whooping cough (9)	24		3	3	3	3	2	3	3	2	1		1
Diphtheria (10)	25	3	2	2	1	2	3	2	1	1	2	4	2
Influenza (11)	29	2	3	5	4	5	1	1	1		1	4	2
Dysentery (16)	3							1	1				1
Erysipelas (21)	11	1	4	1	1	2		1					1
Lethargic encephalitis (23)	12			3				4	2	1	2		
Meningococcus meningitis (24)	8	1		1			3	1	1			1	
Tuberculosis of the respiratory system (31)	249	26	26	24	20	28	26	21	15	9	14	18	22
Other forms of tuberculosis (32–37)	43	2	4	4	6	5	8		2	5	4	1	2
Diabetes mellitus (57)	107	9	10	10	16	9	10	5	5	5	8	6	14
Cerebral hemorrhage and softening (74, 83)	320	37	28	40	24	21	40	20	17	18	26	19	30
Other [organic] diseases of the heart (90)	821	100	60	93	88	75	71	44	47	45	75	55	68
Bronchitis (99)	61	11	3	9	4	10	6	2	1	1	2	5	7
Broncho-pneumonia (100)	176	21	22	17	26	21	10	6	8	7	12	12	14
Pneumonia (101)	352	47	34	55	41	38	20	11	10	7	28	26	35
Diarrhea and enteritis [under 2 years] (113)	142	9	5	6	5	7	13	20	30	26	11	6	4
Diarrhea and enteritis [2 years and over] (114)	16		2	1	2	1	2	2	3	3			
Nephritis (128, 129)	457	48	29	49	47	35	36	20	44	31	25	36	57
Puerperal septicemia (146)	32	5	1	3	2	3	5	4	1	1	3		4
Other puerperal causes (143–145,147–150)	51	7	2	6	3	4	4	7	7	4	4	3	
Suicide (165–174)	55	5	3	3	6	6	4	9	3	4	5	5	2
Automobile accidents [1] (188c)	110	5	5	12	7	5	2	9	8	7	14	15	21
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2				1						1		
Other external causes (175–187, part 188a, b, 188d–203)	296	21	21	24	27	22	42	20	29	24	22	27	26
All other causes	1,890	182	144	150	152	155	141	156	148	152	163	155	192
PATERSON, N. J., all causes	1,711	190	131	164	146	150	141	114	127	111	140	130	167
Typhoid and paratyphoid fever (1)	4		1		1		1			1			
Malaria (5)													
Smallpox (6)													
Measles (7)	3					1	2						
Scarlet fever (8)													
Whooping cough (9)	12	2	1	1	2	3	1	2					
Diphtheria (10)	6	3	1					1	1				
Influenza (11)	17	8	2	2	2				1			1	1
Dysentery (16)	1												1
Erysipelas (21)	4	1				1				1			1
Lethargic encephalitis (23)	2	1										1	
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	113	12	7	13	8	7	11	5	13	5	13	8	11
Other forms of tuberculosis (32–37)	21	2	3	2	2	1	2	3		2	2	2	
Diabetes mellitus (57)	41	1	3	4	2	1	4	6	2	5	4	4	5
Cerebral hemorrhage and softening (74, 83)	97	16	10	12	6	5	7	6	6	10	3	7	9
Other [organic] diseases of the heart (90)	260	26	21	25	19	24	25	11	17	21	24	19	28
Bronchitis (99)	8	1		4	1		1						1
Broncho-pneumonia (100)	49	7	4	8	5	5	6	1	3	1	1	2	6
Pneumonia (101)	105	19	12	6	13	11	5	2	3	2	9	9	14
Diarrhea and enteritis [under 2 years] (113)	25	3		1	2	2	5	3	2	1	4	1	1
Diarrhea and enteritis [2 years and over] (114)	13		1	2		1	2		2	2	2		1
Nephritis (128, 129)	137	18	7	11	15	10	7	7	8	15	13	14	12
Puerperal septicemia (146)	13	1		1	2		2	1	1	1	1	2	1
Other puerperal causes (143–145, 147–150)	14	1		1	3	1	1	1	1	1	1	2	1
Suicide (165–174)	18	4	3	4		3		1			1	1	1
Automobile accidents [1] (188c)	41	2	2	3	6	3	3	3	4	3	3	4	5
Automobile and railroad-train collision (part 188a)	4	1		1	2								
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	101	9	8	10	8	11	9	10	6	7	9	8	6
All other causes	601	52	45	53	47	59	47	51	57	33	50	45	62

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TRENTON, N. J., all causes	1,873	203	162	174	150	172	182	128	129	115	152	135	171
Typhoid and paratyphoid fever (1)	10	3		2	1				3			1	
Malaria (5)													
Smallpox (6)													
Measles (7)	5			1			1	1	2				
Scarlet fever (8)													
Whooping cough (9)	14	3	3	1	4	2			1				
Diphtheria (10)	3	1		1					1				
Influenza (11)	19	3	2	3	1	1	2				1	2	4
Dysentery (16)													
Erysipelas (21)	6	1	1	3								1	
Lethargic encephalitis (23)	3				1		1		1				
Meningococcus meningitis (24)	4	1		1	1	1							
Tuberculosis of the respiratory system (31)	99	6	7	9	10	8	8	10	6	8	9	8	10
Other forms of tuberculosis (32–37)	21		1	3	2	3	2	2	1	4		2	1
Diabetes mellitus (57)	25	4	5	3	2	2	2		1		2	1	3
Cerebral hemorrhage and softening (74, 83)	134	19	9	8	9	15	15	11	9	7	12	6	14
Other [organic] diseases of the heart (90)	325	46	32	28	22	25	36	18	16	17	26	26	33
Bronchitis (99)	8	2	1	1	2		1					1	
Broncho-pneumonia (100)	68	16	6	7	6	4	3	2	5	2	6	9	2
Pneumonia (101)	106	18	19	15	4	12	5	2	3	5	5	9	9
Diarrhea and enteritis [under 2 years] (113)	28	1	3	2		2	1	1	3	3	5	4	3
Diarrhea and enteritis [2 years and over] (114)	13	1			2	2	3	3			1	1	
Nephritis (128, 129)	127	15	12	10	10	12	15	5	8	7	11	8	14
Puerperal septicemia (146)	14	3		2			2	3				2	2
Other puerperal causes (143–145, 147–150)	11			1	1	1	1	1	1		2	2	1
Suicide (165–174)	24		3			1	2	4	3	2	5	1	3
Automobile accidents [1] (188c)	39	2	1	3	4	5	1	1	2	6	6	5	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	108	7	8	9	13	10	23	8	9	5	3	4	9
All other causes	659	51	49	61	55	66	58	56	54	49	58	42	60
ALBANY, N. Y., all causes	1,845	158	161	207	175	151	119	133	132	145	126	158	180
Typhoid and paratyphoid fever (1)	7	1			1	1		2		2			
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	4	1	1	1			1						
Whooping cough (9)	4	1		1		1			1				
Diphtheria (10)	8		2	1	1	1		1		1		1	
Influenza (11)	23	4	2	3	4	3				1	1	4	1
Dysentery (16)													
Erysipelas (21)	3				1	1						1	
Lethargic encephalitis (23)	7		1	1	3	1		1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	123	10	15	14	10	9	8	11	7	6	7	10	16
Other forms of tuberculosis (32–37)	16	1	2	2	2	1	1	4		1	1		1
Diabetes mellitus (57)	27	3	1	1	6	3	3	1	2	5		1	1
Cerebral hemorrhage and softening (74, 83)	103	10	12	8	14	7	9	3	10	7	9	6	8
Other [organic] diseases of the heart (90)	353	29	35	49	32	21	15	19	27	30	21	38	37
Bronchitis (99)	7	1		2	1						1	1	1
Broncho-pneumonia (100)	39	4	3	6	2	5		1	3	2		5	8
Pneumonia (101)	82	7	10	12	6	8	5	1	1	5	9	7	11
Diarrhea and enteritis [under 2 years] (113)	27	2	3	1	3	1	4	2	4	4	3		
Diarrhea and enteritis [2 years and over] (114)	1										1		
Nephritis (128, 129)	190	19	17	22	18	17	12	15	12	22	12	7	17
Puerperal septicemia (146)	6			3					2	1			
Other puerperal causes (143–145, 147–150)	15	1		1	4	3	1			3			2
Suicide (165–174)	14	1	2	2		1		1	2		3		2
Automobile accidents [1] (188c)	35	1	2	1	3	2	2	5	1	3	4	5	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	98	6	4	9	6	6	12	9	8	7	10	8	13
All other causes	653	56	49	67	58	59	46	57	52	45	44	64	56
BUFFALO, N. Y., all causes	7,434	605	614	699	737	638	633	536	517	561	601	652	641
Typhoid and paratyphoid fever (1)	25	5	1	4			1		3	1	4	3	3
Malaria (5)													
Smallpox (6)													
Measles (7)	56	1	1	7	8	11	23	4	1				
Scarlet fever (8)	14	1	3	1	1	1	1		1		2	2	1
Whooping cough (9)	24		1	4	3	2	2	4	2	1	1	2	2
Diphtheria (10)	33	1	3	3	2	5	1	1		1	4	4	8
Influenza (11)	39	8	3	2	5	6	2	1	1		1	2	8
Dysentery (16)	6		1	1	1					2	1		
Erysipelas (21)	9				1	1	1			1	2	2	1
Lethargic encephalitis (23)	5	2				1	1						1
Meningococcus meningitis (24)	7	1					1	2	1		2		
Tuberculosis of the respiratory system (31)	432	34	34	34	51	39	47	36	25	35	32	36	29
Other forms of tuberculosis (32–37)	62	5	2	9	9	6	5	4	6	1	5	5	5
Diabetes mellitus (57)	131	13	9	15	13	11	6	8	7	10	9	15	15
Cerebral hemorrhage and softening (74, 83)	459	50	47	45	42	31	35	35	38	26	35	33	42
Other [organic] diseases of the heart (90)	1,221	102	109	107	122	103	99	82	71	78	99	124	125
Bronchitis (99)	89	8	8	11	11	7	8	4	1	4	7	6	14
Broncho-pneumonia (100)	279	30	35	29	39	28	21	5	14	10	11	28	29
Pneumonia (101)	366	24	42	40	51	48	23	12	11	9	24	42	40
Diarrhea and enteritis [under 2 years] (113)	284	8	12	27	17	20	17	22	36	56	31	22	16
Diarrhea and enteritis [2 years and over] (114)	31			1		4	2	4	2	10	5	1	2
Nephritis (128, 129)	670	49	59	72	53	47	63	48	46	53	69	55	56
Puerperal septicemia (146)	30	4	2		4	5		2	5	1	3	2	2
Other puerperal causes (143–145, 147–150)	52	5	1	7	5	2	5	3	4	3	4	9	4
Suicide (165–174)	53	5	4	6	6	2	5	3	6	5	4	5	2
Automobile accidents [1] (188c)	119	4	9	7	7	9	13	11	13	9	8	17	12
Automobile and railroad-train collision (part 188a)	3								1	2			
Automobile and street-car collision (part 188b)	5				1	1	1				2		
Other external causes (175–187, part 188a, b, 188d–203)	378	32	28	34	38	21	30	28	38	28	23	45	33
All other causes	2,552	213	200	233	247	227	220	217	184	215	213	192	191

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (WHITE), all causes	67,556	6,712	5,895	6,567	6,271	6,030	5,767	4,642	4,621	4,529	5,409	5,355	5,758
Typhoid and paratyphoid fever (1)	190	43	15	5	7	15	14	8	24	21	13	12	13
Malaria (5)	6				1	2	1		1			1	
Smallpox (6)													
Measles (7)	141	5	4	2	8	20	20	22	8	8	4	14	26
Scarlet fever (8)	76	13	13	14	13	9	4	2	3		1		4
Whooping cough (9)	298	23	29	24	39	28	31	30	32	19	19	9	15
Diphtheria (10)	641	67	55	64	96	89	69	37	24	30	36	43	31
Influenza (11)	550	74	94	83	79	55	24	5	13	16	34	34	39
Dysentery (16)	27	1	1	3	2	2	3		3	5	6	1	
Erysipelas (21)	226	27	35	41	38	29	14	10	5	5	3	6	13
Lethargic encephalitis (23)	180	25	19	23	19	10	14	9	21	8	12	13	7
Meningococcus meningitis (24)	92	7	4	16	6	9	10	7	3	12	6	9	3
Tuberculosis of the respiratory system (31)	4,155	373	358	414	390	428	341	340	299	280	285	332	315
Other forms of tuberculosis (32–37)	592	60	49	55	58	69	55	44	50	38	46	31	37
Diabetes mellitus (57)	1,481	139	122	146	151	151	124	96	102	96	117	118	119
Cerebral hemorrhage and softening (74, 83)	3,009	314	264	264	243	262	272	170	214	215	242	275	274
Other [organic] diseases of the heart (90)	13,017	1,377	1,104	1,263	1,128	1,180	1,133	793	815	828	1,137	1,085	1,174
Bronchitis (99)	231	35	19	22	26	19	17	7	12	7	18	25	24
Broncho-pneumonia (100)	2,773	344	301	315	339	240	185	109	117	128	208	219	268
Pneumonia (101)	4,003	578	483	513	521	367	212	151	152	155	223	307	341
Diarrhea and enteritis [under 2 years] (113)	1,254	62	71	87	97	82	124	135	181	164	131	68	52
Diarrhea and enteritis [2 years and over] (114)	133	12	10	12	4	15	9	15	18	8	12	9	9
Nephritis (128, 129)	5,966	570	494	553	552	536	563	408	404	406	512	467	501
Puerperal septicemia (146)	261	37	21	31	28	28	17	14	12	20	27	13	13
Other puerperal causes (143–145, 147–150)	413	41	43	40	37	28	36	36	32	24	24	35	37
Suicide (165–174)	908	78	85	86	76	74	64	85	71	82	65	69	73
Automobile accidents [1] (188c)	1,023	43	66	80	73	103	90	79	71	98	106	108	106
Automobile and railroad-train collision (part 188a)	6		2	1						1		2	
Automobile and street-car collision (part 188b)	5						1			3			1
Other external causes (175–187, part 188a, b, 188d–203)	3,625	354	291	284	270	268	442	277	242	232	286	291	388
All other causes	22,274	2,010	1,843	2,126	1,970	1,912	1,878	1,753	1,692	1,620	1,836	1,759	1,875
NEW YORK, N. Y. (COLORED), all causes	4,279	419	351	393	447	386	303	322	322	299	351	322	364
Typhoid and paratyphoid fever (1)	6						1	1		1	1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	14				7	3	2				1	1	
Scarlet fever (8)	1					1							
Whooping cough (9)	40	1	3	6	6	10	3	4	2	2	2		1
Diphtheria (10)	18		2	4	3	4	1			1		1	2
Influenza (11)	18	2	2	4	5	3						1	1
Dysentery (16)	2								2				
Erysipelas (21)	13	2	1	1	3	1	1		1		2	1	
Lethargic encephalitis (23)	9		1		2	1	1	1					3
Meningococcus meningitis (24)	5			1				1	1	1		1	
Tuberculosis of the respiratory system (31)	703	61	52	76	63	71	45	58	68	41	66	42	60
Other forms of tuberculosis (32–37)	110	11	5	7	11	13	10	9	9	11	5	11	8
Diabetes mellitus (57)	39	7	4	4	1	4	3	3	4	1	2	3	3
Cerebral hemorrhage and softening (74, 83)	106	9	16	10	8	5	7	8	5	11	8	10	9
Other [organic] diseases of the heart (90)	526	53	42	48	45	48	43	25	32	39	50	41	60
Bronchitis (99)	10	2	3	1	1	1	1		1				
Broncho-pneumonia (100)	268	22	31	31	42	24	17	11	16	10	20	20	24
Pneumonia (101)	389	62	40	48	51	34	27	14	14	14	27	28	30
Diarrhea and enteritis [under 2 years] (113)	85	5	3	4	10	11	6	7	11	14	2	5	7
Diarrhea and enteritis [2 years and over] (114)	5						1		1	1		1	1
Nephritis (128, 129)	290	34	25	21	31	20	14	22	25	32	26	19	21
Puerperal septicemia (146)	24	3	2	3	1	1	3	2	2	1	2	1	3
Other puerperal causes (143–145, 147–150)	40	3	1	2	6	3	4	7	4	4	3		3
Suicide (165–174)	26	2	3	1	4	2	1	2	3	1	1	5	1
Automobile accidents [1] (188c)	37	2	1	3	2	9	3	1	4	4	2	3	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	233	24	7	16	17	16	24	36	15	24	15	17	22
All other causes	1,262	114	107	102	128	101	85	110	102	86	116	110	101
NEW YORK, N. Y. (BRONX BOROUGH), all causes	8,295	795	730	785	729	741	726	586	566	583	651	685	718
Typhoid and paratyphoid fever (1)	21	5	3			2	2		5	3	1		
Malaria (5)													
Smallpox (6)													
Measles (7)	8					1				1	1	2	3
Scarlet fever (8)	11	1	2	2	1	3			1				1
Whooping cough (9)	29		4	4	3	1	2	5	3	3		1	3
Diphtheria (10)	68	8	8	6	5	6	8	1	2		2	6	6
Influenza (11)	86	12	18	8	9	10	5	1	2	5	5	9	2
Dysentery (16)	2				1					1			
Erysipelas (21)	39	7	7	6	4	7	2	1	1	2	1		1
Lethargic encephalitis (23)	32	5	3	4	4	1	3	1	4	2	2	2	1
Meningococcus meningitis (24)	7	2			1	2				1		1	
Tuberculosis of the respiratory system (31)	590	55	50	43	68	51	44	46	43	44	39	53	54
Other forms of tuberculosis (32–37)	83	6	7	7	13	10	8	7	7	3	6	5	4
Diabetes mellitus (57)	201	15	11	29	18	25	21	16	10	8	15	17	16
Cerebral hemorrhage and softening (74, 83)	280	26	25	33	21	25	24	13	8	23	19	38	25
Other [organic] diseases of the heart (90)	1,683	148	136	156	124	151	157	124	111	129	141	153	153
Bronchitis (99)	22	4	2	1	2			1	1		3	3	5
Broncho-pneumonia (100)	323	35	34	34	36	26	23	15	12	16	24	25	43
Pneumonia (101)	503	35	48	54	57	50	37	18	15	27	37	30	45
Diarrhea and enteritis [under 2 years] (113)	112	8	7	13	7	6	10	7	16	11	14	8	5
Diarrhea and enteritis [2 years and over] (114)	12	2		1	1	1	1	2	4				
Nephritis (128, 129)	625	42	54	58	57	52	62	39	51	35	64	52	59
Puerperal septicemia (146)	28	4	2	5	1	4	4	2	2	1	2	1	
Other puerperal causes (143–145, 147–150)	46	5	6	2		5	5	6	3	4	2	5	3
Suicide (165–174)	128	7	12	6	14	8	6	14	18	12	10	12	9
Automobile accidents [1] (188c)	117	7	5	10	8	11	11	6	4	14	12	11	18
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	349	23	29	23	23	31	50	33	22	25	31	25	34
All other causes	2,900	283	257	280	251	252	241	228	221	213	220	226	228

[1] Excludes collision with railroad trains and street cars

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE), all causes	23,864	2,393	2,083	2,362	2,186	2,212	2,063	1,620	1,646	1,539	1,902	1,889	1,969
Typhoid and paratyphoid fever (1)	67	15	6	3	3	4	2	3	7	9	1	6	8
Malaria (5)	3				1		1		1				
Smallpox (6)													
Measles (7)	24	1	2	1	2	1	4	5	1			2	5
Scarlet fever (8)	21	4	3	3	6	2	1		2				
Whooping cough (9)	106	6	13	8	15	11	11	11	9	8	7	4	3
Diphtheria (10)	250	20	26	19	47	26	26	12	11	13	18	17	15
Influenza (11)	247	34	35	42	42	28	14	2	8	4	13	12	13
Dysentery (16)	7		1		1	2	1		1	1			
Erysipelas (21)	69	9	13	13	12	6	6	3			1	2	4
Lethargic encephalitis (23)	60	10	8	5	3	1	3	4	8	5	4	6	3
Meningococcus meningitis (24)	29	1	3	4	2	2	4	2	1	5	4		1
Tuberculosis of the respiratory system (31)	1,278	137	120	107	104	135	115	101	98	78	98	101	84
Other forms of tuberculosis (32–37)	197	19	18	16	10	27	17	13	18	18	18	10	13
Diabetes mellitus (57)	528	36	40	56	54	51	44	33	46	45	40	40	43
Cerebral hemorrhage and softening (74, 83)	1,056	109	92	79	76	105	96	69	84	73	77	103	93
Other [organic] diseases of the heart (90)	4,959	526	439	508	419	467	440	304	308	293	425	383	447
Bronchitis (99)	81	9	6	6	11	8	8	2	5	3	5	10	8
Broncho-pneumonia (100)	1,108	135	127	141	127	95	79	43	42	53	85	84	97
Pneumonia (101)	1,292	186	139	189	175	112	64	51	48	42	73	111	102
Diarrhea and enteritis [under 2 years] (113)	478	23	30	29	27	32	43	55	64	71	59	24	21
Diarrhea and enteritis [2 years and over] (114)	48	5	2	5	2	6	4	2	3	2	6	7	4
Nephritis (128, 129)	2,284	233	204	213	214	191	217	148	158	159	191	175	181
Puerperal septicemia (146)	118	12	12	14	17	9	8	7	7	9	10	7	6
Other puerperal causes (143–145, 147–150)	182	19	17	22	17	11	14	12	12	12	11	22	13
Suicide (165–174)	227	12	20	29	16	24	15	29	19	16	17	14	16
Automobile accidents [1] (188c)	331	16	19	23	21	33	33	21	22	32	35	44	32
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2						1			1			
Other external causes (175–187, part 188a, b, 188d–203)	1,130	121	98	80	83	92	145	86	83	63	75	85	119
All other causes	7,682	695	590	747	679	731	647	602	580	524	629	620	638
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED), all causes	960	107	81	93	113	82	66	56	59	59	79	76	89
Typhoid and paratyphoid fever (1)													
Malaria (5)													
Smallpox (6)													
Measles (7)	2										1	1	
Scarlet fever (8)	1					1							
Whooping cough (9)	10			1	1	3	2		1		1		1
Diphtheria (10)	8			3	2	2	1						
Influenza (11)	11	1		3	3	2						1	1
Dysentery (16)	1								1				
Erysipelas (21)	5	1			2				1		1		
Lethargic encephalitis (23)	3		1		1		1						
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	106	14	8	10	8	12	7	8	6	8	10	5	10
Other forms of tuberculosis (32–37)	26	4			3	5	4	2	1	3	1	1	2
Diabetes mellitus (57)	5	4					1						
Cerebral hemorrhage and softening (74, 83)	19	2	3	4	1		1	1			1	2	4
Other [organic] diseases of the heart (90)	153	16	13	17	16	7	14	8	9	9	15	12	17
Bronchitis (99)	1					1							
Broncho-pneumonia (100)	77	3	12	11	11	8	5	4	5	4	7	3	4
Pneumonia (101)	76	13	10	8	10	7	5	1	1	1	5	6	9
Diarrhea and enteritis [under 2 years] (113)	22	1	1	1	3	4	2		2	4	1	1	2
Diarrhea and enteritis [2 years and over] (114)	1						1						
Nephritis (128, 129)	79	12	11	5	11	3		5	7	8	9	5	3
Puerperal septicemia (146)	6	2			1	1	1						1
Other puerperal causes (143–145, 147–150)	12	1	1		4	1	1	2		1			1
Suicide (165–174)	8				3	1			1			3	
Automobile accidents [1] (188c)	10	1	1			1	1			1	1	2	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	37	7	1	4	1	1	4	3	2	1	2	5	6
All other causes	281	25	19	26	32	22	15	22	22	19	24	29	26
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE), all causes	26,851	2,689	2,387	2,612	2,574	2,307	2,263	1,815	1,771	1,796	2,169	2,152	2,316
Typhoid and paratyphoid fever (1)	85	17	6	1	3	8	9	5	10	8	8	6	4
Malaria (5)	2					1						1	
Smallpox (6)													
Measles (7)	102	4	2	1	5	15	16	17	7	6	3	9	17
Scarlet fever (8)	29	5	4	4	5	4	2	2			1		2
Whooping cough (9)	118	10	9	10	15	12	14	11	8	8	8	4	9
Diphtheria (10)	253	25	16	30	36	48	29	18	6	10	12	14	9
Influenza (11)	154	19	33	22	19	13	4	2	1	2	14	10	15
Dysentery (16)	13			3			2		2	1	4	1	
Erysipelas (21)	90	11	10	18	16	11	5	4	3	2		3	7
Lethargic encephalitis (23)	64	7	4	13	6	7	6	3	7		5	4	2
Meningococcus meningitis (24)	47	4	1	11	2	5	5	4	1	5	1	6	2
Tuberculosis of the respiratory system (31)	1,755	138	143	190	170	175	148	148	126	122	118	144	133
Other forms of tuberculosis (32–37)	246	26	19	23	27	25	27	18	24	13	15	13	16
Diabetes mellitus (57)	570	67	55	46	63	61	49	34	28	33	41	48	45
Cerebral hemorrhage and softening (74, 83)	1,095	126	103	108	104	92	96	51	85	76	92	78	84
Other [organic] diseases of the heart (90)	4,823	545	409	454	443	411	395	268	292	303	437	435	431
Bronchitis (99)	100	15	8	11	10	9	7	3	5	3	9	10	10
Broncho-pneumonia (100)	1,050	133	116	114	139	89	72	40	46	46	75	84	96
Pneumonia (101)	1,777	244	236	223	238	174	92	60	70	70	93	131	146
Diarrhea and enteritis [under 2 years] (113)	533	22	25	37	48	39	53	62	81	65	49	28	24
Diarrhea and enteritis [2 years and over] (114)	43	5	4	5	1	7	1	5	6	4	2	1	2
Nephritis (128, 129)	2,174	211	178	201	204	207	197	152	139	144	173	174	194
Puerperal septicemia (146)	77	10	5	9	8	13	5	4	2	6	8	4	3
Other puerperal causes (143–145, 147–150)	125	11	13	15	12	6	13	10	13	5	10	2	15
Suicide (165–174)	425	49	43	40	35	25	32	33	24	45	25	35	39
Automobile accidents [1] (188c)	460	17	35	42	35	47	34	46	34	37	45	44	44
Automobile and railroad-train collision (part 188a)	1									1			
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	1,735	177	130	147	137	115	201	127	93	114	145	153	196
All other causes	8,905	791	780	834	793	688	749	688	658	667	776	710	771

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED), all causes	2,968	282	236	264	294	281	214	237	232	218	240	220	250
Typhoid and paratyphoid fever (1)	6						1	1		1	1	1	1
Malaria (5)													
Smallpox (6)													
Measles (7)	12				7	3	2						
Scarlet fever (8)													
Whooping cough (9)	26	1	3	4	4	7	1	3	1	1	1		
Diphtheria (10)	10		2	1	1	2				1		1	2
Influenza (11)	6	1	2	1	1	1							
Dysentery (16)	1								1				
Erysipelas (21)	8	1	1	1	1	1	1				1	1	
Lethargic encephalitis (23)	6				1	1		1					3
Meningococcus meningitis (24)	5			1			1	1	1	1		1	
Tuberculosis of the respiratory system (31)	535	38	33	61	49	56	37	46	56	30	51	31	47
Other forms of tuberculosis (32–37)	76	7	4	5	8	8	5	7	7	8	3	8	6
Diabetes mellitus (57)	29	3	4	4	1	4	2	1	4	1	1	2	2
Cerebral hemorrhage and softening (74, 83)	73	6	11	4	4	4	6	7	5	9	6	7	4
Other [organic] diseases of the heart (90)	326	33	24	26	24	36	25	16	19	26	33	25	39
Bronchitis (99)	7	2	2		1		1		1				
Broncho-pneumonia (100)	172	19	18	15	28	16	9	7	10	5	11	16	18
Pneumonia (101)	279	46	30	34	39	26	18	12	12	10	15	18	19
Diarrhea and enteritis [under 2 years] (113)	53	4	1	2	6	6	4	4	7	10	1	4	4
Diarrhea and enteritis [2 years and over] (114)	4								1	1		1	1
Nephritis (128, 129)	180	20	12	14	18	12	12	16	13	23	12	12	16
Puerperal septicemia (146)	18	1	2	3			2	2	2	1	2	1	2
Other puerperal causes (143–145, 147–150)	26	2		2	2	1	3	5	4	3	2		2
Suicide (165–174)	17	1	3	1	1	1	1	2	2	1	1	2	1
Automobile accidents [1] (188c)	24	1		2	2	7	2	1	3	3	1	1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	176	16	4	11	13	15	18	27	11	22	12	12	15
All other causes	893	80	80	72	83	74	64	78	72	61	86	76	67
NEW YORK, N. Y. (QUEENS BOROUGH), all causes	7,030	677	581	660	655	636	581	512	515	494	577	523	619
Typhoid and paratyphoid fever (1)	16	6			1	1	1		2	1	3		1
Malaria (5)	1					1							
Smallpox (6)													
Measles (7)	6				1	2				1		1	1
Scarlet fever (8)	14	3	3	5	1		1						1
Whooping cough (9)	41	6	3	2	7	4	3	1	10	1	4		
Diphtheria (10)	65	9	4	6	8	8	6	5	3	6	4	5	1
Influenza (11)	50	3	8	10	9	2	1		2	3	2	3	7
Dysentery (16)	3	1								1	1		
Erysipelas (21)	24		5	3	5	4	1	2		1	1	1	1
Lethargic encephalitis (23)	18	2	3		6	1	1		1	1	1	1	1
Meningococcus meningitis (24)	7			1			1	1	1	1		2	
Tuberculosis of the respiratory system (31)	444	40	38	59	37	50	26	38	27	32	29	32	36
Other forms of tuberculosis (32–37)	60	8	6	9	6	6	3	5	2	3	4	5	3
Diabetes mellitus (57)	159	16	14	12	16	10	10	11	15	8	20	12	15
Cerebral hemorrhage and softening (74, 83)	493	49	34	36	38	32	44	33	29	36	45	53	64
Other [organic] diseases of the heart (90)	1,191	123	92	114	119	123	105	62	77	77	103	84	112
Bronchitis (99)	24	3	4	3	3	2	2	1	1	1	1	2	1
Broncho-pneumonia (100)	258	35	19	26	35	25	12	8	14	14	23	19	28
Pneumonia (101)	366	53	52	36	38	26	19	18	17	17	22	30	38
Diarrhea and enteritis [under 2 years] (113)	111	7	10	8	11	6	16	10	13	15	8	5	2
Diarrhea and enteritis [2 years and over] (114)	22		3	1		1	3	5	4	1	3		1
Nephritis (128, 129)	736	69	44	61	68	74	74	59	50	52	72	57	56
Puerperal septicemia (146)	27	7	1	3	1			1	1	2	6	1	4
Other puerperal causes (143–145, 147–150)	53	6	6	1	7	7	4	6	3	2	1	5	5
Suicide (165–174)	112	10	10	10	8	15	10	8	7	6	12	7	9
Automobile accidents [1] (188c)	102	3	6	6	8	11	10	6	11	12	11	8	10
Automobile and railroad-train collision (part 188a)	5		2	1								2	
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	318	22	29	28	22	23	33	29	36	19	29	22	26
All other causes	2,303	196	185	219	200	202	195	203	189	181	172	166	195
NEW YORK, N. Y. (RICHMOND BOROUGH), all causes	1,867	188	148	184	167	157	157	138	154	139	142	132	161
Typhoid and paratyphoid fever (1)	1			1									
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	1		1										
Whooping cough (9)	8	1		1			1	3	2				
Diphtheria (10)	15	5	1	3		1		1	2	1		1	
Influenza (11)	14	6		1	1	2				2			2
Dysentery (16)	2									1	1		
Erysipelas (21)	4			1	1	1			1				
Lethargic encephalitis (23)	6	1	1	1			1	1	1				
Meningococcus meningitis (24)	2				1						1		
Tuberculosis of the respiratory system (31)	150	12	18	20	17	20	9	11	11	7	6	8	11
Other forms of tuberculosis (32–37)	14	1		2	2	1	1	1		1	4		1
Diabetes mellitus (57)	28	5	2	3		4		4	3	2	2	2	1
Cerebral hemorrhage and softening (74, 83)	99	5	12	10	7	9	12	4	8	9	10	4	9
Other [organic] diseases of the heart (90)	408	39	33	36	28	33	40	36	31	30	33	34	35
Bronchitis (99)	6	4		2									
Broncho-pneumonia (100)	53	6	6	5	5	5	2	3	4		3	8	6
Pneumonia (101)	99	13	8	17	15	6	4	5	3	2	5	9	12
Diarrhea and enteritis [under 2 years] (113)	30	2		1	5		2	4	9	2	1	3	1
Diarrhea and enteritis [2 years and over] (114)	8		1					1	1	1	1	1	2
Nephritis (128, 129)	178	17	16	22	11	17	15	11	11	17	17	11	13
Puerperal septicemia (146)	11	4	1		1	2				2	1		
Other puerperal causes (143–145, 147–150)	9		1		1			2	1	1	1	1	1
Suicide (165–174)	17	1		1	3	2	1	1	3	3	1	1	
Automobile accidents [1] (188c)	16		1		1	2	2		1	3	3	1	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	2									2			
Other external causes (175–187, part 188a. b, 188d–203)	113	12	7	7	8	7	15	8	10	12	7	6	14
All other causes	572	54	39	50	60	44	52	42	52	41	45	42	51

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ROCHESTER, N. Y., all causes	3,839	334	282	351	401	348	291	304	303	273	300	297	355
Typhoid and paratyphoid fever (1)	8	4				1				1	1		1
Malaria (5)													
Smallpox (6)													
Measles (7)	7	1			1	1	2	2					
Scarlet fever (8)	10	2	1	1	2	2	1	1					
Whooping cough (9)	19	1		1	2	1	1	2	3	1	5	1	1
Diphtheria (10)	52	4	1	9	13	7	2	2			4	4	6
Influenza (11)	19			3	3	5	1			1	1	2	3
Dysentery (16)	2										2		
Erysipelas (21)	8	2	2		1		1				1		1
Lethargic encephalitis (23)	6		1			3		1	1				
Meningococcus meningitis (24)	2						1						1
Tuberculosis of the respiratory system (31)	158	15	10	15	18	14	14	15	12	7	10	8	20
Other forms of tuberculosis (32–37)	30	1	4	2	4	3	1	2	5	1	1	4	2
Diabetes mellitus (57)	71	9	1	10	12	4	6	7	4	5	2	5	6
Cerebral hemorrhage and softening (74, 83)	299	25	26	24	29	28	25	18	19	17	26	36	26
Other [organic] diseases of the heart (90)	677	69	57	71	67	67	44	39	57	50	37	46	73
Bronchitis (99)	12		1		3	1	2			1	1	2	1
Broncho-pneumonia (100)	99	5	3	7	13	16	1	6	5	6	15	9	13
Pneumonia (101)	152	13	11	26	19	16	8	5	10	5	10	15	14
Diarrhea and enteritis [under 2 years] (113)	103	5	3	2	6	3	1	3	25	28	19	7	1
Diarrhea and enteritis [2 years and over] (114)	11	2	1	1				1	2			4	
Nephritis (128, 129)	382	39	33	32	33	32	30	26	26	31	27	36	37
Puerperal septicemia (146)	24	1	3	5	3	1	1	3	2	3		1	1
Other puerperal causes (143–145, 147–150)	18	2	2		1	1	1	2	3	1	1	2	2
Suicide (165–174)	45	2	3	3	2	6	9	3	4	1	4	4	4
Automobile accidents [1] (188c)	54	1	1	3	3	6	2	8	4	4	12	7	3
Automobile and railroad-train collision (part 188a)	5	1					1			1	2		
Automobile and street-car collision (part 188b)	2						1						1
Other external causes (175–187, part 188a, b, 188d–203)	166	7	13	12	13	12	21	17	19	12	16	9	15
All other causes	1,398	123	105	124	153	118	114	141	102	97	103	95	123
SYRACUSE, N. Y., all causes	2,292	218	199	219	225	206	161	152	166	166	193	194	193
Typhoid and paratyphoid fever (1)	4	1	1						1	1			
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	17		1		1				1		6	3	5
Diphtheria (10)	6	1		3						1		1	
Influenza (11)	13			5	3	1	2				1		1
Dysentery (16)													
Erysipelas (21)	3		1	1			1						
Lethargic encephalitis (23)	1	1											
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	74	10	5	12	8	6	2	9	3	4	3	4	8
Other forms of tuberculosis (32–37)	15	1	2		3	1	1	2	2		2	1	
Diabetes mellitus (57)	59	7	5	8	5	10	2	5	6	3	1	5	2
Cerebral hemorrhage and softening (74, 83)	186	24	12	13	12	23	17	13	17	15	11	10	19
Other [organic] diseases of the heart (90)	417	37	46	26	46	41	26	28	24	28	38	34	43
Bronchitis (99)	12	2	2			2	1		2		1	1	1
Broncho-pneumonia (100)	91	4	14	20	9	10	5	3	3	6	6	3	8
Pneumonia (101)	125	14	15	18	13	9	7	3	4	1	14	16	11
Diarrhea and enteritis [under 2 years] (113)	49	2	1	1	3	2	3	1	11	10	8	5	2
Diarrhea and enteritis [2 years and over] (114)	5	1	1					1				1	1
Nephritis (128, 129)	194	12	15	22	13	17	16	16	11	14	15	23	20
Puerperal septicemia (146)	8	2	1	1					1	1		1	1
Other puerperal causes (143–145, 147–150)	16		3		2	1	1	3	2	1	1	1	1
Suicide (165–174)	37	4	3	4	3	5	2	3	4	3	4	2	
Automobile accidents [1] (188c)	29		1	2	4		5	2	2	3	3	5	2
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	114	8	7	9	16	10	7	8	8	10	11	9	11
All other causes	815	86	63	74	84	68	63	59	64	65	68	69	56
YONKERS, N. Y., all causes	1,144	117	93	119	86	114	92	69	82	76	87	91	118
Typhoid and paratyphoid fever (1)	2	1								1			
Malaria (5)													
Smallpox (6)	1	1											
Measles (7)	34					1						5	28
Scarlet fever (8)	2	1											1
Whooping cough (9)	3		1			2							
Diphtheria (10)	14			1		3	2	1		2	2	1	2
Influenza (11)	15	2	2	4	2	1		1			1	2	
Dysentery (16)	1									1			
Erysipelas (21)	3	1		1		1							
Lethargic encephalitis (23)	3			2	1								
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	85	11	6	7	5	8	11	4	10	8	4	7	4
Other forms of tuberculosis (32–37)	2				1				1				
Diabetes mellitus (57)	35	4	4	1	5	3	2	2	1	2	6		5
Cerebral hemorrhage and softening (74, 83)	59	9	5	3	4	3	9	4		6	4	7	5
Other [organic] diseases of the heart (90)	180	23	9	21	17	19	15	13	9	6	15	21	12
Bronchitis (99)	8	3			1		1		1		1		1
Broncho-pneumonia (100)	37	4	3	5	6	3	1	1	2	2	1	2	7
Pneumonia (101)	81	7	9	15	10	10	4	2	3	4	4	2	11
Diarrhea and enteritis [under 2 years] (113)	14					2		3	3	5	1		
Diarrhea and enteritis [2 years and over] (114)													
Nephritis (128, 129)	91	10	7	12	6	13	3	3	5	4	13	7	8
Puerperal septicemia (146)	10	2			2	1	1		1	1		1	1
Other puerperal causes (143–145, 147–150)	8		2	1			2				2		1
Suicide (165–174)	13	1	2	1			1	2	1	1	3	1	
Automobile accidents [1] (188c)	15		3				1	2	2	2	2	3	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	54	4	7	2	2	9	4	4	6	7	3	3	3
All other causes	374	33	33	43	24	35	35	27	37	24	25	29	29

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
AKRON, OHIO, all causes	1,901	151	164	233	138	165	133	119	151	154	173	153	167
Typhoid and paratyphoid fever (1)	4						1		2	1			
Malaria (5)													
Smallpox (6)	1					1							
Measles (7)	11												11
Scarlet fever (8)	34	5	5	9	4	8	1		1			1	
Whooping cough (9)	11	1				1	1	1	1	3	2	1	
Diphtheria (10)	7	2				1		1	1			2	
Influenza (11)	45	5	3	19	5	3	2				3	4	1
Dysentery (16)	3								1	1	1		
Erysipelas (21)	5			2					1			1	1
Lethargic encephalitis (23)	6		1	1		1			1			1	1
Meningococcus meningitis (24)	2												2
Tuberculosis of the respiratory system (31)	73	5	5	7	7	7	6	6	5	1	10	6	8
Other forms of tuberculosis (32–37)	23	3		4	1	1	2	3	2	4	1	2	
Diabetes mellitus (57)	20	2	2	3	2		1	3	1	2		1	3
Cerebral hemorrhage and softening (74, 83)	128	9	8	10	15	13	8	10	11	9	15	10	10
Other [organic] diseases of the heart (90)	231	18	25	29	13	19	18	15	18	15	17	21	23
Bronchitis (99)	6	1	1		1	1	1					1	
Broncho-pneumonia (100)	71	7	11	14	11	2	2	1	3	1	2	6	11
Pneumonia (101)	125	10	13	32	6	7	5	6	1	6	6	15	18
Diarrhea and enteritis [under 2 years] (113)	59	1	2	1	2	1		1	13	20	9	6	3
Diarrhea and enteritis [2 years and over] (114)	15	1	2	1				2	1	6	2		
Nephritis (128, 129)	89	7	9	10	5	5	10	9	8	6	10	7	3
Puerperal septicemia (146)	15	2	4		2	2	2	1	1	1			
Other puerperal causes (143–145, 147–150)	24	1	2	5	1	2	2		4	2	1	2	2
Suicide (165–174)	28	5	1	2	1	5	2	1	3	2	4	1	1
Automobile accidents [1] (188c)	60	3	3	2	4	6	6	5	10	6	4	6	5
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	109	9	7	6	10	12	10	9	8	6	10	11	11
All other causes	695	54	60	76	48	67	53	45	54	62	75	48	53
CINCINNATI, OHIO (WHITE), all causes	5,579	533	433	566	497	442	414	389	452	387	464	479	523
Typhoid and paratyphoid fever (1)	16	2	1		1	1			2	2	1	3	3
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	10	2		1	2	2		1			1		1
Whooping cough (9)	12	1			1	2		1	3	2	1		1
Diphtheria (10)	14	2		1		1	2	1	3	1		3	
Influenza (11)	141	16	12	23	33	7	1		8	7	7	15	12
Dysentery (16)	4			1				2		1			
Erysipelas (21)	12	1	2	2	3		1	1			1		1
Lethargic encephalitis (23)	10	1		1	2	1	1			1	1	1	1
Meningococcus meningitis (24)	5	1		2	1					1			
Tuberculosis of the respiratory system (31)	263	17	21	29	32	23	18	16	19	18	23	20	27
Other forms of tuberculosis (32–37)	46	3	4	9	2	6	5	3	6	3		4	1
Diabetes mellitus (57)	97	4	6	10	12	5	5	6	9	11	2	15	12
Cerebral hemorrhage and softening (74, 83)	512	53	53	62	41	39	36	32	42	28	33	40	53
Other [organic] diseases of the heart (90)	844	76	65	75	81	66	70	63	60	51	70	85	82
Bronchitis (99)	19	5	1	4	1	1	2	1				2	2
Broncho-pneumonia (100)	157	30	16	16	30	6	5	3	3	5	17	16	10
Pneumonia (101)	283	39	29	42	39	17	9	9	9	10	21	25	34
Diarrhea and enteritis [under 2 years] (113)	137	5	1	3	2	2	6	29	32	26	17	7	7
Diarrhea and enteritis [2 years and over] (114)	30	1	1			2	5	3	3	6	2	3	4
Nephritis (128, 129)	545	54	40	53	51	49	46	38	37	35	51	49	42
Puerperal septicemia (146)	30	2	4		3	2	1	3	2	2	4	3	4
Other puerperal causes (143–145, 147–150)	30		6	4	4	3	2	3	2	1	3		2
Suicide (165–174)	71	4	8	4	3	6	7	8	5	6	6	7	7
Automobile accidents [1] (188c)	104	14	4	11	6	8	9	10	17	2	11	7	5
Automobile and railroad-train collision (part 188a)	3					1				1			1
Automobile and street-car collision (part 188b)	3	2											1
Other external causes (175–187, part 188a, b, 188d–203)	282	17	22	27	16	20	28	28	25	19	24	23	33
All other causes	1,899	181	137	186	131	172	155	128	165	148	168	151	177
CINCINNATI, OHIO (COLORED), all causes	947	57	80	89	83	90	66	58	88	94	85	64	93
Typhoid and paratyphoid fever (1)	2	1							1				
Malaria (5)	1			1									
Smallpox (6)													
Measles (7)	1											1	
Scarlet fever (8)													
Whooping cough (9)	4									1	1		2
Diphtheria (10)	2				1							1	
Influenza (11)	22		2	3	3	3	2	2	2	1	2	1	1
Dysentery (16)													
Erysipelas (21)	1	1											
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	137	5	9	6	10	15	13	12	18	16	12	8	13
Other forms of tuberculosis (32–37)	33	2	1	1	3	6	3	2	8	3	1		3
Diabetes mellitus (57)	4	2										1	1
Cerebral hemorrhage and softening (74, 83)	63	5	9	9	8	8	3	1	4	8	3	3	2
Other [organic] diseases of the heart (90)	102	3	10	11	11	7	8	2	10	9	16	5	10
Bronchitis (99)	8	3		1					1	1	1		1
Broncho-pneumonia (100)	42	4	7	8	7		3		1	1	1	3	7
Pneumonia (101)	71	2	8	11	14	4	2	2	2	2	10	9	5
Diarrhea and enteritis [under 2 years] (113)	22			1	1	1		4	6	5	4		
Diarrhea and enteritis [2 years and over] (114)	3						1	2					
Nephritis (128, 129)	71	6	7	6	7	5	5	5	10	4	4	6	6
Puerperal septicemia (146)	8	1	1		1	1	1			2			1
Other puerperal causes (143–145, 147–150)	6	1			1	1		2	1				
Suicide (165–174)	2		1	1									
Automobile accidents [1] (188c)	11	1	1	1	2	2	1			2			1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	101	7	5	8	2	15	11	5	4	11	10	10	13
All other causes	230	13	19	21	12	22	13	19	20	28	20	16	27

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 133]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CLEVELAND, OHIO (WHITE), all causes	8,531	740	721	838	819	725	656	593	619	656	681	745	738
Typhoid and paratyphoid fever (1)	15	3			2		2		3	2	2	1	
Malaria (5)													
Smallpox (6)	2							2					
Measles (7)	5			1									4
Scarlet fever (8)	14	2	1	2	4							3	2
Whooping cough (9)	42		2	1	2	1	3	6	6	6	4	3	8
Diphtheria (10)	123	6	9	10	2	9	5	9	5	10	26	23	14
Influenza (11)	95	10	18	14	13	8	3	4	3	2	2	7	11
Dysentery (16)	2						1		1				
Erysipelas (21)	25	2	4	7	3	2			1	1	2	1	2
Lethargic encephalitis (23)	16	2	2	4		1	1	1	2		1		2
Meningococcus meningitis (24)	15	1	1	3		3				3	2		2
Tuberculosis of the respiratory system (31)	513	46	47	53	43	48	50	36	41	37	34	38	40
Other forms of tuberculosis (32–37)	73	7	6	6	4	5	12	7	7	4	6	1	8
Diabetes mellitus (57)	146	8	16	12	15	11	17	16	9	4	13	16	9
Cerebral hemorrhage and softening (74, 83)	551	53	40	45	50	51	44	35	35	53	46	40	59
Other [organic] diseases of the heart (90)	1,096	88	86	114	118	98	91	66	77	73	86	107	92
Bronchitis (99)	40	6	4	6	2	4	4		1	2	5	3	3
Broncho-pneumonia (100)	342	33	46	38	36	22	18	13	13	20	20	39	44
Pneumonia (101)	464	45	61	63	56	49	17	10	11	17	34	59	42
Diarrhea and enteritis [under 2 years] (113)	214	9	6	9	9	11	11	13	29	68	33	7	9
Diarrhea and enteritis [2 years and over] (114)	24		2	3			2	1	4	3	4	3	2
Nephritis (128, 129)	651	62	41	61	69	65	48	54	46	42	54	58	51
Puerperal septicemia (146)	44	1	6	5	7	5	3	5	3	1	1	5	2
Other puerperal causes (143–145, 147–150)	56	2	3	11	4	7	3	5	3	1	7	6	4
Suicide (165–174)	128	10	13	15	12	10	10	10	12	9	10	10	7
Automobile accidents [1] (188c)	220	13	22	19	15	22	12	24	16	15	16	27	19
Automobile and railroad-train collision (part 188a)	3	2										1	
Automobile and street-car collision (part 188b)	3									1	1	1	
Other external causes (175–187, part 188a, b, 188d–203)	461	37	38	36	41	28	46	44	47	38	30	40	36
All other causes	3,143	292	247	300	312	265	253	232	244	244	242	246	266
CLEVELAND, OHIO (COLORED), all causes	1,178	99	99	108	102	95	90	86	106	96	101	93	103
Typhoid and paratyphoid fever (1)	1									1			
Malaria (5)	1									1			
Smallpox (6)	4						3	1					
Measles (7)	1				1								
Scarlet fever (8)	2									1			1
Whooping cough (9)	17		2	1			2	3	1	2	4	2	
Diphtheria (10)	11				2			1	1	1	3	2	1
Influenza (11)	10	2	2	2	1	2							1
Dysentery (16)	1								1				
Erysipelas (21)	3				1	1							1
Lethargic encephalitis (23)	1			1									
Meningococcus meningitis (24)	2								1	1			
Tuberculosis of the respiratory system (31)	195	17	13	21	13	13	17	17	17	21	13	13	20
Other forms of tuberculosis (32–37)	40	3	5	4	3	4	2	6	4	5	3	1	
Diabetes mellitus (57)	7			1	1	1					1		3
Cerebral hemorrhage and softening (74, 83)	50	5	2	5	6	4	3	8	3	5	3	2	4
Other [organic] diseases of the heart (90)	81	10	7	7	7	4	7	2	10	6	8	7	6
Bronchitis (99)	3					1		1			1		
Broncho-pneumonia (100)	61	8	2	9	11	1	3	2	2	1	9	5	8
Pneumonia (101)	127	9	19	12	19	8	5	7	4	4	9	20	11
Diarrhea and enteritis [under 2 years] (113)	21	2	1	1			2		4	6	3	2	
Diarrhea and enteritis [2 years and over] (114)	3			1					2				
Nephritis (128, 129)	70	7	7	1	10	6	4	6	4	6	6	8	5
Puerperal septicemia (146)	9	1	1	1		2	1	1		1	1		
Other puerperal causes (143–145, 147–150)	13		2	2		1	3		3	1			1
Suicide (165–174)	6	1				1	1			1	1		1
Automobile accidents [1] (188c)	11		2				4	1			1	2	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	84	4	6	9	6	8	6	3	12	5	9	10	6
All other causes	343	30	28	30	21	38	27	27	37	27	26	19	33
COLUMBUS, OHIO, all causes	3,894	375	288	431	308	336	311	284	306	303	310	298	344
Typhoid and paratyphoid fever (1)	12	1	2	1			1		1	3	2		1
Malaria (5)													
Smallpox (6)													
Measles (7)	2						1						1
Scarlet fever (8)	8	1		5	1		1						
Whooping cough (9)	28	2		2		7	1	4	6	4			2
Diphtheria (10)	10	1				2	2	1		1	1	2	
Influenza (11)	127	7	11	57	16	12	4	2	1	1	6	5	5
Dysentery (16)	2										2		
Erysipelas (21)	9	3	1		1	1	1						2
Lethargic encephalitis (23)	16	1		2	2	1	4	2	1	1		2	
Meningococcus meningitis (24)	2			1			1						
Tuberculosis of the respiratory system (31)	213	14	16	17	24	18	24	20	12	16	21	10	21
Other forms of tuberculosis (32–37)	43	5	7	2	3	5	6	2	5	4		3	1
Diabetes mellitus (57)	58	5	3	9	2	6	5	3	5	6	4	2	8
Cerebral hemorrhage and softening (74, 83)	265	26	25	19	20	33	14	16	23	22	21	16	30
Other [organic] diseases of the heart (90)	541	45	28	54	50	49	40	41	32	33	68	51	50
Bronchitis (99)	14	1		3	1		1	1	2		1	3	1
Broncho-pneumonia (100)	112	11	18	26	6	10	6		3	3	6	11	12
Pneumonia (101)	147	23	17	32	16	7	7	2	4	3	13	9	14
Diarrhea and enteritis [under 2 years] (113)	117	6	4	4	1	2	4	15	28	31	12	5	5
Diarrhea and enteritis [2 years and over] (114)	20		1	1		1		4	5	3	3	1	1
Nephritis (128, 129)	243	18	29	20	22	21	21	19	18	14	18	21	22
Puerperal septicemia (146)	30	4	2	1	1	5	2	3	3		3	3	3
Other puerperal causes (143–145, 147–150)	25	3		1	2	5	1	2	3	2	2	4	
Suicide (165–174)	28	3	2	4	3	1	2	3	2		4	2	2
Automobile accidents [1] (188c)	71	4	2	3	6	9	9	4	3	9	5	8	9
Automobile and railroad-train collision (part 188a)	5	1	1				2		1				
Automobile and street-car collision (part 188b)	5	1	1				1	1		1			
Other external causes (175–187, part 188a, b, 188d–203)	219	31	13	15	17	20	20	20	21	22	4	15	21
All other causes	1,522	158	105	152	114	121	130	119	127	124	114	125	133

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DAYTON, OHIO, all causes	1,962	157	184	207	165	155	156	149	150	132	149	157	201
Typhoid and paratyphoid fever (1)	4					1	1				1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	2			1	1								
Scarlet fever (8)	2		1					1					
Whooping cough (9)	2									1	1		
Diphtheria (10)	6	1	1		1					1		1	1
Influenza (11)	41	3	3	15	6	3	2		2		2		5
Dysentery (16)	1									1			
Erysipelas (21)	3		1			1		1					
Lethargic encephalitis (23)	3	2											1
Meningococcus meningitis (24)	3	1				1			1				
Tuberculosis of the respiratory system (31)	111	13	11	9	9	12	11	9	4	7	8	9	9
Other forms of tuberculosis (32–37)	31	2	6	1	6	3	1	3	2	3	2		2
Diabetes mellitus (57)	41	6	3	6	4	4		2	2	4	4	2	4
Cerebral hemorrhage and softening (74, 83)	152	13	19	15	16	11	6	13	18	10	5	10	16
Other [organic] diseases of the heart (90)	307	26	25	34	18	18	27	22	23	19	24	32	39
Bronchitis (99)	4			1	1				1			1	
Broncho-pneumonia (100)	62	4	11	14	6	2	2	2		5	3	7	6
Pneumonia (101)	86	8	8	24	9	5	5	2		2	4	6	13
Diarrhea and enteritis [under 2 years] (113)	35	2	3	1	1	1	2	3	7	6	6	1	2
Diarrhea and enteritis [2 years and over] (114)	7				1		2	1	2		1		
Nephritis (128, 129)	162	16	16	10	12	17	19	6	10	18	12	11	15
Puerperal septicemia (146)	14	4	2	2	1	1			1	1		1	1
Other puerperal causes (143–145, 147–150)	9		1	1			1		2	2	1		1
Suicide (165–174)	25	2	2	2	4	3	2		2	1	1	1	5
Automobile accidents [1] (188c)	44	1	5	2	2	3	4	4	1	7	4	6	5
Automobile and railroad-train collision (part 188a)	1							1					
Automobile and street-car collision (part 188b)	3	1						1					1
Other external causes (175–187, part 188a, b, 188d–203)	105	2	11	5	12	8	16	11	8	5	8	7	12
All other causes	696	50	55	64	55	61	55	67	64	39	62	61	63
TOLEDO, OHIO, all causes	3,494	322	294	359	321	300	264	258	248	278	303	256	291
Typhoid and paratyphoid fever (1)	18	1	1	1			1	1	4	4	1	3	1
Malaria (5)	2					1							1
Smallpox (6)													
Measles (7)	1			1									
Scarlet fever (8)	10	1	1	1	1	2	1		1		1	1	
Whooping cough (9)	10	1		4	1	1	1		1			1	
Diphtheria (10)	26	1	1	2	1		2	4	3	1	5		6
Influenza (11)	65	2	4	13	20	8	1	2	1	4	4	2	4
Dysentery (16)	2						1			1			
Erysipelas (21)	8			1	1	4						1	1
Lethargic encephalitis (23)	6	2			1		1		1			1	
Meningococcus meningitis (24)	1					1							
Tuberculosis of the respiratory system (31)	245	18	23	22	23	25	23	27	18	17	19	12	18
Other forms of tuberculosis (32–37)	22	2		1	3	4		2	2		4	3	1
Diabetes mellitus (57)	38	5		4	5	3	3	2	3	2	3	1	7
Cerebral hemorrhage and softening (74, 83)	268	37	12	24	29	29	19	23	20	15	22	21	17
Other [organic] diseases of the heart (90)	459	43	37	55	33	39	32	33	20	34	37	49	47
Bronchitis (99)	14	2	3	2		1	2			2	1	1	
Broncho-pneumonia (100)	110	14	17	20	8	6	8	5	5	2	11	1	13
Pneumonia (101)	130	12	17	12	16	6	6	6	2	4	14	13	22
Diarrhea and enteritis [under 2 years] (113)	96	5	4	7	2	2	3	4	21	26	16	5	1
Diarrhea and enteritis [2 years and over] (114)	16	1	3		1	2		2	3	2			2
Nephritis (128, 129)	189	15	16	17	25	18	12	20	15	15	13	16	7
Puerperal septicemia (146)	29		4	2	3	4	4	1	2	1	3	3	2
Other puerperal causes (143–145, 147–150)	30	3	2	5	2	4	1	2	2	2	4	2	1
Suicide (165–174)	32	4	1	6	2	3	3	1		5	3	2	2
Automobile accidents [1] (188c)	67	4	7	3	4	2	3	4	7	11	9	8	5
Automobile and railroad-train collision (part 188a)	5		2			2							1
Automobile and street-car collision (part 188b)	1					1							
Other external causes (175–187, part 188a, b, 188d–203)	220	23	13	25	23	13	25	15	18	18	11	16	20
All other causes	1,374	126	126	131	117	119	112	104	99	112	122	94	112
YOUNGSTOWN, OHIO, all causes	1,706	170	152	153	149	127	150	124	127	138	127	141	148
Typhoid and paratyphoid fever (1)	8	2					2		1		2	1	
Malaria (5)													
Smallpox (6)	10	1	3	1	4	1							
Measles (7)	6	1		1	2		1					1	
Scarlet fever (8)	9	2	2	3				1				1	
Whooping cough (9)	15			1	1	1	1	5	2	4			
Diphtheria (10)	10	1	1	1	3	1	1	1			1		
Influenza (11)	33	4	3	13	5	4	1			1		1	1
Dysentery (16)													
Erysipelas (21)	4	1			2	1							
Lethargic encephalitis (23)	3				1	1	1						
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	90	10	9	9	11	8	4	5	9	5	10	7	3
Other forms of tuberculosis (32–37)	24	1		4	3	1	2	3	3	2	1	1	3
Diabetes mellitus (57)	26	4	4	2	1	2	3	2	1	2		3	2
Cerebral hemorrhage and softening (74, 83)	99	9	11	6	9	5	6	8	5	9	12	6	13
Other [organic] diseases of the heart (90)	206	22	23	15	17	10	19	15	12	13	13	23	24
Bronchitis (99)	12		1	2	1	2	1			1	1	1	2
Broncho-pneumonia (100)	83	9	14	11	3	5	3	3	7	5	7	8	8
Pneumonia (101)	124	19	21	12	17	12	4	1	3	3	6	13	13
Diarrhea and enteritis [under 2 years] (113)	82	1	2		1	3	4	11	17	21	16	4	2
Diarrhea and enteritis [2 years and over] (114)	8	1			1			1	3	2			
Nephritis (128, 129)	74	4	4	6	6	9	8	4	9	5	4	7	8
Puerperal septicemia (146)	14			1	2	2	2	2			4	1	
Other puerperal causes (143–145, 147–150)	20	3	1	2		4	3	2	1	2	1	1	
Suicide (165–174)	19	2	1	2	3	2	1	3	2		2	1	
Automobile accidents [1] (188c)	43	2	2	4	1	3	5	5	1	2	4	8	6
Automobile and railroad-train collision (part 188a)	2												2
Automobile and street-car collision (part 188b)	2		1	1									
Other external causes (175–187, part 188a, b, 188d–203)	136	17	6	16	10	13	19	9	9	12	5	12	8
All other causes	543	53	43	40	45	37	59	43	42	49	38	41	53

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PORTLAND, OREG., all causes	3,332	280	271	324	318	292	293	245	228	250	286	258	287
Typhoid and paratyphoid fever (1)	6			1			3		1				1
Malaria (5)	2	1									1		
Smallpox (6)	1										1		
Measles (7)	1									1			
Scarlet fever (8)	5					1		2				1	1
Whooping cough (9)	19	1	2	4	5	2	2		1	1		1	
Diphtheria (10)	40	1	3	8	6	3	2		2	3	5	5	2
Influenza (11)	33	1	2	6	9	3	1	1	4	1	1	2	2
Dysentery (16)	2						1		1				
Erysipelas (21)	7	1			2	1	1				1	1	
Lethargic encephalitis (23)	5		1	2								1	1
Meningococcus meningitis (24)	20	1		1	8	2	3		1			3	1
Tuberculosis of the respiratory system (31)	128	10	16	11	14	10	13	5	5	11	12	13	8
Other forms of tuberculosis (32–37)	61	7	3	10	4	6	6	5	4	4	4	1	7
Diabetes mellitus (57)	59	7	3	4	4	5	8	8	4	4	7	3	2
Cerebral hemorrhage and softening (74, 83)	272	23	16	23	26	25	22	19	22	23	30	22	21
Other [organic] diseases of the heart (90)	426	30	38	44	41	41	39	35	23	34	29	37	35
Bronchitis (99)	18		4		5	2	1	2	1		2	1	
Broncho-pneumonia (100)	111	14	11	7	14	13	10	7	6	3	4	9	13
Pneumonia (101)	128	14	11	21	13	14	5	6	7	4	8	13	12
Diarrhea and enteritis [under 2 years] (113)	13	1		2		1	1	1	3	1	1	2	
Diarrhea and enteritis [2 years and over] (114)	17	2	2	2	1	1	2	1		3	1	2	
Nephritis (128, 129)	232	18	14	28	22	10	30	28	14	13	18	19	18
Puerperal septicemia (146)	17		3		2	3	1	1	1	1	2	1	2
Other puerperal causes (143–145, 147–150)	16		2	1	3	2	1	2	1	1		1	2
Suicide (165–174)	75	7	7	4	3	4	7	10	6	7	5	5	10
Automobile accidents [1] (188c)	42	3	2	4	2	6	1	2	4	6	1	6	5
Automobile and railroad-train collision (part 188a)	2							2					
Automobile and street-car collision (part 188b)	9			1	1		6	1					
Other external causes (175–187, part 188a, b, 188d–203)	147	11	11	6	14	10	13	14	15	10	17	13	13
All other causes	1,418	127	120	134	119	127	114	93	102	119	136	96	131
PHILADELPHIA, PA. (WHITE), all causes	22,363	2,283	1,999	2,081	1,898	1,957	2,000	1,388	1,523	1,566	1,820	1,762	2,086
Typhoid and paratyphoid fever (1)	36	6	3		2	4	3	1	6	3	7		1
Malaria (5)	1												1
Smallpox (6)	21	3	1		14	3							
Measles (7)	79	2	3	8	10	8	12	2	13	10	2	3	6
Scarlet fever (8)	72	8	10	14	4	14	6	2	1		5	6	2
Whooping cough (9)	96	3	6	9	7	8	10	13	19	10	3	4	4
Diphtheria (10)	289	30	17	31	37	36	17	11	11	17	23	22	37
Influenza (11)	234	37	48	33	26	18	6	3	6	8	12	18	19
Dysentery (16)	6		1					1	3	1			
Erysipelas (21)	55	14	7	10	3	11	2	1		3	1		3
Lethargic encephalitis (23)	33	5	1	7	2	3	1		2	1	3	4	4
Meningococcus meningitis (24)	16	1	1	1	2	2	2		1		3	2	1
Tuberculosis of the respiratory system (31)	1,281	116	117	121	126	139	121	100	88	80	94	75	104
Other forms of tuberculosis (32–37)	196	16	25	19	17	19	16	14	13	16	15	12	14
Diabetes mellitus (57)	403	53	41	26	26	30	32	27	33	36	29	26	44
Cerebral hemorrhage and softening (74, 83)	1,179	119	84	110	108	106	101	62	69	74	104	112	130
Other [organic] diseases of the heart (90)	4,081	434	375	407	326	344	340	236	244	253	357	341	424
Bronchitis (99)	143	25	14	16	12	10	11	5	8	9	10	9	14
Broncho-pneumonia (100)	352	134	96	80	67	80	52	31	43	42	50	79	98
Pneumonia (101)	1,121	203	161	109	109	76	62	17	34	46	60	115	129
Diarrhea and enteritis [under 2 years] (113)	501	19	20	27	19	26	30	45	97	109	67	20	22
Diarrhea and enteritis [2 years and over] (114)	84	7	6	5	3	9	8	15	11	8	4	4	4
Nephritis (128, 129)	2,552	286	244	235	229	214	234	165	140	166	224	197	218
Puerperal septicemia (146)	103	9	12	16	14	15	6	3	2	4	7	10	5
Other puerperal causes (143–145, 147–150)	117	7	13	8	15	9	10	7	6	9	13	12	8
Suicide (165–174)	245	18	24	26	20	16	19	11	28	23	13	23	24
Automobile accidents [1] (188c)	273	11	20	11	25	27	25	24	28	25	33	25	19
Automobile and railroad-train collision (part 188a)	1	1											
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	1,064	97	80	86	67	77	213	91	72	59	66	68	88
All other causes	7,229	619	569	666	608	653	661	501	545	554	615	575	663
PHILADELPHIA, PA. (COLORED), all causes	3,682	340	312	360	326	339	300	271	287	243	291	287	326
Typhoid and paratyphoid fever (1)	13					1	2	3	3		2	1	1
Malaria (5)	3		1					1		1			
Smallpox (6)	3				1	1	1						
Measles (7)	5				1	4							
Scarlet fever (8)	6		1			1			1		2	1	
Whooping cough (9)	43	1	1	2	2	5	4	5	8	7	3	3	2
Diphtheria (10)	25	2	2	4	3	4		2		1	2	3	2
Influenza (11)	43	4	6	7	4	7	2		1	2	2	5	3
Dysentery (16)	3							1	2				
Erysipelas (21)	8	1	1	2				1		1			2
Lethargic encephalitis (23)	2							1					1
Meningococcus meningitis (24)	3				1	2							
Tuberculosis of the respiratory system (31)	457	34	29	33	43	39	34	48	46	32	43	39	37
Other forms of tuberculosis (32–37)	72	4	5	8	7	8	5	9	8	6	3	6	3
Diabetes mellitus (57)	30	2	2	3	1	2	1	1	2	2	5	5	4
Cerebral hemorrhage and softening (74, 83)	112	13	9	15	12	8	13	4	4	5	8	11	10
Other [organic] diseases of the heart (90)	440	33	36	46	41	27	39	36	37	30	39	37	39
Bronchitis (99)	30	2	4	4	3	2	1	2	1	1	3	3	4
Broncho-pneumonia (100)	260	28	34	30	23	21	17	11	23	12	23	20	18
Pneumonia (101)	360	58	36	42	37	33	22	15	9	9	24	35	40
Diarrhea and enteritis [under 2 years] (113)	95	7	3	3	4	7	6	11	27	5	8	8	6
Diarrhea and enteritis [2 years and over] (114)	19		1	1	1	1	3	2	5	3	1	1	
Nephritis (128, 129)	262	35	22	27	22	28	21	20	10	12	17	21	27
Puerperal septicemia (146)	23		3	3	1	3	1	1	1	3	4	2	1
Other puerperal causes (143–145, 147–150)	30	3	2	1	1	2	1	4	6		3	4	3
Suicide (165–174)	13	3		1	2				1	2	1		3
Automobile accidents [1] (188c)	23			2	2	3	2	1	1	4	3	3	2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	250	14	12	19	19	24	48	16	11	20	19	21	27
All other causes	1,049	96	102	107	95	106	77	76	80	85	76	58	91

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PITTSBURGH, PA. (WHITE), all causes	8,302	810	753	899	764	669	569	554	627	601	677	692	687
Typhoid and paratyphoid fever (1)	20	1	1	1	1	-------	1	1	5	-------	1	8	-------
Malaria (5)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	77	4	11	13	20	13	10	1	3	2	-------	-------	-------
Scarlet fever (8)	35	3	4	4	2	5	2	5	2	2	2	-------	4
Whooping cough (9)	12	1	1	-------	1	1	1	-------	3	1	2	1	-------
Diphtheria (10)	56	5	5	5	4	5	6	3	2	2	5	9	5
Influenza (11)	184	25	24	43	20	7	6	1	4	5	14	23	12
Dysentery (16)	2	-------	-------	-------	1	-------	-------	-------	-------	-------	1	-------	-------
Erysipelas (21)	19	3	2	1	2	5	2	1	1	1	-------	-------	1
Lethargic encephalitis (23)	19	3	2	2	1	2	-------	3	3	-------	1	-------	2
Meningococcus meningitis (24)	7	-------	1	3	-------	-------	-------	-------	-------	-------	1	2	-------
Tuberculosis of the respiratory system (31)	353	38	24	40	42	26	19	26	26	27	24	25	36
Other forms of tuberculosis (32–37)	79	7	4	5	7	15	5	10	7	4	4	4	7
Diabetes mellitus (57)	112	9	14	16	12	7	7	7	6	10	10	7	7
Cerebral hemorrhage and softening (74, 83)	471	59	33	48	55	39	35	25	28	37	45	36	31
Other [organic] diseases of the heart (90)	930	87	81	105	76	83	76	53	63	49	82	87	88
Bronchitis (99)	83	14	17	9	9	2	1	5	1	6	5	2	12
Broncho-pneumonia (100)	374	52	36	64	44	21	27	12	14	22	27	32	23
Pneumonia (101)	908	119	120	142	102	70	35	30	43	36	54	77	80
Diarrhea and enteritis [under 2 years] (113)	273	9	8	16	16	11	8	28	50	65	40	15	7
Diarrhea and enteritis [2 years and over] (114)	59	6	2	4	6	3	9	4	7	8	1	5	4
Nephritis (128, 129)	603	49	43	54	42	61	49	41	53	49	42	58	62
Puerperal septicemia (146)	55	2	7	4	7	3	7	6	2	4	4	6	3
Other puerperal causes (143–145, 147–150)	62	4	2	6	5	6	3	4	3	5	7	10	7
Suicide (165–174)	90	8	4	6	3	10	9	8	13	10	10	5	4
Automobile accidents [1] (188c)	163	12	14	8	8	16	14	16	14	12	19	13	17
Automobile and railroad-train collision (part 188a)	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------
Automobile and street-car collision (part 188b)	4	-------	-------	1	-------	-------	-------	-------	-------	1	-------	2	-------
Other external causes (175–187, part 188a, b, 188d–203)	448	44	41	26	46	36	34	33	39	25	46	37	41
All other causes	2,803	246	252	273	232	222	203	231	235	218	230	227	234
PITTSBURGH, PA. (COLORED), all causes	1,081	120	93	128	104	94	96	70	92	60	73	76	75
Typhoid and paratyphoid fever (1)	2	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------
Malaria (5)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	9	-------	-------	3	2	2	1	-------	1	-------	-------	-------	-------
Scarlet fever (8)	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Whooping cough (9)	4	1	-------	2	1	-------	-------	-------	-------	-------	-------	-------	-------
Diphtheria (10)	1	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------
Influenza (11)	11	1	1	2	3	2	1	-------	-------	-------	-------	-------	1
Dysentery (16)	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------
Erysipelas (21)	2	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Lethargic encephalitis (23)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Meningococcus meningitis (24)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	85	6	7	8	7	9	5	8	11	10	6	3	5
Other forms of tuberculosis (32–37)	27	1	1	2	2	1	3	3	3	2	4	3	2
Diabetes mellitus (57)	13	-------	1	-------	1	1	-------	2	-------	1	1	2	4
Cerebral hemorrhage and softening (74, 83)	47	5	7	5	5	3	4	2	1	2	4	5	4
Other [organic] diseases of the heart (90)	109	14	6	16	9	8	10	4	8	8	13	2	11
Bronchitis (99)	6	-------	-------	-------	1	1	2	-------	1	1	-------	-------	-------
Broncho-pneumonia (100)	48	8	6	12	5	5	-------	-------	2	2	1	7	-------
Pneumonia (101)	220	33	27	35	36	16	21	5	8	5	5	15	14
Diarrhea and enteritis [under 2 years] (113)	38	4	2	2	2	2	3	3	7	7	6	-------	-------
Diarrhea and enteritis [2 years and over] (114)	9	1	2	-------	-------	1	1	1	3	-------	-------	-------	-------
Nephritis (128, 129)	82	4	6	6	10	11	8	5	8	2	5	10	7
Puerperal septicemia (146)	6	-------	-------	-------	-------	1	3	1	-------	-------	-------	-------	1
Other puerperal causes (143–145, 147–150)	9	2	-------	2	-------	-------	1	-------	2	1	1	-------	-------
Suicide (165–174)	4	-------	-------	-------	-------	-------	2	-------	1	-------	-------	-------	1
Automobile accidents [1] (188c)	3	-------	-------	-------	-------	1	-------	-------	-------	1	1	-------	-------
Automobile and railroad-train collision (part 188a)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Automobile and street-car collision (part 188b)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (175–187, part 188a, b, 188d–203)	82	9	7	6	5	7	11	7	5	4	11	5	5
All other causes	262	30	19	25	14	23	19	29	31	13	15	24	20
READING, PA., all causes	1,474	122	126	137	131	127	125	107	103	107	112	115	162
Typhoid and paratyphoid fever (1)	1	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------
Malaria (5)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Smallpox (6)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Measles (7)	13	-------	-------	-------	2	3	3	3	2	-------	-------	-------	-------
Scarlet fever (8)	6	-------	1	1	2	-------	-------	1	-------	-------	-------	-------	1
Whooping cough (9)	8	1	1	-------	-------	-------	-------	1	1	2	1	1	-------
Diphtheria (10)	13	1	-------	2	-------	3	-------	-------	2	1	-------	1	3
Influenza (11)	21	1	3	5	5	2	-------	1	-------	-------	2	2	-------
Dysentery (16)	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------
Erysipelas (21)	4	1	1	-------	1	-------	-------	-------	-------	-------	-------	1	-------
Lethargic encephalitis (23)	1	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------
Meningococcus meningitis (24)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Tuberculosis of the respiratory system (31)	65	9	5	6	4	2	6	6	2	7	2	6	10
Other forms of tuberculosis (32–37)	14	1	-------	-------	2	3	2	2	2	1	1	-------	-------
Diabetes mellitus (57)	35	2	3	-------	2	6	4	1	3	2	2	4	6
Cerebral hemorrhage and softening (74, 83)	111	8	8	11	8	8	6	7	15	9	9	10	12
Other [organic] diseases of the heart (90)	246	14	21	28	20	28	15	14	14	18	21	22	31
Bronchitis (99)	5	1	-------	2	1	-------	-------	-------	-------	-------	1	-------	-------
Broncho-pneumonia (100)	40	7	7	5	5	3	3	-------	1	-------	2	3	4
Pneumonia (101)	59	11	6	5	2	3	4	3	2	2	3	7	11
Diarrhea and enteritis [under 2 years] (113)	43	-------	2	2	4	2	2	10	8	7	2	2	2
Diarrhea and enteritis [2 years and over] (114)	6	-------	1	-------	1	-------	-------	1	-------	2	1	-------	-------
Nephritis (128, 129)	167	12	13	19	19	13	13	11	7	14	16	16	14
Puerperal septicemia (146)	13	1	-------	-------	4	2	1	-------	1	2	-------	-------	2
Other puerperal causes (143–145, 147–150)	10	1	1	2	-------	1	1	2	2	-------	-------	-------	-------
Suicide (165–174)	16	2	2	-------	-------	2	2	3	-------	1	2	-------	2
Automobile accidents [1] (188c)	19	-------	-------	1	2	3	2	2	1	1	4	1	2
Automobile and railroad-train collision (part 188a)	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1
Automobile and street-car collision (part 188b)	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Other external causes (175–187, part 188a, b, 188d–203)	76	4	5	5	3	5	13	5	7	4	9	7	9
All other causes	480	45	46	42	44	37	48	34	33	33	34	32	52

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SCRANTON, PA., all causes	1,957	203	147	184	204	197	153	138	149	141	140	135	166
Typhoid and paratyphoid fever (1)	5	2						1	1		1		
Malaria (5)													
Smallpox (6)													
Measles (7)	1												1
Scarlet fever (8)	1	1											
Whooping cough (9)	14	1	2	1		2	1		1	3		2	1
Diphtheria (10)	22	2		3	2	4	3	2	1	1	1	1	2
Influenza (11)	57	8	6	6	12	5	3	1	2	3	2	6	3
Dysentery (16)	1	1											
Erysipelas (21)	3	2									1		
Lethargic encephalitis (23)	3				1				1		1		
Meningococcus meningitis (24)	2	1							1				
Tuberculosis of the respiratory system (31)	61	2	4	9	8	3	4	5	3	3	12	5	3
Other forms of tuberculosis (32–37)	16	1			2		3	3		1	2	1	3
Diabetes mellitus (57)	36	5		5	3	5	2	2	5	1	2	2	4
Cerebral hemorrhage and softening (74, 83)	121	7	14	7	11	10	16	5	7	6	11	16	11
Other [organic] diseases of the heart (90)	256	30	13	22	23	28	21	17	28	22	14	9	29
Bronchitis (99)	13	1	3	1		2					1	2	3
Broncho-pneumonia (100)	95	9	9	16	10	8	5	3	4		6	6	19
Pneumonia (101)	169	23	19	19	25	19	8	6	4	12	10	9	15
Diarrhea and enteritis [under 2 years] (113)	51	3	2		7	3	3	4	8	10	6	2	3
Diarrhea and enteritis [2 years and over] (114)	11	1			1			4	2	1	1		1
Nephritis (128, 129)	137	16	12	12	12	8	10	10	12	9	8	12	16
Puerperal septicemia (146)	13	1	1	2	5	2		1		1			
Other puerperal causes (143–145, 147–150)	26	1	1	3	1	3		2	4	3	2	3	3
Suicide (165–174)	8	2					2		1	1		2	
Automobile accidents [1] (188c)	33	2	3	3	2	3	2	5	3	4	1	2	3
Automobile and railroad-train collision (part 188a)	1										1		
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	146	18	11	14	3	16	17	15	17	8	9	10	8
All other causes	655	63	47	61	76	76	53	52	44	52	48	45	38
PROVIDENCE, R. I., all causes	3,309	310	278	326	310	292	282	230	229	195	267	267	323
Typhoid and paratyphoid fever (1)	9	4	1				1		1	1		1	
Malaria (5)													
Smallpox (6)													
Measles (7)	18	2			1	1				1	2	2	9
Scarlet fever (8)	9	3	1		1	1	2					1	
Whooping cough (9)	14	1	2	1	3	1	1		2			2	1
Diphtheria (10)	19	5	1	3	4	1	2		1			1	1
Influenza (11)	38	3	3	8	10	5	1	2	2		2	1	1
Dysentery (16)	1										1		
Erysipelas (21)	5		2	1			1					1	
Lethargic encephalitis (23)	4		1				1		1				1
Meningococcus meningitis (24)	4	1				1	2						
Tuberculosis of the respiratory system (31)	121	5	12	12	15	7	10	13	10	8	7	9	13
Other forms of tuberculosis (32–37)	44	7	3	3	4	5	3	3	3	3	2	3	5
Diabetes mellitus (57)	67	5	5	6	4	2	6	8	7	2	3	5	14
Cerebral hemorrhage and softening (74, 83)	265	31	19	31	19	22	30	16	16	15	16	16	34
Other [organic] diseases of the heart (90)	485	51	34	36	61	47	29	32	29	29	40	55	42
Bronchitis (99)	13	2	1	4	1	1	2	1			1		
Broncho-pneumonia (100)	127	10	17	24	7	13	7	2	2	5	10	11	19
Pneumonia (101)	200	19	28	39	26	18	12	4	5	4	14	8	23
Diarrhea and enteritis [under 2 years] (113)	40	4	4	4	3	2	3	2	4	3	2	6	3
Diarrhea and enteritis [2 years and over] (114)	2						1				1		
Nephritis (128, 129)	344	28	28	29	30	27	32	28	21	31	35	25	30
Puerperal septicemia (146)	12	2	3		1	1	1	1	1		1		1
Other puerperal causes (143–145, 147–150)	26	3	2	3	2	1	2	5	1		1	3	3
Suicide (165–174)	28	3	2	1	1	3		2	4	2	5	1	4
Automobile accidents [1] (188c)	79	5	2	9	7	12	7	11	4	3	8	4	7
Automobile and railroad-train collision (part 188a)	2				2								
Automobile and street-car collision (part 188b)	2								1			1	
Other external causes (175–187, part 188a, b, 188d–203)	156	15	13	12	12	11	15	9	12	15	17	15	10
All other causes	1,175	101	94	100	96	110	111	91	102	73	99	96	102
MEMPHIS, TENN. (WHITE), all causes	1,559	151	115	149	134	109	137	123	134	113	122	124	148
Typhoid and paratyphoid fever (1)	19		1				3	2	3	3	4	2	1
Malaria (5)	11	2					1	1	2	2	1	1	1
Smallpox (6)	1				1								
Measles (7)	2							2					
Scarlet fever (8)	2		1			1							
Whooping cough (9)	7	1	1	1				3	1				
Diphtheria (10)	4					1						2	1
Influenza (11)	45	6	11	8	4	2	2				2	5	5
Dysentery (16)	6				1	2	1		1	1			
Erysipelas (21)	3							1					2
Lethargic encephalitis (23)	5			1				1				1	2
Meningococcus meningitis (24)	3	1				1	1						
Tuberculosis of the respiratory system (31)	60	3	3	7	11	2	6	3	3	5	4	5	8
Other forms of tuberculosis (32–37)	15	2		2	1	2	2		2	2			2
Diabetes mellitus (57)	19	1	1		3	1	3		1	2	2	4	1
Cerebral hemorrhage and softening (74, 83)	87	6	7	9	7	6	9	8	7	4	10	5	9
Other [organic] diseases of the heart (90)	136	15	8	19	10	11	12	8	12	14	9	9	9
Bronchitis (99)	1												1
Broncho-pneumonia (100)	54	7	4	4	5	3	3	3	3	4	3	6	9
Pneumonia (101)	56	11	4	6	5	3	3	1	4		3	5	11
Diarrhea and enteritis [under 2 years] (113)	42	3		1	1	3	9	7	8	2	3	2	3
Diarrhea and enteritis [2 years and over] (114)	7	1				1	2	1	1			1	
Nephritis (128, 129)	115	11	8	14	10	9	6	11	10	11	8	9	8
Puerperal septicemia (146)	20	4	2	3		4	2	1			1	2	1
Other puerperal causes (143–145, 147–150)	24	4	2	1	2	1	2	3	2	1	3		3
Suicide (165–174)	26		2	2	5	1	3	5	3	1	2	1	1
Automobile accidents [1] (188c)	33	4	3	2	3	1	2	2	4	3	3	3	3
Automobile and railroad-train collision (part 188a)	2										1		1
Automobile and street-car collision (part 188b)	1												1
Other external causes (175–187, part 188a, b, 188d–203)	99	10	11	10	7	2	7	11	5	12	13	6	5
All other causes	654	59	46	59	58	52	58	49	62	46	50	56	60

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MEMPHIS, TENN. (COLORED), all causes	1,815	168	157	181	158	166	169	134	126	157	131	136	132
Typhoid and paratyphoid fever (1)	32	2		3		1	1	6	3	8	4	4	
Malaria (5)	9	1					2	1		1	2	2	
Smallpox (6)													
Measles (7)	5				1	3	1						
Scarlet fever (8)	2			1	1								
Whooping cough (9)	11	1		1	2	2	2	1		1	1		
Diphtheria (10)	2										1		1
Influenza (11)	79	9	12	11	19	8	4		1	2		6	7
Dysentery (16)	14			1		3	5	1	2	2			
Erysipelas (21)	1		1										
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	4							2		1		1	
Tuberculosis of the respiratory system (31)	174	10	9	20	25	23	15	17	12	12	8	13	10
Other forms of tuberculosis (32–37)	30	1	1	2	3	4	5	2	3		4	1	4
Diabetes mellitus (57)	14	2	2	1	1				1	1	4		2
Cerebral hemorrhage and softening (74, 83)	59	7	4	2	4	12	7	1	3	2	4	3	10
Other [organic] diseases of the heart (90)	152	12	9	17	11	10	22	11	8	15	16	12	9
Bronchitis (99)	5			1							1	2	1
Broncho-pneumonia (100)	88	11	16	14	7	6	7	1	3	5	5	8	5
Pneumonia (101)	109	18	16	15	16	10	6	4	1	3	2	13	5
Diarrhea and enteritis [under 2 years] (113)	45		1		1	6	16	5	5	6	4		1
Diarrhea and enteritis [2 years and over] (114)	15			1	1	1	3	1	1	3	2	1	1
Nephritis (128, 129)	142	14	14	15	9	21	8	15	9	4	10	13	10
Puerperal septicemia (146)	10			1	1			2	2	1		1	2
Other puerperal causes (143–145, 147–150)	13	2	1			1	2		1	3			3
Suicide (165–174)													
Automobile accidents [1] (188c)	19	4	2	3		2		1		2	3		2
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	158	12	14	16	16	8	12	10	17	18	6	7	22
All other causes	622	62	55	56	40	45	51	53	54	67	53	49	37
NASHVILLE, TENN. (WHITE), all causes	1,386	119	114	139	130	97	97	138	104	105	121	113	109
Typhoid and paratyphoid fever (1)	17			1			1	3	2	2	5	2	1
Malaria (5)	2	1				1							
Smallpox (6)													
Measles (7)	8		2	1	1		1	2	1				
Scarlet fever (8)	2			1									1
Whooping cough (9)	5		1				3	1					
Diphtheria (10)	5			1					1	1		2	
Influenza (11)	56	7	8	13	11	6	3	1	1	1		1	4
Dysentery (16)	9				2		1	3	1		1	1	
Erysipelas (21)	4		1		1					1		1	
Lethargic encephalitis (23)	1									1			
Meningococcus meningitis (24)	3	1		1							1		
Tuberculosis of the respiratory system (31)	70	7	8	11	8	4	5	5	3	5	4	6	4
Other forms of tuberculosis (32–37)	9		1		3	2		1	1			1	
Diabetes mellitus (57)	13	1		3	4		1					3	1
Cerebral hemorrhage and softening (74, 83)	70	10	4	5	9	2	9	4	4	5	6	7	5
Other [organic] diseases of the heart (90)	130	8	5	10	9	8	9	17	10	11	15	16	12
Bronchitis (99)	8		1			1		1	1	1	1	2	
Broncho-pneumonia (100)	28	2	5	2	2	2	1	2	1	2	3	3	3
Pneumonia (101)	60	9	6	8	7	4	3	1	3	3	5	4	7
Diarrhea and enteritis [under 2 years] (113)	36	3	1			1	7	7	8	5	3		1
Diarrhea and enteritis [2 years and over] (114)	15	1			1	2	4	2		1	2	2	
Nephritis (128, 129)	100	11	16	11	10	11	3	9	4	5	8	4	8
Puerperal septicemia (146)	10		3		1	3			1	1			1
Other puerperal causes (143–145, 147–150)	12	1		3	1	1	1	3				2	
Suicide (165–174)	15	1		2		2		4	1	1	1	1	2
Automobile accidents [1] (188c)	26	1	4	3		1		3	2	2	5	2	3
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	94	5	10	7	2	2	7	15	9	12	8	8	9
All other causes	578	50	38	56	58	44	38	54	50	45	53	45	47
NASHVILLE, TENN. (COLORED), all causes	963	71	73	78	73	82	95	104	77	69	75	84	82
Typhoid and paratyphoid fever (1)	10			1	1				4	1	1	1	1
Malaria (5)	2							1				1	
Smallpox (6)	1			1									
Measles (7)	2				1		1						
Scarlet fever (8)													
Whooping cough (9)	1									1			
Diphtheria (10)	5			1	1				1	1		1	
Influenza (11)	35	3	4	5	3	3	2		2		3	4	6
Dysentery (16)	3									1		2	
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	1			1									
Tuberculosis of the respiratory system (31)	86	6	8	8	4	11	11	12	4	1	9	6	6
Other forms of tuberculosis (32–37)	26	2	2	4	3	3	2	4			1	2	3
Diabetes mellitus (57)	6	2				2					1		1
Cerebral hemorrhage and softening (74, 83)	56	2	3	3	4	7	5	4	5	5	9	5	4
Other [organic] diseases of the heart (90)	161	11	13	9	11	13	19	19	18	16	6	16	10
Bronchitis (99)	1									1			
Broncho-pneumonia (100)	34	2	2	4	2	3	2	2	2	1	3	7	4
Pneumonia (101)	45	6	4	10	5	1	1	3	3		2	3	7
Diarrhea and enteritis [under 2 years] (113)	21		1		1	1	3	2	4	4	4	1	
Diarrhea and enteritis [2 years and over] (114)	3	1					1	1					
Nephritis (128, 129)	90	8	6	3	6	7	8	16	6	8	9	5	8
Puerperal septicemia (146)	9	1		2		1	1	2		1	1		
Other puerperal causes (143–145, 147–150)	10	1				1	2	2	2	1			1
Suicide (165–174)	5		1	1				1				1	1
Automobile accidents [1] (188c)	12				4	1	1	3		1		1	1
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	70	8	5	4	4	6	4	4	6	12	1	5	11
All other causes	268	18	24	21	23	22	32	28	20	14	25	23	18

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DALLAS, TEX., all causes	2,657	240	239	226	219	218	237	242	201	190	207	214	224
Typhoid and paratyphoid fever (1)	34	-	1	1	1	5	7	6	3	5	-	3	2
Malaria (5)	6	-	-	1	-	1	1	-	-	-	2	1	-
Smallpox (6)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	4	-	-	-	1	1	-	-	-	-	1	1	-
Whooping cough (9)	6	-	1	-	-	-	1	2	1	-	-	-	1
Diphtheria (10)	7	-	-	-	-	-	-	-	-	-	4	2	1
Influenza (11)	84	20	27	11	6	2	1	1	2	1	1	6	6
Dysentery (16)	15	-	-	1	-	7	2	1	-	1	2	-	1
Erysipelas (21)	5	1	-	2	-	-	-	-	1	-	-	1	-
Lethargic encephalitis (23)	2	-	-	-	-	1	-	-	-	1	-	-	-
Meningococcus meningitis (24)	2	-	-	-	1	-	-	-	-	-	-	1	-
Tuberculosis of the respiratory system (31)	120	8	11	12	11	11	13	14	8	2	8	12	10
Other forms of tuberculosis (32–37)	17	3	2	1	1	2	-	2	3	1	1	-	1
Diabetes mellitus (57)	34	5	3	1	2	2	4	3	3	3	2	5	1
Cerebral hemorrhage and softening (74, 83)	186	22	15	12	20	14	15	20	15	5	10	15	23
Other [organic] diseases of the heart (90)	200	18	16	17	17	14	24	13	18	17	21	12	13
Bronchitis (99)	7	1	1	1	-	-	1	1	-	-	-	-	2
Broncho-pneumonia (100)	87	16	11	8	7	2	3	12	7	1	6	5	9
Pneumonia (101)	137	22	27	20	12	11	4	3	3	5	5	13	12
Diarrhea and enteritis [under 2 years] (113)	97	5	3	1	6	14	15	11	2	10	11	11	8
Diarrhea and enteritis [2 years and over] (114)	23	3	4	-	2	1	4	2	1	1	3	2	-
Nephritis (128, 129)	187	15	11	17	16	14	20	17	15	13	19	11	19
Puerperal septicemia (146)	27	-	1	3	1	3	3	3	1	6	2	2	2
Other puerperal causes (143–145, 147–150)	34	5	2	3	6	1	2	5	4	2	1	2	1
Suicide (165–174)	37	2	1	4	3	3	4	4	2	2	2	2	8
Automobile accidents [1] (188c)	59	1	5	10	5	7	3	3	3	9	6	5	2
Automobile and railroad-train collision (part 188a)	1	-	-	-	-	-	-	-	-	-	-	1	-
Automobile and street-car collision (part 188b)	-	-	-	-	-	-	-	-	-	-	-	-	-
Other external causes (175–187, part 188a, b, 188d–203)	176	12	12	15	17	16	13	17	14	19	12	14	15
All other causes	1,063	81	85	85	84	86	97	102	95	86	88	87	87
FORT WORTH, TEX., all causes	1,544	174	123	126	143	140	124	147	102	110	107	111	137
Typhoid and paratyphoid fever (1)	11	1	-	1	1	1	3	-	1	2	1	-	-
Malaria (5)	-	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox (6)	1	-	1	-	-	-	-	-	-	-	-	-	-
Measles (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	3	-	-	-	-	-	2	-	-	-	-	1	-
Whooping cough (9)	3	-	-	1	1	-	-	-	-	-	-	-	1
Diphtheria (10)	4	-	-	1	-	-	-	-	1	1	1	-	-
Influenza (11)	59	13	11	15	7	1	-	1	3	-	2	1	5
Dysentery (16)	8	-	-	-	-	1	3	3	1	-	-	-	-
Erysipelas (21)	-	-	-	-	-	-	-	-	-	-	-	-	-
Lethargic encephalitis (23)	4	-	-	1	1	1	-	-	-	-	-	1	-
Meningococcus meningitis (24)	1	-	1	-	-	-	-	-	-	-	-	-	-
Tuberculosis of the respiratory system (31)	110	12	10	10	11	12	4	10	8	6	7	8	12
Other forms of tuberculosis (32–37)	7	1	-	-	1	1	1	1	1	-	-	1	-
Diabetes mellitus (57)	15	3	-	1	2	-	1	-	-	3	2	2	1
Cerebral hemorrhage and softening (74, 83)	93	3	3	6	4	14	5	16	9	7	4	8	14
Other [organic] diseases of the heart (90)	100	7	13	9	9	9	4	8	8	7	8	4	14
Bronchitis (99)	4	-	-	1	-	-	-	-	-	-	-	3	-
Broncho-pneumonia (100)	40	13	3	2	7	1	1	-	1	1	1	5	5
Pneumonia (101)	74	14	12	8	9	5	6	3	2	2	2	9	2
Diarrhea and enteritis [under 2 years] (113)	39	1	1	2	1	2	5	8	4	6	8	1	-
Diarrhea and enteritis [2 years and over] (114)	12	1	-	-	1	4	-	2	-	1	2	-	1
Nephritis (128, 129)	104	10	6	7	6	11	10	15	7	8	12	4	8
Puerperal septicemia (146)	10	1	1	1	-	-	1	-	1	-	2	1	2
Other puerperal causes (143–145, 147–150)	13	1	1	-	1	-	3	3	-	-	1	2	1
Suicide (165–174)	27	3	-	4	4	2	-	4	3	2	1	2	2
Automobile accidents [1] (188c)	32	2	1	3	4	3	1	4	5	4	1	2	2
Automobile and railroad-train collision (part 188a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Automobile and street-car collision (part 188b)	3	2	-	-	-	-	-	-	-	-	-	-	1
Other external causes (175–187, part 188a, b, 188d–203)	117	11	10	12	12	12	14	4	7	5	5	9	16
All other causes	650	75	49	41	61	60	60	65	40	55	47	47	50
HOUSTON, TEX. (WHITE), all causes	1,699	170	154	133	143	144	136	133	142	110	132	123	179
Typhoid and paratyphoid fever (1)	10	-	1	-	1	-	2	-	2	-	1	2	1
Malaria (5)	3	1	-	-	-	-	-	-	1	-	-	1	-
Smallpox (6)	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	1	1	-	-	-	-	-	-	-	-	-	-	-
Whooping cough (9)	8	-	1	-	2	-	-	-	2	1	-	1	1
Diphtheria (10)	15	1	-	1	1	1	-	-	1	-	3	4	3
Influenza (11)	50	12	15	9	1	-	-	1	1	-	3	1	7
Dysentery (16)	7	1	-	1	-	1	1	1	-	1	-	-	1
Erysipelas (21)	2	-	-	-	-	1	1	-	-	-	-	-	-
Lethargic encephalitis (23)	1	-	-	-	1	-	-	-	-	-	-	-	-
Meningococcus meningitis (24)	2	-	-	-	-	1	-	-	-	-	-	-	1
Tuberculosis of the respiratory system (31)	89	12	7	9	11	7	8	8	6	6	3	3	9
Other forms of tuberculosis (32–37)	21	2	1	-	1	1	5	3	-	3	1	1	3
Diabetes mellitus (57)	26	-	1	1	5	3	3	1	3	2	-	5	2
Cerebral hemorrhage and softening (74, 83)	89	8	7	6	5	7	7	8	7	6	11	7	10
Other [organic] diseases of the heart (90)	147	11	9	8	12	7	11	11	17	10	11	18	22
Bronchitis (99)	3	-	1	-	-	1	-	-	1	-	-	-	-
Broncho-pneumonia (100)	33	3	6	5	2	1	1	-	1	-	1	2	11
Pneumonia (101)	70	16	18	4	3	2	-	2	3	2	3	4	13
Diarrhea and enteritis [under 2 years] (113)	45	6	3	2	8	11	6	2	3	1	2	-	1
Diarrhea and enteritis [2 years and over] (114)	10	-	1	1	2	3	-	1	-	1	-	1	-
Nephritis (128, 129)	126	10	18	17	13	7	17	7	11	6	5	4	11
Puerperal septicemia (146)	7	1	-	-	-	2	1	-	-	2	-	-	1
Other puerperal causes (143–145, 147–150)	27	2	2	-	3	2	3	5	3	1	3	-	3
Suicide (165–174)	31	3	3	1	1	4	2	6	3	2	2	2	2
Automobile accidents [1] (188c)	27	2	4	2	3	4	1	1	3	1	3	1	2
Automobile and railroad-train collision (part 188a)	1	-	-	-	-	-	-	-	-	-	1	-	-
Automobile and street-car collision (part 188b)	3	-	-	-	-	-	-	-	-	-	-	3	-
Other external causes (175–187, part 188a, b, 188d–203)	126	15	11	7	7	15	8	9	17	5	17	6	9
All other causes	719	63	45	59	61	63	59	67	57	60	62	57	66

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, N LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
HOUSTON, TEX. (COLORED), all causes	908	86	66	75	74	88	87	67	69	47	74	72	103
Typhoid and paratyphoid fever (1)													
Malaria (5)	7	1			2		1	1	1				1
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	7	2									2	3	
Diphtheria (10)	3						1		1			1	
Influenza (11)	40	5	6	13	2	2	1	1	1	1	1	3	4
Dysentery (16)	1			1									
Erysipelas (21)													
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	84	11	9	8	6	12	5	5	7	5	6	4	6
Other forms of tuberculosis (32–37)	5			1			1	1					2
Diabetes mellitus (57)	8	1			1		2		1		1	1	1
Cerebral hemorrhage and softening (74, 83)	40	5	2	2	2	2	2	3	4	1	3	7	7
Other [organic] diseases of the heart (90)	78	6	7	2	10	7	7	10	3	5	9	4	8
Bronchitis (99)	5	2				1		1			1		
Broncho-pneumonia (100)	12	1			1				2		1	2	5
Pneumonia (101)	42	9	6	4	3	3	2		1	2	4		8
Diarrhea and enteritis [under 2 years] (113)	20				5	6	5	1		2		1	
Diarrhea and enteritis [2 years and over] (114)	4		1						1				2
Nephritis (128, 129)	73	5	3	7	5	3	7	5	9	5	9	6	9
Puerperal septicemia (146)	5			1				1			2		1
Other puerperal causes (143–145, 147–150)	10	3		2			1	1					3
Suicide (165–174)	3		1									2	
Automobile accidents [1] (188c)	4								1		1		2
Automobile and railroad-train collision (part 188a)	1								1				
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	53	3	3	6	7	3	3	5	4	4	8	1	6
All other causes	403	32	28	28	30	49	49	32	32	22	26	37	38
SAN ANTONIO, TEX., all causes	3,029	292	234	273	243	254	280	269	247	206	219	241	271
Typhoid and paratyphoid fever (1)	14	2		1			2	3	2	2	2		
Malaria (5)	7	1		1				1		1	2		1
Smallpox (6)													
Measles (7)	3	1			1				1				
Scarlet fever (8)	2										2		
Whooping cough (9)	24	2	2	2		5	5	2	1		1	1	3
Diphtheria (10)	17	1	1	2		1	3		2		3	1	3
Influenza (11)	117	42	25	17	2	5	3		2	1	2	7	11
Dysentery (16)	21		1	1	3	1	4	2	1		2	1	5
Erysipelas (21)	3		1		1							1	
Lethargic encephalitis (23)	1					1							
Meningococcus meningitis (24)	8		1	2	1			1	1	1	1		
Tuberculosis of the respiratory system (31)	426	32	35	49	47	36	28	28	46	35	35	30	25
Other forms of tuberculosis (32–37)	30	3		5	1		3	2	3	1	6	4	2
Diabetes mellitus (57)	28	4	1	6	1	7	1	2			1	3	2
Cerebral hemorrhage and softening (74, 83)	115	15	6	14	10	8	7	13	4	8	5	9	16
Other [organic] diseases of the heart (90)	232	16	18	18	27	30	16	15	15	13	21	23	20
Bronchitis (99)	24	3	4	3	2	1	4	3	1			1	2
Broncho-pneumonia (100)	85	25	11	12	5	7	3	1	2	5	3	3	8
Pneumonia (101)	111	16	19	12	10	8	2	5	7	1	4	12	15
Diarrhea and enteritis [under 2 years] (113)	266	5	4	15	28	29	68	37	19	12	18	19	12
Diarrhea and enteritis [2 years and over] (114)	54	5	3	4	3	5	6	8	1	6	7	4	2
Nephritis (128, 129)	152	15	17	12	6	10	13	14	14	7	9	13	22
Puerperal septicemia (146)	21	1		2		2	3	2	1	5	2	1	2
Other puerperal causes (143–145, 147–150)	33	4	1	3	4	2	3	5	3	2	2	3	1
Suicide (165–174)	35		4	4	1	3	2	4	9	3	2		3
Automobile accidents [1] (188c)	39	3	3	2	1	2	6	2	5	4	2	5	4
Automobile and railroad-train collision (part 188a)	1												1
Automobile and street-car collision (part 188b)	1	1											
Other external causes (175–187, part 188a, b, 188d–203)	122	14	9	8	12	9	9	7	18	6	5	8	17
All other causes	1,037	81	68	78	77	82	89	112	89	93	82	92	94
SALT LAKE CITY, UTAH, all causes	1,532	144	130	131	123	130	129	107	113	119	135	133	138
Typhoid and paratyphoid fever (1)	9						1	1	2	1	2	2	
Malaria (5)													
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	1		1										
Whooping cough (9)	9				2	1	2		1		2	1	
Diphtheria (10)	18					3		1		5	2	4	3
Influenza (11)	29	4	4	7	4	2	1				2	4	1
Dysentery (16)													
Erysipelas (21)	3											2	1
Lethargic encephalitis (23)	9	2	1	1	3			1	1				
Meningococcus meningitis (24)	16	6		1		2		1	1	1			4
Tuberculosis of the respiratory system (31)	63	5	7	8	6	5	2	1	3	5	11	5	5
Other forms of tuberculosis (32–37)	8				1		2	1	1			1	2
Diabetes mellitus (57)	21	2	1	1	2	1	1	2	4	1		2	4
Cerebral hemorrhage and softening (74, 83)	92	7	8	8	7	5	7	6	10	4	10	13	7
Other [organic] diseases of the heart (90)	171	14	15	15	13	11	10	14	16	14	16	13	20
Bronchitis (99)	4	1	1								1	1	
Broncho-pneumonia (100)	56	12	8	6	2	4	4	2	2	3	4	1	8
Pneumonia (101)	66	7	7	3	5	3	4	3	3	3	8	9	11
Diarrhea and enteritis [under 2 years] (113)	11	2			1		1			3	1	2	1
Diarrhea and enteritis [2 years and over] (114)	6	1				1		1	1	1		1	
Nephritis (128, 129)	124	11	18	10	13	11	10	4	7	11	7	11	11
Puerperal septicemia (146)	7		1					2	1	1	1	1	
Other puerperal causes (143–145, 147–150)	18	2			2	2	3	2		1	1	2	3
Suicide (165–174)	24	1	3	5	1	3	3	1	1	3		2	1
Automobile accidents [1] (188c)	42	2			5	4	1	6	3	3	11	3	4
Automobile and railroad-train collision (part 188a)	4	2	2										
Automobile and street-car collision (part 188b)	1	1											
Other external causes (175–187, part 188a, b, 188d–203)	103	2	3	8	5	15	7	16	8	19	8	6	6
All other causes	617	60	50	58	51	57	70	42	48	40	48	47	46

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORFOLK, VA. (WHITE), all causes	831	70	78	72	79	65	47	64	57	58	74	74	93
Typhoid and paratyphoid fever (1)	2							1	1				
Malaria (5)													
Smallpox (6)													
Measles (7)	1												1
Scarlet fever (8)													
Whooping cough (9)	3		2		1								
Diphtheria (10)	1										1		
Influenza (11)	4		1	2		1							
Dysentery (16)	1									1			
Erysipelas (21)	2										1		1
Lethargic encephalitis (23)	3			1								1	1
Meningococcus meningitis (24)	1	1											
Tuberculosis of the respiratory system (31)	36	6	2	4	2	1	2	1	3	4	5	1	5
Other forms of tuberculosis (32–37)	4							1	2		1		
Diabetes mellitus (57)	11					1	1	2	1	1	3	2	
Cerebral hemorrhage and softening (74, 83)	65	5	6	6	5		5	3	4	5	6	11	9
Other [organic] diseases of the heart (90)	162	14	12	16	12	19	10	11	10	11	13	16	18
Bronchitis (99)	5			2				1			1		1
Broncho-pneumonia (100)	13	2	1		2	1	1				1	1	4
Pneumonia (101)	31	4	5	1	2	2	1	1	1		3	4	7
Diarrhea and enteritis [under 2 years] (113)	14		1	1			1	1	4	2	4		
Diarrhea and enteritis [2 years and over] (114)	3		1								1		1
Nephritis (128, 129)	67	5	9	5	8		2	8	1	4	11	7	7
Puerperal septicemia (146)													
Other puerperal causes (143–145, 147–150)	4		2					1	1				
Suicide (165–174)	13		2		2	2	1	1	3		1		1
Automobile accidents[1] (188c)	13		2		3	1	1	1	1		1	2	1
Automobile and railroad-train collision (part 188a)	1			1									
Automobile and street-car collision (part 188b)	1						1						
Other external causes (175–187, part 188a, b, 188d–203)	54	7	2	7	5	7	2	7	5	2	1	7	2
All other causes	316	26	30	26	37	30	19	24	20	28	20	22	34
NORFOLK, VA. (COLORED), all causes	940	87	83	89	73	78	85	83	76	68	79	70	69
Typhoid and paratyphoid fever (1)	3								1		1	1	
Malaria (5)	2		1						1				
Smallpox (6)													
Measles (7)													
Scarlet fever (8)													
Whooping cough (9)	11	1	2		1	1	1	1	2	1		1	
Diphtheria (10)	1						1						
Influenza (11)	27	3	6	8	4	2				1	1	1	1
Dysentery (16)	3	1							2				
Erysipelas (21)	1					1							
Lethargic encephalitis (23)													
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	96	5	11	10	9	5	9	5	8	7	16	5	6
Other forms of tuberculosis (32–37)	15	2	1	1	3	2	2	1		1		1	1
Diabetes mellitus (57)	5	2	2									1	
Cerebral hemorrhage and softening (74, 83)	79	7	5	5	3	7	7	8	10	9	4	9	5
Other [organic] diseases of the heart (90)	167	19	13	20	14	23	9	14	8	6	11	14	16
Bronchitis (99)	3					1					1		1
Broncho-pneumonia (100)	41	2	5	4	5	2	2	2	2	5	5	4	3
Pneumonia (101)	47	10	6	5	1	5	1	2	1	2	5	5	4
Diarrhea and enteritis [under 2 years] (113)	45	2			1	5	10	9	10	5			3
Diarrhea and enteritis [2 years and over] (114)	7	1		1		1	2	1		1			
Nephritis (128, 129)	67	4	4	6	7	5	8	7	6	5	4	4	7
Puerperal septicemia (146)	9	1			1	1	2		1			2	1
Other puerperal causes (143–145, 147–150)	9	1	1	1			2	2			2		
Suicide (165–174)	2								1		1		
Automobile accidents[1] (188c)	11	4			2	1	1	1		1		1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	47	3	4	3	9	1	3	4	2	1	6	7	4
All other causes	242	19	22	25	13	15	25	26	21	23	22	14	17
RICHMOND, VA. (WHITE), all causes	1,572	159	140	132	143	151	118	121	101	97	117	156	137
Typhoid and paratyphoid fever (1)	3	1						1		1			
Malaria (5)													
Smallpox (6)													
Measles (7)	1					1							
Scarlet fever (8)	2						1				1		
Whooping cough (9)	5			1	1					2			1
Diphtheria (10)	15	2	1						2	2	4	2	2
Influenza (11)	22	6	5	4	3		1	1				1	1
Dysentery (16)	3									2		1	
Erysipelas (21)	6		1	1							2	2	
Lethargic encephalitis (23)													
Meningococcus meningitis (24)	5		1			1				1		1	1
Tuberculosis of the respiratory system (31)	63	8	4	4	6	5	3	5	6	5	1	9	7
Other forms of tuberculosis (32–37)	14	2	1	1	1	1	1	2		1	3		1
Diabetes mellitus (57)	22	6	1	2	1	1	3	2				2	4
Cerebral hemorrhage and softening (74, 83)	99	10	6	12	10	8	6	11	6	5	5	12	8
Other [organic] diseases of the heart (90)	208	28	15	18	22	18	11	15	14	12	12	26	17
Bronchitis (99)	7			2		1				2	1		1
Broncho-pneumonia (100)	31	9	2	3	3	3	2		2	1	3	3	
Pneumonia (101)	43	6	6	3	6	6	2	1	1		2	4	6
Diarrhea and enteritis [under 2 years] (113)	22			1	1	3	3	2	3	2	4	2	1
Diarrhea and enteritis [2 years and over] (114)	8	1	1	1				1	1	1	1		1
Nephritis (128, 129)	208	18	24	23	17	16	20	11	16	9	13	23	18
Puerperal septicemia (146)	11		1			2	1	1	2		2	2	
Other puerperal causes (143–145, 147–150)	10		2			1		1		2		2	2
Suicide (165–174)	24	3	3	1	3		1	1	2	2	3	2	3
Automobile accidents[1] (188c)	31	2	2	4	2		4	1	3	1	4	2	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	69	4	4	2	4	9	3	12	7	5	9	3	7
All other causes	640	53	60	49	63	75	56	53	36	41	47	57	50

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RICHMOND, VA. (COLORED), all causes	1,168	119	120	89	104	82	82	98	103	103	80	87	101
Typhoid and paratyphoid fever (1)	7						1	2	1	2			1
Malaria (5)	1									1			
Smallpox (6)													
Measles (7)	2					1	1						
Scarlet fever (8)													
Whooping cough (9)	7				1				1	2	1	2	
Diphtheria (10)	16	1	1		2			1	2	4	4		1
Influenza (11)	28	4	10	1	4	1	2		1		1	1	3
Dysentery (16)	1								1				
Erysipelas (21)													
Lethargic encephalitis (23)	1							1					
Meningococcus meningitis (24)													
Tuberculosis of the respiratory system (31)	94	13	8	9	9	12	5	9	8	5	5	3	8
Other forms of tuberculosis (32–37)	18	2	1	1	1		2	3	6	1	1		
Diabetes mellitus (57)	3		1	1			1						
Cerebral hemorrhage and softening (74, 83)	103	10	12	6	11	6	8	9	7	9	6	8	11
Other [organic] diseases of the heart (90)	125	10	10	16	8	13	8	10	13	12	11	10	4
Bronchitis (99)	3		1		1								1
Broncho-pneumonia (100)	55	7	8	4		3	4	2	2	3	3	5	14
Pneumonia (101)	89	12	18	8	7	4	1	4	4	5	5	7	14
Diarrhea and enteritis [under 2 years] (113)	23			1	1		4	2	5	5	3	2	
Diarrhea and enteritis [2 years and over] (114)	5	1	1					1	1				1
Nephritis (128, 129)	97	13	10	7	7	4	12	8	4	6	5	15	6
Puerperal septicemia (146)	8		1	2		1		2		1		1	
Other puerperal causes (143–145, 147–150)	13	2		2	2	1		1	1	2		2	
Suicide (165–174)	1			1									
Automobile accidents [1] (188c)	10		1	1	1		1		2	1	2	1	
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	61	5	4	6	4	8	5	11	3	2	3	5	5
All other causes	397	39	33	23	45	28	27	32	41	42	30	25	32
SEATTLE, WASH., all causes	3,372	285	253	311	321	322	261	271	272	228	270	291	287
Typhoid and paratyphoid fever (1)	8			1				2	1	1	1	2	
Malaria (5)	2				1				1				
Smallpox (6)													
Measles (7)													
Scarlet fever (8)	3		1	1			1						
Whooping cough (9)	19			1	3	1	3	4	4	2		1	
Diphtheria (10)	9	1	1		2	4						1	
Influenza (11)	53	2	4	5	10	11	4	3	2	1	1	4	6
Dysentery (16)	2	1							1				
Erysipelas (21)	3		1	1		1							
Lethargic encephalitis (23)	8	1	2				1	1	1	1		1	
Meningococcus meningitis (24)	3					1		1					1
Tuberculosis of the respiratory system (31)	192	11	18	32	24	16	13	16	15	12	11	13	11
Other forms of tuberculosis (32–37)	74	6	7	7	6	15	9	4	4	3	3	6	4
Diabetes mellitus (57)	55	5	5	7	2	3	7	6	4	3	4	2	7
Cerebral hemorrhage and softening (74, 83)	255	20	28	27	24	22	22	24	16	15	13	25	19
Other [organic] diseases of the heart (90)	500	37	32	55	46	39	47	36	33	42	45	46	42
Bronchitis (99)	8					1			3	1	1		2
Broncho-pneumonia (100)	74	4	7	7	9	11	5	2	1	3	3	12	10
Pneumonia (101)	86	17	4	5	18	10	5	4	1	3	6	6	7
Diarrhea and enteritis [under 2 years] (113)	8	3				1	1	1		1	1		
Diarrhea and enteritis [2 years and over] (114)	16			3	5			3	2	1	1	1	
Nephritis (128, 129)	253	24	18	19	25	22	14	18	23	17	29	20	24
Puerperal septicemia (146)	15	3		1	2	3	2	2		1			1
Other puerperal causes (143–145, 147–150)	16		1	2	2			3	1	1	1	2	3
Suicide (165–174)	93	6	8	6	12	12	8	8	5	7	10	5	6
Automobile accidents [1] (188c)	66	7	12	9	2	2	2	8	9	3	2	4	6
Automobile and railroad-train collision (part 188a)													
Automobile and street-car collision (part 188b)	3		1						1			1	
Other external causes (175–187, part 188a, b, 188d–203)	176	17	9	12	13	20	11	17	17	11	17	13	19
All other causes	1,372	120	94	110	115	127	106	108	127	99	121	126	119
SPOKANE, WASH., all causes	1,386	122	102	127	136	125	117	94	81	102	125	120	135
Typhoid and paratyphoid fever (1)	3									1	1	1	
Malaria (5)													
Smallpox (6)													
Measles (7)	1						1						
Scarlet fever (8)	5	1								1		2	1
Whooping cough (9)	7					2	3			1		1	
Diphtheria (10)	16	1	5	2		1	1		1	1	2	2	
Influenza (11)	44	1	5	7	13	4	2	3	1		4		4
Dysentery (16)													
Erysipelas (21)	7		3	1	1			1	1				
Lethargic encephalitis (23)	22	4		1		1	1	3	2	1	2	2	5
Meningococcus meningitis (24)	16				3	2		1	3			3	4
Tuberculosis of the respiratory system (31)	41	4	2	5	3	5	6	4	1	4	4	1	2
Other forms of tuberculosis (32–37)	9	1		1	2		2			2			1
Diabetes mellitus (57)	15			1	1		2	2	3	1	3	1	1
Cerebral hemorrhage and softening (74, 83)	71	4	6	6	11	5	9	3	6	5	7	3	6
Other [organic] diseases of the heart (90)	137	13	12	13	15	11	9	8	5	11	11	14	15
Bronchitis (99)	6	2									2	1	1
Broncho-pneumonia (100)	37	3	4	6	3	3	2		1	1	6	6	2
Pneumonia (101)	76	8	8	7	6	5	6	4	2	2	9	8	11
Diarrhea and enteritis [under 2 years] (113)	10						1		1	4	1	1	2
Diarrhea and enteritis [2 years and over] (114)	5	1		1				1	1		1		
Nephritis (128, 129)	135	16	11	9	9	12	11	15	8	7	15	12	10
Puerperal septicemia (146)	9		1	1			3		1	2		1	
Other puerperal causes (143–145, 147–150)	11	1	1		1		1	1	1	3	2		
Suicide (165–174)	27	1	1	2	3	1	1	3	2	2	2	5	4
Automobile accidents [1] (188c)	21		1	3	1	4			3	1	4	1	3
Automobile and railroad-train collision (part 188a)	2					1		1					
Automobile and street-car collision (part 188b)													
Other external causes (175–187, part 188a, b, 188d–203)	67	3	1	4	12	6	5	7	5	8	3	4	9
All other causes	586	58	41	57	52	62	51	37	33	44	46	51	54

[1] Excludes collision with railroad trains and street cars.

TABLE 10A.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN LARGE CITIES: 1925—Continued

[See note at head of this table, p. 333]

AREA AND CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MILWAUKEE, WIS., all causes	5,549	427	468	559	647	543	446	388	364	383	448	433	443
Typhoid and paratyphoid fever (1)	7			1				1	1	2	1	1	
Malaria (5)													
Smallpox (6)	87	3	2	6	14	40	19	3					
Measles (7)	20	1	1	2	1	7	3	4					1
Scarlet fever (8)	8	1	2	2	1	1							1
Whooping cough (9)	39	5	4	2	3	5	1	6	7	2	2	2	
Diphtheria (10)	69	5	5	9	6	4	2	7	4	4	7	8	8
Influenza (11)	95	10	6	19	30	6	3	1		2	9	3	6
Dysentery (16)	1								1				
Erysipelas (21)	8	1		1	1				1	1			3
Lethargic encephalitis (23)	6	2					1			1	1	1	
Meningococcus meningitis (24)	2				1	1							
Tuberculosis of the respiratory system (31)	243	15	15	22	27	27	30	19	16	18	17	23	14
Other forms of tuberculosis (32–37)	69	5	5	3	9	4	6	5	11	5	1	7	8
Diabetes mellitus (57)	114	7	7	4	15	15	7	8	7	10	11	12	11
Cerebral hemorrhage and softening (74, 83)	333	26	25	35	33	25	29	26	20	20	28	38	28
Other [organic] diseases of the heart (90)	712	57	60	61	87	63	59	52	51	44	65	49	64
Bronchitis (99)	50	6	6	7	7	4	1	1	1	1	4	7	5
Broncho-pneumonia (100)	276	26	35	35	59	23	10	8	6	11	23	19	21
Pneumonia (101)	331	31	28	66	55	35	21	10	15	7	14	22	27
Diarrhea and enteritis [under 2 years] (113)	133	7	14	13	11	13	7	7	8	27	8	11	7
Diarrhea and enteritis [2 years and over] (114)	31		3		4	1	2	3	7	6	2	2	1
Nephritis (128, 129)	341	22	36	43	38	31	28	25	21	22	24	23	28
Puerperal septicemia (146)	26	2	2	3	3	1	3	3	3		2	1	3
Other puerperal causes (143–145, 147–150)	42	3	6	5	6	3	4	1	2	4	2	3	3
Suicide (165–174)	83	6	7	8	5	7	8	9	6	11	4	4	8
Automobile accidents [1] (188c)	102	4	2	6	8	6	5	13	11	11	13	12	11
Automobile and railroad-train collision (part 188a)	5			1						2		2	
Automobile and street-car collision (part 188b)	1										1		
Other external causes (175–187, part 188a, b, 188d–203)	224	17	19	12	27	21	24	16	16	18	17	16	21
All other causes	2,091	165	178	193	196	200	173	160	149	154	192	167	164

[1] Excludes collision with railroad trains and street cars.

NOTE.—Populations are shown in Table I B.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925

[Corresponding data for death registration States and cities in birth registration area appear in the report on Birth Statistics, Stillbirths, and Infant Mortality: 1925. Numbers after causes of death correspond to those of the 1920 revision of the detailed International List. Cities of 100,000 population or more on January 1, 1920, are included, and those with a minimum of 25,000 colored population on that date, are shown by color]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ALABAMA (WHITE), all causes	2,499	677	150	86	180	142	108	77	1,420	217	151	118	93	86	78	62	63	70	71	70
Measles (7)	6										2	1		1		2				
Scarlet fever (8)																				
Whooping cough (9)	70					1		3	4	21	11	7	3	2	1	3	4	6	5	3
Diphtheria (10)	16				2				2	2	1				2		4	2	2	1
Influenza (11)	86	1	1			6	7	3	18	17	7	7	4	4	6	5	4	7	3	4
Dysentery (16)	6						1		1			1	1			1		2		
Erysipelas (21)	13				1			1	2	5				1	1	1	2	1		
Meningococcus meningitis (24)	3													2						1
Tetanus (29)	4				1	3			4											
Tuberculosis of the respiratory system (31)	4				1	1			2			1							1	
Tuberculosis of the meninges, etc. (32)	6					1			1					1		1	1		1	1
Other forms of tuberculosis (33–37)	3						1		1					1			1			
Syphilis (38)	20	4		1	1			1	7	4	3		1	1	1	2			1	
Convulsions (80)	23	3		1	6	2	2	1	15	3	2	1		1			1			
Bronchitis (99)	14		2				2	1	5	1	3	1					1	1	1	1
Broncho-pneumonia (100)	125	2			7	7	6	6	28	22	17	10	3	8	8	5	4	5	8	7
Pneumonia (101)	100	2	1	1	2	2	4	5	17	15	11	7	8	6	8	6	4	9	1	8
Diseases of the stomach (111, 112)	24			1	2	1	1	1	6	1	4	4	3		1	2	1		2	
Diarrhea and enteritis (113)	278	1			5	3	2	4	15	24	25	34	27	28	21	17	24	18	22	23
Congenital malformations (159)	145	36	13	11	14	8	10	11	103	13	7	2	6	3	3			2	3	3
Congenital debility (160)	130	35	7	12	10	10	9	2	85	12	10	12	6	2	2		1			
Premature birth (161a)	661	418	71	27	42	45	30	13	646	11	3		1							
Injury at birth (161b)	106	59	18	8	14	3	2	1	105	1										
Other diseases of early infancy (162, 163)	47	24	3	1	12	4	1	1	46	1										
External causes (175–203)	65	6	2		5		3	1	17	5	4	8	4	2	6	2	2	6	6	3
Unknown or ill-defined diseases (204, 205)	368	84	28	21	38	31	18	20	240	40	27	11	16	9	7	5	2	4	3	4
All other causes	176	2	4	2	17	14	9	2	50	19	14	11	10	14	11	10	7	7	12	11
ALABAMA (COLORED), all causes	2,042	370	106	91	192	144	81	57	1,041	166	128	114	103	83	107	81	64	54	44	57
Measles (7)	2									1					1					
Scarlet fever (8)																				
Whooping cough (9)	71					1		1	2	8	8	8	6	5	14	3	8	3		6
Diphtheria (10)	13			1	1		1		3	2		2	1			1	1	1		2
Influenza (11)	72	2			1	7	3	2	15	13	5	9	5	2	8	3	2	5	5	
Dysentery (16)	14							1	1	2			1	1	2	4		1		2
Erysipelas (21)	1												1							
Meningococcus meningitis (24)																				
Tetanus (29)	14				7	6	1		14											
Tuberculosis of the respiratory system (31)	5				1				1		1			1	1					1
Tuberculosis of the meninges, etc. (32)	1													1						
Other forms of tuberculosis (33–37)	2										1					1				
Syphilis (38)	65	16	4	4	8	6	4	1	43	1	7	4	2	2	3	1	2			
Convulsions (80)	30		2		11	6	3		22	1	1	1	2	1	2					
Bronchitis (99)	5									1			1				2		1	
Broncho-pneumonia (100)	109	1	1	3	4	2	3	2	16	10	6	9	8	7	9	11	12	8	2	11
Pneumonia (101)	120		1	1	9	6	3	3	23	10	10	11	8	18	11	6	6	6	6	5
Diseases of the stomach (111, 112)	13				1	2			3	4		3	2							1
Diarrhea and enteritis (113)	192				3	4	6	3	16	13	22	19	24	16	19	14	13	13	10	13
Congenital malformations (159)	26	5	3	3	2		1		14	1	4	1		2	2			1		1
Congenital debility (160)	103	16	3	3	10	12	10	3	57	9	8	3	2	6	4	6	3	3	1	1
Premature birth (161a)	336	178	32	28	40	23	13	12	326	2	3	1	2			2				
Injury at birth (161b)	42	25	6	2	7	2			42											
Other diseases of early infancy (162, 163)	39	7	8	5	9	7	2		38	1										
External causes (175–203)	50	2	2	1	6	3	1	2	17	7	6	4	2	1	3	3	2	3	1	1
Unknown or ill-defined diseases (204, 205)	637	117	40	38	68	53	25	25	366	67	42	31	30	18	22	25	6	8	13	9
All other causes	80	1	4	2	4	4	5	2	22	13	4	8	6	2	6	2	6	2	5	4
COLORADO, all causes	1,739	305	96	74	95	114	63	59	806	126	147	113	111	84	74	69	57	59	49	44
Measles (7)	4									1			1					2		
Scarlet fever (8)	2													1			1			
Whooping cough (9)	57					2			2	4	9	3	3	7	2	4	3	6	7	7
Diphtheria (10)	11							2	2	1	2		1	1	1		2			1
Influenza (11)	90				1	3	4	3	11	10	11	16	9	7	7	5	4	4	3	3
Dysentery (16)	10									1	1		2	1	4				1	
Erysipelas (21)	13					1		3	4	2	3		1		1		1	1		
Meningococcus meningitis (24)	5									1		1		2		1				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	6					1			1				1		1	1			1	1
Other forms of tuberculosis (33–37)	2															1			1	
Syphilis (38)	27	2	2	1	1	1	3	1	11	2	7	1	3				2		1	
Convulsions (80)	3	1				1			2	1										
Bronchitis (99)	6							1	1	2		1	1				1			
Broncho-pneumonia (100)	156		1	2	5	8	12	11	39	20	17	15	12	9	8	8	7	12	6	3
Pneumonia (101)	79		1	3	5	3	6	5	23	6	8	8	5	2	7	4	5	1	3	7
Diseases of the stomach (111, 112)	8									2	2	1	2		1					
Diarrhea and enteritis (113)	384	1			1	5	4	9	20	24	47	46	46	42	34	35	30	25	20	15
Congenital malformations (159)	118	17	17	15	17	11	8	2	87	9	10	2	3	3	2	1		1		
Congenital debility (160)	72	4	1	3	6	9	6	5	34	14	9	4	6	3		1				1
Premature birth (161a)	409	222	48	26	30	44	13	8	391	13	4	1								
Injury at birth (161b)	68	28	9	12	13	3	2		67	1										
Other diseases of early infancy (162, 163)	73	26	10	5	12	12	3	3	71	1	1									
External causes (175–203)	28	1	2	1		1	1	1	7	3	2	2	5		2	1		2		4
Unknown or ill-defined diseases (204, 205)	15	3	3	2	2				10		2	2		1						
All other causes	93		2	4	2	9	1	5	23	8	12	10	10	5	4	7	1	5	6	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
IDAHO, all causes	476	132	29	19	31	39	23	24	297	32	30	21	22	8	21	9	6	11	7	12
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	25									5	5	1	3	1	2	2	2	2	1	1
Diphtheria (10)																				
Influenza (11)	25					4		1	5	5	1	2	3	1	2	2		3		1
Dysentery (16)	1					1			1											
Erysipelas (21)	5						1		1	1		1			1				1	
Meningococcus meningitis (24)	1																1			
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	3									1					2					
Tuberculosis of the meninges, etc. (32)	1																1			
Other forms of tuberculosis (33–37)																				
Syphilis (38)	2							1	1	1										
Convulsions (80)	4			1	2				3			1								
Bronchitis (99)	1																			1
Broncho-pneumonia (100)	44		1		2	4	4	5	16	6	4	2	3	1	4	2	1		1	4
Pneumonia (101)	18					2		2	4	3	1		1	1	4	1		2		1
Diseases of the stomach (111,112)	4									2	1							1		
Diarrhea and enteritis (113)	34					2		1	3	2	9	3	4	4	2	1		2	2	2
Congenital malformations (159)	41	14	3	3	8	3	4	1	36	1	1	1	2							
Congenital debility (160)	20	6			1	3	1	3	14		1	3	1					1		
Premature birth (161a)	145	87	20	10	8	10	6	3	144	1										
Injury at birth (161b)	27	16	4	2	2	2	1		27											
Other diseases of early infancy (162, 163)	17	5		1	2	3	3	3	17											
External causes (175–203)	8									1	2	1	1		1		1		1	
Unknown or ill-defined diseases (204, 205)	19	2	1	1	3	3	3	2	15	1	2	1								
All other causes	31	2		1	3	2		2	10	2	3	5	4		3	1			1	2
LOUISIANA (WHITE), all causes	1,910	375	92	59	128	118	72	60	904	149	130	148	133	79	76	79	69	52	53	38
Measles (7)	3									1		1	1							
Scarlet fever (8)																				
Whooping cough (9)	58							4	4	8	10	5	3	3	7	6	1	5	4	2
Diphtheria (10)	17					1			1		2	1	1	1			3	2	4	2
Influenza (11)	55					1	1	1	3	5	7	12	3	5	3	5	6		5	1
Dysentery (16)	20							1	1	2	1	1	3	2	3	1	3	1	1	1
Erysipelas (21)	5					1			1	2	1		1							
Meningococcus meningitis (24)	2					2			2											
Tetanus (29)	11				5	6			11											
Tuberculosis of the respiratory system (31)	4	1							1	1		1			1					
Tuberculosis of the meninges, etc. (32)	3												2			1				
Other forms of tuberculosis (33–37)	2									1		1								
Syphilis (38)	24	1	2		1	2	1		7	4	3	4	4		1			1		
Convulsions (80)	13	2		1	1	3	2	2	11	1					1					
Bronchitis (99)	14				1	4	1	1	7		1	3		1		1		1		
Broncho-pneumonia (100)	125			2	1	13	8	8	32	16	9	15	11	8	8	8	8	1	6	3
Pneumonia (101)	65			1	3	3	2	2	11	4	5	4	13	7	2	3	4	4	3	5
Diseases of the stomach (111, 112)	18					1	1		2	5	6		1	1	1			1	1	
Diarrhea and enteritis (113)	465				6	10	13	13	42	41	49	60	58	36	39	45	33	26	21	15
Congenital malformations (159)	120	34	15	5	11	12	3	7	87	11	4	2	5	2	1	1	2	2	3	
Congenital debility (160)	65	9	3	3	8	5	3	3	34	11	3	7	5	2	2		1			
Premature birth (161a)	419	245	40	24	34	27	22	10	402	9	4	3	1							
Injury at birth (161b)	114	49	16	15	25	6	3		114											
Other diseases of early infancy (162, 163)	33	15	7		7	1	1		31	2										
External causes (175–203)	29	1	1	1				1	4		5	4	2	1		2	1	3	2	5
Unknown or ill-defined diseases (204, 205)	93	17	8	6	13	8	5	4	61	10	2	7	5	1		4		3		
All other causes	133	1		1	12	12	6	3	35	15	18	17	14	9	7	2	7	2	3	4
LOUISIANA (COLORED), all causes	1,932	224	88	62	127	119	73	57	750	190	170	172	127	105	131	84	60	55	49	39
Measles (7)	3									1					2					
Scarlet fever (8)																				
Whooping cough (9)	69							1	1	5	16	7	5	4	9	6	3	6	1	6
Diphtheria (10)	8			1					1	2		1	1			1	2			
Influenza (11)	82		1		2	1	1		5	14	7	8	9	6	7	5	6	5	7	3
Dysentery (16)	31									3	2	4	5	3		6	2	1	2	3
Erysipelas (21)	2										1		1							
Meningococcus meningitis (24)																				
Tetanus (29)	32		1		15	15	1		32											
Tuberculosis of the respiratory system (31)	7					1	1		2	2								1	2	
Tuberculosis of the meninges, etc. (32)	1													1						
Other forms of tuberculosis (33–37)																				
Syphilis (38)	112	10	5	4	3	12	4	6	44	18	8	11	6	5	10	6			3	1
Convulsions (80)	22	1	1	1	1	3			7	4	1	1	2	3	2	2				
Bronchitis (99)	22				2	2			4	4	4	2	2	2	1	2			1	
Broncho-pneumonia (100)	173		1	1	3	5	7	2	19	17	23	19	19	11	22	9	13	11	6	4
Pneumonia (101)	65		1	2	1	1		3	8	5	7	12	4	6	5	8	2	4	1	3
Diseases of the stomach (111, 112)	19				1	1	2		4	5	3	1	1	1	3		1			
Diarrhea and enteritis (113)	401			1	7	9	10	13	40	42	51	56	37	40	52	24	18	19	11	11
Congenital malformations (159)	67	7	3	5	7	5	4	3	34	12	7	2	4		2	1		1	3	1
Congenital debility (160)	97	14	7	1	4	6	9	11	52	7	7	7	6	4	3	4	2	2	3	
Premature birth (161a)	286	135	39	23	32	24	11	6	270	7	3	2			1	2		1		
Injury at birth (161b)	42	21	8	3	4	3	1		40	2										
Other diseases of early infancy (162, 163)	37	11	7	7	9	2			36	1										
External causes (175–203)	25		1		2	1	3		7	3	3	3	3	2	2				1	1
Unknown or ill-defined diseases (204, 205)	223	25	12	10	26	22	11	9	115	23	17	23	13	8	7	5	4	1	3	4
All other causes	106		1	3	8	6	8	3	29	13	10	13	9	9	3	3	7	3	5	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
MISSOURI, all causes	4,665	994	260	206	353	285	199	163	2,460	408	306	249	202	189	168	138	143	159	116	127
Measles (7)	4													1		1		1		1
Scarlet fever (8)	8									2				1	1	1	1	1		1
Whooping cough (9)	115					1	4	3	8	16	14	11	10	7	13	6	7	5	9	9
Diphtheria (10)	17					1		2	3	2			1	3		2	3		1	2
Influenza (11)	159			1	4	7	11	10	33	16	16	14	11	11	12	8	8	13	7	10
Dysentery (16)	48						1	2	3	4	4	4	3	5	4	3	3	7	5	3
Erysipelas (21)	17				1	1		1	3	8	1		1	1		2		1		
Meningococcus meningitis (24)	10					1			1		1		2					1	2	3
Tetanus (29)	13		1	2	4	5	1		13											
Tuberculosis of the respiratory system (31)	13							1	1		1	1		1	2	1		3	1	2
Tuberculosis of the meninges, etc. (32)	25									1	1	4	1	2	5	3	3	1		4
Other forms of tuberculosis (33–37)	11					1			1		1	2	1	1			2	1		2
Syphilis (38)	62	5	6	2	3	1	1	3	21	14	10	3	3	4	1	3	2	1		
Convulsions (80)	19		1	1	7	3		1	13	1	1	2		1				1		
Bronchitis (99)	41	1	2	3	2	7	5		20	3	4	4			2		2	2	2	2
Broncho-pneumonia (100)	527	1	3	4	24	23	34	30	119	90	55	45	38	24	32	25	26	27	25	21
Pneumonia (101)	159			2	5	9	4	4	24	26	17	17	11	21	15	6	11	6	3	2
Diseases of the stomach (111, 112)	50			2	2	3	4	6	17	13	6	5	2	2	2		1			2
Diarrhea and enteritis (113)	745	1	2		12	20	25	32	92	78	90	79	63	69	47	52	44	56	35	40
Congenital malformations (159)	344	94	31	31	51	32	14	11	264	28	12	10	9	5	2	1		3	5	5
Congenital debility (160)	196	16	15	10	20	28	16	13	118	29	17	9	6	4	5		5	1	1	1
Premature birth (161a)	1,122	685	111	74	99	70	36	19	1,094	15	6	2			1	1		2	1	
Injury at birth (161b)	239	99	46	30	38	16	5	4	238	1										
Other diseases of early infancy (162, 163)	138	47	24	23	20	12	8	1	135	2	1									
External causes (175–203)	65	4		1	4	1	1	2	13	11	12	3	4	2	2	3	3	4	4	4
Unknown or ill-defined diseases (204, 205)	182	39	14	11	25	19	11	4	123	20	11	5	4	6	3	3	4		2	1
All other causes	336	2	4	9	32	24	18	14	103	28	25	29	32	18	19	17	18	22	13	12
SOUTH CAROLINA (WHITE), all causes	1,592	382	101	69	105	100	46	66	869	142	87	81	70	47	67	45	41	55	43	45
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	55						4	5	9	9	5	6	3	3	3	1	5	4	5	2
Diphtheria (10)	7										1		2				1		1	2
Influenza (11)	61			1	1	4	1	4	11	13	6	1	4	3	2	2	6	3	8	2
Dysentery (16)	21							1	1		4	2	4	1	1	1	2	1	1	3
Erysipelas (21)	5						1		1	2		2								
Meningococcus meningitis (24)	1																1			
Tetanus (29)	2					2			2											
Tuberculosis of the respiratory system (31)	2												1			1				
Tuberculosis of the meninges, etc. (32)	2																	1	1	
Other forms of tuberculosis (33–37)	1																	1		
Syphilis (38)	12	1	1	1		1			4	2	2	1	2	1						
Convulsions (80)	17	1	2	2	2	2	3	2	14		1	2								
Bronchitis (99)	7				1			1	2	1		1		1	1			1		
Broncho-pneumonia (100)	72		1		2	4	3	6	16	14	8	6	5	3	4	4	2	5	3	2
Pneumonia (101)	66			2	5	4		4	15	9	5	10	2	3	5	5	1	4	4	3
Diseases of the stomach (111, 112)	17									1	1	4	2	1	4	3		1		
Diarrhea and enteritis (113)	215	1				2	5	3	11	20	14	21	25	15	31	15	13	22	12	16
Congenital malformations (159)	88	21	10	8	8	7	2	5	61	4	5	4	3		1	2	3	1	2	2
Congenital debility (160)	93	14	5	5	10	10	4	5	53	15	8	4	4		1	3	1		2	2
Premature birth (161a)	489	275	62	24	39	42	16	16	474	6	5	2	1			1				
Injury at birth (161b)	69	26	13	13	10	4	2	1	69											
Other diseases of early infancy (162, 163)	36	17	1	5	5	5		1	34		2									
External causes (175–203)	26	1					3	5	9	1	2	2		6	2		2			2
Unknown or ill-defined diseases (204, 205)	113	22	6	8	11	6		2	55	22	11	6	7	4	1	2	1	3		1
All other causes	115	3			11	7	2	5	28	23	7	7	5	6	11	5	3	9	4	7
SOUTH CAROLINA (COLORED), all causes	2,595	399	171	108	239	181	97	90	1,285	244	184	152	134	106	127	95	88	70	54	56
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	70					1	1		2	10	8	5	8	9	3	9	7	3	5	1
Diphtheria (10)	7			1		1			2		2			1	1	1				
Influenza (11)	88					1		4	5	12	9	7	4	6	14	9	10	6	3	3
Dysentery (16)	52		1		1			5	7	7	4	6	5	2	8	3	2	2	4	2
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)	14			1	2	9			12	2										
Tuberculosis of the respiratory system (31)	5											1				2	1		1	
Tuberculosis of the meninges, etc. (32)	1														1					
Other forms of tuberculosis (33–37)																				
Syphilis (38)	52	6			3	3	2	1	15	6	6	7	6	1	1	3	3	1	1	2
Convulsions (80)	67		4	4	12	11	5	2	38	11	6	4	2		1	2	1	2		
Bronchitis (99)	7	1				2	1		4	1	1					1				
Broncho-pneumonia (100)	84		1		4	4	1	2	12	6	8	4	8	9	8	8	6	7	4	4
Pneumonia (101)	137	2			5	7	4	5	23	19	11	20	9	11	13	6	10	7	2	6
Diseases of the stomach (111, 112)	95	1		3	3	3	2	6	18	20	10	5	11	8	5	8	2	4		4
Diarrhea and enteritis (113)	278	1		2	2	4	4	6	19	29	32	28	33	22	28	17	17	18	18	17
Congenital malformations (159)	29	4	1		7	3	2	3	20	5	1	1			1					1
Congenital debility (160)	247	24	16	18	30	16	14	15	133	38	23	12	10	7	6	4	6	2	2	4
Premature birth (161a)	618	289	99	46	94	49	22	12	591	17	3	2	2		1			1		1
Injury at birth (161b)	50	33	5	1	5	4	1		49	1										
Other diseases of early infancy (162, 163)	60	12	3	12	13	9	3	4	56	3	1									
External causes (175–203)	33	4	1			2	1		8	5	5	1	1	2	3	1	2	3		2
Unknown or ill-defined diseases (204, 205)	411	42	34	19	48	45	22	18	228	32	32	20	19	16	20	12	11	7	7	7
All other causes	189		6	1	10	7	12	7	43	19	22	29	16	12	13	9	10	7	7	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
TENNESSEE (WHITE), all causes	2,930	581	181	107	231	205	126	101	1,532	295	181	161	123	105	116	93	76	104	59	85
Measles (7)	5					1			1	1				1	1					1
Scarlet fever (8)	1																			1
Whooping cough (9)	76						2	3	5	18	11	9	5	5	7	2	4	6	3	1
Diphtheria (10)	26					1	3		4	4	3	1	2	3	1	2	1	1	1	3
Influenza (11)	95				2	7	9	9	27	20	7	3	4	8	11	4	3	2	2	4
Dysentery (16)	25							1	1	2		2	3	1		2	2	6	2	4
Erysipelas (21)	10					1		1	2	7				1						
Meningococcus meningitis (24)	4				1				1				1		1				1	
Tetanus (29)	6		1		3	2			6											
Tuberculosis of the respiratory system (31)	5				1			1	2			1		1				1		
Tuberculosis of the meninges, etc. (32)	28						1		1	1	1	3	1	2	4	2	2	4	3	4
Other forms of tuberculosis (33–37)	9									2		1			1	2		2	1	
Syphilis (38)	17	2			1	1	1	1	6	2	1	5								3
Convulsions (80)	19	1	2	3	7	1	1		15					1				2	1	
Bronchitis (99)	7				1	2			3		1				2	1				
Broncho-pneumonia (100)	166		1	4	9	10	7	8	39	36	10	16	10	8	8	11	6	11	5	6
Pneumonia (101)	91	1	2	1	2	3	6	2	17	16	17	10	8	2	5	3	3	7	2	1
Diseases of the stomach (111, 112)	34					4		2	6	4	6	4	3	4	2	1	1	1	1	1
Diarrhea and enteritis (113)	483	2	2	1	7	12	10	12	46	50	38	54	48	42	43	34	31	40	22	35
Congenital malformations (159)	142	34	14	8	24	17	7	5	109	14	4	4	2	2	2			3		2
Congenital debility (160)	164	35	10	8	16	23	12	8	112	19	13	7	6	2		2	1	2		
Premature birth (161a)	673	373	84	35	62	53	23	17	647	19	3	2	2							
Injury at birth (161b)	105	44	15	14	21	8	2	1	105											
Other diseases of early infancy (162, 163)	55	15	5	6	15	6	3	4	54		1									
External causes (175–203)	47	1	1		2		4	1	9	3	4	5	3		3	3	3	6	3	5
Unknown or ill-defined diseases (204, 205)	450	70	40	23	40	46	25	18	262	53	42	22	13	15	14	11	6	2	5	5
All other causes	187	3	4	4	17	7	10	7	52	24	19	12	11	6	12	14	13	8	7	9
TENNESSEE (COLORED), all causes	1,048	131	61	39	61	56	39	35	422	105	73	77	65	59	58	43	49	39	34	24
Measles (7)	4						1		1		1				1					1
Scarlet fever (8)	1													1						
Whooping cough (9)	28										2	5	9	1	4	1	1		4	1
Diphtheria (10)	7					1		1	2	1	1			1	1				1	
Influenza (11)	50		1				1	3	5	4	3	7	3	2	4	6	5	6	3	2
Dysentery (16)	13				1	2			3	1	2		1		1	2	1	1	1	
Erysipelas (21)	1						1		1											
Meningococcus meningitis (24)	2													1		1				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	14					1	1		2	1	1	1	1	2	3		1		1	1
Tuberculosis of the meninges, etc. (32)	3									1		1				1				
Other forms of tuberculosis (33–37)	1																1			
Syphilis (38)	28	7	1	2	2	1			13	4	3	1		2	1		3		1	
Convulsions (80)	15		1	1	1	4		2	9	3			1			1	1			
Bronchitis (99)	7									2			2	1			2			
Broncho-pneumonia (100)	115	1	2		1	1	3	11	19	10	3	16	14	16	7	6	7	6	4	7
Pneumonia (101)	45		1		1	1	3	2	8	1	4	5	4	4	3	1	3	7	3	2
Diseases of the stomach (111, 112)	10							1	1	4	1		2					2		
Diarrhea and enteritis (113)	139			1	1	2	6		10	19	14	17	11	13	13	10	13	9	6	4
Congenital malformations (159)	20	3	1	4	3	4			15		3	1			1					
Congenital debility (160)	49	15	2	1	7	2	2		29	8	4	1	4	2	1					
Premature birth (161a)	148	71	27	17	7	11	4	5	142	5	1									
Injury at birth (161b)	19	7	6	1	3	1	1		19											
Other diseases of early infancy (162, 163)	22	3	1	5	5	4	2		20	2										
External causes (175–203)	21				4	1	1	1	7	3	2	3		2		1	1	1	1	
Unknown or ill-defined diseases (204, 205)	241	22	17	5	25	18	11	8	106	33	24	15	10	11	13	10	9	3	5	2
All other causes	45	2	1	2		2	2	1	10	3	4	4	3		5	3	1	4	4	4
BIRMINGHAM, ALA. (WHITE), all causes	236	87	17	12	14	9	12	6	157	17	13	8	4	9	1	3	7	4	8	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2									1								1		
Diphtheria (10)	1									1										
Influenza (11)	4						1	1	2	1							1			
Dysentery (16)																				
Erysipelas (21)	1									1										
Meningococcus meningitis (24)	1																			1
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2															1			1	
Other forms of tuberculosis (33–37)	1																1			
Syphilis (38)	5			1				1	2		1			1					1	
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	10				1			1	2	1	2		1	1			1			2
Pneumonia (101)	7							1	1	2	1			1		1		1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	23				1				1	1	4	4	2	3	1		3	1	3	
Congenital malformations (159)	29	9	1	2	3	2	3		20	2	3	2		1						1
Congenital debility (160)	5	2	1						3	1		1								
Premature birth (161a)	91	63	8	4	5	3	4	1	88	3										
Injury at birth (161b)	23	10	4	4		2	2	1	23											
Other diseases of early infancy (162, 163)	3	3							3											
External causes (175–203)	4											1	1				1	1		
Unknown or ill-defined diseases (204, 205)	3				2		1		3											
All other causes	21		3	1	2	2	1		9	3	2			2		1			3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
BIRMINGHAM, ALA. (COLORED), all causes	270	62	15	9	15	16	18	7	142	12	22	13	9	15	8	16	11	9	4	9
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	7										1	2			2					2
Diphtheria (10)	3											1				1		1		
Influenza (11)	4						1		1				2				1			
Dysentery (16)	1															1				
Erysipelas (21)	1												1							
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	1										1									
Syphilis (38)	24	10	3	2	4	1	1		21		1	1					1			
Convulsions (80)	2				1		1		2											
Bronchitis (99)																				
Broncho-pneumonia (100)	23			1	1		2	1	5	1	3	1	2	1	2	2	3			3
Pneumonia (101)	16				1	1			2		2	1		5	1	2	1	1	1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	25						1	2	3	1	4	2	2	3	3	1	1	4	1	
Congenital malformations (159)	6	1	2	1					4		2									
Congenital debility (160)	6					3			3		1	2								
Premature birth (161a)	76	47	5	3	5	7	4	3	74		1					1				
Injury at birth (161b)	3	2				1			3											
Other diseases of early infancy (162, 163)	6	2	3		1				6											
External causes (175–203)	4		1		1				2							1	1			
Unknown or ill-defined diseases (204, 205)	48			2		2	5	1	10	7	5	2	1	6		7	3	3	2	2
All other causes	14		1		1	1	3		6	3	1	1	1							2
DENVER, COLO., all causes	464	97	29	22	24	27	15	13	227	41	41	26	27	23	15	19	17	12	8	8
Measles (7)	2									1			1							
Scarlet fever (8)																				
Whooping cough (9)	10					1			1	1	1			1	1	1		1	1	2
Diphtheria (10)	1										1									
Influenza (11)	17					1		1	2	1	1	2	2	2	1	2	2		1	1
Dysentery (16)																				
Erysipelas (21)	6							1	1	1	1		1		1			1		
Meningococcus meningitis (24)	4											1		2		1				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	2					1			1						1					
Other forms of tuberculosis (33–37)																				
Syphilis (38)	8	1							1	1	4		1				1			
Convulsions (80)																				
Bronchitis (99)	1																1			
Broncho-pneumonia (100)	44				2		4	3	9	6	6	4	4	1	2	2	2	6	1	1
Pneumonia (101)	19					1	1	1	3	3	3	2	1		2		3			2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	94	1				1	2	1	5	10	11	10	12	14	7	9	8	3	4	1
Congenital malformations (159)	43	7	4	5	6	5	4		31	5	5	1	1							
Congenital debility (160)	13	2				1		2	5	3	1		1	1		1				1
Premature birth (161a)	115	65	16	11	7	10	1	1	111	2	1	1								
Injury at birth (161b)	21	11	2	2	5	1			21											
Other diseases of early infancy (162, 163)	28	10	5	3	4	2	1	2	27	1										
External causes (175–203)	4		1	1			1		3	1										
Unknown or ill-defined diseases (204, 205)	5										2	2		1						
All other causes	27		1			3	1	1	6	5	4	3	3	1		3		1	1	
ATLANTA, GA. (WHITE), all causes	278	69	34	10	17	21	14	8	173	29	18	13	10	2	10	4	4	1	8	6
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	8							1	1	1	2	1				1			2	
Diphtheria (10)																				
Influenza (11)	11							1	1	4		2	1			1	1		1	
Dysentery (16)	2													1					1	
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1												1							
Tuberculosis of the meninges, etc. (32)	1																			1
Other forms of tuberculosis (33–37)																				
Syphilis (38)	5		1			1	1		3		2									
Convulsions (80)																				
Bronchitis (99)	2									1			1							
Broncho-pneumonia (100)	20			1		1	2		4	6	2	2			3		1	1	1	
Pneumonia (101)	16			1	1			1	3	2	3		2		1	1	1		1	2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	23				1		1		2	5	2	4	2		4	1			1	2
Congenital malformations (159)	13		1	1	1		2	2	7	2		1	3							
Congenital debility (160)	13	2				4	2	1	9		2	1		1						
Premature birth (161a)	99	52	20	3	9	5	3	1	93	4	1	1								
Injury at birth (161b)	28	10	7	3	2	4	1	1	28											
Other diseases of early infancy (162, 163)	8	4	2	1			1		8											
External causes (175–203)	8									2	2				1		1		1	1
Unknown or ill-defined diseases (204, 205)	3					2			2	1										
All other causes	17	1	3		3	4	1		12	1	2	1			1					

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ATLANTA, GA. (COLORED), all causes	286	52	16	8	21	22	16	9	144	28	19	21	12	18	10	10	9	6	5	4
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	11									1			1	1		4	1	1	1	1
Diphtheria (10)																				
Influenza (11)	3										1	1							1	
Dysentery (16)	2													1				1		
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)	3				1	2			3											
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	11	4		1	1			1	7		1	2				1				
Convulsions (80)	1				1				1											
Bronchitis (99)	2											1			1					
Broncho-pneumonia (100)	36	2			1	2	2		7	5	4	5	2	4	3	2	2		1	1
Pneumonia (101)	15				1	1	1		3	3		3		3	1			1		1
Diseases of the stomach (111, 112)	3									1			1		1					
Diarrhea and enteritis (113)	33							1	1	7	6	3	5	5	1	1	3	1		
Congenital malformations (159)	9	3		2	1	1	1		8				1							
Congenital debility (160)	14	2			1	1	1	2	7	2		2		1		1		1		
Premature birth (161a)	78	28	8	4	10	11	8	4	73	2	1	1			1					
Injury at birth (161b)	19	9	7	1	1	1			19											
Other diseases of early infancy (162, 163)	4	1				1	1	1	4											
External causes (175–203)	10	1	1		3				5	3	1									1
Unknown or ill-defined diseases (204, 205)	11	2				1	2		5	2	2									
All other causes	21					1			1	2	3	3	2	2	2	1	2	1	2	
NEW ORLEANS, LA. (WHITE), all causes	522	96	27	17	30	25	29	11	235	34	37	49	37	20	19	21	32	12	14	12
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	21									2	3	3		1	3	5	1	3		
Diphtheria (10)	2																1			1
Influenza (11)	14									1	3	4	1	1	1	1	2			
Dysentery (16)	1														1					
Erysipelas (21)	1					1			1											
Meningococcus meningitis (24)	1					1			1											
Tetanus (29)	2					2			2											
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	10		2			1			3	1	2	1	2					1		
Convulsions (80)	1						1		1											
Bronchitis (99)	1											1								
Broncho-pneumonia (100)	45			1	1	3	4	1	10	5	3	5	3	1	5	2	7		4	
Pneumonia (101)	12									1	1		4	2			1		1	2
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	147				1	1	6	5	13	9	17	21	18	11	6	13	17	6	8	8
Congenital malformations (159)	39	11	3	2	3	5	3	1	28	3	1	2	2	1			1	1		
Congenital debility (160)	9	1	1		2	1			5	1	1	1	1							
Premature birth (161a)	114	63	13	4	7	6	11	4	108	4		2								
Injury at birth (161b)	40	15	6	9	8	1	1		40											
Other diseases of early infancy (162, 163)	9	4	2		1		1		8	1										
External causes (175–203)	8	1		1					2		2	2							1	1
Unknown or ill-defined diseases (204, 205)																				
All other causes	44	1			7	3	2		13	6	4	6	6	3	3		2	1		
NEW ORLEANS, LA. (COLORED), all causes	465	57	22	13	29	29	22	13	185	46	33	39	29	27	38	20	16	14	11	7
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	14										2	1	1	1	2	1	1	4		1
Diphtheria (10)	1																1			
Influenza (11)	6										2					2	1		1	
Dysentery (16)	2												1							1
Erysipelas (21)	1												1							
Meningococcus meningitis (24)																				
Tetanus (29)	3				1	2			3											
Tuberculosis of the respiratory system (31)	2						1		1										1	
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	43	5	3	2	1	7	2	2	22	5		3	3	2	3	2			2	1
Convulsions (80)	3				1				1	1						1				
Bronchitis (99)	3										1	1							1	
Broncho-pneumonia (100)	63				2	4	1	1	8	7	8	7	6	6	7	3	4	5	1	1
Pneumonia (101)	18		1	2				1	4	1	2	1		3	2	2	1	1		1
Diseases of the stomach (111, 112)	1						1		1											
Diarrhea and enteritis (113)	145				3	5	7	6	21	18	13	21	12	13	22	6	8	4	5	2
Congenital malformations (159)	28		2	4	5	3	2		16	6	1	1	2		1	1				
Congenital debility (160)	11	1					3	1	5	2	2	1	1							
Premature birth (161a)	83	40	14	3	13	6	1	2	79	2						2				
Injury at birth (161b)	13	7	1	1	1	2	1		13											
Other diseases of early infancy (162, 163)	6	4	1	1					6											
External causes (175–203)	2										1		1							
Unknown or ill-defined diseases (204, 205)																				
All other causes	17				2		3		5	4	1	3	1	2	1					

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
KANSAS CITY, MO. (WHITE), all causes	482	109	25	19	25	20	40	17	255	61	27	21	26	16	16	14	10	12	10	14
Measles (7)																				
Scarlet fever (8)	1									1										
Whooping cough (9)	21									4	3	1	1		2	2	1	2	3	2
Diphtheria (10)	3							1	1	1										1
Influenza (11)	20									3	4	3	1	1	3	3				2
Dysentery (16)	1																		1	
Erysipelas (21)	3									2						1				
Meningococcus meningitis (24)																				
Tetanus (29)	1					1			1											
Tuberculosis of the respiratory system (31)	2													1					1	
Tuberculosis of the meninges, etc. (32)	4									1		1	1		1					
Other forms of tuberculosis (33–37)	1										1									
Syphilis (38)	11				3			1	4	5	1					1				
Convulsions (80)	1				1				1											
Bronchitis (99)	2											2								
Broncho-pneumonia (100)	55				1	3	10	4	18	14	5	3	2		1	2	2	2	3	3
Pneumonia (101)	16					1	1	1	3	2	3		1	5			2			
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	69				1		4	4	9	14	4	6	10	6	5	3	4	4	1	3
Congenital malformations (159)	39	11	4	3	3	6	3	1	31	2	1	1	2	1	1					
Congenital debility (160)	11	1	1	1			3		6	2	1	1	1							
Premature birth (161a)	116	75	10	5	8	4	7	2	111	4	1									
Injury at birth (161b)	47	19	9	7	4	3	4	1	47											
Other diseases of early infancy (162, 163)	9	2	1		1	1	3		8	1										
External causes (175–203)	7	1							1	1					1	2		1		1
Unknown or ill-defined diseases (204, 205)																				
All other causes	42			3	3	1	5	2	14	4	3	3	7	2	2		1	3	1	2
KANSAS CITY, MO. (COLORED), all causes	104	17	5	1	10	6	1	1	41	6	6	4	6	7	6	9	6	4	4	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	5									1			1			1	1			1
Diphtheria (10)																				
Influenza (11)	6				1				1				1	1	1		1	1		
Dysentery (16)																				
Erysipelas (21)																				
Meningococcus meningitis (24)	1												1							
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1																			1
Tuberculosis of the meninges, etc. (32)	1																	1		
Other forms of tuberculosis (33–37)	2											1		1						
Syphilis (38)	6	2							2	1			1	1		1				
Convulsions (80)																				
Bronchitis (99)																				
Broncho-pneumonia (100)	31		1		2		1		4	3	2	2	1	3	4	5	1	1	3	2
Pneumonia (101)	3					1			1								1		1	
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	9									1	3		1	1		1	1			1
Congenital malformations (159)	2		1					1	2											
Congenital debility (160)	3										1	1			1					
Premature birth (161a)	18	10	2	1	2	3			18											
Injury at birth (161b)	5	3			1	1			5											
Other diseases of early infancy (162, 163)	5	2			2	1			5											
External causes (175–203)																				
Unknown or ill-defined diseases (204, 205)																				
All other causes	6		1		2				3							1	1	1		
ST. LOUIS, MO. (WHITE), all causes	837	168	51	47	52	42	37	31	428	80	55	55	38	31	33	28	24	24	18	23
Measles (7)	2													1		1				
Scarlet fever (8)	1														1					
Whooping cough (9)	5											1	1		1				1	1
Diphtheria (10)	3									1							1		1	
Influenza (11)	6											2	1				2	1		
Dysentery (16)	5										1					1		2	1	
Erysipelas (21)	6					1			1	3						1		1		
Meningococcus meningitis (24)	1																			1
Tetanus (29)	1			1					1											
Tuberculosis of the respiratory system (31)	2										1							1		
Tuberculosis of the meninges, etc. (32)	7											2			1	2				2
Other forms of tuberculosis (33–37)	2																1			1
Syphilis (38)	15	1		2		1		1	5	6	1			2	1					
Convulsions (80)	2			1	1				2											
Bronchitis (99)	8				1	1	2		4			2			1			1		
Broncho-pneumonia (100)	114			2	4	2	9	8	25	20	12	12	11	4	9	5	6	4	3	3
Pneumonia (101)	29			1				1	2	6	4	3	1	5	3	2	2	1		
Diseases of the stomach (111, 112)	1									1										
Diarrhea and enteritis (113)	175				1	9	10	11	31	18	22	26	14	15	8	9	6	10	7	9
Congenital malformations (159)	83	22	7	7	7	5	3	1	52	12	6	1	4	1	1	1		1	1	3
Congenital debility (160)	23	2	2	1	2	4	1	1	13	3	2			1	2		2			
Premature birth (161a)	208	116	23	21	19	11	7	3	200	4		1			1	1		1		
Injury at birth (161b)	49	20	12	4	9	2		2	49											
Other diseases of early infancy (162, 163)	23	7	5	7	3	1			23											
External causes (175–203)	7									2	1		1			1			2	
Unknown or ill-defined diseases (204, 205)	2				1				1							1				
All other causes	57		2		4	5	5	3	19	4	5	5	5	2	4	3	4	1	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
ST. LOUIS, MO. (COLORED), all causes	204	33	13	7	10	12	5	6	86	20	11	15	11	11	9	6	12	9	8	6
Measles (7)	2																	1		1
Scarlet fever (8)																				
Whooping cough (9)	3												2		1					
Diphtheria (10)																				
Influenza (11)	1						1		1											
Dysentery (16)	2											1							1	
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1							1	1											
Tuberculosis of the meninges, etc. (32)	3														1		1			1
Other forms of tuberculosis (33–37)																				
Syphilis (38)	12	1	3						4		3	3	1				1			
Convulsions (80)	1											1								
Bronchitis (99)	7		1	2		2			5										1	1
Broncho-pneumonia (100)	53				1	1	1	1	4	10	3	5	6	4	4	3	3	4	5	2
Pneumonia (101)	12									4	1		1	2	1	1	2			
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	31				1	1	1		3	4	4	3	1	4	1	2	4	3	1	1
Congenital malformations (159)	3				3				3											
Congenital debility (160)	2							2	2											
Premature birth (161a)	51	28	7	2	2	8	1	2	50	1										
Injury at birth (161b)	5	2	1	1	1				5											
Other diseases of early infancy (162, 163)	6	2	1	2	1				6											
External causes (175–203)	1													1						
Unknown or ill-defined diseases (204, 205)																				
All other causes	8				1		1		2	1		2			1		1	1		
MEMPHIS, TENN. (WHITE), all causes	189	47	12	6	15	8	6	7	101	23	11	9	8	4	10	4	5	8	1	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	5						1		1	2			1			1				1
Diphtheria (10)	1																			
Influenza (11)	4							1	1	1					2					
Dysentery (16)	2																	2		
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1														1					
Other forms of tuberculosis (33–37)	1														1					
Syphilis (38)																				
Convulsions (80)	1		1						1											
Bronchitis (99)																				
Broncho-pneumonia (100)	14			--	1	1	1	3	6	1		1	2	1	1			1		1
Pneumonia (101)	4										1	1			1			1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	31					1	1	1	3	6	5	4	3	2		1	4	2		1
Congenital malformations (159)	15	3	3	1		1			8	2	2	1			1			1		
Congenital debility (160)	9	3			1				4	2	1	1	1							
Premature birth (161a)	49	27	6	1	5	4	2	1	46	3										
Injury at birth (161b)	16	8	2	3	3				16											
Other diseases of early infancy (162, 163)	6	2		1	2			1	6											
External causes (175–203)	1																			1
Unknown or ill-defined diseases (204, 205)	8	2			2	1			5	1				1		1				
All other causes	20	2			1		1		4	4	2	1	1		3	1	1	1	1	1
MEMPHIS, TENN. (COLORED), all causes	259	49	15	9	7	7	7	14	108	29	16	21	10	13	13	11	14	8	13	3
Measles (7)	2														1					1
Scarlet fever (8)	1													1						
Whooping cough (9)	8										1	1	2			1			3	
Diphtheria (10)																				
Influenza (11)	13		1						1	1	1	4		1	2	1	2			
Dysentery (16)	5										1		1			1		1	1	
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	3												1	1						1
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)	1																1			
Syphilis (38)	21	6	1	1	2	1			11	3	3	1		1	1				1	
Convulsions (80)	2		1						1								1			
Bronchitis (99)	2									1				1						
Broncho-pneumonia (100)	39					1	1	6	8	4		3	3	4	3	3	4	3	3	1
Pneumonia (101)	8					1		1	2		1	1			1	1	1	1		
Diseases of the stomach (111, 112)	1							1	1											
Diarrhea and enteritis (113)	42			1			2		3	10	4	7	2	2	4	2	3	2	3	
Congenital malformations (159)	6	1		1	1	1			4		1	1								
Congenital debility (160)	10	3		1	1		1		6	1	1		1		1					
Premature birth (161a)	58	32	9	5	2	1	1	3	53	4	1									
Injury at birth (161b)	4	4							4											
Other diseases of early infancy (162, 163)	6	1	1		1	1	1		5	1										
External causes (175–203)	2									1		1								
Unknown or ill-defined diseases (204, 205)	14	2	2					2	6	3	1	1		2			1			
All other causes	11					1	1	1	3		1	1				2	1	1	2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
NASHVILLE, TENN. (WHITE), all causes	186	46	19	8	16	11	3	5	108	20	9	9	10	6	2	6	3	7	4	2
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2									1		1								
Diphtheria (10)																				
Influenza (11)	4				1				1	1			1	1						
Dysentery (16)	2												1			1				
Erysipelas (21)	1									1										
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	4																1	1	2	
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1																			1
Convulsions (80)	3		1		2				3											
Bronchitis (99)	2					1			1		1									
Broncho-pneumonia (100)	15		1	1	1	2			5	2	1	4	1					2		
Pneumonia (101)	4		1						1	1							1	1		
Diseases of the stomach (111, 112)	1										1									
Diarrhea and enteritis (113)	24							1	1	3	1	3	4	4		3	1	1	2	1
Congenital malformations (159)	7	3	1	1	1				6	1										
Congenital debility (160)	6					1		1	2	1	1		1					1		
Premature birth (161a)	69	38	12	2	6	4	1	1	64	3	1		1							
Injury at birth (161b)	10	4	1		3	2			10											
Other diseases of early infancy (162, 163)	3		1	1			1		3											
External causes (175–203)	5						1		1	2					1	1				
Unknown or ill-defined diseases (204, 205)	10	1		2	1	1		2	7				1	1	1					
All other causes	13		1	1	1				3	4	3	1				1		1		
NASHVILLE, TENN. (COLORED), all causes	112	24	5	6	11	3	10	5	64	8	3	7	6	6	3	4	1	8	1	1
Measles (7)	1						1		1											
Scarlet fever (8)																				
Whooping cough (9)	1												1							
Diphtheria (10)																				
Influenza (11)	6						1	1	2				1	1		1		1		
Dysentery (16)	1					1			1											
Erysipelas (21)																				
Meningococcus meningitis (24)	1															1				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1														1					
Tuberculosis of the meninges, etc. (32)	1									1										
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1			1					1											
Convulsions (80)	1							1	1											
Bronchitis (99)																				
Broncho-pneumonia (100)	20	1	1				1	3	6	2		3	3	3	1			1		1
Pneumonia (101)	2						1		1									1		
Diseases of the stomach (111, 112)	3									2								1		
Diarrhea and enteritis (113)	14						3		3			2	1	2	1	2		2	1	
Congenital malformations (159)	2	1			1				2											
Congenital debility (160)	6	4			2				6											
Premature birth (161a)	21	13	3	2	2	1			21											
Injury at birth (161b)	3	2	1						3											
Other diseases of early infancy (162, 163)	4	1		2					3	1										
External causes (175–203)	5				1	1	1		3	1								1		
Unknown or ill-defined diseases (204, 205)	15	2			5		2		9	1	2	2					1			
All other causes	3			1					1		1							1		
DALLAS, TEX., all causes	470	89	21	20	34	24	17	17	222	51	46	20	32	20	23	17	10	9	14	6
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	4										2	1		1						
Diphtheria (10)	1																		1	
Influenza (11)	8						1	1	2	2			1		3					
Dysentery (16)	7										2				3		1	1		
Erysipelas (21)	1							1	1											
Meningococcus meningitis (24)	1																		1	
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	2														1				1	
Tuberculosis of the meninges, etc. (32)	1													1						
Other forms of tuberculosis (33–37)																				
Syphilis (38)	11	4	1			1		1	7		1	1				1				1
Convulsions (80)																				
Bronchitis (99)	2							1	1		1									
Broncho-pneumonia (100)	47			1	1	1	4	1	8	10	8	2	7	4	4		1	1	1	1
Pneumonia (101)	25					1	2	3	6	5	1	2	6	1	1		3			
Diseases of the stomach (111, 112)	4				1				1	1			1	1						
Diarrhea and enteritis (113)	83						1	3	4	9	17	7	8	6	6	11	2	3	7	3
Congenital malformations (159)	38	8	1	2	4	3	1	3	22	10	1	1	1	1	1		1			
Congenital debility (160)	9	2			1		1		4		1		1		1	2				
Premature birth (161a)	136	62	13	11	17	16	4	1	124	4	4	3		1						
Injury at birth (161b)	31	11	4	6	7	2			30	1										
Other diseases of early infancy (162, 163)	5	2	2		1				5											
External causes (175–203)	8									3	1	2	1					1		
Unknown or ill-defined diseases (204, 205)																				
All other causes	46				2		3	2	7	6	7	1	6	4	3	3	2	3	3	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
FORT WORTH, TEX., all causes	196	43	11	14	16	11	15	3	113	18	10	12	7	7	6	9	1	5	3	5
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	2									1				1						
Diphtheria (10)	1			1					1											
Influenza (11)	2	1							1									1		
Dysentery (16)	3									2						1				
Erysipelas (21)																				
Meningococcus meningitis (24)	1												1							
Tetanus (29)																				
Tuberculosis of the respiratory system (31)	1											1								
Tuberculosis of the meninges, etc. (32)																				
Other forms of tuberculosis (33–37)																				
Syphilis (38)	4			1					1	1					1	1				
Convulsions (80)	1		1						1											
Bronchitis (99)																				
Broncho-pneumonia (100)	15					2	3	1	6	2	1	2	1		1	1				1
Pneumonia (101)	14		1		1		2		4	3	1	1	1	1	1	1			1	
Diseases of the stomach (111, 112)	4				1				1	1		1						1		
Diarrhea and enteritis (113)	28				2		1	1	4	3	2	4	2	1	2	4		2	1	3
Congenital malformations (159)	14	5		1	2	1		1	10		1		1	1			1			
Congenital debility (160)	9	2	1			2	1		6	2								1		
Premature birth (161a)	53	28	4	4	5	4	5		50	2		1								
Injury at birth (161b)	17	4	3	6	2	1	1		17											
Other diseases of early infancy (162, 163)	3	3							3											
External causes (175–203)	7				1		1		2		1	1	1		1					1
Unknown or ill-defined diseases (204, 205)	2											1		1						
All other causes	15		1	1	2	1	1		6	1	4			2		1			1	
HOUSTON, TEX. (WHITE), all causes	242	47	13	10	19	18	6	1	114	19	17	14	9	8	5	9	15	17	6	9
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	3									1							1	1		
Diphtheria (10)	1																			1
Influenza (11)	4									1								1	1	1
Dysentery (16)	1																	1		
Erysipelas (21)	1										1									
Meningococcus meningitis (24)	1																		1	
Tetanus (29)	1					1			1											
Tuberculosis of the respiratory system (31)	1				1				1											
Tuberculosis of the meninges, etc. (32)	3											1				1				1
Other forms of tuberculosis (33–37)	3									1			1				1			
Syphilis (38)	4				1				1			1					1	1		
Convulsions (80)																				
Bronchitis (99)	1									1										
Broncho-pneumonia (100)	10									1	1	1	1	1		2	2		1	
Pneumonia (101)	6				1	1			2			1		1		1	1			
Diseases of the stomach (111, 112)	3									1	1							1		
Diarrhea and enteritis (113)	37				1	1			2	2	3	4	4	2	2	2	5	7	1	3
Congenital malformations (159)	12	2		1	2	1		1	7		1		1			2				1
Congenital debility (160)	9									5	1	2			1					
Premature birth (161a)	55	30	8	3	2	6	4		53	1								1		
Injury at birth (161b)	20	7	2	6	2	3			20											
Other diseases of early infancy (162, 163)	5	4			1				5											
External causes (175–203)	5									1		1				1		1		1
Unknown or ill-defined diseases (204, 205)	34	3	3		4	3	1		14	2	4	2	1	3	1		2	3	1	1
All other causes	22	1			4	2	1		8	2	5	1	1	1	1		2	1		
HOUSTON, TEX. (COLORED), all causes	109	21	6	2	10	5	5	1	50	10	7	9	8	1	5	5	3	4	3	4
Measles (7)																				
Scarlet fever (8)																				
Whooping cough (9)	5										1	1				1		2		
Diphtheria (10)																				
Influenza (11)	2									1			1							
Dysentery (16)	1																			1
Erysipelas (21)																				
Meningococcus meningitis (24)																				
Tetanus (29)																				
Tuberculosis of the respiratory system (31)																				
Tuberculosis of the meninges, etc. (32)	1														1					
Other forms of tuberculosis (33–37)																				
Syphilis (38)	1						1		1											
Convulsions (80)																				
Bronchitis (99)	1											1								
Broncho-pneumonia (100)																				
Pneumonia (101)	5					1			1	1		1	1					1		
Diseases of the stomach (111, 112)																				
Diarrhea and enteritis (113)	20				1		1		2	2	2		4		3		2		3	2
Congenital malformations (159)	1					1			1											
Congenital debility (160)	4											1	3							
Premature birth (161a)	15	10	1		1		2		14	1										
Injury at birth (161b)	4	2			2				4											
Other diseases of early infancy (162, 163)																				
External causes (175–203)	4									1			1			2				
Unknown or ill-defined diseases (204, 205)	41	9	4	2	6	3	1	1	26	3	1	3	1	1	1	2	1	1		1
All other causes	4		1						1	1	2									

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN REGISTRATION STATES AND LARGE CITIES NOT IN THE BIRTH REGISTRATION AREA: 1925—Continued

[See note at head of this table, p. 366]

AREA AND CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 week	2 wks.	3 wks.	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
SAN ANTONIO, TEX., all causes	562	49	33	27	42	29	24	15	219	64	42	39	39	28	27	26	17	28	18	15
Measles (7)	1										1									
Scarlet fever (8)																				
Whooping cough (9)	14							1	1	2	1	1	2	2	2	1	1	1		
Diphtheria (10)																				
Influenza (11)	14									3	1	1		2	1	3	2	1		
Dysentery (16)	6										1	2		2					1	
Erysipelas (21)	1										1									
Meningococcus meningitis (24)																				
Tetanus (29)	7				5	2			7											
Tuberculosis of the respiratory system (31)	3														1		1		1	
Tuberculosis of the meninges, etc. (32)	1											1								
Other forms of tuberculosis (33-37)	1										1									
Syphilis (38)	16	1				1	1	2	5	4	3		1	2				1		
Convulsions (80)	5			1					1	2			1	1						
Bronchitis (99)	6				1	1			2	3			1							
Broncho-pneumonia (100)	41				3	4	2	1	10	9	2	3	2	1	3	2	2	3	1	3
Pneumonia (101)	9									3	1	1	3							1
Diseases of the stomach (111, 112)	4			1					1	1		1					1			
Diarrhea and enteritis (113)	212		1	1	3	6	9	6	25	23	24	23	22	17	14	13	9	20	14	8
Congenital malformations (159)	20	3	3	2	3	2			16	2			1					1		
Congenital debility (160)	18	2	2		1	1			6	1	1	4	2		2	2				
Premature birth (161a)	102	37	20	10	15	8	7	4	101	1										
Injury at birth (161b)	19	4	5	4	5	1			19											
Other diseases of early infancy (162, 163)	10	1	3	3	3				10											
External causes (175-203)	4				1				1							2				1
Unknown or ill-defined diseases (204, 205)	23	1	2	2	2		2	1	10	3	2		1		2	2	1	1		1
All other causes	25				2	2			4	7	3	2	3	1	2	1			1	1

NOTE.—Populations in reports of Fourteenth Census of the United States, 1920: Vol. II, Ch. III, Tables 13, 15, and 16, and Thirteenth Census of the United States, 1910: Vol. I, Ch. IV, Tables 43, 49, and 50.

SUPPLEMENT

HAWAII AND VIRGIN ISLANDS

HAWAII

TABLE 1.—POPULATION OF THE TERRITORY OF HAWAII AND ITS SUBDIVISIONS, BY RACE, ACCORDING TO THE CENSUS OF 1920

RACE	POPULATION JAN. 1, 1920							
	Hawaii Territory	Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
Total	255,912	10,431	83,327	54,464	40,200	667	29,438	37,385
Hawaiian	23,723	789	8,459	5,408	2,276	399	1,728	4,664
Part Hawaiian	18,027	830	9,072	2,841	1,387	118	1,106	2,673
Caucasian-Hawaiian	11,072	488	5,970	1,540	853	85	634	1,502
Asiatic-Hawaiian	6,955	342	3,102	1,301	534	33	472	1,171
Caucasian	54,742	2,705	24,125	8,908	6,610	71	5,427	6,896
Portuguese	27,002	1,836	9,978	5,210	2,095	45	3,190	4,648
Porto Rican	5,602	122	841	1,946	964	4	891	834
Other Caucasian	22,138	747	13,306	1,752	3,551	22	1,346	1,414
Chinese	23,507	662	13,383	1,987	3,547	23	1,810	2,095
Japanese	109,274	4,849	24,522	28,032	19,945	24	14,582	17,320
Korean	4,950	93	1,319	1,188	1,045	13	642	650
Filipino	21,031	485	2,113	6,027	5,283	15	4,104	3,004
All others	658	18	334	73	107	4	39	83

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 1,000 POPULATION, BY RACE, IN THE TERRITORY OF HAWAII: 1925

RACE	DEATHS (EXCLUSIVE OF STILLBIRTHS) IN—								
	Hawaii Territory		Hilo city	Honolulu city	Hawaii County (exclusive of Hilo city)	Honolulu County (exclusive of Honolulu city)	Kalawao County	Kauai County	Maui County
	Number	Rate per 1,000 estimated population, July 1, 1925							
Total	4,108	14.1	321	1,644	581	639	44	316	563
Hawaiian	660	29.4	46	290	125	43	20	36	100
Part Hawaiian	307	14.5	11	189	30	21	9	8	39
Caucasian-Hawaiian	198	16.0	8	128	16	10	4	6	26
Asiatic-Hawaiian	109	12.4	3	61	14	11	5	2	13
Caucasian	702	11.5	57	340	85	88	5	38	89
Portuguese	297	10.0	30	133	50	15	3	20	46
Porto Rican	104	17.3	10	26	25	16	1	10	16
Other Caucasian	301	13.4	17	181	10	57	1	8	27
Chinese	286	11.7	8	188	18	25	2	20	25
Japanese	1,232	9.8	127	458	195	149	4	117	182
Korean	79	15.2	7	36	6	20	2	2	6
Filipino	840	26.6	65	141	122	293	2	95	122
All others	2	4.7		2					

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX AND MONTHS, IN THE TERRITORY OF HAWAII: 1925

AREA AND SEX	All deaths [1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Territory of Hawaii	4,108	355	351	417	354	351	309	329	306	300	346	339	351
Males	2,490	226	201	251	210	219	176	195	188	190	216	207	211
Females	1,618	129	150	166	144	132	133	134	118	110	130	132	140
Hilo city:													
Males	196	19	12	28	13	16	13	21	14	15	16	10	19
Females	125	11	13	11	14	9	12	8	10	8	9	12	8
Honolulu city:													
Males	1,000	95	88	108	73	83	63	65	79	85	96	87	78
Females	644	51	70	70	51	42	42	61	50	44	57	46	60
Hawaii County (exclusive of Hilo city):													
Males	365	33	22	29	32	39	26	26	34	28	27	34	35
Females	216	16	15	20	18	26	13	14	11	12	21	21	29
Honolulu County (exclusive of Honolulu city):													
Males	370	28	34	34	36	37	26	38	23	22	33	31	28
Females	269	17	20	31	22	23	30	24	15	23	18	27	19
Kalawao County:													
Males	34	4	4	3	5	1	3	1	1	2	6	2	2
Females	10	1		2	2		1	1	1	2			
Kauai County:													
Males	183	19	9	19	16	16	13	18	13	14	14	16	16
Females	133	13	15	10	13	16	11	9	12	6	10	11	7
Maui County:													
Males	342	28	32	30	35	27	32	26	24	24	24	27	33
Females	221	20	17	22	24	16	24	17	19	15	15	15	17

[1] Exclusive of stillbirths.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY RACE, SEX, AND AGE, IN THE TERRITORY OF HAWAII: 1925

RACE AND SEX	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
Total	4,108	1,416	175	66	49	30	1,736	99	49	100	181	187	177	170	163	196	220	202	168	149	137	71	42	37	12	7	2	3
Males	2,490	805	85	38	24	12	964	48	22	57	105	109	95	111	102	146	155	142	123	115	95	45	29	14	5	5		3
Females	1,618	611	90	28	25	18	772	51	27	43	76	78	82	59	61	50	65	60	45	34	42	26	13	23	7	2	2	
Hawaiian:																												
Males	343	89	12	2	1	1	105	6	6	13	6	13	10	16	16	20	20	23	19	21	22	8	8	6	2	3		
Females	317	52	15	3	1		71	9	7	8	19	12	21	13	18	17	31	24	15	13	18	4	4	6	5	1	1	
Part Hawaiian:																												
Males	150	82	8	1	2		93	3	1	3	3	2	3	10	5	7	4	5	4		5	2						
Females	157	48	10	2		2	62	8	1	11	7	8	9	8	6	8	5	7	6	4	2	3			1		1	
Caucasian-Hawaiian—																												
Males	98	46	4	1	2		53	2	1	2	1	2	3	7	3	6	4	4	3		5	2						
Females	100	22	8	1		1	32	4	1	6	4	4	5	5	5	7	5	7	4	4	2	3		1		1		
Asiatic-Hawaiian—																												
Males	52	36	4				40	1		1	2			3	2	1		1	1									
Females	57	26	2	1		1	30	4		5	3	4	4	3	1	1			2									
Caucasian:																												
Males	449	86	10	8	5	5	114	9	5	17	27	26	18	23	15	23	32	15	19	32	30	23	12	6	3			
Females	253	68	8	5	4		85	8	4	10	4	7	10	8	7	5	11	17	12	11	14	17	7	14	1	1		
Portuguese—																												
Males	166	52	4	4	4	2	66	6	2	5	7	4	1	7	4	4	8	4	6	14	11	9	4	2	2			
Females	131	43	5	3	2		53	5	2	4	2	4	4	6	2	3	7	5	5	3	7	8	5	6				
Porto Rican—																												
Males	60	15	4	2	1	3	25	2	2	3	1	3	1	3	2	7	3	4	2	1	1							
Females	44	17	2	1	2		22	1		6		2		1	1	1	1	2	2	1		2	1	1				
Other Caucasian—																												
Males	223	19	2	2			23	1	1	9	19	19	16	13	9	12	21	7	11	17	18	14	8	4	1			
Females	78	8	1	1			10	2	2		2	1	6	1	4	1	3	10	5	7	7	7	1	7	1	1		
Chinese:																												
Males	220	25	7	1	1		34	3	2	6	2	1	3	4	9	15	19	26	35	25	18	9	4	1		2		2
Females	66	19	5		2	1	27	1	2	1	3	4	4	1	1	3	1	2	4	1	7	1	1	2				
Japanese:																												
Males	757	227	37	21	13	5	303	23	7	12	22	12	14	33	33	69	70	57	45	34	17	1	4	1				
Females	475	179	36	14	15	14	258	22	12	10	22	24	30	18	26	13	16	10	8	3	1	1	1					
Korean:																												
Males	58	4	2		1		7	3		1				4	11	10	6	10	1	2	1	1	1					
Females	21	5	3	2			10	2	1			2	1		1	1	1			1				1				
Filipino:																												
Males	512	292	9	5	1	1	308	1	1	5	45	55	46	21	13	2	4	6		1	2	1						1
Females	328	240	13	2	3	1	259	1		3	21	21	7	10	2	3				1								
All others:																												
Males	1												1															
Females	1													1														

[1] Exclusive of stillbirths.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATH RATES PER 100,000 POPULATION, FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1925

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA AND COLOR	All causes (exclusive of stillbirths)	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Whooping cough	Diphtheria	Influenza	Erysipelas	Meningococcus meningitis	Tuberculosis of the respiratory system	Tuberculosis of the meninges, etc.	Other forms of tuberculosis	Cancer and other malignant tumors	Rheumatism	Diabetes mellitus	Cerebral hemorrhage and softening
		1	5	6	7	9	10	11	21	24	31	32	33–37	43–49	51, 52	57	74, 83
Territory of Hawaii	4,108	17	-------	1	29	2	47	24	8	11	338	17	34	198	4	23	162
Hilo city	321	2	-------	-------	2	-------	12	2	-------	-------	37	1	2	18	-------	-------	10
Honolulu city	1,644	8	-------	1	19	1	15	4	3	9	193	6	17	92	2	14	70
Hawaii County (exclusive of Hilo city)	581	3	-------	-------	2	-------	4	5	-------	1	26	2	3	28	-------	1	25
Honolulu County (exclusive of Honolulu city)	639	-------	-------	-------	5	-------	10	7	1	-------	17	4	6	17	1	-------	19
Kalawao County	44	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Kauai County	316	-------	-------	-------	-------	1	3	2	1	-------	30	2	4	17	-------	2	14
Maui County	563	4	-------	-------	1	-------	3	4	3	1	35	2	2	26	1	6	24
	DEATH RATE PER 100,000 POPULATION																
Territory of Hawaii	1,406.0	5.8	-------	0.3	9.9	0.7	16.1	8.2	2.7	3.8	115.7	5.8	11.6	67.8	1.4	7.9	55.4

AREA AND COLOR	Diseases of the heart	Bronchitis	Pneumonia (all forms)	Diarrhea and enteritis (under 2 years)	Appendicitis and typhlitis	Hernia, intestinal obstruction	Cirrhosis of the liver	Nephritis	Puerperal septicemia	Other puerperal causes	Congenital malformations and diseases of early infancy	Suicide	Homicide	Automobile accidents	Other external causes	Unknown or ill-defined diseases	All other causes
	87–90	99	100, 101	113	117	118	122	128, 129	146	143–145, 147–150	159–163	165–174	197–200	188c	175–188a, b, d–196, 201–203	204, 205	
Territory of Hawaii	326	52	544	488	23	28	20	199	16	63	335	58	29	54	204	13	741
Hilo city	32	3	35	31	6	2	2	20	-------	5	23	3	-------	3	21	2	47
Honolulu city	136	8	201	143	10	13	9	114	8	26	119	16	16	31	44	1	295
Hawaii County (exclusive of Hilo city)	64	7	75	74	2	3	2	29	3	15	62	12	2	3	39	2	87
Honolulu County (exclusive of Honolulu city)	28	26	120	123	2	4	3	12	1	6	41	11	3	6	49	1	116
Kalawao County	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	1	-------	40
Kauai County	18	-------	43	34	1	2	-------	11	1	3	34	5	6	3	15	7	57
Maui County	47	8	70	83	2	4	4	13	3	8	54	11	2	8	35	-------	99
	DEATH RATE PER 100,000 POPULATION																
Territory of Hawaii	111.6	17.8	186.2	167.0	7.9	9.6	6.8	68.1	5.5	21.6	114.7	19.9	9.9	18.5	69.8	4.4	253.6

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1925

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	All causes (exclusive of stillbirths)	4,108	660	307	198	109	702	297	104	301	286	1,232	79	840	2
	I.—Epidemic, endemic, and infectious diseases	695	143	61	36	25	78	31	24	23	42	212	27	131	1
1	Typhoid and paratyphoid fever	17	6	2	1	1	2	2	-------	-------	-------	4	-------	3	-------
6	Smallpox	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------
7	Measles	29	3	2	1	1	9	6	3	-------	3	9	-------	3	-------
9	Whooping cough	2	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------
10	Diphtheria	47	2	5	2	3	8	4	3	1	2	26	2	2	-------
11a	Influenza (with pulmonary complications)	12	-------	1	-------	1	-------	-------	-------	-------	-------	3	2	6	-------
11b	Influenza (other and unspecified)	12	2	1	1	-------	2	-------	1	1	-------	3	-------	4	-------
13	Mumps	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	-------
16	Dysentery	16	4	-------	-------	-------	2	1	-------	1	1	5	1	3	-------
17	Plague	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------
19	Spirochetal hemorrhagic jaundice	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------
20	Leprosy	46	21	9	5	4	6	3	2	1	2	5	1	2	-------
21	Erysipelas	8	2	-------	-------	-------	-------	-------	-------	-------	-------	5	-------	1	----
22	Acute anterior poliomyelitis	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
23	Lethargic encephalitis	3	-------	-------	-------	-------	1	-------	-------	1	-------	2	-------	-------	-------
24	Meningococcus meningitis	11	1	1	-------	1	1	1	-------	-------	-------	4	1	3	-------
29	Tetanus	16	1	3	3	-------	6	2	3	1	2	3	-------	1	-------
	Tuberculosis (all forms)	389	79	27	14	13	33	10	10	13	27	124	17	81	1
31	Of the respiratory system	338	67	22	10	12	31	10	10	11	25	106	14	72	1
32	Of the meninges, central nervous system	17	1	1	-------	1	-------	-------	-------	-------	-------	9	2	4	-------
33	Of the intestines, peritoneum	20	10	2	2	-------	1	-------	-------	1	-------	5	-------	2	-------
34	Of the vertebral column	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	1	-------	-------
35	Of the joints	2	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	1	-------
36	Of other organs	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------
37a	Disseminated (acute)	7	-------	2	2	-------	1	-------	-------	1	-------	2	-------	2	-------
37b	Disseminated (chronic or unspecified)	2	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------
38	Syphilis	69	17	8	7	1	7	2	2	3	3	13	3	18	-------
40	Gonococcus infection	3	-------	1	1	-------	-------	-------	-------	-------	-------	1	-------	1	-------
41	Purulent infection, septicemia	9	3	1	1	-------	1	-------	-------	1	1	2	-------	1	-------

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Hawaiian	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
				Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	II.—General diseases not included in Class I	434	40	24	19	5	72	13	13	46	26	162	4	106	
	Cancer and other malignant tumors	198	26	18	14	4	45	9	10	26	19	83	3	4	
43	Of the buccal cavity	8	2				4			4		2			
44	Of the stomach, liver	114	12	12	10	2	17	6	4	7	10	58	2	3	
45	Of the peritoneum, intestines, rectum	15	1				4	1		3	3	6	1		
46	Of the female genital organs	26	2	4	4		8	1	4	3	2	10			
47	Of the breast	6	2	1		1	3			3					
48	Of the skin	1					1			1					
49	Of other or unspecified organs	28	7	1		1	8	1	2	5	4	7		1	
51	Acute rheumatic fever	2	1									1			
52	Chronic rheumatism, osteoarthritis, gout	2					1			1		1			
55	Beriberi	159	4	1		1					1	62	1	90	
57	Diabetes mellitus	23	3	3	3		10	2	2	6	4	3			
58	Anemia, chlorosis	2										1		1	
60a	Exophthalmic goiter	4	1	1	1		2	1		1					
61	Diseases of the parathyroid glands	1										1			
62	Diseases of the thymus gland	13	1				3	1		2		1		8	
65a	Leukemia	7	1				1			1		4		1	
66	Alcoholism (acute or chronic)	19	2	1	1		10		1	9		5		1	
68	Chronic poisoning by organic substances	2									2				
69	Other general diseases	2	1											1	
	III.—Diseases of the nervous system and of the organs of special sense	240	50	14	9	5	64	32	4	28	18	77	1	16	
71a	Simple meningitis	6	2	2	1	1	1			1	1				
71b	Nonepidemic cerebrospinal meningitis	2	1									1			
73	Other diseases of the spinal cord	9	2				2	1		1		5			
74a	Cerebral hemorrhage	159	35	9	7	2	47	23	2	22	14	50		4	
74b	Cerebral embolism and thrombosis	3					1	1				1		1	
76	General paralysis of the insane	11	5	1	1		2			2	1	2			
77	Other forms of mental alienation	10	3				2	1	1		2	1	1	1	
78	Epilepsy	8	2				4	3		1		3		1	
80	Infantile convulsions (under 5 years)	14										4		8	
84	Other diseases of the nervous system	5		1		1						3		1	
85	Diseases of the eye and annexa	2					1	1				1			
86a	Diseases of the ear	4										4			
86b	Diseases of the mastoid process	7		1		1	4	2	1	1		2			
	IV.—Diseases of the circulatory system	363	95	27	21	6	106	44	10	52	43	61	4	27	
87	Pericarditis	3	1				1	1						1	
88	Endocarditis and myocarditis (acute)	37	9	2		2	10	2	2	6	1	9		6	
89	Angina pectoris	19	2	2	1	1	10	4	1	5		4		1	
90	Other diseases of the heart	267	76	22	19	3	70	31	6	33	35	42	4	18	
91a	Aneurysm	5	1	1	1		1			1		2			
91b,c	Other diseases of the arteries	29	6				13	6	1	6	7	3			
92	Embolism and thrombosis (not cerebral)	2					1			1				1	
94	Diseases of the lymphatic system	1										1			
	V.—Diseases of the respiratory system	630	103	41	24	17	62	38	12	12	41	172	6	205	
97a	Diseases of the nasal fossae	1											1		
97b	Diseases of the nasal fossae annexa	5	1				3	2		1		1			
98	Diseases of the larynx	5		1	1		1	1				3			
99a	Acute bronchitis	43	4	3	3		3	2	1		1	5		27	
99b	Chronic bronchitis	5	3								1			1	
99c,d	Bronchitis (unspecified)	4		2		2								2	
100a	Broncho-pneumonia	321	46	20	11	9	30	19	6	5	20	85	3	117	
100b	Capillary bronchitis	16	2									9		5	
101a	Lobar pneumonia	204	40	13	7	6	25	14	5	6	18	58	2	48	
101b	Pneumonia (unspecified)	3	3												
102	Pleurisy	14	2	1	1						1	10			
103	Congestion and hemorrhagic infarct of the lung	3												3	
105	Asthma	4	2	1	1									1	
107	Other diseases of the respiratory system (tuberculosis excepted)	2										1		1	
	VI.—Diseases of the digestive system	699	97	63	33	30	96	55	18	23	31	199	11	202	
108	Diseases of the mouth and annexa	5										5			
109b	Other diseases of the pharynx, tonsils	13	3				4	2		2		5		1	
110	Diseases of the esophagus	1												1	
111a	Ulcer of the stomach	21	5	1	1		2			2		12		1	
111b	Ulcer of the duodenum	11					4	2	1	1	1	4		2	
112	Other diseases of the stomach (cancer excepted)	10		2	1	1					1	2		5	
113	Diarrhea and enteritis (under 2 years)	488	62	49	23	26	53	35	15	3	15	126	6	177	
114	Diarrhea and enteritis (2 years and over)	51	11	1	1		7	3	1	3	1	26	1	4	
117	Appendicitis and typhlitis	23	5	1	1		6	4		2	2	6	1	2	
118a	Hernia	10	3	1	1		2	2			1	2		1	
118b	Intestinal obstruction	18	1	1	1		6	3	1	2	4	4		2	
119	Other diseases of the intestines	2		1	1							1			
120	Acute yellow atrophy of the liver	1												1	
122	Cirrhosis of the liver	20	3	1		1	3	1		2	4	5	2	2	
123	Biliary calculi	10	1	2	1	1	4	1		3	1	1		1	
124	Other diseases of the liver	12	2	2	1	1	5	2		3	1		1	1	
126	Peritonitis without specified cause	3	1	1	1									1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY RACE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	PART HAWAIIAN			CAUCASIAN				Chinese	Japanese	Korean	Filipino	All others
			Hawaiian	Total	Caucasian-Hawaiian	Asiatic-Hawaiian	Total	Portuguese	Porto Rican	Other Caucasian					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	228	50	12	12	----	50	24	4	22	35	68	5	8	----
128	Acute nephritis (including unspecified under 10 years)	14	1	----	----	----	2	1	1	----	1	7	1	2	----
129	Chronic nephritis (including unspecified 10 years and over)	185	42	7	7	----	41	19	2	20	33	55	3	4	----
131	Other diseases of the kidneys and annexa	6	1	1	1	----	1	1	----	----	----	2	----	1	----
132	Calculi of the urinary passages	1	----	----	----	----	----	----	----	----	----	----	1	----	----
135	Diseases of the prostate	6	1	----	----	----	4	3	----	1	1	----	----	----	----
136	Nonvenereal diseases of the male genital organs	1	----	----	----	----	----	----	----	----	----	----	----	1	----
138	Salpingitis and pelvic abscess (female)	8	1	2	2	----	2	----	1	1	----	3	----	----	----
139	Benign tumors of the uterus	5	3	1	1	----	----	----	----	----	----	1	----	----	----
141	Other diseases of the female genital organs	2	1	1	1	----	----	----	----	----	----	----	----	----	----
	VIII.—The puerperal state	79	10	7	4	3	10	8	----	2	4	34	1	13	----
143	Accidents of pregnancy	5	----	----	----	----	----	----	----	----	----	4	1	----	----
144	Puerperal hemorrhage	27	2	1	----	1	2	2	----	----	2	12	----	8	----
145	Other accidents of labor	11	2	3	2	1	----	----	----	----	1	5	----	----	----
146	Puerperal septicemia	16	2	2	1	1	4	3	----	1	----	5	----	3	----
147	Puerperal phlegmasia alba dolens, embolus, etc	3	1	----	----	----	----	----	----	----	1	1	----	----	----
148	Puerperal albuminuria and convulsions	16	3	1	1	----	3	2	----	1	----	7	----	2	----
149	Following childbirth (undefined)	1	----	----	----	----	1	1	----	----	----	----	----	----	----
	IX.—Diseases of the skin and of the cellular tissue	20	5	4	3	1	3	----	1	2	1	7	----	----	----
151	Gangrene	3	2	----	----	----	----	----	----	----	----	1	----	----	----
152	Furuncle	8	----	2	1	1	2	----	1	1	1	3	----	----	----
153	Acute abscess	7	2	1	1	----	1	----	----	1	----	3	----	----	----
154	Other diseases of the skin and annexa	2	1	1	1	----	----	----	----	----	----	----	----	----	----
	X.—Diseases of the bones and of the organs of locomotion	14	----	1	----	1	4	1	1	2	4	4	----	1	----
155	Diseases of the bones (tuberculosis excepted)	10	----	1	----	1	4	1	1	2	1	3	----	1	----
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4	----	----	----	----	----	----	----	----	3	1	----	----	----
	XI.—Malformations	53	4	3	1	2	9	2	3	4	4	18	----	15	----
159a	Congenital hydrocephalus	5	----	----	----	----	1	----	1	----	----	4	----	----	----
159b	Congenital malformations of the heart	33	3	2	1	1	5	2	1	2	3	10	----	10	----
159c	Other congenital malformations	15	1	1	----	1	3	----	1	2	1	4	----	5	----
	XII.—Early infancy	282	26	38	27	11	54	33	6	15	9	78	2	75	----
160	Congenital debility, icterus, sclerema	33	4	1	1	----	1	----	----	1	1	6	----	20	----
161a	Premature birth	161	13	22	15	7	33	21	3	9	7	49	2	35	----
161b	Injury at birth	43	4	8	5	3	11	7	1	3	1	5	----	14	----
162	Other diseases peculiar to early infancy	44	4	7	6	1	9	5	2	2	----	18	----	6	----
163	Lack of care	1	1	----	----	----	----	----	----	----	----	----	----	----	----
164	XIII.—Old age (senility)	13	----	2	2	----	5	2	----	3	3	2	1	----	----
	XIV.—External causes	345	34	10	7	3	87	13	7	67	24	135	17	37	1
	Suicide	58	4	1	1	----	13	----	1	12	6	24	4	5	1
165	By poisons (gas or corrosives excepted)	9	1	----	----	----	1	----	----	1	1	4	1	----	1
166	By corrosive substances	4	----	----	----	----	1	----	----	1	----	3	----	----	----
168	By hanging or strangulation	19	2	----	----	----	3	----	1	2	2	8	2	2	----
169	By drowning	3	----	1	1	----	----	----	----	----	----	2	----	----	----
170	By firearms	14	----	----	----	----	6	----	----	6	2	4	----	2	----
171	By cutting or piercing instruments	3	----	----	----	----	1	----	----	1	1	1	----	----	----
172	By jumping from high places	2	----	----	----	----	1	----	----	1	----	----	1	----	----
174	By other means	4	1	----	----	----	----	----	----	----	----	2	----	1	----
	Homicide	29	5	1	1	----	5	----	3	2	----	5	2	11	----
197	By firearms	6	1	----	----	----	2	----	1	1	----	1	----	2	----
198	By cutting or piercing instruments	13	2	----	----	----	2	----	2	----	----	1	1	7	----
199	By other means	10	2	1	1	----	1	----	----	1	----	3	1	2	----
	Accidental or undefined	258	25	8	5	3	69	13	3	53	18	106	11	21	----
175	Poisoning by food	5	1	----	----	----	1	1	----	----	2	----	----	1	----
176	Poisoning by venomous animals	1	----	----	----	----	----	----	----	----	----	1	----	----	----
177	Other acute poisonings (gas excepted)	7	----	----	----	----	2	----	----	2	----	4	----	1	----
179	Burns (conflagration excepted)	22	2	1	1	----	6	3	----	3	----	11	----	2	----
182	Drowning	44	5	2	1	1	11	----	2	9	2	20	1	3	----
183	Traumatism by firearms (except in war)	7	----	----	----	----	3	----	----	3	----	2	----	2	----
184	Traumatism by cutting or piercing instruments	5	----	----	----	----	1	1	----	----	----	3	1	----	----
185	Traumatism by fall	34	5	----	----	----	11	----	1	10	2	14	1	1	----
186b	Traumatism in quarries	5	----	----	----	----	----	----	----	----	----	2	3	----	----
187	Traumatism by machines	7	----	----	----	----	----	----	----	----	----	5	----	2	----
188a	Railroad accidents	15	3	----	----	----	3	2	----	1	2	3	2	2	----
188b	Street-car accidents	3	----	----	----	----	----	----	----	----	----	3	----	----	----
188c	Automobile accidents	54	6	3	3	----	10	4	----	6	7	20	3	5	----
188d	Airplane and balloon accidents	12	----	----	----	----	12	----	----	12	----	----	----	----	----
188e,f	Injuries by other vehicles	6	----	----	----	----	----	----	----	----	2	2	----	2	----
188g	Landslide, other crushing	2	----	----	----	----	1	----	----	1	----	1	----	----	----
189	Injuries by animals (not poisoning)	8	----	----	----	----	1	----	----	1	1	6	----	----	----
196	Other accidental electric shocks	1	----	----	----	----	1	----	----	1	----	----	----	----	----
202	Other external violence	20	3	2	----	2	6	2	----	4	----	9	----	----	----
	XV.—Ill-defined diseases	13	3	----	----	----	2	1	1	----	1	3	----	4	----
205a	Ill-defined	5	2	----	----	----	2	1	1	----	----	----	----	1	----
205b	Not specified or unknown	8	1	----	----	----	----	----	----	----	1	3	----	3	----

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1925

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes (exclusive of stillbirths)	4,108	1,416	175	66	49	30	99	49	100	181	187	177	333	416	370	286	171	3
	I.—Epidemic, endemic, and infectious diseases	695	67	35	13	15	14	35	21	46	67	58	74	96	76	49	23	6	
1	Typhoid and paratyphoid fever	17						2	3	2	3		4	3					
6	Smallpox	1												1					
7	Measles	29	14	11		2		1			1								
9	Whooping cough	2	1		1														
10	Diphtheria	47	5	4	6	9	5	14	3							1			
11a	Influenza (with pulmonary complications)	12	3	1			1			1	1		1	1	1	2			
11b	Influenza (other and unspecified)	12	2					2	1	1	1	1	1	3					
13	Mumps	2	1				1												
16	Dysentery	16	1		1		1					2	1		1	3	4	2	
17	Plague	1									1								
19	Spirochetal hemorrhagic jaundice	1												1					
20	Leprosy	46						1			8	3	5	10	8	7	3	1	
21	Erysipelas	8	6	1											1				
22	Acute anterior poliomyelitis	1						1											
23	Lethargic encephalitis	3		2							1								
24	Meningococcus meningitis	11	4	1	1	1	1				2	1							
29	Tetanus	16	3		1			2	2	1		1		1	2	3			
	Tuberculosis (all forms)	389	6	9	3	3	4	11	11	39	48	45	57	64	52	23	11	3	
31	Of the respiratory system	338	3	2			1	5	9	34	47	43	48	61	50	21	11	3	
32	Of the meninges, central nervous system	17	2	3	1		1	3	1		1	1	2	2					
33	Of the intestines, peritoneum	20	1	3	2	1	1	3		2		1	3		1	2			
34	Of the vertebral column	2					1								1				
35	Of the joints	2								1			1						
36	Of other organs	1											1						
37a	Disseminated (acute)	7			2			1	2				1	1					
37b	Disseminated (chronic or unspecified)	2		1									1						
38	Syphilis	69	20	5					1	1		5	4	10	8	10	5		
40	Gonococcus infection	3									1			2					
41	Purulent infection, septicemia	9	1	1			1	1		1			1		3				
	II.—Other general diseases	434	133	3	4		1		2	4	17	15	10	33	79	76	44	12	1
	Cancer and other malignant tumors	198								2	2	2	2	21	59	63	37	10	
43	Of the buccal cavity	8													2	3	2	1	
44	Of the stomach, liver	114											2	12	32	40	22	6	
45	Of the peritoneum, intestines, rectum	15								1				2	5	4	3		
46	Of the female genital organs	26												5	10	8	2	1	
47	Of the breast	6									1	1			1	2		1	
48	Of the skin	1															1		
49	Of other or unspecified organs	28								1	1	1		2	9	6	7	1	
51	Acute rheumatic fever	2			1											1			
52	Chronic rheumatism, osteoarthritis, gout	2												1			1		
55	Beriberi	159	119	1			1			1	10	13	5	5	3	1			
57	Diabetes mellitus	23												2	4	8	6	2	1
58	Anemia, chlorosis	2							1		1								
60a	Exophthalmic goiter	4									1		1		2				
61	Diseases of the parathyroid glands	1		1															
62	Diseases of the thymus gland	13	10	1	1					1									
65a	Leukemia	7	2		2				1		1			1					
66	Alcoholism (acute or chronic)	19									2		2	3	10	2			
68	Chronic poisoning by organic substances	2													1	1			
69	Other general diseases	2	2																
	III.—Diseases of the nervous system and of the organs of special sense	240	25	3		2		7	2	1	6	3	6	27	33	55	46	24	
71a	Simple meningitis	6	4								1								
71b	Nonepidemic cerebrospinal meningitis	2						1							1			1	
73	Other diseases of the spinal cord	9	2			1		1											
74a	Cerebral hemorrhage	159	1								2		2	1	1	2	1		
74b	Cerebral embolism and thrombosis	3												2			1		
76	General paralysis of the insane	11										2		4	2	2	1		
77	Other forms of mental alienation	10										1	3	4		2			
78	Epilepsy	8		2				1	1		2			1			1		
80	Infantile convulsions (under 5 years)	14	13			1													
84	Other diseases of the nervous system	5	1										1	2		1			
85	Diseases of the eye and annexa	2						2											
86a	Diseases of the ear	4	3						1										
86b	Diseases of the mastoid process	7	1	1				2		1	1			1					
	IV.—Diseases of the circulatory system	363	6	3		1	2	9	4	3	11	14	19	37	63	62	65	64	
87	Pericarditis	3	1	1													1		
88	Endocarditis and myocarditis (acute)	37	4	2		1	1	2	2	1	1	4	6	7	2	2	1	1	
89	Angina pectoris	19									1			2	8	4	4		
90	Other diseases of the heart	267	1				1	6	2	2	9	10	11	27	50	51	51	46	
91a	Aneurysm	5											1		2	1		1	
91b,c	Other diseases of the arteries	29													1	4	8	16	
92	Embolism and thrombosis (not cerebral)	2											1	1					
94	Diseases of the lymphatic system	1						1											
	V.—Diseases of the respiratory system	630	366	59	16	8	6	15	7	6	11	17	9	13	31	18	26	22	
97a	Diseases of the nasal fossae	1			1														
97b	Diseases of the nasal fossae annexa	5	1					1						1	2				
98	Diseases of the larynx	5	3			1										1			
99a	Acute bronchitis	43	34	3	2	1									1		1	1	
99b	Chronic bronchitis	5	1														3	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	V.—Diseases of the respiratory system—Continued																		
99c,d	Bronchitis (unspecified)	4	4																
100a	Broncho-pneumonia	321	229	36	10	3	6	6	2	3		3		2	8	1	6	6	
100b	Capillary bronchitis	16	14	2															
101a	Lobar pneumonia	204	70	14	3	3		8	5	3	11	14	7	8	16	16	14	12	
101b	Pneumonia (unspecified)	3	2												1				
102	Pleurisy	14	6	4									1		2		1		
103	Congestion and hemorrhagic infarct of the lung	3	2										1						
105	Asthma	4													1		1	2	
107	Other diseases of the respiratory system (tuberculosis excepted)	2												2					
	VI.—Diseases of the digestive system	699	467	48	16	12	2	12	4	1	9	11	13	24	35	23	14	8	
108	Diseases of the mouth and annexa	5	1					2					1		1				
109b	Other diseases of the pharynx, tonsils	13	4	1				1	2			1	1	2				1	
110	Diseases of the esophagus	1											1						
111a	Ulcer of the stomach	21									2		4	4	6	2	2	1	
111b	Ulcer of the duodenum	11						1			1	1	3	2	2	1			
112	Other diseases of the stomach (cancer excepted)	10	8	1														1	
113	Diarrhea and enteritis (under 2 years)	488	443	45															
114	Diarrhea and enteritis (2 years and over)	51			15	12	2	5	1		1		1	1	3	3	4	3	
117	Appendicitis and typhlitis	23			1			2	1		2	4		4	5	2	2		
118a	Hernia	10	1	1								1		2	1	2	1	1	
118b	Intestinal obstruction	18	9							1	1	2		1	2		1	1	
119	Other diseases of the intestines	2	1											1					
120	Acute yellow atrophy of the liver	1									1								
122	Cirrhosis of the liver	20											2	2	6	8	2		
123	Biliary calculi	10										1		1	3	4	1		
124	Other diseases of the liver	12										1		4	5	1	1		
126	Peritonitis without specified cause	3						1			1				1				
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	228	2	1	2	4	1	2	1	2	6	11	7	24	51	43	52	19	
128	Acute nephritis (including unspecified under 10 years)	14	2	1	1	3		2				3		1	1				
129	Chronic nephritis (including unspecified 10 years and over)	185			1	1	1		1	1	5	3	5	15	45	39	50	18	
131	Other diseases of the kidneys and annexa	6										1	1	2	2				
132	Calculi of the urinary passages	1													1				
135	Diseases of the prostate	6													1	2	2	1	
136	Nonvenereal diseases of the male genital organs	1									1								
138	Salpingitis and pelvic abscess (female)	8								1		3	1	2	1				
139	Benign tumors of the uterus	5												4		1			
141	Other diseases of the female genital organs	2										1			1				
	VIII.—The puerperal state	79								6	20	22	12	19					
143	Accidents of pregnancy	5									2	2	1						
144	Puerperal hemorrhage	27								1	5	8	3	10					
145	Other accidents of labor	11									1	3	3	4					
146	Puerperal septicemia	16								3	8	3	1	1					
147	Puerperal phlegmasia alba dolens, embolus, etc	3									1	1	1						
148	Puerperal albuminuria and convulsions	16								2	3	5	3	3					
149	Following childbirth (undefined)	1												1					
	IX.—Diseases of the skin and of the cellular tissue	20	6	1	1	1	1	2	1	1		1	1			2	1	1	
151	Gangrene	3	1										1					1	
152	Furuncle	8	4							1		1				1	1		
153	Acute abscess	7	1		1	1		2	1							1			
154	Other diseases of the skin and annexa	2		1			1												
	X.—Diseases of the bones and of the organs of locomotion	14	1				1	1	2	2		1	2		2	2			
155	Diseases of the bones (tuberculosis excepted)	10	1				1		1	1		1	2		1	2			
156	Diseases of the joints (tuberculosis and rheumatism excepted)	4						1	1	1					1				
	XI.—Malformations	53	47	3		1			1	1									
159a	Congenital hydrocephalus	5	4	1															
159b	Congenital malformations of the heart	33	29	1		1			1	1									
159c	Other congenital malformations	15	14	1															
	XII.—Early infancy	282	282																
160	Congenital debility, icterus, sclerema	33	33																
161a	Premature birth	161	161																
161b	Injury at birth	43	43																
162	Other diseases peculiar to early infancy	44	44																
163	Lack of care	1	1																
164	XIII.—Old age (senility)	13															3	10	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE TERRITORY OF HAWAII: 1925—Continued

List No.	CAUSE OF DEATH	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XIV.—External causes	345	7	19	14	5	2	16	4	27	34	34	23	59	45	38	11	5	2
	Suicide	58							1	3	5	4	5	16	12	9	3		
165	By poisons (gas or corrosives excepted)	9								1	1		1	1	3	1	1		
166	By corrosive substances	4								1	1			1		1			
168	By hanging or strangulation	19									3	1		4	6	4	1		
169	By drowning	3										1		1	1				
170	By firearms	14								1		1	3	4	2	3			
171	By cutting or piercing instruments	3												2			1		
172	By jumping from high places	2										1		1					
174	By other means	4							1				1	2					
	Homicide	29								2	6	5	3	7	3	2	1		
197	By firearms	6									2	1	1		2				
198	By cutting or piercing instruments	13								1	3	4	1	2	1	1			
199	By other means	10								1	1		1	5		1	1		
	Accidental or undefined	258	7	19	14	5	2	16	3	22	23	25	15	36	30	27	7	5	2
175	Poisoning by food	5										1	1	1	2				
176	Poisoning by venomous animals	1		1															
177	Other acute poisonings (gas excepted)	7	1	3	1									2					
179	Burns (conflagration excepted)	22		5	5	3		3				1		1	2	1	1		
182	Drowning	44	1	8	2		1	2		5	8	5	2	6	2	2			
183	Traumatism by firearms (except in war)	7					1	1		1	2	1	1						
184	Traumatism by cutting or piercing instruments	5						1							1	2	1		
185	Traumatism by fall	34	2					1	1	4	3	2	1	5	7	6		2	
186b	Traumatism in quarries	5												2		3			
187	Traumatism by machines	7						1			1	1		2	2				
188a	Railroad accidents	15							1	3	3	1		1		5	1		
188b	Street-car accidents	3													2	1			
188c	Automobile accidents	54		1	4	2		7	1	4	1	7	5	5	7	4	3	2	1
188d	Airplane and balloon accidents	12									2	3	5	2					
188e,f	Injuries by other vehicles	6								1		1		2	1				1
188g	Landslide, other crushing	2								1				1					
189	Injuries by animals (not poisoning)	8			1					1	1			2	2	1			
196	Other accidental electric shocks	1													1				
202	Other external violence	20	3	1	1					2	2	2		4	1	2	1	1	
	XV.—Ill-defined diseases	13	7										1	1	1	2	1		
205a	Ill-defined	5	1										1	1	1	1			
205b	Not specified or unknown	8	6													1	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE TERRITORY OF HAWAII: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes (exclusive of stillbirths)	4,108	355	351	417	354	351	309	329	306	300	346	339	351
Typhoid and paratyphoid fever (1)	17		2		1	2	2	3	3	1	1	2	
Smallpox (6)	1											1	
Measles (7)	29		4	4	4	2	4	6		1		1	3
Whooping cough (9)	2						1					1	
Diphtheria (10)	47	5	1	1	4		3	3	4	5	3	13	5
Influenza (11)	24	2		6	2	2	5		2		2	3	
Dysentery (16)	16	4	1	3	1		1				1		5
Erysipelas (21)	8	2	1		2		1			1			1
Lethargic encephalitis (23)	3			2									1
Meningococcus meningitis (24)	11	1		2	1	3	1		1			1	1
Tuberculosis of the respiratory system (31)	338	37	37	37	27	34	16	28	27	25	27	15	28
Other forms of tuberculosis (32–37)	51	2	4	9	8	4	7	6	6		1	2	2
Diabetes mellitus (57)	23	2	1	3	2	1	2	3	2	2	1	1	3
Cerebral hemorrhage and softening (74, 83)	162	12	8	16	15	13	12	16	15	14	17	10	14
Other [organic] diseases of the heart (90)	267	24	17	24	21	27	17	21	26	15	25	30	20
Bronchitis (99)	52	1	5	3	8	7	3	6	4	2	5	5	3
Broncho-pneumonia (100)	337	37	32	34	43	22	28	15	18	19	31	29	29
Pneumonia (101)	207	11	20	29	16	24	17	12	12	10	15	22	19
Diarrhea and enteritis [under 2 years] (113)	488	47	56	67	34	57	31	29	33	26	43	31	34
Diarrhea and enteritis [2 years and over] (114)	51	7	2	6		4	5	2	7	4	5	2	7
Nephritis (128, 129)	199	20	20	12	16	22	13	16	16	17	15	20	12
Puerperal septicemia (146)	16	1	1	3	2		2	1		3	1		2
Other puerperal causes (143–145, 147–150)	63	5	1	7	9	7	3	6	3	4	7	5	6
Suicide (165–174)	58	7	5	7	3	3	4	5	9	4	3	5	3
Automobile accidents (188c)	54	2	5	1	9		8	6	2	5	2	7	7
Other external causes (175–187, 188a, b, d–203)	233	16	16	15	18	18	26	34	18	21	16	17	18
All other causes	1,351	110	112	126	108	99	97	111	98	121	125	116	128

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	Deaths under 1 year of age	Under 1 day	1 day	2 days	3 to 6 days	1 wk.	2 wks.	3 wks.	Under 1 mo.	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
All causes (exclusive of stillbirths)	1,416	144	31	30	49	54	35	48	391	259	147	107	94	74	67	78	59	50	45	45
Measles (7)	14									1			1			2	1	3	5	1
Whooping cough (9)	1										1									
Diphtheria (10)	5														2	1	1		1	
Influenza (11)	5												1	2			1	1		
Dysentery (16)	1												1							
Erysipelas (21)	6					1	1	1	3		1	1								1
Meningococcus meningitis (24)	4												1	1				1		1
Tetanus (29)	3				1	1		1	3											
Tuberculosis of the respiratory system (31)	3											1		1			1			
Tuberculosis of the meninges, etc. (32)	2																	1		1
Other forms of tuberculosis (33-37)	1																1			
Syphilis (38)	20	4	1		1	1		1	8	2	4		2	1	1	1	1			
Convulsions (80)	13				1			1	2	5	1	2		2		1				
Bronchitis (99)	39				1		2	2	5	6	8	9	2	1	3	2	2		1	
Broncho-pneumonia (100)	243			2	2	4	6	5	19	43	31	19	21	21	12	30	15	10	10	12
Pneumonia (101)	72				1		2	3	6	10	7	12	7	6	6	3	1	7	2	5
Diseases of the stomach (111, 112)	8				1		1		2	3				1			1		1	
Diarrhea and enteritis (113)	443				6	12	9	12	39	104	59	37	41	24	27	28	30	19	20	15
Congenital malformations (159)	47	14	2	5	7	3	1		32	6	2	1	2	1	1			1	1	
Congenital debility (160)	33	3	2		3	2	1	2	13	7	3	3	2		3	1		1		
Premature birth (161a)	161	77	16	14	12	19	7	5	150	7	3			1						
Injury at birth (161b)	43	29	4	4	5	1			43											
Other diseases of early infancy (162, 163)	45	16	6	4	6	5	2	2	41	4										
External causes (175-203)	7										1	2			1	1		1		1
Unknown or ill-defined diseases (204, 205)	7				2			2	4			2		1						
All other causes	190	1		1		5	3	11	21	61	26	18	13	11	11	8	4	5	4	8

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION, BY SEX AND COLOR, IN THE VIRGIN ISLANDS: 1917

AREA AND SEX	COLOR OR RACE					AREA AND SEX	COLOR OR RACE				
	Total	White	Negro	Mixed	Other colored		Total	White	Negro	Mixed	Other colored
Virgin Islands	26,051	1,922	19,523	4,563	43	St. John	959	4	690	264	1
Males	11,999	1,198	8,990	1,778	33	Males	509	4	374	130	1
Females	14,052	724	10,533	2,785	10	Females	450		316	134	
St. Croix	14,901	625	12,238	2,016	22	St. Thomas	10,191	1,293	6,595	2,283	20
Males	7,133	371	5,894	850	18	Males	4,357	823	2,722	798	14
Females	7,768	254	6,344	1,166	4	Females	5,834	470	3,873	1,485	6

NOTE.—Mixed designates persons of white and Negro blood.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND MONTHS, IN THE VIRGIN ISLANDS: 1924 AND 1925

AREA, SEX, AND COLOR	All deaths[1]	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
1925													
Virgin Islands	501	37	42	40	40	41	46	33	38	33	46	46	59
Males	240	18	18	23	18	20	22	15	15	19	21	25	26
Females	261	19	24	17	22	21	24	18	23	14	25	21	33
White—Males	14	2	1	1	1	1	2	1	1		2		2
White—Females	13	1	3	1	1	1				2	3		1
Negro—Males	225	16	17	22	16	19	20	14	14	19	19	25	24
Negro—Females	248	18	21	16	21	20	24	18	23	12	22	21	32
Other colored—Males	1				1								
St Croix:													
Males	132	8	10	16	5	10	12	9	7	12	14	13	16
Females	138	6	7	8	12	17	14	9	9	11	13	14	18
White—Males	2			1							1		
White—Females	2		1								1		
Negro—Males	129	8	10	15	4	10	12	9	7	12	13	13	16
Negro—Females	136	6	6	8	12	17	14	9	9	11	12	14	18
Other colored—Males	1				1								
St. John:													
Males	5	2		1							1	1	
Females	2						1		1				
White—Males	2	1									1		
Negro—Males	3	1		1								1	
Negro—Females	2						1		1				
St. Thomas:													
Males	103	8	8	6	13	10	10	6	8	7	6	11	10
Females	121	13	17	9	10	4	9	9	13	3	12	7	15
White—Males	10	1	1		1	1	2	1	1				2
White—Females	11	1	2	1	1	1				2	2		1
Negro—Males	93	7	7	6	12	9	8	5	7	7	6	11	8
Negro—Females	110	12	15	8	9	3	9	9	13	1	10	7	14
1924													
Virgin Islands	601	50	55	56	47	43	41	49	57	48	45	63	47
Males	284	25	26	25	21	20	20	24	32	25	23	24	19
Females	317	25	29	31	26	23	21	25	25	23	22	39	28
White—Males	12	1	3			2			2		2	2	
White—Females	19		1	4	1	2	1		2	2	1	3	2
Negro—Males	245	23	22	23	20	16	15	21	28	24	15	20	18
Negro—Females	251	24	25	22	21	17	17	22	21	17	17	29	19
Mixed—Males	27	1	1	2	1	2	5	3	2	1	6	2	1
Mixed—Females	47	1	3	5	4	4	3	3	2	4	4	7	7
St. Croix:													
Males	189	20	15	17	13	15	15	20	18	16	15	13	12
Females	172	14	19	15	14	13	12	19	12	9	14	17	14
White—Males	3	1				2							
White—Females	5			1		1					1	1	1
Negro—Males	169	19	14	16	12	11	12	18	17	15	11	13	11
Negro—Females	149	13	17	12	13	10	11	17	12	8	10	14	12
Mixed—Males	17		1	1	1	2	3	2	1	1	4		1
Mixed—Females	18	1	2	2	1	2	1	2		1	3	2	1
St. John:													
Males	14	2		1		1	1		5		1	2	1
Females	5	1					1		1	1		1	
Negro—Males	12	2				1	1		5		1	1	1
Negro—Females	5	1					1		1	1		1	
Mixed—Males	2			1								1	
St. Thomas:													
Males	81	3	11	7	8	4	4	4	9	9	7	9	6
Females	140	10	10	16	12	10	8	6	12	13	8	21	14
White—Males	9		3						2		2	2	
White—Females	14		1	3	1	1	1		2	2		2	1
Negro—Males	64	2	8	7	8	4	2	3	6	9	3	6	6
Negro—Females	97	10	8	10	8	7	5	5	8	8	7	14	7
Mixed—Males	8	1					2	1	1		2	1	
Mixed—Females	29		1	3	3	2	2	1	2	3	1	5	6

[1] Exclusive of stillbirths.

NOTE.—The transcripts of certificates of deaths for 1925 did not show deaths of persons of "mixed" blood (white and Negro).

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS), BY SEX, COLOR, AND AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925

AREA, SEX, AND COLOR	All deaths [1]	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown
1925																												
Virgin Islands	501	90	16	8	5	4	123	8	3	11	13	18	19	29	24	23	25	21	44	35	31	37	22	9	5	1		
Males	240	47	9	5	2	2	65	6	2	3	6	8	7	14	13	15	13	12	24	14	15	13	9	1				
Females	261	43	7	3	3	2	58	2	1	8	7	10	12	15	11	8	12	9	20	21	16	24	13	8	5	1		
White—Males	14	1				1	2	1				1		1		2		1	1	1	2		2					
Females	13	2	2	1			5			1							1					2	3	1				
Negro—Males	225	46	9	5	2	1	63	5	2	3	6	7	7	13	13	13	13	11	23	13	13	12	7	1				
Females	248	41	5	2	3	2	53	2	1	7	7	10	12	15	11	8	11	9	20	21	16	22	10	7	5	1		
Other colored—Males	1																					1						
St. Croix:																												
Males	132	28	3	2	2		35	1	2		3	4	5	10	9	7	5	5	19	7	7	9	4					
Females	138	23	5	2	2	2	34		1	7	3	6	6	8	6	5	5	5	12	13	7	11	4	2	3			
White—Males	2													1									1					
Females	2									1							1											
Negro—Males	129	28	3	2	2		35	1	2		3	4	5	9	9	7	5	5	19	7	7	8	3					
Females	136	23	5	2	2	2	34		1	6	3	6	6	8	6	5	4	5	12	13	7	11	4	2	3			
Other colored—Males	1																					1						
St. John:																												
Males	5	2					2											1		1			1					
Females	2	1					1					1																
White—Males	2																	1		1								
Negro—Males	3	2					2																1					
Females	2	1					1					1																
St. Thomas:																												
Males	103	17	6	3		2	28	5		3	3	4	2	4	4	8	8	6	5	6	8	4	4	1				
Females	121	19	2	1	1		23	2		1	4	3	6	7	5	3	7	4	8	8	9	13	9	6	2	1		
White—Males	10	1				1	2	1				1				2			1		2		1					
Females	11	2	2	1			5															2	3	1				
Negro—Males	93	16	6	3		1	26	4		3	3	3	2	4	4	6	8	6	4	6	6	4	3	1				
Females	110	17			1		18	2		1	4	3	6	7	5	3	7	4	8	8	9	11	6	5	2	1		
1924																												
Virgin Islands	601	118	28	1	4	6	157	6	8	13	12	25	13	26	40	40	34	34	38	42	45	32	20	8	4	2	1	1
Males	284	57	17		2	2	78	4	4	5	5	8	7	10	22	21	25	17	27	16	18	10	5	1			1	
Females	317	61	11	1	2	4	79	2	4	8	7	17	6	16	18	19	9	17	11	26	27	22	15	7	4	2		1
White—Males	12	4					4			1		1	1		1		1	2			1							
Females	19	8					8	1					2		2		1			1	2	1		1				
Negro—Males	245	47	13		2	2	64	3	4	3	4	7	6	8	19	19	23	14	25	15	15	10	4	1			1	
Females	251	49	8	1	2	3	63	1	4	7	5	14	4	14	14	18	6	14	8	22	17	18	11	5	3	2		1
Mixed—Males	27	6	4				10	1		1	1			2	2	2	1	1	2	1	2		1					
Females	47	4	3			1	8			1	2	3		2	2	1	2	3	3	3	8	3	4	1	1			
St. Croix:																												
Males	189	33	14		1	1	49	1		3	3	7	3	9	17	13	16	13	22	12	10	8	2	1				
Females	172	37	8	1			46	1	2	6	4	10	5	7	11	13	3	7	7	12	16	11	7	3				1
White—Males	3											1						1			1							
Females	5	1					1						2		1						1							
Negro—Males	169	30	11		1	1	43			2	2	6	3	7	15	13	15	11	21	11	9	8	2	1				
Females	149	35	7	1			43	1	2	6	2	9	3	7	8	13	3	7	6	11	10	10	5	2				1
Mixed—Males	17	3	3				6	1		1	1			2	2		1	1	1	1								
Females	18	1	1				2				2	1			2				1	1	5	1	2	1				
St. John:																												
Males	14	2			1		3						1		1		1		2	2	1	1	1				1	
Females	5										1							1		1	1					1		
Negro—Males	12	1			1		2						1		1		1		1	2	1	1	1				1	
Females	5										1							1		1	1					1		
Mixed—Males	2	1					1												1									
St. Thomas:																												
Males	81	22	3			1	26	3	4	2	2	1	3	1	4	8	8	4	3	2	7	1	2					
Females	140	24	3		2	4	33	1	2	2	2	7	1	9	7	6	6	9	4	13	10	11	8	4	4	1		
White—Males	9	4					4			1			1		1		1	1										
Females	14	7					7	1							1		1			1	1	1		1				
Negro—Males	64	16	2			1	19	3	4	1	2	1	2	1	3	6	7	3	3	2	5	1	1					
Females	97	14	1		2	3	20		2	1	2	5	1	7	6	5	3	6	2	10	6	8	6	3	3	1		
Mixed—Males	8	2	1				3									2					2		1					
Females	29	3	2			1	6			1		2		2		1	2	3	2	2	3	2	2		1			

[1] Exclusive of stillbirths.

NOTE.—The transcripts of certificates of deaths for 1925 did not show deaths of persons of "mixed" blood (white and Negro).

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, IN THE VIRGIN ISLANDS: 1924 AND 1925

[Numbers under causes of death correspond to those of the 1920 revision of the detailed International List]

AREA, COLOR, AND YEAR	All causes (exclusive of stillbirths)	Malaria 5	Diphtheria 10	Tuberculosis of the respiratory system 31	Tuberculosis of the meninges, etc. 32	Other forms of tuberculosis 33–37	Cancer and other malignant tumors 43–49	Rheumatism 51, 52	Diabetes mellitus 57	Cerebral hemorrhage and softening 74, 83	Diseases of the heart 87–90	Bronchitis 99
Virgin Islands:												
1925	501	1	1	32	1	1	18		1	21	122	2
1924	601			36		1	19	1	1	10	119	5
White 1925	27			1			1			1	9	
1924	31			1			2		1		4	
Negro 1925	473	1	1	31	1	1	17		1	20	112	2
1924	496			28		1	13	1		9	97	4
Mixed 1924	74			7			4			1	18	1
Other colored 1925	1										1	
St. Croix:												
1925	270		1	21		1	10		1	11	49	2
1924	361			20		1	10	1	1	7	53	5
White 1925	4			1			1					
1924	8								1		2	
Negro 1925	265		1	20		1	9		1	11	48	2
1924	318			16		1	10	1		7	48	4
Mixed 1924	35			4							3	1
Other colored 1925	1										1	
St. John:												
1925	7										2	
1924	19						1				2	
White 1925	2										1	
Negro 1925	5										1	
1924	17						1				2	
Mixed 1924	2											
St. Thomas:												
1925	224	1		11	1		8			10	71	
1924	221			16			8			3	64	
White 1925	21									1	8	
1924	23			1			2				2	
Negro 1925	203	1		11	1		8			9	63	
1924	161			12			2			2	47	
Mixed 1924	37			3			4			1	15	

AREA, COLOR, AND YEAR	Pneumonia (all forms) 100, 101	Dirrhea and enteritis (under 2 years) 113	Appendicitis and typhlitis 117	Hernia, intestinal obstruction 118	Cirrhosis of the liver 122	Nephritis 128, 129	Puerperal septicemia 146	Other puerperal causes 143–145, 147–150	Congenital malformations and diseases of early infancy 159–163	Homicide 197–200	Other external causes 165–196, 201–203	Unknown or ill-defined diseases 204, 205	All other causes
Virgin Islands:													
1925	41	24	1	2	1	35	1	7	28	1	13	18	129
1924	52	35	3	4	4	46	1	8	53	1	19	23	160
White 1925	4	4			1	2							4
1924	5	3	1			3		1	7				3
Negro 1925	37	20	1	2		33	1	7	28	1	13	18	125
1924	43	27	1	4	4	37	1	5	41	1	19	20	140
Mixed 1924	4	5	1			6		2	5			3	17
Other colored 1925													
St. Croix:													
1925	15	6	1	1		18		3	14	1	8	18	89
1924	32	16	1	3	3	26		5	35		8	22	112
White 1925						1							1
1924	2					1		1	1				
Negro 1925	15	6	1	1		17		3	14	1	8	18	88
1924	28	14		3	3	20		3	33		8	20	99
Mixed 1924	2	2	1			5		1	1			2	13
Other colored 1925													
St. John:													
1925		2			1			1	1				
1924	1	2			1						5		7
White 1925					1								
Negro 1925		2						1	1				
1924	1	1			1						5		6
Mixed 1924		1											1
St. Thomas:													
1925	26	16		1		17	1	3	13		5		40
1924	19	17	2	1		20	1	3	18	1	6	1	41
White 1925	4	4				1							3
1924	3	3	1			2			6				3
Negro 1925	22	12		1		16	1	3	13		5		37
1924	14	12	1	1		17	1	2	8	1	6		35
Mixed 1924	2	2				1		1	4			1	3

NOTE.—The transcripts of certificates of deaths for 1925 did not show deaths of persons of "mixed" blood (white and Negro).

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1924 AND 1925

List No.	CAUSE OF DEATH AND COLOR	VIRGIN ISLANDS		ST. CROIX		ST. JOHN		ST. THOMAS	
		1925	1924	1925	1924	1925	1924	1925	1924
	All causes (exclusive of stillbirths)	501	601	270	361	7	19	224	221
	White	27	31	4	8	2	---	21	23
	Negro	473	496	265	318	5	17	203	161
	Mixed	---	74	---	35	---	2	---	37
	Other colored	1	---	1	---	---	---	---	---
	I.—Epidemic, endemic, and infectious diseases	80	73	52	47	---	---	28	26
	White	2	2	2	---	---	---	---	2
	Negro	78	61	50	41	---	---	28	20
	Mixed	---	10	---	6	---	---	---	4
5	Malaria—Negro	1	---	---	---	---	---	1	---
10	Diphtheria—Negro	1	---	1	---	---	---	---	---
16	Dysentery—Negro	13	9	12	7	---	---	1	2
20	Leprosy—White	---	1	---	---	---	---	---	1
	Leprosy—Negro	2	5	2	5	---	---	---	---
29	Tetanus—Negro	5	4	2	2	---	---	3	2
30	Mycoses—Negro	---	1	---	---	---	---	---	1
	Mycoses—Mixed	---	1	---	1	---	---	---	---
	Tuberculosis (all forms)—White	1	1	1	---	---	---	---	1
	Tuberculosis (all forms)—Negro	33	29	21	17	---	---	12	12
	Tuberculosis (all forms)—Mixed	---	7	---	4	---	---	---	3
31	Of the respiratory system—White	1	1	1	---	---	---	---	1
	Of the respiratory system—Negro	31	28	20	16	---	---	11	12
	Of the respiratory system—Mixed	---	7	---	4	---	---	---	3
32	Of the meninges, central nervous system—Negro	1	---	---	---	---	---	1	---
36	Of other organs—Negro	---	1	---	1	---	---	---	---
37a	Disseminated (acute)—Negro	1	---	1	---	---	---	---	---
38	Syphilis—White	1	---	1	---	---	---	---	---
	Syphilis—Negro	22	13	11	10	---	---	11	3
	Syphilis—Mixed	---	2	---	1	---	---	---	1
42	Other infectious diseases—Negro	1	---	1	---	---	---	---	---
	II.—General diseases not included in Class I	45	69	32	46	---	2	13	21
	White	2	4	1	1	---	---	1	3
	Negro	43	57	31	42	---	2	12	13
	Mixed	---	8	---	3	---	---	---	5
	Cancer and other malignant tumors—White	1	2	1	---	---	---	---	2
	Cancer and other malignant tumors—Negro	17	13	9	10	---	1	8	2
	Cancer and other malignant tumors—Mixed	---	4	---	---	---	---	---	4
44	Of the stomach, liver—Negro	7	1	4	1	---	---	3	---
45	Of the peritoneum, intestines, rectum—Negro	1	1	1	1	---	---	---	---
46	Of the female genital organs—White	1	1	1	---	---	---	---	1
	Of the female genital organs—Negro	5	8	3	5	---	1	2	2
	Of the female genital organs—Mixed	---	4	---	---	---	---	---	4
47	Of the breast—Negro	1	1	---	1	---	---	1	---
48	Of the skin—White	---	1	---	---	---	---	---	1
49	Of other or unspecified organs—Negro	3	2	1	2	---	---	2	---
52	Chronic rheumatism, osteoarthritis, gout—Negro	---	1	---	1	---	---	---	---
54	Pellagra—White	1	1	---	---	---	---	1	1
	Pellagra—Negro	19	38	15	30	---	1	4	7
	Pellagra—Mixed	---	3	---	2	---	---	---	1
56	Rickets—Negro	2	---	2	---	---	---	---	---
57	Diabetes mellitus—Mixed	---	1	---	1	---	---	---	---
	Diabetes mellitus—White	---	1	---	1	---	---	---	---
58	Anemia, chlorosis—Negro	1	---	1	---	---	---	---	---
65a	Leukemia—Negro	1	---	1	---	---	---	---	---
66	Alcoholism (acute or chronic)—Negro	1	3	1	1	---	---	---	2
69	Other general diseases—Negro	1	2	1	---	---	---	---	2
	III.—Diseases of the nervous system and of the organs of special sense	30	25	18	18	---	---	12	7
	White	1	1	---	---	---	---	1	1
	Negro	29	20	18	15	---	---	11	5
	Mixed	---	4	---	3	---	---	---	1
70	Encephalitis—Negro	---	1	---	---	---	---	---	1
72	Tabes dorsalis (locomotor ataxia)—White	---	1	---	---	---	---	---	1
73	Other diseases of the spinal cord—Negro	1	---	1	---	---	---	---	---
74a	Cerebral hemorrhage—White	1	---	---	---	---	---	1	---
	Cerebral hemorrhage—Negro	19	8	10	6	---	---	9	2
	Cerebral hemorrhage—Mixed	---	1	---	---	---	---	---	1
74b	Cerebral embolism and thrombosis—Negro	1	1	1	1	---	---	---	---
75	Paralysis without specified cause—Negro	3	4	3	3	---	---	---	1
	Paralysis without specified cause—Mixed	---	2	---	2	---	---	---	---
76	General paralysis of the insane—Negro	---	3	---	2	---	---	---	1
77	Other forms of mental alienation—Negro	2	1	1	1	---	---	1	---
78	Epilepsy—Negro	1	2	1	2	---	---	---	---
80	Infantile convulsions (under 5 years)—Negro	1	---	1	---	---	---	---	---
	Infantile convulsions (under 5 years)—Mixed	---	1	---	1	---	---	---	---
86b	Diseases of the mastoid process—Negro	1	---	---	---	---	---	1	---
	IV.—Diseases of the circulatory system	152	160	71	82	2	6	79	72
	White	10	4	---	2	1	---	9	2
	Negro	141	134	70	74	1	5	70	55
	Mixed	---	22	---	6	---	1	---	15
	Other colored	1	---	1	---	---	---	---	---
88	Endocarditis and myocarditis (acute)—Negro	2	2	1	1	---	---	1	1
	Endocarditis and myocarditis (acute)—Mixed	---	1	---	---	---	---	---	1
89	Angina pectoris—Negro	---	1	---	---	---	---	---	1
90	Other diseases of the heart—White	9	4	---	2	1	---	8	2
	Other diseases of the heart—Negro	110	94	47	47	1	2	62	45
	Other diseases of the heart—Mixed	---	17	---	3	---	---	---	14
	Other diseases of the heart—Other colored	1	---	1	---	---	---	---	---
91a	Aneurysm—Negro	2	3	---	---	---	---	2	3
91b,c	Other diseases of the arteries—White	1	---	---	---	---	---	1	---
	Other diseases of the arteries—Negro	26	33	22	25	---	3	4	5
	Other diseases of the arteries—Mixed	---	4	---	3	---	1	---	---
92	Embolism and thrombosis (not cerebral)—Negro	1	---	---	---	---	---	1	---
94	Diseases of the lymphatic system—Negro	---	1	---	1	---	---	---	---
	V.—Diseases of the respiratory system	44	59	18	38	---	1	26	20
	White	4	5	---	2	---	---	4	3
	Negro	40	49	18	33	---	1	22	15
	Mixed	---	5	---	3	---	---	---	2
99a	Acute bronchitis—Negro	---	4	---	4	---	---	---	---
99b	Chronic bronchitis—Negro	2	---	2	---	---	---	---	---
	Chronic bronchitis—Mixed	---	1	---	1	---	---	---	---
100a	Broncho-pneumonia—White	2	4	---	1	---	---	2	3
	Broncho-pneumonia—Negro	30	34	11	21	---	---	19	13
	Broncho-pneumonia—Mixed	---	4	---	2	---	---	---	2
101a	Lobar pneumonia—White	2	1	---	1	---	---	2	---
	Lobar pneumonia—Negro	7	9	4	7	---	1	3	1
103	Congestion and hemorrhagic infarct of the lung—Negro	---	1	---	---	---	---	---	1
105	Asthma—Negro	---	1	---	1	---	---	---	---
107	Other diseases of the respiratory system (tuberculosis excepted)—Negro	1	---	1	---	---	---	---	---
	VI.—Diseases of the digestive system	38	59	11	30	3	5	24	24
	White	6	4	---	---	1	---	5	4
	Negro	32	47	11	26	2	4	19	17
	Mixed	---	8	---	4	---	1	---	3
108	Diseases of the mouth and annexa—Negro	---	1	---	1	---	---	---	---
110	Diseases of the esophagus—Negro	---	1	---	1	---	---	---	---
111a	Ulcer of the stomach—Negro	1	---	1	---	---	---	---	---
111b	Ulcer of the duodenum—Negro	---	1	---	---	---	---	---	1
112	Other diseases of the stomach (cancer excepted)—Negro	2	---	1	---	---	---	1	---
113	Diarrhea and enteritis (under 2 years)—White	4	3	---	---	---	---	4	3
	Diarrhea and enteritis (under 2 years)—Negro	20	27	6	14	2	1	12	12
	Diarrhea and enteritis (under 2 years)—Mixed	---	5	---	2	---	1	---	2
114	Diarrhea and enteritis (2 years and over)—White	1	---	---	---	---	---	1	---
	Diarrhea and enteritis (2 years and over)—Negro	4	4	---	2	---	1	4	1
	Diarrhea and enteritis (2 years and over)—Mixed	---	1	---	---	---	---	---	1
116	Diseases due to other intestinal parasites—Negro	1	---	---	---	---	---	1	---
117	Appendicitis and typhlitis—White	---	1	---	---	---	---	---	1
	Appendicitis and typhlitis—Negro	1	1	1	---	---	---	---	1
	Appendicitis and typhlitis—Mixed	---	1	---	1	---	---	---	---
118a	Hernia—Negro	---	3	---	3	---	---	---	---
118b	Intestinal obstruction—Negro	2	1	1	---	---	---	1	1
119	Other diseases of the intestines—Negro	---	1	---	1	---	---	---	---
120	Acute yellow atrophy of the liver—Negro	---	1	---	---	---	---	---	1
122	Cirrhosis of the liver—White	1	---	---	---	1	---	---	---
	Cirrhosis of the liver—Negro	---	4	---	3	---	1	---	---
124	Other diseases of the liver—Negro	1	1	1	---	---	1	---	---
125	Diseases of the pancreas—Negro	---	1	---	1	---	---	---	---
126	Peritonitis without specified cause—Mixed	---	1	---	1	---	---	---	---
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	37	48	20	27	---	---	17	21
	White	2	3	1	1	---	---	1	2
	Negro	35	38	19	20	---	---	16	18
	Mixed	---	7	---	6	---	---	---	1
128	Acute nephritis (including unspecified under 10 years)—Negro	5	2	4	2	---	---	1	---
129	Chronic nephritis (including unspecified 10 years and over)—White	2	3	1	1	---	---	1	2
	Chronic nephritis (including unspecified 10 years and over)—Negro	28	35	13	18	---	---	15	17
	Chronic nephritis (including unspecified 10 years and over)—Mixed	---	6	---	5	---	---	---	1
135	Diseases of the prostate—Negro	1	---	1	---	---	---	---	---
	Diseases of the prostate—Mixed	---	1	---	1	---	---	---	---
139	Benign tumors of the uterus—Negro	1	1	1	---	---	---	---	1

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY COLOR, IN THE VIRGIN ISLANDS: 1924 AND 1925—Continued

List No.	CAUSE OF DEATH AND COLOR	VIRGIN ISLANDS 1925	VIRGIN ISLANDS 1924	ST. CROIX 1925	ST. CROIX 1924	ST. JOHN 1925	ST. JOHN 1924	ST. THOMAS 1925	ST. THOMAS 1924
	VIII.—The puerperal state	8	9	3	5	1	----	4	4
	White	----	1	----	1	----	----	----	----
	Negro	8	6	3	3	1	----	4	3
	Mixed	----	2	----	1	----	----	----	1
143	Accidents of pregnancy—Negro	1	1	----	----	----	----	1	1
144	Puerperal hemorrhage—Negro	3	----	1	----	1	----	1	----
	Puerperal hemorrhage—Mixed	----	2	----	1	----	----	----	1
146	Puerperal septicemia—Negro	1	1	----	----	----	----	1	1
148	Puerperal albuminuria and convulsions—White	----	1	----	1	----	----	----	----
	Puerperal albuminuria and convulsions—Negro	3	4	2	3	----	----	1	1
	IX.—Diseases of the skin and of the cellular tissue	5	1	2	1	----	----	3	----
	Negro	5	1	2	1	----	----	3	----
151	Gangrene—Negro	3	1	1	1	----	----	2	----
153	Acute abscess—Negro	1	----	----	----	----	----	1	----
154	Other diseases of the skin and annexa—Negro	1	----	1	----	----	----	----	----
	XI.—Malformations	2	4	1	1	----	----	1	3
	White	----	1	----	1	----	----	----	----
	Negro	2	1	1	----	----	----	1	1
	Mixed	----	2	----	----	----	----	----	2
159b	Congenital malformations of the heart—White	----	1	----	1	----	----	----	----
	Congenital malformations of the heart—Negro	2	1	1	----	----	----	1	1
	Congenital malformations of the heart—Mixed	----	2	----	----	----	----	----	2
	XII.—Early infancy	26	49	13	34	1	----	12	15
	White	----	6	----	----	----	----	----	6
	Negro	26	40	13	33	1	----	12	7
	Mixed	----	3	----	1	----	----	----	2
160	Congenital debility, icterus, sclerema—Negro	8	21	7	20	----	----	1	1
	Congenital debility, icterus, sclerema—Mixed	----	1	----	1	----	----	----	----
161a	Premature birth—White	----	5	----	----	----	----	----	5
	Premature birth—Negro	11	17	2	13	1	----	8	4

List No.	CAUSE OF DEATH AND COLOR	VIRGIN ISLANDS 1925	VIRGIN ISLANDS 1924	ST. CROIX 1925	ST. CROIX 1924	ST. JOHN 1925	ST. JOHN 1924	ST. THOMAS 1925	ST. THOMAS 1924
	XII.—Early infancy—Contd.								
161b	Injury at birth—Negro	2	1	2	----	----	----	----	1
	Injury at birth—Mixed	----	1	----	----	----	----	----	1
162	Other diseases peculiar to early infancy—White	----	1	----	----	----	----	----	1
	Other diseases peculiar to early infancy—Negro	5	1	2	----	----	----	3	1
	Other diseases peculiar to early infancy—Mixed	----	1	----	----	----	----	----	1
	XIII.—Old age (senility)	2	2	2	2	----	----	----	----
	Negro	2	2	2	2	----	----	----	----
	XIV.—External causes	14	20	9	8	----	5	5	7
	Negro	14	20	9	8	----	5	5	7
199	Homicide—Negro	1	1	1	----	----	----	----	1
	By other means—Negro	1	1	1	----	----	----	----	1
177	Accidental or undefined—Negro	13	19	8	8	----	5	5	6
	Other acute poisonings (gas excepted)—Negro	1	----	----	----	----	----	1	----
178	Conflagration—Negro	----	1	----	1	----	----	----	----
179	Burns (conflagration excepted)—Negro	1	3	1	3	----	----	----	----
182	Drowning—Negro	4	5	2	1	----	3	2	1
185	Traumatism by fall—Negro	1	1	1	1	----	----	----	----
189	Injuries by animals (not poisoning)—Negro	----	1	----	----	----	----	----	1
201	Fracture (cause not specified)—Negro	2	1	1	1	----	----	1	----
202	Other external violence—Negro	4	7	3	1	----	2	1	4
	XV.—Ill-defined diseases	18	23	18	22	----	----	----	1
	Negro	18	20	18	20	----	----	----	----
	Mixed	----	3	----	2	----	----	----	1
205a	Ill-defined—Negro	17	20	17	20	----	----	----	----
	Ill-defined—Mixed	----	3	----	2	----	----	----	1
205b	Not specified or unknown—Negro	1	----	1	----	----	----	----	----

NOTE.—The transcripts of certificates of deaths for 1925 did not show deaths of persons of "mixed" blood (white and Negro).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925

List No.	CAUSE OF DEATH AND YEAR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	All causes: 1925	501	90	16	8	5	4	8	3	11	13	18	19	53	48	65	66	74	----
	All causes: 1924	601	118	28	1	4	6	6	8	13	12	25	13	66	74	72	87	67	1
	I.—Epidemic, endemic, and infectious diseases: 1925	80	9	3	1	2	1	1	1	6	8	8	11	17	7	1	4	----	----
	I.—Epidemic, endemic, and infectious diseases: 1924	73	5	----	----	----	1	1	2	8	6	11	5	12	11	6	5	----	----
5	Malaria—1925	1	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----
10	Diphtheria—1925	1	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----
16	Dysentery—1925	13	6	2	1	1	----	----	----	----	----	----	1	----	1	----	1	----	----
	Dysentery—1924	9	2	----	----	----	----	1	----	----	----	----	1	----	2	3	----	----	----
20	Leprosy—1925	2	----	----	----	----	----	----	----	----	----	----	1	----	----	----	1	----	----
	Leprosy—1924	6	----	----	----	----	----	----	----	----	----	----	----	1	1	----	4	----	----
29	Tetanus—1925	5	----	----	----	1	----	1	1	----	----	----	----	1	----	----	1	----	----
	Tetanus—1924	4	1	----	----	----	1	----	1	----	----	1	----	----	----	----	----	----	----
30	Mycoses—1924	2	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	----	----
	Tuberculosis (all forms)—1925	34	----	1	----	----	----	----	----	5	6	4	7	9	2	----	----	----	----
	Tuberculosis (all forms)—1924	37	----	----	----	----	----	----	1	8	5	9	2	6	5	1	----	----	----
31	Of the respiratory system—1925	32	----	----	----	----	----	----	----	4	6	4	7	9	2	----	----	----	----
	Of the respiratory system—1924	36	----	----	----	----	----	----	1	8	5	9	2	5	5	1	----	----	----
32	Of the meninges, central nervous system—1925	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----
36	Of other organs—1924	1	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	----
37a	Disseminated (acute)—1925	1	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----
38	Syphilis—1925	23	3	----	----	----	----	----	----	1	2	4	2	7	3	1	----	----	----
	Syphilis—1924	15	2	----	----	----	----	----	----	----	1	1	2	5	3	1	----	----	----
42	Other infectious diseases—1925	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925—Continued

List No.	CAUSE OF DEATH AND YEAR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	II. General diseases not included in Class I:																		
	1925	45	1	2		1			1			6	1	5	7	13	2	6	
	1924	69	2	1							1		2	14	15	15	13	6	
	Cancer and other malignant tumors—1925	18										1		2	4	4	1	6	
	1924	19											1	5	5	4	3	1	
44	Of the stomach, liver—1925	7										1		1		2		3	
	1924	1															1		
45	Of the peritoneum, intestines, rectum—1925	1																1	
	1924	1														1			
46	Of the female genital organs—1925	6												1	2	2		1	
	1924	13											1	5	3	2	2		
47	Of the breast—1925	1													1				
	1924	1														1			
48	Of the skin—1924	1													1				
49	Of other or unspecified organs—1925	3													1		1	1	
	1924	2													1			1	
52	Chronic rheumatism, osteoarthritis, gout—1924	1															1		
54	Pellagra—1925	20										5		3	3	8	1		
	1924	42									1			8	9	10	9	5	
56	Rickets—1925	2		2															
	1924	1		1															
57	Diabetes mellitus—1925	1														1			
	1924	1														1			
58	Anemia, chlorosis—1925	1				1													
65a	Leukemia—1925	1							1										
66	Alcoholism (acute or chronic)—1925	1											1						
	1924	3											1	1	1				
69	Other general diseases—1925	1	1																
	1924	2	2																
	III.—Diseases of the nervous system and of the organs of special sense:																		
	1925	30	1		1						1			3	6	7	8	3	
	1924	25	1									1		7	4	4	5	3	
70	Encephalitis—1924	1										1							
72	Tabes dorsalis (locomotor ataxia)—1924	1													1				
73	Other diseases of the spinal cord—1925	1																1	
74a	Cerebral hemorrhage—1925	20													6	7	7		
	1924	9													2	3	2	2	
74b	Cerebral embolism and thrombosis—1925	1																1	
	1924	1														1			
75	Paralysis without specified cause—1925	3												1			1	1	
	1924	6												1	1		3	1	
76	General paralysis of the insane—1924	3												2	1				
77	Other forms of mental alienation—1925	2									1			1					
	1924	1												1					
78	Epilepsy—1925	1												1					
	1924	2												2					
80	Infantile convulsions (under 5 years)—1925	1	1																
	1924	1	1																
86b	Diseases of the mastoid process—1925	1			1														
	IV.—Diseases of the circulatory system:																		
	1925	152			1			1			3		2	13	15	26	38	53	
	1924	160		1					1	1		3	3	9	18	29	44	51	
88	Endocarditis and myocarditis (acute)—1925	2									1				1				
	1924	3										1		1		1			
89	Angina pectoris—1924	1										1							
90	Other diseases of the heart—1925	120			1			1			2		2	11	14	18	31	40	
	1924	115							1	1		1	2	6	16	22	32	34	
91a	Aneurysm—1925	2												1			1		
	1924	3											1	1	1				
91b,c	Other diseases of the arteries—1925	27														8	6	13	
	1924	37												1	1	6	12	17	
92	Embolism and thrombosis (not cerebral)—1925	1												1					
94	Diseases of the lymphatic system—1924	1		1															
	V.—Diseases of the respiratory system:																		
	1925	44	21	4	1	1	2	2		3		1		2	1	2	1	3	
	1924	59	21	8		1	4	2	3	1	1	1	1	5	3	3	4		1
99a	Acute bronchitis—1924	4	2	2															
99b	Chronic bronchitis—1925	2	1														1		
	1924	1	1																
100a	Broncho-pneumonia—1925	32	19	3	1	1	1	1				1		1		1		3	
	1924	42	17	6		1	3	2	2	1				2	3	2	2		1
101a	Lobar pneumonia—1925	9	1	1			1	1		2				1	1	1			
	1924	10	1				1				1	1	1	3		1	1		
103	Congestion and hemorrhagic infarct of the lung—1924	1							1										
105	Asthma—1924	1															1		
107	Other diseases of the respiratory system (tuberculosis excepted)—1925	1								1									

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925—Continued

List No.	CAUSE OF DEATH AND YEAR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	VI.—Diseases of the digestive system:																		
	1925	38	22	4	1			1						1	4	4	1		
	1924	59	28	7	1	1		1		2		3		3	5	4	2	2	
108	Diseases of the mouth and annexa—1924	1												1					
110	Diseases of the esophagus—1924	1														1			
111a	Ulcer of the stomach—1925	1													1				
111b	Ulcer of the duodenum—1924	1													1				
112	Other diseases of the stomach (cancer excepted)—1925	2	1												1				
113	Diarrhea and enteritis (under 2 years)—1925	24	21	3															
	1924	35	28	7															
114	Diarrhea and enteritis (2 years and over)—1925	5													2	2	1		
	1924	5			1									1		1	1	1	
116	Diseases due to other intestinal parasites—1925	1			1														
117	Appendicitis and typhlitis—1925	1												1					
	1924	3						1		1		1							
118a	Hernia—1924	3										1		1	1				
118b	Intestinal obstruction—1925	2						1								1			
	1924	1				1													
119	Other diseases of the intestines—1924	1								1									
120	Acute yellow atrophy of the liver—1924	1													1				
122	Cirrhosis of the liver—1925	1														1			
	1924	4										1			1	2			
124	Other diseases of the liver—1925	1		1															
	1924	1															1		
125	Diseases of the pancreas—1924	1													1				
126	Peritonitis without specified cause—1924	1																1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:																		
	1925	37		1	1				1	1		1	3	5	5	8	7	4	
	1924	48	1			1		1			1			11	15	7	9	2	
128	Acute nephritis (including unspecified under 10 years)—1925	5		1	1				1	1						1			
	1924	2	1												1				
129	Chronic nephritis (including unspecified 10 years and over)—1925	30										1	2	4	5	7	7	4	
	1924	44				1		1			1			10	14	6	9	2	
135	Diseases of the prostate—1925	1												1					
	1924	1														1			
139	Benign tumors of the uterus—1925	1											1						
	1924	1												1					
	VIII.—The puerperal state:																		
	1925	8								1	1	1	1	4					
	1924	9									1	4	1	3					
143	Accidents of pregnancy—1925	1												1					
	1924	1												1					
144	Puerperal hemorrhage—1925	3										1	1	1					
	1924	2										1		1					
146	Puerperal septicemia—1925	1												1					
	1924	1										1							
148	Puerperal albuminuria and convulsions—1925	3								1	1			1					
	1924	5									1	2	1	1					
	IX.—Diseases of the skin and of the cellular tissue:																		
	1925	5													1	1	3		
	1924	1													1				
151	Gangrene—1925	3															3		
	1924	1													1				
153	Acute abscess—1925	1													1				
154	Other diseases of the skin and annexa—1925	1														1			
	XI.—Congenital malformations:																		
	1925	2	1				1												
	1924	4	3				1												
159b	Congenital malformations of the heart—1925	2	1				1												
	1924	4	3				1												
	XII.—Early infancy:																		
	1925	26	26																
	1924	49	49																
160	Congenital debility, icterus, sclerema—1925	8	8																
	1924	22	22																
161a	Premature birth—1925	11	11																
	1924	22	22																
161b	Injury at birth—1925	2	2																
	1924	2	2																
162	Other diseases peculiar to early infancy—1925	5	5																
	1924	3	3																
164	XIII.—Old age (senility):																		
	1925	2															1	1	
	1924	2														1		1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, IN THE VIRGIN ISLANDS: 1924 AND 1925—Continued

List No.	CAUSE OF DEATH AND YEAR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 44 years	45 to 54 years	55 to 64 years	65 to 74 years	75 years and over	Age unknown
	XIV.—External causes:																		
	1925	14	2		2	1		3				1	1	2		2			
	1924	20	2	2		1		1	2		2	2	1	2	1	1	3		
	Homicide—1925	1												1					
	1924	1												1					
199	By other means—1925	1												1					
	1924	1												1					
	Accidental or undefined—1925	13	2		2	1		3				1	1	1		2			
	1924	19	2	2		1		1	2		2	2	1	1	1	1	3		
177	Other acute poisonings (gas excepted)—1925	1			1														
178	Conflagration—1924	1										1							
179	Burns (conflagration excepted)—1925	1	1																
	1924	3		2													1		
182	Drowning—1925	4						2				1	1						
	1924	5				1		1	1		1						1		
185	Traumatism by fall—1925	1				1													
	1924	1										1							
189	Injuries by animals (not poisoning)—1924	1	1																
201	Fracture (cause not specified)—1925	2						1						1					
	1924	1															1		
202	Other external violence—1925	4	1		1											2			
	1924	7	1						1		1		1	1	1	1			
	XV.—Ill-defined diseases:																		
	1925	18	7	2						1				1	2	1	1	4	
	1924	23	6	9											1	2	2	2	
205a	Ill-defined—1925	17	6	2						1				1	2	1	1	4	
	1924	23	6	9											1	2	2	2	
205b	Not specified or unknown—1925	1	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, IN THE VIRGIN ISLANDS: 1924 AND 1925

[Numbers after causes of death correspond to those of the 1920 revision of the detailed International List]

CAUSE OF DEATH	All deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	1925												
All causes (exclusive of stillbirths)	501	37	42	40	40	41	46	33	38	33	46	46	59
Malaria (5)	1												1
Diphtheria (10)	1								1				
Dysentery (16)	13	2			1		1		1		4	3	1
Tuberculosis of the respiratory system (31)	32	1	3	5	3	2	2	2	3	4	1	3	3
Other forms of tuberculosis (32–37)	2			1	1								
Diabetes mellitus (57)	1							1					
Cerebral hemorrhage and softening (74, 83)	21	3	4	2	1	1	3	3	1	1		1	1
Other [organic] diseases of the heart (90)	120	12	12	3	11	7	9	9	8	7	13	14	15
Bronchitis (99)	2			1									1
Broncho-pneumonia (100)	32	2	2	4	4	3	4		1	2	5	1	4
Pneumonia (101)	9	1		2		2	2			1			1
Diarrhea and enteritis [under 2 years] (113)	24	2	3	1	3		5		1	2	2	3	2
Diarrhea and enteritis [2 years and over] (114)	5		1	1	1		1						1
Nephritis (128, 129)	35	2	5	3	2	3	1	3	3	5	3	2	3
Puerperal septicemia (146)	1				1								
Other puerperal causes (143–145, 147–150)	7			1			2		2			2	
External causes (165–203)	14	1		5		4			1			2	1
All other causes	181	11	12	11	12	19	16	15	16	11	18	15	25
	1924												
All causes (exclusive of stillbirths)	601	50	55	56	47	43	41	49	57	48	45	63	47
Malaria (5)													
Diphtheria (10)													
Dysentery (16)	9		3				1		2		1	2	
Tuberculosis of the respiratory system (31)	36	2	5	4	1	3	3	3	5	1		6	3
Other forms of tuberculosis (32–37)	1									1			
Diabetes mellitus (57)	1	1											
Cerebral hemorrhage and softening (74, 83)	10					3			1	2	2	1	1
Other [organic] diseases of the heart (90)	115	10	9	12	6	6	12	9	8	13	13	10	7
Bronchitis (99)	5				1	2					2		
Broncho-pneumonia (100)	42	3	3		6	2	2		1	4	4	8	9
Pneumonia (101)	10	1	1	1		2	1			1	1		2
Diarrhea and enteritis [under 2 years] (113)	35	1	2	3	4	3	4	5	1	3	3	4	2
Diarrhea and enteritis [2 years and over] (114)	5	1		1	1					1			1
Nephritis (128, 129)	46	1	7	6	2	2	3	7	4	3	2	6	3
Puerperal septicemia (146)	1							1					
Other puerperal causes (143–145, 147–150)	8		1	1	1	1			1			2	1
External causes (165–203)	20		1	1		2	1	3	6	2	1	1	2
All other causes	257	30	23	27	25	17	14	21	28	17	16	23	16

APPENDIX

CAUSES OF DEATH, BY AGE, SEX, AND COLOR, WITH CRUDE AND ADJUSTED DEATH RATES FOR CERTAIN CAUSES, IN THE REGISTRATION STATES OF 1920, AND CONTRIBUTORY CAUSES OF DEATH IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	All causes	1,110,878	145,431	24,662	11,324	8,014	6,371	195,802	20,470	16,513	26,694	34,971	36,115
	Both sexes—White	971,258	123,347	20,170	9,583	6,884	5,547	165,531	17,880	13,798	20,390	26,186	27,626
	Both sexes—Colored	139,620	22,084	4,492	1,741	1,130	824	30,271	2,590	2,715	6,304	8,785	8,489
	Males—White	524,366	70,516	10,718	5,228	3,650	3,025	93,137	10,030	7,739	10,713	13,084	13,747
	Males—Colored	73,219	12,294	2,392	905	557	427	16,575	1,302	1,382	2,765	4,057	4,089
	Females—White	446,892	52,831	9,452	4,355	3,234	2,522	72,394	7,850	6,059	9,677	13,102	13,879
	Females—Colored	66,401	9,790	2,100	836	573	397	13,696	1,288	1,333	3,539	4,728	4,400
	I.—Epidemic, endemic, and infectious diseases:												
	Males—White	66,744	6,292	3,002	1,633	1,283	1,019	13,229	2,877	1,705	2,678	4,111	4,408
	Males—Colored	16,266	1,653	666	287	187	168	2,961	500	532	1,251	1,850	1,627
	Females—White	57,737	5,230	2,822	1,534	1,143	895	11,624	2,612	1,812	3,984	5,495	5,116
	Females—Colored	15,896	1,353	628	265	213	136	2,595	536	764	1,831	2,392	1,893
1	Typhoid and paratyphoid fever:												
	Males—White	2,923	24	23	26	28	27	128	138	218	422	460	307
	Males—Colored	969	15	14	11	11	11	62	81	126	184	173	102
	Females—White	2,201	12	22	27	23	24	108	153	271	386	299	227
	Females—Colored	1,001	9	9	3	14	15	50	118	159	221	150	86
2	Typhus fever:												
	Males—White	2								1	1		
	Females—White	2											
5	Malaria:												
	Males—White	456	55	32	19	18	15	139	24	11	22	20	18
	Males—Colored	468	55	29	25	10	15	134	42	23	38	30	16
	Females—White	415	42	26	20	13	9	110	24	21	27	28	23
	Females—Colored	502	50	32	13	14	5	114	36	41	44	43	17
6	Smallpox:												
	Males—White	302	22	7	4	9	3	45	6	5	17	32	23
	Males—Colored	44	1	1		1		3			1	4	5
	Females—White	246	21	10	7	5	8	51	6	4	17	23	26
	Females—Colored	40	3	2	1	1		7	3			6	6
7	Measles:												
	Males—White	1,113	334	370	144	69	45	962	79	22	8	11	8
	Males—Colored	78	20	29	6	5		60	9	5	2	1	
	Females—White	992	252	330	112	73	37	804	89	19	14	10	13
	Females—Colored	71	24	15	9	8		56	3	4	5	1	
8	Scarlet fever:												
	Males—White	1,206	60	126	127	140	99	552	317	127	57	44	28
	Males—Colored	28	3	3	3	3	1	13	8	2	1	3	
	Females—White	1,298	52	106	129	127	105	519	316	122	85	77	66
	Females—Colored	30		4	2	3		9	9	2	2	2	3
9	Whooping cough:												
	Males—White	2,335	1,463	519	146	81	49	2,258	51	9	5	1	
	Males—Colored	561	312	150	52	11	15	540	17	3	1		
	Females—White	2,637	1,508	668	223	99	55	2,553	68	8			
	Females—Colored	654	336	192	50	27	14	619	21	7	3		
10	Diphtheria:												
	Males—White	3,625	306	516	427	456	412	2,117	1,028	241	72	41	25
	Males—Colored	262	43	43	30	33	21	170	62	12	2	3	2
	Females—White	3,261	214	385	420	381	351	1,751	947	256	59	48	37
	Females—Colored	255	39	30	27	31	24	151	65	16	5	5	1
11a	Influenza (with pulmonary complications):												
	Males—White	7,066	1,125	360	166	84	45	1,780	158	110	174	188	185
	Males—Colored	1,430	250	99	34	19	15	417	33	29	77	92	82
	Females—White	6,600	790	306	123	82	46	1,347	142	125	135	155	201
	Females—Colored	1,238	203	65	31	18	12	329	33	56	78	94	71
11b	Influenza (other and unspecified):												
	Males—White	4,324	662	176	100	69	61	1,068	159	127	130	122	87
	Males—Colored	789	158	39	14	9	10	230	23	20	32	39	21
	Females—White	4,685	500	170	91	57	55	873	159	115	121	126	120
	Females—Colored	882	123	30	20	10	9	192	35	26	43	60	36
13	Mumps:												
	Males—White	46	7	4	2	2	3	18	10	2	4	3	
	Males—Colored	15	2	1	2			5	4	1			1
	Females—White	53	11	5	1	2	2	21	5	8	1	2	2
	Females—Colored	9	1	1		1		3	2		1	1	2
15	Cholera nostras:												
	Males—White	83	22	8	6	2	1	39	4		1		
	Males—Colored	11	3					3	2				
	Females—White	69	9	9	4	1	2	25	1	1		1	3
	Females—Colored	8	2					2					
16	Dysentery:												
	Males—White	1,039	289	173	69	25	16	572	28	10	12	9	7
	Males—Colored	355	124	56	16	9	5	210	3	4	4	7	7
	Females—White	1,002	240	139	53	27	13	472	16	1	7	9	11
	Females—Colored	332	103	49	16	4	3	175	3	5	6	1	12
17	Plague:												
	Males—White	1								1			
19	Spirochetal hemorrhagic jaundice:												
	Males—White	26	6	1	2	1		10	1	4	1		
	Females—White	17	3	1			1	5	2	1			
	Females—Colored	1											
20	Leprosy:												
	Males—White	12											3
	Males—Colored	6											2
	Females—White	7							1				
	Females—Colored	3											
21	Erysipelas:												
	Males—White	1,142	307	24	9	7	3	350	7	7	20	15	18
	Males—Colored	64	21	2	1	1		25				4	2
	Females—White	1,004	314	40	12	4	3	373	6	17	22	16	21
	Females—Colored	48	14	1	1	1		17	1				1
22	Acute anterior poliomyelitis:												
	Males—White	734	66	65	50	46	33	260	172	108	84	42	20
	Males—Colored	42	5	8	3	3	4	23	8	4	1	4	1
	Females—White	545	47	70	34	37	36	224	118	91	43	25	15
	Females—Colored	43	12	8	2	5	4	31	5	4	2		

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
38,203	45,125	48,722	54,851	63,842	69,766	82,208	92,455	91,000	81,752	62,065	33,279	11,741	2,877	1,067	1,360	
30,570	36,248	39,985	45,850	54,665	62,850	75,379	86,550	85,643	77,709	58,760	31,394	10,692	2,357	396	799	
7,633	8,877	8,737	9,001	9,177	6,916	6,829	5,905	5,357	4,043	3,305	1,885	1,049	520	671	561	
16,093	19,819	22,850	26,273	31,237	35,889	42,127	47,713	45,815	39,843	28,421	13,946	4,362	852	148	528	
3,897	4,542	4,561	4,879	5,192	3,853	3,678	3,252	2,993	2,220	1,741	974	482	208	248	329	
14,477	16,429	17,135	19,577	23,428	26,961	33,252	38,837	39,828	37,866	30,339	17,448	6,330	1,505	248	271	
3,736	4,335	4,176	4,122	3,985	3,063	3,151	2,653	2,364	1,823	1,564	911	567	312	423	232	
4,591	4,773	4,872	4,474	4,021	3,526	3,014	2,810	2,150	1,614	1,049	581	167	22	8	64	
1,331	1,336	1,096	1,000	820	567	405	289	264	163	102	59	25	13	17	58	
4,154	3,514	2,860	2,369	2,085	2,012	1,954	2,105	1,952	1,721	1,322	693	252	56	10	35	
1,287	1,142	874	698	515	331	283	190	178	120	90	64	39	14	21	39	
207	221	210	160	118	122	89	64	34	15	6	1				3	
44	54	35	28	33	17	6	10	6		3				1	4	1
162	132	87	89	86	70	43	47	23	11	2	1				4	
52	44	40	30	11	11	10	6	5	2	2	1				3	
1								1								2
24	8	19	20	23	22	20	23	25	16	12	6	1		1	2	
12	14	19	30	17	16	16	14	14	12	8	4	2	1	2	4	5
24	19	16	18	12	8	9	14	21	17	17	2	2			3	
25	34	30	17	24	17	12	12	12	10	8	2	1	1		2	
20	26	27	26	15	19	17	12	3	4	4			1			
6	3	6	4	4	3	2		2		1						6
21	19	13	14	14	9	7	10	9	1	1	1					
4	5	1	3	2	1	1				1						
3		2	2	3	5	2	1	2	1	2						
															1	7
6	7	9	6	5	4	2		2	1						1	
				1		1										
24	18	9	10	11	4	2		1		2						
						1										8
43	26	17	13	7	4	1	2									
1	2															
1	1		1	1			2	2	1						2	
																9
2	2			1	1				2							
	2														2	
12	15	18	7	12	16	7	3	4	1	1	1				4	
2	2	2	1		1	1	1	1								10
40	33	29	15	17	8	7	4	7	1						2	
2	6		2			2										
242	323	342	381	382	362	412	484	490	467	355	178	46	3		4	
76	81	90	84	90	68	54	39	33	34	21	9	11	3	3	4	
234	297	273	237	259	299	380	527	565	570	464	241	79	14	2	4	11a
62	63	66	54	75	58	46	40	33	25	18	18	7	5	6	1	
99	111	141	141	142	165	202	260	309	364	329	254	93	13	6	2	
24	40	34	50	32	26	35	19	49	36	29	25	6	7	6	6	11b
136	156	137	145	140	192	214	290	355	462	475	303	123	36	6	1	
36	46	52	53	44	22	45	28	42	33	26	21	21	6	14	1	
1		2	1	2	1	1				1						
2				2												13
2		2	1	1	1	1	1		2	2		1				
2					2	5	4	5	10	5	6					
2	1		1		1	1										15
4		1		1	2	3	3	3	5	9	6	1				
		1					1	1	1	1	1					
6	9	19	10	15	22	32	36	56	81	53	43	11	3	1	4	
2	5	7	8	10	16	16	9	16	9	10	5	2	1	3	1	16
12	9	10	10	22	21	36	41	82	81	89	49	18	4	1	1	
10	12	12	6	11	7	9	15	16	10	6	8	7		1		
																17
	1	4	1	1	1	1			1							
	1	2	3		2		1									19
	1															
2	1		1	3	1						1					
		1					2									20
		1		2	1			1	1			1				
1		1			1											
30	31	58	66	80	80	73	94	72	69	42	21	6	2		1	
8	1	5	4	7	3	1	2	1			1					21
29	29	30	38	51	48	75	66	54	61	37	21	8	1	1		
1		2	8	5	3	1	3	1	2		2	1				
16	9	1	7	6	2	3	2	1	1							
			1													22
8	7	5	3		2	3				1						
		1														

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—Epidemic, endemic, and infectious diseases—Continued												
23	Lethargic encephalitis:												
	Males—White	711	21	47	15	16	8	107	41	30	40	40	39
	Colored	48	2		1	1	1	5	5	4	4	2	6
	Females—White	716	16	38	22	16	6	98	46	32	52	38	50
	Colored	52	1	5	2	1	2	11	1	1	3	8	2
24	Meningococcus meningitis:												
	Males—White	524	143	54	29	17	19	262	61	38	51	29	15
	Colored	46	7	6	1		4	18	5	6	3	5	1
	Females—White	387	107	47	26	19	19	218	47	29	22	20	12
	Colored	40	7	5	2	1	2	17	6	3	1	2	3
25	Other epidemic and endemic diseases:												
	Males—White	106	42	17	5	7	4	75	8	3	2	1	
	Colored	17	4	5	1	1		11		1	1	1	1
	Females—White	79	25	18	5	3	4	55	11	6	1	1	1
	Colored	11	1	2			1	4	1			1	
26	Glanders:												
	Males—White	2									1		
27	Anthrax:												
	Males—White	16								1		1	3
	Colored	3								1			
	Females—White	3				1		1					
28	Rabies:												
	Males—White	45			2	2	6	10	14	5	1		1
	Colored	5			1			1	1				1
	Females—White	19		1	1	4	1	7	5	3	1		
	Colored	3			1			1	1	1			
29	Tetanus:												
	Males—White	739	55	7	14	11	16	103	145	156	65	34	31
	Colored	216	77		1		6	84	19	24	17	13	10
	Females—White	234	35	3	8	11	12	69	38	21	10	8	10
	Colored	91	37	3	1	2		43	14	4	6	3	7
30	Mycoses:												
	Males—White	74	17	1				18	1	2	4	4	2
	Colored	36	26	4				30					1
	Females—White	46	18	1				19		1	1	1	2
	Colored	32	26	3	1			30			1		
	Tuberculosis (all forms):												
	Males—White	34,273	613	427	248	177	143	1,608	389	419	1,440	2,916	3,456
	Colored	8,846	134	142	74	63	54	467	158	246	855	1,377	1,236
	Females—White	23,896	531	390	202	147	98	1,368	387	621	2,811	4,447	4,071
	Colored	9,158	102	132	71	65	43	413	165	424	1,334	1,858	1,465
31	Of the respiratory system—												
	Males—White	29,956	167	107	43	38	39	394	108	198	1,204	2,649	3,164
	Colored	7,776	72	78	45	22	34	251	78	170	749	1,245	1,131
	Females—White	25,010	143	87	49	36	26	341	127	429	2,539	4,105	3,797
	Colored	8,205	51	74	29	38	24	216	113	357	1,234	1,719	1,367
32	Of the meninges, central nervous system—												
	Males—White	1,617	321	242	147	101	71	882	175	109	69	75	58
	Colored	296	37	43	18	25	13	136	41	23	21	21	12
	Females—White	1,357	273	225	120	83	56	757	170	85	83	48	60
	Colored	225	33	39	22	16	10	120	21	16	13	18	11
33	Of the intestines, peritoneum—												
	Males—White	930	45	21	21	15	11	113	47	40	42	54	70
	Colored	281	2	4	3	6	3	18	14	18	33	38	36
	Females—White	1,202	38	29	10	10	3	90	32	40	68	154	103
	Colored	342	5	1	2	3		11	13	21	40	72	48
34	Of the vertebral column—												
	Males—White	431	6	2	7	4	7	26	19	31	27	46	47
	Colored	106				1	1	2	1	12	13	23	17
	Females—White	285	8	5	4	4	3	24	20	13	27	26	20
	Colored	51			3			3	5	3	6	5	6
35	Of the joints—												
	Males—White	171	3	1		3	1	8	9	12	21	13	14
	Colored	39	2	1	1			4	2	3	6	3	4
	Females—White	92	2	1				3	2	8	8	8	2
	Colored	30	1	1				2		4	3	3	1
36	Of other organs—												
	Males—White	570	19	17	14	3	2	55	8	12	32	36	42
	Colored	119	3	2	4	4		13	10	10	14	9	11
	Females—White	403	13	9	2	3	2	29	10	12	27	30	32
	Colored	85	2	3	1	3	2	11	5	7	5	13	4
37a	Disseminated (acute)—												
	Males—White	464	47	31	13	13	12	116	19	10	32	33	48
	Colored	195	14	14	3	3	3	37	10	5	19	34	23
	Females—White	436	50	32	16	11	7	116	25	30	51	62	49
	Colored	192	10	14	13	5	6	48	5	11	30	27	26
37b	Disseminated (chronic or unspecified)—												
	Males—White	134	5	6	3			14	4	7	13	10	13
	Colored	34	4			2		6	2	5		4	2
	Females—White	111	4	2	1		1	8	1	4	8	14	8
	Colored	28			1		1	2	3	5	3	1	2
38	Syphilis:												
	Males—White	3,230	567	31	12	6	6	622	18	13	20	71	102
	Colored	1,798	373	33	11	7	6	430	18	17	24	82	122
	Females—White	1,494	413	28	8	6	2	457	7	12	50	46	83
	Colored	1,072	253	40	11	7	2	313	12	10	45	100	105
39	Soft chancre:												
	Males—White	1											
	Colored	2											
	Females—White	3											1
	Colored	1											
40	Gonococcus infection:												
	Males—White	74	13					13				10	2
	Colored	66	10					10				5	6
	Females—White	428	16			1	2	19			51	90	86
	Colored	275	5					5	1	1	26	53	71
41	Purulent infection, septicemia:												
	Males—White	505	72	14	10	10	5	111	17	36	25	16	27
	Colored	60	8	2				10	1	4	4	5	2
	Females—White	396	54	9	6	4	4	77	19	26	17	25	35
	Colored	43	2		1			3	1		5	4	3

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
59	42	52	62	60	59	32	24	17	6	1						
3	6	4	3	4	1	1										
54	45	61	43	47	51	34	28	24	8	5						23
3	3	7	4	5	2	1				1						
17	13	16	5	6	7	1	1	1	1							
2	2		1	1	2											
5	8	6	5	6	4	3	2									24
1	1	3	2	1												
3	1			6	2	3	1		1							
1		1														
1				1			1									25
	1	2		1				1							1	
		1														26
2		3	1		1	1		1	2							
1				1												27
			2													
4	1	2	1	1	1	1	1	2								
1				1												28
	2		1													
20	30	23	24	26	28	16	11	14	7	6						
9	7	11	10	2	2	2	1	4			1					
12	7	10	9	9	6	10	8	3		4						29
2	3	3	3			1	1	1								
5	5	4	3	2	10	4	3	3	3		1					
2		2	1													
2		5	1	3	3	3	3	1	1							30
		1														
3,620	3,642	3,563	3,126	2,726	2,228	1,808	1,553	982	490	198	60	9			40	
1,005	898	697	582	473	290	195	136	103	59	26	12	2	1	1	27	
3,201	2,484	1,972	1,543	1,265	1,154	1,052	987	765	471	198	62	18	1		18	
964	775	538	432	276	175	128	67	54	31	22	7	1	2		27	
3,375	3,380	3,325	2,926	2,533	2,050	1,664	1,408	877	437	172	53	5			34	
920	831	644	527	445	266	184	123	92	54	26	12	2	1	1	24	
2,943	2,293	1,764	1,386	1,127	1,011	923	889	659	414	175	56	14	1		17	31
883	726	481	392	256	158	117	60	49	28	16	5	1	2		25	
44	51	38	34	31	17	12	10	2	4		1	1			4	
10	9	8	5	4	2		3								1	
46	24	28	20	12	6	6	2	6	1	1	1				1	32
8	6	7	2	1		1									1	
59	74	64	53	62	66	50	57	40	29	8	1	1				
27	21	19	22	9	10	6	3	6	1							
125	76	100	77	69	74	64	43	46	25	12	3	1				33
35	29	26	14	6	8	5	5	2	1	5					1	
36	22	34	28	17	25	24	22	17	4	2	2	1			1	
12	10	4	3	2	3	1	1	1							1	
14	23	6	15	16	15	17	16	17	13	3						34
7		5	7	1	1	1				1						
13	12	6	6	6	8	14	13	8	1	7						
1	5	6	2	1	1		1									
2	6	9	6	5	4	9	5	5	6	2		2				35
4	3	1	3	1	2		1		1		1					
39	61	52	43	46	41	21	30	30	10	9	2	1				
12	4	10	5	4	4	3	5	2	3							
27	36	32	26	26	29	24	23	26	8	3	2	1				36
9	5	4	5	7	3	3	1	3								
43	32	36	30	18	14	17	7	3	5		1					
21	17	3	15	7	2			1							1	
31	17	19	8	7	10	5	2	3		1						37a
14	6	13	6	2	2				1		1					
11	10	8	6	13	7	6	6	5							1	
2	1	3	3	1	2	1		1	1							
13	9	14	5	3	5	4	7	3	4	1						37b
4		1	3	2	1	1										
145	233	327	384	344	332	253	195	94	47	25	3				2	
123	207	171	175	135	113	71	53	30	12	3	2	1			9	
74	147	115	141	109	102	60	46	23	13	8	1					38
77	106	84	70	56	33	25	15	10	6	2	1				2	
1																
		1			1											
		1								1						39
						1										
4	9	6	4	5	5	7	4	3	1		1					
3	9	6	11	4	4	1	3	1		1					2	
62	56	37	15	7	3	1			1							40
45	35	22	12	2	1						1					
20	23	23	30	29	29	21	32	28	25	7	5	1				
3	6	4	5	4	3	2		4	1			1				
20	27	21	16	20	17	10	24	14	12	9	6	1			1	41
1	3	7	2	1			2	2		3	2	1			1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	I.—Epidemic, endemic, and infectious diseases—Continued.												
42	Other infectious diseases:												
	Males—White	9	1		1			2	1			1	1
	Colored	1											
	Females—White	2											
	Colored	1											
	II.—General diseases not included in Class I:												
	Males—White	55,573	1,406	265	183	153	131	2,138	499	446	526	537	746
	Colored	3,190	209	49	19	24	11	312	48	48	71	82	111
	Females—White	67,957	988	194	137	125	105	1,549	399	497	542	652	963
	Colored	5,568	148	36	26	7	8	225	53	32	112	217	339
	Cancer and other malignant tumors:												
	Males—White	37,214	22	35	38	40	25	160	88	67	124	177	277
	Colored	1,555	2	4	4	6	2	18	5	8	18	17	26
	Females—White	46,768	27	31	38	25	18	139	47	76	111	171	394
	Colored	3,086	2	2	2	1	1	8	8	2	10	38	103
43	Of the buccal cavity—												
	Males—White	2,443		1		1	2	4	3	5		2	6
	Colored	86	1					1			2		
	Females—White	455	1	1		1		3	4	1	4	4	4
	Colored	52										2	3
44	Of the stomach, liver—												
	Males—White	16,735	4	5	5	6	3	23	8	5	9	18	48
	Colored	806									2	7	9
	Females—White	14,148	6	3	4	2	4	19	4	8	6	21	48
	Colored	653	1			1		2				5	8
45	Of the peritoneum, intestines, rectum—												
	Males—White	5,592	3	8	2	3	4	20	13	9	13	39	62
	Colored	185			2	1		3	1	2	3	3	5
	Females—White	6,816	1	3	4	2	6	16	6	7	11	25	63
	Colored	250			1			1			1	3	15
46	Of the female genital organs—												
	Females—White	11,509							1	9	20	43	155
	Colored	1,381								1	2	17	58
47	Of the breast—												
	Males—White	122											
	Colored	7											
	Females—White	7,400								1	5	10	43
	Colored	453							1		1	3	13
48	Of the skin—												
	Males—White	1,460		2				2	1	1		4	2
	Colored	33											
	Females—White	877	1	3	2	2		8	3	4	3	2	4
	Colored	32							1			2	1
49	Of other or unspecified organs—												
	Males—White	10,862	15	19	31	30	16	111	63	47	102	114	159
	Colored	438	1	4	2	5	2	14	4	6	11	7	12
	Females—White	5,563	18	21	28	18	8	93	29	46	62	66	77
	Colored	265	1	2	1		1	5	6	1	6	6	5
50	Tumors, benign and unqualified (tumors of the female genital organs excepted):												
	Males—White	276	9	3	4	1	3	20	5	5	6	7	10
	Colored	25	1			1		2	2			2	3
	Females—White	290	6	2	2	1	1	12	4	1	7	7	13
	Colored	33	1					1			1		4
51	Acute rheumatic fever:												
	Males—White	1,016	1	6	14	20	33	74	154	146	101	52	39
	Colored	155	4	1		5	1	11	10	15	11	13	11
	Females—White	1,198	10	9	7	25	29	80	173	193	91	64	59
	Colored	186	1	1	1	1		4	14	5	7	9	14
52	Chronic rheumatism, osteoarthritis, gout:												
	Males—White	415							1	4	5	7	6
	Colored	37					1	1			1	2	
	Females—White	691							2	3		2	9
	Colored	54									4	1	1
53	Scurvy:												
	Males—White	25	15	4	3			22					1
	Colored	3	1					1			1		
	Females—White	16	6	4		1	1	12					1
	Colored	6	2	2				4	1				
54	Pellagra:												
	Males—White	450	3	1	3	1	3	11	5	5	7	9	10
	Colored	319		2		2	1	5	16	11	12	12	14
	Females—White	762	1	1	1		3	6	5	7	15	35	53
	Colored	1,094			5	2	3	10	13	11	60	135	160
55	Beriberi:												
	Males—White	1		1				1					
	Colored	6	2					2				2	
56	Rickets:												
	Males—White	238	164	43	15	7	4	233	3	2			
	Colored	99	60	22	8	4	2	96	2		1		
	Females—White	134	96	21	5	4	3	129	5				
	Colored	76	44	16	12	2	1	75	1				
57	Diabetes mellitus:												
	Males—White	6,379	10	9	17	14	10	60	80	104	119	110	116
	Colored	362	4	1		2	1	8	7	4	14	12	14
	Females—White	8,937	5	9	8	14	13	49	65	124	122	93	98
	Colored	516			1		1	2	5	5	10	8	23
58	Anemia, chlorosis:												
	Males—White	2,697	60	19	11	4	1	95	20	17	30	25	35
	Colored	58	11	2	1		1	15	1	1	3	2	1
	Females—White	3,250	59	17	7	8	4	95	19	21	37	49	63
	Colored	90	7	1				8	3	4	4	10	4
59	Diseases of the pituitary gland:												
	Males—White	42					1	1	1	2	3	3	3
	Colored	2									1		
	Females—White	50	3			1		4	2	3	3	5	1
	Colored	1									1		

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
1				2		1										
			1													42
	1		1													
		1														
1,123	1,762	2,342	3,445	4,917	6,316	7,599	8,132	6,663	4,704	2,511	899	189	33	4	42	
130	187	277	307	379	298	286	248	157	112	67	38	12		5	15	
1,558	2,710	3,947	5,518	6,964	7,994	8,899	8,885	7,276	5,173	2,896	1,120	316	56	7	36	
377	494	581	683	599	472	422	332	213	183	100	58	30	11	11	24	
476	815	1,272	2,140	3,302	4,534	5,583	6,153	5,243	3,806	2,032	753	158	27	4	23	
44	78	140	171	220	191	191	170	105	70	43	23	6		3	8	
906	1,747	2,904	4,088	5,118	5,759	6,212	6,311	5,318	3,940	2,284	892	273	48	6	24	
162	267	370	468	390	309	297	237	146	125	69	32	19	5	7	14	
12	37	76	150	259	311	356	379	339	258	157	64	17	6		2	
2	2	11	13	12	9	7	12	4	6	3	1				1	43
7	7	17	24	27	42	41	69	63	62	42	19	11	4			
3	2	6	5	4	3	5	5	6	4	3	1					
136	308	525	979	1,602	2,174	2,722	3,015	2,389	1,665	797	251	41	7		13	
13	46	77	88	129	109	111	90	64	28	19	7	2		1	4	44
101	298	495	767	1,216	1,686	2,104	2,369	2,100	1,646	853	312	70	13	1	11	
14	42	47	88	87	82	87	71	45	29	21	12	3	3	3	4	
100	165	248	353	475	689	826	905	714	570	274	101	12	1		3	
7	10	19	29	24	19	17	14	9	9	6	4			1		45
119	161	305	451	674	785	988	1,013	935	699	390	125	37	4		2	
6	23	23	38	32	26	25	20	12	15	5	3	2				
386	718	1,158	1,476	1,575	1,511	1,375	1,244	895	524	285	98	25	7		4	46
94	146	204	223	172	123	117	94	49	40	18	10	6		1	6	
	6	7	4	10	20	20	18	11	11	8	7					
1			1	1	1	1		1	1							47
163	350	608	902	1,024	1,006	893	792	640	462	315	134	44	5		3	
27	33	64	71	62	47	35	26	19	24	13	3	5	1	3	2	
12	23	22	47	76	95	153	196	244	235	187	111	39	6	3	1	
	2	3	5	5	6	3	3	3	2		1					48
16	7	23	27	26	37	69	84	116	125	162	92	54	12	3		
2	3	2	2	6	2		2	1	4	3		1				
216	276	394	607	880	1,245	1,506	1,640	1,546	1,067	609	219	49	7	1	4	
21	18	30	35	49	47	52	51	24	24	15	10	4		1	3	49
114	206	298	441	576	692	742	740	569	422	237	112	32	3	2	4	
16	18	24	41	27	26	28	19	14	9	6	3	2	1		2	
10	18	15	13	31	21	27	28	16	20	13	10				1	
3	1	2	2		1		4	1		1	1					50
11	13	18	23	24	25	23	25	29	28	18	6	3				
2	6	1	7	3		2	3	2		1						
30	44	47	37	45	46	58	47	34	31	16	10	2	2		1	
6	7	11	13	8	10	9	8	2	6	2	1	1				51
57	59	42	42	47	34	49	69	55	35	26	17	4	1		1	
13	13	17	21	13	11	10	6	7	9	8	3	1		1		
7	15	9	19	22	32	38	55	66	69	41	15	3	1			
1	1	3	4	2	1	5	5	5	4	1	1					52
13	10	10	30	39	61	75	101	87	109	72	52	14	1	1		
	4	3	3	3	5	7	4	4	3	4	3	2	1	2		
	1							1								
			1													53
				1		2										
1																
12	25	28	42	50	42	50	58	54	25	14	2	1				
11	18	34	32	34	25	33	19	17	13	3	7	2			1	54
50	67	83	90	64	72	64	64	45	23	14	1				4	
123	122	94	89	73	54	35	25	27	27	9	11	3	2	1	10	
																55
	2															
106	149	204	310	535	712	1,029	1,043	818	511	280	77	14			2	
13	18	29	34	54	40	27	28	22	18	13	4	1			2	
124	179	248	391	793	1,178	1,533	1,500	1,204	762	359	90	17	6		2	
23	32	50	66	85	65	44	45	23	13	4	7	3	3			
53	78	120	194	288	377	409	439	258	159	76	19	4			1	
5	2	5	3	7	3	2	6				1			1		58
82	151	201	275	317	391	481	485	307	169	70	32	3			2	
8	6	11	9	4	5	6	1	3	2	1		1				
6	6	4	4	3	2	1	1	1	1							
	1															59
2	7	1	10	3	4	2	1		1		1					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	II.—General diseases not included in Class I—Continued.												
60a	Exophthalmic goiter:												
	Males—White	414			1			1	2	5	9	21	26
	Colored	21									1	1	4
	Females—White	2,709			1			1	3	14	74	133	134
	Colored	121								1	6	3	14
60b	Other diseases of the thyroid gland:												
	Males—White	107	9	11	5	2	1	28	7	3	2	5	1
	Colored	8	1	1				2					
	Females—White	432	17	9	11	8	3	48	7	4	9	15	16
	Colored	44	2	1				3			1	3	2
61	Diseases of the parathyroid glands:												
	Males—White	41	33	3	3	1		40					1
	Colored	12	8	3				11	1				
	Females—White	39	24	7	3	1		35		1			
	Colored	4	4					4					
62	Diseases of the thymus gland:												
	Males—White	560	472	35	10	7	6	530	10	3	6	1	3
	Colored	34	24	6	1	1	1	33				1	
	Females—White	383	316	29	7	4	4	360	10	2	2	2	4
	Colored	32	22	3	1			26	2	2		1	
63	Diseases of the adrenals (Addison's disease):												
	Males—White	184				1		1			4	6	9
	Colored	5								1			
	Females—White	190								2	3	3	18
	Colored	2											
64	Diseases of the spleen:												
	Males—White	56	3	1	1		1	6	5	2	2		3
	Colored	7	2					2					
	Females—White	54	3			1		4		3	1	1	1
	Colored	4											1
65a	Leukemia:												
	Males—White	943	20	33	31	37	24	145	67	47	49	34	40
	Colored	37							1	3	1	3	5
	Females—White	650	11	14	20	10	11	66	22	24	28	31	40
	Colored	26		1	1			2	3	1		2	4
65b	Hodgkin's disease:												
	Males—White	480	4	3	1	2	3	13	28	18	31	30	33
	Colored	22				1		1	1	1			2
	Females—White	271	2	8	3	3	1	17	10	1	17	11	18
	Colored	13	1		1			2		1	2	2	
66	Alcoholism (acute or chronic):												
	Males—White	2,887								2	11	31	112
	Colored	264								1	4	11	25
	Females—White	293								1	3	3	17
	Colored	62									2	4	7
67a	Chronic lead poisoning:												
	Males—White	121		1				1				2	3
	Colored	5											
	Females—White	5					1	1					
67b	Other chronic mineral poisoning:												
	Males—White	19			1			1				1	
	Colored	7									1		3
	Females—White	6										1	1
	Colored	4											
68	Chronic poisoning by organic substances:												
	Males—White	101									1	3	8
	Colored	19										2	2
	Females—White	61									2	5	5
	Colored	10										1	
69	Other general diseases:												
	Males—White	907	581	57	25	16	16	695	23	14	16	13	10
	Colored	128	89	7	5	2	1	104	2	3	2	2	1
	Females—White	768	402	33	24	19	13	491	25	17	17	21	18
	Colored	104	62	9	2	1	2	76	3		4		2
	III.—Diseases of the nervous system and of the organs of special sense:												
	Males—White	53,775	1,617	421	250	186	161	2,635	575	474	549	537	620
	Colored	5,501	305	50	28	22	17	422	55	46	90	93	129
	Females—White	48,746	1,181	347	223	162	119	2,032	542	393	421	418	453
	Colored	5,520	201	47	17	21	12	298	47	42	96	108	132
70	Encephalitis:												
	Males—White	525	64	33	10	14	12	133	31	14	27	19	25
	Colored	61	11	2	3	2		18	2	2	4	6	3
	Females—White	442	45	22	14	11	9	101	32	29	25	18	30
	Colored	49	5	3			1	9	4	3	7	3	5
71a	Simple meningitis:												
	Males—White	1,189	319	106	102	50	43	620	92	67	44	47	37
	Colored	152	44	14	7	4	5	74	7	8	11	7	3
	Females—White	938	221	86	70	51	35	463	110	42	46	24	38
	Colored	101	27	8	6	6	1	48	12	5	5	9	5
71b	Nonepidemic cerebrospinal meningitis:												
	Males—White	336	91	50	21	11	13	186	38	18	23	12	11
	Colored	41	13	2	3	4	2	24	4	2	1	5	
	Females—White	232	74	41	26	9	5	155	30	11	10	6	5
	Colored	30	5	5	2	2	1	15	3	4	2		1
72	Tabes dorsalis (locomotor ataxia):												
	Males—White	1,118										1	4
	Colored	33									2		
	Females—White	331										1	6
	Colored	31									1	1	3
73	Other diseases of the spinal cord:												
	Males—White	1,438	13	9	7	5	2	36	27	28	41	21	33
	Colored	106			1			1	2	2	3	3	4
	Females—White	1,347	17	13	7	8	5	50	20	20	24	15	24
	Colored	100	2					2	3	5	2	7	4

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
23	38	47	43	58	48	41	27	15	7	1	1				1	
2		6	3	3		1										
169	256	255	365	350	284	280	192	123	48	18	9	1				60a
18	13	18	6	10	10	9	8	1	2	1	1					
5	6	2	9	2	10	9	9	5	2	2						
1			2	1			1									
19	34	30	43	46	42	33	31	32	12	7	4					60b
4	4	2	3	8	3	6	2			2	1					
	1	1						1								61
5			2													
																62
1	2					1										
16	18	13	31	25	9	12	18	8	6	4	2		2			
				3	1											63
15	29	22	16	19	18	14	13	9	3	3	3					
					2											
2	3	5	5	6	4	2	6	3	2							
1	1	1	1	1												64
5	3	5	5	3	1	6	8	2	3	3						
1	1	1														
58	49	49	53	73	74	71	57	43	21	9	3				1	
6	4	2	1	3	5	2				1						
34	42	42	50	68	65	54	40	25	16	3						65a
2	3		3	4	1	1										
35	36	45	34	32	48	36	28	17	11	5						
1		2	3	5	3	1	1								1	
13	29	22	23	19	25	24	16	14	7	3	2					65b
1	3			1		1										
251	422	435	471	392	328	196	132	58	26	5	2	1			12	
30	48	36	36	33	14	14	4	4		1				1	2	66
36	62	45	48	35	15	12	6	5	1	2	1				1	
9	16	10	7	3	3		1									
1	11	18	18	19	13	18	8	7	1	1						
2	1	1			1											67a
2				1					1							
1	1	1	3	3	1	4	3									
2					1											67b
	1					1	1	1								
		1			2	1										
14	17	16	7	17	5	6	4	1		1		1				
1	2	3		4	1		1		1	1		1				68
5	7	8	5	5	3	4	5	3		2	2					
5	3			1												
12	10	12	10	14	10	9	16	15	6	11	5	5	1			
1	3	2	1	1	1	1	1	1		1		1				69
14	11	10	14	12	17	30	17	16	15	12	8	1			2	
5	1	3	1	1	2	2			2	1		1				
990	1,457	1,994	2,443	3,417	4,333	5,751	7,081	7,254	6,534	4,530	1,940	518	83	15	45	
206	299	363	507	673	491	524	472	390	294	212	117	43	19	17	39	
646	952	1,336	2,001	2,859	3,350	4,735	6,234	6,732	6,574	5,269	2,752	831	170	23	23	
162	279	354	479	627	537	566	475	425	319	249	152	63	46	46	18	
34	40	37	29	32	31	31	10	17	7	5	1	1			1	
3	8	1		6	2	3	3									
20	29	31	28	22	18	20	13	15	6	3	1	1				70
4	4	2	2	3	1	1				1						
35	42	37	33	41	26	21	20	11	9	4	2		1			
12	8	3	6	8	2		1		1						1	71a
22	33	24	27	27	19	25	17	9	5	3	4					
7	3	4	1	1				1								
9	2	8	7	10	4	2	2	2	1		1					
2	1	1			1											71b
	4	2	3	2	1		1		1	1						
3	1	1														
14	35	70	114	146	175	184	175	111	49	29	7	3			1	
4	5	7	13	16	9	6	13	2	2	3	1					72
4	16	27	42	43	45	43	44	36	13	7	2	1			1	
	4	3	3	6	3		4	1	2							
32	44	62	76	116	149	173	200	173	117	74	32	2		1	1	
8	7	12	9	11	12	7	8	6	2	4	3				2	73
44	28	53	95	126	118	151	177	164	121	71	34	11	1			
2	5	5	11	8	7	8	12	6	5	4	4					

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	III.—Diseases of the nervous system and of the organs of special sense—Continued.												
74a	Cerebral hemorrhage:												
	Males—White	34,672	56	14	9	3	10	92	22	28	33	60	87
	Colored	3,117	11	1	1	1	2	16	6	4	11	20	39
	Females—White	34,839	58	16	9	5	1	89	16	17	41	53	62
	Colored	3,658	9	2			4	15	2	2	15	25	36
74b	Cerebral embolism and thrombosis:												
	Males—White	1,664	16	8	5	4	4	37	19	13	16	16	20
	Colored	86	2					2	1			6	1
	Females—White	1,621	11	2	2	1	3	19	11	10	17	26	19
	Colored	99					1	1		1	4	3	6
75	Paralysis without specified cause:												
	Males—White	1,869	12	4	2	5	2	25	5	5	9	7	9
	Colored	533	1	1		2	1	5	5	2	5	2	3
	Females—White	1,904	11	2	2		2	17	5	6	6	5	3
	Colored	581	2	1	1	1		5	1	1	7	5	7
76	General paralysis of the insane:												
	Males—White	3,912								2	7	19	82
	Colored	517									6	3	21
	Females—White	1,070								3	12	15	27
	Colored	203									1	7	13
77	Other forms of mental alienation:												
	Males—White	546								2	17	33	43
	Colored	95								1	10	4	11
	Females—White	758								1	17	39	40
	Colored	114								1	12	10	24
78	Epilepsy:												
	Males—White	1,385	30	10	13	17	16	86	47	85	128	156	115
	Colored	248	15	1	2	3	3	24	8	17	26	24	31
	Females—White	1,103	36	11	10	10	10	77	51	48	97	106	96
	Colored	159	13	3	3	2	1	22	6	10	23	20	15
79	Convulsions (nonpuerperal; 5 years and over):												
	Males—White	33							9	1	4	1	1
	Colored	15							7		2	1	1
	Females—White	45							15	2	10	2	6
	Colored	25							1	3	6	6	1
80	Infantile convulsions (under 5 years):												
	Males—White	713	625	55	18	11	4	713					
	Colored	198	174	15	4	3	2	198					
	Females—White	534	416	60	32	16	10	534					
	Colored	144	115	20	3	6		144					
81	Chorea:												
	Males—White	17	3					3	1	3	4	1	1
	Colored	3	2					2			1		
	Females—White	59	4	2	2		1	9	3	12	9	6	1
	Colored	2					1	1			1		
82	Neuralgia and neuritis:												
	Males—White	118	2	1	1		1	5	2	1			1
	Colored	15	1				1	2			1		1
	Females—White	132			1			1		1	1		2
	Colored	15	1					1	1		1		1
83	Softening of the brain:												
	Males—White	315										1	
	Colored	19											
	Females—White	337											
	Colored	9											
84	Other diseases of the nervous system:												
	Males—White	2,177	60	32	21	21	14	148	70	55	70	53	85
	Colored	106	6	2	1		1	10	5	4	3	5	6
	Females—White	1,858	66	26	17	26	12	147	69	56	44	50	47
	Colored	102	5		1	2	2	10	6	5	2	7	6
85	Diseases of the eye and annexa:												
	Males—White	34	8	1	2	3	3	17	2	3		1	
	Colored	4	1					1		1	1		
	Females—White	34	5			2	1	8	4	2	2		4
	Colored	4	2					2	1				
86a	Diseases of the ear:												
	Males—White	1,044	246	70	23	26	20	385	111	81	77	42	34
	Colored	69	19	10	5	2		36	6	2	1	5	2
	Females—White	697	173	53	19	14	16	275	81	68	30	26	21
	Colored	57	13	3	1	2		19	4	1	3	3	3
86b	Diseases of the mastoid process:												
	Males—White	670	72	28	16	16	17	149	99	68	49	47	32
	Colored	33	5	2	1	1		9	2	1	2	2	3
	Females—White	465	44	13	12	9	9	87	95	65	30	26	22
	Colored	37	2	2				4	3	1	4	2	2
	IV.—Diseases of the circulatory system:												
	Males—White	100,534	547	106	93	64	92	902	650	781	906	790	933
	Colored	9,744	45	11	10	15	6	87	48	74	118	142	238
	Females—White	84,908	338	104	64	86	107	699	603	935	841	909	1,078
	Colored	8,643	45	10	14	15	10	94	65	86	158	236	322
87	Pericarditis:												
	Males—White	397	5	5	3		4	17	16	7	13	8	8
	Colored	82	1					1	2	1	2	2	5
	Females—White	273	5	3			1	9	9	19	9	13	2
	Colored	55	1	1			1	3	1		2	3	7
88	Endocarditis and myocarditis (acute):												
	Males—White	3,349	214	31	34	16	19	314	159	128	157	155	179
	Colored	440	18	1	1	5		25	10	13	17	31	35
	Females—White	3,136	146	35	23	36	38	278	169	199	197	221	211
	Colored	523	13	1	4	2	6	26	15	14	42	47	47
89	Angina pectoris:												
	Males—White	8,280	2					2	2	5	9	12	17
	Colored	260			1			1			1	3	3
	Females—White	3,986					1	1	1	2	3	9	22
	Colored	226	1	1				2				5	10

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
161	277	619	1,077	1,972	2,971	4,325	5,540	5,880	5,472	3,842	1,655	444	70	12	33	74a
65	122	179	293	448	356	391	341	288	217	154	83	33	14	13	24	
149	305	644	1,215	1,984	2,529	3,767	5,107	5,604	5,541	4,472	2,371	693	148	19	13	
68	162	243	353	486	414	450	370	332	250	188	111	51	35	37	13	
34	41	48	76	123	127	198	233	244	195	140	57	22	4	1		74b
6	4	8	6	12	5	8	6	9	6	3	3					
29	38	48	64	106	95	182	196	246	203	185	79	44	1	2	1	
5	5	9	7	10	6	12	4	12	7	4	1	1	1			
5	13	33	38	70	119	196	275	339	362	231	96	27	4	1		75
14	17	27	42	60	43	59	64	55	50	36	25	8	5	3	3	
14	22	21	46	74	123	157	262	282	342	318	136	48	14	1	2	
16	28	25	44	55	64	59	62	59	42	40	33	8	9	8	3	
313	568	729	635	521	381	235	206	101	61	38	9	4			1	76
51	67	83	90	82	44	31	13	12	5	3		1			5	
71	132	155	145	125	113	81	72	45	31	29	12	2				
24	21	31	28	31	18	13	4	6	5	1						
50	52	44	46	50	52	36	50	37	16	5	6	2			5	77
10	10	9	13	6	3	5	5	3	2	1					2	
68	76	84	92	82	62	47	46	39	29	20	13	2			1	
10	13	10	9	6	2	3	6	1	1	2	2	1		1		
134	124	93	72	78	58	64	55	43	25	10	7	2	1		2	78
15	31	17	19	9	4	6	8	5	3						1	
91	81	83	77	68	47	51	38	40	32	8	10	1			1	
10	14	8	10	4	6	5	2	2		1					1	
3	4	1	1	1	1	1	1		1	1	1				1	79
	2		1						1							
2	3	1				1	1	1			1					
1	5			2												
																80
1		1				2										81
1	2	2	3	1	1	2		5		1	1					
2	5	6	10	6	5	13	18	20	8	11	4	1				82
		4	1	2			2	1		1						
5	3	9	10	6	10	8	16	14	25	10	6	3	2			
2	1	2	1		1	1	1			2						
1	1	3	5	8	18	24	47	59	54	56	32	4	2			83
			1	3		1	3	4	2	3				1	1	
1	2	4	3	9	15	31	38	53	70	57	37	14	2	1		
					3	1	1	1	2	1						
103	129	128	156	186	151	203	194	188	148	77	27	6				84
11	7	10	6	7	9	6	3	5	3	3	2	1				
74	130	113	114	141	117	150	174	163	141	77	39	6	2		4	
5	6	3	7	3	6	12	6	4	5	4	1	2	1		1	
1				1	2		3	2		1	1					85
	1															
2		1		1	1			3		2	2	2				
										1						
32	47	45	36	33	39	27	31	13	6	3	1		1			86a
2	5		3	2	1	1	2			1						
23	31	26	20	26	21	8	20	5	8	4	1	3				
4		3	2	7	5	1	2									
26	33	30	32	23	24	16	21	14	3	3	1					86b
3	4	2	4	1												
26	17	8	17	16	15	11	12	8	6	1	3					
1	7	5	1	5	1		1									
1,318	2,058	2,990	4,400	6,482	8,555	11,222	13,855	14,384	13,343	9,983	4,972	1,576	307	45	82	
380	595	822	1,011	1,215	919	947	868	818	558	423	248	110	45	40	38	
1,306	1,782	2,234	3,147	4,147	5,490	7,938	10,349	11,960	12,193	10,262	6,171	2,206	530	74	54	
407	568	753	852	912	720	775	711	619	472	402	196	125	70	60	40	
17	18	16	25	25	33	36	46	35	39	22	8	8				87
10	5	10	8	6	3	7	4	3	8	4				1		
9	9	9	10	7	15	14	31	34	39	20	11	3			1	
3	8	6	8	3	2	4	1	2		2						
212	290	381	165	177	186	196	204	176	131	87	32	13	4	1	2	88
49	69	79	20	25	19	17	10	9	4	6	2					
238	257	259	110	103	119	155	161	157	121	98	59	17	5	2		
52	77	82	32	25	15	18	9	8	4	6	1		2		1	
51	148	331	532	749	1,069	1,187	1,492	1,198	830	435	169	31	2	1	8	89
15	16	36	29	50	25	20	23	23	5	2	5	1	1		1	
28	55	97	133	239	336	529	660	703	602	367	150	41	6		2	
14	11	29	32	29	23	19	13	16	8	7	2	3		2	1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	IV.—Diseases of the circulatory system—Continued.												
90	Other diseases of the heart:												
	Males—White	75,325	251	58	51	44	65	469	460	632	705	585	682
	Colored	8,036	19	9	6	10	6	50	35	59	95	104	181
	Females—White	67,605	148	58	37	50	64	357	416	706	621	653	809
	Colored	7,166	29	7	8	12	3	59	45	71	111	176	246
91a	Aneurysm:												
	Males—White	1,013								1	2	9	15
	Colored	265									2	1	12
	Females—White	341	2					2		2	1	2	11
	Colored	128									1	2	6
91b,c	Other diseases of the arteries:												
	Males—White	10,557							1			1	2
	Colored	550											1
	Females—White	8,426											1
	Colored	451							1				
92	Embolism and thrombosis (not cerebral):												
	Males—White	1,153	35	1	2	1	2	41	5	5	14	14	17
	Colored	30			2			2	1		1		
	Females—White	719	14	1	2		2	19	4	3	6	5	18
	Colored	32									1	1	3
93	Diseases of the veins:												
	Males—White	225	3		1	1		5	1	1	1	5	4
	Colored	13										1	
	Females—White	281	1					1		1	1	5	1
	Colored	16							1	1			
94	Diseases of the lymphatic system:												
	Males—White	101	29	10	2	2	1	44	4	1		1	6
	Colored	7	3	1				4					
	Females—White	66	19	7	1		1	28	2	2	1	1	2
	Colored	8			1	1		2	1			1	
95	Hemorrhage without specified cause:												
	Males—White	51	8				1	9	2	1	5		3
	Colored	22	4					4					1
	Females—White	29	3		1			4	2	1	2		1
	Colored	14	1		1			2	1				3
96	Other diseases of the circulatory system:												
	Males—White	83		1				1					
	Colored	39								1			
	Females—White	46											
	Colored	24									1	1	
	V.—Diseases of the respiratory system:												
	Males—White	48,863	9,982	2,737	1,046	517	367	14,649	931	567	900	1,018	1,009
	Colored	8,804	2,141	684	233	107	71	3,236	171	130	306	531	521
	Females—White	38,439	7,478	2,313	881	486	300	11,458	794	555	596	675	764
	Colored	6,341	1,650	585	185	108	57	2,585	169	123	287	324	301
97a	Diseases of the nasal fossae:												
	Males—White	81	37	3	2	1		43		2	4	2	2
	Colored	83	58	8	1	1		68		3	2	2	
	Females—White	51	16	1				17		2	3	3	3
	Colored	118	62	11	2	1		76		2	7	4	1
97b	Diseases of the nasal fossae annexa:												
	Males—White	287	7	4	4	2	3	20	14	16	43	31	25
	Colored	16				1		1	1		4	2	1
	Females—White	182	9	2	1	1		13	14	14	15	13	13
	Colored	16					2	2		2	1	1	1
98	Diseases of the larynx:												
	Males—White	242	65	35	24	14	16	154	24	5	6	4	2
	Colored	29	13	4	4			21	2				
	Females—White	186	52	26	16	12	10	116	17	4	4	1	2
	Colored	18	8	3	3	1		15	1				1
99a	Acute bronchitis:												
	Males—White	1,108	479	71	32	14	9	605	25	2	6	4	4
	Colored	139	68	16	10	2		96	3			3	3
	Females—White	1,078	378	67	17	12	10	484	7	3	6	2	6
	Colored	143	75	19	4	2	1	101	5	1	1	1	2
99b	Chronic bronchitis:												
	Males—White	1,079	28	9		1	1	39	2	3	4	6	10
	Colored	53	4	3	1			8	2		1	1	2
	Females—White	1,042	18	8	2			28	3	1	4	4	10
	Colored	73	3					3			3	6	
99c,d	Bronchitis (unspecified):												
	Males—White	637	204	40	8	5		257	6	3	2		2
	Colored	125	55	10	6	1	2	74	4	1	2	3	3
	Females—White	660	163	33	10	4	4	214	6	2	4	2	3
	Colored	91	22	12	5	2	1	42	2	1	1	4	7
100a	Broncho-pneumonia:												
	Males—White	16,296	6,301	1,500	532	231	146	8,710	331	141	140	152	138
	Colored	2,676	1,277	405	116	54	25	1,877	65	27	43	55	55
	Females—White	14,667	4,736	1,328	447	231	120	6,862	259	141	119	140	141
	Colored	2,190	935	337	103	52	23	1,450	56	24	45	42	45
100b	Capillary bronchitis:												
	Males—White	389	250	36	11	7	10	314	5		2		
	Colored	75	35	13	7	6	1	62	2			2	
	Females—White	352	169	37	9	6	4	225	4	1	2		1
	Colored	65	37	10	1	3		51			1	3	
101a	Lobar pneumonia:												
	Males—White	23,685	2,023	834	334	184	139	3,514	437	328	580	705	713
	Colored	4,550	400	165	62	29	36	692	64	77	212	391	418
	Females—White	16,590	1,489	652	287	173	123	2,724	391	330	371	419	489
	Colored	2,708	290	136	48	32	23	529	80	73	185	209	198
101b	Pneumonia (unspecified):												
	Males—White	1,568	403	96	43	24	17	583	32	38	46	46	29
	Colored	577	214	45	17	9	6	291	16	13	27	40	18
	Females—White	1,272	292	72	44	21	11	440	36	24	26	33	33
	Colored	545	192	46	14	12	6	270	20	10	27	26	21
102	Pleurisy:												
	Males—White	1,289	92	85	44	24	18	263	40	18	42	48	51
	Colored	194	8	5	6	1		20	6	5	9	26	11
	Females—White	829	64	64	36	21	14	199	43	26	28	32	34
	Colored	123	8	4	1	2		15	4	3	7	16	10

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
979	1,448	2,030	3,335	4,996	6,547	8,696	10,503	10,998	10,134	7,334	3,467	1,037	203	28	57	90
281	448	626	869	1,059	796	818	742	691	458	348	195	82	36	30	33	
984	1,377	1,764	2,736	3,556	4,645	6,635	8,559	9,700	9,749	7,850	4,554	1,496	341	53	44	
312	441	608	739	795	630	677	625	526	386	334	158	95	53	45	34	
15	58	85	121	146	150	121	148	66	39	25	10		1		1	91a
19	44	51	44	30	26	18	9	5	3	1						
6	16	18	17	29	48	34	54	39	32	13	12	3	1		1	
14	24	9	18	19	15	7	4	3	3	2					1	
12	30	81	116	250	404	787	1,249	1,743	2,033	1,993	1,252	481	96	15	11	91b,c
5	7	8	30	34	37	54	73	76	77	59	42	27	8	9	3	
3	13	28	56	131	229	455	765	1,195	1,545	1,836	1,342	630	175	18	4	
5	3	10	15	33	31	43	50	56	68	48	34	26	15	11	2	
21	36	42	77	102	125	152	179	124	100	66	27	3	1		2	92
	2	5	4	2	2	5	1	3	1						1	
23	31	30	48	48	55	70	82	98	75	56	33	11	2	1	1	
2	2	3	4	3	2	1	4	3		2				1		
7	18	14	17	21	26	31	19	25	10	12	5	3				93
1		1		3	4	2				1						
13	20	21	30	27	37	37	28	19	18	14	4	4				
1	1	3	1		1	1	4	1				1				
3	5	1	6	7	2	6	6	4	4	1						94
	1			1							1					
1	1	4	1	2	4	1	3	4	4	2	3					
		1				1	1			1						
1	6	6	2	3	5	1		1	2	4						95
	2	2	2	3	1	2	1	1		1	2					
1	2	2	2	3		1	2	3	2		1					
1	1	1	1	1		2		1								
	1	3	4	6	8	9	9	14	21	4	2				1	96
	1	4	5	2	6	4	5	7	2	1	1					
	1	2	4	2	2	7	4	8	6	6	2	1			1	
3		1	2	4	1	2		3	3		1			1	1	
1,400	1,975	2,360	2,462	2,589	2,712	3,047	3,186	3,175	2,767	2,265	1,237	467	96	19	32	
474	592	566	536	452	285	271	183	187	139	106	51	29	12	7	19	
981	1,150	1,139	1,149	1,335	1,608	2,103	2,650	2,927	3,134	2,771	1,720	727	155	27	21	
271	320	313	274	263	202	213	178	153	121	107	57	24	15	25	16	
1	5	5	2	2	2	1	1	1		2	5		1			97a
1	2	1	3		1											
2		3	1			1	1	2	5	4	2	2				
3	4	1		5	1	2	1	4		1			2	4		
22	27	13	27	18	12	7	7	4		1						97b
1	2	1	1	1	1											
15	12	10	8	12	14	12	7	3	3	2	1				1	
1		4	1	1							2					
5	8	4	5	3	4	4	5	2	4	1	2					98
2		2		1												
1	5	5	4	2	2	2	5	4	4	5		2	1		1	
						1										
4	14	11	22	17	26	21	31	53	77	85	66	27	7	1		99a
2	6	2	1	3	5	2		4	4	1	1	2	1			
3	9	13	7	14	20	23	39	69	88	127	94	50	13	1		
1	3	5	6		1	2	2	3	5	3		1				
9	15	24	38	49	48	98	109	156	175	158	94	32	8	1	1	99b
3	6	1	4	2	6	5	4	1	4	2				1		
5	8	14	15	25	22	67	105	143	196	207	142	34	8	1		
7	3	4	6	8	3	7	7	5	2	4	1	3			1	
3	3	6	10	14	15	18	29	41	51	86	62	24	4	1		99c,d
6	2	5	3	6	2	1	2	2	2	3	1		1	2		
	5	6	5	6	14	12	30	50	58	96	83	48	14	2		
3	2	3	4	2		3	1	3	5	3	2		2	1		
188	288	370	362	422	528	620	750	834	898	761	438	173	37	5	10	100a
40	70	69	66	53	43	47	33	41	37	28	15	6	2	2	2	
178	211	239	235	270	366	549	732	923	1,136	1,066	686	335	62	10	7	
42	61	54	44	55	49	40	43	36	33	30	18	6	5	8	4	
1	1	1	3	1	1	3	8	14	15	10	5	5				100b
	2	1			1	2	1	1				1				
3	2	1	1	4	5	3	10	16	23	18	22	10	1			
1	2	1		1		2	1			1		1				
1,017	1,415	1,627	1,704	1,752	1,747	1,893	1,871	1,710	1,230	880	390	130	22	5	15	101a
378	434	428	393	329	181	164	109	109	66	47	24	12	8	1	13	
676	778	719	758	868	1,008	1,265	1,468	1,442	1,287	927	463	157	29	11	10	
171	202	195	166	153	118	118	94	70	57	40	26	8	4	5	7	
46	58	64	52	51	47	62	73	88	84	84	49	24	7	1	4	101b
15	24	18	18	17	12	15	10	13	11	9	3	4		1	2	
28	34	35	28	27	44	40	61	78	106	93	79	19	7		1	
18	17	11	20	14	16	12	10	12	11	11	7	3	1	4	4	
59	64	95	92	83	91	96	92	58	55	24	15	2	1			102
12	22	18	18	10	6	12	7	2	4	5		1				
32	37	42	34	38	38	50	48	51	39	39	16	1	2			
8	9	13	9	6	6	8	5	2		1				1		

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR.

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	V.—Diseases of the respiratory system—Continued.												
103	Congestion and hemorrhagic infarct of the lung:												
	Males—White	533	64	7	5	5	2	83	6	1	3	1	4
	Colored	40	4	2				6			1	2	
	Females—White	585	53	7	5	2		67	2	2	1	1	2
	Colored	46	5	5			1	11		1	1	2	1
104	Gangrene of the lung:												
	Males—White	131	1	1	1		3	6			3	1	1
	Colored	14							2				1
	Females—White	44							1		4	3	4
	Colored	9									2		2
105	Asthma:												
	Males—White	837	7	12	4	3	1	27	3	4	4	5	10
	Colored	130	3	4	2	2	1	12	3	1	1	2	4
	Females—White	604	12	11	5	2	1	31	5	1	2	7	15
	Colored	117		1	3			4	1	1	2	4	2
106	Pulmonary emphysema:												
	Males—White	81	4	1			1	6			1		1
	Colored	6									1		
	Females—White	39	3	1				4					
	Colored	5								1			
107	Other diseases of the respiratory system (tuberculosis excepted):												
	Males—White	620	17	3	2	2	1	25	6	6	14	13	17
	Colored	97	2	4	1	1		8	1	3	3	2	5
	Females—White	258	24	4	2	1	3	34	6	4	7	15	8
	Colored	74	13	1	1	1		16		4	4	6	10
	VI.—Diseases of the digestive system:												
	Males—White	45,076	12,553	3,001	1,090	645	472	17,761	1,214	1,012	1,110	1,053	1,146
	Colored	5,828	2,064	596	141	65	42	2,908	134	113	156	181	201
	Females—White	37,052	9,527	2,578	856	526	390	13,877	1,097	762	779	899	1,058
	Colored	5,271	1,694	537	149	67	43	2,490	122	107	153	217	237
108	Diseases of the mouth and annexa:												
	Males—White	310	35	5	5		4	49	14	5	11	26	10
	Colored	37	5	3				8				2	1
	Females—White	284	27	9	3	5	3	47	14	8	12	11	23
	Colored	51	3	1	2			6	1	2	2	5	4
109a	Adenoid vegetations:												
	Males—White	4	1	1			1	3		1			
	Females—White	3							2		1		
	Colored	1		1				1					
109b	Other diseases of the pharynx, tonsils:												
	Males—White	1,597	116	87	81	74	71	429	228	130	71	105	93
	Colored	150	18	9	4	5	5	41	30	5	6	10	10
	Females—White	1,386	70	60	69	62	53	314	191	110	110	105	77
	Colored	164	13	6	5	7	6	37	20	20	7	9	18
110	Diseases of the esophagus:												
	Males—White	53	3		4			7		2			
	Colored	8			2	1		3					1
	Females—White	38	2					2	1	2		1	
	Colored	4		1				1			1	1	
111a	Ulcer of the stomach:												
	Males—White	2,637	7		2	2		11	2	3	25	69	103
	Colored	224								1	8	8	22
	Females—White	1,034	7			2		9	5	5	12	28	42
	Colored	134	2					2			2	8	8
111b	Ulcer of the duodenum:												
	Males—White	1,228	3					3		2	14	34	57
	Colored	44										3	4
	Females—White	334	3		1		2	6			4	11	15
	Colored	10											2
112	Other diseases of the stomach (cancer excepted):												
	Males—White	2,105	520	88	30	26	25	689	33	16	14	13	23
	Colored	597	148	24	8	6	7	193	15	2	13	14	19
	Females—White	1,770	467	69	35	24	18	613	23	14	15	13	19
	Colored	638	118	19	11	6	4	158	6	5	16	24	24
113	Diarrhea and enteritis (under 2 years):												
	Males—White	13,646	11,016	2,630				13,646					
	Colored	2,318	1,795	523				2,318					
	Females—White	10,763	8,452	2,311				10,763					
	Colored	1,988	1,499	489				1,988					
114	Diarrhea and enteritis (2 years and over):												
	Males—White	3,068			776	352	184	1,312	201	56	29	34	37
	Colored	455			108	35	20	163	28	12	8	15	9
	Females—White	2,980			614	292	148	1,054	186	48	26	34	52
	Colored	510			115	40	18	173	31	12	6	28	14
115	Ancylostomiasis:												
	Males—White	6		1				1	1	2			
	Colored	2							2				
	Females—White	11			1		1	2	3	3			1
	Colored	1									1		
116	Diseases due to other intestinal parasites:												
	Males—White	34	2	4	3	2	2	13	1		1	2	2
	Colored	29	1	6	4	9	1	21	3	2	1		
	Females—White	31		6	3	3	5	17	3			1	3
	Colored	17	1	2	5	2	4	14	2				
117	Appendicitis and typhlitis:												
	Males—White	7,544	25	42	89	121	124	401	565	666	767	588	575
	Colored	671		4	2	4	4	14	31	65	84	83	70
	Females—White	5,143	26	33	51	81	93	284	520	494	475	418	366
	Colored	515	1		1	4	4	10	36	42	64	64	56
118a	Hernia:												
	Males—White	1,855	75	15	3	2	1	96	7	1	8	33	42
	Colored	225	22	4		1		27	1	1	5	6	6
	Females—White	1,480	8	1	1	3	1	14	1		4	8	12
	Colored	96	5	2				7		2		2	4
118b	Intestinal obstruction:												
	Males—White	2,865	584	86	52	37	29	788	98	67	83	63	67
	Colored	335	49	9	7	3	3	71	16	8	19	14	17
	Females—White	2,746	349	56	43	22	25	495	50	32	35	81	129
	Colored	435	32	8	7	4	3	54	11	7	24	33	44

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
3	9	11	8	17	12	13	34	44	63	98	73	37	8	5		
1	1	3	4	4	5	2	2	2	1	2	2	2				
5	6	4	9	5	9	7	35	48	97	121	89	56	16	2	1	103
2	4	2	2	1	1	5	1	4	1	4		1	1	1		
4	11	13	10	12	18	21	16	7	6	1	1					
2			1	3	3	1	1									
5	4	4	1	3	2	4		3	2	3	1					104
1		1		2	1											
13	21	47	60	64	81	104	112	105	81	53	32	9	1		1	
2	5	11	13	12	8	15	11	8	8	8	5	1				
9	21	26	30	42	44	53	86	71	69	47	32	10	2		1	105
6	8	13	10	11	3	10	11	12	7	9	1	1		1		
1	1	1	4	10	10	7	9	16	6	5	2	1				
	1	1	1	1	1											
2		2	1	4	5	2	5	4	5	2	3					106
	2	1		1												
24	35	68	63	74	70	79	39	42	22	16	3	3			1	
9	15	5	10	10	10	5	3	4	2	1					1	
17	18	16	12	15	15	13	18	20	16	14	7	3				107
7	3	5	6	3	3	3	2	2								
1,409	1,763	1,967	2,147	2,412	2,393	2,449	2,348	1,912	1,433	944	445	101	27	5	25	
210	266	276	307	280	196	153	128	124	74	53	25	15	7	8	13	
1,183	1,430	1,455	1,647	1,875	1,991	2,001	1,894	1,687	1,519	1,068	583	191	35	7	14	
230	292	261	246	209	157	144	121	108	62	48	20	15	5	11	16	
12	13	23	11	34	27	22	17	13	13	7	1	1	1			
2	3	1	6	6	1	1	1	1	1	3						
13	18	17	17	20	23	15	16	6	8	8	4	2	1		1	108
4	4	4	5	4	3	2		2	1	1	1					
																109a
81	73	76	68	57	39	35	27	35	20	20	5	1	2		2	
15	7	7	4	4	3	2		3	1	2						
88	69	73	52	47	33	30	25	25	19	9	3	3	2		1	109b
12	11	7	6	1	5	3	1	4	1	1	1					
1		1	1	6	7	3	4	10	8	2		1				
		1				1			1		1					
1	3		2	2	3	2	4		4	6	3		1		1	110
	1															
153	259	273	296	314	270	244	220	194	112	69	18				2	
18	25	19	36	26	18	10	10	11	8		2	1			1	
47	84	60	85	101	105	97	103	95	71	50	26	8	1			111a
15	11	15	18	9	11	11	14	5	1	4						
106	124	152	133	148	134	117	95	50	42	13	2	2				
7	7	9	6	4	1	1	1	1								
21	16	32	26	42	37	35	36	21	19	10	3					111b
1	1	3		1				2								
34	52	84	93	130	134	172	146	140	127	112	66	16	6	1	4	
29	51	41	50	50	26	21	21	15	14	14	2	2	3		2	
26	43	41	39	63	69	99	118	133	158	132	90	46	9	4	3	112
32	49	53	41	65	29	32	28	28	17	13	5	7		3	3	
																113
39	57	64	82	85	95	116	152	169	189	193	112	33	5	2	6	
16	22	25	17	24	17	19	12	19	16	9	10	5	2	2	5	
54	47	57	67	78	96	114	158	201	231	239	156	67	13	1	1	114
15	29	24	19	21	21	24	25	22	13	11	6	5	3	4	4	
1									1							
	1		1													115
3	6	1	2		1	2										
1				1												
4		2			1											116
				1												
598	622	562	527	473	394	314	236	137	66	39	8	2			4	
54	67	58	64	33	20	11	6	7	3			1				
385	389	308	312	311	309	209	163	112	54	22	9	1			2	117
64	62	43	29	12	19	7	2	2			1				2	
42	59	94	104	155	163	200	267	224	170	111	57	20	2			
11	9	18	22	22	19	19	17	15	9	8	4	3		3		
29	56	85	111	158	180	226	165	171	143	76	30	9	1		1	118a
2	9	11	18	6	9	8	5	6	3	1	1			1	1	
92	112	112	147	155	182	188	192	199	151	98	58	8	4	1		
19	20	21	17	26	23	16	21	18	4	3		1	1			
151	156	176	157	170	149	194	191	172	185	125	73	18	6		1	118b
40	46	37	41	27	20	17	7	7	7	4	3	2		2	2	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VI.—Diseases of the digestive system—Continued.												
119	Other diseases of the intestines:												
	Males—White	552	54	10	7	9	6	86	9	12	10	16	14
	Colored	84	13	3	1			17	3	2	1	4	4
	Females—White	377	27	4	1	6	3	41	5	3	8	11	10
	Colored	97	8	5				13	2	2	2	12	8
120	Acute yellow atrophy of the liver:												
	Males—White	161	6			1		7	6	1	8	12	9
	Colored	12	1					1	1		1		2
	Females—White	234	5	1	1	2	1	10	3	3	13	25	30
	Colored	25								1	1	4	3
121	Hydatid tumor of the liver:												
	Males—White	13											2
	Females—White	12							1				
	Colored	2											
122	Cirrhosis of the liver:												
	Males—White	4,180	7	3	5	2	3	20	4	12	16	8	29
	Colored	352			1			1		3	1	5	13
	Females—White	2,306	9	3	2		4	18	7	7	5	20	28
	Colored	230	2					2	3	4	3	5	10
123	Biliary calculi:												
	Males—White	958								2	3	4	16
	Colored	31									1		1
	Females—White	2,800									5	36	79
	Colored	63										1	3
124	Other diseases of the liver:												
	Males—White	1,440	31	14	6	4	8	63	11	13	21	23	37
	Colored	155	2	4	2		1	9	1	5	4	10	12
	Females—White	2,350	22	8	10	8	7	55	19	6	17	46	100
	Colored	155	5	1	1	2	2	11	5	3	5	10	18
125	Diseases of the pancreas:												
	Males—White	250		1	1			2	3	3	4	8	10
	Colored	15					1	1			1		3
	Females—White	286	1				1	2	2	2	6	10	18
	Colored	11										1	
126	Peritonitis without specified cause:												
	Males—White	570	68	14	26	13	14	135	31	18	25	15	20
	Colored	84	10	7	2	1		20	3	7	3	7	7
	Females—White	684	52	17	21	16	25	131	61	25	31	40	54
	Colored	124	5	2	2	2	2	13	5	7	19	10	21
	VII.—Nonvenereal diseases of the genito-urinary system and annexa:												
	Males—White	48,857	342	81	83	65	40	611	185	202	298	389	471
	Colored	7,042	60	27	23	17	17	144	34	34	56	98	143
	Females—White	43,446	261	96	70	58	56	541	190	281	419	664	882
	Colored	6,364	38	24	24	12	6	104	25	38	122	243	323
128	Acute nephritis (including unspecified under 10 years):												
	Males—White	2,110	185	52	59	35	23	354	86	58	63	77	72
	Colored	652	30	22	17	14	12	95	23	13	18	31	35
	Females—White	1,762	126	52	37	31	38	284	92	77	76	71	72
	Colored	574	24	20	15	6	5	70	17	13	36	44	40
129	Chronic nephritis (including unspecified 10 years and over):												
	Males—White	39,977	10	12	13	19	13	67	80	132	208	259	344
	Colored	5,558	2	3	4	2	5	16	8	19	33	52	86
	Females—White	36,160	6	5	11	13	11	46	73	185	234	326	417
	Colored	4,668		1	4	4	1	10	6	18	37	103	149
130	Chyluria:												
	Females—White	1											
131	Other diseases of the kidneys and annexa:												
	Males—White	1,108	99	15	9	11	3	137	18	9	19	36	24
	Colored	207	18	2	1	1		22	3	1	3	6	10
	Females—White	1,130	111	38	21	14	7	191	23	10	26	35	53
	Colored	128	13	3	5	2		23	1	3	4	10	9
132	Calculi of the urinary passages:												
	Males—White	486					1	1			4	12	14
	Colored	22										1	
	Females—White	243	1		1			2	1		2	7	12
	Colored	14										3	2
133	Diseases of the bladder:												
	Males—White	580	9					9	1	2		2	6
	Colored	106	2		1			3					2
	Females—White	165	4	1				5	1			3	2
	Colored	23									3		2
134	Diseases of the urethra, etc.:												
	Males—White	189		1				1		1	2		3
	Colored	126	3					3			2	5	9
	Females—White	11	1					1					
	Colored	3											
135	Diseases of the prostate:												
	Males—White	4,330									1	3	6
	Colored	350										1	1
136	Nonvenereal diseases of the male genital organs:												
	Males—White	72	35	1	2			38			1		2
	Colored	21	5					5		1		2	
137	Cysts, other benign tumors of the ovary:												
	Females—White	672									8	32	42
	Colored	74								2	1	5	9
138	Salpingitis and pelvic abscess (female):												
	Females—White	1,196								4	51	144	186
	Colored	359							1	1	31	54	75
139	Benign tumors of the uterus:												
	Females—White	1,465									4	8	34
	Colored	400									1	8	25
140	Nonpuerperal uterine hemorrhage:												
	Females—White	30								3	3	2	3
	Colored	11									1	1	1
141	Other diseases of the female genital organs:												
	Females—White	591								2	15	34	61
	Colored	106								1	7	15	10

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
22	20	28	38	38	49	36	54	33	35	31	13	5	3			
4	8	6	13	5	4	5	1		1	2	2			1	1	
26	27	20	22	22	26	25	30	28	32	20	13	8				119
7	8	11	9	4	4	2	2	6	1	1		1	1	1		
12	16	8	14	6	15	10	15	7	9	4	1				1	
2		1	2			1		1								
24	24	23	16	16	13	6	9	7	5	4	2				1	120
2	2	2	2	3	1	1		2		1						
	1	3	2	1	1		1	1	1							
	1	1	2		1	1	1	1	1	1		1				121
1							1									
69	173	254	376	510	541	648	570	427	303	147	61	4	3	1	4	
15	31	49	43	46	45	32	24	19	8	8	1	2	1	1	4	
50	96	137	178	203	231	283	292	279	236	159	62	12	1	1	1	122
13	23	15	31	25	22	16	22	13	13	7	1		1		1	
23	37	73	83	104	129	141	141	97	64	28	11	1			1	
3	5	3	3	3	5	4	2	1								
113	190	196	306	372	389	318	307	214	165	73	34	3				123
3	7	9	9	11	5	4	6	4	1							
76	84	97	119	131	150	139	154	132	101	58	25	4	1		1	
8	8	12	17	20	9	9	8	10	6	4	3					
86	139	154	193	210	262	279	233	193	164	110	71	11		1	1	124
12	14	17	16	7	6	10	6	5	3	4	1				2	
15	22	32	20	29	27	24	25	14	5	5	1	1				
2	1	1	5						1							
15	18	37	23	35	41	31	22	14	4	6						125
	3	2		1	1	3										
30	33	30	31	36	35	38	32	30	16	7	6	2				
4	2	4	2	10	5	1	4	3	1					1		
50	53	36	38	25	23	37	21	15	20	18	4	2				126
7	12	8	2	11	1	4	2		1						1	
727	1,046	1,497	2,171	2,956	4,088	5,388	6,833	7,295	6,821	4,833	2,257	630	106	22	31	
189	310	438	574	786	732	758	720	710	511	421	208	69	42	33	32	
1,208	1,709	2,186	2,526	3,008	3,420	4,309	5,183	5,392	5,071	3,696	2,007	578	128	19	29	
388	586	662	642	617	477	528	446	401	281	211	118	64	32	32	24	
92	114	118	144	137	152	132	132	143	107	86	25	11	5		2	
30	52	54	48	72	40	47	31	28	11	9	4	3	3	2	3	
97	116	105	92	105	86	95	99	84	91	72	32	13	3			128
41	45	55	42	48	32	26	26	9	11	6	3	2	4	2	2	
537	825	1,261	1,856	2,588	3,564	4,641	5,726	6,001	5,607	3,853	1,811	493	78	20	26	
134	229	339	463	630	626	628	596	591	437	347	181	58	36	24	25	
611	934	1,337	1,742	2,430	3,009	3,926	4,846	5,112	4,812	3,492	1,913	548	122	18	27	129
198	348	425	482	517	414	466	408	378	262	200	112	60	28	29	18	
		1														130
55	51	50	54	38	75	82	109	104	83	66	34	10	1	1	2	
10	11	16	13	17	22	14	13	15	15	9	4		1		2	
67	62	80	57	78	75	77	85	73	58	52	19	7	2			131
8	7	11	10	9	4	8	4	8	4	4		1				
27	31	39	47	38	35	62	52	50	37	23	12	1			1	
1	1		4	4		4	1	4		2						
16	19	28	22	24	25	34	14	16	12	5	3	1				132
		1	3		1	3	1									
7	10	9	13	18	24	35	40	69	101	134	68	21	11			
2	2	2	7	8	5	13	10	15	11	16	6	2		2		
3	3	5	4	5	11	19	13	15	26	25	19	5	1			133
2		1		3		3	1	1	3		1	1		1	1	
6	9	8	20	27	28	28	21	15	9	8	3					
11	8	17	17	21	6	7	10	6	2	1	1					
2	1			1	2	2	1			1						134
1		1	1													
3	5	11	34	56	208	406	747	906	874	661	304	93	11	1		
	5	8	19	34	32	42	59	51	35	37	11	6	2	5	2	135
	1	1	3	4	2	2	6	7	3	1		1				
1	2	2	3		1	3					1					136
66	65	76	87	74	40	45	46	34	31	17	7	2				
12	9	13	9	4	5	3		2								137
195	206	162	110	58	29	23	15	8	1	4						
54	73	39	21	7	1	1					1					138
79	233	294	331	183	88	55	43	39	35	23	12	1		1	2	
57	92	99	57	21	14	14	5	3	1	1					2	139
3	4	5	3	2			1		1							
3	2	1	1	1												140
68	65	92	77	48	53	33	20	11	4	5	2	1				
12	10	16	15	7	6	4	1				1				1	141

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	VII.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.												
142	Nonpuerperal diseases of the breast (cancer excepted):												
	Males—White	5	4					4					
	Females—White	20	12					12				2	
	Colored	4	1					1			1		1
	VIII.—The puerperal state:												
	Females—White	11,060								17	982	2,191	2,514
	Colored	2,421								26	495	565	460
143	Accidents of pregnancy:												
	Females—White	1,036								2	49	165	233
	Colored	199								2	17	44	43
144	Puerperal hemorrhage:												
	Females—White	1,146								1	33	158	227
	Colored	182								1	9	22	41
145	Other accidents of labor:												
	Females—White	1,219								1	76	189	251
	Colored	284								1	50	63	46
146	Puerperal septicemia:												
	Females—White	4,172								6	394	977	1,036
	Colored	846								5	173	226	185
147	Puerperal phlegmasia alba dolens, embolus, etc.:												
	Females—White	542									23	104	121
	Colored	52									5	10	13
148	Puerperal albuminuria and convulsions:												
	Females—White	2,890								7	405	590	630
	Colored	842								17	239	199	130
149	Following childbirth (undefined):												
	Females—White	48									2	8	14
	Colored	16									2	1	2
150	Puerperal diseases of the breast:												
	Females—White	7											2
	IX.—Diseases of the skin and of the cellular tissue:												
	Males—White	1,554	252	18	12	8	4	294	18	21	42	34	34
	Colored	164	18	1				19	1	1	5	5	7
	Females—White	1,134	219	10	5	7	3	244	20	22	33	31	28
	Colored	143	7	3				10	1		8	2	4
151	Gangrene:												
	Males—White	625	14	1	2	3	3	23	3	5		1	4
	Colored	75									1	2	2
	Females—White	396	7	2		2	2	13	4	2		4	3
	Colored	72		1				1	1				
152	Furuncle:												
	Males—White	329	39	1	1	1		42	1	8	19	13	10
	Colored	16	4					4			1		
	Females—White	160	24	2	1			27	2	5	13	10	10
	Colored	8	2					2					1
153	Acute abscess:												
	Males—White	305	70	10	5	2	1	88	9	5	16	18	14
	Colored	41	4	1				5	1	1	3	2	4
	Females—White	239	71	1	1	4	1	78	10	9	9	12	11
	Colored	21	3					3			4		
154	Other diseases of the skin and annexa:												
	Males—White	295	129	6	4	2		141	5	3	7	2	6
	Colored	32	10					10				1	1
	Females—White	339	117	5	3	1		126	4	6	11	5	4
	Colored	42	2	2				4			4	2	3
	X.—Diseases of the bones and of the organs of locomotion:												
	Males—White	717	29	6	18	22	21	96	79	115	74	24	21
	Colored	72	6	1	1			8	5	6	7	5	4
	Females—White	395	21	6	10	21	12	70	76	54	9	7	5
	Colored	44	1	3	2			6	3	3	4	3	5
155	Diseases of the bones (tuberculosis excepted):												
	Males—White	597	27	4	15	21	19	86	72	102	61	20	18
	Colored	43	5					5	4	4	3	4	1
	Females—White	302	13	6	9	19	10	57	63	44	8	5	5
	Colored	29	1	3	2			6	3	3	3	1	3
156	Diseases of the joints (tuberculosis and rheumatism excepted):												
	Males—White	94	2	2	3	1	2	10	6	8	13	2	3
	Colored	22	1	1	1			3	1	2	3	1	2
	Females—White	68	7		1	2	2	12	12	10	1	1	
	Colored	10									1	1	2
157	Amputations:												
	Males—White	1										1	
	Colored	1									1		
158	Other diseases of the organs of locomotion:												
	Males—White	25							1	5		1	
	Colored	6											1
	Females—White	25	1					1	1			1	
	Colored	5										1	
	XI.—Malformations:												
	Males—White	7,058	6,507	172	83	36	29	6,827	97	44	33	21	7
	Colored	417	352	23	9	8	4	396	6	11	3		
	Females—White	5,295	4,824	177	62	33	27	5,123	78	22	22	16	7
	Colored	303	258	12	7	4	5	286	11	2	1	1	
159a	Congenital hydrocephalus:												
	Males—White	678	513	53	32	12	10	620	27	9	13	4	1
	Colored	66	37	11	3	5	1	57	3	6			
	Females—White	604	476	54	18	10	9	567	24	2	5	1	
	Colored	49	31	6	1	2	3	43	5		1		

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
										1						
1	1	1	1		2											142
			1													
2,343	2,033	873	95	4											8	
343	358	137	26												11	
255	226	93	11	1											1	143
44	38	8	3													
297	274	145	8	1											2	144
45	43	18	2												1	
278	283	119	21	1												145
45	49	21	7												2	
856	641	237	23	1											1	146
111	109	30	5												2	
137	105	48	4													147
6	12	5	1													
508	491	229	26												4	148
85	105	53	8												6	
9	12	2	1													149
7	2	2														
3	1		1													150
54	37	48	71	61	86	86	98	144	156	143	80	39	7	2	1	
9	8	11	11	16	13	12	10	5	9	12	2	5		1	2	
36	32	49	32	45	44	49	69	66	94	108	80	34	17		1	
4	4	9	7	22	4	14	11	12	13	4	6	4	3		1	
8	4	12	8	13	18	38	47	104	115	110	69	34	6	2	1	151
1	3	4	5	10	5	8	7	2	7	11	1	4		1	1	
4	5	8	5	13	10	15	29	42	60	81	60	24	14			
	1		5	14	1	10	7	7	11	3	5	3	3			
24	15	18	26	27	29	24	22	18	11	17	2	2	1			152
2	1	3	2		2		1									
19	7	17	6	9	3	11	9	4	1	3	2	1	1			
2		1		1			1									
15	14	10	26	11	28	13	16	8	10	2	2					153
5	4	4	2	5	2	2			1							
8	12	11	10	13	17	8	10	2	7	6	3	1	1		1	
2	2	5	1	2		1	1									
7	4	8	11	10	11	11	11	14	20	14	7	3				154
1			2	1	4	2	2	3	1	1	1	1			1	
5	8	13	11	10	14	15	21	18	26	18	15	8	1			
	1	3	1	5	3	3	2	5	2	1	1	1			1	
32	25	17	23	38	37	41	35	22	21	10	4	2			1	
8	7	2	7	5	5	1	2									
6	15	11	11	16	17	19	25	19	18	11	2	3	1			
3	2	6	2	3		2	1							1		
26	19	16	19	31	29	31	26	13	16	8	2	1			1	155
7	4	2	2	3	3		1									
2	11	9	4	13	12	13	17	14	12	8	2	3				
2		2	2	2		1	1									
4	6		3	7	5	7	6	8	4	1		1				156
	3		4	1	2											
2	3	1	6	3	2	3	7	2	2				1			
	1	3		1		1										
																157
2		1	1		3	3	3	1	1	1	2					158
1			1	1		1	1									
2	1	1	1		3	3	1	3	4	3						
1	1	1												1		
10	6	4	3	2	4											
					1											
3	10	2	5	3	3	1										
		1													1	
3			1													159a
	3			1		1										

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XI.—Malformation—Continued.												
159b	Congenital malformations of the heart:												
	Males—White	4,173	3,902	80	35	18	14	4,049	52	26	13	15	4
	Colored	221	203	4	3	2	2	214	1	4	2		
	Females—White	2,951	2,708	83	29	11	11	2,842	44	18	14	13	7
	Colored	159	144	5	3			152	4	1			
159c	Other congenital malformations:												
	Males—White	2,207	2,092	39	16	6	5	2,158	18	9	7	2	2
	Colored	130	112	8	3	1	1	125	2	1	1		
	Females—White	1,740	1,640	40	15	12	7	1,714	10	2	3	2	
	Colored	95	83	1	3	2	2	91	2	1		1	
	XII.—Early infancy:												
	Males—White	28,444	28,444					28,444					
	Colored	3,685	3,685					3,685					
	Females—White	20,764	20,764					20,764					
	Colored	2,953	2,953					2,953					
160	Congenital debility, icterus, sclerema:												
	Males—White	3,293	3,293					3,293					
	Colored	696	696					696					
	Females—White	2,451	2,451					2,451					
	Colored	598	598					598					
161a	Premature birth:												
	Males—White	17,262	17,262					17,262					
	Colored	2,258	2,258					2,258					
	Females—White	13,176	13,176					13,176					
	Colored	1,882	1,882					1,882					
161b	Injury at birth:												
	Males—White	5,545	5,545					5,545					
	Colored	358	358					358					
	Females—White	3,467	3,467					3,467					
	Colored	221	221					221					
162	Other diseases peculiar to early infancy:												
	Males—White	2,298	2,298					2,298					
	Colored	356	356					356					
	Females—White	1,637	1,637					1,637					
	Colored	235	235					235					
163	Lack of care:												
	Males—White	46	46					46					
	Colored	17	17					17					
	Females—White	33	33					33					
	Colored	17	17					17					
164	XIII.—Old age (senility):												
	Males—White	3,394											
	Colored	873											
	Females—White	4,819											
	Colored	1,044											
	XIV.—External causes:												
	Males—White	59,593	954	760	683	656	669	3,722	2,856	2,351	3,569	4,538	4,308
	Colored	7,921	170	119	113	82	77	561	252	335	634	994	1,045
	Females—White	22,151	733	670	481	567	493	2,944	1,406	684	1,007	1,099	982
	Colored	2,598	195	76	96	95	95	557	219	63	175	282	276
	Suicide:												
	Males—White	8,468								26	140	407	524
	Colored	256								2	12	27	32
	Females—White	2,663								17	136	243	297
	Colored	85									6	15	20
165	By poisons (gas or corrosives excepted)—												
	Males—White	378									10	25	26
	Colored	11										1	3
	Females—White	229								1	21	20	29
	Colored	8										4	
166	By corrosive substances—												
	Males—White	557								1	7	43	61
	Colored	15										2	4
	Females—White	544								3	47	86	101
	Colored	20									2	2	8
167	By poisonous gas—												
	Males—White	1,099								2	12	33	62
	Colored	15											1
	Females—White	573									12	35	61
	Colored	7											3
168	By hanging or strangulation—												
	Males—White	1,708								11	26	51	71
	Colored	38									1	2	2
	Females—White	353										6	20
	Colored	11											3
169	By drowning—												
	Males—White	400									1	11	16
	Colored	20										4	5
	Females—White	262									12	13	17
	Colored	3											1
170	By firearms—												
	Males—White	3,316								12	80	215	237
	Colored	114								1	11	15	15
	Females—White	433								13	39	66	47
	Colored	20									4	7	2
171	By cutting or piercing instruments—												
	Males—White	644									1	9	21
	Colored	23										1	
	Females—White	86									1	6	5
	Colored	3											1
172	By jumping from high places—												
	Males—White	213									2	8	19
	Colored	12										1	2
	Females—White	114									3	10	13
	Colored	8										2	2
173	By crushing—												
	Males—White	96									1	8	7
	Colored	6								1		1	
	Females—White	18										1	2
174	By other means—												
	Males—White	57										4	4
	Colored	2											
	Females—White	51									1		2
	Colored	5											
	Homicide:												
	Males—White	3,590	69	5	8	8	5	95	29	34	159	475	539
	Colored	2,624	10		2		1	13	6	14	154	432	554
	Females—White	923	59	6	4	3	4	76	13	10	96	155	139
	Colored	552	1	1	2	1		5	5	4	55	132	131

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
6	5			1	2											
3	2	2	3	1	2											159b
		1													1	
1	1	4	2	1	2											
	5		2	1	1											159c
																160
																161a
																161b
																162
																163
				5	4	26	92	304	592	960	820	443	126	22	5	
				4	4	13	29	97	128	200	135	119	45	9	3	
				6	16	42	109	357	739	1,255	1,237	731	252	64	11	164
				5	4	24	26	96	125	212	147	149	85	164	7	
4,388	4,850	4,661	4,513	4,157	3,658	3,250	2,892	2,205	1,580	1,046	633	210	37	3	166	
891	853	618	493	388	219	171	128	92	78	45	24	13	6	3	78	
995	1,020	980	1,010	1,002	960	1,071	1,158	1,275	1,455	1,540	1,006	425	96	10	26	
173	172	124	95	84	64	66	50	39	40	46	27	12	6	15	13	
678	799	893	950	944	843	778	646	430	232	104	44	6			24	
34	39	28	26	7	13	9	11	5	5	2	1				3	
294	296	285	276	257	180	151	109	69	28	14	5	2	2		2	
11	11	5	6	6	2	1	1	1								
23	34	43	50	42	38	20	34	12	14	4	3					
1	1	2	1					1		1						
31	28	19	19	22	11	13	4	5	2	1	2				1	165
1	1			1		1										
62	65	67	58	57	50	33	26	20	5	2						
4	3	1			1											
69	60	55	44	37	19	10	9	2	2							166
2	3	2			1											
85	93	117	133	134	136	133	83	46	16	9	4				1	
2	4	3	4	1												
69	58	50	70	66	43	45	34	20	5	4	1					167
1	3															
108	151	168	180	197	178	167	161	122	60	29	17	2			9	
3	6	3	3	2	2	2	4	2	2		1				3	
27	35	51	48	43	42	28	25	13	6	4	2	2	1			168
	2	2	1	1	1		1									
24	32	42	49	55	43	43	33	20	18	7	3				3	
3	2	1	2		1	2										
22	29	29	30	24	26	20	20	12	5	2					1	169
	1							1								
286	332	328	359	343	288	292	233	161	90	34	14	4			8	
14	15	12	13	3	4	3	5	2	1							
52	60	44	33	30	21	13	6	7	2							170
2	1		2	2												
49	60	79	80	68	78	68	52	40	23	11	3				2	
4	6	4	2	1	1	2			1	1						
9	9	10	12	8	6	11	2	3	3	1						171
1			1													
28	16	26	23	31	23	7	14	5	4	7						
2	2	2			2		1									
9	10	18	12	12	7	6	6	5	1	2						172
1			2	1												
11	10	18	12	10	4	9	4	1	1							
1			1		1		1									
4	2	4		4	1											173
2	6	5	6	7	5	6	6	3	1	1					1	
					1				1							
2	5	5	8	11	4	5	3	2	2				1			174
3		1		1												
526	503	386	282	203	131	96	63	31	15	2	2				19	
468	369	245	152	102	35	27	14	4	4	4	1				26	
111	110	63	51	34	21	10	15	8	5	3	1				2	
85	75	31	14	3	2	2	5								3	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR,

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued.												
	Homicide—Continued.												
197	By firearms—												
	Males—White	2,631	3	4	5	3	2	17	10	21	123	394	436
	Colored	1,954			2		1	3	5	11	109	323	423
	Females—White	419	1	2		1	1	5	5	5	52	70	59
	Colored	349		1				1	4	3	36	82	79
198	By cutting or piercing instruments—												
	Males—White	348	4		1		1	6	5	1	22	53	60
	Colored	442	1					1		1	29	76	94
	Females—White	98	5	1	1	2	1	10	4	4	6	14	7
	Colored	136			1			1		1	13	34	38
199	By other means—												
	Males—White	611	62	1	2	5	2	72	14	12	14	28	43
	Colored	228	9					9	1	2	16	33	37
	Females—White	406	53	3	3		2	61	4	1	38	71	73
	Colored	67	1		1	1		3	1		6	16	14
	Accidental or undefined:												
	Males—White	47,535	885	755	675	648	664	3,627	2,827	2,291	3,270	3,656	3,245
	Colored	5,041	160	119	111	82	76	548	246	319	468	535	459
	Females—White	18,565	674	664	477	564	489	2,868	1,393	657	775	701	546
	Colored	1,961	194	75	94	94	95	552	214	59	114	135	125
175	Poisoning by food—												
	Males—White	325	43	25	20	15	10	113	23	7	13	11	6
	Colored	50	9	5	2	2	2	20	3		2	3	6
	Females—White	294	31	24	16	13	8	92	21	9	12	10	14
	Colored	75	7	1	4	1		13	7	3	5	2	8
176	Poisoning by venomous animals—												
	Males—White	34	5	1	1	1	2	10	3		1		1
	Colored	7	2	1				3	1				1
	Females—White	27	3		2		2	7	4		1	1	1
	Colored	1		1				1					
177	Other acute poisonings (gas excepted)—												
	Males—White	754	26	123	59	32	17	257	22	5	13	27	37
	Colored	96	2	19	9	9	3	42	7	1	3	8	7
	Females—White	475	21	86	37	26	18	188	20	4	18	52	28
	Colored	72	5	15	8	5	2	35			7	7	6
178	Conflagration—												
	Males—White	639	24	24	19	28	27	122	34	26	21	32	34
	Colored	130	3	9	10	5	8	35	12	4	5	8	6
	Females—White	381	17	24	19	28	10	98	50	22	15	14	17
	Colored	96	10	4	8	6	8	36	14	2	3	5	5
179	Burns (conflagration excepted)—												
	Males—White	1,978	93	221	244	171	113	842	169	45	65	87	85
	Colored	401	13	48	54	35	29	179	25	12	18	17	24
	Females—White	2,582	78	218	192	254	214	956	347	85	91	90	74
	Colored	673	23	27	57	62	67	236	120	26	27	35	34
180	Mechanical suffocation—												
	Males—White	500	289	2		2	3	296	12	16	7	16	11
	Colored	96	69	2				71	2	2	2	8	1
	Females—White	259	237	4		2	1	244	2	1	2		
	Colored	79	77					77			1		
181	Absorption of irrespirable, irritating, or poisonous gas—												
	Males—White	1,650	10	6	4	3	3	26	17	14	56	77	81
	Colored	85	1					1	1		6	9	9
	Females—White	607	7	3	2	1	4	17	12	9	15	39	28
	Colored	25	1					1			1	2	1
182	Drowning—												
	Males—White	4,644	14	91	78	51	54	288	455	564	689	521	338
	Colored	632	2	6	8	2	5	23	41	110	125	87	57
	Females—White	645	12	72	33	20	9	146	60	98	99	57	27
	Colored	53	2	7	1	3	1	14	10	2	6	6	3
183	Traumatism by firearms (except in war)—												
	Males—White	1,476	2	4	7	9	18	40	85	237	328	185	121
	Colored	416		2	2	4	2	10	28	54	79	66	54
	Females—White	207	2	6	7	8	4	27	38	23	27	20	17
	Colored	97		1	2	3	4	10	13	5	19	21	11
184	Traumatism by cutting or piercing instruments—												
	Males—White	426	20	6	5	7	8	46	25	21	17	25	20
	Colored	51	1				1	2	2	3	2	4	8
	Females—White	154	3	6	1	3	2	15	11	6	4	5	7
	Colored	32	1		1			2		3	1	1	1
185	Traumatism by fall—												
	Males—White	6,532	53	72	49	61	35	270	161	162	201	230	216
	Colored	404	17	7	11	5	3	43	15	15	11	28	27
	Females—White	5,791	33	65	29	34	23	184	69	51	26	37	39
	Colored	174	17	7	3	2	2	31	7	4	3	8	8
186a	Traumatism in mines—												
	Males—White	1,735							2	3	90	211	225
	Colored	106							1		6	11	10
	Females—White	1										1	
186b	Traumatism in quarries—												
	Males—White	79							1	2	3	9	8
	Colored	10									2	1	2
187	Traumatism by machines—												
	Males—White	1,764	1	5	3	3	4	16	25	37	133	188	191
	Colored	233							1	9	23	42	29
	Females—White	86		2	2	2	4	10	3	12	15	5	5
	Colored	3									2		
188a	Railroad accidents—												
	Males—White	4,809	6	13	15	11	7	52	110	110	329	441	426
	Colored	522		2		1	3	6	6	19	43	79	55
	Females—White	744	5	12	12	6	10	45	40	36	79	49	46
	Colored	42				2		2	1		2	3	4
	Collision with automobiles—												
	Males—White	792	6	3	5	5	3	22	25	18	74	89	83
	Colored	34							2	4	4	6	3
	Females—White	356	4	1	4	4	8	21	18	17	54	31	23
	Colored	9				1		1	1				
	Other railroad accidents—												
	Males—White	4,017		10	10	6	4	30	85	92	255	352	343
	Colored	488		2		1	3	6	4	15	39	73	52
	Females—White	388	1	11	8	2	2	24	22	19	25	18	23
	Colored	33				1		1			2	3	4

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
411	397	268	214	134	89	49	38	9	8						13	197
344	294	182	103	78	25	17	8	3	2	3					21	
57	47	41	27	19	14	3	8	2	1	2					2	
61	47	21	8	2	1	1	1								2	
52	38	47	10	31	5	8	2	5			1				2	198
95	55	44	23	11	4	4	2		1						2	
12	13	6	8	1	4	4	2	1	1		1					
16	19	7	3	1		1	1								1	
63	68	71	58	38	37	39	23	17	7	2	1				4	199
29	20	19	26	13	6	6	4	1	1	1	1				3	
42	50	16	16	14	3	3	5	5	3	1						
8	9	3	3		1		3									
3,184	3,548	3,382	3,281	3,010	2,684	2,376	2,183	1,744	1,333	940	587	204	37	3	123	
389	445	345	315	279	171	135	103	83	69	39	22	13	6	3	49	
590	614	632	683	711	759	910	1,034	1,198	1,422	1,523	1,000	423	94	10	22	
77	86	88	75	75	60	63	44	38	40	46	27	12	6	15	10	
6	11	12	19	14	26	18	19	11	7	7	1	1				175
4	1	2	3	3	1	1				1						
9	16	8	14	8	17	10	16	15	10	5	4	3			1	
3	7	3	9	6	1	2	3	1	1	1						
2	1	2	3	1	1	1	2	2	3		1					176
				2												
1		1	1	2	2	1	1	2		1	1					
49	46	62	61	46	55	30	18	13	7	2		1			3	177
4	4	3	7	2	3	1	3								1	
45	28	30	26	10	3	4	6	4	5	2	1				1	
1	6	7	1		1										1	
32	55	37	43	28	28	41	32	31	15	13	5				10	178
7	6	5	7	4	1	5	5	3	5	5	2	3	1		1	
14	21	12	14	17	16	12	14	16	11	13	4		1			
4	2	1		2	4	2	1	4		2	4	1	1	1	2	
84	91	83	72	67	51	45	60	44	37	22	22	4	1		2	179
15	16	16	14	17	10	8	7	8	4	2	5	2	1	1		
85	88	63	91	62	70	95	80	95	92	74	32	9	2	1		
10	14	15	22	21	17	18	11	8	15	19	9	5	2	8	1	
22	28	23	28	13	9	9	7	1	1						1	180
1	3	1	1	2			1		1							
	1	3		3		2	1									
							1									
99	151	165	183	187	167	143	96	69	60	40	14	3			2	181
11	10	8	10	5		5	2	3	2		1				2	
21	35	38	35	58	52	53	54	44	40	38	15	4				
6		3	1	1	3	1	3	1	1							
287	327	271	243	212	153	103	80	43	30	11	2				27	182
52	35	26	25	17	8	7	2	3	3	2					9	
27	29	21	15	14	11	11	6	7	5	5	2				5	
	2	4		1	3										2	
108	78	59	65	54	34	34	24	14	5	2	1				2	183
34	34	19	11	12	3	4	1		1		1				5	
21	8	7	7	4	2	2	3	1								
9	4	2					1								2	
19	23	32	26	34	33	25	39	13	16	8	3	1				184
1	7	5	4	4	4		1	1		1	1			1		
5	8	15	12	10	10	13	12	9	7	3	1	1				
	3	1	4	7	1	3	3					2				
273	384	423	447	437	384	434	442	493	490	501	391	150	31	2	10	185
32	35	32	39	35	23	19	12	10	9	8	3	4	2		2	
49	57	84	96	136	182	258	432	649	977	1,172	841	362	81	6	3	
7	8	9	8	9	9	11	5	8	11	14	5	2	3	4		
233	254	238	169	118	91	49	34	12	3						3	186a
17	25	6	6	8	6	1	3								6	
10	6	8	11	5	7	8			1							186b
	3		1			1										
203	183	156	159	143	101	85	73	44	19	4	1				3	187
25	27	15	19	14	12	7	4	5		1						
6	3	6	6	2	5	4	1	1	1	1						
				1												
429	522	440	444	419	309	265	218	127	83	40	17	3	1	1	23	188a
48	59	54	39	27	18	18	10	10	11	2		1	1		16	
56	53	47	61	43	44	42	40	29	16	10	3	2			3	
5	3	6	3	2		5		1	1	2				1	1	
79	97	59	61	64	42	29	22	18	5	2	1				2	
4	1	5	3	1		1										
29	22	28	34	26	21	12	10	6	1			1			2	
4	1	1		1												
350	425	381	383	355	267	236	196	109	78	38	16	3	1	1	21	
44	58	49	36	26	18	17	10	10	11	2		1	1		16	
27	31	19	27	17	23	30	30	23	15	10	3	1			1	
1	2	5	3	1		5		1	1	2				1	1	

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM EACH CAUSE, BY AGE, SEX, AND COLOR

List No.	CAUSE OF DEATH, SEX, AND COLOR	All deaths	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5 to 9 years	10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years
	XIV.—External causes—Continued.												
	Accidental or undefined—Continued.												
188b	Street-car accidents—												
	Males—White	1,102	1	4	8	10	9	32	32	25	55	78	89
	Colored	72							3	4	3	5	8
	Females—White	358	1	4	7	4	11	27	23	10	27	23	14
	Colored	16							2			1	2
	Collision with automobiles—												
	Males—White	318	1	2		2		5	6	6	27	41	42
	Colored	18							1			3	2
	Females—White	132	1	3	1	1	2	8	8	5	17	14	6
	Colored	4											1
	Other street-car accidents—												
	Males—White	784		2	8	8	9	27	26	19	28	37	47
	Colored	54							2	4	3	2	6
	Females—White	226		1	6	3	9	19	15	5	10	9	8
	Colored	12							2			1	1
188c	Automobile accidents (excluding collision with railroad trains and street cars)—												
	Males—White	11,062	38	57	90	175	267	627	1,312	656	775	889	729
	Colored	830	3	3	7	13	15	41	77	48	66	74	70
	Females—White	4,070	33	47	55	101	135	371	581	199	291	241	167
	Colored	274	2	1	3	7	9	22	30	8	18	31	32
188d	Airplane and balloon accidents—												
	Males—White	143							1	3	8	20	45
	Females—White	10								1	1	4	1
188e,f	Injuries by other vehicles—												
	Males—White	1,167	5	4	9	8	17	43	96	83	90	94	69
	Colored	81	2	2	2	1		7	4	3	6	2	3
	Females—White	151	2	5	7	4	10	28	18	16	14	6	5
	Colored	16	2	1	1		1	5	1		1		
188g	Landslide, other crushing—												
	Males—White	566	1		3	1	4	9	21	21	39	54	64
	Colored	64							1	2	7	6	8
	Females—White	52	2		1	1	3	7	5	5	3	1	5
	Colored	3											
189	Injuries by animals (not poisoning)—												
	Males—White	469	2	1	6	9	11	29	31	32	19	22	16
	Colored	40			2			2	1	4	4	2	5
	Females—White	38		3	1	3	1	8	10	1			
	Colored	2	1					1		1			
190	Wounds of war—												
	Males—White	4											1
192	Starvation (deprivation of food or water)—												
	Males—White	3	1					1			1		
	Colored	1		1				1					
	Females—White	5	2					2					
	Colored	1	1					1					
193	Excessive cold—												
	Males—White	157	1					1	1			3	8
	Colored	30	1					1				1	3
	Females—White	24	1					1				2	
	Colored	12	1					1			1	1	
194	Excessive heat—												
	Males—White	776	57	10	5	4	4	80	4	3	9	18	13
	Colored	101	9	2				11			4	3	7
	Females—White	334	59	12	6	2		79	5	2	4	2	2
	Colored	59	17	3		1		21		1	1	1	3
195	Lightning—												
	Males—White	252	1				1	2	12	17	34	28	16
	Colored	59					1	1	4	4	13	8	3
	Females—White	41							4	5	2	1	2
	Colored	28	1					1	2	1	10	2	2
196	Other accidental electric shocks—												
	Males—White	838	1			1	1	3	8	45	80	144	144
	Colored	25							2	3	2	8	
	Females—White	25			2	1		3	1		2	1	4
	Colored	6								1	1	2	1
201	Fracture (cause not specified)—												
	Males—White	296	3	1			1	5	2	6	6	12	15
	Colored	39	3					3		1	3	4	1
	Females—White	219	3	3				6		1	2		1
	Colored	13			1			1					
202	Other external violence—												
	Males—White	3,344	188	85	50	46	48	417	163	151	188	232	236
	Colored	456	23	10	4	5	4	46	11	21	31	57	47
	Females—White	984	122	68	46	51	20	307	69	61	25	40	42
	Colored	109	26	7	5	2	1	41	7	2	5	7	4
203	Violent deaths of unknown causation—												
	Males—White	11										2	
	Colored	4								1	1		
	Females—White	1											
	XV.—Ill-defined diseases:												
	Males—White	4,184	1,591	149	54	15	20	1,829	49	21	28	32	44
	Colored	3,712	1,586	165	41	30	14	1,836	48	52	68	76	63
	Females—White	2,989	1,267	135	32	20	15	1,469	33	25	42	46	29
	Colored	3,292	1,247	139	51	31	25	1,493	37	47	97	138	108
204	Sudden death:												
	Males—White	647	108	3	2	1		114	2	5	2	5	8
	Colored	332	56	6		2	1	65	3	4	3	7	7
	Females—White	374	67	5		2		74		1	3	2	8
	Colored	255	43	3	1	1	1	49	2	2	8	9	12
205a	Ill-defined:												
	Males—White	1,337	253	96	22	3	7	381	19	9	14	12	22
	Colored	783	177	70	15	12	5	279	9	15	13	11	12
	Females—White	894	237	75	17	9	5	343	9	12	18	17	10
	Colored	692	135	61	26	6	9	237	14	10	23	34	23
205b	Not specified or unknown:												
	Males—White	2,200	1,230	50	30	11	13	1,334	28	7	12	15	14
	Colored	2,597	1,353	89	26	16	8	1,492	36	33	52	58	44
	Females—White	1,721	963	55	15	9	10	1,052	24	12	21	27	11
	Colored	2,345	1,069	75	24	24	15	1,207	21	35	66	95	73

NOTE.—For populations and States, see Tables A and K, Part II.

IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 to 59 years	60 to 64 years	65 to 69 years	70 to 74 years	75 to 79 years	80 to 84 years	85 to 89 years	90 to 94 years	95 to 99 years	100 years and over	Age unknown	List No.
72	92	97	76	88	93	84	74	47	33	24	9	1			1	
4	10	5	11	5	5	3	1	4	1							
18	16	20	19	29	19	29	25	22	15	19	3					
1	3	2	2	1		1	1									
30	34	38	18	16	16	21	10	4	1	2	1					
2	3	2	2	1	1			1								188b
11	10	7	9	8	6	9	4	7	1	2						
	1	1	1													
42	58	59	58	72	77	63	64	43	32	22	8	1			1	
2	7	3	9	4	4	3	1	3	1							
7	6	13	10	21	13	20	21	15	14	17	3					
1	2	1	1	1		1	1									
667	691	658	649	643	610	587	564	451	332	136	52	21	2		11	
70	74	79	49	60	35	21	25	20	12	3	2			1	3	188c
163	172	207	218	225	257	297	255	191	134	69	23	3	1	1	4	
23	15	25	14	11	11	9	7	7	4	4	2	1				
47	7	6	3		1										2	188d
1	1				1											
56	61	58	66	64	81	81	81	71	45	16	7	1			4	
6	6	7	6	7	5	4	7	2	5	1						188e, f
3	6	4	9	5	6	4	15	4	4	3	1					
	1	2	1	1				3	1							
54	67	49	42	36	38	21	21	17	8	2	2				1	
4	11	9	4	5	3		2			1					1	188g
3	4	1	3	3	2	2	2	2	1	2	1					
1			1			1										
21	24	31	24	25	41	43	42	38	16	11	3	1				
	2	1	1	3	7	2	1	2		3						189
1	1	1	3	3	2	2	1	4	1							
3																190
				1												
																192
	1		1				1									
6	12	9	14	15	18	14	12	16	12	6	6				4	
1	3	1	3	5		1	1		4	5		1				193
2	1	1	3	1	2	4	2	1		2	2					
		1				1	2	1	1	1	1	1				
28	44	64	84	79	88	58	58	43	43	30	18	10	1		1	
4	6	6	15	7	8	12	4	4	1	2	4	1			2	194
8	9	9	2	16	10	21	26	34	27	30	22	18	7	1		
2	2	2	1	3	6	6	1	2	4	1	1			1		
24	14	22	19	25	19	5	6	4	1	1	1				2	
3	7	4	4	4	1	1	1		1							195
5	2	3	4	3	3	1		5	1							
	3	2	1	1	1			2								
122	96	76	45	25	22	16	7	3		1					1	
3	1	4	2													196
3	2	2	1	4	2											
	1															
12	28	31	20	26	24	24	16	14	13	24	11	5	1		1	
1	8	3	2	4	5	2	1			1						201
3	2	1	5	6	5	5	13	25	42	49	31	18	1	1	2	
1	3		2	1					1	2	2					
215	252	269	266	203	199	150	158	123	53	38	20	2			9	
41	51	34	32	27	13	12	9	8	9	1	3	1	1		1	202
41	50	47	37	47	36	38	28	38	33	25	13	3	1		3	
4	9	3	5	7	3	3	5				3				1	
1		1		2	1	3				1						203
1	1															
		1														
51	67	98	121	185	177	254	353	307	278	147	78	20	8	3	34	
69	89	92	126	173	123	137	175	149	154	100	67	42	19	22	32	
58	72	63	67	79	56	131	176	185	175	141	77	36	9	7	13	
91	118	101	118	129	95	114	112	120	87	95	66	42	25	37	22	
8	13	19	23	37	39	66	93	81	72	33	19	2	4			
12	13	21	29	36	22	18	30	19	15	13	4	4	3	3	1	204
9	12	15	18	14	14	28	36	51	40	26	18	4	1			
6	8	13	16	19	14	26	12	17	11	13	6	2	2	5	3	
20	31	37	53	79	82	111	160	129	91	52	24	7	1		3	
21	23	28	41	50	39	47	53	51	38	25	14	5	2	1	6	205a
18	26	24	23	36	22	50	68	72	65	42	25	10	2	1	1	
20	41	32	41	38	22	31	32	32	25	12	9	8	6	1	1	
23	23	42	45	69	56	77	100	97	115	62	35	11	3	3	29	
36	53	43	56	37	62	72	92	79	101	62	49	33	14	18	25	205b
31	34	24	26	29	20	53	72	62	70	73	34	22	6	6	12	
65	69	56	61	72	59	57	68	71	51	70	51	32	17	31	18	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ALL CAUSES (EXCLUSIVE OF STILLBIRTHS)						
BOTH SEXES						
All ages	1,110,878	971,258	139,620			
Adjusted rate				1,146.1	1,073.8	2,010.7
Crude rate				1,189.6	1,132.6	1,830.2
Under 1 year	145,431	123,347	22,084	7,532.1	6,987.4	13,341.1
1 to 4 years	50,371	42,184	8,187	627.5	572.6	1,241.0
Under 5 years	195,802	165,531	30,271	1,966.2	1,812.5	3,668.1
5 to 9 years	20,470	17,880	2,590	210.8	202.6	293.7
10 to 14 years	16,513	13,798	2,715	182.4	168.3	318.0
15 to 19 years	26,694	20,390	6,304	330.3	278.4	831.3
20 to 24 years	34,971	26,186	8,785	431.0	356.4	1,145.5
25 to 34 years	74,318	58,196	16,122	482.9	410.5	1,328.3
35 to 44 years	93,847	76,233	17,614	734.3	649.0	1,701.4
45 to 54 years	118,693	100,515	18,178	1,238.4	1,131.8	2,584.3
55 to 64 years	151,974	133,229	13,745	2,518.8	2,420.9	4,242.8
65 to 74 years	183,455	172,193	11,262	5,757.2	5,709.3	6,604.2
75 years and over	192,781	181,308	11,473	14,114.4	14,068.6	14,879.7
Unknown	1,360	799	561			
MALES						
All ages	597,585	524,366	73,219			
Adjusted rate				1,223.5	1,154.3	2,033.7
Crude rate				1,257.3	1,201.0	1,892.2
Under 1 year	82,810	70,516	12,294	8,476.8	7,885.0	14,886.3
1 to 4 years	26,902	22,621	4,281	661.9	605.8	1,296.8
Under 5 years	109,712	93,137	16,575	2,176.4	2,012.3	4,016.1
5 to 9 years	11,332	10,030	1,302	231.2	224.9	294.6
10 to 14 years	9,121	7,739	1,382	199.8	187.0	323.6
15 to 19 years	13,478	10,713	2,765	336.2	293.9	758.5
20 to 24 years	17,141	13,084	4,057	433.7	364.2	1,126.6
25 to 34 years	37,826	29,840	7,986	486.1	414.8	1,360.0
35 to 44 years	51,772	42,669	9,103	777.2	696.8	1,691.6
45 to 54 years	67,581	57,510	10,071	1,322.6	1,223.8	2,454.7
55 to 64 years	85,547	78,016	7,531	2,702.4	2,618.2	4,053.2
65 to 74 years	99,773	93,528	6,245	6,148.4	6,115.5	6,687.6
75 years and over	93,445	87,572	5,873	14,565.1	14,496.4	15,672.2
Unknown	857	528	329			
FEMALES						
All ages	513,293	446,892	66,401			
Adjusted rate				1,076.3	1,001.1	1,989.5
Crude rate				1,119.4	1,061.6	1,766.4
Under 1 year	62,621	52,831	9,790	6,564.6	6,065.7	11,802.6
1 to 4 years	23,469	19,563	3,906	592.2	538.4	1,185.1
Under 5 years	86,090	72,394	13,696	1,750.8	1,607.1	3,319.9
5 to 9 years	9,138	7,850	1,288	190.1	179.7	292.8
10 to 14 years	7,392	6,059	1,333	164.7	149.2	312.4
15 to 19 years	13,216	9,677	3,539	324.4	263.0	898.8
20 to 24 years	17,830	13,102	4,728	428.4	348.9	1,162.2
25 to 34 years	36,492	28,356	8,136	479.7	406.2	1,298.6
35 to 44 years	42,075	33,564	8,511	687.6	597.0	1,712.1
45 to 54 years	51,112	43,005	8,107	1,142.2	1,028.4	2,765.7
55 to 64 years	66,427	60,213	6,214	2,316.1	2,205.7	4,497.8
65 to 74 years	83,682	78,665	5,017	5,351.1	5,291.4	6,503.3
75 years and over	99,336	93,736	5,600	13,715.2	13,691.2	14,130.4
Unknown	503	271	232			
TYPHOID AND PARATYPHOID FEVER						
BOTH SEXES						
All ages	7,094	5,124	1,970			
Adjusted rate				7.7	6.0	25.4
Crude rate				7.6	6.0	25.8
Under 1 year	60	36	24	3.1	2.0	14.5
1 to 4 years	288	200	88	3.6	2.7	13.3
Under 5 years	348	236	112	3.5	2.6	13.6
5 to 9 years	490	291	199	5.0	3.3	22.6
10 to 14 years	774	489	285	8.5	6.0	33.4
15 to 19 years	1,213	808	405	15.0	11.0	53.4
20 to 24 years	1,082	759	323	13.3	10.3	42.1
25 to 34 years	1,187	903	284	7.7	6.4	23.4
35 to 44 years	823	650	173	6.4	5.5	16.7
45 to 54 years	555	453	102	5.8	5.1	14.5
55 to 64 years	368	324	44	6.1	5.7	13.6
65 to 74 years	195	168	27	6.1	5.6	15.8
75 years and over	45	36	9	3.3	2.8	11.7
Unknown	14	7	7			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TYPHOID AND PARATYPHOID FEVER—continued						
MALES						
All ages	3,892	2,923	969			
Adjusted rate				8.4	6.8	25.2
Crude rate				8.2	6.7	25.0
Under 1 year	39	24	15	4.0	2.7	18.2
1 to 4 years	151	104	47	3.7	2.8	14.2
Under 5 years	190	128	62	3.8	2.8	15.0
5 to 9 years	219	138	81	4.5	3.1	18.3
10 to 14 years	344	218	126	7.5	5.3	29.5
15 to 19 years	606	422	184	15.1	11.6	50.5
20 to 24 years	633	460	173	16.0	12.8	48.0
25 to 34 years	660	514	146	8.5	7.1	24.9
35 to 44 years	520	431	89	7.8	7.0	16.5
45 to 54 years	339	278	61	6.6	5.9	14.9
55 to 64 years	234	211	23	7.4	7.1	12.4
65 to 74 years	114	98	16	7.0	6.4	17.1
75 years and over	26	22	4	4.1	3.6	10.7
Unknown	7	3	4			
FEMALES						
All ages	3,202	2,201	1,001			
Adjusted rate				7.1	5.3	25.7
Crude rate				7.0	5.2	26.6
Under 1 year	21	12	9	2.2	1.4	10.9
1 to 4 years	137	96	41	3.5	2.6	12.4
Under 5 years	158	108	50	3.2	2.4	12.1
5 to 9 years	271	153	118	5.6	3.5	26.8
10 to 14 years	430	271	159	9.6	6.7	37.3
15 to 19 years	607	386	221	14.9	10.5	56.1
20 to 24 years	449	299	150	10.8	8.0	36.9
25 to 34 years	527	389	138	6.9	5.6	22.0
35 to 44 years	303	219	84	5.0	3.9	16.9
45 to 54 years	216	175	41	4.8	4.2	14.0
55 to 64 years	134	113	21	4.7	4.1	15.2
65 to 74 years	81	70	11	5.2	4.7	14.3
75 years and over	19	14	5	2.6	2.0	12.6
Unknown	7	4	3			
MEASLES						
BOTH SEXES						
All ages	2,254	2,105	149			
Adjusted rate				2.6	2.6	2.0
Crude rate				2.4	2.5	2.0
Under 1 year	630	586	44	32.6	33.2	26.6
1 to 4 years	1,252	1,180	72	15.6	16.0	10.9
Under 5 years	1,882	1,766	116	18.9	19.3	14.1
5 to 9 years	180	168	12	1.9	1.9	1.4
10 to 14 years	50	41	9	0.6	0.5	1.1
15 to 19 years	29	22	7	0.4	0.3	0.9
20 to 24 years	23	21	2	0.3	0.3	0.3
25 to 34 years	30	30		0.2	0.2	
35 to 44 years	18	18		0.1	0.2	
45 to 54 years	17	16	1	0.2	0.2	0.1
55 to 64 years	14	13	1	0.2	0.2	0.3
65 to 74 years	5	5		0.2	0.2	
75 years and over	4	4		0.3	0.3	
Unknown	2	1	1			
MALES						
All ages	1,191	1,113	78			
Adjusted rate				2.7	2.7	2.1
Crude rate				2.5	2.5	2.0
Under 1 year	354	334	20	36.2	37.3	24.2
1 to 4 years	668	628	40	16.4	16.8	12.1
Under 5 years	1,022	962	60	20.3	20.8	14.5
5 to 9 years	88	79	9	1.8	1.8	2.0
10 to 14 years	27	22	5	0.6	0.5	1.2
15 to 19 years	10	8	2	0.2	0.2	0.5
20 to 24 years	12	11	1	0.3	0.3	0.3
25 to 34 years	11	11		0.1	0.2	
35 to 44 years	2	2		(1)	(1)	
45 to 54 years	5	5		0.1	0.1	
55 to 64 years	7	7		0.2	0.2	
65 to 74 years	3	3		0.2	0.2	
75 years and over	3	3		0.5	0.5	
Unknown	1		1			

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
MEASLES—continued						
FEMALES						
All ages	1,063	992	71			
Adjusted rate				2.4	2.5	1.9
Crude rate				2.3	2.4	1.9
Under 1 year	276	252	24	28.9	28.9	28.9
1 to 4 years	584	552	32	14.7	15.2	9.7
Under 5 years	860	804	56	17.5	17.8	13.6
5 to 9 years	92	89	3	1.9	2.0	0.7
10 to 14 years	23	19	4	0.5	0.5	0.9
15 to 19 years	19	14	5	0.5	0.4	1.3
20 to 24 years	11	10	1	0.3	0.3	0.2
25 to 34 years	19	19		0.2	0.3	
35 to 44 years	16	16		0.3	0.3	
45 to 54 years	12	11	1	0.3	0.3	0.3
55 to 64 years	7	6	1	0.2	0.2	0.7
65 to 74 years	2	2		0.1	0.1	
75 years and over	1	1		0.1	0.1	
Unknown	1	1				
SCARLET FEVER						
BOTH SEXES						
All ages	2,562	2,504	58			
Adjusted rate				2.9	3.1	0.7
Crude rate				2.7	2.9	0.8
Under 1 year	115	112	3	6.0	6.3	1.8
1 to 4 years	978	959	19	12.2	13.0	2.9
Under 5 years	1,093	1,071	22	11.0	11.7	2.7
5 to 9 years	650	633	17	6.7	7.2	1.9
10 to 14 years	253	249	4	2.8	3.0	0.5
15 to 19 years	145	142	3	1.8	1.9	0.4
20 to 24 years	126	121	5	1.6	1.6	0.7
25 to 34 years	165	161	4	1.1	1.1	0.3
35 to 44 years	72	70	2	0.6	0.6	0.2
45 to 54 years	41	41		0.4	0.5	
55 to 64 years	12	11	1	0.2	0.2	0.3
65 to 74 years	3	3		0.1	0.1	
75 years and over	2	2		0.1	0.2	
Unknown						
MALES						
All ages	1,234	1,206	28			
Adjusted rate				2.7	2.9	0.7
Crude rate				2.6	2.8	0.7
Under 1 year	63	60	3	6.4	6.7	3.6
1 to 4 years	502	492	10	12.4	13.2	3.0
Under 5 years	565	552	13	11.2	11.9	3.1
5 to 9 years	325	317	8	6.6	7.1	1.8
10 to 14 years	129	127	2	2.8	3.1	0.5
15 to 19 years	58	57	1	1.4	1.6	0.3
20 to 24 years	47	44	3	1.2	1.2	0.8
25 to 34 years	52	52		0.7	0.7	
35 to 44 years	27	27		0.4	0.4	
45 to 54 years	21	21		0.4	0.4	
55 to 64 years	7	6	1	0.2	0.2	0.5
65 to 74 years	1	1		0.1	0.1	
75 years and over	2	2		0.3	0.3	
Unknown						
FEMALES						
All ages	1,328	1,298	30			
Adjusted rate				3.0	3.2	0.8
Crude rate				2.9	3.1	0.8
Under 1 year	52	52		5.5	6.0	
1 to 4 years	476	467	9	12.0	12.9	2.7
Under 5 years	528	519	9	10.7	11.5	2.2
5 to 9 years	325	316	9	6.8	7.2	2.0
10 to 14 years	124	122	2	2.8	3.0	0.5
15 to 19 years	87	85	2	2.1	2.3	0.5
20 to 24 years	79	77	2	1.9	2.1	0.5
25 to 34 years	113	109	4	1.5	1.6	0.6
35 to 44 years	45	43	2	0.7	0.8	0.4
45 to 54 years	20	20		0.4	0.5	
55 to 64 years	5	5		0.2	0.2	
65 to 74 years	2	2		0.1	0.1	
75 years and over						
Unknown						

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
WHOOPING COUGH						
BOTH SEXES						
All ages	6,187	4,972	1,215			
Adjusted rate				7.1	6.2	16.7
Crude rate				6.6	5.8	15.9
Under 1 year	3,619	2,971	648	187.4	168.3	391.5
1 to 4 years	2,351	1,840	511	29.3	25.0	77.5
Under 5 years	5,970	4,811	1,159	60.0	52.7	140.4
5 to 9 years	157	119	38	1.6	1.3	4.3
10 to 14 years	27	17	10	0.3	0.2	1.2
15 to 19 years	9	5	4	0.1	0.1	0.5
20 to 24 years	1	1		(1)	(1)	
25 to 34 years	3	3		(1)	(1)	
35 to 44 years	5	3	2	(1)	(1)	0.2
45 to 54 years	3	3		(1)	(1)	
55 to 64 years	1	1		(1)	(1)	
65 to 74 years	4	4		0.1	0.1	
75 years and over	3	3		0.2	0.2	
Unknown	4	2	2			
MALES						
All ages	2,896	2,335	561			
Adjusted rate				6.5	5.8	15.4
Crude rate				6.1	5.3	14.5
Under 1 year	1,775	1,463	312	181.7	163.6	377.8
1 to 4 years	1,023	795	228	25.2	21.3	69.1
Under 5 years	2,798	2,258	540	55.5	48.8	130.8
5 to 9 years	68	51	17	1.4	1.1	3.8
10 to 14 years	12	9	3	0.3	0.2	0.7
15 to 19 years	6	5	1	0.1	0.1	0.3
20 to 24 years	1	1		(1)	(1)	
25 to 34 years	1	1		(1)	(1)	
35 to 44 years	1	1		(1)	(1)	
45 to 54 years	2	2		(1)	(1)	
55 to 64 years						
65 to 74 years	4	4		0.2	0.3	
75 years and over	1	1		0.2	0.2	
Unknown	2	2				
FEMALES						
All ages	3,291	2,637	654			
Adjusted rate				7.6	6.7	18.0
Crude rate				7.2	6.3	17.4
Under 1 year	1,844	1,508	336	193.3	173.1	405.1
1 to 4 years	1,328	1,045	283	33.5	28.8	85.9
Under 5 years	3,172	2,553	619	64.5	56.7	150.0
5 to 9 years	89	68	21	1.9	1.6	4.8
10 to 14 years	15	8	7	0.3	0.2	1.6
15 to 19 years	3		3	0.1		0.8
20 to 24 years						
25 to 34 years	2	2		(1)	(1)	
35 to 44 years	4	2	2	0.1	(1)	0.4
45 to 54 years	1	1		(1)	(1)	
55 to 64 years	1	1		(1)	(1)	
65 to 74 years						
75 years and over	2	2		0.3	0.3	
Unknown	2		2			
DIPHTHERIA						
BOTH SEXES						
All ages	7,403	6,886	517			
Adjusted rate				8.3	8.5	6.9
Crude rate				7.9	8.0	6.8
Under 1 year	602	520	82	31.2	29.5	49.5
1 to 4 years	3,587	3,348	239	44.7	45.4	36.2
Under 5 years	4,189	3,868	321	42.1	42.4	38.9
5 to 9 years	2,102	1,975	127	21.6	22.4	14.4
10 to 14 years	525	497	28	5.8	6.1	3.3
15 to 19 years	138	131	7	1.7	1.8	0.9
20 to 24 years	97	89	8	1.2	1.2	1.0
25 to 34 years	121	114	7	0.8	0.8	0.6
35 to 44 years	105	95	10	0.8	0.8	1.0
45 to 54 years	54	51	3	0.6	0.6	0.4
55 to 64 years	42	38	4	0.7	0.7	1.2
65 to 74 years	20	18	2	0.6	0.6	1.2
75 years and over	4	4		0.3	0.3	
Unknown	6	6				

[1] Less than one-tenth of 1 per 100,000 population.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIPTHERIA—continued						
MALES						
All ages	3,887	3,625	262			
Adjusted rate				8.7	8.9	7.0
Crude rate				8.2	8.3	6.8
Under 1 year	349	306	43	35.7	34.2	52.1
1 to 4 years	1,938	1,811	127	47.7	48.5	38.5
Under 5 years	2,287	2,117	170	45.4	45.7	41.2
5 to 9 years	1,090	1,028	62	22.2	23.1	14.0
10 to 14 years	253	241	12	5.5	5.8	2.8
15 to 19 years	74	72	2	1.8	2.0	0.5
20 to 24 years	44	41	3	1.1	1.1	0.8
25 to 34 years	41	37	4	0.5	0.5	0.7
35 to 44 years	37	33	4	0.6	0.5	0.7
45 to 54 years	20	19	1	0.4	0.4	0.2
55 to 64 years	25	23	2	0.8	0.8	1.1
65 to 74 years	9	7	2	0.6	0.5	2.1
75 years and over	3	3		0.5	0.5	
Unknown	4	4				
FEMALES						
All ages	3,516	3,261	255			
Adjusted rate				8.0	8.1	6.8
Crude rate				7.7	7.7	6.8
Under 1 year	253	214	39	26.5	24.6	47.0
1 to 4 years	1,649	1,537	112	41.6	42.3	34.0
Under 5 years	1,902	1,751	151	38.7	38.9	36.6
5 to 9 years	1,012	947	65	21.0	21.7	14.8
10 to 14 years	272	256	16	6.1	6.3	3.7
15 to 19 years	64	59	5	1.6	1.6	1.3
20 to 24 years	53	48	5	1.3	1.3	1.2
25 to 34 years	80	77	3	1.1	1.1	0.5
35 to 44 years	68	62	6	1.1	1.1	1.2
45 to 54 years	34	32	2	0.8	0.8	0.7
55 to 64 years	17	15	2	0.6	0.5	1.4
65 to 74 years	11	11		0.7	0.7	
75 years and over	1	1		0.1	0.1	
Unknown	2	2				
TUBERCULOSIS (ALL FORMS)						
BOTH SEXES						
All ages	81,173	63,169	18,004			
Adjusted rate				84.5	70.8	235.9
Crude rate				86.9	73.7	236.0
Under 1 year	1,380	1,144	236	71.5	64.8	142.6
1 to 4 years	2,476	1,832	644	30.8	24.9	97.6
Under 5 years	3,856	2,976	880	38.7	32.6	106.6
5 to 9 years	1,099	776	323	11.3	8.8	36.6
10 to 14 years	1,710	1,040	670	18.9	12.7	78.5
15 to 19 years	6,440	4,251	2,189	79.7	58.0	288.7
20 to 24 years	10,598	7,363	3,235	130.6	100.2	421.8
25 to 34 years	19,018	14,348	4,670	123.6	101.2	384.8
35 to 44 years	14,569	11,661	2,908	114.0	99.3	280.9
45 to 54 years	10,423	8,660	1,763	108.7	97.5	250.6
55 to 64 years	7,030	6,242	788	116.5	109.3	243.2
65 to 74 years	4,647	4,287	360	145.8	142.1	211.1
75 years and over	1,671	1,507	164	122.3	116.9	212.7
Unknown	112	58	54			
MALES						
All ages	43,119	34,273	8,846			
Adjusted rate				87.2	74.4	231.6
Crude rate				90.7	78.5	228.6
Under 1 year	747	613	134	76.5	68.5	162.3
1 to 4 years	1,328	995	333	32.7	26.6	100.9
Under 5 years	2,075	1,608	467	41.2	34.7	113.2
5 to 9 years	547	389	158	11.2	8.7	35.8
10 to 14 years	665	419	246	14.6	10.1	57.6
15 to 19 years	2,295	1,440	855	57.2	39.5	234.5
20 to 24 years	4,293	2,916	1,377	108.6	81.2	382.4
25 to 34 years	9,317	7,076	2,241	119.7	98.4	381.6
35 to 44 years	8,800	7,205	1,595	132.1	117.7	296.4
45 to 54 years	6,907	5,852	1,055	135.2	124.5	257.1
55 to 64 years	4,521	4,036	485	142.8	135.4	261.0
65 to 74 years	2,774	2,535	239	170.9	165.8	255.9
75 years and over	858	757	101	133.7	125.3	269.5
Unknown	67	40	27			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
TUBERCULOSIS (ALL FORMS)—continued						
FEMALES						
All ages	38,054	28,896	9,158			
Adjusted rate				82.4	67.7	240.6
Crude rate				83.0	68.6	243.6
Under 1 year	633	531	102	66.4	61.0	123.0
1 to 4 years	1,148	837	311	29.0	23.0	94.4
Under 5 years	1,781	1,368	413	36.2	30.4	100.1
5 to 9 years	552	387	165	11.5	8.9	37.5
10 to 14 years	1,045	621	424	23.3	15.3	99.4
15 to 19 years	4,145	2,811	1,334	101.8	76.4	338.8
20 to 24 years	6,305	4,447	1,858	151.5	118.4	456.7
25 to 34 years	9,701	7,272	2,429	127.5	104.2	387.7
35 to 44 years	5,769	4,456	1,313	94.3	79.3	264.1
45 to 54 years	3,516	2,808	708	78.6	67.2	241.5
55 to 64 years	2,509	2,206	303	87.5	80.8	219.3
65 to 74 years	1,873	1,752	121	119.8	117.8	156.8
75 years and over	813	750	63	112.3	109.5	159.0
Unknown	45	18	27			
CANCER AND OTHER MALIGNANT TUMORS						
BOTH SEXES						
All ages	88,623	83,982	4,641			
Adjusted rate				89.3	90.0	75.1
Crude rate				94.9	97.9	60.8
Under 1 year	53	49	4	2.7	2.8	2.4
1 to 4 years	272	250	22	3.4	3.4	3.3
Under 5 years	325	299	26	3.3	3.3	3.2
5 to 9 years	148	135	13	1.5	1.5	1.5
10 to 14 years	153	143	10	1.7	1.7	1.2
15 to 19 years	263	235	28	3.3	3.2	3.7
20 to 24 years	403	348	55	5.0	4.7	7.2
25 to 34 years	2,388	2,053	335	15.5	14.5	27.6
35 to 44 years	7,593	6,738	855	59.4	57.4	82.6
45 to 54 years	15,897	14,648	1,249	165.9	164.9	177.6
55 to 64 years	23,076	22,088	988	382.5	386.9	305.0
65 to 74 years	23,683	23,025	658	743.2	763.4	385.9
75 years and over	14,625	14,223	402	1,070.8	1,103.6	521.4
Unknown	69	47	22			
MALES						
All ages	38,769	37,214	1,555			
Adjusted rate				75.9	77.9	44.5
Crude rate				81.6	85.2	40.2
Under 1 year	24	22	2	2.5	2.5	2.4
1 to 4 years	154	138	16	3.8	3.7	4.8
Under 5 years	178	160	18	3.5	3.5	4.4
5 to 9 years	93	88	5	1.9	2.0	1.1
10 to 14 years	75	67	8	1.6	1.6	1.9
15 to 19 years	142	124	18	3.5	3.4	4.9
20 to 24 years	194	177	17	4.9	4.9	4.7
25 to 34 years	823	753	70	10.6	10.5	11.9
35 to 44 years	2,305	2,087	218	34.6	34.1	40.5
45 to 54 years	5,833	5,442	391	114.2	115.8	95.3
55 to 64 years	10,499	10,117	382	331.7	339.5	205.6
65 to 74 years	11,671	11,396	275	719.2	745.1	294.5
75 years and over	6,925	6,780	145	1,079.4	1,122.3	386.9
Unknown	31	23	8			
FEMALES						
All ages	49,854	46,768	3,086			
Adjusted rate				101.4	101.0	102.0
Crude rate				108.7	111.1	82.1
Under 1 year	29	27	2	3.0	3.0	2.4
1 to 4 years	118	112	6	3.0	3.1	1.8
Under 5 years	147	139	8	3.0	3.1	1.9
5 to 9 years	55	47	8	1.1	1.1	1.8
10 to 14 years	78	76	2	1.7	1.9	0.5
15 to 19 years	121	111	10	3.0	3.0	2.5
20 to 24 years	209	171	38	5.0	4.6	9.3
25 to 34 years	1,565	1,300	265	20.6	18.6	42.3
35 to 44 years	5,288	4,651	637	86.4	82.7	128.1
45 to 54 years	10,064	9,206	858	224.9	220.2	292.7
55 to 64 years	12,577	11,971	606	438.5	438.5	438.6
65 to 74 years	12,012	11,629	383	768.1	782.2	496.5
75 years and over	7,700	7,443	257	1,063.1	1,087.1	648.5
Unknown	38	24	14			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIABETES MELLITUS						
BOTH SEXES						
All ages	16,194	15,316	878			
Adjusted rate				16.6	16.8	13.9
Crude rate				17.3	17.9	11.5
Under 1 year	19	15	4	1.0	0.8	2.4
1 to 4 years	100	94	6	1.2	1.3	0.9
Under 5 years	119	109	10	1.2	1.2	1.2
5 to 9 years	157	145	12	1.6	1.6	1.4
10 to 14 years	237	228	9	2.6	2.8	1.1
15 to 19 years	265	241	24	3.3	3.3	3.2
20 to 24 years	223	203	20	2.7	2.8	2.6
25 to 34 years	517	444	73	3.4	3.1	6.0
35 to 44 years	909	780	129	7.1	6.6	12.5
45 to 54 years	2,268	2,029	239	23.7	22.8	34.0
55 to 64 years	4,628	4,452	176	76.7	78.0	54.3
65 to 74 years	4,683	4,565	118	147.0	151.4	69.2
75 years and over	2,182	2,116	66	159.8	164.2	85.6
Unknown	6	4	2			
MALES						
All ages	6,741	6,379	362			
Adjusted rate				13.3	13.5	10.2
Crude rate				14.2	14.6	9.4
Under 1 year	14	10	4	1.4	1.1	4.8
1 to 4 years	54	50	4	1.3	1.3	1.2
Under 5 years	68	60	8	1.3	1.3	1.9
5 to 9 years	87	80	7	1.8	1.8	1.6
10 to 14 years	108	104	4	2.4	2.5	0.9
15 to 19 years	133	119	14	3.3	3.3	3.8
20 to 24 years	122	110	12	3.1	3.1	3.3
25 to 34 years	249	222	27	3.2	3.1	4.6
35 to 44 years	400	353	47	6.0	5.8	8.7
45 to 54 years	933	845	88	18.3	18.0	21.4
55 to 64 years	1,808	1,741	67	57.1	58.4	36.1
65 to 74 years	1,911	1,861	50	117.8	121.7	53.5
75 years and over	918	882	36	143.1	146.0	96.1
Unknown	4	2	2			
FEMALES						
All ages	9,453	8,937	516			
Adjusted rate				19.5	19.5	17.2
Crude rate				20.6	21.2	13.7
Under 1 year	5	5		0.5	0.6	
1 to 4 years	46	44	2	1.2	1.2	0.6
Under 5 years	51	49	2	1.0	1.1	0.5
5 to 9 years	70	65	5	1.5	1.5	1.1
10 to 14 years	129	124	5	2.9	3.1	1.2
15 to 19 years	132	122	10	3.2	3.3	2.5
20 to 24 years	101	93	8	2.4	2.5	2.0
25 to 34 years	268	222	46	3.5	3.2	7.3
35 to 44 years	509	427	82	8.3	7.6	16.5
45 to 54 years	1,335	1,184	151	29.8	28.3	51.5
55 to 64 years	2,820	2,711	109	98.3	99.3	78.9
65 to 74 years	2,772	2,704	68	177.3	181.9	88.1
75 years and over	1,264	1,234	30	174.5	180.2	75.7
Unknown	2	2				
DIARRHEA AND ENTERITIS						
BOTH SEXES						
All ages	35,728	30,457	5,271			
Adjusted rate				40.4	37.4	73.6
Crude rate				38.3	35.5	69.1
Under 1 year	22,762	19,468	3,294	1,178.9	1,102.8	1,989.9
1 year	5,953	4,941	1,012	299.6	269.5	658.7
Under 2 years	28,715	24,409	4,306	733.0	678.3	1,349.1
2 to 4 years	2,702	2,366	336	44.7	42.7	66.4
5 to 9 years	446	387	59	4.6	4.4	6.7
10 to 14 years	128	104	24	1.4	1.3	2.8
15 to 44 years	741	530	211	1.7	1.3	5.6
45 to 64 years	895	733	162	5.7	5.0	15.8
65 years and over	2,085	1,921	164	45.8	44.6	66.2
Unknown	16	7	9			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
DIARRHEA AND ENTERITIS—continued						
MALES						
All ages	19,487	16,714	2,773			
Adjusted rate				43.6	40.7	76.7
Crude rate				41.0	38.3	71.7
Under 1 year	12,811	11,016	1,795	1,311.4	1,231.8	2,173.5
1 year	3,153	2,630	523	313.0	282.7	681.0
Under 2 years	15,964	13,646	2,318	804.6	747.8	1,454.3
2 to 4 years	1,475	1,312	163	48.3	46.8	64.3
5 to 9 years	229	201	28	4.7	4.5	6.3
10 to 14 years	68	56	12	1.5	1.4	2.8
15 to 44 years	355	260	95	1.6	1.3	5.1
45 to 64 years	455	378	77	5.5	4.9	12.9
65 years and over	930	855	75	41.1	40.1	57.3
Unknown	11	6	5			
FEMALES						
All ages	16,241	13,743	2,498			
Adjusted rate				37.1	34.1	70.4
Crude rate				35.4	32.6	66.5
Under 1 year	9,951	8,452	1,499	1,043.2	970.4	1,807.2
1 year	2,800	2,311	489	285.8	256.0	636.4
Under 2 years	12,751	10,763	1,988	659.5	606.8	1,244.1
2 to 4 years	1,227	1,054	173	41.1	38.6	68.4
5 to 9 years	217	186	31	4.5	4.3	7.0
10 to 14 years	60	48	12	1.3	1.2	2.8
15 to 44 years	386	270	116	1.8	1.3	6.0
45 to 64 years	440	355	85	6.0	5.1	19.7
65 years and over	1,155	1,066	89	50.5	49.1	76.2
Unknown	5	1	4			
ACUTE AND CHRONIC NEPHRITIS						
BOTH SEXES						
All ages	91,461	80,009	11,452			
Adjusted rate				91.1	84.9	179.0
Crude rate				97.9	93.3	150.1
Under 1 year	383	327	56	19.8	18.5	33.8
1 to 4 years	559	424	135	7.0	5.8	20.5
Under 5 years	942	751	191	9.5	8.2	23.1
5 to 9 years	385	331	54	4.0	3.7	6.1
10 to 14 years	515	452	63	5.7	5.5	7.4
15 to 19 years	705	581	124	8.7	7.9	16.4
20 to 24 years	963	733	230	11.9	10.0	30.0
25 to 34 years	2,955	2,242	713	19.2	15.8	58.7
35 to 44 years	6,357	4,810	1,547	49.7	41.0	149.4
45 to 54 years	11,396	9,094	2,302	118.9	102.4	327.3
55 to 64 years	17,884	15,605	2,279	296.4	273.3	703.5
65 to 74 years	24,210	22,143	2,067	759.8	734.2	1,212.1
75 years and over	25,046	23,212	1,834	1,833.7	1,801.1	2,378.6
Unknown	103	55	48			
MALES						
All ages	48,297	42,087	6,210			
Adjusted rate				96.1	89.6	185.8
Crude rate				101.6	96.4	160.5
Under 1 year	227	195	32	23.2	21.8	38.7
1 to 4 years	305	226	79	7.5	6.1	23.9
Under 5 years	532	421	111	10.6	9.1	26.9
5 to 9 years	197	166	31	4.0	3.7	7.0
10 to 14 years	222	190	32	4.9	4.6	7.5
15 to 19 years	322	271	51	8.0	7.4	14.0
20 to 24 years	419	336	83	10.6	9.4	23.0
25 to 34 years	1,330	1,045	285	17.1	14.5	48.5
35 to 44 years	2,992	2,318	674	44.9	37.9	125.2
45 to 54 years	5,938	4,725	1,213	116.2	100.5	295.7
55 to 64 years	9,830	8,489	1,341	310.5	284.9	721.7
65 to 74 years	13,248	12,002	1,246	816.4	784.8	1,334.3
75 years and over	13,211	12,096	1,115	2,059.2	2,002.3	2,975.4
Unknown	56	28	28			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) AND CRUDE AND ADJUSTED DEATH RATES PER 100,000 POPULATION, FROM CERTAIN CAUSES, BY AGE, SEX, AND COLOR, IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925—Continued

[Population and deaths at unknown age are distributed only in computing adjusted rates]

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
ACUTE AND CHRONIC NEPHRITIS—continued						
FEMALES						
All ages	43,164	37,922	5,242			
Adjusted rate				87.5	81.5	175.3
Crude rate				94.1	90.1	139.4
Under 1 year	156	132	24	16.4	15.2	28.9
1 to 4 years	254	198	56	6.4	5.4	17.0
Under 5 years	410	330	80	8.3	7.3	19.4
5 to 9 years	188	165	23	3.9	3.8	5.2
10 to 14 years	293	262	31	6.5	6.5	7.3
15 to 19 years	383	310	73	9.4	8.4	18.5
20 to 24 years	544	397	147	13.1	10.6	36.1
25 to 34 years	1,625	1,197	428	21.4	17.1	68.3
35 to 44 years	3,365	2,492	873	55.0	44.3	175.6
45 to 54 years	5,458	4,369	1,089	122.0	104.5	371.5
55 to 64 years	8,054	7,116	938	280.8	260.7	678.9
65 to 74 years	10,962	10,141	821	701.0	682.1	1,064.2
75 years and over	11,835	11,116	719	1,634.0	1,623.6	1,814.2
Unknown	47	27	20			
PUERPERAL SEPTICEMIA [2]						
FEMALES						
All ages	5,018	4,172	846			
Adjusted rate				10.9	9.9	21.1
Crude rate				10.9	9.9	22.5
Under 15 years	11	6	5	0.1	(1)	0.4
15 to 19 years	567	394	173	13.9	10.7	43.9
20 to 24 years	1,203	977	226	28.9	26.0	55.6
25 to 29 years	1,221	1,036	185	30.1	28.0	52.1
30 to 34 years	967	856	111	27.2	26.1	40.9
35 to 39 years	750	641	109	22.5	21.0	38.0
40 to 44 years	267	237	30	9.6	9.2	14.3
45 years and over	29	24	5	0.3	0.3	0.9
Unknown	3	1	2			
OTHER PUERPERAL CAUSES [2]						
FEMALES						
All ages	8,463	6,888	1,575			
Adjusted rate				18.2	16.2	39.3
Crude rate				18.5	16.4	41.9
Under 15 years	32	11	21	0.2	0.1	1.6
15 to 19 years	910	588	322	22.3	16.0	81.8
20 to 24 years	1,553	1,214	339	37.3	32.3	83.3
25 to 29 years	1,753	1,478	275	43.2	39.9	77.5
30 to 34 years	1,719	1,487	232	48.4	45.3	85.4
35 to 39 years	1,641	1,392	249	49.2	45.7	86.8
40 to 44 years	743	636	107	26.7	24.7	50.9
45 years and over	96	75	21	1.0	0.8	3.8
Unknown	16	7	9			

SEX AND AGE	DEATHS IN THE REGISTRATION STATES OF 1920 (INCLUDING DISTRICT OF COLUMBIA): 1925					
	Number			Rate per 100,000 estimated population		
	Total	White	Colored	Total	White	Colored
VIOLENT DEATHS (SUICIDE EXCEPTED)						
BOTH SEXES						
All ages	80,791	70,613	10,178			
Adjusted rate				82.4	77.9	132.5
Crude rate				86.5	82.3	133.4
Under 1 year	2,052	1,687	365	106.3	95.6	220.5
1 to 4 years	5,732	4,979	753	71.4	67.6	114.1
Under 5 years	7,784	6,666	1,118	78.2	73.0	135.5
5 to 9 years	4,733	4,262	471	48.7	48.3	53.4
10 to 14 years	3,388	2,992	396	37.4	36.5	46.4
15 to 19 years	5,091	4,300	791	63.0	58.7	104.3
20 to 24 years	6,221	4,987	1,234	76.7	67.9	160.9
25 to 34 years	11,168	8,880	2,288	72.6	62.6	188.5
35 to 44 years	10,922	9,238	1,684	85.5	78.7	162.7
45 to 54 years	9,270	8,255	1,015	96.7	92.9	144.3
55 to 64 years	7,482	6,987	495	124.0	122.4	152.8
65 to 74 years	6,567	6,276	291	206.1	208.1	170.6
75 years and over	7,911	7,604	307	579.2	590.0	398.2
Unknown	254	166	88			
MALES						
All ages	58,790	51,125	7,665			
Adjusted rate				121.2	114.1	200.7
Crude rate				123.7	117.1	198.1
Under 1 year	1,124	954	170	115.1	106.7	205.8
1 to 4 years	3,159	2,768	391	77.7	74.1	118.4
Under 5 years	4,283	3,722	561	85.0	80.4	135.9
5 to 9 years	3,108	2,856	252	63.4	64.0	57.0
10 to 14 years	2,658	2,325	333	58.2	56.2	78.0
15 to 19 years	4,051	3,429	622	101.0	94.1	170.6
20 to 24 years	5,098	4,131	967	129.0	115.0	268.5
25 to 34 years	9,364	7,494	1,870	120.3	104.2	318.5
35 to 44 years	9,223	7,819	1,404	138.5	127.7	260.9
45 to 54 years	7,624	6,776	848	149.2	144.2	206.7
55 to 64 years	5,655	5,287	368	178.6	177.4	198.1
65 to 74 years	4,225	4,021	204	260.4	262.9	218.5
75 years and over	3,284	3,123	161	511.9	517.0	429.6
Unknown	217	142	75			
FEMALES						
All ages	22,001	19,488	2,513			
Adjusted rate				46.6	44.3	70.1
Crude rate				48.0	46.3	66.8
Under 1 year	928	733	195	97.3	84.2	235.1
1 to 4 years	2,573	2,211	362	64.9	60.8	109.8
Under 5 years	3,501	2,944	557	71.2	65.4	135.0
5 to 9 years	1,625	1,406	219	33.8	32.2	49.8
10 to 14 years	730	667	63	16.3	16.4	14.8
15 to 19 years	1,040	871	169	25.5	23.7	42.9
20 to 24 years	1,123	856	267	27.0	22.8	65.6
25 to 34 years	1,804	1,386	418	23.7	19.9	66.7
35 to 44 years	1,699	1,419	280	27.8	25.2	56.3
45 to 54 years	1,646	1,479	167	36.8	35.4	57.0
55 to 64 years	1,827	1,700	127	63.7	62.3	91.9
65 to 74 years	2,342	2,255	87	149.8	151.7	112.8
75 years and over	4,627	4,481	146	638.8	654.5	368.4
Unknown	37	24	13			

[1] Less than one-tenth of 1 per 100,000 population.

[2] Rates computed on female population.

NOTE.—For populations and States, see Tables A and K, Part II.

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES

List No.	CAUSE OF DEATH	All primary causes	CONTRIBUTORY CAUSE: All contributory causes	Typhoid and paratyphoid fever	Malaria	Smallpox	Measles	Scarlet fever	Whooping cough	Diphtheria	Influenza (with pulmonary complications)	Influenza (other and unspecified)	Mumps	Cholera nostras	Dysentery
				1	5	6	7	8	9	10	11a	11b	13	15	16
	All causes	[1] 1,219,019	536,901	23	382	1	155	7	237	178	3,029	6,454	63	77	557
	I.—Epidemic, endemic, and infectious diseases	174,354	75,969		129		133	5	215	167	1,754	637	27	9	98
1	Typhoid and paratyphoid fever	8,287	2,628		64		5	2	3	6	14	34	1	1	11
2	Typhus fever	8	3												
5	Malaria	2,132	821								4	22	1		31
6	Smallpox	709	140				3	2	1	4		2			
7	Measles	2,404	2,261		1		11		70		4	11	1		2
8	Scarlet fever	2,762	1,783						8	157	3	14	3		3
9	Whooping cough	6,948	5,546		9		53		22		32	31	4		
10	Diphtheria	8,058	2,501		2						13	25	7		
11a	Influenza (with pulmonary complications)	18,344	18,113										1		1
11b	Influenza (other and unspecified)	12,194	7,000										2	1	
13	Mumps	142	111												
15	Cholera nostras	192	44												
16	Dysentery	3,257	1,162						26		5	46		3	
17	Plague	1	1												
19	Spirochetal hemorrhagic jaundice	52	24									3			
20	Leprosy	30	24												
21	Erysipelas	2,455	1,376		1						9	47	4		
22	Acute anterior poliomyelitis	1,519	287						6		3	11			1
23	Lethargic encephalitis	1,630	636		3		2				9	188			1
24	Meningococcus meningitis	1,095	204		1		2		3		3	15			2
25	Other epidemic and endemic diseases	253	189								1	1	2		1
26	Glanders	2	1												
27	Anthrax	22	5												
28	Rabies	83	2												
29	Tetanus	1,503	1,076					1			1	1			
30	Mycoses	201	66												
	Tuberculosis (all forms)	89,268	22,831		37		50		69		1,636	176		4	38
31	Of the respiratory system	78,103	18,944		37		33		44		1,608	29		3	25
32	Of the meninges, central nervous system	3,746	825				4		14		5	53			2
33	Of the intestines, peritoneum	3,078	1,072						5		1	31			7
34	Of the vertebral column	947	590				1				1	5		1	
35	Of the joints	357	196								1	3			
36	Of other organs	1,294	622						1		3	14			2
37a	Disseminated (acute)	1,391	502				5		5		14	39			2
37b	Disseminated (chronic or unspecified)	352	80				7				3	2			
38	Syphilis	8,647	6,063		11		7		7		16	8	1		7
39	Soft chancre	9	6												
40	Gonococcus infection	955	776								1	2			
41	Purulent infection, septicemia	1,178	280												
42	Other infectious diseases	14	9												
	II.—General diseases not included in Class I	143,179	58,319	8	37	1	6		7	7	94	431	3	2	67
	Cancer and other malignant tumors	95,504	35,967	8	7	1			1	7	22	120			30
43	Of the buccal cavity	3,242	1,345							1	1	3			2
44	Of the stomach, liver	34,874	10,387	2	3					2	5	50			9
45	Of the peritoneum, intestines, rectum	13,671	6,053	2	1				1		3	15			11
46	Of the female genital organs	14,051	5,797	2	1	1					1	15			1
47	Of the breast	8,511	4,932							1	7	9			1
48	Of the skin	2,624	1,116									4			1
49	Of other or unspecified organs	18,531	6,337	2	2					3	5	24			5
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	685	335												
51	Acute rheumatic fever	2,766	2,402								5	43		1	
52	Chronic rheumatism, osteoarthritis, gout	1,327	728												
53	Scurvy	58	18												
54	Pellagra	3,344	735		12						7	15			20
55	Beriberi	7	2												
56	Rickets	573	292												
57	Diabetes mellitus	17,385	10,961		10		5		4		41	191	1	1	15
58	Anemia, chlorosis	6,649	985										1		
59	Diseases of the pituitary gland	100	50								1				
60a	Exophthalmic goiter	3,476	2,351		1						7	35	1		1
60b	Other diseases of the thyroid gland	659	404				1				1	6			1
61	Diseases of the parathyroid glands	110	39												
62	Diseases of the thymus gland	1,086	178												
63	Diseases of the adrenals (Addison's disease)	407	151								3	2			
64	Diseases of the spleen	131	77												
65a	Leukemia	1,801	687		7						5	15			
65b	Hodgkin's disease	848	251						2		1	3			
66	Alcoholism (acute or chronic)	3,694	903												
67a	Chronic lead poisoning	142	108									1			
67b	Other chronic mineral poisoning	38	25								1				
68	Chronic poisoning by organic substances	205	84												
69	Other general diseases	2,184	586												
	III.—Diseases of the nervous system and of the organs of special sense	123,847	62,705		31						84	819	8	3	63
70	Encephalitis	1,239	295												
71a	Simple meningitis	2,696	836												
71b	Nonepidemic cerebrospinal meningitis	719	213										2	1	9
72	Tabes dorsalis (locomotor ataxia)	1,656	1,003		1						1	14			1
73	Other diseases of the spinal cord	3,238	1,702								4	48			2
74a	Cerebral hemorrhage	82,651	43,746		21						48	549	5	1	23
74b	Cerebral embolism and thrombosis	3,668	2,578		2						9	55	1		1
75	Paralysis without specified cause	5,920	2,955								15	121			20
76	General paralysis of the insane	6,029	2,628		7						4	9		1	4
77	Other forms of mental alienation	1,693	226												

[1] Includes 17,905 ill-defined diseases.

OF DEATH IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925

CONTRIBUTORY CAUSE																				
										Tuberculosis										
Spirochetal hemorrhagic jaundice	Leprosy	Erysipelas	Acute anterior poliomyelitis	Lethargic encephalitis	Meningococcus meningitis	Other epidemic and endemic diseases	Anthrax	Tetanus	Mycoses	Of the respiratory system	Of the meninges, central nervous system	Of the intestines, peritoneum	Of the vertebral column	Of the joints	Of other organs	Disseminated (acute)	Disseminated (chronic or unspecified)	Syphilis	Soft chancre	List No.
19	20	21	22	23	24	25	27	29	30	31	32	33	34	35	36	37a	37b	38	39	
2	1	906	10	32	5	56	1	14	69	826	1,480	2,886	300	345	983	386	222	1,828	4	
1		58	3	9	4	39	1	1	9	413	1,441	2,854	280	333	947	375	218	25	3	
		3	1	1		1				63	7	5		1	3	7		14		1
																				2
						1			1						2					5
		2								2		1	1							6
		3				3					1									7
		10	1			2				6	6	1		1	1			1		8
		1				11			2										1	9
		6	1		1	8			1	14	3	1		1	3	6		8		10
		1																		11a
						2									1					11b
																				13
																				15
		3							1											16
																				17
																				19
										2		1				1				20
				1		5			1											21
										3	3									22
						1			1	4	5				1					23
		1				1					1					1				24
																				25
							1													26
								1												27
																				28
		1								1								2		29
																				30
		16				3			1		1,406	2,838	275	328	925	349	216		1	
		9				2			1		1,057	2,806	275	170	638	231	113			31
						1								58	100		26			32
		2									78			21	143	44	28			33
		1									78	31		49	44	20	14			34
		1														16	7			35
		3										1		30		38	28			36
											193								1	37a
																				37b
1		11		7	3	1			1	318	9	7	4	2	11	11	2		1	38
																				39
																				40
																				41
																				42
		125	1	5	1				7	224	5	21	6	5	21	1	3	122		
		54	1	1	1				5	224	4	16	6	4	15	1	3	122		
		6							2	17								9		43
		11								77	1	5			4		2	38		44
		2	1							29		6		1	2			15		45
		2							1	19		1	2		1	1	1	17		46
		10		1						24		2			1			4		47
		11								6	1				3			4		48
		12			1				2	52	2	2	4	3	4			35		49
																				50
																				51
																				52
																				53
		4							1											54
																				55
																				56
		60		4																57
									1											58
																				59
		2																		60a
		3																		60b
																				61
																				62
											1	5		1	5					63
																				64
		2													1					65a
																				65b
																				66
																				67a
																				67b
																				68
																				69
		102		3		1			2	43	12	2	1	2	1	1		1,642		
		4																		70
									1											71a
		5																		71b
		3								12	2	1	1	1	1			230		72
		1																		73
		38				1														74a
		11																		74b
		5																		75
		11								31	1	1		1		1		1,412		76
																				77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE													
					Cancer										
		Gonococcus infection	Purulent infection, septicemia	Other infectious diseases	Of the buccal cavity	Of the stomach, liver	Of the peritoneum, intestines, rectum	Of the female genital organs	Of the breast	Of the skin	Of other or unspecified organs	Tumors, benign and unqualified (tumors of the female genital organs excepted)	Acute rheumatic fever	Chronic rheumatism, osteoarthritis, gout	Scurvy	Pellagra
		40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
	All causes	127	8,517	2	256	2,925	2,352	112	110	367	8,060	334	2,269	3,526	44	187
	I.—Epidemic, endemic, and infectious diseases	33	776			1	2	2		2	3	31	98	173	6	112
1	Typhoid and paratyphoid fever	2	20									2	4	2		4
2	Typhus fever															
5	Malaria	1	4									2	5	4		
6	Smallpox		5													
7	Measles		3										3			
8	Scarlet fever		89									1	13	2		
9	Whooping cough		2										1		1	
10	Diphtheria		46										3			1
11a	Influenza (with pulmonary complications)	1	4										3	5		
11b	Influenza (other and unspecified)		115									4	19	52		
13	Mumps		5													
15	Cholera nostras		1													
16	Dysentery		10									1	2	11	2	
17	Plague															
19	Spirochetal hemorrhagic jaundice															
20	Leprosy		1							1						
21	Erysipelas		187										1	13		
22	Acute anterior poliomyelitis		2									1	1			
23	Lethargic encephalitis		1										2	1		
24	Meningococcus meningitis		6										1			
25	Other epidemic and endemic diseases		5			1										
26	Glanders															
27	Anthrax															
28	Rabies															
29	Tetanus		31				2	2		1	3		1			
30	Mycoses		5													
	Tuberculosis (all forms)	11	154									11	31	75	2	67
31	Of the respiratory system	6	53									8	25	65	2	62
32	Of the meninges, central nervous system	2	5										1	1		1
33	Of the intestines, peritoneum		9									2		4		3
34	Of the vertebral column	1	29													
35	Of the joints		34										1	1		
36	Of other organs	2	23									1		2		
37a	Disseminated (acute)												4	1		
37b	Disseminated (chronic or unspecified)		1											1		1
38	Syphilis	18	45									8	3	5		40
39	Soft chancre		4													
40	Gonococcus infection		29									1	5	2		
41	Purulent infection, septicemia													1	1	
42	Other infectious diseases		2													
	II.—General diseases not included in Class I	7	524		247	2,871	2,318	96	83	354	7,982	28	50	89	8	28
	Cancer and other malignant tumors	4	286		247	2,871	2,318	96	83	354	7,982	9	19	58		27
43	Of the buccal cavity		11			76	9		2	182	544	1		2		
44	Of the stomach, liver		29		206		949	14	20	77	1,486	4	6	23		10
45	Of the peritoneum, intestines, rectum		39		6	783		38	2	22	1,105	2	1	5		3
46	Of the female genital organs	3	69		2	358	973		45	9	1,743		3	6		10
47	Of the breast		42		4	707	133	30		27	2,683		4	6		
48	Of the skin		18		13	43	12	3	2		421			3		2
49	Of other or unspecified organs	1	78		16	904	242	11	12	37		2	5	13		2
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		15											1		
51	Acute rheumatic fever		17									1				
52	Chronic rheumatism, osteoarthritis, gout		22									1	2			
53	Scurvy															
54	Pellagra	3	1									2	3	3		
55	Beriberi															
56	Rickets		2												6	
57	Diabetes mellitus		123									5	6	11		
58	Anemia, chlorosis		9									5	3	3		
59	Diseases of the pituitary gland															
60a	Exophthalmic goiter		7									2	7	2		
60b	Other diseases of the thyroid gland		4										1	2	1	
61	Diseases of the parathyroid glands															
62	Diseases of the thymus gland															
63	Diseases of the adrenals (Addison's disease)		2													
64	Diseases of the spleen		1													
65a	Leukemia		12									3		1	1	
65b	Hodgkin's disease		2											2		1
66	Alcoholism (acute or chronic)		3										1			
67a	Chronic lead poisoning		1										3			
67b	Other chronic mineral poisoning															
68	Chronic poisoning by organic substances		10											2		
69	Other general diseases		7										5	4		
	III.—Diseases of the nervous system and of the organs of special sense	3	450									49	139	254		4
70	Encephalitis		13													
71a	Simple meningitis		74									1		1		
71b	Nonepidemic cerebrospinal meningitis		7													
72	Tabes dorsalis (locomotor ataxia)		6											2		1
73	Other diseases of the spinal cord		11									5	4	15		
74a	Cerebral hemorrhage		23									18	80	167		
74b	Cerebral embolism and thrombosis		17									6	31	18		
75	Paralysis without specified cause	1	10									12	18	24		
76	General paralysis of the insane		16										2	2		3
77	Other forms of mental alienation											1				

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE													
		Tabes dorsalis (locomotor ataxia)	Other diseases of the spinal cord	Cerebral hemorrhage	Cerebral embolism and thrombosis	Paralysis without specified cause	General paralysis of the insane	Other forms of mental alienation	Epilepsy	Convulsions (non-puerperal; 5 years and over)	Infantile convulsions (under 5 years)	Chorea	Neuralgia and neuritis	Softening of the brain	Diseases of the nervous system	Diseases of the eye and annexa
		72	73	74a	74b	75	76	77	78	79	80	81	82	83	84	85
	All causes	42	310	19,248	3,734	8,644	69	5,224	1,701	387	4,979	189	723	615	2,495	146
	I.—Epidemic, endemic, and infectious diseases		107	790	159	307	2	902	295	58	519	12	94	34	310	19
1	Typhoid and paratyphoid fever			29	17	4		6	9	2			4	1	4	
2	Typhus fever															
5	Malaria		2	21		9		3	3	2	6		3	1	2	
6	Smallpox		1	1											1	
7	Measles			3	1	2		1	2	3	31		1		1	
8	Scarlet fever		1	5	4					3	7	1			7	
9	Whooping cough		1	69	2	1			5	3	217				5	
10	Diphtheria		5	3	3	16	2	1	3	2	7	1	16		4	1
11a	Influenza (with pulmonary complications)			3				2	4		1		2		3	
11b	Influenza (other and unspecified)			24				34	35	10	115	7	30	5	66	1
13	Mumps								3		4					
15	Cholera nostras									2	2					
16	Dysentery			3		2		20			32				7	
17	Plague															
19	Spirochetal hemorrhagic jaundice										2					
20	Leprosy			1												
21	Erysipelas			3	1	2		16	8		4		1		7	7
22	Acute anterior poliomyelitis		3	4		7			3	1	4		5		1	
23	Lethargic encephalitis		8	12	5	9		6	3	4	6		5		13	
24	Meningococcus meningitis		1	2		2					5		1		8	
25	Other epidemic and endemic diseases								2	1	6					
26	Glanders															
27	Anthrax															
28	Rabies															
29	Tetanus			3	2										1	1
30	Mycoses			1							2					2
	Tuberculosis (all forms)		43	135	49	67		744	179	11	42	3	15	4	112	
31	Of the respiratory system		17	112	33	37		699	168	3	5	2	9	3	79	
32	Of the meninges, central nervous system		3	4	2	11		7	1	4	36	1	1		19	
33	Of the intestines, peritoneum		2	6	3	3		14	3	1					6	
34	Of the vertebral column		18	2	2	13		3		3			4		3	
35	Of the joints			1	4			1	1					1	1	
36	Of other organs		3	8	5	2		3	3						1	
37a	Disseminated (acute)			1		1		13	2		1		1		3	
37b	Disseminated (chronic or unspecified)			1				4	1							
38	Syphilis		42	467	69	186		53	33	13	24		8	23	67	1
39	Soft chancre															
40	Gonococcus infection				6			3							1	
41	Purulent infection, septicemia							13	3	1	2		3			6
42	Other infectious diseases			1												
	II.—General diseases not included in Class I	17	59	1,506	312	250	3	302	47	33	182	7	73	12	160	9
	Cancer and other malignant tumors	17	37	524	191	114	3	112	17	3			20	3	70	3
43	Of the buccal cavity			21	8	4		6								
44	Of the stomach, liver	5	8	160	40	27		35	6				6		14	
45	Of the peritoneum, intestines, rectum	4	3	63	32	9		11					2	1	10	
46	Of the female genital organs	2	3	60	34	14	2	16	4	1					5	
47	Of the breast	1	5	54	24	16		15	2				4		9	
48	Of the skin			44	5	4		9	1					1	1	
49	Of other or unspecified organs	5	18	122	48	40	1	20	4	2			8	1	31	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		1	4	6	2		1					1		3	
51	Acute rheumatic fever			1		3		2	1		1	5	13	1	4	
52	Chronic rheumatism, osteoarthritis, gout							10				1	8		1	
53	Scurvy										2				1	
54	Pellagra		4	10	2	11		78	15	1			1		10	
55	Beriberi															
56	Rickets			1						2	67				3	
57	Diabetes mellitus		13	756	91	104		14	3	7	2		6	6	18	4
58	Anemia, chlorosis			2	1			35	3	1	5		11	2	9	1
59	Diseases of the pituitary gland			4		1			1						6	
60a	Exophthalmic goiter			52	12	6		10	4	3		1	2		5	
60b	Other diseases of the thyroid gland			12	3	4		4	2	2	3				6	
61	Diseases of the parathyroid glands										17					
62	Diseases of the thymus gland			1						1	39				4	
63	Diseases of the adrenals (Addison's disease)			4		1			1				1		2	
64	Diseases of the spleen			1	1										1	
65a	Leukemia			24	3	4		2							1	
65b	Hodgkin's disease			3	1										2	
66	Alcoholism (acute or chronic)			89				19		10			5		5	
67a	Chronic lead poisoning		2	12											3	
67b	Other chronic mineral poisoning		2		1											
68	Chronic poisoning by organic substances			6				4					3			
69	Other general diseases							11		3	46		2		6	1
	III.—Diseases of the nervous system and of the organs of special sense		21	624	246	5,783	28	430	326	99	165	15	106	396	432	31
70	Encephalitis			8	1	9		12	6	5	13	5			23	
71a	Simple meningitis			9		11		9		6	71	2	5		29	
71b	Nonepidemic cerebrospinal meningitis					2				2	6		2		1	1
72	Tabes dorsalis (locomotor ataxia)		12	79	2	24	28	5	1	1			2	1	2	1
73	Other diseases of the spinal cord			115	22	67		8	7	3	2		10	6	41	
74a	Cerebral hemorrhage		5		92	5,273		213	268	18	24	3	51	255	218	12
74b	Cerebral embolism and thrombosis			4		203		12	7	2		1	4	110	19	5
75	Paralysis without specified cause							21		3	1	1	17		21	2
76	General paralysis of the insane		2	190	8	11			7	13			3	8	9	1
77	Other forms of mental alienation									6			2			

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																			
Diseases of the ear	Diseases of the mastoid process	Pericarditis	Endocarditis and myocarditis (acute)	Angina pectoris	Other diseases of the heart	Aneurysm	Other diseases of the arteries	Embolism and thrombosis (not cerebral)	Diseases of the veins	Diseases of the lymphatic system	Hemorrhage without specified cause	Other diseases of the circulatory system	Diseases of the nasal fossae	Diseases of the nasal fossae annexa	Diseases of the larynx	Acute bronchitis	Chronic bronchitis	Bronchitis (unspecified)	Bronchopneumonia	List No.
86a	86b	87	88	89	90	91a	91b,c	92	93	94	95	96	97a	97b	98	99a	99b	99c,d	100a	
1,343	446	1,594	12,492	1,679	71,204	393	65,524	5,220	769	368	95	3,594	443	262	827	3,825	3,620	3,884	29,853	
343	142	190	2,982	56	5,650	304	766	251	83	103	19	21	45	66	202	317	368	635	15,333	
8	5	6	113	1	199	1	4	21	18			2	2	2	4	3	3	12	270	1
					1														1	2
2		2	16		73		9	2			2	3				1	6	9	33	5
			11		14		1	1	1						1			2	15	6
15	8	1	15		18		1	1		4			1	1	8	9	4	16	1,462	7
38	44	10	153		89		1	4		25			1	4	11	2		4	192	8
13	2	3	24		61			2		1			1	1	10	35	8	71	3,421	9
4	2	5	765		269			12		6	3		2	2	42	14	1	17	427	10
18	9	7	94	1	82		35	16	3				5	3	45	146	194	364	7,845	11a
130	46	77	754		572		314	31	18	17	6	6	7	32						11b
1		1	2		8		1	2		2	1		1						22	13
					1				1				1				1			15
3			13		40		4	3	2				1		1	4	5	12	77	16
																			1	17
					1														1	19
			1		1		2												1	20
30		2	58		30		62	9	13	11		1	9	4	9	4	1	3	181	21
		1	16		15		1									4	2		54	22
5		1	16	1	46		13	1	1			1	1	3	1	2	1	2	60	23
13	3	1	8		3				1	1				1		1		3	38	24
2	1		5		6					3					2	1	1		61	25
																				26
															1				1	27
																				28
1	1		1		3			1	3						1			1	5	29
	1	1	2		9		1						1						2	30
45	17	60	746	23	2,894	19	194	67	15	26		5	9	9	53	75	134	102	882	
20	9	49	641	20	2,613	15	166	45	11	19		4	8	7	51	67	131	92	691	31
20	2	4	26		28	1	2			2		1	1	2	1	5		5	73	32
2		3	29		71		5	4	3	2					1		3	1	28	33
			18	2	56	1	4	2								1		1	24	34
	2	1	6		26		4	1											11	35
		1	15	1	63		12	13										2	27	36
3	3	2	10		31	1	1	2	1	2						2		1	23	37a
	1		1		6					1									5	37b
15	3	7	125	30	1,166	284	123	34	4	5	5	2		2	8	16	7	17	269	38
																				39
		5	43		32			26	3	2				2					11	40
					16			18			2	1	3		5					41
			1		1														1	42
35	22	157	2,416	264	9,113	35	1,777	500	97	34	28	45	6	9	69	73	77	92	1,464	
6	4	22	313	63	4,569	29	930	332	57	11	3	14	1	5	31	34	51	43	831	
			4	5	116	1	39	6		1	1				5	1		3	43	43
2		10	100	23	1,852	14	402	64	13			7		1	6	13	19	14	247	44
		2	40	8	662	2	163	64	20	1		2				4	11	3	109	45
	1	1	61	5	527	6	36	76	8	3	1	2				2	6	5	66	46
		6	31	8	362		35	29	7	1						4	4	7	71	47
1	1		6	4	114		44	8	1	1			1		1	1	4	1	37	48
3	2	3	71	10	936	6	211	85	8	4	1	3		4	18	9	7	10	258	49
			5		33		12	12			1				4	1	4	1	4	50
2	1	112	1,668		99		11	17	3						1	1	2	1	66	51
			1		91		133	1	1	1	2	2								52
																				53
		1	15	1	101		14	1	1		1	4				1		3	23	54
					1															55
					3					1					12					56
18	15	12	112	188	2,093		486	88	19	2	1	14	1	1	1	28	13	29	356	57
			3		97		80	4	9	1	9	1	2	2	1				11	58
		1	1		10			2				1			1				2	59
		8	232	8	1,317	5	18	20			1	5			2	3	1	5	55	60a
		1	15	3	129		2	15		1		1	1		11	3		1	32	60b
																				61
					18					6			1							62
	1		4		31		2		1	1						1	2	1	4	63
2			4		6				1											64
5	1		27		114		3	6	2	3	5				2	1	1	4	55	65a
2			5		49	1	4	2		5				1	3		1	2	21	65b
					324		70		1	1	2	2					1	1		66
			2	1	9		4										1		3	67a
					2		1												1	67b
					10													1		68
			9		7		7		2	1	3	1								69
71	169	24	176	8	1,616	4	28,572	225	99	24	3	1,910	76	69	28	149	151	172	1,777	
					15					2		1	13		3		6		2	70
			27		11				1	9		2	38		2	21	3	29		71a
			2					1					4		1	1	1	3	48	71b
			5	3	162	3	39	3			1					4	2	3	36	72
3	2	4	27	4	231		52	78	2			3	1		6	4	5	4	104	73
16	7	19			490		25,495	72	21	4		1,873	4	5	11	86	100	107	920	74a
47	38				87		1,051	28	66	2		20	2	7	1	5	11	4	130	74b
2					47		1,283		2		1				3	9	15	8	194	75
1			24		228	1	68	2	1							3		2	150	76
					75							1								77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE: Capillary bronchitis 100b	Lobar pneumonia 101a	Pneumonia (unspecified) 101b	Pleurisy 102	Congestion and hemorrhagic infarct of the lung 103	Gangrene of the lung 104	Asthma 105	Pulmonary emphysema 106	Other diseases of the respiratory system (tuberculosis excepted) 107	Diseases of the mouth and annexa 108	Adenoid vegetations 199a	Other diseases of the pharynx, tonsils 109b	Diseases of the esophagus 110	Ulcer of the stomach 111a	Ulcer of the duodenum 111b
	All causes	341	9,190	8,376	4,685	15,603	103	5,244	540	2,440	1,151	36	1,977	132	639	212
	I.—Epidemic, endemic, and infectious diseases	139	5,973	5,055	1,261	999	30	441	32	382	83	.....	411	12	89	33
1	Typhoid and paratyphoid fever	2	217	205	15	65	.....	3	.....	9	3	.....	8	1	3	3
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Malaria	.....	33	27	7	6	.....	2	.....	2	1	.....	3	.....	4	1
6	Smallpox	1	9	8	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
7	Measles	10	179	110	19	8	.....	1	.....	3	.....	.....	7	.....	.....	.....
8	Scarlet fever	1	99	39	25	12	.....	.....	.....	3	3	.....	42	.....	.....	.....
9	Whooping cough	38	209	408	25	22	.....	7	2	4	.....	.....	9	.....	.....	.....
10	Diphtheria	3	85	57	8	29	.....	11	.....	8	5	.....	97	.....	2	.....
11a	Influenza (with pulmonary complications)	69	4,200	3,623	358	360	2	175	9	154	2	.....	11	.....	.....	.....
11b	Influenza (other and unspecified)	.....	.....	.....	.....	.....	.....	.....	.....	.....	18	.....	94	.....	.....	.....
13	Mumps	1	15	4	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
15	Cholera nostras	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Dysentery	.....	3	16	5	9	.....	6	.....	3	5	.....	.....	.....	.....	2
17	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Spirochetal hemorrhagic jaundice	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
20	Leprosy	.....	.....	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Erysipelas	1	1	45	15	36	.....	1	.....	3	7	.....	30	1	.....	.....
22	Acute anterior poliomyelitis	2	23	11	.....	19	.....	.....	.....	12	.....	.....	9	.....	.....	.....
23	Lethargic encephalitis	.....	28	11	4	44	.....	.....	.....	2	3	.....	5	.....	.....	1
24	Meningococcus meningitis	.....	13	5	1	6	.....	.....	.....	2	.....	.....	4	.....	.....	.....
25	Other epidemic and endemic diseases	.....	18	10	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
26	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Anthrax	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
28	Rabies	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
29	Tetanus	.....	4	.....	.....	.....	1	2	.....	2	9	.....	.....	.....	.....	.....
30	Mycoses	.....	1	1	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (all forms)	10	694	435	754	293	26	224	20	160	21	.....	65	5	62	18
31	Of the respiratory system	9	602	397	709	230	26	220	19	149	11	.....	38	5	53	16
32	Of the meninges, central nervous system	1	17	15	12	29	.....	1	.....	4	2	.....	10	.....	.....	.....
33	Of the intestines, peritoneum	.....	16	5	8	13	.....	1	.....	.....	2	.....	.....	.....	4	1
34	Of the vertebral column	.....	13	2	1	6	.....	1	1	3	.....	.....	8	.....	2	.....
35	Of the joints	.....	10	2	3	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
36	Of other organs	.....	17	2	2	7	.....	.....	.....	.....	2	.....	4	.....	1	.....
37a	Disseminated (acute)	.....	16	6	15	8	.....	1	.....	3	2	.....	3	.....	2	1
37b	Disseminated (chronic or unspecified)	.....	3	6	4	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
38	Syphilis	1	132	29	20	57	1	5	1	12	2	.....	22	5	16	8
39	Soft chancre	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Gonococcus infection	.....	9	6	3	6	.....	.....	.....	1	1	.....	1	.....	1	.....
41	Purulent infection, septicemia	.....	.....	.....	.....	16	.....	3	.....	2	.....	.....	.....	.....	.....	.....
42	Other infectious diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—General diseases not included in Class I	8	852	361	218	1,283	14	153	9	149	143	1	101	39	299	41
	Cancer and other malignant tumors	2	351	195	130	726	8	77	7	78	44	.....	20	30	277	38
43	Of the buccal cavity	.....	15	3	1	26	.....	4	.....	4	17	.....	1	.....	.....	.....
44	Of the stomach, liver	.....	102	61	28	252	6	34	5	22	11	.....	5	27	258	21
45	Of the peritoneum, intestines, rectum	.....	46	27	7	90	1	4	.....	8	3	.....	3	.....	11	13
46	Of the female genital organs	1	33	20	4	82	1	10	.....	3	2	.....	2	.....	1	1
47	Of the breast	.....	43	18	18	59	.....	13	1	2	.....	.....	.....	.....	1	.....
48	Of the skin	.....	14	6	1	22	.....	1	.....	1	2	.....	1	.....	1	.....
49	Of other or unspecified organs	1	98	60	71	195	.....	11	1	38	9	.....	8	3	5	3
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	.....	8	3	.....	8	.....	1	.....	4	.....	.....	.....	2	.....	.....
51	Acute rheumatic fever	.....	.....	21	23	13	.....	5	.....	2	3	1	.....	.....	1	.....
52	Chronic rheumatism, osteoarthritis, gout	.....	.....	.....	.....	51	.....	12	.....	1	10	.....	.....	.....	.....	.....
53	Scurvy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Pellagra	1	18	9	.....	14	.....	1	.....	1	5	.....	1	1	1	1
55	Beriberi	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Rickets	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
57	Diabetes mellitus	5	351	86	37	135	6	13	1	37	12	.....	27	1	16	2
58	Anemia, chlorosis	.....	4	3	.....	131	.....	6	1	7	37	.....	.....	1	.....	.....
59	Diseases of the pituitary gland	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
60a	Exophthalmic goiter	.....	66	21	10	23	.....	4	.....	3	3	.....	20	.....	3	.....
60b	Other diseases of the thyroid gland	.....	4	9	.....	13	.....	7	.....	.....	3	.....	1	1	.....	.....
61	Diseases of the parathyroid glands	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Diseases of the thymus gland	.....	.....	2	.....	6	.....	2	.....	2	.....	.....	.....	.....	.....	.....
63	Diseases of the adrenals (Addison's disease)	.....	5	.....	1	3	.....	2	.....	1	.....	.....	2	.....	.....	.....
64	Diseases of the spleen	.....	2	1	.....	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....
65a	Leukemia	.....	31	6	7	27	.....	2	.....	4	11	.....	18	2	.....	.....
65b	Hodgkin's disease	.....	9	2	10	18	.....	1	.....	3	1	.....	2	1	1	.....
66	Alcoholism (acute or chronic)	.....	.....	.....	.....	81	.....	13	.....	1	2	.....	.....	.....	.....	.....
67a	Chronic lead poisoning	.....	2	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
67b	Other chronic mineral poisoning	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
68	Chronic poisoning by organic substances	.....	.....	.....	.....	5	.....	6	.....	.....	.....	.....	.....	.....	.....	.....
69	Other general diseases	.....	.....	.....	.....	23	.....	.....	.....	1	12	.....	9	.....	.....	.....
	III.—Diseases of the nervous system and of the organs of special sense	14	168	349	81	1,722	3	164	6	121	128	.....	129	4	49	10
70	Encephalitis	.....	.....	3	.....	29	.....	.....	.....	13	25	.....	.....	.....	.....	.....
71a	Simple meningitis	.....	.....	.....	.....	15	.....	.....	.....	2	30	.....	.....	.....	.....	.....
71b	Nonepidemic cerebrospinal meningitis	.....	.....	8	.....	7	.....	.....	.....	2	2	.....	.....	.....	.....	.....
72	Tabes dorsalis (locomotor ataxia)	1	24	5	.....	31	.....	4	1	3	1	.....	4	.....	2	2
73	Other diseases of the spinal cord	3	42	16	6	69	.....	3	.....	14	5	.....	8	.....	1	.....
74a	Cerebral hemorrhage	5	.....	214	28	1,034	1	127	5	46	29	.....	44	3	31	4
74b	Cerebral embolism and thrombosis	1	.....	13	29	83	1	9	.....	10	20	.....	28	.....	9	3
75	Paralysis without specified cause	2	.....	37	6	104	.....	11	.....	8	5	.....	14	.....	4	1
76	General paralysis of the insane	1	72	10	1	51	1	1	.....	1	3	.....	1	.....	.....	.....
77	Other forms of mental alienation	.....	.....	.....	.....	43	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																				List No.
Other diseases of the stomach (cancer excepted)	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Ancylostomiasis	Diseases due to other intestinal parasites	Appendicitis and typhlitis	Hernia	Intestinal obstruction	Other diseases of the intestines	Acute yellow atrophy of the liver	Hydatid tumor of the liver	Cirrhosis of the liver	Biliary calculi	Other diseases of the liver	Diseases of the pancreas	Peritonitis without specified cause	Other diseases of the digestive system (cancer and tuberculosis excepted)	Acute nephritis (including unspecified under 10 years)	Chronic nephritis (including unspecified 10 years and over)	Chyluria	
112	113	114	115	116	117	118a	118b	119	120	121	122	123	124	125	126	127	128	129	130	
7,072	1,285	4,782	34	81	831	484	5,523	2,756	26	4	791	1,190	5,264	362	14,721	2	7,612	23,424	1	
405	767	718	14	11	298	46	299	459	9	2	261	48	361	19	710	------	1,858	2,096	------	
10	7	30	------	------	36	3	17	232	------	------	1	1	24	------	227	------	73	65	------	1
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2
31	------	36	11	3	------	------	7	8	------	------	27	2	35	1	13	------	52	33	------	5
------	1	2	------	------	------	------	------	1	------	------	------	------	------	1	2	------	4	13	------	6
2	42	9	------	------	------	------	3	1	------	------	------	1	------	------	4	------	43	19	------	7
1	6	7	------	------	11	1	4	1	------	------	------	------	3	------	13	------	337	61	------	8
15	340	51	1	1	------	1	4	3	------	------	------	------	3	------	6	------	33	2	------	9
8	22	15	------	------	8	1	4	2	------	------	1	------	------	------	4	------	142	25	------	10
2	------	7	------	------	------	2	1	3	------	------	3	3	18	------	5	------	20	66	------	11a
143	------	194	1	3	------	2	48	41	------	------	1	15	139	5	------	------	643	273	------	11b
3	------	3	------	------	------	------	------	------	------	------	------	------	------	1	------	------	12	2	------	13
3	------	------	------	------	------	------	------	------	------	------	------	------	2	------	------	------	------	------	------	15
34	134	98	------	2	------	1	------	15	------	------	2	1	19	1	27	------	20	14	------	16
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	17
------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	2	4	------	19
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	2	------	20
4	------	4	------	------	------	1	------	8	------	------	------	------	8	------	5	------	60	31	------	21
2	11	9	------	------	1	------	1	------	------	1	1	------	------	------	------	------	2	3	------	22
1	5	4	------	------	1	------	2	3	------	------	------	------	4	1	1	------	3	20	------	23
2	11	2	------	------	------	------	------	2	------	------	------	------	------	------	------	------	1	6	------	24
4	------	------	------	------	------	------	------	------	------	------	------	------	2	------	2	------	9	3	------	25
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	26
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	27
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	28
------	4	------	------	------	14	3	2	1	------	------	------	4	2	------	------	------	------	1	------	29
2	------	------	------	------	------	------	1	1	------	------	------	------	------	------	------	------	------	3	------	30
104	83	192	1	2	163	19	144	113	------	------	106	18	67	7	107	------	257	1,057	------	
73	26	134	1	1	105	12	38	60	------	------	76	13	42	3	44	------	210	849	------	31
10	44	15	------	------	6	------	2	5	------	------	------	------	1	------	2	------	6	9	------	32
9	7	33	------	1	39	4	90	36	------	------	14	3	16	2	25	------	7	49	------	33
6	1	3	------	------	3	------	1	2	------	------	5	------	2	1	9	------	11	31	------	34
1	1	------	------	------	------	------	------	------	------	------	4	------	------	------	2	------	6	12	------	35
4	2	5	------	------	7	3	10	6	------	------	5	2	2	------	20	------	11	97	------	36
1	2	2	------	------	2	------	2	2	------	------	1	------	3	1	3	------	4	6	------	37a
------	------	------	------	------	1	------	1	2	------	------	1	------	1	------	2	------	2	4	------	37b
26	101	28	------	------	12	10	22	21	9	1	118	2	33	1	17	------	98	384	------	38
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	39
2	------	1	------	------	52	2	39	3	------	------	1	1	1	1	277	------	9	7	------	40
6	------	26	------	------	------	------	------	------	------	------	------	------	------	------	------	------	36	------	------	41
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	42
744	22	354	7	5	122	75	1,682	316	9	------	228	365	687	70	699	------	583	4,478	1	
419	1	151	4	1	64	65	1,590	186	9	------	147	333	529	16	655	------	205	2,184	1	
4	------	5	------	------	------	1	1	------	------	------	------	------	------	------	------	------	5	36	------	43
317	------	46	------	1	15	18	179	51	6	------	95	262	303	9	151	------	53	667	------	44
35	------	57	4	------	28	22	1,117	89	------	------	16	22	40	1	301	------	34	222	------	45
23	------	17	------	------	15	5	193	28	------	------	3	5	8	------	151	------	45	325	------	46
9	------	4	------	------	1	1	3	------	1	------	7	2	2	2	4	------	20	111	------	47
4	------	6	------	------	1	4	1	------	------	------	------	------	1	------	------	------	2	56	------	48
27	1	16	------	------	4	14	96	18	2	------	26	42	175	4	48	------	46	767	1	49
7	------	5	------	------	------	2	54	6	------	------	------	------	5	------	13	------	4	17	------	50
6	------	3	1	------	------	------	------	1	------	------	------	------	5	1	5	------	58	41	------	51
20	------	23	------	------	------	------	------	3	------	------	------	------	2	------	------	------	30	17	------	52
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6	------	------	53
13	1	58	2	------	2	2	5	12	------	------	2	2	3	------	1	------	12	76	------	54
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	55
10	------	------	------	1	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	56
60	7	67	------	------	36	4	24	39	------	------	58	17	56	46	11	------	160	1,830	------	57
42	------	2	------	1	------	------	------	21	------	------	2	------	15	------	5	------	31	34	------	58
------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	59
12	------	7	------	------	17	1	3	3	------	------	6	11	27	5	4	------	23	137	------	60a
2	9	7	------	1	------	1	2	4	------	------	------	------	2	------	1	------	4	7	------	60b
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	61
1	------	------	------	1	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	62
1	------	1	------	------	1	------	------	------	------	------	------	1	2	------	1	------	3	15	------	63
5	------	1	------	------	------	------	1	2	------	------	3	------	17	------	1	------	3	1	------	64
9	2	9	------	------	1	------	1	18	------	------	4	1	11	1	------	------	10	41	------	65a
4	2	2	------	------	------	------	2	2	------	------	1	------	4	1	1	------	3	11	------	65b
121	------	10	------	------	------	------	------	4	------	------	------	------	1	------	------	------	6	28	------	66
------	------	2	------	------	1	------	------	2	------	------	4	------	------	------	1	------	6	23	------	67a
2	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	4	------	67b
4	------	5	------	------	------	------	------	1	------	------	------	------	------	------	------	------	9	3	------	68
6	------	------	------	------	------	------	------	10	------	------	------	------	8	------	------	------	8	8	------	69
447	56	456	1	3	4	24	83	92	1	------	16	57	163	------	14	------	363	831	------	
------	------	------	------	------	------	------	1	1	------	------	------	------	1	------	4	------	3	------	------	70
38	------	138	1	1	------	------	------	7	------	------	------	------	2	------	------	------	------	3	------	71a
6	40	17	------	1	------	------	------	------	------	------	------	------	------	------	1	------	2	------	------	71b
3	------	7	------	------	2	------	2	3	1	------	8	1	3	------	------	------	7	76	------	72
14	------	28	------	------	------	------	7	9	------	------	2	2	5	------	2	------	20	124	------	73
321	------	128	------	1	------	11	41	37	------	------	2	44	109	------	------	------	204	373	------	74a
8	------	14	------	------	------	3	5	5	------	------	------	8	18	------	------	------	7	12	------	74b
31	------	37	------	------	------	2	17	20	------	------	1	------	12	------	------	------	35	73	------	75
4	------	10	------	------	2	2	4	2	------	------	1	1	2	------	5	------	8	94	------	76
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE: Other diseases of the kidneys and annexa (non-puerperal) 131	Calculi of the urinary passages 132	Diseases of the bladder 133	Diseases of the urethra, etc. 134	Diseases of the prostate 135	Nonvenereal diseases of the male genital organs 136	Cysts, other benign tumors of the ovary 137	Salpingitis and pelvic abscess (female) 138	Benign tumors of the uterus 139	Non-puerperal uterine hemorrhage 140	Other diseases of the female genital organs 141	Non-puerperal diseases of the breast (cancer excepted) 142	Accidents of pregnancy 143	Puerperal hemorrhage 144	Other accidents of labor 145
	All causes	3,566	160	3,189	335	2,322	153	334	193	717	84	419	22	2,965	254	3,048
	I.—Epidemic, endemic, and infectious diseases	284	11	104	47	101	29	22	92	64	7	33	2	215	11	154
1	Typhoid and paratyphoid fever	21	1	1				1	3	2		5		38		13
2	Typhus fever															
5	Malaria	8		6		2	1			1	1	2		11		5
6	Smallpox													4		1
7	Measles	2												1		2
8	Scarlet fever	6				1			1			1		4	1	22
9	Whooping cough	2					1									
10	Diphtheria	5				1			2					1		3
11a	Influenza (with pulmonary complications)	14		1		2	1			2	1	1		17		
11b	Influenza (other and unspecified)	59		23	1	25	4	3		5	2	3		16		
13	Mumps						1									
15	Cholera nostras															
16	Dysentery	4		7		5	1			1				1		
17	Plague													3		
19	Spirochetal hemorrhagic jaundice															
20	Leprosy	2														1
21	Erysipelas	14		1		5	7							2		
22	Acute anterior poliomyelitis	1		1												
23	Lethargic encephalitis	8		2					1					4		
24	Meningococcus meningitis	1														
25	Other epidemic and endemic diseases	1														1
26	Glanders															
27	Anthrax															
28	Rabies															
29	Tetanus					2		1	4	4		4				
30	Mycoses															
	Tuberculosis (all forms)	94	8	41	6	41	6	6	25	18	1	9	2	106	4	103
31	Of the respiratory system	43	7	26	3	38	3	2	11	10	1	6	2	96	3	93
32	Of the meninges, central nervous system	11		1		1									1	1
33	Of the intestines, peritoneum	5		1			1	3	11	6		3		4		3
34	Of the vertebral column	7		1						1						
35	Of the joints							1								
36	Of other organs	22	1	12	3	1	2		1					3		
37a	Disseminated (acute)	4				1			2	1				3		5
37b	Disseminated (chronic or unspecified)	2														1
38	Syphilis	22	1	12	8	10	5	3	20	9	1	5		7	6	3
39	Soft chancre															
40	Gonococcus infection	20	1	7	32	7	2	8	36	22	1	3				
41	Purulent infection, septicemia			2												
42	Other infectious diseases															
	II.—General diseases not included in Class I	414	24	251	35	208	27	43	47	105	29	44	6	57	8	18
	Cancer and other malignant tumors	283	20	171	30	128	5	36	38	71	17	24	4	18	3	12
43	Of the buccal cavity					3										
44	Of the stomach, liver	32	3	16	1	31		4	3	11				1		1
45	Of the peritoneum, intestines, rectum	24	5	11	4	20		8	15	9				2		2
46	Of the female genital organs	42		11	5			23	19	44	16	22		10	3	7
47	Of the breast	3		1						3	1	1	4	1		2
48	Of the skin	1		3		1								1		
49	Of other or unspecified organs	181	12	129	20	73	5	1	1	4		1		3		0
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)	12		15		1	2									
51	Acute rheumatic fever	1		6		2						1				
52	Chronic rheumatism, osteoarthritis, gout	3		4		9								1		
53	Scurvy															
54	Pellagra	2		1		2	1		1	2	1	3		5	2	3
55	Beriberi															
56	Rickets															
57	Diabetes mellitus	86	2	29	5	52	1	6	6	16	2	8	2	16		3
58	Anemia, chlorosis	5		21		7					7	2				
59	Diseases of the pituitary gland			2												
60a	Exophthalmic goiter	5	2					1	2	9	1	4		12		
60b	Other diseases of the thyroid gland	1				3				1	1	2		3		
61	Diseases of the parathyroid glands															
62	Diseases of the thymus gland															
63	Diseases of the adrenals (Addison's disease)	3		1		1				1						
64	Diseases of the spleen															
65a	Leukemia	2				2				5				1	3	
65b	Hodgkin's disease	1				1								1		
66	Alcoholism (acute or chronic)	5														
67a	Chronic lead poisoning	2														
67b	Other chronic mineral poisoning															
68	Chronic poisoning by organic substances	1														
69	Other general diseases	2		1			18									
	III.—Diseases of the nervous system and of the organs of special sense	214	10	186	12	125	7	13		26	2	30	1	28		2
70	Encephalitis	6										2		1		
71a	Simple meningitis	2		5			1					2		3		
71b	Nonepidemic cerebrospinal meningitis	4														
72	Tabes dorsalis (locomotor ataxia)	18		23	2	6	1									
73	Other diseases of the spinal cord	33	1	28	6	2				1		1		1		
74a	Cerebral hemorrhage	76	8	75	3	89	1	11		15	2	16		6		
74b	Cerebral embolism and thrombosis	18		9	1	11	2	1		6		4		10		
75	Paralysis without specified cause	19		18		13	1			1		2	1			
76	General paralysis of the insane	7	1	8						1						1
77	Other forms of mental alienation															

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																				
Puerperal septicemia	Puerperal phlegmasia alba dolens, embolus, etc.	Puerperal albuminuria and convulsions	Following childbirth (undefined)	Puerperal diseases of the breast	Gangrene	Furuncle	Acute abscess	Other diseases of the skin and annexa	Diseases of the bones (tuberculosis excepted)	Diseases of the joints (tuberculosis and rheumatism excepted)	Amputations	Other diseases of the organs of locomotion	Congenital hydrocephalus	Congenital malformations of the heart	Other congenital malformations	Congenital debility, icterus, sclerema	Premature birth	Injury at birth	Other diseases peculiar to early infancy	List No.
146	147	148	149	150	151	152	153	154	155	156	157	158	159a	159b	159c	160	161a	161b	162	
275	370	551	56	13	4,596	659	1,067	1,093	513	303	4	120	60	310	1,227	6,973	3,720	97	2,895	
45	8	36	16	----	99	43	163	97	85	24	----	8	41	66	63	565	290	29	103	
4	1	2	1	----	8	----	3	5	6	2	----	----	----	1	----	1	----	----	----	1
----	----	----	----	----	1	1	2	1	----	----	----	----	----	----	----	10	3	----	----	2
----	----	----	----	----	1	1	1	1	----	----	----	----	----	----	----	----	2	----	----	5
----	----	----	----	----	4	----	4	----	1	----	----	----	----	1	----	5	----	----	----	6
12	3	7	2	----	1	1	9	----	3	3	----	----	1	5	----	----	----	----	----	7
----	----	----	----	----	3	----	2	----	2	----	----	1	5	19	8	85	19	----	1	8
4	----	3	----	----	1	----	2	2	----	----	----	----	2	3	2	5	3	----	----	9
----	----	----	5	----	----	1	1	----	2	----	----	----	----	----	----	1	1	----	1	10
----	----	----	2	----	13	----	13	14	6	7	----	2	----	----	11	86	----	----	2	11a
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	11b
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	3	----	----	----	13
----	----	----	----	----	4	----	1	----	1	2	----	----	----	----	1	55	4	----	----	15
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	16
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	17
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	19
----	----	----	----	----	13	28	37	22	1	2	----	----	1	4	1	23	11	----	7	20
----	----	----	----	----	----	1	----	1	2	----	----	----	----	1	1	1	----	----	----	21
----	----	----	1	----	2	----	----	2	----	----	----	----	----	1	----	1	----	----	----	22
----	----	1	----	----	----	----	----	----	1	----	----	----	3	----	----	2	----	----	----	23
----	----	----	----	----	3	----	2	3	1	1	----	----	----	----	----	4	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	27
----	----	----	----	----	1	1	3	9	----	1	----	----	----	----	2	4	1	7	37	28
----	----	----	----	----	----	1	1	1	----	----	----	----	----	----	----	16	----	----	----	29
----	2	14	5	----	25	5	27	10	43	4	----	3	8	7	11	74	6	----	----	30
----	2	12	5	----	16	2	18	5	29	4	----	3	1	4	6	30	----	----	----	31
----	----	1	----	----	1	3	3	1	3	----	----	----	4	3	2	21	3	----	----	32
----	----	----	----	----	1	----	1	1	3	----	----	----	2	----	----	16	----	----	----	33
----	----	----	----	----	1	----	----	1	4	----	----	----	1	----	1	----	----	----	----	34
----	----	----	----	----	3	----	1	----	2	----	----	----	----	----	----	----	----	----	----	35
----	----	1	----	----	2	----	4	1	1	----	----	----	----	----	1	3	----	----	----	36
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	1	3	3	----	----	37a
----	----	----	----	----	1	----	----	----	1	----	----	----	----	----	----	1	----	----	----	37b
25	2	9	----	----	16	3	7	25	15	2	----	----	21	24	22	172	226	22	44	38
----	----	----	----	----	2	----	----	----	----	----	----	----	----	----	----	----	----	----	----	39
----	----	----	----	----	1	----	1	----	1	----	----	----	----	----	----	12	14	----	----	40
----	----	----	----	----	----	----	47	1	----	----	----	2	----	----	4	4	----	----	11	41
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	42
6	----	4	1	1	1,863	295	140	113	59	10	2	10	----	1	35	327	21	----	163	
6	----	----	----	----	53	4	23	21	24	2	1	2	----	1	2	----	----	----	----	
----	----	----	----	----	2	----	1	----	2	----	----	----	----	----	----	----	----	----	----	43
1	----	----	----	----	14	1	1	3	1	1	----	2	----	----	----	----	----	----	----	44
----	----	----	----	----	9	1	9	6	4	----	----	----	----	----	----	----	----	----	----	45
3	----	----	----	----	6	----	2	6	1	1	----	----	----	1	----	----	----	----	----	46
----	----	----	----	----	3	1	1	2	3	----	----	----	----	----	----	----	----	----	----	47
----	----	----	----	----	2	----	1	----	3	----	----	----	----	----	1	----	----	----	----	48
2	----	----	----	----	17	1	8	4	10	----	1	----	----	----	1	----	----	----	----	49
----	----	----	----	----	2	----	2	5	1	1	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	1	----	4	2	3	----	3	----	----	----	----	----	----	----	51
----	----	----	----	----	22	1	4	26	----	----	----	----	----	----	----	----	----	----	----	52
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	5	----	----	----	53
----	----	4	----	----	2	----	2	5	1	----	----	----	----	----	----	----	----	----	----	54
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	55
----	----	----	----	----	----	2	3	2	----	----	----	1	----	----	7	112	11	----	2	56
----	----	----	----	1	1,777	282	91	19	16	2	1	2	----	----	----	----	----	----	----	57
----	----	----	----	----	1	----	2	13	6	----	----	----	----	----	2	37	8	----	16	58
----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	1	----	----	----	59
----	----	----	1	----	----	----	2	1	2	----	----	1	----	----	----	----	----	----	----	60a
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	2	1	----	----	----	60b
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	2	18	----	----	2	61
----	----	----	----	----	----	----	----	5	----	----	----	1	----	----	14	32	----	----	32	62
----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	63
----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	2	----	----	----	64
----	----	----	----	----	3	3	3	1	7	1	----	----	----	----	----	----	----	----	----	65a
----	----	----	----	----	1	----	2	2	----	----	----	----	----	----	----	1	----	----	----	65b
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	66
----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	67a
----	----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	67b
----	----	----	----	----	----	1	2	----	----	----	----	----	----	----	----	----	----	----	----	68
----	----	----	----	----	----	----	3	7	----	1	----	----	----	----	6	118	2	----	111	69
----	----	----	----	----	203	60	78	172	35	17	----	12	----	3	17	371	12	----	18	
----	----	----	----	----	----	7	7	3	----	1	----	----	----	----	2	9	1	----	1	70
----	----	----	----	----	----	20	25	8	7	----	----	1	----	----	2	32	5	----	3	71a
----	----	----	----	----	----	----	----	----	1	2	----	----	----	----	----	2	----	----	----	71b
----	----	----	----	----	5	----	----	5	----	----	----	----	----	----	----	----	----	----	----	72
----	----	----	----	----	7	5	1	37	4	1	----	1	----	3	2	1	1	----	1	73
----	----	----	----	----	127	9	6	42	5	4	----	7	----	----	1	8	4	----	1	74a
----	----	----	----	----	17	9	10	5	5	2	----	----	----	----	----	----	----	----	1	74b
----	----	----	----	----	38	1	4	22	4	1	----	1	----	----	----	----	----	----	2	75
----	----	----	----	----	3	----	5	12	1	1	----	----	----	----	----	----	----	----	----	76
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE														
				Suicide							Homicide		Accidental or undefined			
		Lack of care	Old age (senility)	By poisons (gas or corrosives excepted)	By corrosive substances	By poisonous gas	By firearms	By cutting or piercing instruments	By jumping from high places	By crushing	By cutting or piercing instruments	By other means	Poisoning by food	Poisoning by venomous animals	Other acute poisonings (gas excepted)	Conflagration
		163	164	165	166	167	170	171	172	173	198	199	175	176	177	178
	All causes	25	32,046	4	10	8	10	3	1	1	24	5	1	1	117	3
	I.—Epidemic, endemic, and infectious diseases	2	1,702												82	
1	Typhoid and paratyphoid fever		6													
2	Typhus fever															
5	Malaria		39													
6	Smallpox		3													
7	Measles															
8	Scarlet fever															
9	Whooping cough															
10	Diphtheria														1	
11a	Influenza (with pulmonary complications)		7													
11b	Influenza (other and unspecified)		1,085													
13	Mumps		2													
15	Cholera nostras		19													
16	Dysentery		212													
17	Plague															
19	Spirochetal hemorrhagic jaundice															
20	Leprosy		1													
21	Erysipelas		72													
22	Acute anterior poliomyelitis															
23	Lethargic encephalitis		4													
24	Meningococcus meningitis														1	
25	Other epidemic and endemic diseases															
26	Glanders															
27	Anthrax															
28	Rabies															
29	Tetanus	1													1	
30	Mycoses															
	Tuberculosis (all forms)		209													
31	Of the respiratory system		179													
32	Of the meninges, central nervous system															
33	Of the intestines, peritoneum		12													
34	Of the vertebral column		3													
35	Of the joints		4													
36	Of other organs		8													
37a	Disseminated (acute)		1													
37b	Disseminated (chronic or unspecified)		2													
38	Syphilis	1	11												78	
39	Soft chancre															
40	Gonococcus infection		1												1	
41	Purulent infection, septicemia		31													
42	Other infectious diseases															
	II.—General diseases not included in Class I		2,061												4	
	Cancer and other malignant tumors		1,305													
43	Of the buccal cavity		53													
44	Of the stomach, liver		517													
45	Of the peritoneum, intestines, rectum		199													
46	Of the female genital organs		109													
47	Of the breast		86													
48	Of the skin		102													
49	Of other or unspecified organs		239													
50	Tumors, benign and unqualified (tumors of the female genital organs excepted)		20													
51	Acute rheumatic fever		67													
52	Chronic rheumatism, osteoarthritis, gout		166												1	
53	Scurvy															
54	Pellagra		41													
55	Beriberi															
56	Rickets															
57	Diabetes mellitus		200													
58	Anemia, chlorosis		158												1	
59	Diseases of the pituitary gland															
60a	Exophthalmic goiter		8													
60b	Other diseases of the thyroid gland		10												1	
61	Diseases of the parathyroid glands															
62	Diseases of the thymus gland															
63	Diseases of the adrenals (Addison's disease)		5													
64	Diseases of the spleen		1													
65a	Leukemia		7													
65b	Hodgkin's disease		5													
66	Alcoholism (acute or chronic)		8													
67a	Chronic lead poisoning		3													
67b	Other chronic mineral poisoning															
68	Chronic poisoning by organic substances		7													
69	Other general diseases		50												1	
	III.—Diseases of the nervous system and of the organs of special sense		4,466											1		
70	Encephalitis		13													
71a	Simple meningitis		10													
71b	Nonepidemic cerebrospinal meningitis															
72	Tabes dorsalis (locomotor ataxia)		18													
73	Other diseases of the spinal cord		104													
74a	Cerebral hemorrhage		3,259											1		
74b	Cerebral embolism and thrombosis		91													
75	Paralysis without specified cause		476													
76	General paralysis of the insane		26													
77	Other forms of mental alienation		94													

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																			
Accidental or undefined—Continued																			
Burns (conflagration excepted) 179	Mechanical suffocation 180	Absorption of irrespirable, irritating, or poisonous gas 181	Drowning 182	Traumatism by firearms (except in war) 183	Traumatism by cutting or piercing instruments 184	Traumatism by fall 185	Traumatism in mines 186a	Traumatism by machines 187	Railroad accidents 188a	Streetcar accidents 188b	Automobile accidents 188c	Injuries by other vehicles 188e, f	Landslide, other crushing 188g	Injuries by animals (not poisoning) 189	Excessive cold 193	Excessive heat 194	Other accidental electric shocks 196	Fracture (cause not specified) 201	Other external violence 202	List No.
286	6	315	113	71	419	114	4	36	3	10	1,799	386	17	16	15	825	60	8	230	
29		8		71	380	52	4	31	3	1	33	16	8	14	9	41	4	8	193	
																				1
																				2
																				5
																				6
																1				7
																				8
																1				9
		1														3				10
																1				11a
																5				11b
																				13
																1				15
																5				16
																				17
																1				19
																				20
					8														8	21
																1				22
																1				23
																1				24
																1				25
																				26
																				27
																				28
29				71	371	52	4	31	3	1	33	16	8	14	8	1	4	8	184	29
																				30
		3			1										1	14			1	
		1			1										1	14			1	31
																				32
																				33
																				34
		1																		35
		1																		36
																				37a
																				37b
		1														4				38
																				39
		3																		40
																				41
																				42
8		23			15	4		1						2	1	67			11	
7		14			1	4		1						2		15			3	
		2			1															43
		2				1		1						2		3			1	44
		1														3			1	45
3		6														2				46
3																1				47
1																1				48
		3				3										5			1	49
		3														1				50
																3				51
																3				52
																1				53
																				54
																				55
																1				56
1		1			12										1	13			8	57
																5				58
																				59
		4														2				60a
		1																		60b
																				61
																				62
																1				63
																				64
																				65a
																				65b
																22				66
																				67a
																				67b
																				68
					2															69
		10													1	90			4	
																5				70
																1				71a
																				71b
																1			1	72
		3														2				73
															1	46				74a
																2				74b
																6				75
																4			3	76
																3				77

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	All primary causes	CONTRIBUTORY CAUSE: All contributory causes	Malaria	Measles	Whooping cough	Influenza (with pulmonary complications	Influenza (other and unspecified)	Mumps	Cholera nostras	Dysentery	Erysipelas	Lethargic encephalitis	Other epidemic and endemic diseases	Mycoses	Tuberculosis: Of the respiratory system	Tuberculosis: Of the meninges, central nervous system
				5	7	9	11a	11b	13	15	16	21	23	25	30	31	32
	III.—Diseases of the nervous system and of the organs of special sense—Continued																
78	Epilepsy	3,189	737								2				1		
79	Convulsions (nonpuerperal; 5 years and over)	147	6														
80	Infantile convulsions (under 5 years)	1,833	265														
81	Chorea	90	25														
82	Neuralgia and neuritis	312	127														
83	Softening of the brain	745	566														
84	Other diseases of the nervous system	4,599	1,691				3	23					1				
85	Diseases of the eye and annexa	91	57														
86a	Diseases of the ear	2,004	1,883								1	6	2				5
86b	Diseases of the mastoid process	1,328	1,166									18					4
	IV.—Diseases of the circulatory system	217,567	114,910	57			672	3,088	4	25	168	270	1	1			
87	Pericarditis	875	404														
88	Endocarditis and myocarditis (acute)	7,999	4,583							2							
89	Angina pectoris	13,680	7,461	5			5	144			1	1					
90	Other diseases of the heart	168,672	89,670	52			666	2,934	4	19	121	269		1			
91a	Aneurysm	1,914	897				1	10			1						
91b,c	Other diseases of the arteries	21,176	9,965							3	45						
92	Embolism and thrombosis (not cerebral)	2,098	1,281							1			1				
93	Diseases of the veins	586	475														
94	Diseases of the lymphatic system	201	120														
95	Hemorrhage without specified cause	132	11														
96	Other diseases of the circulatory system	234	43														
	V.—Diseases of the respiratory system	111,977	46,417				9	2		3	25	83			11		2
97a	Diseases of the nasal fossae	366	97														
97b	Diseases of the nasal fossae annexa	548	501														2
98	Diseases of the larynx	519	146														
99a	Acute bronchitis	2,589	1,353												1		
99b	Chronic bronchitis	2,414	1,546														
99c,d	Bronchitis (unspecified)	1,667	1,088												1		
100a	Broncho-pneumonia	38,896	16,740							1					5		
100b	Capillary bronchitis	924	286												1		
101a	Lobar pneumonia	51,407	18,591							2	25	83			2		
101b	Pneumonia (unspecified)	5,205	1,831														
102	Pleurisy	2,636	1,966												1		
103	Congestion and hemorrhagic infarct of the lung	1,372	764														
104	Gangrene of the lung	215	165				9	2									
105	Asthma	1,920	976														
106	Pulmonary emphysema	141	56														
107	Other diseases of the respiratory system (tuberculosis excepted)	1,158	311														
	VI.—Diseases of the digestive system	104,297	55,437	51	5	8	107	587	7	15	47	91	7	12	33	1	
108	Diseases of the mouth and annexa	768	602														
109a	Adenoid vegetations	9	7														
109b	Other diseases of the pharynx, tonsils	3,672	2,946						1		2	1		2			
110	Diseases of the esophagus	116	51														
111a	Ulcer of the stomach	4,384	2,904				7	28	1		1	3	1				
111b	Ulcer of the duodenum	1,749	1,274				1	6				2	1				
112	Other diseases of the stomach (cancer excepted)	5,832	1,835														
113	Diarrhea and enteritis (under 2 years)	32,450	10,953	45			39	263	2	4	10	26		8	33		
114	Diarrhea and enteritis (2 years and over)	8,062	2,632					1		6							
115	Ancylostomiasis	24	9														
116	Diseases due to other intestinal parasites	118	37													1	
117	Appendicitis and typhlitis	15,618	13,138	4	5	2	30	89	2		11	11	3	2			
118a	Hernia	3,938	2,943			2	4	7			1	6	1				
118b	Intestinal obstruction	7,230	3,231	1		4		18		1	13	6					
119	Other diseases of the intestines	1,251	790	1			1	1		1		1					
120	Acute yellow atrophy of the liver	469	223					8									
121	Hydatid tumor of the liver	29	13					1				1					
122	Cirrhosis of the liver	7,549	4,392				7	35			7	10					
123	Biliary calculi	4,148	3,392					7					1				
124	Other diseases of the liver	4,596	2,698				3	12	1		2	1					
125	Diseases of the pancreas	624	361					2									
126	Peritonitis without specified cause	1,661	1,006				15	109		3		23					
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	115,231	77,645	48			113	559	7	18	66	64	1	1			
128	Acute nephritis (including unspecified under 10 years)	5,733	2,051							4							
129	Chronic nephritis (including unspecified 10 years and over)	93,587	63,095	44			107	526	6	12	61	57		1			
130	Chyluria	1	1														
131	Other diseases of the kidneys and annexa	2,892	1,809	3			1	4		2	2						
132	Calculi of the urinary passages	834	726				1	1									
133	Diseases of the bladder	990	631					1									
134	Diseases of the urethra, etc	402	304					2				1					
135	Diseases of the prostate	5,200	4,566					8			1	3					
136	Nonvenereal diseases of the male genital organs	104	73														
137	Cysts, other benign tumors of the ovary	811	613				1	3				1					
138	Salpingitis and pelvic abscess (female)	1,779	1,568				1	12	1		2						
139	Benign tumors of the uterus	2,044	1,546	1			1	1				1	1				
140	Nonpuerperal uterine hemorrhage	49	26														
141	Other diseases of the female genital organs	774	614				1	1				1					
142	Nonpuerperal diseases of the breast (cancer excepted)	31	22														

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																					
losis Of other organs	Soft chancre	Gonococcus infection	Purulent infection, septicemia	Other infectious diseases	Tumors, benign and unqualified (tumors of the female genital organs excepted)	Acute rheumatic fever	Chronic rheumatism, osteoarthritis, gout	Scurvy	Pellagra	Rickets	Diabetes mellitus	Anemia, chlorosis	Diseases of the pituitary gland	Exophthalmic goiter	Other diseases of the thyroid gland	Diseases of the parathyroid glands	Diseases of the thymus gland	Diseases of the adrenals (Addison's disease)	Diseases of the spleen	Leukemia	Alcoholism (acute or chronic)	List No.
36	39	40	41	42	50	51	52	53	54	56	57	58	59	60a	60b	61	62	63	64	65a	66	
							3			2		3			1		2				19	78
																						79
																						80
												1										81
												5									24	82
					1		4					5									4	83
		2	6		4	1	14			3	1	16		1	3		1		1		2	84
			7														1					85
			126		1	2	2			7	4	2				2	4				2	86a
			134			1	2				9	3										86b
3	1	10	558	1	89	1,529	2,376	3		17	6	1,147	1		292	3	20		53	4	759	
			6		1		63			2		6			2				3		9	87
			222		9		262	3		7		122			30	2	6		9		128	88
			1		2	41	48					18	1		4				1	4	20	89
2		9	140	1	74	1,462	1,948			8		929			240	1	14		38		594	90
1					3	1	8				6	1			2						5	91a
		1	33			21	32					54			11							91b,c
						3	14					7			2				2		2	92
	1		83			1	1					6			1						1	93
			73									3										94
												1										95
																						96
1		23	584	1	33	150	283	12		509		396	3		48	30	143		11		621	
			21							1		1									2	97a
			51									3			1						1	97b
			4				4			2		2				3	14					98
			8			2	13	1		32		23			1	4	15				9	99a
			5			1	24			4		23			6		1				3	99b
			6			1	9	1		21		15			3		12				6	99c,d
		16	134	1	19	22	129	8		364		178			9	19	85		2		198	100a
						1	1			12		6			1		1				1	100b
		6	182		6	115	75	2		59		98	3		23	3	13		5		377	101a
1		1	47		2	5	16			9		18			4		1				2	101b
			81		5	3	8			1		12					1		4		7	102
										4												103
			7									1									4	104
												6				1						105
																						106
			38		1		4					10									11	107
2		15	1,825		43	150	75	10	10	204	156	578	1	33	27	46	92	1	40	3	155	
			345				1			1		18									4	108
						1											2					109a
		3	522		3	113	16			3		24			3	1	27				5	109b
			1				1															110
			18		2	4	6		1		8	49		4	1				3		32	111a
			12						1		3	18		1							3	111b
			2									37				6	12					112
2		6	40		2	1		9		177		53				29	29					113
		1	22		1	6	7			16		131			3	6	7				39	114
												7										115
												1										116
		1	455		2	6	1		5		74	11	1	17	3	1	6		3	2	13	117
		1	28		3	1			1	1	31	7		2	1		2			1	12	118a
		1	25		15		9			1	16	10		1	1	2	3				12	118b
			93			1		1		1		18									6	119
							3		1		1	4		1	1			1			13	120
																						121
		1	7		3	8	11			2		97							26			122
			41		5	2	4				22	14		4	4				2		2	123
		1	136		6	5	14		1		1	72		3	8		3		4		6	124
			8									4			1		1		2		1	125
			70		1	2	2			2		3			1	1					7	126
1		12	631		52	122	239	1	4	9	40	574	5	6	40	4	6		22	1	471	
1						21	17			3		38			3		1				199	128
		12	71		33	92	208			1		374	5		25	1	1		17		264	129
																						130
			146		9	5	6	1		5		47				2	2		3		3	131
			15		2		1				2	5							1			132
			48			1	3					5			2						1	133
			28				1					3									1	134
			112		4		1				9	11		1	1							135
			24									3									1	136
			16		4						7	3			1					1		137
			80				1				5	5			1							138
			37			2	1		3		10	68		5	6	1	2		1			139
			3									5										140
			40			1			1		7	7			1						2	141
			11																			142

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE														
		Chronic lead poisoning	Other chronic mineral poisoning	Chronic poisoning by organic substances	Other general diseases	Encephalitis	Simple meningitis	Non-epidemic cerebro-spinal meningitis	Other diseases of the spinal cord	Cerebral hemorrhage	Cerebral embolism and thrombosis	Paralysis without specified cause	Other forms of mental alienation	Epilepsy	Convulsions (nonpuerperal; 5 years and over)	Infantile convulsions (under 5 years)	Chorea
		67a	67b	68	69	70	71a	71b	73	74a	74b	75	77	78	79	80	81
	III.—Diseases of the nervous system and of the organs of special sense—Continued																
78	Epilepsy				4		22	4		12		43	79				2
79	Convulsions (nonpuerperal; 5 years and over)																
80	Infantile convulsions (under 5 years)																
81	Chorea												2			2	
82	Neuralgia and neuritis					7	2			1			6		2		
83	Softening of the brain			1	1	1				1		42	8		2		1
84	Other diseases of the nervous system				12	16	36		2	195	16	94	50	29	35	28	
85	Diseases of the eye and annexa					8	25						1		1		
86a	Diseases of the ear				5	258	947	66		5	34	3	3	1		15	
86b	Diseases of the mastoid process				4	167	457	23		5	71	1	1			3	
	IV.—Diseases of the circulatory system		1	44	263	87	81	2	7	6,711	2,089	1,042	1,212	304	33	29	124
87	Pericarditis			1	2	1	1					7	2	2			3
88	Endocarditis and myocarditis (acute)			3	6	13	9			151	253	34	115	2	1	12	67
89	Angina pectoris			1	10					109	17	29	12	10	1		
90	Other diseases of the heart		1	34	210	41	36	2	4	6,413	1,804	955	665	282	13	14	52
91a	Aneurysm						1		2	35	14	3	2				
91b,c	Other diseases of the arteries			5	25	26	27						408		14		2
92	Embolism and thrombosis (not cerebral)				4	4	6		1	1		14	6	8			
93	Diseases of the veins				3	2				1	1		1				
94	Diseases of the lymphatic system				3		1			1			1			2	
95	Hemorrhage without specified cause														1	1	
96	Other diseases of the circulatory system														3		
	V.—Diseases of the respiratory system			28	163	209	1,375	49	2	464	87	129	465	244	22	732	15
97a	Diseases of the nasal fossae				1		10						1	1		2	
97b	Diseases of the nasal fossae annexa			1	2	84	249	15		4	6					1	
98	Diseases of the larynx				5								3	1	2	5	
99a	Acute bronchitis				4	4							5	5	5	96	
99b	Chronic bronchitis			2	1	1				2			6	8		1	
99c,d	Bronchitis (unspecified)			1	6	7				1			4	2		47	1
100a	Broncho-pneumonia			12	95	60	507			24			238	137	5	392	11
100b	Capillary bronchitis				1	1	9							1		21	
101a	Lobar pneumonia			10	37	28	456	32	2	421	73	129	185	79	5	120	2
101b	Pneumonia (unspecified)			1	5	11	111			3			6	7		27	1
102	Pleurisy				2	9	24	2		2	5		3	3	1		
103	Congestion and hemorrhagic infarct of the lung									5					3	14	
104	Gangrene of the lung												1				
105	Asthma				3	1				1			6			2	
106	Pulmonary emphysema												2				
107	Other diseases of the respiratory system (tuberculosis excepted)			1	1	3	9			1	3		5		1	4	
	VI.—Diseases of the digestive system	2		15	997	136	708	32	11	323	206	63	197	42	84	2,457	8
108	Diseases of the mouth and annexa				4	2	5			1			6			4	
109a	Adenoid vegetations				1												
109b	Other diseases of the pharynx, tonsils				19	36	134	16		8	23	5	6	10	1	9	2
110	Diseases of the esophagus												1				
111a	Ulcer of the stomach	1		1	6		2		2	16	10	5	4	2			
111b	Ulcer of the duodenum				5					3	6			1			
112	Other diseases of the stomach (cancer excepted)				49	7				6		1	12		9	328	
113	Diarrhea and enteritis (under 2 years)				620	44	488	14		32	1	4		4		1,729	1
114	Diarrhea and enteritis (2 years and over)				152	21	19		1	18		1	100	1	51	286	1
115	Ancylostomiasis																
116	Diseases due to other intestinal parasites				1				1				1	1	2	13	
117	Appendicitis and typhlitis	1		1	19	8	27	2	2	29	76	10	7	6	2		1
118a	Hernia				15				1	39	26	9	4	2		2	
118b	Intestinal obstruction			2	38	5	5			17	6	5	15	2	5	52	1
119	Other diseases of the intestines			1	12		2			6	2		9	2	2	25	
120	Acute yellow atrophy of the liver				1		2			1	1		1		1	1	
121	Hydatid tumor of the liver									1							
122	Cirrhosis of the liver			2	15	2				111	6	15	15	4	2		
123	Biliary calculi			1	13	1	4		4	20	23	1	5	1	4		
124	Other diseases of the liver			5	23	10	13			7	20	2	9	2	4	6	1
125	Diseases of the pancreas			1	1		1			2	2		1				
126	Peritonitis without specified cause			1	3		6			6	4	5	1	4	1	2	1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa			14	168	52	87	8	3	7,813	364	813	286	101	26	46	6
128	Acute nephritis (including unspecified under 10 years)				28	12	30			8			35	19	7	24	3
129	Chronic nephritis (including unspecified 10 years and over)			13	86	30	24	6	2	7,706	262	799	212	75	17		3
130	Chyluria																
131	Other diseases of the kidneys and annexa				16	4	23			10	1		8	3	2	13	
132	Calculi of the urinary passages				4		1			5	5	2					
133	Diseases of the bladder				2	2				4			6			3	
134	Diseases of the urethra, etc						1				2		1				
135	Diseases of the prostate				14	1		1		50	26	5	2				
136	Nonvenereal diseases of the male genital organs															5	
137	Cysts, other benign tumors of the ovary				1		1			4	9	1	3				
138	Salpingitis and pelvic abscess (female)				4	1	3		1	1	12	2	1				
139	Benign tumors of the uterus			1	2		2	1		17	29	2	8				
140	Nonpuerperal uterine hemorrhage				6									1			
141	Other diseases of the female genital organs				5	2	2			8	18	2	10	2			
142	Nonpuerperal diseases of the breast (cancer excepted)													1		1	

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																					List No.
Neuralgia and neuritis	Softening of the brain	Diseases of the nervous system	Diseases of the eye and annexa	Diseases of the ear	Diseases of the mastoid process	Pericarditis	Endocarditis and myocarditis (acute)	Angina pectoris	Other diseases of the heart	Aneurysm	Other diseases of the arteries	Embolism and thrombosis (not cerebral)	Diseases of the veins	Diseases of the lymphatic system	Hemorrhage without specified cause	Other diseases of the circulatory system	Diseases of the nasal fossae	Diseases of the nasal fossae annexa	Diseases of the larynx	Acute bronchitis	Chronic bronchitis	
82	83	84	85	86a	86b	87	88	89	90	91a	91b, c	92	93	94	95	96	97a	97b	98	99a	99b	
3	4	56	1				55		72		66			1		2						78
									1								1					79
									3								5					80
1		1							8			1		1								81
		1	2												1		2		1			82
		4					1		2		337		1			3				1		83
6	11		6	2			20		163		174	11				5	1	4		4	3	84
		3			122		6		8		7	9	1	3			3	25		10	4	85
	1	4				1	9	1	13			20	4	2			2	28		1	1	86a
241	82	539	38	55	24	571	1,146	709	4,532	18	24,300	1,802	185	29	15	945	36	43	63	1,016	1,734	86b
1		1		2					37		44	7		1		2		1		9	11	87
17	1	25	1	22	9	121			542		364	151	21	3		9	7	11	12	101	69	88
32	1	15	4		1	18	78		2,481	18	3,039	137	6	1		79	1	1	1	14	13	89
161	53	396	21	31	14	420	1,050	709			20,130	1,280	137	19	3	723	20	28	44	887	1,629	90
		3	1			12	16		341		121	11	1			8			2	5	10	91a
29	18	94	10				1		1,003			2	20	2	6	113	5		4			91b, c
	9	3							108		601			2	2	11	2					92
1		1	1				1		12		1	212		1				2			2	93
									8			2			1		1					94
																						95
		1													3							96
67	6	429	20	513	55	332	1,950	33	7,556		2,732	267	91	54	11	57	216	34	234	1,781	934	
			1						1			2			1							97a
1		2	6				5		5		2	8	1	2			1		1		1	97b
		5					10		15		2	2		3			5					98
		14	1						103		157	10	1	2			4		26			99a
4		13							152		266	11	3				2		6			99b
4		5							68		124	6	3	1		2	4		24			99c, d
31		242	9	343	29	77	703		890		1,384	68	30	32	3	22	141	16	120	1,525	604	100a
1		4		3			12		13		17	2					2		5	8	9	100b
20	6	114	1	133	18	163	1,007	33	5,487		649	92	31	12	3	14	32	13	33	208	217	101a
2		15	2	20	3	15	67		81		73	16	7	1	1	3	4	2	8	13	38	101b
		3		14	5	77	144		138		44	42	11	1		1		3	3	26	55	102
		7											2		3	6	14					103
		1					1		11		3	4	1								10	104
2		2							539				1			4	5		3			105
									7		11								2			106
2		2					1		46			4				5	2		3	1		107
62		224	5	258	19	74	1,283	34	5,234	6	593	1,095	108	81	11	28	26	15	140	235	88	
8		6			1		7	1	22			10		3		1		2	11	1	1	108
												1										109a
8		11	1	78	3	28	481	1	120		17	70	5	44	3	3	5	7	115	4	2	109b
1		2				1	1		4		3	1							1		2	110
3		5			1	6	40	3	252	2	58	57		1						3	10	111a
		2				2	13	1	98		9	34	1			1						111b
12		31					1		564		1	4		1	1	6	4					112
1		42	1	162	7	2	137		121			1	2	12			9	2	6	189	22	113
10		85		7	2		6		148		2	5	2	8		2	1	1	4			114
																						115
									4													116
3		6		3	3	8	209	12	520		12	357	25	1				1		7	5	117
1		1		1		3	33	7	408		45	188	15				2			2	9	118a
4		10	1	1		1	69	1	250	1	70	70	4	4	1			1		9	4	118b
		7					8		45	1	3	53	8		1	3	2					119
		2					2		19		3		1									120
									3													121
7		8				12	103		1,705		239	21	24	2	2	7	1	1	1	11	16	122
		1				3	92	6	467	2	37	123	6		1	1			1	1	2	123
2		4	1			1	55	2	379		81	73	11	2	2	4	1			6	12	124
1			1				3		25		5	7	1									125
1		1		6	2	7	23		80		8	20	3	3			1		1	2	3	126
62	63	210	16	34	10	209	1,932	526	34,852		6,195	578	71	16	5	571	25	10	31	140	224	
5		13	1				388		213				3	7		36	16		3			128
47	63	166	13	21	10	195	1,325	510	33,528		6,031	117	30	7	3	528	6	10	27	132	213	129
																						130
1		8	1	12		8	64	1	75		64	26	8			4	2		1	5	4	131
1		3				2	5	1	77		7	16	1		1						2	132
5		3					1		28		2	4	1				1					133
		1					1		17		4	5	2									134
1		7		1		3	21	8	459		65	98	6	1		2					3	135
		2					1		2			3			1							136
		1					8		66		4	28	2							2	1	137
							30	1	62		2	35	2							1		138
						1	69	3	247		13	180	13			1					1	139
									1			2										140
2		6	1				19	2	77		3	62	3	1								141
												2										142

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Bronchitis (unspecified)	Bronchopneumonia	Capillary bronchitis	Lobar pneumonia	Pneumonia (unspecified)	Pleurisy	Congestion and hemorrhagic infarct of the lung	Gangrene of the lung	Asthma	Pulmonary emphysema	Other diseases of the respiratory system (tuberculosis excepted)	Diseases of the mouth and annexa	Adenoid vegetations	Other diseases of the pharynx, tonsils	Diseases of the esophagus	Ulcer of the stomach
		99c, d	100a	100b	101a	101b	102	103	104	105	106	107	108	109a	109b	110	111a
	III.—Diseases of the nervous system and of the organs of special sense—Continued																
78	Epilepsy							118		3		7	2				
79	Convulsions (nonpuerperal; 5 years and over)																
80	Infantile convulsions (under 5 years)																
81	Chorea							1									
82	Neuralgia and neuritis		2			1		21									
83	Softening of the brain	1	16					8									
84	Other diseases of the nervous system	5	108		1	6	3	104		6		13	2		14	1	2
85	Diseases of the eye and annexa		2			1											
86a	Diseases of the ear	5	29		10	12	3	2					3		2		
86b	Diseases of the mastoid process	1	36	1	19	23	5	2				2	1		14		
	IV.—Diseases of the circulatory system	783	4,328	73	19	717	764	6,264	1	2,644	246	454	294		427	13	72
87	Pericarditis	6				1		23		7		9	7				
88	Endocarditis and myocarditis (acute)	58	42			16		233		154	7	35	82		69		
89	Angina pectoris	15	33	1		18	12	64		48	2	6	5		9	3	12
90	Other diseases of the heart	700	4,232	72		665	745	5,113		2,269	237	289	168		346	7	58
91a	Aneurysm	4	12		17	2	7	23	1	6		21			2	3	2
91b,c	Other diseases of the arteries		1			3		758		151		76	25		1		
92	Embolism and thrombosis (not cerebral)		1			3		36		8		14					
93	Diseases of the veins		7		2	7		13		1		3	1				
94	Diseases of the lymphatic system					2		1				1	6				
95	Hemorrhage without specified cause																
96	Other diseases of the circulatory system																
	V.—Diseases of the respiratory system	1,725	814	16	6	39	1,871	1,847	33	1,371	192	909	126	4	592	5	17
97a	Diseases of the nasal fossae							1									
97b	Diseases of the nasal fossae annexa	1	4		6	3		1		5		2	2				
98	Diseases of the larynx		7					16		3			5	1		1	
99a	Acute bronchitis							96		107	5	20	4		20		
99b	Chronic bronchitis							121		169	64	97	4		3		
99c,d	Bronchitis (unspecified)							72		78	7	25	4		16		
100a	Broncho-pneumonia	1,351				3		557		540	28	206	41	2	343	2	
100b	Capillary bronchitis	4				1		25		15	1	1	3		5		
101a	Lobar pneumonia	269	69	6			1,550	712	33	324	21	304	37	1	147	2	16
101b	Pneumonia (unspecified)	59					299	40		58	2	75	17		38		
102	Pleurisy	38	714	10		17		49		33	6	122	2		15		
103	Congestion and hemorrhagic infarct of the lung																
104	Gangrene of the lung	2	20			14	22			1	2	29	2		5		1
105	Asthma							122			56	15					
106	Pulmonary emphysema							6				13					
107	Other diseases of the respiratory system (tuberculosis excepted)	1				1		29		38			5				
	VI.—Diseases of the digestive system	216	2,872	40	934	650	198	683	10	61	7	188	151	29	146	12	44
108	Diseases of the mouth and annexa		5		1	1		4				12			12		
109a	Adenoid vegetations																
109b	Other diseases of the pharynx, tonsils	6	90	1	28	45	18	27		3	1	64	46	28		4	1
110	Diseases of the esophagus		5		2	5	2	3		1		4					
111a	Ulcer of the stomach	3	81		64	37	10	26		5		15	4		5		
111b	Ulcer of the duodenum		49		30	21	8	14			1	5			1		
112	Other diseases of the stomach (cancer excepted)		4		3	1		32		1		5					
113	Diarrhea and enteritis (under 2 years)	177	1,681	34	219	158	13	84		6		1	44		48		
114	Diarrhea and enteritis (2 years and over)		12		5	8		88		10		4	19			2	
115	Ancylostomiasis																
116	Diseases due to other intestinal parasites		1														
117	Appendicitis and typhlitis	5	303	1	328	179	59	56	5	1		32	9		24		15
118a	Hernia	5	108	1	87	42	5	47		4	2	2	3	1			1
118b	Intestinal obstruction	3	102		29	21	1	48		6		6	2		2	1	1
119	Other diseases of the intestines		6		6	3	2	13				1	1		1		
120	Acute yellow atrophy of the liver	1	9		2	1	1		1				1				
121	Hydatid tumor of the liver				1												
122	Cirrhosis of the liver	3	85			10	16	123	1	13	2	9	1		3	4	24
123	Biliary calculi		100		65	49	6	22		3	1	3	4		1		2
124	Other diseases of the liver	8	151	3	55	33	17	81	3	7		19	14		2		
125	Diseases of the pancreas		5		3	2	1	5		1		2			1		
126	Peritonitis without specified cause	5	75		6	34	39	10				4	3		46	1	
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	161	1,454	16	163	333	136	1,439	1	376	29	94	155	1	118	5	48
128	Acute nephritis (including unspecified under 10 years)							142		52	3	13	59	1			
129	Chronic nephritis (including unspecified 10 years and over)	150	1,118	15		224	118	1,107		310	26	60	70		93	5	46
130	Chyluria																
131	Other diseases of the kidneys and annexa	5	137		9	12	1	34		1		14	11		18		
132	Calculi of the urinary passages	1	19		8	7	6	5	1			1			1		
133	Diseases of the bladder		3		2	4		25		5			3				
134	Diseases of the urethra etc		7			1						2	1				
135	Diseases of the prostate	2	99	1	57	33	1	100		6		1	5		1		2
136	Nonvenereal diseases of the male genital organs		2		2								1				
137	Cysts, other benign tumors of the ovary	1	13		6	11	2	9					2		1		
138	Salpingitis and pelvic abscess (female)		16		25	4	5	2				1			2		
139	Benign tumors of the uterus	2	26		38	27	2	10		1		1	1		1		
140	Nonpuerperal uterine hemorrhage		1										1				
141	Other diseases of the female genital organs		12		16	9	1	5		1		1	1		1		
142	Nonpuerperal diseases of the breast (cancer excepted)		1			1											

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																					
Ulcer of the duodenum	Other diseases of the stomach (cancer excepted)	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Anchylostomiasis	Diseases due to other intestinal parasites	Appendicitis and typhlitis	Hernia	Intestinal obstruction	Other diseases of the intestines	Acute yellow atrophy of the liver	Hydatid tumor of the liver	Cirrhosis of the liver	Biliary calculi	Other diseases of the liver	Diseases of the pancreas	Peritonitis without specified cause	Other diseases of the digestive system (cancer and tuberculosis excepted)	Acute nephritis (including unspecified under 10 years)	Chronic nephritis (including unspecified 10 years and over)	Other diseases of the kidneys and annexa	Calculi of the urinary passages	List No.
111b	112	113	114	115	116	117	118a	118b	119	120	121	122	123	124	125	126	127	128	129	131	132	
	11		60					2	2					2					14	1		78
																						79
																						80
																						81
																				1		82
	2		5				1	1	1					3				4	7			83
	7	1	12				3	1	4			2	1	2				28	40	20		84
																						85
	2	12					2	1	1					3				30	3			86a
		3						1						1		2		15	12	9		86b
15	2,510		1,436	3	4		104	292	210			40	339	1,196	38	14	1	2,157	9,999	688	47	
	9		8					1	1					6	1			37	2	2		87
	151		149				2		8					110				30	26	29		88
2	296		28				1	3	4			13	17	33				17	86	8	3	89
11	1,778		905	3	3		93	239	132			14	319	973	36		1	1,792	9,405	620	41	90
2	14		2				2	2	1			13	3	2	1	1		4	93		2	91a
	235		319						39					32				270	382	25	1	91b,c
	21		17		1		6	47	22					39		10		5	2	2		92
	6		8						3					1		3		2	3	2		93
																						94
																						95
																						96
4	348		598	4	9		27	69	92			57	54	325	7	95		935	1,365	138	7	
																		1				97a
	1													1				10	3			97b
	2																					98
	30		26				1		1									49	3	2		99a
	31		36				2		7					6				37	11	1		99b
	35		23						4					4				37	8	1		99c,d
	109		299	1	6		10		39				23	34				327	65	15		100a
	1		5				1		1									8	1			100b
4	33		137	2	3		11	54	29			57	22	219	7	92		384	1,242	80	6	101a
	13		46	1			2	12	3				4	28				33	15	24	1	101b
	10		17					3	3				5	25		1		49	11	13		102
									3													103
			1											1		1			4			104
	24								1											2		105
																						106
	9		8						1					7		1			2			107
90	1,995	101	547		44	77	117	2,289	1,299	2	1	113	214	2,072	208	11,040		902	1,767	320	12	
	14																	4	6	1		108
																						109a
	15		20		1		1	1	2				1	14		11		306	23	5		109b
	3																		1			110
41	735	1	29			15	1	77	32			8	15	65	8	801		20	58	12	1	111a
	43	1	14			10	4	60	135			4	29	60	14	488		3	30	7	1	111b
									2			1		1		16			3			112
	364				8		5	12	48					17		64		146	1	93		113
	246				15			8	145					1		100		3	6	12		114
	1		1																			115
	3		1					1			1					1				1		116
35	66	3	54		2	57	1,143	177	2		17	161	370	19	7,209		107	211	45	4	117
	26	5	25			20	744	163			10	5	12		344		21	156	14	1	118a
1	86	86	118		14		20		457			1		100	1	901		34	83	15	1	118b
	56		1					14					1	9	1	200		3	17	1		119
	3		3			2		1	1			6	2	26	1			3	12	1	1	120
								2						1	1	1			1			121
9	130	2	39		1		2	26	39					161	11	26		70	873	20		122
4	40		16			18	15	140	21			65		1,062	141	379		53	134	26		123
	130	3	74		2	12	11	43	38						11	454		102	139	64	2	124
	6		8				1	15	2			1		173		45		3	4	1	1	125
	28		144		1			2	37									24	9	2		126
13	367	1	501	5	1	257	49	521	177			43	100	346	14	1,236		317	1,910	1,308	43	
	60		112	4	1				12					23						78		128
12	205	1	284	1			22	54	67			38	66	253	11	43		10		406	41	129
														1								130
	14		32				2	14	16				3	25	2	53		82	267			131
1	2		3				1	10	2			1	7	5	1	20		18	120	221		132
	10		25					1	8					1		27		2	139	30		133
							2	1	2							25		16	57	5		134
	14		19				1	41	11			1		3		26		122	1,196	538	2	135
																1		1	1			136
	12		4			11	4	76	8			1	15	6		126		15	21	3		137
	9		10			206	3	105	26				5	8		609		11	23	8		138
	27		10			19	12	172	16			2	2	17		191		27	69	11		139
	2													1		1						140
	12		2			21	2	47	9				2	3		114		13	17	8		141
																						142

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE: Diseases of the bladder 133	Diseases of the urethra, etc. 134	Diseases of the prostate 135	Nonvenereal diseases of the male genital organs 136	Cysts, other benign tumors of the ovary 137	Salpingitis and pelvic abscess (female) 138	Benign tumors of the uterus 139	Nonpuerperal uterine hemorrhage 140	Other diseases of the female genital organs 141	Nonpuerperal diseases of the breast (cancer excepted) 142	Accidents of pregnancy 143	Other accidents of labor 145	Puerperal phlegmasia alba dolens, embolus, etc. 147	Puerperal albuminuria and convulsions 148	Following childbirth (undefined) 149	Puerperal diseases of the breast 150	Gangrene 151
	III.—Diseases of the nervous system and of the organs of special sense—Continued																	
78	Epilepsy	1		1						1		3						
79	Convulsions (nonpuerperal; 5 years and over)																	
80	Infantile convulsions (under 5 years)																	
81	Chorea																	
82	Neuralgia and neuritis																	
83	Softening of the brain	3		1				1		1								
84	Other diseases of the nervous system	16		1				1		1		1						6
85	Diseases of the eye and annexa																	
86a	Diseases of the ear			1		1						1						
86b	Diseases of the mastoid process				1							2	1					
	IV.—Diseases of the circulatory system	475	22	789	20	56		133	9	49	3	130	72			2	1	1,855
87	Pericarditis	3	1	4				2		1								5
88	Endocarditis and myocarditis (acute)	16	1	14	1				1	5	1	28						12
89	Angina pectoris	8	1	12		3		3		3		1						4
90	Other diseases of the heart	277	17	489	14	53		127	6	36	2	100	71			2	1	389
91a	Aneurysm	1		1				1		1		1	1					5
91b,c	Other diseases of the arteries	163	2	241	2				1	1								1,279
92	Embolism and thrombosis (not cerebral)	6		22	2				1	2								128
93	Diseases of the veins	1		6	1													33
94	Diseases of the lymphatic system																	
95	Hemorrhage without specified cause																	
96	Other diseases of the circulatory system																	
	V.—Diseases of the respiratory system	109	3	184	13	6		23	2	13	6	121						27
97a	Diseases of the nasal fossae																	
97b	Diseases of the nasal fossae annexa																	
98	Diseases of the larynx			1														
99a	Acute bronchitis	6		4														
99b	Chronic bronchitis	6		7														
99c,d	Bronchitis (unspecified)	8		8								1						
100a	Broncho-pneumonia	49	1	88	9			13	1	7	4	18						
100b	Capillary bronchitis				1													
101a	Lobar pneumonia	31	2	54	3	6		8		6	2	89						18
101b	Pneumonia (unspecified)	5		15				1	1			12						4
102	Pleurisy	1		6				1										2
103	Congestion and hemorrhagic infarct of the lung	1																
104	Gangrene of the lung																	
105	Asthma											1						
106	Pulmonary emphysema																	
107	Other diseases of the respiratory system (tuberculosis excepted)	2		1														3
	VI.—Diseases of the digestive system	75	14	65	18	101	3	82	3	105	1	101	11	1	28			65
108	Diseases of the mouth and annexa	1																
109a	Adenoid vegetations																	
109b	Other diseases of the pharynx, tonsils	2		1	3			1	1	1		3						4
110	Diseases of the esophagus	1		1														
111a	Ulcer of the stomach	2		3		1		6		1		3	1					1
111b	Ulcer of the duodenum		1	3		2						1						
112	Other diseases of the stomach (cancer excepted)																	
113	Diarrhea and enteritis (under 2 years)	5			4						1							2
114	Diarrhea and enteritis (2 years and over)	1	1							4								12
115	Ancylostomiasis																	
116	Diseases due to other intestinal parasites																	1
117	Appendicitis and typhlitis	3	1	6		86		46	2	64		21	1		3			15
118a	Hernia	8	2	15	3	2		3		6		2	2					11
118b	Intestinal obstruction	10	5	2	1	4	3	1		13		25	1					3
119	Other diseases of the intestines	5	3	1	2													3
120	Acute yellow atrophy of the liver					1						32	6	1	25			
121	Hydatid tumor of the liver																	
122	Cirrhosis of the liver	9		7		4		4		2								3
123	Biliary calculi	3		6		1		19		6		5						2
124	Other diseases of the liver	2	1	7				2		2		7						6
125	Diseases of the pancreas	1								1		2						1
126	Peritonitis without specified cause	22		13	5					5								1
	VII.—Nonvenereal diseases of the genito-urinary system and annexa	1,930	187	832	33	81	16	240	32	126	1	68	49		95			222
128	Acute nephritis (including unspecified under 10 years)	64			6				1	6	1							
129	Chronic nephritis (including unspecified 10 years and over)	450	29	774	8	19		59	3	19		62	49		95			176
130	Chyluria																	
131	Other diseases of the kidneys and annexa	251	58		2			3										6
132	Calculi of the urinary passages	28	8	58														1
133	Diseases of the bladder		11							10								5
134	Diseases of the urethra, etc.	79			9													20
135	Diseases of the prostate	1,035	78		8													10
136	Nonvenereal diseases of the male genital organs	5																3
137	Cysts, other benign tumors of the ovary							64	1	21		1						
138	Salpingitis and pelvic abscess (female)	3				53		114	1	41								
139	Benign tumors of the uterus	7	3			9	16		23	28		5						
140	Nonpuerperal uterine hemorrhage									1								
141	Other diseases of the female genital organs	8							3									1
142	Nonpuerperal diseases of the breast (cancer excepted)																	

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																						List No.
															Accidental or undefined							
Furuncle	Acute abscess	Other diseases of the skin and annexa	Diseases of the bones (tuberculosis excepted)	Diseases of the joints (tuberculosis and rheumatism excepted)	Amputations	Other diseases of the organs of locomotion	Congenital hydrocephalus	Congenital malformations of the heart	Other congenital malformations	Congenital debility, icterus, sclerema	Premature birth	Other diseases peculiar to early infancy	Lack of care	Old age (senility)	Other acute poisonings (gas excepted)	Burns (conflagration excepted)	Absorption of irrespirable, irritating, or poisonous gas	Traumatism by cutting or piercing instruments	Excessive cold	Excessive heat	Other external violence	
152	153	154	155	156	157	158	159a	159b	159c	160	161a	162	163	164	177	179	181	184	193	194	202	
1	2	4							3	2		1		35						2		78
														4								79
										257												80
		2								1				4								81
		5				1								42								82
		1												88						2		83
2	4	23	2			1			3	23		7		192			1			16		84
5	9	3	3	1					1	4				6								85
1	5		3	4					2	30	1	1		1								86a
									1	2				3			6					86b
59	122	221	91	152	2	63			19	93	29	21		12,537		1	8	2		367	5	
3	5	1		4		1				1		1		24						1		87
6	26	14	16	72		9			4	46	12	15		115						14		88
1		2	1			7								242						8	1	89
25	62	138	74	74	2	42			13	36	16	2		8,244		1	6	2		272	4	90
	1	1							1					13						1		91a
15	12	51		1		4								3,790						71		91b,c
4	10	8		1					1		1	3		43			1					92
5	6	4												21								93
		2								5				6			1					94
										5				3								95
														36								96
96	193	146	75	33		10	11	35	112	1,571	460	88	3	4,972	5		10			50		
	2	1								13				30	1		3					97a
	1		1							1				1	1		2					97b
	5	1								6				10						1		98
2		6				1			5	127	50	4		235						3		99a
	1	4							2	12	1	1		374			1			3		99b
	3	3		1					1	79	23	4		254	1					3		99c,d
51	95	74	41	13		4			84	1,072	328	59	1	1,767			1			19		100a
	1	1				1			1	26	4	3		43								100b
27	40	24	22	13		2	11	35	7	160	31	6		1,709						18		101a
12	25	9	3	5					9	36	23	7	1	244								101b
3	7	3	6	1						2		2		46			1			1		102
	4	17				2			2	30			1	646								103
		1	1											3								104
		1							1	4		1		169	2					1		105
										1				14								106
1	9	1	1							2		1		27			2			1		107
31	154	89	23	15		7	7	2	169	2,817	504	45	1	1,855	11		126			120		
	27	3	2			1			1	12		2		28								108
	37	2	5	9			2		7	6				27	7		2					109a
									1		1			2			64			1		109b
	2	3	2			1								47			2			1		110
1	1													7			2					111a
		11				2			10	186	48	3		404						8		111b
22	18	41	4			1	5		110	2,552	438	26	1							69		112
1	7	15	4			1			12					689						21		113
		1																				114
	17		2						2					16	1		21			9		115
1	1			2		1			3	6	9			66	1		19			2		116
	4	2		1				1	10	26	8	1		166	1		8			2		117
	12			1					6	20				82	1		1					118a
		1												11								118b
	2	2						1						108						1		119
2	1													44						5		120
1	4	3	1	2					2	5				151			6			1		121
	1													4			1					122
3	20	5	3						5	4		13		3								123
																						124
50	77	108	35	24		8			26	54	12	6		2,809	4	2	34		1	60	1	125
9	24	37		11		1			10	32	9	1		135						6		126
34	23	65	31	9		6			1	1				2,142			1		1	46	1	128
6	4	1		3					13	16	2	3		82			1			1		129
	2													4	1		2					130
1	2	3				1				1				189								131
	6													1								132
	5	1												217	2		1			2		133
	3								2	3		2		3			1			1		134
	1													9			1					135
			2	1										1	1		6			1		136
	2		2											19		2	13			2		137
	1													6			8			1		138
	2	1																				139
	2									1	1			1								140
																						141
																						142

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	All primary causes	All contributory causes	CONTRIBUTORY CAUSE: Typhoid and paratyphoid fever 1	Malaria 5	Measles 7	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Influenza (with pulmonary complications) 11a	Influenza (other and unspecified) 11b	Mumps 13	Cholera nostras 15	Dysentery 16	Spirochetal hemorrhagic jaundice 19	Leprosy 20
	VIII.—The puerperal state	15,315	9,276		11	7				154	165	3	2	8	1	
143	Accidents of pregnancy	1,404	688			4				66	28	1		3	1	
144	Puerperal hemorrhage	1,466	919		1					2	4					
145	Other accidents of labor	1,714	1,152			1				63	54		1	2		
146	Puerperal septicemia	5,697	4,232		5	1				13	44	2	1	3		
147	Puerperal phlegmasia alba dolens, embolus, etc.	662	468							1	7					
148	Puerperal albuminuria and convulsions	4,292	1,774		5	1				9	28					
149	Following childbirth (undefined)	73	38													
150	Puerperal diseases of the breast	7	5													
	IX.—Diseases of the skin and of the cellular tissue	3,343	1,991								1					
151	Gangrene	1,319	671								1					
152	Furuncle	569	453													
153	Acute abscess	673	480													
154	Other diseases of the skin and annexa	782	387													
	X.—Diseases of the bones and of the organs of locomotion	1,358	983							1	3					
155	Diseases of the bones (tuberculosis excepted)	1,075	781							1	3					
156	Diseases of the joints (tuberculosis and rheumatism excepted)	215	171													
157	Amputations	2														
158	Other diseases of the organs of locomotion	66	31													
	XI.—Malformations	14,226	4,447		5					12	46	2		4		
159a	Congenital hydrocephalus	1,533	886		1					1	9			1		
159b	Congenital malformations of the heart	8,147	2,239		4					10	34			2		
159c	Other congenital malformations	4,546	1,322							1	3	2		1		
	XII.—Early infancy	61,932	6,112		2					3	46			3		
160	Congenital debility, icterus, sclerema	7,871	8													
161a	Premature birth	38,588	2,585		2					3	45			2		
161b	Injury at birth	10,384	3,225								1			1		
162	Other diseases peculiar to early infancy	4,962	291													
163	Lack of care	127	3													
164	XIII.—Old age (senility)	12,326														
	XIV.—External causes	102,162	22,690	15	11	4	2	7	4	26	70	2		8		1
	Suicide	12,495	1,969	1							6					
165	By poisons (gas or corrosives excepted)	716	107													
166	By corrosive substances	1,278	189													
167	By poisonous gas	1,743	257								1					
168	By hanging or strangulation	2,276	430								2					
169	By drowning	715	141													
170	By firearms	4,333	473								3					
171	By cutting or piercing instruments	821	217	1												
172	By jumping from high places	358	98													
173	By crushing	128	17													
174	By other means	127	40													
	Homicide	8,893	977							1						
197	By firearms	6,216	446							1						
198	By cutting or piercing instruments	1,224	138													
199	By other means	1,453	393													
	Accidental or undefined	80,774	19,744	14	11	4	2	7	4	25	64	2		8		1
175	Poisoning by food	888	372	2	3			1			3					
176	Poisoning by venomous animals	78	40													
177	Other acute poisonings (gas excepted)	1,596	363	1							5	1		1		
178	Conflagration	1,408	114													
179	Burns (conflagration excepted)	6,375	1,167		1	3		5		4	7	1		1		
180	Mechanical suffocation	1,123	73							1	1					
181	Absorption of irrespirable, irritating, or poisonous gas	2,439	242													
182	Drowning	6,456	177													
183	Traumatism by firearms (except in war)	2,570	274							1	1					
184	Traumatism by cutting or piercing instruments	732	622								1			1		
185	Traumatism by fall	13,864	7,883	5	2		1	1	2	15	38			2		1
186a	Traumatism in mines	2,643	260								1					
186b	Traumatism in quarries	90	5													
187	Traumatism by machines	2,339	404	1							1			2		
188a	Railroad accidents	6,778	1,538	1												
188b	Street-car accidents	1,630	628													
188c	Automobile accidents	17,571	2,059	2	1					1	3					
188d	Airplane and balloon accidents	165	21													
188e,f	Injuries by other vehicles	1,553	302							1	1			1		
188g	Landslide, other crushing	743	67													
189	Injuries by animals (not poisoning)	629	222	1						1	1					
190	Wounds of war	5	2													
192	Starvation (deprivation of food or water)	11														
193	Excessive cold	239	117													
194	Excessive heat	1,355	434		3	1										
195	Lightning	442	5													
196	Other accidental electric shocks	995	65													
201	Fracture (cause not specified)	640	383													
202	Other external violence	5,401	1,901	1	1		1		2	1	1					
203	Violent deaths of unknown causation	16	4													

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																									List No.
						Tuberculosis											Cancer								
Erysipelas	Acute anterior poliomyelitis	Lethargic encephalitis	Other epidemic and endemic diseases	Tetanus	Mycoses	Of the respiratory system	Of the meninges, central nervous system	Of the intestines, peritoneum	Of the vertebral column	Of the joints	Of other organs	Disseminated (acute)	Disseminated (chronic or unspecified)	Syphilis	Gonococcus infection	Purulent infection, septicemia	Of the buccal cavity	Of the stomach, liver	Of the peritoneum, intestines, rectum	Of the female genital organs	Of the breast	Of the skin	Of other or unspecified organs	
21	22	23	25	29	30	31	32	33	34	35	36	37a	37b	38	40	41	43	44	45	46	47	48	49	
2		1				25	1	2	1		1	3			20	3								
																								143
																								144
																								145
2		1				25	1	2	1		1	3			20									146
																								147
																								148
																								149
																3								150
					1										1	1,062								
					1										1	128								151
																330								152
																380								153
																224								154
1							1				1					433								
1							1				1					353								155
																74								156
																								157
																6								158
					2											19								
					1											1								159a
					1											3								159b
																15								159c
					3										1	16								
					3											4								160
																								161a
															1	12								161b
																								162
																								163
																								164
110	6	5	2	13	1	120	18	7	12	5	5	6	1	39	2	1,636	9	53	32	14	27	11	75	
1	1	3		2		28		1	1			1		4	1	17	4	12	7	2	2	2	6	
						1											1		1		1	2		165
						1								1				1						166
						5								1			1	1	1	2			1	167
1						2		1										2	3				1	168
						1						1						1						169
	1	3		1		7									1	4	2	5	2		1		3	170
				1		9			1					2		12		1					1	171
						2										1		1						172
																								173
																								174
3				11		5								3	1	90								
				7		2								1		53								197
				2											1	19								198
3				2		3								2		18								199
106	5	2	2		1	87	18	6	11	5	5	5	1	32		1,529	5	41	25	12	25	9	69	
1			1					1						2		1		1		1				175
4																23								176
2						4								2		3					1			177
																4								178
17			1		1	1	1							4		125					2		1	179
														1										180
						2																		181
																						1		182
						2						1				51								183
15						1								1		341								184
24	1	1				38	16	2	6	4		3		9		168	3	27	18	11	17	5	45	185
2									1	1						17						1	3	186a
																								186b
2						2					1					67	1				1			187
2						3								1		19							1	188a
2						1										6						1		188b
5	1					11	1	2	1		2		1	4		136		4	3			1	6	188c
																								188d
	2					2					1			2		33		1					1	188e,f
						2								1		15								188g
2											1					28		1			1		1	189
																								190
																								192
														1		11								193
1		1				2		1								1								194
																								195
														1		6								196
						1										16	1	1	2		1		3	201
27	1					15			2			1		3		458		6	2		2		8	202
									1															203

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE: Tumors, benign and unqualified (tumors of the female genital organs excepted) 50	Acute rheumatic fever 51	Chronic rheumatism, osteoarthritis, gout 52	Scurvy 53	Pellagra 54	Rickets 56	Diabetes mellitus 57	Anemia, chlorosis 58	Diseases of the pituitary gland 59	Exophthalmic goiter 60a	Other diseases of the thyroid gland 60b	Diseases of the parathyroid glands 61	Diseases of the thymus gland 62	Diseases of the adrenals (Addison's disease) 63	Diseases of the spleen 64	Leukemia 65a
	VIII.—The puerperal state	1	14	3	1	6		22	104		31	3	1	2		1	1
143	Accidents of pregnancy		4	1	1	1		2	32		5						
144	Puerperal hemorrhage		2					1	17		2			1			
145	Other accidents of labor	1	5					2	26		8		1	1		1	
146	Puerperal septicemia			1		5		5	13		5						1
147	Puerperal phlegmasia alba dolens, embolus, etc.							1	2								
148	Puerperal albuminuria and convulsions		3	1				11	12		11	2					
149	Following childbirth (undefined)								2			1					
150	Puerperal diseases of the breast																
	IX.—Diseases of the skin and of the cellular tissue		1	4					17			1		1			
151	Gangrene			4					13			1					
152	Furuncle													1			
153	Acute abscess								4								
154	Other diseases of the skin and annexa		1														
	X.—Diseases of the bones and of the organs of locomotion			5					5				1	1		1	
155	Diseases of the bones (tuberculosis excepted)			5					2							1	
156	Diseases of the joints (tuberculosis and rheumatism excepted)								2				1	1			
157	Amputations																
158	Other diseases of the organs of locomotion								1								
	XI.—Malformations		4		1		23	1	16	1		1	4	57		1	
159a	Congenital hydrocephalus				1		13		2	1				3			
159b	Congenital malformations of the heart		4				7	1	8			1	2	45		1	
159c	Other congenital malformations						3		6				2	9			
	XII.—Early infancy				1				15			1	8	57		1	
160	Congenital debility, icterus, sclerema																
161a	Premature birth				1				7			1	4	43		1	
161b	Injury at birth								8				4	14			
162	Other diseases peculiar to early infancy																
163	Lack of care																
164	XIII.—Old age (senility)																
	XIV.—External causes	8	12	25	1	23	5	179	46	1	14	1		20	1	6	8
	Suicide		3	1		5		7	2		3						
165	By poisons (gas or corrosives excepted)					1		1									
166	By corrosive substances			1							1						
167	By poisonous gas		1														
168	By hanging or strangulation		1					1			1						
169	By drowning					2		1									
170	By firearms		1			2		3									
171	By cutting or piercing instruments							1	1								
172	By jumping from high places								1		1						
173	By crushing																
174	By other means																
	Homicide							1	4					1			1
197	By firearms								2								
198	By cutting or piercing instruments								1								
199	By other means							1	1					1			1
	Accidental or undefined	8	9	24	1	18	5	171	40	1	11	1		19	1	6	7
175	Poisoning by food							7								1	
176	Poisoning by venomous animals																
177	Other acute poisonings (gas excepted)	1	1						1					3			
178	Conflagration							1									
179	Burns (conflagration excepted)					2	2	11	1								
180	Mechanical suffocation													1			
181	Absorption of irrespirable, irritating, or poisonous gas							1	2					1			
182	Drowning																
183	Traumatism by firearms (except in war)																
184	Traumatism by cutting or piercing instruments							6						1			
185	Traumatism by fall	4	4	21		10		99	27	1	9			5	1	1	3
186a	Traumatism in mines							2									
186b	Traumatism in quarries																
187	Traumatism by machines							2			1						1
188a	Railroad accidents					1											
188b	Street-car accidents							1									
188c	Automobile accidents		1			1		18	3		1			1		1	
188d	Airplane and balloon accidents																
188e,f	Injuries by other vehicles	1	1					3						2		1	1
188g	Landslide, other crushing							1									
189	Injuries by animals (not poisoning)			1				2	1					1			
190	Wounds of war																
192	Starvation (deprivation of food or water)																
193	Excessive cold							1									
194	Excessive heat			1			2	3	2								1
195	Lightning																
196	Other accidental electric shocks																
201	Fracture (cause not specified)					3		5	2							1	
202	Other external violence	2	2	1	1	1	1	8	1			1		4		1	1
203	Violent deaths of unknown causation																

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																					List No.
Hodgkin's disease	Alcoholism (acute or chronic)	Chronic poisoning by organic substances	Other general diseases	Encephalitis	Simple meningitis	Non-epidemic cerebrospinal meningitis	Tabes dorsalis (locomotor ataxia)	Other diseases of the spinal cord	Cerebral hemorrhage	Cerebral embolism and thrombosis	Paralysis without specified cause	General paralysis of the insane	Other forms of mental alienation	Epilepsy	Convulsions (nonpuerperal; 5 years and over)	Infantile convulsions (under 5 years)	Chorea	Neuralgia and neuritis	Softening of the brain	Diseases of the nervous system	Diseases of the eye and annexa	
65b	66	68	69	70	71a	71b	72	73	74a	74b	75	76	77	78	79	80	81	82	83	84	85	
-------	2	-------	33	4	20	4	-------	2	87	76	11	-------	4	14	-------	-------	1	4	-------	7	-------	
-------	-------	-------	14	2	3	-------	-------	-------	8	19	-------	-------	1	2	-------	-------	1	-------	-------	2	-------	143
-------	1	-------	6	-------	-------	-------	-------	-------	-------	4	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	144
-------	-------	-------	7	-------	4	1	-------	1	18	35	5	-------	-------	4	-------	-------	-------	-------	-------	2	-------	145
-------	-------	-------	2	-------	8	3	-------	-------	3	10	2	-------	1	3	-------	-------	-------	-------	-------	1	-------	146
-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	147
-------	1	-------	4	1	4	-------	-------	1	54	5	4	-------	2	4	-------	-------	-------	3	-------	2	-------	148
-------	-------	-------	-------	-------	1	-------	-------	-------	4	3	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	149
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	150
-------	6	1	8	2	4	-------	-------	-------	1	-------	-------	-------	22	2	-------	8	-------	2	1	2	2	
-------	2	1	5	1	-------	-------	-------	-------	1	-------	-------	-------	7	2	-------	-------	-------	1	1	2	-------	151
-------	1	-------	2	-------	2	-------	-------	-------	-------	-------	-------	-------	5	-------	-------	1	-------	1	-------	-------	1	152
-------	3	-------	1	1	1	-------	-------	-------	-------	-------	-------	-------	3	-------	-------	1	-------	-------	-------	-------	-------	153
-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	7	-------	-------	6	-------	-------	-------	-------	1	154
-------	1	-------	8	5	29	1	-------	-------	2	7	2	-------	2	2	-------	1	-------	3	-------	3	1	
-------	1	-------	6	4	27	1	-------	-------	2	7	2	-------	1	2	-------	1	-------	2	-------	3	1	155
-------	-------	-------	2	1	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	156
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	157
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	158
-------	-------	-------	26	20	215	26	-------	7	19	15	8	-------	-------	16	5	174	1	-------	-------	37	2	
-------	-------	-------	2	11	40	4	-------	2	10	-------	1	-------	-------	7	4	45	-------	-------	-------	5	-------	159a
-------	-------	-------	7	4	11	-------	-------	-------	4	9	1	-------	-------	5	1	44	1	-------	-------	16	1	159b
-------	-------	-------	17	5	164	22	-------	5	5	6	6	-------	-------	4	-------	85	-------	-------	-------	16	1	159c
-------	-------	-------	119	14	104	1	-------	2	2	-------	3	-------	-------	3	-------	558	-------	-------	-------	15	2	
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	160
-------	-------	-------	68	1	4	-------	-------	1	2	-------	-------	-------	-------	1	-------	192	-------	-------	-------	6	2	161a
-------	-------	-------	51	13	100	1	-------	1	-------	-------	3	-------	-------	2	-------	315	-------	-------	-------	9	-------	161b
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	48	-------	-------	-------	-------	-------	162
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	3	-------	-------	-------	-------	-------	163
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	164
-------	814	13	35	116	537	37	25	89	906	173	233	36	1,402	305	27	108	-------	9	21	127	1	
-------	115	9	-------	5	12	1	6	-------	18	-------	5	5	1,286	20	-------	-------	-------	-------	1	22	-------	
-------	11	2	-------	1	-------	-------	-------	-------	1	-------	1	-------	41	2	-------	-------	-------	-------	-------	2	-------	165
-------	8	3	-------	-------	-------	-------	-------	-------	1	-------	-------	1	96	1	-------	-------	-------	-------	-------	1	-------	166
-------	14	-------	-------	-------	-------	-------	2	-------	1	-------	-------	-------	194	1	-------	-------	-------	-------	-------	-------	-------	167
-------	22	-------	-------	-------	-------	-------	2	-------	3	-------	-------	2	336	5	-------	-------	-------	-------	-------	3	-------	168
-------	11	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	108	2	-------	-------	-------	-------	-------	3	-------	169
-------	25	2	-------	3	12	1	2	-------	12	-------	3	1	307	5	-------	-------	-------	-------	1	10	-------	170
-------	9	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	108	4	-------	-------	-------	-------	-------	3	-------	171
-------	12	1	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	59	-------	-------	-------	-------	-------	-------	-------	-------	172
-------	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	14	-------	-------	-------	-------	-------	-------	-------	-------	173
-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	1	23	-------	-------	-------	-------	-------	-------	-------	-------	174
-------	27	1	-------	10	34	1	-------	1	24	7	6	-------	5	2	-------	-------	-------	-------	-------	2	-------	
-------	10	-------	-------	2	17	-------	-------	1	8	5	6	-------	1	-------	-------	-------	-------	-------	-------	1	-------	197
-------	-------	-------	-------	1	4	-------	-------	-------	1	1	-------	-------	2	-------	-------	-------	-------	-------	-------	1	-------	198
-------	17	1	-------	7	13	1	-------	-------	15	1	-------	-------	2	2	-------	-------	-------	-------	-------	-------	-------	199
-------	672	3	35	101	491	35	19	88	864	166	222	31	111	233	27	108	-------	9	20	103	1	
-------	2	-------	-------	-------	9	-------	-------	1	12	-------	3	1	1	-------	-------	25	-------	-------	-------	1	-------	175
-------	-------	-------	-------	1	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	176
-------	54	-------	-------	4	4	-------	-------	-------	5	1	-------	-------	4	4	3	18	-------	2	-------	4	-------	177
-------	12	-------	-------	-------	1	-------	-------	-------	2	-------	2	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	178
-------	27	-------	11	-------	9	-------	-------	2	25	6	9	3	7	51	5	14	-------	-------	-------	6	-------	179
-------	15	-------	-------	-------	-------	-------	-------	-------	2	-------	-------	-------	2	26	-------	3	-------	-------	-------	-------	-------	180
-------	57	-------	-------	1	1	-------	-------	1	7	1	3	-------	3	1	-------	-------	-------	-------	3	2	-------	181
-------	40	-------	-------	-------	-------	-------	-------	-------	6	-------	1	-------	4	69	5	1	-------	-------	-------	3	-------	182
-------	4	-------	-------	4	12	-------	-------	1	3	2	5	-------	2	2	-------	-------	-------	-------	1	1	-------	183
-------	5	-------	7	1	15	-------	-------	-------	3	4	-------	-------	3	4	-------	1	-------	-------	1	-------	-------	184
-------	240	3	9	43	150	11	15	43	592	80	123	13	45	89	9	12	-------	5	10	49	-------	185
-------	2	-------	-------	-------	2	-------	-------	5	3	10	6	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	186a
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	186b
-------	2	-------	-------	1	12	2	-------	1	5	11	2	-------	-------	2	-------	-------	-------	-------	-------	3	-------	187
-------	34	-------	-------	1	10	2	-------	4	8	2	3	2	4	1	-------	-------	-------	-------	-------	1	-------	188a
-------	5	-------	-------	-------	3	-------	-------	-------	11	2	-------	-------	2	1	-------	-------	-------	-------	-------	2	-------	188b
-------	70	-------	1	13	127	7	1	3	24	21	14	-------	4	2	-------	-------	-------	1	2	4	-------	188c
-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	188d
-------	14	-------	-------	-------	22	-------	-------	12	19	1	3	-------	-------	2	1	-------	-------	-------	-------	5	-------	188e,f
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	1	2	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	188g
-------	3	-------	-------	5	14	2	-------	-------	9	5	4	-------	-------	1	-------	1	-------	-------	-------	-------	-------	189
-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	190
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	192
-------	33	-------	-------	-------	1	-------	-------	-------	5	1	-------	-------	6	5	-------	-------	-------	-------	1	-------	-------	193
-------	12	-------	4	6	10	-------	1	-------	34	-------	9	-------	8	1	2	17	-------	-------	-------	3	-------	194
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	195
-------	-------	-------	-------	-------	1	-------	-------	-------	1	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	196
-------	7	-------	3	9	1	1	-------	30	4	5	2	2	3	-------	-------	-------	-------	1	-------	1	-------	201
-------	34	-------	3	17	77	9	1	15	55	13	26	10	14	18	2	16	-------	1	2	17	1	202
-------	-------	-------	-------	-------	-------	-------	-------	-------	1	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	203

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Diseases of the ear	Diseases of the mastoid process	Pericarditis	Endocarditis and myocarditis (acute)	Angina pectoris	Other diseases of the heart	Aneurysm	Other diseases of the arteries	Embolism and thrombosis (not cerebral)	Diseases of the veins	Diseases of the lymphatic system	Hemorrhage without specified cause	Other diseases of the circulatory system	Diseases of the nasal fossae	Diseases of the nasal fossae annexa	Diseases of the larynx
		86a	86b	87	88	89	90	91a	91b, c	92	93	94	95	96	97a	97b	98
	VIII.—The puerperal state	1	3	4	296	5	610	1	2	5	2			9	3	2	2
143	Accidents of pregnancy				30	1	83			1					1		1
144	Puerperal hemorrhage				9		45							2			
145	Other accidents of labor		1	2	71	2	230			3					1		1
146	Puerperal septicemia	1	1	2	96	2	65	1	1	1	2				1	2	
147	Puerperal phlegmasia alba dolens, embolus, etc.		1		10		23										
148	Puerperal albuminuria and convulsions				74		159		1					7			
149	Following childbirth (undefined)				6		4										
150	Puerperal diseases of the breast						1										
	IX.—Diseases of the skin and of the cellular tissue				6		47		2	11	1	18	1	2	1	1	8
151	Gangrene						21		1	3		6		1		1	
152	Furuncle				5		8			7		1					2
153	Acute abscess						3					10					6
154	Other diseases of the skin and annexa				1		15		1	1	1	1	1	1	1		
	X.—Diseases of the bones and of the organs of locomotion			9	37		48		18	42	2		1			6	
155	Diseases of the bones (tuberculosis excepted)			5	16		39		17	30	1		1			6	
156	Diseases of the joints (tuberculosis and rheumatism excepted)			4	21		7		1	6							
157	Amputations																
158	Other diseases of the organs of locomotion						2			6	1						
	XI.—Malformations	6		3	49		21			6	1	2	1		3		7
159a	Congenital hydrocephalus	1			4		5								1		
159b	Congenital malformations of the heart	3		2	38					3	1	1			2		3
159c	Other congenital malformations	2		1	7		16			3		1	1				4
	XII.—Early infancy	10		1	49		33			3		1			5		8
160	Congenital debility, icterus, sclerema																
161a	Premature birth	10			41		28								3		2
161b	Injury at birth			1	8		5			3		1			1		4
162	Other diseases peculiar to early infancy														1		2
163	Lack of care																
164	XIII.—Old age (senility)																
	XIV.—External causes	17	2	20	170	44	1,892	25	567	435	29	6		6	1	7	35
	Suicide			1	8	2	28	4	12	2							2
165	By poisons (gas or corrosives excepted)				2		5		2	1							
166	By corrosive substances			1	2		1		1								1
167	By poisonous gas				2		4		1								
168	By hanging or strangulation						2		6								1
169	By drowning						2										
170	By firearms				1		5	3		1							
171	By cutting or piercing instruments					2	7	1	1								
172	By jumping from high places								1								
173	By crushing																
174	By other means				1		2										
	Homicide	1		3	2		13	3	1	12	1						1
197	By firearms						7	1		6	1						
198	By cutting or piercing instruments			3	2			2		5							1
199	By other means	1					6		1	1							
	Accidental or undefined	16	2	16	160	42	1,851	18	554	421	28	6		6	1	7	32
175	Poisoning by food	2			12	2	52		2	3				1			
176	Poisoning by venomous animals								1		1						1
177	Other acute poisonings (gas excepted)				3		28		3		1						1
178	Conflagration				1		14		1	1							1
179	Burns (conflagration excepted)	2			16		57		12	19							5
180	Mechanical suffocation						5		1	1							
181	Absorption of irrespirable, irritating, or poisonous gas				6	2	39		4	1							2
182	Drowning						31		2								
183	Traumatism by firearms (except in war)			1	1	1	6	4		18							
184	Traumatism by cutting or piercing instruments				16		12		4	9	2	1					
185	Traumatism by fall	3		4	50	23	1,159	4	427	158	11			5		3	2
186a	Traumatism in mines						5	1	1	6							
186b	Traumatism in quarries								1								
187	Traumatism by machines			1	3		18	1	1	21	1						
188a	Railroad accidents				1		10		1	5							
188b	Street-car accidents			1	1		12		2	6							
188c	Automobile accidents	3		2	8	6	156	2	23	103	1	1					
188d	Airplane and balloon accidents			1													
188e,f	Injuries by other vehicles			1	5		19			13	1						
188g	Landslide, other crushing						5		1	3							
189	Injuries by animals (not poisoning)			1		1	9	1	4	4							
190	Wounds of war															1	
192	Starvation (deprivation of food or water)																
193	Excessive cold						4		3								
194	Excessive heat	1			6	3	67	1	22		1						
195	Lightning																
196	Other accidental electric shocks						5										
201	Fracture (cause not specified)				1	2	51		17	12							
202	Other external violence	5	2	4	30	2	86	4	21	38	9	4			1	3	20
203	Violent deaths of unknown causation						1										

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																					List No.
Acute bronchitis	Chronic bronchitis	Bronchitis (unspecified)	Bronchopneumonia	Capillary bronchitis	Lobar pneumonia	Pneumonia (unspecified)	Pleurisy	Congestion and hemorrhagic infarct of the lung	Gangrene of the lung	Asthma	Pulmonary emphysema	Other diseases of the respiratory system (tuberculosis excepted)	Diseases of the mouth and annexa	Adenoid vegetations	Other diseases of the pharynx, tonsils	Diseases of the esophagus	Ulcer of the stomach	Ulcer of the duodenum	Other diseases of the stomach (cancer excepted)	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	
99a	99b	99c, d	100a	100b	101a	101b	102	103	104	105	106	107	108	109a	109b	110	111a	111b	112	113	114	
4	2	5	202	------	352	144	28	123	3	6	------	12	5	------	17	------	3	1	65	------	33	
2	------	2	35	------	80	22	6	9	------	1	------	1	1	------	------	------	1	1	21	------	13	143
------	1	------	5	------	1	2	------	2	------	1	------	------	------	------	1	------	------	------	1	------	1	144
------	------	2	57	------	140	48	3	13	1	2	------	6	------	------	6	------	------	------	34	------	5	145
2	------	------	69	------	84	55	13	21	1	1	------	3	3	------	3	------	------	------	5	------	8	146
------	------	------	3	------	4	3	3	2	------	------	------	1	------	------	1	------	------	------	1	------	------	147
------	1	1	28	------	33	13	2	76	1	1	------	1	1	------	6	------	2	------	3	------	6	148
------	------	------	5	------	10	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	149
------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	150
------	------	1	35	------	2	17	------	34	------	5	------	3	13	------	5	------	------	------	4	1	2	
------	------	1	32	------	2	5	------	19	------	5	------	2	12	------	4	------	------	------	4	1	2	151
------	------	------	1	------	------	12	------	3	------	------	------	------	1	------	1	------	------	------	------	------	------	152
------	------	------	2	------	------	------	------	3	------	------	------	------	------	------	------	------	------	------	------	------	------	153
------	------	------	------	------	------	------	------	9	------	------	------	1	------	------	------	------	------	------	------	------	------	154
------	1	1	16	24	10	27	4	18	------	------	1	12	19	------	8	------	------	------	3	------	1	
------	------	1	4	24	10	25	4	10	------	------	1	11	16	------	8	------	------	------	2	------	------	155
------	1	------	11	------	------	1	------	8	------	------	------	1	3	------	------	------	------	------	1	------	1	156
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	157
------	------	------	1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	158
68	2	45	304	4	9	36	9	78	------	3	2	11	4	1	7	1	------	------	50	143	19	
6	------	5	63	1	------	2	1	5	------	1	------	------	1	------	1	------	------	------	5	39	10	159a
54	2	37	170	2	------	26	6	62	------	2	2	9	2	1	5	1	------	------	23	91	8	159b
8	------	3	71	1	9	8	2	11	------	------	------	2	1	------	1	------	------	------	22	13	1	159c
16	------	14	261	2	21	49	1	31	------	2	1	8	7	------	4	------	------	1	29	135	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	160
14	------	11	116	1	14	23	1	15	------	1	1	3	5	------	2	------	------	1	21	94	------	161a
2	------	3	145	1	7	26	------	11	------	1	------	5	2	------	2	------	------	------	8	41	------	161b
------	------	------	------	------	------	------	------	5	------	------	------	------	------	------	------	------	------	------	------	------	------	162
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	163
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	164
26	39	34	993	5	681	599	114	1,082	8	18	15	97	23	------	12	41	18	4	105	59	117	
1	------	------	26	2	17	12	3	10	1	3	1	3	------	------	------	4	3	------	6	------	6	
------	------	------	4	------	1	2	------	1	------	------	------	------	------	------	------	------	------	------	2	------	3	165
------	------	------	3	------	4	------	------	3	------	------	------	1	------	------	------	4	1	------	1	------	2	166
------	------	------	4	2	2	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	167
------	------	------	------	------	1	------	------	1	------	2	------	------	------	------	------	------	------	------	2	------	------	168
------	------	------	1	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	1	------	------	169
------	------	------	2	------	1	2	2	------	1	------	------	1	------	------	------	------	1	------	------	------	------	170
1	------	------	9	------	3	6	1	2	------	1	1	1	------	------	------	------	1	------	------	------	------	171
------	------	------	2	------	5	1	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	172
------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	173
------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	174
1	------	------	20	------	32	30	15	10	1	------	------	3	------	------	------	------	1	------	1	------	------	
------	------	------	5	------	13	20	8	3	1	------	------	3	------	------	------	------	------	------	1	------	------	197
------	------	------	3	------	13	7	7	2	------	------	------	------	------	------	------	------	------	------	------	------	------	198
1	------	------	12	------	6	3	------	5	------	------	------	------	------	------	------	------	1	------	------	------	------	199
24	39	34	947	3	632	557	96	1,062	6	15	14	91	23	------	12	37	14	4	98	59	111	
3	1	2	10	------	4	2	------	4	------	------	------	------	------	------	3	------	2	------	34	27	45	175
------	------	------	------	------	------	1	------	------	------	------	------	1	------	------	------	------	------	------	1	------	------	176
2	3	1	15	------	8	10	2	9	1	3	------	1	------	------	------	9	------	------	10	6	16	177
1	------	------	7	------	8	8	------	11	------	------	------	------	------	------	------	------	------	------	------	------	------	178
1	------	4	107	------	48	53	1	40	------	1	------	4	2	------	------	23	2	3	4	9	5	179
------	1	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	180
3	------	1	20	------	15	------	------	16	------	2	------	2	14	------	------	------	------	------	1	------	------	181
------	------	------	1	------	1	------	------	3	------	------	------	------	------	------	------	------	------	------	------	------	1	182
------	------	------	1	------	7	18	1	3	1	------	------	3	------	------	------	------	------	------	2	------	1	183
------	------	------	21	------	7	11	4	2	1	------	------	2	1	------	------	------	------	------	------	------	1	184
7	29	17	488	1	282	198	32	719	2	8	4	17	3	------	1	1	6	------	19	3	24	185
1	------	------	3	1	8	20	5	7	------	1	1	4	------	------	------	------	2	------	------	------	------	186a
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	186b
------	------	------	9	------	20	15	4	7	------	------	1	1	------	------	1	------	------	------	------	------	------	187
------	------	1	8	------	13	18	1	13	------	------	------	1	------	------	------	------	1	------	------	------	------	188a
------	------	------	5	------	5	1	3	8	------	------	------	------	------	------	------	------	------	------	------	------	------	188b
1	1	1	102	------	100	95	18	101	------	------	6	9	1	------	------	------	1	------	1	1	2	188c
------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	188d
------	------	1	8	------	15	11	------	17	------	------	------	1	------	------	------	------	------	------	------	------	------	188e,f
------	------	------	4	------	3	3	1	3	1	------	------	1	------	------	------	------	------	------	------	------	------	188g
------	------	------	8	------	8	6	1	3	------	------	------	1	------	------	------	------	------	------	4	------	1	189
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	190
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	192
1	------	------	5	------	3	1	------	3	------	------	------	1	------	------	------	------	------	------	------	------	------	193
------	------	1	6	------	3	4	------	24	------	------	------	------	------	------	1	------	------	------	16	3	4	194
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	195
------	------	------	------	------	2	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	196
------	1	1	21	------	16	15	1	30	------	------	------	1	------	------	------	------	------	------	1	------	1	201
4	3	4	95	1	56	67	22	37	------	------	2	41	2	------	6	4	------	1	4	9	10	202
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	203

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Diseases due to other intestinal parasites	Appendicitis and typhlitis	Hernia	Intestinal obstruction	Other diseases of the intestines	Acute yellow atrophy of the liver	Hydatid tumor of the liver	Cirrhosis of the liver	Biliary calculi	Other diseases of the liver	Diseases of the pancreas	Peritonitis without specified cause	Other diseases of the digestive system (cancer and tuberculosis excepted)	Acute nephritis (including unspecified under 10 years)	Chronic nephritis (including unspecified 10 years and over)	Other diseases of the kidneys and annexa (non-puerperal)
		116	117	118a	118b	119	120	121	122	123	124	125	126	127	128	129	131
	VIII.—The puerperal state	1	46	3	137	26	2	.....	4	9	52	1	.....	.....	.....	61	21
143	Accidents of pregnancy	.....	5	.....	25	3	.....	.....	.....	3	17	.....	.....	.....	.....	22	4
144	Puerperal hemorrhage	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	9	3
145	Other accidents of labor	.....	5	1	71	12	.....	.....	.....	1	7	.....	.....	.....	.....	9	2
146	Puerperal septicemia	1	33	1	35	7	2	.....	.....	4	12	.....	.....	.....	.....	14	5
147	Puerperal phlegmasia alba dolens, embolus, etc	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	7	.....
148	Puerperal albuminuria and convulsions	.....	3	.....	5	3	.....	.....	4	1	14	1	.....	.....	.....	.....	7
149	Following childbirth (undefined)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IX.—Diseases of the skin and of the cellular tissue	1	.....	.....	.....	5	.....	.....	.....	.....	3	.....	.....	.....	15	11	8
151	Gangrene	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	15	7	3
152	Furuncle	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	2
153	Acute abscess	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
154	Other diseases of the skin and annexa	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2
	X.—Diseases of the bones and of the organs of locomotion	.....	.....	.....	1	1	.....	.....	.....	.....	5	.....	.....	.....	25	12	10
155	Diseases of the bones (tuberculosis excepted)	.....	.....	.....	1	1	.....	.....	.....	.....	3	.....	.....	.....	21	11	9
156	Diseases of the joints (tuberculosis and rheumatism excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	4	1	1
157	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Other diseases of the organs of locomotion	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Malformations	.....	.....	1	15	7	.....	.....	.....	.....	3	1	32	.....	37	17	29
159a	Congenital hydrocephalus	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	1	.....	3	2	1
159b	Congenital malformations of the heart	.....	.....	1	1	.....	.....	.....	.....	.....	3	.....	.....	.....	25	9	10
159c	Other congenital malformations	.....	.....	.....	13	5	.....	.....	.....	.....	.....	1	31	.....	9	6	18
	XII.—Early infancy	.....	.....	1	4	13	.....	.....	.....	.....	6	.....	3	.....	17	.....	12
160	Congenital debility, icterus, sclerema	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161a	Premature birth	.....	.....	.....	.....	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161b	Injury at birth	.....	.....	1	4	3	.....	.....	.....	.....	6	.....	1	.....	12	.....	8
162	Other diseases peculiar to early infancy	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	5	.....	4
163	Lack of care	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
164	XIII.—Old age (senility)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIV.—External causes	2	27	37	131	59	3	1	29	4	45	4	878	1	403	877	120
	Suicide	.....	1	.....	.....	1	1	.....	2	.....	3	.....	18	1	34	34	3
165	By poisons (gas or corrosives excepted)	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	5	5	1
166	By corrosive substances	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	27	15	.....
167	By poisonous gas	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....
168	By hanging or strangulation	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....
169	By drowning	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
170	By firearms	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	11	1	.....	6	1
171	By cutting or piercing instruments	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	1	3	.....
172	By jumping from high places	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
173	By crushing	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	By other means	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....
	Homicide	.....	.....	.....	5	2	.....	.....	.....	.....	1	1	276	.....	2	2	4
197	By firearms	.....	.....	.....	4	1	.....	.....	.....	.....	1	.....	212	.....	.....	1	4
198	By cutting or piercing instruments	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	49	.....	.....	1	.....
199	By other means	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	15	.....	2	.....	.....
	Accidental or undefined	2	26	37	126	56	2	1	27	4	41	3	584	.....	367	841	113
175	Poisoning by food	.....	2	.....	8	2	.....	.....	.....	.....	5	.....	15	.....	17	14	3
176	Poisoning by venomous animals	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
177	Other acute poisonings (gas excepted)	2	.....	.....	.....	3	1	.....	2	1	2	1	3	.....	50	20	3
178	Conflagration	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	6	1
179	Burns (conflagration excepted)	.....	1	.....	2	1	.....	.....	2	.....	2	.....	6	.....	186	89	18
180	Mechanical suffocation	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	.....
181	Absorption of irrespirable, irritating, or poisonous gas	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13	1
182	Drowning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
183	Traumatism by firearms (except in war)	.....	2	.....	7	2	.....	.....	1	.....	1	.....	77	.....	1	2	1
184	Traumatism by cutting or piercing instruments	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	19	.....	6	12	2
185	Traumatism by fall	.....	10	14	37	23	1	1	14	2	18	2	116	.....	45	496	39
186a	Traumatism in mines	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	13	.....	2	7	6
186b	Traumatism in quarries	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
187	Traumatism by machines	.....	2	5	2	2	.....	.....	.....	.....	1	.....	32	.....	1	6	3
188a	Railroad accidents	.....	1	1	5	1	.....	.....	.....	.....	1	.....	7	.....	1	6	3
188b	Street-car accidents	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	4	.....
188c	Automobile accidents	.....	4	5	19	5	.....	.....	1	1	3	.....	82	.....	14	59	15
188d	Airplane and balloon accidents	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
188e,f	Injuries by other vehicles	.....	1	4	6	1	.....	.....	1	.....	.....	.....	19	.....	2	14	3
188g	Landslide, other crushing	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	1	1
189	Injuries by animals (not poisoning)	.....	.....	.....	9	.....	.....	.....	2	.....	.....	.....	59	.....	.....	6	1
190	Wounds of war	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
192	Starvation (deprivation of food or water)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
193	Excessive cold	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....
194	Excessive heat	.....	.....	.....	.....	1	.....	.....	1	.....	2	.....	.....	.....	3	22	3
195	Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
196	Other accidental electric shocks	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
201	Fracture (cause not specified)	.....	.....	.....	2	3	.....	.....	.....	.....	1	.....	3	.....	3	27	2
202	Other external violence	.....	2	6	27	10	.....	.....	2	.....	3	.....	120	.....	19	34	8
203	Violent deaths of unknown causation	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																						List No.
Calculi of the urinary passages	Diseases of the bladder	Diseases of the urethra, etc.	Diseases of the prostate	Nonvenereal diseases of the male genital organs	Cysts, other benign tumors of the ovary	Salpingitis and pelvic abscess (female)	Benign tumors of the uterus	Nonpuerperal uterine hemorrhage	Other diseases of the female genital organs	Nonpuerperal diseases of the breast (cancer excepted)	Accidents of pregnancy	Puerperal hemorrhage	Other accidents of labor	Puerperal septicemia	Puerperal phlegmasia alba dolens, embolus, etc.	Puerperal albuminuria and convulsions	Following childbirth (undefined)	Puerperal diseases of the breast	Gangrene	Furuncle	Acute abscess	Other diseases of the skin and annexa	
132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	
1	6	3	------	------	10	28	42	------	9	------	2,206	234	2,740	------	360	375	30	11	2	------	3	1	
------	2	------	------	------	1	------	2	------	2	------	------	49	4	------	20	7	2	------	1	------	------	------	143
------	------	------	------	------	------	------	11	------	------	------	33	------	587	------	55	105	1	------	------	------	------	------	144
------	2	2	------	------	4	------	11	------	3	------	8	26	------	------	91	2	3	------	------	------	1	------	145
------	1	1	------	------	4	28	15	------	3	------	1,839	159	1,005	------	146	261	10	7	1	------	2	1	146
------	------	------	------	------	1	------	1	------	------	------	65	------	320	------	------	------	2	4	------	------	------	------	147
1	1	------	------	------	------	------	2	------	1	------	261	------	824	------	48	------	12	------	------	------	------	------	148
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	149
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	150
------	3	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	9	19	42	
------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	6	25	151
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	11	4	152
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	9	------	13	153
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	------	154
------	3	1	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	10	9	18	7	
------	3	1	1	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	9	8	14	5	155
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	4	2	156
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	157
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	158
------	5	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	------	2	4	
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	2	159a
------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	1	159b
------	4	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	1	159c
------	2	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	2	16	24	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	160
------	------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	6	19	161a
------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	10	5	161b
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	162
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	163
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	164
5	40	11	17	3	2	7	2	------	10	2	38	1	2	224	1	13	7	------	246	5	82	69	
------	1	------	------	------	------	------	------	------	3	------	2	------	------	------	------	2	6	------	------	------	------	------	165
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	3	------	------	------	------	------	166
------	------	------	------	------	------	------	------	------	------	------	2	------	------	------	------	------	------	------	------	------	------	------	167
------	------	------	------	------	------	------	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	168
------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	1	------	------	------	------	------	169
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	170
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	171
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	1	------	------	------	------	------	172
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	173
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	174
1	------	------	------	------	------	------	------	------	------	------	16	1	------	216	1	6	------	------	11	------	1	1	
1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	7	------	------	1	197
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	------	------	------	198
------	------	------	------	------	------	------	------	------	------	------	16	1	------	216	1	6	------	------	2	------	1	------	199
4	39	11	17	3	2	7	2	------	7	2	20	------	2	8	------	5	1	------	235	5	81	68	
------	------	------	------	------	------	------	------	------	------	------	4	------	1	------	------	1	------	------	------	------	------	------	175
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	1	------	176
------	------	1	1	------	------	------	------	------	------	------	5	------	------	------	------	------	------	------	------	------	------	------	177
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	178
------	------	------	------	------	------	------	------	------	1	------	4	------	------	------	------	3	------	------	15	------	2	5	179
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	180
------	------	------	1	2	------	------	------	------	2	------	------	------	------	------	------	------	------	------	------	------	------	1	181
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	182
------	1	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	11	------	------	1	183
------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	------	------	------	18	1	15	------	184
1	17	1	8	1	2	2	2	------	1	------	2	------	1	1	------	------	1	------	48	4	16	46	185
------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	3	------	2	2	186a
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	186b
------	2	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	11	------	2	------	187
------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	3	------	------	1	188a
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	4	------	------	------	188b
2	3	2	1	------	------	2	------	------	------	------	1	------	------	1	------	1	------	------	38	------	5	5	188c
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	188d
1	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	7	------	------	------	188e,f
------	2	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	4	------	------	------	188g
------	------	------	1	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	2	------	189
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	190
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	192
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	22	------	------	------	193
------	3	------	------	------	------	------	------	------	1	------	2	------	------	------	------	------	------	------	------	------	------	1	194
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	195
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	196
------	1	------	------	------	------	------	------	------	------	------	------	------	------	1	------	------	------	------	6	------	------	3	201
------	6	6	3	------	------	3	------	------	2	2	1	------	------	5	------	------	------	------	41	------	36	2	202
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	203

TABLE 3.—CONTRIBUTORY CAUSES OF DEATH IN RELATION TO PRIMARY CAUSES OF DEATH

List No.	CAUSE OF DEATH	CONTRIBUTORY CAUSE															
		Diseases of the bones (tuberculosis excepted)	Diseases of the joints (tuberculosis and rheumatism excepted)	Other diseases of the organs of locomotion	Congenital hydrocephalus	Congenital malformations of the heart	Other congenital malformations	Congenital debility, icterus, sclerema	Premature birth	Injury at birth	Other diseases peculiar to early infancy	Lack of care	Old age (senility)	Suicide			
														By poisons (gas or corrosives excepted)	By corrosive substances	By poisonous gas	By firearms
		155	156	158	159a	159b	159c	160	161a	161b	162	163	164	165	166	167	170
	VIII.—The puerperal state	1	1			1											
143	Accidents of pregnancy																
144	Puerperal hemorrhage																
145	Other accidents of labor	1				1											
146	Puerperal septicemia		1														
147	Puerperal phlegmasia alba dolens, embolus, etc.																
148	Puerperal albuminuria and convulsions																
149	Following childbirth (undefined)																
150	Puerperal diseases of the breast																
	IX.—Diseases of the skin and of the cellular tissue	7	3				4	77			9		401				
151	Gangrene	6	1					3			1		307				
152	Furuncle		2					19			3		16				
153	Acute abscess	1					3	14			3		15				
154	Other diseases of the skin and annexa						1	41			2		63				
	X.—Diseases of the bones and of the organs of locomotion		12					3					29				
155	Diseases of the bones (tuberculosis excepted)		12					1					16				
156	Diseases of the joints (tuberculosis and rheumatism excepted)							2					2				
157	Amputations																
158	Other diseases of the organs of locomotion												11				
	XI.—Malformations	3				14	505	629	1,123	68	271	1					
159a	Congenital hydrocephalus	1				14	417	30	35	49	10						
159b	Congenital malformations of the heart	1					88	161	967		181	1					
159c	Other congenital malformations	1						438	121	19	80						
	XII.—Early infancy	1				183	271	445	1,244		2,171	17					
160	Congenital debility, icterus, sclerema											8					
161a	Premature birth						182	112			1,420	2					
161b	Injury at birth	1				183	51	145	1,244		751						
162	Other diseases peculiar to early infancy						38	188				7					
163	Lack of care																
164	XIII.—Old age (senility)																
	XIV.—External causes	98	12	2	1	5	6	21	25			1	1,214	4	10	8	10
	Suicide			1									26	4	10	8	10
165	By poisons (gas or corrosives excepted)												1				
166	By corrosive substances												1				
167	By poisonous gas												3		5		
168	By hanging or strangulation			1									9	1	2	1	7
169	By drowning												1				
170	By firearms												5		1	1	
171	By cutting or piercing instruments												4	3	1	6	3
172	By jumping from high places												1		1		
173	By crushing																
174	By other means												1				
	Homicide	2															
197	By firearms	2															
198	By cutting or piercing instruments																
199	By other means																
	Accidental or undefined	96	12	1	1	5	6	21	25			1	1,188				
175	Poisoning by food					1							7				
176	Poisoning by venomous animals								1								
177	Other acute poisonings (gas excepted)	1					1	2					3				
178	Conflagration						1						3				
179	Burns (conflagration excepted)						1						26				
180	Mechanical suffocation							1	4								
181	Absorption of irrespirable, irritating, or poisonous gas					1							2				
182	Drowning												4				
183	Traumatism by firearms (except in war)	1															
184	Traumatism by cutting or piercing instruments	5	2	1				1	1				1				
185	Traumatism by fall	37	6		1		1	2	9				927				
186a	Traumatism in mines	2															
186b	Traumatism in quarries																
187	Traumatism by machines	1											1				
188a	Railroad accidents												1				
188b	Street-car accidents	1											1				
188c	Automobile accidents	10	1			1							32				
188d	Airplane and balloon accidents																
188e,f	Injuries by other vehicles	6											3				
188g	Landslide, other crushing												1				
189	Injuries by animals (not poisoning)		1										3				
190	Wounds of war																
192	Starvation (deprivation of food or water)																
193	Excessive cold												6				
194	Excessive heat					1		13	1			1	90				
195	Lightning																
196	Other accidental electric shocks																
201	Fracture (cause not specified)	1							1				52				
202	Other external violence	31	2			1	1	2	8				25				
203	Violent deaths of unknown causation																

IN THE REGISTRATION AREA IN CONTINENTAL UNITED STATES: 1925—Continued

CONTRIBUTORY CAUSE																						List No
Suicide—Con.			Homicide		Accidental or undefined																	
By cutting or piercing instruments	By jumping from high places	By crushing	By cutting or piercing instruments	By other means	Poisoning by food	Other acute poisonings (gas excepted)	Conflagration	Burns (conflagration excepted)	Mechanical suffocation	Absorption of irrespirable, irritating, or poisonous gas	Drowning	Traumatism by cutting or piercing instruments	Traumatism by fall	Traumatism by machines	Street-car accidents	Automobile accidents	Injuries by other vehicles	Landslide, other crushing	Excessive cold	Excessive heat	Other accidental electric shocks	Other external violence	
171	172	173	198	199	175	177	178	179	180	181	182	184	185	187	188b	188c	188e, f	188g	193	194	196	202	
						2				23			1							4			
										6													143
																							144
						2				14										2			145
										1			1							1			146
										1													147
										1										1			148
																							149
																							150
						1														2			
																							151
																				1			152
																				1			153
						1																	154
						1				4										2			
						1				4													155
																				1			156
																							157
																				1			158
										6										5			
																							159a
																				5			159b
										6													159c
																				6			
																							160
																				5			161a
																				1			161b
																							162
																							163
																							164
3	1	1	24	5	1	7	3	246	6	63	113	22	57	4	9	1,766	370	9	3	11	56	16	
3	1	1						3					2			1				1	1		
													1										165
																							166
													1										167
1																							168
	1																						169
																1							170
																							171
2		1																					172
																							173
								3												1	1		174
			24	5		1		1		3			1			1							
			24	1												1							197
				4						1			1										198
						1		1		2													199
					1	6	3	242	6	60	113	22	54	4	9	1,764	370	9	3	10	55	16	
																				1			175
																							176
																							177
										4			5					2			1	2	178
						1				4			4									10	179
																							180
													1							1		1	181
										2										1			182
								1		2			1										183
						1				1			26									1	184
					1	3			1	11	4								2	5			185
								30	1	12	2	1						2			48		186a
								1															186b
								96	1	2								4		2			187
								33		1	1				9	1,266	21				2		188a
								2		1	2					498	24				4		188b
								46	1	7	96	19	2				324	1					188c
								10			6												188d
						1		1		3	1	2											188e, f
								1	2														188g
																							189
																							190
																							192
																							193
																							194
							3										1						195
								21			1		15	4								2	196
										2													201
										8									1				202
																							203

INDEX

INDEX OF SUBJECTS PRESENTED IN THE DETAILED TABLES FOR THE REGISTRATION AREA AND FOR THE STATES: 1925

SUBJECTS PRESENTED IN TABLES	THE REGISTRATION AREA						Alabama	California	Colorado	Connecticut	Delaware	District of Columbia	Florida	Idaho	Illinois	Indiana	Iowa	Kansas	Kentucky	Louisiana	Maine	Maryland	Massachusetts
	Total	Registration States: Total	Registration States: Urban	Registration States: Rural	Registration cities in nonregistration States	All registration cities																	
	Page																						
Population, deaths, and rates by color; urban and rural	2	2	2	2	2	2	2	2	2	2	2	-----	2	2	2	2	2	2	2	2	2	2	
Population, deaths, and rates for total and residents: Cities	-----	-----	-----	-----	-----	-----	4	4	4	4	4	4	4	4	4	5	5	5	5	5	5	5	5
Population, deaths, and rates for total and residents: Counties	-----	-----	-----	-----	-----	-----	9	10	10	10	10	-----	10	11	11	12	12	13	13	14	15	15	16
Deaths by cause in full detail	27	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by months; urban and rural	32	32	32	32	32	32	32	32	32	32	32	-----	32	32	32	32	32	32	32	32	32	32	32
Deaths by race and nativity of white; urban and rural	34	34	34	34	34	34	34	34	34	34	34	-----	34	34	34	34	34	34	34	34	34	34	34
Deaths by age and color; urban and rural	36	36	36	36	36	36	36	36	36	36	36	-----	36	36	36	36	36	36	36	38	38	38	38
Deaths by age, sex, race, and nativity of white	42	42	43	43	43	44	44	44	45	45	45	46	46	46	47	47	47	48	48	48	49	49	49
Deaths from important causes: Urban and rural	58	58	58	58	58	58	58	58	58	58	58	-----	58	58	58	58	58	58	60	60	60	60	60
Deaths from important causes: Cities	-----	-----	-----	-----	-----	-----	64	64	66	66	66	66	66	68	68	68	70	70	70	70	72	72	72
Deaths by cause; urban and rural	88	88	88	88	88	88	88	88	89	89	89	89	89	89	89	89	94	94	94	94	95	95	95
Deaths by cause; age, sex, and color	-----	110	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause for colored, by race and sex	-----	134	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Deaths by cause and age	137	-----	-----	-----	-----	-----	140	145	148	151	154	157	161	166	168	171	174	178	181	185	190	193	198
Deaths from important causes by age; large cities	-----	-----	-----	-----	-----	-----	282	282	284	284	285	285	-----	-----	287	287	288	288	289	289	-----	290	291
Deaths from important causes by months: Area and States	315	315	-----	-----	-----	-----	315	316	316	317	317	-----	317	318	318	319	319	319	320	320	321	321	322
Deaths from important causes by months: Large cities	-----	-----	-----	-----	-----	-----	333	333	335	335	336	336	-----	-----	338	338	339	339	340	340	-----	341	342
Deaths of infants from important causes: States	-----	-----	-----	-----	-----	-----	366	-----	366	-----	-----	-----	-----	367	-----	-----	-----	-----	-----	367	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	-----	-----	-----	369	-----	370	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	371	-----	-----	-----
Deaths complicated by contributing causes	426	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

SUBJECTS PRESENTED IN TABLES	Michigan	Minnesota	Mississippi	Missouri	Montana	Nebraska	New Hampshire	New Jersey	New York	North Carolina	North Dakota	Ohio	Oregon	Pennsylvania	Rhode Island	South Carolina	Tennessee	Utah	Vermont	Virginia	Washington	West Virginia	Wisconsin	Wyoming
	Page																							
Population, deaths, and rates by color; urban and rural	2	2	2	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Population, deaths, and rates for total and residents: Cities	6	6	6	6	6	6	6	6	7	7	7	7	7	7	8	8	8	8	8	8	8	9	9	9
Population, deaths, and rates for total and residents: Counties	16	16	17	18	18	19	19	19	19	20	21	21	22	22	22	22	23	24	24	24	25	25	26	26
Deaths by months; urban and rural	32	32	32	32	32	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33	33
Deaths by race and nativity of white; urban and rural	34	34	34	34	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
Deaths by age and color; urban and rural	38	38	38	38	38	38	38	38	38	38	38	40	40	40	40	40	40	40	40	40	40	40	40	40
Deaths by age, sex, race, and nativity of white	50	50	50	51	51	51	52	52	52	53	53	53	54	54	54	55	55	55	56	56	56	57	57	57
Deaths from important causes: Urban and rural	60	60	60	60	60	60	60	60	62	62	62	62	62	62	62	62	62	62	62	62	62	64	64	64
Deaths from important causes: Cities	74	74	74	74	76	76	76	76	78	78	80	80	82	82	84	84	84	84	86	86	86	86	86	86
Deaths by causes; urban and rural	95	95	95	95	100	100	100	100	100	100	101	101	101	101	101	101	101	101	106	106	106	106	106	106
Deaths by cause and age	201	204	207	212	215	218	221	224	227	230	235	238	241	244	247	249	254	259	262	264	269	272	275	278
Deaths from important causes by age; large cities	293	294	-----	295	-----	296	-----	296	298	-----	-----	303	306	306	308	-----	308	311	-----	312	313	-----	314	-----
Deaths from important causes by months: Area and States	322	323	323	324	324	324	325	325	325	326	326	327	327	327	328	328	329	329	330	330	331	331	331	332
Deaths from important causes by months: Large cities	344	345	-----	346	-----	347	-----	347	349	-----	-----	354	357	357	359	-----	359	362	-----	363	364	-----	365	-----
Deaths of infants from important causes: States	-----	-----	-----	368	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	368	369	-----	-----	-----	-----	-----	-----	-----
Deaths of infants from important causes: Large cities	-----	-----	-----	372	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	373	-----	-----	-----	-----	-----	-----	-----

Abscess, acute, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 453.
—— death rate, 28.

Absorption of irrespirable, irritating, or poisonous gas, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
—— death rate, 29.

Accidental or undefined (total), deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436–437, 445, 455.
—— death rate, 29.

Acute anterior poliomyelitis, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 427, 147.
—— death rate, 27.

Acute yellow atrophy of the liver, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.

Addison's disease. *See* Adrenals, diseases of.

Adenoid vegetations, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.

Adjusted death rates. *See* Death rates.

Adrenals, diseases of (Addison's disease), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.

Airplane and balloon accidents, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 418; by sex, 130, 418; in urban and rural districts, 92.
—— death rate, 29.

Alcoholism (acute or chronic), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 449.
—— death rate, 27.

Amputations, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 412; by sex, 126, 412; in urban and rural districts, 92; as contributory cause, 435, 445.
—— death rate, 28.

Ancylostomiasis, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 433, 443.
—— death rate, 28.

Anemia, chlorosis, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 439, 448.
—— death rate, 27.

Aneurysm, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.

Angina pectoris, deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.

Animals, injuries by (not poisoning), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437.
—— death rate, 29.

Anthrax, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427.
—— death rate, 27.

Appendicitis and typhlitis, deaths from, 28, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.

Arteries, diseases of, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
—— death rate, 28.

Arteriosclerosis, deaths from, 28.
—— death rates, 28.

Asiatic cholera, no deaths in 1925.

Asthma, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.

Automobile accidents (excluding collision with railroad trains and street cars), deaths from, 29, 59, 92; by age, 130, 140, 418; by color, 59, 130, 136, 418; by sex, 130, 136, 418; by month of death, 315; in urban and rural districts, 59, 92; as contributory cause, 437, 455.
—— death rate, 29.

Balloon accidents. *See* Airplane and balloon accidents.

Beriberi, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88.
—— death rate, 27.

Biliary calculi, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.

Birth, injury at. *See* Injury at birth.

Bladder, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.

Bones (tuberculosis excepted), diseases of, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 445, 454.
—— death rate, 28.

Botulism, deaths from, 29.
—— death rate, 29.

Breast (cancer excepted), nonpuerperal diseases of, deaths from, 28, 90; by age, 124, 139, 412; by color, 124, 135, 412; by sex, 124, 135, 412; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.

Bronchitis (all forms), deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 431, 441, 442, 451.
—— death rate, 28.

Broncho-pneumonia, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; by month of death, 315; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 442, 451.
—— death rate, 28.

Bubonic plague, deaths from, 27.
—— death rate, 27.

Burns (conflagration excepted), deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 445, 455.
—— death rate, 29.

Calculi of the urinary passages, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 443, 453.
—— death rate, 28.

Cancer or principal forms, deaths from, 27, 58, 88; by age, 114, 137, 400, 422; by color, 58, 114, 134, 400, 422; by sex, 114, 134, 400, 422; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 428, 447.
—— death rate, 27, 422.

Capilliary bronchitis, deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 59, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.

Carbolic acid poisoning (accidental), deaths from, 29.
—— death rate, 29.

Causes of death, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88.
—— death rate, 27, 420.

Cerebral embolism and thrombosis, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.

Cerebral hemorrhage, apoplexy, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 134, 404; by sex, 116, 134, 404; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 449.
—— death rate, 27.

Cerebral hemorrhage and softening, deaths from, 59; by color, 59; by month of death, 315; in urban and rural districts, 59.

Cerebrospinal meningitis (nonepidemic), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
—— death rate, 27.

Cestodes, deaths from, 28.
—— death rate, 28.

Chicken pox, deaths from, 27.
—— death rate, 27.

Childbirth. *See* Puerperal state, the.

Children under 1 year of age, deaths of, 36, 42, 110, 137, 366, 396; by cause, 110, 137, 282, 366, 396, 420; by color, 36, 42, 110, 396, 420; by sex, 42, 110, 396, 420; in urban and rural districts, 36.
—— death rate, 420.

Chinese population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
Chlorosis. *See* Anemia, chlorosis.
Cholera nostras, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 426, 438, 446.
—— death rate, 27.
Chorea, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.
Chyluria, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443.
—— death rate, 28.
Circulatory system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
—— death rate, 28.
Cirrhosis of the liver, deaths from, 28, 59, 90; by age, 122, 138, 410; by color, 59, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 59, 90; in detail, 28; alcoholic, 28; as contributory cause, 433, 443, 452.
—— death rate, 28; alcoholic death rate, 28.
Coccidia, deaths from, 28.
—— death rate, 28.
Cold, excessive, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
—— death rate, 29.
Colored population, 2; deaths of, 2, 34, 42, 58, 134; by age, 36, 42, 110, 396, 420; by cause, 58, 110, 134, 396, 420; by sex, 42, 110, 134, 396, 420; in urban and rural districts, 2, 34, 36, 58.
—— death rate, 2, 420.
Conflagration, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 436, 455.
—— death rate, 29.
Congenital debility, icterus, sclerema, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
—— death rate, 28.
Congenital malformations and diseases of early infancy, deaths from, 28, 59, 92; by age, 126, 139, 412–414; by color, 59, 126, 136, 412–414; by sex, 126, 136, 412–414; in urban and rural districts, 59, 92; in detail, 28; as contributory cause, 435, 436, 445, 454.
—— death rate, 28.
Congenital malformations of the heart, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
—— death rate, 28.
Congestion and hemorrhagic infarct of the lung, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
Contributory causes in relation to primary causes of death, 426.
Convulsions (nonpuerperal), deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.
Cutting or piercing instruments, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
—— death rate, 29.
Cysts and other benign tumors of the ovary, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.

Death rates, 2, 27; by cause, 27, 420; specific and adjusted death rates, causes, 420.
Debility, congenital. *See* Congenital debility, etc.
Diabetes mellitus, deaths from, 27, 59, 88; by age, 114, 137, 400, 423; by color, 59, 114, 134, 400, 423; by sex, 114, 134, 400, 423; by month of death, 315; in urban and rural districts, 59, 88; as contributory cause, 429, 439, 448.
—— death rate, 27, 423.
Diarrhea and enteritis, deaths from, 28, 59, 90; by age, 122, 138, 408, 423; by color, 59, 122, 135, 408, 423; by sex, 122, 135, 408, 423; by month of death, 315; in urban and rural districts, 59, 90; as contributory cause, 433, 443, 451.
—— death rate, 28, 423.
Digestive system, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 432, 433, 442, 443, 451, 452.
—— death rate, 28.
Diphtheria, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396, 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 446.
—— death rate, 27, 421.
Drowning, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 455.
—— death rate, 29.
Dysentery, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 88; in detail, 27; as contributory cause, 426, 438, 446.
—— death rate, 27.

Ear, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 27.
Early infancy, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 436, 445, 454.
—— death rate, 28.
Electric shocks, accidental, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
—— death rate, 29.
Embolism and thrombosis (not cerebral), deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.
Embolism, cerebral. *See* Cerebral embolism and thrombosis.
Emphysema, pulmonary, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
Encephalitis, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
—— death rate, 27.
Encephalitis, lethargic. *See* Lethargic encephalitis.
Endocarditis and myocarditis (acute), deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.
Enteritis. *See* Diarrhea and enteritis.
Epilepsy, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.
Erysipelas, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 427, 438, 447.
—— death rate, 27.
Esophagus, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
Eye and annexa, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 430, 441, 449.
—— death rate, 27.

Fall, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
—— death rate, 29.
Female genital organs, diseases of, deaths from, 28, 90; by age, 124, 138–139, 410; by color, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 434, 444, 453.
—— death rate, 28.
Firearms (wounds of war excepted), traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437.
—— death rate, 29.
Foreign-born white population, deaths of, 34; by age and sex, 42.

Fracture (cause not specified), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437.
—— death rate, 29.
Furuncle, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 453.
—— death rate, 28.

Gangrene, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 434, 444, 453.
—— death rate, 28.
Gangrene of the lung, deaths from, 28, 90; by age, 120, 138, 408; by color, 120, 135, 408; by sex, 120, 135, 408, in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
General paralysis of the insane, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 449.
—— death rate, 27.
Genito-urinary system and annexa, non-venereal diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 434, 443, 444, 452, 453.
——death rate, 28.
German measles, deaths from, 27.
—— death rate, 27.
Glanders, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 398; by sex, 112, 398; in urban and rural districts, 88.
—— death rate, 27.
Goiter, exophthalmic, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Gonococcus infection, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 428, 439, 447.
—— death rate, 27.
Gout. *See* Rheumatism.

Hawaii, statistics of, 378.
Heart, diseases of, deaths from, 28, 59, 90; by age, 118, 138, 404–406; by color, 59, 118, 135, 404–406; by sex, 118, 135, 404–406; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 431, 441, 450.
—— death rate, 28.
Heat, excessive, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 445, 455.
—— death rate, 29.
Hemiplegia, deaths from, 27.
—— death rate, 27.
Hemorrhage without specified cause, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.
Hernia, intestinal obstruction, deaths from, 28, 59, 90; by age, 122, 138, 408; by color, 59, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 433, 443, 452.
—— death rate, 28.
Hodgkin's disease, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429.
—— death rate, 27.
Homicide, or its principal forms, deaths from, 29, 59, 92; by age, 128, 139, 414–416; by color, 59, 128, 136, 414–416; by sex, 128, 136, 414, 416; in urban and rural districts, 59, 92; in detail, 29; as contributory cause, 436, 455.
—— death rate, 29.
Hydatid tumor of the liver, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.
Hydrocephalus (congenital), deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
—— death rate, 28.

Icterus (congenital). *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 29, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.
—— death rate, 29.
Indian population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
Infanticide. (Murder of infants less than 1 year of age), deaths from, 29.
—— death rate, 29.
Influenza, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 426, 438, 446.
—— death rate, 27.
Injuries by vehicles, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
—— death rate, 29.
Injury at birth, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 454.
—— death rate, 28.
Intestinal obstruction. *See* Hernia.
Intestinal parasites, diseases due to, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 443, 452.
—— death rate, 28.
Intestines, diseases of, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.

Japanese population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
Jaundice. *See* Spirochetal hemorrhagic jaundice.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 412; by sex, 126, 412; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
—— death rate, 28.

Kidneys and annexa, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 443, 452.
—— death rate, 28.

Lack of care, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 436, 445, 454.
—— death rate, 28.
Landslide, crushing, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; as contributory cause, 437, 455.
—— death rate, 29.
Larynx, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.
Laudanum poisoning (accidental), deaths from, 29.
—— death rate, 29.
Lead poisoning, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440.
—— death rate, 27.
Leprosy, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 437, 446.
—— death rate, 27.
Lethargic encephalitis, deaths from, 27, 88; by age, 110, 137, 398; by color, 110, 134, 398; by sex, 110, 134, 398; by month of death, 315; in urban and rural districts, 88; as contributory cause, 427, 438, 447.
—— death rate, 27.
Leukemia, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Lightning, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
—— death rate, 29.
Liver, diseases of, deaths from, 28, 90; by age, 122, 138, 410; by color, 122, 135, 410; by sex, 122, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.
Locomotor ataxia. *See* Tabes dorsalis.
Lymphatic system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.

Machines, traumatism by, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
—— death rate, 29.
Malaria, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
—— death rate, 27.
Male genital organs, nonvenereal diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.
Malformations. *See* Congenital malformations, etc.
Malta fever, no deaths in 1925.
Mastoid process, diseases of, deaths from, 27, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 27.
Measles, deaths from, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
—— death rate, 27, 420.
Mechanical suffocation, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437, 455.
—— death rate, 29.
Mediastinum, diseases of, deaths from, 28.
—— death rate, 28.
Meningitis, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 440, 449.
—— death rate, 27.
Meningococcus meningitis, deaths from, 27, 58, 88; by age, 112, 137, 398; by color, 58, 112, 134, 398; by sex, 112, 134, 398; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 427.
—— death rate, 27.
Mental alienation, deaths from, 27, 88; by age, 118, 137, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.
Miliary fever, no deaths in 1925.
Mineral poisoning, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 429, 440.
—— death rate, 27.
Mines, traumatism in, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; as contributory cause, 437.
—— death rate, 29.
Month of death, deaths by, 32; by cause, 315.
Morphine poisoning (accidental), deaths from, 29.
—— death rate, 29.
Motor-cycle accidents, deaths from, 29.
—— death rate, 29.
Mouth and annexa, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
Mumps, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 426, 438, 446.
—— death rate, 27.
Mycoses, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 438, 447.
—— death rate, 27.
Myocarditis. *See* Endocarditis and myocarditis, acute.

Nasal fossae and annexa, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 441, 450.
—— death rate, 28.
Native white population, deaths of, 34, 42; by age and sex, 42; in urban and rural districts, 34.
Nativity, deaths by, 34, 42.
Negro population, deaths of, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
Nematodes (other than clylostoma), deaths from, 28.
—— death rate, 28.
Nephritis, deaths from, 28, 59, 90; by age, 124, 138, 410, 423; by color, 59, 124, 135, 410, 423; by sex, 124, 135, 410, 423; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 433, 443, 452.
—— death rate, 28, 423.
Nervous system and the organs of special sense, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 441, 449.
—— death rate, 27.
Neuralgia and neuritis, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 441, 449.
—— death rate, 27.
Neuritis. *See* Neuralgia and neuritis.

Old age (senility), deaths from, 28, 92; by age, 128, 139, 414; by color, 128, 136, 414; by sex, 128, 136, 414; in urban and rural districts, 92; as contributory cause, 436, 445, 454.
—— death rate, 28.
Opium poisoning (accidental), deaths from, 29.
—— death rate, 29.
Osteoarthritis. *See* Rheumatism.

Pancreas, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.
Paralysis without specified cause, deaths from, 27, 88; by age, 116, 137, 404; by color, 116, 135, 404; by sex, 116, 135, 404; in urban and rural districts, 88; in detail, 27; as contributory cause, 430, 440, 449.
—— death rate, 27.
Parathyroid glands, diseases of, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Paratyphoid fever. *See* Typhoid and paratyphoid fever.
Parent nativity, deaths by, 34.
Pellagra, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
—— death rate, 27.
Pelvic abscess. *See* Salpingitis and pelvic abscess.
Pericarditis, deaths from, 28, 90; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.
Peritonitis without specified cause, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; by sex, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 433, 443, 452.
—— death rate, 28.
Pernicious anemia, deaths from, 27.
—— death rate, 27.
Pharynx, tonsils, diseases of, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 432, 442, 451.
—— death rate, 28.
Pituitary gland, diseases of, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Plague, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 396; by sex, 110, 396; in urban and rural districts, 88; in detail, 27.
—— death rate, 27.
Pleurisy, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.
Pneumonia or its principal forms, deaths from, 28, 59, 90; by age, 120, 138, 406; by color, 59, 120, 135, 406; by sex, 120, 135, 406; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 432, 442, 451.
—— death rate, 28.
Pneumonic plague, no deaths in 1925.
Poisoning by food, deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436, 455.
—— death rate, 29.
Poisoning by organic substances, chronic, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 440, 449.
—— death rate, 27.
Poisoning by venomous animals, deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; as contributory cause, 436.
—— death rate, 29.

Poisonings, acute (gas excepted), deaths from, 29, 92; by age, 128, 139, 416; by color, 128, 136, 416; by sex, 128, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 436, 445, 455.
—— death rate, 29.
Poisonous gas, absorption of. *See* Absorption of irrespirable, irritating, or poisonous gas.
Poliomyelitis. *See* Acute anterior poliomyelitis.
Population of registration area, 2, and subdivisions, 2, 4.
Premature birth, deaths from, 28, 92; by age, 126, 139, 414; by color, 126, 136, 414; by sex, 126, 136, 414; in urban and rural districts, 92; as contributory cause, 435, 445, 454.
—— death rate, 28.
Prostate, diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.
Puerperal state, the, or its principal forms, deaths from, 28, 59, 90; by age, 124, 139, 412, 424; by color, 59, 124, 136, 412, 424; by month of death, 315; in urban and rural districts, 59, 90; in detail, 28; as contributory cause, 434, 435, 444, 453.
—— death rate, 28, 424.
Pulmonary emphysema. *See* Emphysema, pulmonary.
Purulent infection, septicemia, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 428, 439, 447.
—— death rate, 27.

Quarries, traumatism in, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92.
—— death rate, 29.

Rabies, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88.
—— death rate, 27.
Race, deaths by, 34, 42, 134; by age, 42; by cause, 134; by sex, 42, 134; in urban and rural districts, 34.
Railroad accidents, deaths from, 29, 92; by age, 130, 139, 416; by color, 130, 136, 416; by sex, 130, 136, 416; in urban and rural districts, 92; in detail, 29; as contributory cause, 437.
—— death rate, 29.
Railroad train and automobile collisions, deaths from, 29, 59, 92; by age, 130, 139, 416; by color, 59, 130, 136, 416; by sex, 130, 136, 416; by month of death, 315; in urban and rural districts, 59, 92.
—— death rate, 29.
Registration States of 1920, deaths in, 42, 396, 420; by age, 42, 396, 420; by cause, 396, 420; by color, 42, 396, 420; by race, 42; by sex, 42, 396, 420.
—— death rate, 420.
Relapsing fever (spirillum obermeieri), no deaths in 1925.
Respiratory system, diseases of, deaths from, 28, 90; by age, 120, 138, 406; by color, 120, 135, 406; by sex, 120, 135, 406; in urban and rural districts, 90; in detail, 28; as contributory cause, 431, 432, 441, 442, 450, 451.
—— death rate, 28.
Rheumatic fever, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
—— death rate, 27.
Rheumatism, deaths from, 27, 58, 88; by age, 114, 137, 404; by color, 58, 114, 134, 404; by sex, 114, 134, 404; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 428, 439, 448.
—— death rate, 27.
Rickets, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.

Salpingitis and pelvic abscess (female), deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.
Scarlet fever, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396; 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 446.
—— death rate, 27, 421.
Sclerema, congenital. *See* Congenital debility, etc.
Scurvy, deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
—— death rate, 27.
Senility. *See* Old age.
Septicemia. *See* Purulent infection.
Septicemic plague, no deaths in 1925.
Sex, deaths by, 42, 110, 134, 396, 420.
—— death rate, 420.
Skin and cellular tissue, diseases of, deaths from, 28, 92; by age, 126, 139, 412; by color, 126, 136, 412; by sex, 126, 136, 412; in urban and rural districts, 92; in detail, 28; as contributory cause, 435, 444, 445, 453.
—— death rate, 28.
Smallpox, deaths from, 27, 58, 88; by age, 110, 137, 396; by color, 58, 110, 134, 396; by sex, 110, 134, 396; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426.
—— death rate, 27.
Soft chancre, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 439.
—— death rate, 27.
Softening of the brain, deaths from, 27, 88; by age, 118, 138, 404; by color, 118, 135, 404; by sex, 118, 135, 404; in urban and rural districts, 88; as contributory cause, 430, 441, 449.
—— death rate, 27.
Specific rates. *See* Table 1, Appendix.
Spinal cord, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 430, 440, 449.
—— death rate, 27.
Spirochetal hemorrhagic jaundice, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 134, 396; by sex, 110, 134, 396; in urban and rural districts, 88; as contributory cause, 427, 446.
—— death rate, 27.
Spleen, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Starvation (deprivation of food or water), deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
—— death rate, 29.
Stomach, diseases of (cancer excepted), deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; in detail, 28; as contributory cause, 433, 443, 451.
—— death rate, 28.
Street-car accidents, deaths from, 29, 92; by age, 130, 140, 418; by color, 130, 136, 418; by sex, 130, 136, 418; in urban and rural districts, 92; in detail, 29; as contributory cause, 437, 455.
—— death rate, 29.
Street-car and automobile collisions, deaths from, 29, 59, 92; by age, 130, 140, 418; by color, 59, 130, 136, 418; by sex, 130, 136, 418; by month of death, 315; in urban and rural districts, 59, 92.
—— death rate, 29.
Sudden death, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
—— death rate, 29.
Suicide or its principal forms, deaths by, 29, 59, 92; by age, 128, 139, 414; by color, 59, 128, 136, 414; by sex, 128, 136, 414; by month of death, 315; in urban and rural districts, 59, 92; in detail, 29; as contributory cause, 436, 454–455.
—— death rate, 29.
Syphilis, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 447.
—— death rate, 27.

Tabes dorsalis (locomotor ataxia), deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 430, 449.
—— death rate, 27.
Tetanus, deaths from, 27, 88; by age, 112, 137, 398; by color, 112, 134, 398; by sex, 112, 134, 398; in urban and rural districts, 88; as contributory cause, 427, 447.
—— death rate, 27.
Thrombosis. *See* Cerebral embolism and thrombosis. *See* Cerebral embolism and thrombosis (not cerebral).
Thymus gland, diseases of, deaths from, 27, 88; by age, 116, 137, 402; by color, 116, 134, 402; by sex, 116, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Thyroid gland, diseases of, deaths from, 27, 88; by age, 114, 137, 402; by color, 114, 134, 402; by sex, 114, 134, 402; in urban and rural districts, 88; as contributory cause, 429, 439, 448.
—— death rate, 27.
Tonsils. *See* Pharynx.
Trematodes, deaths from, 28.
—— death rate, 28.

Tuberculosis or its principal forms, deaths from, 27, 58, 88; by age, 112, 137, 398, 422; by color, 58, 112, 134, 398, 422; by sex, 112, 134, 398, 422; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 427, 438, 447.
—— death rate, 27, 422.

Tumors, benign and unqualified (tumors of the female genital organs excepted), deaths from, 27, 88; by age, 114, 137, 400; by color, 114, 134, 400; by sex, 114, 134, 400; in urban and rural districts, 88; as contributory cause, 428, 439, 448.
—— death rate, 27.

Tumors of the uterus, benign, deaths from, 28, 90; by age, 124, 139, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444, 453.
—— death rate, 28.

Typhlitis. *See* Appendicitis and typhlitis.

Typhoid and paratyphoid fever, deaths from, 27, 58, 88; by age, 110, 137, 396, 420; by color, 58, 110, 134, 396, 420; by sex, 110, 134, 396, 420; by month of death, 315; in urban and rural districts, 58, 88; in detail, 27; as contributory cause, 426, 446.
—— death rate, 27, 420.

Typhus fever, deaths from, 27, 88; by age, 110, 137, 396; by color, 110, 396; by sex, 110, 396; in urban and rural districts, 88.
—— death rate, 27.

Ulcer of the duodenum, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 443, 451.
—— death rate, 28.

Ulcer of the stomach, deaths from, 28, 90; by age, 122, 138, 408; by color, 122, 135, 408; by sex, 122, 135, 408; in urban and rural districts, 90; as contributory cause, 432, 442, 451.
—— death rate, 28.

Unknown or ill-defined diseases, deaths from, 29, 59, 92; by age, 132, 140, 418; by color, 59, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 59, 92; in detail, 29.
—— death rate, 29.

Urethra, etc., diseases of, deaths from, 28, 90; by age, 124, 138, 410; by color, 124, 135, 410, by sex, 124, 135, 410; in urban and rural districts, 90; in detail, 28; as contributory cause, 434, 444 453.
—— death rate, 28.

Uterine hemorrhage, nonpuerperal, deaths from, 28, 90; by age, 124, 139, 410; by color, 124, 135, 410; in urban and rural districts, 90; as contributory cause, 434, 444.
—— death rate, 28.

Uterus, benign tumors of. *See* Tumors of the uterus, benign.

Veins, diseases of, deaths from, 28, 90; by age, 118, 138, 406; by color, 118, 135, 406; by sex, 118, 135, 406; in urban and rural districts, 90; as contributory cause, 431, 441, 450.
—— death rate, 28.

Virgin Islands, statistics of, 387.

White population, 2; deaths of, 2, 34, 42, 58; by age, 36, 42, 110, 396, 420; by cause, 58, 110, 396, 420; by nativity, 34, 42; by sex, 42, 110, 396, 420; in urban and rural districts, 2, 34, 36, 58.
—— death rate, 2, 420.

Whooping cough, deaths from, 27, 58, 88; by age, 110, 137, 396, 421; by color, 58, 110, 134, 396, 421; by sex, 110, 134, 396, 421; by month of death, 315; in urban and rural districts, 58, 88; as contributory cause, 426, 438, 446.
—— death rate, 27, 421.

Wood or denatured alcohol poisoning (accidental), deaths from, 29.
—— death rate, 29.

Wounds of war, deaths from, 29, 92; by age, 132, 140, 418; by color, 132, 136, 418; by sex, 132, 136, 418; in urban and rural districts, 92.
—— death rate, 29.

Yellow fever, no deaths in 1925.

○